ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
This copy reported on
6-SEP-2016
Account: CANURA

CERTIFICATE VA16141577

P.O. No.: EB80002589

This report is for 217 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUL-2016.

The following have access to data associated with this certificate:

RTXAMRNA ASSAY RESULTS TOM ELASH	CURTIS BRETT JENNY GOLDNER	SUE DRIEBERG GRAHAM LILLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
DRY-22	Drying - Maximum Temp 60C
SPL-21s	Split Sample - Rotary or Riffle
SCR-41f	Screen to -75um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
MS61L-PbIS	Pb IS Add-on to ME-MS61L	ICP-MS
ME-MS61L	Super Trace Lowest DL 4A by ICP-MS	ICP-MS

To: **RIO TINTO EXPLORATION CANADA INC.**
ATTN: RTXAMRNA ASSAY RESULTS
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40123098		0.04	0.034	8.63	9.65	365	5.12	0.084	0.38	0.084	171.0	4.16	14.0	2.92	5.40	1.690
40271551		2.14	0.047	5.40	0.55	428	3.84	0.493	5.78	0.256	108.0	35.1	210	1.13	141.0	12.20
40271552		1.32	0.021	7.22	0.67	938	2.52	0.338	1.37	0.066	38.6	6.52	38.6	2.95	7.66	3.13
40271553		1.36	0.028	6.90	0.39	938	2.69	0.316	1.49	0.096	41.6	6.56	38.6	2.84	6.28	3.28
40271554		1.30	0.046	6.42	1.15	934	2.07	0.392	1.36	0.081	41.5	5.97	37.1	4.29	8.70	2.91
40271555		1.36	0.015	5.89	0.89	690	1.87	0.301	1.10	0.058	134.0	5.54	40.2	2.59	5.65	2.39
40271556		0.96	0.231	3.31	0.87	535	3.82	1.535	1.00	0.088	>500	3.22	19.7	8.45	101.0	1.200
40271557		1.44	0.061	4.52	0.75	590	1.39	0.308	0.91	0.062	47.4	2.04	17.0	1.53	6.54	0.640
40271558		1.00	0.162	4.51	1.26	530	1.32	0.316	0.68	0.075	50.0	4.20	37.0	3.66	29.7	3.08
40271571		1.48	0.026	7.27	0.76	900	2.52	0.329	1.57	0.058	73.2	7.40	42.2	2.60	6.72	2.92
40271572		1.36	0.023	7.31	0.72	996	2.83	0.358	1.68	0.080	52.2	7.80	47.9	3.01	5.06	2.88
40271573		1.66	0.017	7.40	0.30	1010	3.02	0.311	2.16	0.084	61.7	9.38	46.3	3.18	9.25	3.02
40271574		1.34	0.039	7.38	0.51	946	2.88	0.318	1.81	0.074	64.5	8.19	45.1	3.22	9.21	2.82
40271575		0.02	0.032	8.70	11.45	374	5.20	0.099	0.40	0.065	181.5	4.71	14.6	3.08	5.87	1.730
40271576		1.14	0.033	6.97	0.45	1000	2.55	0.469	2.05	0.111	48.5	8.88	57.1	3.12	6.84	3.69
40271577		2.14	0.020	7.27	0.51	1000	2.78	0.305	2.01	0.103	69.7	8.69	40.7	3.92	10.05	2.72
40271578		1.44	0.019	7.06	0.34	958	2.60	0.351	1.95	0.107	52.7	8.01	43.1	3.03	7.58	3.15
40271579		1.18	0.029	7.49	0.62	977	2.94	0.356	1.81	0.085	64.2	7.87	44.6	2.80	10.30	3.06
40271580		1.08	0.020	7.50	0.63	910	2.72	0.343	1.54	0.077	67.5	8.14	46.3	2.77	8.17	2.86
40271581		1.48	0.023	7.22	0.71	959	2.89	0.375	1.73	0.115	66.5	7.85	43.5	2.84	6.16	3.18
40271582		1.08	0.027	7.18	0.70	969	2.59	0.290	1.69	0.058	43.5	6.84	38.3	2.85	5.76	2.85
40271583		1.26	0.054	7.39	0.58	994	3.04	0.332	1.79	0.079	55.7	8.15	41.1	3.02	4.68	3.61
40271584		1.32	0.023	7.51	0.68	946	2.89	0.387	1.80	0.082	63.4	8.70	43.6	2.82	8.35	3.14
40271601		1.26	0.025	5.92	1.40	743	1.86	0.262	0.95	0.027	51.7	2.95	18.2	3.24	3.11	1.430
40271602		1.32	0.055	5.00	1.39	560	1.40	0.163	0.81	0.023	48.2	2.89	18.6	2.98	2.86	1.090
40271603		1.42	0.146	7.32	3.94	810	2.33	1.255	1.05	0.036	62.6	7.48	34.2	5.19	13.60	2.68
40271604		1.30	0.047	6.28	2.37	682	2.04	0.873	0.91	0.045	55.9	4.83	31.0	3.13	6.64	2.75
40271605		1.10	0.043	6.11	2.17	768	1.79	0.372	0.90	0.026	51.4	2.93	21.5	4.25	3.26	2.05
40271606		0.92	0.083	5.47	1.42	556	1.24	0.177	0.82	0.031	37.6	3.26	24.4	1.98	2.70	1.910
40271607		1.76	0.024	6.59	1.05	808	2.22	0.422	0.96	0.047	57.9	4.77	19.4	3.78	2.40	1.560
40271608		0.64	0.047	5.33	1.20	610	1.40	0.202	0.95	0.041	38.2	3.57	24.4	2.17	2.16	1.680
40271609		3.30	0.035	3.40	0.47	273	2.07	0.459	3.09	0.205	>500	31.5	257	1.34	26.9	28.6
40271622		1.02	0.055	5.52	0.91	792	1.38	0.182	1.21	0.044	45.4	5.57	25.5	2.51	10.55	1.620
40271623		1.50	0.064	6.84	1.96	745	2.41	0.260	1.22	0.033	41.1	12.10	36.6	8.48	9.35	3.38
40271624		0.74	0.068	5.26	0.89	637	1.39	0.118	0.99	0.029	41.6	6.60	23.7	3.26	5.01	1.510
40271625		0.04	0.039	8.78	11.35	377	5.16	0.099	0.39	0.073	183.0	4.41	14.0	3.12	5.66	1.750
40271626		1.08	0.039	5.64	0.52	556	1.39	0.108	0.77	0.039	38.0	8.91	61.6	12.85	2.94	3.81
40271627		1.60	0.029	7.20	0.84	910	2.09	0.186	1.31	0.066	47.6	6.61	32.6	3.70	5.45	2.50
40271628		1.50	0.046	6.73	0.98	790	1.77	0.176	1.20	0.061	39.2	5.46	28.0	3.22	4.47	2.44
40271629		1.06	0.045	4.91	0.82	570	1.47	0.176	0.98	0.032	58.1	3.30	21.2	4.00	9.73	1.100

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
40123098		26.7	0.14	6.07	0.056	3.34	83.5	48.2	0.42	154.5	1.69	1.395	28.6	6.98	0.019	63.9
40271551		20.7	0.16	9.90	0.141	1.47	42.5	25.0	3.43	1700	4.53	1.450	31.7	86.2	0.335	33.7
40271552		20.9	0.05	5.87	0.029	2.91	17.80	38.6	0.51	276	0.89	1.900	14.85	13.25	0.022	36.6
40271553		22.2	0.06	6.22	0.027	3.01	19.40	42.0	0.59	318	1.79	1.950	14.75	13.85	0.025	36.9
40271554		22.8	0.06	7.13	0.034	2.97	18.35	24.0	0.58	297	3.04	1.765	17.00	12.25	0.045	32.2
40271555		14.20	0.11	7.27	0.027	1.78	65.4	36.9	0.49	222	1.03	1.490	10.90	13.60	0.035	23.3
40271556		9.06	0.52	2.88	0.028	0.70	350	19.7	0.22	80.4	0.89	0.460	4.82	19.05	0.131	74.8
40271557		11.50	<0.05	6.87	0.009	1.64	23.5	22.1	0.25	143.5	0.57	1.525	8.06	5.46	0.013	22.3
40271558		18.05	0.05	9.26	0.034	1.51	23.6	54.2	0.33	192.5	6.65	1.040	17.20	11.85	0.033	107.5
40271571		18.95	0.06	6.61	0.045	2.73	32.9	38.4	0.60	332	1.13	2.02	13.75	14.25	0.025	34.2
40271572		20.4	0.07	6.35	0.029	3.09	22.8	37.3	0.66	354	0.89	2.10	14.75	16.50	0.022	37.2
40271573		20.8	0.09	6.29	0.044	3.09	29.5	33.8	0.75	432	0.91	2.28	14.10	17.55	0.052	38.0
40271574		19.25	0.07	6.04	0.036	2.84	31.7	36.9	0.65	367	1.08	2.15	13.25	16.20	0.044	37.3
40271575		27.0	0.13	6.38	0.041	3.39	88.1	49.3	0.42	158.0	1.73	1.430	30.6	7.22	0.020	67.4
40271576		23.3	0.07	6.61	0.039	2.70	21.3	32.8	0.80	416	2.26	2.08	17.40	17.30	0.038	35.6
40271577		19.20	0.09	6.29	0.024	3.23	34.3	36.2	0.71	397	0.74	2.23	14.10	16.45	0.071	37.6
40271578		18.85	0.08	5.77	0.028	2.89	24.0	35.4	0.70	388	1.10	2.10	14.25	15.35	0.052	35.0
40271579		21.3	0.09	7.35	0.030	3.01	31.4	38.9	0.65	373	1.30	2.17	15.95	15.70	0.025	40.1
40271580		18.00	0.10	5.28	0.029	2.82	32.8	43.1	0.67	331	0.81	1.975	13.20	16.70	0.031	35.3
40271581		22.8	0.09	6.26	0.052	2.94	31.5	45.5	0.66	359	1.30	2.02	15.25	15.40	0.023	35.7
40271582		19.75	0.08	5.50	0.034	3.11	20.0	37.2	0.59	326	1.30	2.11	12.75	13.35	0.035	34.4
40271583		22.9	0.08	6.64	0.039	3.25	28.3	43.8	0.68	394	2.48	2.13	15.85	14.80	0.038	38.6
40271584		20.0	0.08	5.89	0.053	2.91	30.2	41.5	0.68	373	1.17	2.07	14.30	16.00	0.024	36.0
40271601		15.70	0.05	8.62	0.028	2.46	22.9	31.9	0.28	171.5	0.93	1.855	9.89	6.52	0.032	37.1
40271602		13.00	0.06	8.58	0.021	1.71	21.8	31.3	0.38	153.0	1.05	1.335	9.81	6.90	0.010	19.55
40271603		18.35	0.05	7.48	0.015	2.41	30.2	46.4	0.45	230	4.64	1.895	11.95	16.40	0.100	46.5
40271604		16.10	0.07	8.81	0.031	1.81	26.2	46.7	0.39	187.0	4.78	1.545	11.15	10.35	0.034	32.0
40271605		17.85	0.06	9.64	0.010	2.46	23.6	31.5	0.36	170.0	2.93	1.835	10.75	6.58	0.023	32.3
40271606		13.90	0.05	7.99	0.014	1.62	16.65	26.7	0.31	150.5	1.45	1.380	9.54	7.55	0.020	18.15
40271607		16.50	0.06	7.94	0.006	2.73	25.9	33.8	0.31	182.0	1.21	2.14	10.40	8.32	0.011	41.0
40271608		12.85	0.05	8.34	0.016	1.75	17.10	24.5	0.33	174.5	0.92	1.585	8.86	7.75	0.021	18.10
40271609		34.2	0.47	49.5	0.111	0.87	240	24.5	1.47	2770	2.16	0.863	98.5	51.9	0.307	41.8
40271622		15.30	0.05	8.22	0.021	2.04	22.3	22.5	0.38	214	0.60	1.845	9.84	11.40	0.013	25.9
40271623		19.30	0.06	7.82	0.034	2.52	19.60	46.3	0.99	222	1.09	1.755	8.51	21.5	0.065	22.1
40271624		12.60	<0.05	7.89	0.020	1.91	18.70	31.2	0.47	195.0	0.51	1.545	8.24	11.35	0.016	14.80
40271625		27.8	0.13	6.42	0.038	3.44	90.6	48.7	0.43	159.5	1.69	1.445	30.8	7.13	0.021	68.2
40271626		13.60	<0.05	5.89	0.032	2.12	17.30	54.0	0.89	213	2.61	1.165	8.26	37.9	0.025	12.60
40271627		17.80	0.06	8.07	0.012	2.21	22.0	34.3	0.52	256	0.62	2.11	9.88	13.45	0.140	29.3
40271628		17.10	0.05	6.33	0.021	1.94	17.15	33.9	0.41	204	0.54	1.905	9.52	11.85	0.208	25.9
40271629		11.90	0.05	7.70	0.029	1.70	32.0	27.3	0.37	178.5	5.03	1.510	8.47	8.92	0.015	35.3

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.002	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.2	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.04	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.004	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
40123098		207	0.024	0.53	1.32	9.40	1.5	5.56	92.9	2.28	<0.04	75.9	0.173	1.370	522	21.0
40271551		48.2	<0.002	0.01	0.23	46.0	<0.2	15.20	206	3.33	<0.04	30.3	0.826	0.327	14.30	234
40271552		123.0	<0.002	0.01	0.04	9.37	0.2	1.74	257	1.43	<0.04	11.35	0.356	0.734	4.88	53.3
40271553		120.0	<0.002	0.01	0.06	10.30	<0.2	1.84	264	1.39	<0.04	9.26	0.363	0.772	28.3	54.6
40271554		127.5	<0.002	0.01	0.08	9.81	0.2	2.02	256	1.51	<0.04	11.45	0.435	0.822	8.66	71.8
40271555		70.6	<0.002	0.02	0.12	7.78	0.2	1.27	243	0.91	<0.04	29.8	0.281	0.494	5.67	46.1
40271556		39.9	0.006	0.21	0.24	8.07	<0.2	1.18	145.0	0.47	<0.04	40.2	0.101	0.393	>2500	15.4
40271557		63.6	<0.002	0.01	0.10	4.49	0.2	0.98	215	0.87	<0.04	7.41	0.193	0.462	35.8	18.6
40271558		73.4	<0.002	0.02	0.23	6.69	0.3	2.89	149.5	1.19	<0.04	14.15	0.387	0.598	28.2	68.5
40271571		115.5	<0.002	0.01	0.07	11.35	<0.2	1.50	279	1.39	<0.04	16.40	0.342	0.722	13.90	52.2
40271572		129.0	<0.002	0.01	0.06	11.75	<0.2	1.65	292	1.52	<0.04	11.30	0.351	0.831	4.20	52.1
40271573		127.5	<0.002	0.01	0.03	13.40	<0.2	1.48	331	1.43	<0.04	12.60	0.360	0.838	3.71	53.2
40271574		119.0	<0.002	0.01	0.03	11.65	0.2	1.62	307	1.33	<0.04	15.15	0.332	0.787	5.36	49.6
40271575		222	0.023	0.55	1.05	9.51	1.5	5.48	98.5	2.44	<0.04	80.7	0.181	1.490	554	22.8
40271576		115.0	<0.002	0.01	0.09	13.15	<0.2	1.89	314	1.70	<0.04	8.58	0.511	0.704	3.87	73.1
40271577		143.0	<0.002	<0.01	0.05	11.95	<0.2	1.52	309	1.48	<0.04	14.20	0.335	0.897	9.98	47.6
40271578		121.5	<0.002	0.01	0.03	11.00	0.2	1.54	304	1.39	<0.04	9.85	0.377	0.707	4.43	53.7
40271579		129.0	<0.002	0.01	0.04	12.85	0.2	1.80	301	1.67	<0.04	14.50	0.388	0.830	17.50	56.1
40271580		123.0	<0.002	0.01	0.04	11.70	0.3	1.27	272	1.30	<0.04	20.2	0.298	0.784	29.3	46.4
40271581		120.0	<0.002	<0.01	0.04	13.35	0.3	1.68	282	1.59	<0.04	13.60	0.393	0.775	9.25	55.8
40271582		135.5	<0.002	0.01	0.04	10.55	0.2	1.34	287	1.27	<0.04	11.60	0.302	0.816	4.01	47.8
40271583		136.5	<0.002	0.01	0.06	12.45	0.3	1.58	290	1.52	<0.04	13.25	0.382	0.848	5.89	58.5
40271584		124.0	<0.002	<0.01	0.05	12.40	0.2	1.51	293	1.44	<0.04	13.55	0.352	0.803	8.68	53.2
40271601		109.0	<0.002	0.01	0.08	4.87	0.3	1.25	265	1.14	<0.04	16.00	0.193	0.719	4.59	29.1
40271602		69.4	<0.002	<0.01	0.14	4.97	<0.2	1.19	210	0.84	<0.04	7.77	0.221	0.404	2.50	28.9
40271603		109.5	<0.002	0.01	0.15	7.00	0.3	1.81	288	1.10	<0.04	24.5	0.241	0.663	7.40	48.8
40271604		72.0	<0.002	0.01	0.12	6.30	<0.2	1.43	238	1.01	0.04	19.60	0.251	0.494	7.34	46.9
40271605		107.0	<0.002	<0.01	0.16	5.12	<0.2	1.48	275	1.02	<0.04	13.00	0.223	0.684	3.09	44.0
40271606		61.1	<0.002	0.01	0.12	4.86	<0.2	1.27	206	0.90	<0.04	7.75	0.230	0.368	2.05	40.6
40271607		121.5	<0.002	<0.01	0.08	5.67	<0.2	1.39	287	1.09	<0.04	24.5	0.188	0.752	10.95	30.2
40271608		71.8	<0.002	0.01	0.14	5.58	0.3	1.17	228	0.80	<0.04	7.98	0.217	0.409	2.22	35.3
40271609		34.8	<0.002	0.01	0.09	31.5	<0.2	7.03	159.0	10.05	<0.04	272	2.10	0.223	26.7	506
40271622		81.6	<0.002	<0.01	0.09	6.32	<0.2	1.47	298	0.86	<0.04	7.88	0.282	0.586	3.06	45.2
40271623		141.5	<0.002	0.01	0.14	12.70	<0.2	1.44	305	0.69	0.04	7.13	0.517	0.647	4.82	110.0
40271624		92.8	<0.002	<0.01	0.11	6.55	0.3	1.19	237	0.82	<0.04	7.51	0.260	0.493	2.80	41.4
40271625		217	0.023	0.55	1.18	9.87	1.6	5.77	100.0	2.42	<0.04	81.6	0.181	1.530	561	23.0
40271626		159.0	<0.002	<0.01	0.15	7.08	<0.2	0.88	186.5	0.81	0.05	6.02	0.300	0.679	3.68	52.0
40271627		89.0	<0.002	<0.01	0.08	7.06	<0.2	1.17	349	0.86	<0.04	11.15	0.262	0.534	2.72	51.9
40271628		74.0	<0.002	<0.01	0.10	5.81	0.3	1.16	316	0.83	0.04	8.51	0.248	0.401	1.95	49.7
40271629		68.6	<0.002	<0.01	0.14	5.10	0.4	1.08	220	0.84	<0.04	9.74	0.207	0.446	42.7	26.4

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40123098		0.898	46.5	55.9	173.0	<0.0004	<0.004	<0.002	0.65	20.3	11.85	25.3
40271551		0.597	54.8	154.5	324	<0.0004	0.004	<0.002	0.43	9.40	6.72	17.15
40271552		1.060	10.40	37.7	188.5	0.0010	<0.004	<0.002	0.47	10.75	7.42	15.60
40271553		1.170	11.00	34.6	202	0.0025	0.004	<0.002	0.49	11.60	7.73	16.45
40271554		2.49	10.50	33.8	224	0.0030	<0.004	<0.002	0.43	9.38	6.63	16.15
40271555		0.882	13.25	26.8	243	0.0035	<0.004	<0.002	0.30	5.32	4.50	13.30
40271556		0.555	100.5	21.6	98.2	0.0044	<0.004	<0.002	0.58	24.6	10.60	24.8
40271557		0.882	10.15	14.3	224	0.0014	<0.004	<0.002	0.26	7.52	4.29	10.65
40271558		1.140	9.53	101.5	293	0.0030	<0.004	<0.002	1.09	42.5	17.15	38.3
40271571		0.914	18.35	38.3	211	0.0008	<0.004	<0.002	0.46	9.68	7.05	17.20
40271572		0.771	14.05	40.7	184.5	0.0015	<0.004	<0.002	0.51	10.25	7.84	16.55
40271573		0.777	16.50	46.9	192.0	0.0018	<0.004	<0.002	0.52	10.35	8.06	16.75
40271574		0.753	16.60	42.1	189.5	0.0020	<0.004	<0.002	0.49	10.70	7.57	16.35
40271575		0.994	50.0	57.9	181.0	<0.0004	<0.004	<0.002	0.66	20.9	12.00	25.9
40271576		1.315	14.45	44.8	204	<0.0004	<0.004	<0.002	0.50	10.40	7.68	16.55
40271577		0.823	18.10	43.1	196.0	<0.0004	<0.004	<0.002	0.51	10.70	7.87	16.70
40271578		1.395	14.50	41.0	192.5	<0.0004	<0.004	<0.002	0.47	9.59	7.21	17.45
40271579		0.878	16.45	40.6	226	<0.0004	0.004	<0.002	0.54	11.85	8.46	18.00
40271580		0.708	15.60	40.3	170.5	0.0005	<0.004	<0.002	0.46	9.78	7.16	17.30
40271581		0.919	15.60	41.0	191.0	<0.0004	<0.004	<0.002	0.55	11.15	8.41	17.90
40271582		0.916	11.85	36.7	173.0	0.0005	<0.004	0.006	0.49	9.29	7.48	17.30
40271583		1.005	13.55	45.0	213	0.0015	<0.004	<0.002	0.56	10.90	8.51	18.35
40271584		0.665	16.60	41.3	192.5	<0.0004	<0.004	<0.002	0.50	10.10	7.61	17.55
40271601		0.598	9.92	21.6	291	0.0014	<0.004	<0.002	0.49	11.50	7.80	16.85
40271602		0.818	12.75	16.3	294	0.0015	<0.004	<0.002	0.24	5.86	3.80	9.62
40271603		0.881	11.70	38.4	247	0.0016	<0.004	<0.002	0.56	15.15	8.96	20.0
40271604		0.731	11.15	27.8	293	0.0007	<0.004	<0.002	0.37	9.80	5.97	15.25
40271605		0.882	11.30	19.2	318	0.0019	<0.004	<0.002	0.43	8.98	6.59	14.15
40271606		0.881	10.10	16.7	281	0.0017	<0.004	<0.002	0.23	5.20	3.63	9.20
40271607		0.517	11.20	24.8	256	0.0130	<0.004	<0.002	0.53	11.80	8.25	17.95
40271608		0.741	10.10	18.0	274	0.0023	<0.004	<0.002	0.24	5.07	3.76	9.48
40271609		6.64	86.4	196.0	>500	0.0059	<0.004	<0.002	0.35	11.45	5.83	21.3
40271622		0.613	10.60	28.3	285	0.0022	<0.004	<0.002	0.33	7.61	5.12	13.20
40271623		0.737	9.74	30.2	278	0.0026	<0.004	<0.002	0.29	6.11	4.49	11.40
40271624		0.619	10.30	29.3	278	<0.0004	0.006	<0.002	0.20	4.01	3.12	7.95
40271625		0.927	49.7	58.3	183.5	<0.0004	<0.004	<0.002	0.68	21.5	12.30	27.0
40271626		0.622	8.81	36.0	224	0.0025	0.005	<0.002	0.14	3.21	2.54	6.33
40271627		0.568	10.70	46.5	307	0.0030	<0.004	<0.002	0.36	7.77	6.38	15.90
40271628		0.556	9.77	35.3	245	0.0009	<0.004	<0.002	0.31	6.50	5.49	13.10
40271629		1.065	12.85	21.6	289	0.0020	<0.004	<0.002	0.34	12.05	6.69	16.80

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40271630		1.32	0.027	7.11	1.06	859	2.01	0.120	1.52	0.045	33.7	7.49	30.8	2.93	3.56	2.58
40271631		1.42	0.022	6.82	0.93	811	1.93	0.136	1.36	0.035	42.3	7.71	30.6	3.88	3.93	2.44
40271632		1.48	0.026	6.83	0.76	863	1.67	0.123	1.29	0.024	42.6	3.91	24.8	4.05	3.94	1.410
40271633		1.52	0.017	7.00	1.45	907	1.97	0.146	1.40	0.036	46.5	4.50	27.3	4.44	4.08	2.01
40271634		1.38	0.045	5.35	1.02	601	1.37	0.157	0.92	0.054	42.2	3.34	24.2	2.29	3.04	1.590
40271635		1.20	0.051	5.43	1.81	597	1.38	0.150	0.94	0.047	44.9	3.99	23.2	2.38	3.47	1.600
40271636		1.74	0.046	6.01	1.19	765	1.68	0.227	1.18	0.067	54.0	5.08	28.3	2.61	6.40	2.04
40271637		1.62	0.040	5.30	0.30	755	1.48	0.141	1.17	0.044	39.3	3.01	22.5	3.74	5.93	1.120
40271638		0.84	0.124	5.53	1.07	669	2.28	0.188	0.90	0.074	55.1	14.60	28.6	5.33	15.75	2.26
40271639		0.90	0.060	5.74	0.73	808	1.46	0.175	1.25	0.063	43.8	5.51	29.7	3.61	7.83	1.790
40271650		0.06	0.056	7.73	11.70	739	2.59	0.677	1.03	0.066	83.6	16.75	127.0	10.35	39.1	4.30
40271651		1.38	0.024	7.72	2.46	541	2.23	0.264	0.86	0.079	46.6	6.71	45.4	7.02	10.45	3.13
40271652		1.76	0.019	6.95	1.07	731	1.77	0.191	1.47	0.055	49.6	5.80	41.8	2.63	5.71	2.91
40271653		1.14	0.027	5.37	1.39	503	1.35	0.113	0.77	0.049	47.6	4.65	22.7	2.76	2.08	1.390
40271654		1.70	0.016	6.91	1.99	677	1.89	0.260	1.21	0.052	45.4	5.70	38.8	3.51	6.86	3.06
40271655		1.34	0.025	5.48	1.53	518	1.43	0.123	0.83	0.037	40.5	4.21	25.0	2.28	3.38	1.400
40271656		1.74	0.025	7.69	2.00	825	2.14	0.247	1.45	0.159	47.9	5.84	41.9	3.68	6.93	3.38
40271657		1.92	0.023	6.39	1.31	792	1.84	0.131	1.50	0.056	49.4	4.18	25.1	2.35	3.39	1.750
40271658		1.56	0.018	5.85	0.62	709	1.65	0.131	1.37	0.042	49.7	3.90	24.9	2.55	3.90	1.400
40271659		2.08	0.016	6.16	0.72	778	1.63	0.157	1.45	0.039	46.4	3.90	24.6	3.13	3.75	1.430
40271660		1.84	0.051	5.12	0.83	657	1.35	0.192	0.96	0.036	48.3	3.15	26.6	3.66	6.77	1.110
40271661		1.24	0.038	4.92	1.08	635	1.18	0.163	0.95	0.052	44.4	2.78	23.1	3.23	5.19	0.980
40271662		1.64	0.077	7.23	3.60	873	3.02	0.294	1.59	0.057	119.0	12.85	46.7	10.75	19.05	2.42
40271663		1.26	0.038	5.41	1.43	543	1.56	0.150	0.92	0.023	46.8	4.45	24.2	2.78	4.02	1.650
40271664		1.78	0.067	5.47	0.94	571	1.62	0.146	0.98	0.041	43.0	5.62	27.2	2.49	3.62	1.750
40271665		1.66	0.017	6.50	0.45	894	1.79	0.124	1.79	0.044	41.0	4.65	28.1	1.74	2.17	2.03
40271666		1.80	0.057	7.17	0.95	688	2.18	0.168	1.07	0.049	40.5	7.99	40.4	10.95	4.78	2.73
40271667		1.62	0.044	5.85	0.78	662	1.75	0.156	1.07	0.042	46.5	5.89	36.9	7.03	3.22	1.900
40271668		1.42	0.062	6.13	0.83	720	1.71	0.173	1.11	0.041	43.4	5.19	28.2	3.47	3.05	1.940
40271669		1.28	0.063	5.08	1.41	629	1.44	0.203	0.89	0.045	61.7	3.58	26.7	2.77	5.22	1.810
40271670		1.58	0.046	6.02	1.79	538	1.48	0.190	1.23	0.062	45.6	16.30	70.8	7.59	21.6	3.31
40271671		1.04	0.052	5.59	1.08	664	1.52	0.150	1.07	0.056	49.1	11.15	30.9	4.23	12.00	2.11
40271672		1.52	0.047	6.54	1.12	776	2.15	0.278	1.38	0.049	46.7	14.50	32.5	5.19	22.8	3.35
40271673		1.34	0.123	6.41	1.72	838	2.25	0.379	0.86	0.171	54.3	33.8	41.5	14.10	18.70	4.77
40271674		1.62	0.064	5.39	2.34	1030	1.87	0.116	0.67	0.054	32.4	12.15	30.0	24.0	4.10	4.74
40271675		0.04	0.039	8.83	11.00	377	5.29	0.107	0.40	0.117	178.5	4.50	13.2	2.99	5.87	1.780
40271676		1.78	0.027	5.29	1.59	653	1.43	0.159	0.95	0.035	43.1	3.85	22.5	3.04	2.64	1.490
40271677		1.42	0.032	5.32	1.58	611	1.67	0.161	0.95	0.041	40.7	4.96	23.1	2.97	3.74	1.530
40271678		2.14	0.023	7.49	1.00	535	2.49	0.150	0.65	0.042	55.8	14.40	36.8	15.70	3.48	2.71
40271679		1.44	0.030	5.79	1.61	667	1.71	0.185	1.25	0.051	36.7	4.79	27.0	5.58	2.10	2.08

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
40271630		16.85	<0.05	8.35	0.029	2.08	15.20	33.7	0.45	232	0.48	2.34	8.99	15.05	0.050	25.2
40271631		17.20	0.06	8.16	0.014	2.15	18.30	31.4	0.48	220	0.57	2.10	8.92	15.60	0.038	23.9
40271632		20.3	0.05	7.88	0.013	2.18	21.6	28.0	0.42	195.0	0.50	2.01	10.20	9.80	0.059	24.0
40271633		20.2	0.06	7.61	0.026	2.29	24.5	35.0	0.43	210	1.04	2.17	9.55	11.30	0.144	27.1
40271634		13.50	0.05	6.97	0.012	1.75	19.30	23.8	0.35	171.0	0.34	1.475	8.96	7.71	0.055	18.50
40271635		12.25	0.05	7.78	0.025	1.78	20.5	27.2	0.40	179.0	0.45	1.485	9.32	8.56	0.024	17.90
40271636		15.25	0.07	8.37	0.035	1.99	24.9	30.6	0.41	228	0.72	1.765	9.78	11.65	0.137	28.4
40271637		13.90	0.06	9.82	0.024	1.90	17.90	13.1	0.33	187.0	0.82	1.785	12.95	7.52	0.018	18.70
40271638		15.25	0.08	5.60	0.031	1.81	26.2	62.8	0.59	388	1.07	1.310	8.69	18.30	0.057	21.3
40271639		15.70	0.06	7.70	0.026	2.05	20.2	24.9	0.45	237	0.69	1.830	9.24	11.45	0.026	24.2
40271650		19.35	0.10	3.76	0.069	2.75	42.2	48.9	1.56	434	3.82	0.813	14.70	62.7	0.071	23.0
40271651		15.95	0.07	5.75	0.040	1.50	21.2	48.7	0.51	183.0	1.83	1.280	9.34	16.70	0.155	30.9
40271652		15.00	0.06	10.50	0.034	1.87	22.6	24.4	0.49	278	1.22	2.01	10.25	13.75	0.079	24.2
40271653		10.60	0.05	7.97	0.028	1.70	21.8	35.9	0.43	159.0	0.30	1.240	9.17	8.29	0.019	15.05
40271654		16.40	0.06	7.11	0.032	1.74	20.1	29.3	0.45	218	1.16	1.785	9.90	12.55	0.101	26.1
40271655		11.15	<0.05	6.98	0.012	1.61	18.05	27.9	0.35	149.0	0.35	1.380	8.38	7.67	0.021	15.45
40271656		18.70	0.07	6.73	0.037	1.96	21.9	27.5	0.50	241	1.19	2.10	10.80	14.05	0.160	32.2
40271657		14.95	0.07	8.05	0.016	2.09	23.1	23.6	0.41	207	1.01	2.16	8.86	9.08	0.075	23.8
40271658		14.20	0.07	8.71	0.025	1.98	23.0	24.1	0.44	212	0.71	1.950	9.10	8.93	0.057	23.5
40271659		15.35	0.06	8.59	0.024	2.07	21.4	22.8	0.46	219	1.06	2.07	8.99	9.49	0.060	25.3
40271660		13.45	0.06	7.83	0.022	1.82	22.4	18.3	0.42	176.5	0.94	1.500	9.54	8.77	0.023	18.55
40271661		12.05	0.05	7.60	0.028	1.81	20.7	16.5	0.38	168.0	0.69	1.500	8.35	7.30	0.018	16.65
40271662		19.85	0.13	7.72	0.037	2.40	63.1	46.2	0.70	376	1.99	1.975	9.44	26.6	0.101	33.7
40271663		11.90	0.06	6.99	0.017	1.66	20.7	30.5	0.38	164.5	0.82	1.460	8.54	11.10	0.022	17.55
40271664		12.55	0.06	7.59	0.028	1.66	19.05	29.1	0.39	179.5	0.66	1.540	8.93	11.60	0.028	18.00
40271665		16.75	0.06	7.56	0.022	2.18	17.80	14.4	0.43	265	0.87	2.52	8.66	10.25	0.142	24.9
40271666		20.9	0.07	6.74	0.028	2.45	18.50	38.2	0.76	216	0.85	1.460	10.30	20.3	0.073	20.2
40271667		16.70	0.06	7.71	0.026	2.03	21.3	31.4	0.53	221	0.47	1.525	9.55	14.20	0.073	18.65
40271668		15.35	0.06	7.73	0.017	2.05	20.5	34.0	0.45	194.5	0.45	1.765	8.96	13.30	0.019	19.60
40271669		13.30	0.07	7.30	0.030	1.74	33.5	33.4	0.35	183.0	1.00	1.400	10.85	8.33	0.016	33.8
40271670		14.30	0.06	5.60	0.027	1.64	21.0	60.2	1.27	331	4.91	1.280	7.57	46.8	0.034	17.30
40271671		13.60	0.07	7.27	0.038	1.93	22.5	37.1	0.49	262	0.74	1.575	9.52	15.95	0.083	20.7
40271672		16.85	0.10	7.23	0.036	2.05	24.0	56.6	0.67	301	2.91	1.835	8.22	31.6	0.134	25.3
40271673		20.6	0.11	5.03	0.058	2.00	27.4	102.5	1.07	929	1.65	1.030	9.04	29.3	0.115	19.60
40271674		19.10	0.10	5.17	0.033	2.48	15.80	62.0	1.01	254	1.37	0.948	5.94	20.1	0.071	9.83
40271675		30.9	0.23	5.82	0.050	3.57	98.4	59.4	0.44	158.0	1.83	1.465	31.5	6.79	0.020	69.4
40271676		14.30	0.10	8.01	0.013	1.85	21.9	28.6	0.40	175.0	0.63	1.475	9.61	10.00	0.018	14.70
40271677		13.20	0.09	7.95	0.037	1.82	20.8	30.0	0.41	175.5	0.50	1.505	9.27	11.80	0.017	17.85
40271678		26.9	0.13	5.51	0.025	2.44	24.3	60.8	1.02	145.0	0.63	0.969	9.88	45.6	0.069	13.95
40271679		16.75	0.09	8.62	0.023	1.97	18.10	26.2	0.47	200	0.77	1.770	8.48	10.95	0.069	16.80

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.002	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.2	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.04	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.004	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
40271630		77.3	<0.002	<0.01	0.05	6.51	<0.2	1.04	383	0.77	<0.04	6.53	0.281	0.397	2.09	59.2
40271631		87.1	<0.002	<0.01	0.10	6.88	<0.2	1.08	345	0.74	0.05	8.24	0.309	0.483	2.38	55.8
40271632		89.2	<0.002	<0.01	0.05	6.45	<0.2	1.45	347	0.87	<0.04	9.24	0.301	0.525	2.56	38.5
40271633		91.1	<0.002	<0.01	0.07	6.25	0.3	1.23	387	0.79	<0.04	11.10	0.252	0.506	2.75	49.1
40271634		71.3	<0.002	<0.01	0.15	5.41	0.3	1.11	222	0.88	<0.04	8.94	0.225	0.429	2.17	33.0
40271635		67.9	<0.002	<0.01	0.16	4.99	0.2	1.08	225	0.85	<0.04	8.27	0.227	0.389	2.77	32.8
40271636		79.3	<0.002	<0.01	0.11	5.71	0.2	1.39	283	0.88	<0.04	15.25	0.247	0.460	3.64	43.7
40271637		88.5	<0.002	<0.01	0.08	6.28	<0.2	1.53	287	1.17	<0.04	9.24	0.335	0.447	8.08	30.9
40271638		103.0	<0.002	0.01	0.10	7.70	<0.2	1.12	205	0.79	<0.04	7.57	0.283	0.494	11.20	55.4
40271639		84.5	<0.002	<0.01	0.05	6.72	0.3	1.29	301	0.81	<0.04	8.43	0.285	0.524	4.18	45.1
40271650		164.5	<0.002	0.19	0.74	14.85	<0.2	3.77	124.0	1.19	<0.04	15.60	0.440	0.777	3.02	108.5
40271651		69.3	<0.002	0.03	0.13	7.22	0.4	1.23	211	0.78	0.08	21.0	0.244	0.405	4.18	52.5
40271652		66.8	<0.002	0.01	0.05	6.91	0.5	1.23	332	1.09	0.05	11.55	0.276	0.353	2.70	55.7
40271653		67.7	<0.002	<0.01	0.18	4.77	0.3	0.90	196.0	0.83	<0.04	8.07	0.194	0.363	2.04	25.9
40271654		65.8	<0.002	0.01	0.10	6.63	0.3	1.11	289	0.79	<0.04	13.50	0.252	0.372	3.00	56.7
40271655		63.6	<0.002	<0.01	0.12	5.01	0.3	1.00	208	0.73	<0.04	10.20	0.192	0.358	2.42	27.7
40271656		75.4	<0.002	0.02	0.05	7.37	0.4	1.22	354	0.82	<0.04	13.90	0.285	0.415	2.90	67.1
40271657		73.5	<0.002	<0.01	0.08	5.98	<0.2	0.97	350	0.73	<0.04	10.95	0.243	0.446	11.25	37.8
40271658		75.2	<0.002	<0.01	0.11	6.02	0.4	1.11	308	0.78	<0.04	10.45	0.236	0.435	7.09	33.6
40271659		79.2	<0.002	<0.01	0.04	6.20	<0.2	1.21	334	0.83	<0.04	9.20	0.248	0.490	6.25	35.8
40271660		74.9	<0.002	<0.01	0.15	5.88	0.2	1.28	237	0.91	<0.04	8.99	0.247	0.493	7.20	29.2
40271661		73.7	<0.002	<0.01	0.12	5.23	0.3	1.09	228	0.78	<0.04	7.39	0.221	0.461	5.58	25.9
40271662		126.5	<0.002	0.01	0.17	9.86	0.2	1.43	352	0.80	0.04	19.55	0.281	0.756	161.0	54.5
40271663		69.6	<0.002	<0.01	0.19	5.00	0.2	0.96	218	0.92	0.04	10.30	0.199	0.407	28.1	33.0
40271664		67.6	<0.002	<0.01	0.15	5.50	0.2	0.91	239	0.75	<0.04	10.35	0.211	0.364	3.15	35.6
40271665		73.5	<0.002	<0.01	<0.02	6.50	0.2	1.12	410	0.70	<0.04	10.20	0.234	0.402	1.97	42.3
40271666		157.0	<0.002	<0.01	0.13	12.50	<0.2	1.22	247	0.76	<0.04	7.39	0.352	0.672	3.26	67.9
40271667		144.5	<0.002	<0.01	0.13	7.50	<0.2	1.20	247	0.86	<0.04	9.75	0.272	0.581	2.61	44.5
40271668		89.2	<0.002	<0.01	0.15	5.56	0.3	1.16	281	0.81	<0.04	7.75	0.226	0.473	2.40	43.0
40271669		79.5	<0.002	<0.01	0.16	5.08	0.2	1.17	217	0.95	<0.04	13.25	0.251	0.493	5.12	38.7
40271670		68.6	<0.002	<0.01	0.11	8.18	<0.2	0.96	210	0.69	<0.04	5.85	0.287	0.464	7.55	57.9
40271671		83.7	<0.002	<0.01	0.12	5.89	0.2	1.13	240	0.82	<0.04	8.44	0.241	0.478	3.22	39.8
40271672		85.6	<0.002	0.07	0.11	9.29	0.2	1.09	302	0.65	0.10	8.01	0.267	0.476	4.54	64.4
40271673		253	<0.002	0.01	0.30	13.85	<0.2	1.27	176.0	0.88	0.08	9.21	0.431	0.909	7.03	127.0
40271674		201	<0.002	<0.01	0.17	15.20	0.2	1.01	160.0	0.46	<0.04	4.11	0.298	0.536	1.72	130.5
40271675		222	0.020	0.56	1.03	8.89	2.0	6.05	99.4	2.32	0.04	85.9	0.193	1.555	634	23.9
40271676		78.4	<0.002	<0.01	0.21	5.47	<0.2	1.24	222	0.77	<0.04	9.15	0.235	0.475	3.73	36.3
40271677		76.3	<0.002	<0.01	0.20	5.36	<0.2	1.15	223	0.81	<0.04	8.79	0.225	0.467	4.58	33.7
40271678		177.0	<0.002	<0.01	0.14	12.55	<0.2	1.02	175.0	0.63	<0.04	4.60	0.386	0.874	3.92	76.5
40271679		90.1	<0.002	<0.01	0.18	6.51	<0.2	1.28	285	0.66	<0.04	8.02	0.254	0.475	3.10	58.0

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40271630		0.389	9.47	25.9	319	0.0027	<0.004	<0.002	0.30	6.15	5.27	12.95
40271631		0.585	10.30	26.1	319	0.0023	<0.004	<0.002	0.29	6.09	5.06	12.45
40271632		0.685	10.00	23.8	298	0.0025	<0.004	<0.002	0.30	6.19	5.26	12.95
40271633		0.722	11.10	26.3	298	0.0022	<0.004	<0.002	0.33	7.01	5.79	14.45
40271634		0.848	10.85	25.6	255	0.0015	<0.004	<0.002	0.22	4.87	3.97	9.97
40271635		0.901	11.10	27.4	301	0.0013	<0.004	<0.002	0.21	4.83	3.71	9.33
40271636		0.648	12.80	34.4	333	0.0023	<0.004	<0.002	0.32	7.76	5.91	15.00
40271637		0.651	11.30	21.7	406	0.0017	<0.004	<0.002	0.23	5.68	4.18	10.35
40271638		0.831	11.30	49.0	215	0.0030	<0.004	<0.002	0.21	8.02	4.05	9.72
40271639		0.583	10.50	35.2	304	0.0028	<0.004	<0.002	0.28	7.36	5.21	12.85
40271650		4.13	19.95	109.0	142.0	0.0007	<0.004	<0.002	0.27	5.69	4.88	12.25
40271651		0.691	10.25	38.7	224	0.0013	<0.004	<0.002	0.34	9.51	6.35	16.40
40271652		0.561	13.70	28.9	427	0.0018	<0.004	<0.002	0.28	6.35	5.04	12.50
40271653		0.812	13.75	17.0	306	0.0029	<0.004	<0.002	0.18	4.05	3.16	7.95
40271654		0.751	11.00	28.5	277	0.0036	<0.004	<0.002	0.31	7.35	5.59	13.30
40271655		0.718	10.95	15.6	265	0.0007	<0.004	<0.002	0.18	4.04	3.25	8.10
40271656		0.599	11.90	36.5	266	0.0008	<0.004	<0.002	0.37	8.62	6.72	16.75
40271657		0.458	13.50	20.4	307	0.0030	<0.004	<0.002	0.29	6.46	5.13	12.65
40271658		0.567	14.05	23.0	338	0.0029	<0.004	<0.002	0.27	6.60	4.83	12.10
40271659		0.582	12.55	23.2	323	0.0105	<0.004	<0.002	0.29	6.79	5.09	12.70
40271660		0.771	11.60	18.8	309	0.0017	<0.004	0.002	0.22	5.73	4.02	10.10
40271661		0.970	10.65	16.4	299	0.0238	<0.004	<0.002	0.20	4.85	3.54	8.71
40271662		0.744	25.0	40.6	297	0.0031	<0.004	<0.002	0.36	10.55	6.78	17.15
40271663		0.796	11.95	17.4	267	0.0262	<0.004	<0.002	0.20	4.64	3.53	8.98
40271664		0.682	11.30	21.1	298	0.0026	<0.004	<0.002	0.22	4.92	3.89	9.83
40271665		0.240	12.20	24.9	301	0.0023	<0.004	<0.002	0.32	6.55	5.67	13.90
40271666		0.704	11.05	37.5	260	0.0013	<0.004	<0.002	0.24	5.56	4.29	10.55
40271667		0.788	11.70	35.3	291	0.0071	<0.004	<0.002	0.22	4.90	3.99	9.91
40271668		0.719	11.50	27.2	292	0.0017	<0.004	<0.002	0.23	4.92	4.21	10.30
40271669		0.991	11.65	36.0	286	0.0045	<0.004	<0.002	0.36	9.41	6.54	17.30
40271670		0.798	10.65	49.2	216	0.0021	<0.004	<0.002	0.18	5.60	3.43	8.18
40271671		0.873	12.05	46.4	283	0.0024	<0.004	<0.002	0.23	6.05	4.22	10.50
40271672		0.689	12.90	41.1	294	0.0010	<0.004	<0.002	0.33	7.43	5.04	12.65
40271673		1.025	9.85	93.0	182.5	0.0018	<0.004	<0.002	0.22	6.54	3.53	8.56
40271674		0.930	8.17	37.0	192.5	0.0018	<0.004	<0.002	0.14	2.61	2.06	4.87
40271675		1.010	49.5	61.6	184.0	0.0036	<0.004	<0.002	0.68	24.0	12.40	29.9
40271676		0.938	12.25	21.5	312	0.0024	<0.004	<0.002	0.19	3.85	2.83	6.91
40271677		0.862	11.65	22.1	301	0.0021	<0.004	<0.002	0.23	4.96	3.44	8.41
40271678		1.075	8.35	74.7	206	0.0015	<0.004	<0.002	0.18	4.09	2.79	6.60
40271679		0.701	12.45	22.0	330	0.0016	<0.004	<0.002	0.22	4.51	3.33	7.87

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40271680		2.12	0.043	5.26	0.86	679	1.46	0.156	0.93	0.034	38.1	3.11	20.8	4.15	4.04	1.090
40271681		1.34	0.024	6.00	1.44	584	1.72	0.140	0.93	0.092	34.5	5.33	28.3	4.20	3.27	2.30
40271682		1.86	0.026	8.58	2.45	761	3.17	0.238	0.93	0.037	36.3	15.80	47.5	11.50	6.23	4.49
40271683		1.54	0.037	6.46	2.11	689	1.89	0.235	1.00	0.039	36.6	8.04	29.4	5.08	3.91	2.91
40271684		1.34	0.039	5.75	1.57	620	1.62	0.211	0.92	0.107	37.3	4.43	33.5	5.00	7.29	2.29
40271685		1.88	0.025	6.11	0.89	785	1.82	0.131	1.23	0.028	36.8	4.71	35.8	5.89	2.06	1.800
40272100		0.06	0.075	8.08	8.52	766	2.82	0.728	1.09	0.033	89.7	17.50	124.5	10.60	37.7	4.52
40272116		0.74	0.048	5.50	0.97	625	1.54	0.158	0.94	0.057	36.8	4.03	22.6	1.87	3.97	1.650
40272117		1.02	0.046	5.65	1.02	642	1.48	0.166	1.04	0.059	64.1	4.48	24.5	2.00	5.30	1.630
40272118		0.72	0.042	4.71	0.66	627	1.21	0.146	0.91	0.050	37.3	2.30	18.6	1.63	4.62	1.080
40272119		1.00	0.054	5.38	1.40	606	1.57	0.155	0.91	0.082	47.4	5.62	24.8	3.26	5.51	1.840
40272120		1.22	0.031	5.15	1.11	597	1.29	0.154	0.94	0.046	44.0	3.55	22.4	2.39	2.87	1.700
40272121		0.90	0.034	4.90	1.23	603	1.24	0.193	0.93	0.056	40.2	3.14	23.0	1.81	3.08	1.670
40272126		1.50	0.045	5.97	1.17	665	1.57	0.201	1.12	0.066	37.7	6.30	31.6	4.13	8.88	2.21
40272127		1.26	0.024	5.91	0.98	675	1.54	0.208	1.20	0.049	35.3	5.91	31.1	2.91	4.78	1.820
40272128		1.24	0.028	5.53	1.26	678	1.44	0.274	1.13	0.050	40.3	4.22	25.7	2.26	4.89	1.820
40272129		1.46	0.058	5.34	0.48	794	1.36	0.398	1.03	0.060	36.8	2.48	22.9	1.64	5.92	1.280
40272130		1.34	0.038	5.42	0.67	736	1.33	0.160	1.07	0.042	34.2	2.82	23.0	1.42	6.63	1.440
40272131		0.96	0.029	5.55	0.85	731	1.39	0.140	1.12	0.044	29.5	3.39	23.3	1.70	4.17	1.800
40272132		1.32	0.032	6.53	0.82	799	1.86	0.171	1.36	0.052	39.7	6.11	33.4	2.28	9.09	2.07
40272133		1.30	0.018	6.76	0.92	777	1.76	0.179	1.29	0.043	75.6	4.53	29.5	1.52	3.56	1.990
40272134		1.18	0.037	6.92	1.47	676	1.89	0.196	1.04	0.045	95.9	3.84	27.0	1.36	2.91	2.05
40272135		1.10	0.017	6.89	0.19	809	1.98	0.172	1.33	0.036	86.6	3.09	22.8	1.20	1.73	2.18
40272136		1.36	0.049	5.63	0.92	609	1.57	0.181	0.97	0.030	56.5	3.65	33.9	2.28	13.85	1.680
40272137		1.70	0.020	6.90	0.63	847	1.96	0.148	1.46	0.058	50.1	4.74	28.2	1.76	3.97	1.890
40272138		2.22	0.034	5.00	1.01	578	1.25	0.150	0.96	0.038	35.5	2.88	21.3	1.54	2.87	1.520
40272139		1.28	0.030	5.07	1.06	593	1.37	0.160	0.96	0.036	39.0	3.18	22.1	1.77	2.79	1.450
40272140		1.72	0.045	5.38	0.54	669	1.41	0.208	1.00	0.055	51.4	2.71	22.9	1.57	4.67	1.710
40272141		1.02	0.024	7.25	0.66	726	2.28	0.196	1.27	0.071	49.4	2.99	44.4	1.78	3.79	2.61
40272142		1.36	0.029	6.60	0.40	862	1.70	0.108	1.60	0.052	30.8	4.07	30.8	1.54	2.12	2.15
40272143		1.68	0.016	6.77	0.33	928	1.82	0.096	1.82	0.037	31.3	4.34	28.6	1.24	2.23	1.810
40272144		1.86	0.027	7.10	0.16	937	2.03	0.090	1.89	0.051	38.5	4.33	26.5	1.08	3.20	1.680
40272145		1.14	0.027	5.90	0.73	701	1.59	0.171	1.19	0.044	41.1	3.52	32.6	1.58	4.14	1.940
40272146		1.10	0.023	6.74	1.27	826	1.89	0.272	1.28	0.080	66.5	4.10	36.7	1.14	5.86	4.59
40272147		1.18	0.019	7.04	0.69	1080	2.20	0.118	1.50	0.037	32.7	4.65	29.7	1.63	4.45	1.960
40272148		1.50	0.040	4.84	1.07	1540	1.66	0.429	1.70	0.070	125.0	6.71	53.2	2.11	7.64	1.730
40272149		1.50	0.019	6.69	0.56	927	1.73	0.132	1.64	0.036	28.3	4.40	34.0	1.16	3.72	2.20
40271560		1.66	0.024	7.22	1.80	788	2.53	0.249	1.50	0.073	52.6	7.74	44.1	4.07	11.95	2.71
40271561		1.40	0.029	5.48	0.82	629	1.38	0.152	0.90	0.021	40.2	2.46	23.1	1.60	3.06	1.440
40271562		1.08	0.023	4.41	1.75	579	1.14	0.241	0.79	0.048	36.3	2.75	27.6	1.65	3.38	3.30

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001	0.005	0.08	0.001	0.01
40271680		15.15	0.09	8.99	0.012	2.06	19.35	18.2	0.37	157.5	0.58	1.555	8.92	8.19	0.021	15.75
40271681		15.70	0.10	7.46	0.023	1.82	17.30	37.0	0.46	177.5	0.70	1.485	8.49	11.70	0.036	15.50
40271682		25.3	0.12	5.59	0.033	3.09	17.85	61.5	0.92	229	1.46	1.545	10.95	49.9	0.047	22.7
40271683		19.75	0.09	6.70	0.029	2.18	18.45	34.8	0.56	185.5	0.77	1.570	9.82	19.90	0.059	18.75
40271684		18.05	0.08	7.33	0.026	1.89	18.85	28.1	0.42	169.5	1.13	1.390	9.68	12.80	0.134	20.2
40271685		17.55	0.10	8.80	0.018	2.41	18.80	24.2	0.51	197.5	0.57	1.740	8.58	12.10	0.056	15.95
40272100		21.8	0.18	4.25	0.061	2.93	45.2	60.4	1.63	451	4.03	0.848	15.85	63.1	0.074	22.2
40272116		13.60	0.08	7.24	0.030	1.73	19.25	27.6	0.35	176.5	1.14	1.505	8.90	8.84	0.017	19.05
40272117		13.90	0.11	7.31	0.028	1.84	32.6	26.6	0.42	211	0.94	1.605	8.87	9.56	0.033	24.6
40272118		13.90	0.08	7.03	0.026	1.78	19.30	12.9	0.28	157.5	1.00	1.490	8.79	5.84	0.011	16.65
40272119		13.70	0.09	7.38	0.026	1.71	24.6	33.9	0.38	204	0.64	1.395	9.07	9.80	0.048	19.00
40272120		14.20	0.11	8.08	0.017	1.75	22.9	30.1	0.38	180.5	0.54	1.440	9.61	7.84	0.020	17.50
40272121		14.75	0.09	8.12	0.016	1.68	20.9	23.8	0.33	188.0	0.55	1.380	10.35	7.66	0.021	16.85
40272126		14.65	0.09	7.16	0.017	1.88	19.25	41.4	0.50	222	0.92	1.615	9.27	14.10	0.078	32.1
40272127		14.40	0.09	7.32	0.027	1.86	18.20	31.9	0.52	210	0.57	1.810	9.17	13.65	0.018	18.70
40272128		14.75	0.08	7.56	0.017	1.76	20.5	26.6	0.36	196.0	1.16	1.720	9.13	9.94	0.016	19.95
40272129		16.30	0.10	10.75	0.021	1.89	18.65	14.3	0.29	172.0	0.48	1.800	12.85	6.77	0.011	23.6
40272130		17.00	0.09	8.41	0.023	1.86	17.40	13.4	0.29	173.5	0.59	1.840	10.55	6.89	0.010	19.75
40272131		17.10	0.07	7.56	0.020	1.86	14.95	18.5	0.31	183.0	0.45	1.815	9.31	7.24	0.018	18.60
40272132		17.20	0.11	7.64	0.031	2.03	19.75	30.2	0.43	231	0.83	2.11	9.92	14.15	0.041	23.0
40272133		16.95	0.10	9.78	0.026	1.99	33.5	22.2	0.37	231	0.83	2.06	10.05	9.08	0.032	28.6
40272134		15.00	0.14	7.47	0.033	1.77	41.1	23.3	0.32	181.0	1.30	1.800	10.05	8.06	0.035	28.6
40272135		19.20	0.12	8.11	0.028	2.07	46.0	13.3	0.26	182.5	1.25	2.26	9.28	6.37	0.021	32.3
40272136		15.05	0.09	7.22	0.027	1.71	30.6	31.9	0.32	156.0	1.56	1.615	9.34	9.06	0.019	36.1
40272137		16.45	0.09	9.63	0.019	2.24	26.1	23.5	0.38	228	0.70	2.34	9.81	10.15	0.032	27.7
40272138		13.40	0.08	7.18	0.015	1.67	18.05	24.0	0.36	166.0	0.69	1.530	8.47	6.80	0.014	18.50
40272139		13.70	0.10	7.80	0.016	1.77	19.25	22.8	0.38	177.0	0.59	1.525	9.24	7.06	0.011	17.10
40272140		15.90	0.08	7.66	0.023	1.78	27.3	23.9	0.27	162.5	0.82	1.715	10.95	6.18	0.016	24.2
40272141		16.05	0.10	7.26	0.027	1.86	25.8	15.6	0.26	166.5	0.90	2.000	8.02	6.79	0.066	28.7
40272142		17.00	0.09	8.24	0.015	2.14	15.55	15.5	0.40	230	0.44	2.45	8.73	9.40	0.024	22.4
40272143		17.00	0.08	7.42	0.017	2.23	15.50	9.7	0.40	247	0.40	2.67	8.01	9.89	0.052	23.2
40272144		16.15	0.08	6.94	0.022	2.22	19.00	11.0	0.36	232	0.26	2.78	7.40	9.80	0.067	25.2
40272145		14.90	0.09	8.05	0.020	1.91	20.7	25.2	0.40	198.5	0.48	1.870	9.50	9.60	0.019	21.7
40272146		29.4	0.14	11.45	0.032	1.82	36.4	19.3	0.40	226	1.49	1.840	16.95	9.58	0.040	40.7
40272147		17.35	0.08	7.24	0.032	2.62	16.50	17.1	0.41	238	0.49	2.48	9.69	12.65	0.021	29.2
40272148		15.20	0.16	8.43	0.016	2.02	62.3	11.0	1.09	323	1.10	1.520	15.75	30.2	0.047	30.1
40272149		18.05	0.08	7.88	0.019	2.22	14.40	12.5	0.41	244	0.53	2.55	9.21	10.70	0.014	23.9
40271560		16.90	0.10	7.36	0.037	1.99	24.7	29.6	0.53	263	1.80	2.08	9.65	20.4	0.118	31.5
40271561		14.60	0.09	8.28	0.015	1.79	20.7	19.1	0.33	149.0	0.73	1.500	9.63	6.49	0.014	18.85
40271562		23.0	0.09	9.00	0.022	1.56	18.25	16.7	0.34	169.0	3.80	1.140	13.75	7.27	0.032	20.3

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.002	0.01	0.02	0.01	0.2	0.02	0.02	0.01	0.04	0.004	0.001	0.004	0.01	0.1
40271680		95.3	<0.002	<0.01	0.16	5.63	<0.2	1.29	243	0.78	<0.04	7.28	0.246	0.503	2.65	30.7
40271681		77.3	<0.002	<0.01	0.18	5.94	0.6	1.10	219	0.67	<0.04	7.39	0.220	0.469	2.68	47.9
40271682		149.0	<0.002	<0.01	0.33	11.75	<0.2	1.38	268	0.88	<0.04	9.70	0.546	0.825	5.03	87.8
40271683		109.0	<0.002	<0.01	0.29	7.64	<0.2	1.26	251	0.81	<0.04	7.39	0.380	0.589	3.03	64.6
40271684		84.5	<0.002	<0.01	0.18	5.92	0.2	1.46	228	0.81	0.07	8.99	0.271	0.482	2.32	48.9
40271685		115.0	<0.002	<0.01	0.14	7.52	<0.2	1.21	287	0.66	<0.04	6.60	0.246	0.610	2.68	41.3
40272100		174.0	<0.002	0.19	1.07	15.65	0.3	4.37	128.0	1.15	0.07	16.50	0.467	0.874	2.96	114.0
40272116		64.2	<0.002	<0.01	0.19	5.07	<0.2	1.09	224	0.76	<0.04	8.75	0.223	0.432	4.87	35.0
40272117		71.2	<0.002	<0.01	0.19	5.61	<0.2	1.15	243	0.76	<0.04	13.00	0.227	0.472	11.90	35.1
40272118		67.4	<0.002	<0.01	0.17	4.61	<0.2	1.18	212	0.83	<0.04	7.11	0.258	0.454	2.45	30.7
40272119		68.9	<0.002	<0.01	0.16	5.28	<0.2	1.22	210	0.80	0.04	12.55	0.229	0.447	5.87	36.8
40272120		68.2	<0.002	<0.01	0.20	5.17	<0.2	1.30	221	0.83	<0.04	8.27	0.233	0.443	2.44	35.7
40272121		63.7	<0.002	<0.01	0.19	5.32	0.2	1.44	206	0.99	0.09	8.70	0.263	0.430	2.70	38.3
40272126		75.4	<0.002	<0.01	0.17	5.91	<0.2	1.18	251	0.71	0.04	10.65	0.260	0.491	8.45	43.3
40272127		66.9	<0.002	<0.01	0.15	6.49	<0.2	1.30	279	0.72	<0.04	8.53	0.268	0.447	6.77	40.4
40272128		63.4	<0.002	<0.01	0.23	5.45	<0.2	1.14	266	0.80	<0.04	8.34	0.265	0.430	5.41	39.9
40272129		68.1	<0.002	<0.01	0.19	5.13	0.3	1.95	298	1.17	<0.04	20.9	0.335	0.480	4.03	37.3
40272130		65.6	<0.002	<0.01	0.13	5.15	<0.2	1.55	278	0.99	<0.04	8.06	0.306	0.416	2.12	40.4
40272131		66.9	<0.002	<0.01	0.14	5.14	0.2	1.34	282	0.76	0.04	6.18	0.276	0.412	1.70	44.4
40272132		74.8	<0.002	<0.01	0.16	6.52	<0.2	1.55	329	0.83	0.06	10.20	0.266	0.453	2.92	45.8
40272133		72.7	<0.002	<0.01	0.13	6.72	0.2	1.33	318	0.79	0.04	25.2	0.267	0.434	7.97	44.3
40272134		60.5	<0.002	0.03	0.17	6.35	0.7	1.06	272	0.80	0.05	43.5	0.228	0.384	42.7	39.8
40272135		70.1	<0.002	<0.01	0.13	5.49	<0.2	1.37	349	0.72	<0.04	20.3	0.233	0.418	51.4	44.0
40272136		64.5	<0.002	<0.01	0.14	5.10	0.3	1.36	247	0.75	<0.04	11.60	0.223	0.550	29.3	34.7
40272137		79.7	<0.002	<0.01	0.12	5.99	<0.2	1.18	365	0.76	<0.04	18.10	0.234	0.514	10.75	37.6
40272138		61.4	<0.002	<0.01	0.12	4.83	<0.2	1.19	232	0.72	<0.04	8.49	0.214	0.390	4.38	32.3
40272139		68.7	<0.002	<0.01	0.17	5.08	<0.2	1.17	226	0.79	<0.04	8.62	0.234	0.417	3.63	33.9
40272140		68.7	<0.002	<0.01	0.19	4.76	<0.2	1.48	257	0.84	0.04	8.42	0.261	0.425	5.70	40.0
40272141		66.4	<0.002	0.01	0.10	5.32	0.3	0.92	315	0.68	0.08	15.15	0.206	0.458	14.75	41.7
40272142		68.8	<0.002	<0.01	0.09	6.24	<0.2	1.00	397	0.67	<0.04	6.70	0.241	0.431	3.02	45.4
40272143		69.9	<0.002	<0.01	0.06	6.45	0.2	1.15	434	0.66	<0.04	6.58	0.233	0.412	2.27	42.3
40272144		68.7	<0.002	<0.01	0.05	6.09	0.4	1.05	449	0.57	<0.04	9.26	0.209	0.401	2.72	36.5
40272145		68.5	<0.002	<0.01	0.15	5.92	<0.2	1.24	287	0.77	0.04	10.65	0.252	0.464	3.02	41.4
40272146		58.1	<0.002	0.01	0.16	7.13	0.3	2.88	349	1.31	<0.04	19.75	0.464	0.397	4.42	96.5
40272147		94.6	<0.002	<0.01	0.09	6.37	<0.2	1.27	410	0.79	0.08	9.48	0.243	0.608	2.30	41.7
40272148		69.9	<0.002	<0.01	0.20	9.50	<0.2	3.77	506	1.27	0.04	10.35	0.813	0.545	3.26	71.9
40272149		73.2	<0.002	<0.01	0.09	6.46	0.2	1.36	413	0.69	<0.04	7.25	0.272	0.468	1.82	51.4
40271560		74.7	<0.002	0.01	0.14	7.76	<0.2	1.63	351	0.75	<0.04	17.95	0.258	0.457	4.32	51.3
40271561		68.5	<0.002	<0.01	0.17	5.20	0.2	1.38	230	0.83	<0.04	8.86	0.253	0.448	2.45	34.3
40271562		58.8	<0.002	<0.01	0.19	5.34	0.3	1.76	193.5	1.00	<0.04	8.77	0.399	0.412	3.18	64.3

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40271680		0.746	10.70	17.6	315	0.0023	<0.004	0.004	0.21	4.30	3.24	7.63
40271681		0.869	10.40	19.9	288	0.0028	<0.004	<0.002	0.20	4.35	3.07	7.39
40271682		5.83	6.95	53.0	208	0.0027	<0.004	0.006	0.28	6.67	4.33	10.40
40271683		1.315	9.52	29.3	256	0.0021	<0.004	<0.002	0.25	5.22	3.78	8.88
40271684		0.823	10.30	28.0	289	0.0015	<0.004	0.007	0.27	5.53	4.05	9.74
40271685		0.607	11.80	22.1	341	0.0016	<0.004	0.003	0.22	4.21	3.37	7.83
40272100		4.05	23.5	114.0	157.0	0.0034	<0.004	0.002	0.30	5.54	4.46	10.80
40272116		0.754	10.90	35.8	274	0.0020	<0.004	0.004	0.24	5.12	3.64	8.84
40272117		0.780	13.30	42.7	287	0.0021	<0.004	<0.002	0.29	7.53	4.56	11.20
40272118		0.875	9.68	19.1	266	0.0021	<0.004	<0.002	0.22	4.56	3.33	8.06
40272119		0.782	12.10	57.8	282	0.0018	<0.004	0.002	0.24	5.31	3.71	8.96
40272120		0.832	11.65	29.9	300	0.0013	0.005	<0.002	0.22	4.68	3.38	8.24
40272121		0.873	10.25	44.7	307	0.0342	<0.004	0.002	0.23	4.45	3.45	8.48
40272126		0.768	11.35	47.4	274	0.0017	<0.004	<0.002	0.35	11.25	5.71	13.90
40272127		0.647	10.45	27.2	281	0.0016	<0.004	<0.002	0.24	5.56	3.69	8.69
40272128		0.677	10.80	28.2	290	0.0020	<0.004	<0.002	0.25	6.24	3.86	8.93
40272129		0.808	12.20	20.5	402	0.0021	<0.004	0.003	0.31	6.10	4.67	11.55
40272130		0.791	9.48	19.9	318	0.0017	<0.004	<0.002	0.27	5.25	4.06	9.69
40272131		0.577	8.87	21.1	298	0.0026	<0.004	<0.002	0.26	4.75	3.82	9.03
40272132		0.560	11.65	30.3	301	0.0018	<0.004	<0.002	0.31	6.08	4.66	11.15
40272133		0.483	12.65	28.2	375	0.0020	<0.004	0.003	0.37	7.78	5.55	13.80
40272134		0.456	13.25	23.8	297	0.0015	<0.004	<0.002	0.36	7.87	5.51	14.05
40272135		0.298	12.50	18.4	309	0.0020	<0.004	<0.002	0.41	8.77	6.20	15.40
40272136		0.919	11.80	18.8	284	0.0010	<0.004	0.003	0.42	10.95	6.55	17.10
40272137		0.288	12.55	23.2	366	0.0029	<0.004	0.004	0.37	7.32	5.51	13.70
40272138		0.534	10.40	17.8	285	0.0017	<0.004	<0.002	0.25	5.20	3.73	9.05
40272139		0.723	11.05	20.7	305	0.0031	0.005	0.004	0.22	4.51	3.36	8.15
40272140		0.654	11.10	20.4	292	0.0015	<0.004	<0.002	0.31	6.31	4.69	11.75
40272141		0.324	12.80	17.2	269	0.0019	<0.004	<0.002	0.36	7.66	5.90	14.95
40272142		0.332	10.05	22.8	319	0.0019	<0.004	0.002	0.30	5.78	4.96	11.65
40272143		0.216	10.20	24.3	287	0.0031	<0.004	0.002	0.31	5.83	5.11	12.00
40272144		0.149	11.15	21.8	280	0.0015	<0.004	<0.002	0.33	6.45	5.40	13.10
40272145		0.638	11.35	20.4	306	0.0019	<0.004	0.002	0.27	5.76	4.46	10.90
40272146		0.554	11.20	26.6	500	0.0013	<0.004	0.008	0.50	10.45	8.31	21.4
40272147		0.269	9.19	26.7	280	0.0019	<0.004	0.003	0.38	7.20	6.23	14.95
40272148		0.941	17.00	35.3	327	0.0016	<0.004	0.002	0.36	8.23	6.09	15.25
40272149		0.307	9.28	24.0	309	0.0014	<0.004	0.003	0.31	5.97	5.10	12.10
40271560		0.514	12.45	37.7	284	0.0014	<0.004	<0.002	0.39	8.81	6.44	15.90
40271561		0.872	11.25	15.1	326	0.0021	<0.004	<0.002	0.24	5.07	3.94	9.45
40271562		0.951	10.15	24.0	355	0.0079	0.006	<0.002	0.26	5.31	4.21	10.35

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40271569		1.12	0.033	6.10	2.07	672	1.80	0.157	1.03	0.040	35.6	5.55	31.6	3.47	3.21	2.45
40271570		1.36	0.042	6.02	1.26	695	1.68	0.164	1.01	0.039	38.5	4.81	27.3	3.53	3.23	1.960
40271640		1.36	0.013	7.97	2.77	776	2.52	0.217	1.12	0.042	37.0	12.90	54.6	10.05	5.84	4.80
40271641		1.02	0.041	5.17	0.64	658	1.28	0.133	0.96	0.031	39.3	2.83	23.7	2.88	4.11	1.330
40271642		1.26	0.048	6.17	1.58	710	1.53	0.177	0.96	0.061	42.5	5.50	32.0	4.25	5.54	2.62
40271643		1.46	0.022	6.38	1.81	753	1.82	0.197	1.06	0.029	38.4	6.01	32.8	3.37	3.20	2.57
40271644		1.48	0.018	6.93	2.55	859	2.14	0.187	1.15	0.041	39.9	7.87	39.0	5.30	4.46	3.31
40271645		1.22	0.025	5.40	1.46	620	1.37	0.208	0.98	0.032	41.5	3.64	28.2	2.69	5.36	1.550
40271646		1.38	0.024	5.58	0.99	686	1.28	0.138	1.04	0.038	35.3	4.09	26.2	3.85	3.67	1.690
40271647		1.02	0.035	5.94	0.94	771	1.51	0.135	1.05	0.030	35.2	4.06	25.8	4.48	4.28	1.590
40271648		0.92	0.036	5.40	1.59	609	1.48	0.167	0.95	0.036	37.9	3.07	26.9	2.41	4.42	1.780
40271649		1.40	0.032	5.20	0.98	667	1.26	0.124	0.97	0.038	41.2	2.95	23.8	3.43	2.51	1.140
40271686		1.40	0.031	4.87	0.76	642	1.20	0.111	0.83	0.032	38.0	2.07	18.5	2.89	1.77	0.910
40271687		1.22	0.019	6.75	1.60	948	1.83	0.159	1.25	0.033	45.1	4.42	30.5	4.90	2.83	1.790
40271688		1.32	0.028	6.65	0.81	892	1.77	0.133	1.42	0.042	31.8	4.20	29.4	2.92	2.18	1.900
40271689		1.20	0.043	6.62	1.62	712	1.77	0.145	1.10	0.027	34.3	6.40	32.0	4.48	5.24	2.45
40271690		1.04	0.027	6.48	1.29	807	1.72	0.131	1.22	0.040	33.4	5.39	29.8	4.83	3.95	2.43
40271691		1.16	0.012	6.59	1.46	923	1.88	0.283	1.44	0.048	39.4	4.14	30.7	3.95	2.53	1.990
40271692		1.14	0.022	7.30	0.89	1090	2.17	0.089	1.81	0.045	38.0	4.44	27.0	1.73	3.72	1.720
40271693		1.16	0.020	7.22	1.42	949	2.08	0.140	1.51	0.029	32.7	4.63	28.4	2.91	2.99	2.22
40271694		1.22	0.016	6.86	1.59	950	1.86	0.163	1.47	0.037	33.3	4.29	30.5	3.41	2.92	2.41
40271695		1.14	0.023	6.23	1.11	657	1.66	0.106	1.09	0.031	41.0	4.70	28.2	2.64	3.94	1.960
40271696		1.00	0.032	5.85	1.66	651	1.50	0.157	1.01	0.038	41.3	4.50	29.3	3.69	5.78	2.20
40271697		1.04	0.019	6.33	1.26	790	1.44	0.150	1.21	0.051	32.6	3.77	28.1	2.13	3.46	2.23
40271698		1.12	0.021	5.80	1.97	602	1.40	0.226	1.29	0.053	66.9	7.00	43.5	2.77	8.79	2.86
40271700		0.04	0.033	8.80	11.65	370	5.12	0.111	0.41	0.074	178.0	4.43	14.4	3.23	5.54	1.800
40271701		1.20	0.018	6.76	0.42	875	1.90	0.092	1.69	0.051	39.7	4.38	30.5	1.08	4.54	1.980
40271702		1.42	0.019	6.53	0.76	790	1.69	0.144	1.38	0.046	52.1	4.89	32.0	1.57	2.54	1.970
40271703		1.98	0.015	5.27	0.72	626	1.37	0.108	1.11	0.029	42.8	3.57	22.7	2.05	3.66	1.250
40271704		1.20	0.029	5.66	2.09	621	1.57	0.189	0.98	0.081	52.7	4.39	31.0	2.20	4.10	2.19
40271705		1.14	0.015	6.09	1.02	728	1.63	0.132	1.17	0.042	64.7	5.38	27.6	1.67	5.56	1.730
40271706		0.96	0.031	5.80	2.04	541	1.59	0.197	0.85	0.053	50.2	4.06	30.5	1.71	4.90	2.47
40271707		1.28	0.015	5.14	0.89	680	1.31	0.148	1.12	0.059	39.1	3.61	24.8	1.26	2.40	1.730
40271716		0.84	0.046	5.45	1.41	620	1.34	0.177	1.01	0.039	31.7	5.83	27.0	2.25	6.36	2.13
40271717		0.88	0.041	5.18	1.72	598	1.42	0.163	0.96	0.036	46.7	4.22	25.9	1.95	4.83	2.35
40271718		1.32	0.035	5.35	0.93	650	1.38	0.150	1.07	0.027	40.5	4.10	24.5	1.90	6.58	1.680
40271719		1.12	0.022	5.63	1.39	628	1.44	0.178	1.08	0.049	46.3	4.40	27.2	2.66	2.54	1.750
40271722		1.54	0.018	5.84	0.59	642	1.57	0.121	1.14	0.037	37.9	3.95	28.0	1.81	3.43	1.730
40271723		1.12	0.025	4.88	0.50	690	1.17	0.116	0.86	0.026	41.1	1.365	15.2	3.14	3.03	0.450
40271724		0.94	0.050	4.99	0.90	1070	1.55	5.24	1.45	0.066	36.3	11.20	155.0	1.89	6.20	3.22

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
40271569		16.50	0.11	7.15	0.025	2.01	18.15	32.6	0.46	183.5	0.54	1.615	9.25	14.30	0.047	17.45
40271570		15.40	0.10	7.65	0.022	2.12	19.65	23.3	0.45	176.0	0.70	1.645	9.45	12.35	0.020	17.40
40271640		22.3	0.12	5.75	0.027	2.41	18.90	79.3	0.89	229	1.60	1.595	10.95	36.8	0.059	21.9
40271641		14.00	0.09	8.36	0.020	1.99	19.90	16.3	0.39	166.0	0.51	1.520	8.81	8.11	0.009	15.90
40271642		17.75	0.09	7.62	0.021	2.06	21.5	34.1	0.51	167.0	1.07	1.470	9.68	15.00	0.050	21.6
40271643		16.50	0.09	6.97	0.023	2.05	19.55	42.0	0.55	181.0	0.81	1.645	8.70	14.95	0.023	20.8
40271644		19.25	0.10	5.98	0.032	2.34	21.0	52.1	0.75	219	1.21	1.770	9.63	19.80	0.022	21.3
40271645		14.65	0.10	7.81	0.020	1.85	21.4	24.4	0.46	177.0	1.53	1.525	9.50	10.65	0.015	17.50
40271646		15.40	0.08	7.95	0.030	1.96	18.25	19.1	0.50	181.0	1.01	1.595	8.24	11.95	0.012	16.65
40271647		16.50	0.07	7.53	<0.005	2.16	18.70	21.0	0.45	163.0	0.95	1.710	8.23	11.35	0.015	18.90
40271648		14.60	0.09	7.53	0.037	1.86	19.30	24.2	0.36	163.5	0.62	1.530	9.32	8.43	0.024	17.90
40271649		13.55	0.09	8.64	0.022	2.01	20.8	17.8	0.39	167.5	0.50	1.510	9.09	9.52	0.019	17.10
40271686		13.30	0.07	9.21	0.018	1.97	19.55	14.5	0.30	133.0	0.35	1.390	8.50	6.15	0.019	15.40
40271687		20.6	0.09	8.69	0.012	2.52	24.3	18.2	0.46	188.0	0.54	2.00	9.83	14.20	0.028	22.9
40271688		18.40	0.09	9.03	0.034	2.29	16.40	19.6	0.43	217	0.50	2.21	9.26	11.70	0.026	23.0
40271689		17.65	0.09	7.38	0.027	2.09	18.45	32.9	0.52	193.5	1.09	1.750	8.96	15.30	0.022	19.80
40271690		19.25	0.10	7.71	0.026	2.16	17.40	22.7	0.50	193.5	0.76	1.915	8.67	13.35	0.026	21.0
40271691		20.3	0.10	8.83	0.008	2.32	17.80	16.7	0.41	221	0.67	2.28	10.35	11.85	0.049	24.7
40271692		17.95	0.10	7.19	0.020	2.79	17.95	12.9	0.40	238	0.35	2.75	8.32	11.20	0.085	27.9
40271693		19.80	0.09	7.79	0.025	2.36	17.25	24.8	0.42	222	0.61	2.41	9.25	12.40	0.039	24.6
40271694		20.4	0.09	7.20	0.029	2.36	18.70	18.5	0.41	205	0.85	2.32	10.15	11.45	0.050	25.5
40271695		13.50	0.10	6.70	0.029	1.87	21.5	36.7	0.46	183.0	0.47	1.675	8.24	10.75	0.027	21.2
40271696		15.00	0.10	7.01	0.014	1.80	21.5	41.2	0.44	183.0	0.63	1.545	9.24	11.50	0.025	20.0
40271697		18.65	0.08	8.03	0.016	2.01	17.85	23.1	0.40	186.5	0.74	1.970	10.00	10.10	0.015	21.6
40271698		16.70	0.08	6.54	0.012	1.67	30.4	40.2	0.62	226	1.36	1.555	9.40	21.6	0.019	17.45
40271700		29.4	0.21	5.83	0.070	3.55	99.2	52.9	0.44	159.0	1.84	1.475	31.0	6.74	0.021	65.6
40271701		16.40	0.07	7.54	0.026	2.10	20.4	13.4	0.36	226	0.34	2.57	7.49	10.40	0.051	24.3
40271702		16.85	0.08	9.01	0.020	2.10	25.9	26.7	0.43	237	0.42	2.16	10.35	10.40	0.014	21.1
40271703		13.10	0.07	8.02	0.013	1.79	22.8	21.1	0.39	182.5	0.42	1.730	8.49	8.09	0.018	16.65
40271704		15.10	0.09	7.07	0.026	1.66	26.8	38.1	0.41	196.0	1.02	1.465	9.57	9.96	0.041	19.00
40271705		14.50	0.08	7.33	0.021	2.00	32.5	36.5	0.45	203	0.39	1.885	9.09	10.25	0.016	18.85
40271706		15.70	0.08	6.75	0.028	1.50	26.9	38.9	0.37	176.0	0.93	1.320	10.45	8.33	0.034	26.5
40271707		15.75	0.07	9.21	0.018	1.79	18.60	20.4	0.38	206	0.64	1.775	8.90	8.29	0.011	17.50
40271716		15.55	0.07	6.38	0.027	1.68	16.25	33.8	0.36	180.5	0.77	1.520	9.03	10.70	0.023	16.95
40271717		17.10	0.07	8.65	0.040	1.65	24.8	36.4	0.40	192.0	1.47	1.460	10.20	8.36	0.031	18.80
40271718		14.05	0.05	7.74	0.012	1.82	21.3	23.0	0.35	186.0	0.53	1.695	8.72	7.24	0.013	17.85
40271719		13.80	0.06	7.80	0.023	1.80	23.7	30.2	0.44	200	0.55	1.665	9.11	8.85	0.017	17.35
40271722		14.10	0.07	7.64	0.029	1.82	19.95	24.1	0.39	191.5	0.66	1.795	8.51	8.66	0.015	17.00
40271723		13.60	0.06	8.87	0.012	1.97	21.6	15.1	0.24	115.5	1.28	1.615	9.68	4.00	0.023	21.5
40271724		17.85	0.08	6.59	0.031	1.65	18.35	47.5	1.80	311	1.49	1.295	13.50	69.8	0.029	30.2

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.002	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.2	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.04	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.004	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
40271569		89.9	<0.002	<0.01	0.20	7.13	<0.2	1.10	244	0.83	<0.04	7.51	0.307	0.521	2.16	53.5
40271570		92.3	<0.002	<0.01	0.17	6.51	<0.2	1.23	251	0.85	<0.04	7.59	0.303	0.544	2.58	45.3
40271640		116.0	<0.002	<0.01	0.23	10.45	0.2	1.13	290	0.87	<0.04	8.91	0.465	0.678	3.98	88.3
40271641		79.9	<0.002	<0.01	0.20	5.91	0.5	1.19	227	0.80	0.07	7.66	0.254	0.514	2.31	35.4
40271642		92.6	<0.002	<0.01	0.21	7.44	0.3	1.20	244	0.81	<0.04	9.46	0.344	0.538	3.75	61.8
40271643		82.0	<0.002	<0.01	0.19	7.64	<0.2	1.16	273	1.12	<0.04	10.05	0.315	0.509	4.00	56.8
40271644		99.9	<0.002	<0.01	0.18	8.97	<0.2	1.23	312	0.80	<0.04	8.33	0.352	0.636	4.42	70.1
40271645		75.2	<0.002	<0.01	0.21	6.28	<0.2	1.31	231	0.79	<0.04	8.58	0.258	0.490	4.31	41.1
40271646		75.8	<0.002	<0.01	0.13	6.87	<0.2	1.08	260	0.67	<0.04	6.68	0.294	0.468	2.72	50.7
40271647		85.4	<0.002	<0.01	0.19	6.74	<0.2	1.28	283	0.68	<0.04	6.84	0.325	0.577	2.60	47.6
40271648		78.8	<0.002	<0.01	0.20	5.61	0.2	1.18	224	0.82	<0.04	8.26	0.239	0.488	2.25	41.6
40271649		89.3	<0.002	<0.01	0.21	5.60	0.2	1.26	247	0.74	0.04	7.48	0.253	0.514	2.07	30.0
40271686		84.1	<0.002	<0.01	0.16	4.74	<0.2	1.22	223	0.73	<0.04	7.41	0.242	0.469	1.85	25.9
40271687		116.0	<0.002	<0.01	0.16	7.39	<0.2	1.54	358	0.83	<0.04	9.49	0.359	0.682	2.73	50.7
40271688		86.1	<0.002	<0.01	0.12	6.72	0.2	1.30	362	0.77	<0.04	7.00	0.300	0.559	1.94	50.7
40271689		96.6	<0.002	<0.01	0.19	7.19	<0.2	1.22	279	0.77	<0.04	7.41	0.297	0.568	2.33	55.5
40271690		92.4	<0.002	<0.01	0.14	8.35	<0.2	1.22	321	0.74	0.04	7.15	0.370	0.582	2.14	71.4
40271691		86.3	<0.002	<0.01	0.11	6.22	0.2	1.67	388	0.87	<0.04	8.20	0.299	0.502	1.95	49.5
40271692		96.5	<0.002	<0.01	0.07	6.31	0.3	1.10	448	0.68	<0.04	8.15	0.230	0.608	2.03	38.6
40271693		85.3	<0.002	<0.01	0.09	6.56	0.4	1.36	403	0.71	0.05	7.97	0.260	0.505	1.96	49.7
40271694		91.8	<0.002	<0.01	0.09	5.92	<0.2	1.40	401	0.82	<0.04	7.62	0.277	0.510	1.93	56.5
40271695		67.6	<0.002	<0.01	0.18	5.79	0.3	0.93	275	0.65	<0.04	12.60	0.213	0.481	4.36	35.6
40271696		68.9	<0.002	<0.01	0.19	6.05	<0.2	1.13	251	0.77	<0.04	9.83	0.260	0.494	3.14	44.2
40271697		72.3	<0.002	<0.01	0.15	5.84	<0.2	1.28	320	0.92	<0.04	6.90	0.282	0.482	1.88	53.0
40271698		61.5	<0.002	0.02	0.18	6.39	<0.2	1.14	244	0.77	<0.04	10.65	0.321	0.440	1.97	51.9
40271700		221	0.022	0.57	1.13	8.88	1.7	5.57	100.0	2.30	<0.04	90.2	0.194	1.485	648	23.2
40271701		63.9	<0.002	0.02	0.05	5.80	<0.2	0.84	409	0.56	0.04	10.50	0.220	0.392	2.49	38.8
40271702		73.6	<0.002	0.02	0.11	6.86	0.3	1.35	337	0.78	<0.04	12.25	0.272	0.461	12.45	43.9
40271703		63.8	<0.002	0.02	0.12	5.40	<0.2	1.05	263	0.72	<0.04	9.16	0.225	0.400	3.83	30.9
40271704		60.4	<0.002	0.03	0.15	5.93	0.3	1.33	234	0.79	0.04	13.45	0.252	0.427	7.20	41.8
40271705		65.6	<0.002	0.02	0.08	5.93	0.2	1.19	297	0.71	<0.04	10.25	0.232	0.441	4.48	35.6
40271706		57.9	<0.002	0.03	0.15	5.84	0.3	1.45	202	0.86	<0.04	15.00	0.255	0.361	5.22	45.4
40271707		61.5	<0.002	0.02	0.09	5.70	<0.2	1.16	273	0.67	<0.04	6.73	0.252	0.397	2.28	44.4
40271716		63.8	<0.002	0.02	0.09	5.55	<0.2	1.23	230	0.76	<0.04	7.33	0.250	0.447	1.67	41.7
40271717		59.1	<0.002	0.02	0.15	5.74	<0.2	1.30	231	0.80	0.04	8.74	0.264	0.392	3.73	46.7
40271718		66.5	<0.002	0.02	0.12	5.47	<0.2	1.09	249	0.76	<0.04	7.83	0.252	0.436	3.27	35.1
40271719		66.9	<0.002	0.02	0.13	5.71	0.2	1.33	254	0.74	<0.04	10.45	0.230	0.408	5.28	34.2
40271722		62.9	<0.002	0.02	0.10	5.62	0.4	1.00	268	0.66	<0.04	11.15	0.223	0.396	5.68	34.3
40271723		74.3	<0.002	0.02	0.14	3.71	<0.2	1.23	251	0.88	<0.04	7.57	0.261	0.507	5.39	15.3
40271724		57.1	<0.002	0.02	0.15	7.87	0.2	2.56	376	0.77	0.10	9.51	0.624	0.566	8.12	97.3

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40271569		1.110	9.84	25.9	270	0.0021	<0.004	<0.002	0.22	4.64	3.73	8.84
40271570		1.190	10.40	21.2	288	0.0023	<0.004	0.003	0.22	4.56	3.65	8.62
40271640		1.055	8.94	42.9	213	0.0022	<0.004	<0.002	0.28	6.10	4.61	10.90
40271641		0.835	10.05	16.5	315	0.0024	0.004	0.003	0.20	4.24	3.37	8.00
40271642		0.892	10.80	23.8	292	0.0033	<0.004	<0.002	0.26	5.99	4.36	10.40
40271643		0.863	9.39	22.1	267	0.0018	<0.004	<0.002	0.26	6.00	4.29	10.15
40271644		0.788	8.78	29.9	239	0.0017	0.004	<0.002	0.28	6.10	4.57	10.70
40271645		2.65	11.15	20.5	299	0.0013	<0.004	0.004	0.22	4.75	3.64	8.84
40271646		0.698	10.05	19.8	306	0.0017	<0.004	<0.002	0.21	4.18	3.47	8.17
40271647		0.732	8.70	18.7	288	0.0036	<0.004	0.002	0.24	5.01	4.06	9.51
40271648		0.857	10.35	18.0	277	0.0020	<0.004	0.002	0.23	4.98	3.78	9.16
40271649		0.651	11.75	16.7	336	0.0017	<0.004	<0.002	0.22	4.49	3.57	8.47
40271686		0.781	10.20	13.4	343	0.0013	0.004	<0.002	0.20	3.81	3.20	7.62
40271687		0.770	10.20	23.2	328	0.0016	0.005	<0.002	0.30	5.77	4.95	11.65
40271688		0.886	9.85	21.5	345	0.0015	<0.004	0.003	0.30	5.69	4.88	11.45
40271689		0.792	9.27	24.5	277	0.0024	<0.004	<0.002	0.25	5.27	4.15	9.87
40271690		0.591	8.03	22.1	301	0.0012	<0.004	0.003	0.28	5.45	4.55	10.75
40271691		0.582	9.82	23.8	346	0.0018	<0.004	<0.002	0.32	6.09	5.25	12.35
40271692		0.256	11.75	24.2	279	0.0015	<0.004	0.005	0.37	6.73	6.04	14.35
40271693		0.510	9.19	23.9	299	0.0013	<0.004	0.002	0.33	6.21	5.35	12.50
40271694		0.566	8.94	21.7	282	0.0014	<0.004	<0.002	0.33	6.18	5.35	12.65
40271695		0.524	11.55	19.7	268	0.0022	<0.004	<0.002	0.26	5.58	4.30	10.45
40271696		0.700	10.25	24.4	277	0.0010	<0.004	<0.002	0.24	5.51	4.08	9.80
40271697		0.652	8.65	21.1	305	0.0015	<0.004	<0.002	0.28	5.55	4.56	10.85
40271698		0.789	11.60	26.3	243	0.0014	<0.004	<0.002	0.24	4.49	3.59	8.76
40271700		1.010	48.9	58.7	177.5	0.0011	<0.004	0.002	0.66	23.8	12.15	29.5
40271701		0.192	10.40	21.3	290	0.0015	<0.004	0.003	0.35	6.37	5.29	13.30
40271702		0.508	12.90	24.1	337	0.0033	<0.004	<0.002	0.29	5.32	4.42	10.60
40271703		0.597	11.10	18.4	295	0.0010	<0.004	<0.002	0.23	4.44	3.50	8.50
40271704		0.699	11.20	36.8	267	0.0013	<0.004	<0.002	0.27	5.20	4.04	10.05
40271705		0.520	13.40	21.8	280	0.0012	<0.004	<0.002	0.26	4.86	3.93	9.42
40271706		0.729	11.45	25.7	259	0.0020	<0.004	0.003	0.35	7.17	5.39	13.95
40271707		0.522	9.46	22.2	361	0.0013	<0.004	<0.002	0.25	4.44	3.75	9.01
40271716		0.748	9.47	32.8	240	0.0014	<0.004	<0.002	0.23	4.40	3.54	8.56
40271717		0.855	12.10	27.1	331	0.0021	<0.004	0.003	0.26	5.39	4.03	9.76
40271718		0.829	10.95	21.3	290	0.0017	<0.004	<0.002	0.24	4.66	3.60	8.75
40271719		1.355	11.85	24.0	299	0.0013	<0.004	0.007	0.24	4.47	3.56	8.63
40271722		0.601	10.65	18.2	281	0.0025	0.006	<0.002	0.24	4.45	3.57	8.62
40271723		0.695	10.45	10.2	328	0.0011	<0.004	<0.002	0.27	5.96	4.18	10.40
40271724		0.977	9.67	44.1	255	0.0011	<0.004	<0.002	0.38	8.93	6.06	15.65

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40271725		0.02	0.036	8.86	11.45	370	5.29	0.100	0.41	0.073	173.0	4.31	14.5	3.00	5.49	1.820
40271726		0.96	0.037	6.09	1.19	745	1.63	0.710	1.18	0.041	47.3	4.98	29.7	1.96	6.15	2.12
40271727		1.10	0.043	6.76	0.79	906	1.80	0.124	1.54	0.057	36.6	5.76	33.3	1.41	13.10	2.12
40271728		0.92	0.026	6.83	1.48	738	1.74	0.192	1.25	0.054	44.9	5.26	37.1	1.79	4.41	2.80
40271729		1.16	0.028	4.53	2.04	551	1.13	0.262	0.83	0.035	32.7	2.55	22.2	2.08	3.34	2.77
40271730		1.08	0.030	5.63	1.57	586	1.60	0.147	0.93	0.049	40.5	3.56	26.2	1.79	3.77	1.770
40271731		1.36	0.014	7.19	0.82	959	2.02	0.142	1.66	0.053	74.2	5.73	36.2	1.36	5.49	2.47
40271732		1.00	0.014	5.86	1.30	545	1.54	0.172	0.89	0.031	38.1	3.66	29.3	1.81	2.32	1.930
40271733		1.22	0.038	5.61	0.76	664	1.61	0.159	1.09	0.027	83.0	4.25	27.4	1.86	6.76	1.790
40271734		1.42	0.019	6.74	1.12	776	2.27	0.301	1.26	0.072	217	4.80	39.4	1.55	4.81	2.62
40271735		1.36	0.028	5.47	1.11	697	1.57	0.129	1.31	0.046	87.0	4.26	26.1	2.07	5.08	2.54
40271736		1.40	0.017	5.02	0.93	651	1.37	0.261	0.89	0.048	38.0	3.32	32.3	2.40	2.41	2.33
40271737		1.10	0.017	6.77	1.32	859	1.92	0.133	1.63	0.061	41.8	5.52	35.6	2.40	3.86	2.43
40271850		0.02	0.040	8.44	11.35	361	5.15	0.106	0.39	0.075	171.0	4.42	14.7	3.18	5.67	1.740
40271851		1.60	0.039	4.97	2.35	577	1.26	0.289	0.80	0.024	42.8	2.45	19.5	4.56	2.22	1.590
40271852		2.02	0.028	6.26	2.24	773	1.78	0.647	1.01	0.038	67.1	3.18	24.4	3.83	2.38	1.920
40271853		1.92	0.026	6.54	2.12	823	1.96	0.485	1.04	0.012	41.0	3.39	18.5	4.24	2.48	1.580
40271854		1.90	0.028	5.74	0.98	761	1.52	0.429	0.85	0.023	35.3	1.995	14.5	2.77	2.26	1.570
40271855		1.62	0.031	5.68	1.08	658	1.78	0.266	0.94	0.048	44.0	3.98	20.3	2.53	2.05	1.550
40271856		1.80	0.047	4.60	1.17	606	1.06	0.199	0.84	0.029	36.9	2.22	17.4	2.16	2.11	1.040
40271857		2.06	0.026	6.24	1.20	786	1.87	0.272	1.09	0.033	44.9	4.33	20.0	2.94	3.82	1.560
40271858		1.20	0.047	5.11	1.03	562	1.26	0.149	0.87	0.041	34.9	3.00	23.5	2.04	3.03	1.430
40271859		1.22	0.081	5.98	2.93	585	1.54	0.287	0.81	0.049	33.3	3.34	23.0	2.67	3.79	1.980
40271860		1.02	0.061	5.40	1.48	556	1.49	0.155	0.86	0.040	40.4	3.78	23.7	2.23	2.75	1.490
40271861		1.26	0.051	4.53	0.86	543	1.10	0.133	0.74	0.044	32.4	1.915	16.6	1.81	2.17	1.060
40271862		1.14	0.201	5.20	1.17	514	1.30	0.164	0.76	0.052	33.5	2.89	23.5	2.25	3.03	1.660
40271863		0.52	0.125	4.68	2.89	391	2.81	1.485	0.55	0.095	116.0	18.95	38.6	7.55	30.2	6.07
40271864		1.22	0.150	4.81	1.06	526	1.25	0.123	0.79	0.052	31.2	2.75	18.8	1.98	4.36	1.270
40271865		1.30	0.057	4.73	0.94	601	1.05	0.141	0.81	0.030	32.8	2.20	19.0	1.75	2.97	1.320
40271866		1.40	0.058	6.37	1.56	779	1.60	0.622	0.90	0.034	39.8	3.39	22.8	4.14	3.29	2.02
40271708		1.42	0.041	5.19	1.48	533	1.33	0.130	0.82	0.034	38.0	3.58	21.5	2.20	2.73	1.400
40271709		1.46	0.058	5.42	1.46	561	1.36	0.154	0.90	0.046	34.2	3.80	25.2	1.93	2.62	1.570
40271710		1.18	0.063	5.95	1.93	737	1.55	0.326	0.96	0.055	31.0	2.56	19.2	3.38	1.81	1.680
40271711		1.32	0.069	6.15	1.70	647	1.63	0.239	1.00	0.057	38.2	4.23	25.9	2.77	2.79	1.770
40271712		1.42	0.043	4.87	0.80	628	1.29	0.167	0.88	0.043	35.6	2.18	20.5	2.24	2.20	1.160
40271713		1.56	0.032	5.57	1.26	589	1.49	0.196	0.90	0.029	41.5	3.77	24.4	2.57	2.57	1.550
40271714		1.58	0.031	5.13	1.59	548	1.38	0.180	0.92	0.028	39.3	3.44	23.4	2.39	2.37	1.530
40271715		1.94	0.024	6.49	0.95	811	1.81	0.450	1.14	0.035	38.9	3.56	21.3	3.37	3.69	1.990
40271870		1.64	0.027	5.83	1.44	641	2.25	0.497	0.99	0.028	76.3	4.70	45.8	3.10	6.98	2.53
40271871		1.18	0.147	4.82	1.18	909	3.17	1.910	1.30	0.069	139.0	7.35	79.6	4.73	21.8	2.65

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001	0.005	0.08	0.001	0.01
40271725		29.1	0.21	5.82	0.045	3.57	95.2	52.8	0.44	159.0	1.69	1.490	30.3	6.93	0.021	65.9
40271726		15.75	0.08	7.91	0.028	1.92	22.7	30.0	0.40	208	1.89	1.855	9.66	10.20	0.019	26.1
40271727		16.80	0.08	8.39	0.030	2.15	17.70	18.0	0.41	250	0.68	2.49	8.79	12.55	0.026	25.2
40271728		16.65	0.09	9.61	0.047	1.88	22.0	29.4	0.42	234	1.04	1.915	11.00	10.15	0.035	23.1
40271729		20.2	0.08	7.32	0.013	1.56	17.30	25.1	0.32	157.5	1.88	1.275	11.50	5.83	0.016	19.05
40271730		13.50	0.08	7.73	0.021	1.64	19.90	30.9	0.33	163.0	0.65	1.520	8.69	7.92	0.020	17.20
40271731		17.70	0.11	11.60	0.028	2.28	31.6	18.7	0.45	285	0.74	2.58	10.35	10.90	0.031	27.5
40271732		12.95	0.07	7.10	0.034	1.57	19.15	31.4	0.31	156.5	0.62	1.475	8.98	7.52	0.018	18.05
40271733		14.95	0.11	7.61	0.034	1.79	40.9	27.9	0.32	168.0	1.13	1.790	9.86	10.80	0.014	28.6
40271734		19.15	0.20	8.14	0.047	1.91	85.9	30.7	0.32	190.0	0.84	2.06	13.05	9.72	0.025	48.5
40271735		14.20	0.14	7.61	0.019	1.85	45.0	20.7	0.41	211	0.96	1.885	8.34	9.46	0.043	19.70
40271736		22.7	0.08	8.18	0.021	1.78	19.55	26.4	0.33	162.5	0.72	1.440	11.10	8.40	0.041	20.3
40271737		18.40	0.09	6.98	0.037	2.11	22.4	22.9	0.47	253	0.69	2.38	9.70	13.50	0.055	23.6
40271850		29.9	0.22	5.90	0.053	3.43	94.4	53.0	0.42	154.0	1.73	1.435	30.7	6.99	0.020	65.7
40271851		16.50	0.07	8.18	0.021	1.92	21.6	21.5	0.36	143.5	2.16	1.405	10.45	5.66	0.026	17.15
40271852		21.8	0.10	9.52	0.017	2.57	32.9	26.0	0.32	176.0	4.43	2.08	13.15	8.11	0.022	31.2
40271853		20.0	0.07	7.71	0.013	2.91	21.5	36.2	0.32	178.5	3.13	2.26	10.70	7.42	0.017	33.6
40271854		17.90	0.07	7.96	0.010	2.44	18.55	19.5	0.18	118.5	0.96	1.925	9.48	3.86	0.014	32.0
40271855		14.55	0.08	8.00	0.031	2.10	21.8	32.1	0.29	160.5	0.71	1.790	8.87	7.25	0.013	28.7
40271856		13.15	0.06	7.96	0.017	1.89	18.90	15.1	0.30	144.5	0.70	1.455	8.32	4.91	0.012	17.55
40271857		16.80	0.10	7.86	0.020	2.59	23.1	26.7	0.31	187.5	0.81	2.18	8.77	7.75	0.023	38.3
40271858		13.35	0.08	7.58	0.015	1.72	19.15	19.7	0.32	158.0	1.16	1.450	8.88	6.70	0.014	20.1
40271859		15.70	0.08	7.76	0.032	1.73	17.90	40.4	0.31	147.5	1.27	1.420	9.95	8.04	0.033	27.5
40271860		12.50	0.08	7.65	0.020	1.72	22.1	23.3	0.36	155.0	1.10	1.420	8.50	7.43	0.015	18.80
40271861		12.05	0.08	7.52	0.015	1.63	17.55	17.6	0.25	125.5	0.90	1.300	7.82	4.63	0.014	14.45
40271862		13.05	0.08	7.56	0.027	1.56	18.20	25.7	0.30	138.0	1.22	1.280	8.32	6.47	0.021	20.2
40271863		13.95	0.20	3.50	0.035	0.86	70.1	82.8	0.31	588	28.6	0.621	9.65	29.8	0.053	69.9
40271864		12.30	0.09	6.74	0.014	1.58	17.10	17.9	0.26	133.0	2.31	1.340	7.51	5.65	0.014	17.40
40271865		13.90	0.08	7.91	0.020	1.79	17.85	15.4	0.26	143.5	2.53	1.410	8.81	5.21	0.013	19.10
40271866		20.3	0.11	8.51	0.018	2.48	21.4	40.3	0.34	161.5	3.12	1.920	12.55	7.94	0.025	34.0
40271708		12.00	0.08	7.61	0.015	1.69	21.0	26.7	0.36	149.0	0.52	1.380	8.71	7.10	0.011	18.70
40271709		12.65	0.08	7.61	0.019	1.68	18.65	22.9	0.33	161.0	0.75	1.495	8.48	8.14	0.015	22.2
40271710		18.90	0.08	7.98	0.009	2.39	16.95	28.6	0.30	144.0	0.96	1.885	9.90	5.47	0.014	28.8
40271711		14.85	0.09	7.98	0.016	1.97	19.70	28.0	0.36	176.5	0.68	1.710	9.79	8.73	0.017	26.2
40271712		13.65	0.08	8.54	0.012	1.90	19.30	12.7	0.29	151.5	0.83	1.530	8.92	5.68	0.011	17.00
40271713		13.85	0.08	8.70	0.018	1.91	22.3	29.9	0.38	163.5	0.54	1.580	9.48	7.79	0.013	21.2
40271714		12.40	0.08	9.50	0.016	1.75	21.4	25.4	0.37	173.5	0.61	1.480	9.46	7.54	0.012	16.75
40271715		16.75	0.08	8.34	0.025	2.57	20.4	28.5	0.32	183.5	1.57	2.15	8.58	7.20	0.034	35.5
40271870		14.25	0.15	6.72	0.028	1.60	41.6	32.9	0.40	176.5	2.18	1.415	9.71	15.10	0.031	30.5
40271871		15.85	0.20	8.72	0.029	1.63	82.8	52.2	0.80	205	2.03	1.190	15.70	49.2	0.140	142.5

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.002	0.01	0.02	0.01	0.2	0.02	0.02	0.01	0.04	0.004	0.001	0.004	0.01	0.1
40271725		217	0.024	0.58	1.28	8.92	1.9	5.89	99.7	2.28	<0.04	87.9	0.190	1.425	637	23.0
40271726		65.8	<0.002	0.02	0.10	6.46	<0.2	1.03	287	0.78	<0.04	12.55	0.267	0.453	19.95	44.2
40271727		67.7	<0.002	0.02	0.04	7.54	<0.2	1.13	393	0.66	0.08	13.05	0.251	0.427	2.70	43.5
40271728		63.4	<0.002	0.03	0.11	7.49	0.7	1.18	296	0.86	<0.04	13.85	0.284	0.394	2.89	49.7
40271729		57.1	<0.002	0.02	0.19	4.91	0.4	1.49	199.5	1.02	<0.04	6.96	0.331	0.367	2.80	59.8
40271730		60.1	<0.002	0.02	0.13	5.32	0.6	1.16	227	0.77	<0.04	10.10	0.220	0.397	9.42	33.9
40271731		75.9	<0.002	0.02	0.02	7.47	<0.2	1.34	414	0.79	<0.04	20.2	0.287	0.474	12.05	51.5
40271732		57.3	<0.002	0.03	0.15	6.25	<0.2	1.05	212	0.74	<0.04	17.10	0.210	0.332	49.5	34.8
40271733		64.2	<0.002	0.02	0.14	5.99	<0.2	1.27	269	0.84	<0.04	22.4	0.230	0.393	24.0	36.0
40271734		65.8	<0.002	0.03	0.11	9.22	0.2	1.87	321	1.05	0.04	64.0	0.281	0.469	37.4	50.9
40271735		68.1	<0.002	0.02	0.09	6.07	<0.2	1.10	294	0.74	0.05	12.90	0.226	0.457	19.00	35.1
40271736		68.2	<0.002	0.02	0.09	5.04	<0.2	1.84	231	0.92	0.04	8.27	0.338	0.463	1.99	66.9
40271737		73.3	<0.002	0.02	0.06	7.12	<0.2	1.13	385	0.70	<0.04	11.45	0.263	0.458	4.46	49.5
40271850		216	0.022	0.55	1.06	9.03	2.1	5.80	98.4	2.32	<0.04	87.0	0.189	1.510	641	23.0
40271851		77.7	<0.002	0.02	0.20	4.40	0.3	1.42	220	0.89	<0.04	8.24	0.241	0.434	2.21	40.2
40271852		114.0	<0.002	0.02	0.14	4.81	0.3	1.82	288	1.59	0.04	23.7	0.280	0.729	3.42	49.9
40271853		124.0	<0.002	0.02	0.09	4.54	0.2	1.27	303	1.10	0.05	13.80	0.210	0.811	3.48	34.0
40271854		102.5	<0.002	0.02	0.04	3.42	<0.2	1.15	267	0.94	<0.04	12.90	0.204	0.638	3.20	32.6
40271855		85.4	<0.002	0.02	0.09	4.89	<0.2	1.03	248	0.75	0.04	14.20	0.195	0.558	21.4	30.6
40271856		76.5	<0.002	0.01	0.16	4.22	<0.2	0.99	214	0.74	<0.04	8.25	0.212	0.482	2.05	26.4
40271857		116.5	<0.002	0.02	0.05	5.13	0.2	1.07	295	0.81	<0.04	18.55	0.191	0.688	4.09	30.2
40271858		68.9	<0.002	0.02	0.12	5.47	<0.2	1.28	204	0.80	<0.04	8.35	0.227	0.398	2.92	31.0
40271859		70.9	<0.002	0.02	0.15	4.80	0.3	1.21	216	0.93	<0.04	12.85	0.215	0.419	3.58	35.6
40271860		69.1	<0.002	0.02	0.17	5.97	<0.2	1.08	207	0.76	<0.04	8.05	0.209	0.360	6.00	29.5
40271861		64.3	<0.002	0.02	0.11	4.11	<0.2	1.02	191.5	0.66	<0.04	6.56	0.199	0.348	1.80	24.3
40271862		60.5	<0.002	0.02	0.18	4.95	0.4	1.05	190.5	0.70	<0.04	6.87	0.204	0.355	2.28	31.7
40271863		47.8	<0.002	0.05	0.13	5.55	0.2	1.14	116.5	0.82	0.04	37.5	0.194	0.621	192.0	70.3
40271864		63.4	<0.002	0.02	0.10	4.57	0.3	1.01	194.5	0.74	<0.04	6.19	0.194	0.352	2.40	28.0
40271865		69.5	<0.002	0.02	0.13	4.44	0.3	1.23	205	0.79	<0.04	7.06	0.247	0.400	2.06	32.2
40271866		115.0	<0.002	0.02	0.10	5.35	0.4	1.33	268	1.22	<0.04	15.55	0.239	0.675	2.88	43.8
40271708		65.6	<0.002	0.01	0.16	5.21	<0.2	0.98	204	0.79	<0.04	7.57	0.201	0.377	3.69	27.6
40271709		69.8	<0.002	0.02	0.19	5.52	<0.2	1.09	214	0.72	<0.04	7.55	0.214	0.399	2.57	32.0
40271710		99.1	<0.002	0.02	0.10	4.41	0.2	1.28	276	0.91	<0.04	8.46	0.210	0.586	2.68	37.3
40271711		81.0	<0.002	0.02	0.12	6.13	<0.2	1.17	243	0.90	<0.04	11.30	0.224	0.452	3.12	35.0
40271712		78.2	<0.002	0.01	0.13	4.63	0.2	1.14	222	0.80	<0.04	7.00	0.240	0.423	1.90	31.5
40271713		77.3	<0.002	0.01	0.16	5.59	0.3	1.15	230	0.87	<0.04	11.40	0.216	0.428	3.79	30.0
40271714		69.3	<0.002	0.01	0.17	5.45	<0.2	0.95	218	0.79	<0.04	10.35	0.225	0.395	7.44	30.9
40271715		107.0	<0.002	0.02	0.08	4.92	<0.2	0.93	310	0.80	<0.04	15.00	0.188	0.627	4.39	32.3
40271870		65.8	<0.002	0.03	0.12	6.71	0.6	1.05	236	0.75	<0.04	14.40	0.258	0.491	13.50	44.3
40271871		72.2	<0.002	0.02	0.16	7.42	0.2	2.23	372	1.14	0.08	11.50	0.492	0.675	11.20	48.5

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40271725		0.918	47.4	59.5	177.5	0.0011	<0.004	<0.002	0.66	23.4	11.80	29.6
40271726		0.625	11.30	26.4	308	0.0020	<0.004	<0.002	0.31	8.47	5.06	12.20
40271727		0.326	9.73	28.6	322	0.0013	<0.004	<0.002	0.34	6.47	5.15	13.05
40271728		0.535	11.40	33.0	369	0.0026	<0.004	<0.002	0.32	6.39	4.85	12.20
40271729		0.882	9.78	21.0	296	0.0010	<0.004	<0.002	0.25	5.91	3.86	9.37
40271730		0.631	11.30	29.8	287	0.0017	<0.004	<0.002	0.23	4.61	3.54	8.71
40271731		0.263	13.60	29.2	440	0.0025	<0.004	<0.002	0.37	7.23	5.60	14.35
40271732		0.694	9.98	15.5	264	0.0014	<0.004	<0.002	0.24	5.11	3.63	8.95
40271733		0.651	13.15	19.9	285	0.0013	<0.004	<0.002	0.34	8.55	5.50	14.50
40271734		0.426	19.30	22.0	307	0.0012	<0.004	<0.002	0.56	14.50	8.89	24.0
40271735		0.603	14.25	23.6	284	0.0015	<0.004	<0.002	0.27	5.47	4.11	10.00
40271736		0.814	9.82	20.2	305	0.0021	<0.004	<0.002	0.28	5.39	4.23	10.30
40271737		0.322	11.50	29.4	273	0.0016	<0.004	0.002	0.32	6.30	4.96	12.40
40271850		1.000	47.7	61.6	172.5	<0.0004	<0.004	<0.002	0.65	23.3	12.40	29.7
40271851		0.943	11.50	14.8	297	0.0011	<0.004	<0.002	0.23	4.90	3.58	8.52
40271852		0.735	9.59	22.5	335	0.0007	<0.004	<0.002	0.42	8.39	6.38	16.30
40271853		0.567	8.70	20.9	285	0.0013	<0.004	<0.002	0.48	9.20	7.23	17.85
40271854		0.555	7.25	12.3	287	0.0011	<0.004	<0.002	0.43	8.69	6.65	16.45
40271855		0.549	10.95	17.5	290	0.0012	<0.004	0.002	0.37	8.36	5.80	14.70
40271856		0.784	10.40	14.0	294	0.0033	<0.004	<0.002	0.24	4.98	3.65	8.65
40271857		0.428	9.91	22.0	294	0.0022	<0.004	<0.002	0.48	11.35	7.66	20.7
40271858		0.849	10.20	17.5	273	0.0022	0.004	<0.002	0.24	6.16	3.88	9.99
40271859		0.692	10.25	20.6	292	0.0033	<0.004	0.004	0.32	8.56	5.20	13.45
40271860		0.797	15.60	19.1	288	0.0025	0.004	0.002	0.22	5.77	3.66	9.44
40271861		0.705	10.10	13.7	288	0.0016	0.004	<0.002	0.19	3.99	2.94	7.54
40271862		0.775	10.65	17.4	284	0.0011	<0.004	<0.002	0.23	6.27	3.84	9.80
40271863		0.884	19.80	51.5	114.5	0.0016	<0.004	0.003	0.65	27.6	11.75	31.7
40271864		0.769	9.59	16.0	253	0.0017	<0.004	<0.002	0.21	5.09	3.41	8.72
40271865		0.915	8.91	15.0	296	0.0018	<0.004	<0.002	0.24	5.68	3.85	9.84
40271866		0.752	9.99	22.6	307	0.0017	0.005	<0.002	0.43	9.60	6.73	17.95
40271708		0.689	11.95	14.5	283	0.0018	<0.004	<0.002	0.22	5.72	3.59	9.19
40271709		0.708	11.25	19.9	278	0.0017	<0.004	0.004	0.26	6.68	4.22	10.80
40271710		0.644	10.00	13.8	295	0.0005	<0.004	<0.002	0.35	8.03	5.64	15.00
40271711		0.764	11.65	21.5	290	0.0015	<0.004	<0.002	0.31	7.86	4.94	12.70
40271712		0.877	10.50	14.6	318	0.0012	0.006	<0.002	0.21	4.72	3.32	8.50
40271713		0.705	12.50	17.2	303	0.0014	<0.004	<0.002	0.26	6.38	4.14	10.65
40271714		0.682	12.90	15.4	352	0.0070	<0.004	<0.002	0.20	4.73	3.25	8.43
40271715		0.445	10.30	19.7	308	0.0013	0.004	<0.002	0.44	10.45	7.07	18.85
40271870		0.855	15.05	18.3	244	0.0014	0.004	<0.002	0.40	7.87	6.27	16.70
40271871		0.975	19.40	34.9	305	0.0022	<0.004	<0.002	2.02	34.0	31.6	78.0

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.05	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.005	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
40271872		1.02	0.016	4.90	1.55	596	1.34	0.213	0.91	0.028	40.1	3.30	26.8	2.24	4.47	1.990
40271873		0.84	0.081	5.16	1.55	631	1.74	0.292	1.31	0.111	55.8	12.80	75.5	6.71	19.20	3.52
40271874		0.94	0.088	5.82	1.79	1560	1.67	0.308	2.01	0.073	167.0	12.70	211	2.69	23.9	3.62
40271875		0.02	0.252	7.06	11.45	271	0.99	0.204	0.49	0.082	47.1	103.0	911	2.14	612	17.75
40271876		1.30	0.020	5.38	1.75	530	1.54	0.163	0.92	0.030	45.8	5.62	27.4	3.24	9.76	1.430
40271877		1.12	0.251	5.17	3.03	3840	3.07	27.4	2.48	0.136	181.0	13.00	193.0	1.58	15.10	4.98
40271878		1.32	0.019	5.22	1.00	632	1.43	0.214	0.99	0.036	43.9	3.76	33.1	1.79	4.89	2.06
40271879		1.96	0.028	5.78	1.11	963	2.08	0.250	1.59	0.069	92.9	7.02	38.5	3.82	11.60	2.05
40271880		0.72	0.085	5.98	1.48	1740	2.94	0.935	1.96	0.064	89.7	7.08	53.0	4.15	10.25	2.75
40271881		1.38	0.047	4.86	0.72	640	1.26	0.269	0.94	0.063	39.1	2.93	26.4	1.87	7.15	1.680
40271882		1.18	0.008	7.41	0.90	1150	3.17	0.304	1.93	0.063	70.2	13.20	85.6	4.63	11.65	3.75
40271883		0.80	0.032	6.28	1.41	876	2.01	0.315	1.45	0.051	44.8	6.24	43.9	2.30	6.43	3.51
40271884		0.96	0.033	5.65	0.72	687	1.48	0.239	1.15	0.058	38.0	4.56	33.0	2.79	4.56	2.32
40271885		0.96	0.071	5.59	1.60	632	1.37	0.243	0.90	0.046	37.7	3.46	23.9	2.67	4.07	1.700
40271886		0.98	0.110	5.36	1.85	524	1.41	0.164	0.75	0.037	38.5	3.86	23.1	2.96	4.26	1.740
40271887		0.82	0.066	4.37	0.69	628	0.95	0.131	0.74	0.025	36.6	1.305	14.8	1.39	2.85	0.790
40271559A		2.42	0.021	7.77	0.56	1280	2.87	0.127	1.61	0.091	67.0	6.48	27.4	3.48	6.80	2.05

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
40271872		14.30	0.09	7.49	0.010	1.66	22.5	25.6	0.36	169.0	1.87	1.410	9.85	8.11	0.017	21.5
40271873		16.65	0.12	6.01	0.035	1.63	28.8	54.2	0.97	379	12.55	1.200	11.15	39.4	0.072	25.4
40271874		18.65	0.30	7.96	0.025	1.59	85.3	56.2	1.73	338	3.38	1.390	28.0	60.0	0.051	39.8
40271875		24.9	0.21	4.71	0.081	0.34	26.4	15.3	0.23	1090	2.21	0.103	24.4	322	0.051	22.7
40271876		12.80	0.11	7.46	0.011	1.69	24.5	27.6	0.43	173.5	3.97	1.440	8.94	14.70	0.013	15.95
40271877		24.5	0.34	11.80	0.049	2.62	90.4	25.7	2.11	457	2.33	0.974	28.7	91.1	0.311	133.5
40271878		14.85	0.11	7.07	0.025	1.72	24.5	24.0	0.38	176.0	0.74	1.545	10.20	8.47	0.017	22.6
40271879		15.45	0.16	8.31	0.046	2.19	51.0	31.5	0.69	282	0.84	1.780	10.50	16.90	0.107	33.4
40271880		18.40	0.18	10.25	0.035	2.64	43.0	17.3	0.89	328	1.20	1.830	18.90	21.0	0.172	46.9
40271881		15.35	0.11	6.81	0.015	1.69	21.5	16.4	0.36	173.5	2.20	1.405	10.30	7.54	0.014	21.7
40271882		20.8	0.17	5.08	0.044	2.60	36.6	59.8	1.48	433	0.40	2.06	12.25	43.5	0.120	31.9
40271883		19.45	0.13	7.92	0.030	2.26	24.7	29.6	0.65	295	1.25	1.900	12.30	13.90	0.025	24.7
40271884		15.35	0.11	6.17	0.026	1.92	20.7	28.2	0.45	219	0.90	1.590	9.92	10.25	0.019	22.6
40271885		13.85	0.09	7.00	0.015	1.93	20.6	28.7	0.34	164.5	1.07	1.550	9.10	8.43	0.044	21.9
40271886		13.25	0.08	7.28	0.017	1.64	21.0	30.9	0.34	139.0	1.09	1.250	8.90	8.48	0.033	19.80
40271887		12.95	0.09	8.51	0.016	1.82	19.75	9.2	0.20	124.5	0.99	1.380	9.26	3.56	0.011	16.65
40271559A		20.5	0.08	8.81	0.028	3.86	33.6	34.3	0.60	312	0.73	2.76	14.35	15.85	0.086	39.1

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.002	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.2	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.04	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.004	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
40271872		67.2	<0.002	0.02	0.13	5.38	0.2	1.22	214	0.79	<0.04	8.67	0.265	0.419	2.17	40.1
40271873		79.0	<0.002	0.03	0.15	9.01	<0.2	1.18	204	0.88	0.05	7.57	0.382	0.514	8.17	74.8
40271874		58.7	<0.002	0.03	0.11	10.55	0.2	1.45	655	1.53	<0.04	11.10	0.628	0.468	5.02	100.0
40271875		25.2	<0.002	0.05	0.68	62.8	1.9	2.66	35.9	1.59	0.12	9.89	1.215	0.194	2.20	256
40271876		70.3	<0.002	0.03	0.13	6.75	0.3	1.07	213	0.74	<0.04	9.28	0.214	0.474	13.55	30.9
40271877		67.7	<0.002	0.03	0.16	11.10	0.3	4.01	1545	1.28	0.17	16.85	1.035	0.433	5.10	156.0
40271878		67.7	<0.002	0.02	0.11	5.99	0.2	1.29	228	0.83	<0.04	9.50	0.272	0.402	2.38	41.3
40271879		91.8	<0.002	0.02	0.12	8.18	0.4	1.09	337	0.88	<0.04	12.75	0.284	0.549	4.20	40.8
40271880		110.5	<0.002	0.02	0.04	10.05	<0.2	2.35	521	1.23	<0.04	13.20	0.557	0.649	3.27	69.6
40271881		67.5	<0.002	0.02	0.12	5.98	<0.2	1.34	219	0.83	<0.04	6.82	0.304	0.439	1.89	39.5
40271882		99.3	<0.002	0.02	0.06	12.95	0.3	1.28	425	0.91	<0.04	7.82	0.394	0.659	2.15	65.9
40271883		88.1	<0.002	0.02	0.11	8.66	0.2	1.43	319	1.10	<0.04	7.03	0.374	0.522	1.88	66.2
40271884		75.5	<0.002	0.02	0.18	6.93	0.3	1.27	237	0.87	<0.04	7.78	0.297	0.493	2.00	46.5
40271885		77.3	<0.002	0.02	0.13	5.30	<0.2	1.16	224	0.78	<0.04	11.40	0.221	0.458	2.40	33.7
40271886		64.8	<0.002	0.02	0.18	4.92	<0.2	1.15	189.0	0.75	<0.04	7.87	0.208	0.384	2.12	32.9
40271887		70.6	<0.002	0.01	0.14	3.81	0.4	1.18	200	0.92	<0.04	7.64	0.246	0.414	1.76	24.0
40271559A		169.5	<0.002	<0.01	0.03	7.40	0.4	1.84	418	1.52	<0.04	28.8	0.276	1.090	6.54	38.9

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

Sample Description	Method / Analyte / Units / LOR	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1	ME-MS61L Au ppm 0.0004	ME-MS61L Pt ppm 0.004	ME-MS61L Pd ppm 0.002	MS61L-PbIS Pb 204 ppm 0.01	MS61L-PbIS Pb 206 ppm 0.01	MS61L-PbIS Pb 207 ppm 0.01	MS61L-PbIS Pb 208 ppm 0.01
40271872		0.917	10.65	18.8	282	0.0026	<0.004	<0.002	0.28	5.42	4.26	11.05
40271873		1.440	12.80	66.8	211	0.0010	<0.004	<0.002	0.33	6.95	5.16	13.65
40271874		1.350	19.05	53.5	352	0.0010	<0.004	<0.002	0.56	9.71	8.50	22.2
40271875		1.385	13.95	80.9	185.0	0.0427	0.077	0.038	0.31	5.67	4.75	12.15
40271876		0.909	13.30	21.2	284	0.0030	<0.004	<0.002	0.21	4.33	3.31	8.49
40271877		1.650	29.2	70.7	401	0.0021	0.005	<0.002	1.87	30.8	29.3	71.2
40271878		0.915	10.55	20.1	263	0.0007	<0.004	<0.002	0.30	5.92	4.71	12.20
40271879		0.761	18.05	32.7	303	0.0033	<0.004	<0.002	0.46	8.52	7.01	18.75
40271880		1.435	19.65	37.7	392	0.0022	0.004	<0.002	0.65	11.45	9.96	25.9
40271881		1.055	10.65	19.1	250	0.0010	<0.004	<0.002	0.29	5.63	4.49	11.50
40271882		1.635	15.35	54.8	181.5	0.0015	<0.004	<0.002	0.46	8.41	7.07	18.40
40271883		5.34	12.65	29.2	303	0.0009	<0.004	<0.002	0.34	6.14	5.15	13.05
40271884		0.984	10.50	28.2	233	0.0026	<0.004	<0.002	0.30	6.24	4.73	12.00
40271885		0.700	11.05	26.5	266	0.0019	0.008	<0.002	0.26	6.21	4.22	10.80
40271886		0.822	12.00	17.1	279	0.0011	<0.004	<0.002	0.24	6.11	3.82	9.78
40271887		0.947	9.00	14.8	310	0.0009	<0.004	<0.002	0.21	4.55	3.39	8.68
40271559A		0.312	16.25	48.9	286	0.0005	<0.004	<0.002	0.53	9.86	8.10	18.00

Comments: ***Corrected copy with sample description 40271550 to corrected to 40123098***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **RIO TINTO EXPLORATION CANADA INC.**
CANADA URANIUM
SUITE 354-200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Finalized Date: 3-SEP-2016
Account: CANURA

CERTIFICATE OF ANALYSIS VA16141577

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Au, Pt & Pd determinations by this method are semi-quantitative due to the small sample weight used (0.25g)
ME-MS61L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

DRY-22	LOG-23	ME-MS61L	MS61L-PbIS
SCR-41f	SPL-21s	WEI-21	