We are committed to providing accessible customer service.
If you need accessible formats or communications supports, please contact us.

Nous tenons à améliorer l’accessibilité des services à la clientèle.
Si vous avez besoin de formats accessibles ou d’aide à la communication, veuillez nous contacter.

Geological Mapping, Channel Sampling, Linecutting, Diamond Drilling, LIDAR and Airborne Geophysics Assessment Report on the Miller Property for Oban Mining Corp.

Boston, Pacaud, McElroy, and Catharine townships, Ontario

32D/04 and 31M/13

Michaela Kuuskman, GIT
Thomas R. Hart, P.Geo
December 17, 2015

TABLE OF CONTENTS

1.0 Introduction 3
2.0 Property Description, Location and Access 3
3.0 History 6
4.0 Geological Setting and Mineralization 10
4.1 Regional Geology 10
4.2 Property Geology 13
5.0 Exploration 14
5.1. Plans and Permits 14
5.1 Line Cutting 15
5.2 Geophysics: 2015 Airborne Magnetic-VLF Survey 15
5.3 Lidar Survey 16
5.4 2015 Mapping and Sampling 17
5.4.1 Allied Syenite 17
5.4.2 West Allied 19
5.4.3 Planet Syenite 19
5.4.4 Meilleur Syenite 20
5.4.5 Structure 21
5.4.6 Veins 22
6.0 Drilling 22
6.1. Discussion of Results 25
6.1.1. Allied Syenite 26
6.1.2. West Allied 27
6.1.3. Planet 27
6.1.4. Meilleur 27
6.2. Core Logging and Sampling 28
7.0 Sample Preparation and Analyses 28
8.0 Statement Of Expenditures 29
9.0 Conclusions and Recommendations 29
10.0 References 30
11.0 Certificate of Qualification 34
Appendix A: High Resolution Maps 36
Appendix B: K8aranda Airborne Magnetic-VLF Report 47
Appendix C: Lidar Report 86
Appendix D: Assay Rock Descriptions 88
Appendix E: ALS Assay Certificates - Grab and Channel Samples 116
Appendix F: Diamond Drill Log 221
Appendix G: Diamond Drillhole Plan Map and Sections 307
Appendix H: ALS Assay Certificate – Drillcore 320

LIST OF TABLES

Table 1: List of claims for Miller Property 5
Table 2: Miller Gold Property Patent Surface and Mining Rights Patents 5
Table 3: Miller Gold Property Surface Rights Only Patents 5
Table 4: Summary of Historical Work 7
Table 5: Grab samples from Allied Syenite, over 1 g/t Au 18
Table 6: Grab samples from Planet syenite, over 1 g/t Au 20
Table 7: Grab samples from Meilleur Syenite area, over 1 g/t Au 21
Table 8: Summary of Oban 2015 Drill Program 23
Table 9: Assay highlights 2015 Drilling 25
Table 10: Summary of Expenditures 29
Table 11: 2015 Planet Syenite Channel Sample Descriptions 89
Table 12: 2015 Grab Sample Descriptions 95

LIST OF FIGURES

Figure 1: Miller Property Location Map (Natural Resources Canada, 2002) 3
Figure 2: Miller Property Claims 4
Figure 3: Mineral Occurrences on Miler Property 6
Figure 4: Regional geology of the southern Abitibi greenstone belt (Ayer et al. 2002) 11
Figure 5: Miller Property Geology Map 14
Figure 6: Miller Grid map, 1:9000 15
Figure 7: 2015 Miller Airborne Magnetic Survey, Vertical Gradient 16
Figure 8: 2015 Diamond Drill hole Location Map 24
Figure 9: 2015 Miller Grid Map, 1:3000 37
Figure 10: Lidar Map, Western Area, 1:3000 38
Figure 11: Lidar Map, Eastern Area, 1:3000 39
Figure 12: DEM Hillshade Map, Western Area, 1:3000 40
Figure 13: DEM Hillshade Map, Eastern Area, 1:3000 41
Figure 14: Miller Property Geology and Assay Map South, 1:4500 42
Figure 15: Miller Property Geology and Assay Map North, 1:4500 43
Figure 16: Allied Syenite Geology and Assay Map, 1:1000 44
Figure 17: Planet Syenite Geology and Assay Map, 1:1000 45
Figure 18: Planet Syenite Trench Map, 1:40 46
Figure 19: 2015 Drillhole Plan Map, 1:2000 308

1.0 INTRODUCTION

In the spring of 2015, Oban Mining Corp ("Oban") flew a LIDAR and airborne magnetic survey over the Miller property. In May and June, 2015 Oban retained the services of Orix Geoscience Inc. to map the Miller property located in Boston, Pacaud, McElroy, and Catharine townships. The program consisted of property mapping at 1:500 to 1:1000 as well as 1:100 mapping and channel sampling at the historic Planet Syenite trench. Based on the mapping, a 4, 066m drill program was completed on the property from July to September 2015.

2.0 PROPERTY DESCRIPTION, LOCATION AND ACCESS

The Miller Property consists of 30 claims, 2 patents and extends for 5 kilometers through the townships of Catharine, Boston, Pacaud and McElroy, between the towns of Englehart and Kirkland Lake in northeastern Ontario. The Property is located 10 kilometers north of Englehart, 15 kilometres southwest of Larder Lake and 25 kilometers southeast of Kirkland Lake. The property is situated within the areas covered by National Topographic System (NTS) map sheets 32D/04 and 31M/13. The centre of the property is located at approximately 582900mE and 5318000mN, NAD83 Zone 17N.

Figure 1: Miller Property Location Map (Natural Resources Canada, 2002)

The property consists of 30 unpatented contiguous claims, owned 100% by Northstar Gold Corp. ("Northstar"), and cover 1,040 ha, Table 1 and Figure 2. On February 22, 2015 Oban entered into a joint

venture agreement with Northstar which allows Oban to acquire up to 70% interest in the Miller property.

The surface rights for the mining claims are owned by the crown with the exception of 11 Surface Rights Only patents which are not owned by Northstar, Table 3. The property also contains 2 Freehold Patents, L17916 (PIN 61250-0076, Parcel 323SST) and L17917 (PIN 61250-0075, Parcel 322SST), which contain both mining and surface rights and cover 15.83 ha each for a total of 31.67 ha, Table 2.

The property can be accessed via secondary and tertiary roads that exit from Highway 11 and 112. The western portion of the property can be accessed by turning east on local road 564 to Boston Creek and then taking various logging roads. The property can also be accessed via the Wawbewawa Road off of Highway 11, approximately 5km north of Englehart. The Property is located 10 km north of Englehart, 15 km southwest of Larder Lake and 25 km southeast of Kirkland Lake.



Figure 2: Miller Property Claims

Table 1: List of claims for Miller Property

Township	Claim Number	Recording Date	Claim Due Date	Claim Units	Area (ha)	Work Required	Total Applied	Total Reserve
Boston	4271892	2012-Dec-27	2019-Dec-27	2	32	$800	$4,000	$0
Boston	4272892	2014-Mar-20	2019-Mar-20	2	32	$800	$2,400	$0
Catharine	4201239	2006-Jun-28	2018-Jun-28	5	80	$2,000	$20,000	$0
Catharine	4201240	2006-Jun-28	2019-Jun-28	5	80	$2,000	$22,000	$527
Catharine	4215970	2007-Jun-26	2020-Jun-26	6	96	$2,400	$26,400	$395
Catharine	4217728	2007-Jan-10	2018-Jan-10	4	64	$1,600	$14,400	$0
Catharine	4224525	2008-Mar-11	2018-Mar-11	1	16	$400	$3,200	$0
McElroy	4272022	2014-Mar-24	2019-Mar-24	1	16	$400	$1,200	$0
McElroy	4272893	2014-Mar-19	2019-Mar-19	1	16	$400	$1,200	$0
McElroy	4272895	2014-Mar-19	2019-Mar-19	5	80	$2,000	$6,000	$0
McElroy	4275033	2015-Jan-19	2017-Jan-19	1	16	$400	$0	$0
McElroy	4275152	2015-Jan-19	2017-Jan-19	2	32	$800	$0	$0
McElroy	4275153	2015-Jan-19	2017-Jan-19	1	16	$400	$0	$0
McElroy	4275154	2015-Jan-19	2017-Jan-19	1	16	$400	$0	$0
McElroy	4275156	2015-Jan-19	2017-Jan-19	2	32	$800	$0	$0
Pacaud	4207125	2009-Dec-24	2018-Dec-24	3	48	$1,200	$8,400	$0
Pacaud	4241927	2009-Nov-09	2018-Nov-09	1	16	$400	$2,800	$0
Pacaud	4241928	2009-Nov-09	2018-Nov-09	2	32	$800	$5,600	$0
Pacaud	4242310	2009-Jul-23	2018-Jul-23	4	64	$1,600	$11,200	$0
Pacaud	4243470	2010-Jan-21	2019-Jan-21	4	64	$1,600	$11,200	$0
Pacaud	4243545	2010-Mar-05	2019-Mar-05	1	16	$400	$2,800	$0
Pacaud	4246848	2009-Jun-02	2020-Oct-16	1	16	$400	$3,600	$0
Pacaud	4255264	2010-Jul-02	2019-Jul-02	1	16	$400	$2,800	$0
Pacaud	4255265	2010-Jul-02	2019-Jul-02	1	16	$400	$2,800	$0
Pacaud	4267275	2012-Jun-05	2020-Jun-05	2	32	$800	$4,800	$0
Pacaud	4267276	2012-Jun-05	2020-Jun-05	1	16	$400	$2,400	$116,896
Pacaud	4267277	2012-Jun-05	2020-Jun-05	1	16	$400	$2,400	$85
Pacaud	4267278	2012-Jun-05	2020-Jun-05	1	16	$400	$2,400	$0
Pacaud	4267279	2012-Jun-05	2020-Jun-05	1	16	$400	$2,400	$0
Pacaud	4267280	2012-Jun-05	2020-Jun-05	2	32	$800	$4,800	$0

Table 2: Miller Gold Property Patent Surface and Mining Rights Patents

Township	Patent	PIN	Status of PIN
Catharine	L17917	61250-0075	Active
Catharine	L17916	61250-0076	Active

Table 3: Miller Gold Property Surface Rights Only Patents

Township	Patent	PIN	Relationship to MRO	Status of PIN
Catharine	L11175	61250-0079	Overlaps with mining claim 4224525	Active
McElroy	L5097	61245-0027	Overlaps with mining claim 4275156	Active
McElroy	L5098	61245-0026	Overlaps with mining claim 4275156	Closed
McElroy	L5128	61245-0111	Overlaps with mining claim 4272895	Active
Boston	L4906	61244-0121	Overlaps with mining claim 4271892	Active
Boston	L4737	61244-0118	Overlaps with mining claim 4271893	Active
Boston	L5025	61244-0116	Overlaps with mining claim 4275152	Active
Pacaud	L17987	61251-0047	Overlaps with mining claim 4255265	Active
Pacaud	L17988	61251-0048	Overlaps with mining claim 4255264	Active
Pacaud	L52238	61251-0053	Overlaps with mining claim 4241927	Active
Pacaud	L52237	61251-0055	Overlaps with mining claim 4241928	Active
Pacaud	L52235	61251-0054	Overlaps with mining claim 4241928	Active

3.0 HISTORY

Recorded exploration work on the Property dates back to 1915 with the discovery of the No.1 Vein, located approximately 400 m south of the Allied intrusion. This Vein was explored by Miller-Independence Mining Ltd. and work included 6 shafts sunk to depths of 110 to 515 feet (French, 1988). Much of the historical drilling on the property is concentrated in the area of the No.1 Vein often referred to as the Miller Independence (Figure 3). There are no assessment reports available for the early exploration and development work, however a report by G.B. French in 1988 summarized work completed, and the geological information gathered, prior to 1937. Table 4 summarizes exploration work completed on the property extracted from the Ontario MNDM assessment file database.



Figure 3: Mineral Occurrences on Miler Property

Table 4: Summary of Historical Work

Year	Company	Location	Description
1915	Miller-Independence Mining Ltd	Miller Independence	First discovery of gold in vein (No.1 Vein), which cut across the property in a northwest-southeast direction for at least half of a mile. Gold and tellurides occur all along the entire length.
1916	Miller-Independence Mining Ltd	Miller Independence	Quartz vein with free gold and sulphides discovered near the first discovery. A shaft was built near the original discovery. A flat, faulted vein estimated to contain 1,800 tons of ore was discovered. The gold is associated with galena and copper telluride.
1917	Miller-Independence Mining Ltd	Miller Independence	Another shaft was built at a second vein, which was thought to be related to the first vein discovered in 1916. A feldspar porphyry dyke cuts through the shaft.
1917	Miller-Independence Mining Ltd	Miller Independence	Another vein was discovered - it was 6 inches wide at surface and widens up to 10 inches at depth. The vein was alongside a porphyry dyke, both of which carried visible gold and tellurides.
1918-1920	Miller-Independence Mining Ltd	Miller Independence	A total of 6 shafts were sunk on the property. Shaft A was 515 feet and did not cut any vein. Shaft B cut a vein at 21 feet (vertical length). A 174 feet drift was developed south of the vein. The Incline Shaft was 141 feet with east and west drifts constructed. Shaft C was a total of 110 feet. It crosscut a vein and a 30 inch wide mud seam at 44 and 62 feet, respectively. Shaft D had a total depth of 500 feet and crosscut Vein D. North of Vein D are four parallel fractures carrying grades. At the 500-foot level, several iron and copper sulphides rich stringers were cut. The Jumbo Shaft was a 14 feet pit, which followed a 30 inch wide vein. The Jumbo Vein is 400 feet south of Vein D. Both Vein D and Jumbo Vein dip south and strike about 30 degrees north of east. In 1918, 58.0 oz Au and 70.0 oz Ag from 31 ton bulk sample of 1.89 oz/ton Au recovery grade was produced.
1920s	Local Prospector – Authier	Planet Syenite	Gold was discovered at the Planet syenite.
1934	Miller-Independence Mining Ltd	Miller Independence	The mine re-opened and further development was conducted at Shaft C - 185 feet of cross cuts, 1,049 ft of drifting and deepening to 150 feet. 1,000 ft of diamond drilling was also completed.
1937-1938	Planet Gold Mines Ltd	Planet Syenite	Quartz veins and stringers with the presence of visible gold were observed to crosscut the syenite porphyry. Exploration work included extensive trenching, test pitting and diamond drilling.
1938	Howey Gold Mines	Planet Syenite	Howey Gold Mines optioned the Planet property from Planet Gold Mines Ltd. Extensive trenching was performed on the Planet syenite and a 16 ton bulk sample was taken, the results are unknown. A 3,668 lb sample was also taken and it graded 0.075 oz/ton. Recovery was estimated to be 87%
1939	Howey Gold Mines	Planet Syenite	A 3,044 lb sample was taken (probably from the small prospect shaft). The table test indicted a total gold content of 0.096 oz/ton.
1946	Lebon Gold Mines	Planet Syenite	Diamond drill program and surface trenching was performed, results are not available.
1960	Turzone Exploration Ltd	2 km ESE Allied	Geological survey and exploration report.
1960	Turzone Exploration Ltd	2 km ESE Allied	Drilling program consisting of 14 holes, totaling 437.38 m
1961	Fedora Claims	Allied	Diamond drill program consisting of 2 holes, totaling 97.2 m
1961	Fidelity MNG Investments Ltd	2 km SW Allied	Ground MAG, EM and IP survey covered 0.1 km^2
1961	Mirado Nickel Mines Ltd	1.5 km E Meilleur	An EM survey was carried out, covering 19.6 mile picket lines and a 2.3 mile base line.
1961-1963	Tagliamonte		3 diamond drill holes were drilled to test the presence of quartz veins. No assays were reported.
1962	A. Bargnesi	1.5 km W Allied	Diamond drill program consisting of 2 holes, totaling 123.5 m
1962	R. Rinaldi	1.5 km SW Allied	Drilling program consisting of 3 holes, totaling 98.7 m
1962	Fidelity MNG Investments Ltd	2 km SW Allied	Geological mapping, prospecting, trenching, EM, IP and MAG surveys, covering 0.1 km^2
1963	Ontario Geological Survey	Catharine and Marter Township	A. Grant from the Ontario Geological Survey mapped Catharine and Marter townships at a scale of 1 inch to ¼ mile. M2043.
1969	A. Bargnesi	1.5 km W Allied	Diamond drill program consisting of 1 hole (#1)

Year	Company	Location	Description
1970	Moncrieff Uranium Mines Ltd	E Allied	Airborne EM survey and MAG survey, covering 87 km^2
1974	Diversified Mines Ltd	Planet	3 maps were prepared, 4 trenches totalling 690 ft were blasted, and 216 samples collected and assayed. The assays yielded low gold values and it was recommended that no additional funds should be committed to this property.
1982	Alexander H. Perron	Allied	Ground MAG and VLF-EM survey covered 1 km^2
1982	J. Paiement	Allied	A MAG survey was carried out; 13.3 miles of line were cut and surveyed.
1982	398737 Ontario Ltd	Planet	Drilled three rows of 3.5" diameter rotary drill holes at 10-foot centres across the intrusive body in an east-west direction and a similar drill section at right angles to crosscut the body in a north-south orientation for a total of 291 holes. The cuttings were collected, assayed for gold and milled for total gold recovery. The overall grade of gold in the deposit was 0.14 g/t Au.
1983-1986	Shenandoah Resources Ltd	Allied	Surface stripping and bulk sampling of No.1 Vein proved the vein system was thick enough to be economically mined. The average grade of sampling was in excess of 0.35 oz/ton. 12 drill holes were drilled, 4 of which were drilled in line on strike, down dip of the ore body outcrop. This confirmed the extension of mineralized zone for over 700 linear feet.
1984	Alexander H. Perron	Between Meilleur and Allied	Ground MAG and VLF-EM survey covered 1.76 km^2
1985	Alexander H. Perron	1.5 km W Allied	Ground MAG and VLF-EM survey covered 0.6 km^2
1986	Gary Kosy-Robert Rosy	1.5 km SE Allied	Diamond drill program consisting of 1 hole, 67.05 m
1986	Teck Explorations Ltd	2.5 km SSE Allied	Geological mapping and prospecting, 30 anomalous gold samples were taken with the highest assaying 560 ppb Au
1986	Alexander H. Perron	1.5 km W Allied	Geological survey was performed, describing topography and any visible outcrops
1987	Edward J. Searles	2.5 km E Allied	Diamond drill program consisting of 1 hole (S87-1) 106.68 m
1987	Teck Explorations Ltd	2 km E Allied	Ground MAG and VLF-EM survey covered 0.88 km^2
1987	Alexander H. Perron	1.5 km W Allied	Diamond drill program consisting of 3 holes, totaling 188.1 m
1987	Nortek Minerals Ltd,	Allied	Diamond drilling program consisting of 36 holes, totaling 2,223.21 m. Detailed petrographic, mineralogical and textural studies were conducted. Other work conducted, include: mineral processing using core bulk samples, drill hole surveying, regional and local mapping of geological units.
1987	Golden Shield Resources Ltd	Allied	A total of 1,459 km of surveying was flown with the DIGHEM3 system
1987	Morgain Minerals Ltd	1.5 km W Allied	EM and MAG surveys were conducted, covering 0.6 km^2
1987	Sudbury Contact Mines Ltd	Meilleur	Airborne MAG and VLF-EM surveys were conducted, covering 113 km^2
1988	R. J. Wright	3 km SSE Allied	Diamond drill program consisting of 8 holes, totaling 701.04 m
1988	R. J. Wright	2 km ESE Allied	Diamond drill program consisting of 4 holes, totaling 423.67 m
1988	Teck Explorations Ltd	2 km E Allied	Geological mapping and reporting.
1988	G. B. French	Allied	3 samples assayed with the maximum value of 0.002 oz/ton
1989	Gold Fields Canadian Mining	3 km SE Allied	15 rock samples from trenches were taken. One sample (7649) reported to contain 0.406 oz/ton and the rest of the samples had less than 1 ppm Au.
1990	Gold Fields Canadian Mining	1.5 km ESE Allied	Trenching and surface stripping was conducted. A total of 16 samples were assayed. Au varied between 0.03 to 0.3 oz/ton, 1 sample also reported to contain 1.53% Cu.
1991	Mark Shore	2 km W Allied	Line cutting, geological mapping, prospecting, MAX-MIN VLF and MAG surveys which covered a 0.15 km^2 area were conducted. A total of 26 samples with the highest grade at 0.01 oz/ton were taken.
1991	Alexander H. Perron	2 km SE Allied	Geological survey and report
1993	Alexander H. Perron	Meilleur	Lithological, structural mapping and topographic surveying were performed.

Year	Company	Location	Description
1994	Queenston Mining Inc.	Meilleur	A MAG survey with 2.3 miles of gridding with line spacing at 200 ft was conducted. Geological mapping and 6 samples were taken with values ranging from 168 ppb to 3.449 ppb Au.
1994	Ontario Geological Survey	Catharine & Pacaud Townships	S.L. Jackson from the Ontario Geological Survey mapped Pacaud and Catharine townships at 1:20 000, OFR5884.
1995	Alexander H. Perron	Allied	Ground MAG and VLF-EM surveys were conducted, covering 0.9 km^2
1996	Alexander H. Perron	1.5 km WSW Allied	MAG and EM surveys were performed, covering 0.3 km^2
1996	Queenston Mining Inc.	Meilleur	Stripping and washing, detailed geological surveying and mapping were conducted. 10 samples were taken ranging from 38 ppb to 1,834 ppb Au. Diamond drill program consisting of 3 holes, totaling 305.95 m
1997	Alexander H. Perron	Allied	Line cutting and detailed geological surveying were conducted.
2002	Alexander H. Perron	1.5 km W Allied	MAG and EM surveys were performed, covering 0.3 km^2
2003	Kirkland Lake Minerals Inc	1 km SW Allied	Power stripping, trenching and sampling were conducted. 20 grab samples were taken, the best results were 0.03 and 0.02 ppm Au
2007	Walter Metherall	1.5 km S Allied	Line cutting, outcrop mapping, surface sampling (8 grab samples with values ranging from not detected to 1.1 ppm Au) and geophysical surveys (MAG and VLF-EM, totaling 19.65 km) were conducted.
2008	Abitibi Mining Corp	1.5 km SW Allied	MAG, VLF-EM and MAX-MIN HLEM surveys were conducted. The north grid consists of 18.525 km, the lines are spaced at 100 m increments with stations picketed at 25 m intervals. The baseline has a total length of 1,125 m.
2008	Boston Creek Mines Ltd	2.km W Allied	Manually stripped an area approximately 30 ft by 30 ft.; samples were taken but no assays were returned by the time of the report.
2008	Abitibi Mining Corp	2 km SE Allied	Prospecting and trench mapping, channel sampling of three stripping outcrop were conducted.
2009	Ashley Gold Mines Ltd	1.5 km NW Allied	MAG survey, totaling of 3.825 line km, was conducted
2009	Lake Shore Gold Corp	Allied	Geological data and 18 samples were collected. The highest reported value was 1.51 ppm Au.
2009	Abitibi Mining Corp	Meilleur	TFM, VLF-EM and HLEM surveys were conducted. The north grid consists of 11.275 km, with lines spaced at 100 meter increments and stations picketed at 25 m intervals. The baseline with the total length of 1125 m.
2009	Ashley Gold Mines Ltd	1.5 km E Meilleur	MAG survey, totaling of 2.85 line km, was conducted.
2010	Mhakari Gold Corp	Planet	Prospecting and survey were conducted to locate areas where historic works were completed. 5 rock samples were taken, with values ranging from 0 to 0.52 ppm Au.
2010	David Benjamin Zabudsky, Walter Metherall	2.5 km E Allied	Diamond drilling program consisting of 9 holes, totaling 1,393 m. Gold values were fairly low. Higher grade intersections from the drilling were related to late, thin quartz-carbonate veining with abundant pyrite.
2011	Lake Shore Gold Corp	Allied	40 grab samples were collected - 38 were collected for analysis and 2 for representative purposes. 5 samples returned grades > 0.1 ppm Au, of which two were 32.0 and 58.8 ppm Au
2012	Northstar Gold Corp	Miller Property	Northstar acquired the Miller property. Prospecting and sampling was performed on the property, a total of 137 samples were taken.
2013	Northstar Gold Corp	Miller Property	N-S grid was cut over the Allied syenite and 11 km of ground magnetics was performed, at 50 metre spacing, was performed on the grid. Prospecting and sampling was performed on the property, a total of 328 samples were taken.
2014	Northstar Gold Corp	Miller Property	Prospecting and sampling was performed on the property, a total of 169 samples were taken. Diamond drill program consisting of 15 holes, totalling 1,778.5 m. Abitibi Geophysics completed 11.3km of ground time domain 3D IP on the N-S grid.
2015	Oban Mining Corp.	Miller Property	Oban entered into an option agreement with Northstar.

4.0 GEOLOGICAL SETTING AND MINERALIZATION

4.1 Regional Geology

The following description of the Abitibi greenstone belt is from Ayer et al. (2002, 2005) and Thurston et al. (2008) and the references found in those papers. The Abitibi greenstone belt is composed of east-trending synclines of mainly volcanic rocks and intervening domes cored by synvolcanic and/or syntectonic plutonic rocks (gabbro-diorite, tonalite, and granite) alternating with east-trending bands of turbiditic wackes (Figure 4). Most volcanic and sedimentary rocks dip vertically and are generally separated by east-trending faults with variable dips. Some of these faults, such as the Porcupine-Destor fault, display evidence for overprinting deformation events including early thrusting, later strike-slip and extension events. There are two ages of unconformable successor basins, early, widely distributed "Porcupine-style" basins of fine-grained clastic rocks, followed by later "Timiskaming-style" basins of coarser clastic and minor volcanic rocks which are largely proximal to major strike-slip faults (e.g. Porcupine-Destor, Larder-Cadillac). Numerous late-tectonic plutons of syenite and gabbro to granite composition, with lesser dikes of lamprophyre and carbonatite, cut the belt.

Metavolcanic and metasedimentary rocks of the Abitibi greenstone belt have been subdivided into a series of assemblages. The Pacaud assemblage is the oldest supracrustal unit in the southern Abitibi, with rhyolites ranging from 2747-2736 Ma. It occurs on the flanks of the Round Lake batholith with a basal intrusive contact with granitoid units (Figure 4). The thickest remnant of the Pacaud assemblage occurs in the Shining Tree area where it is comprised of tholeiitic mafic volcanic rocks with lesser komatiite and calc-alkaline intermediate to felsic volcanic rocks. Units of the 2730-2724 Ma Deloro assemblage occur as homoclinal panels overlying the Pacaud assemblage on the northeastern flank of the Round Lake batholith, and on the northern flank of the Ramsey-Algoma batholith in the Shining Tree and Swayze areas. The Deloro assemblage is composed of calc-alkaline flows and pyroclastic rocks capped by a sedimentary zone consisting of regionally extensive iron formation and related hydrothermal breccias and debris flows. The 2723-2720 Ma Stoughton-Roquemaure assemblage, characterised by broad regions of tholeiitic basalts, komatiitic basalts, and komatiites with several relatively minor felsic volcanic centers, is located on the northeast flank of the Round Lake batholith.

South of Kirkland Lake, the Stoughton-Roquemaure assemblage is interpreted to be underlain by the Pacaud assemblage, which represents a 13 Ma depositional. The upper part of the Stoughton-Roquemaure assemblage in this area, formerly referred to as the Catherine Group, is overlain by felsic volcanic rocks of the Skead Group which is part of the Upper Blake River assemblage indicating a ~20 Ma depositional. Overlying the Stoughton-Roquemaure assemblage, is the Kidd-Munro assemblage which has been subdivided into the 2719-2717 Ma lower part comprised of dominantly intermediate to felsic calc-alkaline volcanic rocks, and the 2717-2711 Ma upper part consisting of tholeiitic and komatiitic units with graphitic metasedimentary rocks and localized felsic volcanic centers. The 2710-2704 Ma Tisdale assemblage overlies the Kidd-Munro assemblage, and has been divided into the lower and upper parts. Mafic tholeiitic flows with locally developed komatiite and intermediate to felsic calc-alkaline volcanic rocks and iron formation of the lower part are interpreted to range in age from 2710 to 2706 Ma m based in part on an age of 2710.1 ± 3.9 Ma for a heterolithic tuff breccia in Boston Township. The upper part of the 2706-2704 Ma Tisdale assemblage is comprised of calc-alkaline felsic to intermediate volcanic rocks and iron formation. Units of the 2704-2701 lower and 2701-2696 upper Blake River assemblage overlie units of the Tisdale assemblage. The upper part of the assemblage includes the Skead Formation which is comprised of calc-alkaline intermediate to felsic volcanic rocks overlying the Stoughton-Roquemaure assemblage on the eastern and southern flanks of the Round Lake batholith.



Figure 4: Regional geology of the southern Abitibi greenstone belt (Ayer et al. 2002)

There are two types of successor basins are present in the Abitibi greenstone belt: the early Porcupine assemblage and the late Timiskaming assemblage. The 2690-2685 Ma age Porcupine-type basins contain wacke-dominated, kilometre-scale sequences unconformably overlying the older metavolcanic and sedimentary rocks and are transitional into much more extensive basins (e.g. Pontiac subprovince). The age of the Porcupine sediments is based on the age of the basal Krist volcanic unit and detrital zircons in the overlying wackes in the Timmins area. The depositional environment was interpreted to be a submarine environment due to the lack of regolith or paleosol. The 2677-2670 Ma Timiskaming assemblage includes alluvial-fluvial conglomerates, sandstones, turbidites, and alkalic to calc-alkaline volcanic rocks that unconformably overlie metavolcanic rocks and/or Porcupine assemblage units.

The plutonic rocks of the Abitibi greenstone belt have been subdivided into synvolcanic, syn-tectonic and post-tectonic intrusions. The synvolcanic intrusions were further subdivided in to felsic to intermediate and mafic to ultramafic intrusions. Felsic to intermediate synvolcanic intrusions range in age from about 2745–2696 Ma and coeval with, and geochemically similar to, the volcanic assemblages. These intrusions predate significant compressional strain, are typically foliated tonalite to granodiorite, and are found predominantly within the larger granitic complexes (e.g. Ramsey–Algoma, Round Lake). Mafic to ultramafic synvolcanic intrusions range from approximately 2740–2700 Ma and mainly occur as peridotite to gabbro and diorite sills or lenticular units that cut stratigraphy at a low angle. Syn-tectonic plutons may be related to the deformational events and can be subdivided into early and late series. Early 2695–2685 Ma tonalite, granodiorite, diorite and feldspar±quartz porphyries with adakitic geochemistry similar and coeval to the Porcupine assemblage volcanic rocks occur as stocks within the greenstone belt

and as major portions of the surrounding batholithic complexes. Late 2680–2672 Ma syntectonic intrusions are broadly coeval with the Timiskaming assemblage, and are relatively small, occurring in close proximity to the main faults (e.g. Larder Lake - Cadillac deformation zone). These intrusions are typically alkalic, consisting of monzonite, syenite and albitite with the more mafic phases including diorite, gabbro, clinopyroxenite, hornblendite and lamprophyre. Late-tectonic intrusions range in age from about 2670–2660 Ma and are typically massive and occur within batholiths and the greenstones. They consist of “Algoman” biotite granite, pegmatite and biotite-muscovite S-type granite.

A number of mafic dyke swarms cut the rocks of the Abitibi greenstone belt (Osmani 1991). The 2454 Ma Matachewan dykes are north-trending, vertical to sub-vertical and composed of quartz diabase and commonly contain plagioclase phenocrysts up to 20 cm in length. Northeast-trending quartz diabase of the 2167 - 2171 Ma Biscotasing dykes are lithologically similar the Matachewan dykes although lack the coarse plagioclase phenocrysts (Halls and Davis, 2004). West to northwest-trending, vertical dykes of the 1238 Ma Sudbury dyke swarm are generally medium to coarse-grained with ophitic to subophitic textures olivine tholeiites. The 1140 Ma east to northeast-trending olivine gabbro to monzodiorite dykes of the Abitibi dyke swarm may be related to the Keewanawan Midcontinent Rift event.

Supracrustal units in the Abitibi greenstone belt are dominated by east-west striking volcanic and sedimentary assemblages and east-trending Archean deformation zones and folds. Larger batholithic complexes external to the supracrustal rocks (e.g. Round Lake) represent centres of structural domes. The intervening areas define belt-scale synclinoria that deformed during a number of distinct periods. This pattern is interrupted by the Porcupine and Timiskaming assemblage rocks which unconformably overlie the older assemblage. Older syn-tectonic intrusions (2695–2685 Ma) may be related to the compressive stresses that induced early folding and faulting related to the onset of continental collision between the Abitibi and older sub provinces to the north. Younger syn-tectonic intrusions (2680–2670 Ma) are coeval with the Timiskaming assemblage and are spatially associated with the Porcupine Destor and Larder Lake Cadillac deformation zones. The late tectonic intrusions (2670–2660 Ma) are possibly synchronous with D4 folding within the Timiskaming assemblage rocks in the Timmins area. They represent the final stage in transpressional deformation along the Porcupine Destor deformation zone and may be correlative with the D2 event identified in the Kirkland Lake–Larder Lake area. The regional deformation zones commonly occur at assemblage boundaries and are spatially associated with long linear belts, representing the sedimentary assemblages (i.e., Porcupine and Timiskaming). It has been proposed that the regional association of the Porcupine Destor and Larder Lake Cadillac deformation zones and major assemblage boundaries are proximal to the locus of early synvolcanic extensional faults.

4.2 Property Geology

The property is underlain by northwest-trending ultramafic and mafic to intermediate metavolcanic rocks of the Pacaud Assemblage and the Catharine Group, Stoughton-Roquemaure Assemblage, to the southwest and intermediate to felsic metavolcanic rocks of the Skead Group, Blake River Assemblage to the northeast, Figure 5. Occasional ultramafic and mafic to intermediate intrusive rocks occur as stock and sills emplaced into the metavolcanic rocks. Relatively undeformed, younger alkaline to calc-alkaline felsic intrusive rocks were emplaced into the metavolcanic rocks as irregular stocks and dykes, which include the Allied, Planet, and Meilleur syenite intrusions. Lamprophyre dykes cut all other units. Felsic intrusive rocks of the Round Lake Batholith bound the metavolcanic rocks to the west. Occasional north- to northwest-trending diabase dykes cut all older units. The most prominent structures are a series of northwest-trending faults and include the Pacaud and Catharine faults. There is also a series of lesser northeast-trending faults and shears. Gold mineralization is associated with quartz+/-carbonate veining best developed in, or adjacent to, the Allied, Planet and Meilleur intrusions.

Most of the property is underlain by mafic to intermediate rocks with lesser ultramafic metavolcanic rocks. The mafic metavolcanic rocks are comprised of massive flows, pillowed flows, and lesser volcaniclastic rocks. Metamorphic grade and deformation increase towards the Round Lake Batholith to the southwest, and most of the massive flows on the property contain medium- to coarse-grained amphibole. The presence of coarse-grained amphibole suggests that it can be difficult to distinguish between coarse-grained flows and gabbro sills. The intermediate metavolcanic rocks are subordinate units occurring as occasional flows and volcaniclastic rock interbedded with the mafic metavolcanic rocks. Ultramafic metavolcanic rocks rarely outcrop and are generally intensely altered, but are thought to be spinifex textured flows.

The northeast portion of the property, northeast of the Catharine Fault, is underlain by predominantly intermediate to felsic metavolcanic rocks that are dominantly volcaniclastic with lesser flows. Occasional mafic volcaniclastic units are interbedded with the intermediate volcaniclastics closer to the Catharine Fault.

Intrusive rocks range from syn-volcanic to syn-tectonic in age with the syn-volcanic rocks being dominated by mafic to intermediate compositions and syn-tectonic rocks generally intermediate to felsic in composition. Syn-volcanic intrusions are generally medium- to coarse-grained gabbro to diorite that may form sills or composite sills tens of metres in thickness. Felsic to intermediate intrusive rocks of the Round Lake Batholith represent an early syn-tectonic igneous event. Late, syn-tectonic intrusions are dominantly medium- to coarse-grained, massive, syenite with lesser granodiorite and feldspar+/-quartz porphyritic dykes and sills. These intrusions may form large irregular stocks of predominantly syenite composition that appear to be composite of multiple intrusive phases of dyking and silling. Lamprophyre dykes are rarely exposed but are intersected by drilling, and are interpreted to be a late phase of the syn-tectonic alkaline intrusive event as they cut all older units.



Figure 5: Miller Property Geology Map

5.0 EXPLORATION

In the spring of 2015, Oban flew a LIDAR and airborne magnetic survey over the Miller property. In May and June, 2015 Oban contracted Glen Mcbride to cut 37.5 km of grid. In May and June, 2015 Oban retained the services of Orix Geoscience Inc. to map the Miller property. The program consisted of mapping at 1:500 to 1:1000 in the areas between the Allied, Planet and Meilleur Syenite. The Planet Syenite trench was mapped at 1:100 and channel sampled. Based on the mapping, a 4066m drill program was completed on the property between July and September, 2015.

5.1. Plans and Permits

The 2015 work program was completed under plan PL-15-10417 and permit PR-15-10650, listed on the Environment Registry as EBR Registry Number 012-3804. This permit covers drilling on claims 4267278, 4267277, 4267276, 4267279, 4267275, 4215970, 4271892, 4275152, 4275153, 4275154, 4272892, 4272893, 4272895, located in Boston, Catharine, McElroy, and Pacaud (http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTI0NzA0&statusId=MTg4MzEw&language=en).

5.1 Line Cutting

In May and June 2015, Oban contracted Glen McBride to cut 37.5 km of grid to encompass the Allied, Meilleur and Planet intrusions. The 2015 grid consisted of 19 lines (L0N to L18N) at 100 m spacing oriented at a 45° azimuth and a baseline (L0E) at a 315° azimuth, see Figure 6 and Appendix A: High Resolution Maps.

Figure 6: Miller Grid map, 1:9000

5.2 Geophysics: 2015 Airborne Magnetic-VLF Survey

K8aranda Geophysiques Ltd. was commissioned by Oban to fly a helicopter-borne gradient magnetic and very low frequency (VLF) survey over the entire Miller property from March 25 to April 3, 2015 (Figure 7). A total of 960.8 line kms were flown with a flight line spacing of 50 m. The average altitude of the gradiometer was approximately 40 m. Based on the average survey speed of approximately 110 km/h and a sampling frequency of 10 Hz, data samples were recorded at intervals of approximately 3 m. The instrument used was a GEM System potassium vapour, 3-sensor gradient magnetometer with sensor separations of 2.95 and 3.45 m respectively. The VLF receiver monitored Cutler Maine (24.0 kHz).

The magnetic survey highlighted the regional northwest-trending mafic to intermediate metavolcanic rocks and gabbro sills located southwest of the Catharine Fault. The intermediate metavolcanic rocks to the northeast of the Catharine Fault have a lower magnetic response, including the area around the Meilleur intrusion. The Allied and Planet intrusions have low magnetic responses compared to the surrounding mafic to intermediate metavolcanics, while the Meilleur is a relative high compared to the surrounding intermediate metavolcanics. The VLF results over the intrusions did not result in a distinctive response. A copy of the K8aranda Report is contained in *Appendix B: K8aranda Airborne Magnetic-VLF Report.*



Figure 7: 2015 Miller Airborne Magnetic Survey, Vertical Gradient

5.3 Lidar Survey

In May 2015, Oban contracted KBM Resources Group to conduct a LIDAR and ortho-image survey over the entire Miller property. The survey was conducted using a Trimble Harrier 68i system which employs

a 400 kHz repetition rate in combination with high-quality ortho-imagery. The LIDAR survey included a 0.5 m resolution bare-earth DEM, with a full point-cloud collected at 4 points per metre. The ortho-image survey produced geotiffs with an 8 cm resolution.

The LIDAR survey was useful for identifying geological features, including lineaments and faults, and historical workings, including pits, trenches, and trails. Identification of these features aided in the planning of the 2015 field work and was also helpful in the field as a reference while mapping. A copy of the KBM Resource Report is contained in *Appendix C: Lidar Report*. *Appendix A: High Resolution Maps* contains 1:5000 maps of the DEM and Ortho-image.

5.4 2015 Mapping and Sampling

In May and June 2015, Oban contracted Orix Geoscience Inc. to perform geological mapping and sampling to identify controls on mineralization and map out the distribution of syenite intrusions on the Miller Property. George Pollock and Marc Cardinal from Northstar prospected and sampled along the 2015 gridlines to assist with the program. Tom Hart assisted with mapping and oversaw the QAQC program.

The focus of the mapping was the Allied, Planet and Meilleur intrusions which were mapped at 1:500. The areas between these intrusions were mapped at 1:1000. The historic Planet Syenite trench was mapped at 1:100 and was channel sampled. A total of 551 assay samples and 50 QAQC samples were taken during this program.

Appendix A: High Resolution Maps contains 1:1000 and 1:4500 geology maps of the property showing the outcrops, interpretation, structural measurements and grab samples. It also contains the Planet Syenite trench map at 1:40. Rock descriptions of grab and channel samples are located in *Appendix D: Assay Rock Descriptions. ALS Assay certificate*s for grab and channel samples are located in *Appendix E: ALS Assay Certificates - Grab and Channel Samples*.

5.4.1 Allied Syenite

The Allied syenite is a northwest-trending intrusive body that is approximately 280 m by 80 m hosted in massive to pillowed mafic volcanic (Figure 5). Based on the 2014 and 2015 drilling, the syenite appears to be vertical. The most prevalent syenite phase observed in mapping was the crowded porphyritic (Sy1), with rare feldspar porphyritic (Sy2) outcrops and sporadic aplite dykes. Near vertical feldspar porphyritic dykes cut the syenite of the main body as well as the adjacent mafic metavolcanic rocks, and are usually oriented parallel to the eastern and western margins of the body. The main body of the Allied intrusion is bounded to the south by two faults, an east-trending fault dipping approximately 60° south and a west-trending fault dipping approximately 75° north. It is interpreted that the west-trending, north dipping fault terminates the east-trending fault and the intrusion at depth. The main body narrows towards the northwest and mapping suggests it pinches out on surface.

Within the Allied syenite there are two sets of quartz veins, flat extensional cm-scale quartz veins and younger shear veins. These veins were not observed in outcrop, only in drill core. The Allied syenite is bounded by northwest-trending faults which were interpreted from drilling, geophysics and LIDAR data.

Mapping the Allied intrusion is difficult due to limited outcrop exposure with the majority of the intrusion in a topographic low filled with sand and swamps. Outcrops of syenite are visible at the outer contacts and the interpreted extent of the syenite was determined using outcrops, drill hole data and geophysics, as the Allied syenite forms a magnetic low. Less than 50 samples were collected from the Allied intrusion, with many of the samples being rubble from historical pits and trenches. Only seven samples returned

gold values >1.0 g/t Au. The highest gold value returned was 11.85 g/t Au in sample 29661 taken in the northwest portion of the Allied syenite and comprised of an equigranular syenite with chlorite and quartz veins. Two samples from the west side of the intrusion, 29651 and 29652, returned 2.30 g/t Au and 2.77 g/t Au respectively.

Along the eastern contact of the syenite there are 3 historic pits. This area has been heavily sampled from 2012 to 2014 therefore few samples were taken from this area during the 2015 program. The best assay taken from this area in 2015 returned 212 g/t Au and was hosted in a boulder of quartz with abundant visible gold and tellurides (Table 5). Sample 29661 was taken at the northwest portion of the Allied syenite and returned 11.85 g/t Au. This sample was hosted in equigranular syenite with chlorite and quartz veining.

East and southeast of the Allied syenite is a series of north- and east-trending trenches in mafic volcanic. The best assay from this area was sample R333701 which returned 52.5 g/t Au and was hosted in a shallow dipping 10 cm quartz vein with disseminated pyrite. Other samples is this area were taken from boulders at the edge of historic pits and returned up to 23.3 g/t Au.

Table 5: Grab samples from Allied Syenite, over 1 g/t Au

Sample Number	Description	Easting	Northing	Sampler	Au (g/t)
R333706	Boulder: 15cm quartz vein with abundant visible gold and tellurides	582898	5318043	East of Allied	212
R333701	Shallow dipping 10cm quartz vein with disseminated pyrite	582915	5317884	South of Allied	52.5
29676	Quartz vein with specks of visible gold	582936	5317926	South of Allied	23.3
R333711	Boulder: 5cm quartz stringers with heavy pyrite in altered mafic volcanic	582907	5318013	East of Allied	16.1
29675	Quartz vein with hematite staining	582935	5317933	South of Allied	15.65
29661	Syenite with chlorite and quartz veins	582667	5318137	North of Allied	11.85
R333104	2-3 cm white quartz vein in carbonatized mafic volcanic with up to 10% disseminated pyrite	582895	5317835	South of Allied	11.1
29695	Quartz vein hosted in weathered mafic volcanic with disseminated pyrite	582937	5317940	South of Allied	7.25
R333715	Boulder: 10cm quartz vein with hematite staining in pervasively carbonatized mafic volcanic	582924	5317973	South of Allied	6.11
R333709	Boulder: stockwork veining with pyrite in pervasively altered mafic volcanic	582890	5318045	East of Allied	4.99
R333102	5mm quartz vein in intensely carbonatized mafic volcanic with 5-10% pyrite halo around vein	582930	5317963	South of Allied	3.29
14881	Mafic volcanic with disseminated pyrite	582883	5318070	East of Allied	3.27
R333287	15 cm quartz vein with disseminated pyrite	582321	5317829	West of Allied	3.27
14855	Altered mafic volcanic with quartz vein and pyrite	582942	5317939	South of Allied	2.58
R333714	Boulder: 8cm quartz vein with pyrite in pervasively carbonatized mafic volcanic	582929	5317970	South of Allied	2.51
R333053	2cm shallow dipping quartz vein with up trace euhedral pyrite and trace mafic volcanic	582173	5318933	Allied	1.94
R333213	Boulder: 50 cm quartz vein in syenite with minor pyrite and molybdenite	582253	5318787	Allied	1.83
14856	Mafic volcanic with trace pyrite and quartz stringers	582945	5317940	South of Allied	1.64
29681	Sugary quartz vein with hematite staining hosted in mafic volcanic	582925	5317957	South of Allied	1.555

Sample Number	Description	Easting	Northing	Sampler	Au (g/t)
R333288	Boulder: Mafic schist with pervasive silicification and disseminated pyrite	582333	5317818	West of Allied	1.515
14890	Quartz vein with disseminated pyrite	582914	5318018	East of Allied	1.415
R333702	10cm shallow dipping quartz vein with disseminated pyrite	582911	5317854	South of Allied	1.185
14884	Rusty quartz vein with trace mafic volcanic	582906	5318051	Allied	1.045
14885	Mafic volcanic with disseminated pyrite and quartz veins	582914	5318052	East of Allied	1.005

5.4.2 West Allied

Two felsic dykes were identified during the 2015 mapping program in the area to the west-northwest of the Allied Intrusion. One of the dykes is a 250 by 15 m wide northwest-trending dyke, located approximately 185 m west-northwest of the Allied intrusion. The other dykes is a 130 m by 5 to 20 m wide, west-northwest-trending dyke, located approximately 400 m west of the Allied intrusion. The dykes are composed of massive, medium- to coarse-grained equigranular syenite cut by occasional aplite dykes and hosting occasional quartz veins. The veins may be bounded by a reddish potassic alteration, and host up to 2% disseminated pyrite.

Although, there was no indication that these dykes formed part of the Allied intrusion, the area was referred to as the West Allied. There were no significant anomalous gold values returned for the field samples collected on these dykes however, due to their similarity in lithologies and proximity to the Allied intrusion, two holes were collared in this area.

5.4.3 Planet Syenite

The Planet intrusion is an irregularly shaped body with surface dimensions of approximately 150 m west by 200 m north, located about 925 m north of the Allied intrusion. This intrusion is predominately equigranular syenite (Sy1) with sporadic aplite dykes. The Planet syenite contains visible quartz grains therefore it is more likely a quartz syenite.

The historic trench in the Planet intrusion was hand stripped at the beginning of the program to better understand the geology and mineralization. The stripped area was mapped at 1:100 by Ali Ghorbani, Justin Bernard, Michaela Kuuskman and Thomas Hart. A channel sampling program was designed by Thomas Hart and Michaela Kuuskman to test the mineralization potential of the various vein sets observed during the mapping of the stripped area. The channels were cut by Glenn McBride Exploration Services under the supervision of the Tom Hart.

The following observations are based on the 1:100 mapping of the Planet Syenite trench. A high intensity of stockwork quartz veining is observed in the Planet Syenite stripped outcrop with 3 oblique to orthogonal vein sets. Their widths range from less than 1 cm to over 15 cm. The primary vein set is northwest-trending steeply dipping veins. There are also north-northwest-trending veins that are vertical to steeply dipping. This vein set is concentrated at the western portion of the Plant Syenite trench where strong stockwork structure has formed. There is also a set of west-southwest-trending veins that dip between 25° and 40° to the northwest. Based on cross-cutting relations, the west-southwest-trending veins seem to be the youngest, however crosscutting northwest veins conflict this observation.

A total of 84 channel samples were taken, with 2 samples returning over 1 g/t Au, see Table 6. Sample R333565 returned 1.645 g/t Au from a 0.75 m long channel comprised of massive syenite with two 1 mm vertical quartz veins and one shallow 3 mm quartz vein, hosting trace to 1% fine-grained pyrite. Sample

R333575 returned 1.19 g/t Au from a 0.65 m long channel consisting of massive syenite with trace to 1% disseminated pyrite and two 1 cm shallow quartz veins. The common feature between the two samples is a pink alteration halo to shallowly north dipping veins with up to 1% pyrite. There are similar shallowly north dipping veins with alteration haloes in other samples that did not return anomalous gold values, however based on the more detailed work completed in the Miller intrusion, it is interpreted that all of the shallowly dipping veins are of the same generation and the difference in assay results is a result of a nugget effect as observed elsewhere on the property.

Immediately north of the Planet syenite, there is a narrow-linear zone of moderate to strong east-northeast-trending foliation, striking between 050° and 070° dipping between 50° and 60° to the southeast. This area is approximately 400 m long and locally up to 30 m wide. This zone is associated with iron-carbonate alteration and disseminated pyrite. Samples from this area returned up to 4.3 g/t Au.

Table 6: Grab samples from Planet syenite, over 1 g/t Au

Sample Number	Description	Easting	Northing	Sampler	Au (g/t)
14899	Boulder: Quartz with hematite staining	581993	5318732	West of Planet	43.7
14895	Mafic volcanic with pyrite and quartz veining	582068	5318696	West of Planet	34.9
R333226	40 cm quartz vein with 3-5% disseminated pyrite hosted in mafic volcanic, sample taken from blast pile near pit	582064	5318981	NE of Planet	4.29
R333255	40 cm quartz vein in pervasively altered volcanics with 3-5% disseminated pyrite	582141	5318450	West of Planet	3.16
14919	Quartz vein with hematite and pyrite	581931	5318781	West of Planet	2.22
14926	Basalt with cm-scale quartz veins with pyrite	582180	5318658	West of Planet	2.16
R333053	2cm shallow dipping quartz vein with up to 1mm euhedral pyrite, trace syenite with up to 1% pyrite	582173	5318933	Planet	1.94
R333213	50 cm quartz vein in syenite with trace pyrite and molybdenite taken from blast pile near trench	582253	5318787	Planet	1.83
14894	Syenite with hematite staining and trace quartz and pyrite	582068	5318696	West of Planet	1.64
R333243	20 cm quartz vein with tourmaline; chlorite; carbonate and disseminated pyrite	581975	5318570	West of Planet	1.435
R333217	Carbonate schist with quartz stringers and 305% disseminated pyrite	582119	5318995	NE of Planet	1.415
R333236	20 cm quartz vein with disseminated pyrite	582143	5318673	West of Planet	1.385
R333264	1.0 m wide quartz vein with disseminated pyrite	582051	5319057	NE of Planet	1.355
R333257	20 cm quartz vein with heavy disseminated pyrite	582155	5318469	West of Planet	1.24
14904	Mafic volcanic with pyrite and quartz veining	581936	5318723	West of Planet	1.2
14917	Altered mafic volcanic with pyrite and quartz	581911	5318799	West of Planet	1.155
R333258	20 cm quartz vein in pervasively altered volcanics with disseminated pyrite	582111	5318462	West of Planet	1.15
R333455	Syenite with quartz veins containing molybdenite	582637	5319787	NE of Planet	1.135
R333056	5-6cm shallow dipping quartz vein with trace euhedral pyrite	582244	5318927	Planet	1.045

5.4.4 Meilleur Syenite

The Meilleur intrusion is an irregularly shaped, dyke-like body with surface dimensions of approximately 110 m west by 650 m north, located about 1,500 m north of the Allied intrusion and 800 m northeast of the Planet. Located north of the Catharine Fault, the Meilleur intrusion is hosted by intermediate metavolcanic rocks of the Skead Group in contrast to the mafic metavolcanic rocks of the Catharine

Group that host the other two intrusions. The intrusion is composed of a massive, red to pink equigranular syenite cut by white quartz veins up to 10 cm wide, with a variety of orientations. The Meilleur syenite is bounded by two north-northwest-trending shear zones interpreted based on LiDAR and geophysics. There are two vein sets in the intrusion, a northeast-trending shallowly dipping set and a northeast-trending vertical set. The primary vein set is the northeast-trending, 25° northwest dipping set. Both vein sets host 0.5% to 1% molybdenite, pyrite and occasional tourmaline.

Mapping in the area of the Meilleur suggests that the intrusion is approximately 60m wider than outlined by previous mapping. This interpretation is supported by three holes completed in 1996 which intersected syenite in an area of limited outcrop. Mapping indicated that the intrusion extended further north than previously shown by about 85m but overall the current interpretation is a similar dyke-like body

A total of 28 samples were collected in and around the Meilleur intrusion, and most of the samples returned less than 1 g/t Au. Three of the four samples that returned >1.0 g/t Au were located in the northern portion of the intrusion (Figure 5, Table 7). Sample R333455 returned 1.135 g/t Au and is located in a 140 m by 30 m northeast-trending syenite dyke parallel to the Meilleur syenite which had not been previously mapped.

Table 7: Grab samples from Meilleur Syenite area, over 1 g/t Au

Sample Number	Description	Easting	Northing	Au (g/t)
14933	Quartz vein with disseminated pyrite	582692	5319664	1.78
14932	Syenite with cm-scale quartz vein	582668	5319501	1.625
R333455	Syenite with quartz vein containing molybdenite and possible tourmaline	582637	5319787	1.135
R333413	Syenite with pyrite and cm-scale quartz vein, along the vein contact is trace molybdenite	582650	5319689	1.22

5.4.5 Structure

There are two major fault / shear orientations on the Miller Property, northwest and northeast, with a minor north-trending set. The following description of these structures is based on an internal company report by Ghorbani (2015).

The northwest-trending faults and shears are parallel to subparallel to the strike of the lithologic units with the Catharine fault zone (CFZ) representing the most prominent structure in this orientation. The northwest faults trend 310-320°, dipping steeply, and have a dextral sense of shearing with compression along the trend of the faults. The CFZ was traced for approximately 2.3 km mafic metavolcanic rocks to the southwest from gabbro sills to the northeast. A 50 m intense deformation zone along the CFZ is related to alteration, including oxidation and bleaching, and an associated magnetic low aiding in tracing the CFZ. The CFZ bounds the northeast side of the Planet intrusion, and a parallel northwest structure bounds the northeast side of the Allied intrusion.

A series of less prominent northeast-trending fault and shears are oriented 050-070°, dipping 50-60° SE or northwest, with a reverse sinistral shear sense, at least partially, based on the shear sense indicators associated with quartz veins with a similar geometry. A structure with this orientation was traced for 400 m along strike in a zone up to 30 m wide along the north side of the Planet intrusion. This structure had minor associated iron carbonate alteration, quartz-iron carbonate veining and disseminate pyrite. A structure with a similar orientation appears to border the south side of the Allied intrusion.

Based on the close spatial distribution of Allied, Planet and Meilleur stocks to northwest-trending

faults/shear zones combined with the observed vein geometry, it is likely that these intrusions are syn-tectonic in nature and probably emplaced during the dextral-compressional movement of either the CFZ or parallel to subparallel zones. However, further work is required to confirm this interpretation, and could include detailed chronological, geochemical, and petrological studies.

5.4.6 Veins

There are three categories of veins identified on the property, laminated fault-fill, extensional veins and vein arrays, and stockwork / fault breccia. Nearly all three of these vein categories are observed along, within, or at the dilatational jogs formed along the CFZ, likely as a result of dextral shearing.

Laminated fault-fill veins are northwest-trending, steeply dipping, low angle to parallel to foliation, forming in shear zones or faults. Southeast of the Allied intrusion, northwest-trending, steeply dipping faults/fractures host a set of mineralized fault-fill laminated quartz veins. Pinch-swell and boudinage are common accompanying these veins which may be explained by a stretching along the vein's strike/foliation and perpendicular to the compressional axis.

Extensional veins and vein arrays are northeast- to east-trending, shallow dipping, at high angles to the foliation, and form both within and outside of the shear zones. The extensional veins include the planar shallowly dipping veins formed at a moderate angle to shear zones in both intrusion stocks and volcanic country rocks, as well as arrays of planar to sigmoidal veins at high angle to the foliation generally are found within the shear zones. Mineralized, northeast-trending, extensional veins are present in all three intrusions. In the Planet, these veins dip 25-40° to the northwest, in the Meilleur similar veins have even shallower dips, and in the Allied intrusion, drill holes intersected arrays of planar, shallowly dipping extensional veins. In all three intrusions, these veins are bounded by steeply dipping shear zones. It is possible that these mineralized extensional veins formed as a result of emplacement of the intrusions in dilatational zones, and the continued deformation, along the CFZ. Mineralized quartz-carbonate extensional vein are observed in the western portion of the property associated with reverse sinistral faulting which has 25 degrees dip north and may also include the No.1 Vein of the Miller Independence Mine located south of the Allied intrusion.

The third set of veins contain brittle stockwork and fault breccia observed at both the Planet and Allied intrusions. A high intensity of stockwork quartz veining is observed in the Planet intrusion associated with three oblique to orthogonal vein sets. Vein width ranges from less than 1 cm to more than 15 cm and consist, in order of importance, of the northwest-trending steeply dipping, the north-northwest-trending vertical to steeply dipping, and the east-northeast-trending, northwest dipping (25-40°) extensional veins. The north-northwest veins are mostly located to the west within the strong stockwork structure. Although, in most cases, the northeast-trending shallowly dipping veins appear to be late, there are still some conflicting crosscutting relationships as sometimes they are cut by northwest-trending veins. An example of a fault breccia vein is located in the shear bounding the east side of the Allied intrusion which contains quartz veins and angular wall rock clasts with the geometry parallel to host structure.

6.0 DRILLING

In July to August 2015, Oban contracted Forthright Drilling, based out of Timiskaming Shores, ON, to complete twelve NQ diamond drill holes on the Allied, West Allied, Meilleur and Planet intrusions (Table 8, Figure 8), totalling 4,066.8 m. The rig and equipment sloop were moved between drill sites by a skidder. The drill sites are accessible by truck along a network of bush roads. The core was logged by Justin Bernard and Michaela Kuuskman, GIT both Orix Geoscience Inc. employees at the time of the drill program. The project was overseen by G. Wober, P.Geo.

The diamond drill program was designed to test the extent of the Allied syenite due to the limited outcropping and test the continuity of the mineralization intersected by Northstar in the 2014 drill program. The drill holes in the Allied syenite were spaced on 100 m sections and were drilled with an azimuth of either 065° or 245° to intersect the structures interpreted to control the auriferous veins at an optimal angle. This drilling pattern produced 4 sections through the Allied syenite.

For the West Allied, Planet and Meilleur Syenites, the drill program was planned to test the character and distribution of the gold mineralization with depth and determine the size of these intrusions. The West Allied has no recorded historical drilling. The Meilleur and Planet have been sparsely drill tested with 3 holes and 6 holes respectively. The drill holes were planned to intersect the mineralized quartz veins and structures at an optimal angle based on the results of the 2015 field mapping program

The azimuth and inclination of all drill holes were measured using a Reflex multi-shot down hole survey instrument. Measurements were made 15 m below casing, at 50 m and at subsequent 50 m intervals. The Reflex survey data is summarized in the header section on each of the drill hole logs.

The location of each drill hole was recorded by an averaged GPS reading. Based on this control, accuracy of hole positioning is estimated to be less than 5 meters. All coordinates are in Universal Transverse Mercator (UTM) projection using the North American Datum (NAD) 83 in Zone 17.

Table 8: Summary of Oban 2015 Drill Program

Drillhole	Project Area	Easting	Northing	Elev. (m)	Az.	Dip	Final Depth (m)	Claim Number
MG15-16	Allied	582879	5318131	327.78	245	-45	351	4267276
MG15-17	Allied	582613	5318110	325.35	65	-45	204	4267276
MG15-18	Allied	582655	5317889	307.51	60.1	-53	399	4267276
MG15-19	Allied	582608	5317981	315.28	62.8	-51	394.4	4267276
MG15-20	Allied	582954	5318054	326.46	245	-46	423	4215970
MG15-21	Allied	583014	5317973	326.77	245	-47	440.7	4215970
MG15-22	West Allied	582438	5318276	311.35	225	-45	225	4267275
MG15-23	West Allied	582340	5318166	318.41	221.5	-46	224.7	4267279
MG15-24	Planet	582194	5318971	327.56	197.8	-51	369	4275152
MG15-25	Planet	582309	5318964	310.77	201.9	-45	314	4275152
MG15-26	Meilleur	582597	5319740	313.89	129.4	-48	356	4272895
MG15-27	Meilleur	582637	5319815	318.65	135.5	-46	366	4272895

Of the 4,066 m drilled, 183.7 m of core was not sampled. The unsampled intervals were in MG15-21 and MG15-24. MG15-21 which failed to intersect the Allied Syenite therefore the majority of the hole was hosted in slightly altered to unaltered mafic volcanic. It was decided that unaltered mafic volcanic with no mineralization or veining would not be sampled. MG15-24 was planned to be drilled to a depth of 370 m to intersect a mineralized quartz vein observed on surface. This vein was not intersected in the drill hole, and of the 140 m of mafic volcanic only intervals with alteration, mineralization or quartz veining, were sampled.

A total of 3,359 samples were analysed for gold by fire assay with an atomic absorption spectroscopy finish completed by ALS-Chemex. All samples were also analyzed by a multi-element ICP-aqua regia digestion package which included Te, Ag, Cu, Ni, Pb and Zn. Information concerning the lithology, structure, alteration and mineralization was logged and entered into an excel spreadsheet. All intervals of core were digitally photographed.

Diamond drill logs are located in *Appendix F: Diamond Drill Log*. *Appendix G: Diamond Drillhole Plan Map and Sections* contains a plan map of the 2015 drill program as well as drill sections at 1:500. The ALS assay certificates for the drill program are located in *Appendix H: ALS Assay Certificate – Drillcore*.



Figure 8: 2015 Diamond Drill hole Location Map

6.1. Discussion of Results

Of the 12 holes drilled, all holes except for MG15-22 and MG15-23 returned assays above 1 g/t, *see* Table 9. The drill program was successful in testing the gold mineralization in the Allied, Planet, and Meilleur intrusions and indicates that there is little chance of gold mineralization within the West Allied intrusion.

Table 9: Assay highlights 2015 Drilling

Drill hole	From (m)	To (m)	Length (m)	Sample Number	Au (g/t)
MG15-16	27.53	27.95	0.42	R330025	1.13
MG15-16	192.85	196.25	3.40		3.10
including	*192.85*	*194.00*	*1.15*	*R330179*	*4.63*
including	*194.80*	*196.25*	*1.45*	*R330182*	*3.63*
MG15-16	205.60	207.10	1.50	R330193	1.58
MG15-16	209.90	210.65	0.75		2.20
including	*210.30*	*210.65*	*0.35*	*R330197*	*3.04*
MG15-17	94.50	95.60	1.10	R330416	1.29
MG15-18	102.50	103.55	1.05		7.10
including	*102.50*	*102.80*	*0.30*	*R330611*	*9.20*
including	*102.80*	*103.20*	*0.40*	*R330612*	*5.36*
including	*103.20*	*103.55*	*0.35*	*R330613*	*7.24*
MG15-18	183.00	183.30	0.30	R330687	1.66
MG15-18	201.05	201.55	0.50	R330711	1.30
MG15-18	214.10	215.10	1.00	R330728	1.22
MG15-18	215.10	216.10	1.00	R330729	1.37
MG15-18	255.70	256.00	0.30	R330776	19.25
MG15-18	374.75	377.75	3.00		4.20
including	*374.75*	*375.50*	*0.75*	*R330912*	*5.96*
including	*375.50*	*376.25*	*0.75*	*R330913*	*6.27*
MG15-19	156.50	160.50	4.00	R331086	1.50
including	*159.60*	*160.50*	*0.90*	*R331086*	*3.33*
MG15-19	212.05	213.45	1.40	R331132	1.43
MG15-20	135.80	136.75	0.95	R331415	1.52
MG15-20	235.50	237.00	1.50	R331516	1.15
MG15-20	311.85	314.90	3.05		14.10
including	*311.85*	*312.85*	*1.00*	*R331594*	*40.50*
MG15-20	347.70	348.70	1.00	R331633	1.38
MG15-20	388.67	389.67	1.00	R331673	1.34
MG15-21	166.50	167.77	1.27	R331805	1.08
MG15-22	No Significant Mineralization				
MG15-23	No Significant Mineralization				
MG15-24	48.45	49.45	1.00	R332391	1.44
MG15-24	52.30	53.00	0.70	R332397	8.44
MG15-24	53.70	54.00	0.30	R332399	74.90
MG15-24	56.00	57.00	1.00	R332403	5.78
MG15-24	59.00	60.00	1.00	R332406	1.25
MG15-24	74.00	75.00	1.00	R332424	2.12
MG15-24	96.25	97.05	0.80	R332449	1.62
MG15-24	97.05	97.95	0.90	R332451	9.11
MG15-24	135.35	136.20	0.85	R332497	2.56
MG15-24	147.00	147.55	0.55	R335512	1.38
MG15-24	150.46	151.00	0.54	R335517	2.43
MG15-24	151.00	152.25	1.25	R335518	1.73
MG15-24	177.99	178.54	0.55	R335552	1.36
MG15-24	193.00	194.10	1.10	R335574	12.50
MG15-24	194.77	195.64	0.87	R335576	2.28

Drill hole	From (m)	To (m)	Length (m)	Sample Number	Au (g/t)
MG15-25	155.04	156.50	1.46	R335865	3.82
MG15-25	196.88	198.28	1.40	R335907	3.15
MG15-25	205.80	206.25	0.45	R335915	4.56
MG15-25	240.30	240.70	0.40	R335947	2.82
MG15-25	242.20	243.50	1.30		4.70
including	*242.20*	*243.00*	*0.80*	*R335951*	*6.24*
MG15-25	271.55	272.75	1.20	R335978	1.68
MG15-26	86.55	87.50	0.95	P449785	20.80
MG15-26	108.45	109.15	0.70	P449805	1.45
MG15-26	141.00	142.50	1.50	P449839	4.27
MG15-26	165.50	165.90	0.40	P449863	1.13
MG15-26	168.00	168.50	0.50	P449866	3.62
MG15-26	170.85	171.25	0.40	P449869	1.76
MG15-26	248.20	248.70	0.50	P449954	1.60
MG15-26	257.95	258.50	0.55	P449964	1.35
MG15-26	272.00	273.30	1.30	P449981	1.15
MG15-26	290.25	291.50	1.25	P449999	1.39
MG15-26	293.80	295.20	1.40	R335402	14.30
MG15-26	298.70	299.15	0.45	R335407	3.01
MG15-26	301.50	303.00	1.50	R335411	1.40
MG15-26	306.35	306.85	0.50	R335416	6.70
MG15-27	215.75	216.20	0.45	R333962	1.12
MG15-27	263.00	263.39	0.39	R335057	3.48
MG15-27	295.00	296.00	1.00	R335089	10.20

6.1.1. Allied Syenite

The 5 holes drilled into the Allied intrusion intersected a series of quartz veins. As noted by Arteaga (2015). gold mineralization is associated with two generations of quartz veining that are irregularly distributed within the main portion of the 90 m by 280 m intrusion. The first generation of veins is centimetre-scale, milky white quartz usually with shallow dips. The second generation of quartz veins is younger and occur as pseudo-stockworks of discontinuous veinlets intersecting at 90°. These veins also display a greater variation in thickness than the first set and it is common to find veinlets 5 cm or thicker. Gold mineralization is sporadic, with the majority of the high grade intervals hosted in the shallowly dipping first generation quartz veins, hosting tellurides and rare visible gold. The distribution of gold within the veins appears to be erratic as comparable zones of 4 to 5 veins per meter may vary from approximately 1 ppm to tens - hundreds of ppb Au.

Within the 5 holes that intersected the main body of the intrusion there were 23 intervals that returned >1.0 g/t Au, with the best interval intersected in MG15-20 which returned 40.5 g/t Au over 1.0 m from 311.85 to 312.85 m included in a graded interval of 14.1 g/t Au over 3.05 m from 311.85 to 314.9 m (Table 9, Figure 8). Drilling from the southwest side of the intrusion towards MG15-20, M15-18 intersected 4.2 g/t Au over 3.0 m from 374.75 to 376.25m including 5.96 g/t Au over 0.75 m and 6.27 g/t Au over 0.75 m (Table 9).

One hole, MG15-21, was drilled south of the Allied intrusion to test the potential for a south dip to the intrusion or a structural offset to depth across the west-trending fault, bounding the south side of the intrusion. This hole also tested the southeast extension of the mineralization observed on surface and in other holes along the east side of the intrusion. MG15-21 failed to intersect the Allied intrusion, however mafic metavolcanics cut by gabbro sills, feldspar porphyry dykes and a diabase dyke were intersected. One sample returned an anomalous value of 1.08 g/t Au between 166.5 and 167.77, hosted by a zone of

carbonate-sericite-silica bleached mafic metavolcanic containing minor pyrite. The current interpretation based on the mapping and drill data has three intersecting faults terminating the Allied intrusion to the south.

6.1.2. West Allied

Two holes were collared in the area referred to as the West Allied intrusion (MG15-22 and MG15-23). Drill hole MG15-22 intersected a medium to coarse-grained syenite between 88.1 and 115.27 m that was cut by a 2.3 m wide diabase dyke. Quartz veins with pyrite, chalcopyrite, and tellurides are hosted by the syenite, however none of the syenite or the remainder of the hole samples, returned significant gold values. Hole MG15-22 was collared about 150 m southwest of MG15-23 along the same section to test a separate syenite dyke. This hole intersected medium to coarse-grained, porphyritic syenite between 148.5 and 175.15 m hosting approximately 1 to 2 quartz veins per metre, however none of the samples in the syenite, or the remainder of the hole, returned anomalous gold values.

6.1.3. Planet

Two holes were drilled into the Planet intrusion with MG15-24 collared near the northeast contact and MG15-25 collared approximately 110 m east of MG15-24 and was drilled to be parallel to MG15-24. MG15-24 intersected a series of five syenite dykes between 45.45 and 229.47 m which range from 2.5 to 57.2 m in width and are separated by fine-grained mafic metavolcanic rocks. The syenite and metavolcanic rocks host numerous centimetre-scale quartz veins containing pyrite with lesser chalcopyrite, molybdenite, and rare visible gold. A total of 16 samples returned greater than 1 g/t Au, with the best interval returning 74.9 g/t Au from 53.7 to 54 m in a 5 cm quartz vein containing coarse tellurides and 5 specks of visible gold (Table 9). MG15-25 intersected medium-grained, equigranular syenite between 39.7 and 284.48 m that hosted numerous centimetre-scale quartz veins containing pyrite with lesser molybdenite, and rare visible gold. The best interval returned 4.7 g/t Au from 242.2 to 243.5m and was hosted in potassic altered syenite. The 4 cm vein at 83.13 m containing a speck of visible gold did not return an anomalous assay result. It was noted that this hole intersected less quartz veining and alteration than MG15-24.

6.1.4. Meilleur

Two holes were collared to intersect the north end of the Meilleur intrusion (MG15-26 and MG15-27). MG15-26 intersected a red, medium-grained syenite between 89.64 and 316.06 m with a satellite dyke between 332.06 and 335.73 m. The syenite hosts centimetre- to a few tens of centimetre-scale quartz veins containing pyrite and 0.5 to 1% molybdenite. The best assay returned 20.8 g/t Au from 86.55 to 87.5 m in a faulted bleached mafic metavolcanic. There were 13 intervals hosted by syenite that returned >1.0 g/t Au (Table 9) with the best interval returning 14.3 g/t Au from 293.8 to 295.2m in faulted syenite with moderate chlorite alteration. MG15-27 was collared approximately 85 m southwest of MG15-26 with a parallel orientation and intersected a medium-grained syenite interpreted to be a satellite dyke between 9.0 and 46.6 m with the main body occurring between 101.94 and 366.0 m, which hosts numerous quartz veins up to 14 cm in width containing pyrite and trace to 2% molybdenite. Three intervals returned >1.0 g/t Au with the best interval returning 10.2 g/t Au from 295 to 296 m.

6.2. Core Logging and Sampling

The drill core was logged and photographed, four boxes at a time. The logs recorded the different lithologies, alteration types, mineralization, position and orientations of veins, fractures, RQD and other structures. This information was recorded in a password protected Excel spreadsheet.

The sampling protocol was based on representative sample widths of the mineralogy, lithology, vein, structure, or alteration zone within the limits of a maximum sample length of 1.5 m and a minimum sample length of 0.3 m. Samples did not cross lithological contacts, changes in structural style, veins/vein sets, or strong alteration zones, unless the lithology, structure, vein or alteration was less than 0.3 m in width, and then only to meet the 0.3 m minimum.

A removable portion of the sample tag was stapled into the core box at the beginning of the sample interval. The core cutter removed half the tag and placed into a sample bag inscribed with that number. The beginning and end of each sample interval was marked on the core with a china marker. The core was sawn in half with a core saw using a diamond blade with half of the core placed into a numbered bag with the sample tag, and the remaining half of the core was placed in the core box. Sample numbers and corresponding intervals were recorded in the sample book and a password protected Excel spreadsheet.

For all field geochemical samples collected, a sample description and the site location, obtained from a handheld GPS, were noted on a pre-numbered sampling booklet. Sample descriptions include lithology, structural measurements, mineralization and alteration. The sampling site was flagged and clearly marked in the field with the sample number for eventual future visits.

7.0 SAMPLE PREPARATION AND ANALYSES

All rock and core samples from the 2015 field and diamond drilling program were submitted to ALS Minerals for analyses. Samples were prepared using PREP-33D method and analyzed using the AU-ICP22 and ME-MS41 methods. If a sample assayed >10 g/t Au, then the pulp was re-assayed using gravimetric finish method, AU-GRA22, as well as Screen Metallics Gold Method, AU-SCR-21. The screen metallic analyses were then considered to be the final gold value. The following descriptions were supplied by ALS-Chemex.

8.0 STATEMENT OF EXPENDITURES

The total value of work done on the Cote property is summarized in Table 10.

Table 10: Summary of Expenditures

Expenditures	**Expense**
Personnel: Mapping	$82,100
Assays: Mapping	$39,065
Personnel: Drilling	$130,600
Diamond Drilling	$203,340
Assays: Drilling	$240,565
Truck and ATV Rental	$9,555
Gas	$3,645
Linecutting	$27,760
Accommodation and Food	$42,230
Geophysics	$89,280
Supplies	$10,130
Channel Sampling	$1,500
Lidar	$11,670
Report Writing	$5,500
Total	***$896,940***

9.0 CONCLUSIONS AND RECOMMENDATIONS

The geology of the Miller Property appears favourable for hosting additional and potentially economical deposits of gold in a manner consistent to those deposits associated with other gold camps in the Abitibi (Matachewan, Kirkland Lake, Larder Lake, Val d'Or). It is recommended that additional work to further assess the economic characteristics of the gold mineralization should include an integrated property scale exploration program to examine the relationship between the syenite intrusions, metavolcanic rocks, quartz veins and structures and evaluate their potential to host additional deposits of gold.

A program of trenching and channel sampling should be completed on the Allied, Planet and Meilleur intrusions to better expose the intrusions and auriferous quartz veins. This program should include locations within the intrusions and across the regional structures that host gold mineralization, including the northwest-trending zone along the east side of the Allied intrusion and the northeast-trending zone along the north side of the Planet intrusion, to better assess the relationship between the intrusions and the structures which appear to control the auriferous quartz veins. This trenching and channel sampling program should also examine the mineralized quartz veins located to the south of the Allied intrusion hosted by a set of structures associated with those in the intrusions.

A detail structural study should also be completed targeting the veins and regional structures that appear to have some control on the emplacement of the veins. This study would overlap with the trenching program but should also examine other areas on the property. A better understanding of the structures should aid in developing a better understanding of the relationship between the auriferous veins that are syenite-hosted and metavolcanic-hosted veins.

A diamond drilling program is proposed to follow-up on the results of the trenching program and structural study to further develop an understanding of the controls on gold mineralization which will add in further determining the potential for economic gold mineralization on the Miller Property. The number and location of drill holes is dependent on the results of the field programs and may include holes in the area of the Planet, Meilleur, and Allied intrusions, as well as drilling in the area of the No.1 and Independence veins.

10.0 REFERENCES

Arteaga, L., 2015, Summary of Observations for Miller Property – Boston Creek, Ontario, unpublished report by Talisker Exploration Services Inc.

Ayer, J.A., Amelin, Y., Corfu, F., Kamo, S., Ketchum, J., Kwok, K., Trowell, N. 2002. Evolution of the southern Abitibi greenstone belt based on U–Pb geochronology: autochthonous volcanic construction followed by plutonism, regional deformation and sedimentation; Precambrian Research, 115 p. 63–95

Ayer, J.A., Thurston, P.C., Bateman, R., Dubé, B., Gibson, H.L., Hamilton, M.A., Hathway, B., Hocker, S.M., Houlé, M.G., Hudak, G., Ispolatov, V.O., Lafrance, B., Lesher, C.M., MacDonald, P.J., Péloquin, A.S., Piercey, S.J., Reed, L.E. and Thompson, P.H. 2005. Overview of results from the Greenstone Architecture Project: Discover Abitibi Initiative; Ontario Geological Survey, Open File Report 6154, p. 146

Bennett, G, Dressler, B.O., and Robertson, J.A. 1991. The Huronian Supergroup and Associated Intrusive Rocks; Ontario Geological Survey, Special Volume 4, Part 1, p. 549-592

Boyd, T., 2014, Diamond Drilling Assessment Report, Miller Gold Property for Northstar Gold Corporation, Caracle Creek International Consulting Inc.

Boyd, T., Selway J., 2015, Independent Technical Report, Miller Gold Property for Oban Mining Corporation, Caracle Creek International Consulting Inc.

Carmichael, S.J., 1997, Report on Diamond Drilling on the CW-Boston Creek Gold Property Boston and McElroy Townships for Queenston Mining Inc.; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0119

Chartre, E., 1982. Magnetometer Survey over R. Paiement Claim Group in Pacaud Township; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0388

Dubé, B., and Gosselin, P., 2007, Greenstone-hosted quartz-carbonate vein deposits, in Goodfellow, W.D., ed., Mineral Deposits of Canada: A Synthesis of Major Deposit-Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods: Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, p. 49-73

Environment Canada, 2014, Climate data for Timmins Ontario, retrieved from *https://weather.gc.ca/saisons/clim_e.html*

French, G.B., 1988, Mining and Geological Report on the 1987 Nortek Exploration Program; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0265

Ghorbani, A., 2015, Structural Report for Miller Property – Boston Creek, Ontario, unpublished report by Orix Geoscience Inc.

Gordon, J.B., Lowell, H.L., de Grija, and Davie, R.F. (1979). Gold Deposits of Ontario Part 2; Part of District of Cochrane, Districts of Muskoka, Nipissing, Parry Sound, Sudbury, Timiskaming, and Counties of Southern Ontario; Ontario Geological Survey, Mineral Deposits Circular 18, p. 254

Greer, M., 1982, Geophysical Survey Report on A.H. Perron Property Catharine Six Group for Alexander H. Perron, Ontario Geological Survey Assessment Files: AFRI file 32D04SW0280

Greer, M., 1984, Geophysical Survey Report on the Perrons' 83 Limited Property Catharine Six Group for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0187

Greer, M., 1985, Geophysical Survey Report on the Perron Property Barry Hollinger Four for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0383

Greer, M., 1987, Geophysical Survey Report on the Barry Hollinger Joint Venture for Morgain Minerals Ltd.; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0380

Greer, M., 1987, Diamond Drilling Report for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D03SW0384

Greer, M., 1991, Geological Survey Report on the Indian Six for Alexander Perron;, Ontario Geological Survey Assessment Files: AFRI file 32D04SW0262

Halls, H.C. and Davis D.W., 2004. Paleomagnetism and U–Pb geochronology of the 2.17 Ga Biscotasing dyke swarm, Ontario, Canada: evidence for vertical-axis crustal rotation across the Kapuskasing Zone; Can. J. Earth Sci. 41: p. 255–269

Harrington, M., 2003, Report on Power Stripping, Trenching and Sampling for Kirkland Lake Minerals Inc.; Ontario Geological Survey Assessment Files: AFRI file 31M13NW2026

Hill, R.V., 1989, Diamond Drill Report on Catharine Gold Property for Gold Field Canadian Mining; Ontario Geological Survey Assessment Files: AFRI file 31M13NW0048

James, A.G., 1963, Geology of Catharine and Marter Townships; Ontario Department of Mines, Geological Report No. 18.: p. 29 with Map 2043, 1:31 680

Jackson, S.L., 1994, The Precambrian Geology of Pacaud and Catharine Townships and Portions of Adjacent Townships, District of Timiskaming, Ontario; Ontario Geological Survey, Open File Report 5884.

Kosy, G., 1986, Diamond Drill log for Kosy property, Ontario Geological Survey Assessment Files: AFRI file 32D04SW0273

Lawrence, G.F., 1988, Diamond Drill report prepared for Nortek Minerals Ltd Ontario Geological Survey Assessment Files: AFRI file 32D04SW0265

Lawton, K. D. 1959: Geology of Boston Township and part of Pacaud Township; Ontario Dept. Mines Vol. LXVI, 1957, p. 5

Loader, T., 2014, Resistivity / Induced Polarization Survey, IPower3D Configuration & Ground Magnetic Interpretation of Miller Gold Property Logistic and Advanced Interpretation Report for Northstar Gold Corp, Abitibi Geophysics

Logee, P., 1970, Airborne Electromagnetic Survey Report by Questor Surveys Limited prepared for Moncrieff Uranium Mines Limited Ontario Geological Survey Assessment Files:AFRI file 32D04SW0292

MacLachlan, B.A., 2011, Report on Prospecting for Lake Shore Gold Corp. on the Show Box Property Ontario Geological Survey Assessment Files: AFRI file 20009449

Morin, L., 2008, Prospecting Survey and Trench Mapping Campbell Property for Abitibi Mining Corp. by Katrine Exploration Ontario Geological Survey Assessment Files: AFRI file 20008385

Natural Resources Canada, 2002. Map of Ontario, retrieved from *http://www.nrcan.gc.ca/earth-sciences/geography/atlas-canada/reference-maps/16846*

Oban Mining Corp., 2015, Management's Discussion and Analysis (MD&A) for the Three and Nine Month periods ended September 30, 2015 and 2014

Osmani, I.A. 1991. Proterozoic Mafic Dyke Swarms in the Superior Province of Ontario; in Geology of Ontario, Ontario Geological Survey, Special Volume 4, Part 1, p. 627-660.

Page, R.O., 1986, Assessment Report on Geological Mapping on the Catharine Claims Block II and III Catharine Township Claims for Teck Explorations Limited, Ontario Geological Survey Assessment Files: AFRI file 31M04SW0065

Ploeger, J.C., 2006, Magnetometer and VLF EM Surveys over the Terry and DZ Claims by Larder Geophysics Ltd. for Abitibi Mining Corp.

Ploeger, J.C., 2008, Magnetometer and VLF Surveys over Campbell-2 Grid on Campbell Property by Larder Geophysics Ltd. for Abitibi Mining Corp. Ontario Geological Survey Assessment Files: AFRI file 20004647.

Ploeger, J.C., 2008, Magnetometer, VLF EM and MAX-MIN HLEM Surveys over the Campbell Misema Grid on Campbell Property by Larder Geophysics Ltd. for Abitibi Mining Corp. Ontario Geological Survey Assessment Files: AFRI file 20005936

Ploeger, J.C., 2010, Prospecting Survey over the Planet Gold Project by Katrine Exploration for Mhakari Gold Corp.; Ontario Geological Survey Assessment Files: AFRI file 20000004631

Reddick, J., and Lavigne, J. (2012). Technical Report on the Mirado and MZ Properties, Ontario Prepared for Orefinders Resources Inc. By Reddick Consulting Inc. Effective Date: July 16, 2012, p. 65

Robert, F. 2001. Syenite-associated disseminated gold deposits in the Abitibi greenstone belt, Canada; Mineralium Deposita, 36, p. 503-516.

Robert, F., Brommecker, R., Bourne, B. T., Dobak, P. J., McEwan, C.J., Rowe, R. R., Zhou, X, 2007. Models and Exploration Methods for Major Gold Deposit Types In "Proceedings of Exploration 07: Fifth Decennial International Conference on Mineral Exploration" edited by B. Milkereit, 2007, p. 691-711

Searles, E.J., 1987, Diamond Drilling Report for Edward J. Searles; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0271

Seeber, O.A., 1982, Report of Work for 398737 Ontario Limited on Planet Gold Prospect Boston Township – Kirkland Lake Area Ontario; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0332

Scrivens, S., 2015, Technical Survey: Tri-Axial Magnetic Geophysical Survey by K8aranda Geophysique Ltd., unpublished report by K8aranda Geophysique Ltd.

Smirle, R., Report for Northstar Gold Corp. Recovery results and procedure, unpublished report by SMC (Canada) Ltd.

Smith, P.A., 1987, DIGHEMIII Survey for Golden Shield Resources Ltd., Ontario Geological Survey Assessment Files: AFRI file 32D04SE0343

Steyn, J., 2012, Gravity Recoverable Gold Report for Northstar Gold Corp., unpublished report by Activation Labratories Ltd.

Tod, G.M., 1937, Information Circular for Planet Gold Mines Limited, Ontario Geological Survey Assessment Files: AFRI file 32D04SW0334

Théberge, J, 2009. 2008 Diamond Drill Report on Terry Zone Property, Pacaud and Catharine Township, Province of Ontario, Canada; NTS 31M13; Prepared for Service Mecanique J.A.K. Inc.; AFRI file 2.42724; p. 69

Thorsen, K., 1986, Assessment Report on Block II of Catharine Township Claims for Teck Explorations Limited, Ontario Geological Survey Assessment Files: AFRI file 31M13NW0069

Thorsen, K., 1988, Diamond Drill Report for Teck Explorations Limited, Ontario Geological Survey Assessment Files: AFRI file 31M13NW0059

Thurston, P.C., Ayer, J.A., Goutier, J., and Hamilton, M.A. 2008. Depositional Gaps in Abitibi Greenstone Belt Stratigraphy: A Key to Exploration for Syngenetic Mineralization; Economic Geology, 103, p. 1097–1134.

Watts, Griffins and McOuat Limited, 1974, Final Report to Diversified Mines Limited on the Planet Gold Property; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0337

Weiershäuser, L., El-Rassi, D., and Cole, G., 2013 .Mineral Resource Evaluation Technical Report for the Mirado Gold Project, Ontario; Independent Technical Report; Report Prepared for Orefinders Resources Inc. Report Prepared by SRK Consulting (Canada) Inc. 3CO013.000 December 13, 2013; 111 p.

Weller, W.K., 1995, Detail Electromagnetic (2 Stations) and Detail Magnetometer survey on the Gwen-12 Claim Group for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0086

Weller, W.K., 1997, Geological Survey Report on the Gwen-12 Claim Group for Alexander H. Perron

Weller, W.K., 1996, Geophysical Survey on Barry Hollinger 4 Group for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0096

Weller, W.K., 1997, Geological Survey on the Bottom Six Claim for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0142

Weller, W.K., 1997, Geotechnical Survey Report on the Indian Six Claims for Alexander H. Perron; Ontario Geological Survey Assessment Files: AFRI File: 31M13NW0098

Weller, W.K., 1998, Geophysical Survey on Barry Hollinger 4 Group New East/West Grid for H. Alexander Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW2003

Weller, W.K., 2002, Geophysical Survey on Barry Hollinger 4 Group New East/West Grid for H. Alexander Perron; Ontario Geological Survey Assessment Files: AFRI file 32D04SW2029

Wodard, J.A., 1980, Magnetic Survey for Dome Exploration Canada Limited on Project 171 Rivertun Option; Ontario Geological Survey Assessment Files: AFRI file 32D04SW0283

11.0 CERTIFICATE OF QUALIFICATION

I, Michaela Kuuskman, B.A.Sc., G.I.T., of Toronto do hereby certify that:

1) I am a consultant for Orix Geoscience Inc., with a business address at 401 Bay St, Suite 2702, Toronto ON, M5H 2Y4.

2) I graduated with a B.A.Sc. (Geological Engineering) degree in 2011 from Queen's University. I am a Geologist-in-training in Ontario through the Association of Professional Geoscientists of Ontario.

3) I have prepared this report titled 'Geological Mapping, Channel Sampling, Linecutting, Diamond Drilling, LIDAR and Airborne Geophysics Assessment Report on the Miller Property' for Oban Mining Corp. dated December 17th, 2015.

Signed and this 17th day of December, 2015 in the Toronto, Ontario

Michaela Kuuskman, B.A.Sc., G.I.T.

I, Thomas R. Hart do hereby certify that:

1) I reside at 2404 Algonquin Road, Sudbury, Ontario P3E 5V1,

2) I graduated with an H.B.Sc. (Geology) degree in 1980 from the University of Western Ontario, and with a M.Sc. (Geology) degree in 1984 from the University of Toronto.

3) I have been practicing my profession in Canada since 1984, as an exploration geologist (an employee and independent consultant) on lode gold and base metal projects with exploration/mining companies in Canada at both a grass roots and advanced exploration stage, and as a mapping geologist with the Ontario Geological Survey.

4) I am a member of the Association of Professional Geoscientists of Ontario, the Prospectors and Developers Association of Canada, the Society of Economic Geologists, and the Geological Association of Canada.

5) I am a member of the Association of Professional Geoscientists of Ontario

6) I have supervised the preparation of this report titled 'Geological Mapping, Channel Sampling, Linecutting, Diamond Drilling, LIDAR and Airborne Geophysics Assessment Report on the Miller Property' for Oban Mining Corp. dated December 17th, 2015.

Signed and sealed this 17th day of December, 2015 in the City of Sudbury, Ontario

Thomas R. Hart, M.Sc., P.Geo.

APPENDIX A: HIGH RESOLUTION MAPS

582000 582500 583000 583500 584000

5320000 5319500 5319000 5318500 5318000 5317500

N

L18N L17N L16N L15N L14N L13N L12N L11N L10N L8N L7N L6N L5N L4N L3N L2N L9N L1N L0N

OBAN MINING CORPORATION | Miller Property, Ontario | ORIX GEOSCIENCE INC.

2015 Miller Grid

December 13, 2015 | Prepared by: M. Kuuskman | NAD83 Zone 17N

0 100 200 Meters

1:3,000

580500 581000 581500 582000 582500 583000

5320000 5319500 5319000 5318500 5318000 5317500 5317000 5316500 5316000

N

4272895

4272892

4272892

4272895

4272822

4271902

4275152

4275150

4275154

4267281

L17916

4267279

4267276

4215970

4255265

4255264

4243470

4207125

4267278

4267277

4267280

4243545

4241927

4241928

4242310

OBAN MINING CORPORATION

Miller Property, Ontario

ORIX GEOSCIENCE INC.

Orthophoto Map
Western Area

December 13, 2015

Prepared by: M. Kuuskman

NAD83 Zone 17N

0 100 200 Meters

1:3,000

583000
583500
584000
584500
585000
585500
5320000
5319500
5319000
5318500
5318000
5317500
5317000
5316500
5316000
5315500
5315000
5314500
N
4272895
4272892
4272893
4272022
4275193
4275033
4267275
L17916
L17917
4215970
4267276
4267277
4267280
4201240
4201239
OBAN
MINING CORPORATION
Miller Property, Ontario
ORIX
Orthophoto Map
Eastern Area
December 13, 2015
Prepared by: M. Kuuskman
NAD83 Zone 17N
0
100
200
Meters
1:3,000

N

580500 581000 581500 582000 582500 583000

5320000 5319500 5319000 5318500 5318000 5317500 5317000 5316500 5316000

4278895
4272892
4272899
4272022
4271692
4275152
4275154
4267275
4217916
4255265
4255264
4215970
4243470
4267279
4267276
4267278
4267277
4207125
4267280
4243545
4241927
4241928
4242310

OBAN MINING CORPORATION | Miller Property, Ontario | ORIX GEOSCIENCE INC.

DEM Hillshade Map
Western Area

December 13, 2015	Prepared by: M. Kuuskman	NAD83 Zone 17N

0 100 200 Meters
1:3,000

OBAN MINING CORPORATION
Miller Property, Ontario
ORIX GEOSCIENCE INC.
DEM Hillshade Map
Eastern Area
December 13, 2015
Prepared by: M. Kuuskman
NAD83 Zone 17N
0 100 200 Meters
1:3,000



Claims
Structural Symbols
Foliation
Sinistral
Dextral
2015 Miller Grab samples
Interpreted Structures
Major Fault
Minor Fault
Qtz Vein
Lithology
Trench / Pit
Quartz Vein
Diabase
Feldspar Porphyry
Quartz Porphyry
Aplite
Syenite Porphyry
Syenite
Gabbro
Iron Formation
Pyroxenite
Intermediate Tuff
Brecciated Intermediate Volcanic
Intermediate Volcanic
Brecciated Mafic Volcanic
Pillowed Mafic Volcanic
Mafic Volcanic
Allied Syenite Area
4271892
4275152
4275153
4275033
4275156
4255265
4267275
L17916
L17917
4215970
4255264
4267279
4267276
4243470
4267278
4267277
4207125
4267280
4201240
4224525
4243545
4246848
4241927
4242310
4241928
4201239
4217728
Miller Property, Ontario
Orix 2015 Mapping and Sampling (Southern Area)
December 14, 2015
Prepared by: M. Kuuskman
NAD 83 Zone 17N
0
200
400
Meters
1:4,500


Claims
Structural Symbols
Foliation
Sinistral
Dextral
2015 Miller Grab samples
Interpreted Structures
Major Fault
Minor Fault
Qtz Vein
Lithology
Trench / Pit
Quartz Vein
Diabase
Feldspar Porphyry
Quartz Porphyry
Aplite
Syenite Porphyry
Syenite
Gabbro
Iron Formation
Pyroxenite
Intermediate Tuff
Brecciated Intermediate Volcanic
Intermediate Volcanic
Brecciated Mafic Volcanic
Pillowed Mafic Volcanic
Mafic Volcanic
Planet Syenite Area
Allied Syenite Area
4272895
4272892
4272893
4272022
4271892
4275156
4275152
4275153
4275154
4275033
4255265
4267275
L17916
L17917
4215970
4255264
4267279
4267276
4243470
4267278
4267277
4207125
4267280
4243545
4201240
4224525
4246848
4241927
4242310
4241928
4201239
Miller Property, Ontario
Orix 2015 Mapping and Sampling (Northern Area)
December 14, 2015
Prepared by: M. Kuuskman
NAD 83 Zone 17N
0
200
400
Meters
1:4,500



582500
583000
5318000
N
4267275
L17916
4267279
4267276
4215970
4267278
4267277
Claims
Structural Symbols
Foliation
Sinistral
Dextral
2015 Miller Grab samples
Interpreted Structures
Major Fault
Minor Fault
Qtz Vein
Lithology
Trench / Pit
Quartz Vein
Diabase
Feldspar Porphyry
Quartz Porphyry
Aplite
Syenite Porphyry
Syenite
Gabbro
Iron Formation
Pyroxenite
Intermediate Tuff
Brecciated Intermediate Volcanic
Intermediate Volcanic
Brecciated Mafic Volcanic
Pillowed Mafic Volcanic
Mafic Volcanic
Miller Property, Ontario
ORiX
Orix 2015 Mapping and Sampling (Allied Syenite Area)
December 14, 2015
Prepared by: M. Kuuskman
NAD 83 Zone 17N
0
50
100
Meters
1:1,000



582000
582500
5319000
5318500
N
Claims
Structural Symbols
Foliation
Sinistral
Dextral
2015 Miller Grab samples
Interpreted Structures
Major Fault
Minor Fault
Qtz Vein
Lithology
Trench / Pit
Quartz Vein
Diabase
Feldspar Porphyry
Quartz Porphyry
Aplite
Syenite Porphyry
Syenite
Gabbro
Iron Formation
Pyroxenite
Intermediate Tuff
Brecciated Intermediate Volcanic
Intermediate Volcanic
Brecciated Mafic Volcanic
Pillowed Mafic Volcanic
Mafic Volcanic
4272892
4271892
4275152
4275153
4267275
L17916
Miller Property, Ontario
ORIX
Orix 2015 Mapping and Sampling (Planet Syenite Area)
December 14, 2015
Prepared by: M. Kuuskman
NAD 83 Zone 17N
0
50
100
Meters
1:1,000



582150
582160
582170
582180
5318890
5318880
5318870
5318860
N
Legend
Aplite Dykelet
Quartz Vein (<5cm)
Quartz vein (>5cm)
Aplite Dyke
Syenite
Mafic Volcanic
Channel Sample
OBAN
Miller Property, Ontario
ORIX
2015 Planet Syenite Trench Map
December 13, 2015
Prepared by: M. Kuuskman
NAD83 Zone 17N
0
1.5
3
Meters
1:40

APPENDIX B: K8ARANDA AIRBORNE MAGNETIC-VLF REPORT

Technical Survey Report

Tri-Axial Magnetic Geophysical Survey

Survey Flown By: K8aranda Geophysique Ltd.

Client: Oban Mining Corp.

Report Prepared By: Sean Scrivens, P.Geo.

Project Location: Kirkland Lake, ON

Date: May 3, 2015

Table of Contents

1.0 EXECUTIVE SUMMARY 3
2.0 PROPERTY DESCRIPTION 4
3.0 SURVEY PROCEDURES 5
4.0 PERSONNEL 8
5.0 EQUIPMENT 10
5.1 THE HELICOPTER 10
5.2 THE GRADIOMETER 11
5.3 THE VLF-EM SYSTEM 12
5.4 THE MAGNETOMETER BASE STATION 12
5.5 ALTIMETER 13
5.6 NAVIGATION 13
6.0 PROCESSING 14
6.1 BASE MAPS 14
6.2 FLIGHT PATH 14
6.3 TERRAIN CLEARANCE 14
6.4 MAGNETIC DATA PROCESSING 14
6.4.1 MAGNETIC ANALYTIC SIGNAL 15
6.4.2 MAGNETIC TILT DERIVATIVE 16
6.5 VLF-EM DATA PROCESSING 16
7.0 RESULTS 17
8.0 DELIVERABLES 18
8.1 HARDCOPY PRODUCTS 18
8.2 DIGITAL PRODUCTS 18
8.3 DELIVERABLES 18
9.0 INTERPRETATION 20
9.1 MAGNETICS 20
9.2 VLF 20
10.0 CONCLUSION 22
11.0 RECOMMENDATIONS 22

Table of Figures

FIGURE 1 - REGIONAL LOCATION OF THE MILLER SURVEY AREA. 6
FIGURE 2 – MILLER SURVEY BOUNDARY AND FLIGHT PATH. 7
FIGURE 3 – MILLER PROPERTY MINERAL CLAIM BOUNDARIES AND PROPERTY OUTLINE. 8
FIGURE 4 - THE SURVEY WAS FLOWN WITH A EUROCOPTER ASTAR BA (*PHOTO FROM WWW.HELIEXPLORE.CA*) 10
FIGURE 5 – GEM SYSTEMS TRI-AXIAL MAGNETIC GRADIOMETER. 11
FIGURE 6 - TOTAL MAGNETIC FIELD INTENSITY (TMI) DATA OVER THE MILLER SURVEY AREA. 23
FIGURE 7 – VERTICAL GRADIENT DATA OVER THE MILLER SURVEY AREA. 24
FIGURE 8 – INLINE GRADIENT DATA OVER THE MILLER SURVEY AREA. 25
FIGURE 9 – CROSSLINE GRADIENT DATA OVER THE MILLER SURVEY AREA. 26

FIGURE 10 – MAGNETIC ANALYTIC SIGNAL DATA OVER THE MILLER SURVEY AREA. 27
FIGURE 11 – MAGNETIC TILT DERIVATIVE DATA OVER THE MILLER SURVEY AREA. 28
FIGURE 12 – DIGITAL TERRAIN MODEL OVER THE MILLER SURVEY AREA. 29
FIGURE 13 – VLF IN-PHASE (24.0 KHZ) OVER THE MILLER SURVEY AREA. 30
FIGURE 14 – VLF QUADRATURE (24.0 KHZ) OVER THE MILLER SURVEY AREA. 31
FIGURE 15 – VLF TOTAL FIELD (24.0 KHZ) OVER THE MILLER SURVEY AREA. 32
FIGURE 16 – STRUCTURAL INTERPRETATION OF THE MILLER SURVEY AREA. 33
FIGURE 17 – INDIVIDUAL SAMPLE POINTS FOR THE MILLER SURVEY AREA. 34

List of Tables

TABLE 1 - SURVEY AREA SPECIFICATIONS 4
TABLE 2 – KEY PERSONNEL 9
TABLE 3 - SPECIFICATIONS FOR THE GEM SYSTEMS MAGNETOMETER SECTION 12

List of Appendices

Appendix A – Statement of Qualification
Appendix B – List of Survey Outline Points
Appendix C – List of Database Columns

1.0 Executive Summary

K8aranada Geophsyiques Ltd. was commissioned by Oban Mining Corp. to fly a helicopter-borne gradient magnetic survey over the Miller property in the Kirkland Lake, Ontario area. The survey conducted over the Oban claims was an extension of a previous survey to the south in December 2014. The extensions of the Cote claims were also covered at 50m line spacing. The survey was flown between the dates of March 25 – April 3, 2015 and covered of a total of 1,243.5 line-kilometers (282.7 line-kilometers over property claim boundary).

The system that was flown over the Miller property consisted of four (4) GEM System potassium vapour, magnetometers mounted on a customized platform with a 2.9 m vertical separation and a 10 m horizontal separation. This platform was designed by K8aranada geophysics and named the “White Eagle”. This system is capable of measuring both vertical and cross-line magnetic gradients with the in-line gradient being calculated using a time lag offset that simulated a sensor separation of ~3m.

As an added benefit, a Very Low Frequency (VLF) electromagnetic receiver was installed on the White Eagle. A VLF station in Cutler, Maine (24.0 kHz), the strongest available signal in the area, was used for total field, in-phase and quadrature measurements.

Navigation of the aircraft was achieved using differential positional (DGPS) and aided by both radar and laser altimeters for high precision topographic draping. All ancillary equipment was mounted directly to the magnetometer for higher accuracy measurements.

The survey was flown using the WGS-84 Datum and re-projected into the UTM coordinate system (Zone 17) during post-processing. All data processing, quality control, databasing and map products were performed in Geosoft Oasis Montaj V8.2.

Described in this report are the following sections: Property Description in Section 2.0, Survey Procedures in Section 3.0, Personnel in Section 4.0, Equipment in Section 5.0, Processing in Section 6.0, Results in Section 7.0, Deliverables in Section 8.0, Interpretation in Section 9.0 and Conclusions & recommendations in sections 10.0 & 11.0.

Appendix A contains a statement of qualification of the Author.

Appendix B contains a list of the survey outline points in NAD-83, Zone 17 N.

Appendix C contains a list of the digital database columns, the database of which is included with this report to Oban Mining Corp.

2.0 Property Description

Oban & Miller

The Oban and Miller properties are located approximately 25 km Southeast of Kirkland Lake, Ontario and 125 km East-Southeast of Timmins, Ontario (Figure 1). The property covers ~59 square kilometers and is defined by relatively flat topography ranging from 209 to 338 metres above sea level. Access to the site is possible via Hwy 624 which runs north-south through the East side of the property. The crew staged out of Kirkland Lake, Ontario. The property was flown at 100m line spacing in a NE-SW direction with 500m, NW-SE tie lines (See Figure 2). The property covers a number of contiguous mineral claims as shown in Figure 3.

Additional survey coverage details can be found in Table 1.

Table 1 - Survey Area Specifications

Area	Line Direction	Line Spacing	Total Distance Flown	Total Distance Flown Over Claims	Dates Flown
Miller	N45°E	50 m lines	1,238.7 km	257.1 km	March 29 – April 3, 2015
	N135°E	500 m lines	33.4 km	25.6 km	
TOTALS			**1,272.1 km**	**282.7 km**	**March 29 – April 3, 2015**

3.0 Survey Procedures

Prior to survey execution, planning of the flight lines was conducted on each area according prescribed specification. Navigation files were developed in proprietary planning software based on provided boundary files for each survey area. The software exported formatted files that were imported into the onboard navigation system use by the pilot and operator during survey. Typically, tie lines are flown first followed by survey lines in a sequential order. Any reflights determined by the quality control geophysicist were reflown immediately and integrated into the master database.

After each flight, the data was exported from the field computer, processed and checked for quality control issues. This procedure was completed at the end of each survey day in order to notify the helicopter operate of any concerns or flights prior to the next survey day.

All accepted data was imported into Geosoft for further processing and trimming. The database survey line path was trimmed to the property boundary plus 100m. Total line km's calculated for the survey (as shown in Table 1) were based on a flush boundary and the additional 100m provided as an added benefit.

During survey, the average altitude of the gradiometer was ~ 40 m. The height for the towed system was closely monitored with the use of a laser altimeter. Best effort is made to ensure close contouring to the regional topography, however, certain obstructions such as tall trees or steep topography may required higher flight altitudes due to safety concerns. Based on an average survey speed of ~110 km/h and a sampling frequency of 10 Hz, data samples were recorded at intervals of approximately 3 m.

All ancillary equipment used to guide navigation (laser altimeter, radar altimeter and GPS) were all mounted directly on the gradiometer in order to calculate precise location and position with minimal geometric error.

Figure 1 - Regional location of the Miller survey area.



Figure 2 – Miller survey boundary and flight path.



Figure 3 – Miller property mineral claim boundaries and property outline.

4.0 Personnel

The field crew engaged on this project was composed of four (4) personnel for the start of the project including the pilot, equipment operator, technical support and geophysicist. The pilot was responsible for following the pre-planned flight path and maintaining a steady altitude of the geophysical system at all

times. An operator accompanied the pilot in the helicopter to ensure all geophysical sensors were operating as expected and watching for data quality issues.

At the end of each flight or survey day, the data files were sent to the geophysicist for processing and analysis. Any data quality issues not addressed during flight were caught during the processing stage and re-flights recommended for the next survey day. Following the completion of each survey area, a preliminary database was generated and sent for review. All final products including Geosoft databases, grid products, maps, reporting and interpretation were performed by the project geophysicist.

Table 2 provides a listing of all personnel involved in the project, their employers, respective positions and a brief description of their responsibilities throughout the project.

Table 2 – Key Personnel

Name	**Company**	**Position**	**Responsibility**
Steve Labranche	GREG Exploration	Pilot	Flew the helicopter along pre-planned navigation lines and maintain constant terrain clearance.
Bert Simon	K8aranda Geophysique	President	Operation of all geophysical equipment, ensure the successful completion of the project and to manage all subcontractors.
Martine Simon	K8aranda Geophysique	Operator	Co-operator of geophysical equipment.
Sean Scrivens, P.Geo.	GeoPulse Inc.	Data Processing, Final Processing, Reporting & Interpretation	Preliminary data processing of field data including quality control assessment. Final data processing, mapping and reporting. Preparation of final deliverables.
Gernot Wober	Oban Mining Corp.	Client Representative	Representative for Oban Mining Corp.

5.0 Equipment

5.1 The Helicopter

Heli Explore, based out of Lasarre Quebec, were commissioned by K8aranda Geophysique to tow the geophysical equipment throughout the project. The helicopter used was a Eurocopter AStar 350 BA with registration C-GWMO as shown in Figure 4. The AStar B2 helicopter is capable of towing geophysical equipment in challenging topography at a wide range of temperatures. On a full tank of fuel, an AStar BA is capable of 3 hours of continuous flying with the current payload. Navigation of the helicopter was accomplished using differential GPS and high precision altimeters.

Figure 4 - The survey was flown with a Eurocopter AStar BA (*photo from www.heliexplore.ca*)

5.2 The Gradiometer

The equipment used on this project was a 4-sensor potassium magnetic gradiometer designed by K8aranda Geophysique Ltd. The gradiometer system was attached to the helicopter by a 100 ft long tow cable. The tow cable is designed to hold the weight of the system and integrates a shear pin as a weak link. Cables for the magnetic and laser altimeter data follow the tow cable to the helicopter.

The gradiometer is constructed with a fiberglass shell with pods design to house each magnetic sensor. The pods each contain an adjustable gimble and removable covers for easy access and realignment. In total, the gradiometer contains four (4) sensors mounted within the Y-Z plane at the front of the frame: one (1) located at the top of the frame, 1 at the base of the frame and two (2) on the outer edges of the frame (see Figure 5). The center, bottom sensor is used for the total magnetic intensity measurement and combined with the top sensor at ~2.9 m away for the measured vertical gradient. The two outside sensors are separated by 10 metres and used for the cross-line gradient measurement. The length of the bird is ~7 metres and weighs approximately ~180 kg. The bird can be disassembled into multiple components for ease of transport.

This gradiometer is uniquely designed to keep a large separation between the equipment electronics and the magnetic sensors. This allows for cleaner data collection unaffected by electronic noise. By design, the sensor positions allow for the measurement of the cross-line (difference between bottom sensors) and the vertical (distance between the top and bottom sensors) gradients. The inline gradient is calculated by applying the same difference formula to 2 consecutive records that occur approximately 3 metres from each other.

Figure 5 – GEM Systems tri-axial magnetic gradiometer.

Table 3 - Specifications for the GEM Systems Magnetometer Section	
Sensitivity:	+/- 0.0005 nT
Absolute accuracy:	+/- 0.5 nT over operating range maximum
Sample rate:	10 Hz (0.1 sec)
Dynamic range:	20,000 to 120,000 nT, 5,000 nT/m gradient
Heading error:	+/-0.05 nT maximum for all sensor orientations
Operating temperature:	-32° C to +40° C normally
Tuning method:	Dynamic re-starting at 30,000 nT
Volume of sensor:	35 mm^3

The gradiometer data is collected at a rate of 10 samples per second (10Hz) and merged with all ancillary data. The combined data stream (including mag, gps, vlf and radar information) is then sent up the tow cable to the data acquisition system in the helicopter. Specifications for the magnetometer sensors are given in Table 3.

5.3 The VLF-EM System

Located within the magnetic gradiometer were two (2) VLF (very low frequency) EM receivers that can be tuned to any of the operational VLF transmitters worldwide. Typically, two orthogonal stations are chosen based on proximity and include Cutler Maine (24.0 kHz), La Moure (25.2 kHz) and Jim Creek Seattle (24.8 kHz). For this survey, both 25.2 kHz and 24.0 kHz frequencies were recorded with the latter producing the highest quality data.

Measurements of the in-phase, quadrature-phase and total field were taken at a 10 Hz sample rate. The in-phase measurement is easily affected by variations in the sensor orientation and may not be useful in areas of rugged topography or where bird movement is significant. The resulting signal measured by the sensors can reveal weak conductors that are energized by the strong VLF signals.

5.4 The Magnetometer Base Station

In order to remove fluctuations in the Earth's magnetic field (diurnal), two redundant base stations were setup daily to record the Earth's field at fixed position in an area with no external interference. Redundant stations are preferred in the event one fails during a survey day. Each base station included a spare potassium sensor (same sensors as used in the gradiometer) connected to a dedicated laptop. Each setup was powered by two 12V batteries with enough power to easily last a full day. The magnetic data

readings were logged in communications software and synchronized to UTC time for direct correlation with survey data. Base station data was collected at a rate of 10 Hz.

5.5 Altimeter

Two altimeters were used during the survey in order to monitor and collect altitude data of the magnetic gradiometer. Both altimeters were mounted directly to the belly of the gradiometer structure for the most accurate measurements. The primary altimeter was mounted in the nose of the gradiometer, a Multiwave Sensors laser altimeter, and was used for navigation and was capable of seeing both topography and vegetation elevations. Laser altimeter data was recorded as the magnetometers exact height above ground and was used to generate the Digital Terrain Model (DTM) product. A second altimeter, a Free Flight TRA 3500 radar altimeter, was monitored for topographic detailing and as a redundancy to the laser altimeter.

5.6 Navigation

Flight path navigation was achieved using a Novatel V4.0 GPS receiver (WAAS enabled) which connected directly to proprietary navigation software called Maglog from Geometrics. Prior to survey commencement, navigation files were generated for each survey area and imported into the Maglog software providing an easy to follow plan view of all survey lines.

6.0 Processing

Data processing was achieving within Geosoft's Oasis Montaj through the use of several custom scripts and a concise data quality control plan. The methods used during this survey are detailed below.

6.1 Base Maps

Base maps used in this project were generated using Geosoft control files. General map layers include, data view, inset map, specifications and legends. The data view of all base maps was surrounded by coordinate reference points in both UTM NAD83 and Lat / Long positions. Within the data layer, GIS layers such as lakes, rivers, roads and topography have been imported from Geogratis servers. Mineral license boundaries have also been imported from provincial datasets. Survey data such as block boundaries, flight path, geophysical grids and contour lines are overlaid on top of all base layers.

Topographic shading has been derived from 90 m resolution digital elevation model (DEM) data provided by the NASA Shuttle Radar Topography Mission (SRTM) and shaded at an inclination and declination of 45º.

6.2 Flight Path

The geophysical survey flight path is merged with the incoming magnetic data string at the same sampling rate of 10 hz. No additional interpolation is required on the flight path data. All lines have been trimmed to a boundary 100m outside of the required boundary providing a small amount of additional data. A low pass filter is applied to the flight path prior to finalization.

6.3 Terrain Clearance

The digital terrain model (DTM) was derived by subtracting the laser altimeter value (located on the magnetic gradiometer) from the GPS measured elevation (mean point above sea level). The DTM grids were microleveled and re-sampled into the database to remove line to line banding cause by slight pitch changes in the magnetic bird based on flight direction. The DTM values are to be considered relative as they have not been tied into any surveyed geodetic point.

6.4 Magnetic Data Processing

In ideal conditions, all tree magnetic data sensors will record clean data that roughly follow one another. In some situation, dramatic swings in the magnetometer can cause one or more of these sensors to

become unlocked. The process of re-locking is generally fairly quick and only results in a dropout that is less than 3-4 seconds. In these situations, the dropped magnetic data is deleted from the data and replaced with “dummy” values. A quality control channel gave an indication if the sensor has lost lock. Loss of lock is rare within survey lines (unless in rough terrain) and typically only occurs on turn-arounds. In the event of excessive dropouts, the magnetic sensors will be adjusted to a new azimuth and dip to better couple with the Earth’s magnetic field.

A secondary magnetic recording station was setup near the base location which remains stationary and clear of electromagnetic interference and ferrous objects. The base magnetometer continually collects data at a rate of 10 Hz during all survey operations. This data represents the diurnal and is later subtracted from the acquired airborne magnetic data during preliminary processing. This procedure is only performed on the Total Magnetic Intensity product as it is not required for the gradient calculations.

As the horizontal gradients are dependent on line direction, positive polarity is defined as to the north and east. On south and west direction lines, the horizontal gradients are multiplied by -1.

The magnetic data from the individual sensors as well as the computed total magnetic intensity have no filtering applied. The computed gradients are lightly filtered to remove high frequency noise common in areas of rough terrain or flying conditions. The magnetic data grids were tie line-leveled and the resulting grids micro-leveled.

6.4.1 Magnetic Analytic Signal

The magnetic analytic signal (ASIG) is calculated by taking the square root of the sum of the squares of each of the 3 axis components of the gridding total magnetic intensity data. The equation for the analytic signal is:

$$\mathrm{ASIG} = \sqrt{\left[\left(\frac{\mathrm{dT}}{\mathrm{dx}}\right)^2 + \left(\frac{\mathrm{dT}}{\mathrm{dy}}\right)^2 + \left(\frac{\mathrm{dT}}{\mathrm{dz}}\right)^2\right]}$$

where dT/dx is the in-line gradient, dT/dy is the cross-line gradient and dT/dz is the vertical gradient of the total magnetic field.

In general, the analytic signal is a gradient product that ignores the effects of target orientation. This "turns" all responses, regardless of how they interact with the earth's magnetic field, into the positive direction. Therefore, both negative anomalies & dipole effects will appear positive centered of the target source.

The analytic signal can be used to map the edge of large magnetic bodies as well as bring to light anomalous trends that can appear insignificant in a TMI grid. The nature of the algorithm also strips out effects of deep regional responses and focuses more on the near surface.

6.4.2 Magnetic Tilt Derivative

The magnetic tilt derivative (TDR) combines all three gradients (X, Y and Z) to produce what is a called a tilt angle. This product highlights very subtle, near surface structures in the dataset where the zero contour line of the grid is said to represent geology contacts or edges of bodies.

The magnetic tilt derivative is calculated by the following equation:

$$\mathrm{TDR} = \tan^{-1}\left[\frac{{}^{\mathrm{dT}}/_{\mathrm{dz}}}{\sqrt{\left({}^{\mathrm{dT}}/_{\mathrm{dx}}{}^{2} + {}^{\mathrm{dT}}/_{\mathrm{dy}}{}^{2}\right)}}\right]$$

where dT/dx is the in-line gradient, dT/dy is the cross-line gradient and dT/dz is the vertical gradient of the total magnetic field.

6.5 VLF-EM Data Processing

The measured VLF components were converted into a digital signal and then appended to the data string in the main magnetometer console. This entire data string is then transmitted up the tow cable to the data acquisition system in the helicopter. Processing of the VLF data included:

- Polarity reversal of alternating quadrature-phase measurements based on line direction;
- Removal or erroneous data points; and
- Grid Microleveling for filtering line-by-line variations.

7.0 Results

The following images are shown in the corresponding figures. Each image has been color shaded with a sun angle of 45° inclination and a declination parallel to the line direction in order to enhance regions of high gradient. All grid products are processed independently and lightly micro leveled for the final product.

Miller

- The total magnetic field is shown in Figure 6.
- The measured vertical gradient is shown in Figure 7.
- The calculated in-line gradient is shown in Figure 8.
- The measured cross-line gradient is shown in Figure 9.
- The calculated magnetic analytical signal is shown in Figure 10.
- The magnetic tilt derivative is shown in Figure 11.
- The digital terrain model is shown in Figure 12.
- The VLF In-Phase is shown in Figure 13.
- The VLF Quadrature is shown in Figure 14.
- The VLF Total Field is shown in Figure 15.
- A structural interpretation is shown in Figure 16.
- The survey flight line sample points are shown in Figure 17.

8.0 Deliverables

The deliverables listed below have been generated as part of the survey contract.

8.1 Hardcopy Products

Hardcopy map products are provided at scales appropriate to the size of the survey area: typically 1:10,000 or 1:20,000 scale. All map products are produced using publically available GIS data sourced from Geogratis servers and typically include topographic contours, water bodies, rivers, swamps, roads, trails and power lines. All maps also include a scale bar, north arrow, coordinate outlines (UTM NAD83 and Lat/Lon WGS84), flight lines with line numbers and specific geophysical data grids. A legend is provided on each map containing survey details, technical information, projection parameters, colour legend bar, contour intervals and GIS base layer types. All maps also include an inset map at a 1:10,000,000 scale showing the regional location of the project area.

In the case of large map products, multiple plates are generated in order to maintain lower scales and fit a 36" or 42" plotter.

8.2 Digital Products

All geophysical data included ancillary data are provided in a Geosoft GDB database. Database columns are identified in Appendix B. Below is a list of all delivered digital products:

- Geosoft Databases (*.GDB)
- Geosoft Grids (*.GRD)
- Geosoft Maps (*.MAP)
- GeoTiffs (*.TIF)
- Adobe Maps (*.PDF)
- Final Report (*.PDF)

The gridding cell size used for all grids produced as part of this project was 15 m. To view the above Geosoft file formats, a free viewer has been provided in the digital archive or can be downloaded from Geosoft's website (www.geosoft.com). All PDF's can be viewed in the Adobe Acrobat Viewer also available in the digital archive or at the Adobe website (www.adobe.com).

8.3 Deliverables

The following map products were delivered in digital (Geosoft Map & PDF) format. Non-contiguous survey areas are provided on separate base maps.

- Total Magnetic Intensity (TMI)
- Magnetic analytical signal (ASIG)
- Measured vertical magnetic gradient (VGRAD)
- Measured cross-line magnetic gradient (CGRAD)
- Calculated in-line magnetic gradient (IGRAD)
- Magnetic Tilt Derivative (TDR)
- Digital Terrain Model (DTM)
- VLF In-Phase (VLF-IP)
- VLF Quadrature (VLF-QD)
- VLF Total Field (VLF-TF)

9.0 Interpretation

K8aranda has acquired high resolution magnetic gradiometer data over the Miller property in the Kirkland Lake, Ontario area. Below is an interpretation of the results over each survey area with a focus on structure.

9.1 Magnetics

The individual magnetic products have been referenced in order to better define the numerous structures throughout the area. The various gradient and derivative products fully represent the components of the magnetic field and can provide specific information not obvious in the total field data. The in-line magnetic gradient (IGRAD) emphasizes subtle magnetic features perpendicular to the line direction, the cross-line gradient enhances features parallel to the flight path and vertical gradient product (VGRAD) emphasizes all subtle features in the data. In addition, the magnetic analytic signal (ASIG) is produced by calculating the vector sum of all three magnetic gradients to produce a grid that is independent of the effect of orientation from subsurface bodies. Typically, the orientation of a magnetic target can produce a positive or negative response in the total magnetic field relative to its orientation. The ASIG produces highs directly over magnetic sources that are independent of the direction of the earth's magnetization vector.

The magnetic data collected over the Miller survey area is complex, similar to and an extension of the data collected in 2014 on claims to the south. Much of the area is characterized by heavy, magnetic bands suggesting geologic layering with possible outcropping (see Figure 16). These features are likely the result of meta-sedimentary units that contain magnetite iron formation (MIF) because MIF is so obvious in the magnetic data. Priority should be given to areas within the MIF where folding is observed as sulphide carrying gold is often concentrated along fold noses. Structures that intersect the MIF can remobilize precious metals (such as silver or gold) found in low concentrations within the iron formation out into the country rock in higher (possibly economic) concentrations. Intrusions can also act as a heat source for the creation of syenite dikes and quartz veins, the latter carrying gold, the former a possible indicator of strike direction and extent.

To the northwest, this MIF unit cuts off abruptly and levels off in magnetic field intensity. Features within this units are very subtle and may indicate numerous fractures extending throughout the area. In general, broad, low gradient features likely represent deeper seated bodies, whereas the sharp and high gradient responses are more likely to be related to near surface features.

9.2 VLF

Airborne VLF (very low frequency) surveys have been used in the past for geological mapping in areas where the targets are only weakly conductive. This method uses military communication antenna as the primary electromagnetic field. Synchronization to this field is provided by detecting the electric field. Variations with respect to this field are provided by an orthogonal receiver coil which measures the in-phase, quadrature-phase and total field component of the magnetic field. This is done for two separate frequencies that are tuned to the transmitting frequency of the communication antenna (these values

are preset and the two strongest primary fields are selected in software). As VLF-EM transmitters do not transmit a constant amplitude source field, without a base station receiver it is not possible to quantitatively use the VLF profiles.

Normally the measurement of the in-phase and quadrature-phase signals provides for an estimate of conductance by the ratio of the two components. Weakly conductive targets produce only a quadrature response, moderately conductive targets have both in-phase and quadrature components and highly conductive targets are mainly in-phase.

VLF-EM surveys are also sensitive to changes in topography. This is because the EM fields are considered to be horizontal along the surface of the earth. When the surface of the earth is no longer horizontal (say along a major change in elevation) the VLF receiver is then measuring only a component of the VLF field. When the bird is measuring on the close side of an elevation change (the close side being the side of the hill which is closest to the transmitting station) the amplitude of the EM field will increase. On the opposite side of the hill the EM field will decrease. It is important to interpret the VLF-EM signal in conjunction with the digital terrain model (also measured during the survey) to eliminate such topographic effects.

VLF-EM systems are also sensitive to man-made infrastructure such as power lines even though such infrastructure is rarely transmitting at the high relative frequencies of VLF transmitters (17-30 kHz). However, the higher frequency harmonics from such infrastructure will produce measurable responses that are coherent enough to average into a signal that is continuous across flight lines. The anomalies caused by man-made infrastructure are usually easy to identify from Landsat images or by their very linear nature and sudden (and straight) changes in direction. Such interference is noted along the west side of the Miller property corresponding directionally with a known power line passes through the claim area.

VLF-EM systems can detect weakly conductive structures such as faults. In some cases the major fault systems are responsible for transporting gold in sulphide. The gold mineralization may originate within a particular rock unit such as an iron formation and is later remobilized and concentrated within fractures that are related to major structures. Gold can also be transported from a host rock and into a formerly barren rock unit via these same structures (such as the chert-hosted gold occurrences).

Upon analysis of the VLF data collected over the Miller claim area, numerous features were identified in all components of the recorded data, however, there were no clear correlations between the magnetic data and the EM signatures with the Miller claim boundary that didn't also appear to correlate with topographic changes visible in the DTM data.

10.0 Conclusion

The above structural interpretation has identified a wide range of geologic structures including regional and localized folds, faults and cross-cutting fracture zones. Many of the identified structures could have been conduits for hydrothermal transportation of mineralization and should be closely examined in areas where they intersect intrusions, folds or other features of interest. Grab samples should be taken in areas where surface exposure is more likely (characterized by a strong, sharp magnetic signature) along with a soil chemistry analysis, both of which may provide valuable information in advancing this exploration program.

Data surrounding these claims should be analyzed to determine extent and to identify any cross-cutting features no apparent within the claim areas themselves.

11.0 Recommendations

1. Concentrate exploration in areas where delineating structures and faults intersect the regional fold or other features of interest.

2. Conduct ground truthing and possibly geochemistry in areas where the magnetic data suggests near surface exposure.

3. Digital products from this report should be made available in either MapInfo or ArcView format as registered tiff files for integration into a GIS compilation.

4. Conduct an advanced level interpretation of the magnetic data, integrate with geology and possibly model selected structures.

Respectively Submitted,

Sean Scrivens P.Geo.
GeoPulse Inc.
May, 2015



Figure 6 - Total magnetic field intensity (TMI) data over the Miller survey area.



Figure 7 – Vertical gradient data over the Miller survey area.



Figure 8 – Inline gradient data over the Miller survey area.



Figure 9 – Crossline gradient data over the Miller survey area.



Figure 10 – Magnetic analytic signal data over the Miller survey area.



Figure 11 – Magnetic tilt derivative data over the Miller survey area.



Figure 12 – Digital Terrain model over the Miller survey area.



Figure 13 – VLF In-Phase (24.0 kHz) over the Miller survey area.



Figure 14 – VLF Quadrature (24.0 kHz) over the Miller survey area.



Figure 15 – VLF Total Field (24.0 kHz) over the Miller survey area.



Figure 16 – Structural interpretation of the Miller survey area.



Figure 17 – Individual Sample Points for the Miller survey area.

APPENDIX A
STATEMENT OF QUALIFICATIONS

Sean Scrivens
Professional Geoscientist
4145 Armitage Ave.
Dunrobin, ON, K0A1T0
Telephone: 613-408-7880
Email: sscrivens@xplornet.com

I, Sean Scrivens P.Geo. (APGO #1623) do hereby certify that:

I have reviewed all the items within the Report titled: “Tri-Axial Magnetic & VLF Survey Report: Miller Property”

I am a graduate of the Carleton University and hold a BSc (with honors) in Computational Geophysics (2004).

I am a current member in good standing with the Association of Professional Geoscientists of Ontario (APGO), member # 1623;

I have been a practicing geophysicist in the mineral exploration and environmental sectors for over 10 years and as a Professional Geoscientist for 6 years.

I am currently acting as am external geophysical consultant to K8aranada Geophysics Ltd.

I currently own no common shares or share options with Oban Mining Corp.

Dated May 2nd, 2015.

APPENDIX B
LIST OF SURVEY OUTLINE POINTS

The following survey polygon was provided by the Client.

The Datum is NAD-83.

The Projection is UTM, Zone 17 North.

Miller

Easting	Northing	Easting	Northing
584450.77	5316547.36	584084.27	5319377.68
584862.79	5316547.36	584031.55	5319029.77
584862.79	5316971.26	584231.21	5318604.72
584438.88	5316963.34	584403.99	5318610.16
584430.96	5317763.61	584428.85	5317764.94
582885.89	5317759.65	585231.46	5317775.59
582893.81	5316983.15	585239.65	5317391.13
582085.62	5316979.19	585649.95	5317393.60
582097.35	5316178.79	585657.37	5316988.25
580488.82	5316147.14	585242.13	5316978.36
580477.31	5316944.21	585264.04	5315739.30
580900.30	5316952.84	584880.80	5315730.35
580891.67	5317370.08	584882.59	5315368.60
580471.56	5317367.20	584472.50	5315365.02
580471.56	5318158.51	584450.77	5316547.36
581259.99	5318164.27		
581259.99	5318570.00		
581669.66	5318577.66		
581669.66	5317773.26		
582082.25	5317776.23		
582071.69	5318575.52		
581836.31	5318575.52		
581748.99	5318947.56		
581925.22	5318951.51		
581884.48	5319381.21		
582228.98	5319414.55		
582328.99	5319436.77		
582310.47	5319766.45		
582284.89	5319917.77		
582421.22	5319966.61		
582421.22	5319982.39		
582252.67	5320109.91		
582846.01	5320225.96		
582847.26	5319866.16		
583908.56	5319862.64		
583905.04	5319437.42		
584080.75	5319472.56		

APPENDIX C
LIST OF DATABASE COLUMNS (GEOSOFT GDB FORMAT)

Channel Name	Description
x	X positional data (metres – NAD83, UTM Zone 17 north)
y	Y positional data (metres – NAD83, UTM Zone 17 north)
lon_wgs84	Longitude data (degree – WGS84)
lat_wgs84	Latitude data (degree – WGS84)
Lines	Line number
Flight	Flight number
Date	Flight date
GPS_Time	Coordinated Universal Time (UTC) measurement
GPS_Alt	GPS height above sea level (metres)
Radar_Alt	Radar altimeter bird height above ground (metres)
DTM	Digital Terrain Model (metres above sea level)
Basemag	Base station magnetic diurnal (nT)
Mag1	Sensor 1 - Total Magnetic field data (nT)
Mag2	Sensor 2 - Total Magnetic field data (nT)
Mag3	Sensor 3 - Total Magnetic field data (nT)
Mag4	Sensor 4 - Total Magnetic field data (nT)
TMI	Diurnal Corrected & Micro-leveled Magnetic field data (nT)
CGRAD	Measured Cross-Line Horizontal Magnetic Gradient (nT/m)
IGRAD	Calculated In-Line Horizontal Magnetic Gradient (nT/m)
VGRAD	Measured Vertical Magnetic Gradient (nT/m)
VLF_IP	VLF In-Phase 24.0 kHz (ppm)
VLF_QD	VLF Out-Phase 24.0 kHz (ppm)
VLF_TF	VLF Total Field 24.0 kHz (ppm)

APPENDIX C: LIDAR REPORT

TECHNOLOGY AND RESOURCES

KBM proposes to use Trimble Harrier 68i system for this project. The 68i features a 400 kHz repetition rate that enable dense point cloud collection in combination with high-quality ortho imagery.

System Details

LiDAR

- Up to 400 kHz laser pulse rate with full waveform digitization
- Scan speed up to 200 Hz
- Field of view 45-60 degrees for efficient acquisition time
- High point density from fixed-wing platform

Digital Camera

- 60 Megapixel, 3 channel (RGB) frame camera, 16 bit
- Fully calibrated lenses
- Fully integrated Forward Motion Compensation (FMC) provides crisp imagery

All work on this project will be completed by qualified KBM personnel. Collection will be done with KBM-owned equipment. Processing and quality control will be completed at our Thunder Bay location that is equipped with state-of-the-art hardware and software. No sub-contractors will be used on this project.

DELIVERABLES

Imagery

- Colour ortho imagery in tiled GeoTIFF format (8 cm resolution). 16 or 8 bit as specified by client
- Projected to NAD83(CSRS) UTM Zone 17
- Delivered via portable hard drive or electronically as specified by client

LiDAR

- 0.5-metre bare-earth DEM
- Full point-cloud collected at 4 points per metre with automated classification (LAS tiles)
- Projected to NAD83(CSRS) UTM Zone 17
- Delivered via portable hard drive or electronically as specified by client

APPENDIX D: ASSAY ROCK DESCRIPTIONS

Table 11: 2015 Planet Syenite Channel Sample Descriptions

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333551	Assay	massive, medium-grained, pink-red quartz-feldspar-biotite granite with 20% biotite, 1-2% fine-grained disseminated pyrite, ~20%, 0.2-3.0 cm, white, vertical quartz veins; granite cut by two 0.5 cm pink aplite dykelets	582156	5318866	SD15082895	70 cm
R333552	Assay	massive, mauve, medium-grained, feldspar porphyritic granite with fine-grained groundmass of quartz-feldspar-biotite, 1% fine-grained disseminated pyrite; two ~0.5 cm aplite dykelets bounded by quartz veins; ~15% of the sample is 0.2-0.4 cm, light grey to white, vertical quartz veins with trace-1% disseminated pyrite	582157	5318866	SD15082895	75 cm
R333553	Assay	massive, medium-grained nearly feldspar porphyritic granite with a fine-grained, mauve groundmass; no visible sulphide and no quartz veins	582157	5318866	SD15082895	50 cm
R333554	Assay	massive, medium-grained nearly feldspar porphyritic granite with trace pyrite and between seven and twelve 0.2 cm vertical, white quartz veins with trace pyrite	582158	5318866	SD15082895	55 cm
R333555	Assay	massive, medium-grained, magnetic porphyritic granite with fine-grained mauve groundmass, trace-1% disseminated fine-grained pyrite with eastern most 30 cm cut by 0.2-0.4 cm vertical quartz vein stockwork; 15-20 cm fine-grained magnetic amphibole-plagioclase unit with sharp contacts - mafic cut by 0.25 cm vertical quartz vein	582153	5318872	SD15082895	70 cm
R333556	Assay	massive, medium-grained porphyritic to non-porphyritic granite bleached between closely spaced quartz veins - veins are 0.2-1.0 cm vertical white quartz stockwork with trace-1% medium-grained pyrite; porphyritic granite is more magnetic with darker mauve groundmass	582153	5318872	SD15082895	55 cm
R333557	Assay	massive, medium-grained mauve, porphyritic granite bleached between closely spaced vertical 0.2-1.0 cm quartz vein stockwork with trace-1% medium-grained pyrite; granite is only weakly magnetic	582153	5318872	SD15082895	50 cm
R333558	Assay	massive, more equigranular granite with minor magnetite, trace-1% disseminated medium-grained pyrite cut by 0.2-1.0 cm white, vertical quartz vein stockwork with 1% pyrite	582154	5318873	SD15082895	60 cm
R333559	Assay	massive, near porphyritic, mauve grainte with finer groundmass and weakly magnetic cut by four to six 0.2-0.5 cm vertical white-grey quartz veins with 1% fine-grained pyrite and 10 cm aplite with hazy contact	582154	5318873	SD15082895	40 cm
R333560	Blank	Blank	N/A	N/A	SD15082895	
R333561	Assay	Massive, medium-grained granite and near porphyritic granite with fine-grained groundmass both with trace-1% pyrite and both weakly magnetic; cut by one or two 0.3-0.5 cm vertical quartz veins with trace pyrite with beige alteration haloes.	582155	5318873	SD15082895	70 cm
R333562	Assay	massive, medium-grained near porphyritic, weakly magnetic granite cut by white, vertical quartz vein stockwork with veins up to 3 cm containing trace-1% disseminated pyrite	582155	5318873	SD15082895	55 cm

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333563	Assay	massive, weakly magnetic, medium-grained, near porphyritic granite with mauve fine-grained groundmass containing 1% disseminated fine-grained pyrite cut by 0.5-1.0 cm vertical quartz vein stockwork; 10-15 cm beige alteration halo between four of the veins contains 2% pyrite	582156	5318874	SD15082895	50 cm
R333564	Assay	massive, medium-grained granite with 20% biotite in the groundmass except next to veins where there is 1-2% fine-grained pyrite; granite is cut by two 1.0 cm aplite dykes with one dyke pinching to 0.25 cm across the width of the channel; other dyke hosts 0.1 cm white quartz vein with 1% pyrite; five 0.2 cm, vertical quartz veins cut the granite with one vein bounded by a 0.2 cm bleached halo; also one shallow, 0.2 cm quartz vein	582158	5318861	SD15082895	60 cm
R333565	Assay	massive, medium-grained granite with two vertical, 0.1-0.2 cm quartz veins hosting trace-1%, fine-grained pyrite; one shallow 0.3-0.4 cm quartz vein with 1% fine-grained pyrite bounded by 1 cm pink alteration halo	582158	5318862	SD15082895	75 cm
R333566	Assay	massive, medium-grained granite with two-three, vertical, 0.2-0.3 cm quartz veins with 1%, fine-grained pyrite; granite is fractured with pink alteration along some fractures resulting in an aplitic appearance and up to 3% pyrite	582159	5318862	SD15082895	65 cm
R333567	Assay	massive, medium-grained granite with 5-10 cm more mafic magnetic patch; granite hosts one 3 cm, white, shallow quartz vein with 1% medium-grained pyrite; five to eight 0.2-0.3 cm, vertical, white veins with 3 veins bounded by fine-grained, 0.1-0.2 cm aplitic haloes; one 3-4 cm, vertical aplite next to a 0.5 cm vertical, white quartz vein	582159	5318863	SD15082895	100 cm
R333568	Assay	massive, medium-grained granite with 20% fine-medium-grained biotite; one, 1 cm quartz vein with 1% medium-grained pyrite; one 0.2-0.5 cm rounded magnetic mafic xenolith	582159	5318864	SD15082895	60 cm
R333569	Assay	massive, medium-grained feldspar porphyritic granite with dark mauve groundmass containing 25-30% fine-grained biotite; subvertical fracture with discontinuous 0.2 cm quartz vein, beige alteration, and 1-2% fine-grained disseminated pyrite.	582159	5318864	SD15082895	50 cm
R333570	Std: 60c	Standard: 60c	N/A	N/A	SD15082895	
R333571	Assay	medium-grained, massive, near porphyritic granite to south with porphyritic granite to north; porphyritic granite cut by three 4 cm aplite to late granite dykelets; one dyke hosts 0.1 cm quartz vein with trace-1% fine-grained pyrite; 0.2-0.3 cm, vertical quartz vein offset by shallow fracture; 5cm interval of channel with five-six 0.1 cm quartz veins forming part of east-trending stockwork	582159	5318865	SD15082895	90 cm
R333572	Assay	massive, medium-grained granite with two 3 cm, shallow white quartz veins with 1% pyrite	582159	5318866	SD15082895	60 cm
R333573	Assay	massive, medium-grained granite with one vertical, 0.2-0.3 cm quartz vein with trace pyrite	582159	5318867	SD15082895	30 cm
R333574	Assay	massive, medium-grained granite with one 1 cm shallow, white quartz vein with trace-1% fine-grained pyrite, minor chlorite and 2-3% fine-grained disseminated pyrite in wallrock	582159	5318867	SD15082895	60 cm

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333575	Assay	massive, medium-grained granite with trace-1% disseminated pyrite cut by two 0.5-1.0 cm shallow, white quartz veins with 1% pyrite, one vein has 1 cm pink-reddy-pink alteration halo; five-six vertical, 0.25-0.5 cm white quartz veins with 1% pyrite, one vein with 0.25 cm hematitic halo	582159	5318868	SD15082895	65 cm
R333576	Assay	massive, medium-grained granite with higher than average biotite cut by 0.2 cm, vertical vein and two 1-2 cm shallow, white quartz veins with 1% pyrite and 2-3 cm bleached alteration haloes hosting 3-5% pyrite	582159	5318868	SD15082895	45 cm
R333577	Assay	massive, medium-grained granite with 2 0.2-0.3 cm white, vertical quartz veins; 1-3 cm pink aplitic like interval in granite hosting ghost quartz veins and 3-4% disseminated pyrite	582159	5318869	SD15082895	70 cm
R333578	Assay	massive, medium-grained, reddy-pink, near porphyritic granite with higher than average biotite with trace pyrite and a 0.2-0.3 cm vertical, white quartz vein	582159	5318871	SD15082895	35 cm
R333579	Assay	massive, medium-grained near porphyritic granite with fine-grained, mauve biotite-rich groundmass with 1% disseminated pyrite; two-three 0.1 cm vertical quartz veins with 1% fine to medium-grained pyrite; a 0.5 cm shallow white quartz vein with 1% medium-grained pyrite	582159	5318871	SD15082895	65 cm
R333580	Duplicate	Duplicate	582159	5318871	SD15082895	
R333581	Assay	massive, medium-grained near porphyritic granite with reddy-pink fine-grained groundmass and trace disseminated pyrite and medium-grained biotite; five or six 0.1-0.3 cm vertical quartz veins with trace-1%, fine to medium-grained disseminated pyrite; 0.5-1.5 cm aplite dykelet	582159	5318872	SD15082895	80 cm
R333582	Assay	massive, medium-grained granite, variably texture ranging from nearly porphyritic to fine-grained beige altered hosting six or seven 0.1-0.3 cm vertical white quartz veins with up to 1% medium-grained disseminated pyrite with some veins bounded by 0.5 cm beige alteration haloes	582159	5318873	SD15082895	50 cm
R333583	Assay	massive, medium-grained granite with 1% coarse- to very coarse-grained feldspar phenocryst and trace-1% disseminated pyrite; four to six 0.1-0.3 cm, vertical, white quartz veins with up to 1% medium-grained pyrite	582159	5318873	SD15082895	60 cm
R333584	Assay	massive, medium-grained granite with 5-10% biotite in the southern portion of the channel and trace-1% disseminated chlorite; three or four 0.2-0.5 cm vertical white quartz veins with up to 2% medium-grained pyrite	582159	5318875	SD15082895	50 cm
R333585	Assay	massive, medium-grained pink-black granite with trace-1% pyrite; one or two 0.2-0.4 cm vertical, white quartz veins with trace-1% pyrite; 0.5-5.0 cm black, rounded, magnetic mafic xenoliths to fine-grained, massive gabbro with leucoxene	582159	5318876	SD15082895	55 cm
R333586	Assay	massive, medium-grained pink-black porphyritic granite with 30-35%, 5-10 cm, magnetic mafic xenoliths in a fine-grained grey-pink groundmass cut by four to six vertical, white, 0.2-0.4 cm quartz veins; two of the veins hosted by 0.5-0.75 cm aplite; also a 0.5-2.0 cm aplite with no quartz veins but trace-1% fine-grained pyrite	582159	5318877	SD15082895	65 cm

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333587	Assay	massive, k-spar porphyritic granite with mafic section with 20% biotite; cut by 0.2 cm aplite dykelet; both granites host trace-1% disseminated pyrite; 6 cm bleached silicified zone adjacent to flat fracture underlain by 2 cm band with 5-10% fine-grained disseminated pyrite	582149	5318868	SD15082895	80 cm
R333588	Assay	massive, medium-grained more equigranular mafic granite with 20% biotite hosting trace-1% fine-grained pyrite cut by shallow 0.2-0.4 cm east striking quartz vein and two northwest 0.2 cm quartz veins with trace pyrite; up to 2 cm silicified zone along veins	582149	5318868	SD15082895	70 cm
R333589	Assay	massive, medium-grained granite cut by aplite; two 0.2 cm quartz veins with 1-2% fine-grained disseminated pyrite	582149	5318867	SD15082895	70 cm
R333590	Blank	Blank	N/A	N/A	SD15082895	
R333591	Assay	massive, fine-grained, pink aplite with 2-3% disseminated biotite and 1-2% disseminated pyrite, 2 cm white quartz vein with trace pyrite and 0.1 cm white quartz vein, both veins dipping shallowly north	582150	5318867	SD15082895	45 cm
R333592	Assay	massive, fine-grained aplite cut by 0.1 cm vertical quartz vein with trace pyrite along the contact with a massive, medium-grained granite (~20% of the channel) that hosts a shallowly dipping 1.5 cm white quartz vein with trace pyrite; also 0.1 cm quartz vein with 2% disseminated pyrite in wallrock but vein does not extend through the width of the channel	582150	5318867	SD15082895	50 cm
R333593	Assay	massive, pink, fine-grained aplite with2-3% biotite, 1% fine-grained disseminated pyrite cut by three-four 0.1-0.3 cm white, shallow quartz veins with trace pyrite; one 1 cm shallow quartz vein; sharp contact with granite at end of channel with ~3 cm of granite in sample	582151	5318866	SD15082895	75 cm
R333594	Assay	fine-grained, massive, pink aplite with 2% biotite, 1% fine-grained disseminated pyrite, one 1.5 cm shallow, white quartz vein with trace pyrite; one vertical 0.1 cm quartz vein with trace pyrite cut by the shallow vein	582151	5318866	SD15082895	50 cm
R333595	Assay	mixture of aplite and massive, feldspar porphyritic granite; granite has medium-grained feldspar in a fine-grained dark mauve groundmass containing chlorite replacing biotite, trace-1% fine-grained pyrite; two-three 0.2-1.0 cm white vertical quartz veins with trace pyrite - very broken ground - sample is ~70% aplite	582152	5318865	SD15082895	80 cm
R333596	Assay	both massive and near porphyritic granite cut by two or three 0.3-0.4 cm white vertical quartz veins with 1% pyrite; porphyritic granite is a mauve ~6 cm vertical dyke cutting massive granite	582164	5318866	SD15082895	45 cm
R333597	Assay	8 cm white, shallow quartz vein with telluride? And 1% fine-grained pyrite cutting reddy, magnetic, higher biotite content granite; also three or four 0.2-0.4 cm white vertical quartz veins	582164	5318866	SD15082895	45 cm
R333598	Assay	massive, pink-black granite with trace pyrite, weakly magnetic with three or four 0.2-0.4 cm vertical quartz veins with trace-1% pyrite	582164	5318867	SD15082895	70 cm
R333599	Assay	massive weakly magnetic granite with trace disseminated pyrite and a 0.1 cm vertical quartz vein with 0.2 cm pink alteration halo	582164	5318867	SD15082895	60 cm
R333600	Std: 62e	Standard: 62e	N/A	N/A	SD15082895	

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333601	Assay	massive, medium-grained, weakly magnetic granite with two vertical 0.3-0.5 cm white quartz veins containing 1% pyrite; two 0.5-0.7 cm shallow, white quartz veins with 1% disseminated medium-grained pyrite; granite is more silicified than most samples; nearly aplitic patch at north 5-6 cm closes sample boundary along a NW vein margin	582164	5318868	SD15082895	70 cm
R333602	Assay	massive, weakly magnetic granite with coarse-grained hematitic patch at the south end, dark mafic patch in middle of interval; cut by four or five vertical white 0.2-0.4 cm quartz veins; one 0.2 cm shallow quartz vein with hematite	582164	5318868	SD15082895	70 cm
R333603	Assay	massive, weakly magnetic granite with dark mafic patch; albitic/aplitic alteration patches; 20 cm magnetic interval at north end; four or five 0.3-0.5 cm white, vertical quartz veins with 1% pyrite; a 0.3 cm shallow quartz vein with 1% pyrite	582164	5318869	SD15082895	70 cm
R333604	Assay	massive, medium-grained granite with disseminated pink to reddy pink alteration on some fractures; vertical fractures may host quartz veins with 1-2% pyrite in the wallrock	582164	5318870	SD15082895	55 cm
R333605	Assay	south 30 cm is a medium grey, strongly magnetic with coarse-grained pink feldspar; north 20 cm is massive, medium-grained granite with 5 cm grey mafic xenolith; two or three 0.2-0.4 cm vertical quartz veins with 1% pyrite and pink alteration haloes	582164	5318870	SD15082895	60 cm
R333606	Assay	massive granite with coarse-grained pink feldspar; 3 cm bleaching along fracture in south end of interval; three 0.2-0.4 cm vertical white quartz veins with 0.5 cm alteration haloes containing 1% pyrite	582164	5318871	SD15082895	40 cm
R333607	Assay	massive, medium-grained granite with trace magnetite and one or two 0.5 cm mafic xenoliths that are more magnetic than the granite; fracture with 1-2% disseminated pyrite in the bordering wallrock	582164	5318872	SD15082895	65 cm
R333608	Assay	massive, medium-grained granite cut by 3-5 cm aplite dykelet; 3-4 cm shallow white quartz vein; two 0.1 cm quartz veins in the aplite; granite is silicified on the hanging wall side of one shallow vein with hematite staining	582164	5318872	SD15082895	40 cm
R333609	Assay	massive, medium-grained granite, moderate magnetic; a 0.3 cm quartz vein with 1-2% fine-grained pyrite	582163	5318873	SD15082895	45 cm
R333610	Duplicate	Duplicate	582163	5318873	SD15082895	
R333611	Assay	massive, medium-grained, moderately magnetic granite	582164	5318878	SD15082895	40 cm
R333612	Assay	massive, medium-grained granite with trace magnetite; a 3-4 cm shallow white quartz vein with 1-2% medium-grained pyrite; three or four 0.2-0.3 cm vertical quartz veins with 1% pyrite	582164	5318878	SD15082895	50 cm
R333613	Assay	massive, medium-grained granite with irregular 3-4 cm patches of aplite; aplite has coarse-grained quartz-feldspar cores and trace pyrite; 0.3 cm wide semi-massive pyrite band with aplite at east end of sample; three or four 0.3 cm vertical white quartz veins	582165	5318878	SD15082895	55 cm
R333614	Assay	massive, medium-grained, weakly magnetic granite cut by four to six 0.1 cm vertical quartz veins with trace pyrite; occasional 0.5 cm rounded mafic xenoliths in granite	582165	5318879	SD15082895	55 cm

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333615	Assay	massive, medium-grained, up to 30% biotite, moderately magnetic granite; three or four 0.1 cm vertical quartz veins associated with aplite at east end of channel; 1-2 cm aplite	582165	5318879	SD15082895	75 cm
R333616	Assay	massive, medium-grained, weakly magnetic granite with up to 30% biotite cut by four 1-3 cm aplites hosting 0.1-0.2 cm quartz veins with trace pyrite	582165	5318880	SD15082895	45 cm
R333617	Assay	massive, medium-grained, biotite-rich granite with 25 cm mafic xenolith on the west side of a 25 cm aplite hosting two 1.0-1.5 cm quartz veins; one vein borders east side of aplite and has associated bleached halo and 2-3% pyrite	582166	5318881	SD15082895	70 cm
R333618	Assay	massive, biotite-rich moderately magnetic granite cut by a 3-5 cm shallow white quartz vein with trace-1% pyrite; two to three 0.5-4.0 cm aplite with 0.1-0.2 cm quartz veins containing trace-1% pyrite; aplite could be an alteration halo?	582166	5318881	SD15082895	40 cm
R333619	Assay	massive, medium-grained, biotite-rich, magnetic diorite to granite with three or four 0.5 cm aplite dykes containing 0.1 cm quartz stringers	582166	5318881	SD15082895	40 cm
R333620	Blank	Blank	N/A	N/A	SD15082895	
R333621	Assay	medium-grained, massive biotite-rich granite	582166	5318882	SD15082895	40 cm
R333622	Assay	medium-grained massive granite hosting a mafic xenolith; 0.5-4.0 cm aplite cutting mafic xenolith; 0.3-0.4 cm white vertical quartz vein with 1-2% medium-grained pyrite in aplite	582164	5318885	SD15082895	35 cm
R333623	Assay	dark green gabbro cut by 0.3-1.0 cm aplite; 1.0 cm intervals of biotite-rich granite hosted by gabbro; 1-2% medium grained pyrite over the interval	582164	5318886	SD15082895	30 cm
R333624	Assay	dark green massive hornblende gabbro, epidote altered, cut by up to 20 cm aplite with trace pyrite	582164	5318886	SD15082895	50 cm
R333625	Assay	dark green, medium-grained hornblende gabbro with minor epidote alteration cut by up to 15 cm aplite and a 3 cm shallow white quartz vein with trace-1% pyrite	582164	5318887	SD15082895	35 cm
R333626	Assay	massive, medium-grained granite with trace-1% disseminated pyrite hosting a rounded mafic xenolith with trace magnetite; xenolith cut by 1 cm aplite	582164	5318887	SD15082895	30 cm
R333627	Assay	massive, medium-grained granite in west half of interval, biotite-rich granite in east half; two to three 0.1 cm vertical quartz veins with trace-1% pyrite	582173	5318886	SD15082895	50 cm
R333628	Assay	massive, medium-grained, granite to biotite-rich granite with pink hematitic feldspar; trace pyrite in granites; a 5-7 cm shallow white quartz vein with 1-2% medium-grained pyrite; 5-8 cm bleached alteration halo to vein with 3-5% medium-grained disseminated pyrite; also three-four 0.3-0.4 cm vertical quartz veins	582173	5318886	SD15082895	70 cm
R333629	Assay	1 cm vertical and three or four 0.3-0.4 cm vertical quartz veins with trace-1% pyrite all with 0.1 cm alteration pink haloes hosted by massive medium-grained, moderately magnetic granite	582173	5318886	SD15082895	50 cm
R333630	Std: 60c	Standard: 60c	N/A	N/A	SD15082895	
R333631	Assay	massive medium-grained, moderately magnetic granite	582173	5318887	SD15082895	55 cm
R333632	Assay	massive, medium-grained, moderately magnetic granite with a 0.5 cm white quartz vein containing trace pyrite	582173	5318887	SD15082895	40 cm

Sample Number	Sample Type	Description	Easting	Northing	Certificate	Width
R333633	Assay	massive, medium-grained moderately magnetic granite with trace pyrite; 1.0 cm white quartz vein with 1% pyrite; 0.75 cm aplite hosting a 0.1 cm quartz vein	582173	5318887	SD15082895	40 cm
R333634	Assay	massive, medium-grained, moderately magnetic granite	582174	5318888	SD15082895	60 cm
R333635	Assay	massive, medium-grained moderately magnetic granite cut by two 0.5 cm vertical white quartz veins with trace pyrite	582174	5318888	SD15082895	50 cm
R333636	Assay	massive, medium-grained moderately magnetic granite cut by two or three 0.1-0.2 cm vertical white quartz veins	582174	5318888	SD15082895	55 cm
R333637	Assay	massive, medium-grained, moderately magnetic granite with trace disseminated pyrite; a vertical 0.2-0.3 cm quartz vein; a 0.3 cm shallow quartz vein with a 0.5 cm alteration halo containing 1% fine-grained pyrite	582174	5318889	SD15082895	40 cm
R333638	Assay	massive, medium-grained, moderately magnetic granite with a 3-4 cm shallow, white quartz vein with 1% medium-grained pyrite, 2-3 cm beige alteration margin with 3-5% fine-grained disseminated pyrite; 0.5 cm mafic xenoliths	582174	5318889	SD15082895	50 cm
R333639	Assay	massive, medium-grained moderately magnetic granite with a 0.1 cm shallow north dipping fracture with 1-2 cm beige alteration halo with 3-5% disseminated pyrite	582174	5318889	SD15082895	40 cm
R333640	Duplicate	Duplicate	582174	5318889	SD15082895	
R333641	Assay	massive, medium-grained, moderately magnetic granite with 0.4 cm vertical white quartz vein with trace-1% pyrite	582174	5318889	SD15082895	55 cm
R333642	Assay	massive, medium-grained, moderately magnetic granite	582175	5318890	SD15082895	70 cm
R333643	Assay	massive, medium-grained, moderately magnetic granite; two 0.3 cm vertical white quartz veins; five 0.5 cm aplite dykelets; a 0.2 cm white quartz vein with trace-1% pyrite in one aplite	582175	5318890	SD15082895	80 cm

Table 12: 2015 Grab Sample Descriptions

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
14851	Assay	Quartz sugary white-grey mingled with dark patches and thick sugary quartz vein. Contains diss. Py. In grey areas. Drill trail o/c quartz vein covered by moss.	582997	5317932	GP	<0.001	SD15079170
14852	Assay	Basalt medium grey fine grain texture with some diss. Py. Sample has broken pieces of quartz.	582984	5317946	GP	0.001	SD15079170
14853	Assay	Basalt grey fine grained texture with white quartz. No sulphides noted. Sample taken out of trench.	582963	5317966	GP	0.023	SD15079170
14854	Assay	Basalt dark grey fine grained texture with cubic Py. And some patches of white quartz. Sample from bottom of trench.	582955	5317966	GP	0.156	SD15079170
14855	Assay	Quartz rusty orange and fine grained grey basalt highly weathered. High amount of diss. Py. Quartz vein sample.	582942	5317939	GP	2.58	SD15079170
14856	Assay	Basalt dark grey fine grained containing diss. Py. With rusty powdery orange patches. Contains some quartz stringers.	582945	5317940	GP	1.64	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
14857	Assay	Altered basalt medium tan grey containing diss. To cubic Py. Exterior is deep purple stained.	582942	5317940	GP	0.161	SD15079170
14858	Assay	Sample is similar to 14857. dark grey fine grained texture with patches of high amounts of sulphides. Exterior highly stained purple red. Loose bedrock subfloat.	582947	5317922	GP	0.01	SD15079170
14859	Assay	Basalt light grey fine texture containing high amount of silica and tan colored syenite. Loose bedrock basalt.	582936	5317918	GP	0.001	SD15079170
14860	Assay	Quartz white and medium grey fine textured basalt containing cubic Py. Loose bedrock quartz.	583301	5318180	GP	0.001	SD15079170
14861	Assay	Basalt dark grey fine texture containing large solid silver/brass sulphide patches. Has smokey grey-yellow/orange quartz. Quartz vein.	583294	5318206	GP	0.002	SD15079170
14862	Assay	Sample is similar to 14861. dark grey fine grain texture basalt containing diss. To cubic Py. Exterior is slightly pitted and weathered. Bedrock wall rock.	583293	5318193	GP	0.002	SD15079170
14863	Assay	Syenite tan color fine texture syenite with fine stringers of brown rusty material. Sample has blebs of quartz. Outcrop/boulder - Catherine Fault?	583270	5318174	GP	<0.001	SD15079170
14864	Standard	CDN-GS-2K Standard	N/A	N/A	GP	1.935	SD15079170
14865	Blank	Blank	N/A	N/A	GP	0.007	SD15079170
14866	Assay	Red/black porphyritic texture possibly jasper. No sulphides noted. O/C at parking lot beside trail.	582723	5318158	GP	0.001	SD15079170
14867	Assay	Quartz vein 3-4 cm that is heavily weathered with some dark grey fine texture basalt with diss. to cubic sulphides.	582842	5318306	GP	<0.001	SD15079170
14868	Assay	Fine grain light grey texture with patches tan colored sugary quartz? And deeply purple blebs. Exterior is stained purple. Some samples have thick quartz vein.	582874	5318285	GP	0.001	SD15079170
14869	Assay	Basalt medium grey fine grained with a frosting of sugary quartz containing diss. Sulphides.	582878	5318192	GP	0.003	SD15079170
14870	Assay	Sugary textured quartz with dark grey material (basalt?) in some areas the two are layered. Diss. Sulphides in some dark areas. Wide quartz vein on ridge.	582886	5318186	GP	0.132	SD15079170
14871	Assay	Quartz white with red staining and dark grey fine textured basalt covered with a fine frosting of quartz. Subfloat or broken vein.	582877	5318194	GP	0.95	SD15079170
14872	Assay	Altered rock, possibly Catherine Zone medium grey fine grained textured basalt with large amount of silicification. Appears to be altered. Exterior is pitted.	582955	5318200	GP	0.001	SD15079170
14873	Assay	Basalt dark grey fine grained with a layered like appearance of diss. Sulphides. Exterior is stained dark red-purple.	582952	5318239	GP	<0.001	SD15079170
14874	Assay	Basalt dark grey fine grained with thick 4 cm quartz vein containing shiny cubic Py. Some of the quartz is pink stained. Basalt quartz vein.	582932	5318244	GP	0.004	SD15079170
14875	Assay	quartz sugary cracked with dark grey stringers	582947	5318148	GP	0.103	SD15079170
14876	Assay	quartz sugary cracked with dark grey stringers	582955	5318142	GP	0.009	SD15079170
14877	Assay	quartz sugary beige rock with rusty patches with smokey grey quartz vein. Some areas of medium grey fine textured basalt with diss. Sulphides. Areas are bleached out.	582966	5318137	GP	0.002	SD15079170
14878	Assay	Smokey grey quartz with some tan colored rock with rusty patches and diss. Sulphides. Areas are bleached out.	582969	5318132	GP	<0.001	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
14879	Assay	Altered rock tan-grey color fine texture basalt? Appears altered with high amount of silica and ext. is stained red-brown. Shear zone.	582960	5318130	GP	0.001	SD15079170
14880	Assay	quartz white with black stringers and bleached tan colored rock with some smokey grey quartz. Some grey quartz and some grey fine textured basalt with diss. Sulphides. Shear basalt o/c carbonate.	583006	5318100	GP	0.011	SD15079170
14881	Assay	basalt medium grey fine texture with cubic Py. Exterior has areas of powdery orange weathering. Altered rock?	582883	5318070	GP	3.27	SD15079170
14882	Assay	altered rock or basalt tan -grey fine textured with high amounts of silica with powdery orange areas containing diss. Sulphides. Exterior is stained dark red.	582874	5318069	GP	0.88	SD15079170
14883	Assay	quartz with fine grained grey texture basalt with diss. Py. Areas of basalt appears to exhibit alteration with cubic sulphides. Quartz vein.	582904	5318055	GP	0.331	SD15079170
14884	Assay	quartz heavily stained orange with rusty rock attached to it. Next to samples 14883-14886.	582906	5318051	GP	1.045	SD15079170
14885	Assay	basalt fine grained grey textured containing diss. Sulphides to cubic and thick amount of white quartz.	582914	5318052	GP	1.005	SD15079170
14886	Assay	Similar to 14885. basalt fine grained grey texture with diss. To cubic sulphides and large chunks of white quartz.	582900	5318172	GP	0.215	SD15079170
14887	Standard	CDN-GS-10D Standard	N/A	N/A	GP	9.49	SD15079170
14888	Blank	Blank	N/A	N/A	GP	0.009	SD15079170
14889	Assay	quartz and altered rock with diss. Sulphides throughout the altered basalt	582907	5318031	GP	0.215	SD15079170
14890	Assay	quartz and diss. Py. In fine grained basalt	582914	5318018	GP	1.415	SD15079170
14891	Assay	quartz stained red	582758	5317834	GP	0.087	SD15079170
14892	Assay	quartz and altered basalt with diss. Py	582218	5318812	GP	0.149	SD15079170
14893	Assay	syenite with some quartz	582216	5318811	GP	0.036	SD15079170
14894	Assay	syenite stained red with some quartz and diss. Py	582068	5318696	GP	1.64	SD15079170
14895	Assay	basalt and red/orange stained quartz with diss. Py	582068	5318696	GP	34.9	SD15079170
14896	Assay	basalt with diss. Sulphides and quartz	582068	5318696	GP	0.052	SD15079170
14897	Assay	syenite with quartz & diss. Py	582209	5318885	GP	0.022	SD15079170
14898	Assay	quartz white, no sulphides noted	582188	5318899	GP	0.299	SD15079170
14899	Assay	quartz some red staining	581993	5318732	GP	43.7	SD15079170
14900	Assay	quartz with some red staining, sulphides and some basalt	581937	5318752	GP	0.073	SD15079170
14901	Assay	altered basalt and quartz with sulphides and has a high amount of quartz	581967	5318754	GP	0.007	SD15079170
14902	Assay	quartz with altered basalt and signs of chalcopyrite	581951	5318738	GP	0.017	SD15079170
14903	Assay	very granular quartz and altered basalt with diss. Py	581951	5318738	GP	0.642	SD15079170
14904	Assay	quartz and basalt rich in sulphides and shows orange/red staining	581936	5318723	GP	1.2	SD15079170
14905	Assay	altered basalt with diss. Sulphides and quartz	581936	5318723	GP	0.533	SD15079170
14906	Assay	quartz and altered basalt with diss. To cubic py.	581936	5318723	GP	0.396	SD15079170
14907	Assay	altered basalt rich in Py with quartz	581936	5318723	GP	0.222	SD15079170
14908	Assay	altered basalt rich in Py. With quartz	581936	5318723	GP	0.435	SD15079170
14909	Assay	altered basalt with diss. Sulphides and white quartz	581931	5318731	GP	0.113	SD15079170
14910	Assay	altered basalt with large amounts of sulphides and quartz	581931	5318731	GP	0.087	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
14911	Assay	quartz and altered basalt, diss. Sulphides	581913	5318748	GP	0.025	SD15079170
14912	Assay	Very altered rock rich in sulphides	581913	5318748	GP	0.022	SD15079170
14913	Assay	altered basalt with sulphides, some quartz with blocks of feldspar	581905	5318771	GP	0.082	SD15079170
14914	Assay	altered basalt with sulphides, cubic and some granular quartz	581905	5318771	GP	0.293	SD15079170
14915	Assay	quartz with rusty patches of weathered sulphides	581905	5318771	GP	0.162	SD15079170
14916	Assay	quartz with rusty patches of weathered sulphides	581907	5318783	GP	0.171	SD15079170
14917	Assay	altered basalt with sulphides and some quartz	581911	5318799	GP	1.155	SD15079170
14918	Assay	quartz mixed with some altered basalt rich in sulphides	581911	5318799	GP	0.401	SD15079170
14919	Assay	quartz red stained with sulphides and altered basalt	581931	5318781	GP	2.22	SD15079170
14920	Assay	quartz white and some stained red	582001	5318713	GP	0.013	SD15079170
14921	Assay	quartz and mixed altered basalt	582001	5318713	GP	0.049	SD15079170
14922	Assay	basalt and diss. Py. With quartz. Very weathered	581977	5318716	GP	0.325	SD15079170
14923	Assay	quartz with red staining	581965	5318715	GP	0.001	SD15079170
14924	Assay	quartz with red staining and some altered basalt with diss. Py	582168	5318706	GP	0.051	SD15079170
14925	Assay	pervasively altered feldspar porphyry with disseminated pyrite	582180	5318658	GP	0.097	SD15079170
14926	Assay	altered basalt with some quartz and diss. Py	582180	5318658	GP	2.16	SD15079170
14927	Assay	altered basalt with diss. Py. And white quartz	582180	5318658	GP	0.051	SD15079170
14928	Assay	dark grey fine grained basalt? With white blebs and weathered on exterior. Contains silvery sulphides.	581972	5318656	GP	0.009	SD15079170
14929	Assay	weathered altered or sheared basalt? that is dark grey with silvery sulphides	581988	5318641	GP	0.008	SD15079170
14930	Assay	sheared? Basalt very weathered and stained red/purple	581988	5318641	GP	0.005	SD15079170
14931	Assay	quartz and altered basalt? Or syenite? (weathered) with diss. Py	581988	5318641	GP	0.174	SD15079170
14932	Assay	quartz mixed with syenite, yellow staining	582668	5319501	GP	1.625	SD15079170
14933	Assay	quartz vein, mixed with black mineral and diss. To cubic Py	582692	5319664	GP	1.78	SD15079170
14934	Standard	CDN-GS-2K Standard	N/A	N/A	GP	2.01	SD15079170
14935	Blank	Blank	N/A	N/A	GP	0.01	SD15079170
29645	Assay	Quartz white but extremely stained orange-red, contains cubic Py. Outside of quartz has bleached tan colored rock not sure of rock type).	582188	5318899	GP	0.516	SD15079170
29646	Assay	Mixture of tan colored fine grained rock which appears bleached and extremely rusty red-orange, unsure of rock type. Very red colored quartz. Huge chunks of Py or Chalcopyrite. Rough weathered exterior.	582134	5318975	GP	0.018	SD15079170
29647	Assay	Extremely mixed weathered quartz & medium grained textured tan colored rock. Exterior is weathered orange to purple-red. Same outcrop as sample 29646.	582134	5318975	GP	0.279	SD15079170
29648	Assay	Quartz and grey-black non-magnetic rock containing patches of silvery Py. Exterior is weathered powdery orange to smooth red-purple. 2 metre wide shear in volcanics.	581972	5318656	GP	0.022	SD15079170
29649	Assay	Syenite tan-pink with patches of white and smokey grey quartz containing fine grained black rock patches. Exterior is smooth black. Large 5 mm brassy sulphides. 2 metres west of trail.	582743	5317926	GP	0.112	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
29650	Assay	Syenite tan-red fine grained texture mixed with flecks of black fine grained rock. Some pieces are powdery orange to fine grained rock. 2 meres away from sample 29649.	582750	5317928	GP	0.052	SD15079170
29651	Assay	Syenite fine grained pink-red with small patches of sulphides. Exterior has black patches of fine grained rock. This should be western edge of syenite deposit.	582693	5317949	GP	2.77	SD15079170
29652	Assay	Syenite pink-red and fine grained with patches of milky white quartz with Py. Some pieces exhibit orange colorization. Black areas on exterior.	582693	5317951	GP	2.3	SD15079170
29653	Assay	basalt fine grained grey color with large percent of sulphides. Exterior is highly weathered orange-red. Found near beaver dam. Shear zone material?	582674	5317961	GP	0.001	SD15079170
29654	Assay	Basalt black color fine grained, magnetic with some quartz and large patches of sulphides.	582695	5317918	GP	0.02	SD15079170
29655	Assay	Feldspar porphyry? Weathered fine grain grey-black colored rock. Appears to possibly be a feldspar porphyry mixed with some smokey grey quartz. Next to sample 29654.	582695	5317920	GP	0.035	SD15079170
29656	Assay	Very weathered sample. Interior difficult to see. Appears to have fine grain with patches of quartz. Rusty orange exterior. Possible mixture of syenite/basalt. Possible shear zone.	582691	5317913	GP	0.407	SD15079170
29657	Assay	syenite tan-pink/red fine grained with patches of black fine grained rock and contains some quartz. Contains cubic Py. Exterior is leached and highly weathered.	582646	5318094	GP	0.001	SD15079170
29658	Assay	Fine grained rock containing quartz and blocky pieces of weathered black magnetic rock. Possibly a red syenite. Found in a syenite vein in basalt on a ridge.	582652	5318110	GP	0.002	SD15079170
29659	Assay	Quartz white mixed with bleached tan colored syenite.	582661	5318132	GP	0.058	SD15079170
29660	Assay	Quartz white-smokey grey quartz features dark grey on the edge of quartz stringers. Syenite is bleached and weathered. Some of the quartz is yellow stained.	582657	5318142	GP	2.24	SD15079170
29661	Assay	Syenite? Medium grained tan-pink with red flakes mingled with black flakes. Contains quartz with yellow staining with sulphides. Blast pile?	582667	5318137	GP	11.85	SD15079170
29662	Assay	syenite light tan color medium grain with thick white quartz stringers containing diss. Sulphides.	582648	5318167	GP	0.021	SD15079170
29663	Assay	basalt grey fine grained texture with diss. Sulphides containing quartz with yellow/orange staining.	582625	5318148	GP	0.18	SD15079170
29664	Assay	syenite bleached tan color fine to medium texture with diss sulphides. Exterior is very weathered .	582604	5318152	GP	0.04	SD15079170
29665	Assay	syenite bleached tan color with weathered exterior containing quartz. No sulphides were noted. Quartz is discolored.	582629	5318140	GP	0.053	SD15079170
29666	Assay	syenite bleached and weathered tan colored with smoky grey quartz. Weathered exterior.	582634	5318140	GP	0.085	SD15079170
29667	Assay	Syenite bleached tan color - pink/red with black specks which contains quartz. No sulphides were noted.	582701	5318090	GP	0.007	SD15079170
29668	Assay	quartz sugary mixed with non-magnetic black fine grained rock. Some quartz has a green color. Quartz vein.	582907	5317908	GP	<0.001	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
29669	Assay	quartz with white-smokey grey with no sulphides noted.	582903	5317889	GP	0.001	SD15079170
29670	Assay	quartz smokey grey - white with thin stringers of fine grained black rock. Chunks of fine grained black rocks. Exterior is orange-red.	582899	5317883	GP	0.01	SD15079170
29671	Assay	fine grained black magnetic rock, magnetite? With brassy cubic Py and thin stringers of tan-orange quartz. Exterior shows weathering.	582898	5317887	GP	0.02	SD15079170
29672	Assay	mainly white to smokey grey quartz mixed with medium grey fine grained textured rock. No sulphides were note. Boulder from o/c quartz vein near rock ridge.	582912	5317881	GP	0.146	SD15079170
29673	Assay	quartz smokey grey sugary texture (similar to sample 29672) with angular chunks of non-magnetic black fine grained rock. Quartz exhibits yellow staining. Quartz vein.	582925	5317873	GP	0.016	SD15079170
29674	Assay	quartz white to smokey grey intermingled with very weathered and pitted surface.	582925	5317873	GP	0.001	SD15079170
29675	Assay	quartz white with cracks? Of yellow discoloration. Quartz is heavily stained red.	582935	5317933	GP	15.65	SD15079170
29676	Assay	"VG noted" white quartz with specks of VG noted. Quartz is heavily stained red.	582936	5317926	GP	23.3	SD15079170
29677	Assay	heavily weathered fine grained textured black non-magnetic rock which is weathered powdery orange. Very heavy.	582939	5317930	GP	0.013	SD15079170
29678	Assay	quartz white with exterior rock of fine grained non-magnetic rock. Quartz is very weathered.	582932	5317930	GP	0.545	SD15079170
29679	Assay	quartz white sugary mixed with patches of fine grained black non-magnetic rock. Quartz exhibits leaching. Diss. Py in basalt.	582923	5317927	GP	0.008	SD15079170
29680	Assay	Possible sheared rock. Heavily altered green-tan colored fine grained rock with orange specks. Surface is weathered.	582918	5317947	GP	0.001	SD15079170
29681	Assay	quartz white sugary textured which is red stained with fine grained weathered rock (unsure of rock type). Sulphides not noted. Quartz vein, sample next to 29541.	582925	5317957	GP	1.555	SD15079170
29682	Assay	quartz with pieces of medium grey fine grained textured basalt (heavily diss.) exterior is heavily weathered. Quartz/basalt outcrop near ridge.	582919	5317963	GP	0.996	SD15079170
29683	Assay	basalt fine grained black color with diss. Sulphides. Exterior is weathered orange powdery to shiny purple-red.	582897	5317967	GP	0.003	SD15079170
29684	Assay	basalt fine grained black color with diss. Py. Exterior is weathered.	582942	5317973	GP	0.028	SD15079170
29685	Assay	highly weathered carbon/sulphide altered rock boulder or subfloat with powdery green exterior on a fine grained orange exterior. Unsure of rock type.	582949	5317973	GP	0.001	SD15079170
29686	Assay	quartz milky white with areas of smokey-grey quartz and attached grey-black fine textured (non-magnetic) rock. Quartz vein.	582954	5317964	GP	0.489	SD15079170
29687	Assay	Altered rock greenish-grey fine textured rock flexed with white stringers of tan-colored quartz. Rock contains black fine grained rock. Exterior has powdery areas of orange rust.	582935	5317948	GP	0.001	SD15079170
29688	Assay	green altered rock, light grey to medium grey-green fine grain textured rock with cubic sulphides and diss. Sulphides.	582991	5318049	GP	0.005	SD15079170
29689	Assay	altered green rusty rock…similar to sample 29688, interior is fine grained grey color with diss. Sulphides flexed wi quartz. Exterior is highly weathered powdery orange to shiny red-purple.	582999	5318043	GP	0.005	SD15079170

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
29690	Assay	Very altered quartz and possibly syenite rock, extremely weathered. Sugary quartz. Exterior is weathered and pitted.	582981	5318053	GP	0.43	SD15079170
29691	Assay	basalt fine grain textured grey color with diss. Sulphides with quartz vein. Exterior is powdery orange weathered.	582927	5318076	GP	0.371	SD15079170
29692	Assay	syenite bleached with rusty patches with some white/smokey grey quartz. No sulphides were noted.	582944	5317953	GP	0.001	SD15079170
29693	Assay	Syenite pink with black minerals in patches and stringers. Contains diss. Sulphides. Taken from bedrock in trench.	582947	5317958	GP	<0.001	SD15079170
29694	Assay	syenite tan color with quartz and areas of orang-yellow rock possibly syenite or a leaching are. Contains iss. Sulphides. Could be a huge syenite boulder or o/c	582937	5317957	GP	0.002	SD15079170
29695	Assay	Quartz vein thick surrounded by extremely red rock. Side rock is possibly a weathered basalt with diss. Py.	582937	5317940	GP	7.25	SD15079170
29696	Standard	CDN-GS-10D Standard	N/A	N/A	GP	9.5	SD15079170
29697	Blank	Blank	N/A	N/A	GP	0.019	SD15079170
29698	Standard	CDN-GS-2K Standard	N/A	N/A	GP	1.975	SD15079170
29699	Assay	Quartz white sugary texture with stringers and patches of black rock and sulphides and areas of bleached syenite. Located to the side of drill trail near quartz vein.	582989	5317929	GP	0.005	SD15079170
29700	Assay	syenite light colored and mixed with white quartz and patches of black minerals. Drill trail quartz vein.	582997	5317932	GP	0.002	SD15079170
R333001	Assay	Massive mafic volcanics with 2-3% disseminated pyrite.	582103	5318921	JB	<0.001	SD15082895
R333002	Assay	Sample of mafic volcanics with 5% pyrite and two sets of quartz veins.	582103	5318932	JB	<0.001	SD15082895
R333003	Assay	Large quartz vein hosted in real syenite	582659	5318145	MP	0.001	SD15085705
R333004	Assay	Porphyritic syenite with quartz stringer	582854	5318035	MP	0.69	SD15085705
R333005	Assay	flat dipping quartz vein trending 240 containing 1% py/cpy with malachite hosted in moderately silicified and carbonatized mafic volcanic containing 1-2% diss py	582671	5317543	MP	1.015	SD15090484
R333006	Assay	moderate-strongly silicified mafic volcanic with 1% cubic disseminated py	582624	5317466	MP	0.013	SD15090484
R333007	Assay	flat dipping quartz vein trending 260 containing 1% cubic py with patches of FeOx, hosted in moderately epidotized mafic volcanic containing 1% diss py	582565	5317486	MP	0.002	SD15090484
R333008	Assay	quartz vein at contact between feldspar porphyry and MV; sample contains QV + sheared MV wall rock	582728	5317859	MP	0.024	SD15090484
R333051	Assay	2-4 cm quartz vein with trace euhedral pyrite hosted in syenite	582181	5318901	MK	0.732	SD15082895
R333052	Assay	3cm shallow quartz vein with trace sulphide, possible telluride, Host rock: syenite	582193	5318907	MK	0.002	SD15082895
R333053	Assay	2cm shallow quartz vein with up to 1mm euhedral pyrite (patchy), trace wallrock containing up to 1% pyrite	582173	5318933	MK	1.94	SD15082895
R333054	Assay	2-3cm shallow quartz vein with trace pyrite, sample contains 20% syenite	582158	5318934	MK	0.048	SD15082895
R333055	Assay	2-4cm shallow quartz vein with trace euhedral pyrite, sample contains 30% syenite	582152	5318946	MK	0.203	SD15082895
R333056	Assay	5-6cm shallow quartz vein with trace euhedral pyrite	582244	5318927	MK	1.045	SD15082895
R333057	Assay	Syenite with two mm-scale NE quartz vein with trace pyrite	582268	5318951	MK	0.017	SD15082895
R333058	Assay	Medium-grained syenite with 1% fg disseminated pyrite, no quartz vein	582215	5318924	MK	0.012	SD15082895

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333059	Assay	Syenite with trace pyrite and a 4cm quartz vein with trace sulphides	582215	5318924	MK	0.036	SD15082895
R333060	Blank	Blank	N/A	N/A	MK	<0.001	SD15082895
R333061	Assay	Pit: shallow quartz vein hosted in syenite, trace sulphides	582183	5318925	MK	0.019	SD15082895
R333062	Assay	Fg mafic volcanic with 1% fg disseminated pyrite and trace blebby pyrite	582771	5318230	MK	0.002	SD15085705
R333063	Assay	Pillowed mafic volcanic with trace to 1% fg pyrite with fracture-filling felsic material	582830	5318256	MK	0.007	SD15085705
R333064	Assay	Syenite porphyry with trace disseminated pyrite	582717	5318239	MK	0.001	SD15085705
R333065	Assay	Sericite schist with trace pyrite	582671	5318280	MK	<0.001	SD15085705
R333066	Assay	4cm quartz vein hosted in mafic volcanic with fracture-filling felsic material	582658	5318242	MK	0.001	SD15085705
R333067	Assay	Syenite porphyry with trace sulphides and mm-scale quartz vein	582604	5318297	MK	<0.001	SD15085705
R333068	Assay	2-4cm quartz vein hosted in mafic volcanic	582561	5318280	MK	0.001	SD15085705
R333069	Assay	3cm quartz vein with trace sulphides (E-W vein)	582393	5318472	MK	0.001	SD15085705
R333070	Std: 60c	Standard: 60c	N/A	N/A	MK	2.46	SD15085705
R333071	Assay	1cm quartz vein (N-S) hosted in mafic volcanic with approximately 5% magnetite and 1% pyrite	582393	5318472	MK	0.001	SD15085705
R333072	Assay	Gabbro with 1% fg disseminated pyrite, 20% of sample is 1.5cm quartz vein	582554	5318831	MP	0.001	SD15085705
R333073	Assay	Mafic volcanic with 20% quartz vein, 1.5cm quartz vein with trace pyrite and red staining	582478	5318561	MP	0.001	SD15085705
R333074	Assay	Mafic volcanic with 20% quartz vein, 1% blebby pyrite	582725	5318966	MP	0.001	SD15085705
R333075	Assay	42cm quartz vein striking 300	583036	5318091	MK	0.002	SD15090484
R333076	Assay	5-15cm quartz / breccia with 50% MV, contains 2% blebby to euhedral pyrite	583030	5318108	MK	0.021	SD15090484
R333077	Assay	Mafic volcanic with 1m shear (1-2% pyrite) and 25-30% quartz vein	582967	5318138	MK	0.002	SD15090484
R333078	Assay	Mineralized and sheared mafic volcanic with 1% blebby pyrite. Up to 5% fracture-filling quartz	582967	5318138	MK	0.006	SD15090484
R333079	Assay	Pit: debris from edge of pit is mafic volcanic with 1% fracture-filling pyrite	583002	5318206	MK	0.006	SD15090484
R333080	Duplicate	Duplicate	583002	5318206	MK	0.007	SD15090484
R333081	Assay	Rubble at edge of pit, quartz breccia in mafic volcanic with up to 5% blebby and disseminated pyrite	582908	5318240	MK	0.002	SD15090484
R333082	Assay	Same as sample 14922, mafic volcanic with quartz breccia with 2-4% disseminated pyrite. Boulder at edge of pit.	581978	5318713	MK	0.143	SD15090484
R333083	Assay	Same as sample 14899 which returned 43.7 g/t Au. Previous sample described as quartz but locating is weakly carbonatized MV with trace pyrite.	581993	5318728	MK	0.017	SD15090484
R333084	Assay	Same location as sample 14920, quartz boulder with some fe-carb near	581997	5318718	MK	0.005	SD15090484
R333085	Assay	75cm sugary quartz vein (in-situ) with weathered sulphides. Same location as same 14919 which was taken from boulders and not outcrop	581929	5318779	MK	<0.001	SD15090484
R333086	Assay	In-situ sample from pit wall. Quartz vein with 1% disseminated and fracture-filling pyrite (NE trending)	581905	5318775	MK	0.016	SD15090484
R333087	Assay	In-situ quartz vein (4-6cm) with 1% fracture filling and euhedral pyrite	582053	5318694	MK	0.014	SD15090484
R333088	Assay	Feldspar porphyry with trace - 1% pyrite	582503	5317973	MK	<0.001	SD15090484
R333089	Assay	4cm shallow quartz vein at 288/54 hosted in mafic volcanic	582459	5318039	MK	<0.001	SD15090484
R333090	Blank	Blank	N/A	N/A	MK	<0.001	SD15090484

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333091	Assay	Pink equigranular syenite with 1-2% euhedral disseminated pyrite, possible telluride. Quartz stringers	582306	5318070	MK	0.035	SD15090484
R333092	Assay	3cm flat quartz vein with 1% disseminated pyrite hosted in syenite. Sample is 30% syenite	582272	5318083	MK	0.003	SD15090484
R333093	Assay	5cm quartz vein (274/12) hosted in syenite with 1% pyrite, sample contains 10% syenite	582249	5318085	MK	0.007	SD15090484
R333094	Assay	3cm shallow quartz vein hosted in syenite, sample is 50% syenite	582209	5318120	MK	0.008	SD15090484
R333095	Assay	In-situ sample from 35cm boudinaged quartz vein hosted in mafic volcanic, trace malachite and chalcopyrite	580691	5316889	MK	0.001	SD15093300
R333096	Assay	From shaft muck pile, quartz vein with 1% blebby chalcopyrite and pyrite and trace malachite. Sample is 100% quartz	580619	5316824	MK	0.007	SD15093300
R333097	Assay	From shaft muck pile, mafic tuff? With trace fracture-filling malachite and quartz stringers	580619	5316824	MK	0.073	SD15093300
R333098	Assay	In-situ quartz breccia vein (50% qtz bx and 50% silicified mafic), trace pyrite in vein and wallrock	580614	5316827	MK	0.046	SD15093300
R333099	Assay	Rubble at edge of E-W trending trench, quartz breccia vein in mafic volcanic with trace pyrite	580809	5316932	MK	0.004	SD15093300
R333100	Std: 62e	Standard: 62e	N/A	N/A	MK	9.1	SD15093300
R333101	Assay	white qtz breccia vein in carbonatized mafic volcanic; 5-7% medium-grained disseminated pyrite in the wallrock and fragments	582885	5317905	TRH	0.001	SD15090484
R333102	Assay	0.25-0.5 cm quartz vein in intensely carbonatized mafic volcanic with a 3-5 cm bleached halo and 5-10% fine-grained disseminated pyrite	582930	5317963	TRH	3.29	SD15090484
R333103	Assay	highly deformed white quartz up to 30 cm in carbonatized mafic volcanic with 2-5% fine-grained disseminated pyrite	582982	5317889	TRH	0.007	SD15090484
R333104	Assay	2-3 cm white quartz vein in foliated, carbonatized, mafic volcanic with up to 10% medium to fine-grained disseminated pyrite	582895	5317835	TRH	11.1	SD15090484
R333105	Assay	20 cm shallowly dipping white quartz with trace pyrite in carbonatized and bleached halo with 15-20% fine-grained pyrite	582990	5317791	TRH	0.369	SD15090484
R333106	Assay	10 cm white quartz vein with minor feldspar, possibly quartz-rich phase of the syenite	582688	5319845	TRH	0.002	SD15090484
R333107	Assay	10 cm pink grey fine-grained syenite with trace pyrite and minor quartz stringers	582688	5319845	TRH	0.01	SD15090484
R333108	Assay	up to 2 cm white quartz veinlets in medium-grained, massive syenite with minor pyrite	582686	5319814	TRH	0.051	SD15090484
R333109	Assay	2-3 cm quartz veins in massive coarse-grained syenite with trace to 1% pyrite	582673	5319729	TRH	0.343	SD15090484
R333110	Duplicate	Duplicate	582673	5319729	TRH	0.343	SD15090484
R333111	Assay	2-3 cm quartz veins in massive coarse-grained syenite with 2-3 cm haloes of 3-5% fine-grained pyrite	582673	5319729	TRH	0.009	SD15090484
R333112	Assay	1-1.5 cm white quartz vein with K-alteration along margins cutting massive qfp with 1-2% fine-grained pyrite	582411	5318226	TRH	0.002	SD15090484
R333113	Assay	1-1.5 cm white quartz vein with K-alteration along margins cutting massive qfp with 1-2% fine-grained pyrite	582411	5318226	TRH	0.001	SD15090484

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333114	Assay	1.0-1.5 cm white quartz vein cutting massive qfp with 1-2% fine-grained pyrite	582422	5318208	TRH	0.006	SD15090484
R333115	Assay	chlorite-quartz-epidote altered shear possibly margin of the fp dyke	582780	5317798	TRH	0.009	SD15090484
R333116	Assay	very well foliated to schistose mafic volcanic with boudinaged quartz veins and 1-2% medium-grained disseminated pyrite	580633	5317798	TRH	0.001	SD15096789
R333117	Assay	check on George's sample - Miller	582133	5318705	TH	0.021	SD15101890
R333151	Assay	In situ - 15cm quartz vein (325/72) vein in pit wall. Mafic volcanic has strong fracture-filling beaching associated with 1-2% disseminated pyrite. Samples is 50% vein, 50% mafic	582270	5317892	MK	0.375	SD15096789
R333152	Assay	Strong pervasively bleached mafic volcanic in trench wall (in-situ). Up to 3% fg disseminated pyrite, sample is 20% vein, 80% mafic	582276	5317897	MK	0.987	SD15096789
R333153	Assay	12cm quartz vein (in situ) at 342-38. From pit wall (1m from sample R333152). Sample is at same locations as 29529.	582276	5317897	MK	0.102	SD15096789
R333201	Assay	Carbonate schist with semi-massive pyrite	582010	5318948	GP	0.746	SD15082895
R333202	Assay	Carbonate schist with semi-massive pyrite	582010	5318948	GP	0.403	SD15082895
R333203	Assay	Carbonate schist with semi-massive pyrite	582007	5318936	GP	0.029	SD15082895
R333204	Assay	quartz vein with minor pyrite	582043	5318933	GP	0.53	SD15082895
R333205	Assay	carbonate schist with heavy disseminated pyrite	582003	5318899	GP	0.011	SD15082895
R333206	Assay	20 cm quartz vein with heavy disseminated pyrite	582018	5318901	GP	0.326	SD15082895
R333207	Assay	30 cm quartz vein with heavy disseminated pyrite	582029	5319006	GP	0.51	SD15082895
R333208	Assay	30 cm quartz vein with heavy disseminated pyrite	582029	5319006	GP	0.139	SD15082895
R333209	Assay	30 cm quartz vein with heavy disseminated pyrite	582029	5319006	GP	0.203	SD15082895
R333210	Blank	Blank	N/A	N/A	GP	0.009	SD15082895
R333211	Assay	20 cm quartz vein with heavy disseminated pyrite	582017	5318986	GP	0.059	SD15082895
R333212	Assay	Carbonate schist with semi-massive pyrite	582010	5318948	GP	0.343	SD15082895
R333213	Assay	50 cm quartz vein in syenite with minor pyrite and molybdenite taken from blast pile near trench	582253	5318787	GP	1.83	SD15082895
R333214	Assay	60 cm quartz vein in syenite with minor pyrite and possible telluride taken from blast pile near trench	582293	5318826	GP	0.513	SD15082895
R333215	Assay	carbonate schist with q-c stringers and heavy disseminated pyrite	582151	5319007	GP	1.135	SD15082895
R333216	Assay	Qtz veinlets in syenite dike with pyrite	582119	5318995	GP	0.052	SD15082895
R333217	Assay	carbonate schist with quartz stringers and heavy disseminated pyrite	582119	5318995	GP	1.415	SD15082895
R333218	Assay	carbonate schist with q-c stringers and heavy disseminated pyrite	582112	5318993	GP	0.877	SD15082895
R333219	Assay	carbonate schist with quartz stringers and heavy disseminated pyrite	582091	5318989	GP	0.22	SD15082895
R333220	Std: 60c	Standard: 60c	N/A	N/A	GP	2.55	SD15082895
R333221	Assay	carbonate schist with q-c stringers and heavy disseminated pyrite	582164	5319021	GP	0.761	SD15082895
R333222	Assay	chlorite rich breccia vein in volcanics with pyrite	582497	5319421	GP	0.069	SD15082895
R333223	Assay	quartz veinlets in syenite with pyrite	582666	5319625	GP	0.01	SD15082895
R333224	Assay	quartz veinlets in syenite with pyrite	582669	5319592	GP	0.011	SD15082895
R333225	Assay	carbonate schist in blast pile near pit	582003	5318941	GP	0.214	SD15082895
R333226	Assay	40 cm quartz vein with heavy disseminated pyrite in blast pile near pit	582064	5318981	GP	4.29	SD15082895
R333227	Assay	carbonate schist in blast pile near pit	582071	5318976	GP	0.089	SD15082895

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333228	Assay	carbonate schist with heavy disseminated pyrite and molybdenite in bedrock fragment	581970	5318930	GP	0.509	SD15082895
R333229	Assay	quartz stockwork with pyrite and carbonate in feldspar porphyry	582242	5318544	GP	0.052	SD15082895
R333230	Duplicate	Duplicate	582242	5318544	GP	0.049	SD15082895
R333231	Assay	quartz-carbonate breccia with minor chalcopyrite and pyrite	582255	5318464	GP	0.018	SD15082895
R333232	Assay	carbonate schist with disseminate pyrite	582223	5318422	GP	0.024	SD15082895
R333233	Assay	carbonate schist with disseminate pyrite	582208	5318474	GP	0.007	SD15082895
R333234	Assay	highly oxidized carbonate schist with heavy disseminate pyrite	582231	5318462	GP	0.003	SD15082895
R333235	Assay	30 cm quartz vein with disseminated pyrite and tellurides	582245	5318566	GP	0.76	SD15082895
R333236	Assay	20 cm quartz vein with disseminated pyrite	582143	5318673	GP	1.385	SD15082895
R333237	Assay	quartz stockwork in silicified feldspar porphyry with minor pyrite	582151	5318688	GP	0.066	SD15082895
R333238	Assay	40 cm quartz vein with heavy disseminated pyrite	582148	5318706	GP	0.019	SD15085705
R333239	Assay	q-c stockwork in feldspar porphyry with carbonate alteration and minor pyrite	582166	5318665	GP	0.01	SD15085705
R333240	Blank	Blank	N/A	N/A	GP	<0.001	SD15085705
R333241	Assay	10 cm quartz vein with heavy disseminated pyrite	582036	5318574	GP	0.737	SD15085705
R333242	Assay	10 cm quartz vein with tourmaline, chlorite, carbonate and disseminated pyrite	582034	5318567	GP	0.416	SD15085705
R333243	Assay	20 cm quartz vein with tourmaline, chlorite, carbonate and disseminated pyrite	581975	5318570	GP	1.435	SD15085705
R333244	Assay	10 cm quartz vein with chlorite, carbonate and disseminated pyrite	581969	5318577	GP	0.654	SD15085705
R333245	Assay	10 cm quartz vein with chlorite, carbonate and disseminated pyrite	581972	5318585	GP	0.24	SD15085705
R333246	Assay	carbonate schist with heavy disseminate pyrite	582151	5318498	GP	0.222	SD15085705
R333247	Assay	40 cm quartz vein with heavy disseminated pyrite	582288	5318607	GP	0.001	SD15085705
R333248	Assay	carbonate schist with heavy disseminated pyrite in frost heaved bedrock fragment	582587	5318892	GP	0.028	SD15085705
R333249	Assay	carbonate schist with heavy disseminated pyrite in frost heaved bedrock fragment	582600	5318896	GP	0.062	SD15085705
R333250	Std: 62e	Standard: 62e	N/A	N/A	GP	9.34	SD15085705
R333251	Assay	carbonate schist with heavy disseminated pyrite in frost heaved bedrock fragment	582596	5318897	GP	0.032	SD15085705
R333252	Assay	carbonate schist with heavy disseminate pyrite	582615	5318857	GP	0.004	SD15085705
R333253	Assay	carbonate schist with q-c stringers and heavy disseminate pyrite	582631	5318826	GP	0.011	SD15085705
R333254	Assay	heavily oxidized carbonate schist with heavy disseminate pyrite	582263	5318548	GP	0.662	SD15085705
R333255	Assay	40 cm quartz vein in pervasively altered volcanics with heavy disseminated pyrite	582141	5318450	GP	3.16	SD15085705
R333256	Assay	40 cm quartz vein in pervasively altered volcanics with heavy disseminated pyrite	582141	5318450	GP	0.056	SD15085705
R333257	Assay	20 cm quartz vein with heavy disseminated pyrite	582155	5318469	GP	1.24	SD15085705
R333258	Assay	20 cm quartz vein in pervasively altered volcanics with disseminated pyrite	582111	5318462	GP	1.15	SD15085705
R333259	Assay	30 cm quartz vein with disseminated pyrite	582528	5318841	GP	0.001	SD15090484
R333260	Std: 60c	Standard: 60c	N/A	N/A	GP	2.42	SD15090484
R333261	Assay	pyrite stringers in shear zone	582096	5319015	GP	0.001	SD15090484
R333262	Assay	1.0 m wide quartz vein with disseminated pyrite and molybdenite	582042	5319038	GP	0.06	SD15090484
R333263	Assay	1.0 m wide quartz vein with disseminated pyrite	582039	5319033	GP	0.317	SD15090484
R333264	Assay	1.0 m wide quartz vein with disseminated pyrite	582051	5319057	GP	1.355	SD15090484
R333265	Assay	1.0 m wide quartz vein with disseminated pyrite	582084	5319131	GP	0.03	SD15090484
R333266	Assay	1.0 m wide quartz vein with disseminated py from blast pile near trench	582068	5319102	GP	0.002	SD15090484
R333267	Assay	1.0 m wide quartz vein with disseminated py from blast pile near trench	582062	5319094	GP	0.178	SD15090484

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333268	Assay	oxidized carbonate-sericite schist with heavy disseminated py from frost heaved bedrock fragment	582190	5319089	GP	0.069	SD15090484
R333269	Assay	oxidized carbonate-sericite schist with heavy disseminated py from frost heaved bedrock fragment	582202	5319075	GP	0.016	SD15090484
R333270	Blank	Blank	N/A	N/A	GP	<0.001	SD15090484
R333271	Assay	oxidized carbonate-sericite schist with heavy disseminated py from frost heaved bedrock fragment	582201	5319072	GP	0.106	SD15090484
R333272	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py from frost heaved bedrock fragment	582199	5319079	GP	0.193	SD15090484
R333273	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py from frost heaved bedrock fragment	582195	5319081	GP	0.139	SD15090484
R333274	Assay	oxidized carbonate-sericite schist with heavy disseminated py from frost heaved bedrock fragment	582191	5319083	GP	0.276	SD15090484
R333275	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py in bedrock	582192	5319074	GP	0.015	SD15090484
R333276	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py in bedrock	582179	5319118	GP	0.009	SD15090484
R333277	Assay	oxidized carbonate-sericite schist with q-c veins and heavy disseminated py in bedrock	582168	5319133	GP	0.088	SD15090484
R333278	Assay	carbonate schist with q-c veins and heavy disseminated py from frost heaved bedrock fragment	582117	5319114	GP	0.093	SD15090484
R333279	Assay	carbonate schist with q-c stringers and heavy disseminated py in bedrock	582042	5319194	GP	0.045	SD15090484
R333280	Std: 62e	Standard: 62e	N/A	N/A	GP	8.97	SD15090484
R333281	Assay	30 cm quartz vein with trace py	582099	5319165	GP	0.003	SD15090484
R333282	Assay	carbonate schist with q-c stringers and heavy disseminated py in bedrock	582143	5319119	GP	0.036	SD15090484
R333283	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py from frost heaved bedrock fragment	582179	5319071	GP	0.509	SD15090484
R333284	Assay	oxidized carbonate-sericite schist with q-c stringers and heavy disseminated py from frost heaved bedrock fragment	582174	5319073	GP	0.011	SD15090484
R333285	Assay	carbonate schist with q-c stringers and heavy disseminated py in bedrock	582172	5319033	GP	0.326	SD15090484
R333286	Assay	carbonate schist with q-c stringers and heavy disseminated py from frost heaved bedrock fragment	582127	5319087	GP	0.004	SD15090484
R333287	Assay	15 cm quartz vein with disseminated pyrite	582321	5317829	GP	3.27	SD15093300
R333288	Assay	Mafic schist with pervasive silicification and disseminated pyrite in blast pile near pit	582333	5317818	GP	1.515	SD15093300
R333289	Assay	quartz vein with pervasive carbonate and disseminated pyrite in mafic volcanics	582328	5317838	GP	0.41	SD15093300
R333290	Duplicate	Duplicate	582328	5317838	GP	0.491	SD15093300
R333291	Assay	15 cm quartz vein with pervasive carbonate and heavy disseminated pyrite	582321	5317838	GP	0.976	SD15093300
R333292	Assay	quartz vein with disseminated pyrite in blast pile near trench	582226	5317970	GP	0.006	SD15093300
R333293	Assay	30 cm quartz vein in carbonate schist with minor pyrite	582161	5317945	GP	0.001	SD15093300
R333294	Assay	carbonate schist with q-c stringers and disseminated py in bedrock	582244	5317965	GP	0.471	SD15093300

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333295	Assay	quartz stockwork in syenite with disseminated pyrite from frost heaved bedrock fragment	582257	5318090	GP	0.022	SD15093300
R333296	Assay	quartz stockwork in syenite with disseminated pyrite from frost heaved bedrock fragment	582196	5318109	GP	0.008	SD15093300
R333297	Assay	30 cm quartz vein with disseminated pyrite	583187	5318303	GP	<0.001	SD15096789
R333298	Assay	20 cm quartz vein with disseminated pyrite	583190	5318291	GP	0.001	SD15096789
R333299	Assay	carbonate schist with stringer pyrite	583172	5318043	GP	0.074	SD15096789
R333301	Assay	basalt with disseminated pyrite (1-2%), 4 m long N-S chip sampling	582172	5318745	AG	0.002	SD15082897
R333302	Assay	quartz breccia with pyrite (1-2%) in a trench	582172	5318745	AG	0.012	SD15082897
R333303	Assay	1 m chip sampling in a mineralized shear zone in mv (less than 1% py)	582172	5318745	AG	0.001	SD15082897
R333304	Assay	quartz vein coming from in situ boulders beside an old pit-trench with 1-2% py	582172	5318706	AG	0.226	SD15082897
R333305	Assay	6 m exposed mineralized quartz vein in syenite with trace py	582339	5318926	AG	0.019	SD15082897
R333306	Assay	Feldspar/syenite porphyry as a dyke with trace py	582639	5318071	AG	<0.001	SD15082897
R333307	Assay	quartz veining with trace py and mv host rock with 1% disseminated pyrite	582595	5318090	AG	0.005	SD15085705
R333308	Assay	basalt with disseminated pyrite <1%, with qtz veinlets and stringers	582616	5318169	AG	0.002	SD15085705
R333309	Assay	quartz vein with 20 cm wide and 5 m long in a basaltic outcrop, contains <1% py, 60% vein and 40% wallrock	582544	5318180	AG	0.162	SD15085705
R333310	Std: 60c	Standard: 60c	N/A	N/A	AG	2.5	SD15085705
R333311	Assay	quartz vein in a basaltic outcrop, contains <1% py, 60% vein and 40% wallrock	582544	5318180	AG	0.003	SD15085705
R333312	Assay	mineralized quartz veinlets with trace py in mv	582584	5318236	AG	0.001	SD15085705
R333313	Assay	a mineralized quartz vein with 1% py and 20 m long, 25cm wide in mv	582439	5318241	AG	0.022	SD15085705
R333314	Assay	From a mineralized (trace py) fine grains mafic volcanic and also quartz veining boulders likely to be n situ	582325	5318228	AG	0.06	SD15085705
R333315	Assay	highly mineralized (2-3%) mafic volcanic and also quartz breccia	582573	5318228	AG	0.104	SD15085705
R333316	Assay	quartz veinings with trace pyrite in mafic volcanics	582544	5318116	AG	0.002	SD15085705
R333317	Assay	quartz vein with 1% pyrite and Fe-OH, boulders included in sample as well as in situ vein	582491	5318093	AG	0.001	SD15085705
R333318	Assay	from syenite with qtz stringers and veinlets	582511	5318087	AG	0.001	SD15085705
R333319	Assay	feldspar porphyry with 1% py disseminated and some qtz str and vnlts	582471	5318153	AG	0.003	SD15085705
R333320	Duplicate	Duplicate	582471	5318153	AG	0.004	SD15085705
R333321	Assay	syenite with disseminated py 1% and some qtz veining	582454	5318164	AG	0.029	SD15085705
R333322	Assay	from quartz vein inside a shear zone on basalt outcrop, 10 m long	582349	5318117	AG	0.001	SD15085705
R333323	Assay	mineralized 2 % quartz boulders in situ coming from an old trench	582331	5318198	AG	0.006	SD15085705
R333324	Assay	basalt with disseminated py 1 % and some quartz str	582508	5318342	AG	0.001	SD15085705
R333325	Assay	mineralized shear zone, 1-2 % py, some qtz vns	582509	5318304	AG	0.165	SD15085705
R333326	Assay	feldspar porphyry with some qtz veinings	582240	5318507	AG	0.001	SD15085705
R333327	Assay	sheared basalt with trace py and qtz vein	582267	5318588	AG	0.002	SD15085705
R333328	Assay	qtz vein with trace py, 3-4 cm wide of vein	582306	5318443	AG	0.001	SD15085705
R333329	Assay	mafic volcanic with pyrite disseminated and fracture filling, trace py	582143	5318537	AG	0.001	SD15085705
R333330	Blank	Blank	N/A	N/A	AG	<0.001	SD15085705
R333331	Assay	mafic volcanic weathered outcrop, with py, Fe-OH, 2 m long and 30 cm wide	582143	5318537	AG	0.002	SD15085705

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333332	Assay	probably in situ boulders of mv, highly altered and 1-2 % py disseminated	582181	5318445	AG	0.017	SD15085705
R333333	Assay	mineralized (1-2% py) shear zone with high density of qtz veinlets	582227	5318380	AG	0.002	SD15085705
R333334	Assay	from shearing basalt with epidote and quartz veinlets and trace py	582281	5318402	AG	0.007	SD15085705
R333335	Assay	from quartz vein boulders not sure being in place, py mineralization	582281	5318402	AG	0.009	SD15085705
R333336	Assay	from quartz veins in basalt, between 2 to 15 cm wide, in and cloe to an old trench	582067	5318840	AG	0.001	SD15090484
R333337	Assay	shear zone in mafic volcanic outcrop, including 0.5 % py with rare qtz vns	582084	5318860	AG	0.001	SD15090484
R333338	Assay	from mafic volcanic with trace disseminated pyrite and qtz str	582084	5318860	AG	<0.001	SD15090484
R333339	Assay	mafic volcanic with trace pyrite as disseminated and epidote alteration	582063	5319009	AG	0.003	SD15090484
R333340	Std: 62e	Standard: 62e	N/A	N/A	AG	9.09	SD15090484
R333341	Assay	1 m wide quartz vein with oxides and a little pyrite	582069	5319201	AG	0.022	SD15090484
R333342	Assay	from sheared zone in mafic volcanic as host rock of sample 341, 1% py disseminated	582069	5319201	AG	0.001	SD15090484
R333343	Assay	3-4 cm wide QV with tr py, hosted in equigranular coarse-grained syenite with tr py; sample contains 50% QV, 50% syenite	582722	5319707	MP	0.122	SD15090484
R333344	Assay	from the shear zone with less than 0.5 % pyrite, sample consist of qtz-carb veins and mafic sheared host rock	582628	5318332	AG	0.002	SD15090484
R333345	Assay	from quartz-carb and host mafic volcanic from a pit, py as disseminated and fracture filling up to 1 %	582974	5318563	AG	<0.001	SD15090484
R333346	Assay	10-20cm mineralized quartz vein with 1-2% py, within a NW trending shear zone	582974	5318563	AG	<0.001	SD15090484
R333347	Assay	shallow dip quartz vein and mafic volcanic host rock, trace py in a trench	582974	5318563	AG	0.005	SD15090484
R333348	Assay	with both in situ mafic volcanic and quartz boulders, trace py and some Fe-OH	583060	5318576	AG	<0.001	SD15090484
R333349	Assay	from 30 cm wide quartz vein within a strong shear zone	582066	5319136	AG	0.115	SD15090484
R333350	Duplicate	Duplicate	582066	5319136	AG	0.206	SD15090484
R333351	Assay	quartz vein in mafic volcanic with disseminated and fracture filling pyrite 1-2%	582189	5319192	AG	0.002	SD15090484
R333352	Assay	from in situ quartz vein boulders in syenite, trace py, beside a pit	582627	5319410	AG	0.067	SD15090484
R333353	Assay	from quartz vein boulders with trace of pyrite in blasting hole, syenite hosted	582627	5319445	AG	0.549	SD15090484
R333354	Assay	syenite host rock of sample 353 with less than 1 % pyrite, blasting hole	582627	5319445	AG	0.067	SD15090484
R333355	Assay	syenite with pyrite less than 0.5%, disseminated	582652	5319491	AG	0.078	SD15090484
R333356	Assay	qtz veins with about 1 % of pyrite, sample collected from a NE trending set of veins in Sy	582652	5319491	AG	0.146	SD15090484
R333357	Assay	from syenite with trace of pyrite and quartz stringers in blasting hole	582677	5319498	AG	0.008	SD15090484
R333358	Assay	from in situ quartz vein boulders without visible min.	582883	5319399	AG	0.015	SD15093300
R333359	Assay	from pyritic quartz vein as a boulder, unknown source but beside the sample 358	582883	5319399	AG	0.003	SD15093300
R333360	Blank	Blank	N/A	N/A	AG	<0.001	SD15093300
R333361	Assay	quartz vein up to 15 cm in highly altered and sheared mv with strong foliation	582917	5319185	AG	0.005	SD15093300
R333362	Assay	qtz(80%)-carb(20%) highly mineralized vein (5-10% py), 20-50 cm wide and 15 m long hosted by gabbro	582020	5317524	AG	0.013	SD15093300
R333363	Assay	mineralized host rock (gabbro) with py as fracture filling and 2-5 % disseminated	582020	5317524	AG	0.002	SD15093300
R333364	Assay	the same vein, high oxidized pyritic parts (20% oxidized sulphides and fresh py)	582020	5317524	AG	0.011	SD15093300
R333365	Assay	high mineralized qtz vein up to 5 % py,	581744	5317649	AG	0.013	SD15093300
R333366	Assay	qtz vein with less than 1% pyrite along a trench	581744	5317649	AG	<0.001	SD15093300

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333367	Assay	mineralized boulders as well as bed rock in a trench, contains py as fracture filling, in andesitic rocks	581953	5317337	AG	0.033	SD15093300
R333401	Assay	Basalt fine grained light grey to tan color with some sulphides but mainly exhibits a high amount of leaching on the edge of sample. Alteration in sample caused by carbonates. Exterior is tan colour.	582287	5318917	MC	0.003	SD15082895
R333402	Assay	Basalt fine grained light grey to medium grey and appears altered with some disseminated sulphides. Exterior has some leaching and a powdery orange rusty surface. Sample is highly weathered.	582261	5318810	MC	0.406	SD15082895
R333403	Assay	Fine to medium grained texture with exterior powdery orange weathered. Interior has quartz stringers with disseminated pyrite. Sample appears to be syenite but altered.	582262	5318811	MC	0.171	SD15082895
R333404	Assay	Pink-tan colored apalitic textured syenite containing some disseminated sulphides. Sample also has fine grained grey basalt mingled into syenite. Exterior is powdery grey.	582268	5318807	MC	0.072	SD15082895
R333405	Assay	Crystal rich textured syenite that is pink-tan colored. Exterior is powdery light tan color. Some disseminated sulphides were noted.	582284	5318748	MC	<0.001	SD15082895
R333406	Assay	Light tan-grey fine textured basalt with 5mm wide stringers at cross angles to each other. Exterior shows leaching and is powdery orange. Appears to be an altered basalt.	582123	5319053	MC	0.397	SD15082895
R333407	Assay	Interior is creamy fine grained texture with disseminated to cubic silver sulphides. Shows leaching on sample with powdery orange-red deposits. Sample shows high alteration.	582175	5319129	MC	0.059	SD15082895
R333408	Assay	Interior is tan colored fine grained with high amount of leaching on edges and sample is highly altered with very weathered surface. Has clustered areas of silver sulphides.	582203	5319076	MC	0.004	SD15082895
R333409	Assay	Interior is tan-grey fine grained creamy texture with disseminated sulphides and patches of powdery orange weathering. Exterior is very weathered. Sample appears highly altered.	582013	5318941	MC	0.538	SD15082895
R333410	Blank	Blank	582013	5318941	MC	<0.001	SD15082895
R333411	Assay	Quartz breccia with triangular pieces of basalt. Curved pyrite is located mainly in the quartz.	582501	5319422	MC	0.4	SD15082895
R333412	Assay	Banded quartz located 1 metre away from sample R333411. Quartz is banded with fine grained greenish grey basalt. No sulphides were noted.	582497	5319428	MC	<0.001	SD15082895
R333413	Assay	Syenite crystal rich tan-pink with quartz stringers 2 cm wide in sample. Along contact of quartz and syenite molybdenite was noted. Sample has disseminated sulphides. Black specks in syenite could be chlorite.	582650	5319689	MC	1.22	SD15082895
R333414	Assay	Syenite crystal rich tan-pink with black specks. 2 cm wide quartz vein. Appears bleached in areas and quartz has some red staining. Disseminated pyrite noted in sample.	582651	5319692	MC	0.654	SD15082895
R333415	Assay	Tan-pink crystal rich syenite with quartz stringers and has disseminated sulphides.	582652	5319674	MC	0.021	SD15082895

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333416	Assay	Bleached tan colored crystal rich syenite with wide white quartz veins. No sulphides were noted.	582654	5319709	MC	0.003	SD15082895
R333417	Assay	Tan-pink but with a somewhat bleached appearance with black specks in sample. No quartz in this sample. No sulphides were noted.	582686	5319651	MC	<0.001	SD15082895
R333418	Assay	Mainly quartz but mingled with chunks of bleached and oxidized crystal rich syenite. Quartz has red staining. Pieces of basalt mingled into sample. Has disseminated sulphides.	582712	5319667	MC	0.368	SD15082895
R333419	Assay	Syenite fine grained texture pink-red with black mineral. Exterior is weathered dark red to black. No sulphides were noted.	582635	5318179	MC	0.086	SD15085705
R333420	Std: 60c	Standard Oreas 60C	N/A	N/A	MC	2.42	SD15085705
R333421	Assay	Syenite fine grained texture tan with some red color with some black mineral banding or forming a stringer through samples. Exterior is black to red color. Appears bleached with some powdery orange rust. No sulphides noted.	582636	5318181	MC	0.065	SD15085705
R333422	Assay	Syenite pink-red fine grained texture with some black specks. Exterior edges looks bleached. No sulphides noted.	582627	5318198	MC	0.001	SD15085705
R333423	Assay	Syenite pink-red with black specks. No weathering or sulphides noted.	582618	5318199	MC	0.027	SD15085705
R333424	Assay	Syenite pink fine grained textured with some black specks with some diss. Sulphides. Exterior is black to brown color.	582607	5318215	MC	0.002	SD15085705
R333425	Assay	Syenite deep pink-red color fine grain texture with black specks. Deeply orange-red rusted areas of leaching, with quartz on samples. Some sulphides were noted in weathered areas.	582615	5318223	MC	0.007	SD15085705
R333426	Assay	Basalt mixed with pink red vein of syenite. Syenite appears bleached with black specks. Leaching on basalt (halo) with disseminated sulphides.	582627	5318222	MC	0.004	SD15085705
R333427	Assay	Syenite with porphyritic texture black colored matrix with pink chunks of porphyry. Exterior is tan colored and powdery.	582602	5318316	MC	0.011	SD15085705
R333428	Assay	Feldspar porphyry grey medium colored matrix with pink to white or red chunks. Some disseminated sulphides. Exterior is powdery orange.	582610	5318331	MC	0.009	SD15085705
R333429	Assay	Mafic rock most likely. Medium to dark grey colored with black silver/rectangular chunks to silvery sulphides.	582609	5318332	MC	0.001	SD15085705
R333430	Duplicate	Duplicate	582609	5318332	MC	0.001	SD15085705
R333431	Assay	Syenite tan-pink with black silver/rectangular chunks in high proportion. No sulphides noted. Exterior is orange brown with black areas.	582606	5318268	MC	0.003	SD15085705
R333432	Assay	Feldspar porphyry with grey-black matrix with quartz/feldspar phenocrysts. Some disseminated sulphides. Exterior powdery orange. Silvery cubic pyrite.	582606	5318401	MC	0.011	SD15085705
R333433	Assay	Basalt fine grained grey texture with a halo of carbonate and disseminated to cubic silver pyrite. In sample is feldspar porphyry with disseminated sulphides. Exterior is powdery tan to brown-red.	582600	5318400	MC	0.02	SD15085705
R333434	Assay	Feldspar porphyry with disseminated pyrite with powdery orange-red leached areas. Exterior is dark red.	582604	5318402	MC	0.002	SD15085705
R333435	Assay	Basalt fine grained grey texture with some disseminated sulphides. Exterior is tan color.	582604	5318394	MC	0.001	SD15085705
R333436	Assay	Feldspar porphyry with disseminated pyrite. Very rusty orange-red exterior.	582602	5318394	MC	0.011	SD15085705

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333437	Assay	Syenite tan color with black/red areas. Long rectangular crystals, tourmaline? In places the texture is porphyritic. Surfaces are black or tan-red.	582485	5318415	MC	0.001	SD15085705
R333438	Assay	Basalt fine grained grey texture mixed with feldspar porphyry and quartz stringer with disseminated sulphides. Some areas of syenite are tan colored and not porphyritic.	582475	5318462	MC	0.014	SD15085705
R333439	Assay	Basalt fine grained grey heavily weathered with quartz stringers and areas of tan colored syenite. Quartz has areas of red staining and disseminated pyrite. Has cubic sulphides and dark black layers filled with sulphides tending mainly to cubic.	582472	5318458	MC	0.294	SD15085705
R333440	Blank	Blank	N/A	N/A	MC	<0.001	SD15085705
R333441	Assay	Feldspar porphyry with red powdered stained areas (carbonate?). Exterior exhibits leaching and surface is tan colored. Not much sulphides noted.	582482	5318429	MC	<0.001	SD15085705
R333442	Assay	Syenite tan colored with a bleached appearance. Mixed with quartz and has cubic pyrite. Syenite has brown-red patches.	582452	5318533	MC	0.017	SD15085705
R333443	Assay	Syenite tan-pink colored and fine grained. Similar to R333442 but with more quartz and some feldspar. Not much sulphides were noted.	582484	5318419	MC	<0.001	SD15085705
R333444	Assay	Syenite or feldspar porphyry with a high amount of silicification. Has disseminated pyrite and the syenite appears altered.	582453	5318531	MC	0.025	SD15085705
R333445	Assay	Feldspar porphyry with areas of leaching. Sample contains cubic silver pyrite. Exterior is tan-pink to brown weathered.	582444	5318550	MC	0.004	SD15085705
R333446	Assay	Feldspar porphyry with 2 cm quartz vein. Brown staining noted on quartz vein. Has silver cubic pyrite. Feldspar porphyry tends to be greenish in color.	582442	5318556	MC	0.012	SD15085705
R333447	Assay	Quartz white wide vein containing some cubic pyrite attached to fine grained green-grey colored basalt. Along quartz/basalt contact the area of basalt contains a fine layer of disseminated pyrite evenly distributed along 2 cm edge of basalt. Basalt appears silicified and contains some cubic pyrite. Mixture of sample is 50% quartz and 50% basalt.	582361	5318428	MC	0.246	SD15085705
R333448	Assay	Quartz white wide vein with some basalt banding containing disseminated to cubic pyrite within basalt bands of the quartz. Attached to quartz is a fine grained grey basalt with mainly areas of high weathering to a brown color. Basalt along quartz/basalt contact contains high amount of disseminated pyrite. Sample is 75% quartz and 25% basalt.	582307	5318532	MC	0.005	SD15085705
R333449	Assay	Quartz white vein, 100% quartz in sample but within quartz it is banded with basalt and patchy silver sulphides. Sample shows weathering along banding to a red-brown powder.	582304	5318532	MC	0.004	SD15085705
R333450	Std: 62e	Standard Oreas 62e	N/A	N/A	MC	9.36	SD15085705
R333451	Assay	Float? Fine grained grey mafic volcanic with a layered appearance. Layers are grey mafic volcanic and then orange to white carbonate? Mafic volcanic is magnetic. No sulphides were noted.	582177	5319280	MC	0.003	SD15085705

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333452	Assay	Altered mafic volcanic rock that is highly weathered with disseminated pyrite. Quartz is attached to sample but has a high amount of weathering to dark brown. Interior is creamy texture with large patches of quartz. Exterior is rusty orange patchy color to red.	582295	5319401	MC	0.041	SD15085705
R333453	Assay	Creamy sand colored fine grained textured mafic volcanic with disseminated pyrite. Exterior edges are weathered red. Sample contains areas of quartz. Weathered orange-red on outside.	582292	5319404	MC	0.319	SD15085705
R333454	Assay	Quartz mixed with fine grained sandy-green colored texture with disseminated pyrite. Sample appears to have high alteration. Mafic volcanic altered with quartz. Edges have a black-red rim or halo.	582294	5319403	MC	0.024	SD15085705
R333455	Assay	Syenite pink-red mixed with quartz containing moly. And possibly tourmaline. Quartz has red staining. Has disseminated pyrite.	582637	5319787	MC	1.135	SD15085705
R333456	Assay	Syenite medium grained tan colored with black biotite specks. White quartz is approximately half of the sample.	582655	5319640	MC	<0.001	SD15090484
R333457	Assay	Quartz weathered yellow with pyrite cubic spaces which are empty where pyrite fell out. Basalt fine grained texture grey color with disseminated sulphides and white quartz on edge with cubic silver sulphides.	581869	5318922	MC	0.004	SD15090484
R333458	Assay	Fine grained to creamy sand colored with disseminated sulphides. Edges of mafic volcanic show leaching. Exterior is weathered with a frosting of quartz. Half of sample is white quartz that is granular/sugary texture with sulphides and areas of brown-red weathering.	581895	5318596	MC	0.058	SD15090484
R333459	Assay	Mainly quartz white with areas of weathered fine grained textured basalt that ranges from brown to powdery red with sulphides mainly in basalt but quartz sows extreme weathering on edges.	581891	5318596	MC	0.193	SD15090484
R333460	Duplicate	Duplicate	581891	5318596	MC	0.108	SD15090484
R333461	Assay	Fine grained sandy-grey colored interior with a silicified appearance and disseminated sulphides. Exterior is weathered a powdery orange. Possibly some quartz stringers in sample.	581948	5318565	MC	0.458	SD15090484
R333462	Assay	Fine grained grey textured basalt with a thin layer of quartz on outside. Exterior is a powdery orange. Quartz 2 cm stringer runs through some pieces with some sulphides. Quartz is granular and weathered.	581926	5318581	MC	0.128	SD15090484
R333463	Assay	Fine grained sandy-green color. Sheared-layered appearance. Possibly silicified. No sulphides were noted.	582553	5318773	MC	0.024	SD15090484
R333464	Assay	Fine grained to glassy green texture inside with areas of light beige (bleached?) to red stained. Mafic volcanic? No sulphides note. Most likely an altered mafic volcanic.	582907	5319161	MC	<0.001	SD15090484
R333465	Assay	Similar to R333464. Fine grained green texture with areas rusted orange. Quartz in sample with areas of sample are bleached. Altered mafic volcanic.	582917	5319173	MC	0.001	SD15090484
R333466	Assay	Fine grained green silicified texture containing disseminated sulphides with app. 6 cm wide quartz stringer having layered red stained areas and layers of green. Quartz contains cubic pyrite. Some areas have sulphides smeared over rock. Red could be jasper or hematite. Altered mafic volcanic with quartz vein.	582879	5319258	MC	0.2	SD15090484

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333467	Assay	Quartz smokey grey with areas of black veining running in various directions. Appears to be black chlorite with areas of moly. Large patchy areas of sulphides clustered in areas of samples. Silvery areas could be galena.	582873	5319258	MC	0.601	SD15090484
R333468	Assay	Silicified or altered light green rock with patches of red (jasper?). Edges are bleached tan colored to rusty orange. Carbonate white-red layered on edges. No sulphides noted.	582874	5319259	MC	<0.001	SD15090484
R333469	Assay	Quartz vein white in fine grained green silicified or altered with areas of rusty orange. Exterior weathers tan color to pink-red.	582876	5319254	MC	0.042	SD15090484
R333470	Blank	Blank	N/A	N/A	MC	<0.001	SD15090484
R333471	Assay	Sample is mainly smokey grey quartz having cubic sulphides and red patches (jasper/hematite). Part of sample is lime green with a silicified appearance.	582876	5319255	MC	0.061	SD15090484
R333472	Assay	Quartz white with yellow staining but most of sample is stained pink.	582680	5317545	MC	0.412	SD15090484
R333473	Assay	Waste pile basalt and quartz - sample R333473	582272	5317878	MC	0.609	SD15090484
R333474	Assay	Brecciated quartz mixed with sheared basalt. Cracks between quartz are brown-red with weathering. Quartz exhibits pink staining. Sulphides not noted.	584401	5317923	MC	0.019	SD15093300
R333475	Assay	Syenite/feldspar porphyry red colored with bleached-weathered edges. Syenite has black biotite crystals and has disseminated sulphides. Exterior is a light tan color with some staining.	584402	5317921	MC	0.001	SD15093300
R333476	Assay	Quartz white with yellow staining with grey patchy to stringer grey mineral/rock which has silver sulphides. Areas of quartz contain very patchy large areas of bronze-silver fine grained pyrite which also contains 5 mm cubic silvery pyrite.	584360	5318001	MC	2.21	SD15093300
R333477	Assay	Medium grained andesite having cubic pyrite and quartz stringers with red-purple stained areas which has some quartz crystals. Some of sample is white quartz and some are weathered tan color.	584295	5317982	MC	0.324	SD15093300
R333478	Assay	Mixed breccia andesite/syenite contact. Fine grey black texture banded with apalitic syenite. Some pieces are more porphyritic in texture. Edges have bright pyrite/chalcopyrite?	584095	5318216	MC	0.001	SD15093300
R333479	Assay	Smokey grey quartz with pink/tan feldspar? And some darker grey areas. Has a shiny silver metal which is possibly tellurides? Weathered surface is pink/black sprinkled. Has some disseminated sulphides.	583601	5318626	MC	0.73	SD15093300
R333480	Std: 60c	Standard 60c	N/A	N/A	MC	2.48	SD15093300
R333481	Assay	One metre from sample R333479. Same description as R333479. Smokey grey quartz with pink/tan feldspar? And some darker grey areas. Has a shiny silver metal which is possibly tellurides? Weathered surface is pink/black sprinkled. Has some disseminated sulphides.	583601	5318628	MC	0.044	SD15093300
R333482	Assay	Quartz vein very weathered on surface with some disseminated sulphides. Quartz in mainly white but has some smokey grey quartz.	584875	5317343	MC	0.238	SD15098326
R333483	Assay	White quartz with some silver-grey metallic looking specks which may possibly be tellurides. Some disseminated sulphides. Orange/tan feldspar? On edges.	583590	5318613	MC	0.015	SD15098326

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333484	Assay	Fine grained grey-black texture with quartz vein having red stained areas and cracks and tan colored areas. Appears to have disseminated pyrite along the contact of quartz and basalt. Sample appears to have shiny silvery metal which may possibly be tellurides. Basalt has cubic sulphides. Half quartz and basalt.	583602	5318624	MC	0.013	SD15098326
R333485	Assay	Mainly quartz white but has pink/tan areas with grey/black tellurides? Along pink/tan areas are disseminated sulphides.	583602	5318627	MC	0.028	SD15098326
R333501	Assay	1m chip across strong Fe-carb altered foliated zone	584499	5316406	GW	0.057	SD15082895
R333651	Assay	QVs and andesite with 1% diss py	584408	5317916	MP	0.008	SD15093300
R333652	Assay	andesite 1% diss py	584408	5317916	MP	0.033	SD15093300
R333653	Assay	10 cm wide QV (353/76) with hematite staining, hosted in mafic volcanic; sample is mostly QV with some MV	584021	5318086	MP	0.021	SD15093300
R333654	Assay	10 cm wide QV (353/76) with 1-2% diss py, red and orange staining, hosted in MV; sample is mostly QV with some MV; same vein as sample R333653	584021	5318086	MP	1.445	SD15093300
R333655	Assay	strong shear zone and foliation in intermediate tuff breccia; shear direction = 128/75; foliation = 325/85	584147	5318216	MP	0.006	SD15093300
R333656	Assay	3-4 cm QV (220/20) containing 1% crystals of silverish mineral (possible telluride - bismuthinite?) and 1% cubic py; hosted in intermediate tuff breccia	583609	5318535	MP	0.142	SD15093300
R333657	Assay	2 cm-wide quartz vein (258/45) in mafic volcanic, trace py	580812	5318085	MP	0.002	SD15096789
R333658	Assay	2-10 mm wide euhedral to subhedral pink and white feldspar phenocrysts in a fine grained medium pinkinsh grey matrix (porphyritic syenite?) with 1% disseminated pyrite	581023	5317876	MP	0.001	SD15096789
R333659	Assay	10 cm wide quartz vein with 1% py, hosted in MV with 2-3% py in halo around quartz vein; sample is 50% quartz vein, 50% pyritic host MV	581181	5317998	MP	0.002	SD15096789
R333660	Std: 60c	Standard: 60c	N/A	N/A	MP	2.44	SD15096789
R333661	Assay	dextral shear zone with strong SC fabric at contact with MV and feldspar porphyry; 5% disseminated and cubic py, very oxidized on surface; quartz vein same trend as shear zone	582733	5317852	MP	0.003	SD15096789
R333701	Assay	shallow dipping 10cm quartz vein with disseminated pyrite	582915	5317884	GP	52.5	SD15114146
R333702	Assay	shallow dipping 10cm quartz vein with disseminated pyrite	582911	5317854	GP	1.185	SD15114146
R333703	Assay	shallow dipping 15cm quartz vein with disseminated pyrite	582936	5318046	GP	0.002	SD15114146
R333704	Assay	shallow dipping 15cm quartz vein with disseminated pyrite	582936	5318046	GP	0.021	SD15114146
R333705	Assay	shallow dipping 15cm quartz vein with disseminated pyrite from frost heaved bedrock fragment	582898	5318043	GP	0.329	SD15114146
R333706	Assay	shallow dipping 15cm quartz vein with abundant visible gold and gold tellurides with disseminated pyrite from frost heaved bedrock fragment	582898	5318043	GP	212	SD15114146
R333707	Assay	3cm quartz stringers in silicified and pyritized basalt along syenite contact	582617	5317998	GP	0.27	SD15114146
R333708	Assay	shallow dipping 10cm quartz vein with disseminated pyrite	582895	5318037	GP	0.341	SD15114146
R333709	Assay	stockwork veining with pyrite in pervasively altered basalt from frost heaved bedrock fragment	582890	5318045	GP	4.99	SD15114146
R333710	Blank	Blank	N/A	N/A	GP	0.009	SD15114146

Sample Number	Sample Type	Description	Easting	Northing	Sampled By	Au (g/t)	Certificate
R333711	Assay	5cm quartz stringers with heavy pyrite in altered basalt from frost heaved bedrock fragment	582907	5318013	GP	16.1	SD15114146
R333712	Assay	pervasively altered syenite porphyry with stockwork mineralization from frost heaved bedrock fragment	582879	5318024	GP	0.278	SD15114146
R333713	Assay	pervasively altered carbonate schist with semi-massive fine pyrite	582669	5318122	GP	0.006	SD15114146
R333714	Assay	8cm quartz vein with pyrite in pervasively carbonatized volcanics from frost heaved bedrock fragment	582929	5317970	GP	2.51	SD15133851
R333715	Assay	10cm quartz vein with red staining in pervasively carbonatized volcanics from frost heaved bedrock fragment	582924	5317973	GP	6.11	SD15133851
R333716	Assay	15 cm quartz vein with minor pyrite in sheared volcanics	582960	5317920	GP	0.014	SD15133851
R333717	Assay	10 cm quartz vein with pyrite in pervasively carbonatized volcanics from frost heaved bedrock fragment	582930	5317988	GP	0.845	SD15133851
R333718	Assay	quartz breccia with semi-massive chalcopyrite in volcanics	582110	5318749	GP	0.016	SD15133851
R333719	Assay	quartz stockwork with minor pyrite in syenite	582104	5318776	GP	0.13	SD15133851
R333720	Std: 60c	Standard: 60c	N/A	N/A	GP	2.49	SD15133851
R333721	Assay	quartz stockwork with minor pyrite in feldspar porphyry	582097	5318736	GP	0.003	SD15133851
R333722	Assay	quartz breccia with minor pyrite in volcanics	582110	5318745	GP	<0.001	SD15133851
R333723	Assay	quartz breccia from blast pile	582096	5318742	GP	0.002	SD15133851
R333724	Assay	quartz stockwork with heavy disseminated chalcopyrite in altered volcanics from blast pile	582100	5318745	GP	0.04	SD15133851
R333725	Assay	quartz breccia vein with chalcopyrite blebs in volcanics along contact with feldspar porphyry	582101	5318739	GP	0.001	SD15133851
R333726	Assay	40 cm quartz vein with minor pyrite and red oxidation in volcanics from blast pile	582099	5318703	GP	0.002	SD15133851

APPENDIX E: ALS ASSAY CERTIFICATES - GRAB AND CHANNEL SAMPLES

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

CERTIFICATE SD15079170

Project: MILLER

This report is for 143 Rock samples submitted to our lab in Sudbury, ON, Canada on 1-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	GERNOT WOBER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: MICHAELA KUUSKMAN
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
29643		1.21	0.895		0.32	0.80	2.3	0.5	<10	60	0.39	0.80	12.85	0.15	5.23	30.0
29644		1.72	0.875		0.29	0.10	0.9	0.6	<10	10	0.09	1.29	1.29	0.08	2.88	15.8
29645		1.50	0.516		0.30	0.08	0.5	0.3	<10	30	<0.05	12.95	0.07	<0.01	3.79	1.9
29646		2.09	0.018		0.70	0.44	0.7	<0.2	<10	10	0.07	0.53	0.18	0.09	1.04	4.9
29647		1.05	0.279		2.09	0.27	0.7	0.3	<10	20	0.08	5.60	0.29	0.01	1.96	6.7
29648		1.09	0.022		2.30	3.79	114.0	<0.2	<10	50	0.18	0.96	0.99	9.12	13.35	27.6
29649		1.26	0.112		0.12	0.31	0.7	<0.2	<10	10	0.15	4.77	0.51	0.03	2.08	3.9
29650		1.30	0.052		0.08	0.57	0.5	<0.2	<10	30	0.25	0.82	0.04	0.02	3.18	2.9
29651		1.35	2.77		0.15	0.12	0.7	0.5	<10	10	0.13	0.33	0.26	0.04	8.63	1.0
29652		1.23	2.30		0.42	0.12	0.3	0.3	<10	10	0.11	8.51	0.27	0.01	3.79	1.6
29653		1.83	0.001		0.13	0.86	0.9	<0.2	<10	50	0.13	0.21	0.74	0.06	11.40	28.6
29654		2.43	0.020		0.21	2.27	0.8	<0.2	<10	10	0.29	0.32	1.11	0.07	12.20	26.0
29655		1.66	0.035		0.06	1.30	0.5	<0.2	<10	30	0.31	0.27	0.72	0.14	26.9	15.5
29656		1.84	0.407		0.36	0.68	1.1	0.5	<10	50	0.33	0.73	0.46	0.06	14.40	8.7
29657		1.61	0.001		0.72	0.22	0.5	<0.2	<10	10	0.17	0.50	0.42	0.13	11.35	4.0
29658		1.49	0.002		0.33	1.00	0.7	<0.2	<10	10	0.16	1.32	1.01	0.03	6.68	20.1
29659		1.74	0.058		0.02	0.08	0.4	<0.2	<10	10	<0.05	0.23	0.04	0.01	3.57	1.4
29660		2.19	2.24		1.07	0.09	0.5	3.6	<10	20	<0.05	18.95	0.05	<0.01	3.27	1.8
29661		2.02	>10.0	11.85	4.70	0.19	0.3	11.4	<10	80	0.18	38.0	0.26	<0.01	10.55	3.1
29662		1.85	0.021		0.05	0.23	0.3	<0.2	<10	30	0.18	0.65	0.10	0.01	12.90	3.1
29663		2.06	0.180		0.89	1.12	1.7	0.2	<10	10	0.49	4.77	4.27	0.07	2.10	33.5
29664		1.24	0.040		0.84	0.61	0.4	2.0	<10	50	0.28	0.78	0.97	0.06	22.4	8.5
29665		2.52	0.053		0.09	0.18	0.4	<0.2	<10	220	0.12	0.81	0.41	0.02	11.20	3.2
29666		1.67	0.085		0.26	0.26	0.4	1.8	<10	20	0.11	1.00	0.09	0.01	6.56	3.7
29667		1.44	0.007		0.07	0.33	0.2	<0.2	<10	30	0.25	0.37	0.25	0.02	20.2	3.9
29668		1.41	<0.001		0.05	0.76	0.4	<0.2	<10	10	0.07	0.07	0.90	0.16	2.05	14.5
29669		0.73	0.001		<0.01	0.01	0.4	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	0.10	1.0
29670		1.16	0.010		0.01	0.37	0.4	<0.2	<10	10	<0.05	0.03	0.09	0.01	0.35	4.8
29671		1.86	0.020		0.05	0.57	0.6	<0.2	<10	20	<0.05	0.10	0.19	0.02	1.44	14.3
29672		1.90	0.146		0.05	0.37	0.5	<0.2	<10	<10	0.06	0.10	0.36	0.01	0.59	5.5
29673		1.41	0.016		0.02	0.28	0.4	<0.2	<10	<10	<0.05	0.06	0.10	0.02	0.53	5.8
29674		1.29	0.001		0.03	0.59	1.3	<0.2	<10	10	0.06	0.12	4.02	0.17	1.17	13.0
29675		1.97	>10.0	15.65	1.69	0.06	0.5	24.7	<10	<10	<0.05	14.85	0.06	0.01	0.19	1.7
29676		1.30	>10.0	23.3	1.35	0.17	0.6	15.8	<10	10	<0.05	17.25	0.03	0.01	0.41	3.3
29677		1.50	0.013		0.25	2.84	2.2	<0.2	<10	50	0.18	1.41	1.37	1.10	7.55	53.1
29678		1.15	0.545		0.13	0.96	0.7	0.2	<10	10	0.15	0.97	1.04	0.10	2.77	17.6
29679		2.04	0.008		0.08	3.35	0.9	<0.2	<10	130	0.22	0.29	1.33	0.05	5.14	60.8
29680		2.01	0.001		0.03	0.45	2.8	<0.2	<10	110	0.25	0.16	1.98	0.12	69.9	14.5
29681		1.50	1.555		0.39	0.06	0.4	1.0	<10	10	<0.05	4.90	0.14	<0.01	0.82	5.5
29682		1.88	0.996		0.56	0.13	0.7	1.1	<10	20	0.19	13.75	2.19	0.18	3.42	31.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
29643		13	5.15	104.0	6.38	3.45	0.07	0.04	<0.01	0.054	0.38	1.8	10.2	1.22	1760	1.32
29644		15	0.06	19.9	3.36	0.56	<0.05	0.02	<0.01	0.018	<0.01	1.0	1.5	0.07	539	10.50
29645		20	0.08	17.3	1.08	0.52	<0.05	0.12	<0.01	<0.005	0.01	1.9	0.4	0.01	90	467
29646		24	0.24	6090	3.26	3.12	0.05	0.07	<0.01	0.219	0.01	0.5	4.5	0.49	168	7.49
29647		22	0.08	1720	4.44	2.73	0.05	0.42	<0.01	0.120	0.02	0.8	2.5	0.22	81	63.4
29648		29	0.64	628	11.70	22.2	0.54	0.22	0.02	1.635	0.02	6.0	22.1	1.65	885	4.61
29649		14	0.09	78.1	1.49	1.76	<0.05	0.95	<0.01	0.013	0.03	1.0	3.4	0.24	170	16.60
29650		13	0.17	16.6	1.60	3.69	<0.05	0.95	<0.01	0.007	0.04	1.4	9.8	0.55	161	6.24
29651		13	0.05	17.4	0.74	0.82	<0.05	1.72	<0.01	0.010	0.04	6.1	0.6	0.03	87	1.42
29652		8	0.05	9.5	1.02	0.54	<0.05	1.71	<0.01	0.006	0.01	1.2	0.2	0.01	70	7.45
29653		32	1.28	81.2	5.88	3.39	0.08	0.14	<0.01	0.010	0.25	5.4	7.4	0.53	791	1.58
29654		7	0.33	149.5	10.35	12.20	0.21	0.19	<0.01	0.029	0.04	4.8	14.7	1.16	923	1.24
29655		18	0.70	28.8	5.01	8.82	0.13	0.79	<0.01	0.023	0.05	12.7	9.3	0.90	681	0.58
29656		14	1.68	29.2	5.28	5.26	0.06	0.60	<0.01	0.033	0.13	7.0	4.3	0.51	356	1.28
29657		9	0.17	26.5	1.55	1.75	<0.05	2.03	<0.01	0.007	0.02	7.1	1.7	0.13	163	0.87
29658		25	0.20	116.0	4.84	5.81	0.14	0.21	<0.01	0.016	0.03	2.9	6.6	0.72	383	4.71
29659		17	0.12	7.5	0.86	0.60	<0.05	0.13	<0.01	<0.005	0.01	1.5	0.9	0.05	78	1.64
29660		18	0.08	9.7	1.34	0.84	<0.05	0.21	<0.01	<0.005	0.01	1.5	0.7	0.05	77	326
29661		18	0.11	12.4	1.24	1.20	<0.05	0.50	<0.01	<0.005	0.01	5.5	3.5	0.13	107	225
29662		15	0.14	14.3	1.32	1.39	<0.05	0.48	<0.01	0.005	0.02	6.6	3.9	0.16	126	1.59
29663		26	0.20	126.5	6.79	4.86	0.06	0.08	<0.01	0.029	0.03	0.7	17.9	0.80	660	27.5
29664		16	0.48	27.9	2.43	4.20	0.05	1.01	<0.01	0.015	0.06	10.7	6.5	0.52	332	1.11
29665		12	0.22	9.6	1.56	1.28	<0.05	0.57	<0.01	0.005	0.02	5.8	2.0	0.11	115	0.96
29666		19	0.16	16.2	1.40	1.96	<0.05	0.47	<0.01	0.006	0.02	3.2	3.9	0.22	144	19.40
29667		22	0.25	10.7	1.44	2.45	<0.05	0.78	<0.01	0.008	0.03	10.4	3.1	0.33	199	1.32
29668		25	0.53	63.1	2.57	3.35	0.07	0.09	<0.01	0.010	0.04	0.8	2.6	0.37	333	1.98
29669		22	0.06	5.1	0.73	0.21	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.1	0.01	74	1.76
29670		26	0.35	9.8	1.75	2.20	<0.05	<0.02	<0.01	<0.005	0.01	0.2	2.2	0.20	229	2.21
29671		32	0.81	43.6	3.44	3.60	0.05	0.03	<0.01	0.013	0.05	0.5	2.8	0.33	260	1.62
29672		31	0.16	22.5	1.85	2.02	<0.05	<0.02	<0.01	0.010	0.01	0.2	4.0	0.20	190	2.54
29673		23	0.38	27.2	1.49	1.66	<0.05	0.02	<0.01	0.007	0.01	0.2	2.2	0.18	164	1.68
29674		17	0.28	51.4	2.16	2.47	0.08	0.05	<0.01	0.007	0.01	0.4	3.1	0.28	585	3.23
29675		19	0.11	5.9	0.95	0.39	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	1.1	0.03	81	1.50
29676		21	0.32	11.4	1.67	1.08	<0.05	0.02	<0.01	0.007	0.01	<0.2	1.7	0.08	115	1.49
29677		36	1.89	526	12.05	15.05	0.15	0.17	<0.01	0.344	0.20	3.1	25.6	1.16	703	9.90
29678		19	0.64	80.1	3.25	3.58	0.11	0.13	<0.01	0.015	0.02	1.1	5.3	0.44	441	7.13
29679		57	15.60	174.5	10.50	18.65	0.21	0.07	<0.01	0.057	0.95	1.7	34.3	2.66	959	2.92
29680		18	0.76	29.1	2.68	2.03	0.09	0.53	0.01	0.008	0.14	35.1	5.2	0.72	833	0.73
29681		16	0.24	12.2	1.86	0.49	<0.05	0.02	<0.01	0.006	0.02	0.3	0.7	0.06	160	234
29682		9	0.51	56.8	7.59	0.78	<0.05	0.09	<0.01	0.038	0.05	1.2	0.9	0.61	1100	72.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
29643		0.03	<0.05	28.9	220	3.9	50.9	<0.001	3.63	0.15	17.9	1.0	0.3	216	<0.01	6.30
29644		0.03	<0.05	17.0	290	8.5	0.4	0.001	1.86	0.15	7.7	0.5	0.5	48.6	<0.01	6.88
29645		0.06	0.05	3.1	190	30.7	0.4	0.047	0.28	0.12	0.4	0.4	0.6	10.2	<0.01	1.69
29646		0.03	0.10	5.9	130	5.7	0.7	0.001	0.70	0.13	2.0	2.0	0.8	14.7	<0.01	0.15
29647		0.05	0.56	4.8	480	11.8	0.7	0.002	0.81	0.13	4.5	1.6	0.6	9.8	<0.01	1.78
29648		<0.01	0.13	28.2	420	17.6	4.8	0.008	1.37	0.10	12.5	6.7	9.3	3.9	<0.01	2.74
29649		0.05	0.09	3.4	40	4.7	1.0	0.002	0.39	0.08	1.1	0.5	0.5	4.1	<0.01	2.34
29650		0.04	0.10	2.7	80	5.1	1.5	0.001	0.17	0.07	0.5	0.2	0.5	3.2	<0.01	0.31
29651		0.06	0.19	1.5	20	6.5	1.3	<0.001	0.20	0.07	0.5	0.2	0.5	4.6	<0.01	0.10
29652		0.11	0.07	1.4	30	3.5	0.2	0.001	0.49	0.07	0.3	0.3	0.4	8.3	<0.01	4.68
29653		0.06	0.34	118.0	780	4.8	14.9	0.002	2.76	<0.05	3.8	0.8	0.5	11.9	<0.01	0.07
29654		0.07	0.17	12.3	870	1.8	1.9	0.004	1.59	0.05	7.8	2.6	0.5	25.6	<0.01	0.29
29655		0.05	0.23	8.2	700	5.6	5.1	0.001	0.43	0.07	6.4	0.6	0.6	26.1	<0.01	0.52
29656		0.04	0.62	4.6	550	12.2	14.9	<0.001	0.93	0.16	7.3	0.7	0.8	25.4	<0.01	5.16
29657		0.06	0.39	3.0	140	44.3	2.6	<0.001	0.54	0.08	1.9	0.3	0.5	10.7	<0.01	0.07
29658		0.06	0.23	15.6	380	6.5	1.8	0.013	0.19	0.07	5.3	0.8	0.5	41.0	<0.01	0.02
29659		0.03	0.05	2.4	90	1.1	0.5	<0.001	0.08	0.07	0.3	<0.2	0.5	5.0	<0.01	0.06
29660		0.05	0.08	2.6	150	16.5	0.4	0.027	0.32	0.08	0.3	0.6	0.6	5.6	<0.01	9.14
29661		0.06	<0.05	4.1	250	29.5	0.8	0.043	0.60	0.06	0.7	0.5	0.4	12.0	<0.01	22.6
29662		0.07	0.06	4.6	270	2.1	0.8	<0.001	0.43	0.05	0.9	0.3	0.4	10.0	<0.01	0.17
29663		0.03	0.10	25.6	320	10.8	2.0	0.006	4.08	0.09	15.4	1.5	0.4	86.6	<0.01	5.54
29664		0.07	0.40	6.1	790	8.1	5.1	<0.001	0.73	0.07	3.8	0.5	0.6	37.6	<0.01	0.62
29665		0.06	0.31	4.4	450	7.1	1.5	<0.001	0.56	0.06	1.2	0.4	0.4	19.9	<0.01	0.29
29666		0.05	0.34	6.2	250	4.9	1.1	0.001	0.24	0.07	1.2	0.2	0.5	8.6	<0.01	0.41
29667		0.05	0.23	6.6	330	3.5	2.4	<0.001	0.36	0.06	1.3	0.3	0.5	10.0	<0.01	0.13
29668		0.08	0.20	12.0	240	3.7	3.0	0.001	0.13	0.06	5.6	0.4	0.5	3.6	<0.01	0.04
29669		0.01	<0.05	2.0	10	0.2	0.3	<0.001	0.02	0.07	0.1	<0.2	0.5	0.3	<0.01	0.01
29670		0.01	<0.05	5.6	30	1.5	2.4	0.001	0.07	0.07	1.1	0.2	0.5	1.3	<0.01	0.02
29671		0.03	0.10	12.0	140	0.9	5.1	<0.001	0.57	0.05	4.8	1.1	0.4	2.1	<0.01	0.08
29672		0.01	<0.05	5.6	30	0.6	1.1	0.001	0.15	0.07	3.4	0.3	0.5	2.0	<0.01	0.05
29673		0.01	0.08	5.4	50	0.6	1.5	<0.001	0.15	0.06	3.1	0.2	0.4	1.4	<0.01	0.04
29674		0.02	0.26	10.0	170	1.5	0.9	0.002	0.40	0.07	2.5	0.4	0.5	36.3	<0.01	0.03
29675		0.01	<0.05	2.4	20	3.3	0.7	<0.001	0.07	0.06	0.5	<0.2	0.5	0.9	<0.01	14.90
29676		0.02	0.08	4.0	50	5.1	2.2	<0.001	0.10	0.08	1.9	0.2	0.6	0.9	<0.01	17.65
29677		0.01	0.17	50.3	490	2.9	16.1	0.013	2.38	0.08	12.1	5.7	2.1	18.0	<0.01	0.63
29678		0.03	0.22	11.0	300	1.2	3.3	0.003	0.25	0.08	6.0	0.4	0.5	17.8	<0.01	0.84
29679		0.03	0.14	48.5	540	2.8	82.9	0.002	0.64	0.05	29.7	1.4	0.6	21.7	<0.01	0.11
29680		0.02	<0.05	12.7	930	10.2	5.8	<0.001	<0.01	0.72	2.6	0.4	0.2	263	<0.01	0.01
29681		0.01	<0.05	5.0	80	13.0	2.2	0.041	0.49	0.09	1.7	0.3	0.4	5.0	<0.01	2.23
29682		0.03	<0.05	16.3	320	15.8	5.7	0.016	3.51	0.11	14.3	1.3	0.3	63.7	<0.01	7.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
29643		<0.2	0.057	0.45	<0.05	96	2.68	7.31	51	0.9
29644		<0.2	<0.005	<0.02	<0.05	7	0.87	2.86	28	0.7
29645		0.6	0.005	<0.02	0.10	1	0.14	0.83	<2	3.7
29646		0.2	0.029	0.02	0.06	39	0.34	1.00	21	1.9
29647		1.3	0.182	0.02	0.36	49	0.48	2.34	8	11.0
29648		0.7	0.111	0.02	0.08	124	0.28	5.60	3260	10.1
29649		4.8	0.029	<0.02	1.54	14	0.25	2.83	21	22.5
29650		5.9	0.008	<0.02	1.90	19	0.10	1.63	20	22.4
29651		8.4	<0.005	<0.02	2.88	3	0.21	1.44	11	40.7
29652		8.3	<0.005	<0.02	2.21	1	0.14	1.07	<2	39.1
29653		0.3	0.145	0.45	0.11	41	0.21	4.31	49	3.0
29654		0.4	0.272	0.02	0.05	82	0.49	12.45	148	4.1
29655		2.5	0.177	0.04	0.61	56	1.47	9.13	88	29.8
29656		1.5	0.204	0.12	0.48	54	3.67	4.92	47	22.3
29657		11.4	0.030	<0.02	3.86	17	0.55	2.82	22	37.6
29658		0.6	0.257	<0.02	0.13	115	0.32	8.43	46	4.2
29659		0.8	<0.005	<0.02	0.23	3	0.07	0.55	3	3.7
29660		1.3	<0.005	0.03	0.36	3	0.10	0.73	5	5.8
29661		2.8	<0.005	0.06	1.33	4	0.17	2.31	6	14.1
29662		5.7	0.005	<0.02	0.60	8	0.10	2.04	8	12.1
29663		<0.2	0.101	0.02	0.07	102	2.90	7.86	52	2.0
29664		2.6	0.067	0.03	0.84	36	0.75	5.28	32	35.0
29665		2.8	0.014	<0.02	0.66	8	0.24	3.11	7	15.5
29666		2.7	0.024	<0.02	0.68	14	0.34	1.99	13	15.2
29667		4.2	0.023	<0.02	1.15	16	0.18	3.31	23	22.9
29668		<0.2	0.175	0.04	<0.05	69	0.42	4.61	49	2.0
29669		<0.2	0.007	<0.02	<0.05	3	0.08	0.18	<2	<0.5
29670		<0.2	0.028	<0.02	<0.05	37	0.11	0.69	15	<0.5
29671		<0.2	0.114	0.03	<0.05	88	0.29	2.53	26	0.9
29672		<0.2	0.019	<0.02	<0.05	36	0.11	1.55	13	<0.5
29673		<0.2	0.052	0.02	<0.05	35	0.26	1.39	11	0.5
29674		<0.2	0.110	<0.02	<0.05	42	0.21	2.89	45	1.4
29675		<0.2	0.007	<0.02	<0.05	2	0.09	0.34	3	<0.5
29676		<0.2	0.030	<0.02	<0.05	15	0.23	0.85	9	0.5
29677		0.6	0.151	0.12	0.14	138	0.55	7.69	326	6.7
29678		<0.2	0.166	<0.02	<0.05	64	0.54	4.74	61	3.4
29679		0.2	0.429	0.62	<0.05	348	0.33	11.50	132	1.5
29680		6.3	0.005	0.04	1.15	13	0.05	8.70	52	23.7
29681		<0.2	<0.005	0.02	<0.05	7	0.13	0.59	11	0.6
29682		<0.2	<0.005	0.04	<0.05	21	0.63	3.65	85	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
29683		1.98	0.003		0.10	1.61	1.3	<0.2	<10	10	0.12	0.16	1.68	0.24	3.45	29.2
29684		1.40	0.028		0.10	1.29	0.9	<0.2	<10	20	0.15	0.21	1.21	0.08	63.7	15.5
29685		1.33	0.001		0.03	0.88	0.5	<0.2	<10	20	0.07	0.04	2.51	0.09	2.12	21.0
29686		2.17	0.489		0.23	0.50	0.8	0.4	<10	<10	0.18	0.32	1.33	0.04	2.92	15.2
29687		1.73	0.001		0.01	0.38	2.2	<0.2	<10	240	0.27	0.04	1.93	0.05	92.4	8.0
29688		1.41	0.005		0.30	3.22	11.5	<0.2	<10	30	0.21	0.19	1.44	0.15	12.20	34.3
29689		1.51	0.005		0.36	3.15	15.0	<0.2	<10	40	0.21	0.12	1.97	0.17	9.69	27.3
29690		2.01	0.430		0.39	0.86	1.2	0.9	<10	80	0.17	1.66	2.30	0.13	4.61	26.1
29691		1.65	0.371		1.34	0.70	0.5	0.3	<10	70	0.44	41.1	2.88	0.21	5.95	39.3
29692		1.51	0.001		0.09	0.09	0.4	<0.2	<10	410	0.06	1.00	0.29	0.04	24.9	5.7
29693		1.79	<0.001		0.07	0.42	1.2	<0.2	<10	70	0.45	0.06	0.39	0.02	96.5	9.9
29694		3.27	0.002		0.52	0.10	0.5	<0.2	<10	190	0.05	6.25	1.02	0.04	17.95	4.9
29695		1.71	7.25		1.09	0.56	0.5	6.4	<10	10	0.25	5.24	4.08	0.07	3.46	24.7
29696		0.07	9.50		1.23	1.52	35.8	8.6	<10	120	0.26	1.20	0.77	0.21	13.75	12.2
29697		1.68	0.019		0.03	5.17	0.6	<0.2	<10	20	0.11	0.05	3.50	0.03	3.19	10.2
29698		0.08	1.975		0.38	1.76	9.0	1.9	<10	110	0.24	0.18	0.97	0.17	10.40	11.5
29699		1.69	0.005		0.04	0.08	0.2	<0.2	<10	10	<0.05	0.19	1.38	0.03	0.75	3.7
29700		1.40	0.002		0.02	0.16	1.0	<0.2	<10	10	<0.05	0.07	0.53	0.03	0.67	2.8
14851		1.58	<0.001		0.02	0.05	0.2	<0.2	<10	<10	<0.05	0.10	1.38	0.03	0.64	2.6
14852		1.37	0.001		0.03	1.29	0.5	<0.2	<10	20	0.06	0.16	0.47	0.03	41.0	13.7
14853		1.19	0.023		0.11	1.07	0.3	<0.2	<10	10	0.34	0.06	2.25	0.05	5.87	9.9
14854		2.19	0.156		0.27	1.00	0.5	<0.2	<10	10	0.33	0.13	5.24	0.05	30.1	13.8
14855		1.22	2.58		0.36	0.86	0.5	1.7	<10	10	0.22	1.51	2.32	0.11	2.93	23.3
14856		1.27	1.640		0.37	3.44	0.8	1.8	<10	30	0.61	0.77	4.26	0.16	4.93	54.6
14857		1.67	0.161		0.11	1.20	0.9	0.2	<10	20	0.27	0.26	2.69	0.10	3.87	36.2
14858		2.22	0.010		0.23	1.79	2.6	<0.2	<10	20	0.25	0.92	1.07	0.12	5.04	45.5
14859		1.77	0.001		0.03	0.62	0.4	<0.2	<10	20	0.07	0.08	0.40	0.03	10.00	9.6
14860		2.08	0.001		0.22	0.44	0.4	<0.2	<10	20	0.11	0.85	1.58	0.03	2.05	18.9
14861		1.89	0.002		0.28	0.74	0.3	<0.2	<10	20	0.16	0.65	1.32	0.04	3.90	29.1
14862		1.53	0.002		0.26	0.87	0.3	<0.2	<10	80	0.26	0.70	0.97	0.03	4.45	28.1
14863		1.68	<0.001		0.02	0.13	3.5	<0.2	<10	2560	0.10	0.03	0.42	0.05	106.5	7.7
14864		0.08	1.935		0.33	1.75	8.9	1.0	<10	120	0.24	0.17	0.95	0.16	10.80	11.7
14865		1.35	0.007		0.04	5.07	0.5	<0.2	10	30	0.15	0.05	3.47	0.02	3.33	12.9
14866		0.75	0.001		0.03	0.82	0.5	<0.2	<10	20	0.15	0.07	0.60	0.03	33.7	7.0
14867		0.98	<0.001		0.03	0.17	0.6	<0.2	<10	10	<0.05	1.26	0.24	0.02	1.73	4.9
14868		2.39	0.001		0.19	1.44	0.4	<0.2	<10	40	0.16	0.55	1.26	0.05	7.31	28.0
14869		1.36	0.003		0.09	1.84	0.6	<0.2	<10	20	0.23	0.41	2.01	0.08	5.41	33.8
14870		2.16	0.132		0.07	0.54	0.8	<0.2	<10	10	0.08	0.16	0.56	0.07	1.39	13.6
14871		2.03	0.950		0.18	1.27	0.5	0.5	<10	10	0.06	0.08	0.35	0.03	1.74	17.1
14872		2.67	0.001		0.04	1.62	0.4	<0.2	<10	30	0.13	0.02	2.95	0.03	12.90	17.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
29683		19	0.26	104.5	4.63	5.59	0.14	0.12	<0.01	0.012	0.03	1.2	7.9	0.75	504	17.65
29684		18	1.82	76.9	3.36	6.24	0.13	0.34	<0.01	0.021	0.11	27.0	10.5	1.05	529	1.34
29685		96	0.27	45.6	2.81	2.53	0.22	0.16	<0.01	0.014	0.04	1.1	3.1	0.62	962	1.44
29686		16	3.14	30.4	3.04	2.79	0.05	0.07	<0.01	0.017	0.05	1.1	4.0	0.51	305	1.46
29687		9	0.56	2.9	1.89	1.79	0.10	0.40	<0.01	0.012	0.19	45.7	3.3	0.67	699	0.76
29688		62	0.35	53.9	7.83	10.55	0.12	0.73	0.01	0.015	0.04	5.7	14.4	2.89	911	1.02
29689		56	0.44	52.5	8.29	10.70	0.15	0.72	0.01	0.020	0.05	4.7	13.1	2.45	772	0.89
29690		19	2.09	65.9	7.67	4.93	0.06	0.14	<0.01	0.050	0.10	1.6	5.6	0.75	1180	53.4
29691		6	5.39	112.5	9.28	6.71	0.10	0.10	<0.01	0.072	0.41	2.2	6.1	1.31	1360	53.7
29692		11	0.07	17.6	1.53	0.68	<0.05	0.29	0.01	0.011	0.01	12.5	0.2	0.04	244	0.77
29693		36	3.16	53.8	2.17	3.61	0.12	1.58	<0.01	0.007	0.30	42.6	8.3	0.35	221	1.22
29694		11	<0.05	22.7	1.48	0.65	<0.05	0.42	<0.01	0.012	0.01	8.9	0.2	0.18	270	22.2
29695		13	0.45	49.8	6.05	2.61	<0.05	0.12	<0.01	0.033	0.11	1.3	4.9	0.53	1040	4.47
29696		39	1.02	754	4.91	5.32	0.07	0.24	0.41	0.049	0.25	6.9	8.7	0.75	528	28.9
29697		66	0.27	73.1	1.38	7.94	0.05	0.07	<0.01	<0.005	0.10	1.6	9.9	0.83	144	0.38
29698		32	0.48	33.2	3.04	5.94	0.09	0.23	0.10	0.027	0.15	5.0	11.4	0.85	465	3.40
29699		19	0.36	13.9	1.19	0.63	<0.05	<0.02	<0.01	<0.005	0.02	0.3	0.8	0.07	234	1.49
29700		22	0.30	10.3	1.17	1.02	<0.05	<0.02	<0.01	0.005	0.02	0.3	1.2	0.10	178	2.46
14851		25	0.12	12.6	0.95	0.42	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.5	0.04	195	2.08
14852		152	2.18	14.1	2.52	8.16	0.10	0.43	<0.01	0.009	0.12	17.0	19.2	1.34	308	3.25
14853		177	1.16	13.8	2.28	5.18	0.08	0.19	<0.01	0.013	0.01	2.7	13.4	1.39	434	1.45
14854		17	1.77	41.7	3.93	5.56	0.09	0.73	<0.01	0.029	0.02	12.7	6.3	0.81	689	0.55
14855		24	0.88	51.9	5.29	3.92	<0.05	0.08	<0.01	0.030	0.09	1.1	5.9	0.81	859	5.88
14856		42	3.89	168.5	12.15	15.80	0.08	0.14	<0.01	0.071	0.32	1.8	21.7	2.64	1440	8.49
14857		17	4.07	101.0	7.50	5.88	0.09	0.10	<0.01	0.029	0.16	1.3	6.0	0.90	1240	2.30
14858		29	1.24	114.0	8.12	9.99	0.12	0.14	0.01	0.037	0.05	1.7	14.1	1.13	612	2.85
14859		60	0.54	37.4	1.70	4.98	<0.05	0.30	<0.01	0.005	0.07	4.7	8.9	0.63	168	0.89
14860		11	0.33	98.0	3.19	2.51	0.06	0.06	<0.01	0.007	0.02	0.8	3.8	0.40	251	21.8
14861		12	4.33	137.5	3.73	2.98	0.14	0.08	<0.01	0.009	0.14	1.6	9.1	0.52	261	14.00
14862		8	4.58	219	4.59	3.74	0.11	0.13	<0.01	0.010	0.20	1.7	11.6	0.76	246	21.0
14863		8	0.13	75.3	2.02	1.02	0.13	0.54	<0.01	0.009	0.01	51.5	0.5	1.04	360	0.82
14864		32	0.49	33.0	3.03	5.92	0.08	0.23	0.09	0.025	0.15	5.1	12.2	0.85	461	3.34
14865		72	0.31	71.5	1.48	8.21	0.05	0.06	<0.01	0.005	0.12	1.7	11.5	0.88	161	0.71
14866		28	0.10	22.8	2.01	4.82	0.10	1.13	<0.01	0.010	0.05	16.4	5.7	0.51	263	0.78
14867		25	0.12	30.6	1.50	0.98	<0.05	<0.02	<0.01	<0.005	0.01	0.7	1.6	0.10	145	2.45
14868		41	1.04	132.0	6.62	7.67	0.14	0.08	<0.01	0.018	0.04	2.8	11.5	0.88	355	4.52
14869		37	0.68	101.5	6.14	9.48	0.19	0.13	<0.01	0.028	0.03	1.8	15.3	1.02	807	3.59
14870		33	0.52	60.8	2.70	3.37	<0.05	0.03	<0.01	0.011	0.02	0.5	6.9	0.34	407	2.37
14871		33	0.22	31.0	3.97	5.82	0.07	0.04	<0.01	0.011	0.02	0.6	11.2	0.72	547	2.35
14872		50	0.15	27.9	2.48	5.12	<0.05	0.09	<0.01	<0.005	0.11	5.9	11.5	1.08	634	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
29683		0.07	0.17	16.9	450	3.6	2.5	0.014	0.39	0.05	6.0	0.9	0.3	37.8	<0.01	0.09
29684		0.05	0.28	14.2	1400	2.7	10.8	<0.001	0.39	0.07	6.5	0.9	0.5	43.8	<0.01	0.12
29685		0.03	0.11	18.7	260	1.7	2.9	0.001	0.26	0.05	13.2	0.4	0.4	17.7	<0.01	0.03
29686		0.02	<0.05	9.8	110	4.0	15.3	0.001	1.50	0.22	7.2	0.5	0.5	36.8	<0.01	0.82
29687		0.03	<0.05	13.4	1270	3.7	6.3	<0.001	0.01	0.50	2.7	0.4	0.2	317	<0.01	<0.01
29688		0.04	0.26	94.9	570	12.9	2.4	0.001	2.94	0.17	6.8	1.1	0.7	14.4	0.01	0.03
29689		0.03	0.35	77.7	550	17.0	2.5	0.001	3.06	0.23	6.5	1.0	0.7	17.1	0.01	0.02
29690		0.06	0.07	24.5	690	6.5	15.4	0.009	2.59	0.08	17.8	1.2	0.4	60.9	<0.01	1.97
29691		0.05	0.11	20.4	480	42.0	35.0	0.004	3.21	0.09	26.5	1.5	0.6	83.8	<0.01	0.85
29692		0.07	<0.05	5.9	450	7.9	0.4	<0.001	0.55	0.05	1.2	0.3	0.3	159.0	<0.01	0.14
29693		0.08	4.78	11.8	730	16.0	33.1	<0.001	0.38	0.05	1.0	0.8	1.3	97.2	0.01	0.06
29694		0.09	<0.05	7.3	470	30.4	0.4	<0.001	0.64	0.07	1.6	0.5	0.4	622	<0.01	0.18
29695		0.02	<0.05	13.9	540	11.9	7.2	0.002	1.93	<0.05	10.7	0.9	<0.2	101.0	<0.01	4.70
29696		0.09	0.16	52.4	710	27.4	12.5	0.053	0.60	8.35	6.3	2.1	1.8	37.5	<0.01	0.52
29697		0.49	<0.05	41.5	120	2.4	3.6	0.001	0.05	<0.05	2.3	0.4	0.2	69.8	<0.01	0.03
29698		0.10	0.15	26.1	630	6.2	5.9	0.001	0.04	1.90	6.1	0.6	0.6	46.8	<0.01	0.09
29699		0.01	0.08	3.9	70	1.6	1.7	<0.001	0.40	<0.05	0.9	0.6	<0.2	38.4	<0.01	0.03
29700		0.01	0.10	3.5	40	1.1	1.1	<0.001	0.15	0.06	1.1	0.4	0.5	15.2	<0.01	0.05
14851		0.01	0.08	3.5	50	1.0	0.5	<0.001	0.25	<0.05	0.7	0.3	<0.2	40.5	<0.01	0.01
14852		0.06	0.23	54.2	970	2.3	9.0	0.001	0.10	0.05	3.1	0.3	0.5	15.5	<0.01	0.02
14853		0.02	<0.05	58.2	110	1.6	1.7	<0.001	0.08	<0.05	6.9	0.2	<0.2	77.4	<0.01	1.70
14854		0.07	0.12	14.9	1360	1.7	2.5	<0.001	1.36	0.06	9.9	0.6	0.4	151.0	<0.01	0.73
14855		0.02	<0.05	18.6	50	6.6	7.0	0.003	1.22	<0.05	11.3	0.7	<0.2	46.4	<0.01	1.25
14856		0.02	<0.05	45.8	240	4.5	27.3	0.005	1.68	0.05	27.5	1.2	0.3	81.3	<0.01	0.50
14857		0.06	0.19	20.5	490	1.9	30.9	0.002	0.44	0.05	11.1	0.8	0.3	36.7	<0.01	0.13
14858		0.06	0.24	30.3	580	2.8	5.5	0.001	1.73	<0.05	15.1	1.8	0.5	11.4	<0.01	0.36
14859		0.08	0.22	29.4	340	1.0	3.9	<0.001	0.25	<0.05	1.8	0.4	0.4	10.8	<0.01	0.02
14860		0.05	0.30	14.2	160	2.2	1.7	0.013	1.83	<0.05	2.9	2.1	0.2	22.6	<0.01	0.05
14861		0.04	0.36	14.5	240	3.9	13.8	0.007	1.90	0.06	4.2	2.5	0.4	18.7	<0.01	0.04
14862		0.10	0.43	21.0	380	2.7	18.6	0.010	1.54	<0.05	6.6	2.2	0.2	15.3	<0.01	0.05
14863		0.07	<0.05	50.6	1360	2.2	0.5	<0.001	0.09	0.13	1.4	0.5	0.4	134.5	<0.01	0.01
14864		0.10	0.15	26.3	620	6.1	6.0	0.001	0.04	1.93	6.3	0.5	0.6	48.0	<0.01	0.10
14865		0.48	<0.05	45.3	120	2.3	4.4	0.001	0.06	<0.05	2.9	0.2	0.2	66.6	<0.01	0.03
14866		0.05	0.65	10.3	530	3.5	1.9	<0.001	0.07	0.07	2.2	0.3	0.7	66.2	<0.01	0.01
14867		0.02	0.09	4.6	90	0.8	0.7	<0.001	0.21	0.07	1.1	0.3	0.6	2.9	<0.01	0.03
14868		0.09	0.19	25.2	590	3.4	7.7	0.004	1.32	<0.05	7.5	1.5	0.3	16.4	<0.01	0.14
14869		0.07	0.24	31.9	490	2.5	5.1	0.003	0.39	0.06	14.1	1.0	0.5	22.6	<0.01	0.06
14870		0.03	0.11	12.2	150	4.3	4.5	0.001	0.36	0.06	5.8	0.7	0.5	5.8	<0.01	0.07
14871		0.04	0.16	17.4	210	1.3	1.6	0.001	0.10	0.05	4.8	0.4	0.5	5.6	<0.01	0.02
14872		0.03	0.10	47.1	520	0.9	3.1	<0.001	0.02	<0.05	1.7	<0.2	0.3	47.8	<0.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
29683		<0.2	0.229	<0.02	<0.05	94	0.63	6.17	70	3.0
29684		3.9	0.108	0.08	0.28	67	1.16	6.24	57	16.0
29685		<0.2	0.103	<0.02	0.08	80	0.34	5.65	22	5.4
29686		<0.2	0.059	0.17	<0.05	43	0.96	4.11	25	1.9
29687		6.2	<0.005	0.05	1.00	10	<0.05	8.31	28	17.7
29688		0.9	0.337	0.50	0.16	103	0.20	6.27	79	22.2
29689		0.8	0.331	0.55	0.15	94	0.24	4.98	75	22.2
29690		<0.2	0.042	0.09	0.09	103	6.54	5.78	79	4.2
29691		<0.2	0.108	0.25	0.05	235	0.81	5.89	94	2.9
29692		2.3	<0.005	<0.02	0.60	8	0.05	1.46	12	8.6
29693		17.9	0.189	0.21	3.25	39	0.22	14.65	25	65.4
29694		2.2	<0.005	<0.02	0.59	5	0.07	1.69	11	11.7
29695		<0.2	0.009	0.04	0.07	54	0.46	4.96	60	4.1
29696		1.2	0.125	0.16	0.43	90	7.98	8.67	77	7.7
29697		0.6	0.037	0.02	0.16	29	0.08	1.33	18	2.8
29698		1.1	0.159	0.07	0.32	71	19.55	8.28	53	7.3
29699		<0.2	0.029	<0.02	<0.05	12	0.17	1.36	5	<0.5
29700		<0.2	0.027	<0.02	<0.05	16	0.13	0.80	7	<0.5
14851		<0.2	0.019	<0.02	<0.05	8	0.09	1.01	3	<0.5
14852		2.2	0.118	0.07	0.27	60	0.21	4.39	45	20.8
14853		0.3	0.060	0.02	0.06	65	5.69	3.37	34	6.9
14854		3.2	0.133	0.02	0.32	66	5.22	10.00	40	30.1
14855		<0.2	0.022	0.03	<0.05	65	0.24	3.44	70	2.2
14856		<0.2	0.069	0.19	0.09	259	0.59	6.28	165	3.9
14857		<0.2	0.187	0.26	<0.05	157	1.30	5.35	87	2.6
14858		0.2	0.278	0.05	<0.05	165	0.62	10.25	112	2.6
14859		0.7	0.087	0.03	0.10	40	0.42	1.78	27	11.2
14860		<0.2	0.092	0.02	<0.05	37	0.56	2.03	10	1.8
14861		<0.2	0.176	0.11	<0.05	68	0.43	4.84	17	1.9
14862		0.2	0.253	0.17	<0.05	100	0.72	6.72	19	3.7
14863		9.4	<0.005	<0.02	0.88	2	0.10	8.07	22	29.2
14864		1.1	0.158	0.07	0.31	71	18.90	8.46	52	7.4
14865		0.6	0.040	0.03	0.23	31	0.10	1.55	16	2.8
14866		3.9	0.122	<0.02	1.19	41	0.29	5.36	32	45.3
14867		<0.2	0.023	<0.02	<0.05	13	0.13	1.50	8	<0.5
14868		0.2	0.212	0.03	<0.05	132	0.48	9.10	59	2.0
14869		0.2	0.335	0.02	<0.05	182	0.76	10.85	100	2.7
14870		<0.2	0.116	0.02	<0.05	73	0.26	3.43	40	0.8
14871		<0.2	0.138	<0.02	<0.05	97	0.29	4.04	61	0.8
14872		0.8	0.046	0.02	0.07	23	0.07	2.63	48	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
14873		1.93	<0.001		0.24	1.97	0.4	<0.2	<10	20	0.14	0.68	1.13	0.14	6.89	37.9
14874		2.09	0.004		2.01	1.22	0.5	<0.2	<10	<10	0.16	4.58	3.91	0.45	4.45	37.0
14875		1.23	0.103		0.06	0.45	0.5	<0.2	<10	10	0.05	0.08	0.19	0.08	1.11	6.5
14876		1.77	0.009		0.03	0.67	0.6	<0.2	<10	10	0.06	0.09	0.33	0.04	1.18	9.4
14877		1.93	0.002		0.08	0.18	0.4	<0.2	<10	20	0.09	0.95	0.21	0.01	2.54	5.8
14878		2.67	<0.001		0.02	0.19	0.3	<0.2	<10	10	0.12	0.16	0.29	0.02	1.37	4.8
14879		1.72	0.001		0.02	1.06	0.5	<0.2	<10	50	0.24	0.04	3.51	0.06	32.5	17.9
14880		2.05	0.011		0.14	1.26	2.0	<0.2	<10	30	0.10	0.38	0.45	0.04	3.27	23.3
14881		1.90	3.27		0.24	1.99	0.8	2.2	<10	20	0.27	0.31	5.32	0.18	4.41	45.8
14882		0.92	0.880		0.11	0.37	0.8	0.9	<10	20	0.19	0.36	3.85	0.13	80.3	17.3
14883		2.18	0.331		0.12	0.72	0.4	0.2	<10	20	0.17	1.13	1.66	0.06	46.0	13.1
14884		1.87	1.045		0.37	0.25	0.9	0.6	<10	10	0.12	2.45	0.26	0.04	3.37	25.8
14885		1.82	1.005		0.49	0.54	0.7	0.4	<10	<10	0.15	2.22	2.13	0.08	3.15	20.6
14886		2.27	0.215		0.61	0.89	0.7	<0.2	<10	10	0.23	19.75	3.23	0.02	3.27	28.2
14887		0.07	9.49		1.48	1.55	38.0	11.2	<10	120	0.30	1.23	0.80	0.25	15.45	13.3
14888		1.59	0.009		0.04	5.44	0.6	<0.2	10	20	0.14	0.04	3.59	0.04	3.42	10.8
14889		1.14	0.215		0.63	0.52	1.1	0.2	<10	60	0.28	8.97	2.89	0.23	3.91	40.0
14890		1.29	1.415		0.53	1.83	0.9	0.6	<10	20	0.41	0.66	2.61	0.10	4.25	28.9
14891		1.68	0.087		0.10	0.04	1.1	<0.2	<10	10	<0.05	0.18	0.02	<0.01	0.47	1.4
14892		2.77	0.149		0.30	0.42	0.3	<0.2	<10	20	0.13	2.15	0.12	<0.01	11.15	4.1
14893		1.47	0.036		0.06	0.62	0.2	<0.2	<10	20	0.19	0.84	0.13	0.01	12.30	4.4
14894		1.88	1.640		25.9	1.14	3.3	0.7	<10	10	0.21	40.9	3.95	<0.01	5.41	33.8
14895		3.04	>10.0	34.9	2.96	1.16	8.0	>25.0	<10	10	0.30	1.81	5.37	0.04	3.75	37.4
14896		3.02	0.052		0.17	0.98	0.6	<0.2	<10	30	0.29	1.77	3.60	0.03	5.43	38.0
14897		1.24	0.022		0.08	0.38	0.4	<0.2	<10	490	0.20	1.02	0.57	0.01	23.4	3.7
14898		1.33	0.299		0.07	0.09	0.4	<0.2	<10	270	0.05	3.70	0.07	<0.01	6.36	2.0
14899		1.84	>10.0	43.7	0.37	0.04	0.4	>25.0	<10	<10	<0.05	0.61	0.01	0.02	0.14	0.9
14900		2.34	0.073		1.11	0.04	0.6	<0.2	<10	<10	<0.05	127.0	0.03	0.02	0.25	4.0
14901		2.82	0.007		0.66	2.28	0.9	<0.2	<10	10	0.48	0.90	2.29	0.12	6.11	32.4
14902		1.88	0.017		0.07	0.86	0.6	<0.2	<10	10	0.12	0.53	3.57	0.11	3.29	10.8
14903		1.78	0.642		0.23	0.08	1.0	0.5	<10	10	<0.05	0.88	2.65	0.14	1.23	9.5
14904		2.79	1.200		1.49	1.09	5.5	0.9	<10	<10	0.14	4.47	3.87	0.02	3.16	42.7
14905		2.98	0.533		0.21	0.36	1.5	0.4	<10	10	0.17	1.76	4.99	0.15	4.13	30.2
14906		1.82	0.396		0.46	0.10	1.6	0.3	<10	10	<0.05	12.35	0.36	<0.01	1.16	14.3
14907		2.13	0.222		0.88	0.54	3.5	0.2	<10	20	0.21	2.97	2.67	0.16	3.82	39.0
14908		2.15	0.435		0.59	0.13	0.8	0.6	<10	10	0.12	13.20	2.48	0.15	3.95	49.2
14909		2.48	0.113		0.36	0.07	1.1	<0.2	<10	<10	<0.05	18.20	2.48	0.01	2.57	30.7
14910		1.87	0.087		0.19	0.08	0.4	<0.2	<10	<10	<0.05	1.64	0.76	0.05	1.54	14.4
14911		3.36	0.025		0.19	0.11	0.9	<0.2	<10	30	0.09	2.81	0.97	0.12	2.09	26.5
14912		3.12	0.022		0.16	0.25	1.9	<0.2	<10	10	0.24	2.00	6.47	0.36	2.66	30.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
14873		17	3.25	225	8.28	9.98	0.16	0.10	<0.01	0.051	0.08	2.3	10.5	1.07	530	2.45
14874		37	0.24	286	9.39	10.70	0.11	0.16	<0.01	0.014	0.01	1.5	12.0	1.00	501	18.95
14875		22	0.70	23.2	2.01	2.84	<0.05	<0.02	<0.01	0.009	0.03	0.4	4.5	0.35	173	2.16
14876		34	0.20	43.8	2.48	4.07	0.05	0.02	<0.01	0.008	0.01	0.4	5.3	0.49	244	3.36
14877		20	1.38	14.0	2.26	1.72	<0.05	0.12	<0.01	0.005	0.12	0.9	5.5	0.13	101	3.56
14878		25	1.05	10.4	1.47	1.57	<0.05	0.09	<0.01	<0.005	0.08	0.4	5.4	0.19	138	1.77
14879		31	0.23	42.1	2.25	2.74	0.05	0.08	<0.01	0.006	0.23	15.7	5.1	1.20	562	0.77
14880		31	1.31	97.0	6.04	6.89	0.07	0.06	<0.01	0.022	0.03	1.1	12.8	0.75	451	1.84
14881		17	0.88	146.5	11.40	8.45	0.05	0.03	<0.01	0.048	0.18	1.5	18.2	2.49	1660	1.06
14882		4	0.36	20.3	4.11	1.87	0.11	0.34	<0.01	0.026	0.11	34.8	4.5	0.64	923	0.58
14883		14	1.59	70.4	3.10	3.66	0.08	0.56	<0.01	0.022	0.11	20.5	9.2	0.88	478	23.3
14884		20	0.30	62.4	6.98	1.85	<0.05	0.10	<0.01	0.030	0.05	1.2	1.5	0.15	436	29.6
14885		24	0.44	91.5	5.37	2.78	<0.05	0.07	<0.01	0.027	0.04	1.1	6.1	0.83	651	4.12
14886		29	0.85	68.5	6.05	4.31	0.06	0.07	<0.01	0.031	0.04	1.0	11.2	0.64	618	100.5
14887		39	1.14	760	5.03	5.71	0.08	0.27	0.46	0.056	0.26	7.8	9.8	0.76	533	31.7
14888		73	0.30	74.7	1.55	8.78	<0.05	0.07	<0.01	0.008	0.10	1.8	11.8	0.91	170	0.59
14889		27	2.64	90.7	9.17	3.93	0.06	0.07	<0.01	0.052	0.11	1.4	3.2	1.03	1240	142.5
14890		7	0.97	76.3	8.15	10.80	0.08	0.16	<0.01	0.064	0.06	1.4	11.7	1.43	929	1.04
14891		25	0.12	160.5	2.22	0.66	<0.05	<0.02	<0.01	0.025	0.01	0.2	0.3	0.01	65	17.30
14892		15	0.16	241	1.51	2.99	<0.05	0.56	<0.01	0.012	0.02	4.9	6.0	0.38	104	149.5
14893		19	0.32	40.5	1.46	4.69	<0.05	0.47	<0.01	0.006	0.04	5.5	10.3	0.56	129	27.8
14894		31	0.16	91.1	6.77	6.20	0.15	0.05	0.01	0.035	0.01	2.2	7.9	0.70	630	597
14895		20	0.62	123.5	7.63	4.88	<0.05	0.02	<0.01	0.045	0.06	1.2	7.8	0.49	1080	37.3
14896		32	1.94	118.0	8.48	6.80	0.07	0.07	<0.01	0.039	0.18	1.8	11.2	0.73	957	48.6
14897		16	0.37	12.6	1.68	2.44	<0.05	0.58	0.01	0.006	0.08	12.1	4.9	0.26	215	15.15
14898		29	0.08	9.2	1.18	0.70	<0.05	0.12	<0.01	<0.005	0.02	2.8	0.6	0.03	118	13.85
14899		20	<0.05	11.7	0.79	0.36	<0.05	<0.02	<0.01	0.006	0.01	<0.2	0.1	<0.01	80	1.74
14900		27	0.05	9.4	1.80	0.38	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.3	0.01	156	11.55
14901		29	1.09	3050	6.73	13.60	0.21	0.10	0.01	0.056	0.01	2.5	28.8	2.45	950	1.21
14902		20	0.50	2720	3.06	4.73	0.10	0.03	0.01	0.220	0.01	1.2	10.4	0.76	517	5.61
14903		33	0.13	56.3	3.29	0.58	0.05	<0.02	0.01	0.042	0.01	0.6	1.1	0.03	1150	5.19
14904		23	0.30	126.0	8.94	6.15	0.13	0.07	0.01	0.026	0.01	1.0	7.1	0.75	503	1.87
14905		8	0.36	75.7	8.94	2.46	0.09	0.08	0.01	0.072	0.04	1.4	4.9	1.03	1740	85.0
14906		15	0.05	25.4	5.05	0.85	0.06	0.08	0.01	0.021	0.01	0.4	0.8	0.07	329	686
14907		7	0.42	101.5	10.70	2.92	0.08	0.10	0.01	0.065	0.04	1.3	7.6	0.68	1470	15.10
14908		15	0.13	143.5	8.98	1.15	0.07	0.09	0.01	0.035	0.02	1.4	1.9	0.60	912	440
14909		16	0.05	47.2	5.73	0.71	0.06	0.04	0.01	0.020	0.02	0.9	0.9	0.50	776	365
14910		16	<0.05	55.3	3.58	0.52	<0.05	0.03	0.01	0.008	<0.01	0.6	0.3	0.19	321	2.09
14911		19	0.13	66.4	5.52	0.83	<0.05	0.03	0.01	0.022	0.03	0.7	1.2	0.17	731	35.2
14912		10	1.56	74.5	9.79	1.78	0.07	0.16	0.01	0.047	0.21	0.9	17.0	3.05	3760	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
14873		0.13	0.12	23.4	730	2.4	10.7	0.005	1.71	<0.05	11.1	4.6	0.7	3.7	<0.01	0.46
14874		0.05	0.11	31.8	400	383	0.4	0.004	2.70	<0.05	13.0	2.1	0.9	7.5	<0.01	0.07
14875		0.01	0.11	6.2	80	2.3	3.3	0.001	0.10	0.06	4.5	0.3	0.5	1.8	<0.01	0.03
14876		0.02	0.16	8.6	100	0.9	0.7	0.001	0.13	0.06	5.2	0.5	0.5	2.9	<0.01	0.04
14877		0.09	0.19	5.8	1090	1.8	10.4	0.001	1.18	0.07	2.4	1.0	0.6	6.9	<0.01	0.02
14878		0.05	0.17	5.8	460	1.0	8.5	0.001	0.52	0.06	1.5	0.5	0.6	4.5	<0.01	0.01
14879		0.02	<0.05	47.8	610	1.7	7.4	<0.001	0.05	<0.05	2.0	0.2	<0.2	124.0	<0.01	0.01
14880		0.05	0.21	23.8	370	1.4	5.5	<0.001	1.53	0.05	7.8	1.8	0.4	7.7	<0.01	0.15
14881		0.02	<0.05	27.8	350	1.9	11.2	0.002	1.73	<0.05	17.6	0.9	<0.2	342	<0.01	0.41
14882		0.06	<0.05	12.8	1630	3.1	8.1	0.001	0.93	0.08	7.6	0.7	0.2	172.5	<0.01	0.32
14883		0.04	<0.05	10.3	1190	3.5	11.1	0.003	1.10	0.06	4.5	0.8	0.3	66.2	<0.01	0.52
14884		0.03	<0.05	16.6	320	8.4	3.2	0.002	2.89	0.09	9.6	1.4	0.5	10.3	<0.01	1.60
14885		0.03	<0.05	13.1	450	4.3	3.0	0.002	2.89	0.08	9.5	1.0	0.5	73.2	<0.01	2.07
14886		0.04	0.11	25.2	400	9.6	4.6	0.009	2.19	0.05	13.8	1.3	0.5	25.3	<0.01	1.31
14887		0.10	0.18	55.6	720	30.4	13.7	0.053	0.62	9.31	7.0	2.2	2.0	40.3	<0.01	0.59
14888		0.51	<0.05	43.8	120	5.6	3.5	0.001	0.05	<0.05	3.0	0.3	0.4	71.9	<0.01	0.03
14889		0.04	0.05	30.2	660	28.8	12.5	0.016	4.85	0.09	20.7	2.0	0.5	104.5	<0.01	1.99
14890		0.03	0.06	7.7	320	2.3	6.4	0.001	3.43	0.05	20.5	1.0	0.5	77.8	<0.01	0.77
14891		<0.01	<0.05	5.1	20	2.2	0.4	0.013	0.46	0.08	0.1	1.4	0.5	2.0	<0.01	0.14
14892		0.07	0.22	4.7	430	8.3	1.1	0.021	0.46	0.06	1.0	0.5	0.5	8.8	<0.01	0.48
14893		0.05	0.28	5.4	440	3.2	2.1	0.003	0.11	0.05	1.5	0.2	0.5	11.0	<0.01	0.22
14894		0.04	0.21	25.4	350	20.2	0.6	0.179	3.14	0.11	16.7	1.3	0.7	27.1	<0.01	46.8
14895		0.04	<0.05	29.9	410	14.3	3.2	0.007	4.71	0.09	17.3	1.1	0.3	54.0	<0.01	16.35
14896		0.07	0.13	32.4	430	5.9	21.8	0.008	1.80	0.08	14.4	1.3	0.6	48.3	<0.01	0.68
14897		0.07	0.15	4.8	400	5.7	4.3	0.001	0.44	0.08	1.2	0.4	0.6	40.3	<0.01	0.18
14898		0.06	0.10	4.5	180	5.0	1.0	0.002	0.24	0.09	0.5	0.2	0.7	14.8	<0.01	0.71
14899		0.03	<0.05	2.1	20	2.1	0.4	<0.001	0.02	0.10	0.3	<0.2	0.5	0.9	<0.01	16.55
14900		0.01	<0.05	4.5	60	18.5	0.4	0.001	0.55	0.11	0.6	0.6	0.7	2.4	<0.01	86.4
14901		0.03	0.09	16.1	310	19.6	1.8	<0.001	0.43	0.09	12.7	1.2	0.7	7.5	<0.01	0.07
14902		0.03	0.09	10.9	240	2.9	1.6	0.002	0.40	0.08	5.9	0.7	0.7	10.3	<0.01	0.13
14903		0.02	<0.05	2.9	160	5.3	1.1	<0.001	1.56	0.12	0.9	0.6	0.6	34.9	<0.01	1.50
14904		0.05	0.12	21.5	380	4.6	0.8	0.002	7.29	0.26	11.2	1.5	0.7	20.9	<0.01	2.97
14905		0.05	0.05	7.2	800	9.2	3.2	0.012	3.46	0.11	15.3	0.9	0.4	159.0	<0.01	1.17
14906		0.05	<0.05	6.6	290	32.4	0.7	0.109	3.16	0.11	4.3	1.6	0.6	14.7	<0.01	4.06
14907		0.06	<0.05	9.5	640	7.4	3.7	0.003	7.58	0.14	14.3	3.0	0.4	106.0	<0.01	2.12
14908		0.07	<0.05	28.3	380	25.2	2.0	0.066	7.98	0.11	10.9	3.4	0.5	80.2	<0.01	5.39
14909		0.06	<0.05	18.0	310	24.7	1.0	0.048	4.25	0.10	7.6	1.4	0.5	67.8	<0.01	4.59
14910		0.09	<0.05	10.5	160	2.3	0.3	0.001	2.86	0.10	2.5	1.7	0.6	21.1	<0.01	0.84
14911		0.06	<0.05	20.1	230	6.2	2.2	0.001	3.19	0.11	8.5	1.0	0.6	37.6	<0.01	0.83
14912		0.06	<0.05	7.1	510	6.2	21.3	<0.001	7.42	0.08	30.7	1.9	0.3	243	<0.01	0.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
14873		0.2	0.184	0.10	<0.05	108	0.58	13.15	125	2.7
14874		<0.2	0.282	<0.02	0.08	189	0.43	12.05	127	3.3
14875		<0.2	0.080	0.03	<0.05	51	0.29	2.67	22	0.5
14876		<0.2	0.099	<0.02	<0.05	70	0.53	2.93	29	0.9
14877		<0.2	0.043	0.07	0.15	31	0.25	5.37	10	4.3
14878		<0.2	0.035	0.07	0.12	20	0.18	3.49	14	3.1
14879		1.3	<0.005	0.05	0.13	10	<0.05	3.94	49	3.7
14880		<0.2	0.159	0.02	<0.05	111	0.48	5.93	56	1.4
14881		<0.2	0.005	0.06	<0.05	112	0.21	8.30	106	1.2
14882		4.1	<0.005	0.04	0.30	16	0.38	8.67	50	15.9
14883		2.4	0.009	0.07	0.31	36	0.09	5.98	55	25.4
14884		<0.2	0.012	0.02	0.06	38	0.36	2.83	57	3.3
14885		<0.2	0.018	0.02	0.05	43	0.30	4.07	49	2.1
14886		<0.2	0.176	0.04	0.06	128	6.43	9.67	50	1.6
14887		1.3	0.134	0.17	0.46	93	8.94	9.56	78	8.7
14888		0.6	0.040	0.02	0.17	34	0.16	1.52	21	2.9
14889		<0.2	0.034	0.06	0.07	118	0.56	5.81	97	2.7
14890		0.2	0.095	0.03	0.13	210	2.72	10.05	90	5.1
14891		<0.2	<0.005	<0.02	<0.05	7	0.89	0.18	4	0.6
14892		2.7	0.030	<0.02	1.01	11	0.25	2.04	12	16.1
14893		3.4	0.040	<0.02	0.43	20	0.31	1.88	22	15.2
14894		<0.2	0.275	0.02	0.05	152	2.34	8.98	59	1.1
14895		<0.2	0.023	0.02	<0.05	95	1.01	5.84	56	0.9
14896		<0.2	0.178	0.18	<0.05	183	0.85	9.64	64	1.4
14897		2.7	0.020	0.03	0.73	11	0.28	2.78	23	16.6
14898		0.7	0.007	<0.02	0.09	3	37.4	1.00	5	4.2
14899		<0.2	<0.005	<0.02	<0.05	2	0.14	0.05	6	<0.5
14900		<0.2	<0.005	<0.02	<0.05	2	0.08	0.35	5	<0.5
14901		<0.2	0.170	0.02	<0.05	165	0.44	12.20	135	1.2
14902		<0.2	0.081	0.02	<0.05	68	0.25	6.68	45	0.5
14903		<0.2	<0.005	<0.02	<0.05	4	0.09	2.30	19	<0.5
14904		<0.2	0.182	0.17	<0.05	111	0.92	8.12	41	1.5
14905		<0.2	0.046	0.02	<0.05	101	0.28	6.48	73	2.3
14906		<0.2	<0.005	<0.02	<0.05	14	0.18	1.74	20	2.9
14907		<0.2	0.017	0.03	<0.05	71	0.27	4.39	70	3.7
14908		<0.2	0.012	<0.02	<0.05	59	0.28	3.77	104	2.7
14909		<0.2	0.009	<0.02	<0.05	35	0.18	2.55	24	1.5
14910		<0.2	<0.005	<0.02	<0.05	4	0.10	1.16	14	0.9
14911		<0.2	0.024	0.02	<0.05	41	0.17	2.59	48	1.2
14912		<0.2	0.034	0.17	<0.05	42	0.33	6.15	86	5.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
14913		1.92	0.082		0.14	0.23	1.6	<0.2	<10	30	0.43	4.44	4.20	0.21	14.25	25.7
14914		1.57	0.293		0.30	0.14	2.2	0.6	<10	40	0.30	3.45	5.21	0.21	5.02	43.5
14915		1.85	0.162		0.07	0.05	0.8	<0.2	<10	20	0.08	87.3	0.34	0.09	4.26	4.5
14916		2.47	0.171		0.11	0.13	0.5	<0.2	<10	20	0.11	2.93	0.58	0.01	6.44	7.8
14917		2.90	1.155		0.67	0.28	10.7	0.9	<10	30	0.36	13.45	5.10	0.14	2.61	43.2
14918		2.32	0.401		0.54	0.08	0.5	0.4	<10	<10	<0.05	53.0	1.52	<0.01	4.31	6.2
14919		2.28	2.22		1.05	0.08	0.5	1.6	<10	40	0.09	42.0	3.91	<0.01	14.40	12.5
14920		2.23	0.013		0.03	0.01	0.5	<0.2	<10	<10	<0.05	1.02	0.01	0.01	0.09	1.1
14921		2.80	0.049		0.24	0.59	0.6	<0.2	<10	<10	0.09	0.80	0.08	0.02	0.55	8.0
14922		2.17	0.325		0.65	0.18	1.3	0.3	<10	<10	0.10	7.74	1.83	0.12	1.60	13.5
14923		1.85	0.001		0.03	0.01	0.3	<0.2	<10	<10	<0.05	1.11	0.01	<0.01	0.20	1.0
14924		1.61	0.051		0.35	0.17	0.6	<0.2	<10	10	<0.05	84.6	0.39	0.07	0.73	9.4
14925		1.56	0.097		0.16	0.53	0.6	<0.2	<10	60	0.45	0.82	1.98	0.63	32.2	13.1
14926		1.79	2.16		0.08	0.40	0.4	0.2	<10	70	0.27	0.77	1.54	0.13	32.4	5.1
14927		1.67	0.051		0.07	0.29	0.3	<0.2	<10	40	0.21	0.48	1.21	0.11	20.8	3.9
14928		1.67	0.009		0.94	2.53	47.5	<0.2	<10	20	0.24	0.60	1.51	1.95	7.35	17.5
14929		1.56	0.008		0.42	0.57	3.2	<0.2	<10	20	0.13	0.50	0.12	0.26	2.44	3.9
14930		1.92	0.005		0.51	2.94	1.2	<0.2	<10	10	0.32	0.73	0.10	0.02	8.41	6.2
14931		1.96	0.174		1.23	0.26	0.8	0.2	<10	160	0.38	68.7	4.58	0.44	27.3	14.9
14932		1.61	1.625		1.90	0.04	0.3	1.2	<10	40	0.05	241	0.15	<0.01	2.33	1.1
14933		1.07	1.780		2.73	0.01	0.3	1.5	<10	80	<0.05	80.5	0.01	<0.01	1.09	0.9
14934		0.07	2.01		0.34	1.87	9.6	1.1	<10	120	0.33	0.23	0.99	0.19	11.70	11.3
14935		1.63	0.010		0.06	5.60	0.5	<0.2	10	20	0.18	0.35	3.64	0.02	3.03	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
14913		18	0.72	57.3	7.26	2.22	0.07	0.31	0.01	0.051	0.15	4.8	5.8	1.70	1660	2.80
14914		9	0.20	191.5	11.10	1.39	0.09	0.37	0.01	0.081	0.07	1.9	2.8	2.02	2210	52.4
14915		27	0.12	14.0	1.69	0.64	<0.05	0.02	<0.01	0.017	0.03	1.7	2.1	0.10	607	21.9
14916		39	0.19	13.1	2.20	1.43	0.05	0.04	0.01	0.019	0.05	2.6	5.4	0.30	552	435
14917		12	0.42	133.5	14.45	2.05	0.09	0.07	0.01	0.043	0.16	0.9	4.6	1.68	3740	8.60
14918		29	0.08	10.0	1.77	0.85	<0.05	0.04	0.01	0.010	0.01	1.9	1.2	0.19	338	2200
14919		33	0.17	9.8	3.13	0.78	0.06	0.08	0.01	0.046	0.02	5.2	2.1	1.76	1830	4670
14920		24	<0.05	18.2	1.10	0.27	<0.05	<0.02	<0.01	<0.005	0.01	<0.2	0.1	<0.01	94	11.25
14921		27	0.08	300	2.03	3.19	0.07	0.03	<0.01	0.011	0.01	<0.2	7.6	0.56	203	3.66
14922		11	0.09	436	15.05	2.07	0.17	<0.02	0.01	0.056	0.01	0.8	0.9	0.15	990	47.4
14923		22	<0.05	5.2	0.86	0.25	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.1	<0.01	95	15.05
14924		21	0.26	17.6	2.75	1.17	0.05	0.06	<0.01	0.005	0.01	0.3	2.3	0.13	171	12.95
14925		11	0.40	48.2	3.36	2.83	0.06	0.86	0.01	0.028	0.11	15.4	4.7	0.49	552	1.19
14926		14	0.59	24.5	2.05	2.84	0.06	0.87	0.01	0.013	0.11	15.9	4.2	0.34	330	1.59
14927		13	0.20	18.9	1.64	1.57	0.06	0.55	0.01	0.011	0.06	9.0	3.0	0.16	260	1.32
14928		19	0.78	283	8.09	16.60	0.23	0.18	0.02	0.692	0.01	3.2	11.6	1.07	732	3.09
14929		14	0.49	128.5	5.17	6.39	0.14	0.07	0.01	0.426	0.03	1.3	1.2	0.21	199	1.76
14930		29	0.21	148.0	9.77	13.95	0.27	0.17	<0.01	0.046	0.05	4.2	20.8	1.48	597	3.52
14931		56	0.96	18.9	3.37	2.86	0.07	0.32	0.01	0.084	0.23	12.8	12.5	2.42	924	877
14932		21	0.09	68.6	0.82	0.40	<0.05	0.06	<0.01	<0.005	<0.01	1.1	0.4	0.02	88	1565
14933		23	0.07	17.5	0.89	0.22	<0.05	<0.02	0.01	<0.005	0.01	0.5	0.1	<0.01	72	1540
14934		33	0.49	35.1	3.07	6.43	0.10	0.24	0.09	0.027	0.16	5.0	12.5	0.85	472	4.68
14935		77	0.30	78.4	1.50	8.71	0.05	0.05	<0.01	0.005	0.11	1.7	11.4	0.84	173	3.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
14913		0.06	0.06	22.4	1810	6.2	10.3	<0.001	2.40	0.15	13.8	1.0	0.5	224	<0.01	6.25
14914		0.06	<0.05	18.2	740	13.0	3.7	0.003	8.44	0.12	22.3	3.1	0.3	127.0	<0.01	2.34
14915		0.02	<0.05	9.7	240	38.4	2.1	0.002	0.23	0.13	2.6	0.4	0.8	10.5	<0.01	4.54
14916		0.03	<0.05	21.8	290	17.2	3.3	0.084	0.79	0.14	4.7	0.5	0.7	27.9	<0.01	3.29
14917		0.03	<0.05	25.0	480	9.2	10.0	0.004	>10.0	0.42	10.3	1.8	0.4	181.5	<0.01	13.25
14918		0.02	<0.05	12.5	100	74.3	0.6	1.365	1.00	0.19	2.9	1.0	0.7	34.5	<0.01	26.9
14919		0.05	<0.05	27.3	1090	195.0	1.8	1.555	1.22	0.21	15.7	1.6	0.6	167.0	<0.01	16.75
14920		0.02	<0.05	2.8	30	1.1	0.6	0.004	0.05	0.09	0.1	<0.2	0.6	1.0	<0.01	0.57
14921		0.04	<0.05	14.9	70	1.8	0.6	0.003	0.23	0.10	3.2	0.2	0.8	4.1	<0.01	0.27
14922		0.02	<0.05	6.1	80	7.4	0.8	0.004	>10.0	0.12	0.8	8.7	0.7	28.9	<0.01	5.07
14923		0.02	<0.05	2.2	20	1.8	0.3	0.001	0.06	0.09	0.2	<0.2	0.6	0.7	<0.01	0.07
14924		0.04	<0.05	8.7	40	8.6	1.0	0.001	1.57	0.13	2.6	0.7	0.7	8.7	<0.01	25.1
14925		0.09	0.09	9.9	1020	4.3	6.1	<0.001	1.78	0.17	4.1	0.7	0.4	108.5	<0.01	1.22
14926		0.10	0.12	3.8	910	5.0	6.3	0.001	0.90	0.10	1.7	0.4	0.5	100.5	<0.01	1.12
14927		0.09	<0.05	3.6	960	3.8	3.2	0.001	0.82	0.09	1.2	0.3	0.4	57.2	<0.01	1.25
14928		0.01	0.14	20.4	350	11.8	9.0	0.004	1.11	0.10	7.2	4.1	8.7	3.7	<0.01	1.36
14929		0.02	0.17	5.1	240	36.6	4.0	0.001	0.36	0.09	1.6	6.0	2.3	1.5	<0.01	1.38
14930		0.02	0.15	9.7	460	13.3	2.2	0.004	0.37	0.07	6.3	13.9	1.9	2.8	<0.01	1.19
14931		0.02	<0.05	66.0	530	64.2	14.7	0.097	1.06	0.16	13.3	1.1	0.8	332	<0.01	13.65
14932		0.04	0.12	2.7	80	124.5	0.3	0.990	0.22	0.11	0.1	1.2	0.6	5.6	<0.01	8.71
14933		0.02	<0.05	2.4	10	206	0.4	0.945	0.32	0.17	<0.1	0.5	0.6	3.1	<0.01	5.47
14934		0.12	0.15	27.5	650	6.3	5.5	0.001	0.05	2.16	6.1	0.5	0.7	49.6	<0.01	0.13
14935		0.53	<0.05	45.5	120	2.7	3.7	0.003	0.05	0.05	2.8	0.3	0.3	73.6	<0.01	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
14913		0.3	0.019	0.09	0.10	60	0.29	9.40	89	10.7
14914		0.3	0.019	0.03	0.09	62	0.33	8.55	130	12.9
14915		<0.2	<0.005	<0.02	<0.05	7	0.10	1.81	27	1.1
14916		<0.2	<0.005	0.02	<0.05	18	0.12	2.24	62	1.9
14917		<0.2	0.005	0.08	<0.05	37	1.27	4.92	70	2.2
14918		<0.2	<0.005	<0.02	<0.05	7	0.18	0.97	21	1.5
14919		0.3	<0.005	0.03	0.08	8	0.29	8.17	74	3.6
14920		<0.2	<0.005	<0.02	<0.05	1	0.08	0.06	4	<0.5
14921		<0.2	0.061	<0.02	0.06	59	0.18	1.06	21	0.7
14922		<0.2	<0.005	<0.02	<0.05	64	0.34	1.95	53	<0.5
14923		<0.2	<0.005	<0.02	<0.05	1	0.05	0.09	3	<0.5
14924		<0.2	<0.005	0.02	0.05	10	0.09	0.72	10	1.9
14925		2.4	0.021	0.04	0.69	30	0.40	4.30	143	34.8
14926		2.4	0.018	0.04	0.63	22	0.20	3.01	36	33.2
14927		1.8	<0.005	0.02	0.37	10	0.18	2.76	27	18.9
14928		0.5	0.090	0.02	0.07	77	0.31	4.96	743	6.6
14929		0.2	0.029	0.11	<0.05	21	0.15	1.62	188	3.2
14930		0.8	0.152	0.05	0.07	83	0.51	3.74	73	8.2
14931		1.2	0.014	0.12	0.17	45	0.22	6.33	215	11.8
14932		1.1	<0.005	0.08	3.35	1	0.18	1.33	3	1.8
14933		0.3	<0.005	0.08	0.47	<1	0.11	0.11	5	<0.5
14934		1.0	0.175	0.08	0.32	76	21.0	8.14	54	6.9
14935		0.6	0.043	0.03	0.18	34	0.11	1.33	19	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15079170

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	LOG-24
PUL-35a	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

CERTIFICATE SD15082895

Project: MILLER

This report is for 162 Rock samples submitted to our lab in Sudbury, ON, Canada on 8-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	GERNOT WOBER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: MICHAELA KUUSKMAN
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333001		2.80	<0.001	0.10	1.27	0.3	<0.2	<10	20	0.11	0.04	1.20	0.05	6.36	21.0	29
R333002		3.74	<0.001	0.21	1.12	0.5	<0.2	<10	30	0.11	0.13	1.30	0.05	4.45	28.7	27
R333501		2.46	0.057	0.15	0.39	318	<0.2	<10	30	0.84	0.09	5.70	0.13	92.9	23.8	21
R333201		1.73	0.746	0.23	0.15	1.2	0.6	<10	10	0.11	4.54	4.87	0.16	4.06	33.9	3
R333202		1.82	0.403	0.80	0.13	1.2	0.8	<10	10	0.08	4.81	2.84	0.28	2.70	53.2	10
R333203		1.76	0.029	0.28	0.16	0.8	<0.2	<10	30	<0.05	9.16	0.11	0.03	1.97	36.2	14
R333204		1.28	0.530	0.96	0.46	2.5	0.5	<10	20	0.29	1.21	3.26	0.23	4.71	35.9	16
R333205		1.30	0.011	0.19	2.86	0.7	<0.2	10	10	0.23	0.21	1.03	0.10	51.3	15.6	36
R333206		1.83	0.326	0.53	0.13	0.8	<0.2	<10	10	0.11	4.54	1.69	0.07	2.84	15.4	19
R333207		1.75	0.510	0.45	0.08	0.6	0.4	<10	40	<0.05	23.0	1.11	0.05	3.52	11.5	18
R333208		1.61	0.139	0.42	0.11	0.4	<0.2	<10	150	0.05	22.7	0.09	<0.01	3.01	10.7	24
R333209		1.36	0.203	0.66	0.22	0.4	<0.2	<10	50	0.08	47.2	1.10	0.11	5.32	16.3	22
R333210		0.91	0.009	0.04	5.51	0.5	<0.2	10	20	0.15	0.08	3.45	0.02	3.12	11.4	83
R333211		1.77	0.059	0.08	0.28	0.9	<0.2	<10	30	0.19	0.87	2.47	0.11	6.41	14.5	34
R333212		1.68	0.343	0.42	0.21	0.7	0.3	<10	20	0.14	5.51	0.84	0.07	2.53	26.9	11
R333213		1.60	1.830	0.54	0.04	0.4	0.2	<10	90	<0.05	51.7	0.01	<0.01	0.72	0.7	22
R333214		2.68	0.513	0.69	0.02	0.3	3.4	<10	180	<0.05	14.30	0.03	<0.01	1.16	1.0	25
R333215		1.44	1.135	0.44	0.12	0.5	0.3	<10	20	0.10	4.10	1.58	0.12	1.99	23.7	16
R333216		2.13	0.052	0.02	0.12	0.3	<0.2	<10	120	0.07	0.75	0.35	0.03	8.09	1.7	18
R333217		1.78	1.415	0.33	0.08	0.7	0.7	<10	10	0.06	12.00	1.54	0.23	2.96	20.6	16
R333218		1.90	0.877	0.30	0.09	0.9	0.5	<10	20	0.09	4.07	0.44	0.06	3.22	19.1	27
R333219		1.84	0.220	0.31	0.11	1.1	0.2	<10	60	0.14	1.04	1.64	0.09	2.04	20.3	19
R333220		0.06	2.55	4.46	1.52	18.6	2.3	<10	40	0.67	0.08	3.49	0.35	20.5	11.2	24
R333221		1.69	0.761	0.71	0.13	3.3	0.8	<10	10	0.12	1.65	0.81	0.10	2.42	38.7	17
R333222		1.66	0.069	0.22	1.44	0.4	<0.2	<10	10	0.23	0.16	0.93	0.05	2.71	16.9	129
R333223		1.73	0.010	0.07	0.04	0.5	<0.2	<10	20	<0.05	1.44	0.01	<0.01	0.68	0.8	25
R333224		1.73	0.011	0.16	0.41	0.4	<0.2	<10	50	0.32	1.34	0.09	<0.01	8.26	4.4	21
R333225		1.18	0.214	0.32	0.22	0.6	0.2	<10	10	0.16	4.86	3.18	0.14	4.50	53.1	7
R333226		1.76	4.29	0.45	0.03	0.4	0.9	<10	10	<0.05	34.4	0.15	<0.01	0.44	2.7	20
R333227		1.57	0.089	0.29	0.20	0.7	<0.2	<10	10	0.29	2.12	5.18	0.15	2.83	61.4	12
R333228		1.81	0.509	1.18	0.56	0.5	0.5	10	60	0.59	29.1	4.03	<0.01	6.59	29.2	86
R333229		1.73	0.052	0.08	0.21	0.7	<0.2	<10	70	0.17	0.36	0.50	0.05	32.4	5.3	11
R333230		<0.02	0.049	0.08	0.19	0.6	<0.2	<10	70	0.15	0.39	0.43	0.04	31.0	5.3	10
R333231		1.80	0.018	1.40	1.90	3.0	<0.2	<10	<10	0.25	14.05	0.52	0.12	0.75	23.8	28
R333232		1.80	0.024	0.61	1.87	5.2	<0.2	<10	20	0.77	3.66	0.68	1.01	35.2	19.5	13
R333233		1.33	0.007	1.81	0.15	0.9	<0.2	<10	10	0.21	3.26	0.24	0.08	1.79	9.4	38
R333234		1.53	0.003	0.30	0.08	0.6	<0.2	<10	10	0.18	0.77	0.23	0.05	1.20	7.5	16
R333235		1.53	0.760	0.57	0.06	0.4	<0.2	<10	<10	<0.05	23.6	0.84	0.04	0.64	4.1	25
R333236		1.32	1.385	0.08	0.03	0.5	0.4	<10	<10	<0.05	0.17	0.04	0.01	0.30	2.2	25
R333237		1.67	0.066	0.09	0.24	1.5	<0.2	<10	40	0.20	0.82	1.54	0.07	22.6	5.8	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333001		0.82	93.5	4.44	5.87	0.15	0.11	0.01	0.024	0.08	2.1	3.3	0.57	352	5.11	0.18
R333002		1.35	95.9	5.99	5.01	0.18	0.26	0.01	0.018	0.12	1.5	3.6	0.46	427	4.65	0.08
R333501		2.79	100.0	5.65	3.75	0.15	0.95	0.79	0.036	0.31	43.9	8.1	2.72	1120	1.73	0.01
R333201		0.19	62.7	9.05	1.07	0.07	0.17	0.01	0.043	0.04	1.3	3.4	0.87	695	0.57	0.07
R333202		0.14	250	11.75	0.80	0.09	0.24	0.02	0.039	0.04	0.9	2.1	0.76	1120	2.21	0.06
R333203		0.29	160.5	12.40	2.08	0.08	0.30	0.01	0.032	0.07	0.6	4.4	0.04	256	20.2	0.08
R333204		1.45	98.9	9.61	2.06	0.07	0.07	0.01	0.051	0.14	1.7	5.7	0.98	970	1.73	0.04
R333205		0.45	31.4	3.48	7.29	0.12	0.23	0.01	0.011	0.05	21.8	28.1	1.02	446	2.87	0.21
R333206		0.83	111.5	4.97	0.91	0.06	0.05	0.01	0.029	0.04	1.1	0.8	0.27	532	66.4	0.04
R333207		0.14	31.5	3.89	0.63	0.05	0.10	0.01	0.020	0.01	1.0	0.6	0.36	412	311	0.05
R333208		0.37	45.5	4.71	0.96	0.06	0.06	0.02	0.022	0.06	1.0	2.8	0.02	185	749	0.04
R333209		0.43	21.8	3.21	1.57	0.05	0.05	0.01	0.014	0.03	2.2	5.6	0.31	306	305	0.02
R333210		0.30	80.0	1.59	7.88	0.06	0.06	0.01	0.007	0.10	1.6	13.1	0.95	174	1.43	0.50
R333211		1.84	27.2	3.77	1.18	0.05	0.06	0.01	0.024	0.06	2.4	2.6	0.71	756	6.24	0.04
R333212		0.57	164.5	7.84	1.48	0.07	0.13	0.02	0.034	0.08	0.8	1.8	0.22	540	218	0.05
R333213		<0.05	13.0	0.72	0.27	<0.05	0.13	0.01	<0.005	0.01	0.3	0.2	0.01	68	246	0.02
R333214		0.08	6.8	0.77	0.24	<0.05	0.05	0.01	<0.005	<0.01	0.6	0.2	0.01	61	341	0.02
R333215		0.22	42.7	6.85	0.71	0.06	0.07	0.01	0.026	0.09	0.7	1.4	0.63	690	2.98	0.03
R333216		0.97	3.7	0.91	0.63	<0.05	0.21	0.01	<0.005	0.03	4.0	2.1	0.04	174	1.91	0.05
R333217		0.16	33.9	5.22	0.47	0.06	0.19	0.01	0.032	0.02	0.9	0.7	0.56	902	10.25	0.05
R333218		0.21	64.1	4.97	0.58	<0.05	0.17	<0.01	0.021	0.02	1.4	1.1	0.12	404	31.0	0.04
R333219		0.20	74.3	4.92	0.73	<0.05	0.08	<0.01	0.022	0.07	0.7	6.2	0.54	721	2.28	0.02
R333220		3.13	70.7	2.90	6.30	0.07	0.40	0.09	0.033	0.22	9.7	17.1	0.82	677	6.21	0.06
R333221		0.20	119.5	6.31	0.53	<0.05	0.12	0.01	0.034	0.12	1.0	1.6	0.16	375	6.50	0.01
R333222		0.40	1915	2.75	9.09	0.08	0.08	0.01	0.034	<0.01	1.1	22.1	2.03	417	4.16	0.02
R333223		0.08	11.1	0.72	0.37	<0.05	0.02	<0.01	<0.005	0.03	0.3	0.3	0.01	71	184.5	0.01
R333224		0.24	74.3	1.60	3.84	<0.05	0.45	<0.01	0.006	0.04	3.6	8.7	0.40	107	100.0	0.05
R333225		0.60	141.5	11.70	1.60	0.08	0.21	0.01	0.036	0.08	1.6	8.5	1.05	618	2.79	0.05
R333226		0.12	20.3	1.19	0.27	<0.05	0.02	0.01	<0.005	0.01	0.2	0.4	0.03	69	1010	0.02
R333227		0.36	151.0	11.90	1.32	0.07	0.11	<0.01	0.050	0.12	1.0	7.0	2.11	1480	7.41	0.03
R333228		4.41	19.3	6.15	5.58	0.06	0.43	<0.01	0.056	0.53	2.3	47.7	2.63	1280	3970	0.04
R333229		0.26	11.5	1.81	1.06	<0.05	0.81	<0.01	0.010	0.08	15.7	1.7	0.06	329	16.85	0.07
R333230		0.23	10.8	1.72	0.93	<0.05	0.80	<0.01	0.011	0.07	15.1	1.5	0.05	303	14.25	0.06
R333231		0.87	2610	4.72	9.87	0.11	0.13	<0.01	0.064	0.01	0.3	30.6	2.36	441	71.9	0.02
R333232		5.54	435	12.75	13.30	0.42	3.44	0.01	0.166	0.07	16.8	13.2	1.15	667	7.90	0.04
R333233		1.04	667	21.6	4.83	0.33	0.05	<0.01	0.496	0.03	0.8	0.2	0.13	481	9.08	0.01
R333234		1.41	107.0	8.11	2.71	0.13	0.02	<0.01	0.090	0.04	0.7	0.2	0.06	231	19.80	0.01
R333235		0.53	14.0	1.37	0.57	<0.05	<0.02	<0.01	0.006	0.02	0.2	0.8	0.10	225	32.2	0.01
R333236		<0.05	12.7	0.89	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.3	0.01	88	2.20	0.02
R333237		0.16	35.2	2.04	1.82	<0.05	0.81	0.01	0.013	0.03	11.0	2.8	0.35	346	2.20	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333001		0.10	20.3	460	2.2	4.2	0.004	0.21	0.06	9.9	0.6	0.5	7.5	<0.01	0.04	0.2
R333002		0.38	25.9	460	3.9	8.0	0.002	1.16	0.08	8.6	1.4	0.6	14.8	<0.01	0.08	<0.2
R333501		<0.05	21.1	2050	26.2	35.4	<0.001	1.44	11.05	14.8	0.9	0.3	1220	<0.01	0.02	5.2
R333201		<0.05	17.2	490	14.9	2.8	0.001	9.63	0.17	14.5	3.6	0.3	328	<0.01	3.98	<0.2
R333202		<0.05	20.1	440	12.7	2.2	<0.001	>10.0	0.15	12.8	6.9	0.3	177.0	<0.01	3.46	<0.2
R333203		<0.05	17.0	750	19.8	5.1	0.001	7.92	0.12	6.4	5.5	0.4	11.2	<0.01	1.61	0.2
R333204		<0.05	15.9	260	7.6	18.4	0.001	7.69	0.36	16.2	1.5	0.3	95.8	<0.01	5.64	<0.2
R333205		<0.05	25.6	1110	7.4	2.4	<0.001	0.63	0.06	2.5	0.2	0.4	106.0	<0.01	0.19	2.3
R333206		<0.05	3.6	230	7.7	6.8	0.003	2.73	0.16	6.8	1.5	0.4	56.0	<0.01	3.58	<0.2
R333207		<0.05	10.3	1090	39.5	0.6	0.038	1.79	0.15	6.5	1.5	0.6	45.7	<0.01	11.75	<0.2
R333208		<0.05	7.9	660	67.8	2.7	0.026	1.43	0.11	5.2	1.5	0.4	12.4	<0.01	4.12	<0.2
R333209		<0.05	22.7	180	52.3	2.8	0.059	1.89	0.11	2.7	1.3	0.5	36.7	<0.01	21.3	<0.2
R333210		<0.05	43.7	120	5.5	3.3	<0.001	0.04	<0.05	3.0	0.3	0.3	71.4	<0.01	0.05	0.6
R333211		<0.05	21.0	670	4.4	8.0	0.001	1.95	0.14	9.6	0.7	0.6	67.7	<0.01	1.35	0.2
R333212		<0.05	14.9	630	17.6	6.4	0.009	5.91	0.16	8.0	3.7	0.4	45.1	<0.01	2.63	0.3
R333213		<0.05	1.8	10	43.7	0.4	0.045	0.09	0.10	0.1	<0.2	0.5	4.9	<0.01	3.15	0.4
R333214		<0.05	1.9	70	25.3	0.2	0.040	0.20	0.08	0.1	<0.2	0.4	10.3	<0.01	1.62	0.2
R333215		<0.05	22.7	300	6.9	4.4	<0.001	4.88	0.28	8.2	1.3	0.5	69.8	<0.01	3.82	<0.2
R333216		<0.05	2.3	240	4.0	3.3	<0.001	0.21	0.10	1.1	<0.2	0.3	24.0	<0.01	0.41	0.7
R333217		<0.05	18.1	710	18.5	1.1	0.001	3.58	0.25	11.8	1.9	0.4	66.5	<0.01	6.45	<0.2
R333218		<0.05	23.7	530	14.3	1.5	0.002	2.97	0.28	8.8	1.9	0.4	23.1	<0.01	2.78	<0.2
R333219		<0.05	19.3	640	5.0	5.3	0.001	3.54	1.70	8.4	0.9	0.5	75.2	<0.01	2.19	<0.2
R333220		0.06	10.8	630	17.7	11.1	0.002	0.85	0.48	8.7	0.7	0.5	115.5	<0.01	2.22	1.4
R333221		<0.05	21.3	240	8.1	4.9	0.005	3.63	0.11	1.5	3.3	0.3	21.3	<0.01	2.10	<0.2
R333222		0.06	59.2	150	3.7	0.5	<0.001	0.21	0.05	5.1	0.5	0.5	7.4	<0.01	0.03	<0.2
R333223		<0.05	2.1	20	6.9	1.4	0.100	0.03	0.07	0.1	<0.2	0.5	3.4	<0.01	0.08	<0.2
R333224		0.45	4.9	340	5.0	2.1	0.050	0.54	0.06	1.1	0.7	0.5	8.1	<0.01	0.13	3.2
R333225		<0.05	23.5	530	11.1	6.4	<0.001	>10.0	0.09	16.7	5.9	0.3	154.5	<0.01	2.88	<0.2
R333226		<0.05	3.6	20	55.2	0.5	0.067	0.54	0.14	1.0	0.7	0.4	9.4	<0.01	12.60	<0.2
R333227		<0.05	83.9	460	6.5	8.5	0.003	9.46	0.25	15.6	2.1	0.2	158.0	<0.01	1.58	<0.2
R333228		0.05	87.8	1490	160.5	39.9	0.781	4.80	0.13	24.5	3.4	0.4	379	<0.01	5.58	<0.2
R333229		<0.05	3.8	800	4.2	4.3	0.003	0.72	0.12	1.6	0.2	0.4	32.6	<0.01	0.76	2.2
R333230		<0.05	3.6	760	4.3	3.7	0.003	0.70	0.11	1.5	<0.2	0.3	29.0	<0.01	0.80	2.2
R333231		<0.05	29.4	80	23.5	0.7	0.002	0.80	0.14	3.9	1.1	0.5	4.1	<0.01	0.13	0.3
R333232		0.44	25.3	240	51.9	7.7	0.004	2.75	0.24	2.3	6.0	2.9	5.0	0.01	0.46	9.2
R333233		0.06	5.2	310	3.3	1.8	0.003	1.99	0.06	0.4	13.4	3.5	2.2	<0.01	0.51	0.2
R333234		0.07	2.3	230	5.3	3.2	0.008	1.15	0.05	0.2	2.8	1.4	3.5	<0.01	0.13	<0.2
R333235		<0.05	4.2	100	9.2	2.5	0.005	0.53	0.07	1.9	0.4	0.5	25.5	<0.01	8.11	<0.2
R333236		<0.05	2.8	60	2.2	0.2	<0.001	0.40	0.06	0.6	<0.2	0.4	2.1	<0.01	2.01	<0.2
R333237		<0.05	4.8	800	4.6	1.9	0.003	1.24	0.09	2.1	0.8	0.3	100.5	<0.01	0.90	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333001		0.150	0.06	<0.05	130	0.29	10.55	40	2.0
R333002		0.360	0.10	<0.05	155	0.67	9.26	38	5.8
R333501		0.020	0.73	0.58	69	3.59	13.40	75	34.4
R333201		0.005	0.02	0.07	29	0.23	5.67	70	4.9
R333202		0.006	0.02	0.07	17	0.31	5.12	138	8.6
R333203		0.005	0.03	0.07	18	0.22	2.82	25	10.1
R333204		0.013	0.15	<0.05	53	1.29	4.38	85	2.2
R333205		0.008	0.02	0.24	26	0.46	3.91	80	10.6
R333206		0.006	0.06	<0.05	20	0.40	1.82	27	1.3
R333207		<0.005	<0.02	<0.05	6	0.14	6.10	32	3.2
R333208		<0.005	0.02	<0.05	13	0.17	2.62	21	2.5
R333209		<0.005	0.02	<0.05	4	0.11	2.29	60	1.5
R333210		0.037	0.02	0.17	35	0.11	1.40	20	2.3
R333211		0.013	0.07	<0.05	30	0.45	4.58	68	2.3
R333212		0.005	0.05	0.09	25	0.22	2.99	52	5.0
R333213		<0.005	<0.02	0.26	1	0.11	0.15	2	2.5
R333214		<0.005	<0.02	0.05	1	0.07	0.43	<2	1.2
R333215		<0.005	0.03	<0.05	16	0.30	2.06	63	2.0
R333216		<0.005	0.03	0.17	2	0.07	1.57	8	5.9
R333217		<0.005	0.02	0.11	7	0.18	6.36	63	5.8
R333218		<0.005	<0.02	0.17	9	0.26	3.26	30	6.6
R333219		<0.005	0.03	<0.05	12	0.31	2.96	49	2.9
R333220		0.055	0.15	0.33	66	0.59	7.59	81	12.7
R333221		<0.005	0.03	<0.05	7	0.63	1.57	94	4.9
R333222		0.048	<0.02	0.06	49	0.39	1.76	67	2.5
R333223		<0.005	<0.02	<0.05	1	0.05	0.11	<2	0.5
R333224		0.021	<0.02	2.11	18	0.16	2.98	13	12.8
R333225		0.007	0.06	0.05	28	0.24	6.16	80	6.9
R333226		<0.005	<0.02	<0.05	2	0.08	0.47	3	0.8
R333227		0.008	0.04	<0.05	19	0.39	7.07	79	3.2
R333228		0.023	0.26	0.16	78	0.28	10.25	210	14.8
R333229		<0.005	0.02	0.49	5	0.30	2.86	20	29.6
R333230		<0.005	0.02	0.48	4	0.30	2.72	19	28.0
R333231		0.027	0.18	0.09	96	0.07	1.89	67	5.5
R333232		0.102	0.44	1.92	27	0.40	17.95	291	126.0
R333233		0.009	0.09	0.06	41	3.77	1.29	92	2.1
R333234		0.006	0.03	<0.05	23	0.26	0.75	29	0.7
R333235		<0.005	0.02	<0.05	11	0.09	0.92	8	<0.5
R333236		<0.005	<0.02	<0.05	1	0.08	0.34	4	<0.5
R333237		<0.005	0.02	0.51	16	0.23	3.17	27	26.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333551		1.27	<0.001	0.01	0.35	0.5	<0.2	<10	50	0.13	0.17	0.11	<0.01	13.95	3.2	18
R333552		2.01	<0.001	0.01	0.37	0.6	<0.2	<10	80	0.21	0.21	0.17	0.01	20.4	3.1	19
R333553		1.69	0.013	0.02	0.42	0.5	<0.2	<10	180	0.28	0.64	0.31	0.02	23.7	4.2	14
R333554		1.05	<0.001	0.01	0.50	0.3	<0.2	<10	190	0.24	0.17	0.19	0.02	25.8	3.9	15
R333555		3.12	<0.001	0.02	0.80	0.3	<0.2	<10	90	0.27	0.10	0.36	0.02	25.4	13.2	24
R333556		2.76	<0.001	0.02	0.46	0.4	<0.2	<10	110	0.23	0.21	0.20	0.02	24.6	4.1	18
R333557		2.91	<0.001	0.01	0.38	0.5	<0.2	<10	130	0.19	0.13	0.13	0.02	19.25	3.6	17
R333558		3.05	<0.001	0.01	0.26	0.6	<0.2	<10	40	0.14	0.18	0.09	<0.01	14.50	2.5	17
R333559		2.91	0.002	0.01	0.47	0.4	<0.2	<10	90	0.23	0.13	0.21	0.02	26.9	3.9	21
R333560		0.12	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.07	0.1	<1
R333561		4.51	0.001	0.01	0.56	0.8	<0.2	<10	90	0.25	0.19	0.20	0.01	30.1	4.5	19
R333562		2.93	0.024	0.06	0.42	0.4	<0.2	<10	30	0.15	1.15	0.12	<0.01	21.0	3.5	18
R333563		2.92	0.057	0.08	0.44	0.5	<0.2	<10	60	0.21	1.47	0.16	0.01	21.9	3.7	16
R333564		1.68	0.079	0.09	0.51	0.4	<0.2	<10	120	0.25	1.60	0.26	0.03	20.1	3.8	14
R333565		4.15	1.645	0.17	0.45	0.4	0.2	<10	270	0.19	8.99	0.17	0.01	18.45	3.9	15
R333566		1.70	0.047	0.04	0.40	0.3	<0.2	<10	250	0.17	1.33	0.18	0.01	13.00	3.8	13
R333567		2.66	0.091	0.07	0.45	0.3	<0.2	<10	210	0.14	1.57	0.14	<0.01	15.55	3.7	15
R333568		2.46	0.009	0.02	0.50	0.2	<0.2	<10	170	0.25	0.53	0.23	0.02	27.1	4.0	16
R333569		1.43	0.280	0.13	0.53	0.4	0.3	<10	160	0.24	2.92	0.23	<0.01	23.4	4.1	15
R333570		0.07	2.48	4.61	1.57	18.8	2.4	<10	40	0.65	0.10	3.72	0.37	22.2	11.4	24
R333571		4.12	0.006	0.03	0.63	0.3	<0.2	<10	150	0.24	0.66	0.26	0.02	27.7	5.1	19
R333572		2.73	0.032	0.02	0.60	0.4	<0.2	<10	220	0.30	0.73	0.44	0.02	37.8	5.1	18
R333573		1.41	<0.001	0.02	0.60	0.4	<0.2	<10	150	0.36	0.06	0.43	0.02	40.8	4.9	18
R333574		1.83	0.039	0.05	0.59	0.4	<0.2	<10	410	0.30	0.79	0.51	0.02	38.0	5.2	17
R333575		3.08	1.190	0.17	0.47	0.4	<0.2	<10	460	0.27	9.19	0.55	0.02	30.4	5.4	18
R333576		1.88	0.221	0.14	0.43	0.3	<0.2	<10	210	0.29	5.89	0.58	0.01	27.6	5.1	16
R333577		2.93	0.161	0.03	0.89	0.5	<0.2	<10	50	0.36	0.53	0.32	0.01	26.9	7.0	19
R333578		2.06	0.005	0.02	0.62	0.4	<0.2	<10	170	0.27	0.24	0.20	0.01	26.9	4.9	17
R333579		2.30	0.107	0.09	0.33	0.3	<0.2	<10	50	0.20	1.38	0.20	0.02	16.10	4.4	14
R333580		<0.02	0.095	0.07	0.35	0.4	<0.2	<10	50	0.18	1.61	0.19	0.01	15.80	4.1	14
R333581		2.64	0.002	0.03	0.46	0.4	<0.2	<10	110	0.20	0.28	0.15	0.01	19.40	3.7	15
R333582		3.33	0.233	0.03	0.44	0.4	<0.2	<10	210	0.17	0.92	0.10	0.01	13.20	2.8	13
R333583		2.09	0.009	0.02	0.54	0.5	<0.2	<10	110	0.18	0.16	0.14	0.01	22.5	4.0	16
R333584		1.92	0.037	0.19	0.48	0.3	0.5	<10	270	0.23	1.78	0.27	0.01	25.4	4.8	18
R333585		2.48	0.006	0.16	0.86	0.3	<0.2	<10	200	0.45	0.34	0.83	0.02	39.4	9.8	44
R333586		2.69	0.002	0.04	0.59	0.4	<0.2	<10	180	0.37	0.27	0.41	0.03	33.5	5.3	20
R333587		4.05	0.013	0.03	0.55	0.8	<0.2	<10	230	0.21	0.40	0.29	0.02	23.8	4.8	16
R333588		3.74	0.030	0.04	0.51	0.3	<0.2	<10	260	0.24	0.41	0.38	0.02	23.4	4.5	15
R333589		3.19	0.008	0.03	0.29	0.7	<0.2	<10	160	0.18	0.36	0.19	0.01	15.30	2.3	10
R333590		0.12	<0.001	0.01	0.01	0.5	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.95	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333551		0.36	37.0	1.14	2.95	<0.05	0.44	<0.01	0.005	0.06	4.4	5.1	0.25	147	3.00	0.03
R333552		0.43	20.9	1.25	3.08	<0.05	0.57	<0.01	0.007	0.09	9.9	5.6	0.25	171	5.22	0.04
R333553		0.55	15.2	1.43	3.37	0.05	0.54	<0.01	0.007	0.08	11.1	6.4	0.31	200	4.29	0.05
R333554		0.87	16.7	1.40	4.11	0.05	0.59	0.01	0.007	0.11	9.5	8.4	0.33	227	2.96	0.05
R333555		0.80	43.6	3.07	4.88	0.06	0.55	<0.01	0.013	0.13	12.8	13.0	0.67	365	2.48	0.04
R333556		0.90	18.1	1.39	3.22	<0.05	0.71	<0.01	0.007	0.15	12.4	7.6	0.33	227	2.19	0.04
R333557		0.41	21.1	1.23	2.88	<0.05	0.54	<0.01	0.006	0.08	9.1	6.1	0.29	172	2.13	0.04
R333558		0.38	20.9	1.04	1.91	<0.05	0.34	0.01	<0.005	0.07	6.5	3.6	0.16	131	2.89	0.03
R333559		0.72	26.1	1.36	3.51	<0.05	0.66	<0.01	0.006	0.11	14.0	8.0	0.34	214	2.89	0.04
R333560		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06	<0.01
R333561		0.86	23.0	1.59	4.17	0.05	0.61	<0.01	0.008	0.11	13.8	8.1	0.41	215	3.77	0.06
R333562		0.41	19.9	1.32	3.53	<0.05	0.48	0.01	0.008	0.05	8.2	5.6	0.32	138	8.26	0.05
R333563		0.83	17.7	1.40	3.43	<0.05	0.68	<0.01	0.007	0.10	8.9	6.3	0.28	174	11.40	0.06
R333564		0.51	30.1	1.39	4.08	<0.05	0.60	0.01	0.008	0.08	9.8	7.8	0.37	197	4.78	0.05
R333565		0.29	31.1	1.50	3.42	<0.05	0.55	<0.01	0.006	0.07	9.1	6.8	0.31	165	10.25	0.06
R333566		0.21	24.9	1.33	3.39	<0.05	0.45	<0.01	0.007	0.06	5.8	6.4	0.28	154	5.22	0.05
R333567		0.39	26.2	1.48	3.89	<0.05	0.41	<0.01	0.006	0.07	6.3	6.3	0.30	156	10.10	0.06
R333568		0.71	27.3	1.53	4.19	<0.05	0.46	<0.01	0.008	0.09	12.6	7.8	0.37	228	5.21	0.04
R333569		0.38	24.9	1.68	4.67	<0.05	0.55	<0.01	0.009	0.07	11.3	7.6	0.38	196	143.5	0.06
R333570		3.38	69.6	2.94	6.58	0.07	0.41	0.10	0.037	0.23	10.5	16.9	0.86	709	6.80	0.07
R333571		0.65	23.5	1.86	5.10	0.05	0.42	<0.01	0.007	0.10	10.1	10.0	0.46	248	12.60	0.05
R333572		1.06	23.6	1.68	4.61	0.05	0.32	<0.01	0.008	0.13	20.0	10.7	0.44	266	3.41	0.06
R333573		1.58	21.3	1.58	4.66	0.06	0.46	<0.01	0.008	0.17	21.8	12.6	0.43	257	2.08	0.06
R333574		0.99	22.6	1.73	4.43	0.05	0.43	<0.01	0.011	0.12	20.0	9.1	0.46	256	9.09	0.06
R333575		0.33	36.5	1.75	3.66	0.05	0.36	<0.01	0.010	0.06	14.6	6.3	0.36	223	7.75	0.06
R333576		0.38	25.3	1.71	3.59	<0.05	0.36	<0.01	0.010	0.08	14.4	5.8	0.32	204	2.93	0.05
R333577		0.71	23.0	1.94	6.25	0.05	0.48	<0.01	0.011	0.08	13.5	16.3	0.87	262	1.48	0.06
R333578		0.71	34.1	1.65	4.80	0.05	0.70	<0.01	0.008	0.11	11.7	9.3	0.49	231	1.93	0.05
R333579		0.29	40.2	1.41	2.81	<0.05	0.48	<0.01	0.007	0.07	6.4	4.3	0.21	154	17.15	0.06
R333580		0.29	39.2	1.44	2.86	<0.05	0.47	<0.01	0.007	0.07	6.3	4.2	0.21	153	15.80	0.06
R333581		0.73	40.6	1.39	3.72	<0.05	0.62	<0.01	0.006	0.10	7.5	7.0	0.32	182	2.37	0.05
R333582		0.29	30.3	1.47	3.54	<0.05	0.60	0.01	0.008	0.08	5.5	5.1	0.26	123	6.01	0.05
R333583		1.02	33.0	1.46	4.11	<0.05	0.56	0.01	0.005	0.21	8.1	9.6	0.34	202	1.68	0.05
R333584		0.64	22.7	1.80	3.53	<0.05	0.50	<0.01	0.007	0.11	12.5	6.4	0.34	184	11.80	0.06
R333585		1.74	32.2	2.34	5.50	0.07	0.75	<0.01	0.016	0.19	19.8	14.9	0.87	406	1.09	0.07
R333586		2.13	34.5	1.74	4.26	0.16	0.95	<0.01	0.012	0.18	16.1	11.5	0.48	283	1.64	0.06
R333587		0.82	21.8	1.63	3.78	0.10	0.88	<0.01	0.017	0.14	10.5	7.4	0.40	254	4.84	0.06
R333588		0.60	32.6	1.53	3.32	0.12	0.59	<0.01	0.010	0.11	10.6	8.1	0.37	235	2.89	0.05
R333589		0.36	24.3	1.01	1.81	0.09	0.96	<0.01	0.010	0.09	7.6	3.6	0.17	141	1.64	0.05
R333590		<0.05	0.9	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333551		0.19	14.7	270	2.0	2.9	0.003	0.03	0.08	1.0	<0.2	4.7	12.3	<0.01	0.04	2.0
R333552		0.31	6.9	300	3.4	4.7	0.003	0.03	0.09	1.1	<0.2	1.9	19.2	<0.01	0.02	2.8
R333553		0.40	5.1	480	5.0	5.1	0.003	0.18	0.08	1.4	<0.2	0.8	27.5	<0.01	0.08	3.3
R333554		0.35	5.2	430	4.6	7.2	0.003	0.02	0.08	1.4	<0.2	0.9	28.2	<0.01	0.02	3.2
R333555		0.26	16.1	480	4.2	10.0	0.004	0.12	0.07	3.5	0.5	1.7	22.0	<0.01	0.03	2.4
R333556		0.19	7.9	380	3.9	11.0	0.002	0.02	0.07	1.4	<0.2	2.0	19.3	<0.01	0.04	2.7
R333557		0.13	8.6	330	2.0	4.6	0.003	0.06	0.06	1.2	<0.2	2.4	12.7	<0.01	0.03	2.0
R333558		0.17	7.5	230	1.8	3.8	0.003	0.03	0.07	0.8	<0.2	2.4	12.4	<0.01	0.02	1.5
R333559		0.19	4.9	410	2.9	7.2	0.002	0.03	0.06	1.4	<0.2	0.7	23.2	<0.01	0.03	2.7
R333560		<0.05	0.4	10	0.5	0.1	0.002	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R333561		0.28	5.6	470	3.6	7.3	0.003	0.05	0.06	1.6	0.3	0.9	22.4	<0.01	0.03	2.9
R333562		0.30	5.0	360	3.9	2.7	0.003	0.02	0.06	1.4	<0.2	1.0	11.2	<0.01	0.18	2.5
R333563		0.35	4.7	390	9.2	7.1	0.003	0.02	0.06	1.4	0.2	0.8	19.5	<0.01	0.23	3.1
R333564		0.31	5.3	370	5.0	4.9	0.003	0.07	0.18	1.2	<0.2	0.9	21.3	<0.01	0.65	2.7
R333565		0.28	7.5	440	5.5	3.4	0.003	0.17	0.11	1.2	0.4	1.8	19.9	<0.01	3.73	2.5
R333566		0.19	6.8	350	4.0	2.8	0.003	0.24	0.09	1.1	0.2	1.3	16.4	<0.01	0.23	2.1
R333567		0.40	8.5	460	5.2	3.9	0.003	0.11	0.10	1.2	0.2	2.4	18.4	<0.01	0.20	2.3
R333568		0.40	5.7	470	7.2	5.7	0.003	0.09	0.09	1.4	<0.2	1.1	23.4	<0.01	0.06	2.6
R333569		0.37	8.2	520	12.7	3.4	0.010	0.05	0.09	1.8	<0.2	2.1	24.9	<0.01	0.56	3.2
R333570		0.07	10.9	640	17.9	11.9	0.005	0.87	0.50	9.0	0.9	0.5	119.5	<0.01	2.39	1.5
R333571		0.42	8.0	610	4.3	5.6	0.002	0.05	0.16	1.8	0.2	1.6	28.9	<0.01	0.09	3.0
R333572		0.38	7.3	560	4.0	9.1	0.002	0.10	0.08	1.7	0.3	1.4	47.5	<0.01	0.32	2.5
R333573		0.41	5.5	620	4.5	12.7	0.003	0.04	0.06	1.4	0.2	0.7	47.1	<0.01	<0.01	3.2
R333574		0.35	7.7	620	4.9	8.4	0.003	0.21	0.07	1.9	0.2	1.4	41.6	<0.01	0.28	3.1
R333575		0.24	7.9	560	6.7	3.3	0.003	0.38	0.26	1.8	0.2	1.5	27.6	<0.01	0.83	2.7
R333576		0.35	6.2	540	4.3	4.2	0.002	0.38	0.12	1.9	0.2	0.8	23.6	<0.01	2.05	2.7
R333577		0.18	7.2	610	4.7	4.9	0.002	0.07	0.07	2.3	0.2	0.9	18.5	<0.01	0.14	3.1
R333578		0.33	6.3	480	4.3	6.7	0.003	0.05	0.07	1.6	0.2	1.1	24.7	<0.01	0.03	3.5
R333579		0.42	8.1	390	4.5	4.0	0.003	0.24	0.12	1.3	0.3	1.4	16.1	<0.01	0.42	2.7
R333580		0.41	7.7	390	4.3	4.1	0.003	0.22	0.11	1.2	0.4	1.4	16.0	<0.01	0.60	2.7
R333581		0.25	5.4	370	3.5	6.3	0.003	0.10	0.08	1.4	0.3	0.7	16.5	<0.01	0.06	3.1
R333582		0.34	4.1	410	4.1	4.4	0.003	0.04	0.10	1.3	0.2	0.6	14.0	<0.01	0.30	3.2
R333583		0.21	4.6	390	3.2	15.7	0.002	0.06	0.08	1.5	0.2	0.5	19.7	<0.01	0.03	3.1
R333584		0.36	6.4	600	4.8	7.7	0.003	0.14	0.07	1.7	0.2	0.8	24.5	<0.01	0.35	3.2
R333585		0.31	17.2	930	3.4	16.5	0.002	0.19	0.08	3.4	0.2	0.7	47.1	<0.01	0.29	3.4
R333586		0.41	7.8	640	6.8	19.3	<0.001	0.10	0.15	1.9	0.3	0.7	39.8	<0.01	0.11	4.7
R333587		0.42	7.2	590	6.3	10.8	<0.001	0.13	0.17	1.4	0.2	1.2	30.6	<0.01	0.07	3.2
R333588		0.31	7.0	500	3.7	7.7	<0.001	0.19	0.18	1.6	0.2	1.3	38.2	<0.01	0.15	2.4
R333589		0.23	4.8	230	5.3	5.3	<0.001	0.11	0.20	0.9	<0.2	1.3	15.6	<0.01	0.10	3.3
R333590		<0.05	0.4	10	0.3	0.1	<0.001	0.02	0.11	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333551		0.039	<0.02	0.49	18	0.37	1.51	19	12.3
R333552		0.045	0.03	0.68	18	0.47	2.40	21	14.4
R333553		0.052	0.03	0.79	21	0.24	3.08	29	14.8
R333554		0.068	0.05	0.83	25	0.21	2.62	31	16.5
R333555		0.130	0.06	0.54	77	0.20	5.28	49	15.4
R333556		0.054	0.07	0.68	23	0.21	2.63	30	17.8
R333557		0.034	0.03	0.45	18	0.26	2.20	21	14.3
R333558		0.026	0.02	0.33	12	0.22	1.50	14	10.2
R333559		0.054	0.05	0.63	24	0.31	2.94	31	17.7
R333560		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8
R333561		0.062	0.04	0.62	26	0.29	3.03	30	16.2
R333562		0.048	0.02	0.71	22	0.43	2.24	18	13.4
R333563		0.056	0.06	0.87	21	0.29	2.71	24	18.1
R333564		0.044	0.03	0.92	17	0.33	2.42	26	14.8
R333565		0.040	0.02	0.71	15	0.33	2.42	20	14.2
R333566		0.025	0.02	0.50	13	0.24	1.97	18	12.3
R333567		0.048	0.03	0.56	17	0.30	2.35	20	12.2
R333568		0.062	0.04	0.62	21	0.22	2.53	32	14.0
R333569		0.058	0.02	0.87	23	0.35	2.90	27	17.2
R333570		0.056	0.15	0.36	68	0.63	7.98	85	13.1
R333571		0.088	0.04	0.83	29	0.26	3.03	35	13.0
R333572		0.085	0.06	0.37	25	0.11	3.34	42	10.9
R333573		0.094	0.10	0.58	25	0.08	3.48	45	13.4
R333574		0.076	0.06	0.60	25	0.18	3.69	41	12.4
R333575		0.048	0.02	0.51	21	0.50	3.42	26	11.8
R333576		0.048	0.02	0.48	22	1.22	3.47	22	11.6
R333577		0.064	0.03	0.62	31	0.48	3.29	38	13.7
R333578		0.069	0.04	0.95	25	0.26	3.11	34	19.3
R333579		0.040	0.03	0.70	16	0.41	2.80	15	15.3
R333580		0.040	0.03	0.69	16	0.41	2.68	16	14.8
R333581		0.049	0.04	0.81	17	0.24	2.51	23	18.0
R333582		0.043	0.02	0.72	17	0.45	2.24	14	17.9
R333583		0.057	0.11	0.64	22	0.21	2.42	32	16.4
R333584		0.066	0.06	0.66	23	0.28	3.35	24	15.4
R333585		0.109	0.14	0.83	42	0.28	6.08	59	21.6
R333586		0.086	0.15	1.50	28	0.10	4.48	42	25.5
R333587		0.082	0.08	0.98	25	0.12	3.52	38	25.1
R333588		0.053	0.05	0.59	19	0.17	3.35	32	20.0
R333589		0.022	0.04	1.11	9	0.32	2.00	17	23.5
R333590		<0.005	<0.02	0.08	<1	<0.05	0.57	<2	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333591		2.10	0.021	0.03	0.12	0.7	<0.2	<10	40	0.06	0.47	0.02	<0.01	5.34	0.7	10
R333592		1.52	0.019	0.03	0.26	0.5	<0.2	<10	50	0.20	0.46	0.11	0.03	13.70	2.0	12
R333593		2.48	0.056	0.05	0.14	0.6	<0.2	<10	40	0.07	0.84	0.03	<0.01	4.22	1.1	10
R333594		1.79	0.152	0.04	0.14	0.6	<0.2	<10	40	0.08	0.66	0.03	<0.01	3.86	0.9	9
R333595		2.31	0.018	0.03	0.30	0.6	<0.2	<10	40	0.09	0.64	0.05	<0.01	8.45	1.9	10
R333596		2.10	0.120	0.07	0.77	0.4	<0.2	<10	210	0.31	1.69	0.53	<0.01	51.6	6.6	20
R333597		2.73	0.252	0.14	0.54	0.4	0.4	<10	290	0.41	2.29	1.50	<0.01	41.1	6.3	15
R333598		4.18	0.045	0.10	0.64	0.5	<0.2	<10	240	0.28	0.77	0.64	0.01	42.3	5.7	17
R333599		3.64	0.001	0.03	0.68	0.4	<0.2	<10	210	0.26	0.15	0.61	0.01	47.6	5.3	17
R333600		0.07	8.99	9.77	1.61	11.4	10.9	<10	30	0.48	0.08	3.76	0.26	20.1	11.1	18
R333601		4.08	0.041	0.03	0.54	0.4	<0.2	<10	350	0.22	0.80	0.55	0.01	33.5	4.6	15
R333602		2.40	0.015	0.06	0.50	0.5	<0.2	<10	440	0.24	0.42	0.53	0.01	46.9	4.6	13
R333603		3.04	0.034	0.04	0.41	0.4	<0.2	<10	330	0.23	1.04	0.39	0.02	30.6	4.0	9
R333604		2.16	0.019	0.07	0.47	0.4	<0.2	<10	220	0.25	0.72	0.51	0.02	28.2	4.6	10
R333605		3.34	<0.001	0.02	0.59	0.4	<0.2	<10	120	0.26	0.12	0.47	0.02	41.0	5.0	11
R333606		1.66	0.045	0.05	0.52	0.4	<0.2	<10	430	0.26	0.79	0.36	0.02	25.5	4.6	15
R333607		2.93	0.007	0.03	0.57	0.4	<0.2	<10	260	0.26	0.18	0.57	0.02	33.5	4.6	19
R333608		1.26	0.017	0.04	0.46	0.4	<0.2	<10	90	0.24	0.73	0.44	0.01	22.8	4.0	16
R333609		1.78	0.012	0.03	0.56	0.2	<0.2	<10	170	0.27	0.16	0.45	0.02	31.3	4.4	17
R333610		<0.02	0.045	0.03	0.57	0.4	<0.2	<10	170	0.28	0.17	0.44	0.02	32.7	4.7	16
R333611		1.46	0.014	0.02	0.54	0.3	<0.2	<10	110	0.29	0.28	0.28	0.02	27.9	4.4	15
R333612		1.54	0.044	0.05	0.41	0.4	<0.2	<10	160	0.21	0.83	0.20	0.02	20.1	3.5	15
R333613		2.22	0.002	0.03	0.41	0.3	<0.2	<10	90	0.27	0.23	0.28	0.02	24.2	3.1	13
R333614		2.54	<0.001	0.01	0.47	0.3	<0.2	<10	60	0.26	0.07	0.26	0.02	24.7	3.2	13
R333615		2.77	<0.001	0.02	0.46	0.3	<0.2	<10	90	0.23	0.08	0.26	0.02	30.0	3.6	15
R333616		1.60	<0.001	0.01	0.65	0.3	<0.2	<10	110	0.34	0.15	0.38	0.01	45.5	5.7	19
R333617		4.43	0.009	0.05	0.47	0.2	<0.2	<10	80	0.27	0.35	0.50	0.01	28.7	5.9	19
R333618		2.61	0.004	0.02	0.60	0.3	<0.2	<10	110	0.25	0.96	0.34	0.01	32.8	4.1	20
R333619		1.03	0.010	0.04	0.87	0.4	<0.2	<10	130	0.35	0.53	0.47	0.02	57.6	7.8	25
R333620		0.13	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.06	0.1	<1
R333621		1.09	0.072	0.07	0.61	0.4	<0.2	<10	80	0.48	1.53	0.44	0.01	35.1	8.5	17
R333622		2.16	0.083	0.06	0.60	0.4	<0.2	<10	60	0.33	1.24	0.51	0.02	21.3	7.9	17
R333623		1.82	0.003	0.02	1.81	0.4	<0.2	<10	40	0.53	0.39	0.37	0.01	25.2	17.1	45
R333624		1.92	<0.001	0.02	0.60	0.4	<0.2	<10	40	0.27	0.33	0.29	0.01	19.65	6.2	16
R333625		1.36	0.167	0.18	0.55	0.3	<0.2	<10	60	0.26	3.60	0.28	<0.01	16.00	7.3	21
R333626		1.53	<0.001	0.01	0.52	0.3	<0.2	<10	80	0.24	0.06	0.36	0.01	32.0	4.8	14
R333627		1.17	0.084	0.03	0.69	0.4	<0.2	<10	70	0.25	2.00	0.23	0.01	35.6	5.0	15
R333628		2.75	0.275	0.06	0.32	0.4	<0.2	<10	190	0.13	164.5	0.15	<0.01	16.45	3.2	16
R333629		3.14	0.005	0.07	0.54	0.4	<0.2	<10	500	0.26	1.13	0.45	0.02	40.7	5.5	16
R333630		0.07	2.49	4.59	1.50	17.2	2.5	<10	40	0.60	0.15	3.68	0.36	21.2	10.9	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333591		0.13	14.2	0.62	0.84	0.07	0.96	<0.01	0.005	0.06	1.9	0.6	0.02	62	1.59	0.06
R333592		0.33	22.4	0.92	2.33	0.08	1.37	<0.01	0.009	0.07	7.0	2.9	0.14	138	2.45	0.05
R333593		0.09	20.6	0.76	1.17	0.07	0.76	<0.01	0.006	0.04	1.3	0.9	0.04	68	6.75	0.06
R333594		0.10	18.9	0.66	1.30	0.07	0.89	<0.01	0.005	0.05	1.7	1.0	0.05	55	12.20	0.05
R333595		0.18	19.6	0.95	2.37	0.08	0.71	<0.01	0.008	0.06	3.5	3.8	0.21	96	6.24	0.06
R333596		1.07	48.6	2.22	5.39	0.12	0.61	<0.01	0.014	0.13	26.5	12.8	0.63	308	158.0	0.06
R333597		0.56	36.0	1.96	3.31	0.11	0.56	<0.01	0.017	0.11	20.7	9.0	0.50	339	157.0	0.05
R333598		0.72	20.0	1.88	4.54	0.11	0.55	<0.01	0.012	0.10	22.2	9.4	0.51	266	27.6	0.05
R333599		1.32	31.2	1.85	5.03	0.12	0.59	<0.01	0.012	0.17	24.8	11.8	0.50	292	3.25	0.06
R333600		2.44	63.8	2.88	6.68	0.16	0.65	0.17	0.027	0.12	9.1	21.7	1.04	807	5.11	0.07
R333601		0.49	22.0	1.64	4.22	0.10	0.50	<0.01	0.010	0.08	16.9	7.3	0.41	229	7.18	0.05
R333602		0.47	34.2	1.87	4.02	0.12	0.64	<0.01	0.011	0.11	22.8	6.2	0.36	229	4.22	0.05
R333603		0.30	30.1	1.64	3.05	0.11	0.75	<0.01	0.010	0.09	14.4	4.5	0.24	189	7.21	0.05
R333604		0.46	41.2	1.65	2.95	0.10	0.66	<0.01	0.009	0.13	14.0	6.0	0.29	202	7.30	0.05
R333605		0.87	28.6	1.89	4.38	0.11	0.67	<0.01	0.009	0.12	21.0	8.5	0.43	301	2.37	0.05
R333606		0.43	19.1	1.64	4.03	0.10	0.46	<0.01	0.011	0.08	12.6	6.6	0.39	216	7.35	0.06
R333607		0.92	21.5	1.61	4.25	0.12	0.65	<0.01	0.011	0.13	17.3	8.2	0.44	265	4.24	0.05
R333608		0.42	23.0	1.45	3.38	0.10	0.73	<0.01	0.010	0.07	11.8	6.0	0.35	202	5.49	0.06
R333609		0.74	28.0	1.53	4.06	0.11	0.59	<0.01	0.011	0.11	16.1	7.5	0.43	250	2.48	0.05
R333610		0.76	28.6	1.55	4.22	0.11	0.61	<0.01	0.011	0.11	16.8	7.6	0.43	249	2.46	0.06
R333611		0.60	12.8	1.52	4.00	0.10	0.52	<0.01	0.013	0.08	13.6	6.8	0.42	240	0.89	0.05
R333612		0.42	13.1	1.38	3.08	0.09	0.45	<0.01	0.009	0.07	9.7	4.9	0.29	206	5.85	0.06
R333613		0.59	15.3	1.21	3.13	0.10	0.78	<0.01	0.008	0.09	12.3	5.2	0.25	193	1.40	0.06
R333614		0.72	11.6	1.40	3.74	0.10	0.63	<0.01	0.008	0.09	11.3	6.7	0.31	204	0.95	0.05
R333615		0.98	16.8	1.37	3.74	0.11	0.73	<0.01	0.009	0.12	14.7	7.1	0.33	216	0.80	0.05
R333616		0.74	15.7	1.85	5.08	0.13	0.93	<0.01	0.015	0.12	23.2	10.5	0.57	284	0.80	0.05
R333617		0.40	36.0	1.87	3.09	0.11	0.90	<0.01	0.010	0.09	14.6	6.1	0.38	233	2.77	0.05
R333618		0.52	24.7	1.72	4.19	0.14	0.70	<0.01	0.021	0.07	16.3	9.9	0.48	242	4.30	0.05
R333619		0.76	20.4	2.72	5.90	0.15	0.83	<0.01	0.017	0.15	28.5	11.3	0.69	378	7.81	0.06
R333620		<0.05	0.8	0.02	0.05	0.10	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
R333621		0.34	27.5	2.57	4.39	0.11	0.49	<0.01	0.015	0.12	17.2	7.2	0.43	311	26.1	0.05
R333622		0.36	49.9	2.12	4.05	0.10	0.45	<0.01	0.015	0.07	10.2	8.2	0.55	272	25.5	0.05
R333623		0.89	53.1	3.85	10.90	0.15	0.60	<0.01	0.024	0.06	12.2	32.7	2.23	501	11.10	0.04
R333624		0.64	41.6	1.73	3.79	0.10	0.81	<0.01	0.011	0.09	9.2	8.8	0.54	234	20.8	0.04
R333625		0.79	40.1	2.09	3.32	0.10	0.62	<0.01	0.011	0.11	7.9	7.7	0.47	254	416	0.05
R333626		0.64	19.2	1.53	3.39	0.11	0.60	<0.01	0.007	0.10	17.2	7.1	0.41	245	2.78	0.05
R333627		0.50	55.7	1.90	5.66	0.12	0.30	<0.01	0.014	0.07	16.4	9.6	0.54	240	6.89	0.05
R333628		0.30	32.7	1.36	2.57	0.09	0.17	<0.01	0.008	0.04	7.0	4.4	0.24	147	25.6	0.04
R333629		0.76	63.1	1.83	4.00	0.13	0.53	<0.01	0.014	0.11	21.2	9.0	0.44	255	4.78	0.06
R333630		3.00	71.0	2.94	5.91	0.14	0.38	0.09	0.036	0.22	10.0	17.3	0.86	693	6.10	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333591		0.14	3.5	30	3.4	2.7	<0.001	0.05	0.21	0.2	<0.2	1.3	4.5	<0.01	0.14	3.1
R333592		0.20	4.8	200	9.6	3.9	<0.001	0.08	0.21	0.8	<0.2	1.3	7.3	<0.01	0.12	4.3
R333593		0.12	4.7	60	5.9	1.8	0.001	0.07	0.21	0.3	<0.2	1.7	5.2	<0.01	0.18	2.7
R333594		0.15	3.4	70	8.8	2.2	0.002	0.05	0.19	0.3	<0.2	1.2	3.9	<0.01	0.15	3.5
R333595		0.21	3.0	150	4.7	2.4	0.001	0.10	0.21	0.7	<0.2	0.7	5.3	<0.01	0.13	2.6
R333596		0.34	10.9	950	8.7	9.3	0.013	0.33	0.17	2.2	0.4	2.5	42.2	<0.01	0.32	3.7
R333597		0.19	7.9	790	10.1	7.2	0.021	0.77	0.17	2.4	0.4	1.2	48.3	<0.01	0.57	3.3
R333598		0.30	6.6	770	4.5	6.0	0.001	0.24	0.13	1.8	0.3	0.9	43.7	<0.01	0.20	3.5
R333599		0.37	6.1	750	3.6	12.5	<0.001	0.17	0.12	1.6	0.3	0.9	52.7	<0.01	0.04	3.4
R333600		0.11	10.3	630	15.1	6.1	0.002	0.42	0.45	8.8	0.7	0.5	107.0	<0.01	4.15	1.6
R333601		0.32	5.0	610	3.6	4.7	<0.001	0.17	0.13	1.5	0.2	0.7	37.6	<0.01	0.12	2.8
R333602		0.50	5.1	630	3.3	6.2	<0.001	0.22	0.15	1.5	0.3	1.2	36.8	<0.01	0.15	3.7
R333603		0.49	3.3	500	3.4	5.5	0.001	0.23	0.16	1.0	0.4	0.7	23.5	<0.01	0.31	3.2
R333604		0.27	4.5	660	4.6	8.4	0.001	0.44	0.15	1.0	0.6	0.8	31.8	<0.01	0.29	3.1
R333605		0.55	5.7	710	5.6	10.1	<0.001	0.10	0.12	1.0	<0.2	1.6	39.6	<0.01	0.01	3.5
R333606		0.33	5.4	520	3.6	4.7	<0.001	0.17	0.13	1.8	0.2	0.7	28.8	<0.01	0.19	2.6
R333607		0.38	5.4	560	5.2	10.2	0.001	0.21	0.12	1.7	0.2	0.6	37.7	<0.01	0.05	3.3
R333608		0.26	5.4	410	4.5	3.7	0.001	0.24	0.13	1.6	0.2	0.9	22.9	<0.01	0.23	3.3
R333609		0.35	5.1	530	5.1	7.3	<0.001	0.15	0.11	1.5	0.2	0.6	32.5	<0.01	0.05	3.2
R333610		0.37	5.3	520	5.2	7.6	0.001	0.15	0.13	1.6	0.3	0.6	33.4	<0.01	0.05	3.3
R333611		0.34	6.3	470	5.0	4.7	<0.001	0.05	0.12	1.8	0.2	1.2	29.0	<0.01	0.09	3.1
R333612		0.26	5.2	390	3.9	3.8	0.001	0.17	0.13	1.4	0.2	1.0	20.6	<0.01	0.19	2.6
R333613		0.33	3.8	360	8.2	5.5	<0.001	0.14	0.10	1.0	0.2	0.6	27.1	<0.01	0.06	3.8
R333614		0.42	4.4	430	6.7	6.7	<0.001	<0.01	0.09	1.0	0.2	0.7	31.5	<0.01	<0.01	3.5
R333615		0.52	4.6	490	7.9	11.3	<0.001	<0.01	0.08	1.1	<0.2	0.7	26.8	<0.01	<0.01	3.7
R333616		0.43	6.8	680	5.0	9.1	<0.001	<0.01	0.10	2.2	0.2	0.9	26.7	<0.01	<0.01	4.4
R333617		0.25	7.7	470	6.0	6.3	0.001	0.02	0.10	2.0	0.2	1.1	21.6	<0.01	0.11	4.0
R333618		0.21	6.7	520	6.0	4.4	0.001	0.01	0.08	1.9	0.2	1.2	20.8	<0.01	0.18	4.0
R333619		0.51	9.0	1010	4.4	10.6	<0.001	0.10	0.13	2.9	0.4	0.8	27.9	<0.01	0.19	5.1
R333620		<0.05	0.4	10	0.4	0.1	<0.001	0.05	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R333621		0.11	8.7	940	5.4	7.8	0.001	0.21	0.14	2.2	0.4	0.4	20.4	<0.01	0.49	4.3
R333622		0.19	7.1	680	4.7	3.9	0.001	0.32	0.10	3.1	0.4	0.6	17.6	<0.01	0.39	2.2
R333623		0.09	16.2	950	2.3	4.1	<0.001	0.06	0.08	6.6	0.4	1.0	14.8	<0.01	0.03	2.6
R333624		0.25	7.6	430	7.0	6.3	<0.001	0.06	0.09	2.3	0.3	1.1	22.6	<0.01	0.02	3.4
R333625		0.25	11.2	370	27.3	8.7	0.023	0.17	0.10	2.6	0.4	1.5	21.8	<0.01	0.42	2.9
R333626		0.35	5.3	590	8.1	6.9	<0.001	0.02	0.07	1.1	0.2	0.7	32.4	<0.01	<0.01	3.3
R333627		0.37	6.4	620	4.8	4.1	<0.001	0.06	0.09	1.6	0.3	0.9	20.6	<0.01	0.18	3.0
R333628		0.28	5.7	380	44.6	2.3	0.001	0.14	0.10	0.9	0.5	1.2	18.5	<0.01	2.53	1.8
R333629		0.33	7.9	700	5.9	7.7	<0.001	0.18	0.09	1.6	0.3	1.5	39.7	<0.01	0.12	3.5
R333630		0.06	11.0	620	17.2	10.8	0.003	0.85	0.48	8.2	0.9	0.5	117.0	<0.01	2.34	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333591		<0.005	0.02	0.95	2	0.29	1.04	3	21.0
R333592		0.023	0.03	1.95	12	0.36	1.63	17	30.3
R333593		0.007	0.02	0.91	4	0.32	0.95	4	16.7
R333594		0.006	0.02	1.34	5	0.21	1.10	5	19.3
R333595		0.024	0.02	0.89	13	0.23	1.33	11	17.1
R333596		0.108	0.07	0.58	35	0.21	4.34	52	18.6
R333597		0.039	0.05	0.60	18	0.20	4.82	31	16.8
R333598		0.078	0.04	0.65	26	0.20	3.73	45	16.0
R333599		0.103	0.09	0.61	28	0.10	3.61	49	17.0
R333600		0.128	0.08	0.44	76	0.47	8.01	65	20.9
R333601		0.065	0.03	0.49	23	0.29	3.22	32	15.0
R333602		0.070	0.04	0.70	26	0.31	4.92	34	21.7
R333603		0.047	0.04	0.74	17	0.44	4.17	20	24.7
R333604		0.037	0.06	0.75	14	0.33	4.05	23	24.2
R333605		0.097	0.07	0.88	24	0.14	3.71	51	24.7
R333606		0.054	0.03	0.50	23	0.43	3.28	29	15.0
R333607		0.073	0.07	0.71	24	0.20	3.72	38	17.6
R333608		0.045	0.03	0.87	18	0.35	3.33	23	17.5
R333609		0.068	0.05	0.70	23	0.19	3.53	42	16.3
R333610		0.067	0.05	0.72	23	0.20	3.62	41	16.3
R333611		0.060	0.03	0.77	23	0.31	3.41	35	16.9
R333612		0.042	0.03	0.70	17	0.34	2.92	23	14.0
R333613		0.051	0.03	1.08	17	0.21	2.76	27	18.6
R333614		0.063	0.05	1.13	19	0.15	2.88	29	18.0
R333615		0.076	0.09	1.00	21	0.13	3.24	35	18.6
R333616		0.098	0.07	0.99	30	0.32	4.65	46	23.8
R333617		0.066	0.04	1.08	34	0.31	4.34	29	20.2
R333618		0.043	0.03	0.95	23	0.25	3.75	30	18.5
R333619		0.101	0.08	0.88	39	0.37	6.55	53	24.2
R333620		<0.005	<0.02	0.08	<1	<0.05	0.64	<2	0.8
R333621		0.014	0.05	0.82	28	0.54	4.93	38	18.2
R333622		0.046	0.03	0.72	31	0.34	4.31	27	14.1
R333623		0.097	0.03	0.84	82	0.61	5.35	83	16.7
R333624		0.067	0.05	1.22	32	0.17	3.35	32	21.3
R333625		0.069	0.07	0.97	36	0.21	3.47	31	16.7
R333626		0.081	0.04	0.91	27	0.06	3.58	35	16.7
R333627		0.069	0.03	1.03	30	0.64	2.80	37	11.6
R333628		0.039	0.02	0.39	14	0.31	1.71	18	6.9
R333629		0.080	0.05	0.58	24	0.22	3.61	42	16.0
R333630		0.055	0.14	0.34	65	0.53	7.66	83	12.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333631		3.20	<0.001	0.02	0.78	0.4	<0.2	<10	230	0.35	0.10	0.50	0.04	52.7	5.5	19
R333632		2.74	<0.001	0.03	0.71	0.3	<0.2	<10	220	0.33	0.23	0.53	0.03	56.1	6.0	18
R333633		2.14	0.037	0.13	0.69	0.4	<0.2	<10	240	0.31	1.71	0.53	0.02	50.4	6.1	18
R333634		4.50	<0.001	0.02	0.69	0.2	<0.2	<10	210	0.29	0.09	0.46	0.02	49.6	5.7	17
R333635		3.42	0.010	0.10	0.62	0.3	<0.2	<10	300	0.26	0.31	0.52	0.02	44.6	5.7	18
R333636		4.36	0.001	0.03	0.74	0.3	<0.2	<10	180	0.30	0.19	0.57	0.01	53.0	6.5	18
R333637		2.71	0.060	0.05	0.75	0.3	<0.2	<10	110	0.31	1.53	0.44	0.01	42.2	6.9	20
R333638		1.79	0.020	0.05	0.59	0.3	<0.2	<10	130	0.21	1.34	0.33	0.02	37.2	5.7	17
R333639		3.13	0.375	0.06	0.70	0.3	<0.2	<10	430	0.24	1.27	0.47	0.01	45.6	6.5	17
R333640		<0.02	0.056	0.06	0.67	0.3	<0.2	<10	440	0.22	1.35	0.46	<0.01	46.5	6.5	17
R333641		3.86	<0.001	0.02	0.70	0.2	<0.2	<10	210	0.29	0.09	0.53	0.02	51.8	6.0	17
R333642		2.92	<0.001	0.04	0.78	0.3	<0.2	<10	210	0.28	0.10	0.49	0.02	54.6	6.5	17
R333643		4.41	<0.001	0.03	0.66	0.2	<0.2	<10	190	0.26	0.08	0.47	0.02	48.8	5.4	17
R333051		1.61	0.732	0.25	0.22	0.4	<0.2	<10	50	0.07	8.93	0.11	0.01	11.70	3.3	16
R333052		1.46	0.002	0.01	0.06	0.3	<0.2	<10	20	<0.05	0.21	0.03	<0.01	2.03	0.9	20
R333053		0.57	1.940	0.46	0.09	0.5	2.4	<10	20	0.05	7.62	0.07	<0.01	4.32	3.7	16
R333054		0.62	0.048	0.03	0.16	0.6	<0.2	<10	130	0.06	0.56	0.06	<0.01	8.51	1.6	17
R333055		0.97	0.203	1.62	0.34	0.3	<0.2	<10	170	0.24	38.1	0.50	0.03	19.95	3.4	15
R333056		0.89	1.045	0.05	0.02	0.4	<0.2	<10	50	<0.05	2.13	0.01	0.01	0.91	0.8	21
R333057		0.79	0.017	0.08	0.23	0.3	0.2	<10	60	0.18	0.51	0.06	0.01	14.40	1.3	12
R333058		0.91	0.012	0.04	0.46	0.3	<0.2	<10	280	0.25	0.62	0.26	0.01	27.2	3.7	13
R333059		1.99	0.036	0.02	0.29	0.3	<0.2	<10	40	0.17	0.56	0.15	0.01	16.95	2.3	17
R333060		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	0.98	0.1	<1
R333061		1.09	0.019	0.03	0.25	0.3	<0.2	<10	60	0.13	0.60	0.06	<0.01	9.10	1.8	15
R333401		1.67	0.003	0.08	0.21	7.9	<0.2	<10	1160	1.16	0.13	2.63	0.10	275	17.0	9
R333402		0.93	0.406	1.65	0.38	1.2	0.4	<10	60	0.24	2.10	0.61	0.02	7.23	12.6	3
R333403		1.15	0.171	0.29	0.10	0.4	<0.2	<10	20	0.07	0.62	0.07	0.02	3.29	3.2	8
R333404		1.25	0.072	0.12	0.82	0.3	<0.2	<10	30	0.37	0.71	1.80	0.09	10.85	16.7	9
R333405		1.93	<0.001	0.03	0.52	0.5	<0.2	<10	40	0.18	0.10	0.27	0.06	25.8	4.7	15
R333406		2.88	0.397	0.43	0.92	1.5	0.4	<10	20	0.28	1.84	3.24	0.16	6.69	36.5	4
R333407		2.00	0.059	0.16	0.24	0.3	<0.2	<10	50	0.22	0.77	4.87	0.18	3.42	45.3	26
R333408		1.90	0.004	0.34	0.43	1.2	<0.2	<10	70	0.37	1.38	2.36	0.24	4.25	52.3	33
R333409		1.45	0.538	0.73	0.10	1.0	0.4	<10	30	0.06	7.46	1.57	0.08	3.01	24.6	3
R333410		0.15	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.09	0.1	<1
R333411		1.87	0.400	0.88	2.56	0.4	<0.2	<10	<10	0.37	0.27	3.57	0.11	1.94	29.6	173
R333412		2.03	<0.001	0.02	0.85	0.3	<0.2	<10	<10	0.14	0.02	0.46	0.03	0.27	10.2	20
R333413		1.16	1.220	0.54	0.26	0.5	1.4	<10	110	0.12	7.72	0.09	<0.01	13.85	2.2	20
R333414		1.68	0.654	0.17	0.19	0.7	0.2	<10	70	0.08	3.93	0.07	<0.01	7.88	2.1	15
R333415		1.37	0.021	0.04	0.32	0.4	<0.2	<10	70	0.15	1.25	0.13	0.01	9.43	4.0	12
R333416		1.45	0.003	0.02	0.57	0.2	<0.2	<10	30	0.30	0.55	0.09	<0.01	12.60	5.0	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333631		1.62	48.0	2.12	5.05	0.06	0.65	<0.01	0.012	0.31	29.0	14.4	0.60	330	3.99	0.07
R333632		1.59	26.5	2.01	5.24	0.13	0.71	<0.01	0.010	0.28	30.4	14.6	0.55	285	1.80	0.06
R333633		1.34	45.4	2.08	5.17	0.12	0.68	<0.01	0.012	0.21	26.2	13.8	0.56	300	22.9	0.06
R333634		1.29	35.9	1.93	5.10	0.13	0.63	<0.01	0.011	0.21	25.9	13.4	0.57	294	1.81	0.05
R333635		1.51	40.2	1.90	4.30	0.13	0.60	<0.01	0.011	0.23	23.5	12.8	0.51	281	5.30	0.06
R333636		1.12	33.8	2.18	5.17	0.13	0.58	<0.01	0.012	0.17	27.8	12.2	0.63	329	2.05	0.05
R333637		0.56	27.3	2.39	5.78	0.12	0.48	<0.01	0.014	0.09	21.1	11.2	0.65	301	2.04	0.06
R333638		0.46	45.3	1.99	4.36	0.11	0.32	<0.01	0.011	0.09	18.3	7.8	0.48	235	3.57	0.06
R333639		0.72	23.7	2.24	5.08	0.12	0.45	<0.01	0.012	0.14	21.7	11.2	0.57	315	31.6	0.06
R333640		0.70	22.1	2.14	4.97	0.13	0.44	<0.01	0.012	0.13	22.0	10.5	0.55	305	34.5	0.05
R333641		1.13	22.1	1.97	5.12	0.13	0.52	<0.01	0.010	0.21	26.9	13.0	0.54	292	1.85	0.06
R333642		2.23	36.5	2.12	5.68	0.14	0.62	<0.01	0.011	0.38	28.0	16.0	0.61	311	1.49	0.06
R333643		1.55	33.5	1.87	4.75	0.13	0.61	<0.01	0.008	0.28	25.6	14.1	0.49	267	0.98	0.07
R333051		0.14	12.4	1.45	1.91	0.08	0.13	<0.01	0.007	0.03	4.9	2.4	0.17	119	4.87	0.05
R333052		0.10	5.5	0.76	0.53	0.07	0.05	<0.01	<0.005	0.01	0.8	0.4	0.02	76	4.63	0.03
R333053		0.07	5.1	1.75	0.60	0.07	0.26	0.01	<0.005	0.02	1.9	0.3	0.01	86	65.4	0.06
R333054		0.23	6.5	1.13	1.41	0.08	0.17	<0.01	<0.005	0.04	3.9	1.4	0.08	111	37.6	0.04
R333055		1.00	41.3	1.28	2.27	0.09	0.84	<0.01	0.008	0.11	10.2	4.2	0.25	208	35.7	0.05
R333056		0.10	4.5	0.73	0.24	0.06	0.02	<0.01	<0.005	0.01	0.4	0.2	0.01	74	16.50	0.02
R333057		0.25	11.9	0.78	1.70	0.09	1.43	<0.01	0.005	0.06	6.6	2.0	0.11	113	3.11	0.06
R333058		0.60	12.9	1.49	3.77	0.10	0.69	<0.01	0.010	0.07	13.2	5.5	0.31	199	30.5	0.06
R333059		0.46	7.2	1.06	2.26	0.09	0.49	<0.01	0.006	0.05	8.4	3.7	0.20	139	14.45	0.04
R333060		<0.05	0.8	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.07	<0.01
R333061		0.18	11.3	0.99	1.85	0.08	0.72	<0.01	0.006	0.05	4.4	2.6	0.14	120	3.07	0.05
R333401		0.44	102.0	4.97	2.71	0.34	0.11	0.03	0.039	0.14	134.0	1.8	0.75	1440	0.75	0.04
R333402		0.49	51.2	9.94	2.50	0.09	0.12	0.01	0.037	0.20	3.0	3.1	0.29	292	31.8	0.02
R333403		0.17	23.8	1.45	0.73	0.07	1.50	<0.01	0.005	0.02	1.6	0.5	0.03	117	5.62	0.05
R333404		2.20	73.9	4.71	3.92	0.10	1.30	<0.01	0.022	0.24	5.0	10.7	0.69	637	7.80	0.04
R333405		0.78	26.4	1.41	4.87	0.09	1.11	<0.01	0.005	0.10	12.8	6.7	0.38	186	0.76	0.05
R333406		0.83	79.3	11.00	6.34	0.10	0.08	<0.01	0.088	0.07	2.6	5.3	1.32	1320	4.75	0.08
R333407		0.46	82.7	6.96	0.65	0.06	0.03	<0.01	0.028	0.14	1.3	1.7	2.56	1290	1.61	0.03
R333408		2.90	642	8.89	2.25	0.07	0.31	<0.01	0.055	0.25	1.7	23.3	0.66	1340	7.65	0.04
R333409		0.08	451	7.93	0.73	0.07	0.25	<0.01	0.043	0.05	1.2	0.7	0.54	686	273	0.08
R333410		<0.05	1.3	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.27	<0.01
R333411		0.51	3240	4.31	15.95	0.17	0.13	<0.01	0.055	<0.01	0.6	39.1	3.67	702	22.6	0.02
R333412		0.36	26.1	1.73	6.24	0.06	<0.02	0.01	0.007	<0.01	<0.2	12.4	1.27	238	1.88	0.02
R333413		0.29	11.5	1.14	2.13	0.05	0.30	<0.01	0.008	0.05	6.8	3.1	0.19	142	2010	0.05
R333414		0.28	15.8	0.98	1.72	0.05	0.28	<0.01	<0.005	0.05	4.0	2.2	0.13	95	390	0.04
R333415		0.34	52.6	1.38	3.00	0.05	0.44	<0.01	0.007	0.07	5.2	3.9	0.22	113	14.85	0.06
R333416		0.60	10.4	1.31	4.52	0.05	0.26	<0.01	<0.005	0.04	6.1	10.6	0.58	152	44.8	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333631		0.36	6.6	840	6.3	23.0	<0.001	0.05	0.07	1.8	0.2	1.0	46.4	<0.01	0.01	3.7
R333632		0.38	6.4	940	4.3	21.8	<0.001	0.04	0.07	1.5	0.2	0.6	45.1	<0.01	<0.01	4.5
R333633		0.38	7.2	840	9.7	16.4	<0.001	0.12	0.09	1.7	0.4	0.9	43.8	<0.01	0.17	4.0
R333634		0.38	6.4	830	7.8	16.3	<0.001	0.04	0.08	1.6	0.3	0.7	39.5	<0.01	<0.01	4.1
R333635		0.37	6.5	750	4.8	18.6	<0.001	0.14	0.26	1.7	0.3	0.8	47.9	<0.01	0.11	3.5
R333636		0.37	7.6	960	3.4	12.7	<0.001	0.19	0.08	1.8	0.5	1.0	39.3	<0.01	0.01	4.0
R333637		0.38	7.9	940	3.3	6.4	<0.001	0.17	0.09	2.2	0.4	0.8	28.2	<0.01	0.18	3.9
R333638		0.54	7.6	780	3.5	5.4	<0.001	0.16	0.08	1.5	0.3	1.1	29.2	<0.01	0.13	3.1
R333639		0.48	8.5	980	6.7	9.9	0.001	0.24	0.08	1.9	0.3	1.1	39.8	<0.01	0.19	3.7
R333640		0.50	8.3	960	6.9	9.4	0.001	0.24	0.08	1.9	0.4	1.0	38.9	<0.01	0.21	3.7
R333641		0.39	7.6	880	4.3	15.1	<0.001	0.08	0.07	1.5	0.2	1.1	46.8	<0.01	<0.01	3.7
R333642		0.40	8.0	960	4.4	30.5	<0.001	0.14	0.06	1.7	0.3	1.1	45.6	<0.01	<0.01	4.1
R333643		0.43	7.1	800	4.6	21.2	<0.001	0.08	0.06	1.3	0.4	1.3	47.4	<0.01	0.01	3.6
R333051		0.22	4.0	380	5.8	1.3	0.001	0.35	0.10	0.9	0.4	0.5	10.5	<0.01	0.83	1.5
R333052		0.07	2.1	40	1.5	0.6	<0.001	0.04	0.10	0.1	<0.2	0.5	8.8	<0.01	0.03	0.2
R333053		0.11	3.4	250	9.4	0.8	0.005	0.88	0.10	0.6	0.8	0.5	8.3	<0.01	3.23	1.2
R333054		0.22	2.9	130	4.3	2.5	0.002	0.05	0.12	0.4	0.2	0.6	13.9	<0.01	0.16	1.1
R333055		0.31	3.9	400	756	10.7	0.001	0.22	0.11	1.4	0.5	0.4	29.3	<0.01	5.85	2.4
R333056		<0.05	2.0	20	3.7	0.5	0.001	0.06	0.09	0.1	<0.2	0.5	8.7	<0.01	0.54	<0.2
R333057		0.27	1.9	120	8.5	3.8	<0.001	0.08	0.08	0.6	0.2	0.3	7.8	<0.01	0.12	4.4
R333058		0.42	4.4	500	7.3	4.9	0.002	0.11	0.07	1.2	0.2	0.5	30.2	<0.01	0.10	3.6
R333059		0.29	3.0	290	4.5	3.5	0.001	0.06	0.07	0.6	0.2	0.4	18.1	<0.01	0.12	2.6
R333060		<0.05	0.4	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R333061		0.13	2.7	160	4.1	2.3	<0.001	0.09	0.08	0.7	0.2	0.4	9.3	<0.01	0.11	2.5
R333401		0.26	6.8	1860	17.4	13.0	<0.001	0.05	0.72	5.1	1.6	0.6	1040	<0.01	0.01	23.1
R333402		<0.05	2.2	690	10.2	11.5	0.002	1.75	0.42	6.4	0.9	0.2	36.8	<0.01	4.44	0.5
R333403		<0.05	1.3	80	8.8	1.2	0.001	0.52	0.18	0.8	0.4	0.3	8.3	<0.01	0.72	6.5
R333404		0.12	5.5	370	8.8	24.6	0.002	0.89	0.13	6.3	0.8	0.3	39.7	<0.01	0.32	4.5
R333405		0.66	4.6	480	8.6	6.9	<0.001	0.15	0.09	1.6	0.4	0.5	34.4	<0.01	0.02	3.2
R333406		0.11	14.2	530	9.2	5.5	0.003	6.91	0.18	28.6	1.7	0.3	97.2	<0.01	3.29	0.2
R333407		<0.05	96.5	240	4.0	7.5	0.001	1.39	0.07	14.1	0.7	<0.2	117.0	<0.01	0.45	<0.2
R333408		0.06	72.1	310	4.2	28.5	0.001	3.15	0.12	14.3	4.3	0.3	56.1	<0.01	0.19	0.3
R333409		<0.05	12.5	470	24.1	2.1	0.020	4.51	0.23	9.4	6.7	0.2	73.0	<0.01	3.33	0.7
R333410		<0.05	0.4	10	0.7	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2
R333411		<0.05	113.5	280	6.8	0.5	0.013	0.37	0.06	8.6	0.8	0.5	20.0	<0.01	0.04	0.2
R333412		<0.05	23.8	10	1.6	0.4	<0.001	0.01	0.07	1.0	<0.2	0.4	6.0	<0.01	0.01	<0.2
R333413		0.60	3.6	280	36.2	2.6	1.025	0.19	0.10	0.9	0.6	0.6	10.9	<0.01	1.97	3.1
R333414		0.35	3.0	260	20.5	2.4	0.087	0.13	0.10	0.7	0.4	0.4	8.9	<0.01	0.94	2.7
R333415		0.18	4.5	470	11.0	3.4	0.003	0.33	0.09	1.1	0.4	0.4	10.0	<0.01	0.20	5.5
R333416		0.37	5.8	340	3.3	3.3	0.020	0.03	0.16	1.1	<0.2	0.5	8.2	<0.01	0.12	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333631		0.141	0.16	0.61	34	0.13	3.73	59	21.1
R333632		0.131	0.17	0.77	32	0.08	3.74	56	20.3
R333633		0.116	0.13	0.73	31	0.16	3.84	57	18.9
R333634		0.122	0.12	0.73	31	0.13	3.52	60	18.4
R333635		0.105	0.14	0.62	27	0.10	3.43	52	16.9
R333636		0.121	0.09	0.67	34	0.15	3.77	61	17.8
R333637		0.105	0.05	0.65	35	0.85	4.01	49	16.8
R333638		0.093	0.04	0.49	25	0.49	3.32	38	12.6
R333639		0.108	0.07	0.49	31	0.30	4.02	59	15.3
R333640		0.104	0.07	0.48	30	0.30	3.89	57	14.9
R333641		0.120	0.12	0.50	31	0.09	3.62	55	15.8
R333642		0.149	0.24	0.66	35	0.06	3.98	62	19.2
R333643		0.125	0.17	0.62	28	0.06	3.54	51	17.8
R333051		0.025	<0.02	0.31	11	0.24	1.75	10	5.3
R333052		0.006	<0.02	0.06	2	0.12	0.24	2	1.3
R333053		0.007	<0.02	0.29	3	0.19	1.37	<2	9.0
R333054		0.017	0.02	0.36	6	0.12	1.02	8	6.9
R333055		0.039	0.09	0.85	13	0.13	3.02	25	22.2
R333056		<0.005	<0.02	<0.05	1	6.22	0.09	<2	0.6
R333057		0.018	0.02	1.71	8	0.47	1.99	11	35.8
R333058		0.064	0.03	0.91	18	0.33	2.57	29	18.1
R333059		0.038	0.03	0.76	10	0.20	1.42	18	11.4
R333060		<0.005	<0.02	0.09	<1	<0.05	0.60	<2	0.8
R333061		0.015	0.02	0.80	8	0.53	1.64	10	16.0
R333401		0.027	0.05	2.40	80	0.11	25.6	80	14.8
R333402		0.012	0.09	0.12	38	1.26	3.33	40	3.9
R333403		<0.005	<0.02	2.23	4	0.20	1.66	8	24.4
R333404		0.087	0.24	2.07	66	0.57	7.98	61	26.9
R333405		0.085	0.04	1.00	23	0.20	3.82	29	30.6
R333406		0.047	0.04	0.05	99	3.65	5.99	123	2.7
R333407		<0.005	0.04	<0.05	14	0.23	4.26	98	1.0
R333408		0.021	0.23	0.07	39	0.18	5.32	100	11.4
R333409		0.005	<0.02	0.07	12	0.26	3.10	67	8.5
R333410		<0.005	<0.02	0.09	<1	<0.05	0.69	<2	0.8
R333411		0.059	<0.02	0.09	84	0.10	2.98	123	4.3
R333412		<0.005	<0.02	<0.05	25	0.21	0.29	37	<0.5
R333413		0.025	<0.02	0.99	12	0.38	2.05	17	9.0
R333414		0.014	0.02	0.86	6	0.22	2.05	10	8.1
R333415		0.008	<0.02	4.10	7	0.16	3.40	12	13.1
R333416		0.021	<0.02	0.90	17	0.13	2.38	23	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333417		0.72	<0.001	0.01	0.87	0.3	<0.2	<10	30	0.14	0.31	0.47	0.02	16.00	6.2	16
R333418		1.19	0.368	0.10	0.02	0.3	0.3	<10	<10	<0.05	29.7	0.01	<0.01	0.21	0.7	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333417		0.33	12.1	1.34	3.34	0.06	0.40	0.02	0.005	0.06	8.0	5.4	0.45	207	7.58	0.08
R333418		<0.05	23.2	0.54	0.24	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.3	0.01	53	80.5	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333417		0.54	19.9	390	7.7	4.0	0.001	0.04	0.07	1.0	0.2	0.4	31.3	<0.01	0.02	4.2
R333418		<0.05	1.7	20	2.4	0.2	0.049	0.05	0.09	0.1	1.1	0.4	2.1	<0.01	15.65	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333417		0.055	0.02	0.95	18	0.12	2.44	22	12.3
R333418		<0.005	<0.02	<0.05	1	<0.05	0.11	<2	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082895

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

CERTIFICATE SD15082897

Project: MILLER

This report is for 6 Rock samples submitted to our lab in Sudbury, ON, Canada on 8-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	GERNOT WOBER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: MICHAELA KUUSKMAN
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082897

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333301		1.95	0.002	0.07	1.40	0.4	<0.2	<10	10	0.18	0.31	0.88	0.04	8.27	26.1	9
R333302		0.98	0.012	0.11	1.21	0.6	<0.2	<10	<10	0.29	0.20	0.68	0.03	3.21	15.7	16
R333303		2.24	0.001	0.12	1.13	0.4	<0.2	<10	10	0.12	0.17	0.90	0.05	6.15	26.8	16
R333304		2.37	0.226	0.17	0.07	0.6	<0.2	<10	10	<0.05	18.60	0.66	0.08	1.30	12.7	29
R333305		1.08	0.019	0.79	0.43	0.4	<0.2	<10	10	0.09	5.98	0.15	0.01	2.02	6.6	24
R333306		2.52	<0.001	0.02	0.87	0.5	<0.2	<10	30	0.28	0.10	0.66	0.08	45.3	9.0	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082897

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333301		0.72	74.5	6.91	9.55	0.17	0.15	0.01	0.023	0.05	3.0	12.2	0.92	424	1.41	0.11
R333302		0.37	279	3.06	7.23	0.16	0.15	0.01	0.019	0.01	0.8	18.8	1.46	320	3.71	0.03
R333303		1.85	105.0	5.98	7.34	0.18	0.16	0.01	0.027	0.05	2.2	5.7	0.69	367	10.15	0.12
R333304		0.20	19.3	2.95	0.66	0.07	0.03	<0.01	0.013	0.02	0.5	1.3	0.19	268	21.6	0.03
R333305		0.21	220	1.34	2.76	0.10	0.15	<0.01	0.010	0.01	0.6	7.2	0.48	129	27.8	0.04
R333306		0.53	21.3	2.27	6.24	0.13	1.07	<0.01	0.012	0.08	21.5	8.3	0.55	343	0.87	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082897

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333301		0.17	10.7	600	2.1	4.3	0.002	0.34	0.05	8.0	1.0	0.5	10.7	<0.01	0.06	0.3
R333302		0.12	24.3	270	4.2	0.8	0.002	0.14	0.09	8.4	0.5	0.8	6.7	<0.01	0.02	<0.2
R333303		0.19	13.7	490	3.4	7.8	0.005	0.68	0.07	8.4	1.0	0.8	4.7	<0.01	0.09	0.2
R333304		<0.05	10.7	100	5.0	1.9	0.005	1.93	0.10	4.0	0.9	0.6	18.3	<0.01	7.28	<0.2
R333305		0.16	12.6	220	19.5	0.5	0.006	0.05	0.09	3.3	0.3	0.7	6.3	<0.01	0.09	0.2
R333306		0.86	13.0	810	9.8	8.5	<0.001	0.02	0.06	2.5	0.4	0.7	42.7	<0.01	0.02	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082897

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333301		0.245	0.02	<0.05	170	0.38	15.45	60	2.8
R333302		0.206	<0.02	0.10	105	0.33	5.63	37	3.7
R333303		0.212	0.04	<0.05	154	0.47	8.21	70	3.9
R333304		<0.005	<0.02	<0.05	7	0.09	1.46	14	1.0
R333305		0.096	0.02	0.21	37	0.77	2.25	12	4.9
R333306		0.176	0.03	1.24	44	0.24	6.49	47	44.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15082897

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	PUL-35a
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

CERTIFICATE SD15085705

Project: MILLER

This report is for 102 Rock samples submitted to our lab in Timmins, ON, Canada on 12-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333003		1.33	0.001	0.01	0.51	0.6	<0.2	<10	90	0.27	0.07	0.40	0.03	34.2	4.0	21
R333004		2.04	0.690	0.27	0.07	0.3	0.2	<10	220	<0.05	4.19	0.03	<0.01	2.27	0.9	29
R333238		1.78	0.019	0.26	0.04	0.5	<0.2	<10	20	<0.05	24.2	0.18	0.04	0.61	6.1	23
R333239		2.18	0.010	0.19	0.23	19.9	<0.2	<10	100	0.38	0.32	1.29	0.09	49.8	6.9	11
R333240		0.10	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.90	0.1	<1
R333241		2.23	0.737	1.99	0.86	6.4	0.5	<10	10	0.29	1.14	2.19	0.03	2.27	15.0	17
R333242		2.71	0.416	0.24	0.49	5.3	0.2	<10	20	0.59	0.51	4.52	0.15	3.55	37.8	23
R333243		2.29	1.435	0.44	0.51	1.6	1.4	<10	10	0.31	0.49	4.27	0.07	3.61	32.9	22
R333244		1.81	0.654	0.42	0.84	1.6	0.6	<10	<10	0.41	0.74	3.96	0.07	5.15	36.1	24
R333245		1.66	0.240	0.22	0.29	2.4	0.2	<10	10	0.19	0.44	4.72	0.08	3.11	26.8	21
R333246		1.85	0.222	0.32	0.15	0.1	<0.2	<10	20	0.17	0.75	1.11	0.53	2.60	4.8	10
R333247		1.96	0.001	0.08	0.02	0.6	<0.2	<10	<10	<0.05	0.97	0.06	0.01	0.17	9.0	27
R333248		1.73	0.028	0.41	0.95	1.9	<0.2	<10	30	0.41	1.77	3.72	0.47	3.96	30.6	80
R333249		1.88	0.062	0.36	0.19	0.6	<0.2	<10	30	0.23	2.47	6.25	0.27	3.31	40.0	31
R333250		0.05	9.34	9.42	1.62	11.7	8.9	<10	30	0.60	0.08	3.77	0.25	20.2	11.0	18
R333251		1.86	0.032	1.78	0.19	0.2	<0.2	<10	40	0.18	3.06	4.72	0.20	3.52	43.7	28
R333252		1.32	0.004	1.82	1.47	12.9	<0.2	<10	10	0.10	4.01	0.62	0.16	1.16	17.1	110
R333253		1.75	0.011	0.66	0.21	0.3	<0.2	<10	10	0.18	17.50	5.69	0.20	7.15	33.7	38
R333254		1.69	0.662	0.35	0.19	3.2	0.3	<10	20	0.28	1.01	4.72	0.25	3.07	44.5	7
R333255		1.77	3.16	2.74	0.44	0.3	2.1	<10	30	0.16	15.00	8.95	0.15	12.45	27.4	8
R333256		1.86	0.056	0.84	0.18	1.1	<0.2	<10	40	0.10	26.1	0.41	0.87	4.07	22.8	17
R333257		1.53	1.240	3.11	0.09	0.6	22.1	<10	20	0.06	9.06	0.29	0.15	3.47	10.5	19
R333258		1.51	1.150	0.72	1.55	3.2	0.6	<10	30	0.62	1.39	4.94	0.18	6.56	46.5	23
R333307		2.73	0.005	0.12	0.95	0.4	<0.2	<10	10	0.21	0.13	1.22	0.04	5.75	25.3	26
R333308		2.31	0.002	0.09	1.25	0.6	<0.2	<10	10	0.12	0.09	1.20	0.08	5.70	22.0	12
R333309		2.87	0.162	0.12	1.10	0.4	<0.2	<10	20	0.16	0.05	0.83	0.07	6.73	27.4	31
R333310		0.06	2.50	4.70	1.56	19.2	2.4	<10	40	0.70	0.09	3.55	0.35	22.9	11.0	24
R333311		2.01	0.003	0.14	1.22	0.3	<0.2	<10	40	0.16	0.08	1.45	0.08	5.71	28.3	39
R333312		1.45	0.001	0.04	0.72	0.8	<0.2	<10	<10	0.07	0.10	0.46	0.03	1.78	12.3	24
R333313		2.54	0.022	0.16	0.12	0.5	<0.2	<10	<10	0.17	0.21	0.78	0.11	2.03	7.1	21
R333314		1.71	0.060	17.40	0.33	0.6	<0.2	<10	20	0.20	294	1.07	0.79	1.84	15.1	28
R333315		1.86	0.104	0.90	1.36	0.7	<0.2	<10	20	0.31	1.17	1.11	0.33	7.49	31.0	17
R333316		2.15	0.002	0.08	0.71	<0.1	<0.2	<10	10	0.15	0.23	11.85	1.67	3.79	13.4	13
R333317		1.82	0.001	0.32	0.19	0.3	<0.2	<10	<10	<0.05	2.74	0.48	0.02	0.73	2.2	26
R333318		1.35	0.001	0.05	0.82	0.1	<0.2	<10	40	0.18	0.21	0.61	0.03	38.7	6.2	17
R333319		1.49	0.003	0.06	0.66	0.3	<0.2	<10	100	0.28	0.18	0.67	0.06	58.3	5.3	16
R333320		<0.02	0.004	0.04	0.64	0.4	<0.2	<10	90	0.26	0.17	0.68	0.06	58.4	5.2	17
R333321		1.92	0.029	0.04	0.21	<0.1	<0.2	<10	630	0.17	0.41	0.28	0.02	20.6	2.8	10
R333322		1.63	0.001	0.04	0.05	<0.1	<0.2	<10	<10	<0.05	0.02	0.07	0.03	0.14	1.0	32
R333323		2.20	0.006	2.26	0.03	0.3	<0.2	<10	<10	<0.05	42.9	0.21	0.07	0.19	2.3	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333003		1.31	8.7	1.62	3.08	0.05	1.55	<0.01	0.007	0.14	17.7	5.3	0.37	227	0.80	0.06
R333004		0.08	12.5	0.65	0.57	<0.05	0.10	<0.01	<0.005	0.01	1.0	0.7	0.03	60	69.1	0.03
R333238		0.10	7.1	2.01	0.55	<0.05	0.03	<0.01	0.006	0.01	0.3	0.3	0.01	144	61.1	0.02
R333239		0.89	12.9	2.09	1.12	0.06	0.74	0.02	0.012	0.14	23.4	0.3	0.13	346	1.10	0.03
R333240		<0.05	1.7	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.07	<0.01
R333241		0.47	94.2	9.08	4.63	0.07	0.09	<0.01	0.074	0.03	0.8	6.9	0.38	388	2.08	0.01
R333242		1.37	104.5	7.87	3.45	0.06	0.06	<0.01	0.060	0.17	1.2	4.6	1.76	1170	0.84	0.03
R333243		0.38	70.8	6.23	3.42	0.06	0.04	<0.01	0.043	0.08	1.4	3.6	1.21	1180	1.49	0.04
R333244		0.29	61.2	6.74	5.21	0.11	0.06	<0.01	0.043	0.05	1.8	4.7	1.08	1140	1.53	0.04
R333245		0.39	52.9	4.92	1.79	0.05	0.04	<0.01	0.037	0.08	1.0	2.6	0.86	973	5.78	0.05
R333246		1.04	64.0	8.02	3.71	0.41	0.03	<0.01	0.094	0.04	1.3	0.3	0.09	546	3.25	0.02
R333247		0.08	8.4	1.71	0.32	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.5	0.02	82	3.47	<0.01
R333248		4.92	126.5	6.61	3.61	0.06	0.08	<0.01	0.046	0.11	1.4	26.1	2.21	912	2.27	0.05
R333249		0.76	55.6	5.15	0.93	<0.05	0.04	<0.01	0.031	0.07	1.2	3.6	1.67	1020	1.39	0.05
R333250		2.46	62.3	2.89	6.90	0.13	0.70	0.16	0.030	0.13	8.5	23.0	1.04	772	5.04	0.07
R333251		1.04	82.0	6.13	1.02	0.06	0.16	<0.01	0.033	0.06	1.1	5.6	2.02	1090	48.3	0.04
R333252		0.45	10.9	3.36	9.02	0.09	0.09	<0.01	0.013	0.05	0.4	25.5	1.73	522	8.76	0.06
R333253		2.34	76.3	5.15	1.17	0.05	0.09	<0.01	0.028	0.09	2.9	4.2	2.08	1120	137.0	0.04
R333254		0.24	135.5	7.34	0.76	<0.05	0.04	<0.01	0.048	0.10	1.1	1.1	0.62	1530	1.08	0.03
R333255		0.22	27.4	7.24	2.26	0.07	0.24	<0.01	0.037	0.03	4.6	11.9	0.52	846	350	0.03
R333256		0.60	197.0	9.71	2.02	0.08	0.18	<0.01	0.178	0.06	1.8	1.8	0.09	343	22.8	0.02
R333257		0.28	99.0	4.91	0.70	<0.05	0.09	<0.01	0.062	0.05	1.5	1.2	0.05	236	5.71	0.03
R333258		3.23	165.5	8.15	8.12	0.16	0.22	<0.01	0.053	0.22	3.2	11.8	1.76	1470	15.05	0.03
R333307		0.49	128.0	5.20	6.21	0.16	0.18	<0.01	0.020	0.05	2.0	6.0	0.49	488	2.17	0.10
R333308		0.39	94.0	4.55	7.20	0.17	0.15	<0.01	0.022	0.03	2.1	6.6	0.58	497	5.99	0.10
R333309		2.85	123.5	5.60	8.55	0.15	0.10	<0.01	0.023	0.28	2.3	9.6	0.56	416	1.58	0.12
R333310		3.22	69.9	2.90	6.77	0.08	0.39	0.09	0.042	0.23	9.9	18.0	0.85	662	6.35	0.06
R333311		1.07	140.0	4.97	7.00	0.16	0.17	<0.01	0.020	0.10	2.1	15.6	0.54	503	4.22	0.12
R333312		0.68	50.7	3.24	4.07	0.08	0.06	<0.01	0.007	0.04	0.6	9.6	0.47	254	4.12	0.04
R333313		0.11	103.5	6.65	2.39	0.29	0.02	<0.01	0.046	0.01	0.9	0.6	0.05	349	2.11	<0.01
R333314		3.89	22.8	3.94	2.83	0.06	0.10	<0.01	0.014	0.21	0.7	13.0	0.41	269	270	0.03
R333315		1.21	341	8.45	9.73	0.35	0.29	<0.01	0.210	0.08	2.9	10.6	0.63	521	6.34	0.02
R333316		0.28	89.2	3.43	5.10	0.18	0.08	<0.01	0.022	0.02	1.3	5.8	0.36	718	1.91	0.04
R333317		0.07	9.3	1.37	1.10	0.08	0.06	<0.01	<0.005	<0.01	0.3	0.5	0.03	117	16.75	0.01
R333318		0.92	14.3	2.02	6.75	0.07	1.04	<0.01	0.008	0.11	18.2	9.2	0.53	307	1.06	0.06
R333319		1.32	12.8	1.89	4.85	0.08	1.49	<0.01	0.015	0.28	27.6	12.5	0.38	222	0.95	0.07
R333320		1.35	12.4	1.84	4.55	0.07	1.32	<0.01	0.013	0.29	27.7	12.5	0.38	215	0.98	0.06
R333321		0.38	5.5	1.28	1.60	<0.05	0.96	<0.01	0.006	0.04	9.0	3.0	0.10	174	0.47	0.07
R333322		0.12	12.8	0.72	0.38	<0.05	<0.02	<0.01	<0.005	0.01	<0.2	1.0	0.02	82	2.19	<0.01
R333323		0.13	8.9	0.98	0.31	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.7	0.02	101	9.63	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333003		0.66	6.9	590	12.0	14.7	<0.001	<0.01	0.09	1.3	<0.2	0.6	45.1	<0.01	0.06	5.2
R333004		0.09	2.5	70	6.0	0.5	0.015	0.05	0.07	0.2	<0.2	0.3	7.5	<0.01	1.54	0.8
R333238		<0.05	5.2	70	12.0	0.5	0.003	0.53	0.10	1.2	0.4	0.5	9.2	<0.01	9.66	<0.2
R333239		<0.05	7.3	530	34.6	3.5	<0.001	1.42	0.68	1.8	0.2	0.3	215	<0.01	0.06	5.2
R333240		<0.05	0.5	10	1.0	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R333241		<0.05	7.2	760	11.6	2.1	0.002	7.31	0.11	6.4	1.0	1.1	25.6	<0.01	8.83	<0.2
R333242		0.05	38.3	400	6.3	11.9	0.001	4.94	0.15	20.6	0.7	0.2	164.5	<0.01	8.45	<0.2
R333243		<0.05	32.3	310	3.5	4.7	0.002	3.88	0.10	17.5	0.7	0.4	101.0	<0.01	4.48	<0.2
R333244		<0.05	32.7	460	4.1	2.8	0.006	4.51	0.12	19.6	0.8	0.3	102.5	<0.01	3.48	<0.2
R333245		0.05	21.4	710	3.3	4.5	0.004	3.47	0.08	12.8	1.5	0.4	124.0	<0.01	2.27	<0.2
R333246		0.05	3.8	280	5.2	4.4	0.001	0.52	0.05	0.5	2.4	0.8	10.8	<0.01	0.15	<0.2
R333247		<0.05	4.0	10	1.4	0.4	0.001	1.03	0.07	0.3	1.1	0.5	0.8	<0.01	0.05	<0.2
R333248		<0.05	81.7	380	7.6	10.9	0.001	2.74	0.12	18.4	2.8	0.4	98.7	<0.01	0.65	0.2
R333249		<0.05	94.7	230	7.3	5.4	0.001	2.48	0.09	18.1	0.8	0.2	96.7	<0.01	0.96	<0.2
R333250		0.13	10.5	630	15.2	6.2	0.001	0.43	0.43	9.8	0.5	0.6	106.5	0.01	4.00	1.5
R333251		<0.05	94.4	730	6.0	6.6	0.013	4.07	0.05	20.2	1.7	<0.2	85.7	<0.01	2.87	<0.2
R333252		0.14	52.8	140	289	2.2	0.003	0.78	0.60	2.1	0.6	0.2	1.6	<0.01	0.05	<0.2
R333253		<0.05	72.1	260	16.5	10.6	0.023	2.51	<0.05	15.4	1.4	0.2	79.1	<0.01	0.23	<0.2
R333254		<0.05	32.9	470	4.2	4.4	0.001	2.59	0.13	16.1	0.7	0.2	101.0	<0.01	0.85	<0.2
R333255		<0.05	22.4	2420	46.3	2.3	0.051	6.89	0.07	9.7	3.9	0.2	599	<0.01	12.85	0.2
R333256		<0.05	17.7	310	33.8	4.1	0.005	4.69	0.10	3.6	4.2	0.6	17.7	<0.01	7.96	0.3
R333257		<0.05	9.7	290	12.1	2.6	0.001	2.32	0.09	2.3	2.1	0.5	15.3	<0.01	3.66	0.2
R333258		<0.05	42.6	840	17.6	20.8	0.009	4.65	0.25	28.4	1.6	0.3	146.5	<0.01	10.40	0.2
R333307		0.35	15.7	420	2.3	3.1	0.001	0.37	0.05	8.9	1.1	0.6	13.3	<0.01	0.09	0.2
R333308		0.24	8.9	480	5.6	2.8	0.004	0.26	0.05	7.6	0.8	0.4	18.6	<0.01	0.09	0.2
R333309		0.13	20.7	450	2.4	22.9	0.003	0.30	0.05	8.9	1.1	0.6	6.9	<0.01	0.07	0.2
R333310		0.06	11.0	620	17.6	12.1	0.004	0.88	0.51	9.3	0.7	0.5	117.5	<0.01	2.37	1.3
R333311		0.25	21.5	470	2.2	12.2	0.003	0.30	0.05	10.0	0.6	0.5	14.1	<0.01	0.06	0.2
R333312		0.16	10.8	150	2.0	4.2	0.002	0.11	0.06	2.8	0.3	0.5	5.3	<0.01	0.05	<0.2
R333313		0.11	4.2	130	1.8	0.6	<0.001	0.15	0.07	0.5	0.4	1.5	5.3	<0.01	0.06	<0.2
R333314		0.19	13.8	110	617	21.2	0.022	2.48	0.10	5.7	3.4	0.7	64.1	<0.01	5.09	<0.2
R333315		0.37	25.8	390	6.7	6.0	0.006	1.73	0.05	2.9	5.0	2.5	12.1	0.01	0.94	0.7
R333316		0.23	5.3	330	20.7	2.4	0.002	0.27	<0.05	4.8	0.9	0.3	47.1	<0.01	0.05	<0.2
R333317		0.18	3.0	60	12.6	0.3	0.002	0.19	0.08	1.2	<0.2	0.6	20.2	<0.01	0.04	<0.2
R333318		0.58	4.3	850	8.1	9.0	<0.001	0.09	0.05	1.6	0.2	0.6	63.3	<0.01	0.03	2.7
R333319		1.09	3.5	870	15.0	26.5	<0.001	0.17	0.05	1.1	0.2	0.9	103.0	<0.01	0.05	3.8
R333320		0.97	3.4	880	14.8	25.9	<0.001	0.18	0.05	1.1	0.3	0.8	96.4	<0.01	0.03	3.7
R333321		0.44	3.8	340	4.0	5.5	<0.001	0.49	0.05	1.3	0.3	0.4	28.1	<0.01	0.11	4.6
R333322		<0.05	2.2	10	1.0	0.4	<0.001	<0.01	0.07	0.2	<0.2	0.5	1.7	<0.01	<0.01	<0.2
R333323		<0.05	2.9	10	30.3	0.4	<0.001	0.23	0.07	0.5	0.7	0.5	4.6	<0.01	0.40	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333003		0.109	0.09	1.56	22	0.09	3.77	35	50.7
R333004		<0.005	<0.02	0.22	3	0.10	0.47	3	2.7
R333238		<0.005	<0.02	<0.05	3	0.07	0.71	6	1.2
R333239		<0.005	0.04	1.20	4	<0.05	5.14	56	23.0
R333240		<0.005	<0.02	0.07	<1	<0.05	0.56	<2	0.7
R333241		0.017	0.02	<0.05	52	0.56	4.80	34	3.2
R333242		0.047	0.09	<0.05	102	1.51	6.38	81	1.5
R333243		0.026	0.04	<0.05	79	7.22	4.91	64	1.2
R333244		0.031	0.02	<0.05	126	1.36	6.82	72	1.4
R333245		0.033	0.03	<0.05	43	0.74	5.10	37	1.2
R333246		0.006	0.06	<0.05	13	0.07	1.41	201	1.2
R333247		<0.005	<0.02	<0.05	2	0.05	0.13	2	<0.5
R333248		0.012	0.06	<0.05	63	0.16	5.40	180	2.5
R333249		0.005	0.04	0.05	22	0.30	5.30	69	1.4
R333250		0.135	0.08	0.44	77	0.60	7.73	64	21.7
R333251		0.005	0.04	0.14	20	0.15	7.48	81	5.3
R333252		0.110	0.23	<0.05	79	0.30	6.11	123	1.7
R333253		0.007	0.09	0.10	30	0.09	7.66	60	2.9
R333254		<0.005	0.02	<0.05	14	0.57	4.13	119	1.1
R333255		<0.005	<0.02	0.12	18	0.16	19.95	46	9.9
R333256		0.006	0.03	0.06	40	0.26	1.34	253	7.4
R333257		<0.005	<0.02	0.06	9	0.15	1.15	96	4.2
R333258		0.039	0.19	0.06	199	11.70	8.50	88	7.9
R333307		0.302	0.04	0.09	148	0.51	8.53	45	4.6
R333308		0.235	0.02	<0.05	133	0.57	7.81	51	3.3
R333309		0.218	0.15	0.05	214	0.57	7.83	46	2.7
R333310		0.054	0.14	0.33	66	0.57	7.75	81	13.2
R333311		0.290	0.08	0.08	164	0.44	9.06	56	4.8
R333312		0.105	0.03	<0.05	69	0.24	2.57	27	1.1
R333313		0.011	<0.02	0.05	42	1.07	1.88	62	1.2
R333314		0.054	0.33	0.07	40	0.31	2.89	24	3.2
R333315		0.104	0.06	0.08	55	1.19	3.85	145	11.5
R333316		0.120	0.02	<0.05	48	0.42	8.24	247	1.9
R333317		0.081	<0.02	<0.05	19	0.18	1.21	3	1.4
R333318		0.126	0.06	0.81	31	0.55	4.74	45	40.1
R333319		0.168	0.21	1.02	27	0.42	3.39	65	55.8
R333320		0.160	0.19	0.98	26	0.38	3.33	65	50.0
R333321		0.020	0.04	0.86	8	0.06	3.75	12	23.2
R333322		<0.005	<0.02	<0.05	3	0.09	0.08	5	<0.5
R333323		<0.005	0.02	<0.05	2	0.06	0.29	4	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333324		2.13	0.001	0.10	1.47	0.4	<0.2	<10	20	0.10	0.12	0.74	0.03	5.47	29.7	48
R333325		2.13	0.165	0.26	2.29	2.3	<0.2	<10	30	0.74	0.48	5.28	0.16	5.34	41.9	32
R333326		0.93	0.001	0.02	1.56	0.4	<0.2	<10	30	0.12	0.05	0.57	0.03	15.30	14.9	51
R333327		2.06	0.002	0.20	1.55	0.7	<0.2	<10	10	0.11	0.49	1.08	0.17	3.38	26.5	34
R333328		1.17	0.001	0.27	0.53	0.7	<0.2	<10	<10	0.06	0.72	0.49	0.03	2.50	9.7	21
R333329		1.29	0.001	0.37	1.46	0.4	<0.2	<10	20	0.16	0.66	1.46	0.15	5.11	29.8	16
R333330		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	0.01	0.90	0.2	<1
R333331		2.11	0.002	0.24	3.72	0.2	<0.2	<10	20	0.63	0.45	0.20	0.08	11.70	13.7	7
R333332		1.74	0.017	0.40	1.94	0.1	<0.2	<10	10	0.21	0.79	1.54	0.06	6.59	33.2	24
R333333		1.99	0.002	0.21	1.62	1.9	<0.2	<10	30	0.21	0.32	1.29	0.29	7.01	26.1	20
R333334		2.38	0.007	0.21	1.96	0.7	<0.2	<10	20	0.28	0.50	1.70	0.06	5.27	38.8	25
R333335		1.43	0.009	0.12	0.26	0.7	<0.2	<10	10	0.13	1.32	1.53	0.12	1.63	16.7	22
R333419		1.32	0.086	0.23	1.87	0.6	0.3	<10	60	0.74	0.38	0.05	0.02	5.65	11.3	5
R333420		0.06	2.42	4.71	1.59	18.2	2.3	<10	40	0.63	0.08	3.64	0.36	21.7	10.6	24
R333421		1.73	0.065	0.09	1.01	0.1	<0.2	<10	20	0.32	1.29	0.06	0.01	12.10	7.6	11
R333422		1.16	0.001	0.01	0.42	0.2	<0.2	<10	20	0.18	0.04	0.13	<0.01	81.0	2.4	14
R333423		1.50	0.027	0.05	0.52	0.5	<0.2	<10	20	0.39	0.42	0.12	0.01	15.05	7.6	17
R333424		1.23	0.002	0.08	0.96	<0.1	<0.2	<10	30	0.43	0.15	2.09	0.04	28.3	15.3	23
R333425		1.60	0.007	0.04	0.74	0.9	<0.2	<10	170	0.16	0.15	2.15	0.11	23.1	15.8	26
R333426		1.44	0.004	0.15	0.80	0.6	<0.2	<10	30	0.20	0.15	1.26	0.05	4.28	25.4	29
R333427		1.42	0.011	0.10	0.61	0.4	<0.2	<10	250	0.35	0.22	0.56	0.04	33.2	5.8	15
R333428		2.05	0.009	0.05	0.80	0.4	<0.2	<10	50	0.28	0.14	0.50	0.09	35.1	6.3	17
R333429		1.24	0.001	0.04	1.91	0.9	<0.2	<10	20	0.10	0.02	1.06	0.02	3.21	20.5	48
R333430		<0.02	0.001	0.05	1.85	0.9	<0.2	<10	20	0.08	0.02	0.96	0.02	3.16	20.3	46
R333431		1.38	0.003	0.02	0.33	1.2	<0.2	<10	50	0.13	0.08	0.64	0.05	49.1	3.6	43
R333432		1.18	0.011	0.06	1.14	0.3	<0.2	<10	40	0.45	0.32	0.98	0.03	46.7	10.3	19
R333433		1.62	0.020	0.05	2.55	0.7	<0.2	<10	40	0.96	0.30	3.93	0.03	31.4	32.8	30
R333434		1.97	0.002	0.11	0.99	0.4	<0.2	<10	30	0.36	0.18	0.59	0.04	40.4	8.3	17
R333435		1.63	0.001	0.04	1.54	0.5	<0.2	<10	40	0.49	0.14	1.63	0.07	34.8	25.8	170
R333436		1.72	0.011	0.03	1.12	0.3	<0.2	<10	50	0.29	0.08	0.63	0.02	58.2	10.6	21
R333437		1.54	0.001	0.09	0.76	0.5	<0.2	<10	20	0.22	0.16	0.63	0.04	43.7	6.7	14
R333438		1.40	0.014	0.10	0.66	<0.1	<0.2	<10	20	0.36	0.22	1.41	0.06	35.9	7.4	12
R333439		1.29	0.294	0.35	0.52	1.9	0.2	<10	10	0.18	0.58	0.73	0.10	2.97	18.2	18
R333440		0.18	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.91	0.1	<1
R333441		1.81	<0.001	0.03	0.60	0.5	<0.2	<10	80	0.41	0.14	0.59	0.07	86.5	5.8	16
R333442		1.68	0.017	0.18	0.23	0.1	<0.2	<10	10	0.17	0.34	0.30	0.12	9.46	4.1	13
R333443		1.00	<0.001	0.02	0.34	0.4	<0.2	<10	20	0.11	0.12	0.77	0.03	6.44	3.7	53
R333444		1.78	0.025	0.31	0.50	0.4	<0.2	<10	20	0.29	0.56	1.27	0.13	23.4	7.5	12
R333445		1.98	0.004	0.04	0.75	0.4	<0.2	<10	70	0.37	0.16	0.84	0.05	37.2	6.5	12
R333446		1.82	0.012	0.07	0.45	0.4	<0.2	<10	50	0.26	0.18	0.76	0.03	24.9	3.9	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333324		1.95	101.5	5.65	7.15	0.14	0.07	<0.01	0.015	0.09	2.0	19.7	0.97	376	3.69	0.11
R333325		2.58	80.0	8.69	10.05	0.26	0.07	<0.01	0.067	0.30	1.9	11.1	1.76	1040	10.85	0.05
R333326		2.59	4.7	2.84	7.89	0.05	0.38	<0.01	0.009	0.11	7.3	16.3	1.35	319	1.84	0.06
R333327		0.86	126.0	4.53	7.01	0.17	0.10	<0.01	0.021	0.04	1.1	7.0	0.74	513	6.99	0.12
R333328		0.17	30.0	2.83	3.35	0.11	0.06	<0.01	0.011	0.02	0.9	2.7	0.30	276	3.13	0.06
R333329		3.50	136.5	4.87	7.10	0.17	0.15	<0.01	0.025	0.14	1.8	5.8	0.71	450	17.05	0.15
R333330		<0.05	1.4	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.09	<0.01
R333331		1.68	65.9	18.50	14.15	0.91	0.47	<0.01	0.216	0.04	5.0	29.0	1.76	853	21.5	0.01
R333332		2.38	80.3	5.57	9.27	0.24	0.12	<0.01	0.027	0.09	2.2	17.5	1.07	477	1.83	0.15
R333333		0.97	125.5	5.91	6.70	0.23	0.14	<0.01	0.061	0.07	2.8	12.7	0.77	626	15.20	0.10
R333334		1.12	208	5.94	8.80	0.17	0.15	<0.01	0.023	0.10	2.0	12.4	0.98	784	3.96	0.09
R333335		0.50	49.0	3.96	1.64	<0.05	0.03	<0.01	0.020	0.01	0.6	3.0	0.23	459	1.74	0.04
R333419		0.07	63.0	3.70	12.75	0.10	1.24	<0.01	0.019	0.14	4.4	31.4	1.76	391	3.65	0.01
R333420		2.96	69.4	2.94	6.33	0.08	0.38	0.09	0.034	0.24	9.3	17.2	0.87	682	6.07	0.07
R333421		0.12	10.3	1.98	6.14	0.05	0.96	<0.01	0.009	0.08	7.0	16.9	0.81	178	1.53	0.06
R333422		0.29	4.0	1.17	3.95	0.06	1.04	<0.01	0.010	0.06	41.1	4.2	0.29	118	0.33	0.07
R333423		0.31	10.1	1.75	3.60	0.05	1.00	<0.01	0.006	0.05	6.9	7.7	0.37	164	0.88	0.09
R333424		0.71	46.4	3.83	6.36	0.09	0.87	<0.01	0.021	0.05	14.3	9.9	0.93	553	0.43	0.06
R333425		0.17	32.8	2.61	4.31	0.05	0.56	0.01	0.019	0.02	8.6	10.3	1.71	618	1.94	0.07
R333426		0.48	52.8	6.59	5.82	0.14	0.19	0.01	0.010	0.06	1.7	6.7	0.57	489	0.71	0.05
R333427		1.97	16.2	1.99	5.05	0.06	1.50	<0.01	0.014	0.29	15.9	17.0	0.48	251	0.59	0.07
R333428		0.99	11.5	1.94	6.56	0.08	1.19	<0.01	0.009	0.09	16.9	12.9	0.58	326	6.09	0.06
R333429		0.13	122.0	3.06	3.92	0.07	0.07	<0.01	0.005	0.04	1.3	16.3	1.44	462	0.87	0.05
R333430		0.14	119.5	2.89	3.63	0.07	0.06	<0.01	0.006	0.03	1.3	16.3	1.41	444	0.83	0.04
R333431		0.25	27.8	2.18	2.60	0.08	0.42	<0.01	<0.005	0.07	23.6	3.7	0.16	180	0.86	0.07
R333432		1.04	37.9	2.86	7.11	0.09	1.14	<0.01	0.016	0.10	21.7	18.2	0.83	401	1.98	0.07
R333433		5.08	88.3	7.83	12.50	0.15	0.51	<0.01	0.055	0.21	12.9	36.5	2.00	805	1.08	0.05
R333434		0.47	23.1	2.32	7.45	0.09	1.02	<0.01	0.012	0.07	19.4	14.7	0.73	344	5.13	0.06
R333435		0.35	65.3	5.05	6.73	0.23	0.37	<0.01	0.015	0.09	13.7	15.0	1.21	628	0.60	0.11
R333436		1.25	34.6	2.57	7.34	0.11	0.90	<0.01	0.012	0.12	25.9	16.2	0.86	347	0.52	0.07
R333437		0.55	17.1	2.36	6.21	0.10	0.69	<0.01	0.015	0.06	20.7	8.1	0.57	281	0.47	0.08
R333438		0.50	32.6	2.26	5.32	0.07	0.83	<0.01	0.016	0.05	17.0	7.7	0.40	309	0.45	0.07
R333439		0.34	28.6	5.78	2.67	0.06	0.06	<0.01	0.027	0.01	1.0	4.5	0.32	610	1.48	0.03
R333440		<0.05	0.6	0.03	0.06	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
R333441		0.50	18.8	2.05	4.90	0.09	0.98	<0.01	0.018	0.09	39.5	8.5	0.49	418	0.47	0.06
R333442		0.34	18.0	1.60	1.85	0.05	0.61	<0.01	0.007	0.01	4.0	1.4	0.09	150	0.87	0.10
R333443		0.21	5.9	0.86	2.23	0.05	0.10	<0.01	0.005	0.03	2.8	6.2	0.38	202	4.02	0.02
R333444		0.26	19.6	2.29	3.52	0.08	0.64	<0.01	0.016	0.03	10.9	7.4	0.33	236	0.58	0.06
R333445		3.50	16.2	2.10	4.94	0.09	1.31	<0.01	0.015	0.36	17.7	11.6	0.52	333	0.60	0.06
R333446		0.86	25.0	1.52	2.14	0.08	0.71	<0.01	0.008	0.08	12.2	5.9	0.29	237	1.05	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333324		0.09	23.9	420	1.5	8.5	0.003	0.33	<0.05	5.5	0.9	0.3	12.7	<0.01	0.03	0.2
R333325		<0.05	35.1	360	7.4	18.2	0.011	3.43	0.12	24.5	0.9	0.6	107.5	<0.01	3.20	<0.2
R333326		0.05	45.6	300	1.8	7.0	0.001	0.02	0.05	4.6	<0.2	0.4	32.5	<0.01	0.03	1.4
R333327		0.16	26.7	470	15.4	4.3	0.005	0.44	0.07	10.1	0.5	0.4	10.8	<0.01	0.11	0.2
R333328		0.16	5.6	250	0.9	0.8	0.002	0.09	0.06	4.1	0.3	0.5	4.3	<0.01	0.26	<0.2
R333329		0.19	14.9	570	8.8	14.1	0.010	0.69	0.05	11.7	0.5	0.5	5.3	<0.01	0.18	0.2
R333330		<0.05	1.1	10	0.5	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	1.0	<0.01	<0.01	0.2
R333331		0.17	13.0	720	4.6	4.2	0.013	1.04	0.05	3.6	1.8	2.8	3.3	0.01	0.24	1.4
R333332		0.08	25.0	630	2.3	11.4	0.002	0.48	<0.05	10.6	0.5	0.3	8.6	<0.01	0.12	0.2
R333333		0.16	20.2	410	24.1	6.9	0.009	0.71	0.05	6.0	1.4	0.8	11.0	<0.01	0.15	0.3
R333334		0.13	26.1	550	2.6	5.7	0.002	0.47	<0.05	9.6	0.9	0.4	18.8	<0.01	0.18	0.2
R333335		<0.05	14.3	140	3.9	1.6	0.001	2.31	0.08	7.0	0.6	0.5	30.4	<0.01	1.16	<0.2
R333419		0.08	13.7	40	26.6	4.2	0.001	0.09	0.06	1.2	0.2	0.3	4.9	<0.01	0.19	6.2
R333420		0.05	10.9	620	16.6	11.4	0.002	0.89	0.42	8.7	0.9	0.5	115.5	<0.01	2.32	1.3
R333421		0.18	8.0	210	2.3	2.3	<0.001	0.07	0.05	1.9	0.5	0.5	3.8	<0.01	0.65	6.1
R333422		0.63	4.3	310	2.0	2.5	<0.001	<0.01	<0.05	1.4	<0.2	0.6	12.0	<0.01	0.01	4.8
R333423		0.22	7.4	380	2.2	2.1	<0.001	0.22	0.05	1.8	0.2	0.5	8.6	<0.01	0.07	4.4
R333424		0.15	15.6	420	6.7	3.9	<0.001	0.41	0.06	6.9	0.2	0.4	63.7	<0.01	0.05	3.8
R333425		0.30	48.7	770	5.7	1.4	<0.001	0.06	0.07	10.3	0.3	0.4	115.0	<0.01	0.03	2.7
R333426		0.49	20.3	360	5.2	3.1	<0.001	0.37	0.08	3.8	0.5	0.6	51.7	<0.01	0.05	<0.2
R333427		0.46	6.0	640	7.8	29.7	<0.001	0.23	0.06	3.3	<0.2	0.5	45.6	<0.01	0.18	3.5
R333428		0.51	6.4	660	13.8	7.7	0.004	0.14	0.05	2.5	0.3	0.7	40.2	<0.01	0.17	3.2
R333429		0.09	36.8	270	0.6	1.1	0.001	0.15	0.05	3.3	0.4	0.3	32.3	<0.01	0.03	<0.2
R333430		0.09	36.4	270	0.5	1.0	<0.001	0.15	0.05	2.9	0.5	0.2	29.0	<0.01	0.04	<0.2
R333431		1.00	7.3	930	3.7	2.9	<0.001	0.01	0.08	1.0	0.2	0.6	95.0	<0.01	<0.01	4.3
R333432		0.28	9.5	890	6.0	7.8	0.001	0.19	<0.05	4.7	<0.2	0.6	49.8	<0.01	0.07	3.6
R333433		0.07	29.7	870	3.3	27.3	<0.001	0.49	<0.05	22.0	0.6	0.5	57.3	<0.01	0.03	1.8
R333434		0.40	7.3	850	8.5	4.2	0.001	0.12	<0.05	2.6	0.3	0.7	46.9	<0.01	0.06	3.4
R333435		0.31	48.3	1310	1.5	3.1	<0.001	0.16	<0.05	7.5	0.6	0.4	66.6	<0.01	0.02	3.3
R333436		0.38	11.3	1140	4.6	9.5	0.001	0.07	<0.05	3.0	0.3	0.5	50.6	<0.01	0.04	3.9
R333437		0.36	4.9	890	4.6	5.0	<0.001	0.07	0.06	2.6	0.2	0.7	42.7	<0.01	0.07	3.0
R333438		0.31	4.7	930	6.5	6.0	0.001	0.47	0.05	3.5	0.3	0.6	35.3	<0.01	0.16	3.0
R333439		<0.05	4.6	480	2.9	3.5	0.001	3.04	0.07	8.6	1.0	0.5	20.8	<0.01	1.61	<0.2
R333440		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R333441		0.36	5.9	810	8.6	7.3	<0.001	0.07	0.08	2.9	0.2	0.5	62.6	<0.01	0.02	7.6
R333442		0.24	3.9	970	3.9	1.7	<0.001	0.33	0.08	3.0	0.5	0.5	15.5	<0.01	0.26	1.2
R333443		0.06	17.7	280	0.9	1.3	0.001	0.04	0.07	1.0	0.2	0.4	29.5	<0.01	0.03	0.3
R333444		0.28	5.1	910	5.4	2.2	<0.001	1.01	0.08	4.4	0.8	0.4	28.0	<0.01	0.42	2.9
R333445		0.38	4.2	900	9.3	37.6	<0.001	0.32	0.07	2.0	0.3	0.6	69.4	<0.01	0.07	3.0
R333446		0.17	3.3	640	2.2	6.6	<0.001	0.38	0.08	1.5	0.4	0.3	34.6	<0.01	0.13	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333324		0.132	0.07	<0.05	146	0.25	7.48	52	1.6
R333325		0.117	0.15	<0.05	186	16.10	10.35	103	1.4
R333326		0.062	0.04	0.21	38	0.13	2.50	58	16.5
R333327		0.216	0.09	<0.05	140	0.47	6.70	75	2.0
R333328		0.119	<0.02	<0.05	75	0.28	4.06	24	1.1
R333329		0.288	0.19	<0.05	129	0.73	7.99	67	4.1
R333330		<0.005	<0.02	0.09	<1	<0.05	0.57	4	0.8
R333331		0.053	0.04	0.19	16	0.19	5.77	135	16.7
R333332		0.205	0.06	<0.05	140	0.55	8.66	69	2.4
R333333		0.166	0.04	<0.05	81	0.69	5.58	127	4.2
R333334		0.283	0.02	<0.05	150	0.74	7.99	73	3.9
R333335		0.012	<0.02	<0.05	64	0.20	1.99	27	1.0
R333419		0.017	0.02	2.22	38	0.25	1.75	70	27.8
R333420		0.056	0.14	0.33	68	0.43	7.37	82	12.0
R333421		0.039	0.02	1.27	35	0.27	2.02	26	23.3
R333422		0.060	<0.02	1.81	19	0.25	2.86	14	31.3
R333423		0.037	<0.02	0.98	24	0.38	3.13	20	26.1
R333424		0.121	0.03	0.94	93	0.57	7.12	59	21.9
R333425		0.053	0.02	0.80	42	0.24	5.14	41	20.6
R333426		0.247	0.02	0.15	138	0.56	7.80	49	4.7
R333427		0.083	0.23	1.33	37	0.22	4.83	44	50.9
R333428		0.122	0.05	1.13	37	0.72	4.85	49	39.9
R333429		0.219	<0.02	<0.05	67	0.33	5.25	38	1.6
R333430		0.206	<0.02	<0.05	63	0.30	5.05	38	1.5
R333431		0.190	0.02	0.96	62	0.16	7.74	18	6.2
R333432		0.142	0.06	1.11	58	0.85	6.83	50	45.2
R333433		0.202	0.23	0.44	190	1.30	14.20	111	18.7
R333434		0.137	0.03	1.19	43	0.70	5.35	47	42.7
R333435		0.297	<0.02	2.45	133	0.48	14.65	65	12.5
R333436		0.163	0.07	0.96	57	0.46	5.97	51	40.0
R333437		0.126	0.03	0.89	43	0.62	5.56	44	28.8
R333438		0.089	0.03	0.94	39	0.95	5.62	34	36.9
R333439		<0.005	<0.02	0.07	35	0.24	2.98	46	2.0
R333440		<0.005	<0.02	0.08	<1	<0.05	0.59	<2	0.8
R333441		0.091	0.03	1.11	41	0.46	6.61	36	36.0
R333442		0.034	<0.02	0.36	10	0.59	5.77	10	23.3
R333443		0.025	<0.02	0.06	15	0.14	0.96	16	3.0
R333444		0.062	0.02	0.86	28	0.71	6.59	24	31.4
R333445		0.111	0.28	0.98	39	0.20	4.99	53	44.5
R333446		0.038	0.05	0.50	15	0.25	3.49	27	24.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333447		1.92	0.246	0.69	0.47	0.7	<0.2	<10	20	0.25	3.83	2.52	0.31	2.67	33.5	24
R333448		1.63	0.005	0.22	0.30	0.7	<0.2	<10	20	0.18	5.92	1.42	0.06	1.63	12.4	24
R333449		1.58	0.004	0.04	0.02	0.4	<0.2	<10	<10	<0.05	1.57	0.16	0.01	0.27	3.9	25
R333450		0.06	9.36	8.85	1.57	11.1	9.7	<10	30	0.62	0.11	3.70	0.26	18.35	10.2	17
R333451		2.19	0.003	0.01	0.01	0.3	<0.2	<10	<10	0.28	0.07	0.08	0.01	2.04	0.3	8
R333452		2.69	0.041	0.34	0.25	0.5	<0.2	<10	30	0.13	3.01	1.06	0.07	9.73	20.1	13
R333453		2.45	0.319	0.23	0.61	0.6	0.2	<10	10	0.20	7.38	5.82	0.19	2.74	34.0	25
R333454		2.01	0.024	0.11	0.12	0.4	<0.2	<10	10	0.05	3.33	1.46	0.04	1.50	8.3	16
R333455		1.17	1.135	2.09	0.15	0.5	1.2	<10	70	0.11	68.4	0.07	<0.01	9.95	1.8	22
R333062		1.20	0.002	0.16	1.41	0.5	<0.2	<10	10	0.21	1.23	1.13	0.07	7.17	28.8	8
R333063		1.09	0.007	0.34	2.11	1.2	<0.2	<10	30	0.17	1.96	1.54	0.11	3.70	44.2	34
R333064		0.90	0.001	0.03	1.15	0.3	<0.2	<10	10	0.07	0.16	0.46	0.03	12.95	9.3	64
R333065		1.05	<0.001	0.30	0.69	0.3	<0.2	<10	30	0.09	0.04	0.25	0.10	2.93	2.9	5
R333066		1.41	0.001	0.01	1.13	0.3	<0.2	<10	20	0.05	0.05	0.40	0.03	20.4	12.2	211
R333067		1.08	<0.001	0.06	0.61	0.4	<0.2	<10	30	0.40	0.39	0.43	0.03	28.9	5.8	16
R333068		1.12	0.001	0.06	0.50	0.4	<0.2	<10	10	0.09	0.09	0.72	0.03	2.61	15.0	23
R333069		1.06	0.001	0.13	0.38	0.4	<0.2	<10	10	0.13	0.27	0.76	0.04	2.87	15.9	17
R333070		0.06	2.46	4.44	1.54	18.0	2.7	<10	40	0.68	0.09	3.57	0.32	20.5	10.4	24
R333071		1.22	0.001	0.17	0.58	0.5	<0.2	<10	40	0.08	0.26	0.64	0.06	3.77	18.8	9
R333072		1.09	0.001	0.10	1.06	0.5	<0.2	<10	10	0.09	0.34	0.58	0.03	2.04	15.1	11
R333073		1.16	0.001	0.04	1.44	0.4	<0.2	<10	10	0.13	0.16	0.95	0.04	4.96	20.3	16
R333074		2.52	0.001	0.14	1.90	0.9	<0.2	<10	50	0.12	0.53	0.97	0.02	7.54	30.4	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333447		3.89	167.5	6.91	2.60	0.07	0.06	<0.01	0.055	0.08	1.0	4.9	0.56	1380	1.61	0.04
R333448		2.14	29.1	2.41	1.63	0.07	0.02	<0.01	0.014	0.11	0.6	4.5	0.29	419	1.88	0.02
R333449		0.08	4.2	1.17	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.4	0.01	89	2.21	0.01
R333450		2.36	62.7	2.79	6.08	0.14	0.69	0.15	0.021	0.12	8.4	27.5	1.02	771	4.78	0.06
R333451		0.11	2.8	9.38	0.33	0.16	<0.02	<0.01	<0.005	0.01	1.2	0.1	0.04	55	2.28	<0.01
R333452		0.45	11.0	3.79	1.22	0.06	0.46	<0.01	0.012	0.06	4.2	4.8	0.09	370	0.65	0.05
R333453		0.34	80.3	5.93	1.83	0.05	0.08	<0.01	0.034	0.07	1.3	20.6	2.22	840	1.39	0.03
R333454		0.32	4.9	1.35	0.50	<0.05	0.05	<0.01	0.007	0.03	0.7	2.3	0.06	199	1.22	0.04
R333455		0.24	14.4	1.18	1.12	<0.05	0.16	<0.01	0.005	0.03	5.0	3.9	0.12	116	2880	0.03
R333062		0.31	146.0	4.92	6.78	0.17	0.14	<0.01	0.022	0.05	2.6	13.0	0.77	575	7.05	0.14
R333063		0.37	116.5	6.28	13.30	0.17	0.17	<0.01	0.017	0.09	1.3	28.2	1.43	1250	20.3	0.03
R333064		0.15	105.5	2.61	6.57	0.10	0.23	<0.01	0.008	0.01	6.6	15.7	0.78	355	2.52	0.05
R333065		0.34	6.9	1.24	2.63	<0.05	0.14	<0.01	<0.005	0.17	1.2	12.5	0.37	176	0.58	0.01
R333066		0.33	17.3	1.75	4.24	0.07	0.09	<0.01	<0.005	0.05	9.6	27.9	1.15	231	5.37	0.05
R333067		0.27	25.3	2.03	5.94	0.07	1.49	<0.01	0.012	0.06	14.0	10.4	0.54	257	1.17	0.07
R333068		1.13	71.6	2.42	2.58	0.11	0.18	<0.01	0.010	0.08	0.9	7.5	0.26	277	2.48	0.06
R333069		0.72	73.6	3.96	2.93	0.13	0.10	<0.01	0.009	0.02	1.1	1.4	0.25	278	1.63	0.05
R333070		3.02	70.8	2.88	5.87	0.08	0.42	0.08	0.035	0.22	9.6	18.7	0.84	666	5.90	0.06
R333071		5.72	101.5	5.04	4.46	0.15	0.08	<0.01	0.016	0.12	1.4	4.5	0.41	299	2.19	0.07
R333072		5.36	75.6	2.24	3.52	0.06	0.05	<0.01	0.007	0.10	0.8	12.7	0.86	280	2.02	0.06
R333073		1.12	95.6	5.75	8.39	0.14	0.06	<0.01	0.020	0.04	1.7	12.9	0.94	437	1.14	0.08
R333074		0.52	70.8	6.85	7.58	0.22	0.16	<0.01	0.018	0.02	2.8	20.2	1.04	479	4.14	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333447		0.06	28.1	320	5.9	20.4	0.001	2.66	0.09	15.5	1.2	0.4	29.4	<0.01	1.10	<0.2
R333448		0.05	9.3	120	5.0	11.1	<0.001	0.88	0.11	5.3	0.7	0.5	36.2	<0.01	1.51	<0.2
R333449		<0.05	3.2	80	1.1	0.3	<0.001	0.52	0.09	0.5	0.4	0.4	7.6	<0.01	0.77	<0.2
R333450		0.12	9.5	620	14.1	5.3	0.002	0.41	0.39	8.1	0.7	0.5	99.3	<0.01	3.99	1.5
R333451		<0.05	1.4	260	0.3	0.8	0.001	0.03	0.11	0.1	<0.2	0.2	6.1	<0.01	0.05	<0.2
R333452		<0.05	29.8	800	2.0	4.5	<0.001	2.66	0.08	4.3	1.4	0.3	12.1	<0.01	1.41	0.6
R333453		<0.05	85.3	40	5.9	4.5	0.001	4.03	0.08	17.7	1.7	0.2	129.5	<0.01	4.38	<0.2
R333454		<0.05	18.6	110	1.1	2.0	<0.001	0.78	0.08	2.0	0.5	0.3	12.9	<0.01	2.15	0.2
R333455		0.35	3.3	160	206	1.6	1.000	0.22	0.11	0.5	0.8	0.6	9.7	<0.01	7.47	1.1
R333062		0.10	14.6	610	2.0	2.5	0.003	0.94	<0.05	9.6	1.4	0.3	9.0	<0.01	0.18	0.3
R333063		0.06	37.7	520	14.9	3.4	0.011	0.63	<0.05	5.8	1.1	0.3	11.8	<0.01	0.11	0.2
R333064		0.12	31.1	360	4.0	1.0	0.001	0.01	0.06	1.4	0.2	0.4	30.9	<0.01	0.02	0.6
R333065		0.07	4.7	160	1.6	8.2	<0.001	0.01	<0.05	0.2	0.2	0.2	2.3	<0.01	0.02	0.2
R333066		0.13	67.2	540	1.0	3.2	0.003	0.01	0.05	1.3	0.2	0.3	20.3	<0.01	0.03	1.0
R333067		0.55	6.0	680	4.7	2.7	0.001	0.25	0.05	3.1	0.4	0.7	26.3	<0.01	0.04	3.3
R333068		0.42	12.3	260	2.4	8.4	0.001	0.18	0.06	4.0	0.6	0.5	8.2	<0.01	0.06	<0.2
R333069		0.28	6.7	230	2.4	2.1	<0.001	0.38	0.07	4.4	0.8	0.5	12.4	<0.01	0.03	<0.2
R333070		0.05	10.4	610	16.7	10.7	0.003	0.85	0.40	8.0	0.9	0.5	111.0	<0.01	2.37	1.4
R333071		0.21	10.5	260	2.7	16.2	0.001	0.38	0.06	6.3	0.8	0.5	8.4	<0.01	0.05	<0.2
R333072		0.15	21.1	160	1.8	10.1	0.001	0.17	0.05	3.6	0.6	0.3	9.3	<0.01	0.04	<0.2
R333073		0.14	11.4	450	1.9	7.3	0.001	0.11	0.05	6.7	0.7	0.3	12.8	<0.01	0.03	0.2
R333074		0.33	3.9	870	1.5	3.1	0.004	0.82	0.07	5.7	1.9	0.4	31.7	0.01	0.11	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333447		0.041	0.18	0.05	137	1.10	4.45	92	2.1
R333448		0.036	0.09	<0.05	39	0.23	2.30	20	0.7
R333449		<0.005	<0.02	<0.05	1	<0.05	0.41	<2	<0.5
R333450		0.128	0.08	0.43	73	0.43	7.40	60	20.0
R333451		<0.005	<0.02	<0.05	2	0.98	1.38	<2	<0.5
R333452		<0.005	0.03	0.29	7	0.10	5.92	8	17.4
R333453		<0.005	0.03	0.07	11	0.16	4.98	52	2.6
R333454		<0.005	0.02	<0.05	2	0.06	1.22	5	1.8
R333455		0.016	0.05	0.60	7	0.17	0.98	9	4.2
R333062		0.226	0.03	<0.05	115	0.43	10.20	66	2.7
R333063		0.286	0.08	<0.05	180	0.62	9.52	152	4.0
R333064		0.110	<0.02	0.08	35	0.34	2.16	50	7.7
R333065		0.035	0.03	<0.05	4	0.10	0.73	28	4.5
R333066		0.071	0.02	0.13	26	0.22	1.82	37	4.3
R333067		0.123	0.02	1.21	45	0.35	5.20	34	44.7
R333068		0.235	0.08	<0.05	78	0.35	6.48	22	4.0
R333069		0.171	0.03	<0.05	119	0.44	4.72	24	2.1
R333070		0.052	0.14	0.34	65	0.37	7.55	80	12.0
R333071		0.178	0.12	<0.05	184	0.40	5.72	39	1.9
R333072		0.096	0.08	<0.05	53	0.10	3.13	25	1.0
R333073		0.188	0.02	<0.05	161	0.30	10.20	65	1.2
R333074		0.223	<0.02	<0.05	91	1.57	12.60	66	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15085705

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

CERTIFICATE SD15090484

Project: MILLER

This report is for 107 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 22-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	WEI-21	Au-ICP22	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
R333005		1.88	1.015			1.09	0.57	1.0	0.9	20	20	0.28	3.80	2.47	0.04	24.5
R333006		1.39	0.013			0.13	1.27	0.6	<0.2	20	80	0.52	0.44	4.76	0.05	36.8
R333007		1.45	0.002			0.04	0.21	0.9	<0.2	10	<10	<0.05	0.16	1.44	0.04	1.24
R333008		1.33	0.024			0.15	0.94	2.0	<0.2	<10	20	0.22	0.30	0.13	0.10	3.85
R333259		1.62	0.001			0.41	0.09	0.6	<0.2	10	<10	0.05	4.06	0.27	<0.01	0.56
R333260		0.07	2.42			4.81	1.61	19.6	2.5	20	40	0.70	0.09	3.84	0.39	23.0
R333261		1.69	0.001			0.53	1.66	0.5	<0.2	10	60	0.10	0.66	0.70	1.71	5.52
R333262		1.80	0.060			0.12	0.13	0.8	<0.2	10	60	0.25	12.15	3.14	0.17	15.35
R333263		2.15	0.317			0.24	0.10	0.6	0.3	10	30	0.17	11.25	1.60	0.09	5.12
R333264		1.79	1.355			5.70	0.03	0.4	0.6	10	10	<0.05	715	0.92	1.46	4.85
R333265		1.93	0.030			0.14	0.79	2.1	<0.2	10	20	0.14	1.73	2.16	0.54	9.16
R333266		1.61	0.002			0.13	0.04	0.3	<0.2	<10	110	0.05	3.04	0.51	0.03	3.11
R333267		1.75	0.178			0.29	0.09	1.0	<0.2	<10	10	0.08	10.45	0.64	0.10	3.24
R333268		1.61	0.069			0.13	0.18	0.5	<0.2	<10	110	0.20	2.31	2.10	0.18	23.6
R333269		1.96	0.016			0.60	1.10	1.2	<0.2	<10	40	0.64	21.5	3.13	0.29	4.39
R333270		0.12	<0.001			<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.05	0.01	<0.01	1.05
R333271		1.48	0.106			0.07	0.13	0.5	<0.2	<10	30	0.21	0.59	5.30	0.18	20.4
R333272		2.14	0.193			0.52	0.32	0.6	0.2	<10	40	0.23	4.06	4.04	0.24	2.61
R333273		1.83	0.139			0.12	0.12	0.5	0.2	<10	100	0.06	1.42	1.46	0.17	18.70
R333274		1.99	0.276			0.14	0.13	0.4	0.2	<10	20	0.08	2.79	2.75	0.18	2.35
R333275		2.39	0.015			0.09	0.18	0.5	<0.2	<10	50	0.29	0.33	5.99	0.17	2.31
R333276		1.89	0.009			0.08	0.21	0.4	<0.2	<10	50	0.18	0.60	5.16	0.15	2.53
R333277		2.71	0.088			0.26	0.13	0.5	0.4	<10	20	0.19	1.30	5.49	0.16	2.78
R333278		2.29	0.093			0.10	0.10	1.0	0.2	<10	10	0.09	0.64	0.79	0.04	1.88
R333279		1.62	0.045			0.30	0.97	18.7	<0.2	<10	100	0.19	1.23	2.90	1.51	9.57
R333280		0.06	8.97			10.10	1.63	12.6	9.8	<10	30	0.59	0.09	3.96	0.31	22.2
R333281		1.84	0.003			0.07	0.23	2.2	<0.2	<10	30	0.14	0.61	9.46	0.67	14.90
R333282		2.03	0.036			0.08	0.36	0.3	<0.2	<10	40	0.17	0.58	2.69	0.14	31.6
R333283		2.02	0.509			0.26	0.12	0.5	0.2	<10	50	0.06	1.67	1.32	0.12	23.3
R333284		1.72	0.011			0.16	0.23	0.6	<0.2	<10	60	0.25	0.79	4.07	0.17	3.66
R333285		2.17	0.326			0.47	0.11	0.8	0.3	<10	20	0.20	18.10	5.16	0.24	2.92
R333286		1.71	0.004			0.11	0.75	4.0	<0.2	<10	30	0.30	0.26	3.51	0.25	21.1
R333336		2.13	0.001			0.11	0.64	1.3	<0.2	<10	10	0.07	0.35	1.05	0.08	3.68
R333337		2.14	0.001			0.17	1.18	0.5	<0.2	<10	10	0.11	0.14	1.36	0.97	6.72
R333338		1.86	<0.001			0.16	1.23	0.6	<0.2	<10	20	0.10	0.16	1.36	0.08	5.13
R333339		2.23	0.003			0.07	1.72	0.5	<0.2	<10	10	0.13	0.13	1.84	0.09	2.85
R333340		0.07	9.09			9.91	1.66	11.5	9.1	<10	30	0.54	0.09	3.96	0.31	20.6
R333341		1.37	0.022			0.02	0.75	0.6	<0.2	<10	10	<0.05	0.15	4.53	0.04	0.39
R333342		1.79	0.001			0.03	2.01	0.5	<0.2	<10	10	0.07	0.19	1.29	0.04	2.61
R333343		1.74	0.122			0.03	0.40	0.4	<0.2	<10	30	0.28	5.72	0.19	0.01	17.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5
R333005		8.7	15	0.41	29.2	2.35	1.82	0.06	0.55	<0.01	0.012	0.11	11.3	3.7	0.26	412
R333006		18.3	2	0.93	45.8	3.76	3.03	0.08	0.10	<0.01	0.017	0.27	17.0	8.0	0.61	751
R333007		12.0	21	0.05	26.6	2.70	1.03	0.06	0.03	<0.01	0.009	0.01	0.4	1.4	0.15	227
R333008		44.8	29	0.66	222	5.68	5.75	0.10	0.08	<0.01	0.072	0.02	1.7	8.0	0.52	484
R333259		8.2	25	0.27	17.1	1.59	0.74	<0.05	0.02	0.01	<0.005	0.01	0.2	2.4	0.09	92
R333260		11.4	25	3.25	73.4	3.11	6.79	0.09	0.37	0.10	0.041	0.24	10.5	19.8	0.91	728
R333261		103.5	34	7.48	488	9.64	9.61	0.22	0.10	0.01	0.106	0.45	1.9	14.7	0.89	539
R333262		18.7	42	0.30	8.3	3.71	1.28	0.05	0.16	0.01	0.039	0.09	6.2	6.4	1.73	851
R333263		7.0	40	0.42	5.7	1.87	0.85	<0.05	0.07	<0.01	0.021	0.10	2.3	7.4	0.98	480
R333264		4.0	29	0.11	145.0	1.26	0.36	<0.05	0.02	<0.01	0.010	0.02	2.2	1.5	0.43	229
R333265		14.0	16	0.19	41.3	2.95	2.14	0.06	0.19	<0.01	0.020	0.17	4.2	3.2	0.23	424
R333266		4.8	25	0.19	3.5	1.24	0.46	<0.05	0.03	<0.01	0.006	0.03	1.3	4.3	0.24	177
R333267		20.3	18	0.19	29.4	5.11	0.81	0.06	0.18	<0.01	0.023	0.03	1.3	3.1	0.26	493
R333268		28.8	16	0.42	60.6	4.55	0.80	0.07	0.55	0.01	0.027	0.08	10.7	1.7	0.82	1160
R333269		42.5	8	6.07	276	14.30	5.42	0.12	0.13	0.01	0.080	0.26	1.6	23.3	1.23	1620
R333270		0.1	<1	<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5
R333271		14.4	6	0.23	33.4	4.36	0.69	0.06	0.47	<0.01	0.042	0.05	9.2	2.0	1.53	1220
R333272		46.6	17	0.51	53.1	9.79	1.50	0.09	0.09	<0.01	0.055	0.14	0.9	8.4	1.45	2020
R333273		12.0	9	0.45	10.5	3.52	0.54	0.06	0.28	<0.01	0.026	0.02	7.7	0.4	0.53	738
R333274		38.5	27	0.34	15.2	7.15	0.66	0.07	0.07	<0.01	0.044	0.04	0.8	1.4	1.30	1330
R333275		37.6	22	0.25	79.1	6.19	0.77	0.06	0.04	<0.01	0.033	0.14	0.8	3.3	2.96	1320
R333276		40.6	24	0.51	120.5	6.36	0.56	0.07	0.02	<0.01	0.026	0.15	1.0	2.1	2.38	1140
R333277		34.3	23	0.21	48.2	5.47	0.49	0.06	0.04	<0.01	0.022	0.09	1.0	1.3	2.28	996
R333278		4.6	15	0.14	17.8	2.34	0.53	<0.05	0.04	<0.01	0.012	0.04	0.8	0.8	0.12	214
R333279		20.3	22	0.63	125.0	4.69	3.30	0.09	0.22	0.01	0.130	0.29	4.7	11.4	0.56	414
R333280		11.5	18	2.67	66.0	3.02	7.31	0.13	0.68	0.19	0.029	0.13	9.6	24.9	1.09	831
R333281		11.5	10	0.22	39.2	1.89	0.61	0.05	0.05	0.01	0.020	0.17	7.0	1.1	1.21	1030
R333282		12.3	10	0.26	45.1	3.88	2.27	0.07	0.32	<0.01	0.024	0.08	14.8	3.3	1.01	838
R333283		15.4	8	0.23	11.9	4.19	0.64	0.07	0.45	<0.01	0.028	0.02	9.9	0.7	0.46	688
R333284		23.1	16	0.78	96.3	4.63	0.82	0.06	0.10	0.01	0.037	0.14	1.7	4.8	1.62	1160
R333285		33.0	11	0.36	75.3	8.31	0.99	0.07	0.05	0.01	0.055	0.04	1.2	1.5	0.74	1300
R333286		16.0	8	0.77	38.3	4.12	1.76	0.07	0.13	<0.01	0.013	0.25	9.8	5.2	1.10	911
R333336		17.5	20	0.57	284	4.26	4.19	0.11	0.10	<0.01	0.015	0.03	1.4	4.5	0.40	366
R333337		23.9	17	1.48	140.5	4.85	5.93	0.13	0.14	<0.01	0.032	0.14	2.5	4.4	0.58	496
R333338		29.7	8	1.79	90.5	6.94	7.89	0.22	0.13	<0.01	0.025	0.08	1.9	5.5	0.56	567
R333339		27.2	29	0.41	98.9	5.17	7.06	0.16	0.12	<0.01	0.019	0.03	1.0	4.8	0.70	976
R333340		11.3	18	2.52	67.5	3.05	7.41	0.15	0.68	0.17	0.030	0.13	9.1	23.6	1.10	835
R333341		13.8	29	0.20	28.5	1.95	1.79	0.07	0.02	<0.01	<0.005	0.01	0.2	11.1	0.72	401
R333342		25.6	130	0.73	38.4	3.86	5.80	0.14	0.11	<0.01	0.010	0.04	1.0	27.1	1.87	590
R333343		3.2	18	0.22	22.9	1.37	3.38	0.06	0.54	<0.01	<0.005	0.05	9.0	5.6	0.36	172

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
R333005		1.31	0.03	<0.05	4.0	790	10.8	7.4	<0.001	0.67	0.06	2.3	0.3	0.4	46.6	<0.01
R333006		0.24	0.03	<0.05	2.9	1790	2.6	15.5	<0.001	1.14	0.05	2.8	0.4	0.2	86.6	<0.01
R333007		4.20	0.01	0.11	6.8	50	0.9	0.3	<0.001	1.57	0.08	2.5	0.5	0.5	7.5	<0.01
R333008		13.90	0.01	0.05	39.1	90	4.8	2.6	0.006	0.99	0.05	2.3	1.9	0.7	10.0	<0.01
R333259		192.0	0.03	0.08	5.7	20	14.0	0.7	0.018	0.58	0.06	1.0	0.5	0.4	1.6	<0.01
R333260		6.60	0.07	0.06	11.2	650	18.1	11.9	0.003	0.89	0.45	9.6	0.9	0.5	121.5	<0.01
R333261		7.65	0.10	0.18	35.0	490	3.5	31.4	0.007	2.81	0.05	11.5	5.2	1.7	8.4	<0.01
R333262		166.5	0.02	<0.05	49.9	720	21.2	5.2	0.040	1.34	0.12	12.1	0.7	0.5	173.5	<0.01
R333263		179.5	0.01	<0.05	33.5	30	28.8	5.6	0.030	0.44	0.10	5.9	0.2	0.4	92.7	<0.01
R333264		14.70	0.01	<0.05	14.1	110	310	0.9	0.002	0.43	0.44	2.8	1.2	0.4	46.4	<0.01
R333265		2.36	<0.01	<0.05	18.0	280	31.2	4.8	0.001	0.60	<0.05	1.4	0.6	0.2	11.6	<0.01
R333266		2.88	0.01	<0.05	10.9	80	1.7	2.4	0.001	0.45	0.06	2.1	0.2	0.4	25.8	<0.01
R333267		9.43	0.04	0.05	16.1	320	7.9	1.9	0.002	3.69	0.10	7.7	2.0	0.5	26.2	<0.01
R333268		10.10	0.06	<0.05	41.1	660	7.4	4.9	0.001	2.25	0.09	9.7	1.4	0.2	73.5	<0.01
R333269		35.4	0.04	0.05	30.0	770	14.3	37.3	0.007	8.26	0.09	28.7	4.2	0.2	74.7	<0.01
R333270		0.07	<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01
R333271		0.38	0.06	<0.05	12.9	1120	3.7	3.8	<0.001	2.06	0.08	9.8	0.8	0.2	175.0	<0.01
R333272		2.75	0.03	<0.05	65.0	450	8.0	9.6	0.001	6.66	0.06	19.6	2.5	0.2	123.5	<0.01
R333273		0.41	0.07	<0.05	18.3	1480	4.4	1.9	<0.001	1.57	0.05	9.4	0.8	0.2	66.8	<0.01
R333274		30.3	0.05	<0.05	75.5	480	10.8	2.8	0.003	4.62	0.08	19.5	1.9	0.2	128.5	<0.01
R333275		0.48	0.03	<0.05	72.4	210	3.5	8.4	<0.001	1.92	0.05	13.6	0.7	<0.2	151.0	<0.01
R333276		20.1	0.03	<0.05	72.0	220	3.7	7.7	0.010	1.37	0.06	12.3	1.5	<0.2	89.9	<0.01
R333277		2.51	0.03	<0.05	74.4	190	4.4	3.9	0.002	2.05	0.06	11.7	0.8	0.2	135.0	<0.01
R333278		4.34	0.01	<0.05	5.4	150	3.7	1.8	0.001	0.91	0.09	1.6	0.3	0.4	19.5	<0.01
R333279		7.36	0.04	0.27	38.7	240	7.0	14.0	0.002	1.69	0.06	1.5	4.4	1.0	40.1	<0.01
R333280		5.32	0.07	0.13	10.5	640	15.3	6.3	0.003	0.43	0.43	10.0	0.8	0.6	113.0	<0.01
R333281		3.99	0.01	<0.05	28.9	270	2.8	5.4	0.001	0.02	0.05	1.9	0.4	0.2	138.5	<0.01
R333282		0.57	0.05	<0.05	8.8	1190	3.0	3.4	<0.001	0.91	0.05	6.2	0.7	0.3	174.0	<0.01
R333283		0.49	0.08	<0.05	13.9	1490	4.1	1.0	<0.001	2.66	0.05	8.6	1.6	0.2	46.3	<0.01
R333284		3.88	0.03	<0.05	40.1	520	3.6	8.5	0.001	1.58	<0.05	11.3	1.0	0.2	109.0	<0.01
R333285		1.23	0.04	<0.05	30.3	520	7.7	3.2	0.001	4.86	0.10	18.3	1.9	0.2	138.5	<0.01
R333286		2.04	0.01	<0.05	28.7	380	4.7	8.8	0.001	0.40	0.06	2.1	0.7	0.2	38.0	<0.01
R333336		2.37	0.07	0.27	9.5	270	4.6	2.4	<0.001	0.63	0.09	4.7	1.4	0.5	12.0	<0.01
R333337		15.80	0.15	0.19	10.8	490	2.5	10.9	0.008	0.60	<0.05	9.6	1.0	1.3	3.2	<0.01
R333338		4.61	0.06	0.35	12.0	490	1.5	9.2	0.003	0.72	<0.05	8.7	0.9	0.5	12.5	<0.01
R333339		2.26	0.13	0.19	25.1	470	1.3	3.7	0.003	0.17	<0.05	9.8	0.5	0.4	11.7	<0.01
R333340		5.26	0.08	0.13	9.6	650	14.2	5.9	0.002	0.43	0.41	9.2	0.7	0.6	114.0	<0.01
R333341		1.61	0.03	0.08	24.0	70	0.7	1.2	0.001	0.19	0.07	1.0	0.3	0.4	16.9	<0.01
R333342		2.07	0.09	0.20	67.2	250	1.3	3.5	0.001	0.17	<0.05	5.6	0.6	0.3	20.2	<0.01
R333343		1.04	0.05	0.31	4.1	310	2.0	2.4	<0.001	0.07	0.07	1.1	<0.2	0.5	8.8	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333005		3.13	1.5	<0.005	0.04	0.44	10	0.15	6.09	19	25.5
R333006		0.14	2.8	0.006	0.08	0.87	15	0.13	12.20	41	6.5
R333007		0.13	<0.2	0.053	<0.02	<0.05	24	0.16	1.37	7	0.7
R333008		0.17	0.2	0.018	0.03	0.05	39	0.30	1.64	78	3.3
R333259		0.06	<0.2	0.009	<0.02	<0.05	7	0.07	0.72	3	0.7
R333260		2.43	1.5	0.056	0.15	0.35	69	0.45	8.08	89	12.1
R333261		0.51	0.2	0.223	0.28	<0.05	200	0.51	8.28	416	2.2
R333262		5.27	0.3	<0.005	0.04	0.10	28	0.23	6.74	131	7.0
R333263		11.50	0.2	<0.005	0.04	<0.05	12	0.15	2.11	61	2.8
R333264		153.5	<0.2	<0.005	<0.02	<0.05	4	0.05	1.30	159	0.8
R333265		0.40	0.5	0.006	0.03	0.08	8	0.11	2.26	160	8.1
R333266		1.88	<0.2	<0.005	0.02	<0.05	5	0.05	1.00	17	1.1
R333267		8.13	0.2	<0.005	<0.02	0.07	12	0.18	3.28	37	6.2
R333268		2.62	1.6	<0.005	0.03	0.43	9	0.27	5.26	61	20.8
R333269		4.36	<0.2	0.036	0.30	<0.05	82	0.17	7.28	129	3.7
R333270		0.02	0.2	<0.005	<0.02	0.07	<1	<0.05	0.63	<2	0.7
R333271		0.52	0.9	<0.005	0.03	0.16	11	0.28	6.54	66	18.9
R333272		3.06	<0.2	<0.005	0.05	0.05	20	0.31	5.58	113	3.0
R333273		0.98	0.7	<0.005	<0.02	0.10	4	0.13	8.09	51	10.4
R333274		8.10	<0.2	<0.005	0.02	0.13	9	0.13	5.40	73	2.1
R333275		0.68	<0.2	0.005	0.04	<0.05	13	0.20	4.05	124	1.3
R333276		0.18	<0.2	<0.005	0.05	<0.05	12	0.13	3.63	67	0.8
R333277		0.57	<0.2	<0.005	0.03	<0.05	12	0.27	3.87	65	1.3
R333278		0.51	<0.2	<0.005	<0.02	<0.05	8	0.22	1.00	27	1.7
R333279		0.37	0.8	0.066	0.13	0.09	14	0.27	1.99	566	9.4
R333280		4.38	1.7	0.134	0.09	0.47	78	0.49	8.31	68	21.5
R333281		0.06	0.3	<0.005	0.04	<0.05	4	0.23	3.43	200	2.2
R333282		0.20	1.5	0.006	0.02	0.15	26	0.21	5.61	75	12.8
R333283		0.88	1.0	<0.005	<0.02	0.16	6	0.22	8.60	30	18.3
R333284		0.25	<0.2	<0.005	0.06	0.06	12	0.18	4.48	76	3.1
R333285		10.45	<0.2	0.006	0.02	<0.05	32	0.32	4.83	80	1.6
R333286		0.14	0.8	<0.005	0.05	0.08	7	0.19	4.49	116	5.7
R333336		0.10	<0.2	0.181	0.07	<0.05	64	0.83	5.51	29	2.7
R333337		0.12	0.3	0.200	0.13	<0.05	107	0.50	8.62	188	3.5
R333338		0.08	0.2	0.253	0.07	<0.05	191	1.07	8.50	57	3.9
R333339		0.04	<0.2	0.245	0.02	<0.05	110	0.46	7.78	72	2.8
R333340		4.46	1.6	0.136	0.09	0.44	79	0.50	7.67	68	21.6
R333341		0.03	<0.2	0.036	<0.02	<0.05	20	0.18	0.85	24	<0.5
R333342		0.05	<0.2	0.219	0.03	<0.05	77	0.27	5.09	50	2.1
R333343		1.22	4.2	0.022	0.02	1.43	15	0.31	2.60	22	15.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	WEI-21	Au-ICP22	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
R333344		2.05	0.002			0.06	1.97	0.3	<0.2	<10	20	0.21	0.13	1.52	0.08	8.26
R333345		2.34	<0.001			0.07	1.85	0.6	<0.2	<10	40	0.07	0.13	2.57	0.10	2.34
R333346		2.12	<0.001			0.09	1.40	0.5	<0.2	<10	110	0.11	0.13	1.40	0.06	1.54
R333347		1.86	0.005			0.13	1.86	9.5	<0.2	<10	10	0.07	0.13	3.03	0.48	2.43
R333348		1.73	<0.001			0.02	0.49	0.5	<0.2	<10	10	0.06	0.17	4.08	0.05	7.47
R333349		1.77	0.115			0.03	2.60	0.2	<0.2	<10	<10	0.08	0.13	0.89	0.03	3.18
R333350		<0.02	0.206			0.04	2.86	0.5	<0.2	<10	<10	0.10	0.15	0.92	0.03	3.74
R333351		1.35	0.002			0.06	2.70	0.6	<0.2	<10	40	0.10	0.29	0.80	0.04	8.58
R333352		2.32	0.067	0.076		0.86	0.02	0.4	<0.2	<10	10	<0.05	30.1	0.03	<0.01	0.61
R333353		1.94	0.549	0.544		0.36	0.27	0.4	0.4	<10	40	0.09	93.7	0.06	<0.01	2.78
R333354		1.88	0.067			0.10	0.57	0.2	<0.2	<10	50	0.24	1.26	0.13	<0.01	14.50
R333355		2.37	0.078			0.04	0.46	0.2	<0.2	<10	70	0.24	1.63	0.14	0.01	17.75
R333356		1.68	0.146			0.37	0.09	0.1	<0.2	<10	40	0.05	115.5	0.04	<0.01	3.03
R333357		1.38	0.008			0.01	0.63	0.2	<0.2	<10	30	0.47	0.44	0.32	0.01	30.1
R333456		0.62	<0.001			0.01	0.14	0.3	<0.2	<10	20	0.05	0.10	0.07	0.01	7.95
R333457		1.60	0.004			0.26	0.56	0.4	<0.2	<10	10	0.18	1.57	5.06	0.03	5.37
R333458		1.69	0.058			0.17	0.38	0.4	<0.2	<10	40	0.25	3.50	1.42	0.08	2.91
R333459		1.33	0.193			0.31	0.05	0.5	0.2	<10	40	<0.05	8.98	0.43	0.04	1.44
R333460		<0.02	0.108			0.21	0.05	0.7	<0.2	<10	40	<0.05	6.50	0.40	0.03	1.32
R333461		2.12	0.458			0.59	0.73	2.6	0.4	<10	20	0.28	0.83	5.48	0.19	5.25
R333462		1.82	0.128			0.12	0.93	2.0	<0.2	<10	50	0.29	0.66	7.23	0.14	3.88
R333463		1.24	0.024			0.02	0.28	1.6	<0.2	<10	100	0.25	0.02	3.46	0.09	67.7
R333464		0.84	<0.001			<0.01	1.43	0.5	<0.2	<10	40	0.15	0.11	0.61	0.04	10.10
R333465		0.52	0.001			0.01	1.22	0.5	<0.2	<10	20	0.10	0.16	0.65	0.08	7.25
R333466		1.98	0.200			74.3	0.50	0.6	0.2	<10	10	0.07	660	1.66	0.10	3.67
R333467		1.34	0.601			2.50	0.03	0.3	<0.2	<10	20	<0.05	755	0.16	<0.01	0.23
R333468		1.44	<0.001			0.09	1.90	0.1	<0.2	<10	20	0.24	1.39	1.12	0.09	13.80
R333469		1.46	0.042			7.40	1.13	0.5	<0.2	<10	70	0.22	59.7	1.01	0.09	9.41
R333470		0.14	<0.001			0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.06	0.01	<0.01	1.01
R333471		1.15	0.061			26.2	0.57	0.8	<0.2	<10	60	0.09	371	0.43	0.03	6.92
R333472		1.00	0.412			0.22	0.02	0.1	<0.2	<10	10	<0.05	2.04	0.01	0.13	0.61
R333473		1.19	0.609			0.42	0.12	0.7	0.5	<10	10	0.16	1.26	4.11	0.13	4.09
R333075		0.74	0.002			0.04	0.08	0.5	<0.2	<10	<10	<0.05	0.43	0.02	0.01	0.20
R333076		1.74	0.021			0.07	0.42	0.8	<0.2	<10	<10	<0.05	0.45	0.66	0.02	0.99
R333077		2.37	0.002			0.05	0.42	0.4	<0.2	<10	10	0.18	0.49	0.65	0.06	1.98
R333078		1.53	0.006			0.04	1.89	0.4	<0.2	<10	20	0.18	0.24	0.52	0.04	4.19
R333079		1.33	0.006			0.07	1.66	0.8	<0.2	<10	10	0.19	0.26	1.57	0.12	9.37
R333080		<0.02	0.007			0.07	1.51	0.9	<0.2	<10	10	0.18	0.25	1.46	0.10	9.10
R333081		1.97	0.002			0.68	0.90	0.4	<0.2	<10	10	0.39	2.91	2.23	0.28	2.65
R333082		1.96	0.143			0.43	0.32	0.9	<0.2	<10	10	0.08	6.29	2.04	0.13	1.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5
R333344		24.0	18	1.39	99.8	6.24	11.20	0.22	0.14	<0.01	0.025	0.08	3.2	22.3	1.07	823
R333345		31.3	137	2.40	76.3	3.15	5.23	0.11	0.06	<0.01	0.006	0.38	0.9	24.6	1.38	560
R333346		26.2	184	2.00	104.0	2.50	3.95	0.08	0.06	<0.01	0.007	0.47	0.6	17.3	0.75	408
R333347		35.4	135	0.60	115.5	3.28	4.07	0.10	0.07	<0.01	0.006	0.04	1.0	32.3	1.47	534
R333348		6.3	24	0.49	12.1	1.35	1.91	0.05	0.14	<0.01	<0.005	0.08	3.8	9.1	0.39	389
R333349		24.0	22	0.23	40.1	7.03	10.80	0.19	0.05	<0.01	0.015	0.01	1.3	19.9	1.44	755
R333350		27.1	21	0.26	47.6	7.72	12.15	0.20	0.06	<0.01	0.021	0.01	1.6	22.1	1.57	815
R333351		27.2	138	0.57	51.7	5.26	9.72	0.14	0.16	<0.01	0.008	0.06	3.7	43.9	2.59	584
R333352		0.8	26	<0.05	12.1	0.73	0.22	<0.05	0.02	<0.01	<0.005	0.01	0.3	0.3	0.01	75
R333353		2.1	23	0.11	160.5	1.26	1.98	<0.05	0.48	<0.01	0.005	0.04	1.3	4.3	0.25	93
R333354		4.2	19	0.24	136.5	1.58	4.05	0.05	1.05	<0.01	0.007	0.08	6.0	8.8	0.52	148
R333355		3.4	17	0.29	42.6	1.55	3.37	<0.05	0.68	<0.01	0.007	0.08	8.8	6.7	0.38	163
R333356		1.1	20	0.10	38.3	0.83	0.72	<0.05	0.17	<0.01	<0.005	0.03	1.6	1.0	0.05	71
R333357		5.1	20	0.30	57.1	1.53	4.55	0.07	0.78	<0.01	0.008	0.07	14.9	11.1	0.61	223
R333456		1.1	23	0.25	5.9	1.05	1.18	0.05	0.07	<0.01	<0.005	0.04	2.9	1.4	0.07	115
R333457		24.3	13	0.58	94.2	7.38	5.16	0.08	0.07	<0.01	0.049	0.09	1.9	7.4	0.41	885
R333458		26.4	20	1.54	57.2	4.86	3.10	0.07	0.04	<0.01	0.033	0.16	1.1	3.5	0.69	751
R333459		7.7	28	0.09	10.4	1.97	0.40	<0.05	0.02	<0.01	0.010	0.01	0.5	0.5	0.06	234
R333460		6.1	26	0.08	8.5	1.79	0.37	<0.05	<0.02	<0.01	0.006	0.01	0.5	0.4	0.04	221
R333461		56.5	12	0.25	151.0	9.72	4.01	0.08	0.03	<0.01	0.062	0.07	2.0	3.8	1.44	1920
R333462		42.3	12	0.29	122.0	7.75	4.11	0.08	0.02	<0.01	0.038	0.13	1.5	6.8	1.50	1600
R333463		10.5	6	0.56	22.8	2.72	0.85	0.09	0.37	0.04	0.008	0.15	35.1	0.9	1.11	918
R333464		8.3	46	0.61	3.7	2.06	6.77	0.06	0.14	<0.01	0.008	0.17	4.6	21.2	0.97	1060
R333465		8.1	47	0.24	2.6	1.81	7.24	0.08	0.10	<0.01	0.008	0.09	3.9	14.1	0.86	978
R333466		9.9	32	0.24	251	1.82	1.77	0.07	0.11	0.01	<0.005	0.02	1.5	8.1	0.59	679
R333467		1.1	28	0.14	298	0.88	0.30	<0.05	<0.02	<0.01	<0.005	0.01	<0.2	0.4	0.02	89
R333468		14.9	43	0.58	5.1	2.00	6.00	0.07	0.13	<0.01	0.006	0.14	6.0	25.8	1.44	1400
R333469		15.9	27	1.13	137.5	2.06	3.54	0.05	0.16	<0.01	0.012	0.15	4.5	13.8	0.79	942
R333470		0.1	<1	<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5
R333471		6.3	29	0.31	40.2	1.62	2.34	0.05	0.03	0.01	0.008	0.08	3.1	6.7	0.38	470
R333472		1.0	23	<0.05	4.7	0.77	0.17	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.2	<0.01	88
R333473		37.5	9	0.07	63.6	6.62	0.74	0.07	0.06	0.01	0.032	0.03	1.4	0.8	0.80	1380
R333075		1.5	16	0.45	7.3	0.95	0.85	0.06	<0.02	0.03	0.007	0.01	<0.2	0.8	0.06	90
R333076		7.5	23	0.17	35.5	1.62	2.25	0.08	<0.02	0.06	0.011	0.01	0.4	7.6	0.28	217
R333077		15.9	32	0.74	67.5	3.70	3.81	0.08	0.09	0.06	0.023	0.03	0.7	6.4	0.40	309
R333078		30.1	40	1.39	73.9	7.47	10.75	0.17	0.06	0.07	0.046	0.04	1.4	19.3	1.16	730
R333079		31.9	16	0.85	50.3	5.62	8.21	0.21	0.20	0.07	0.104	0.06	3.3	13.1	1.01	725
R333080		31.8	15	0.77	50.0	5.12	7.62	0.19	0.22	0.06	0.098	0.06	3.2	11.7	0.92	668
R333081		28.6	36	0.85	113.5	6.26	7.76	0.13	0.17	0.06	0.032	0.04	0.9	18.0	1.17	324
R333082		12.8	14	0.41	408	10.65	2.53	0.11	0.03	0.06	0.064	0.05	0.8	2.4	0.34	866

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
R333344		5.91	0.14	0.15	11.7	520	1.8	8.0	0.003	0.13	<0.05	11.1	0.7	0.6	15.9	<0.01
R333345		2.90	0.13	0.10	85.1	190	2.0	15.1	0.002	0.40	<0.05	5.1	0.6	0.3	14.6	<0.01
R333346		2.84	0.08	0.20	73.4	270	3.9	22.4	0.002	0.41	0.05	7.2	0.5	0.4	9.5	<0.01
R333347		4.22	0.08	0.08	102.0	210	4.6	2.6	0.003	0.42	<0.05	4.5	0.4	0.2	16.0	<0.01
R333348		1.94	0.02	0.08	10.0	190	1.7	3.4	<0.001	0.11	<0.05	1.2	<0.2	0.4	53.9	<0.01
R333349		3.17	0.04	0.12	15.6	440	0.5	1.3	0.002	0.16	<0.05	8.1	0.3	0.3	4.3	<0.01
R333350		3.18	0.05	0.13	17.9	490	0.6	1.6	0.002	0.18	<0.05	9.5	0.2	0.4	4.8	<0.01
R333351		1.04	0.05	0.22	60.4	880	2.0	3.2	0.001	0.54	<0.05	7.1	0.7	0.3	31.9	<0.01
R333352		18.95	0.01	<0.05	2.0	20	61.6	0.2	0.007	0.06	0.09	0.1	0.2	0.5	2.1	<0.01
R333353		70.2	0.04	0.15	3.4	220	10.9	1.5	0.038	0.27	0.07	0.7	0.6	0.5	6.9	<0.01
R333354		22.9	0.07	0.25	5.0	410	7.4	3.3	0.008	0.32	0.07	1.4	0.4	0.4	12.2	<0.01
R333355		5.61	0.07	0.25	4.4	370	3.4	3.3	0.003	0.21	0.07	1.2	<0.2	0.4	13.1	<0.01
R333356		16.95	0.03	0.05	2.0	110	62.0	1.1	0.008	0.09	0.08	0.3	0.5	0.4	4.4	<0.01
R333357		1.04	0.07	0.10	6.2	430	1.3	2.8	<0.001	0.09	0.05	1.6	0.2	0.5	13.3	<0.01
R333456		3.80	0.04	0.68	2.5	100	1.5	2.9	0.002	<0.01	0.09	0.3	<0.2	0.6	14.7	<0.01
R333457		4.59	0.04	<0.05	5.6	680	2.3	10.3	0.003	2.54	0.05	9.3	1.3	0.3	65.4	<0.01
R333458		11.60	0.04	0.06	21.9	160	6.8	12.2	0.001	2.50	0.08	11.9	1.1	0.5	40.9	<0.01
R333459		129.0	0.03	<0.05	7.4	70	17.7	0.5	0.007	1.06	0.09	2.1	0.3	0.5	23.5	<0.01
R333460		96.5	0.03	<0.05	6.1	70	14.8	0.4	0.006	0.86	0.09	1.6	0.3	0.5	22.0	<0.01
R333461		22.6	0.05	0.07	44.3	410	4.1	4.0	0.003	5.02	0.12	21.9	1.1	0.2	138.5	<0.01
R333462		23.0	0.04	0.05	32.0	320	3.8	7.0	0.003	1.89	0.09	11.4	0.8	0.2	145.5	<0.01
R333463		0.31	0.02	<0.05	5.9	1170	6.3	5.5	<0.001	<0.01	0.83	3.7	<0.2	<0.2	316	<0.01
R333464		0.59	0.01	0.24	32.1	250	1.5	7.0	<0.001	<0.01	0.05	2.6	<0.2	0.3	51.8	<0.01
R333465		0.79	0.03	0.51	29.8	190	3.9	3.2	<0.001	<0.01	0.07	2.6	<0.2	0.4	65.6	<0.01
R333466		182.5	0.04	0.10	24.4	210	1445	0.8	0.123	0.95	0.07	2.5	8.8	0.5	16.0	<0.01
R333467		831	0.02	<0.05	2.2	10	281	0.3	0.517	0.29	0.08	0.1	6.1	0.4	7.0	<0.01
R333468		5.59	0.01	0.25	54.7	450	8.1	5.0	0.003	<0.01	0.06	2.6	<0.2	0.3	77.0	<0.01
R333469		270	0.02	0.22	39.6	310	71.5	5.9	0.168	0.77	0.07	2.2	0.9	0.3	41.5	<0.01
R333470		0.21	<0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01
R333471		70.5	0.02	0.35	20.2	490	187.5	2.8	0.023	0.28	0.08	1.7	1.4	0.5	28.9	<0.01
R333472		1.98	0.01	<0.05	1.8	30	4.2	0.5	<0.001	0.04	0.07	0.1	<0.2	0.4	2.7	<0.01
R333473		1.13	0.06	<0.05	29.9	1120	4.6	1.3	0.001	4.35	0.08	12.5	0.5	0.2	135.5	<0.01
R333075		1.78	<0.01	<0.05	4.9	20	3.1	1.4	0.002	0.02	0.16	0.8	<0.2	0.5	0.4	<0.01
R333076		2.24	0.02	0.08	7.0	100	0.9	0.7	0.002	0.23	0.15	1.8	0.4	0.3	4.0	<0.01
R333077		1.90	0.04	0.19	14.8	200	1.6	3.6	0.002	1.31	0.17	6.8	1.0	0.7	4.9	<0.01
R333078		1.17	0.05	0.12	31.4	390	1.4	5.6	0.003	0.37	0.16	14.7	0.7	0.6	4.4	<0.01
R333079		20.1	0.16	0.12	25.2	900	2.8	3.1	0.017	0.42	0.16	10.0	0.7	1.3	10.5	<0.01
R333080		20.5	0.15	0.11	24.9	840	2.7	2.8	0.017	0.40	0.14	9.2	0.8	1.3	10.6	<0.01
R333081		32.1	0.04	0.13	23.4	340	63.3	5.1	0.006	4.57	0.15	15.7	3.2	0.7	4.6	<0.01
R333082		64.9	0.01	<0.05	7.0	120	10.6	4.0	0.007	7.59	0.20	3.1	7.7	0.6	70.2	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333344		0.03	0.2	0.232	0.06	0.05	159	0.39	9.87	77	3.9
R333345		0.05	<0.2	0.196	0.10	<0.05	78	0.25	4.16	49	1.5
R333346		0.03	<0.2	0.220	0.15	<0.05	86	0.44	3.20	36	1.4
R333347		0.06	<0.2	0.164	0.02	<0.05	63	0.44	3.50	100	1.4
R333348		0.01	0.5	0.027	0.03	0.08	8	0.15	2.35	19	5.2
R333349		0.05	<0.2	0.210	<0.02	<0.05	95	2.09	5.61	106	1.2
R333350		0.04	<0.2	0.240	<0.02	<0.05	104	1.68	6.79	115	1.4
R333351		0.04	0.7	0.241	0.02	0.09	125	0.45	5.06	67	5.6
R333352		2.21	<0.2	<0.005	<0.02	<0.05	1	0.06	0.16	<2	0.5
R333353		18.05	2.4	0.009	<0.02	0.83	8	0.18	1.40	9	12.0
R333354		0.32	5.6	0.023	0.02	1.46	19	0.31	2.98	23	27.7
R333355		0.44	5.3	0.018	0.02	1.58	18	0.30	2.85	20	18.6
R333356		1.81	1.2	<0.005	<0.02	0.29	3	0.18	0.69	3	4.4
R333357		0.06	5.1	0.016	0.02	1.06	26	0.20	3.70	34	19.6
R333456		0.01	1.1	0.030	0.02	0.24	7	0.06	1.22	7	2.5
R333457		0.39	<0.2	0.018	0.08	<0.05	71	0.19	7.09	32	1.9
R333458		1.16	<0.2	0.050	0.10	<0.05	103	0.27	2.56	52	1.1
R333459		2.45	<0.2	<0.005	<0.02	<0.05	7	0.11	1.09	10	0.7
R333460		1.58	<0.2	<0.005	<0.02	<0.05	5	0.11	0.97	8	0.5
R333461		4.87	<0.2	0.036	0.03	<0.05	92	4.29	4.99	123	0.8
R333462		2.21	<0.2	0.044	0.05	<0.05	87	0.50	4.47	93	0.6
R333463		0.02	5.6	<0.005	0.03	0.98	8	0.08	6.24	56	21.0
R333464		0.01	0.5	0.123	0.04	0.07	27	0.35	1.43	71	6.6
R333465		0.02	0.4	0.125	0.02	0.06	25	0.31	1.18	71	4.5
R333466		25.1	0.3	0.046	0.09	0.06	11	0.65	1.47	72	3.9
R333467		27.4	<0.2	<0.005	0.04	0.08	1	0.09	0.08	2	<0.5
R333468		0.08	0.8	0.143	0.03	0.09	27	0.35	2.55	117	5.0
R333469		3.02	0.5	0.096	0.06	0.08	20	0.50	2.15	93	6.3
R333470		0.01	0.2	<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8
R333471		11.65	0.3	0.051	0.02	0.05	12	0.43	2.09	42	1.5
R333472		0.89	<0.2	<0.005	<0.02	<0.05	1	0.05	0.15	3	0.6
R333473		3.10	<0.2	<0.005	<0.02	<0.05	13	0.56	6.50	62	1.6
R333075		0.02	<0.2	0.013	<0.02	<0.05	14	0.05	0.40	6	<0.5
R333076		0.09	<0.2	0.047	<0.02	<0.05	34	0.23	1.66	22	<0.5
R333077		0.04	<0.2	0.113	0.03	0.13	91	0.43	4.59	33	3.3
R333078		0.05	<0.2	0.226	0.04	<0.05	243	0.46	9.39	96	1.6
R333079		0.08	0.5	0.261	0.03	0.06	98	0.73	11.60	110	5.4
R333080		0.08	0.5	0.229	0.03	0.06	87	0.68	10.85	101	5.6
R333081		0.08	<0.2	0.160	0.05	0.16	134	0.80	8.51	78	4.8
R333082		2.82	<0.2	0.011	0.04	<0.05	68	0.24	2.79	60	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	WEI-21	Au-ICP22	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
R333083		1.89	0.017			0.04	3.34	0.7	<0.2	<10	30	0.37	0.19	3.54	0.16	7.91
R333084		1.81	0.005			0.01	0.01	0.3	<0.2	<10	<10	<0.05	1.64	0.06	0.01	0.21
R333085		1.75	<0.001			0.01	0.07	0.3	<0.2	<10	<10	<0.05	0.04	0.80	0.03	0.53
R333086		1.80	0.016			0.03	0.03	0.5	<0.2	<10	10	<0.05	2.21	0.41	0.01	1.29
R333087		0.74	0.014			0.08	0.09	0.5	<0.2	<10	<10	<0.05	2.90	0.20	0.02	1.16
R333088		1.67	<0.001			0.04	0.89	0.4	<0.2	<10	170	0.22	0.07	0.71	0.02	47.4
R333089		0.92	<0.001			0.03	0.04	0.1	<0.2	<10	<10	<0.05	0.08	0.03	<0.01	0.16
R333090		0.12	<0.001			0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.03
R333091		1.23	0.035			0.05	0.18	0.4	<0.2	<10	80	0.09	1.27	0.25	0.02	14.20
R333092		1.02	0.003			0.04	0.21	0.3	<0.2	<10	20	0.11	0.23	0.08	0.02	6.71
R333093		1.16	0.007			0.01	0.10	0.3	<0.2	<10	60	<0.05	0.10	0.03	<0.01	9.60
R333094		1.21	0.008			0.04	0.30	0.3	<0.2	<10	360	0.19	0.31	0.27	0.03	13.40
R333101		1.57	0.001			0.02	0.28	0.4	<0.2	<10	<10	<0.05	0.06	2.95	0.02	1.26
R333102		1.54	3.29			0.73	0.13	0.7	2.3	<10	<10	0.22	5.06	5.19	0.16	2.66
R333103		1.16	0.007			0.06	0.27	0.4	<0.2	<10	10	<0.05	0.16	1.22	0.04	1.52
R333104		1.47	>10.0		11.10	1.82	1.85	1.0	9.7	<10	10	0.32	15.90	5.80	0.07	5.57
R333105		1.29	0.369			0.25	0.35	0.8	0.2	<10	10	0.24	0.84	3.64	0.11	3.19
R333106		1.14	0.002			0.04	0.42	0.5	<0.2	<10	10	0.13	0.49	0.66	0.02	21.5
R333107		1.15	0.010			2.00	0.10	0.5	<0.2	<10	<10	0.10	16.40	0.02	0.04	9.24
R333108		1.40	0.051			0.59	0.13	0.4	0.3	<10	10	0.08	7.41	0.03	<0.01	4.74
R333109		1.17	0.343			5.94	0.22	0.3	0.3	<10	50	0.10	293	0.07	<0.01	10.40
R333110		<0.02	0.343			6.78	0.22	0.3	2.7	<10	50	0.10	265	0.07	<0.01	9.78
R333111		1.15	0.009			0.10	0.25	0.4	<0.2	<10	40	0.10	4.93	0.06	<0.01	4.69
R333112		1.32	0.002			0.01	0.96	0.2	<0.2	<10	10	0.15	0.21	0.64	0.01	31.4
R333113		1.51	0.001			0.01	0.96	0.3	<0.2	<10	10	0.14	0.33	1.29	0.05	29.2
R333114		1.43	0.006			0.04	0.34	0.2	<0.2	<10	610	0.21	0.92	0.30	0.02	18.95
R333115		0.97	0.009			0.02	0.83	0.5	<0.2	<10	20	0.09	0.13	0.23	0.02	11.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5
R333083		52.4	35	1.56	118.0	9.86	15.45	0.17	0.06	0.05	0.082	0.22	2.6	21.9	1.80	1250
R333084		1.1	27	<0.05	4.1	0.79	0.18	<0.05	<0.02	0.04	0.011	<0.01	<0.2	0.2	0.01	83
R333085		1.2	8	0.05	9.0	0.75	0.42	<0.05	<0.02	0.05	0.016	<0.01	0.2	0.6	0.02	268
R333086		3.2	27	<0.05	5.8	1.19	0.28	<0.05	0.02	0.04	0.012	0.01	0.4	0.3	0.02	154
R333087		20.2	26	0.07	15.6	2.68	0.53	<0.05	<0.02	0.04	0.011	<0.01	0.3	0.5	0.06	167
R333088		6.7	21	1.70	19.7	2.51	5.51	0.09	0.80	0.03	0.018	0.30	23.0	12.8	0.53	350
R333089		1.1	26	<0.05	12.9	0.62	0.30	<0.05	<0.02	0.03	0.011	<0.01	<0.2	0.4	0.02	66
R333090		0.1	<1	<0.05	1.0	0.03	<0.05	<0.05	0.02	0.01	<0.005	<0.01	0.5	0.1	<0.01	<5
R333091		3.8	8	0.20	44.3	1.59	1.42	0.05	0.70	0.02	0.012	0.01	7.5	1.6	0.09	151
R333092		2.9	16	0.25	3.8	1.26	1.65	0.05	0.33	0.02	0.010	0.02	3.3	2.5	0.14	104
R333093		1.4	22	0.32	4.8	0.91	0.64	<0.05	0.21	0.02	0.008	0.02	4.8	1.0	0.04	93
R333094		2.5	15	0.71	3.8	1.21	1.99	0.05	0.63	0.03	0.010	0.05	7.0	4.0	0.19	148
R333101		5.1	26	0.10	24.6	1.59	1.54	0.06	0.02	0.02	0.015	0.01	0.5	1.4	0.14	331
R333102		37.1	8	1.34	83.6	8.94	0.70	0.05	0.08	0.02	0.058	0.06	0.9	1.2	1.51	1400
R333103		13.5	32	1.51	36.5	2.93	1.92	0.05	0.04	0.02	0.016	0.07	0.6	2.7	0.32	330
R333104		41.9	18	1.23	111.0	9.07	7.47	0.12	0.45	0.02	0.062	0.02	1.8	16.0	1.64	1150
R333105		30.3	14	0.80	163.5	6.73	1.52	<0.05	0.02	0.02	0.040	0.14	1.2	6.5	1.27	1120
R333106		5.2	66	0.52	13.5	1.36	2.79	0.07	0.09	0.01	0.009	0.03	9.0	7.6	0.43	210
R333107		0.8	9	0.06	20.1	0.82	0.91	<0.05	2.74	0.02	0.010	0.01	4.1	0.3	0.02	60
R333108		0.7	10	0.12	13.2	0.88	1.19	<0.05	0.34	0.01	0.011	0.05	2.9	0.7	0.02	66
R333109		1.9	19	0.14	18.3	1.24	1.98	<0.05	0.20	0.01	0.013	0.04	4.4	2.8	0.16	125
R333110		1.8	20	0.14	17.0	1.23	1.93	<0.05	0.19	0.01	0.012	0.04	4.3	2.7	0.16	124
R333111		3.1	21	0.10	292	1.40	2.24	<0.05	0.36	0.01	0.031	0.04	2.1	2.9	0.20	97
R333112		6.8	40	0.70	7.3	1.91	5.65	0.09	0.41	0.01	0.014	0.06	15.6	15.0	0.73	344
R333113		6.3	29	0.44	11.4	1.59	5.16	0.09	0.27	0.01	0.012	0.06	14.5	13.2	0.70	348
R333114		3.0	12	0.43	9.6	1.43	1.88	<0.05	0.73	0.01	0.011	0.04	10.3	6.4	0.22	226
R333115		4.4	17	0.32	3.0	1.67	4.58	<0.05	0.19	0.01	0.014	0.10	4.8	10.5	0.61	234

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
R333083		1.96	0.03	0.10	37.5	550	1.0	15.0	0.004	0.18	0.15	29.4	0.7	0.4	51.3	<0.01
R333084		3.76	0.01	<0.05	2.1	110	0.7	0.2	0.001	0.06	0.18	0.1	<0.2	0.5	3.2	<0.01
R333085		0.70	<0.01	<0.05	1.2	50	0.3	0.2	0.002	0.03	0.16	0.2	<0.2	0.2	3.1	<0.01
R333086		45.0	0.02	<0.05	3.5	90	5.6	0.2	0.004	0.43	0.20	1.1	0.2	0.5	23.6	<0.01
R333087		42.4	0.02	<0.05	9.6	230	5.9	0.3	0.003	1.68	0.20	1.1	0.9	0.6	16.1	<0.01
R333088		1.25	0.09	0.32	4.9	970	7.4	24.0	0.001	0.14	0.17	1.6	0.3	0.8	64.5	<0.01
R333089		1.99	0.01	0.08	2.1	10	1.1	0.3	0.001	<0.01	0.18	0.2	<0.2	0.4	1.2	<0.01
R333090		0.05	<0.01	<0.05	0.8	10	1.3	0.1	<0.001	0.02	0.09	<0.1	<0.2	<0.2	0.7	<0.01
R333091		0.56	0.08	<0.05	5.2	400	3.1	0.7	<0.001	0.66	0.14	1.6	0.6	0.3	17.9	<0.01
R333092		0.97	0.06	<0.05	3.7	260	3.8	1.5	0.001	0.25	0.16	0.7	0.2	0.3	15.3	<0.01
R333093		1.62	0.04	<0.05	2.8	80	1.9	2.1	0.001	0.08	0.18	0.2	<0.2	0.5	9.9	<0.01
R333094		1.84	0.07	<0.05	4.2	310	3.2	4.4	0.001	0.28	0.17	0.7	0.2	0.4	28.9	<0.01
R333101		3.31	0.03	<0.05	5.4	110	0.5	0.4	0.002	0.24	0.16	2.7	0.4	0.4	25.4	<0.01
R333102		3.46	0.04	<0.05	17.9	180	13.3	11.0	0.004	5.19	0.21	19.5	1.5	0.2	179.5	<0.01
R333103		3.63	0.02	0.06	9.5	120	0.8	7.3	0.001	0.69	0.16	2.4	0.5	0.4	21.4	<0.01
R333104		2.06	0.03	0.11	19.9	880	27.6	2.8	0.003	5.28	0.15	19.6	2.3	0.5	102.0	<0.01
R333105		2.30	0.02	<0.05	22.8	230	4.1	9.7	0.003	2.79	0.21	9.5	1.3	0.4	90.7	<0.01
R333106		3.00	0.06	0.48	16.1	490	1.8	2.9	0.001	0.09	0.15	1.7	0.3	0.6	30.2	<0.01
R333107		7.99	0.08	0.35	1.6	30	14.6	0.4	0.001	0.13	0.17	0.2	0.3	0.4	2.6	<0.01
R333108		15.10	0.06	0.26	1.5	70	4.3	1.9	0.003	0.04	0.17	0.2	<0.2	0.5	3.6	<0.01
R333109		123.5	0.04	0.43	3.3	230	363	1.6	0.038	0.10	0.29	0.6	0.9	0.6	8.1	<0.01
R333110		129.5	0.05	0.43	3.2	230	348	1.5	0.042	0.09	0.30	0.6	1.0	0.5	8.1	<0.01
R333111		125.5	0.05	0.09	3.5	270	22.8	1.3	0.063	0.49	0.17	0.6	0.4	0.5	6.7	<0.01
R333112		1.37	0.05	0.22	16.1	400	2.0	3.5	0.001	0.06	0.17	1.9	<0.2	0.4	36.3	<0.01
R333113		1.03	0.04	0.27	14.9	420	2.7	3.9	0.001	0.02	0.17	1.4	0.2	0.4	39.5	<0.01
R333114		0.73	0.08	0.05	4.3	290	2.8	3.0	0.001	0.42	0.10	0.9	0.3	0.3	28.4	<0.01
R333115		2.55	0.01	0.10	7.2	360	0.8	5.8	0.001	0.04	0.11	0.6	<0.2	0.4	21.1	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333083		0.27	0.2	0.139	0.14	<0.05	315	0.47	6.57	142	1.6
R333084		0.87	<0.2	<0.005	<0.02	<0.05	1	<0.05	0.42	<2	<0.5
R333085		0.02	<0.2	<0.005	<0.02	<0.05	2	<0.05	0.73	7	<0.5
R333086		0.34	<0.2	<0.005	<0.02	<0.05	1	0.05	1.05	5	0.9
R333087		1.20	<0.2	<0.005	<0.02	<0.05	6	0.07	1.55	6	<0.5
R333088		0.03	3.3	0.153	0.19	1.00	42	0.78	5.26	52	33.4
R333089		0.01	<0.2	0.009	<0.02	<0.05	4	0.05	0.17	3	<0.5
R333090		0.01	0.2	<0.005	<0.02	0.10	<1	<0.05	0.64	<2	0.8
R333091		0.94	3.9	<0.005	<0.02	1.01	6	0.07	2.94	9	24.6
R333092		0.12	2.8	<0.005	<0.02	0.54	8	<0.05	1.47	11	10.3
R333093		0.06	1.1	<0.005	0.02	0.23	2	0.06	0.73	2	6.3
R333094		0.20	3.1	<0.005	0.03	0.83	11	0.07	2.52	12	21.6
R333101		0.01	<0.2	0.051	<0.02	<0.05	36	0.18	2.09	11	0.6
R333102		4.57	<0.2	0.007	0.11	0.06	23	0.73	4.75	88	2.5
R333103		0.04	<0.2	0.059	0.07	<0.05	55	2.17	2.67	20	1.1
R333104		9.63	0.3	0.250	0.03	0.46	118	18.30	15.05	79	14.6
R333105		0.80	<0.2	0.006	0.07	<0.05	30	0.39	3.24	76	0.7
R333106		0.02	1.5	0.091	0.03	0.68	27	0.21	2.85	15	4.6
R333107		1.17	16.7	<0.005	<0.02	3.78	2	0.26	0.86	3	73.6
R333108		1.24	3.5	0.007	<0.02	0.61	3	0.25	0.58	2	10.3
R333109		6.57	1.9	0.017	0.02	0.62	9	0.15	1.55	9	6.4
R333110		6.84	1.9	0.017	<0.02	0.61	9	0.14	1.49	10	6.2
R333111		0.09	2.9	0.005	<0.02	2.64	10	0.10	2.13	9	9.8
R333112		0.01	2.4	0.072	0.02	0.41	21	0.37	2.71	50	15.5
R333113		0.02	2.5	0.069	0.03	0.37	16	0.38	2.54	45	10.7
R333114		0.11	4.3	<0.005	0.02	0.96	8	0.06	3.09	16	21.5
R333115		0.03	1.3	0.017	0.02	0.20	16	0.10	1.56	25	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15090484

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

CERTIFICATE SD15093300

Project: MILLER

This report is for 40 Rock samples submitted to our lab in Sudbury, ON, Canada on 26-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15093300

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333287		1.54	3.27	0.68	1.04	0.8	3.3	<10	10	0.24	1.20	4.29	0.06	2.83	18.5	16
R333288		1.70	1.515	2.09	1.41	0.7	1.5	<10	10	0.73	2.38	9.04	0.06	9.77	57.0	18
R333289		1.70	0.410	0.64	1.30	1.3	0.3	<10	20	0.53	1.73	4.18	0.04	6.05	42.4	16
R333290		<0.02	0.491	0.67	1.41	1.7	0.5	<10	20	0.60	1.70	4.60	0.04	6.51	44.9	18
R333291		1.93	0.976	0.46	0.25	0.5	0.8	<10	10	0.22	0.55	4.17	0.11	2.94	28.9	7
R333292		2.11	0.006	0.13	0.23	0.5	<0.2	<10	20	0.14	0.59	0.76	0.03	2.50	10.7	15
R333293		1.82	0.001	0.02	0.26	0.8	<0.2	<10	<10	<0.05	0.02	0.68	0.03	0.32	4.1	24
R333294		2.20	0.471	0.40	0.15	1.3	0.3	<10	10	0.15	1.24	0.49	0.08	2.91	23.3	15
R333295		2.01	0.022	0.06	0.17	0.4	<0.2	<10	40	0.08	0.32	0.23	0.01	8.58	2.9	14
R333296		2.10	0.008	0.13	0.31	0.3	<0.2	<10	50	0.30	0.46	0.42	0.04	12.60	3.4	17
R333358		1.84	0.015	0.02	0.12	0.2	<0.2	<10	60	<0.05	0.01	0.31	0.01	0.49	1.8	22
R333359		1.59	0.003	0.05	1.04	0.5	<0.2	<10	40	0.17	0.17	0.69	0.01	9.17	10.9	114
R333360		0.11	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.16	0.1	<1
R333361		1.23	0.005	0.09	1.61	0.7	<0.2	<10	2750	0.24	0.40	0.60	0.10	9.21	12.8	64
R333362		1.75	0.013	0.60	0.29	1.9	<0.2	<10	40	0.09	2.52	3.90	0.48	18.10	31.6	8
R333363		1.90	0.002	0.12	1.02	1.1	<0.2	<10	90	0.52	0.62	5.67	0.28	50.4	33.5	2
R333364		2.01	0.011	0.51	0.72	1.6	<0.2	<10	50	0.15	2.53	1.25	0.35	20.4	32.3	4
R333365		2.71	0.013	0.21	0.02	0.8	<0.2	<10	10	<0.05	0.81	0.02	0.02	0.12	4.7	20
R333366		1.90	<0.001	0.05	0.29	0.8	<0.2	<10	<10	<0.05	0.12	1.04	0.04	0.70	4.3	47
R333367		2.98	0.033	0.76	3.26	44.1	<0.2	<10	10	0.11	0.32	1.29	0.45	96.5	154.0	133
R333474		1.20	0.019	0.10	0.64	0.6	<0.2	<10	90	0.13	0.38	2.34	0.05	9.27	8.7	25
R333475		1.48	0.001	0.05	0.56	0.5	<0.2	<10	80	0.31	0.31	0.50	0.02	45.3	4.5	18
R333476		2.31	2.21	4.54	0.04	0.4	1.9	<10	10	<0.05	6.06	1.54	<0.01	1.70	8.1	28
R333477		1.63	0.324	0.93	0.43	0.4	0.3	<10	50	0.09	0.80	2.88	0.03	9.10	6.3	26
R333478		0.73	0.001	0.22	0.97	1.2	<0.2	<10	30	0.11	3.21	0.74	0.06	19.35	9.6	39
R333479		1.77	0.730	>100	0.05	0.5	0.2	<10	10	<0.05	4520	0.37	0.80	3.10	1.2	19
R333480		0.06	2.48	4.60	1.61	18.8	2.3	<10	40	0.64	0.10	3.69	0.37	21.4	11.4	24
R333481		1.60	0.044	31.2	0.46	0.6	<0.2	<10	10	0.16	2670	0.76	0.25	12.40	7.8	72
R333095		1.87	0.001	0.08	0.59	0.8	<0.2	<10	10	0.18	2.11	0.15	0.02	1.10	6.4	26
R333096		1.36	0.007	0.19	0.34	0.9	<0.2	<10	<10	0.06	4.59	0.19	0.47	4.86	5.6	83
R333097		1.22	0.073	29.7	2.47	1.0	<0.2	<10	10	0.34	105.5	1.21	0.08	13.85	33.9	277
R333098		1.26	0.046	1.21	1.10	0.6	<0.2	<10	<10	0.35	19.05	0.05	0.03	6.75	27.6	107
R333099		1.62	0.004	0.30	0.12	0.1	<0.2	<10	<10	<0.05	2.22	0.02	0.01	3.28	1.8	26
R333100		0.07	9.10	9.74	1.74	11.9	9.0	<10	30	0.60	0.14	4.07	0.26	20.8	11.3	18
R333651		1.02	0.008	0.10	0.78	0.5	<0.2	<10	60	0.16	0.60	0.70	0.03	11.55	11.6	83
R333652		1.09	0.033	2.08	2.15	0.6	<0.2	<10	290	0.72	1.01	3.15	0.05	43.5	23.6	194
R333653		1.86	0.021	0.11	0.05	0.2	<0.2	<10	10	<0.05	0.49	0.04	0.09	1.14	1.2	25
R333654		2.34	1.445	1.91	0.48	0.6	1.5	<10	60	0.08	0.74	0.09	0.01	4.63	7.2	32
R333655		1.42	0.006	0.03	2.42	0.1	<0.2	<10	20	0.14	0.09	4.20	0.03	21.3	19.7	106
R333656		1.23	0.142	8.41	0.06	0.3	<0.2	<10	<10	<0.05	260	0.11	0.09	1.55	1.3	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15093300

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333287		0.25	88.2	4.42	5.33	0.08	0.16	<0.01	0.028	0.02	0.9	6.0	0.71	670	0.79	0.05
R333288		1.18	514	9.26	7.67	0.17	0.22	0.01	0.057	0.05	3.6	20.4	1.72	1140	4.12	0.06
R333289		1.24	84.5	7.50	6.01	0.11	0.12	0.01	0.040	0.24	2.2	6.3	1.16	741	96.2	0.05
R333290		1.29	91.8	7.92	6.59	0.12	0.14	0.01	0.043	0.25	2.3	6.8	1.24	801	84.8	0.05
R333291		0.21	87.5	6.15	1.32	<0.05	0.07	0.01	0.029	0.08	0.9	2.2	1.27	1210	1.29	0.05
R333292		3.16	31.1	3.15	1.96	<0.05	0.04	<0.01	0.014	0.20	1.0	5.2	0.27	344	1.78	0.02
R333293		0.08	11.9	1.09	0.97	<0.05	<0.02	<0.01	<0.005	0.03	<0.2	1.8	0.11	156	1.89	0.01
R333294		0.13	38.3	4.41	0.63	<0.05	0.03	0.01	0.017	0.02	0.9	0.6	0.07	865	1.43	0.06
R333295		0.37	13.1	1.19	1.19	<0.05	0.34	0.01	<0.005	0.02	4.2	2.2	0.11	151	1.19	0.05
R333296		0.29	6.2	1.53	1.91	<0.05	1.10	<0.01	0.005	0.04	6.3	5.3	0.22	153	1.21	0.08
R333358		0.24	24.3	0.70	0.69	<0.05	<0.02	<0.01	<0.005	0.01	0.2	2.3	0.15	98	1.90	0.01
R333359		1.59	365	2.08	4.07	0.06	0.16	<0.01	0.023	0.20	4.1	19.5	1.04	380	2.63	0.07
R333360		<0.05	1.0	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05	<0.01
R333361		0.67	4.7	2.66	5.22	0.06	0.21	0.01	0.012	0.09	4.2	32.1	1.21	933	3.80	<0.01
R333362		1.47	24.8	10.45	1.44	0.11	0.21	0.01	0.029	0.10	8.2	1.1	0.49	1400	37.7	0.06
R333363		1.62	167.0	11.00	8.28	0.22	0.60	<0.01	0.047	0.25	23.6	5.1	1.02	1340	4.77	0.07
R333364		1.31	58.3	10.55	2.95	0.12	0.62	0.01	0.039	0.18	9.8	4.0	0.98	1100	22.5	0.07
R333365		<0.05	7.2	2.16	0.23	<0.05	<0.02	0.01	<0.005	0.01	<0.2	0.1	0.01	77	14.90	0.02
R333366		<0.05	10.3	1.50	1.23	<0.05	<0.02	<0.01	0.005	<0.01	0.3	1.3	0.26	227	2.19	0.03
R333367		0.18	925	8.67	8.71	0.26	0.11	0.01	0.183	0.01	56.1	12.9	2.56	852	7.36	0.02
R333474		0.20	9.7	1.42	2.08	<0.05	0.05	<0.01	0.005	0.09	3.8	7.1	0.60	475	1.23	0.01
R333475		0.38	10.1	1.49	4.91	0.07	1.39	<0.01	0.008	0.11	23.0	3.6	0.41	249	0.62	0.06
R333476		0.05	3.9	1.56	0.24	<0.05	0.02	0.01	<0.005	0.02	0.8	0.3	0.04	185	69.5	0.01
R333477		0.17	7.3	1.56	2.62	<0.05	0.07	<0.01	0.008	0.07	4.3	2.8	0.40	361	9.45	0.03
R333478		0.23	348	2.03	5.06	0.09	0.33	<0.01	0.007	0.09	9.1	9.4	0.74	285	1.09	0.05
R333479		0.13	673	0.98	0.31	0.07	<0.02	0.06	0.009	0.01	1.5	0.6	0.02	73	80.7	0.03
R333480		3.17	72.1	2.94	6.26	0.08	0.41	0.09	0.023	0.22	10.2	16.9	0.86	676	6.18	0.06
R333481		1.66	384	1.77	2.66	0.09	0.13	0.01	0.009	0.05	5.5	12.5	0.56	209	181.0	0.04
R333095		0.05	915	1.69	2.58	<0.05	<0.02	<0.01	0.019	<0.01	0.4	8.3	0.55	161	1.98	<0.01
R333096		0.13	4880	1.42	1.90	<0.05	0.12	<0.01	0.029	<0.01	2.2	7.5	0.42	127	7.29	0.02
R333097		0.38	>10000	6.59	7.05	0.13	0.16	0.01	0.145	0.01	6.3	33.2	2.62	897	33.6	0.03
R333098		0.10	720	2.11	5.83	0.06	0.07	<0.01	0.009	<0.01	2.7	20.7	1.22	253	99.9	0.04
R333099		0.09	1505	0.85	0.87	<0.05	<0.02	<0.01	0.013	0.01	1.4	3.0	0.13	72	11.50	0.03
R333100		2.69	69.5	3.12	6.98	0.13	0.70	0.16	0.024	0.14	9.6	23.7	1.12	840	5.30	0.08
R333651		3.81	33.1	1.84	4.00	0.05	0.13	0.01	0.008	0.35	5.3	8.3	0.94	275	1.86	0.02
R333652		13.65	84.6	3.76	11.10	0.14	0.54	0.01	0.025	1.32	20.0	32.0	2.74	705	1.07	0.04
R333653		0.28	13.9	0.69	0.22	<0.05	<0.02	0.01	<0.005	0.02	0.4	0.3	0.02	78	11.35	0.01
R333654		0.29	15.6	1.58	1.97	<0.05	0.20	<0.01	<0.005	0.09	1.7	3.0	0.35	182	5.01	0.01
R333655		0.26	38.9	3.20	6.24	<0.05	0.17	0.01	0.006	0.11	9.7	26.1	2.16	567	0.24	0.02
R333656		0.16	12.8	0.79	0.36	<0.05	<0.02	0.01	<0.005	<0.01	0.8	0.7	0.06	75	68.7	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15093300

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333287		<0.05	18.6	570	3.2	1.6	<0.001	1.47	0.31	10.6	0.6	<0.2	94.8	<0.01	1.72	<0.2
R333288		0.12	43.6	460	3.8	3.8	0.001	6.19	0.17	24.4	2.0	0.6	75.4	<0.01	2.94	<0.2
R333289		0.07	36.5	470	5.4	14.7	0.005	4.51	0.10	17.4	1.4	0.7	75.9	<0.01	1.55	<0.2
R333290		0.08	39.0	490	5.2	15.2	0.004	4.60	0.06	18.7	1.4	0.5	83.5	<0.01	1.57	<0.2
R333291		<0.05	25.2	430	4.5	4.9	0.001	3.62	0.09	12.7	0.7	0.3	155.5	<0.01	2.09	<0.2
R333292		<0.05	4.5	120	1.3	15.5	<0.001	1.15	0.08	5.2	0.6	0.5	20.7	<0.01	0.20	<0.2
R333293		0.08	5.1	40	0.5	1.5	<0.001	0.02	<0.05	1.1	<0.2	<0.2	2.0	<0.01	<0.01	<0.2
R333294		<0.05	19.5	320	2.7	1.7	<0.001	1.31	0.13	7.2	0.4	0.5	8.2	<0.01	1.40	<0.2
R333295		<0.05	3.5	230	1.7	1.7	<0.001	0.24	0.07	1.0	0.3	0.4	16.5	<0.01	0.24	1.7
R333296		0.06	5.0	390	3.2	3.1	<0.001	0.58	<0.05	1.0	0.6	<0.2	21.4	<0.01	0.27	4.8
R333358		<0.05	4.0	10	0.5	0.4	0.001	<0.01	0.07	0.2	<0.2	0.5	8.1	<0.01	<0.01	<0.2
R333359		0.11	46.9	290	1.4	10.5	0.001	0.09	0.06	2.3	0.3	0.6	17.1	<0.01	<0.01	0.7
R333360		<0.05	0.4	10	0.3	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R333361		0.24	54.2	300	5.0	5.0	0.001	0.14	<0.05	2.4	<0.2	<0.2	134.5	<0.01	0.03	0.6
R333362		1.49	3.9	520	29.0	4.3	0.003	>10.0	0.06	1.7	6.0	0.5	460	<0.01	3.55	0.7
R333363		1.31	1.1	860	5.3	11.5	0.001	2.48	<0.05	2.0	1.9	0.8	453	0.02	0.17	1.5
R333364		1.59	4.9	730	21.2	9.0	0.001	7.93	<0.05	2.2	3.8	0.2	119.5	0.01	1.73	1.2
R333365		<0.05	3.4	10	1.5	0.3	<0.001	1.11	0.07	0.2	1.1	0.5	2.4	<0.01	0.93	<0.2
R333366		0.08	6.4	40	0.9	0.2	<0.001	0.23	0.08	2.4	0.3	0.6	10.8	<0.01	0.08	<0.2
R333367		0.17	175.0	2090	4.0	2.1	0.011	2.09	0.06	2.9	5.6	4.5	29.9	<0.01	0.34	0.9
R333474		0.13	26.5	160	1.3	3.7	<0.001	0.10	0.05	1.2	0.2	0.5	41.8	<0.01	0.15	0.2
R333475		0.59	7.1	520	5.6	4.9	<0.001	0.15	0.06	1.3	0.2	0.5	27.3	<0.01	0.06	4.6
R333476		<0.05	9.6	40	1.8	0.6	0.005	1.11	<0.05	0.4	1.6	<0.2	41.8	<0.01	9.24	<0.2
R333477		0.15	21.9	300	1.2	2.0	<0.001	0.41	0.05	1.6	0.6	0.4	47.6	<0.01	1.02	0.2
R333478		0.52	21.0	460	3.0	2.7	<0.001	0.05	0.07	2.1	0.2	0.6	73.9	<0.01	0.02	1.2
R333479		0.27	4.1	10	2470	0.5	0.018	0.43	0.06	0.2	22.6	<0.2	3.0	<0.01	3.83	<0.2
R333480		0.07	11.2	600	17.3	11.4	0.002	0.86	0.50	9.0	1.0	0.5	113.0	<0.01	2.38	1.4
R333481		0.27	30.6	180	1100	4.1	0.075	0.47	0.10	2.3	13.5	0.6	7.2	<0.01	2.30	0.6
R333095		<0.05	11.5	60	1.1	0.3	0.001	0.14	0.07	2.6	0.5	0.4	1.9	<0.01	0.04	<0.2
R333096		<0.05	19.8	90	7.8	0.2	0.040	0.49	0.05	1.3	1.1	0.2	9.0	<0.01	0.03	0.3
R333097		<0.05	104.0	300	6.3	0.8	0.028	2.33	0.07	8.7	0.9	0.4	15.3	<0.01	0.13	0.6
R333098		<0.05	34.4	120	19.2	0.3	0.263	0.06	0.08	4.9	1.3	0.6	2.8	<0.01	0.14	<0.2
R333099		<0.05	4.4	20	1.6	0.4	0.007	0.15	<0.05	0.7	1.3	<0.2	5.6	<0.01	0.10	<0.2
R333100		0.13	10.8	650	14.4	6.6	0.002	0.43	0.44	9.8	0.9	0.5	111.5	<0.01	4.44	1.7
R333651		0.06	49.0	190	1.6	20.9	<0.001	0.22	0.11	4.1	0.3	0.5	27.6	<0.01	0.15	0.4
R333652		0.07	93.2	600	2.5	68.6	0.001	0.59	0.08	12.7	0.7	0.5	105.5	<0.01	2.48	1.3
R333653		<0.05	3.8	30	4.0	0.6	0.001	0.03	0.06	0.2	<0.2	<0.2	11.2	<0.01	0.09	<0.2
R333654		0.10	20.7	190	1.4	2.9	<0.001	0.35	0.11	0.6	0.6	0.4	5.1	<0.01	1.83	0.5
R333655		<0.05	69.2	460	0.8	3.1	<0.001	<0.01	0.07	2.0	0.2	<0.2	85.9	<0.01	0.01	0.9
R333656		0.09	4.5	40	161.0	0.3	0.013	0.14	0.07	0.2	1.0	<0.2	2.0	<0.01	0.60	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15093300

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Ag-OG46	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
R333287		0.032	<0.02	0.06	114	4.52	5.33	43	4.9		
R333288		0.273	0.03	0.20	177	1.55	16.35	66	5.6		
R333289		0.105	0.10	0.06	125	0.83	8.24	57	3.4		
R333290		0.114	0.11	0.06	134	0.72	9.12	61	3.5		
R333291		0.011	0.03	<0.05	33	0.45	4.36	65	1.6		
R333292		0.032	0.13	<0.05	42	0.11	1.62	23	1.3		
R333293		0.032	<0.02	<0.05	17	0.10	0.67	9	<0.5		
R333294		<0.005	<0.02	<0.05	10	0.43	2.41	40	1.1		
R333295		<0.005	<0.02	0.30	7	0.07	1.63	7	9.4		
R333296		<0.005	<0.02	1.44	11	0.09	3.33	17	33.2		
R333358		<0.005	<0.02	<0.05	3	0.05	0.26	6	<0.5		
R333359		0.108	0.08	0.11	33	0.16	2.23	51	6.4		
R333360		<0.005	<0.02	0.09	<1	<0.05	0.71	<2	0.9		
R333361		0.111	0.02	0.09	29	0.46	1.84	98	8.5		
R333362		0.055	<0.02	0.08	9	0.32	9.80	58	8.7		
R333363		0.140	0.07	0.23	38	0.54	14.40	110	23.6		
R333364		0.127	0.05	0.14	17	0.45	6.31	99	24.7		
R333365		<0.005	<0.02	<0.05	2	0.05	0.06	2	<0.5		
R333366		0.025	<0.02	<0.05	18	0.12	1.00	9	<0.5		
R333367		0.279	<0.02	0.12	216	0.37	18.20	141	2.3		
R333474		0.024	0.02	<0.05	9	0.17	1.85	21	2.8		
R333475		0.083	0.03	1.39	16	0.37	4.24	37	55.3		
R333476		<0.005	<0.02	<0.05	2	0.05	0.80	3	0.8		
R333477		0.032	<0.02	<0.05	19	0.37	1.95	13	3.4		
R333478		0.128	0.02	0.21	43	0.40	2.45	27	13.6		
R333479		<0.005	0.10	2.87	8	0.16	0.30	2	<0.5	120	
R333480		0.055	0.15	0.35	65	0.56	8.15	81	12.3		
R333481		0.034	0.05	1.55	26	0.21	1.65	21	6.0		
R333095		<0.005	<0.02	<0.05	21	<0.05	1.86	16	<0.5		
R333096		0.006	0.04	0.75	18	0.07	1.38	48	4.3		
R333097		0.092	0.11	0.71	99	0.22	6.21	81	6.6		2.93
R333098		0.006	0.24	9.04	88	<0.05	11.20	28	2.2		
R333099		<0.005	0.02	<0.05	7	<0.05	0.45	3	<0.5		
R333100		0.139	0.08	0.45	82	0.52	8.23	67	21.9		
R333651		0.054	0.20	0.07	32	0.10	1.60	26	5.3		
R333652		0.182	0.63	0.26	115	0.34	4.87	65	20.6		
R333653		<0.005	0.02	<0.05	3	0.10	0.14	4	0.6		
R333654		0.028	0.02	0.09	13	0.40	1.00	17	7.6		
R333655		0.015	<0.02	0.08	23	0.06	3.57	59	7.2		
R333656		<0.005	<0.02	0.15	2	0.06	0.31	4	<0.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15093300

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG46	Au-ICP22	Cu-OG46	ME-MS41
ME-OG46			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

CERTIFICATE SD15096789

Project: MILLER

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 2-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15096789

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333151		1.43	0.375	0.27	0.52	0.7	1.0	<10	10	0.26	1.50	2.06	0.10	1.78	25.8	17
R333152		1.89	0.987	0.53	0.16	0.7	1.0	<10	10	0.18	1.14	5.78	0.10	2.45	39.7	10
R333153		2.18	0.102	0.18	0.09	0.3	0.3	<10	<10	<0.05	0.99	0.55	0.03	0.64	6.7	21
R333657		1.56	0.002	0.01	2.58	0.8	<0.2	<10	<10	0.11	0.11	2.21	0.03	2.16	26.0	185
R333658		1.60	0.001	0.04	1.25	3.1	<0.2	<10	80	0.29	0.20	1.81	0.06	81.9	12.2	34
R333659		1.99	0.002	0.03	2.43	0.3	<0.2	<10	10	0.08	0.11	2.71	0.07	2.52	32.5	165
R333660		0.07	2.44	4.80	1.63	18.8	2.5	<10	40	0.72	0.08	3.81	0.39	22.1	11.8	25
R333661		1.14	0.003	0.31	2.14	2.4	<0.2	<10	20	0.47	0.51	1.26	0.18	11.40	17.2	15
R333116		1.60	0.001	0.04	3.28	0.6	<0.2	<10	10	0.21	0.06	4.58	0.15	10.30	54.2	102
R333297		1.98	<0.001	0.02	0.04	0.2	<0.2	<10	<10	<0.05	0.14	0.20	0.01	0.15	1.7	28
R333298		2.00	0.001	0.10	0.56	0.5	<0.2	<10	50	0.09	0.21	0.47	0.02	0.67	13.5	92
R333299		1.83	0.074	2.42	1.33	10.5	<0.2	<10	60	0.14	1.50	2.11	5.83	2.41	12.2	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15096789

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333151		0.23	99.8	4.95	3.53	<0.05	0.04	<0.01	0.033	0.02	0.6	2.8	0.96	797	1.23	0.05
R333152		<0.05	116.0	7.26	1.07	<0.05	0.09	<0.01	0.036	0.03	0.8	1.3	1.15	1420	0.34	0.05
R333153		<0.05	8.4	1.75	0.47	<0.05	<0.02	<0.01	0.006	<0.01	0.2	0.5	0.09	303	0.35	0.04
R333657		0.05	91.7	4.44	7.16	0.14	0.04	<0.01	0.021	<0.01	0.8	14.7	2.94	817	0.29	0.03
R333658		0.09	23.9	2.91	10.90	0.12	0.72	<0.01	0.021	0.03	38.1	5.9	1.26	512	0.33	0.07
R333659		0.08	83.3	5.57	8.92	0.13	0.11	<0.01	0.033	0.01	0.9	13.4	2.50	766	1.59	0.04
R333660		3.26	70.1	3.03	6.93	0.08	0.44	0.08	0.033	0.24	10.3	18.2	0.90	697	6.56	0.08
R333661		1.47	114.0	7.49	9.29	0.35	0.25	<0.01	0.100	0.07	4.7	9.0	1.08	752	8.35	0.14
R333116		0.07	193.5	10.45	14.85	0.17	0.11	<0.01	0.046	0.02	4.1	23.8	2.46	1320	0.22	0.02
R333297		0.12	16.2	0.97	0.33	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.6	0.03	101	2.16	0.03
R333298		2.86	70.1	2.60	2.78	<0.05	0.05	<0.01	<0.005	0.23	0.2	14.3	0.54	205	6.97	0.05
R333299		1.62	752	9.49	7.42	0.21	0.07	<0.01	0.216	0.08	1.1	14.9	0.53	581	2.42	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15096789

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333151		<0.05	26.4	160	4.3	1.6	<0.001	2.05	0.12	13.8	0.5	0.3	67.8	<0.01	1.14	<0.2
R333152		<0.05	36.7	430	5.4	1.2	0.001	4.96	0.13	15.8	0.6	0.2	149.0	<0.01	1.78	<0.2
R333153		<0.05	8.6	170	1.4	0.3	<0.001	0.81	0.06	2.8	0.2	<0.2	9.5	<0.01	0.67	<0.2
R333657		<0.05	37.5	110	1.0	0.2	<0.001	0.05	0.07	15.7	0.4	0.3	4.8	<0.01	0.03	<0.2
R333658		0.14	19.8	1200	5.6	1.2	<0.001	0.42	0.06	6.3	0.4	0.6	135.0	<0.01	0.06	4.6
R333659		0.06	84.5	210	0.9	0.4	0.001	0.78	<0.05	20.6	0.9	0.2	25.1	<0.01	0.11	<0.2
R333660		0.07	11.5	630	17.0	12.0	0.003	0.88	0.52	9.6	1.0	0.6	121.0	<0.01	2.71	1.4
R333661		0.12	17.4	500	6.3	4.7	0.006	0.69	0.07	7.0	1.5	1.1	21.5	<0.01	0.33	0.6
R333116		0.07	82.1	680	1.1	0.7	0.001	0.52	<0.05	32.5	1.3	0.4	111.0	<0.01	0.05	0.4
R333297		<0.05	4.3	10	0.3	0.3	<0.001	0.11	<0.05	0.3	0.2	<0.2	1.3	<0.01	0.01	<0.2
R333298		0.17	34.0	50	1.9	17.0	0.004	0.75	<0.05	2.4	1.1	0.5	5.8	<0.01	0.05	<0.2
R333299		0.17	14.0	340	92.1	8.7	0.005	3.93	0.27	7.5	37.1	2.9	26.3	<0.01	2.54	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15096789

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333151		0.013	<0.02	<0.05	86	0.28	2.24	64	1.1
R333152		<0.005	<0.02	0.05	19	0.58	4.79	63	2.2
R333153		<0.005	<0.02	<0.05	5	0.09	1.08	10	<0.5
R333657		0.092	<0.02	<0.05	154	0.36	4.69	51	0.6
R333658		0.107	<0.02	0.81	63	0.20	6.32	62	26.1
R333659		0.175	<0.02	<0.05	138	0.12	7.06	60	2.6
R333660		0.057	0.14	0.35	70	0.69	8.07	84	13.4
R333661		0.193	0.06	0.07	70	1.07	6.48	172	8.8
R333116		0.123	<0.02	<0.05	270	0.06	6.20	137	3.4
R333297		<0.005	<0.02	<0.05	4	0.05	0.16	<2	<0.5
R333298		0.075	0.15	<0.05	46	0.49	1.47	18	1.3
R333299		0.115	0.08	<0.05	55	0.63	4.07	590	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 26-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15096789

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	LOG-23
PUL-35a	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

CERTIFICATE SD15098326

Project: MILLER

This report is for 4 Rock samples submitted to our lab in Sudbury, ON, Canada on 2-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15098326

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333482		0.96	0.238	0.13	0.20	0.5	<0.2	<10	30	<0.05	0.07	0.04	0.03	1.30	2.6	25
R333483		1.52	0.015	3.03	0.01	0.4	<0.2	<10	<10	<0.05	320	0.07	0.01	1.21	0.6	23
R333484		1.31	0.013	7.52	1.96	0.8	<0.2	<10	30	0.59	361	2.40	0.09	76.9	27.7	239
R333485		1.51	0.028	44.5	0.07	0.3	<0.2	<10	10	<0.05	836	0.15	0.39	3.58	1.5	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15098326

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333482		0.05	4.8	1.44	0.91	<0.05	<0.02	<0.01	<0.005	<0.01	0.3	1.1	0.16	163	0.55	0.01
R333483		0.11	68.6	0.59	0.16	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.3	0.01	62	6.50	0.01
R333484		7.21	57.8	3.98	11.75	0.19	0.82	<0.01	0.016	0.14	34.3	54.9	2.51	572	111.5	0.04
R333485		0.17	59.2	1.33	0.40	<0.05	<0.02	0.02	<0.005	0.01	1.7	0.7	0.02	102	57.0	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15098326

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333482		0.06	6.5	30	1.2	0.3	<0.001	0.33	<0.05	1.2	0.4	<0.2	2.8	<0.01	0.21	<0.2
R333483		<0.05	1.8	<10	145.5	0.1	0.001	0.02	0.07	<0.1	1.2	0.4	1.2	<0.01	0.19	<0.2
R333484		0.14	127.0	1410	165.5	13.4	0.064	0.77	<0.05	8.2	2.6	0.6	57.2	<0.01	0.35	4.4
R333485		0.54	5.0	20	507	0.4	0.006	0.31	<0.05	0.2	4.2	<0.2	2.8	<0.01	0.83	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15098326

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333482		0.006	<0.02	<0.05	12	0.05	0.38	5	<0.5
R333483		<0.005	<0.02	<0.05	1	<0.05	<0.05	<2	<0.5
R333484		0.176	0.11	1.67	86	0.34	7.26	83	35.7
R333485		0.005	0.04	0.63	4	0.07	0.20	3	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 23-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15098326

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	PUL-35a
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
This copy reported on
26-AUG-2015
Account: OBMICO

CERTIFICATE SD15114146

Project: Miller

This report is for 13 Rock samples submitted to our lab in Sudbury, ON, Canada on 31-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114146

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Au Check	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	0.05	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
R333701		1.80	>10.0	52.5		2.00	0.05	0.6	>25.0	<10	10	<0.05	104.5	0.06	<0.01	0.26
R333702		2.02	1.185			0.50	0.79	0.7	1.0	<10	20	0.15	3.37	0.87	0.05	2.28
R333703		2.83	0.002			0.31	0.01	0.7	<0.2	<10	<10	<0.05	6.15	0.13	0.02	0.19
R333704		2.90	0.021			0.21	0.01	0.7	<0.2	<10	<10	<0.05	3.44	0.08	<0.01	0.14
R333705		1.64	0.329			0.29	0.06	0.6	0.3	<10	10	0.06	1.64	0.57	0.07	2.05
R333706		1.98	>10.0	212		1.38	0.04	0.5	>25.0	<10	10	0.05	259	0.40	0.05	1.56
R333707		3.32	0.270			4.80	1.85	1.5	0.3	<10	10	1.30	4.76	4.97	0.05	12.55
R333708		2.23	0.341			0.11	0.10	0.6	0.3	<10	10	0.14	1.02	1.78	0.10	2.25
R333709		2.62	4.99			0.31	0.08	0.6	0.5	<10	10	0.16	1.84	2.65	0.11	2.26
R333710		2.07	0.009			0.03	4.97	0.5	<0.2	<10	20	0.11	0.04	3.37	0.03	2.98
R333711		2.71	>10.0	16.10	12.35	2.83	1.24	1.3	9.2	<10	30	0.23	11.95	2.54	0.11	3.74
R333712		2.36	0.278			0.05	0.42	0.2	0.2	<10	70	0.21	1.24	2.09	0.05	21.8
R333713		2.04	0.006			0.11	0.12	41.3	<0.2	<10	30	<0.05	1.19	0.05	0.01	1.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114146

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5
R333701		3.0	20	0.05	10.1	1.44	0.47	<0.05	<0.02	<0.01	<0.005	0.01	<0.2	0.4	0.03	95
R333702		18.0	14	0.37	44.1	4.91	4.37	0.08	0.10	<0.01	0.027	0.02	0.8	4.3	0.61	502
R333703		1.9	22	0.10	7.5	1.29	0.23	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.4	<0.01	123
R333704		1.5	21	0.06	6.5	1.23	0.21	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	0.3	<0.01	116
R333705		12.0	13	0.08	25.2	3.67	0.37	<0.05	0.09	<0.01	0.015	0.01	0.7	0.5	0.10	595
R333706		8.6	15	0.06	19.5	2.59	0.26	<0.05	0.05	0.01	0.013	0.01	0.6	0.5	0.08	450
R333707		35.5	15	0.28	93.0	8.76	11.30	0.14	0.43	0.01	0.051	0.04	5.2	18.0	1.51	905
R333708		21.2	14	0.18	63.5	4.41	0.56	<0.05	0.04	<0.01	0.019	0.06	0.9	1.3	0.65	661
R333709		23.3	11	0.19	79.6	4.93	0.50	<0.05	0.07	<0.01	0.021	0.07	0.9	1.3	0.89	751
R333710		9.4	64	0.27	71.1	1.37	7.52	<0.05	0.07	<0.01	0.005	0.09	1.6	10.1	0.73	139
R333711		33.6	14	1.39	92.0	8.56	4.63	0.05	0.07	0.01	0.041	0.08	1.6	18.9	1.00	811
R333712		7.1	11	0.28	60.2	1.79	1.90	<0.05	1.16	<0.01	0.016	0.08	11.0	6.7	0.38	335
R333713		5.2	15	0.09	9.6	5.67	0.79	<0.05	0.13	0.04	0.007	0.12	0.8	0.7	0.02	69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114146

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
R333701		114.0	0.01	0.08	4.3	60	127.5	0.2	0.009	0.28	0.11	0.6	0.7	0.6	4.7	<0.01
R333702		1.13	0.02	0.19	8.4	350	7.7	1.5	0.001	2.09	0.08	8.8	1.1	0.6	14.6	<0.01
R333703		75.5	0.01	<0.05	2.8	30	12.5	0.2	0.011	0.16	0.13	0.1	0.4	0.9	5.6	<0.01
R333704		69.8	0.01	<0.05	2.6	20	8.1	0.1	0.007	0.11	0.12	0.1	0.3	0.8	4.0	<0.01
R333705		16.85	0.03	<0.05	5.7	400	3.2	0.7	0.004	1.80	0.11	5.5	0.7	0.5	17.0	<0.01
R333706		19.75	0.02	<0.05	4.2	230	197.0	0.8	0.005	1.29	0.11	4.2	1.6	0.3	12.9	<0.01
R333707		5.49	0.03	0.12	16.9	710	12.9	2.4	0.006	4.91	0.08	19.3	2.5	0.5	80.4	<0.01
R333708		32.1	0.02	<0.05	15.8	140	5.4	3.8	0.008	2.02	0.08	7.3	1.0	0.4	69.7	<0.01
R333709		4.47	0.02	<0.05	16.4	70	5.5	3.6	0.003	3.22	0.09	9.0	0.9	0.3	119.0	<0.01
R333710		0.32	0.47	<0.05	40.3	120	3.1	3.2	<0.001	0.05	0.05	2.2	0.3	0.3	71.3	<0.01
R333711		0.89	0.02	<0.05	19.3	190	15.8	9.4	0.001	4.02	0.07	15.4	2.2	<0.2	41.3	<0.01
R333712		4.97	0.05	<0.05	10.0	750	3.9	5.9	0.003	1.23	0.06	2.5	0.7	0.2	65.8	<0.01
R333713		10.05	0.04	0.68	11.4	160	9.2	4.5	0.003	3.14	0.33	0.5	1.2	0.8	9.9	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114146

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333701		61.7	<0.2	0.016	<0.02	<0.05	7	2.40	0.35	3	<0.5
R333702		2.36	<0.2	0.129	<0.02	0.13	85	14.15	4.42	39	2.8
R333703		0.12	<0.2	<0.005	<0.02	<0.05	1	0.11	0.24	<2	<0.5
R333704		0.13	<0.2	<0.005	<0.02	<0.05	1	0.09	0.17	<2	<0.5
R333705		1.69	<0.2	<0.005	<0.02	0.05	4	0.23	2.24	38	2.7
R333706		290	<0.2	<0.005	<0.02	<0.05	3	0.16	1.55	31	1.6
R333707		9.39	0.8	0.199	0.02	0.35	169	3.82	15.95	102	10.8
R333708		0.59	<0.2	<0.005	0.02	<0.05	14	0.33	2.68	51	1.3
R333709		1.85	<0.2	<0.005	0.02	0.06	15	0.35	3.09	52	1.5
R333710		0.03	0.6	0.037	0.03	0.17	28	0.09	1.25	15	2.6
R333711		13.05	0.2	0.007	0.05	0.05	43	0.38	4.50	55	2.4
R333712		0.79	3.3	<0.005	0.03	1.22	7	0.16	5.67	19	49.5
R333713		0.17	0.4	0.057	0.11	0.09	7	1.52	0.29	14	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114146

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	PUL-35a
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-JUN-2015
Account: OBMICO

CERTIFICATE SD15084951

Project: MILLER

This report is for 5 Pulp samples submitted to our lab in Sudbury, ON, Canada on 11-JUN-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15079170 - Over Limit for > 10 ppm from Au-ICP22

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15084951

Sample Description	Method Analyte Units LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
29661		NSS	NSS	NSS	NSS	NSS	NSS	23.3	NSS
29675		NSS	NSS	NSS	NSS	NSS	NSS	16.50	NSS
29676		27.6	2780	18.60	6.399	2.30	699.3	17.65	19.50
14895		73.5	4100	49.7	21.045	5.13	868.0	48.1	51.3
14899		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS

Comments: ORIGINAL WO# SD15079170 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-JUN-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15084951

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
FND-02 SCR-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUL-2015
Account: OBMICO

CERTIFICATE SD15099894

Project: MILLER

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 8-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: MICHAELA KUUSKMAN
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15090484 - Over Limit for > 10 ppm from Au-ICP22

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15099894

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R333104		10.95	18.25	10.80	0.236	12.93	731.7	11.20	10.40

Comments: ORIGINAL WO# SD15090484 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-JUL-2015
Account: OBMICO

Project: MILLER

CERTIFICATE OF ANALYSIS SD15099894

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24

APPENDIX F: DIAMOND DRILL LOG

MG15-16 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582879	5318131	328	MG15-16	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	7/9/15	7/17/15	Forthright Drilling Services Inc.		NQ	351
Project Name	Area	Township	Claim No.			
Miller	Allied	Pacaud	4267276			

Survey					
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth
0	-45	245	201	-46	212.9
18	-46	232.9	249	-45.4	247.3
51	-46	235.8	301	-45.8	255.4
102	-45.6	238.3	351	-46	254.4
150	-45.2	237.5			

Comments: Drilling took approximately 9 days because of several breakdowns. Final closure complete. Picket in place at approximately collar.

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	3.25	OB		Overburden.
3.25	155.90	MVOL		Fine- to medium-grained (locally coarse, resembles Gabbro), dark green to black, moderate- to strongly-magnetic, locally amygdaloidal (10.95 to 23.35m) Mafic Volcanics. Minor, medium- to coarse-grained, dark green to red Feldspar Porphyry Dykes are present from 104.4 to 124.6m. The Porphyry primarily occurs as irregular fragments to < 5cm dykelets but larger, up to 35cm dykes are present. The lower contact with a feldspar Porphyry Dyke is broken but appears to be at 60 degrees tca.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R330001	3.25	4.05	0.80	0.009	0.06	<1%			
R330002	4.05	5.05	1.00	0.006	0.07	1.0%			
R330003	5.05	6.30	1.25	0.003	0.04	1.0%			
R330004	6.30	7.55	1.25	0.002	0.05	1.0%			
R330005	7.55	8.45	0.90	0.002	0.04	<1%			
R330006	8.45	9.70	1.25	0.003	0.03	<1%			
R330007	9.70	10.95	1.25	0.003	0.03	<1%			
R330008	10.95	12.45	1.50	0.073	0.05	<1%			
R330009	12.45	13.90	1.45	0.025	0.03	<1%			
R330011	13.90	14.80	0.90	0.023	0.11	<1%			
R330012	14.80	16.30	1.50	0.006	0.03	<1%			
R330013	16.30	17.50	1.20	0.025	0.08	<1%			
R330014	17.50	18.75	1.25	0.002	0.03	<1%			
R330015	18.75	19.55	0.80	0.001	0.05	<1%			
R330016	19.55	20.75	1.20	0.006	0.03	<1%			
R330017	20.75	22.15	1.40	0.002	0.04	<1%			
R330018	22.15	23.35	1.20	0.002	0.04	<1%			
R330019	23.35	24.00	0.65	0.004	0.15	1.5%	0.01%		
R330021	24.00	25.25	1.25	0.004	0.03	1.5%			
R330022	25.25	26.50	1.25	0.007	0.06	1.5%			
R330023	26.50	27.13	0.63	0.005	0.03	1.5%			
R330024	27.13	27.53	0.40	0.097	0.06	1.5%			
R330025	27.53	27.95	0.42	1.125	0.25	1.5%			
R330026	27.95	28.65	0.70	0.835	0.41	1.5%			
R330027	28.65	30.15	1.50	0.004	0.06	1.5%			
R330028	30.15	31.65	1.50	0.002	0.07	1.5%			
R330029	31.65	33.15	1.50	0.0005	0.07	1.5%			
R330031	33.15	34.65	1.50	0.001	0.06	1.5%			
R330032	34.65	36.15	1.50	0.001	0.1	1.5%			
R330033	36.15	37.65	1.50	0.0005	0.08	1.5%			
R330034	37.65	38.40	0.75	0.0005	0.06	1.5%			
R330035	38.40	39.40	1.00	0.004	0.1	1.5%			
R330036	39.40	40.45	1.05	0.0005	0.08	1.5%			
R330037	40.45	40.75	0.30	0.0005	0.09	1.5%			
R330038	40.75	42.00	1.25	0.0005	0.2	1.5%			
R330039	42.00	42.35	0.35	0.0005	0.06	1.5%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330041	42.35	43.85	1.50	0.0005	0.09	1.5%			
					R330042	43.85	45.35	1.50	0.0005	0.15	1.5%			
					R330043	45.35	46.85	1.50	0.001	0.18	1.5%			
					R330044	46.85	48.35	1.50	0.002	0.12	1.5%			
					R330045	48.35	49.85	1.50	0.004	0.09	1.5%			
					R330046	49.85	51.35	1.50	0.003	0.11	1.5%			
					R330047	51.35	52.55	1.20	0.001	0.05	1.5%			
					R330048	52.55	53.75	1.20	0.001	0.05	1.5%			
					R330049	53.75	54.05	0.30	0.001	0.02	1.5%			
					R330051	54.05	55.55	1.50	0.004	0.09	1.5%			
					R330052	55.55	56.85	1.30	0.001	0.06	1.5%			
					R330053	56.85	58.15	1.30	0.003	0.09	1.5%			
					R330054	58.15	59.15	1.00	0.0005	0.06	<1%			
					R330073	59.15	60.00	0.85	0.0005	0.08	<1%			
					R330074	60.00	61.50	1.50	0.001	0.04	<1%			
					R330075	61.50	63.00	1.50	0.002	0.05	<1%			
					R330076	63.00	64.50	1.50	0.002	0.08	<1%			
					R330077	64.50	66.00	1.50	0.002	0.06	<1%			
					R330055	66.00	67.00	1.00	0.001	0.06	<1%			
					R330056	67.00	68.50	1.50	0.0005	0.08	1.0%			
					R330057	68.50	70.00	1.50	0.003	0.11	1.0%			
					R330058	70.00	71.50	1.50	0.002	0.06	1.0%			
					R330059	71.50	72.90	1.40	0.006	0.07	1.0%			
					R330061	72.90	74.30	1.40	0.001	0.06	1.0%			
					R330062	74.30	75.80	1.50	0.001	0.06	<1%			
					R330063	75.80	77.30	1.50	0.002	0.18	<1%			
					R330064	77.30	78.30	1.00	0.001	0.06	<1%			
					R330065	78.30	79.15	0.85	0.001	0.07	<1%			
					R330066	79.15	80.00	0.85	0.0005	0.03	<1%		0.01%	
					R330067	80.00	80.40	0.40	0.001	0.12	<1%		0.01%	
					R330068	80.40	81.30	0.90	0.004	0.28	<1%		0.01%	
					R330069	81.30	82.25	0.95	0.002	0.07	<1%		0.01%	
					R330071	82.25	83.75	1.50	0.004	0.12	<1%			
					R330072	83.75	85.00	1.25	0.005	0.08	<1%			
					R330078	85.00	86.10	1.10	0.003	0.17	<1%			
					R330079	86.10	86.50	0.40	0.001	0.04	<1%			
					R330081	86.50	88.00	1.50	0.002	0.08	<1%			
					R330082	88.00	89.50	1.50	0.001	0.09	<1%			
					R330083	89.50	91.00	1.50	0.0005	0.03	<1%			
					R330084	91.00	92.10	1.10	0.001	0.06	<1%			
					R330085	92.10	93.25	1.15	0.0005	0.03	<1%			
					R330086	93.25	94.75	1.50	0.004	0.22	1.0%			
					R330087	94.75	96.25	1.50	0.001	0.06	1.0%			
					R330088	96.25	97.75	1.50	0.002	0.08	1.0%			
					R330089	97.75	99.25	1.50	0.006	0.1	1.0%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330091	99.25	100.70	1.45	0.001	0.06	1.0%			
					R330092	100.70	101.05	0.35	0.001	0.07	<1%			
					R330093	101.05	101.40	0.35	0.0005	0.14	<1%		0.05%	
					R330094	101.40	102.90	1.50	0.0005	0.04	<1%			
					R330095	102.90	104.40	1.50	0.001	0.04	<1%			
					R330096	104.40	105.90	1.50	0.001	0.04	<1%			
					R330097	105.90	107.40	1.50	0.0005	0.08	<1%			
					R330098	107.40	108.25	0.85	0.001	0.07	<1%			
					R330099	108.25	109.15	0.90	0.002	0.06	<1%			
					R330100	109.15	109.50	0.35	0.005	2.16	<1%		0.20%	
					R330101	109.50	111.00	1.50	0.001	0.06	<1%			
111.02	111.35		FPORP	Medium- to coarse-grained, dark green to red Feldspar Porphyry Dyke with white to red/pink feldspar phenocrysts set in a fine- to aphanitic, dark green to black, mafic (chlorite altered) groundmass.	R330102	111.00	111.40	0.40	0.0005	0.02	<1%			
					R330103	111.40	111.80	0.40	0.001	0.04	<1%			
111.80	112.15		FPORP	Medium- to coarse-grained, dark green to red Feldspar Porphyry Dyke with white to red/pink feldspar phenocrysts set in a fine- to aphanitic, dark green to black, mafic (chlorite altered) groundmass.	R330104	111.80	112.15	0.35	0.0005	0.02	<1%			
					R330105	112.15	113.60	1.45	0.001	0.05	<1%			
					R330106	113.60	114.70	1.10	0.001	0.04	<1%			
					R330107	114.70	115.90	1.20	0.003	0.22	<1%			
					R330108	115.90	117.40	1.50	0.001	0.05	<1%			
					R330109	117.40	118.90	1.50	0.001	0.03	<1%			
					R330111	118.90	120.40	1.50	0.002	0.04	<1%			
					R330112	120.40	121.90	1.50	0.001	0.05	<1%			
					R330113	121.90	123.40	1.50	0.001	0.06	<1%			
					R330114	123.40	124.90	1.50	0.001	0.07	<1%			
					R330115	124.90	126.40	1.50	0.0005	0.03	<1%			
					R330116	126.40	126.70	0.30	0.002	0.05	<1%			
					R330117	126.70	128.20	1.50	0.002	0.05	<1%			
					R330118	128.20	129.45	1.25	0.002	0.06	<1%			
					R330119	129.45	130.75	1.30	0.002	0.07	<1%			
					R330121	130.75	131.10	0.35	0.002	0.11	<1%			
					R330122	131.10	132.30	1.20	0.002	0.09	<1%			
					R330123	132.30	133.45	1.15	0.002	0.1	<1%			
					R330124	133.45	134.60	1.15	0.001	0.08	<1%			
					R330125	134.60	135.15	0.55	0.002	0.05	<1%			
					R330126	135.15	136.65	1.50	0.001	0.05	<1%			
					R330127	136.65	137.70	1.05	0.004	0.07	<1%			
					R330128	137.70	138.80	1.10	0.003	0.04	<1%			
					R330129	138.80	139.60	0.80	0.003	0.08	<1%			
					R330131	139.60	141.05	1.45	0.004	0.06	<1%			
					R330132	141.05	142.50	1.45	0.002	0.06	<1%			
					R330133	142.50	142.80	0.30	0.012	0.2	<1%			
					R330134	142.80	144.30	1.50	0.001	0.1	<1%			
					R330135	144.30	145.80	1.50	0.002	0.11	<1%			
					R330136	145.80	147.30	1.50	0.002	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330137	147.30	148.80	1.50	0.002	0.12	<1%			
					R330138	148.80	150.30	1.50	0.0005	0.05	<1%			
					R330139	150.30	151.80	1.50	0.002	0.09	<1%			
					R330141	151.80	153.30	1.50	0.001	0.08	<1%			
					R330142	153.30	154.60	1.30	0.002	0.09	<1%			
					R330143	154.60	155.90	1.30	0.001	0.54	<1%			
155.90	158.25	FPORP		Medium- to coarse-grained, red to dark green Feldspar Porphyry Dyke with white to red/pink feldspar phenocrysts set in a fine- to aphanitic, dark green to black, mafic (chlorite altered) groundmass. Feldspar phenocrysts are less < 5mm. Sharp upper/lower contacts are present at 60/50 degrees tca.	R330144	155.90	157.10	1.20	0.0005	0.03	<1%			
					R330145	157.10	158.25	1.15	0.0005	0.07	<1%			
158.25	200.45	MVOL		Fine- to -medium grained, medium- to -dark green-black, weak- to strongly magnetic Mafic Volcanics. Minor, 0.6 to 1.4m, pink to red, aphanitic to locally equigranular Syenite Dykes are present below 189.6m. Narrow, red to pink, Syenite Dykes are present at; 164.10m (5cm at 33/36 tca), 175.23m (9cm at 45/50 tca), 186.9m (10cm at 20 tca), 187.1m (6cm at 15 tca), 188m (6cm at 50 tca), 188.4m (10cm at 20 tca) and 188.85 (17cm at 65 tca). These dykes commonly exhibit two sets of 1-2mm stringers, a pyrite bearing qtz set (55 tca) which is offset by a perpendicular qtz-carb, unmineralized set (55 tca). Some of the Syenite Dykes alternate between aphanitic and equigranular, this may be a result of alteration or the present of late Aplitic Dykes?	R330146	158.25	159.75	1.50	0.004	0.08	<1%			
					R330147	159.75	161.25	1.50	0.003	0.09	<1%			
					R330148	161.25	162.75	1.50	0.001	0.05	<1%			
					R330149	162.75	164.00	1.25	0.002	0.08	<1%			
					R330151	164.00	164.30	0.30	0.002	0.45	<1%			
					R330152	164.30	165.80	1.50	0.007	0.11	<1%			
					R330153	165.80	167.30	1.50	0.002	0.07	<1%			
					R330154	167.30	168.80	1.50	0.002	0.07	<1%			
					R330155	168.80	170.30	1.50	0.001	0.06	<1%			
					R330156	170.30	171.05	0.75	0.002	0.08	<1%			
					R330157	171.05	171.85	0.80	0.002	0.07	<1%			
					R330158	171.85	172.70	0.85	0.087	0.07	<1%			
					R330159	172.70	173.50	0.80	0.424	0.13	<1%			
					R330161	173.50	175.00	1.50	0.008	0.09	<1%			
					R330162	175.00	175.50	0.50	0.001	0.15	<1%			
					R330163	175.50	177.00	1.50	0.001	0.12	<1%			
					R330164	177.00	178.50	1.50	0.002	0.07	<1%			
					R330165	178.50	179.40	0.90	0.001	0.09	<1%			
					R330166	179.40	180.30	0.90	0.002	0.09	<1%			
					R330167	180.30	181.80	1.50	0.032	0.12	<1%			
					R330168	181.80	183.30	1.50	0.003	0.08	<1%			
					R330169	183.30	184.80	1.50	0.001	0.1	<1%			
					R330171	184.80	186.30	1.50	0.001	0.1	<1%			
					R330172	186.30	186.85	0.55	0.002	0.08	<1%			
					R330173	186.85	187.90	1.05	0.103	0.15	<1%			
					R330174	187.90	188.65	0.75	0.023	0.08	1.5%			
					R330175	188.65	189.60	0.95	0.504	0.14	1.5%			
189.60	190.20		SY	Red Syenite Dyke with MS hematite +/- silicification (alteration masks the equigranular texture, results in an aplitic appearance). Contains minor disseminated py and 4 qtz veinlets (with py) at 40 tca.	R330176	189.60	190.20	0.60	0.158	0.12	1.5%			
					R330177	190.20	191.50	1.30	0.171	0.22	1.5%			
					R330178	191.50	192.85	1.35	0.068	0.04	1.5%			
192.85	194.00		SY	Pink Syenite Dyke with W hematite +/- silicification (alteration locally masks the equigranular texture, results in	R330179	192.85	194.00	1.15	4.63	0.1	1.5%			
					R330181	194.00	194.80	0.80	0.024	0.05	1.5%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				an aplitic appearance). Contains minor disseminated py and 9 qtz veinlets. Quartz veinlets (20-40 tca) are locally braided and/or pinch and sell.										
194.80	196.20		SY	Pink Syenite Dyke with WM hematite +/- silicification (alteration commonly masks the equigranular texture, results in an aplitic appearance). Contains up to 0.5% disseminated py and approximately 15% irregular qtz stockwork veining containing minor pyrite.	R330182	194.80	196.25	1.45	3.63	0.41	1.5%			
196.25	197.65		SY	Pink Syenite Dyke with W hematite +/- silicification (alteration locally masks the equigranular texture, results in an aplitic appearance, mainly near the dyke contacts). Contains up to 2% disseminated py (strongest with graphitic fractures) and approximately 25% irregular qtz stockwork veining containing minor pyrite.	R330183	196.25	197.65	1.40	0.06	0.12	1.5%			
					R330184	197.65	198.10	0.45	0.662	0.35	3.0%			
					R330185	198.10	199.05	0.95	0.026	0.04	3.0%			
					R330186	199.05	200.00	0.95	0.219	0.07	3.0%			
					R330187	200.00	200.45	0.45	0.973	0.38	3.0%			
200.45	247.42	SY		Primarily medium grained (with local coarse feldspars), red- to -pink (locally, adjacent to qtz veins) Syenite. This Syenite consists of pink to red (locally white) feldspar crystals with a very fine, dark green (chlorite altered biotite) groundmass (approx 10%). The lower contact with Mafic Volcanics is sharp at 45 degrees tca.	R330188	200.45	201.65	1.20	0.043	0.16	<1%			
					R330189	201.65	202.60	0.95	0.07	0.1	<1%			
					R330191	202.60	204.10	1.50	0.023	0.04	<1%			
					R330192	204.10	205.60	1.50	0.052	0.05	<1%			
					R330193	205.60	207.10	1.50	1.58	0.06	<1%			
					R330194	207.10	208.50	1.40	0.079	0.09	<1%			
					R330195	208.50	209.90	1.40	0.031	0.07	<1%			
					R330196	209.90	210.30	0.40	1.5	0.45	<1%	0.50%		
					R330197	210.30	210.65	0.35	3.04	3.82	2.0%			
					R330198	210.65	211.35	0.70	0.052	0.11	<1%			
					R330199	211.35	211.65	0.30	0.344	0.07	<1%		0.05%	
					R330200	211.65	212.20	0.55	0.004	0.02	<1%			
					R330201	212.20	212.55	0.35	0.671	0.89	<1%			
					R330202	212.55	213.60	1.05	0.038	0.04	<1%		0.05%	
					R330203	213.60	214.70	1.10	0.012	0.03	<1%			
					R330204	214.70	215.00	0.30	0.009	0.05	<1%		0.05%	
					R330205	215.00	216.50	1.50	0.006	0.02	<1%			
					R330206	216.50	217.90	1.40	0.02	0.09	<1%			
					R330207	217.90	219.30	1.40	0.014	0.05	<1%			
					R330208	219.30	219.60	0.30	0.125	0.17	<1%		0.20%	
					R330209	219.60	221.10	1.50	0.028	0.04	<1%			
					R330211	221.10	222.60	1.50	0.215	0.07	<1%			
					R330212	222.60	224.10	1.50	0.014	0.05	<1%			
					R330213	224.10	225.60	1.50	0.006	0.03	<1%			
					R330214	225.60	226.75	1.15	0.001	0.01	<1%			
					R330215	226.75	227.90	1.15	0.013	0.04	<1%			
					R330216	227.90	228.20	0.30	0.056	0.27	<1%		0.10%	
					R330217	228.20	229.70	1.50	0.013	0.06	<1%			
					R330218	229.70	231.20	1.50	0.013	0.03	<1%			
					R330219	231.20	232.70	1.50	0.019	0.05	<1%			
					R330221	232.70	234.20	1.50	0.012	0.06	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330222	234.20	235.70	1.50	0.006	0.03	<1%			
					R330223	235.70	237.20	1.50	0.009	0.04	<1%			
					R330224	237.20	238.70	1.50	0.531	0.16	<1%			
					R330225	238.70	240.20	1.50	0.007	0.02	<1%			
					R330226	240.20	241.25	1.05	0.021	0.05	<1%			
					R330227	241.25	242.75	1.50	0.002	0.02	<1%			
					R330228	242.75	243.65	0.90	0.004	0.02	<1%			
					R330229	243.65	244.55	0.90	0.0005	0.01	<1%			
					R330231	244.55	244.85	0.30	0.096	0.2	<1%	0.20%		
					R330232	244.85	246.15	1.30	0.0005	0.02	<1%			
					R330233	246.15	247.42	1.27	0.0005	0.02	<1%			
247.42	281.85	MVOL		Fine- to -medium grained, medium- to -dark green, weak- to -moderately magnetic Mafic Volcanics. The upper contact with Syenite is sharp at 40 degrees tca. A minor (60cm) Syenite Dyke is present at 249.1m. The last appearance of Syenite is at 249.85m. This western (lower) contact of the Syenite doesn't exhibit the same intensity of quartz veining, mineralization and alteration as the eastern (upper) contact. The lower contact with Syenite is sharp at 70 degrees tca. Narrow, cm-scale Syenite Dykelets begin to appear at 281.45m.	R330234	247.42	248.25	0.83	0.001	0.06	<1%			
					R330235	248.25	249.10	0.85	0.003	0.13	<1%			
249.10	249.70		SY	Pink- to -red, equigranular (approaching Syenite porphyry?) Syenite Dyke with a 2cm finger of heavily pyrite mineralized Mafic Volcanics located at the the center. Weak- to -moderate hematite alteration is present.	R330236	249.10	249.70	0.60	0.096	0.1	<1%			
					R330237	249.70	250.65	0.95	0.007	0.19	<1%			
					R330238	250.65	252.00	1.35	0.001	0.11	<1%			
					R330239	252.00	253.50	1.50	0.001	0.23	<1%			
					R330241	253.50	255.00	1.50	0.002	0.2	<1%			
					R330242	255.00	256.50	1.50	0.002	0.1	<1%			
					R330243	256.50	258.00	1.50	0.0005	0.22	<1%			
					R330244	258.00	259.50	1.50	0.0005	0.15	<1%			
					R330245	259.50	261.00	1.50	0.0005	0.08	<1%			
					R330246	261.00	262.25	1.25	0.001	0.13	<1%			
					R330247	262.25	263.75	1.50	0.001	0.13	<1%			
					R330248	263.75	265.25	1.50	0.0005	0.1	<1%			
					R330249	265.25	266.40	1.15	0.001	0.11	<1%			
					R330251	266.40	267.20	0.80	0.001	0.15	<1%			
					R330252	267.20	267.50	0.30	0.001	0.16	<1%			
					R330253	267.50	268.90	1.40	0.002	0.12	<1%			
					R330254	268.90	270.25	1.35	0.03	0.13	<1%			
					R330255	270.25	270.65	0.40	0.003	0.14	<1%			
					R330256	270.65	272.15	1.50	0.005	0.15	<1%			
					R330257	272.15	272.75	0.60	0.012	0.36	<1%			
					R330258	272.75	274.25	1.50	0.048	0.71	<1%			
					R330259	274.25	275.75	1.50	0.001	0.08	<1%			
					R330261	275.75	277.25	1.50	0.002	0.19	<1%			
					R330262	277.25	278.75	1.50	0.001	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330263	278.75	280.25	1.50	0.004	0.17	<1%			
					R330264	280.25	281.45	1.20	0.002	0.11	<1%			
					R330265	281.45	281.85	0.40	0.01	0.14	<1%			
281.85	292.85	SY		Syenite Dyke Swarm with approximately 75% Syenite Dykes (up to 2.55m) and 25% Mafic Volcanics (up to 1.2m between dykes). The Syenite Dykes are more equigranular (medium- to -locally coarse crystals) but locally appear to border on the porphyritic phase (local finer groundmass with up to 3mm feldspar crystals). Patchy silicification +/- hematite alteration can yield a more aphanitic appearance. Intervals dominated by Mafic Volcanics are separated.	R330266	281.85	283.15	1.30	0.009	0.08	<1%			
					R330267	283.15	284.35	1.20	0.011	0.05	<1%			
284.40	284.75		MVOL	Narrow interval of fine- to -medium grained, grey-green Mafic Volcanics with disseminated pyrite (approx 3-5%).	R330268	284.35	284.75	0.40	0.185	0.2	<1%		0.05%	1 speck
					R330270	284.75	285.65	0.90	0.01	0.07	<1%			
					R330271	285.65	286.05	0.40	0.096	0.34	<1%	0.05%	0.05%	
					R330272	286.05	287.05	1.00	0.058	0.17	<1%			
287.05	288.70		MVOL	Interval of fine- to -medium grained, grey-green Mafic Volcanics with disseminate pyrite (approx 1%) and one 5cm Syenite Dykelet (35 degrees tca)	R330273	287.05	287.90	0.85	0.004	0.09	<1%			
					R330274	287.90	288.70	0.80	0.002	0.06	<1%			
					R330275	288.70	289.50	0.80	0.031	0.09	<1%			
					R330276	289.50	290.30	0.80	0.008	0.06	<1%			
290.30	291.20		MVOL	Interval of fine- to -medium grained, grey-green Mafic Volcanics with disseminate pyrite (approx 2-3%) and two 3cm Syenite Dykelets (35 and 20 degrees tca).	R330277	290.30	290.75	0.45	0.025	0.11	<1%			
					R330278	290.75	291.20	0.45	0.07	0.24	<1%		0.05%	
					R330279	291.20	292.00	0.80	0.034	0.17	<1%			
					R330281	292.00	292.85	0.85	0.023	0.16	<1%			
292.85	351.00	MVOL		Fine- to -medium grained, medium- to -dark green, moderate- to strongly magnetic Mafic Volcanics. A 40cm Feldspar Porphyry Dyke is present at 300.4m (45/60 tca). A 40cm Syenite Dyke (altered equigranular) is present at 307.55m (55/45 tca) and is followed by several, cm-scale to 20cm dykelets to 327.25m. EOH at 351m.	R330282	292.85	294.35	1.50	0.004	0.15	<1%			
					R330283	294.35	295.85	1.50	0.002	0.14	<1%			
					R330284	295.85	297.35	1.50	0.002	0.16	<1%			
					R330285	297.35	298.85	1.50	0.002	0.22	<1%			
					R330286	298.85	299.50	0.65	0.013	0.2	<1%			
					R330287	299.50	300.40	0.90	0.047	0.41	<1%			
300.40	300.80		FPORP	Medium- to coarse-grained, dark green to red Feldspar Porphyry Dyke with white to red/pink feldspar phenocrysts set in a fine- to aphanitic, dark green to black, mafic (chlorite altered) groundmass.	R330288	300.40	300.80	0.40	0.004	0.08	<1%			
					R330289	300.80	301.35	0.55	0.041	0.26	<1%			
					R330291	301.35	302.30	0.95	0.009	0.08	<1%			
					R330292	302.30	303.20	0.90	0.006	0.05	<1%			
					R330293	303.20	304.65	1.45	0.004	0.07	<1%			
					R330294	304.65	306.10	1.45	0.002	0.08	<1%			
					R330295	306.10	307.55	1.45	0.001	0.05	<1%			
307.55	307.95		SY	A 40cm, pink- to -red, equigranular- to aphanitic (dues to silicification) Syenite Dyke with minor disseminated pyrite.	R330296	307.55	307.95	0.40	0.002	0.29	<1%			
					R330297	307.95	308.45	0.50	0.003	0.08	<1%			
					R330298	308.45	309.95	1.50	0.004	0.23	<1%			
					R330299	309.95	311.45	1.50	0.002	0.08	<1%			
					R330300	311.45	312.15	0.70	0.001	0.17	<1%			
					R330301	312.15	313.65	1.50	0.002	0.16	<1%			
					R330302	313.65	315.15	1.50	0.0005	0.11	<1%			
					R330303	315.15	316.65	1.50	0.001	0.09	<1%			
					R330304	316.65	317.05	0.40	0.0005	0.05	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330305	317.05	318.25	1.20	0.003	0.09	<1%			
					R330306	318.25	319.50	1.25	0.002	0.05	<1%			
					R330307	319.50	319.80	0.30	0.001	0.03	<1%			
					R330308	319.80	321.30	1.50	0.002	0.05	<1%			
					R330309	321.30	322.80	1.50	0.099	0.43	<1%			
					R330311	322.80	324.30	1.50	0.002	0.03	<1%			
					R330312	324.30	325.80	1.50	0.001	0.06	<1%			
					R330313	325.80	327.30	1.50	0.003	0.06	<1%			
					R330314	327.30	328.40	1.10	0.008	0.19	<1%			
					R330315	328.40	329.90	1.50	0.007	0.09	<1%			
					R330316	329.90	330.80	0.90	0.004	0.06	<1%			
					R330317	330.80	331.20	0.40	0.003	0.06	<1%			
					R330318	331.20	332.70	1.50	0.004	0.05	<1%			
					R330319	332.70	334.20	1.50	0.002	0.05	<1%			
					R330321	334.20	335.70	1.50	0.002	0.08	<1%			
					R330322	335.70	336.95	1.25	0.003	0.05	<1%			
					R330323	336.95	338.25	1.30	0.003	0.08	<1%			
					R330324	338.25	339.75	1.50	0.003	0.07	<1%			
					R330325	339.75	341.25	1.50	0.001	0.1	<1%			
					R330326	341.25	342.75	1.50	0.001	0.08	<1%			
					R330327	342.75	344.25	1.50	0.002	0.16	<1%			
					R330328	344.25	345.75	1.50	0.001	0.14	<1%			
					R330329	345.75	347.25	1.50	0.003	0.15	<1%			
					R330331	347.25	348.75	1.50	0.007	0.1	<1%			
					R330332	348.75	350.00	1.25	0.007	0.09	<1%			
					R330333	350.00	351.00	1.00	0.005	0.12	<1%			

MG15-17 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582613	5318110	325	MG15-17	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	7/18/15	7/20/15	Forthright Drilling Services Inc.		NQ	204
Project Name	Area	Township	Claim No			
Miller	Allied	Pacaud	4267276			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
0	-45	65	201	-44.9	97.8*	This hole was completed in three days. The final closure and collar location were completed. A picket with aluminum tag was placed at the collar location.
15	-45	66.9				
51	-44.6	64.1				
102	-44.6	69.9				
150	-45.1	68.8				* Strongly magnetic rock, Az not accurate

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	1.70	OB		Overburden.
1.70	31.30	MVOL		Fine- to -medium grained, medium- to -dark green Mafic Volcanics. Minor, < 5cm Syenite Dykelets (equigranular to porphyritic) begin to appear at 29.10m.
31.30	110.45	SY		Medium- to -coarse grained, pink- to -red, equigranular (locally bordering on porphyritic Syenite) Syenite with pink to red feldspar crystals set in a chlorite rich groundmass (biotite altered to chlorite).

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R330334	1.70	3.20	1.50	0.002	0.15	<1%			
R330335	3.20	4.70	1.50	0.002	0.21	<1%			
R330336	4.70	6.20	1.50	0.002	0.13	<1%			
R330337	6.20	7.70	1.50	0.003	0.16	<1%			
R330338	7.70	9.20	1.50	0.003	0.18	<1%			
R330339	9.20	10.55	1.35	0.002	0.07	<1%			
R330341	10.55	11.80	1.25	0.002	0.09	<1%			
R330342	11.80	13.20	1.40	0.006	0.09	<1%			
R330343	13.20	13.50	0.30	0.012	0.36	<1%	0.05%		
R330344	13.50	15.00	1.50	0.007	0.06	<1%			
R330345	15.00	16.50	1.50	0.003	0.05	<1%			
R330346	16.50	18.00	1.50	0.003	0.06	<1%			
R330347	18.00	19.50	1.50	0.003	0.06	<1%			
R330348	19.50	21.00	1.50	0.003	0.06	<1%			
R330349	21.00	22.15	1.15	0.003	0.06	<1%			
R330351	22.15	23.10	0.95	0.004	0.2	<1%			
R330352	23.10	23.65	0.55	0.007	2.69	<1%			
R330353	23.65	25.15	1.50	0.003	0.09	<1%			
R330354	25.15	26.65	1.50	0.004	0.07	<1%			
R330355	26.65	28.10	1.45	0.003	0.09	<1%			
R330356	28.10	29.10	1.00	0.003	0.04	<1%			
R330357	29.10	30.20	1.10	0.124	0.18	<1%			
R330358	30.20	31.30	1.10	0.013	0.07	<1%			
R330359	31.30	31.65	0.35	0.392	0.67	3.0%			
R330361	31.65	32.70	1.05	0.031	0.17	<1%			
R330362	32.70	33.00	0.30	0.02	0.06	<1%			
R330363	33.00	34.50	1.50	0.094	0.16	<1%			
R330364	34.50	36.00	1.50	0.04	0.15	<1%			
R330365	36.00	37.50	1.50	0.546	0.34	<1%			
R330366	37.50	39.00	1.50	0.042	0.15	<1%			
R330367	39.00	40.30	1.30	0.095	0.19	<1%			
R330368	40.30	40.85	0.55	0.362	0.1	<1%			
R330369	40.85	41.15	0.30	0.08	0.11	<1%		0.05%	1 speck
R330371	41.15	42.65	1.50	0.584	0.23	<1%			
R330372	42.65	44.15	1.50	0.085	0.05	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330373	44.15	45.65	1.50	0.886	0.07	<1%			
					R330374	45.65	47.15	1.50	0.051	0.08	<1%			
					R330375	47.15	48.40	1.25	0.131	0.05	<1%			
					R330376	48.40	48.80	0.40	0.24	0.09	<1%			
					R330377	48.80	50.30	1.50	0.257	0.09	<1%			
					R330378	50.30	51.80	1.50	0.04	0.18	<1%			
					R330379	51.80	53.30	1.50	0.055	0.05	<1%			
					R330381	53.30	54.80	1.50	0.022	0.06	<1%			
					R330382	54.80	55.70	0.90	0.023	0.02	<1%			
					R330383	55.70	56.60	0.90	0.288	0.04	<1%			
					R330384	56.60	58.10	1.50	0.055	0.04	<1%			
					R330385	58.10	59.60	1.50	0.011	0.02	<1%			
					R330386	59.60	61.10	1.50	0.041	0.03	<1%			
					R330387	61.10	62.60	1.50	0.338	0.03	<1%			
					R330388	62.60	64.10	1.50	0.023	0.03	<1%			
					R330389	64.10	65.60	1.50	0.126	0.03	<1%			
					R330391	65.60	66.55	0.95	0.088	0.06	<1%			
					R330392	66.55	67.70	1.15	0.072	0.03	<1%			
					R330393	67.70	68.90	1.20	0.033	0.02	<1%			
					R330394	68.90	70.10	1.20	0.089	0.04	<1%			
					R330395	70.10	71.60	1.50	0.006	0.01	<1%			
					R330396	71.60	73.10	1.50	0.02	0.01	<1%			
					R330397	73.10	74.05	0.95	0.022	0.01	<1%			
					R330398	74.05	75.00	0.95	0.151	0.04	<1%			
					R330399	75.00	75.85	0.85	0.022	0.03	<1%			
					R330400	75.85	76.70	0.85	0.009	0.01	<1%			
					R330401	76.70	78.20	1.50	0.037	0.01	<1%			
					R330402	78.20	79.55	1.35	0.082	0.01	<1%			
					R330403	79.55	80.95	1.40	0.013	0.02	<1%			
					R330404	80.95	82.45	1.50	0.043	0.03	<1%			
					R330405	82.45	83.95	1.50	0.037	0.04	<1%			
					R330406	83.95	84.50	0.55	0.523	0.09	<1%			
					R330407	84.50	86.00	1.50	0.044	0.04	<1%			
					R330408	86.00	87.50	1.50	0.426	0.05	<1%			
					R330409	87.50	89.00	1.50	0.11	0.03	<1%			
					R330411	89.00	90.50	1.50	0.016	0.02	<1%			
					R330412	90.50	91.65	1.15	0.164	0.06	<1%			
					R330413	91.65	92.80	1.15	0.18	0.1	<1%			
					R330414	92.80	93.40	0.60	0.007	0.04	<1%			
					R330415	93.40	94.50	1.10	0.077	0.08	<1%			
					R330416	94.50	95.60	1.10	1.445	0.45	<1%			
					R330417	95.60	96.90	1.30	0.103	0.11	<1%			
					R330418	96.90	98.25	1.35	0.029	0.08	<1%			
					R330419	98.25	99.75	1.50	0.033	0.05	<1%			
					R330421	99.75	101.25	1.50	0.073	0.13	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330422	101.25	102.20	0.95	0.026	0.05	<1%			
					R330423	102.20	103.30	1.10	0.089	0.08	<1%			
					R330424	103.30	104.35	1.05	0.099	0.1	<1%			
					R330425	104.35	105.85	1.50	0.025	0.02	<1%			
					R330426	105.85	107.35	1.50	0.04	0.02	<1%			
					R330427	107.35	108.85	1.50	0.04	0.05	<1%			
					R330428	108.85	109.65	0.80	0.021	0.1	<1%			
					R330429	109.65	110.45	0.80	0.013	0.1	<1%			
110.45	113.30	MVOL		Fine- to -medium grained, medium green Mafic Volcanics. Rare narrow, < 5cm Aplitic and/or Feldspar Porphyry Dykes.	R330431	110.45	111.90	1.45	0.039	0.03	<1%			
					R330432	111.90	113.30	1.40	0.11	0.06	<1%			
113.30	115.65	FPORP		Medium- to -coarse grained, red to green (heavily altered) Feldspar Porphyry Dyke.	R330433	113.30	113.90	0.60	0.117	0.53	<1%			
					R330434	113.90	115.30	1.40	0.217	0.33	<1%			
					R330435	115.30	115.65	0.35	0.129	0.31	<1%			
115.65	204.00	MVOL		Fine- to -medium grained, medium- to -dark green/black Mafic Volcanics. EOH at 204m.	R330436	115.65	117.15	1.50	0.014	0.08	1.0%			
					R330437	117.15	118.65	1.50	0.008	0.08	1.0%			
					R330438	118.65	120.15	1.50	0.009	0.09	1.0%			
					R330439	120.15	121.65	1.50	0.005	0.06	1.0%			
					R330441	121.65	122.60	0.95	0.006	0.07	1.0%			
					R330442	122.60	123.55	0.95	0.008	0.07	1.0%			
					R330443	123.55	124.85	1.30	0.17	0.15	1.0%			
					R330444	124.85	126.35	1.50	0.005	0.08	1.0%			
					R330445	126.35	127.85	1.50	0.001	0.05	1.0%			
					R330446	127.85	129.35	1.50	0.017	0.05	1.0%			
					R330447	129.35	130.85	1.50	0.002	0.06	1.0%			
					R330448	130.85	132.35	1.50	0.001	0.06	1.0%			
					R330449	132.35	133.35	1.00	0.002	0.1	1.0%			
					R330451	133.35	134.30	0.95	0.002	0.06	1.0%			
					R330452	134.30	135.45	1.15	0.001	0.06	1.0%			
					R330453	135.45	136.95	1.50	0.053	0.17	1.0%			
					R330454	136.95	138.00	1.05	0.004	0.13	1.0%			
					R330455	138.00	138.30	0.30	0.004	0.06	1.0%			
					R330456	138.30	139.80	1.50	0.001	0.09	1.0%			
					R330457	139.80	140.80	1.00	0.003	0.15	1.0%			
					R330458	140.80	141.85	1.05	0.003	0.08	1.0%			
					R330459	141.85	142.50	0.65	0.255	0.15	1.0%			
					R330461	142.50	143.10	0.60	0.083	0.21	<1%			
					R330462	143.10	144.25	1.15	0.013	0.26	<1%			
					R330463	144.25	145.75	1.50	0.002	0.06	<1%			
					R330464	145.75	147.00	1.25	0.001	0.08	<1%			
					R330465	147.00	148.50	1.50	0.001	0.1	1.0%			
					R330466	148.50	150.00	1.50	0.001	0.11	1.0%			
					R330467	150.00	150.75	0.75	0.001	0.2	1.0%			
					R330468	150.75	152.00	1.25	0.001	0.04	1.0%			
					R330469	152.00	153.00	1.00	0.001	0.04	1.0%			
					R330471	153.00	154.50	1.50	0.001	0.06	1.0%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330472	154.50	156.00	1.50	0.002	0.03	1.0%			
					R330473	156.00	157.50	1.50	0.002	0.06	1.0%			
					R330474	157.50	159.00	1.50	0.002	0.05	1.0%			
					R330475	159.00	160.50	1.50	0.003	0.17	1.0%			
					R330476	160.50	162.00	1.50	0.002	0.04	1.0%			
					R330477	162.00	163.50	1.50	0.003	0.06	1.0%			
					R330478	163.50	165.00	1.50	0.001	0.05	1.0%			
					R330479	165.00	166.10	1.10	0.003	0.08	1.0%			
					R330481	166.10	167.60	1.50	0.005	0.08	1.0%			
					R330482	167.60	169.10	1.50	0.004	0.06	1.0%			
					R330483	169.10	170.20	1.10	0.002	0.06	1.0%			
					R330484	170.20	171.40	1.20	0.002	0.08	1.0%			
					R330485	171.40	172.25	0.85	0.002	0.06	1.0%			
					R330486	172.25	173.00	0.75	0.004	0.03	<1%			
					R330487	173.00	174.50	1.50	0.002	0.02	<1%			
					R330488	174.50	176.00	1.50	0.007	1.16	<1%			
					R330489	176.00	177.50	1.50	0.002	0.1	<1%			
					R330491	177.50	179.00	1.50	0.002	0.06	<1%			
					R330492	179.00	180.50	1.50	0.002	0.01	<1%			
					R330493	180.50	182.00	1.50	0.001	0.01	<1%			
					R330494	182.00	183.00	1.00	0.003	0.01	<1%			
					R330495	183.00	184.00	1.00	0.002	0.03	<1%			
					R330496	184.00	185.50	1.50	0.004	0.09	<1%			
					R330497	185.50	187.00	1.50	0.005	0.08	<1%			
					R330498	187.00	188.50	1.50	0.004	0.08	<1%			
					R330499	188.50	190.00	1.50	0.004	0.06	<1%			
					R330500	190.00	191.00	1.00	0.007	0.09	<1%			
					R330501	191.00	192.00	1.00	0.008	0.04	<1%			
					R330502	192.00	192.50	0.50	0.042	0.25	<1%			
					R330503	192.50	193.75	1.25	0.003	0.08	<1%			
					R330504	193.75	195.00	1.25	0.005	0.09	<1%			
					R330505	195.00	196.25	1.25	0.003	0.15	<1%			
					R330506	196.25	197.75	1.50	0.003	0.17	3.0%			
					R330507	197.75	199.25	1.50	0.002	0.22	3.0%			
					R330508	199.25	200.75	1.50	0.003	0.19	3.0%			
					R330509	200.75	202.00	1.25	0.003	0.31	3.0%			
					R330511	202.00	203.00	1.00	0.003	0.27	3.0%			
					R330512	203.00	204.00	1.00	0.003	0.18	3.0%			

MG15-18 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582655	5317889	308	MG15-18	Left in Hole
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	7/21/15	7/29/15	Forthright Drilling Services Inc.		NQ	399
Project Name	Area	Township	Claim No.			
Miller	Allied	Pacaud	4267276			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-53.3	60.1	252	-52.1	71.2	This hole was extended from 200m to
51	-53.1	63.6	300	-51.6	73.1	399m. It never exited Syenite, casing was
102	-53.2	67.9	351	-51.8	72.3	left in the ground in case we decide to
150	-52.6	70.2	399	-52.1	74.2	come back and extend it further.
201	-52.4	69.9				

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	2.00	OB		Overburden
2.00	32.15	MVOL		Fine- to -medium grained, medium- to -dark green, massive Mafic Volcanics. The lower contact with FPORP is sharp at 35 degrees tca. The first appearance of FPORP is at 30.22m.
31.15	31.52		FPORP	Minor Feldspar Porphyry Dyke with coarse (up to 4mm), white to red feldspar phenocrysts with a very fine, dark green, chlorite altered groundmass (approximately 10%). Contains approximately 0.5% disseminated py (strongest near the outer margins) and moderate (patchy) silicification. The lower contact with MVOL is sharp but irregular.
32.15	44.50	FPORP		Dark grey- to -red Feldspar Porphyry with white- to -pink, medium- to -coarse feldspar phenocrysts (up to 4mm) set in a dark grey, very fine- to aphanitic groundmass (feldspar? +/- quartz?). The lower contact with MVOL is sharp but irregular.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R330513	2.00	3.00	1.00	0.011	0.07	<1%			
R330514	3.00	4.50	1.50	0.001	0.1	<1%			
R330515	4.50	6.00	1.50	0.0005	0.12	<1%			
R330516	6.00	7.50	1.50	0.003	0.08	<1%			
R330517	7.50	9.00	1.50	0.002	0.13	<1%			
R330518	9.00	10.50	1.50	0.002	0.08	<1%			
R330519	10.50	12.00	1.50	0.002	0.09	<1%			
R330521	12.00	13.10	1.10	0.003	0.08	<1%			
R330522	13.10	14.25	1.15	0.003	0.09	<1%			
R330523	14.25	15.40	1.15	0.003	0.14	<1%			
R330524	15.40	16.60	1.20	0.005	0.08	<1%			
R330525	16.60	17.50	0.90	0.002	0.06	1.5%			
R330526	17.50	18.40	0.90	0.003	0.07	1.5%			
R330527	18.40	19.60	1.20	0.002	0.08	1.5%			
R330528	19.60	20.75	1.15	0.008	0.07	1.5%			
R330529	20.75	21.85	1.10	0.004	0.1	1.5%			
R330531	21.85	22.15	0.30	0.017	0.56	1.5%			
R330532	22.15	23.65	1.50	0.004	0.13	1.5%			
R330533	23.65	25.00	1.35	0.002	0.08	1.5%			
R330534	25.00	26.30	1.30	0.099	0.1	1.5%			
R330535	26.30	27.80	1.50	0.004	0.07	<1%			
R330536	27.80	29.30	1.50	0.074	0.21	<1%			
R330537	29.30	30.20	0.90	0.107	0.1	<1%			
R330538	30.20	31.15	0.95	0.004	0.05	<1%			
R330539	31.15	31.52	0.37	0.012	0.09	<1%			
R330541	31.52	32.15	0.63	0.01	0.03	<1%			
R330542	32.15	33.65	1.50	0.03	0.18	<1%			
R330543	33.65	35.15	1.50	0.013	0.14	<1%			
R330544	35.15	36.65	1.50	0.006	0.11	<1%			
R330545	36.65	38.15	1.50	0.007	0.03	<1%			
R330546	38.15	39.65	1.50	0.013	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330547	39.65	40.80	1.15	0.016	0.04	<1%			
					R330548	40.80	42.00	1.20	0.011	0.03	<1%			
					R330549	42.00	43.15	1.15	0.061	0.31	1.5%			
					R330551	43.15	44.50	1.35	0.161	0.19	1.5%			
44.50	48.65	MVOL		Fine- to -medium grained, medium- to -dark grey, strongly magnetic Mafic Volcanics with approximately 20% irregular FPORP injections. The lower, brecciated (healed) contact with FPORP occurs at 30 degrees tca.	R330552	44.50	44.80	0.30	0.16	0.3	5.0%			
					R330553	44.80	45.80	1.00	0.014	0.03	1.0%			
					R330554	45.80	46.75	0.95	0.003	0.04	1.0%			
					R330555	46.75	47.70	0.95	0.003	0.03	1.0%			
					R330556	47.70	48.65	0.95	0.007	0.03	1.0%			
48.65	70.45	FPORP		Dark grey- to -red Feldspar Porphyry with white- to -pink, medium- to -coarse feldspar phenocrysts (up to 6mm) set in a dark grey, very fine- to aphanitic groundmass (feldspar? +/- quartz?). Minor MVOL is present from is present from 63.4 to 64.2m. A minor (17cm) Mafic Dyke (35/55 tca, chill margins, possible Diabase?) is present at 66.95m. The LC with MVOL (w/ FPORP injections) is sharp but irregular.	R330557	48.65	49.75	1.10	0.021	0.05	1.5%			
					R330558	49.75	50.85	1.10	0.014	0.02	1.5%			
					R330559	50.85	52.00	1.15	0.061	0.02	1.5%			
					R330561	52.00	53.00	1.00	0.106	0.04	1.5%			
					R330562	53.00	54.00	1.00	0.108	0.05	1.5%			
					R330563	54.00	55.00	1.00	0.036	0.03	1.5%			
					R330564	55.00	56.00	1.00	0.022	0.04	1.5%			
					R330565	56.00	57.00	1.00	0.116	0.06	1.5%			
					R330566	57.00	58.00	1.00	0.32	0.06	1.5%			
					R330567	58.00	59.00	1.00	0.027	0.06	1.5%			
					R330568	59.00	60.00	1.00	0.122	0.11	1.5%			
					R330569	60.00	61.00	1.00	0.043	0.06	1.5%			
					R330571	61.00	62.00	1.00	0.041	0.14	1.5%			
					R330572	62.00	62.40	0.40	0.02	0.07	1.5%			
					R330573	62.40	63.40	1.00	0.003	0.05	1.5%			
63.40	64.20		MVOL	Minor intersection of fine-grained, dark grey- to -black Mafic Volcanics with sharp but irregular upper/lower contacts.	R330574	63.40	64.20	0.80	0.007	0.19	1.5%			
					R330575	64.20	65.65	1.45	0.004	0.04	<1%			
					R330576	65.65	66.90	1.25	0.012	0.06	<1%			
					R330577	66.90	67.20	0.30	0.009	0.08	<1%			
					R330578	67.20	68.10	0.90	0.004	0.05	<1%			
					R330579	68.10	69.00	0.90	0.004	0.15	<1%			
					R330581	69.00	70.45	1.45	0.002	0.03	<1%			
70.45	80.45	MVOL		Fine grained, medium- to -dark grey-green Mafic Volcanics with two (approx 1m) FPORP Dykes, local (irregular) FPORP injections and at least two (1-2cm) APL Dykelets (approx 25 tca). The lower contact with FPORP is sharp but irregular.	R330582	70.45	71.95	1.50	0.011	0.06	1%			
71.95	72.90		FPORP	Minor Feldspar Porphyry Dyke (sharp, irregular upper/lower contacts). The FPORP contains medium- to -coarse feldspar phenocrysts (somewhat crowded) set in a very fine- to -aphanitic, dark grey groundmass and MS hematite and/or potassic alteration. This may represent the previously classified S2 (porphyritic syenite?).	R330583	71.95	72.90	0.95	0.002	0.03	1%			
					R330584	72.90	74.05	1.15	0.003	0.11	1%			
					R330585	74.05	75.20	1.15	0.002	0.08	1%			
					R330586	75.20	76.35	1.15	0.003	0.09	1%			
					R330587	76.35	77.50	1.15	0.003	0.08	1%			
77.50	78.50		FPORP	Minor Feldspar Porphyry Dyke (sharp, irregular upper/lower contacts). The FPORP contains medium- to -coarse feldspar phenocrysts (more spaced) set in a very fine- to -aphanitic,	R330588	77.50	78.50	1.00	0.001	0.02	1%			
					R330589	78.50	79.45	0.95	0.002	0.07	1%			
					R330591	79.45	80.45	1.00	0.139	0.1	1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				dark grey groundmass and S hematite and/or potassic alteration. This seems to more closely resemble the previously classified FPORP.										
80.45	86.30	FPORP		Feldspar Porphyry Dyke (sharp, irregular upper/lower contacts). The FPORP contains medium- to -coarse feldspar phenocrysts (up to 8mm) set in a very fine- to -aphanitic, dark grey groundmass.	R330592	80.45	81.95	1.50	0.007	0.03	<1%			
					R330593	81.95	83.40	1.45	0.015	0.04	<1%			
					R330594	83.40	84.85	1.45	0.008	0.08	<1%			
					R330595	84.85	86.30	1.45	0.015	0.05	<1%			
86.30	91.90	DIA		Medium grained, black, strongly magnetic, late Diabase Dyke. The Dyke exhibits a gradual aphanitic texture (chill margin) towards the upper and lower contacts. The lower contact with MVOL is sharp at 47 degrees tca.	R330596	86.30	87.70	1.40	0.002	0.04	<1%			
					R330597	87.70	89.10	1.40	0.002	0.05	<1%			
					R330598	89.10	90.50	1.40	0.002	0.04	<1%			
					R330599	90.50	91.90	1.40	0.002	0.05	<1%			
91.90	132.65	MVOL		Fine grained, medium- to -dark grey-green, moderate- to -strongly magnetic Mafic Volcanics. From 121.2 to 132.65m; approximately 10-15% red, aphanitic Aplitic Dykes (approx 5-35 tca) and approx <5% irregular, dark grey to red Feldspar injections. An approx 40cm quartz vein (30/35 tca) centered within intense carb-ser alteration zone (102.5 to 103.55m) with approx 20% fine grained diss py. The LC with an APL Dyke is sharp but irregular.	R330600	91.90	93.00	1.10	0.001	0.18	<1%			
					R330601	93.00	94.05	1.05	0.001	0.07	<1%			
					R330602	94.05	95.20	1.15	0.001	0.06	<1%			
					R330603	95.20	95.80	0.60	0.507	0.22	2.0%			
					R330604	95.80	96.65	0.85	0.009	0.13	2.0%			
					R330605	96.65	97.65	1.00	0.011	0.07	2.0%			
					R330606	97.65	99.15	1.50	0.698	0.13	2.0%			
					R330607	99.15	100.65	1.50	0.382	0.26	2.0%			
					R330608	100.65	101.60	0.95	0.001	0.47	2.0%			
					R330609	101.60	102.50	0.90	0.029	0.02	2.0%			
					R330611	102.50	102.80	0.30	9.2	0.01	20.0%			
102.79	103.20		QV	A white quartz vein (30/35 tca) with minor chlorite septa with fine grained pyrite. This QV is centered within a narrow zone (102.5 to 103.55m) of intense ser-carb alteration with approx 20% fine grained pyrite.	R330612	102.80	103.20	0.40	5.36	3.57	20.0%			
					R330613	103.20	103.55	0.35	7.24	1.47	20.0%			
					R330614	103.55	104.40	0.85	0.879	0.13	2.5%			
					R330615	104.40	105.20	0.80	0.115	0.13	2.5%			
					R330616	105.20	106.70	1.50	0.015	0.08	2.5%			
					R330617	106.70	108.20	1.50	0.002	0.09	2.5%			
					R330618	108.20	109.70	1.50	0.002	0.09	2.5%			
					R330619	109.70	111.20	1.50	0.002	0.11	2.5%			
					R330621	111.20	112.35	1.15	0.003	0.11	2.5%			
					R330622	112.35	113.50	1.15	0.002	0.11	2.5%			
					R330623	113.50	114.45	0.95	0.004	0.07	2.5%			
					R330624	114.45	115.40	0.95	0.002	0.14	2.5%			
					R330625	115.40	116.90	1.50	0.002	0.09	<1%			
					R330626	116.90	118.30	1.40	0.002	0.07	<1%			
					R330627	118.30	119.70	1.40	0.002	0.07	<1%			
					R330628	119.70	120.45	0.75	0.002	0.07	<1%			
					R330629	120.45	121.20	0.75	0.004	0.23	<1%			
					R330631	121.20	121.70	0.50	0.008	0.39	<1%			
					R330632	121.70	123.20	1.50	0.004	0.14	<1%			
					R330633	123.20	124.70	1.50	0.036	0.24	<1%			
					R330634	124.70	126.20	1.50	0.004	0.1	<1%			
					R330635	126.20	127.70	1.50	0.024	0.25	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330636	127.70	128.70	1.00	0.03	0.15	<1%			
					R330637	128.70	129.75	1.05	0.008	0.08	<1%			
129.75	130.55		APL	A red, aphanitic Aplitic Dyke with sharp upper/lower contacts at 25/15 tca. This APL Dyke contains fragments of MVOL with strong pyrite mineralization.	R330638	129.75	130.55	0.80	0.01	0.38	<1%			
					R330639	130.55	131.60	1.05	0.003	0.08	<1%			
					R330641	131.60	132.65	1.05	0.031	0.19	<1%			
132.65	135.75	APL		Aphanitic, deep red Aplitic Dyke with sharp but irregular upper/lower contacts. Some very localized patches appear to exhibit a crystalline texture over printed by alteration.	R330642	132.65	133.65	1.00	0.005	0.14	<1%			
					R330643	133.65	134.70	1.05	0.005	0.16	<1%			
					R330644	134.70	135.75	1.05	0.01	0.21	<1%			
135.75	169.00	MVOL		Fine grained, medium- to -dark green-grey, massive Mafic Volcanics. Minor, red, aphanitic APL Dykes are present to 136.65m. A red, aphanitic APL Dyke with diss py and minor qtz crystals is present from 146.45 to 147.29m (60/60 tca). Irregular FPORP injections begin at 167.4m and increase towards LC with Syenite (30 tca).	R330645	135.75	136.65	0.90	0.005	0.13	<1%			
					R330646	136.65	138.15	1.50	0.002	0.09	<1%			
					R330647	138.15	139.65	1.50	0.001	0.05	<1%			
					R330648	139.65	140.85	1.20	0.001	0.08	<1%			
					R330649	140.85	142.05	1.20	0.003	0.12	<1%			
					R330651	142.05	143.00	0.95	0.005	0.05	<1%			
					R330652	143.00	143.90	0.90	0.003	0.05	<1%			
					R330653	143.90	145.15	1.25	0.001	0.12	<1%			
					R330654	145.15	146.45	1.30	0.001	0.1	<1%			
146.45	147.29		APL	A red, aphanitic Aplitic Dyke with sharp upper/lower contacts at 60/60 tca.	R330655	146.45	147.29	0.84	0.0005	0.28	<1%			
					R330656	147.29	148.20	0.91	0.002	0.13	<1%			
					R330657	148.20	149.10	0.90	0.001	0.09	<1%			
					R330658	149.10	150.60	1.50	0.001	0.12	<1%			
					R330659	150.60	152.10	1.50	0.001	0.08	<1%			
					R330661	152.10	153.60	1.50	0.001	0.11	<1%			
					R330662	153.60	155.10	1.50	0.001	0.24	<1%			
					R330663	155.10	156.60	1.50	0.001	0.12	<1%			
					R330664	156.60	158.10	1.50	0.002	0.92	<1%			
					R330665	158.10	159.00	0.90	0.001	0.16	<1%			
					R330666	159.00	160.00	1.00	0.003	0.24	<1%			
					R330667	160.00	160.85	0.85	0.002	0.26	<1%			
					R330668	160.85	161.70	0.85	0.005	0.16	<1%			
					R330669	161.70	163.20	1.50	0.001	0.13	<1%			
					R330671	163.20	164.70	1.50	0.001	0.1	<1%			
					R330672	164.70	166.05	1.35	0.002	0.09	<1%			
					R330673	166.05	167.40	1.35	0.001	0.13	<1%			
					R330674	167.40	168.50	1.10	0.063	0.26	<1%			
168.50	169.00		FPORP	Minor Feldspar Porphyry Dyke with medium- to -coarse, pink- to -red feldspar phenocrysts set in a very fine grained, dark grey groundmass (feldspar rich?). This FPORP Dyke is present at the contact with Syenite.	R330675	168.50	169.00	0.50	0.008	0.15	<1%			
169.00	254.90	SY		Medium- to -coarse grained (equigranular), pink- to -red Syenite. The groundmass (approx 10-15%) consists of chlorite altered biotite. Red- to -pink, aphanitic (with local qtz crystals) Aplitic Dykes are present (locally) from 196.75 to 209.3m. Most APL Dykes are cm-scale with larger ones occurring at 200.7m (30cm) and 203.05m (75cm). The LC with	R330676	169.00	170.50	1.50	0.02	0.11	<1%			
					R330677	170.50	172.00	1.50	0.238	0.04	<1%			
					R330678	172.00	173.50	1.50	0.12	0.05	<1%			
					R330679	173.50	175.00	1.50	0.017	0.03	<1%			
					R330681	175.00	176.50	1.50	0.018	0.03	<1%			
					R330682	176.50	178.00	1.50	0.042	0.04	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				an 80cm QV is sharp at 30 tca.	R330683	178.00	179.15	1.15	0.003	0.02	<1%			
					R330684	179.15	180.30	1.15	0.033	0.05	<1%			
					R330685	180.30	181.65	1.35	0.158	0.06	<1%			
					R330686	181.65	183.00	1.35	0.014	0.02	<1%			
					R330687	183.00	183.30	0.30	1.66	0.57	<1%			1 speck
					R330689	183.30	184.55	1.25	0.034	0.06	<1%			
					R330691	184.55	184.95	0.40	0.409	0.1	<1%			
					R330692	184.95	186.00	1.05	0.03	0.03	<1%			
					R330693	186.00	187.00	1.00	0.007	0.04	<1%			
					R330694	187.00	188.00	1.00	0.024	0.03	<1%			
					R330695	188.00	189.00	1.00	0.015	0.03	<1%			
					R330696	189.00	190.00	1.00	0.003	0.02	<1%			
					R330697	190.00	191.00	1.00	0.001	0.02	<1%			
					R330698	191.00	192.00	1.00	0.003	0.02	<1%			
					R330699	192.00	193.00	1.00	0.0005	0.02	<1%			
					R330700	193.00	194.00	1.00	0.004	0.03	<1%			
					R330701	194.00	195.00	1.00	0.003	0.02	<1%			
					R330702	195.00	196.00	1.00	0.004	0.01	<1%			
					R330703	196.00	196.75	0.75	0.013	0.02	<1%			
					R330704	196.75	197.60	0.85	0.009	0.01	<1%			
					R330705	197.60	197.90	0.30	0.512	0.14	<1%			
					R330706	197.90	198.90	1.00	0.005	0.03	<1%			
					R330707	198.90	200.20	1.30	0.021	0.01	<1%			
					R330708	200.20	200.70	0.50	0.027	0.05	<1%			
200.70	201.00		APL	Minor, pink, aphanitic APL Dyke with; 0.2% diss py, minor qtz fragments/crystals, chl filled fractures and qtz veinlets.	R330709	200.70	201.05	0.35	0.103	0.08	<1%			
					R330711	201.05	201.55	0.50	1.295	0.9	<1%	0.25%		
					R330712	201.55	203.05	1.50	0.024	0.02	<1%			
203.05	203.80		APL	Minor, pink- to -red, aphanitic APL Dyke with; 0.5% diss py, minor qtz crystals, minor chl filled fractures and no qtz veinlets. The UC/LC are sharp but irregular.	R330713	203.05	203.80	0.75	0.023	0.08	<1%			
					R330714	203.80	204.80	1.00	0.019	0.1	<1%			
					R330715	204.80	205.80	1.00	0.079	0.03	<1%			
					R330716	205.80	206.80	1.00	0.024	0.05	<1%			
					R330717	206.80	207.80	1.00	0.402	0.03	<1%	0.05%		
					R330718	207.80	208.80	1.00	0.121	0.09	<1%			
					R330719	208.80	209.30	0.50	0.066	0.07	<1%			
					R330721	209.30	209.90	0.60	0.048	0.09	<1%			
					R330722	209.90	210.90	1.00	0.023	0.05	<1%			
					R330723	210.90	211.70	0.80	0.128	0.08	<1%			
					R330724	211.70	212.55	0.85	0.106	0.04	<1%			
					R330725	212.55	213.30	0.75	0.254	0.13	<1%			
					R330726	213.30	213.80	0.50	0.015	0.03	<1%			
					R330727	213.80	214.10	0.30	0.264	0.12	<1%	0.05%	0.05%	
					R330728	214.10	215.10	1.00	1.215	0.08	<1%			
					R330729	215.10	216.10	1.00	1.37	0.07	<1%			
					R330731	216.10	217.10	1.00	0.021	0.07	<1%			
					R330732	217.10	218.30	1.20	0.194	0.11	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330733	218.30	219.30	1.00	0.133	0.11	<1%			
					R330734	219.30	220.30	1.00	0.328	0.07	<1%			
					R330735	220.30	221.15	0.85	0.033	0.04	<1%			
					R330736	221.15	222.00	0.85	0.189	0.04	<1%			
					R330737	222.00	222.95	0.95	0.006	0.01	<1%			
					R330738	222.95	223.85	0.90	0.008	0.02	<1%			
					R330739	223.85	225.00	1.15	0.003	0.02	<1%			
					R330741	225.00	226.15	1.15	0.002	0.02	<1%			
					R330742	226.15	227.25	1.10	0.008	0.02	<1%			
					R330743	227.25	228.45	1.20	0.015	0.03	<1%			
					R330744	228.45	229.65	1.20	0.016	0.03	<1%			
					R330745	229.65	229.95	0.30	<0.05	0.06	<1%			
					R330747	229.95	230.85	0.90	0.0005	0.01	<1%			1 speck
					R330748	230.85	232.35	1.50	0.01	0.02	<1%			
					R330749	232.35	233.85	1.50	0.029	0.04	<1%			
					R330751	233.85	235.35	1.50	0.005	0.01	<1%			
					R330752	235.35	236.85	1.50	0.001	0.03	<1%			
					R330753	236.85	238.35	1.50	0.005	0.02	<1%			
					R330754	238.35	239.85	1.50	0.006	0.02	<1%			
					R330755	239.85	241.10	1.25	0.0005	0.02	<1%			
					R330756	241.10	242.10	1.00	0.002	0.04	<1%			
					R330757	242.10	243.10	1.00	0.027	0.02	<1%			
					R330758	243.10	244.10	1.00	0.001	0.03	<1%			
					R330759	244.10	245.10	1.00	0.003	0.04	<1%			
					R330761	245.10	245.95	0.85	0.06	0.04	<1%			
					R330762	245.95	246.75	0.80	0.001	0.02	<1%			
					R330763	246.75	247.75	1.00	0.012	0.05	<1%			
					R330764	247.75	248.75	1.00	0.009	0.05	<1%			
					R330765	248.75	249.80	1.05	0.007	0.03	<1%			
					R330766	249.80	250.20	0.40	0.31	0.9	<1%			
					R330767	250.20	251.20	1.00	0.024	0.07	<1%			
					R330768	251.20	252.05	0.85	0.021	0.06	<1%			
					R330769	252.05	252.90	0.85	0.013	0.05	<1%			
					R330771	252.90	253.20	0.30	0.105	0.08	<1%			
					R330772	253.20	253.75	0.55	0.019	0.05	<1%			
					R330773	253.75	254.05	0.30	0.085	0.14	<1%	0.01%	0.05%	
					R330774	254.05	254.90	0.85	0.052	0.1	<1%			
254.90	255.70	QV		Quartz Vein with py, tellurides and moly along fractures.	R330775	254.90	255.70	0.80	0.623	1.57	<1%	0.05%	0.50%	
255.70	399.00	SY		Medium- to -coarse grained (equigranular), pink- to -red Syenite. The groundmass (approx 10-15%) consists of chlorite altered biotite. A 7cm pink, aphanitic (with minor qtz fragments) Aplitic Dyke (53 tca) is present at 267.9m with another red Aplitic Dyke at 381.12 to 381.47m.	R330776	255.70	256.00	0.30	13.95	4.57	<1%		0.05%	2 specks
					R330778	256.00	256.90	0.90	0.019	0.03	<1%	0.01%		
					R330779	256.90	257.80	0.90	0.027	0.05	<1%			
					R330781	257.80	258.50	0.70	0.003	0.02	<1%		0.01%	
					R330782	258.50	258.90	0.40	0.019	0.03	<1%			
					R330783	258.90	259.90	1.00	0.137	0.03	<1%			
					R330784	259.90	260.90	1.00	0.007	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330785	260.90	261.90	1.00	0.043	0.03	<1%			
					R330786	261.90	262.90	1.00	0.055	0.08	<1%			
					R330787	262.90	263.70	0.80	0.014	0.03	<1%			
					R330788	263.70	264.55	0.85	0.03	0.06	<1%			
					R330789	264.55	265.00	0.45	0.009	0.09	<1%			
					R330791	265.00	266.00	1.00	0.007	0.05	<1%			
					R330792	266.00	267.00	1.00	0.003	0.02	<1%			
					R330793	267.00	268.00	1.00	0.004	0.05	<1%			
					R330794	268.00	269.00	1.00	0.01	0.1	<1%			
					R330795	269.00	270.50	1.50	0.004	0.06	<1%			
					R330796	270.50	271.50	1.00	0.01	0.02	<1%			
					R330797	271.50	272.55	1.05	0.014	0.03	<1%			
					R330798	272.55	273.40	0.85	0.003	0.03	<1%			
					R330799	273.40	274.20	0.80	0.021	0.06	<1%			
					R330800	274.20	274.50	0.30	0.047	0.38	<1%			
					R330801	274.50	275.80	1.30	0.058	0.12	<1%			
					R330802	275.80	276.20	0.40	0.24	0.26	<1%		0.10%	
					R330803	276.20	276.70	0.50	0.013	0.05	<1%		0.10%	
					R330804	276.70	277.00	0.30	1.455	6.95	<1%			
					R330805	277.00	277.80	0.80	0.011	0.04	<1%			
					R330806	277.80	279.00	1.20	0.02	0.05	<1%			
					R330807	279.00	280.15	1.15	0.618	0.05	<1%			
					R330808	280.15	281.30	1.15	1.12	0.31	<1%			
					R330809	281.30	282.40	1.10	0.027	0.03	<1%			
					R330811	282.40	282.70	0.30	0.295	0.63	<1%	0.10%	0.10%	
					R330812	282.70	283.50	0.80	0.033	0.08	<1%			
					R330813	283.50	284.30	0.80	0.009	0.02	<1%			
					R330814	284.30	285.55	1.25	0.012	0.06	<1%			
					R330815	285.55	286.75	1.20	0.008	0.03	<1%	0.05%		
					R330816	286.75	287.75	1.00	0.02	0.05	<1%			
					R330817	287.75	288.75	1.00	0.0005	0.02	<1%			
					R330818	288.75	289.75	1.00	0.023	0.04	<1%		0.05%	
					R330819	289.75	290.75	1.00	0.093	0.2	<1%			
					R330821	290.75	291.60	0.85	0.005	0.02	<1%			
					R330822	291.60	292.45	0.85	0.007	0.03	<1%			
					R330823	292.45	293.45	1.00	0.026	0.05	<1%			
					R330824	293.45	294.45	1.00	0.072	0.06	<1%			
					R330825	294.45	295.45	1.00	0.015	0.19	<1%			
					R330826	295.45	296.45	1.00	0.0005	0.01	<1%			
					R330827	296.45	297.45	1.00	0.005	0.02	<1%			
					R330828	297.45	298.45	1.00	0.017	0.04	<1%			
					R330829	298.45	299.45	1.00	0.013	0.02	<1%			
					R330831	299.45	300.45	1.00	0.0005	0.02	<1%			
					R330832	300.45	301.45	1.00	0.067	0.02	<1%			
					R330833	301.45	302.55	1.10	0.028	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330834	302.55	303.40	0.85	0.005	0.03	<1%			
					R330835	303.40	304.65	1.25	0.035	0.03	<1%			
					R330836	304.65	305.10	0.45	0.015	0.07	<1%			
					R330837	305.10	306.10	1.00	0.017	0.04	<1%			
					R330838	306.10	307.10	1.00	0.022	0.03	<1%			
					R330839	307.10	308.10	1.00	0.003	0.01	<1%			
					R330841	308.10	309.10	1.00	0.009	0.02	<1%			
					R330842	309.10	310.20	1.10	0.011	0.06	<1%	0.01%		
					R330843	310.20	311.20	1.00	0.021	0.03	<1%			
					R330844	311.20	312.20	1.00	0.027	0.07	<1%			
					R330845	312.20	313.20	1.00	0.022	0.09	<1%			
					R330846	313.20	314.20	1.00	0.044	0.05	<1%			
					R330847	314.20	315.00	0.80	0.01	0.05	<1%			
					R330848	315.00	315.80	0.80	0.045	0.05	<1%			
					R330849	315.80	316.10	0.30	<0.05	0.06	<1%			1 speck
					R330851	316.10	316.40	0.30	0.013	0.07	<1%			
					R330852	316.40	317.40	1.00	0.012	0.03	<1%			
					R330853	317.40	318.40	1.00	1.555	0.06	<1%			
					R330854	318.40	319.40	1.00	0.345	0.06	<1%			
					R330855	319.40	320.40	1.00	0.414	0.05	<1%		0.01%	
					R330856	320.40	321.40	1.00	0.106	0.04	<1%			
					R330857	321.40	322.40	1.00	0.097	2.02	<1%			
					R330858	322.40	323.55	1.15	0.025	0.02	<1%			
					R330859	323.55	324.55	1.00	0.029	0.03	<1%			
					R330861	324.55	325.55	1.00	0.156	0.05	<1%			
					R330862	325.55	326.55	1.00	0.069	0.03	<1%			
					R330863	326.55	327.55	1.00	0.034	0.04	<1%			
					R330864	327.55	328.55	1.00	0.178	0.03	<1%			
					R330865	328.55	329.55	1.00	0.09	0.01	<1%			
					R330866	329.55	330.55	1.00	0.065	0.05	<1%			
					R330867	330.55	331.55	1.00	0.061	0.04	<1%		0.01%	
					R330868	331.55	332.55	1.00	0.044	0.22	<1%			
					R330869	332.55	333.55	1.00	0.019	0.06	<1%			
					R330871	333.55	334.55	1.00	0.005	0.05	<1%			
					R330872	334.55	335.55	1.00	0.003	0.03	<1%			
					R330873	335.55	336.55	1.00	0.107	0.05	<1%	0.01%	0.01%	
					R330874	336.55	337.55	1.00	0.004	0.01	<1%			
					R330875	337.55	338.65	1.10	0.373	0.1	<1%		0.01%	
					R330876	338.65	339.50	0.85	0.021	0.03	<1%			
					R330877	339.50	340.50	1.00	0.015	0.05	<1%		0.01%	
					R330878	340.50	342.00	1.50	0.027	0.06	<1%			
					R330879	342.00	343.50	1.50	0.147	0.02	<1%			
					R330881	343.50	345.00	1.50	0.015	0.04	<1%			
					R330882	345.00	346.50	1.50	0.007	0.09	<1%			
					R330883	346.50	348.00	1.50	0.011	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330884	348.00	349.15	1.15	0.067	0.08	<1%			
					R330885	349.15	350.05	0.90	0.021	0.05	<1%		0.01%	
					R330886	350.05	351.45	1.40	0.001	0.01	<1%			
					R330887	351.45	352.95	1.50	0.068	0.03	<1%			
					R330888	352.95	354.10	1.15	0.041	0.04	<1%			
					R330889	354.10	355.20	1.10	0.001	0.02	<1%			
					R330891	355.20	355.50	0.30	<0.05	0.18	<1%		0.01%	4 specks
					R330893	355.50	356.50	1.00	0.035	0.06	<1%			
					R330894	356.50	357.50	1.00	0.011	0.03	<1%			
					R330895	357.50	358.50	1.00	0.009	0.07	<1%			
					R330896	358.50	359.50	1.00	0.015	0.05	<1%			
					R330897	359.50	360.50	1.00	0.006	0.18	<1%		0.01%	
					R330898	360.50	361.50	1.00	0.047	0.04	<1%			
					R330899	361.50	362.50	1.00	0.045	0.06	<1%			
					R330900	362.50	363.50	1.00	0.018	0.03	<1%			
					R330901	363.50	364.50	1.00	0.018	0.42	<1%			
					R330902	364.50	365.50	1.00	0.743	0.11	<1%			
					R330903	365.50	366.50	1.00	0.17	0.11	<1%			
					R330904	366.50	367.65	1.15	0.084	0.05	<1%		0.05%	
					R330905	367.65	368.65	1.00	0.011	0.04	<1%			
					R330906	368.65	369.65	1.00	0.048	0.04	<1%			
					R330907	369.65	370.65	1.00	0.133	0.15	<1%			
					R330908	370.65	371.75	1.10	0.03	0.04	<1%			
					R330909	371.75	373.25	1.50	0.026	0.05	<1%			
					R330911	373.25	374.75	1.50	0.049	0.04	<1%			
					R330912	374.75	375.50	0.75	5.96	0.13	<1%		0.01%	
					R330913	375.50	376.25	0.75	6.27	0.59	<1%			
					R330914	376.25	377.75	1.50	2.25	0.05	<1%			
					R330915	377.75	379.25	1.50	0.139	0.09	<1%			
					R330916	379.25	380.75	1.50	0.031	0.12	<1%			
381.12	381.47		APL	Minor, pink- to -red, aphanitic APL Dyke with; 0.5% diss py, minor qtz crystals with sharp contacts at 55/40 tca.	R330917	380.75	381.50	0.75	0.12	0.12	<1%			
					R330918	381.50	383.00	1.50	0.018	0.02	<1%			
					R330919	383.00	384.50	1.50	0.004	0.03	<1%			
					R330921	384.50	386.00	1.50	0.038	0.06	<1%			
					R330922	386.00	387.50	1.50	0.02	0.05	<1%			
					R330923	387.50	389.00	1.50	0.028	0.06	<1%			
					R330924	389.00	390.50	1.50	0.006	0.12	<1%			
					R330925	390.50	392.00	1.50	0.005	0.04	<1%			
					R330926	392.00	393.50	1.50	0.849	0.12	<1%			
					R330927	393.50	395.00	1.50	0.164	0.03	<1%			
					R330928	395.00	396.50	1.50	0.012	0.03	<1%	0.01%	0.05%	
					R330929	396.50	398.00	1.50	0.039	0.03	<1%		0.05%	
					R330931	398.00	399.00	1.00	0.327	0.03	<1%			

MG15-19 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582608	5317981	315	MG15-19	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	7/29/15	8/4/15	Forthright Drilling Services Inc.		NQ	393.4
Project Name	Area	Township	Claim No.			
Miller	Allied	Pacaud	4267276			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-51.4	62.8	251	-50.7	70.9	This hole was drilled over 6 days. The final
50	-51	61.2	302	-50.4	74.1	closure is complete and a picket with
101	-51	64.8	392	-49.9	80.4	aluminum tag is in place at the collar.
152	-51.1	66.1				
200	-51.1	73.9				

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
0.00	2.70	OB		Overburden.										
2.70	7.15	MVOL		Fine-grained, medium- to -dark green-grey Mafic Volcanics with approximately 25% irregular Feldspar Porphyry injections (up to 25cm). The lower contact with FPORP occurs at broken core.	R330932	2.70	4.00	1.30	0.009	0.19	1.0%			
					R330933	4.00	5.30	1.30	0.009	0.13	1.0%			
					R330934	5.30	6.20	0.90	0.003	0.06	<1%			
					R330935	6.20	7.15	0.95	0.002	0.04	<1%			
7.15	11.10	FPORP		Pinkish grey Feldspar Porphyry with a dark grey, aphanitic groundmass. The lower contact with MVOL is irregular and occurs within broken core.	R330936	7.15	8.45	1.30	0.007	0.08	<1%			
					R330937	8.45	9.75	1.30	0.011	0.04	<1%			
					R330938	9.75	11.10	1.35	0.076	0.1	<1%			
11.10	15.05	MVOL		Fine grained, medium- to dark green, strongly magnetic Mafic Volcanics. The lower contact with Feldspar Porphyry occurs at broken core.	R330939	11.10	12.40	1.30	0.007	0.03	<1%			
					R330941	12.40	13.75	1.35	0.0005	0.03	<1%			
					R330942	13.75	15.05	1.30	0.007	0.05	<1%			
15.05	17.10	FPORP		Pinkish grey- to -red Feldspar Porphyry with a dark grey, to aphanitic groundmass. LC is at 50 tca.	R330943	15.05	16.05	1.00	0.254	1.08	<1%			
					R330944	16.05	17.10	1.05	0.009	0.13	<1%			
17.10	34.15	MVOL		Fine grained, medium to dark green, moderate- to -strongly magnetic Mafic Volcanics. A strongly hematite/potassic altered FPORP Dyke is present from 18.55 to 19.1m. Approximately 20% irregular FPORP injections are present below 29.25m. The lower contact with FPORP is sharp at 20 tca.	R330945	17.10	18.55	1.45	0.01	0.08	1.0%			
18.55	19.10		FPORP	A strongly hematite/potassic altered FPORP Dyke	R330946	18.55	19.10	0.55	0.004	0.07	1.0%			
					R330947	19.10	19.55	0.45	0.003	0.06	1.0%			
					R330948	19.55	21.00	1.45	0.002	0.08	1.0%			
					R330949	21.00	22.50	1.50	0.002	0.07	1.0%			
					R330951	22.50	24.00	1.50	0.001	0.05	1.0%			
					R330952	24.00	24.50	0.50	0.0005	0.1	1.0%		0.01%	
					R330953	24.50	25.15	0.65	0.003	0.11	1.0%			
					R330954	25.15	26.50	1.35	0.001	0.06	1.0%			
					R330955	26.50	27.85	1.35	0.005	0.08	1.0%			
					R330956	27.85	29.25	1.40	0.002	0.07	1.0%			
					R330957	29.25	30.25	1.00	0.001	0.13	1.0%		0.01%	
					R330958	30.25	31.25	1.00	0.001	0.09	1.0%			
					R330959	31.25	32.25	1.00	0.004	0.05	1.0%			
					R330961	32.25	33.20	0.95	0.0005	0.03	1.0%			
					R330962	33.20	34.15	0.95	0.001	0.03	1.0%			
34.15	37.99	FPORP		Pinkish grey- to -red Feldspar Porphyry with a dark grey, aphanitic groundmass. The LC with MVOL is sharp at 35 tca.	R330963	34.15	35.45	1.30	0.009	0.4	<1%			
					R330964	35.45	36.75	1.30	0.001	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R330965	36.75	37.99	1.24	0.0005	0.03	<1%			
37.99	80.65	MVOL		Fine- to -medium grained, medium- to -dark green, weak- to -moderately magnetic Mafic Volcanics. Approximately 30% irregular FPORP injections occur adjacent to the upper contact (with FPORP) from 37.99 to 41.15m. Approximately 20% irregular, faded Syenite Porphyry (?) injections are present from 70.55 to 75.50m. A major fault zone with; MS fracturing, local narrow fault gouge and carbonate healed breccia is present from 66.8 to 80.65m. The lower contact with Syenite Porphyry is sharp at 50 tca.	R330966	37.99	39.05	1.06	0.001	0.07	<1%			
					R330967	39.05	40.10	1.05	0.005	0.05	<1%			
					R330968	40.10	41.15	1.05	0.006	0.07	<1%			
					R330969	41.15	42.60	1.45	0.001	0.09	<1%			
					R330971	42.60	44.10	1.50	0.005	0.23	<1%			
					R330972	44.10	45.60	1.50	0.003	0.08	<1%			
					R330973	45.60	47.10	1.50	0.005	0.08	<1%			
					R330974	47.10	48.60	1.50	0.002	0.04	<1%			
					R330975	48.60	50.10	1.50	0.002	0.08	<1%			
					R330976	50.10	51.60	1.50	0.003	0.06	<1%			
					R330977	51.60	53.10	1.50	0.006	0.06	<1%			
					R330978	53.10	54.60	1.50	0.002	0.09	<1%			
					R330979	54.60	56.10	1.50	0.001	0.08	<1%			
					R330981	56.10	57.60	1.50	0.004	0.11	<1%			
					R330982	57.60	58.85	1.25	0.001	0.09	<1%			
					R330983	58.85	60.15	1.30	0.002	0.04	<1%			
					R330984	60.15	61.65	1.50	0.002	0.07	<1%			
					R330985	61.65	63.15	1.50	0.004	0.05	<1%			
					R330986	63.15	64.15	1.00	0.001	0.03	<1%			
					R330987	64.15	65.30	1.15	0.004	0.11	<1%			
					R330988	65.30	66.80	1.50	0.008	0.04	<1%			
					R330989	66.80	68.05	1.25	0.014	0.07	<1%			
					R330991	68.05	69.30	1.25	0.002	0.06	<1%			
					R330992	69.30	70.55	1.25	0.008	0.07	<1%			
					R330993	70.55	72.05	1.50	0.002	0.07	<1%			
					R330994	72.05	73.55	1.50	0.087	0.21	<1%			
					R330995	73.55	74.55	1.00	0.005	0.03	<1%			
					R330996	74.55	75.50	0.95	0.004	0.06	<1%			
					R330997	75.50	77.00	1.50	0.009	0.13	<1%			
					R330998	77.00	78.10	1.10	0.041	0.14	<1%			
					R330999	78.10	79.20	1.10	0.005	0.13	<1%			
					R331000	79.20	80.65	1.45	0.012	0.23	<1%			
80.65	92.58	SYPORP		Pink- to -red Porphyritic Syenite with medium- to -coarse feldspar phenocrysts (up to 5mm) set in a dark green, moderate- to -strongly chloritized groundmass. Pink- to -deep red, aphanitic, cpy-bearing Aplitic Dykes (up to 65cm, primarily cm-scale) are present throughout. No significant veining occurs within this unit. The lower contact with MVOL occurs at approx 60 tca.	R331001	80.65	81.65	1.00	0.007	0.14	<1%			
81.65	82.30		APL	A pink, aphanitic Aplitic Dyke with minor diss cpy.	R331002	81.65	82.30	0.65	0.011	0.32	<1%			
					R331003	82.30	83.20	0.90	0.002	0.12	<1%			
					R331004	83.20	84.45	1.25	0.003	0.08	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331005	84.45	85.70	1.25	0.001	0.03	<1%			
					R331006	85.70	86.95	1.25	0.014	0.05	<1%			
					R331007	86.95	88.45	1.50	0.005	0.09	<1%			
					R331008	88.45	89.90	1.45	0.003	0.03	<1%			
					R331009	89.90	90.65	0.75	0.015	0.11	<1%			
					R331011	90.65	91.20	0.55	0.01	0.12	<1%			
91.20	91.65		MVOL	A minor interval of fine-grained Mafic Volcanics.	R331012	91.20	91.65	0.45	0.009	0.35	<1%			
					R331013	91.65	92.58	0.93	0.068	0.46	<1%			
92.58	135.15	MVOL		Fine grained, medium- to -dark green, locally magnetic Mafic	R331014	92.58	93.15	0.57	0.003	0.22	1.0%			
				Volcanics. Red- to -pink, aphanitic Aplitic Dykes are present	R331015	93.15	93.55	0.40	0.054	0.77	1.0%			
				at; 92.58 to 96m - approximately 10% APL Dykes (up to 20cm)	R331016	93.55	94.30	0.75	0.006	0.25	1.0%			
				w/ local coarse cp, 99.15 to 104.55m - approximately 20%	R331017	94.30	95.20	0.90	0.012	0.37	1.0%			
				APL Dykes (up to 30cm) w/ local coarse cpy, 108.5m - a 40cm	R331018	95.20	96.00	0.80	0.007	0.78	1.0%			
				APL Dyke with coarse cpy, 113.57m - a 41cm APL Dyke w/ py	R331019	96.00	97.05	1.05	0.009	0.38	1.0%			
				> cpy and 117.9 to 127.45m - very local, 1-3cm red APL Dykes.	R331021	97.05	98.10	1.05	0.004	0.18	1.0%			
				Approximately 5% irregular SYPORP injections are present	R331022	98.10	99.15	1.05	0.011	0.15	1.0%			
				below 132.4m. The lower contact with SYPORP is sharp but	R331023	99.15	100.15	1.00	0.007	0.29	1.0%			
				irregular.	R331024	100.15	101.15	1.00	0.003	0.21	1.0%			
					R331025	101.15	101.95	0.80	0.121	0.57	1.0%			
					R331026	101.95	102.78	0.83	0.061	0.34	1.0%			
102.78	103.50		APL	A zone with pink- to -red, APL Dykes with coarse cpy and	R331027	102.78	103.50	0.72	0.26	0.85	1.0%			
				strong diss py (within altered MVOL).	R331028	103.50	104.55	1.05	0.024	0.21	1.0%			
					R331029	104.55	105.55	1.00	0.085	0.38	1.0%			
					R331031	105.55	106.55	1.00	0.02	0.25	1.0%			
					R331032	106.55	107.55	1.00	0.002	0.1	1.0%			
					R331033	107.55	108.50	0.95	0.042	0.28	1.0%			
108.50	108.90		APL	A pink- to -red, aphanitic APL Dyke with coarse cpy and diss	R331034	108.50	108.90	0.40	0.185	0.79	1.0%			
				cpy > py.	R331035	108.90	109.25	0.35	0.003	0.14	1.0%			
					R331036	109.25	110.00	0.75	0.001	0.07	<1%			
					R331037	110.00	111.20	1.20	0.004	0.18	<1%			
					R331038	111.20	112.45	1.25	0.01	0.14	<1%			
					R331039	112.45	113.57	1.12	0.006	0.07	<1%			
113.57	113.98		APL	A red, aphanitic APL Dyke with minor diss py > cp.	R331041	113.57	113.98	0.41	0.038	0.14	<1%			
					R331042	113.98	115.00	1.02	0.002	0.08	<1%			
					R331043	115.00	116.10	1.10	0.002	0.05	<1%			
					R331044	116.10	117.00	0.90	0.002	0.04	<1%			
					R331045	117.00	117.90	0.90	0.001	0.06	<1%			
					R331046	117.90	119.40	1.50	0.002	0.05	<1%			
					R331047	119.40	120.90	1.50	0.002	0.04	<1%			
					R331048	120.90	122.40	1.50	0.001	0.04	<1%			
					R331049	122.40	123.90	1.50	0.011	0.06	<1%			
					R331051	123.90	125.40	1.50	0.044	0.03	<1%			
					R331052	125.40	126.40	1.00	0.002	0.02	<1%			
					R331053	126.40	127.45	1.05	0.002	0.05	<1%			
					R331054	127.45	128.95	1.50	0.007	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331055	128.95	130.45	1.50	0.007	0.04	<1%			
					R331056	130.45	131.25	0.80	0.001	0.02	<1%			
					R331057	131.25	132.40	1.15	0.001	0.02	<1%			
					R331058	132.40	133.70	1.30	0.003	0.04	<1%			
					R331059	133.70	135.15	1.45	0.003	0.07	<1%			
135.15	142.75	SYPORP		Syenite Porphyry with pink- to -red, medium- to -coarse grained feldspar phenocrysts (up to 5mm) set within a very fine, medium- to -dark green groundmass. It is difficult to determine the exact lower contact with SY (equigranular).	R331061	135.15	136.59	1.44	0.04	0.1	<1%			
					R331062	136.59	137.67	1.08	0.008	0.07	<1%			
					R331063	137.67	138.07	0.40	0.176	0.72	10.0%			
					R331064	138.07	139.35	1.28	0.025	0.25	<1%			
					R331065	139.35	140.60	1.25	0.005	0.15	<1%			
					R331066	140.60	141.95	1.35	0.021	0.32	<1%			
					R331067	141.95	142.75	0.80	0.001	0.19	<1%			
142.75	148.00	SY		Medium- to -coarse grained, green-red, equigranular Syenite with minor vugs. A zone of light pink, vuggy Aplitic Dykes with local qtz fragments is present from 145 to 146.7m The lower contact with a more Porphyritic Syenite is diffuse at 20 tca.	R331068	142.75	143.85	1.10	0.004	0.05	<1%			
					R331069	143.85	145.00	1.15	0.004	0.06	<1%			
145.00	146.70		APL	Light pink, vuggy Aplitic Dykes with local qtz fragments.	R331071	145.00	145.85	0.85	0.053	0.15	<1%			
					R331072	145.85	146.70	0.85	0.083	0.12	<1%			
					R331073	146.70	148.00	1.30	0.003	0.05	<1%			
148.00	161.05	SYPORP		Faded (due to alteration?) Syenite Porphyry with pink- to -red, medium- to -coarse grained feldspar phenocrysts (up to 5mm) set within a very fine, medium- to -dark green groundmass. Multiple phases of APL Dykes and alteration combine for a patchy, aphanitic texture. The lower contact with SY (equigranular) is marked by a gradual change in texture.	R331074	148.00	149.25	1.25	0.005	0.07	<1%			
					R331075	149.25	150.75	1.50	0.783	0.23	<1%			
					R331076	150.75	152.25	1.50	0.021	0.43	<1%			
					R331077	152.25	153.75	1.50	0.21	0.39	<1%			
					R331078	153.75	154.75	1.00	0.01	0.27	<1%			
					R331079	154.75	155.80	1.05	0.013	0.43	<1%			
					R331081	155.80	156.50	0.70	0.056	1.52	<1%			
					R331082	156.50	157.10	0.60	2.8	4.24	<1%			
					R331083	157.10	158.10	1.00	0.588	1.82	<1%			
					R331084	158.10	158.85	0.75	0.962	1.79	7.0%			
					R331085	158.85	159.60	0.75	0.188	1.48	<1%			
					R331086	159.60	160.50	0.90	3.33	2.11	<1%			
					R331087	160.50	161.05	0.55	0.042	0.93	<1%			
161.05	167.05	SY		Medium- to -coarse grained, pink-grey, moderately vuggy, equigranular Syenite. Several, light pink, vuggy , aphanitic Aplitic Dykes are present within this unit (see minor). The lower contact with SYPORP is marked by a gradual textural change.	R331088	161.05	162.45	1.40	0.025	0.57	<1%			
163.25	163.57		APL	Light pink, vuggy , aphanitic Aplitic Dyke.	R331089	162.45	163.80	1.35	0.021	0.39	<1%			
163.80	164.75		APL	Light pink, vuggy , aphanitic Aplitic Dyke.	R331091	163.80	164.75	0.95	0.016	0.25	<1%			
					R331092	164.75	165.75	1.00	0.02	0.28	<1%			
					R331093	165.75	167.05	1.30	0.007	0.08	<1%			
167.05	171.50	SYPORP		Syenite Porphyry. Multiple phases of APL Dykes and alteration combine for a patchy, aphanitic texture. The lower contact with MVOL is sharp but irregular.	R331094	167.05	168.50	1.45	0.003	0.12	<1%			
					R331095	168.50	170.00	1.50	0.001	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
170.00	170.90		APL	Pink, aphanitic Aplitic Dyke with qtz fragments.	R331096	170.00	170.90	0.90	0.003	0.08	<1%			
					R331097	170.90	171.50	0.60	0.003	0.08	<1%			
171.50	204.55	MVOL		Fine grained, medium- to -dark green, locally magnetic Mafic Volcanics. This unit becomes very fine grained and black (resembles Argillite) around 188 to 188.5m. Approximately 10% irregular SYPORP injections are present to 173.65m. Red, aphanitic APL Dykes (up to 38cm) with diss py are present from 171.5 to 184.1m. A 3.5cm SY Dyke (equigranular) with diss py is present a 198.2m.	R331098	171.50	172.60	1.10	0.01	0.1	<1%			
					R331099	172.60	173.65	1.05	0.014	0.08	<1%			
					R331100	173.65	175.00	1.35	0.246	0.07	<1%			
175.30	175.68		APL	Red, aphanitic Aplitic Dyke with trace diss py.	R331101	175.00	175.70	0.70	0.001	0.06	<1%			
					R331102	175.70	177.20	1.50	0.001	0.1	<1%			
					R331103	177.20	178.70	1.50	0.0005	0.1	<1%			
					R331104	178.70	180.20	1.50	0.007	0.17	<1%			
					R331105	180.20	181.70	1.50	0.002	0.17	<1%			
					R331106	181.70	183.00	1.30	0.002	0.18	<1%			
					R331107	183.00	184.10	1.10	0.001	0.14	2.0%			
					R331108	184.10	185.30	1.20	0.001	0.09	2.0%			
					R331109	185.30	186.50	1.20	0.002	0.17	2.0%			
					R331111	186.50	187.75	1.25	0.002	0.13	2.0%			
					R331112	187.75	189.25	1.50	0.001	0.14	2.0%			
					R331113	189.25	190.75	1.50	0.001	0.16	2.0%			
					R331114	190.75	192.25	1.50	0.002	0.08	2.0%			
					R331115	192.25	193.75	1.50	0.002	0.13	2.0%			
					R331116	193.75	195.25	1.50	0.04	0.17	2.0%			
					R331117	195.25	196.75	1.50	0.002	0.09	2.0%			
					R331118	196.75	197.85	1.10	0.001	0.08	2.0%			
					R331119	197.85	198.95	1.10	0.002	0.15	2.0%			
					R331121	198.95	200.05	1.10	0.002	0.12	2.0%			
					R331122	200.05	201.55	1.50	0.001	0.08	<1%			
					R331123	201.55	203.05	1.50	0.001	0.09	<1%			
					R331124	203.05	203.80	0.75	0.005	0.11	<1%			
					R331125	203.80	204.55	0.75	0.003	0.14	<1%			
204.55	286.70	SY		Medium- to -coarse grained, pink- to -red, equigranular Syenite. Pink- to -red feldspar crystals are set in a minor (approx 10%) chlorite altered groundmass. Minor intervals of fine grained, medium- to -dark green, massive MVOL are present from; 216.35 to 216.75m (20/30 tca) and 225.67 to 226.3m. The lower contact with MVOL is sharp at 40 tca.	R331126	204.55	206.05	1.50	0.001	0.1	<1%			
					R331127	206.05	207.55	1.50	0.001	0.11	<1%			
					R331128	207.55	209.05	1.50	0.013	0.06	<1%			
					R331129	209.05	210.55	1.50	0.007	0.07	<1%			
					R331131	210.55	212.05	1.50	0.001	0.05	<1%			
					R331132	212.05	213.45	1.40	1.43	0.49	<1%			
					R331133	213.45	214.90	1.45	0.002	0.03	<1%			
					R331134	214.90	216.35	1.45	0.001	0.02	<1%			
216.35	216.75		MVOL	Fine grained, massive, medium- to -dark green MVOL.	R331135	216.35	216.75	0.40	0.001	0.03	<1%			
					R331136	216.75	218.25	1.50	0.044	0.02	<1%			
					R331137	218.25	219.75	1.50	0.009	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331138	219.75	221.25	1.50	0.014	0.02	<1%			
					R331139	221.25	222.55	1.30	0.002	0.02	<1%			
					R331141	222.55	223.96	1.41	0.013	0.02	<1%		0.01%	
					R331142	223.96	225.37	1.41	0.091	0.04	<1%			
					R331143	225.37	225.67	0.30	0.252	0.4	<1%	0.01%	0.10%	
225.67	226.30		MVOL	Fine grained, massive, medium- to -dark green MVOL with 25 and 45cm mineralized (py-tellurides +/- moly) qtz vn's at the upper/lower contacts.	R331144	225.67	226.30	0.63	0.027	0.09	<1%			
226.30	226.75		QV	A 45cm white qtz vn with py, tellurides and minor chl septa.	R331145	226.30	226.75	0.45	0.878	1.46	<1%		0.01%	
					R331146	226.75	227.75	1.00	0.067	0.09	<1%			
					R331147	227.75	228.75	1.00	0.016	0.03	<1%		0.01%	
					R331148	228.75	229.75	1.00	0.03	0.17	<1%			
					R331149	229.75	230.75	1.00	0.034	0.06	<1%			
					R331151	230.75	231.25	0.50	0.134	0.19	<1%		0.10%	
					R331152	231.25	232.65	1.40	0.19	0.04	<1%			
					R331153	232.65	233.45	0.80	0.019	0.02	<1%			
					R331154	233.45	234.40	0.95	0.086	0.02	<1%			
					R331155	234.40	235.40	1.00	0.019	0.03	<1%			
					R331156	235.40	236.40	1.00	0.06	0.06	<1%			
					R331157	236.40	237.45	1.05	0.017	0.05	<1%			
					R331158	237.45	238.95	1.50	0.007	0.03	<1%			
					R331159	238.95	240.45	1.50	0.007	0.04	<1%			
					R331161	240.45	241.50	1.05	0.005	0.03	<1%			
					R331162	241.50	242.50	1.00	0.003	0.03	<1%			
					R331163	242.50	243.00	0.50	0.01	0.04	<1%		0.01%	
					R331164	243.00	243.50	0.50	0.025	0.07	<1%			
					R331165	243.50	245.00	1.50	0.005	0.03	<1%			
					R331166	245.00	246.50	1.50	0.009	0.04	<1%			
					R331167	246.50	248.00	1.50	0.031	0.17	<1%			
					R331168	248.00	249.50	1.50	0.001	0.02	<1%			
					R331169	249.50	251.00	1.50	0.012	0.03	<1%			
					R331171	251.00	252.50	1.50	0.009	0.04	<1%			
					R331172	252.50	254.00	1.50	0.032	0.06	<1%			
					R331173	254.00	255.50	1.50	0.005	0.02	<1%			
					R331174	255.50	256.85	1.35	0.002	0.02	<1%			
					R331175	256.85	258.35	1.50	0.016	0.05	<1%			
					R331176	258.35	259.85	1.50	0.008	0.06	<1%			
					R331177	259.85	261.00	1.15	0.022	0.02	<1%			
					R331178	261.00	262.00	1.00	0.004	0.01	<1%			
					R331179	262.00	263.00	1.00	0.004	0.03	<1%			
					R331181	263.00	264.00	1.00	0.328	0.05	<1%	0.10%		
					R331182	264.00	265.00	1.00	0.003	0.01	<1%			
					R331183	265.00	266.00	1.00	0.021	0.04	<1%			
					R331184	266.00	267.00	1.00	0.03	0.11	<1%			
					R331185	267.00	268.00	1.00	0.034	0.08	<1%		0.01%	

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331186	268.00	269.00	1.00	0.092	0.64	<1%			
					R331187	269.00	270.00	1.00	0.015	0.03	<1%			
					R331188	270.00	271.00	1.00	0.01	0.04	<1%			
					R331189	271.00	272.00	1.00	0.008	0.03	<1%			
					R331191	272.00	273.00	1.00	0.0005	0.02	<1%			
					R331192	273.00	274.00	1.00	0.001	0.01	<1%			
					R331193	274.00	275.00	1.00	0.001	0.02	<1%			
					R331194	275.00	276.00	1.00	0.005	0.04	<1%			
					R331195	276.00	276.50	0.50	0.004	0.02	<1%	0.01%		
					R331196	276.50	277.00	0.50	0.006	0.04	<1%		0.01%	
					R331197	277.00	278.00	1.00	0.004	0.03	<1%			
					R331198	278.00	278.50	0.50	0.003	0.02	<1%		0.01%	
					R331199	278.50	279.00	0.50	0.023	0.05	<1%		0.01%	
					R331200	279.00	280.00	1.00	0.008	0.04	<1%			
					R331201	280.00	281.00	1.00	0.004	0.03	<1%			
					R331202	281.00	282.00	1.00	0.002	0.04	<1%	0.01%		
					R331203	282.00	283.00	1.00	0.005	0.03	<1%			
					R331204	283.00	284.00	1.00	0.008	0.05	<1%			
					R331205	284.00	285.00	1.00	0.001	0.05	<1%			
					R331206	285.00	286.00	1.00	0.0005	0.02	<1%			
					R331207	286.00	286.70	0.70	0.0005	0.01	<1%			
286.70	322.80	MVOL		Fine- to -medium grained, medium- to -dark green, moderate-	R331208	286.70	288.20	1.50	0.001	0.04	<1%			
				to -strongly magnetic (to 303.5m) Mafic Volcanics. Rare, <	R331209	288.20	289.70	1.50	0.001	0.03	<1%			
				5cm Syenite Dykelets are present to 298.35m. A minor	R331211	289.70	291.20	1.50	0.001	0.04	<1%			
				Gabbro Dyke is present from 319.15 to 320.15m (40/30 tca).	R331212	291.20	292.30	1.10	0.0005	0.04	<1%			
				The lower contact with a larger Gabbro unit is sharp at 50 tca.	R331213	292.30	293.45	1.15	0.0005	0.05	<1%			
					R331214	293.45	294.95	1.50	0.0005	0.05	<1%			
					R331215	294.95	296.45	1.50	0.001	0.26	<1%			
					R331216	296.45	297.95	1.50	0.003	0.06	<1%			
					R331217	297.95	299.00	1.05	0.008	0.16	<1%		0.01%	
					R331218	299.00	300.50	1.50	0.002	0.06	<1%			
					R331219	300.50	302.00	1.50	0.002	0.09	<1%			
					R331221	302.00	303.50	1.50	0.006	0.11	<1%			
					R331222	303.50	305.00	1.50	0.008	0.09	<1%			
					R331223	305.00	306.50	1.50	0.022	0.15	<1%			
					R331224	306.50	308.00	1.50	0.002	0.13	<1%			
					R331225	308.00	309.50	1.50	0.019	0.09	<1%			
					R331226	309.50	311.00	1.50	0.007	0.31	<1%			
					R331227	311.00	312.50	1.50	0.002	0.11	<1%			
					R331228	312.50	314.00	1.50	0.003	0.1	<1%			
					R331229	314.00	315.50	1.50	0.001	0.1	<1%			
					R331231	315.50	317.00	1.50	0.001	0.13	<1%			
					R331232	317.00	318.10	1.10	0.001	0.12	<1%			
					R331233	318.10	319.15	1.05	0.002	0.12	<1%			
319.15	320.15		GAB	Medium- to -coarse grained Gabbro, with sharp upper and	R331234	319.15	320.15	1.00	0.0005	0.04	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				lower contacts at 40/30 tca.	R331235	320.15	321.50	1.35	0.003	0.05	<1%			
					R331236	321.50	322.80	1.30	0.003	0.03	<1%			
322.80	337.45	GAB		Medium- to -coarse grained, medium- to -dark green Gabbro. A medium- to -coarse grained, pink, equigranular SY Dyke with approximately 50% red, aphanitic (Aplitic) patches with intense hematite-potassic alteration is present from 330.8 to 332.45m. The lower contact with MVOL is marked by a sharp decrease in grain size over approximately 5cm.	R331237	322.80	324.30	1.50	0.004	0.04	<1%			
					R331238	324.30	325.80	1.50	0.002	0.06	<1%			
					R331239	325.80	327.30	1.50	0.001	0.03	<1%			
					R331241	327.30	328.80	1.50	0.002	0.04	<1%			
					R331242	328.80	329.80	1.00	0.002	0.03	<1%			
					R331243	329.80	330.80	1.00	0.015	0.16	<1%			
330.80	332.45		SY	Medium- to -coarse grained, pink, equigranular SY Dyke with approximately 50% red, aphanitic (Aplitic) patches with intense hematite-potassic alteration.	R331244	330.80	331.60	0.80	0.032	0.47	<1%			
					R331245	331.60	332.45	0.85	0.006	0.16	<1%			
					R331246	332.45	333.95	1.50	0.005	0.05	<1%			
					R331247	333.95	335.45	1.50	0.001	0.04	<1%			
					R331248	335.45	336.45	1.00	0.008	0.05	<1%			
					R331249	336.45	337.45	1.00	0.002	0.04	<1%			
337.45	393.40	MVOL		Fine- to -rarely medium grained, medium- to -primarily dark green, locally magnetic, massive Mafic Volcanics.	R331251	337.45	338.95	1.50	0.004	0.1	<1%			
					R331252	338.95	340.45	1.50	0.002	0.08	<1%			
					R331253	340.45	341.80	1.35	0.002	0.06	<1%			
					R331254	341.80	343.10	1.30	0.001	0.11	<1%			
					R331255	343.10	343.90	0.80	0.001	0.09	<1%			
					R331256	343.90	344.70	0.80	0.001	0.06	<1%			
					R331257	344.70	345.55	0.85	0.001	0.05	<1%			
					R331258	345.55	346.60	1.05	0.001	0.03	<1%			
					R331259	346.60	347.65	1.05	0.001	0.02	<1%			
					R331261	347.65	348.70	1.05	0.003	0.06	<1%			
					R331262	348.70	349.75	1.05	0.003	0.08	<1%			
					R331263	349.75	350.65	0.90	0.003	0.08	<1%			
					R331264	350.65	351.45	0.80	0.002	0.08	<1%			
					R331265	351.45	352.95	1.50	0.006	0.13	<1%			
					R331266	352.95	354.45	1.50	0.006	0.08	<1%			
					R331267	354.45	355.95	1.50	0.004	0.11	<1%			
					R331268	355.95	357.45	1.50	0.003	0.04	<1%			
					R331269	357.45	358.60	1.15	0.003	0.05	<1%			
					R331271	358.60	359.75	1.15	0.002	0.05	<1%			
					R331272	359.75	360.25	0.50	0.003	0.04	<1%			
					R331273	360.25	360.55	0.30	0.002	0.02	<1%			
					R331274	360.55	361.60	1.05	0.001	0.03	<1%			
					R331275	361.60	362.60	1.00	0.0005	0.01	<1%			
					R331276	362.60	363.60	1.00	0.001	0.01	<1%			
					R331277	363.60	364.60	1.00	0.001	0.01	<1%			
					R331278	364.60	365.60	1.00	0.0005	0.01	<1%			
					R331279	365.60	366.60	1.00	0.022	0.03	<1%			
					R331281	366.60	367.60	1.00	0.002	0.02	<1%			
					R331282	367.60	368.75	1.15	0.001	0.01	<1%			
					R331283	368.75	369.90	1.15	0.001	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331284	369.90	370.90	1.00	0.001	0.01	<1%			
					R331285	370.90	371.90	1.00	0.001	0.01	<1%			
					R331286	371.90	373.10	1.20	0.002	0.01	<1%			
					R331287	373.10	374.30	1.20	0.002	0.01	<1%			
					R331288	374.30	374.60	0.30	0.0005	0.02	<1%			
					R331289	374.60	375.30	0.70	0.002	0.02	<1%			
					R331291	375.30	376.30	1.00	0.001	0.02	<1%			
					R331292	376.30	377.30	1.00	0.001	0.04	<1%			
					R331293	377.30	378.30	1.00	0.0005	0.01	<1%			
					R331294	378.30	379.25	0.95	0.001	0.01	<1%			
					R331295	379.25	380.75	1.50	0.0005	0.01	<1%			
					R331296	380.75	382.25	1.50	0.004	0.04	<1%			
					R331297	382.25	383.65	1.40	0.004	0.3	<1%			
					R331298	383.65	384.80	1.15	0.002	0.08	<1%			
					R331299	384.80	385.80	1.00	0.01	0.12	<1%			
					R331300	385.80	386.20	0.40	0.002	0.25	<1%			
					R331301	386.20	387.20	1.00	0.001	0.08	<1%			
					R331302	387.20	388.20	1.00	0.001	0.1	<1%			
					R331303	388.20	389.25	1.05	0.001	0.12	<1%			
					R331304	389.25	390.75	1.50	0.001	0.11	<1%			
					R331305	390.75	392.25	1.50	0.001	0.2	<1%			
					R331306	392.25	393.40	1.15	0.0005	0.12	<1%			

MG15-20 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582954	5318054	326	MG15-20	Left in Hole
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	8/5/15	8/9/15	Forthright Drilling Services Inc.		NQ	423
Project Name	Area	Township	Claim No.			
Miller	Allied	Pacaud	4215970			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-45.5	253.1	252	-45.1	250.5	Stake with aluminum tag in place at collar.
51	-45.5	245.5	300	-44.9	250.8	
102	-45.5	253.1	351	-44.7	251.9	
150	-45.3	250	423	-44.1	259.7	
201	-45.2	248.1				

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	3.00	OB		Overburden.
3.00	144.30	MVOL		Fine grained, medium- to -primarily dark green Mafic Volcanics. Irregular Feldspar Porphyry injections, primarily cm-scale, begin at 122.15m and increase towards the lower contact with FPORP. A 95cm FPORP Dyke (50/irregular contacts) is present at 136.75m. The lower contact with FPORP is sharp but irregular.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R331307	3.00	3.85	0.85	0.001	0.11	<1%			
R331308	3.85	4.85	1.00	0.0005	0.12	<1%			
R331309	4.85	5.85	1.00	0.002	0.28	<1%			
R331311	5.85	7.35	1.50	0.002	0.06	<1%			
R331312	7.35	8.85	1.50	0.0005	0.04	<1%			
R331313	8.85	10.35	1.50	0.001	0.07	<1%			
R331314	10.35	11.85	1.50	0.002	0.06	<1%			
R331315	11.85	13.35	1.50	0.003	0.07	<1%			
R331316	13.35	14.30	0.95	0.003	0.06	<1%			
R331317	14.30	15.28	0.98	0.001	0.04	<1%			
R331318	15.28	15.75	0.47	0.329	0.27	<1%			
R331319	15.75	17.25	1.50	0.003	0.07	<1%			
R331321	17.25	18.75	1.50	0.0005	0.16	<1%			
R331322	18.75	20.25	1.50	0.001	0.12	<1%			
R331323	20.25	21.75	1.50	0.001	0.1	<1%			
R331324	21.75	22.65	0.90	0.001	0.1	<1%			
R331325	22.65	23.55	0.90	0.001	0.04	<1%			
R331326	23.55	25.00	1.45	0.001	0.06	<1%			
R331327	25.00	26.50	1.50	0.003	0.07	<1%			
R331328	26.50	28.00	1.50	0.005	0.05	<1%			
R331329	28.00	29.50	1.50	0.006	0.05	<1%			
R331331	29.50	31.00	1.50	0.001	0.07	<1%			
R331332	31.00	32.50	1.50	0.003	0.05	<1%			
R331333	32.50	34.00	1.50	0.004	0.09	<1%			
R331334	34.00	35.50	1.50	0.002	0.36	<1%			
R331335	35.50	37.00	1.50	0.001	0.08	<1%			
R331336	37.00	38.50	1.50	0.001	0.05	<1%			
R331337	38.50	40.00	1.50	0.0005	0.05	<1%			
R331338	40.00	41.50	1.50	0.001	0.03	<1%			
R331339	41.50	43.00	1.50	0.004	0.07	<1%			
R331341	43.00	44.50	1.50	0.002	0.05	<1%			
R331342	44.50	46.00	1.50	0.002	0.05	<1%			
R331343	46.00	47.50	1.50	0.002	0.06	<1%			
R331344	47.50	49.00	1.50	0.001	0.08	<1%			
R331345	49.00	50.50	1.50	0.001	0.08	<1%			
R331346	50.50	52.00	1.50	0.003	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331347	52.00	53.50	1.50	0.004	0.1	<1%			
					R331348	53.50	55.00	1.50	0.002	0.06	<1%			
					R331349	55.00	56.50	1.50	0.003	0.08	<1%			
					R331351	56.50	58.00	1.50	0.003	0.07	<1%			
					R331352	58.00	59.50	1.50	0.003	0.06	<1%			
					R331353	59.50	61.00	1.50	0.001	0.16	<1%			
					R331354	61.00	62.50	1.50	0.002	0.05	<1%			
					R331355	62.50	63.75	1.25	0.001	0.02	<1%			
					R331356	63.75	65.00	1.25	0.001	0.04	<1%			
					R331357	65.00	66.50	1.50	0.001	0.05	<1%			
					R331358	66.50	68.00	1.50	0.003	0.07	<1%			
					R331359	68.00	68.90	0.90	0.002	0.08	<1%			
					R331361	68.90	69.80	0.90	0.001	0.1	<1%			
					R331362	69.80	70.35	0.55	0.0005	0.04	<1%			
					R331363	70.35	71.60	1.25	0.001	0.05	<1%			
					R331364	71.60	73.10	1.50	0.002	0.03	<1%			
					R331365	73.10	74.60	1.50	0.002	0.02	<1%			
					R331366	74.60	76.10	1.50	0.005	0.05	<1%			
					R331367	76.10	77.60	1.50	0.001	0.05	<1%			
					R331368	77.60	79.10	1.50	0.0005	0.04	<1%			
					R331369	79.10	80.60	1.50	0.001	0.06	<1%			
					R331371	80.60	82.10	1.50	0.0005	0.05	<1%			
					R331372	82.10	83.60	1.50	0.0005	0.04	<1%			
					R331373	83.60	85.10	1.50	0.005	0.07	<1%			
					R331374	85.10	86.60	1.50	0.011	0.1	<1%			
					R331375	86.60	88.10	1.50	0.003	0.09	<1%			
					R331376	88.10	89.60	1.50	0.001	0.08	<1%			
					R331377	89.60	91.10	1.50	0.001	0.34	<1%			
					R331378	91.10	92.60	1.50	0.001	0.06	<1%			
					R331379	92.60	94.00	1.40	0.003	0.07	<1%			
					R331381	94.00	94.85	0.85	0.002	0.09	<1%			
					R331382	94.85	95.75	0.90	0.002	0.04	<1%			
					R331383	95.75	97.00	1.25	0.002	0.01	1.0%			
					R331384	97.00	98.25	1.25	0.072	0.31	1.0%			
					R331385	98.25	99.25	1.00	0.003	0.11	1.0%			
					R331386	99.25	100.75	1.50	0.043	0.13	1.0%			
					R331387	100.75	102.25	1.50	0.001	0.17	1.0%			
					R331388	102.25	103.25	1.00	0.0005	0.11	1.0%			
					R331389	103.25	104.25	1.00	0.0005	0.14	1.0%			
					R331391	104.25	105.75	1.50	0.0005	0.07	1.0%			
					R331392	105.75	107.25	1.50	0.004	0.07	1.0%			
					R331393	107.25	108.75	1.50	0.0005	0.07	1.0%			
					R331394	108.75	110.25	1.50	0.001	0.07	1.0%			
					R331395	110.25	111.75	1.50	0.0005	0.05	1.0%			
					R331396	111.75	112.85	1.10	0.0005	0.07	1.0%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331397	112.85	114.35	1.50	0.0005	0.04	1.0%			
					R331398	114.35	115.85	1.50	0.0005	0.06	1.0%			
					R331399	115.85	117.35	1.50	0.0005	0.07	1.0%			
					R331400	117.35	118.85	1.50	0.002	0.07	1.0%			
					R331401	118.85	120.35	1.50	0.003	0.06	1.0%			
					R331402	120.35	121.25	0.90	0.001	0.03	<1%			
					R331403	121.25	122.15	0.90	0.0005	0.02	<1%			
					R331404	122.15	123.30	1.15	0.001	0.04	<1%			
					R331405	123.30	124.50	1.20	0.002	0.09	<1%			
					R331406	124.50	126.00	1.50	0.003	0.07	<1%			
					R331407	126.00	127.50	1.50	0.002	0.07	<1%			
					R331408	127.50	129.00	1.50	0.001	0.09	<1%			
					R331409	129.00	130.50	1.50	0.001	0.09	<1%			
					R331411	130.50	132.00	1.50	0.001	0.21	<1%			
					R331412	132.00	133.50	1.50	0.005	0.08	<1%			
					R331413	133.50	135.00	1.50	0.0005	0.06	<1%			
					R331414	135.00	135.80	0.80	0.001	0.05	<1%			
					R331415	135.80	136.75	0.95	1.52	0.69	<1%			
136.75	137.70		FPORP	Feldspar Porphyry Dyke with; coarse (up to 6mm), white feldspar phenocrysts set in a very fine grained, dark green- to grey groundmass (locally chl rich) with minor diss py. The lower contact is sharp but irregular.	R331416	136.75	137.70	0.95	0.045	0.03	<1%			
					R331417	137.70	139.20	1.50	0.002	0.04	<1%			
					R331418	139.20	140.70	1.50	0.017	0.11	<1%			
					R331419	140.70	142.20	1.50	0.002	0.04	<1%			
					R331421	142.20	143.25	1.05	0.002	0.04	<1%			
					R331422	143.25	144.30	1.05	0.001	0.04	<1%			
144.30	154.80	FPORP		Feldspar Porphyry with fine- to -coarse (up to 1cm long), white- to -pink feldspar phenocrysts set in a very fine- to -aphanitic, dark grey (w/ red tinge) groundmass. Deep red, aphanitic, low angle Aplitic Dykes are common below 152.20m. The lower contact with IVFRAG (brecciated) is sharp at 40 tca.	R331423	144.30	145.30	1.00	0.276	0.04	<1%			
					R331424	145.30	146.30	1.00	0.21	0.05	<1%			
					R331425	146.30	147.30	1.00	0.028	0.1	<1%			
					R331426	147.30	148.30	1.00	0.069	0.03	<1%			
					R331427	148.30	149.30	1.00	0.365	0.16	<1%			
					R331428	149.30	150.30	1.00	0.167	0.12	<1%			
					R331429	150.30	151.30	1.00	0.122	0.04	<1%			
					R331431	151.30	151.60	0.30	0.683	12.2	<1%		0.50%	
					R331432	151.60	152.20	0.60	0.155	0.05	<1%			
					R331433	152.20	153.50	1.30	0.216	0.02	<1%			
					R331434	153.50	154.80	1.30	0.068	0.07	<1%			
154.80	194.10	IVFRAG		Medium- to -dark green Fragmental Mafic Volcanic (Volcanic Breccia?) with lapilli to bomb sized fragments set in a fine- to -medium grained matrix. Fragments primarily consists; Mafic Volcanics (fine- to -medium grained) with lesser Gabbro (coarse grained) and Feldspar Porphyry. A zone from 172.45 to 181.75m contains repeating, cm- to -dm scale (up to 50cm) intervals of; medium- grained (leucoxene bearing) Mafic Volcanics, very fine grained Mafic Volcanics (Ash Tuff?) and Fragmental Mafic Volcanics. The lower contact with Syenite is sharp at 45 tca.	R331435	154.80	156.30	1.50	0.005	0.09	<1%			
					R331436	156.30	157.80	1.50	0.001	0.03	<1%			
					R331437	157.80	159.30	1.50	0.002	0.03	<1%			
					R331438	159.30	160.80	1.50	0.002	0.05	<1%			
					R331439	160.80	162.30	1.50	0.002	0.03	<1%			
					R331441	162.30	163.80	1.50	0.002	0.05	<1%			
					R331442	163.80	165.30	1.50	0.004	0.04	<1%			
					R331443	165.30	166.80	1.50	0.003	0.02	<1%			
					R331444	166.80	168.30	1.50	0.001	0.04	<1%			
					R331445	168.30	169.80	1.50	0.001	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331446	169.80	171.30	1.50	0.002	0.03	<1%			
					R331447	171.30	172.45	1.15	0.001	0.03	<1%			
					R331448	172.45	173.95	1.50	0.207	0.11	<1%			
					R331449	173.95	175.45	1.50	0.001	0.02	<1%			
					R331451	175.45	176.95	1.50	0.131	0.07	<1%			
					R331452	176.95	178.00	1.05	0.009	0.02	<1%			
					R331453	178.00	179.00	1.00	0.001	0.02	<1%			
					R331454	179.00	180.00	1.00	0.004	0.02	<1%			
					R331455	180.00	180.95	0.95	0.734	1.76	5.0%			
					R331456	180.95	181.75	0.80	0.041	0.12	<1%			
					R331457	181.75	182.85	1.10	0.006	0.09	<1%			
					R331458	182.85	183.95	1.10	0.001	0.06	<1%			
					R331459	183.95	184.95	1.00	0.001	0.14	<1%			
					R331461	184.95	185.95	1.00	0.001	0.06	<1%			
					R331462	185.95	186.95	1.00	0.005	0.18	<1%		0.01%	
					R331463	186.95	187.95	1.00	0.001	0.09	<1%			
					R331464	187.95	188.95	1.00	0.0005	0.15	<1%			
					R331465	188.95	190.00	1.05	0.001	0.12	<1%			
					R331466	190.00	191.00	1.00	0.001	0.05	<1%			
					R331467	191.00	191.75	0.75	0.0005	0.03	<1%		0.01%	
					R331468	191.75	192.90	1.15	0.001	0.06	<1%			
					R331469	192.90	194.10	1.20	0.004	0.15	<1%			
194.10	196.95	SY		Medium- to -coarse grained, pink- to -red Syenite (equigranular) with a minor chlorite (altered from biotite) groundmass. The lower contact with MVOL is sharp at 60 tca.	R331471	194.10	195.10	1.00	0.061	0.07	<1%			
					R331472	195.10	196.10	1.00	0.028	0.06	<1%			
					R331473	196.10	196.95	0.85	0.112	0.17	<1%			
196.95	199.00	MVOL		Fine- to -medium grained, medium- to -dark green Mafic Volcanic. The first 65cm of this narrow interval may actually be a narrow GAB Dyke (?). It is less altered and slightly coarser grained. The lower contact with Syenite is sharp but irregular.	R331474	196.95	197.60	0.65	0.003	0.04	<1%			
					R331475	197.60	199.00	1.40	0.001	0.05	<1%			
199.00	380.45	SY		Medium- to -coarse grained, pink- to -red Syenite (equigranular) with a minor chlorite (altered from biotite) groundmass. Local patches of a more light pink, vuggy, equigranular Syenite occur from; 272.70 to 320.55m and 337.25 to 375.40m. They locally exhibit diffuse to sharp contacts and likely represent a later phase of Syenite. A 24cm, pink, aphanitic Aplitic Dyke is present at 284.05m with sharp upper/lower contacts at 35/50 tca. Pink, vuggy, aphanitic APL Dykes occur locally between 346.95 to 369.20m. The lower contact with MVOL is sharp at 50 tca.	R331476	199.00	199.80	0.80	0.027	0.17	<1%		0.01%	
					R331477	199.80	200.80	1.00	0.015	0.07	<1%			
					R331478	200.80	201.80	1.00	0.007	0.08	<1%			
					R331479	201.80	202.80	1.00	0.008	0.07	<1%			
					R331481	202.80	203.80	1.00	0.004	0.03	<1%			
					R331482	203.80	204.80	1.00	0.007	0.05	<1%			
					R331483	204.80	205.80	1.00	0.017	0.08	<1%			
					R331484	205.80	206.80	1.00	0.06	0.05	<1%			
					R331485	206.80	207.80	1.00	0.007	0.04	<1%			
					R331486	207.80	208.80	1.00	0.01	0.09	<1%			
					R331487	208.80	209.65	0.85	0.031	0.17	<1%			
209.65	210.20		GAB	Medium grained, medium grey-green Gabbro Dyke.	R331488	209.65	210.20	0.55	0.172	0.19	<1%			
					R331489	210.20	210.50	0.30	0.036	0.22	<1%			
					R331491	210.50	211.50	1.00	0.005	0.06	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331492	211.50	212.50	1.00	0.009	0.03	<1%			
					R331493	212.50	213.50	1.00	0.0005	0.02	<1%			
					R331494	213.50	214.50	1.00	0.034	0.03	<1%			
					R331495	214.50	215.50	1.00	0.483	0.13	<1%		0.10%	
					R331496	215.50	216.50	1.00	0.018	0.04	<1%			
					R331497	216.50	217.50	1.00	0.116	0.05	<1%		0.10%	
					R331498	217.50	218.50	1.00	0.264	0.04	<1%			
					R331499	218.50	219.50	1.00	0.038	0.02	<1%			
					R331500	219.50	220.50	1.00	0.1	0.05	<1%			
					R331501	220.50	221.50	1.00	0.266	0.21	<1%			
					R331502	221.50	222.50	1.00	0.053	0.09	<1%		0.01%	
					R331503	222.50	223.50	1.00	0.028	0.07	<1%			
					R331504	223.50	224.50	1.00	0.003	0.04	<1%			
					R331505	224.50	225.50	1.00	0.219	0.05	<1%			
					R331506	225.50	226.50	1.00	0.28	0.04	<1%			
					R331507	226.50	227.50	1.00	0.936	0.22	<1%		0.01%	
					R331508	227.50	228.50	1.00	0.031	0.05	<1%		0.10%	
					R331509	228.50	229.50	1.00	0.078	0.11	<1%			
					R331511	229.50	230.50	1.00	0.057	0.08	<1%	0.01%		
					R331512	230.50	231.50	1.00	0.005	0.01	<1%			
					R331513	231.50	232.50	1.00	0.349	0.04	<1%			
					R331514	232.50	234.00	1.50	0.009	0.03	<1%			
					R331515	234.00	235.50	1.50	0.002	0.01	<1%			
					R331516	235.50	237.00	1.50	1.15	0.29	<1%			
					R331517	237.00	237.75	0.75	0.31	0.05	<1%			
					R331518	237.75	238.65	0.90	0.008	0.01	<1%			
					R331519	238.65	239.55	0.90	0.011	0.01	<1%			
					R331521	239.55	240.80	1.25	0.078	0.03	<1%			
					R331522	240.80	242.05	1.25	0.001	0.02	<1%			
					R331523	242.05	243.55	1.50	0.015	0.02	<1%			
					R331524	243.55	245.05	1.50	0.003	0.02	<1%			
					R331525	245.05	245.95	0.90	0.009	0.02	<1%			
					R331526	245.95	246.85	0.90	0.01	0.02	<1%			
					R331527	246.85	247.55	0.70	0.064	0.04	<1%			
					R331528	247.55	248.30	0.75	0.013	0.13	<1%			
					R331529	248.30	248.75	0.45	0.019	0.15	<1%			
					R331531	248.75	250.10	1.35	0.107	0.16	<1%			
					R331532	250.10	251.50	1.40	0.14	0.08	<1%			
					R331533	251.50	253.00	1.50	0.009	0.01	<1%			
					R331534	253.00	254.00	1.00	0.046	0.03	<1%		0.01%	
					R331535	254.00	255.15	1.15	0.001	0.01	<1%			
					R331536	255.15	256.30	1.15	0.002	0.02	<1%			
					R331537	256.30	257.80	1.50	0.017	0.05	<1%			
					R331538	257.80	259.30	1.50	0.001	0.02	<1%			
					R331539	259.30	260.30	1.00	0.015	0.17	<1%		0.25%	

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331541	260.30	261.30	1.00	0.002	0.02	<1%			
					R331542	261.30	262.30	1.00	0.005	0.02	<1%			
					R331543	262.30	263.00	0.70	0.001	0.01	<1%			
					R331544	263.00	263.50	0.50	0.742	0.25	<1%		0.10%	
					R331545	263.50	264.45	0.95	0.002	0.03	<1%			
					R331546	264.45	265.45	1.00	0.003	0.03	<1%		0.01%	
					R331547	265.45	266.45	1.00	0.001	0.02	<1%			
					R331548	266.45	267.45	1.00	0.002	0.03	<1%			
					R331549	267.45	268.45	1.00	0.006	0.04	<1%			
					R331551	268.45	269.45	1.00	0.001	0.02	<1%			
					R331552	269.45	270.45	1.00	0.005	0.07	<1%			
					R331553	270.45	271.45	1.00	0.463	0.43	<1%		0.10%	
					R331554	271.45	272.70	1.25	0.011	0.03	<1%			
					R331555	272.70	273.70	1.00	0.003	0.05	<1%			
					R331556	273.70	274.70	1.00	0.091	3.8	<1%	0.01%	0.25%	
					R331557	274.70	275.70	1.00	0.005	0.22	<1%			
					R331558	275.70	276.70	1.00	0.021	0.24	<1%		0.25	
					R331559	276.70	277.70	1.00	0.002	0.07	<1%		0.01	
					R331561	277.70	278.70	1.00	0.002	0.13	<1%		0.25%	
					R331562	278.70	279.70	1.00	0.006	0.11	<1%			
					R331563	279.70	280.70	1.00	0.38	0.12	<1%		0.10%	
					R331564	280.70	281.70	1.00	0.038	0.09	<1%			
					R331565	281.70	282.70	1.00	0.003	0.08	<1%		0.10%	
					R331566	282.70	283.70	1.00	0.002	0.07	<1%			
					R331567	283.70	284.45	0.75	0.022	0.14	<1%		0.01%	
					R331568	284.45	285.95	1.50	0.008	0.09	<1%			
					R331569	285.95	287.45	1.50	0.002	0.09	<1%			
					R331571	287.45	288.95	1.50	0.122	0.06	<1%			
					R331572	288.95	289.95	1.00	0.233	1.7	<1%		0.01%	
					R331573	289.95	290.95	1.00	0.005	0.05	<1%		0.01%	
					R331574	290.95	292.45	1.50	0.0005	0.02	<1%			
					R331575	292.45	293.90	1.45	0.006	0.28	<1%			
					R331576	293.90	294.90	1.00	0.006	0.04	<1%			
					R331577	294.90	295.90	1.00	0.023	0.08	<1%			
					R331578	295.90	296.90	1.00	0.147	0.08	<1%	0.10%		
					R331579	296.90	297.90	1.00	0.008	0.03	<1%			
					R331581	297.90	298.85	0.95	0.019	0.11	<1%	0.50%		
					R331582	298.85	300.35	1.50	0.007	0.03	<1%			
					R331583	300.35	301.85	1.50	0.001	0.03	<1%			
					R331584	301.85	303.35	1.50	0.0005	0.02	<1%			
					R331585	303.35	304.40	1.05	0.001	0.02	<1%			
					R331586	304.40	305.50	1.10	0.0005	0.02	<1%			
					R331587	305.50	306.70	1.20	0.009	0.03	<1%	0.01%	0.10%	
					R331588	306.70	307.75	1.05	0.159	0.03	<1%			
					R331589	307.75	308.85	1.10	0.001	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331591	308.85	309.85	1.00	0.082	0.06	<1%			
					R331592	309.85	310.85	1.00	0.036	0.07	<1%			
					R331593	310.85	311.85	1.00	0.034	0.09	<1%			
					R331594	311.85	312.85	1.00	40.5	2.03	<1%	0.01%	0.10%	
					R331595	312.85	313.85	1.00	1.85	0.82	<1%		0.10%	
					R331596	313.85	314.90	1.05	0.768	0.07	<1%		0.25%	
					R331597	314.90	315.90	1.00	0.46	0.07	<1%		0.10%	
					R331598	315.90	316.90	1.00	0.048	0.01	<1%			
					R331599	316.90	317.90	1.00	0.093	0.04	<1%	0.10%		
					R331600	317.90	318.90	1.00	0.009	0.01	<1%		0.01%	
					R331601	318.90	319.75	0.85	0.0005	0.01	<1%			
					R331602	319.75	320.65	0.90	0.001	0.01	<1%			
					R331603	320.65	321.55	0.90	0.105	0.04	<1%	0.01%	0.10%	
					R331604	321.55	322.55	1.00	0.542	0.03	<1%			
					R331605	322.55	323.55	1.00	0.022	0.04	<1%	0.01%	0.01%	
					R331606	323.55	324.55	1.00	0.0005	<0.01	<1%			
					R331607	324.55	325.55	1.00	0.048	0.02	<1%	0.01%		
					R331608	325.55	326.55	1.00	0.003	0.08	<1%			
					R331609	326.55	327.55	1.00	0.002	0.01	<1%			
					R331611	327.55	328.55	1.00	0.002	0.03	<1%			
					R331612	328.55	329.55	1.00	0.004	0.03	<1%	0.01%		
					R331613	329.55	330.55	1.00	0.007	0.02	<1%		0.01%	
					R331614	330.55	331.55	1.00	0.003	0.02	<1%			
					R331615	331.55	332.55	1.00	0.033	0.06	<1%			
					R331616	332.55	333.28	0.73	0.06	0.12	<1%		0.10%	
					R331617	333.28	334.25	0.97	0.053	0.22	<1%			
					R331618	334.25	335.25	1.00	0.016	0.02	<1%			
					R331619	335.25	336.25	1.00	0.039	0.06	<1%			
					R331621	336.25	337.25	1.00	0.002	0.01	<1%			
					R331622	337.25	338.45	1.20	0.018	0.06	<1%			
					R331623	338.45	339.65	1.20	0.027	0.09	<1%			
					R331624	339.65	340.65	1.00	0.033	0.08	<1%			
					R331625	340.65	341.65	1.00	0.131	0.24	<1%			
					R331626	341.65	342.65	1.00	0.13	0.2	<1%	0.01%		
					R331627	342.65	343.65	1.00	0.106	0.42	<1%	0.10%		
					R331628	343.65	344.65	1.00	0.339	0.37	<1%			
					R331629	344.65	345.65	1.00	0.013	0.08	<1%			
					R331631	345.65	346.65	1.00	0.118	0.11	<1%			
					R331632	346.65	347.70	1.05	0.073	0.2	<1%			
					R331633	347.70	348.70	1.00	1.375	0.52	<1%			
					R331634	348.70	349.70	1.00	0.093	0.11	<1%			
					R331635	349.70	350.65	0.95	0.05	0.09	<1%			
					R331636	350.65	352.15	1.50	0.004	0.02	<1%			
					R331637	352.15	353.65	1.50	0.009	0.02	<1%			
					R331638	353.65	354.75	1.10	0.007	0.1	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331639	354.75	355.85	1.10	0.11	0.13	<1%			
					R331641	355.85	357.30	1.45	0.032	0.09	<1%			
					R331642	357.30	358.76	1.46	0.03	0.11	<1%			
					R331643	358.76	359.06	0.30	0.066	0.08	<1%			
					R331644	359.06	360.50	1.44	0.09	0.2	<1%			
					R331645	360.50	361.50	1.00	0.009	0.09	<1%			
					R331646	361.50	362.50	1.00	0.028	0.11	<1%			
					R331647	362.50	363.50	1.00	0.169	0.43	<1%			
					R331648	363.50	364.50	1.00	0.23	1.03	<1%			
					R331649	364.50	366.00	1.50	0.139	0.3	<1%			
					R331651	366.00	367.50	1.50	0.023	0.1	<1%			
					R331652	367.50	369.00	1.50	0.099	0.18	<1%			
					R331653	369.00	370.50	1.50	0.03	0.08	<1%			
					R331654	370.50	372.00	1.50	0.019	0.01	<1%			
					R331655	372.00	373.50	1.50	0.037	0.18	<1%			
					R331656	373.50	374.45	0.95	0.051	0.07	<1%			
					R331657	374.45	375.40	0.95	0.075	0.14	<1%			
					R331658	375.40	376.40	1.00	0.554	0.03	<1%			
					R331659	376.40	377.40	1.00	0.062	0.07	<1%		0.01%	
					R331661	377.40	378.40	1.00	0.302	0.02	<1%			
					R331662	378.40	379.40	1.00	0.042	0.08	<1%			
					R331663	379.40	380.45	1.05	0.007	0.03	<1%			
380.45	383.73	MVOL		Fine grained, medium- to -dark green Mafic Volcanics with very rare, 1-2cm, Syenite and Aplitic Dykes. The lower contact with Syenite is sharp at 30 tca.	R331664	380.45	381.55	1.10	0.002	0.04	<1%			
					R331665	381.55	382.65	1.10	0.0005	0.04	<1%			
					R331666	382.65	383.73	1.08	0.001	0.03	<1%			
383.73	392.90	SY		Medium- to -coarse grained, pink- to -red Syenite (equigranular). Pale pink, aphanitic patches occur locally. A minor interval of MVOL is present from 384.10 to 384.67m. A 79cm Diabase Dyke (50/25 tca) is present at 391.14m. The lower contact with MVOL is sharp at 25 tca.	R331667	383.73	384.10	0.37	0.034	0.15	<1%			
384.10	384.67		MVOL	Fine grained, medium green, strongly magnetic, massive Mafic Volcanics with; weak epidote and a moderate foliation at 30 tca.	R331668	384.10	384.67	0.57	0.191	0.09	<1%			
					R331669	384.67	385.67	1.00	0.047	0.06	<1%			
					R331670	385.67	386.67	1.00	0.103	0.08	<1%			
					R331671	386.67	387.67	1.00	0.08	0.11	<1%			
					R331672	387.67	388.67	1.00	0.059	0.06	<1%			
					R331673	388.67	389.67	1.00	1.34	0.08	<1%			
					R331674	389.67	390.25	0.58	0.144	0.13	<1%			
					R331675	390.25	390.55	0.30	0.18	0.15	<1%		0.01%	1 speck
					R331677	390.55	391.14	0.59	0.097	0.39	<1%		0.10%	
391.14	391.93		DIA	Medium- to -coarse grained, black, moderately magnetic Diabase Dykes with sharp upper/lower contacts at 50/25 tca.	R331678	391.14	391.93	0.79	0.005	0.05	<1%			
					R331679	391.93	392.55	0.62	0.07	0.11	<1%			1 speck
					R331681	392.55	392.90	0.35	0.397	0.24	<1%			
392.90	398.25	MVOL		Fine grained, medium- to -dark green, moderately magnetic (patchy) Mafic Volcanics. Two, < 5cm APL Dykes are present between 392.90 and 394m. The lower contact with Diabase	R331682	392.90	394.00	1.10	0.027	0.07	<1%			
					R331683	394.00	395.50	1.50	0.003	0.08	<1%			
					R331684	395.50	397.00	1.50	0.003	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				is sharp at 25 tca.	R331685	397.00	398.25	1.25	0.002	0.05	<1%			
398.25	400.27	DIA		Medium- to -coarse grained, black, moderately magnetic Diabase Dyke. The lower contact with MVOL is sharp but irregular.	R331686	398.25	399.26	1.01	0.004	0.06	<1%			
					R331687	399.26	400.27	1.01	0.003	0.04	<1%			
400.27	423.00	MVOL		Fine- to -locally medium grained, medium- to dark green, massive Mafic Volcanics. 406.65 to 409.50m - Approximately 30% pink- to -red, aphanitic Aplitic Dykes (up to 10cm at 5-15 tca) with quartz and diss py. 412.95 to 419.60m - Approximately 5% pink- to -red, aphanitic Aplitic Dykes (up to 5cm at 5-15 tca) with quartz and diss py.	R331688	400.27	401.75	1.48	0.001	0.05	<1%			
					R331689	401.75	403.25	1.50	0.005	0.08	<1%			
					R331691	403.25	404.75	1.50	0.002	0.06	<1%			
					R331692	404.75	406.25	1.50	0.005	0.07	<1%			
					R331693	406.25	406.65	0.40	0.012	0.13	1.0%			
					R331694	406.65	407.65	1.00	0.005	0.19	1.0%			
					R331695	407.65	408.65	1.00	0.007	0.18	1.0%			
					R331696	408.65	409.50	0.85	0.01	0.36	1.0%			
					R331697	409.50	410.25	0.75	0.001	0.08	<1%			
					R331698	410.25	411.60	1.35	0.003	0.06	<1%			
					R331699	411.60	412.95	1.35	0.003	0.05	<1%			
					R331700	412.95	414.45	1.50	0.004	0.07	<1%			
					R331701	414.45	415.95	1.50	0.003	0.1	<1%			
					R331702	415.95	417.45	1.50	0.004	0.09	<1%			
					R331703	417.45	418.55	1.10	0.031	0.33	<1%			
					R331704	418.55	419.60	1.05	0.002	0.06	<1%			
					R331705	419.60	420.75	1.15	0.003	0.06	<1%			
					R331706	420.75	421.90	1.15	0.005	0.09	<1%			
					R331707	421.90	423.00	1.10	0.004	0.07	<1%			

MG15-21 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	583014	5317973	327	MG15-21	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	8/10/15	8/18/15	Forthright Drilling Services Inc.		NQ	440.7
Project Name	Area	Township	Claim No.			
Miller	Allied	Pacaud	4215970			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
0	-45	245	200	-45.2	241.5	Stake with aluminum tag in place at collar.
20	-47.1	116.4	251	-44.6	246.6	
50	-46.6	243.6	302	-44.4	245.6	
101	-46.2	244.2	350	-43.5	250.9	
152	-45.8	241	401	-42.3	249.6	

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	1.00	OB		Overburden.
1.00	142.55	MVOL		Fine- to -locally medium grained, medium- to -dark green, massive Mafic Volcanics. This MVOL begins to locally resemble Gabbro below 131m. The lower contact with Gabbro is gradual.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R331708	1.00	2.50	1.50	0.001	0.06	<1%			
R331709	2.50	4.00	1.50	0.002	0.07	<1%			
R331711	4.00	5.50	1.50	0.003	0.07	<1%			
R331712	5.50	7.00	1.50	0.005	0.06	<1%			
R331713	7.00	8.40	1.40	0.003	0.05	<1%			
R331714	8.40	9.90	1.50	0.003	0.08	1.0%			
R331715	9.90	11.40	1.50	0.002	0.07	1.0%			
R331716	11.40	12.45	1.05	0.003	0.08	1.0%			
R331717	12.45	13.50	1.05	0.001	0.11	1.0%			
R331718	13.50	14.55	1.05	0.021	0.21	1.0%			
R331719	14.55	16.05	1.50	0.004	0.08	<1%			
R331721	16.05	17.45	1.40	0.002	0.07	<1%			
R331722	17.45	18.95	1.50	0.001	0.11	<1%			
R331723	18.95	20.00	1.05	0.0005	0.1	<1%			
R331724	20.00	20.50	0.50	0.0005	0.07	<1%			
R331725	20.50	21.50	1.00	0.001	0.1	<1%			
R331726	21.50	22.50	1.00	0.001	0.1	<1%			
R331727	22.50	23.50	1.00	0.001	0.17	<1%			
R331728	23.50	25.00	1.50	0.001	0.08	<1%			
R331729	25.00	26.50	1.50	0.002	0.05	<1%			
R331731	26.50	28.00	1.50	0.003	0.05	<1%			
R331732	28.00	29.50	1.50	0.003	0.05	<1%			
R331733	29.50	31.00	1.50	0.003	0.06	<1%			
R331734	31.00	32.50	1.50	0.004	0.07	<1%			
R331735	32.50	34.00	1.50	0.003	0.05	<1%			
R331736	34.00	35.50	1.50	0.001	0.09	<1%			
R331737	35.50	37.00	1.50	0.003	0.11	<1%			
R331738	37.00	38.50	1.50	0.001	0.09	<1%			
R331739	38.50	39.75	1.25	0.002	0.13	<1%			
R331741	39.75	41.00	1.25	0.0005	0.12	<1%			
R331742	41.00	42.50	1.50	0.005	0.06	<1%			
R331743	42.50	44.00	1.50	0.003	0.07	<1%			
R331744	44.00	45.50	1.50	0.002	0.06	<1%			
R331745	45.50	47.00	1.50	0.002	0.07	<1%			
R331746	47.00	48.25	1.25	0.001	0.08	<1%			
R331747	66.30	67.20	0.90	0.002	0.11	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331748	67.20	68.70	1.50	0.0005	0.03	<1%			
					R331749	68.70	70.20	1.50	0.0005	0.02	<1%			
					R331751	70.20	71.70	1.50	0.003	0.04	<1%			
					R331752	71.70	73.20	1.50	0.002	0.04	<1%			
					R331753	73.20	74.70	1.50	0.0005	0.03	<1%			
					R331754	74.70	76.15	1.45	0.0005	0.02	<1%			
					R331755	76.15	77.65	1.50	0.0005	0.02	<1%			
					R331756	77.65	79.15	1.50	0.0005	0.02	<1%			
					R331757	79.15	80.65	1.50	0.0005	0.09	<1%			
					R331758	80.65	81.50	0.85	0.001	0.02	<1%			
					R331759	81.50	83.00	1.50	0.0005	0.02	<1%			
					R331761	83.00	84.50	1.50	0.001	0.02	<1%			
					R331762	84.50	86.00	1.50	0.008	0.12	<1%			
					R331763	86.00	87.50	1.50	0.003	0.07	<1%			
					R331764	87.50	89.00	1.50	0.006	0.17	<1%			
					R331765	89.00	90.35	1.35	0.002	0.08	<1%			
					R331766	90.35	91.70	1.35	0.001	0.08	<1%			
					R331767	91.70	93.05	1.35	0.001	0.09	<1%			
					R331768	93.05	94.40	1.35	0.0005	0.09	<1%			
					R331769	94.40	95.00	0.60	0.0005	0.08	<1%			
					R331771	120.95	122.45	1.50	0.003	0.09	<1%			
					R331772	122.45	123.95	1.50	0.001	0.08	<1%			
					R331773	123.95	125.45	1.50	0.001	0.1	<1%			
					R331774	125.45	126.95	1.50	0.004	0.14	<1%			
					R331775	126.95	128.45	1.50	0.005	0.29	<1%			
					R331776	128.45	129.95	1.50	0.005	0.11	<1%			
					R331777	129.95	131.45	1.50	0.005	0.06	<1%			
					R331778	131.45	132.95	1.50	0.004	0.08	<1%			
					R331779	132.95	134.45	1.50	0.006	0.07	<1%			
					R331781	134.45	135.95	1.50	0.003	0.06	<1%			
					R331782	135.95	137.45	1.50	0.004	0.06	<1%			
					R331783	137.45	138.95	1.50	0.004	0.06	<1%			
					R331784	138.95	140.45	1.50	0.001	0.04	<1%			
					R331785	140.45	141.50	1.05	0.0005	0.04	<1%			
					R331786	141.50	142.55	1.05	0.001	0.06	<1%			
142.55	164.45	GAB		Medium- to coarse grained, medium- to -dark green Gabbro. A 28cm fault zone with gouge and strong hematite is present at 162.17m (at 50 tca). The lower contact with Mafic Pillow Volcanics is sharp at 60 tca.	R331787	142.55	144.05	1.50	0.002	0.05	<1%			
					R331788	144.05	145.55	1.50	0.006	0.04	<1%			
					R331789	145.55	147.05	1.50	0.002	0.04	<1%			
					R331791	147.05	148.55	1.50	0.002	0.04	<1%			
					R331792	148.55	150.05	1.50	0.002	0.07	<1%			
					R331793	150.05	151.55	1.50	0.002	0.06	<1%			
					R331794	151.55	153.05	1.50	0.001	0.13	<1%			
					R331795	153.05	154.55	1.50	0.005	0.06	<1%			
					R331796	154.55	156.05	1.50	0.299	0.07	<1%			
					R331797	156.05	157.55	1.50	0.001	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331798	157.55	159.05	1.50	0.003	0.04	<1%			
					R331799	159.05	160.55	1.50	0.001	0.02	<1%			
					R331800	160.55	162.05	1.50	0.001	0.06	<1%			
					R331801	162.05	163.25	1.20	0.002	0.05	<1%			
					R331802	163.25	164.45	1.20	0.001	0.08	<1%			
164.45	274.25	MVOLPIL		Fine grained, medium- to -dark green Mafic Pillow Volcanics. Pillows tend to be cm- to -dm-scale with the distance between selvages rarely reaching 1m. Pillow selvages are primarily cm-scale (1-3cm) and chlorite rich. A 28cm, fine grained, dark green Mafic Dyke is present at 167.77m (60/35 tca). A 21cm, medium- to -coarse grained, dark grey Diabase (?) Dyke is present at 185.53m (55/45 tca).	R331803	164.45	165.25	0.80	0.001	0.07	<1%			
					R331804	165.25	166.50	1.25	0.061	0.25	1.5%			
					R331805	166.50	167.77	1.27	1.08	0.56	1.5%			
					R331806	167.77	168.77	1.00	0.002	0.04	<1%			
					R331807	168.77	169.77	1.00	0.002	0.06	<1%			
					R331808	190.40	191.40	1.00	0.004	0.1	<1%			
					R331809	191.40	192.90	1.50	0.011	0.1	<1%			
					R331811	192.90	194.40	1.50	0.006	0.09	<1%			
					R331812	194.40	195.90	1.50	0.009	0.1	<1%			
					R331813	195.90	197.40	1.50	0.012	0.04	<1%			
					R331814	197.40	197.90	0.50	0.034	0.23	<1%			
					R331815	197.90	199.40	1.50	0.003	0.05	<1%			
					R331816	199.40	200.90	1.50	0.001	0.04	<1%			
					R331817	200.90	202.40	1.50	0.005	0.03	<1%			
					R331818	202.40	203.90	1.50	0.004	0.06	<1%			
					R331819	203.90	205.40	1.50	0.005	0.1	<1%			
					R331821	205.40	206.90	1.50	0.003	0.16	<1%			
					R331822	206.90	208.40	1.50	0.011	0.11	<1%			
					R331823	208.40	209.90	1.50	0.004	0.07	<1%			
					R331824	209.90	211.40	1.50	0.003	0.07	<1%			
					R331825	211.40	212.90	1.50	0.005	0.07	<1%			
					R331826	212.90	214.40	1.50	0.012	0.11	<1%			
					R331827	214.40	215.90	1.50	0.003	0.04	<1%			
					R331828	215.90	217.40	1.50	0.004	0.04	<1%			
					R331829	217.40	218.90	1.50	0.003	0.04	<1%			
					R331831	218.90	220.40	1.50	0.006	0.23	<1%			
					R331832	220.40	221.90	1.50	0.015	0.38	<1%			
					R331833	221.90	222.90	1.00	0.001	0.03	<1%			
					R331834	222.90	223.90	1.00	0.002	0.05	<1%			
					R331835	223.90	224.90	1.00	0.001	0.05	<1%			
					R331836	239.00	239.95	0.95	0.003	0.18	<1%			
					R331837	239.95	241.45	1.50	0.012	0.11	<1%			
					R331838	241.45	242.90	1.45	0.007	0.09	<1%			
					R331839	242.90	243.65	0.75	0.002	0.35	<1%			
					R331841	243.65	245.15	1.50	0.002	0.11	<1%			
					R331842	245.15	246.65	1.50	0.002	0.07	<1%			
					R331843	246.65	248.10	1.45	0.002	0.07	<1%			
					R331844	248.10	249.55	1.45	0.004	0.07	<1%			
					R331845	249.55	250.03	0.48	0.006	0.08	<1%			
					R331846	250.03	250.80	0.77	0.002	0.09	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R331847	250.80	251.95	1.15	0.002	0.08	<1%			
					R331848	251.95	253.10	1.15	0.001	0.08	<1%			
					R331849	253.10	254.30	1.20	0.003	0.07	<1%			
					R331851	254.30	255.50	1.20	0.017	0.06	<1%			
					R331852	255.50	257.00	1.50	0.05	0.14	<1%			
					R331853	257.00	258.50	1.50	0.002	0.07	<1%			
					R331854	258.50	260.00	1.50	0.005	0.07	<1%			
					R331855	260.00	261.50	1.50	0.002	0.07	<1%			
					R331856	261.50	263.00	1.50	0.005	0.07	<1%			
					R331857	263.00	264.50	1.50	0.007	0.07	<1%			
					R331858	264.50	266.00	1.50	0.005	0.07	<1%			
					R331859	266.00	267.50	1.50	0.009	0.06	<1%			
					R331861	267.50	269.00	1.50	0.004	0.08	<1%			
					R331862	269.00	270.50	1.50	0.003	0.07	<1%			
					R331863	270.50	272.00	1.50	0.004	0.06	<1%			
					R331864	272.00	273.50	1.50	0.002	0.07	<1%			
					R331865	273.50	274.25	0.75	0.002	0.16	<1%			
274.25	279.20	FPORP		Feldspar Porphyry Dyke Swarm consisting of approximately 50% irregular FPORP injections with medium- to -coarse (up to 5mm), pink phenocrysts set in a very fine- to -aphanitic, dark grey groundmass. This interval begins with an approx. 2m FPORP Dyke.	R331866	274.25	275.25	1.00	0.001	0.07	<1%			
					R331867	275.25	276.25	1.00	0.0005	0.02	<1%			
					R331868	276.25	277.25	1.00	0.01	0.1	<1%			
					R331869	277.25	278.25	1.00	0.001	0.1	<1%			
					R331871	278.25	279.20	0.95	0.014	0.11	<1%			
279.20	344.55	MVOLPIL		Fine grained, medium- to -dark green Mafic Pillow Volcanics. Pillows tend to be cm- to -dm-scale with the distance between selvages rarely reaching 1m. Pillow selvages are primarily cm-scale (1-3cm) and chlorite rich. Approximately 15% irregular FPORP injections are present to 283.15m. Minor Syenite Dykes (porphyritic) were intersected at; 304.05m (55cm), 305.45m (17cm) and 309.15m (16cm). The lower contact with Diabase is sharp at 45 tca.	R331872	279.20	280.70	1.50	0.003	0.15	1.0%			
					R331873	280.70	281.95	1.25	0.002	0.13	1.0%			
					R331874	281.95	283.15	1.20	0.002	0.21	1.0%			
					R331875	283.15	284.65	1.50	0.002	0.18	1.0%			
					R331876	284.65	286.15	1.50	0.002	0.22	1.0%			
					R331877	286.15	287.65	1.50	0.002	0.26	1.0%			
					R331878	287.65	289.15	1.50	0.002	0.08	1.0%			
					R331879	289.15	290.65	1.50	0.002	0.16	1.0%			
					R331881	290.65	292.15	1.50	0.003	0.19	1.0%			
					R331882	292.15	293.65	1.50	0.004	0.12	1.0%			
					R331883	293.65	295.15	1.50	0.002	0.1	1.0%			
					R331884	295.15	296.65	1.50	0.002	0.13	1.0%			
					R331885	296.65	297.50	0.85	0.001	0.13	1.0%			
					R331886	297.50	298.25	0.75	0.003	0.06	1.0%			
					R331887	298.25	299.50	1.25	0.003	0.14	1.0%			
					R331888	299.50	300.75	1.25	0.003	0.16	1.0%			
					R331889	300.75	302.00	1.25	0.005	0.19	1.0%			
					R331891	302.00	303.00	1.00	0.003	0.45	1.0%			
					R331892	303.00	304.05	1.05	0.002	0.3	<1%			
304.05	304.60		SYPORP	(55cm), mg to cg, pink- to -red Porphyritic Syenite Dyke with MS potassic-hematite alteration.	R331893	304.05	304.60	0.55	0.0005	0.1	<1%			
					R331894	304.60	305.40	0.80	0.001	0.14	<1%			
305.45	305.62		SYPORP	Minor (17cm), medium- to -coarse grained, pink- to -red Porphyritic Syenite Dyke with MS potassic-hematite	R331895	305.40	305.70	0.30	0.002	0.16	<1%			
					R331896	305.70	306.85	1.15	0.001	0.11	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				alteration.	R331897	306.85	308.00	1.15	0.002	0.09	<1%			
					R331898	308.00	309.15	1.15	0.002	0.17	<1%			
309.15	309.31		SYPORP	Minor (16cm), medium- to -coarse grained, pink- to -red	R331899	309.15	310.20	1.05	0.002	0.11	<1%			
				Porphyritic Syenite Dyke with MS potassic-hematite	R331900	310.20	311.20	1.00	0.002	0.08	<1%			
				alteration.	R331901	327.20	328.10	0.90	0.001	0.06	<1%			
					R331902	328.10	329.00	0.90	0.0005	0.08	<1%			
					R331903	329.00	330.50	1.50	0.0005	0.07	<1%			
					R331904	330.50	332.00	1.50	0.001	0.09	<1%			
					R331905	332.00	333.50	1.50	0.001	0.07	<1%			
					R331906	333.50	335.00	1.50	0.002	0.17	<1%			
					R331907	335.00	336.50	1.50	0.003	0.11	<1%			
					R331908	336.50	338.00	1.50	0.001	0.07	<1%			
					R331909	338.00	339.50	1.50	0.003	0.11	<1%			
					R331911	339.50	341.00	1.50	0.003	0.13	<1%			
					R331912	341.00	341.90	0.90	0.005	0.07	<1%			
					R331913	341.90	342.80	0.90	0.004	0.15	<1%			
					R331914	342.80	343.70	0.90	0.003	0.13	<1%			
					R331915	343.70	344.55	0.85	0.001	0.1	<1%			
344.55	348.75	DIA		Medium- to -coarse grained, black, strongly magnetic Diabase	R331916	344.55	345.95	1.40	0.002	0.05	<1%			
				Dyke. The lower contact with Gabbro is sharp at 70 tca.	R331917	345.95	347.35	1.40	0.003	0.05	<1%			
					R331918	347.35	348.75	1.40	0.001	0.07	<1%			
348.75	371.95	GAB		Medium- to -locally coarse grained, medium- to -dark green	R331919	348.75	350.00	1.25	0.005	0.13	<1%			
				Gabbro. The lower contact with Mafic Volcanics is gradual	R331921	350.00	351.25	1.25	0.001	0.05	<1%			
				over 5cm.	R331922	351.25	352.50	1.25	0.0005	0.05	<1%			
					R331923	352.50	353.75	1.25	0.001	0.05	<1%			
					R331924	353.75	354.75	1.00	0.004	0.16	<1%			
					R331925	354.75	355.75	1.00	0.001	0.12	<1%			
					R331926	355.75	356.75	1.00	0.001	0.18	<1%			
					R331927	356.75	357.80	1.05	0.001	0.04	<1%			
					R331928	357.80	358.55	0.75	0.002	0.09	<1%			
					R331929	358.55	359.50	0.95	0.002	0.05	<1%			
					R331931	359.50	360.40	0.90	0.002	0.05	<1%			
					R331932	360.40	361.50	1.10	0.006	0.18	<1%			
					R331933	361.50	362.50	1.00	0.002	0.06	<1%			
					R331934	362.50	363.60	1.10	0.002	0.07	<1%			
					R331935	363.60	364.65	1.05	0.001	0.07	<1%			
					R331936	364.65	366.15	1.50	0.001	0.04	<1%			
					R331937	366.15	367.65	1.50	0.0005	0.05	<1%			
					R331938	367.65	369.15	1.50	0.0005	0.02	<1%			
					R331939	369.15	370.55	1.40	0.0005	0.11	<1%			
					R331941	370.55	371.95	1.40	0.006	0.11	<1%			
371.95	401.95	MVOLPIL		Fine grained, medium- to -dark green Mafic Pillow Volcanics.	R331942	371.95	373.25	1.30	0.034	0.12	<1%			
				Pillows are very difficult to identify within this unit but are	R331943	373.25	374.55	1.30	0.003	0.09	<1%			
				present in at least three locations. Pillow selvages are	R331944	374.55	375.85	1.30	0.036	0.06	<1%			
				primarily cm-scale (1-3cm) and chlorite rich. A 20cm FPORP	R331945	375.85	376.85	1.00	0.001	0.05	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				Dyke is present at 392.13m. Very minor (< 5%) irregular FPORP injections are present from 391.85 to 394.60m. The lower contact with a Feldspar Porphyry Dyke Swarm is marked by the regular appearance of irregular FPORP injections.	R331946	400.95	401.95	1.00	0.006	0.18	<1%			
401.95	439.55	FPORP		Feldspar Porphyry Dyke Swarm consisting of approximately 50% irregular injections into Mafic Volcanics (possibly pillowed?). The Feldspar Porphyry injections contain medium- to -coarse (up to 7mm), white- to -pink feldspar phenocrysts set in a very fine- to -aphanitic, dark grey groundmass and generally fall within the cm- to dm-scale range. The Feldspar Porphyry is injecting fine grained, medium- to -dark green Mafic Volcanics (possible pillowed?).	R331947	401.95	403.45	1.50	0.0005	0.08	<1%			
					R331948	403.45	404.95	1.50	0.0005	0.04	<1%			
					R331949	404.95	406.45	1.50	0.001	0.03	<1%			
					R331951	406.45	407.95	1.50	0.001	0.07	<1%			
					R331952	407.95	409.45	1.50	0.001	0.07	<1%			
					R331953	409.45	410.95	1.50	0.0005	0.06	<1%			
					R331954	410.95	412.45	1.50	0.104	0.2	<1%			
					R331955	412.45	413.95	1.50	0.044	0.15	<1%			
					R331956	413.95	415.45	1.50	0.011	0.12	<1%			
					R331957	415.45	416.95	1.50	0.0005	0.08	<1%			
					R331958	416.95	418.45	1.50	0.001	0.06	<1%			
					R331959	418.45	419.95	1.50	0.031	0.25	<1%			
					R331961	419.95	421.45	1.50	0.002	0.07	<1%			
					R331962	421.45	422.95	1.50	0.002	0.08	<1%			
					R331963	422.95	424.45	1.50	0.002	0.07	<1%			
					R331964	424.45	425.95	1.50	0.004	0.11	<1%			
					R331965	425.95	427.45	1.50	0.001	0.06	<1%			
					R331966	427.45	428.95	1.50	0.001	0.34	<1%			
					R331967	428.95	430.45	1.50	0.001	0.11	<1%			
					R331968	430.45	431.95	1.50	0.001	0.14	<1%			
					R331969	431.95	433.45	1.50	0.0005	0.08	<1%			
					R331971	433.45	434.95	1.50	0.0005	0.04	<1%			
					R331972	434.95	436.45	1.50	0.0005	0.05	<1%			
					R331973	436.45	437.50	1.05	0.001	0.07	<1%			
					R331974	437.50	438.55	1.05	0.0005	0.11	<1%			
					R331975	438.55	439.55	1.00	0.0005	0.09	<1%			
439.55	440.70	MVOL		Fine grained, dark green, strongly magnetic, massive Mafic Volcanics. EOH at 440.70m, bit went mid run.	R331976	439.55	440.70	1.15	0.002	0.07	<1%			

MG15-22 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582438	5318276	311	MG15-22	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	8/19/15	8/23/15	Forthright Drilling Services Inc.		NQ	225
Project Name	Area	Township	Claim No.			
Miller	West Allied	Pacaud	4267275			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
0	-45	225	201	-42.4	240.5	Stake with aluminum tag in place at collar.
18	-44.4	224.3				
63	-44.6	232.4				
102	-44.2	233.2				
153	-43.6	230.4				

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	2.13	OB		Overburden.
2.13	23.50	GAB		Medium- to -coarse grained, medium- to -dark green Gabbro. Very localized intervals resemble fine- to -medium grained Mafic Volcanics (contacts are difficult to determine). The lower contact with Mafic Volcanics is gradual, no sharp contact was identified.
23.50	33.63	MVOL		Fine grained, medium- to -dark green, massive Mafic Volcanics. The lower contact with a Feldspar Porphyry Dyke is sharp at 55 tca.
33.63	36.45	FPORP		Feldspar Porphyry Dyke with medium- to -coarse, white- to -pink feldspar phenocrysts set in a very fine- to -aphanitic, dark grey groundmass. The lower contact with Mafic Volcanics is sharp at 55 tca.
36.45	88.10	MVOL		Fine- to -medium grained, medium- to -dark green, massive Mafic Volcanics. The lower contact with Syenite is sharp at 40 tca.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R331977	2.13	3.10	0.97	0.003	0.22	<1%			
R331978	3.10	4.60	1.50	0.003	0.07	<1%			
R331979	4.60	6.10	1.50	0.001	0.05	<1%			
R331981	6.10	7.60	1.50	0.001	0.06	<1%			
R331982	7.60	9.10	1.50	0.007	0.05	<1%			
R331983	9.10	10.60	1.50	0.001	0.05	<1%			
R331984	10.60	12.10	1.50	0.001	0.1	<1%			
R331985	12.10	13.60	1.50	0.001	0.47	<1%			
R331986	13.60	15.10	1.50	0.002	0.07	<1%			
R331987	15.10	16.60	1.50	0.0005	0.19	<1%			
R331988	16.60	18.05	1.45	0.0005	2.12	<1%			
R331989	18.05	19.50	1.45	0.0005	0.04	<1%			
R331991	19.50	21.00	1.50	0.0005	0.05	<1%			
R331992	21.00	22.50	1.50	0.002	0.08	<1%			
R331993	22.50	23.50	1.00	0.0005	0.11	<1%			
R331994	23.50	25.00	1.50	0.0005	0.16	<1%			
R331995	25.00	26.50	1.50	0.001	0.08	<1%			
R331996	26.50	28.00	1.50	0.059	0.23	<1%	0.01%		
R331997	28.00	29.50	1.50	0.139	0.19	<1%			
R331998	29.50	31.00	1.50	0.06	0.17	<1%			
R331999	31.00	32.30	1.30	0.001	0.18	<1%			
R332000	32.30	33.63	1.33	0.001	0.19	<1%			
R332001	33.63	35.04	1.41	0.0005	0.06	<1%			
R332002	35.04	36.45	1.41	0.0005	0.04	<1%			
R332003	36.45	37.95	1.50	0.001	0.2	<1%			
R332004	37.95	39.45	1.50	0.0005	0.23	<1%			
R332005	39.45	40.95	1.50	0.003	0.18	<1%			
R332006	40.95	42.45	1.50	0.001	0.17	<1%			
R332007	42.45	43.95	1.50	0.001	0.18	<1%			
R332008	43.95	45.45	1.50	0.001	0.13	<1%			
R332009	45.45	46.95	1.50	0.001	0.22	<1%			
R332011	46.95	48.45	1.50	0.001	0.24	<1%			
R332012	48.45	49.95	1.50	0.001	0.2	<1%			
R332013	49.95	51.45	1.50	0.001	0.61	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332014	51.45	52.70	1.25	0.0005	0.12	<1%			
					R332015	52.70	54.20	1.50	0.001	0.13	<1%			
					R332016	54.20	55.70	1.50	0.006	0.13	<1%			
					R332017	55.70	57.20	1.50	0.001	0.09	<1%			
					R332018	57.20	58.70	1.50	0.0005	0.23	<1%			
					R332019	58.70	60.20	1.50	0.0005	0.11	<1%			
					R332021	60.20	61.50	1.30	0.0005	0.09	<1%			
					R332022	61.50	61.80	0.30	0.003	0.41	<1%	0.25%		
					R332023	61.80	63.30	1.50	0.0005	0.09	<1%			
					R332024	63.30	64.80	1.50	0.001	0.12	<1%			
					R332025	64.80	66.30	1.50	0.0005	0.16	<1%			
					R332026	66.30	67.80	1.50	0.0005	0.13	<1%			
					R332027	67.80	69.30	1.50	0.0005	0.1	<1%			
					R332028	69.30	70.80	1.50	0.0005	0.11	<1%			
					R332029	70.80	71.80	1.00	0.004	0.19	<1%			
					R332031	71.80	72.80	1.00	0.0005	0.09	<1%			
					R332032	72.80	73.10	0.30	0.151	0.89	<1%		0.25%	
					R332033	73.10	74.60	1.50	0.006	0.11	<1%			
					R332034	74.60	76.10	1.50	0.0005	0.1	<1%			
					R332035	76.10	77.60	1.50	0.0005	0.09	<1%			
					R332036	77.60	79.10	1.50	0.0005	0.08	<1%			
					R332037	79.10	80.60	1.50	0.002	0.12	<1%			
					R332038	80.60	82.10	1.50	0.0005	0.06	<1%			
					R332039	82.10	83.60	1.50	0.0005	0.08	<1%			
					R332041	83.60	85.10	1.50	0.0005	0.1	<1%			
					R332042	85.10	86.60	1.50	0.0005	0.07	<1%			
					R332043	86.60	88.10	1.50	0.001	0.1	<1%			
88.10	110.20	SY		Medium- to -coarse grained, red- to -locally -pink Syenite (equigranular to borderline porphyritic). Feldspar phenocrysts can locally reach 5mm but are primarily within the 1-2mm range. A minor (<10%) mafic groundmass is mostly altered to chlorite. The final 35cm of this Syenite (adjacent to a Diabase Dyke at 50 tca) is bleached (white feldspars).	R332044	88.10	89.10	1.00	0.17	0.07	<1%			
					R332045	89.10	90.10	1.00	0.241	0.12	<1%			
					R332046	90.10	91.10	1.00	0.266	0.14	<1%			
					R332047	91.10	92.10	1.00	0.537	0.16	<1%		0.10%	
					R332048	92.10	93.10	1.00	0.015	0.04	<1%			
					R332049	93.10	94.10	1.00	0.005	0.02	<1%			
					R332051	94.10	95.10	1.00	0.007	0.03	<1%			
					R332052	95.10	96.10	1.00	0.0005	0.03	<1%			
					R332053	96.10	97.10	1.00	0.108	0.04	<1%			
					R332054	97.10	98.10	1.00	0.004	0.04	<1%			
					R332055	98.10	99.10	1.00	0.064	0.04	<1%			
					R332056	99.10	100.10	1.00	0.0005	0.05	<1%			
					R332057	100.10	101.10	1.00	0.206	0.16	<1%			
					R332058	101.10	102.10	1.00	0.194	0.08	<1%			
					R332059	102.10	103.10	1.00	0.016	0.05	<1%			
					R332061	103.10	104.10	1.00	0.001	0.05	<1%			
					R332062	104.10	105.10	1.00	0.025	0.08	<1%			
					R332063	105.10	106.10	1.00	0.0005	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332064	106.10	107.10	1.00	0.0005	0.06	<1%			
					R332065	107.10	108.10	1.00	0.053	0.06	<1%			
					R332066	108.10	109.10	1.00	0.049	0.06	<1%			
					R332067	109.10	110.20	1.10	0.078	0.18	<1%			
110.20	112.56	DIA		Medium- to -coarse grained, black, moderately magnetic Diabase.	R332068	110.20	111.38	1.18	0.002	0.04				
					R332069	111.38	112.56	1.18	0.003	0.05				
112.56	115.27	SY		Medium- to -coarse grained, red- to -locally -pink Syenite (equigranular to borderline porphyritic). Feldspar phenocrysts can locally reach 5mm but are primarily within the 1-2mm range. A minor (<10%) mafic groundmass is mostly altered to chlorite. The upper 30cm of this Syenite (adjacent to a Diabase Dyke at 40 tca) is bleached (white feldspars).	R332071	112.56	113.37	0.81	0.423	0.55	<1%			
					R332072	113.37	114.32	0.95	0.1	0.13	<1%			
					R332073	114.32	115.27	0.95	0.15	0.16	<1%			
115.27	127.10	MVOL		Fine- to -locally medium grained, medium- to -dark green, massive Mafic Volcanics. The lower contact with a Feldspar Porphyry Dyke is sharp at 40 tca.	R332074	115.27	116.77	1.50	0.01	0.1	<1%			
					R332075	116.77	118.27	1.50	0.0005	0.07	<1%			
					R332076	118.27	119.77	1.50	0.0005	0.07	<1%			
					R332077	119.77	121.27	1.50	0.0005	0.07	<1%			
					R332078	121.27	122.77	1.50	0.001	0.13	<1%			
					R332079	122.77	124.27	1.50	0.006	0.12	<1%			
					R332081	124.27	125.77	1.50	0.001	0.16	<1%			
					R332082	125.77	127.10	1.33	0.011	0.19	<1%			
127.10	135.50	FPORP		Feldspar Porphyry Dyke with fine- to -medium, grey feldspar phenocrysts set within a dark grey- to -dark green groundmass. This FPORP contains weak- to -moderate fracturing and foliation and is possibly earlier than others in the area or more closely related to a structure. The lower contact with Mafic Volcanics is sharp at 40 tca.	R332083	127.10	128.60	1.50	0.001	0.06	<1%			
					R332084	128.60	130.10	1.50	0.0005	0.02	<1%			
					R332085	130.10	131.60	1.50	0.0005	0.03	<1%			
					R332086	131.60	133.10	1.50	0.0005	0.06	<1%			
					R332087	133.10	134.60	1.50	0.002	0.02	<1%			
					R332088	134.60	135.50	0.90	0.0005	0.01	<1%			
135.50	140.00	MVOL		Fine grained, light- to -medium grained, massive Mafic Volcanics. The lower contact with Gabbro is sharp at 50 tca.	R332089	135.50	137.00	1.50	0.012	0.1	1.0%			
					R332091	137.00	138.50	1.50	0.011	0.08	1.0%			
					R332092	138.50	140.00	1.50	0.003	0.04	1.0%			
140.00	157.00	GAB		Fine- to -coarse grained, dark green, moderately magnetic Gabbro. The finer grained sections may represent areas which are closer to the edge of the intrusive (the Gabbro is generally finer grained at the contacts). The lower contact with Pillowed Mafic Volcanics is sharp at 40 tca.	R332093	140.00	141.50	1.50	0.001	0.04	<1%			
					R332094	141.50	143.00	1.50	0.001	0.08	<1%			
					R332095	143.00	144.50	1.50	0.001	0.11	<1%			
					R332096	144.50	146.00	1.50	0.002	0.14	<1%			
					R332097	146.00	147.50	1.50	0.002	0.13	<1%			
					R332098	147.50	149.00	1.50	0.0005	0.09	<1%			
					R332099	149.00	150.50	1.50	0.0005	0.08	<1%			
					R332100	150.50	152.00	1.50	0.0005	0.06	<1%			
					R332101	152.00	153.50	1.50	0.0005	0.07	<1%			
					R332102	153.50	155.00	1.50	0.001	0.1	<1%			
					R332103	155.00	156.00	1.00	0.0005	0.12	<1%			
					R332104	156.00	157.00	1.00	0.001	0.11	<1%			
157.00	225.00	MVOLPIL		Fine grained, medium- to -dark green Pillowed Mafic Volcanics. Chlorite rich pillow selvages (1-3cm wide) are commonly observed every few meters although some 3-5m	R332105	157.00	158.50	1.50	0.001	0.22	<1%			
					R332106	158.50	160.00	1.50	0.0005	0.14	<1%			
					R332107	160.00	161.50	1.50	0.002	0.16	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				massive intervals do occur locally.	R332108	161.50	163.00	1.50	0.003	0.12	<1%			
					R332109	163.00	164.50	1.50	0.001	0.28	<1%			
					R332111	164.50	166.00	1.50	0.0005	0.23	<1%			
					R332112	166.00	167.30	1.30	0.0005	0.12	<1%			
					R332113	167.30	168.60	1.30	0.0005	0.12	<1%			
					R332114	168.60	170.10	1.50	0.0005	0.16	<1%			
					R332115	170.10	171.60	1.50	0.0005	0.13	<1%			
					R332116	171.60	173.10	1.50	0.002	0.09	<1%			
					R332117	173.10	174.60	1.50	0.0005	0.09	<1%			
					R332118	174.60	176.10	1.50	0.0005	0.11	<1%			
					R332119	176.10	177.60	1.50	0.001	0.06	<1%			
					R332121	177.60	178.55	0.95	0.0005	0.07	<1%			
					R332122	178.55	179.50	0.95	0.0005	0.09	<1%			
					R332123	179.50	181.00	1.50	0.0005	0.12	<1%			
					R332124	181.00	182.50	1.50	0.0005	0.12	<1%			
					R332125	182.50	184.00	1.50	0.001	0.12	<1%			
					R332126	184.00	185.50	1.50	0.0005	0.17	<1%			
					R332127	185.50	187.00	1.50	0.009	0.16	<1%			
					R332128	187.00	188.50	1.50	0.001	0.19	<1%			
					R332129	188.50	190.00	1.50	0.0005	0.14	<1%			
					R332131	190.00	191.50	1.50	0.0005	0.24	<1%			
					R332132	191.50	192.80	1.30	0.0005	0.2	<1%			
					R332133	192.80	193.70	0.90	0.0005	0.33	<1%			
					R332134	193.70	194.60	0.90	0.001	0.36	<1%			
					R332135	194.60	196.10	1.50	0.0005	0.17	<1%			
					R332136	196.10	197.60	1.50	0.0005	0.15	<1%			
					R332137	197.60	199.10	1.50	0.0005	0.13	<1%			
					R332138	199.10	200.60	1.50	0.001	0.13	<1%			
					R332139	200.60	202.10	1.50	0.001	0.25	<1%			
					R332141	202.10	203.60	1.50	0.01	0.32	<1%			
					R332142	203.60	205.10	1.50	0.0005	0.33	<1%			
					R332143	205.10	206.60	1.50	0.0005	0.43	<1%			
					R332144	206.60	208.10	1.50	0.0005	0.32	<1%			
					R332145	208.10	209.60	1.50	0.0005	0.42	<1%			
					R332146	209.60	211.10	1.50	0.0005	0.28	<1%			
					R332147	211.10	212.60	1.50	0.0005	0.23	<1%			
					R332148	212.60	214.10	1.50	0.0005	0.27	<1%			
					R332149	214.10	215.60	1.50	0.0005	0.25	<1%			
					R332151	215.60	217.10	1.50	0.001	0.19	<1%			
					R332152	217.10	218.60	1.50	0.001	0.14	<1%			
					R332153	218.60	220.10	1.50	0.001	0.09	<1%			
					R332154	220.10	221.60	1.50	0.001	0.07	<1%			
					R332155	221.60	223.10	1.50	0.001	0.15	<1%			
					R332156	223.10	224.05	0.95	0.0005	0.22	<1%			
					R332157	224.05	225.00	0.95	0.0005	0.25	<1%			

MG15-23 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582340	5318166	318	MG15-23	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	8/24/15	8/26/15	Forthright Drilling Services Inc.		NQ	224.7
Project Name	Area	Township	Claim No.			
Miller	West Allied	Pacaud	4267279			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-46.5	221.5				Stake with aluminum tag in place at collar.
51	-46.3	220.3				
102	-46	228.6				
150	-45.7	232.6				
224.7	-45.4	239.5				

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	0.87	OB		Overburden.
0.87	25.10	MVOL		Fine grained, dark green, massive, strongly magnetic Mafic Volcanics. The lower contact with Pillowed Mafic Volcanics is marked by the appearance of pillow selvages.
25.10	123.30	MVOLPIL		Fine- to -locally medium grained (within pillow cores?), medium- to -dark green Pillowed Mafic Volcanics. Pillow selvages tend to be dark green, chlorite rich and < 5cm wide. Medium grained, medium green-grey Gabbro Dykes are present at 60.16m (1.39m) and 68.05m (0.50m). The lower contact with Feldspar Porphyry is sharp but irregular.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R332158	0.87	1.75	0.88	0.003	0.15	<1%			
R332159	1.75	2.60	0.85	0.001	0.11	<1%			
R332161	2.60	4.10	1.50	0.001	0.21	<1%			
R332162	4.10	5.60	1.50	0.002	0.13	<1%			
R332163	5.60	7.10	1.50	0.0005	0.17	<1%			
R332164	7.10	8.60	1.50	0.001	0.16	<1%			
R332165	8.60	10.10	1.50	0.002	0.25	<1%			
R332166	10.10	11.60	1.50	0.0005	0.16	<1%			
R332167	11.60	13.10	1.50	0.0005	0.27	<1%			
R332168	13.10	14.60	1.50	0.0005	0.2	<1%			
R332169	14.60	16.10	1.50	0.001	0.21	<1%			
R332171	16.10	17.60	1.50	0.002	0.15	<1%			
R332172	17.60	19.10	1.50	0.001	0.16	<1%			
R332173	19.10	20.60	1.50	0.001	0.14	<1%			
R332174	20.60	22.10	1.50	0.001	0.13	<1%			
R332175	22.10	23.60	1.50	0.001	0.09	<1%			
R332176	23.60	25.10	1.50	0.001	0.24	<1%			
R332177	25.10	26.60	1.50	0.001	0.09	<1%			
R332178	26.60	28.10	1.50	0.001	0.11	<1%			
R332179	28.10	29.60	1.50	0.001	0.11	<1%			
R332181	29.60	31.10	1.50	0.0005	0.28	<1%	0.01%	0.01%	
R332182	31.10	32.60	1.50	0.0005	0.18	<1%			
R332183	32.60	34.10	1.50	0.0005	0.12	<1%			
R332184	34.10	35.60	1.50	0.0005	0.14	<1%			
R332185	35.60	37.10	1.50	0.001	0.08	<1%			
R332186	37.10	38.55	1.45	0.0005	0.17	<1%			
R332187	38.55	40.05	1.50	0.0005	0.17	<1%			
R332188	40.05	41.55	1.50	0.006	0.17	<1%			
R332189	41.55	43.05	1.50	0.002	0.18	<1%			
R332191	43.05	44.55	1.50	0.002	0.38	<1%			
R332192	44.55	46.05	1.50	0.001	0.17	<1%			
R332193	46.05	47.55	1.50	0.001	0.2	<1%			
R332194	47.55	49.05	1.50	0.002	0.22	<1%			
R332195	49.05	50.55	1.50	0.002	0.18	<1%			
R332196	50.55	52.05	1.50	0.001	0.15	<1%			
R332197	52.05	53.55	1.50	0.001	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332198	53.55	55.05	1.50	0.0005	0.09	<1%			
					R332199	55.05	56.55	1.50	0.005	0.09	<1%			
					R332200	56.55	57.55	1.00	0.001	0.04	<1%			
					R332201	57.55	58.55	1.00	0.001	0.06	<1%			
					R332202	58.55	59.35	0.80	0.001	0.03	<1%			
					R332203	59.35	60.16	0.81	0.001	0.11	<1%			
60.16	61.55		GAB	Medium grained, medium green-grey Gabbro Dyke. The	R332204	60.16	61.55	1.39	0.001	0.41	<1%			
				upper contact occurs within rubble, the lower contact is sharp	R332205	61.55	62.60	1.05	0.002	0.17	<1%			
				at 50 tca and is within 5cm of a narrow fault.	R332206	62.60	63.65	1.05	0.001	0.14	<1%			
					R332207	63.65	64.70	1.05	0.001	0.11	<1%			
64.70	65.05		GAB	Medium grained, medium green-grey Gabbro Dyke with	R332208	64.70	65.05	0.35	0.0005	0.03	<1%			
				sharp upper/lower contacts at 40/40 tca.	R332209	65.05	66.55	1.50	0.001	0.1	<1%			
					R332211	66.55	68.05	1.50	0.052	0.18	<1%			
68.05	68.55		GAB	Fine- to -medium grained, medium green-grey Gabbro Dyke.	R332212	68.05	68.55	0.50	0.0005	0.03	<1%			
				The upper contact with a narrow fault-breccia vein is sharp at	R332213	68.55	69.65	1.10	0.001	0.07	<1%			
				40 tca, the lower contact is sharp at 45 tca.	R332214	69.65	70.75	1.10	0.002	0.08	<1%			
					R332215	70.75	71.80	1.05	0.002	0.09	<1%			
					R332216	71.80	72.90	1.10	0.001	0.11	<1%			
					R332217	72.90	74.40	1.50	0.001	0.14	<1%			
					R332218	74.40	75.90	1.50	0.001	0.11	<1%			
					R332219	75.90	77.40	1.50	0.001	0.1	<1%			
					R332221	77.40	78.90	1.50	0.002	0.13	<1%			
					R332222	78.90	80.40	1.50	0.001	0.14	<1%			
					R332223	80.40	81.30	0.90	0.001	0.11	<1%			
					R332224	81.30	82.20	0.90	0.001	0.11	<1%			
					R332225	82.20	83.10	0.90	0.001	0.13	<1%			
					R332226	83.10	84.60	1.50	0.011	0.1	<1%			
					R332227	84.60	86.10	1.50	0.001	0.12	<1%			
					R332228	86.10	87.60	1.50	0.001	0.09	<1%			
					R332229	87.60	89.10	1.50	0.002	0.16	<1%			
					R332231	89.10	90.60	1.50	0.001	0.09	<1%			
					R332232	90.60	91.90	1.30	0.001	0.1	<1%			
					R332233	91.90	93.25	1.35	0.002	0.1	<1%			
					R332234	93.25	94.30	1.05	0.003	0.08	<1%			
					R332235	94.30	95.80	1.50	0.001	0.1	<1%			
					R332236	95.80	97.30	1.50	0.012	0.1	<1%			
					R332237	97.30	98.80	1.50	0.001	0.09	<1%			
					R332238	98.80	100.30	1.50	0.002	0.11	<1%			
					R332239	100.30	101.80	1.50	0.004	0.26	<1%			
					R332241	101.80	103.30	1.50	0.004	0.13	<1%			
					R332242	103.30	104.80	1.50	0.002	0.15	<1%			
					R332243	104.80	106.30	1.50	0.002	0.13	<1%			
					R332244	106.30	107.80	1.50	0.008	0.1	<1%			
					R332245	107.80	109.30	1.50	0.007	0.08	<1%			
					R332246	109.30	110.80	1.50	0.001	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332247	110.80	112.30	1.50	0.001	0.1	<1%			
					R332248	112.30	113.80	1.50	0.002	0.13	<1%			
					R332249	113.80	115.30	1.50	0.001	0.13	<1%			
					R332251	115.30	116.80	1.50	0.001	0.21	<1%			
					R332252	116.80	118.30	1.50	0.001	0.16	<1%			
					R332253	118.30	119.80	1.50	0.001	0.17	<1%			
					R332254	119.80	121.30	1.50	0.0005	0.23	<1%			
					R332255	121.30	122.30	1.00	0.0005	0.23	<1%			
					R332256	122.30	123.30	1.00	0.001	0.18	<1%			
123.30	148.35	FPORP		Feldspar Porphyry (?) with medium- to -coarse (up to 5mm), white to faded grey phenocrysts set in a very fine- to -fine, medium grey groundmass. Some phenocrysts appear to be completely replaced with medium green chlorite. ** It is possible this unit may actually be an Intermediate- to -Mafic Tuff, some of the phenocrysts appear to be sub-rounded to sub-angular **. Minor Syenite (porphyritic) Dykes are present at; 133.83m (1.02m at 45/25 tca), 136.20m (25cm at 35/40 tca) and 136.65m (5cm). Minor intervals of Mafic Volcanics (strongly magnetic) are present at 136.45m (1.6m at 40/45 tca) and 147.40m (0.95m at 40/55 tca).	R332257	123.30	124.30	1.00	0.0005	0.13	<1%			
					R332258	124.30	125.40	1.10	0.0005	0.06	<1%			
					R332259	125.40	126.50	1.10	0.0005	0.05	<1%			
					R332261	126.50	128.00	1.50	0.0005	0.04	<1%			
					R332262	128.00	129.50	1.50	0.001	0.04	<1%			
					R332263	129.50	131.00	1.50	0.004	0.05	<1%			
					R332264	131.00	132.40	1.40	0.0005	0.05	<1%			
					R332265	132.40	133.83	1.43	0.0005	0.06	<1%			
133.83	134.85		SYPORP	Medium- to -coarse grained, pink- to -red, porphyritic- to -equigranular Syenite with minor quartz veinlets.	R332266	133.83	134.85	1.02	0.011	0.08	<1%			
					R332267	134.85	136.20	1.35	0.0005	0.05	<1%			
136.45	138.05		MVOL	Fine grained, medium- to -dark green, strongly magnetic Mafic Volcanics with weak carb-ep alteration.	R332268	136.20	136.80	0.60	0.004	0.06	<1%			
					R332269	136.80	138.05	1.25	0.001	0.06	<1%			
					R332271	138.05	139.15	1.10	0.001	0.03	<1%			
					R332272	139.15	140.25	1.10	0.004	0.04	<1%			
					R332273	140.25	141.75	1.50	0.0005	0.03	<1%			
					R332274	141.75	143.25	1.50	0.0005	0.11	<1%			
					R332275	143.25	144.75	1.50	0.0005	0.03	<1%			
					R332276	144.75	146.25	1.50	0.0005	0.04	<1%			
					R332277	146.25	147.40	1.15	0.0005	0.05	<1%			
147.40	148.35		MVOL	Strongly magnetic MVOL with weak carb-ep alteration.	R332278	147.40	148.35	0.95	0.003	0.11	<1%			
148.35	174.15	SYPORP		Medium- to -coarse grained, pink- to -red Porphyritic Syenite with up to 5mm, pink feldspar phenocrysts set in a medium, equigranular groundmass. A very fine, black- to -dark green groundmass (up to 20%, locally) varies between biotite and chlorite (altered biotite). Weak vugs are patchy throughout the Syenite. The lower contact with MVOLPIL is sharp at 45 tca.	R332279	148.35	149.35	1.00	0.035	0.36	<1%			
					R332281	149.35	150.35	1.00	0.011	0.04	<1%			
					R332282	150.35	151.35	1.00	0.003	0.03	<1%			
					R332283	151.35	152.35	1.00	0.006	0.02	<1%			
					R332284	152.35	153.35	1.00	0.006	0.03	<1%			
					R332285	153.35	154.35	1.00	0.005	0.07	<1%			
					R332286	154.35	155.35	1.00	0.002	0.05	<1%			
					R332287	155.35	156.35	1.00	0.036	0.05	<1%			
					R332288	156.35	157.35	1.00	0.004	0.03	<1%			
					R332289	157.35	158.35	1.00	0.003	0.03	<1%			
					R332291	158.35	159.35	1.00	0.016	0.04	<1%			
					R332292	159.35	160.35	1.00	0.0005	0.02	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332293	160.35	161.35	1.00	0.008	0.03	<1%			
					R332294	161.35	162.35	1.00	0.001	0.02	<1%			
					R332295	162.35	163.35	1.00	0.012	0.04	<1%			
					R332296	163.35	164.35	1.00	0.023	0.04	<1%			
					R332297	164.35	165.35	1.00	0.002	0.05	<1%			
					R332298	165.35	166.35	1.00	0.002	0.06	<1%			
					R332299	166.35	167.35	1.00	0.004	0.05	<1%			
					R332300	167.35	168.35	1.00	0.0005	0.07	<1%			
					R332301	168.35	169.35	1.00	0.0005	0.06	<1%			
					R332302	169.35	170.35	1.00	0.001	0.06	<1%			
					R332303	170.35	171.30	0.95	0.002	0.06	<1%			
					R332304	171.30	172.30	1.00	0.004	0.05	<1%			
					R332305	172.30	173.30	1.00	0.002	0.07	<1%			
					R332306	173.30	174.15	0.85	0.005	0.07	<1%			
174.15	186.85	MVOLPIL		Fine grained, medium- to -dark green Pillowed Mafic Volcanic. Pillow selvages tend to be chlorite-rich and 1-3cm thick. Very fine- to -fine, pale grey-green varioles are common throughout. The lower contact with MVOL is marked by the loss of pillow selvages and the presence of a more massive texture.	R332307	174.15	175.65	1.50	0.0005	0.24	<1%			
					R332308	175.65	177.15	1.50	0.0005	0.33	<1%			
					R332309	177.15	178.65	1.50	0.001	0.3	<1%			
					R332311	178.65	180.15	1.50	0.001	0.29	<1%			
					R332312	180.15	181.65	1.50	0.0005	0.28	<1%			
					R332313	181.65	183.15	1.50	0.001	0.23	<1%			
					R332314	183.15	184.65	1.50	0.002	0.22	<1%			
					R332315	184.65	185.75	1.10	0.001	0.22	<1%			
					R332316	185.75	186.85	1.10	0.001	0.17	<1%			
186.85	224.70	MVOL		Fine- to -locally medium grained (very locally resembles Gabbro), medium- to -dark green, massive Mafic Volcanics.	R332317	186.85	188.10	1.25	0.001	0.08	<1%			
					R332318	188.10	189.35	1.25	0.001	0.06	<1%			
					R332319	189.35	190.85	1.50	0.001	0.1	<1%			
					R332321	190.85	192.35	1.50	0.001	0.08	<1%			
					R332322	192.35	193.85	1.50	0.002	0.14	<1%			
					R332323	193.85	195.35	1.50	0.001	0.09	<1%			
					R332324	195.35	196.85	1.50	0.002	0.16	<1%			
					R332325	196.85	198.35	1.50	0.002	0.17	<1%			
					R332326	198.35	199.85	1.50	0.001	0.16	<1%			
					R332327	199.85	201.35	1.50	0.001	0.2	<1%			
					R332328	201.35	202.85	1.50	0.005	0.24	<1%			
					R332329	202.85	204.35	1.50	0.004	0.13	<1%			
					R332331	204.35	205.85	1.50	0.001	0.14	<1%			
					R332332	205.85	207.35	1.50	0.001	0.17	<1%			
					R332333	207.35	208.85	1.50	0.002	0.15	<1%			
					R332334	208.85	210.35	1.50	0.001	0.09	<1%			
					R332335	210.35	211.85	1.50	0.002	0.12	<1%			
					R332336	211.85	213.30	1.45	0.002	0.09	<1%			
					R332337	213.30	214.30	1.00	0.003	0.08	<1%			
					R332338	214.30	215.80	1.50	0.001	0.15	<1%			
					R332339	215.80	217.30	1.50	0.0005	0.09	<1%			
					R332341	217.30	218.60	1.30	0.002	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332342	218.60	219.90	1.30	0.001	0.08	<1%			
					R332343	219.90	221.25	1.35	0.002	0.09	<1%			
					R332344	221.25	222.60	1.35	0.002	0.1	<1%			
					R332345	222.60	223.65	1.05	0.005	0.11	<1%			
					R332346	223.65	224.70	1.05	0.004	0.14	<1%			

MG15-24 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582194	5318971	328	MG15-24	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Justin Bernard	8/29/15	9/3/15	Forthright Drilling Services Inc.		NQ	369
Project Name	Area	Township	Claim No.		ORIX GEOSCIENCE INC	
Miller	Planet	Boston	4275152			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-51.3	197.8	252	-52.4	212.6	
51	-51.7	200.1	300	-52.3	215.2	
102	-53.2	205.4	369	-52.5	214.9	
150	-52.4	204.7				
201	-52.4	206.6				

Meterage		Rock type	Minor Litho	Description
From	To			
0.00	1.10	OB		Overburden
1.10	45.45	MVOL		Fine- to -locally medium grained, dark green, magnetic, massive Mafic Volcanics. Altered Syenite Dykes (up to 1.75m) and red, aphanitic Aplitic Dykes (<5cm, late) first appear at 28.45m then occur sporadically until 39m. Below 39m, there is a significant increase in both Syenite and Aplitic Dykes which is associated with increased mineralization/alteration within the MVOL. The lower contact with Syenite is sharp at 45 tca.
30.17	30.60		SY	Faded, pale grey- to -red, equigranular- to -porphyritic Syenite Dyke with sharp upper/lower contacts at 20/30 tca.
42.70	44.45		SY	Altered, equigranular- to -porphyritic Syenite Dyke with approximately 5 qtz vlt's/m, 0.5% diss py and locally cut by Aplitic Dykes.

Sampling						Mineralization (visual estimates)			
Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
R332347	1.10	2.60	1.50	0.0005	0.28	1.0%			
R332348	2.60	4.10	1.50	0.0005	0.15	1.0%			
R332349	4.10	5.60	1.50	0.0005	0.14	1.0%			
R332351	5.60	7.10	1.50	0.0005	0.21	1.0%			
R332352	7.10	8.60	1.50	0.0005	0.17	1.0%			
R332353	8.60	10.10	1.50	0.001	0.22	1.0%	0.01%		
R332354	10.10	11.60	1.50	0.0005	0.12	1.0%			
R332355	11.60	13.10	1.50	0.0005	0.16	1.0%			
R332356	13.10	14.60	1.50	0.0005	0.33	1.0%			
R332357	14.60	16.10	1.50	0.0005	0.21	1.0%			
R332358	16.10	17.60	1.50	0.0005	0.17	1.0%			
R332359	17.60	19.10	1.50	0.0005	0.1	1.0%			
R332361	19.10	20.60	1.50	0.003	0.11	1.0%			
R332362	20.60	22.10	1.50	0.0005	0.13	1.0%			
R332363	22.10	23.60	1.50	0.0005	0.14	1.0%			
R332364	23.60	25.10	1.50	0.002	0.16	1.0%	0.10%		
R332365	25.10	26.60	1.50	0.0005	0.14	1.0%			
R332366	26.60	27.50	0.90	0.0005	0.07	1.0%			
R332367	27.50	28.45	0.95	0.005	0.13	1.0%			
R332368	28.45	29.31	0.86	0.001	0.13	1.0%			
R332369	29.31	30.17	0.86	0.001	0.1	1.0%			
R332371	30.17	30.60	0.43	0.0005	0.03	1.0%			
R332372	30.60	32.10	1.50	0.0005	0.05	1.0%			
R332373	32.10	33.60	1.50	0.0005	0.06	1.0%			
R332374	33.60	35.10	1.50	0.0005	0.07	1.0%			
R332375	35.10	36.60	1.50	0.0005	0.07	1.0%			
R332376	36.60	37.80	1.20	0.0005	0.08	1.0%			
R332377	37.80	39.00	1.20	0.0005	0.1	1.0%			
R332378	39.00	39.75	0.75	0.015	0.1	1.0%			
R332379	39.75	40.50	0.75	0.001	0.08	1.0%			
R332381	40.50	41.35	0.85	0.187	0.22	2.5%			
R332382	41.35	42.20	0.85	0.185	0.39	2.5%			
R332383	42.20	42.70	0.50	0.599	0.4	2.5%			
R332384	42.70	43.60	0.90	0.191	0.32	2.5%			
R332385	43.60	44.45	0.85	0.073	0.07	2.5%			
R332386	44.45	45.45	1.00	0.092	0.07	2.5%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
45.45	102.65	SY		Syenite. 45.45 to 90.8m: Equigranular- to -porphyritic, medium- to coarse grained, pink- to -red Syenite with strong hematite-potassic +/-silicification +/- albite which primarily bleaches out the original texture. Minor biotite locally altered to chlorite forms the fine grained groundmass surrounding feldspar. Less than 10% red, aphanitic Aplitic Dykes are also common throughout. 90.8 to 102.65m: Equigranular- to -porphyritic, medium- to -coarse grained, pink, weakly magnetic Syenite with increased biotite-chlorite groundmass (locally up to 30%), minor (1-3cm) Aplitic Dykes and local (<30cm) intersections of strongly magnetic. The lower contact with Mafic Volcanics is sharp but irregular.	R332387	45.45	46.45	1.00	0.034	0.07	<1%	Tr		
					R332388	46.45	47.45	1.00	0.015	0.04	<1%	Tr		
					R332389	47.45	48.45	1.00	0.035	0.09	<1%	Tr		
					R332391	48.45	49.45	1.00	1.435	0.2	<1%	Tr		
					R332392	49.45	50.25	0.80	0.012	0.07	<1%	Tr		
					R332393	50.25	51.00	0.75	0.417	0.12	<1%	Tr		
					R332394	51.00	51.30	0.30	1.29	0.21	<1%	Tr	0.10%	1 speck
					R332396	51.30	52.30	1.00	0.085	0.12	<1%	Tr	0.10%	
					R332397	52.30	53.00	0.70	8.44	0.68	<1%	Tr		
					R332398	53.00	53.70	0.70	0.024	0.12	<1%	Tr		
					R332399	53.70	54.00	0.30	74.9	31.2	<1%	Tr	0.25%	5 specks
					R332401	54.00	55.00	1.00	0.016	0.07	<1%	Tr		
					R332402	55.00	56.00	1.00	0.294	0.14	<1%	Tr		
					R332403	56.00	57.00	1.00	5.78	0.78	<1%	Tr		
					R332404	57.00	58.00	1.00	0.314	0.17	<1%	Tr		
					R332405	58.00	59.00	1.00	0.046	0.21	<1%	Tr		
					R332406	59.00	60.00	1.00	1.245	0.87	<1%	Tr		
					R332407	60.00	60.80	0.80	0.126	0.39	<1%	Tr		
					R332408	60.80	61.60	0.80	0.05	0.13	<1%	Tr		
					R332409	61.60	62.05	0.45	0.031	0.14	<1%	Tr	0.10%	
					R332411	62.05	63.00	0.95	0.106	0.17	<1%	Tr		
					R332412	63.00	64.00	1.00	0.02	0.07	<1%	Tr		
					R332413	64.00	65.00	1.00	0.122	0.25	<1%	Tr		
					R332414	65.00	66.00	1.00	0.175	0.18	<1%	Tr		
					R332415	66.00	67.00	1.00	0.005	0.04	<1%	Tr		
					R332416	67.00	68.00	1.00	0.014	0.06	<1%	Tr		
					R332417	68.00	69.00	1.00	0.19	0.18	<1%	Tr		
					R332418	69.00	70.00	1.00	0.146	0.16	<1%	Tr		
					R332419	70.00	71.00	1.00	0.015	0.03	<1%	Tr		
					R332421	71.00	72.00	1.00	0.017	0.08	<1%	Tr		
					R332422	72.00	73.00	1.00	0.019	0.05	<1%	Tr		
					R332423	73.00	74.00	1.00	0.032	0.05	<1%	Tr		
					R332424	74.00	75.00	1.00	2.12	0.16	<1%	Tr		
					R332425	75.00	76.00	1.00	0.35	0.19	<1%	Tr		
					R332426	76.00	77.00	1.00	0.019	0.09	<1%	Tr		
					R332427	77.00	78.00	1.00	0.05	0.18	<1%	Tr		
					R332428	78.00	78.95	0.95	0.238	0.19	<1%	Tr		
					R332429	78.95	80.00	1.05	0.013	0.07	<1%	Tr		
					R332431	80.00	81.00	1.00	0.037	0.09	<1%	Tr		
					R332432	81.00	82.00	1.00	0.015	0.09	<1%	Tr		
					R332433	82.00	83.00	1.00	0.093	0.51	<1%	Tr		
					R332434	83.00	84.00	1.00	0.022	0.11	<1%	Tr		
					R332435	84.00	85.00	1.00	0.015	0.07	<1%	Tr		
					R332436	85.00	86.00	1.00	0.046	0.11	<1%	Tr		
					R332437	86.00	87.00	1.00	0.01	0.07	<1%	Tr		

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332438	87.00	88.00	1.00	0.046	0.09	<1%	Tr		
					R332439	88.00	89.00	1.00	0.044	0.12	<1%	Tr		
					R332441	89.00	90.00	1.00	0.387	0.12	<1%	Tr		
					R332442	90.00	90.80	0.80	0.111	0.12	<1%	Tr		
					R332443	90.80	91.60	0.80	0.01	0.09	<1%	Tr		
					R332444	91.60	92.40	0.80	0.052	0.15	<1%	Tr		
					R332445	92.40	93.40	1.00	0.01	0.06	<1%	Tr		
					R332446	93.40	94.40	1.00	0.006	0.06	<1%	Tr		
					R332447	94.40	95.40	1.00	0.003	0.05	<1%	Tr		
					R332448	95.40	96.25	0.85	0.009	0.06	<1%	Tr		
					R332449	96.25	97.05	0.80	1.62	0.3	<1%	Tr	0.10%	
					R332451	97.05	97.95	0.90	N/A	1.22	<1%	Tr	0.10%	several
					R332453	97.95	98.95	1.00	0.079	0.09	<1%	Tr		
					R332454	98.95	99.95	1.00	0.012	0.07	<1%	Tr		
					R332455	99.95	100.95	1.00	0.004	0.05	<1%	Tr		
					R332456	100.95	101.80	0.85	0.035	0.09	<1%	Tr		
					R332457	101.80	102.65	0.85	0.296	0.28	<1%	Tr		
102.65	114.00	MVOL		Fine grained, medium- to -dark green, strongly magnetic, massive Mafic Volcanics. This interval contains approximately 15% Syenite Dykes (equigranular to porphyritic) with MS hematite-potassic +/- silicification ranging from 2 to 70cm. The lower contact with SYPORP is sharp at 25 tca.	R332458	102.65	103.65	1.00	0.0005	0.1	<1%			
					R332459	103.65	104.65	1.00	0.001	0.11	<1%	0.10%		
					R332461	104.65	105.65	1.00	0.003	0.22	<1%	0.10%		
105.77	106.46		SYPORP	Syenite Porphyry Dyke with MS hematite-albite altered patches.	R332462	105.65	106.65	1.00	0.012	0.1	<1%			
					R332463	106.65	107.65	1.00	0.003	0.23	<1%	0.10%		
					R332464	107.65	108.65	1.00	0.0005	0.16	<1%	0.10%		
					R332465	108.65	109.65	1.00	0.0005	0.24	<1%			
109.65	110.35		SY	Equigranular Syenite Dyke with MS hematite-potassic +/- silicification which bleaches out most of the equigranular texture.	R332466	109.65	110.35	0.70	0.008	0.07	<1%	0.10%		
					R332467	110.35	111.60	1.25	0.007	0.35	<1%			
					R332468	111.60	112.80	1.20	0.013	0.29	<1%			
					R332469	112.80	114.00	1.20	0.018	0.25	<1%			
114.00	119.75	SYPORP		Syenite Porphyry with beige to light pink, fine- to medium-grained feldspar phenocrysts (up to 3mm) set within a very fine, grey groundmass. The unit contains small intervals (under 10cm) with strong pervasive hematite-potassic alteration.	R332471	114.00	115.00	1.00	0.005	0.05	<1%			
					R332472	115.00	116.00	1.00	0.046	0.06	<1%			
					R332473	116.00	116.65	0.65	0.043	0.08	<1%			
					R332474	116.65	117.10	0.45	0.087	0.13	<1%	0.10%		
					R332475	117.10	118.15	1.05	0.018	0.04	<1%			
					R332476	118.15	119.10	0.95	0.006	0.04	<1%	0.10%		
					R332477	119.10	119.75	0.65	0.022	0.04	<1%			
119.75	156.56	SY		Syenite. Equigranular, medium- to coarse grained, pink to beige Syenite with zones of strong hematite-potassic +/- silicification +/- albite which primarily bleaches out the original texture. Up to 30% biotite-chlorite groundmass. From 153m to the lower contact, syenite matrix grades from equigranular to porphyritic and becomes red. The lower contact with Mafic Volcanics is sharp at 60 tca.	R332478	119.75	121.00	1.25	0.027	0.08	<1%			
					R332479	121.00	122.25	1.25	0.021	0.07	<1%			
					R332481	122.25	123.40	1.15	0.052	0.1	1.0%			
					R332482	123.40	124.24	0.84	0.009	0.07	<1%			
					R332483	124.24	125.33	1.09	0.021	0.12	1.0%	0.10%		
					R332484	125.33	126.35	1.02	0.021	0.13	<1%			
					R332485	126.35	127.40	1.05	0.039	0.08	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R332486	127.40	128.50	1.10	0.009	0.05	<1%			
					R332487	128.50	129.25	0.75	0.005	0.05	<1%			
					R332488	129.25	129.75	0.50	0.029	0.13	<1%			
					R332489	129.75	130.50	0.75	0.008	0.07	<1%			
					R332491	130.50	131.45	0.95	0.001	0.04	<1%			
					R332492	131.45	132.00	0.55	0.108	0.07	<1%	0.10%		
					R332493	132.00	132.90	0.90	0.025	0.09	1.0%			
					R332494	132.90	134.10	1.20	0.005	0.04	<1%			
					R332495	134.10	134.65	0.55	0.021	0.06	1.0%			
					R332496	134.65	135.35	0.70	0.002	0.02	<1%			
					R332497	135.35	136.20	0.85	2.56	0.54	1.0%			
					R332498	136.20	137.10	0.90	0.007	0.05	<1%			
					R332499	137.10	137.75	0.65	0.578	0.13	<1%			
					R332500	137.75	138.64	0.89	0.05	0.07	<1%			
					R335501	138.64	139.45	0.81	0.171	0.05	<1%			
					R335502	139.45	140.10	0.65	0.01	0.13	<1%			
					R335503	140.10	140.84	0.74	0.028	0.05	<1%			
					R335504	140.84	141.35	0.51	0.002	0.02	<1%			
					R335505	141.35	142.13	0.78	0.036	0.08	<1%			
					R335506	142.13	143.59	1.46	0.006	0.02	<1%			
					R335507	143.59	144.44	0.85	0.642	0.33	1.0%			
					R335508	144.44	145.25	0.81	0.002	0.02	1.0%			
					R335509	145.25	145.85	0.60	0.205	0.12	<1%			
					R335511	145.85	147.00	1.15	0.01	0.02	<1%			
					R335512	147.00	147.55	0.55	1.38	0.14	<1%			
					R335513	147.55	148.40	0.85	0.016	0.02	<1%			
					R335514	148.40	149.40	1.00	0.008	0.03	<1%			
					R335515	149.40	150.00	0.60	0.212	0.08	<1%			
					R335516	150.00	150.46	0.46	0.004	0.03	<1%			
					R335517	150.46	151.00	0.54	2.43	0.07	1.0%			
					R335518	151.00	152.25	1.25	1.73	0.07	1.0%			
					R335519	152.25	153.00	0.75	0.033	0.02	<1%			
					R335521	153.00	153.80	0.80	0.079	0.06	<1%			
					R335522	153.80	154.72	0.92	0.195	0.03	<1%			
					R335523	154.72	155.80	1.08	0.892	0.64	<1%			
					R335524	155.80	156.56	0.76	0.059	0.11	<1%			
156.56	179.82	MVOL		Fine grained, medium- to -dark green, moderate to strongly magnetic, massive Mafic Volcanics. 156.56 to 165.85m: interval contains approximately 10% Syenite Dykes (equigranular to aphanitic) with MS hematite-potassic +/- silicification ranging from 10-110cm, at the contacts there is an alteration halo into the Mafic Volcanic which consists of bleaching and up to 3% pyrite. 176.59m to LC: interval contains approximately 50% Syenite Dykes (equigranular to aphanitic) with MS hematite-potassic +/- silicification ranging	R335525	156.56	157.00	0.44	0.0005	0.04	<1%			
					R335526	157.00	157.70	0.70	0.164	0.52	3.0%			
					R335527	157.70	159.00	1.30	0.004	0.07	2.0%			
					R335528	159.00	159.60	0.60	0.002	0.14	<1%			
					R335529	159.60	160.40	0.80	0.003	0.11	<1%			
					R335531	160.40	160.90	0.50	0.008	0.12	<1%			
					R335532	160.90	161.40	0.50	0.008	0.1	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				from 20-80cm, at the contacts there is an alteration halo into the Mafic Volcanic which consists of bleaching and up to 5% pyrite.										
161.40	161.57		SY	Syenite Dyke (possibly aplite) with MS pervasive hematite-albite alteration and strong pervasive silicification.	R335533	161.40	162.10	0.70	0.103	0.68	10.0%			
161.93	162.02		SY	Syenite Dyke (possibly aplite) with MS pervasive hematite-albite alteration and strong pervasive silicification.	R335534	162.10	163.20	1.10	0.002	0.07	<1%			
					R335535	163.20	163.92	0.72	0.076	0.28	2.0%			
					R335536	163.92	164.71	0.79	0.038	0.17	1.0%			
					R335537	164.71	165.81	1.10	0.017	0.08	<1%			
					R335538	165.81	167.00	1.19	0.008	0.18	<1%			
					R335539	167.00	168.00	1.00	0.007	0.23	<1%			
					R335541	168.00	169.50	1.50	0.0005	0.23	<1%			
					R335542	169.50	170.40	0.90	0.004	0.1	<1%			
					R335543	170.40	171.00	0.60	0.021	0.42	2.0%			
					R335544	171.00	172.50	1.50	0.0005	0.16	<1%			
					R335545	172.50	174.00	1.50	0.011	0.12	<1%			
					R335546	174.00	175.15	1.15	0.008	0.15	<1%			
					R335547	175.15	175.75	0.60	0.011	0.23	5.0%			
					R335548	175.75	176.59	0.84	0.003	0.12	<1%			
176.59	177.36		SY	Syenite Dyke (possibly aplite) with MS pervasive hematite-albite alteration and strong pervasive silicification.	R335549	176.59	177.36	0.77	0.056	0.11	3.0%			
					R335551	177.36	177.99	0.63	0.499	0.19	1.0%			
177.80	178.54		SY	Syenite Dyke (possibly aplite) with MS pervasive hematite-albite alteration and strong pervasive silicification.	R335552	177.99	178.54	0.55	1.36	0.37	10.0%			
					R335553	178.54	179.20	0.66	0.272	0.28	<1%			
179.32	179.38		SY	Syenite Dyke (possibly aplite) with MS pervasive hematite-albite alteration and strong pervasive silicification.	R335554	179.20	179.82	0.62	0.363	0.45	3.0%			
179.82	184.93	SY		Syenite. Equigranular, medium- to coarse grained, pink Syenite with zones (approximately 70% of interval) of strong hematite-potassic +/-silicification +/- albite which primarily bleaches out the original texture (possibly aplite dykes). Up to 30% biotite-chlorite groundmass and 1 to 2 qtz vn's/m. The lower contact with Mafic Volcanics is sharp at 60 tca.	R335555	179.82	180.50	0.68	0.268	0.24	10.0%			
					R335556	180.50	181.40	0.90	0.358	0.28	<1%			
					R335557	181.40	182.20	0.80	0.311	0.08	<1%			
					R335558	182.20	182.94	0.74	0.792	0.08	<1%			
					R335559	182.94	183.63	0.69	0.282	0.16	3.0%			
					R335561	183.63	184.15	0.52	0.034	0.06	<1%			
					R335562	184.15	184.93	0.78	0.1	0.05	<1%	0.01%		
184.93	189.30	MVOL		Fine grained, medium- to -dark green, moderate to strongly magnetic, massive Mafic Volcanics. Interval contains 15-20% Syenite Dykes (equigranular to aphanitic) with MS hematite-potassic +/- silicification ranging from 5-70cm, at the contacts there is an alteration halo into the mafic volcanic which consists of bleaching and up to 10% pyrite. LC is sharp and	R335563	184.93	185.68	0.75	0.028	0.05	<1%			
185.65	186.08		SY		R335564	185.68	186.08	0.40	0.169	0.05	<1%			
					R335565	186.08	186.90	0.82	0.026	0.09	5.0%			
186.90	187.49		SY		R335566	186.90	187.49	0.59	0.79	0.57	5.0%			
					R335567	187.49	188.25	0.76	0.012	0.06	<1%			
188.10	188.15		SY		R335568	188.25	189.30	1.05	0.024	0.1	<1%			
189.30	216.60	SY		Syenite. Equigranular, medium- to coarse grained, pink to beige Syenite with zones strong hematite-potassic +/-silicification +/- albite which primarily bleaches out the original texture (possibly aplite dykes). Up to 30% biotite-chlorite groundmass and 1 to 2 qtz vn's/m. 189.3 to 197.59m: 60% of unit contains strong pervasive hematite-potassic	R335569	189.30	190.60	1.30	0.624	0.47	<1%			
					R335571	190.60	191.05	0.45	0.633	0.38	<1%			
					R335572	191.05	192.00	0.95	0.024	0.09	<1%			
					R335573	192.00	193.00	1.00	0.043	0.11	<1%			
					R335574	193.00	194.10	1.10	12.5	0.65	<1%			
					R335575	194.10	194.77	0.67	0.087	0.09	<1%	0.10%		

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				alteration. 197.59m to LC: <10% of unit contains strong pervasive hematite-potassic alteration. The lower contact with Mafic Volcanics is irregular.	R335576	194.77	195.64	0.87	2.28	0.49	10.0%			
					R335577	195.64	196.15	0.51	0.173	0.1	<1%			
					R335578	196.15	197.00	0.85	0.14	0.2	1.0%			
					R335579	197.00	197.59	0.59	0.052	0.09	<1%			
					R335581	197.59	199.00	1.41	0.035	0.06	<1%			
					R335582	199.00	200.50	1.50	0.001	0.07	<1%			
					R335583	200.50	201.50	1.00	0.019	0.13	<1%			
					R335584	201.50	202.50	1.00	0.0005	0.11	<1%			
					R335585	202.50	203.52	1.02	0.008	0.07	<1%			
					R335586	203.52	204.11	0.59	0.432	2.88	5.0%			
					R335587	204.11	205.00	0.89	0.029	0.07	<1%	0.10%		
					R335588	205.00	206.00	1.00	0.005	0.11	<1%			
					R335589	206.00	207.00	1.00	0.001	0.06	<1%			
					R335591	207.00	208.00	1.00	0.0005	0.05	<1%			
					R335592	208.00	209.08	1.08	0.001	0.05	<1%			
					R335593	209.08	209.69	0.61	0.006	0.16	<1%			
					R335594	209.69	210.76	1.07	0.003	0.06	<1%			
					R335595	210.76	212.00	1.24	0.015	0.12	<1%			
					R335596	212.00	213.00	1.00	0.002	0.06	<1%			
					R335597	213.00	214.40	1.40	0.007	0.07	<1%			
					R335598	214.40	215.05	0.65	0.006	0.1	<1%			
					R335599	215.05	216.17	1.12	0.007	0.04	<1%			
					R335600	216.17	216.60	0.43	0.013	0.09	<1%			
216.60	226.97	MVOL		Fine grained, medium- to -dark green, moderate to strongly magnetic, massive Mafic Volcanics with trace qtz veins . Interval contains 10-15% Syenite Dykes (equigranular to aphanitic) with MS hematite-potassic +/- silicification ranging from 3-50cm, the contacts are significantly less altered than the previous MVOL interval (184.93-189.3m). LC is sharp at 30 tca.	R335601	216.60	217.70	1.10	0.0005	0.06	<1%			
					R335602	217.70	218.50	0.80	0.0005	0.09	<1%			
					R335603	218.50	219.40	0.90	0.009	0.18	<1%			
					R335604	219.40	220.90	1.50	0.0005	0.1	<1%			
					R335605	220.90	222.00	1.10	0.001	0.09	<1%			
					R335606	222.00	222.90	0.90	0.0005	0.13	<1%			
					R335607	222.90	223.50	0.60	0.004	0.09	<1%			
					R335608	223.50	224.05	0.55	0.004	0.11	<1%			
					R335609	224.05	225.20	1.15	0.0005	0.1	1.0%			
					R335611	225.20	226.15	0.95	0.0005	0.08	<1%			
					R335612	226.15	226.97	0.82	0.002	0.68	1.0%			
226.97	229.47	SY		Syenite. Equigranular, aphanitic- to medium-grained, pink, strong pervasive hematite-potassic + silicification which primarily bleaches out the original texture (possibly Aplite Dykes). Up to 3 qtz vlt's/m. The lower contact with Mafic Volcanics is sharp at 50 tca.	R335613	226.97	228.20	1.23	0.012	0.16	<1%			
					R335614	228.20	229.47	1.27	0.012	0.17	1.0%			
229.47	369.00	MVOL		Fine grained, medium- to -dark green, moderate to strongly magnetic, massive Mafic Volcanics with trace qtz veins. 228.57-240m: interval contains varioles (possible pillows), moderate fracture-filling epidote and 10-15% Syenite Dykes, 240-281.28m: zones with 1-3% pyrite, typically associated with qtz veinlets, 281.28-281.92m: strong pervasive	R335615	229.47	230.25	0.78	0.0005	0.09	<1%			
					R335616	230.25	230.86	0.61	0.001	0.14	<1%			
					R335617	230.86	231.55	0.69	0.003	0.27	<1%			
					R335618	231.55	233.00	1.45	0.0005	0.21	<1%			
					R335619	233.00	234.10	1.10	0.001	0.18	<1%			
					R335621	234.10	234.82	0.72	0.001	0.13	1.0%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				carbonate alteration and 1-2% disseminated pyrite, 281.92-290.9m: weak fracture-filling carbonate, 290.0-298.8m: moderate pervasive carbonate alteration, 298.9m-364.98m: trace qtz veinlets with pyrite alteration halos, 364.98-366.95m: moderate pervasive carbonate alteration and up to 3% pyrite, 366.95-369m: trace qtz vein and veinlets with alteration halos.	R335622	234.82	235.36	0.54	0.001	0.26	<1%			
					R335623	235.36	236.86	1.50	0.0005	0.14	<1%			
					R335624	236.86	237.50	0.64	0.01	0.24	<1%			
					R335625	237.50	238.15	0.65	0.053	4.17	<1%			
					R335626	238.15	238.65	0.50	0.007	0.22	<1%			
					R335627	238.65	240.00	1.35	0.0005	0.08	<1%			
					R335628	240.00	241.00	1.00	0.0005	0.13	<1%			
					R335629	241.00	242.19	1.19	0.002	0.09	<1%			
					R335631	242.19	243.13	0.94	0.127	0.36	1.0%			
					R335632	243.13	244.50	1.37	0.0005	0.09	<1%			
					R335633	244.50	246.00	1.50	0.0005	0.06	<1%			
					R335634	246.00	246.40	0.40	0.005	0.66	3.0%			
					R335635	246.40	247.90	1.50	0.0005	0.07	<1%			
					R335636	247.90	249.40	1.50	0.0005	0.04	<1%			
					R335637	255.00	256.26	1.26	0.001	0.07	<1%			
					R335638	256.26	257.00	0.74	0.0005	0.17	2.0%			
					R335639	257.00	258.50	1.50	0.0005	0.11	<1%			
					R335641	258.50	259.00	0.50	0.0005	0.15	1.0%			
					R335642	259.00	260.50	1.50	0.0005	0.09	<1%			
					R335643	260.50	261.50	1.00	0.009	15.3	3.0%			
					R335644	266.00	267.50	1.50	0.0005	0.09	<1%			
					R335645	267.50	268.00	0.50	0.002	0.5	1.0%			
					R335646	280.00	281.28	1.28	0.004	0.09	<1%			
					R335647	281.28	281.92	0.64	0.044	0.49	1.0%			
					R335648	281.92	283.03	1.11	0.0005	0.15	1.0%			
					R335649	283.03	283.43	0.40	0.001	0.3	2.0%			
					R335651	283.43	284.90	1.47	0.001	0.23	<1%			
					R335652	284.90	286.40	1.50	0.0005	0.16	<1%			
					R335653	286.40	287.90	1.50	0.001	0.12	<1%			
					R335654	287.90	289.40	1.50	0.001	0.13	<1%			
					R335655	289.40	290.90	1.50	0.0005	0.11	<1%			
					R335656	290.90	292.15	1.25	0.001	0.05	<1%			
					R335657	292.15	292.60	0.45	0.202	4.77	<1%			
					R335658	292.60	293.40	0.80	0.003	0.09	<1%			
					R335659	293.40	293.80	0.40	0.001	0.01	<1%			
					R335661	293.80	295.30	1.50	0.0005	0.07	<1%			
					R335662	310.50	312.00	1.50	0.001	0.1	1.0%			
					R335663	312.00	313.50	1.50	0.0005	0.18	1.0%			
					R335664	313.50	315.00	1.50	0.0005	1.49	<1%			
					R335665	315.00	316.00	1.00	0.0005	0.12	<1%			
					R335666	316.00	317.00	1.00	0.0005	0.08	<1%			
					R335667	317.00	317.60	0.60	0.0005	0.08	1.0%			
					R335668	317.60	318.70	1.10	0.0005	0.1	<1%			
					R335669	318.70	319.45	0.75	0.0005	0.06	1.0%			
					R335671	319.45	320.25	0.80	0.0005	0.04	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335672	320.25	320.85	0.60	0.0005	0.05	<1%			
					R335673	320.85	322.00	1.15	0.0005	0.08	<1%			
					R335674	326.25	326.75	0.50	0.004	0.7	1.0%			
					R335675	326.75	327.50	0.75	0.0005	0.06	<1%			
					R335676	327.50	328.00	0.50	0.0005	0.4	1.0%			
					R335677	328.00	329.00	1.00	0.0005	0.17	1.0%			
					R335678	329.00	330.00	1.00	0.001	0.26	1.0%			
					R335679	330.00	331.50	1.50	0.001	0.04	<1%			
					R335681	331.50	332.35	0.85	0.001	0.09	1.0%			
					R335682	332.35	333.30	0.95	0.0005	0.07	1.0%			
					R335683	333.30	334.15	0.85	0.0005	0.07	<1%			
					R335684	334.15	335.65	1.50	0.0005	0.08	<1%			
					R335685	335.65	336.10	0.45	0.0005	0.08	<1%			
					R335686	336.10	337.00	0.90	0.0005	0.04	1.0%			
					R335687	341.50	342.15	0.65	0.0005	0.04	1.0%			
					R335688	349.00	349.75	0.75	0.0005	0.06	1.0%			
					R335689	361.60	362.00	0.40	0.001	0.12	<1%			
					R335691	362.00	363.00	1.00	0.0005	0.07	<1%			
					R335692	363.00	363.60	0.60	0.0005	0.05	<1%			
					R335693	363.60	364.98	1.38	0.001	0.05	<1%			
					R335694	364.98	366.00	1.02	0.229	0.13	1.0%			
					R335695	366.00	366.47	0.47	0.001	0.21	3.0%			
					R335696	366.47	366.95	0.48	0.006	0.3	2.0%			
					R335697	366.95	367.90	0.95	0.019	0.03	<1%			
					R335698	367.90	368.30	0.40	0.0005	0.05	<1%			
					R335699	368.30	369.00	0.70	0.0005	0.06	<1%			

MG15-25 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582309	5318964	311	MG15-25	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Michaela Kuuskman	9/4/15	9/8/15	Forthright Drilling Services Inc.		NQ	314
Project Name	Area	Township	Claim No.		ORIX GEOSCIENCE INC	
Miller	Planet	Boston	4275152			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
6	-45.4	201.9	251	-40.3	222.2	
53	-43.2	212.9	302	-38.6	223.9	
101	-43	212.8				
152	-42.3	215.8				
200	-41.7	219.1				

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
0.00	3.20	OB		Overburden.										
3.20	39.70	MVOL		Fine- to -locally medium grained, dark green, magnetic, massive Mafic Volcanics. Alteration consists of weak fracture-filling carbonate and epidote. Unit contains trace disseminated pyrite and up to 3% pyrite halos associated with qtz veinlets. 31.1-31.48m: unit contains microfolds. Altered aphanitic Syenite Dykes (up to 0.6cm) first appear at 34.98m. The lower contact with Syenite is sharp at 40 tca.	R335701	3.20	4.70	1.50	0.0005	0.09	<1%			
					R335702	4.70	6.20	1.50	0.0005	0.06	<1%			
					R335703	6.20	7.70	1.50	0.0005	0.11	<1%			
					R335704	7.70	9.20	1.50	0.0005	0.07	<1%			
					R335705	9.20	10.00	0.80	0.0005	0.03	<1%			
					R335706	10.00	11.50	1.50	0.0005	0.15	<1%			
					R335707	11.50	13.00	1.50	0.0005	0.12	<1%			
					R335708	13.00	13.60	0.60	0.0005	0.15	<1%			
					R335709	13.60	14.45	0.85	0.0005	0.15	3.0%			
					R335711	14.45	15.70	1.25	0.0005	0.12	<1%			
					R335712	15.70	17.00	1.30	0.0005	0.09	<1%			
					R335713	17.00	17.70	0.70	0.007	0.07	2.0%			
					R335714	17.70	18.10	0.40	0.1	0.49	4.0%			
					R335715	18.10	19.50	1.40	0.0005	0.09	<1%			
					R335716	19.50	21.00	1.50	0.0005	0.14	<1%			
					R335717	21.00	22.50	1.50	0.0005	0.17	<1%			
					R335718	22.50	24.00	1.50	0.0005	0.15	<1%			
					R335719	24.00	25.50	1.50	0.0005	0.11	<1%			
					R335721	25.50	27.00	1.50	0.001	0.15	<1%			
					R335722	27.00	28.50	1.50	0.0005	0.15	<1%			
					R335723	28.50	30.00	1.50	0.0005	0.11	<1%			
					R335724	30.00	31.50	1.50	0.0005	0.08	<1%			
32.13	32.17		SY	Altered Syenite dyke or Aplite with MS hematite-albite altered patches and strong pervasive silicification.	R335725	31.50	32.50	1.00	0.0005	0.13	<1%			
					R335726	32.50	33.45	0.95	0.0005	0.15	<1%			
33.72	33.77		SY	Altered Syenite dyke or Aplite with MS hematite-albite altered patches and strong pervasive silicification.	R335727	33.45	34.00	0.55	0.0005	0.16	<1%			
34.97	35.05		SY	Altered Syenite dyke or Aplite with MS hematite-albite altered patches and strong pervasive silicification.	R335728	34.00	35.50	1.50	0.0005	0.16	<1%			
36.28	36.31		SY	Altered Syenite dyke or Aplite with MS hematite-albite altered patches and strong pervasive silicification, irregular contacts.	R335729	35.50	36.89	1.39	0.0005	0.26	<1%			
36.89	38.33		SY	Altered Syenite dyke or Aplite with MS hematite-albite altered patches and strong pervasive silicification, 20% of interval is Mafic Volcanic.	R335731	36.89	38.33	1.44	0.005	0.37	<1%			
					R335732	38.33	39.70	1.37	0.004	0.21	2.0%			
39.70	284.48	SY		Syenite. Equigranular, medium-grained, pink to beige Syenite with strong hematite-potassic +/-silicification +/- albite which	R335733	39.70	40.78	1.08	0.119	0.16	<1%			
					R335734	40.78	41.50	0.72	0.063	0.32	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
				primarily bleaches out the original texture. Up to 20% biotite locally altered to chlorite forms the fine grained groundmass surrounding feldspar. 39.7-62.05m: up to 60% of interval has strong pervasive hematite-potassic +/- silicification (bleaches primary texture) and pink aphanitic dykes. 64.58-64.81m: grey Syenite? dyke with 5% white feldspar grains, contacts at 60 tca. 62.05-77.8m: 10% of unit has strong pervasive hematite-potassic +/- silicification (bleaches primary texture) and pink aphanitic Aplite Dykes, and <1 qtz vn/m, 77.8-92.36m: 2-3 qtz vn/m, 92.36-96.77m: qtz stockwok with moderate patchy hematite-potassic, 96-100m: 2-3 qtz vn/m, 100-107m: 1-2 >5cm qtz vn's/m, 107-131m: 1 qtz vn/m and weak patchy hematite, 131-143.5m: patchy moderate hematite alteration and 1 >5cm qtz vn/2 m, 143.5-161.4m: weak patchy hematite, 161.4-185.3m: moderate hematite and 3 qtz vn's/m, 185.3-204.5m: weak pervasive hematite, 204.5-269m: moderate hematite alteration and 1-2 qtz vn's/m, 269-284.48m: 2-4z qtz vn's/m with weak to moderate pervasive hematite.	R335735	41.50	42.00	0.50	0.009	0.06	<1%			
					R335736	42.00	43.00	1.00	0.0005	0.06	<1%			
					R335737	43.00	44.50	1.50	0.0005	0.04	<1%			
					R335738	44.50	45.50	1.00	0.005	0.15	<1%			
					R335739	45.50	46.60	1.10	0.0005	0.03	<1%			
					R335741	46.60	47.30	0.70	0.001	0.03	<1%			
					R335742	47.30	48.00	0.70	0.004	0.04	<1%			
					R335743	48.00	48.55	0.55	0.896	0.2	<1%	0.10%		
					R335744	48.55	49.50	0.95	0.02	0.12	<1%			
					R335745	49.50	50.50	1.00	0.03	0.15	<1%			
					R335746	50.50	51.15	0.65	0.006	0.1	<1%			
					R335747	51.15	52.00	0.85	0.022	0.07	<1%			
					R335748	52.00	52.60	0.60	0.026	0.05	<1%			
					R335749	52.60	53.75	1.15	0.029	0.06	<1%			
					R335751	53.75	55.26	1.51	0.003	0.05	<1%			
					R335752	55.26	56.00	0.74	0.03	0.17	<1%			
					R335753	56.00	57.23	1.23	0.011	0.06	<1%			
					R335754	57.23	57.99	0.76	0.011	0.06	<1%			
					R335755	57.99	58.62	0.63	0.027	0.05	<1%			
					R335756	58.62	60.12	1.50	0.0005	0.05	<1%			
					R335757	60.12	60.60	0.48	0.0005	0.02	<1%			
					R335758	60.60	61.60	1.00	0.011	0.05	<1%			
					R335759	61.60	62.00	0.40	0.123	0.08	<1%			
					R335761	62.00	63.50	1.50	0.001	0.05	<1%			
					R335762	63.50	65.00	1.50	0.003	0.06	<1%			
					R335763	65.00	66.00	1.00	0.001	0.05	<1%			
					R335764	66.00	67.45	1.45	0.005	0.08	<1%			
					R335765	67.45	67.85	0.40	0.36	0.06	<1%	0.10%		
					R335766	67.85	69.00	1.15	0.026	0.09	<1%			
					R335767	69.00	69.85	0.85	0.003	0.06	<1%			
					R335768	69.85	70.30	0.45	0.004	0.04	<1%			
					R335769	70.30	71.50	1.20	0.004	0.04	<1%			
					R335771	71.50	71.85	0.35	0.043	0.06	1.0%			
					R335772	71.85	72.49	0.64	0.041	0.06	<1%	0.10%		
					R335773	72.49	73.38	0.89	0.009	0.04	<1%			
					R335774	73.38	74.50	1.12	0.003	0.09	<1%			
					R335775	74.50	75.17	0.67	0.076	0.17	<1%			
					R335776	75.17	76.50	1.33	0.017	0.04	<1%			
					R335777	76.50	77.75	1.25	0.002	0.04	<1%			
					R335778	77.75	78.20	0.45	0.009	0.03	<1%			
					R335779	78.20	79.05	0.85	0.004	0.06	<1%			
					R335781	79.05	80.00	0.95	0.001	0.04	<1%			
					R335782	80.00	81.30	1.30	0.004	0.11	<1%			
					R335783	81.30	81.70	0.40	0.082	0.03	<1%			
					R335784	81.70	82.93	1.23	0.004	0.04	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335785	82.93	83.23	0.30	<0.05	0.03	<1%			1 speck
					R335787	83.23	83.65	0.42	0.037	0.04	<1%			
					R335788	83.65	84.55	0.90	0.028	0.04	<1%			
					R335789	84.55	85.50	0.95	0.025	0.06	<1%			
					R335791	85.50	86.30	0.80	0.044	0.08	<1%			
					R335792	86.30	87.80	1.50	0.027	0.05	<1%			
					R335793	87.80	88.45	0.65	0.071	0.05	<1%			
					R335794	88.45	89.05	0.60	0.015	0.06	<1%			
					R335795	89.05	90.00	0.95	0.004	0.03	<1%			
					R335796	90.00	90.80	0.80	0.012	0.04	<1%			
					R335797	90.80	91.55	0.75	0.008	0.05	<1%			
					R335798	91.55	92.36	0.81	0.014	0.11	<1%			
					R335799	92.36	93.60	1.24	0.028	0.1	<1%			
					R335800	93.60	94.90	1.30	0.173	0.08	<1%			
					R335801	94.90	96.00	1.10	0.087	0.14	<1%			
					R335802	96.00	96.77	0.77	0.326	0.1	<1%			
					R335803	96.77	98.00	1.23	0.82	0.36	<1%			
					R335804	98.00	99.50	1.50	0.019	0.04	<1%			
					R335805	99.50	101.00	1.50	0.011	0.05	<1%			
					R335806	101.00	101.50	0.50	0.027	0.02	<1%			
					R335807	101.50	101.90	0.40	0.022	0.05	<1%			
					R335808	101.90	102.60	0.70	0.041	0.08	<1%			
					R335809	102.60	103.45	0.85	0.039	0.04	<1%			
					R335811	103.45	104.20	0.75	0.185	0.09	<1%			
					R335812	104.20	104.60	0.40	0.019	0.05	<1%			
					R335813	104.60	105.10	0.50	0.02	0.07	<1%			
					R335814	105.10	106.25	1.15	0.02	0.05	<1%			
					R335815	106.25	106.70	0.45	0.007	0.03	<1%			
					R335816	106.70	107.20	0.50	0.012	0.04	<1%			
					R335817	107.20	108.70	1.50	0.019	0.04	<1%			
					R335818	108.70	110.20	1.50	0.001	0.05	<1%			
					R335819	110.20	111.15	0.95	0.012	0.06	<1%			
					R335821	111.15	112.50	1.35	0.015	0.05	<1%			
					R335822	112.50	114.00	1.50	0.008	0.04	<1%			
					R335823	114.00	115.50	1.50	0.005	0.04	<1%			
					R335824	115.50	116.91	1.41	0.04	0.08	1.0%			
					R335825	116.91	117.90	0.99	0.611	0.22	1.0%			
					R335826	117.90	119.00	1.10	0.013	0.06	<1%			
					R335827	119.00	119.50	0.50	0.093	0.13	1.0%			
					R335828	119.50	121.00	1.50	0.002	0.03	<1%			
					R335829	121.00	122.50	1.50	0.001	0.04	<1%			
					R335831	122.50	124.00	1.50	0.003	0.08	<1%			
					R335832	124.00	125.25	1.25	0.003	0.08	<1%			
					R335833	125.25	125.65	0.40	0.007	0.04	<1%	0.10%		
					R335834	125.65	126.20	0.55	0.024	0.04	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335835	126.20	126.95	0.75	0.0005	0.03	<1%			
					R335836	126.95	127.35	0.40	0.933	0.23	<1%	0.50%		
					R335837	127.35	128.85	1.50	0.023	0.04	<1%			
					R335838	128.85	130.35	1.50	0.024	0.05	1.0%			
					R335839	130.35	131.35	1.00	0.02	0.02	<1%			
					R335841	131.35	132.85	1.50	0.037	0.05	<1%			
					R335842	132.85	134.30	1.45	0.006	0.02	<1%			
					R335843	134.30	134.91	0.61	0.049	0.09	1.0%			
					R335844	134.91	136.25	1.34	0.042	0.05	<1%			
					R335845	136.25	136.80	0.55	0.233	0.11	<1%			
					R335846	136.80	137.70	0.90	0.016	0.02	<1%			
					R335847	137.70	138.85	1.15	0.073	0.11	1.0%			
					R335848	138.85	140.00	1.15	0.04	0.04	1.0%			
					R335849	140.00	140.85	0.85	0.011	0.03	<1%			
					R335851	140.85	141.35	0.50	0.02	0.04	<1%			
					R335852	141.35	142.85	1.50	0.032	0.04	<1%			
					R335853	142.85	144.35	1.50	0.004	0.02	<1%			
					R335854	144.35	145.85	1.50	0.043	0.03	<1%			
					R335855	145.85	146.65	0.80	0.009	0.03	<1%			
					R335856	146.65	147.64	0.99	0.031	0.04	<1%			
					R335857	147.64	148.26	0.62	0.108	0.09	1.0%			
					R335858	148.26	149.75	1.49	0.004	0.04	<1%			
					R335859	149.75	151.00	1.25	0.027	0.14	<1%			
					R335861	151.00	152.50	1.50	0.296	0.18	<1%			
					R335862	152.50	153.83	1.33	0.001	0.04	<1%			
					R335863	153.83	154.60	0.77	0.031	0.05	<1%			
					R335864	154.60	155.04	0.44	0.372	0.2	<1%	0.10%		
					R335865	155.04	156.50	1.46	3.82	0.06	<1%			
157.23	157.64		SY	Late Syenite dyke: black matrix with 5% plagioclase grains.	R335866	156.50	157.70	1.20	0.004	0.04	<1%			
					R335867	157.70	158.20	0.50	0.027	0.04	<1%			
					R335868	158.20	159.05	0.85	0.005	0.04	<1%			
					R335869	159.05	159.90	0.85	0.003	0.03	<1%			
					R335871	159.90	161.25	1.35	0.023	0.03	<1%			
					R335872	161.25	161.55	0.30	0.086	0.1	<1%	0.50%		
					R335873	161.55	162.60	1.05	0.036	0.06	<1%			
					R335874	162.60	163.10	0.50	0.165	0.16	<1%			
					R335875	163.10	164.35	1.25	0.071	0.09	<1%			
					R335876	164.35	164.95	0.60	0.044	0.18	<1%			
					R335877	164.95	166.45	1.50	0.003	0.03	<1%			
					R335878	166.45	167.40	0.95	0.001	0.02	<1%			
					R335879	167.40	168.32	0.92	0.005	0.06	<1%			
					R335881	168.32	169.30	0.98	0.087	0.34	<1%			
					R335882	169.30	170.50	1.20	0.554	0.09	<1%			
					R335883	170.50	171.75	1.25	0.005	0.04	<1%			
					R335884	171.75	172.70	0.95	0.004	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335885	172.70	173.30	0.60	0.135	0.16	<1%			
					R335886	173.30	174.60	1.30	0.029	0.12	<1%			
					R335887	174.60	176.00	1.40	0.003	0.03	<1%			
					R335888	176.00	177.50	1.50	0.003	0.05	<1%			
					R335889	177.50	179.00	1.50	0.007	0.13	<1%			
					R335891	179.00	179.85	0.85	0.01	0.07	<1%			
					R335892	179.85	180.90	1.05	0.013	0.08	<1%			
					R335893	180.90	182.20	1.30	0.0005	0.17	<1%			
					R335894	182.20	183.50	1.30	0.02	0.07	<1%			
					R335895	183.50	185.00	1.50	0.017	0.05	<1%			
					R335896	185.00	186.40	1.40	0.0005	0.04	<1%			
					R335897	186.40	187.00	0.60	0.003	0.99	<1%			
188.17	188.33		SY	Late Syenite dyke: black matric with 5% plagioclase grains.	R335898	187.00	188.50	1.50	0.0005	0.03	<1%			
					R335899	188.50	189.00	0.50	0.018	0.03	<1%			
					R335900	189.00	190.50	1.50	0.0005	0.17	<1%			
					R335901	190.50	191.80	1.30	0.005	0.11	<1%			
					R335902	191.80	192.35	0.55	0.078	0.08	<1%			
					R335903	192.35	193.40	1.05	0.002	0.04	<1%			
					R335904	193.40	194.90	1.50	0.0005	0.04	<1%			
					R335905	194.90	196.00	1.10	0.002	0.04	<1%			
					R335906	196.00	196.88	0.88	0.001	0.03	<1%			
					R335907	196.88	198.28	1.40	3.15	0.31	<1%			
					R335908	198.28	199.29	1.01	0.016	0.06	<1%			
					R335909	199.29	200.14	0.85	0.149	0.12	<1%			
					R335911	200.14	201.61	1.47	0.001	0.03	<1%			
					R335912	201.61	203.00	1.39	0.007	0.04	<1%			
					R335913	203.00	204.30	1.30	0.003	0.03	<1%			
204.39	204.52		SY	Late Syenite dyke: grey matrix with 5% plagioclase grains.	R335914	204.30	205.80	1.50	0.037	0.04	<1%			
					R335915	205.80	206.25	0.45	4.56	0.34	<1%			
					R335916	206.25	207.50	1.25	0.016	0.04	<1%			
					R335917	207.50	209.00	1.50	0.067	0.04	<1%			
					R335918	209.00	210.00	1.00	0.019	0.04	<1%			
					R335919	210.00	210.75	0.75	0.07	0.06	<1%			
					R335921	210.75	211.75	1.00	0.013	0.09	<1%			
					R335922	211.75	213.00	1.25	0.014	0.05	<1%			
					R335923	213.00	214.50	1.50	0.0005	0.05	<1%			
					R335924	214.50	216.00	1.50	0.027	0.04	<1%			
					R335925	216.00	217.50	1.50	0.035	0.06	<1%			
					R335926	217.50	219.00	1.50	0.001	0.03	<1%			
					R335927	219.00	220.00	1.00	0.003	0.03	<1%			
					R335928	220.00	221.50	1.50	0.001	0.04	<1%			
					R335929	221.50	223.00	1.50	0.001	0.08	<1%			
					R335931	223.00	224.00	1.00	0.017	0.04	<1%			
					R335932	224.00	225.18	1.18	0.002	0.03	<1%			
					R335933	225.18	226.15	0.97	0.004	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335934	226.15	227.10	0.95	0.0005	0.02	<1%			
					R335935	227.10	227.60	0.50	0.118	0.05	<1%	1%		
					R335936	227.60	229.10	1.50	0.001	0.03	<1%			
					R335937	229.10	230.60	1.50	0.033	0.06	<1%			
231.40	231.81		SY	Late Syenite dyke: grey matrix with 5% plagioclase grains.	R335938	230.60	231.85	1.25	0.001	0.03	<1%			
					R335939	231.85	232.70	0.85	0.008	0.04	<1%			
					R335941	232.70	233.20	0.50	0.109	0.38	<1%			
					R335942	233.20	234.50	1.30	0.004	0.04	<1%			
					R335943	234.50	236.00	1.50	0.004	0.03	<1%			
					R335944	236.00	237.50	1.50	0.004	0.03	<1%			
238.91	239.07		SY	Late fine-grained pink Syenite.	R335945	237.50	239.00	1.50	0.008	0.04	<1%			
					R335946	239.00	240.30	1.30	0.085	0.02	<1%			
					R335947	240.30	240.70	0.40	2.82	0.3	2.0%	1%		
					R335948	240.70	241.40	0.70	0.177	0.11	<1%	0.10%		
					R335949	241.40	242.20	0.80	0.017	0.05	<1%			
					R335951	242.20	243.00	0.80	6.24	0.52	<1%			
					R335952	243.00	243.50	0.50	2.12	1.78	1.0%	20%		
					R335953	243.50	245.00	1.50	0.006	0.02	<1%			
					R335954	245.00	246.50	1.50	0.016	0.05	<1%			
					R335955	246.50	248.00	1.50	0.039	0.04	<1%			
					R335956	248.00	249.50	1.50	0.143	0.05	<1%			
					R335957	249.50	251.00	1.50	0.006	0.06	<1%			
					R335958	251.00	252.50	1.50	0.01	0.03	<1%			
					R335959	252.50	254.00	1.50	0.038	0.04	<1%			
254.42	254.54		SY	Late Syenite dyke: grey matrix with 5% plagioclase grains.	R335961	254.00	255.00	1.00	0.008	0.03	<1%			
					R335962	255.00	255.75	0.75	0.008	0.03	<1%			
					R335963	255.75	256.75	1.00	0.005	0.03	<1%			
					R335964	256.75	257.25	0.50	0.026	0.07	<1%	0.10%		
					R335965	257.25	258.75	1.50	0.011	0.07	<1%			
					R335966	258.75	260.25	1.50	0.035	0.15	<1%			
					R335967	260.25	261.50	1.25	0.001	0.13	<1%			
					R335968	261.50	263.00	1.50	0.005	0.07	<1%			
					R335969	263.00	264.50	1.50	0.042	0.12	<1%			
					R335971	264.50	266.00	1.50	0.009	0.04	<1%			
					R335972	266.00	267.50	1.50	0.02	0.08	<1%			
268.40	268.46		SY	Late Syenite dyke: grey matrix with 5% plagioclase grains.	R335973	267.50	268.60	1.10	0.037	0.13	<1%			
268.65	269.21		SY	Late Syenite dyke: with 5% plagioclase grains.	R335974	268.60	269.25	0.65	0.097	0.05	<1%			
					R335975	269.25	270.00	0.75	0.036	0.09	<1%			
					R335976	270.00	270.90	0.90	0.032	0.09	<1%			
					R335977	270.90	271.55	0.65	0.022	0.13	<1%			
					R335978	271.55	272.75	1.20	1.68	0.15	<1%			
					R335979	272.75	274.20	1.45	0.005	0.03	<1%			
					R335981	274.20	274.75	0.55	0.025	0.09	<1%			
					R335982	274.75	275.70	0.95	0.03	0.09	<1%			
					R335983	275.70	276.75	1.05	0.013	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335984	276.75	278.10	1.35	0.044	0.08	<1%			
					R335985	278.10	279.45	1.35	0.045	0.06	<1%			
					R335986	279.45	280.50	1.05	0.193	0.11	<1%			
					R335987	280.50	281.50	1.00	0.024	0.03	<1%			
282.44	284.48		SY	Late Syenite dyke: with 5% plagioclase grains.	R335988	281.50	283.00	1.50	0.035	0.03	<1%			
					R335989	283.00	284.48	1.48	0.017	0.04	<1%			
284.48	314.00	MVOL		Fine-grained, dark green, magnetic, massive Mafic Volcanics. Alteration consists of weak fracture-filling carbonate and epidote. Unit contains trace disseminated pyrite and up to 3% pyrite halos associated with qtz veinlets. Weak foliation at 40 tca. 287.9-293.3m: possible lapilli tuff, fragments are 2-5mm and subrounded, 292-303.25m: 10% aphanitic Aplite Dykes (3-20cm wide) with irregular contacts, normally parallel tca.	R335991	284.48	285.10	0.62	0.034	0.31	2.0%	0.50%		
					R335992	285.10	286.50	1.40	0.001	0.12	<1%			
					R335993	286.50	287.90	1.40	0.014	1.22	2.0%			
287.90	293.30		MTUF	Lapilli tuff, 2-5mm fragments.	R335994	287.90	289.40	1.50	0.0005	0.14	<1%			
					R335995	289.40	290.90	1.50	0.0005	0.12	<1%			
292.00	292.26		APL	Fine-grained silicified Aplite dyke with trace pyrite.	R335996	290.90	292.40	1.50	0.001	0.14	<1%			
					R335997	292.40	293.30	0.90	0.0005	0.08	<1%			
					R335998	293.30	293.90	0.60	0.011	0.43	<1%			
294.10	294.57		APL	Fine-grained silicified Aplite dyke with trace pyrite.	R335999	293.90	295.20	1.30	0.015	0.22	<1%			
295.68	296.18		APL	Fine-grained silicified Aplite dyke with trace pyrite.	R336000	295.20	296.70	1.50	0.007	0.13	2.0%			
296.93	296.99		APL	Fine-grained silicified Aplite dyke with trace pyrite.	P449701	296.70	298.20	1.50	0.001	0.12	<1%			
298.30	298.50		APL	Fine-grained silicified Aplite dyke with trace pyrite.	P449702	298.20	299.70	1.50	0.001	0.1	2.0%			
					P449703	299.70	301.20	1.50	0.0005	0.09	<1%			
301.80	302.80		APL	Fine-grained silicified Aplite dyke.	P449704	301.20	302.70	1.50	0.0005	0.11	<1%			
					P449705	302.70	304.20	1.50	0.001	0.12	2.0%			
					P449706	304.20	305.70	1.50	0.001	0.1	2.0%			
					P449707	305.70	307.20	1.50	0.001	0.12	<1%			
					P449708	307.20	308.00	0.80	0.0005	0.09	<1%			
					P449709	308.00	309.50	1.50	0.0005	0.12	<1%			
					P449711	309.50	311.00	1.50	0.006	0.09	<1%			
					P449712	311.00	312.50	1.50	0.0005	0.15	<1%			
					P449713	312.50	314.00	1.50	0.0005	0.11	<1%			

MG15-26 DRILL LOG

Company:		UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.		NAD83 Z17N	582597	5319740	314	MG15-26	Pulled
Logged by		Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Michaela Kuuskman		9/8/15	9/13/15	Forthright Drilling Services Inc.		NQ	356
Project Name		Area	Township	Claim No.			
Miller		Meilleur	Boston	4272895			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
20	-47.7	129.4	251	-44.6	142.7	
50	-47.2	130.7	290	-43	144.1	
101	-47.4	134.3	341	-41.2	146	
152	-47.1	137.5				
200	-46.5	141.1				

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
0.00	2.85	OB		Overburden.										
2.85	89.64	IVOL		Massive to porphyritic Intermediate volcanic, with minor fragmental intervals. Alteration consists of weak qtz and carbonate stringers. Near the top of the hole the unit contains up to 5% plagioclase phenocrysts. 2.85-6.9m: 1 qtz/m at 20 to 30 degrees tca. 78 to LC: core is very blocky, possible faults.	P449714	2.80	3.65	0.85	0.0005	0.04	<1%			
					P449715	3.65	4.50	0.85	0.0005	0.12	<1%			
					P449716	4.50	5.75	1.25	0.0005	0.04	<1%			
					P449717	5.75	6.60	0.85	0.0005	0.09	<1%			
					P449718	6.60	8.00	1.40	0.0005	0.02	<1%			
					P449719	8.00	9.50	1.50	0.001	0.04	<1%			
					P449721	9.50	11.00	1.50	0.001	0.03	<1%			
					P449722	11.00	12.05	1.05	0.001	0.05	<1%			
					P449723	12.05	13.00	0.95	0.0005	0.05	<1%			
13.00	14.77		SY	Red medium-grained equigranular syenite.	P449724	13.00	13.90	0.90	0.022	0.22	<1%			
					P449725	13.90	14.77	0.87	0.002	0.08	<1%			
					P449726	14.77	16.00	1.23	0.0005	0.05	<1%			
					P449727	16.00	17.50	1.50	0.0005	0.06	<1%			
					P449728	17.50	19.00	1.50	0.0005	0.05	<1%			
					P449729	19.00	20.50	1.50	0.001	0.14	<1%			
20.66	20.69		SY	Red medium-grained equigranular syenite.	P449731	20.50	21.50	1.00	0.007	0.19	<1%			
					P449732	21.50	23.00	1.50	0.003	0.13	<1%			
					P449733	23.00	24.50	1.50	0.0005	0.12	<1%			
					P449734	24.50	26.00	1.50	0.0005	0.06	<1%			
					P449735	26.00	27.50	1.50	0.027	0.31	<1%			
					P449736	27.50	29.00	1.50	0.0005	0.1	<1%			
					P449737	29.00	30.00	1.00	0.0005	0.06	<1%			
					P449738	30.00	31.00	1.00	0.003	0.16	<1%			
					P449739	31.00	32.50	1.50	0.001	0.08	<1%			
					P449741	32.50	34.00	1.50	0.001	0.16	<1%			
					P449742	34.00	35.50	1.50	0.0005	0.05	<1%			
					P449743	35.50	37.00	1.50	0.0005	0.04	<1%			
					P449744	37.00	38.50	1.50	0.006	0.19	<1%			
					P449745	38.50	40.00	1.50	0.0005	0.03	<1%			
					P449746	40.00	41.50	1.50	0.0005	0.04	<1%			
					P449747	41.50	43.00	1.50	0.0005	0.03	<1%			
					P449748	43.00	44.50	1.50	0.0005	0.03	<1%			
					P449749	44.50	45.50	1.00	0.0005	0.02	<1%			
					P449751	45.50	46.50	1.00	0.006	0.42	<1%			
					P449752	46.50	48.00	1.50	0.0005	0.05	<1%			
					P449753	48.00	48.50	0.50	0.0005	0.1	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					P449754	48.50	50.00	1.50	0.0005	0.07	<1%			
					P449755	50.00	51.50	1.50	0.0005	0.05	<1%			
					P449756	51.50	53.00	1.50	0.03	0.42	<1%			
					P449757	53.00	54.50	1.50	0.0005	0.06	<1%			
					P449758	54.50	56.00	1.50	0.0005	0.03	<1%			
					P449759	56.00	57.50	1.50	0.0005	0.03	<1%			
					P449761	57.50	59.00	1.50	0.0005	0.07	<1%			
					P449762	59.00	60.50	1.50	0.001	0.05	<1%			
					P449763	60.50	62.00	1.50	0.0005	0.11	<1%			
					P449764	62.00	63.00	1.00	0.0005	0.06	<1%			
					P449765	63.00	64.50	1.50	0.0005	0.04	<1%			
					P449766	64.50	65.50	1.00	0.017	1.68	<1%			
65.79	66.21		SY	Red medium-grained equigranular syenite.	P449767	65.50	66.50	1.00	0.085	1.47	<1%			
					P449768	66.50	68.00	1.50	0.0005	0.03	<1%			
					P449769	68.00	69.50	1.50	0.0005	0.11	<1%			
					P449771	69.50	71.00	1.50	0.0005	0.06	<1%			
					P449772	71.00	71.80	0.80	0.0005	0.02	<1%			
					P449773	71.80	73.00	1.20	0.005	0.07	<1%			
					P449774	73.00	74.50	1.50	0.0005	0.02	<1%			
					P449775	74.50	76.00	1.50	0.0005	0.03	<1%			
					P449776	76.00	77.50	1.50	0.0005	0.06	<1%			
					P449777	77.50	78.50	1.00	0.0005	0.12	<1%			
78.56	78.87		SY	Pink medium-grained equigranular syenite, irregular LC.	P449778	78.50	79.50	1.00	0.003	0.24	<1%			
					P449779	79.50	81.00	1.50	0.0005	0.06	<1%			
					P449781	81.00	82.50	1.50	0.0005	0.06	<1%			
					P449782	82.50	84.00	1.50	0.001	0.04	<1%			
					P449783	84.00	85.50	1.50	0.001	0.03	<1%			
					P449784	85.50	86.55	1.05	0.019	1.02	<1%			
					P449785	86.55	87.50	0.95	20.8	4.86	<1%			
					P449786	87.50	88.60	1.10	0.025	0.61	<1%			
					P449787	88.60	89.00	0.40	0.032	0.23	<1%	0.10%		
					P449788	89.00	89.65	0.65	0.092	0.56	<1%			
89.64	316.06	SY		Syenite; equigranular, medium-grained and brick red. Alteration consists of medium to strong, pervasive to patchy hematite alteration and silicification. Unit contains trace to 0.5% disseminated pyrite. Quartz vein density increases with depth, quartz veins contains trace to 3% moly. 108.48-109.13m: 12cm and 41cm qtz veins with 2% fracture-filling moly. 214.1-239.5m: 3.5 qtz vn's/m, two vein sets at 50 and 80 degrees tca. The vein set perpendicular tca seems to contain more moly than the shallow vein set.	P449789	89.65	91.00	1.35	0.248	0.3	<1%			
					P449791	91.00	92.50	1.50	0.06	0.29	<1%			
					P449792	92.50	94.00	1.50	0.155	0.26	<1%			
					P449793	94.00	94.90	0.90	0.053	0.09	<1%			
					P449794	94.90	95.50	0.60	0.052	0.86	<1%	0.10%		
					P449795	95.50	97.00	1.50	0.104	0.19	<1%			
					P449796	97.00	98.50	1.50	0.011	0.06	<1%			
					P449797	98.50	100.00	1.50	0.005	0.09	<1%			
					P449798	100.00	101.50	1.50	0.081	0.26	<1%			
					P449799	101.50	103.00	1.50	0.003	0.05	<1%			
					P449800	103.00	104.00	1.00	0.002	0.07	<1%			
					P449801	104.00	105.00	1.00	0.0005	0.07	<1%			
					P449802	105.00	106.50	1.50	0.01	0.11	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					P449803	106.50	107.00	0.50	0.589	1	<1%	0.10%		
					P449804	107.00	108.45	1.45	0.042	0.46	<1%			
					P449805	108.45	109.15	0.70	1.45	4.51	<1%	1%		
					P449806	109.15	110.50	1.35	0.029	0.14	<1%			
					P449807	110.50	111.90	1.40	0.217	0.18	<1%			
					P449808	111.90	113.00	1.10	0.013	0.1	1.0%			
					P449809	113.00	114.40	1.40	0.088	0.08	<1%			
					P449811	114.40	115.05	0.65	0.642	0.69	<1%	0.10%		
					P449812	115.05	116.50	1.45	0.153	0.18	<1%			
					P449813	116.50	117.30	0.80	0.052	0.1	<1%			
					P449814	117.30	117.90	0.60	0.011	0.03	<1%			
					P449815	117.90	119.40	1.50	0.05	0.06	<1%			
					P449816	119.40	120.00	0.60	0.092	0.11	<1%	0.10%		
					P449817	120.00	121.50	1.50	0.038	0.05	<1%			
					P449818	121.50	123.00	1.50	0.002	0.02	<1%			
					P449819	123.00	124.25	1.25	0.176	0.03	<1%			
					P449821	124.25	124.75	0.50	0.161	0.13	<1%	0.10%		
					P449822	124.75	126.00	1.25	0.395	1.37	<1%			
					P449823	126.00	126.50	0.50	0.042	0.12	<1%			
					P449824	126.50	128.00	1.50	0.047	0.1	<1%			
					P449825	128.00	129.00	1.00	0.022	0.05	<1%			
					P449826	129.00	130.00	1.00	0.011	0.03	<1%			
					P449827	130.00	131.00	1.00	0.042	0.06	<1%			
					P449828	131.00	131.50	0.50	0.195	0.19	<1%	0.50%		
					P449829	131.50	133.00	1.50	0.023	0.09	<1%			
					P449831	133.00	134.50	1.50	0.001	0.04	<1%			
					P449832	134.50	136.00	1.50	0.003	0.04	<1%			
					P449833	136.00	136.85	0.85	0.0005	0.01	<1%			
					P449834	136.85	137.65	0.80	0.041	0.09	<1%			
					P449835	137.65	138.30	0.65	0.167	0.22	<1%			
					P449836	138.30	139.00	0.70	0.004	0.05	<1%			
					P449837	139.00	139.50	0.50	0.589	0.54	<1%			
					P449838	139.50	141.00	1.50	0.005	0.06	<1%			
					P449839	141.00	142.50	1.50	4.27	0.13	<1%			
					P449841	142.50	144.00	1.50	0.017	0.06	<1%			
					P449842	144.00	145.50	1.50	0.021	0.07	<1%			
					P449843	145.50	147.00	1.50	0.001	0.05	<1%			
					P449844	147.00	147.80	0.80	0.003	0.05	<1%			
					P449845	147.80	148.30	0.50	0.025	0.67	<1%	0.10%		
					P449846	148.30	149.45	1.15	0.0005	0.06	<1%			
					P449847	149.45	149.85	0.40	0.0005	0.12	<1%	0.10%		
					P449848	149.85	150.90	1.05	0.006	0.09	<1%			
					P449849	150.90	151.60	0.70	0.0005	0.03	<1%			
					P449851	151.60	152.00	0.40	0.06	0.54	<1%			
					P449852	152.00	152.50	0.50	0.008	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					P449853	152.50	154.00	1.50	0.025	0.07	<1%			
					P449854	154.00	155.50	1.50	0.0005	0.05	<1%			
					P449855	155.50	157.00	1.50	0.003	0.06	<1%			
157.06	157.37		GAB	Dark green, weakly magnetic mafic dyke, contacts at low angle tca. Dyke runs along CA so thickness is difficult to discern. Mafic dykes crosscut 6cm qtz vein at 90 tca.	P449856	157.00	158.50	1.50	0.0005	0.04	<1%			
					P449857	158.50	160.00	1.50	0.008	0.05	<1%			
					P449858	160.00	161.40	1.40	0.018	0.07	<1%			
					P449859	161.40	162.50	1.10	0.309	0.18	<1%			
					P449861	162.50	164.00	1.50	0.046	0.09	<1%			
					P449862	164.00	165.50	1.50	0.021	0.15	<1%			
					P449863	165.50	165.90	0.40	1.13	1.42	<1%			
					P449864	165.90	166.90	1.00	0.043	0.19	<1%			
					P449865	166.90	168.00	1.10	0.006	0.07	<1%			
					P449866	168.00	168.50	0.50	3.62	1.82	<1%			
					P449867	168.50	170.00	1.50	0.479	0.23	<1%			
					P449868	170.00	170.85	0.85	0.011	0.22	<1%			
					P449869	170.85	171.25	0.40	1.76	16.5	<1%			
					P449871	171.25	172.50	1.25	0.001	0.04	<1%			
					P449872	172.50	173.80	1.30	0.33	0.81	<1%			
					P449873	173.80	174.50	0.70	0.02	0.19	<1%			
					P449874	174.50	176.00	1.50	0.029	0.03	<1%			
					P449875	176.00	177.50	1.50	0.0005	0.03	<1%			
					P449876	177.50	179.00	1.50	0.002	0.04	<1%			
					P449877	179.00	180.00	1.00	0.018	0.07	<1%			
					P449878	180.00	181.25	1.25	0.028	0.13	<1%			
181.56	182.59		GAB	Dark green, weakly magnetic mafic dyke, contacts at low angle tca. Dyke runs along CA so thickness is difficult to discern.	P449879	181.25	182.60	1.35	0.007	0.06	<1%			
					P449881	182.60	183.00	0.40	0.277	0.24	<1%	0.10%		
					P449882	183.00	184.50	1.50	0.002	0.02	<1%			
					P449883	184.50	186.00	1.50	0.007	0.03	<1%			
					P449884	186.00	186.50	0.50	0.028	0.04	<1%			
					P449885	186.50	188.00	1.50	0.114	0.18	<1%			
					P449886	188.00	189.50	1.50	0.116	0.44	<1%	0.10%		
					P449887	189.50	190.25	0.75	0.051	0.5	<1%			
					P449888	190.25	191.00	0.75	0.008	0.04	<1%			
					P449889	191.00	191.55	0.55	0.189	0.24	<1%	0.10%		
					P449891	191.55	193.00	1.45	0.083	0.03	<1%			
					P449892	193.00	194.50	1.50	0.121	0.04	<1%			
					P449893	194.50	196.00	1.50	0.042	0.02	<1%			
					P449894	196.00	197.50	1.50	0.066	0.02	<1%	0.10%		
					P449895	197.50	199.00	1.50	0.074	0.12	<1%			
					P449896	199.00	200.00	1.00	0.024	0.06	<1%			
200.12	200.16		GAB	Dark green, weakly magnetic mafic dyke.	P449897	200.00	200.46	0.46	0.021	0.04	<1%			
200.46	201.22		GAB	Dark green, weakly magnetic mafic dyke, sharp contacts.	P449898	200.46	201.22	0.76	0.002	0.04	<1%			
					P449899	201.22	202.00	0.78	0.005	0.08	<1%	3%		
					P449900	202.00	203.00	1.00	0.04	0.16	<1%			
					P449901	203.00	204.00	1.00	0.358	0.08	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					P449902	204.00	204.77	0.77	0.198	0.22	1.0%	0.10%		
					P449903	204.77	206.00	1.23	0.009	0.03	<1%			
					P449904	206.00	207.00	1.00	0.005	0.03	<1%			
					P449905	207.00	208.50	1.50	0.001	0.06	<1%			
					P449906	208.50	209.00	0.50	0.001	0.06	<1%			
					P449907	209.00	210.00	1.00	0.012	0.19	<1%			
					P449908	210.00	211.00	1.00	0.028	0.1	<1%			
					P449909	211.00	212.00	1.00	0.006	0.03	<1%			
					P449911	212.00	213.50	1.50	0.013	0.05	<1%			
					P449912	213.50	214.50	1.00	0.014	0.58	<1%			
					P449913	214.50	215.50	1.00	0.262	0.22	<1%			
					P449914	215.50	216.25	0.75	0.045	0.29	<1%			
					P449915	216.25	216.75	0.50	0.002	0.08	<1%			
					P449916	216.75	217.57	0.82	0.0005	0.07	<1%			
217.57	218.32		GAB	Dark green, weakly magnetic mafic dyke, sharp contacts.	P449917	217.57	218.38	0.81	0.005	0.14	<1%			
					P449918	218.38	219.80	1.42	0.001	0.04	<1%			
					P449919	219.80	220.60	0.80	0.017	0.11	<1%	0.10%		
					P449921	220.60	221.30	0.70	0.021	0.06	<1%	0.10%		
					P449922	221.30	221.70	0.40	0.013	0.07	<1%	0.10%		
					P449923	221.70	223.00	1.30	0.003	0.03	<1%			
					P449924	223.00	224.05	1.05	0.014	0.22	<1%			
					P449925	224.05	224.65	0.60	0.002	0.04	<1%	0.10%		
					P449926	224.65	225.20	0.55	0.001	0.04	<1%			
					P449927	225.20	225.55	0.35	0.071	0.22	<1%	0.50%		
					P449928	225.55	226.35	0.80	0.045	0.14	<1%	0.50%		
					P449929	226.35	227.50	1.15	0.071	0.07	<1%			
					P449931	227.50	229.00	1.50	0.021	0.07	<1%			
					P449932	229.00	230.00	1.00	0.232	0.13	<1%	0.50%		
					P449933	230.00	231.35	1.35	0.128	0.12	<1%			
					P449934	231.35	231.85	0.50	0.094	0.1	<1%	0.10%		
					P449935	231.85	233.00	1.15	0.004	0.07	<1%			
					P449936	233.00	234.00	1.00	0.02	0.07	<1%			
					P449937	234.00	234.50	0.50	0.228	0.27	<1%			
					P449938	234.50	235.30	0.80	0.877	0.38	<1%	0.10%		
					P449939	235.30	236.30	1.00	0.023	0.19	<1%			
					P449941	236.30	237.50	1.20	0.024	0.1	<1%			
					P449942	237.50	238.45	0.95	0.669	4.13	<1%	1%		
					P449943	238.45	239.50	1.05	0.038	0.25	<1%			
					P449944	239.50	241.00	1.50	0.01	0.05	<1%			
					P449945	241.00	242.00	1.00	0.404	0.11	1.0%	1%		
					P449946	242.00	243.00	1.00	0.014	0.05	<1%			
					P449947	243.00	244.00	1.00	0.018	0.08	<1%			
					P449948	244.00	244.95	0.95	0.006	0.06	<1%	0.10%		
					P449949	244.95	246.00	1.05	0.153	0.07	<1%			
					P449951	246.00	246.85	0.85	0.001	0.11	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					P449952	246.85	247.70	0.85	0.002	0.04	<1%			
					P449953	247.70	248.20	0.50	0.012	0.06	<1%	0.10%		
					P449954	248.20	248.70	0.50	1.595	2.9	<1%	1%		
					P449955	248.70	250.00	1.30	0.011	0.08	<1%			
					P449956	250.00	251.50	1.50	0.119	0.17	<1%	0.10%		
					P449957	251.50	252.50	1.00	0.03	0.12	<1%	0.10%		
					P449958	252.50	254.00	1.50	0.01	0.1	<1%			
					P449959	254.00	255.20	1.20	0.036	0.14	<1%			
					P449961	255.20	255.70	0.50	0.035	0.34	<1%	0.10%		
					P449962	255.70	256.50	0.80	0.015	0.05	<1%			
					P449963	256.50	257.95	1.45	0.002	0.05	<1%			
					P449964	257.95	258.50	0.55	1.35	0.25	<1%			
					P449965	258.50	259.25	0.75	0.016	0.08	<1%			
					P449966	259.25	259.75	0.50	0.063	1.02	1.0%	0.10%	0.10%	
					P449967	259.75	261.25	1.50	0.025	0.2	<1%		0.10%	
					P449968	261.25	261.75	0.50	0.001	0.03	<1%		0.10%	
					P449969	261.75	263.25	1.50	0.0005	0.04	<1%		0.10%	
					P449971	263.25	264.50	1.25	0.167	0.16	<1%		0.10%	
					P449972	264.50	265.20	0.70	0.025	0.25	<1%	0.10%	0.10%	
					P449973	265.20	266.70	1.50	0.094	0.13	<1%		0.10%	
					P449974	266.70	267.60	0.90	0.033	0.09	<1%		0.10%	
					P449975	267.60	268.50	0.90	0.003	0.06	<1%		0.10%	
					P449976	268.50	269.00	0.50	0.089	0.44	<1%	0.50%	0.10%	
					P449977	269.00	270.00	1.00	0.025	0.11	<1%			
					P449978	270.00	270.50	0.50	0.035	0.09	<1%	0.10%		
					P449979	270.50	272.00	1.50	0.01	0.09	<1%			
					P449981	272.00	273.30	1.30	1.15	0.67	<1%			
					P449982	273.30	273.65	0.35	0.013	0.05	<1%	0.10%		
					P449983	273.65	274.10	0.45	0.194	0.13	<1%	0.10%		
					P449984	274.10	275.50	1.40	0.176	0.09	<1%			
					P449985	275.50	277.00	1.50	0.051	0.09	<1%			
					P449986	277.00	278.50	1.50	0.142	0.25	<1%			
					P449987	278.50	279.75	1.25	0.002	0.01	<1%			
					P449988	279.75	280.30	0.55	0.97	1.38	<1%	0.10%		
					P449989	280.30	281.50	1.20	0.001	0.03	<1%			
					P449991	281.50	282.75	1.25	0.018	0.08	<1%	0.10%		
					P449992	282.75	283.70	0.95	0.052	0.13	<1%			
283.81	284.07		APL	Aphanitic, pink aplite dyke, qtz veins cut aplite dyke.	P449993	283.70	284.40	0.70	0.084	0.37	<1%	0.10%		
					P449994	284.40	285.90	1.50	0.038	0.13	<1%			
					P449995	285.90	287.00	1.10	0.016	0.07	<1%			
					P449996	287.00	288.50	1.50	0.281	0.09	<1%			
					P449997	288.50	289.75	1.25	0.003	0.1	<1%			
					P449998	289.75	290.25	0.50	0.336	2.99	<1%	0.50%		
					P449999	290.25	291.50	1.25	1.39	0.09	<1%			
					P450000	291.50	292.30	0.80	0.096	0.13	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335401	292.30	293.80	1.50	0.003	0.17	<1%			
					R335402	293.80	295.20	1.40	14.3	8.64	<1%			
					R335403	295.20	295.80	0.60	0.558	0.48	<1%	0.10%		
					R335404	295.80	297.00	1.20	0.142	0.12	<1%			
					R335405	297.00	298.00	1.00	0.279	0.15	<1%	0.10%		
					R335406	298.00	298.70	0.70	0.014	0.05	<1%			
					R335407	298.70	299.15	0.45	3.01	1.19	<1%	5%		
					R335408	299.15	300.00	0.85	0.072	0.07	<1%	0.10%		
					R335409	300.00	301.50	1.50	0.035	0.08	<1%			
					R335411	301.50	303.00	1.50	1.395	0.14	<1%	0.10%		
					R335412	303.00	303.50	0.50	0.075	0.2	<1%			
					R335413	303.50	305.00	1.50	0.002	0.02	<1%			
					R335414	305.00	305.50	0.50	0.153	0.07	<1%			
					R335415	305.50	306.35	0.85	0.001	0.02	<1%			
					R335416	306.35	306.85	0.50	6.7	1.16	<1%	0.10%		
					R335417	306.85	308.00	1.15	0.039	0.04	<1%			
					R335418	308.00	309.50	1.50	0.509	0.06	<1%			
					R335419	309.50	311.00	1.50	0.106	0.07	<1%			
					R335421	311.00	312.40	1.40	0.016	0.04	<1%			
					R335422	312.40	313.90	1.50	0.03	0.06	<1%			
					R335423	313.90	314.80	0.90	0.019	0.15	<1%			
					R335424	314.80	316.06	1.26	0.077	0.32	<1%			
316.06	332.06	IVOL		Massive to porphyritic Intermediate volcanic. Alteration consists of weak to moderate qtz and carbonate stringers and patchy hematite.	R335425	316.06	316.75	0.69	0.044	0.04	<1%			
					R335426	316.75	317.75	1.00	0.129	0.19	<1%			
					R335427	317.75	319.25	1.50	0.003	0.07	<1%			
					R335428	319.25	320.20	0.95	0.001	0.02	<1%			
					R335429	320.20	321.70	1.50	0.001	0.03	<1%			
					R335431	321.70	323.00	1.30	0.006	0.29	<1%			
					R335432	323.00	324.50	1.50	0.003	0.08	<1%			
					R335433	324.50	326.00	1.50	0.001	0.04	<1%			
					R335434	326.00	327.50	1.50	0.001	0.07	<1%			
					R335435	327.50	329.00	1.50	0.0005	0.05	<1%			
					R335436	329.00	329.90	0.90	0.0005	0.13	1.0%			
					R335437	329.90	330.75	0.85	0.721	1.1	<1%			
					R335438	330.75	332.06	1.31	0.002	0.17	<1%			
332.06	335.73	SY		Syenite; equigranular, medium-grained and brick red. Alteration consists of medium pervasive hematite. Unit contains approximately 5 cm-scale quartz veins. Sharp upper and lower contacts.	R335439	332.06	333.50	1.44	0.006	0.07	<1%			
					R335441	333.50	334.30	0.80	0.026	0.27	<1%			
					R335442	334.30	335.73	1.43	0.024	0.45	<1%			
335.73	356.00	IVOL		Massive to porphyritic Intermediate volcanic. Alteration consists of weak to moderate qtz and carbonate stringers. 344.7-345.96m: unit contains two 20-30cm zones with moderate pervasive silicification.	R335443	335.73	337.20	1.47	0.0005	0.08	<1%			
					R335444	337.20	338.70	1.50	0.001	0.09	<1%			
					R335445	338.70	340.10	1.40	0.0005	0.12	<1%			
					R335446	340.10	341.00	0.90	0.001	0.28	<1%			
					R335447	341.00	342.50	1.50	0.0005	0.07	<1%			
					R335448	342.50	343.50	1.00	0.0005	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335449	343.50	345.00	1.50	0.0005	0.05	<1%			
					R335451	345.00	346.50	1.50	0.0005	0.1	<1%			
					R335452	346.50	348.00	1.50	0.0005	0.11	<1%			
					R335453	348.00	349.50	1.50	0.001	0.09	1.0%			
					R335454	349.50	350.50	1.00	0.0005	0.1	<1%			
					R335455	350.50	352.00	1.50	0.001	0.12	<1%			
					R335456	352.00	353.50	1.50	0.0005	0.08	<1%			
					R335457	353.50	355.00	1.50	0.0005	0.22	<1%			
					R335458	355.00	356.00	1.00	0.0005	0.12	<1%			

MG15-27 DRILL LOG

Company:	UTM	Easting	Northing	Elevation (m)	Hole #	Casing
Oban Mining Corp.	NAD83 Z17N	582637	5319815	319	MG15-27	Pulled
Logged by	Start Date	Completion date	Drilling Company		Core Size	Total Meterage
Michaela Kuuskman	9/13/15	9/20/15	Forthright Drilling Services Inc.		NQ	366
Project Name	Area	Township	Claim No.			
Miller	Meilleur	Boston	4272895			

Survey						Comments
Depth (m)	Dip	Azimuth	Depth (m)	Dip	Azimuth	
18	-46.5	135.5	252	-41.4	146	
51	-45.6	136.2	300	-39.8	148.7	
102	-44.6	138.5	354	-38.3	151	
150	-43.6	141				
201	-42.7	143.8				

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
0.00	1.40	OB		Overburden										
1.40	9.00	IVOL		Massive to porphyritic Intermediate volcanic, 2-3% plagioclase phenocrysts. Alteration consists of weak carbonate veinlets and fracture-filling epidote. Lower contact with syenite is sharp but the angle is difficult to discern due to broken core.	R335459	1.40	2.90	1.50	0.0005	0.02	<1%			
					R335461	2.90	4.40	1.50	0.0005	0.03	<1%			
					R335462	4.40	5.90	1.50	0.0005	0.02	<1%			
					R335463	5.90	6.75	0.85	0.0005	0.12	<1%			
					R335464	6.75	8.25	1.50	0.0005	0.04	<1%			
					R335465	8.25	9.00	0.75	0.001	0.03	<1%			
9.00	46.60	SY		Massive, medium-grained syenite dyke with moderate pervasive hematite alteration. Near the lower contact there is a zone with strong pervasive silicification, possible Aplite dyke but seems to be alteration. Unit contains 1 to 2 cm-scale qtz vn's/m with trace disseminated pyrite. 41.2-46m: strong pervasive silicification with 4 to 6 qtz veinlets per m.	R335466	9.00	10.50	1.50	0.053	0.17	<1%	0.10%		
					R335467	10.50	12.00	1.50	0.108	0.24	<1%	0.10%		
					R335468	12.00	13.50	1.50	0.103	0.18	<1%	0.10%		
					R335469	13.50	15.00	1.50	0.065	0.24	<1%	0.10%		
					R335471	15.00	16.50	1.50	0.085	0.19	<1%	0.10%		
					R335472	16.50	17.54	1.04	0.038	0.28	<1%	0.10%		
17.54	17.67		IVOL	Massive Intermediate volcanic	R335473	17.54	18.09	0.55	0.001	0.03	<1%	0.10%		
17.67	17.75		APL	Aphanitic aplite dyke.	R335474	18.09	19.50	1.41	0.004	0.06	<1%	0.10%		
17.75	18.09		IVOL	Massive Intermediate volcanic.	R335475	19.50	21.00	1.50	0.03	0.17	<1%	0.10%		
20.20	20.65		APL	Aplite dyke with strong silicification, possibly alteration and not aplite dyke.	R335476	21.00	22.50	1.50	0.062	0.15	<1%	0.10%		
					R335477	22.50	24.00	1.50	0.009	0.08	<1%	0.10%		
					R335478	24.00	25.50	1.50	0.019	0.07	<1%	0.10%		
25.93	26.16		APL	Aplite dyke with strong silicification, possibly alteration and not aplite dyke.	R335479	25.50	27.00	1.50	0.032	0.09	<1%	0.10%		
35.04	36.52		APL	Aphanitic aplite dyke with strong pervasive silicification, possibly alteration and not aplite dyke. Irregular LC	R335481	27.00	28.50	1.50	0.018	0.08	<1%	0.10%		
					R335482	28.50	30.00	1.50	0.24	0.17	<1%	0.10%		
					R335483	30.00	31.50	1.50	0.021	0.1	<1%	0.10%		
					R335484	31.50	33.00	1.50	0.004	0.07	<1%	0.10%		
					R335485	33.00	34.50	1.50	0.004	0.06	<1%	0.10%		
					R335486	34.50	35.04	0.54	0.021	0.07	<1%	0.10%		
					R335487	35.04	36.50	1.46	0.05	0.16	<1%	0.10%		
					R335488	36.50	38.00	1.50	0.008	0.04	<1%	0.10%		
					R335489	38.00	39.35	1.35	0.012	0.04	<1%	0.10%		
					R335491	39.35	40.70	1.35	0.066	0.12	<1%	0.10%		
					R335492	40.70	41.20	0.50	0.02	0.05	<1%	0.10%		
					R335493	41.20	42.50	1.30	0.056	0.14	<1%	0.10%		
					R335494	42.50	43.45	0.95	0.13	0.2	<1%	0.10%		
					R335495	43.45	44.25	0.80	0.057	0.15	<1%	0.10%		
					R335496	44.25	44.95	0.70	0.101	0.25	<1%	0.10%		

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335497	44.95	46.00	1.05	0.053	0.22	<1%	0.10%		
					R335498	46.00	46.60	0.60	0.066	0.17	<1%	0.10%		
46.60	101.94	IVOL		Porphyritic (2-4% plagioclase phenocrysts) Intermediate volcanic with mm- to cm-scale fragments. Alteration consists of weak carbonate veinlets, weak to moderate fracture-filling epidote and weak fracture-filling hematite. Near the lower contact the matrix around the fragments becomes light green due to silicification. Sporadic 5cm qtz veins in the unit, often with 0.5% pyrite halos. Trace disseminated pyrite. From 86.1 to LC, unit contains 8cm to 1.5cm syenite dykes with weak quartz veining. 99.36-99.44cm: 8cm qtz vein with 1-2% moly and 1% pyrite. Lower contact with syenite is sharp but the angle is difficult to discern due to broken core.	R335499	46.60	48.00	1.40	0.044	1.46	<1%			
					R335500	48.00	49.50	1.50	0.001	0.03	<1%			
					N578101	49.50	51.00	1.50	0.001	0.31	<1%			
					N578102	51.00	52.50	1.50	0.0005	0.04	<1%			
					N578103	52.50	54.00	1.50	0.001	0.07	<1%			
					N578104	54.00	55.50	1.50	0.001	0.09	<1%			
					N578105	55.50	57.00	1.50	0.001	0.08	<1%			
					N578106	57.00	58.50	1.50	0.001	0.07	<1%			
					N578107	58.50	60.00	1.50	0.001	0.05	<1%			
					N578108	60.00	61.10	1.10	0.001	0.05	<1%			
					N578109	61.10	62.60	1.50	0.001	0.09	<1%			
					N578111	62.60	64.10	1.50	0.001	0.1	<1%			
					N578112	64.10	65.60	1.50	0.002	0.07	<1%			
					N578113	65.60	67.10	1.50	0.001	0.05	<1%			
					N578114	67.10	68.00	0.90	0.001	0.02	<1%			
					N578115	68.00	69.00	1.00	0.009	0.15	<1%			
					N578116	69.00	70.50	1.50	0.001	0.04	<1%			
					N578117	70.50	72.00	1.50	0.0005	0.03	<1%			
					N578118	72.00	73.00	1.00	0.001	0.07	<1%			
					N578119	73.00	74.50	1.50	0.0005	0.03	<1%			
					N578121	74.50	75.50	1.00	0.0005	0.04	<1%			
75.52	75.86		SY	Light pink syenite dyke, weak hematite alteration.	N578122	75.50	76.00	0.50	0.0005	0.08	<1%			
					N578123	76.00	77.50	1.50	0.0005	0.02	<1%			
					N578124	77.50	79.00	1.50	0.001	0.01	<1%			
					N578125	79.00	80.00	1.00	0.011	0.02	<1%			
					N578126	80.00	81.50	1.50	0.002	0.16	<1%			
					N578127	81.50	82.50	1.00	0.0005	0.01	<1%			
					N578128	82.50	84.00	1.50	0.001	0.05	<1%			
					N578129	84.00	85.50	1.50	0.001	0.03	<1%			
86.10	86.18		SY	Red syenite dyke, moderate hematite alteration, 2cm qtz vein at LC	N578131	85.50	86.95	1.45	0.001	0.03	<1%			
86.95	88.52		SY	Red syenite dyke, moderate hematite alteration, 2 5cm qtz veins in interval with trace py, difficult to discern angle of UC due to ground core.	N578132	86.95	87.75	0.80	0.005	0.15	<1%			
					N578133	87.75	88.52	0.77	0.043	0.53	<1%			
					N578134	88.52	89.10	0.58	0.016	0.99	<1%			
89.10	90.34		SY	Red syenite dyke, moderate hematite alteration, one 1cm qtz vein in interval.	N578135	89.10	90.34	1.24	0.023	0.28	<1%			
					N578136	90.34	91.80	1.46	0.001	0.2	<1%			
					N578137	91.80	93.30	1.50	0.001	0.12	<1%			
					N578138	93.30	94.80	1.50	0.001	0.03	<1%			
94.80	95.90		SY	Red syenite dyke, moderate hematite alteration, no veining.	N578139	94.80	95.90	1.10	0.002	0.27	<1%			
					N578141	95.90	97.40	1.50	0.001	0.05	<1%			
					N578142	97.40	98.90	1.50	0.001	0.02	<1%			
					N578143	98.90	99.60	0.70	0.011	0.32	1.0%	1.50%		
					N578144	99.60	100.72	1.12	0.002	0.03	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
100.72	101.38		SY	Red syenite dyke, moderate hematite alteration, no veining.	N578145	100.72	101.38	0.66	0.038	0.25	<1%			
					N578146	101.38	101.94	0.56	0.001	0.02	<1%			
101.94	319.40	SY		Pink to red equigranular medium-grained brick red syenite with up to 5% biotite in matrix. Unit contains weak to moderate pervasive hematite and weak fracture-filling chlorite. Feldspar grains range in size from 2-5mm, giving the unit almost a porphyritic texture. 101.94-156.85m: 1-2 qtz vlt's/m with sporadic cm- to over 5cm-scale qtz veins, 156.85-162.11m: syenite varies from moderate hematite alteration to a vuggy textured syenite, 162.11-204m: moderate pervasive hematite alteration and up to 1 cm-scale qtz vn/m with sporadic >5cm qtz veins, 204-217m: qtz veining increases, 2 cm-scale qtz vn/m, 217-234: 1 qtz vn/m and 1 >5cm qtz vein / 3 m, 234-240.15m: 1 cm-scale qtz vn/m, 240.15-251m: 2-3 qtz vn/m 251-293.6: 1 cm-scale qtz vein / m with sporadic >5 cm qtz vn's, weak to hematite alteration, 293.6-300m: 1 >5cm qtz vn/1.5m, 300-319.4m: 1 cm-scale qtz vn/. Sharp lower contact at 60 degrees tca.	N578147	101.94	103.00	1.06	0.017	0.08	<1%			
					N578148	103.00	104.50	1.50	0.005	0.14	<1%			
					N578149	104.50	105.00	0.50	0.017	0.34	<1%			
					N578151	105.00	106.50	1.50	0.01	0.06	<1%			
					N578152	106.50	107.00	0.50	0.078	0.16	<1%			
					N578153	107.00	107.75	0.75	0.015	0.11	<1%			
					N578154	107.75	108.68	0.93	0.003	0.09	<1%			
108.68	110.21		IVOL	Fragmental intermediate volcanic, dark green with patchy silicification, sharp contacts	N578155	108.68	109.50	0.82	0.002	0.17	<1%			
					N578156	109.50	110.21	0.71	0.001	0.08	<1%			
					N578157	110.21	111.15	0.94	0.168	0.35	<1%			
					N578158	111.15	112.50	1.35	0.112	0.26	<1%			
					N578159	112.50	114.00	1.50	0.025	0.18	<1%			
					N578161	114.00	115.00	1.00	0.007	0.13	<1%	0.10%		
					N578162	115.00	116.00	1.00	0.014	0.13	<1%	0.10%		
					N578163	116.00	117.00	1.00	0.0005	0.08	<1%	0.10%		
					N578164	117.00	118.50	1.50	0.028	0.14	<1%	1%		
					N578165	118.50	120.00	1.50	0.004	0.11	<1%			
					N578166	120.00	121.50	1.50	0.0005	0.1	<1%			
					N578167	121.50	122.70	1.20	0.001	0.08	<1%			
					N578168	122.70	123.10	0.40	0.002	0.08	<1%			
					N578169	123.10	123.50	0.40	0.003	0.52	<1%			
					N578171	123.50	123.90	0.40	0.346	10.2	<1%	0.10%		
					N578172	123.90	125.40	1.50	0.001	0.1	<1%			
					N578173	125.40	126.90	1.50	0.002	0.06	<1%	0.10%		
					N578174	126.90	128.40	1.50	0.003	0.38	<1%			
					N578175	128.40	129.90	1.50	0.001	0.07	<1%			
					N578176	129.90	131.40	1.50	0.002	0.09	<1%			
					N578177	131.40	132.90	1.50	0.007	0.05	<1%			
					N578178	132.90	133.40	0.50	0.088	0.17	<1%	0.50%		
					N578179	133.40	134.75	1.35	0.014	0.08	<1%			
					N578181	134.75	135.25	0.50	0.129	0.4	<1%	0.10%		
					N578182	135.25	136.75	1.50	0.007	0.05	<1%			
					N578183	136.75	138.25	1.50	0.005	0.08	<1%			
					N578184	138.25	139.75	1.50	0.001	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					N578185	139.75	140.85	1.10	0.001	0.23	<1%			
					N578186	140.85	141.35	0.50	0.007	0.21	<1%			
					N578187	141.35	142.85	1.50	0.008	0.07	<1%			
					N578188	142.85	144.35	1.50	0.001	0.04	<1%			
					N578189	144.35	145.35	1.00	0.045	0.06	<1%			
					N578191	145.35	145.80	0.45	0.096	0.24	<1%	0.10%		
					N578192	145.80	147.00	1.20	0.007	0.09	<1%			
					N578193	147.00	148.00	1.00	0.057	0.13	<1%	0.10%		
					N578194	148.00	148.50	0.50	0.332	0.43	<1%	0.10%		
					N578195	148.50	150.00	1.50	0.003	0.04	<1%			
					N578196	150.00	151.50	1.50	0.046	0.3	<1%			
					N578197	151.50	153.00	1.50	0.009	0.08	<1%			
					N578198	153.00	154.00	1.00	0.01	0.09	<1%			
					N578199	154.00	155.50	1.50	0.029	0.09	<1%			
					N578200	155.50	156.90	1.40	0.015	0.17	<1%			
					R333901	156.90	157.62	0.72	0.041	0.07	<1%			
					R333902	157.62	158.75	1.13	0.036	0.09	<1%			
					R333903	158.75	159.30	0.55	0.042	0.07	<1%			
					R333904	159.30	159.90	0.60	0.03	0.28	<1%			
					R333905	159.90	161.00	1.10	0.019	0.05	<1%			
					R333906	161.00	162.11	1.11	0.097	0.18	<1%			
					R333907	162.11	163.50	1.39	0.013	0.06	<1%			
					R333908	163.50	165.00	1.50	0.003	0.04	<1%			
					R333909	165.00	166.50	1.50	0.0005	0.04	<1%			
					R333911	166.50	167.75	1.25	0.034	0.15	<1%	0.10%		
					R333912	167.75	169.25	1.50	0.002	0.04	<1%			
					R333913	169.25	169.75	0.50	0.056	0.21	<1%	0.50%		
					R333914	169.75	171.25	1.50	0.013	0.05	<1%			
					R333915	171.25	171.75	0.50	0.108	0.36	<1%	0.10%		
					R333916	171.75	173.00	1.25	0.013	0.1	<1%	0.10%		
					R333917	173.00	174.00	1.00	0.01	0.07	<1%			
					R333918	174.00	175.50	1.50	0.001	0.04	<1%			
					R333919	175.50	177.00	1.50	0.004	0.04	<1%			
					R333921	177.00	178.50	1.50	0.076	0.07	<1%			
					R333922	178.50	179.00	0.50	0.176	0.11	<1%	0.50%		
					R333923	179.00	180.50	1.50	0.13	0.08	<1%			
					R333924	180.50	181.50	1.00	0.131	0.11	<1%			
					R333925	181.50	182.75	1.25	0.039	0.03	<1%			
					R333926	182.75	183.80	1.05	0.049	0.02	<1%			
					R333927	183.80	185.30	1.50	0.003	0.02	<1%			
185.53	185.80		GAB	Dark green gabbro dyke with irregular contacts.	R333928	185.30	186.35	1.05	0.014	0.09	<1%			
					R333929	186.35	186.85	0.50	0.01	0.11	<1%			
					R333931	186.85	188.00	1.15	0.082	0.3	<1%			
					R333932	188.00	189.50	1.50	0.075	0.12	<1%			
					R333933	189.50	190.70	1.20	0.465	0.27	<1%	0.10%		

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
190.87	191.14		GAB	Dark green gabbro dyke with sharp contacts.	R333934	190.70	191.30	0.60	0.005	0.05	<1%			
					R333935	191.30	192.60	1.30	0.092	0.06	<1%	0.10%		
					R333936	192.60	193.15	0.55	0.003	0.03	<1%	0.10%		
					R333937	193.15	193.65	0.50	0.255	0.29	<1%	0.10%		
					R333938	193.65	195.00	1.35	0.009	0.03	<1%			
					R333939	195.00	196.50	1.50	0.0005	0.02	<1%			
					R333941	196.50	197.50	1.00	0.03	0.05	<1%			
					R333942	197.50	198.60	1.10	0.001	0.04	<1%			
					R333943	198.60	199.10	0.50	0.283	0.33	<1%	0.50%		
					R333944	199.10	200.60	1.50	0.009	0.03	<1%			
					R333945	200.60	202.10	1.50	0.002	0.02	<1%			
					R333946	202.10	203.00	0.90	0.001	0.04	<1%			
					R333947	203.00	204.00	1.00	0.0005	0.01	<1%			
					R333948	204.00	205.00	1.00	0.02	0.04	<1%			
					R333949	205.00	205.60	0.60	0.003	0.02	<1%			
205.67	206.34		GAB	Dark green gabbro dyke with sharp contacts.	R333951	205.60	206.40	0.80	0.009	0.07	<1%			
					R333952	206.40	207.60	1.20	0.003	0.03	<1%			
					R333953	207.60	208.15	0.55	0.261	0.3	<1%	1%		
					R333954	208.15	209.65	1.50	0.043	0.09	<1%			
					R333955	209.65	210.15	0.50	0.487	0.96	<1%	0.50%		
					R333956	210.15	211.30	1.15	0.521	0.18	<1%	0.10%		
					R333957	211.30	211.70	0.40	0.077	0.08	<1%	0.10%		1 Speck
					R333958	211.70	213.00	1.30	0.011	0.03	<1%			
					R333959	213.00	214.50	1.50	0.023	0.11	<1%			
					R333961	214.50	215.75	1.25	0.114	0.29	<1%			
					R333962	215.75	216.20	0.45	1.12	0.09	<1%	0.10%		
					R333963	216.20	217.00	0.80	0.033	0.07	<1%			
					R333964	217.00	218.40	1.40	0.316	0.52	<1%			
					R333965	218.40	219.00	0.60	0.004	0.05	<1%			
					R333966	219.00	220.50	1.50	0.0005	0.01	<1%			
					R333967	220.50	222.00	1.50	0.045	0.06	<1%			
					R333968	222.00	223.00	1.00	0.026	0.05	<1%			
					R333969	223.00	224.50	1.50	0.009	0.03	<1%			
					R333971	224.50	226.00	1.50	0.002	0.06	<1%			
					R333972	226.00	226.50	0.50	0.539	0.4	<1%	0.50%		
					R333973	226.50	227.75	1.25	0.045	0.15	<1%			
					R333974	227.75	228.25	0.50	0.116	0.11	<1%	0.10%		
					R333975	228.25	229.75	1.50	0.011	1.85	<1%			
					R333976	229.75	231.25	1.50	0.0005	0.02	<1%			
					R333977	231.25	232.75	1.50	0.137	0.08	<1%			
					R333978	232.75	233.25	0.50	0.047	0.27	<1%	0.50%		
					R333979	233.25	234.00	0.75	0.007	0.07	<1%			
					R333981	234.00	235.50	1.50	0.001	0.02	<1%			
					R333982	235.50	236.50	1.00	0.065	0.08	<1%			
					R333983	236.50	238.00	1.50	0.027	0.07	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R333984	238.00	239.50	1.50	0.001	0.02	<1%			
					R333985	239.50	241.00	1.50	0.005	0.03	<1%	0.10%		
					R333986	241.00	242.50	1.50	0.052	0.15	<1%	0.10%		
					R333987	242.50	243.50	1.00	0.121	0.15	<1%	0.10%		
					R333988	243.50	245.00	1.50	0.074	0.19	<1%	0.10%		
					R333989	245.00	246.40	1.40	0.084	0.06	<1%	0.10%		
					R333991	246.40	247.50	1.10	0.022	0.12	<1%	0.10%		
					R333992	247.50	249.00	1.50	0.02	0.1	<1%	0.10%		
					R333993	249.00	249.55	0.55	0.008	0.06	<1%	0.10%		
					R333994	249.55	250.05	0.50	0.0005	0.02	<1%	0.10%		
					R333995	250.05	251.00	0.95	0.049	0.08	<1%	0.10%		
					R333996	251.00	251.80	0.80	0.01	0.04	<1%	0.10%		
					R333997	251.80	253.30	1.50	0.0005	0.03	<1%	0.10%		
					R333998	253.30	254.80	1.50	0.001	0.02	<1%	0.10%		
					R333999	254.80	255.80	1.00	0.06	0.2	<1%	0.10%		
					R334000	255.80	256.30	0.50	0.06	0.13	<1%	0.10%		
					R335051	256.30	257.80	1.50	0.008	0.05	<1%	0.10%		
					R335052	257.80	258.40	0.60	0.042	0.25	<1%	0.50%		
					R335053	258.40	259.90	1.50	0.008	0.13	<1%	0.10%		
					R335054	259.90	261.10	1.20	0.003	0.04	<1%	0.10%		
					R335055	261.10	262.00	0.90	0.004	0.08	<1%	0.10%		
					R335056	262.00	263.00	1.00	0.006	0.07	<1%	0.10%		
					R335057	263.00	263.39	0.39	3.48	3.37	<1%	0.50%		
					R335058	263.39	264.00	0.61	0.009	0.42	<1%	0.10%		
					R335059	264.00	265.00	1.00	0.044	0.16	<1%	0.50%		
					R335061	265.00	266.00	1.00	0.04	1	<1%	0.10%		
					R335062	266.00	267.00	1.00	0.0005	0.03	<1%	0.10%		
					R335063	267.00	268.50	1.50	0.0005	0.13	<1%	0.10%		
					R335064	268.50	270.00	1.50	0.0005	0.12	<1%	0.10%		
					R335065	270.00	271.25	1.25	0.006	0.05	<1%	0.10%		
					R335066	271.25	272.00	0.75	0.036	0.05	<1%	0.10%		
					R335067	272.00	273.00	1.00	0.022	0.06	<1%	0.10%		
					R335068	273.00	273.75	0.75	0.0005	0.02	<1%	0.10%		
					R335069	273.75	274.25	0.50	0.207	0.19	<1%	0.10%		
					R335071	274.25	275.75	1.50	0.005	0.04	<1%	0.10%		
					R335072	275.75	276.40	0.65	0.175	1.03	1.0%	1.00%		
					R335073	276.40	277.90	1.50	0.012	0.05	<1%	0.10%		
					R335074	277.90	278.70	0.80	0.048	0.1	<1%	0.10%		
					R335075	278.70	280.20	1.50	0.003	0.04	<1%	0.10%		
					R335076	280.20	281.70	1.50	0.003	0.03	<1%	0.10%		
					R335077	281.70	283.20	1.50	0.032	4.76	<1%	0.10%		
					R335078	283.20	284.70	1.50	0.008	0.04	<1%	0.10%		
					R335079	284.70	285.70	1.00	0.164	0.19	<1%	0.10%		
					R335081	285.70	287.00	1.30	0.004	0.08	<1%	0.10%		
					R335082	287.00	288.50	1.50	0.002	0.18	<1%	0.10%		

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335083	288.50	289.50	1.00	0.442	0.05	<1%	0.10%		
					R335084	289.50	291.00	1.50	0.778	0.26	<1%	0.10%		
					R335085	291.00	292.00	1.00	0.003	0.04	<1%	0.10%		
					R335086	292.00	293.00	1.00	0.001	0.03	<1%	0.10%		
					R335087	293.00	294.00	1.00	0.019	0.05	<1%	0.10%		
					R335088	294.00	295.00	1.00	0.14	1.46	<1%	0.10%		
					R335089	295.00	296.00	1.00	10.2	0.58	<1%	0.10%		
					R335091	296.00	297.00	1.00	0.519	0.12	<1%	0.10%		
					R335092	297.00	298.00	1.00	0.071	0.15	<1%	0.10%		
					R335093	298.00	299.00	1.00	0.005	0.06	<1%	0.10%		
					R335094	299.00	300.00	1.00	0.026	0.12	<1%	0.10%		
					R335095	300.00	301.50	1.50	0.03	0.08	<1%	0.10%		
					R335096	301.50	303.00	1.50	0.01	0.06	<1%	0.10%		
					R335097	303.00	304.50	1.50	0.003	0.07	<1%	0.10%		
					R335098	304.50	306.00	1.50	0.002	0.06	<1%	0.10%		
					R335099	306.00	307.50	1.50	0.0005	0.06	<1%	0.10%		
					R335151	307.50	308.00	0.50	0.008	0.12	<1%	0.10%		
					R335152	308.00	309.50	1.50	0.007	0.04	<1%	0.10%		
					R335153	309.50	310.50	1.00	0.006	0.12	<1%	0.10%		
					R335154	310.50	311.50	1.00	0.014	0.07	<1%	0.10%		
					R335155	311.50	313.00	1.50	0.038	0.1	<1%	0.10%		
					R335156	313.00	314.00	1.00	0.131	0.59	<1%	0.10%		
					R335157	314.00	315.00	1.00	0.048	0.37	<1%	0.10%		
					R335158	315.00	316.20	1.20	0.012	0.11	<1%	0.10%		
					R335159	316.20	317.70	1.50	0.079	0.27	<1%	0.10%		
					R335161	317.70	318.40	0.70	0.022	1.35	<1%	0.50%	0.10%	
					R335162	318.40	319.40	1.00	0.091	1.29	<1%	0.10%		
319.40	366.00	IVOL		Porphyritic (2-4% plagioclase phenocrysts) Intermediate volcanic with mm- to cm-scale fragments. Alteration consists of weak carbonate veinlets, weak to moderate fracture-filling epidote and weak fracture-filling hematite. 342.23-324.35m: 12cm qtz vein with 0.5% moly and tellurides, 325.33-325.47m: 14cm qtz vein with 1% alteration halo around qtz vein. Note: The interval from 363-366m is short 30cm.	R335163	319.40	320.90	1.50	0.0005	0.11	<1%			
					R335164	320.90	321.40	0.50	0.0005	0.04	<1%			
					R335165	321.40	322.90	1.50	0.001	0.44	<1%			
					R335166	322.90	324.10	1.20	0.017	0.06	<1%			
					R335167	324.10	324.50	0.40	0.025	21.8	1.0%	1%	0.10%	
					R335168	324.50	325.50	1.00	0.001	0.04	<1%			
					R335169	325.50	327.00	1.50	0.001	0.13	<1%			
					R335171	327.00	328.00	1.00	0.0005	0.12	<1%			
					R335172	328.00	329.10	1.10	0.0005	0.01	<1%			
					R335173	329.10	330.60	1.50	0.0005	0.02	<1%			
					R335174	330.60	332.10	1.50	0.0005	0.01	<1%			
					R335175	332.10	333.60	1.50	0.001	0.01	<1%			
					R335176	333.60	335.10	1.50	0.0005	0.05	<1%			
					R335177	335.10	335.70	0.60	0.011	6.32	1.0%			
					R335178	335.70	337.20	1.50	0.0005	0.04	<1%			
337.30	339.00		SY	Red syenite dyke, moderate hematite alteration. From 338.04 to LC: unit contains 6 cm-scale qtz vein and moderate to strong hematite alteration.	R335179	337.20	338.00	0.80	0.003	0.04	<1%			
					R335181	338.00	339.00	1.00	0.091	1.01	<1%			
					R335182	339.00	340.05	1.05	0.002	0.12	<1%			

Meterage		Rock type	Minor Litho	Description	Sampling						Mineralization (visual estimates)			
From	To				Sample No	From (m)	To (m)	Length (m)	Au (gpt)	Ag (gpt)	Py	Mo	Tellurides	VG
					R335183	340.05	341.50	1.45	0.0005	0.03	<1%			
					R335184	341.50	343.00	1.50	0.001	0.01	<1%			
					R335185	343.00	344.50	1.50	0.0005	0.02	<1%			
					R335186	344.50	346.00	1.50	0.0005	0.03	<1%			
					R335187	346.00	347.50	1.50	0.0005	0.03	<1%			
					R335188	347.50	349.00	1.50	0.001	0.07	<1%			
					R335189	349.00	350.50	1.50	0.016	1.25	<1%			
					R335191	350.50	352.00	1.50	0.001	0.02	<1%			
					R335192	352.00	352.50	0.50	0.001	0.26	1.0%			
					R335193	352.50	354.00	1.50	0.0005	0.05	<1%			
					R335194	354.00	355.50	1.50	0.0005	0.06	<1%			
					R335195	355.50	357.00	1.50	0.0005	0.04	<1%			
					R335196	357.00	358.50	1.50	0.0005	0.04	<1%			
					R335197	358.50	360.00	1.50	0.0005	0.03	<1%			
					R335198	360.00	361.50	1.50	0.002	0.05	<1%			
					R335199	361.50	363.00	1.50	0.0005	0.06	<1%			
					R335200	363.00	364.50	1.50	0.0005	0.08	<1%			
					P444951	364.50	366.00	1.50	0.0005	0.14	<1%			

APPENDIX G: DIAMOND DRILLHOLE PLAN MAP AND SECTIONS

582000
582500
583000
5319500
5319000
5318500

N

Claims
DDH
MG15-22 DDH Collar
Contour line
River
Road
Lake

MG15-27
Dip -46
EOH 366 m

MG15-26
Dip -48
EOH 356 m

4272895
4272892
4272893
4272022
4271892

MG15-24
Dip -51
EOH 369 m

MG15-25
Dip -45
EOH 314 m

4275152
4275153
4275154
4275033

4267275
L17916
L17917

MG15-22
Dip -45
EOH 225 m

MG15-23
Dip -46
EOH 224.7 m

EOH 204 m
MG15-16
Dip -45
MG15-17
Dip -45
EOH 394.4 m
EOH 351 m
MG15-20
Dip -46
MG15-19
Dip -51
EOH 399 m
EOH 423 m
MG15-21
Dip -51
MG15-18
Dip -53
EOH 440.7 m

4267279
4267276
4215970
4207125
4267278
4267277

OBAN MINING CORPORATION | Miller Property, Ontario | ORIX GEOSCIENCE INC.

Drillhole Map

December 17, 2015 | Prepared by: M. Kuuskman | NAD 83 Zone 17N

0 75 150
Meters
1:2,000

OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEOSCIENCE INC.

Drillhole MG15-16 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
Overburden [OB]		Aplite [APL]	
Diabase [DIA]		Feldspar Porphyry [FPORP]	
Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]	
Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]	
Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]	
Quartz Vein [QV]		Syenite [SY]	
Syenite Porphyry [SYPORP]			



OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEOSCIENCE INC.

Drillhole MG15-17 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		



OBAN MINING CORPORATION	Miller Project, Ontario	ORIX Geoscience Inc.

Drillhole MG15-18 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

Scale: 0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology	
Overburden [OB]	Aplite [APL]
Diabase [DIA]	Feldspar Porphyry [FPORP]
Gabbro [GAB]	Fragmental Intermediate Volcanics [IVFRAG]
Intermediate Volcanics [IVOL]	Mafic Tuff [MTUF]
Mafic Volcanics [MVOL]	Mafic Volcanics Pillowed [MVOLPIL]
Quartz Vein [QV]	Syenite [SY]
Syenite Porphyry [SYPORP]	

OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEMS GEOSCIENCE INC.

Drillhole MG15-19 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		

582750 E
5318050 N
582800 E
582850 E
350 Elev
300 Elev
250 Elev
200 Elev
150 Elev
100 Elev
50 Elev
0 Elev
582600 E
582650 E
5318000 N
582700 E
582750 E
5318050 N
582800 E
582850 E

MG15-19
MVOL
SYPORP
SY
GAB
394.4

OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEMS TECHNOLOGIES, INC.

Drillhole MG15-20 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		



OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEOSCIENCE INC.

Drillhole MG15-21 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
Overburden [OB]		Aplite [APL]	
Diabase [DIA]		Feldspar Porphyry [FPORP]	
Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]	
Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]	
Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]	
Quartz Vein [QV]		Syenite [SY]	
Syenite Porphyry [SYPORP]			

582900 E 582950 E 5317950 N 583000 E 583050 E

350 Elev
300 Elev
250 Elev
200 Elev
150 Elev
100 Elev
50 Elev
0 Elev

MG15-21
MVOL
MVOLPIL
GAB
FPORP
440.7

582700 E 5317850 N 582750 E 582800 E 582850 E 5317900 N 582900 E 582950 E 5317950 N 583000 E 583050 E

OBAN mines corporation | Miller Project, Ontario | ORiX geoscience inc.

Drillhole MG15-22 and MG15-23 Lithology and Au (g/t) Looking NNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 25m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		



OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEOSCIENCE INC.

Drillhole MG15-24 Lithology and Au (g/t) Looking WNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		



OBAN Mining Corporation	Miller Project, Ontario	ORIX Geoscience Inc.

Drillhole MG15-25 Lithology and Au (g/t) Looking WNW

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

Scale: 0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology	
Overburden [OB]	Aplite [APL]
Diabase [DIA]	Feldspar Porphyry [FPORP]
Gabbro [GAB]	Fragmental Intermediate Volcanics [IVFRAG]
Intermediate Volcanics [IVOL]	Mafic Tuff [MTUF]
Mafic Volcanics [MVOL]	Mafic Volcanics Pillowed [MVOLPIL]
Quartz Vein [QV]	Syenite [SY]
Syenite Porphyry [SYPORP]	

OBAN MINING CORPORATION | Miller Project, Ontario | ORIX GEOSCIENCE INC.

Drillhole MG15-26 Lithology and Au (g/t) Looking NNE

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology			
	Overburden [OB]		Aplite [APL]
	Diabase [DIA]		Feldspar Porphyry [FPORP]
	Gabbro [GAB]		Fragmental Intermediate Volcanics [IVFRAG]
	Intermediate Volcanics [IVOL]		Mafic Tuff [MTUF]
	Mafic Volcanics [MVOL]		Mafic Volcanics Pillowed [MVOLPIL]
	Quartz Vein [QV]		Syenite [SY]
	Syenite Porphyry [SYPORP]		



OBAN Mining Corporation	Miller Project, Ontario	ORIX Geoscience Inc.

Drillhole MG15-27 Lithology and Au (g/t) Looking ENE

Grid: NAD83 UTM Zone 17	16 Dec 2015	1:500
Interpreted by: Justin Bernard	Oblique Section	Clipping: 12.5m/side

Scale: 0 10 20 30 40 50

Au (gpt)
[ABSENT]
[0,0.5]
[0.25,0.5]
[0.5,1]
[1,2.5]
[2.5,4]
[4,5]
[5,CEILING]

Lithology	
Overburden [OB]	Aplite [APL]
Diabase [DIA]	Feldspar Porphyry [FPORP]
Gabbro [GAB]	Fragmental Intermediate Volcanics [IVFRAG]
Intermediate Volcanics [IVOL]	Mafic Tuff [MTUF]
Mafic Volcanics [MVOL]	Mafic Volcanics Pillowed [MVOLPIL]
Quartz Vein [QV]	Syenite [SY]
Syenite Porphyry [SYPORP]	

APPENDIX H: ALS ASSAY CERTIFICATE – DRILLCORE

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
This copy reported on
26-AUG-2015
Account: OBMICO

CERTIFICATE SD15114160

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 31-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330001		1.53	0.009	0.06	1.49	0.1	<0.2	<10	20	0.13	0.05	1.49	0.06	8.90	18.9	15
R330002		2.45	0.006	0.07	1.82	0.7	<0.2	<10	10	0.16	0.09	2.75	0.04	7.44	20.3	9
R330003		3.07	0.003	0.04	1.83	0.2	<0.2	<10	20	0.15	0.10	2.21	0.04	7.76	21.9	9
R330004		2.64	0.002	0.05	1.61	0.3	<0.2	<10	20	0.29	0.15	2.72	0.08	17.25	21.5	100
R330005		2.34	0.002	0.04	1.40	0.4	<0.2	<10	20	0.13	0.12	1.93	0.04	8.16	21.2	8
R330006		2.58	0.003	0.03	1.75	0.3	<0.2	<10	10	0.13	0.03	1.61	0.10	8.39	21.0	11
R330007		3.23	0.003	0.03	1.70	0.3	<0.2	<10	20	0.14	0.15	1.85	0.06	8.56	25.1	10
R330008		3.54	0.073	0.05	1.17	0.2	<0.2	<10	10	0.13	0.10	3.05	0.06	7.72	21.4	10
R330009		4.02	0.025	0.03	1.66	0.4	<0.2	<10	10	0.13	0.03	2.52	0.05	6.44	23.6	9
R330010		0.09	0.002	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.16	0.1	<1
R330011		2.12	0.023	0.11	1.66	0.5	<0.2	<10	20	0.22	1.30	3.15	0.08	7.60	28.7	6
R330012		3.92	0.006	0.03	1.87	0.4	<0.2	<10	10	0.16	0.12	3.42	0.06	8.02	25.4	7
R330013		2.83	0.025	0.08	2.29	0.5	<0.2	<10	10	0.31	0.18	3.75	0.06	6.86	30.1	8
R330014		2.94	0.002	0.03	1.50	0.2	<0.2	<10	10	0.18	0.02	3.36	0.08	7.71	22.3	12
R330015		2.03	0.001	0.05	2.70	0.5	<0.2	<10	10	0.42	0.42	5.50	0.07	6.88	33.6	2
R330016		2.67	0.006	0.03	2.17	0.4	<0.2	<10	10	0.23	0.05	2.68	0.05	7.01	25.0	10
R330017		3.42	0.002	0.04	2.11	0.7	<0.2	<10	10	0.22	0.07	3.08	0.05	6.22	31.6	6
R330018		2.94	0.002	0.04	2.04	0.5	<0.2	<10	10	0.18	0.06	2.31	0.05	6.77	30.4	7
R330019		1.48	0.004	0.15	1.69	0.6	<0.2	<10	30	0.38	5.58	4.48	0.06	9.41	37.7	6
R330020		0.06	2.41	4.90	1.63	18.0	2.4	<10	40	0.55	0.09	3.81	0.37	21.8	10.9	25
R330021		2.71	0.004	0.03	2.35	0.3	<0.2	<10	10	0.20	0.19	1.44	0.04	10.35	32.6	4
R330022		2.90	0.007	0.06	2.78	0.5	<0.2	<10	20	0.36	0.18	3.18	0.08	9.68	45.9	5
R330023		1.41	0.005	0.03	2.98	0.5	<0.2	<10	20	0.32	0.18	5.94	0.15	9.54	41.6	3
R330024		0.81	0.097	0.06	1.34	2.1	<0.2	<10	10	0.39	0.44	4.96	0.11	7.03	44.6	2
R330025		1.02	1.125	0.25	1.49	1.0	1.7	<10	10	0.45	0.38	5.36	0.06	7.83	32.4	12
R330026		1.43	0.835	0.41	0.57	4.8	0.7	<10	10	0.29	1.59	5.95	0.13	5.42	41.7	9
R330027		3.21	0.004	0.06	2.62	0.5	<0.2	<10	10	0.31	0.34	4.33	0.11	7.08	43.1	18
R330028		3.45	0.002	0.07	1.61	0.4	<0.2	<10	10	0.22	0.50	2.60	0.05	6.19	33.7	17
R330029		3.33	<0.001	0.07	1.59	0.5	<0.2	<10	10	0.22	0.30	1.93	0.03	6.24	33.8	18
R330030		<0.02	<0.001	0.07	1.63	0.4	<0.2	<10	10	0.23	0.36	2.00	0.04	6.96	33.9	15
R330031		3.37	0.001	0.06	1.80	0.3	<0.2	<10	10	0.17	0.24	1.73	0.03	7.99	32.6	15
R330032		3.30	0.001	0.10	1.59	0.4	<0.2	<10	10	0.17	0.28	1.54	0.03	8.01	31.8	13
R330033		3.59	<0.001	0.08	1.13	0.5	<0.2	<10	10	0.21	0.27	2.87	0.05	8.40	31.3	7
R330034		1.47	<0.001	0.06	1.33	0.2	<0.2	<10	10	0.13	0.06	1.06	0.04	9.81	26.5	6
R330035		2.23	0.004	0.10	1.31	0.3	<0.2	<10	10	0.19	0.25	2.36	0.05	9.32	33.5	7
R330036		2.54	<0.001	0.08	1.45	0.5	<0.2	<10	10	0.23	0.25	2.25	0.05	8.94	33.3	5
R330037		0.76	<0.001	0.09	1.07	0.4	<0.2	<10	10	0.25	0.26	5.85	0.05	8.32	27.5	4
R330038		2.08	<0.001	0.20	1.13	0.2	<0.2	<10	10	0.21	0.98	1.70	0.27	10.45	35.5	6
R330039		0.82	<0.001	0.06	0.79	0.3	<0.2	<10	10	0.20	0.31	6.31	0.25	6.02	21.8	8
R330040		0.07	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.35	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330001		1.59	122.5	4.19	6.58	0.12	0.11	0.02	0.027	0.11	3.2	10.5	0.72	700	1.64	0.17
R330002		0.68	149.0	6.73	7.85	0.15	0.12	0.01	0.024	0.06	2.7	13.4	0.87	904	2.32	0.16
R330003		0.77	130.5	6.50	8.25	0.13	0.11	<0.01	0.030	0.07	2.8	10.3	0.85	800	0.73	0.18
R330004		2.87	99.4	4.97	7.75	0.13	0.32	<0.01	0.025	0.16	7.2	12.0	1.14	624	1.63	0.19
R330005		0.46	118.5	5.21	7.27	0.13	0.13	<0.01	0.031	0.05	2.9	6.8	0.68	562	0.96	0.17
R330006		0.29	112.5	5.22	8.07	0.16	0.11	<0.01	0.024	0.05	3.1	8.5	0.84	501	0.78	0.16
R330007		1.18	122.5	6.10	8.55	0.15	0.12	<0.01	0.026	0.08	3.0	10.9	0.92	530	1.34	0.14
R330008		0.49	115.5	4.55	6.38	0.13	0.12	<0.01	0.023	0.05	2.9	4.4	0.54	556	1.00	0.15
R330009		0.24	134.0	5.99	8.62	0.18	0.12	<0.01	0.029	0.04	2.3	8.7	0.71	837	0.72	0.16
R330010		<0.05	0.9	0.03	0.05	<0.05	0.03	0.01	<0.005	<0.01	0.6	0.2	<0.01	<5	<0.05	<0.01
R330011		5.14	132.0	8.79	9.93	0.17	0.15	0.01	0.030	0.20	2.7	12.3	0.81	1070	32.0	0.17
R330012		0.26	140.5	7.13	9.43	0.14	0.11	<0.01	0.032	0.05	2.8	9.9	0.77	1040	2.45	0.18
R330013		2.30	138.0	9.33	12.10	0.16	0.11	<0.01	0.035	0.09	2.4	14.8	1.07	1260	1.46	0.17
R330014		0.12	147.0	5.31	7.32	0.12	0.14	<0.01	0.032	0.04	2.8	4.7	0.52	868	1.19	0.18
R330015		1.31	163.0	17.70	15.90	0.21	0.10	<0.01	0.031	0.05	2.3	19.5	1.26	1720	1.28	0.17
R330016		0.38	128.5	7.31	9.95	0.14	0.14	<0.01	0.032	0.05	2.4	12.4	0.91	1170	1.19	0.17
R330017		0.28	178.5	9.55	10.70	0.16	0.18	<0.01	0.028	0.04	2.2	12.0	0.89	1040	1.39	0.16
R330018		0.48	139.5	7.49	10.25	0.14	0.15	<0.01	0.035	0.05	2.4	13.2	0.96	1000	0.91	0.16
R330019		9.44	129.5	11.45	12.65	0.29	0.27	<0.01	0.045	0.38	3.5	22.1	1.59	869	43.4	0.05
R330020		3.23	73.1	3.08	6.54	0.08	0.41	0.10	0.037	0.24	10.3	15.1	0.90	714	6.28	0.07
R330021		0.88	147.0	7.81	10.20	0.17	0.15	0.01	0.028	0.06	3.7	24.8	1.44	650	1.02	0.11
R330022		3.94	158.5	11.25	13.65	0.18	0.15	<0.01	0.050	0.17	3.4	30.0	2.13	1060	2.85	0.07
R330023		1.24	129.0	10.75	16.30	0.12	0.10	<0.01	0.064	0.14	3.4	27.1	1.81	1440	1.19	0.04
R330024		0.75	140.0	12.35	6.40	0.05	0.05	<0.01	0.062	0.14	2.5	10.0	1.86	1880	0.75	0.06
R330025		0.85	99.2	8.56	3.81	<0.05	0.03	<0.01	0.044	0.16	2.9	18.0	1.17	1390	1.37	0.03
R330026		0.45	104.0	10.75	2.42	<0.05	0.13	<0.01	0.053	0.17	2.4	4.5	1.54	1980	3.99	0.03
R330027		2.18	155.0	11.30	13.35	0.09	0.11	<0.01	0.046	0.15	2.5	23.0	1.77	1550	0.76	0.06
R330028		3.80	134.0	7.78	8.39	0.12	0.26	<0.01	0.026	0.18	2.2	15.8	0.99	755	8.20	0.13
R330029		2.78	151.0	7.57	8.52	0.16	0.19	<0.01	0.028	0.15	2.3	14.8	0.98	695	6.56	0.11
R330030		2.66	152.0	7.61	8.78	0.16	0.24	0.01	0.027	0.15	2.5	15.1	1.00	721	12.35	0.12
R330031		3.07	117.0	7.67	9.65	0.13	0.15	<0.01	0.026	0.13	2.8	20.1	1.17	626	4.38	0.12
R330032		0.84	194.5	7.71	8.83	0.14	0.18	<0.01	0.025	0.06	2.8	14.9	0.96	566	2.77	0.13
R330033		2.31	120.5	8.01	7.77	0.13	0.27	<0.01	0.027	0.12	3.0	9.4	0.76	560	4.98	0.12
R330034		0.36	90.1	7.96	8.56	0.13	0.12	<0.01	0.026	0.04	3.5	11.1	0.78	497	0.65	0.13
R330035		0.70	128.0	8.32	9.05	0.13	0.17	<0.01	0.024	0.05	3.5	13.5	0.91	548	1.00	0.09
R330036		2.58	112.5	8.71	9.24	0.15	0.26	<0.01	0.029	0.13	3.3	14.9	1.05	665	2.05	0.10
R330037		0.21	117.0	6.82	7.10	0.12	0.11	<0.01	0.016	0.03	2.9	11.7	0.70	608	1.07	0.07
R330038		2.12	116.5	8.66	8.35	0.14	0.18	<0.01	0.025	0.11	3.8	13.2	0.78	512	3.06	0.12
R330039		2.63	85.1	6.08	6.11	0.11	0.11	<0.01	0.020	0.10	2.2	11.7	0.61	541	1.97	0.07
R330040		<0.05	1.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	0.07	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330001		0.12	10.5	580	1.3	5.6	0.002	0.08	0.05	11.5	0.5	0.4	5.5	<0.01	0.03	0.3
R330002		0.11	9.5	590	0.9	2.8	0.003	0.48	0.05	10.6	0.9	0.5	9.1	<0.01	0.07	0.3
R330003		0.08	10.0	600	1.0	3.0	0.002	0.35	<0.05	11.1	0.9	0.3	10.3	<0.01	0.04	0.3
R330004		0.15	31.6	870	1.3	11.6	0.002	0.45	<0.05	9.6	0.8	0.5	30.4	<0.01	0.03	0.7
R330005		0.10	9.9	600	1.0	1.9	0.002	0.35	<0.05	10.3	1.0	0.5	11.3	<0.01	0.02	0.2
R330006		0.12	11.1	540	0.5	1.5	0.002	0.18	<0.05	9.5	0.7	0.3	27.6	<0.01	0.01	0.2
R330007		0.10	15.1	580	0.6	5.3	0.002	0.34	<0.05	7.8	0.9	0.4	19.7	<0.01	0.02	0.3
R330008		0.11	10.6	570	0.9	2.4	0.002	0.43	<0.05	9.3	1.1	0.5	15.2	<0.01	0.03	0.2
R330009		0.09	10.5	590	0.5	1.0	0.002	0.23	<0.05	11.3	0.8	0.3	9.9	<0.01	0.01	0.2
R330010		<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330011		0.12	13.2	600	2.9	16.8	0.005	0.94	0.05	12.7	1.2	0.7	13.3	<0.01	0.05	0.3
R330012		0.12	11.2	600	0.5	1.3	0.002	0.30	<0.05	12.7	0.8	0.4	12.2	<0.01	0.02	0.3
R330013		0.10	13.2	580	0.7	7.5	0.003	0.51	0.05	16.2	1.0	0.4	13.6	<0.01	0.07	0.3
R330014		0.17	10.5	610	0.5	0.7	0.001	0.17	0.05	12.4	0.8	0.6	11.2	<0.01	0.01	0.3
R330015		0.08	13.3	530	0.9	3.0	0.005	1.07	<0.05	12.1	1.3	0.4	16.8	<0.01	0.03	0.3
R330016		0.12	11.3	590	0.4	1.0	0.003	0.25	<0.05	13.0	0.7	0.4	10.2	0.01	0.02	0.3
R330017		0.15	12.3	570	0.7	1.0	0.004	0.59	<0.05	11.5	1.7	0.6	20.6	0.01	0.03	0.2
R330018		0.12	13.0	600	0.6	1.8	0.003	0.36	<0.05	12.9	1.2	0.5	11.9	<0.01	0.03	0.3
R330019		0.16	16.2	540	5.9	37.9	0.008	3.01	0.14	18.9	2.4	1.0	46.3	<0.01	0.18	0.2
R330020		0.05	10.8	650	18.1	11.4	0.002	0.90	0.55	8.4	1.0	0.6	119.5	<0.01	2.43	1.6
R330021		0.14	13.7	650	0.7	4.0	0.002	0.47	0.05	9.4	0.9	0.5	35.2	<0.01	0.02	0.3
R330022		0.10	24.5	620	0.9	16.9	0.003	0.72	0.08	19.0	1.1	0.5	47.6	<0.01	0.07	0.3
R330023		0.05	20.5	560	1.0	9.5	0.002	0.35	0.09	24.4	0.7	0.3	114.0	<0.01	0.02	0.2
R330024		<0.05	19.7	870	1.4	9.1	0.002	0.93	0.09	17.9	0.9	0.2	108.5	<0.01	0.16	0.2
R330025		<0.05	15.8	1400	1.2	10.1	0.004	1.39	0.05	12.0	1.1	<0.2	86.0	<0.01	0.35	<0.2
R330026		<0.05	17.7	1290	4.8	9.0	0.013	4.88	0.07	15.8	1.6	<0.2	176.5	<0.01	2.12	<0.2
R330027		0.08	21.4	560	1.1	11.9	0.004	0.93	0.06	17.3	1.9	0.4	51.9	<0.01	0.11	0.2
R330028		0.25	13.8	570	1.4	18.2	0.002	1.24	<0.05	10.3	1.7	0.4	21.9	<0.01	0.11	0.2
R330029		0.20	15.0	570	1.1	14.0	0.003	0.78	<0.05	10.3	1.2	0.3	24.1	<0.01	0.09	0.2
R330030		0.20	15.4	580	1.4	13.3	0.003	0.83	0.05	10.7	1.3	0.6	26.1	<0.01	0.10	0.2
R330031		0.14	14.0	600	0.9	12.8	0.005	0.73	<0.05	9.9	1.0	0.3	18.2	<0.01	0.08	0.3
R330032		0.18	12.9	630	0.9	3.8	0.004	0.96	<0.05	9.5	1.9	0.2	17.2	<0.01	0.10	0.3
R330033		0.35	9.0	670	1.4	10.8	0.003	1.08	0.05	9.8	1.1	0.6	28.5	<0.01	0.07	0.2
R330034		0.14	7.2	680	0.7	2.1	0.001	0.28	<0.05	8.0	0.7	0.3	13.5	<0.01	0.04	0.3
R330035		0.18	8.8	680	1.8	3.3	0.002	0.92	<0.05	6.8	1.1	0.2	22.4	<0.01	0.07	0.3
R330036		0.19	8.4	680	1.3	11.1	0.003	0.87	0.05	10.9	1.1	0.5	20.7	<0.01	0.07	0.3
R330037		0.16	6.6	580	1.5	1.3	0.001	0.87	<0.05	5.7	0.9	0.2	53.8	<0.01	0.08	0.2
R330038		0.23	6.8	720	3.7	9.7	0.004	1.49	<0.05	8.8	1.3	0.5	23.2	<0.01	0.08	0.3
R330039		0.15	3.7	470	2.7	9.9	0.002	1.21	0.05	8.5	1.1	0.6	34.7	<0.01	0.05	0.2
R330040		<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330001		0.216	0.04	<0.05	119	0.37	11.30	59	2.2
R330002		0.241	0.02	<0.05	128	0.31	10.60	67	2.9
R330003		0.221	0.03	<0.05	138	0.23	11.70	64	2.3
R330004		0.225	0.09	0.11	129	0.30	11.10	69	10.7
R330005		0.232	0.02	<0.05	142	0.20	12.20	54	2.6
R330006		0.253	<0.02	<0.05	150	0.18	12.00	66	2.0
R330007		0.250	0.04	<0.05	181	0.30	12.90	71	2.2
R330008		0.200	0.02	<0.05	132	0.42	10.80	50	2.2
R330009		0.229	<0.02	<0.05	168	0.30	11.20	72	2.3
R330010		<0.005	<0.02	0.08	<1	<0.05	0.67	<2	0.8
R330011		0.304	0.13	<0.05	210	0.44	12.85	80	2.7
R330012		0.257	<0.02	<0.05	169	0.25	12.40	78	2.4
R330013		0.300	0.06	<0.05	216	0.59	13.20	99	2.3
R330014		0.278	<0.02	<0.05	155	0.20	12.80	64	2.6
R330015		0.244	0.02	<0.05	225	0.23	11.75	107	1.9
R330016		0.297	<0.02	<0.05	172	0.18	12.65	81	2.5
R330017		0.309	<0.02	<0.05	181	0.14	12.15	90	3.6
R330018		0.296	0.02	<0.05	194	0.24	13.05	94	3.1
R330019		0.353	0.29	0.22	250	0.75	17.25	103	4.7
R330020		0.058	0.13	0.37	70	0.63	7.96	87	12.6
R330021		0.311	0.03	0.05	195	0.20	14.05	100	2.5
R330022		0.295	0.13	<0.05	315	0.45	15.05	139	2.3
R330023		0.170	0.07	<0.05	285	0.23	10.25	135	1.9
R330024		0.036	0.05	<0.05	229	0.29	8.73	92	1.7
R330025		0.033	0.04	<0.05	80	0.24	11.75	73	0.8
R330026		0.025	0.04	0.06	60	0.71	7.36	88	3.3
R330027		0.216	0.10	<0.05	257	0.57	9.72	150	2.3
R330028		0.392	0.15	<0.05	198	0.46	12.80	82	4.9
R330029		0.341	0.11	<0.05	199	0.47	12.65	71	3.8
R330030		0.370	0.11	<0.05	202	0.51	13.45	71	4.2
R330031		0.305	0.10	<0.05	208	0.40	13.75	75	2.5
R330032		0.322	0.03	<0.05	206	0.40	14.25	60	3.5
R330033		0.407	0.08	<0.05	204	0.53	16.25	53	4.6
R330034		0.248	0.02	<0.05	215	0.29	14.65	65	2.8
R330035		0.279	0.03	0.05	195	0.51	14.15	76	3.0
R330036		0.309	0.09	0.05	208	0.49	15.80	85	4.4
R330037		0.259	<0.02	<0.05	162	0.68	10.35	59	2.6
R330038		0.270	0.08	0.05	180	0.56	16.05	85	3.5
R330039		0.198	0.08	<0.05	122	0.36	11.50	64	2.5
R330040		<0.005	<0.02	0.08	<1	<0.05	0.69	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330041		3.32	<0.001	0.09	1.63	0.3	<0.2	<10	10	0.19	0.19	2.50	0.06	10.80	32.5	7
R330042		3.06	<0.001	0.15	1.60	0.1	<0.2	<10	10	0.19	0.29	1.93	0.42	9.53	32.2	6
R330043		3.31	0.001	0.18	1.20	0.4	<0.2	<10	10	0.16	0.48	1.93	0.57	8.29	29.6	6
R330044		3.62	0.002	0.12	1.27	0.1	<0.2	<10	10	0.13	0.39	1.71	0.05	6.12	28.6	14
R330045		3.45	0.004	0.09	1.33	0.1	<0.2	<10	10	0.13	0.14	1.36	0.04	6.32	26.6	32
R330046		3.45	0.003	0.11	1.42	0.3	<0.2	<10	10	0.17	0.46	1.95	0.07	6.52	27.3	32
R330047		2.85	0.001	0.05	1.71	0.3	<0.2	<10	10	0.14	0.21	1.71	0.04	7.24	29.7	40
R330048		2.95	0.001	0.05	1.68	0.1	<0.2	<10	10	0.17	0.35	1.56	0.06	7.59	32.5	46
R330049		0.75	0.001	0.02	1.66	0.1	<0.2	<10	10	0.21	0.20	2.13	0.03	7.19	26.1	41
R330050		0.06	0.865	6.31	1.06	42.5	0.9	<10	40	0.22	1.18	0.42	5.21	5.28	14.4	20
R330051		3.53	0.004	0.09	2.07	0.6	<0.2	<10	10	0.42	0.72	2.05	0.04	9.13	42.6	36
R330052		3.30	0.001	0.06	1.57	0.3	<0.2	<10	10	0.20	0.32	1.90	0.13	7.37	35.6	37
R330053		2.64	0.003	0.09	1.79	0.5	<0.2	<10	10	0.20	0.46	1.85	0.06	8.78	38.9	37
R330054		2.17	<0.001	0.06	1.79	0.2	<0.2	<10	10	0.19	0.23	2.68	0.42	8.10	33.2	28
R330055		2.43	0.001	0.06	1.60	0.2	<0.2	<10	10	0.18	0.11	1.36	0.01	10.10	25.2	7
R330056		3.12	<0.001	0.08	1.61	0.2	<0.2	<10	10	0.21	0.29	2.21	0.02	10.45	30.3	3
R330057		3.34	0.003	0.11	1.74	0.1	<0.2	<10	10	0.19	0.14	1.75	0.02	7.96	30.3	12
R330058		3.43	0.002	0.06	1.73	0.1	<0.2	<10	<10	0.22	0.13	2.28	0.02	15.65	27.7	102
R330059		3.09	0.006	0.07	1.90	0.4	<0.2	<10	10	0.15	0.07	1.60	0.05	7.55	29.5	40
R330060		<0.02	0.002	0.07	1.96	0.1	<0.2	<10	10	0.19	0.06	1.64	0.06	7.61	28.4	39
R330061		3.13	0.001	0.06	2.28	0.2	<0.2	<10	10	0.24	0.21	1.30	0.07	7.44	31.9	49
R330062		3.33	0.001	0.06	1.87	0.1	<0.2	<10	<10	0.22	0.15	2.02	0.04	9.07	25.1	19
R330063		2.62	0.002	0.18	1.96	0.6	<0.2	<10	10	0.23	0.52	2.27	0.07	7.54	32.9	24
R330064		2.41	0.001	0.06	2.21	0.2	<0.2	<10	10	0.21	0.19	1.92	0.05	7.87	36.9	26
R330065		2.32	0.001	0.07	2.25	0.2	<0.2	<10	10	0.20	0.32	1.40	0.03	7.68	33.9	26
R330066		1.65	<0.001	0.03	2.02	0.3	<0.2	<10	10	0.15	0.07	1.04	0.02	6.16	23.7	24
R330067		1.49	0.001	0.12	2.42	0.5	<0.2	<10	10	0.20	0.28	1.72	0.05	7.27	30.3	27
R330068		2.20	0.004	0.28	1.62	0.6	<0.2	<10	10	0.18	1.13	3.82	0.23	6.13	29.0	20
R330069		1.72	0.002	0.07	2.24	0.5	<0.2	<10	10	0.25	0.42	1.38	0.06	8.52	31.9	170
R330070		0.11	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	1.06	0.1	<1
R330071		3.79	0.004	0.12	2.07	0.5	<0.2	<10	10	0.23	1.15	1.24	0.06	8.79	39.2	44
R330072		2.76	0.005	0.08	1.83	0.4	<0.2	<10	10	0.25	0.37	1.09	0.04	8.39	35.8	41
R330073		2.09	<0.001	0.08	1.79	0.2	<0.2	<10	10	0.21	0.14	1.38	0.08	10.45	26.8	16
R330074		3.24	0.001	0.04	1.78	0.3	<0.2	<10	50	0.38	0.15	3.38	0.04	96.2	19.5	19
R330075		3.02	0.002	0.05	1.61	3.2	<0.2	<10	10	0.23	0.09	2.54	0.02	54.9	20.3	16
R330076		3.37	0.002	0.08	1.80	1.3	<0.2	<10	10	0.21	0.10	1.47	0.03	11.00	26.3	12
R330077		3.49	0.002	0.06	1.68	0.8	<0.2	<10	10	0.15	0.06	1.14	0.01	10.25	23.5	11
R330078		2.67	0.003	0.17	2.63	1.7	<0.2	10	20	0.57	0.51	1.33	0.05	14.25	48.8	45
R330079		0.83	0.001	0.04	1.18	0.4	<0.2	<10	10	0.16	0.11	11.35	0.03	7.34	21.4	15
R330080		0.07	2.53	5.19	1.62	19.3	2.5	<10	40	0.64	0.09	3.78	0.40	23.3	11.7	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330041		0.87	113.5	7.63	9.43	0.16	0.16	0.01	0.027	0.06	3.9	18.0	0.96	616	2.98	0.11
R330042		1.33	215	7.72	8.78	0.15	0.18	<0.01	0.025	0.09	3.5	18.7	0.95	576	2.18	0.11
R330043		1.47	201	7.23	7.27	0.12	0.17	<0.01	0.023	0.10	3.0	11.8	0.81	472	3.31	0.11
R330044		0.65	188.5	6.45	7.14	0.12	0.16	<0.01	0.022	0.06	2.2	10.3	0.80	450	1.62	0.12
R330045		0.50	159.0	5.71	7.05	0.13	0.13	<0.01	0.021	0.06	2.3	9.9	0.75	436	1.21	0.14
R330046		0.57	144.0	5.94	7.58	0.11	0.12	<0.01	0.019	0.05	2.4	12.2	0.90	472	2.00	0.11
R330047		0.33	123.0	6.19	8.38	0.12	0.13	<0.01	0.020	0.04	2.6	15.7	1.07	547	6.75	0.12
R330048		0.36	127.5	6.79	8.78	0.12	0.13	<0.01	0.020	0.04	2.8	16.0	1.08	536	2.40	0.12
R330049		0.26	90.6	6.78	9.51	0.13	0.13	<0.01	0.019	0.04	2.7	16.0	1.11	547	0.92	0.10
R330050		3.71	7000	6.73	3.28	<0.05	<0.02	0.05	0.321	0.27	2.6	10.9	0.31	623	141.5	0.02
R330051		0.29	141.5	6.72	11.40	0.18	0.17	<0.01	0.022	0.04	3.7	18.6	1.25	549	1.83	0.08
R330052		0.29	147.0	6.88	8.77	0.13	0.16	<0.01	0.020	0.04	2.5	12.9	1.09	533	2.15	0.13
R330053		0.35	118.5	7.41	9.59	0.13	0.13	<0.01	0.022	0.04	3.5	18.0	1.26	556	22.7	0.10
R330054		0.35	138.5	6.82	10.40	0.15	0.14	<0.01	0.023	0.04	3.0	18.6	1.36	572	6.94	0.08
R330055		0.42	96.2	5.92	9.17	0.15	0.13	<0.01	0.025	0.04	3.6	15.4	1.03	445	2.63	0.13
R330056		0.66	104.0	7.30	11.05	0.13	0.13	<0.01	0.028	0.03	3.9	20.3	1.27	616	3.05	0.10
R330057		0.37	142.5	6.46	9.83	0.14	0.13	<0.01	0.026	0.03	2.9	18.0	1.24	683	14.15	0.12
R330058		0.51	129.0	5.63	9.50	0.12	0.16	<0.01	0.020	0.03	7.0	21.5	1.49	610	1.98	0.11
R330059		0.47	141.0	5.89	9.13	0.14	0.12	<0.01	0.024	0.05	2.8	14.8	1.24	710	4.16	0.17
R330060		0.48	136.5	6.05	9.00	0.12	0.12	<0.01	0.027	0.06	2.8	14.5	1.28	723	3.29	0.18
R330061		0.69	58.8	7.98	12.40	0.14	0.11	<0.01	0.026	0.03	2.7	29.4	2.07	811	11.20	0.12
R330062		0.39	105.0	6.65	9.87	0.12	0.15	<0.01	0.025	0.03	3.4	16.9	1.46	718	1.83	0.12
R330063		0.61	196.5	6.86	11.55	0.15	0.15	<0.01	0.030	0.03	2.9	17.9	1.62	743	3.08	0.11
R330064		0.88	144.5	7.77	11.75	0.14	0.10	<0.01	0.030	0.04	2.8	22.2	1.48	789	3.42	0.14
R330065		0.95	102.5	7.56	12.20	0.17	0.15	<0.01	0.033	0.04	2.7	20.1	1.59	889	1.23	0.13
R330066		0.66	44.8	6.33	10.75	0.13	0.15	<0.01	0.021	0.04	2.2	16.3	1.42	822	1.33	0.12
R330067		0.91	367	7.22	13.65	0.14	0.16	<0.01	0.027	0.03	2.6	25.0	1.92	1020	8.85	0.10
R330068		0.43	1360	6.40	10.35	0.13	0.17	<0.01	0.026	0.03	2.2	15.6	1.36	805	27.9	0.09
R330069		0.55	237	6.72	12.35	0.11	0.24	<0.01	0.021	0.04	3.3	28.3	2.17	815	12.75	0.08
R330070		<0.05	0.8	0.02	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
R330071		0.81	207	7.46	10.55	0.13	0.18	<0.01	0.025	0.05	3.4	19.8	1.58	855	68.7	0.10
R330072		0.62	199.5	7.93	10.55	0.12	0.19	<0.01	0.025	0.05	3.2	19.2	1.58	737	3.51	0.09
R330073		0.32	108.0	5.77	9.00	0.21	0.15	<0.01	0.024	0.05	4.0	20.7	1.27	532	1.59	0.11
R330074		4.96	84.6	4.08	9.85	0.23	0.53	<0.01	0.023	0.43	42.3	24.6	1.58	599	2.09	0.07
R330075		0.52	113.5	3.82	8.44	0.20	0.41	<0.01	0.019	0.06	23.3	19.5	1.26	465	0.83	0.09
R330076		0.28	135.5	4.91	8.09	0.22	0.15	<0.01	0.030	0.05	4.0	13.4	0.97	413	1.99	0.17
R330077		0.27	103.5	5.00	8.33	0.24	0.11	<0.01	0.027	0.04	3.6	14.3	0.90	392	0.74	0.15
R330078		0.66	127.0	9.04	14.25	0.31	0.25	<0.01	0.038	0.05	6.4	39.5	2.36	762	5.21	0.06
R330079		0.27	76.5	4.49	6.89	0.18	0.08	<0.01	0.024	0.02	2.9	12.9	0.88	728	11.30	0.04
R330080		3.18	77.5	3.03	6.71	0.14	0.40	0.10	0.040	0.24	10.6	17.6	0.89	691	6.29	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330041		0.13	6.1	690	1.4	4.7	0.004	0.76	<0.05	9.8	1.2	0.5	33.7	<0.01	0.07	0.3
R330042		0.17	6.8	680	2.4	6.3	0.003	0.99	<0.05	11.2	1.2	0.3	32.8	<0.01	0.07	0.3
R330043		0.21	10.9	580	4.7	7.5	0.004	0.93	0.05	9.2	1.2	0.4	34.4	<0.01	0.04	0.2
R330044		0.15	17.8	480	1.3	3.6	0.002	0.68	<0.05	10.1	1.0	0.4	24.1	<0.01	0.05	0.2
R330045		0.11	18.4	470	1.0	3.2	0.002	0.41	<0.05	9.2	0.7	0.2	23.8	<0.01	0.05	0.2
R330046		0.09	18.9	490	1.6	3.2	0.003	0.55	<0.05	8.7	0.7	0.6	29.2	<0.01	0.04	0.2
R330047		0.09	23.4	510	1.2	2.3	0.009	0.38	<0.05	6.8	0.8	0.4	30.0	<0.01	0.02	0.2
R330048		0.10	25.7	550	1.6	2.5	0.005	0.60	<0.05	6.7	1.1	0.2	27.4	<0.01	0.04	0.2
R330049		0.09	25.5	500	0.9	1.7	0.002	0.21	<0.05	6.0	0.6	0.5	46.9	<0.01	0.02	0.2
R330050		0.07	15.9	500	108.5	13.1	0.215	5.13	2.68	1.3	8.4	1.8	35.6	<0.01	0.96	1.2
R330051		0.14	27.9	550	2.9	1.5	0.003	0.65	0.06	6.9	1.0	0.4	118.5	<0.01	0.07	0.2
R330052		0.10	24.7	530	2.7	2.2	0.002	0.63	<0.05	7.7	1.2	0.3	29.1	<0.01	0.06	0.2
R330053		0.09	26.4	540	2.6	2.0	0.020	0.76	<0.05	7.7	1.2	0.4	49.1	<0.01	0.07	0.2
R330054		0.06	22.8	520	4.1	1.3	0.008	0.41	<0.05	7.2	0.7	0.3	41.6	<0.01	0.05	0.2
R330055		0.08	8.5	620	0.9	2.4	0.004	0.36	<0.05	8.8	1.1	0.2	17.9	<0.01	0.03	0.3
R330056		0.07	7.8	630	1.8	1.7	0.004	0.83	<0.05	10.2	1.0	0.4	13.6	<0.01	0.07	0.3
R330057		0.07	14.4	540	1.8	1.6	0.026	0.41	<0.05	11.2	1.0	0.2	14.8	<0.01	0.06	0.2
R330058		0.08	42.7	600	3.3	1.7	0.002	0.45	<0.05	6.9	0.6	0.2	23.8	<0.01	0.03	0.6
R330059		0.06	20.9	550	2.4	2.5	0.005	0.27	<0.05	9.3	0.8	0.5	21.6	<0.01	0.04	0.2
R330060		<0.05	20.6	560	2.9	2.6	0.005	0.25	<0.05	10.2	0.7	0.4	20.6	<0.01	0.04	0.2
R330061		0.05	25.9	580	16.5	1.9	0.007	0.54	<0.05	7.1	0.6	0.3	11.6	<0.01	0.02	0.2
R330062		0.06	14.7	600	12.3	1.1	0.004	0.34	<0.05	8.0	0.6	0.5	27.3	<0.01	0.04	0.3
R330063		0.06	19.2	550	26.9	1.5	0.005	0.66	<0.05	7.6	1.7	0.8	13.5	<0.01	0.06	0.2
R330064		0.06	18.0	570	3.8	3.4	0.005	0.83	<0.05	10.3	3.2	0.3	25.7	<0.01	0.06	0.3
R330065		0.05	17.6	540	4.5	3.0	0.003	0.76	<0.05	9.0	2.6	0.5	18.2	<0.01	0.03	0.3
R330066		<0.05	16.2	540	4.9	2.8	0.003	0.25	<0.05	7.2	0.8	0.3	16.7	<0.01	0.02	0.2
R330067		<0.05	19.0	560	26.9	1.5	0.007	0.32	0.05	8.1	1.0	0.3	16.1	<0.01	0.02	0.3
R330068		0.07	14.6	500	134.5	1.6	0.023	0.90	0.05	6.3	1.4	0.4	17.6	<0.01	0.04	0.2
R330069		0.05	54.4	650	16.4	1.7	0.024	0.50	<0.05	7.7	0.8	0.3	15.9	<0.01	0.07	0.7
R330070		<0.05	0.5	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330071		0.07	26.4	590	10.6	2.6	0.093	1.28	<0.05	8.6	1.7	0.3	27.0	<0.01	0.13	0.4
R330072		0.06	22.0	620	3.8	3.0	0.006	0.91	0.05	8.7	1.4	0.4	20.5	<0.01	0.09	0.4
R330073		0.06	18.0	520	3.4	2.3	0.002	0.34	0.06	8.4	0.8	0.4	15.4	<0.01	0.05	0.3
R330074		0.07	17.7	1830	2.0	31.1	0.002	0.32	0.05	6.6	0.5	0.3	30.4	<0.01	0.01	4.7
R330075		0.07	20.2	1330	1.2	3.3	0.001	0.19	0.06	6.7	0.6	0.4	24.4	<0.01	0.03	2.9
R330076		0.05	13.0	640	1.1	3.2	0.004	0.33	0.05	11.2	0.9	0.3	18.9	<0.01	0.03	0.4
R330077		0.06	10.0	600	0.7	2.4	0.002	0.20	0.05	9.8	1.0	0.3	20.3	<0.01	0.02	0.3
R330078		0.07	31.6	600	5.3	2.4	0.007	0.65	0.11	12.4	1.6	0.6	100.5	<0.01	0.09	0.3
R330079		0.05	10.9	290	1.9	0.9	0.010	0.30	0.06	6.1	0.9	0.2	102.5	<0.01	0.03	<0.2
R330080		0.05	12.1	640	18.1	12.1	0.003	0.90	0.49	9.4	0.9	0.5	120.5	<0.01	2.67	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330041		0.223	0.04	0.06	138	0.48	14.75	84	2.8
R330042		0.252	0.05	<0.05	160	0.47	14.50	105	3.2
R330043		0.276	0.06	0.07	197	0.31	12.45	95	3.1
R330044		0.271	0.03	<0.05	249	0.42	10.65	57	2.8
R330045		0.243	0.02	0.05	189	0.27	10.80	56	2.4
R330046		0.226	0.02	<0.05	184	0.35	10.25	72	2.3
R330047		0.231	0.02	<0.05	169	0.31	10.40	78	2.3
R330048		0.229	0.02	0.05	175	0.34	11.10	78	2.4
R330049		0.278	0.02	0.06	178	0.41	10.50	82	2.4
R330050		0.012	0.34	0.15	18	2.95	2.74	823	<0.5
R330051		0.328	0.02	0.08	171	0.61	11.80	92	2.9
R330052		0.246	0.02	<0.05	181	0.44	11.00	82	2.7
R330053		0.237	0.02	0.05	198	0.40	11.30	88	2.5
R330054		0.230	<0.02	<0.05	183	0.41	10.50	131	2.7
R330055		0.210	0.02	0.05	165	0.47	13.25	55	2.4
R330056		0.257	<0.02	0.06	173	0.71	13.65	76	2.6
R330057		0.231	<0.02	<0.05	190	0.42	11.65	84	2.5
R330058		0.223	<0.02	0.07	168	0.29	8.95	75	4.1
R330059		0.233	0.02	<0.05	174	0.28	11.10	84	2.4
R330060		0.233	0.02	<0.05	181	0.25	11.25	86	2.3
R330061		0.246	0.02	0.05	223	0.23	13.25	139	2.2
R330062		0.288	<0.02	0.05	187	0.28	13.40	103	2.6
R330063		0.344	0.02	<0.05	185	0.56	13.75	116	2.9
R330064		0.254	0.02	<0.05	218	0.42	12.95	95	1.8
R330065		0.290	0.02	<0.05	206	0.40	13.45	110	2.5
R330066		0.264	0.02	<0.05	188	0.22	11.45	97	2.4
R330067		0.308	0.02	0.05	204	0.34	13.55	128	2.6
R330068		0.289	0.03	0.07	168	0.50	13.50	119	2.9
R330069		0.279	0.02	0.10	182	0.62	11.30	124	7.1
R330070		<0.005	<0.02	0.07	<1	<0.05	0.63	2	0.8
R330071		0.302	0.03	0.06	183	0.45	11.70	106	4.0
R330072		0.289	0.02	0.07	213	0.55	12.90	84	3.8
R330073		0.191	<0.02	<0.05	156	0.25	10.65	93	3.9
R330074		0.213	0.20	0.63	100	0.21	9.12	75	27.1
R330075		0.174	<0.02	0.34	94	0.26	9.48	63	19.3
R330076		0.177	0.02	0.06	125	0.29	12.05	52	3.8
R330077		0.175	0.02	<0.05	145	0.15	13.60	48	2.4
R330078		0.502	0.03	0.08	239	1.17	17.70	114	5.6
R330079		0.223	<0.02	<0.05	117	0.47	9.13	52	1.8
R330080		0.055	0.14	0.33	68	0.48	8.60	86	13.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330081		2.97	0.002	0.08	1.90	0.6	<0.2	<10	10	0.24	0.07	1.81	0.02	7.90	28.7	20
R330082		3.45	0.001	0.09	1.91	1.0	<0.2	<10	10	0.20	0.68	1.56	0.02	8.96	33.0	19
R330083		3.64	<0.001	0.03	1.84	0.7	<0.2	<10	10	0.23	0.03	1.30	0.03	9.31	29.0	18
R330084		2.35	0.001	0.06	1.96	0.5	<0.2	<10	10	0.27	0.11	1.58	0.04	9.73	32.1	19
R330085		2.79	<0.001	0.03	2.20	0.5	<0.2	<10	10	0.23	0.06	1.53	0.01	8.89	30.8	18
R330086		3.53	0.004	0.22	2.11	0.4	<0.2	<10	10	0.25	0.39	2.47	0.02	8.10	33.0	17
R330087		3.70	0.001	0.06	1.94	0.8	<0.2	<10	10	0.22	0.09	1.52	0.04	9.30	36.0	8
R330088		3.10	0.002	0.08	1.81	0.7	<0.2	<10	10	0.26	0.33	1.48	0.02	9.76	36.5	6
R330089		3.53	0.006	0.10	1.66	0.6	<0.2	<10	10	0.28	0.24	1.50	0.02	9.92	35.0	15
R330090		<0.02	0.005	0.10	1.59	0.5	<0.2	<10	10	0.26	0.22	1.42	0.02	9.01	32.7	14
R330091		3.98	0.001	0.06	1.40	0.5	<0.2	<10	10	0.19	0.25	1.09	0.05	12.95	27.8	80
R330092		0.72	0.001	0.07	1.25	0.4	<0.2	<10	10	0.18	0.32	1.10	0.03	16.50	29.9	40
R330093		0.71	<0.001	0.14	1.63	0.5	<0.2	<10	<10	0.24	0.59	3.00	0.01	15.55	28.0	136
R330094		2.79	<0.001	0.04	1.29	0.3	<0.2	<10	10	0.16	0.13	1.12	0.02	18.40	22.2	119
R330095		3.08	0.001	0.04	1.44	0.4	<0.2	<10	10	0.16	0.08	0.98	0.03	19.45	24.7	145
R330096		4.30	0.001	0.04	1.06	0.3	<0.2	<10	10	0.16	0.16	1.27	0.02	16.35	21.8	108
R330097		3.65	<0.001	0.08	1.07	0.6	<0.2	<10	10	0.15	0.10	1.10	0.04	15.40	24.1	75
R330098		2.18	0.001	0.07	1.08	0.4	<0.2	<10	10	0.13	0.15	1.33	0.02	13.95	26.6	81
R330099		1.87	0.002	0.06	1.55	0.4	<0.2	<10	10	0.15	0.19	1.53	0.03	14.15	25.4	64
R330100		0.82	0.005	2.16	1.77	0.6	<0.2	<10	<10	0.26	5.11	3.76	0.13	10.80	31.4	198

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330081		0.42	217	7.11	11.30	0.26	0.18	<0.01	0.028	0.06	2.7	19.5	1.42	713	1.34	0.11
R330082		0.29	150.0	6.56	10.00	0.25	0.14	<0.01	0.030	0.04	3.2	21.3	1.27	646	9.29	0.11
R330083		0.44	162.0	6.35	9.93	0.23	0.15	<0.01	0.029	0.06	3.3	16.4	1.11	654	0.49	0.14
R330084		0.40	139.5	6.56	10.10	0.26	0.18	<0.01	0.030	0.06	3.5	18.6	1.28	682	3.04	0.13
R330085		0.23	148.5	6.57	10.40	0.25	0.14	<0.01	0.027	0.04	3.2	23.5	1.46	723	0.54	0.10
R330086		0.31	101.0	7.36	10.85	0.24	0.14	<0.01	0.030	0.03	2.8	25.9	1.58	664	1.88	0.07
R330087		0.29	201	7.95	10.90	0.23	0.15	<0.01	0.031	0.03	3.3	23.2	1.34	641	1.49	0.08
R330088		0.38	164.0	8.61	10.65	0.23	0.16	<0.01	0.029	0.04	3.4	19.3	1.31	602	21.0	0.07
R330089		0.43	157.0	7.62	10.20	0.23	0.15	<0.01	0.029	0.04	3.6	18.4	1.18	587	15.30	0.08
R330090		0.41	148.0	7.29	9.63	0.22	0.15	<0.01	0.026	0.04	3.2	17.5	1.14	554	17.75	0.07
R330091		0.32	102.0	5.96	8.84	0.20	0.19	<0.01	0.018	0.04	5.1	17.7	1.19	485	2.95	0.07
R330092		0.42	120.5	6.49	7.71	0.18	0.16	<0.01	0.018	0.04	7.7	13.6	1.00	448	1.31	0.08
R330093		0.62	67.9	6.38	10.10	0.19	0.23	<0.01	0.027	0.03	6.4	23.4	1.77	597	32.9	0.06
R330094		0.33	48.5	5.18	7.13	0.17	0.17	<0.01	0.015	0.03	7.8	17.1	1.10	410	1.53	0.06
R330095		0.54	64.4	5.08	7.37	0.16	0.17	<0.01	0.016	0.05	8.5	21.0	1.27	426	2.37	0.08
R330096		0.56	77.0	4.61	6.05	0.16	0.17	<0.01	0.013	0.06	7.1	13.5	0.90	346	2.00	0.07
R330097		0.64	70.9	5.85	7.10	0.19	0.18	<0.01	0.017	0.07	6.3	14.3	0.88	374	3.29	0.10
R330098		0.39	99.8	5.85	6.87	0.17	0.17	<0.01	0.015	0.04	5.5	13.9	0.86	408	1.95	0.08
R330099		0.18	85.2	6.15	8.46	0.19	0.16	<0.01	0.020	0.03	5.7	17.4	1.19	540	1.55	0.06
R330100		0.53	32.0	6.31	10.40	0.19	0.22	<0.01	0.023	0.01	4.5	24.0	1.97	665	70.5	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330081		0.05	16.4	530	1.7	3.5	0.003	0.21	0.06	10.3	1.0	0.3	26.9	<0.01	0.02	0.2
R330082		0.07	17.3	550	2.5	2.8	0.010	0.47	0.07	12.1	0.9	0.4	38.4	<0.01	0.03	0.2
R330083		0.05	14.9	560	3.2	4.7	0.003	0.23	0.05	11.4	1.0	0.3	36.6	<0.01	0.01	0.3
R330084		0.07	16.1	550	4.7	3.7	0.005	0.27	0.06	11.4	1.0	0.2	54.9	<0.01	0.03	0.2
R330085		0.06	16.1	580	3.5	1.7	0.002	0.18	0.06	10.7	1.0	0.4	51.5	<0.01	0.02	0.3
R330086		0.07	17.0	570	2.0	1.7	0.002	0.62	0.05	15.7	0.9	0.4	27.3	<0.01	0.13	0.2
R330087		0.07	13.2	610	1.8	1.6	0.006	0.67	0.05	10.3	1.3	0.4	41.7	<0.01	0.03	0.2
R330088		0.08	11.7	670	2.6	1.8	0.021	0.95	0.05	10.2	1.5	0.4	33.3	<0.01	0.08	0.2
R330089		0.09	15.2	600	2.7	2.3	0.017	0.77	0.06	11.2	1.3	0.4	26.9	<0.01	0.09	0.3
R330090		0.08	13.7	570	2.5	2.0	0.022	0.74	<0.05	9.8	1.3	0.3	23.6	<0.01	0.08	0.2
R330091		0.09	33.9	640	4.1	2.4	0.006	0.56	0.06	5.7	0.8	0.4	29.1	<0.01	0.05	0.4
R330092		0.12	21.9	620	4.2	2.6	0.003	0.42	<0.05	6.5	0.8	0.3	37.1	<0.01	0.04	0.3
R330093		0.08	59.1	600	6.7	2.3	0.009	0.53	0.06	12.0	0.6	0.6	22.6	<0.01	0.02	0.5
R330094		0.10	43.6	700	1.2	2.4	0.002	0.20	<0.05	4.0	0.4	0.2	43.4	<0.01	0.02	0.7
R330095		0.09	54.9	780	2.3	3.9	0.004	0.27	0.05	4.5	0.5	0.4	27.2	<0.01	0.03	0.7
R330096		0.12	37.3	660	2.0	4.4	0.003	0.41	<0.05	4.3	0.6	0.2	32.2	<0.01	0.02	0.6
R330097		0.13	28.5	660	3.2	4.6	0.003	0.28	0.05	6.5	0.5	0.5	23.4	<0.01	0.02	0.5
R330098		0.13	31.6	680	2.8	2.7	0.002	0.55	<0.05	5.1	0.6	0.2	26.7	<0.01	0.04	0.5
R330099		0.11	25.9	680	1.5	1.5	0.002	0.28	0.05	5.8	0.5	0.4	40.0	<0.01	0.03	0.4
R330100		0.06	76.4	460	210	1.6	0.015	1.81	<0.05	13.9	1.2	0.4	20.2	<0.01	0.12	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330081		0.284	0.02	0.05	205	0.54	14.50	84	3.3
R330082		0.240	<0.02	<0.05	181	0.40	13.15	81	2.5
R330083		0.243	0.02	<0.05	189	0.24	13.75	76	2.8
R330084		0.271	0.02	<0.05	182	0.31	13.75	79	3.6
R330085		0.256	<0.02	<0.05	180	0.27	12.70	87	2.6
R330086		0.250	<0.02	<0.05	209	0.38	14.55	89	2.8
R330087		0.232	<0.02	<0.05	198	0.31	13.95	93	2.8
R330088		0.239	<0.02	<0.05	200	0.37	14.95	86	2.9
R330089		0.250	0.02	<0.05	192	0.50	14.65	72	3.1
R330090		0.223	<0.02	<0.05	185	0.48	13.15	70	2.9
R330091		0.236	<0.02	0.06	136	0.40	10.55	68	4.6
R330092		0.264	<0.02	0.06	154	0.37	11.55	56	4.1
R330093		0.288	<0.02	0.09	158	0.36	12.70	84	6.0
R330094		0.198	<0.02	0.08	105	0.31	9.45	53	5.0
R330095		0.206	0.02	0.09	114	0.35	8.63	57	5.5
R330096		0.216	0.03	0.09	99	0.32	8.43	43	5.3
R330097		0.260	0.03	0.07	134	0.39	11.55	46	4.9
R330098		0.236	0.02	0.07	128	0.35	10.25	47	4.6
R330099		0.237	<0.02	0.05	114	0.37	11.15	68	3.8
R330100		0.186	0.04	0.41	124	0.33	8.27	96	6.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114160

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
This copy reported on
26-AUG-2015
Account: OBMICO

CERTIFICATE SD15114163

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 31-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330101		3.39	0.001	0.06	1.61	0.2	<0.2	<10	10	0.18	0.32	1.25	0.02	14.10	29.0	52
R330102		0.88	<0.001	0.02	1.19	0.2	<0.2	<10	<10	0.08	0.09	1.41	0.01	16.80	14.7	87
R330103		0.83	0.001	0.04	1.49	0.1	<0.2	<10	10	0.14	0.30	0.73	0.02	18.30	25.4	248
R330104		0.77	<0.001	0.02	0.97	0.3	<0.2	<10	10	0.10	0.09	1.03	0.01	14.65	11.4	59
R330105		2.71	0.001	0.05	1.70	0.3	<0.2	<10	10	0.24	0.36	1.28	0.02	12.70	31.2	81
R330106		3.08	0.001	0.04	1.18	0.2	<0.2	<10	10	0.15	0.22	1.00	0.03	16.30	19.8	131
R330107		2.89	0.003	0.22	1.30	0.2	<0.2	<10	10	0.21	1.38	1.31	0.03	17.05	24.0	105
R330108		4.16	0.001	0.05	1.58	0.2	<0.2	<10	10	0.19	0.35	1.28	0.03	7.26	32.4	83
R330109		3.36	0.001	0.03	1.48	0.2	<0.2	<10	10	0.29	0.13	1.12	0.03	8.52	28.5	34
R330110		0.09	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.90	0.1	<1
R330111		3.61	0.002	0.04	1.75	0.2	<0.2	<10	10	0.24	0.23	1.07	0.01	8.60	35.4	55
R330112		3.33	0.001	0.05	1.34	0.2	<0.2	<10	10	0.21	0.21	1.07	0.02	10.25	26.6	121
R330113		3.23	0.001	0.06	1.17	0.2	<0.2	<10	10	0.16	0.08	1.10	0.06	8.81	28.6	68
R330114		3.55	0.001	0.07	1.27	0.1	<0.2	<10	10	0.21	0.12	1.75	0.04	8.00	33.6	60
R330115		3.39	<0.001	0.03	1.43	0.2	<0.2	<10	10	0.16	0.14	1.35	0.02	13.50	26.8	137
R330116		1.01	0.002	0.05	1.67	0.3	<0.2	<10	<10	0.21	0.29	3.16	0.02	6.99	36.6	94
R330117		3.85	0.002	0.05	1.64	0.2	<0.2	<10	10	0.19	0.06	1.56	0.02	7.44	31.1	28
R330118		2.96	0.002	0.06	1.58	0.3	<0.2	<10	10	0.19	0.05	1.14	0.03	6.60	29.0	40
R330119		2.65	0.002	0.07	1.41	0.3	<0.2	<10	10	0.21	0.13	1.43	0.06	6.84	33.0	43
R330120		0.06	0.913	5.73	1.03	36.1	0.7	<10	50	0.23	0.98	0.38	5.01	5.00	13.7	19
R330121		0.82	0.002	0.11	1.48	0.5	<0.2	10	<10	0.36	0.34	2.86	0.04	6.85	39.0	49
R330122		3.08	0.002	0.09	1.33	0.6	<0.2	<10	<10	0.22	0.14	1.90	0.03	7.90	37.7	38
R330123		2.94	0.002	0.10	1.06	0.4	<0.2	<10	<10	0.14	0.04	1.41	0.05	6.75	29.2	34
R330124		3.63	0.001	0.08	1.33	0.5	<0.2	<10	10	0.17	0.06	1.65	0.04	6.42	29.1	33
R330125		1.42	0.002	0.05	1.47	0.4	<0.2	<10	<10	0.24	0.07	2.37	0.03	6.87	27.7	35
R330126		3.72	0.001	0.05	1.72	0.4	<0.2	<10	10	0.18	0.05	1.44	0.03	8.95	30.8	27
R330127		2.74	0.004	0.07	2.15	0.8	<0.2	10	<10	0.30	0.14	2.75	0.04	6.84	40.1	28
R330128		2.29	0.003	0.04	2.43	0.6	<0.2	10	10	0.31	0.14	3.08	0.02	6.12	41.4	26
R330129		2.38	0.003	0.08	2.03	1.0	<0.2	<10	10	0.22	0.09	1.78	0.03	5.82	42.7	38
R330130		<0.02	0.004	0.08	2.18	0.8	<0.2	<10	10	0.23	0.09	2.02	0.04	6.17	45.4	41
R330131		3.08	0.004	0.06	1.82	0.5	<0.2	<10	<10	0.27	0.09	2.38	0.03	6.90	38.9	38
R330132		3.48	0.002	0.06	1.93	0.6	<0.2	<10	10	0.22	0.07	1.57	0.03	7.10	41.6	41
R330133		0.83	0.012	0.20	1.26	0.5	<0.2	<10	<10	0.32	0.41	5.22	0.03	6.43	37.8	31
R330134		4.16	0.001	0.10	1.51	0.5	<0.2	<10	10	0.18	0.09	1.63	0.05	6.88	36.1	37
R330135		3.94	0.002	0.11	1.58	0.3	<0.2	<10	10	0.20	0.05	1.29	0.05	6.65	36.6	30
R330136		3.81	0.002	0.12	1.41	0.6	<0.2	<10	10	0.22	0.09	1.80	0.04	6.19	36.2	40
R330137		3.35	0.002	0.12	1.85	0.7	<0.2	<10	10	0.27	0.10	1.53	0.03	6.64	39.2	112
R330138		3.93	<0.001	0.05	1.75	0.6	<0.2	10	<10	0.29	0.06	2.00	0.04	9.10	33.6	31
R330139		3.66	0.002	0.09	2.21	0.5	<0.2	<10	<10	0.33	0.21	2.75	0.02	6.38	39.1	40
R330140		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.93	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330101		0.19	129.0	6.10	8.77	0.19	0.16	0.01	0.019	0.03	6.2	16.8	1.26	543	1.62	0.07
R330102		0.15	35.8	3.38	6.84	0.11	0.18	0.01	0.007	0.01	7.9	14.1	1.01	387	0.93	0.05
R330103		0.26	65.5	5.33	7.81	0.13	0.23	0.01	0.013	0.03	8.1	19.5	1.37	481	1.62	0.08
R330104		0.22	37.1	2.55	5.36	0.08	0.25	0.01	0.008	0.03	6.6	11.0	0.75	304	0.98	0.08
R330105		0.24	53.4	6.95	9.36	0.18	0.17	0.01	0.020	0.03	4.8	20.3	1.40	559	2.35	0.07
R330106		0.27	50.7	3.76	6.22	0.12	0.19	0.01	0.010	0.04	7.2	16.2	1.00	378	3.51	0.07
R330107		0.34	98.8	4.83	6.87	0.14	0.19	0.01	0.015	0.03	8.0	15.9	1.12	429	153.5	0.07
R330108		0.32	93.2	6.38	8.64	0.15	0.13	0.01	0.016	0.03	2.7	18.3	1.25	547	3.41	0.10
R330109		0.37	124.0	7.59	8.70	0.18	0.14	0.01	0.023	0.06	3.0	17.3	1.13	533	2.19	0.09
R330110		<0.05	0.8	0.03	0.05	<0.05	0.02	0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.05	<0.01
R330111		0.33	101.0	7.20	11.00	0.20	0.16	0.01	0.017	0.05	3.2	19.5	1.38	573	2.31	0.07
R330112		0.32	97.5	5.64	7.71	0.15	0.19	0.01	0.013	0.04	3.9	16.6	1.15	436	4.67	0.08
R330113		0.31	98.8	6.24	7.09	0.15	0.17	0.01	0.017	0.05	3.3	12.3	0.93	425	5.46	0.09
R330114		0.36	137.0	7.08	7.37	0.15	0.18	0.01	0.018	0.04	3.0	14.7	1.00	471	1.58	0.09
R330115		0.42	69.6	5.38	7.05	0.13	0.16	0.01	0.010	0.04	5.6	17.3	1.30	441	3.65	0.07
R330116		0.24	190.0	7.53	9.30	0.20	0.16	<0.01	0.017	0.02	2.5	21.4	1.50	584	3.33	0.06
R330117		0.24	168.0	6.50	7.64	0.20	0.14	0.01	0.017	0.04	2.6	14.2	1.11	564	2.81	0.08
R330118		0.39	109.0	6.77	7.22	0.17	0.13	0.01	0.018	0.04	2.2	14.3	1.03	537	2.25	0.09
R330119		0.29	127.5	6.39	7.18	0.20	0.19	0.01	0.018	0.04	2.4	12.7	0.92	486	4.29	0.09
R330120		3.58	6530	6.40	3.02	0.11	<0.02	0.06	0.310	0.27	2.4	10.4	0.29	602	134.5	0.02
R330121		0.61	146.5	7.50	8.19	0.22	0.20	0.01	0.021	0.07	2.5	20.2	1.21	447	3.50	0.07
R330122		0.24	155.5	6.47	7.41	0.20	0.19	0.01	0.020	0.04	2.7	12.2	0.82	450	3.18	0.09
R330123		0.24	152.5	5.59	5.50	0.17	0.17	<0.01	0.016	0.03	2.5	6.8	0.56	419	1.20	0.09
R330124		0.24	123.0	5.45	6.45	0.22	0.19	<0.01	0.018	0.04	2.4	8.8	0.68	451	4.29	0.10
R330125		0.30	163.5	6.10	7.75	0.22	0.12	<0.01	0.013	0.02	3.0	12.7	0.89	460	1.58	0.05
R330126		0.28	129.0	7.11	8.24	0.20	0.14	0.01	0.021	0.04	3.1	14.4	1.07	588	1.73	0.10
R330127		0.33	154.5	9.08	11.50	0.23	0.12	0.01	0.036	0.03	2.2	23.1	1.65	724	1.51	0.07
R330128		0.58	143.5	8.81	12.00	0.21	0.14	<0.01	0.040	0.04	2.0	26.8	1.85	797	1.01	0.07
R330129		0.41	152.0	7.83	9.83	0.18	0.15	<0.01	0.024	0.05	2.0	20.3	1.43	692	1.09	0.10
R330130		0.41	152.5	8.17	10.45	0.18	0.14	<0.01	0.025	0.05	2.1	22.5	1.54	732	1.16	0.10
R330131		0.33	145.5	7.13	9.85	0.20	0.17	<0.01	0.021	0.04	2.4	17.0	1.26	617	2.34	0.08
R330132		0.49	177.0	6.93	8.90	0.17	0.11	<0.01	0.022	0.05	2.4	19.2	1.18	613	2.66	0.09
R330133		0.15	141.5	7.19	7.03	0.17	0.20	<0.01	0.024	0.02	2.1	10.6	0.79	609	1.28	0.06
R330134		0.29	145.0	6.44	7.00	0.19	0.17	<0.01	0.020	0.04	2.5	11.4	0.84	547	2.51	0.11
R330135		0.38	157.0	5.95	7.68	0.16	0.15	<0.01	0.021	0.05	2.4	13.1	0.93	543	1.48	0.13
R330136		0.45	179.0	6.57	7.41	0.18	0.16	<0.01	0.021	0.05	2.1	13.0	0.91	551	2.77	0.11
R330137		0.42	160.5	5.84	9.38	0.20	0.21	0.01	0.017	0.03	2.7	20.1	1.44	564	2.46	0.07
R330138		0.42	153.5	5.01	7.68	0.23	0.27	0.01	0.018	0.03	4.7	14.3	0.89	469	5.57	0.05
R330139		0.24	142.0	7.02	9.28	0.18	0.16	0.01	0.029	0.02	2.2	19.8	1.56	711	2.17	0.07
R330140		<0.05	0.8	0.03	<0.05	<0.05	0.02	0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330101		0.11	28.0	580	1.9	1.4	0.004	0.38	<0.05	6.2	0.9	0.2	46.0	<0.01	0.03	0.4
R330102		0.09	35.2	450	1.1	0.9	0.001	0.09	<0.05	2.8	0.2	0.3	24.7	<0.01	0.01	0.6
R330103		0.08	73.0	640	2.0	1.8	0.004	0.52	<0.05	3.8	0.5	0.2	26.9	<0.01	0.02	0.9
R330104		0.11	26.8	450	1.6	2.2	0.001	0.14	0.05	1.7	0.3	0.4	29.2	<0.01	<0.01	0.8
R330105		0.11	38.0	610	1.7	1.7	0.004	0.53	<0.05	6.1	0.7	0.3	62.1	<0.01	0.02	0.4
R330106		0.11	43.7	600	3.8	2.5	0.005	0.25	<0.05	3.3	0.3	0.3	39.2	<0.01	0.02	0.8
R330107		0.11	38.7	560	7.4	1.8	0.039	0.49	<0.05	5.6	0.6	0.2	34.2	<0.01	0.03	0.6
R330108		0.07	36.4	470	1.6	1.9	0.004	0.59	<0.05	5.9	0.8	0.3	27.0	<0.01	0.03	0.2
R330109		0.10	18.1	550	1.2	3.0	0.004	0.36	<0.05	6.7	0.8	0.2	32.9	<0.01	0.02	0.2
R330110		<0.05	0.3	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330111		0.10	30.0	510	1.6	2.5	0.005	0.44	<0.05	6.2	1.0	0.3	63.9	<0.01	0.03	0.2
R330112		0.10	46.6	480	1.3	2.0	0.006	0.32	<0.05	6.3	0.6	0.3	24.3	<0.01	0.02	0.6
R330113		0.13	29.5	490	2.4	2.7	0.007	0.39	<0.05	5.6	0.7	0.3	26.0	<0.01	0.03	0.3
R330114		0.17	30.6	480	1.7	2.2	0.004	0.82	<0.05	6.2	0.9	0.3	30.1	<0.01	0.04	0.2
R330115		0.09	55.4	620	1.1	2.2	0.004	0.42	<0.05	4.0	0.6	0.3	27.4	<0.01	0.02	0.7
R330116		0.10	40.6	480	1.3	0.8	0.005	0.95	<0.05	7.0	0.8	0.3	30.7	<0.01	0.02	0.3
R330117		0.13	25.8	460	1.1	1.8	0.005	0.32	<0.05	7.3	0.8	0.3	37.3	<0.01	0.03	0.2
R330118		0.13	22.4	510	1.4	2.3	0.006	0.32	<0.05	6.2	0.7	0.2	35.9	<0.01	0.03	0.2
R330119		0.17	28.1	480	2.5	2.0	0.007	0.39	<0.05	6.9	0.8	0.3	45.9	<0.01	0.04	0.2
R330120		0.09	14.8	460	109.0	12.3	0.189	4.84	2.79	1.3	8.0	1.6	35.6	<0.01	1.00	1.1
R330121		0.14	32.9	470	2.4	2.3	0.006	0.98	<0.05	7.4	1.3	0.4	79.6	<0.01	0.04	0.2
R330122		0.24	26.0	510	1.9	1.8	0.004	0.65	<0.05	7.3	1.1	0.4	55.7	<0.01	0.05	0.2
R330123		0.29	20.6	470	1.9	2.1	0.002	0.34	<0.05	6.4	0.8	0.3	33.0	<0.01	0.04	0.2
R330124		0.27	20.6	480	2.3	2.1	0.006	0.34	<0.05	6.9	0.6	0.4	52.1	<0.01	0.04	0.2
R330125		0.19	19.6	420	1.9	1.2	0.001	0.39	<0.05	4.9	0.6	0.3	66.6	<0.01	0.02	0.2
R330126		0.14	18.3	550	1.7	2.4	0.004	0.31	<0.05	7.8	0.5	0.3	51.2	<0.01	0.03	0.2
R330127		0.10	26.6	500	1.5	1.9	0.003	0.46	<0.05	19.8	0.9	0.5	33.1	<0.01	0.03	0.2
R330128		0.07	29.2	480	1.0	2.6	0.004	0.39	<0.05	23.5	0.9	0.5	29.1	<0.01	0.04	0.2
R330129		0.10	29.1	510	2.1	2.6	0.004	0.65	<0.05	11.5	0.9	0.3	24.5	<0.01	0.06	0.2
R330130		0.10	31.1	500	2.0	2.6	0.003	0.63	0.05	12.4	0.7	0.4	27.4	<0.01	0.06	0.2
R330131		0.12	29.4	480	1.6	2.1	0.005	0.46	<0.05	9.7	0.9	0.3	47.4	<0.01	0.04	0.2
R330132		0.13	29.4	500	1.6	3.6	0.008	0.62	<0.05	9.5	1.2	0.4	35.6	<0.01	0.06	0.2
R330133		0.34	25.8	500	2.9	1.0	0.003	1.53	0.05	12.8	1.3	0.4	36.8	<0.01	0.20	0.2
R330134		0.22	27.5	510	4.0	2.6	0.005	0.51	0.05	7.9	0.9	0.3	37.9	<0.01	0.05	0.2
R330135		0.14	26.5	490	3.8	3.6	0.004	0.53	<0.05	8.6	1.0	0.3	42.5	<0.01	0.06	0.2
R330136		0.17	31.4	500	3.6	3.2	0.005	0.68	<0.05	8.4	1.3	0.3	41.0	<0.01	0.07	0.2
R330137		0.11	90.4	490	6.1	1.4	0.005	0.52	0.05	6.5	0.6	0.3	63.2	<0.01	0.06	0.2
R330138		0.23	26.2	430	1.6	1.5	0.018	0.33	0.07	6.8	0.9	0.4	129.0	<0.01	0.04	0.2
R330139		0.12	30.1	490	1.4	1.1	0.009	0.44	<0.05	14.2	0.9	0.3	42.0	<0.01	0.04	0.2
R330140		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330101		0.266	<0.02	0.07	139	0.41	9.72	71	3.8
R330102		0.135	<0.02	0.08	61	0.24	4.19	60	6.0
R330103		0.200	<0.02	0.12	108	0.27	6.90	69	7.5
R330104		0.121	0.02	0.09	44	0.28	3.11	41	9.3
R330105		0.327	<0.02	0.10	165	0.56	10.30	76	4.3
R330106		0.193	0.02	0.11	81	0.32	5.72	50	6.6
R330107		0.197	0.04	0.15	108	0.32	7.41	60	6.0
R330108		0.229	<0.02	<0.05	164	0.32	8.43	68	2.7
R330109		0.276	0.02	<0.05	174	0.35	11.75	66	3.0
R330110		<0.005	<0.02	0.07	<1	<0.05	0.58	<2	0.8
R330111		0.322	0.02	0.05	181	0.48	9.74	82	3.8
R330112		0.253	<0.02	0.09	147	0.38	7.96	62	5.4
R330113		0.293	0.02	0.06	159	0.35	9.42	58	4.2
R330114		0.317	0.02	0.06	177	0.34	10.20	64	3.9
R330115		0.214	0.02	0.09	115	0.27	7.30	69	5.3
R330116		0.311	<0.02	0.06	190	0.43	9.48	91	3.7
R330117		0.289	<0.02	<0.05	212	0.33	9.68	73	3.2
R330118		0.287	0.02	<0.05	173	0.31	9.91	72	2.5
R330119		0.345	0.02	<0.05	185	0.40	10.65	69	4.0
R330120		0.012	0.30	0.16	17	2.81	2.40	783	<0.5
R330121		0.383	<0.02	0.05	181	0.63	12.10	72	4.2
R330122		0.381	<0.02	<0.05	173	0.53	10.80	62	4.3
R330123		0.295	0.02	<0.05	164	0.39	9.91	47	4.1
R330124		0.315	0.02	<0.05	159	0.45	9.68	52	4.4
R330125		0.275	<0.02	0.08	157	0.49	8.04	63	3.1
R330126		0.293	0.02	<0.05	194	0.51	11.05	75	3.0
R330127		0.301	0.02	0.07	276	0.59	14.05	105	2.9
R330128		0.286	0.02	<0.05	306	0.63	14.25	114	2.9
R330129		0.310	0.02	<0.05	226	0.64	10.85	99	2.9
R330130		0.325	0.02	<0.05	238	0.66	11.65	104	3.0
R330131		0.308	<0.02	0.05	192	0.74	11.10	90	3.4
R330132		0.268	0.03	<0.05	187	0.38	9.74	86	2.6
R330133		0.378	<0.02	0.06	186	1.03	12.30	63	4.0
R330134		0.308	0.02	<0.05	178	0.45	10.25	64	3.7
R330135		0.298	0.03	<0.05	163	0.31	10.10	66	3.1
R330136		0.302	0.03	0.05	179	0.37	10.00	62	3.3
R330137		0.330	0.02	0.05	150	0.44	9.36	83	4.4
R330138		0.367	<0.02	0.05	142	0.40	10.70	55	5.7
R330139		0.327	<0.02	<0.05	201	0.50	11.30	93	3.0
R330140		<0.005	<0.02	0.08	<1	<0.05	0.63	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330141		3.63	0.001	0.08	1.97	0.5	<0.2	<10	10	0.25	0.11	1.49	0.03	6.87	36.6	33
R330142		3.34	0.002	0.09	1.71	0.8	<0.2	<10	<10	0.22	0.08	2.05	0.02	6.22	37.4	35
R330143		2.68	0.001	0.54	2.06	0.6	<0.2	<10	10	0.31	0.09	2.88	0.03	11.85	38.1	97
R330144		2.55	<0.001	0.03	0.87	0.4	<0.2	<10	20	0.25	0.09	1.73	0.05	43.9	7.7	32
R330145		2.43	<0.001	0.07	0.87	0.3	<0.2	<10	30	0.34	0.07	1.41	0.04	50.6	7.6	30
R330146		3.91	0.004	0.08	1.79	0.5	<0.2	<10	10	0.31	0.38	2.27	0.02	7.22	39.7	39
R330147		3.58	0.003	0.09	1.79	0.8	<0.2	<10	10	0.24	0.18	1.66	0.03	6.30	42.5	38
R330148		3.40	0.001	0.05	1.85	0.6	<0.2	<10	10	0.20	0.03	1.41	0.04	7.18	28.4	28
R330149		2.99	0.002	0.08	1.96	1.0	<0.2	<10	10	0.26	0.07	2.05	0.05	6.09	34.7	32
R330150		0.07	0.900	6.24	1.11	42.3	0.7	<10	50	0.25	1.14	0.42	5.32	5.29	14.5	20
R330151		0.75	0.002	0.45	1.56	0.9	<0.2	<10	10	0.46	0.18	1.95	0.09	7.17	32.8	29
R330152		3.54	0.007	0.11	1.85	0.6	<0.2	<10	10	0.30	0.10	1.74	0.03	5.61	40.5	32
R330153		3.19	0.002	0.07	1.40	0.5	<0.2	<10	10	0.20	0.08	2.09	0.06	5.59	41.5	31
R330154		3.07	0.002	0.07	1.61	0.7	<0.2	<10	<10	0.25	0.13	2.28	0.03	6.31	40.9	36
R330155		3.58	0.001	0.06	1.68	0.6	<0.2	<10	<10	0.22	0.09	1.84	0.04	5.32	35.4	30
R330156		2.34	0.002	0.08	1.92	0.9	<0.2	<10	10	0.25	0.07	1.77	0.04	5.26	43.8	33
R330157		2.02	0.002	0.07	2.38	1.2	<0.2	<10	<10	0.27	0.11	2.54	0.04	5.40	49.5	38
R330158		2.15	0.087	0.07	3.03	3.6	<0.2	<10	10	0.49	0.17	8.39	0.05	5.14	49.4	18
R330159		1.70	0.424	0.13	3.23	3.1	0.3	<10	20	0.73	0.35	6.85	0.05	6.87	58.1	22
R330160		<0.02	0.328	0.14	3.26	3.2	0.3	<10	20	0.68	0.34	7.78	0.07	6.68	55.6	20
R330161		3.58	0.008	0.09	1.82	0.8	<0.2	<10	<10	0.36	0.07	1.55	0.04	5.37	44.3	37
R330162		1.28	0.001	0.15	1.77	0.7	<0.2	<10	10	0.51	0.28	2.19	0.08	8.60	32.1	30
R330163		3.60	0.001	0.12	1.73	0.2	<0.2	<10	10	0.22	0.08	1.54	0.05	5.81	38.9	34
R330164		3.69	0.002	0.07	1.33	0.3	<0.2	<10	10	0.18	0.10	1.40	0.05	5.67	32.1	34
R330165		2.37	0.001	0.09	1.77	0.2	<0.2	<10	10	0.17	0.07	1.13	0.03	5.90	39.4	31
R330166		2.29	0.002	0.09	2.15	0.8	<0.2	<10	10	0.19	0.09	2.27	0.05	5.34	43.4	26
R330167		3.56	0.032	0.12	2.48	0.8	<0.2	<10	<10	0.51	0.53	4.40	0.05	6.24	48.4	35
R330168		3.45	0.003	0.08	1.99	0.6	<0.2	<10	10	0.24	0.16	2.01	0.02	6.76	47.2	40
R330169		3.55	0.001	0.10	1.82	0.6	<0.2	<10	10	0.24	0.09	1.86	0.05	6.15	46.4	34
R330170		0.09	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.92	0.1	<1
R330171		4.00	0.001	0.10	1.81	0.5	<0.2	<10	10	0.22	0.08	1.63	0.03	6.46	48.4	27
R330172		1.43	0.002	0.08	1.69	0.6	<0.2	<10	10	0.36	0.14	2.31	0.04	5.26	47.7	30
R330173		2.18	0.103	0.15	1.39	0.3	<0.2	<10	10	0.39	0.42	2.02	0.07	7.52	33.9	20
R330174		2.03	0.023	0.08	1.54	0.3	<0.2	<10	20	0.59	0.49	4.80	0.05	5.51	34.9	9
R330175		2.24	0.504	0.14	1.66	0.6	0.4	<10	20	0.75	0.66	6.13	0.03	5.30	40.1	7
R330176		1.13	0.158	0.12	0.22	0.1	<0.2	<10	20	0.22	0.38	0.84	0.01	7.38	1.4	9
R330177		3.20	0.171	0.22	2.13	0.4	0.2	<10	30	0.58	0.71	6.23	0.07	4.47	45.9	19
R330178		3.13	0.068	0.04	2.30	0.7	<0.2	<10	10	0.42	0.23	7.25	0.02	4.40	46.1	23
R330179		2.70	4.63	0.10	0.20	0.2	0.3	<10	10	0.13	0.77	0.66	0.15	6.84	4.2	9
R330180		0.06	8.80	9.64	1.65	11.3	8.9	<10	30	0.51	0.07	3.77	0.29	19.45	10.7	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330141		0.31	170.0	6.26	8.42	0.17	0.15	0.01	0.023	0.04	2.4	17.4	1.25	627	1.09	0.09
R330142		0.23	176.5	6.34	7.22	0.16	0.16	0.01	0.015	0.03	2.2	14.7	1.06	582	1.15	0.08
R330143		0.41	126.0	5.77	7.83	0.12	0.35	0.01	0.022	0.06	4.7	20.3	1.43	659	1.58	0.07
R330144		0.23	20.3	2.29	5.91	0.12	0.81	0.01	0.009	0.06	21.3	8.8	0.64	316	0.25	0.06
R330145		0.23	15.6	2.14	5.64	0.11	0.75	0.01	0.012	0.08	25.2	8.8	0.66	301	0.38	0.07
R330146		0.32	174.5	6.26	8.04	0.14	0.21	0.01	0.019	0.04	2.7	15.3	1.09	659	0.97	0.07
R330147		0.26	168.5	6.10	7.53	0.18	0.20	0.01	0.018	0.03	2.3	15.7	0.98	665	0.87	0.08
R330148		0.51	156.5	5.29	7.66	0.14	0.14	0.01	0.023	0.06	2.5	14.2	1.04	572	1.27	0.14
R330149		0.50	160.0	5.88	8.01	0.15	0.15	0.01	0.023	0.05	2.3	13.5	1.05	646	2.17	0.12
R330150		3.69	7050	6.63	3.13	0.08	<0.02	0.06	0.323	0.29	2.6	11.1	0.31	629	143.0	0.02
R330151		0.42	137.5	5.04	6.71	0.15	1.25	0.01	0.018	0.05	3.5	9.3	0.76	646	2.18	0.09
R330152		0.48	176.0	6.01	7.60	0.17	0.19	0.01	0.024	0.05	2.2	13.4	1.00	648	1.11	0.11
R330153		0.29	180.0	5.21	6.01	0.16	0.21	0.01	0.020	0.04	2.2	8.3	0.67	653	0.86	0.10
R330154		0.27	180.5	6.41	7.07	0.19	0.22	0.01	0.020	0.02	2.4	9.4	0.82	764	1.70	0.08
R330155		0.26	147.0	5.57	6.97	0.19	0.26	<0.01	0.017	0.02	2.2	9.9	0.84	676	1.29	0.07
R330156		0.37	178.0	6.33	7.92	0.17	0.18	<0.01	0.022	0.05	2.0	11.4	1.06	757	2.03	0.11
R330157		0.94	187.5	7.98	9.28	0.18	0.25	0.01	0.033	0.02	2.1	10.9	1.30	950	1.44	0.06
R330158		1.58	160.0	9.56	7.22	0.08	0.05	0.01	0.051	0.17	1.9	37.1	1.36	1320	2.27	0.02
R330159		2.82	197.5	10.75	8.74	0.08	0.07	0.01	0.067	0.22	2.4	23.4	1.45	1660	2.02	0.02
R330160		2.71	198.5	10.80	8.56	0.08	0.04	<0.01	0.065	0.22	2.3	23.2	1.46	1660	2.00	0.02
R330161		0.24	182.0	7.14	7.28	0.16	0.19	0.01	0.020	0.02	2.0	9.8	0.95	743	1.61	0.07
R330162		0.38	116.5	5.61	7.35	0.17	0.70	0.01	0.018	0.04	4.6	11.4	0.93	656	1.50	0.07
R330163		0.81	169.5	6.25	7.35	0.17	0.17	0.01	0.022	0.08	2.2	11.0	0.87	610	2.10	0.15
R330164		0.39	159.0	5.96	6.28	0.15	0.17	<0.01	0.017	0.04	2.1	7.2	0.68	491	1.30	0.12
R330165		0.47	153.0	6.12	7.33	0.17	0.14	<0.01	0.016	0.04	2.1	11.2	0.98	566	2.96	0.11
R330166		0.17	146.0	7.26	9.23	0.19	0.18	<0.01	0.024	0.02	2.0	14.1	1.29	829	2.57	0.07
R330167		0.23	159.0	9.69	12.10	0.20	0.14	<0.01	0.045	0.02	2.1	17.7	1.86	1010	2.08	0.06
R330168		0.18	174.5	7.45	8.75	0.15	0.21	<0.01	0.022	0.02	2.4	12.8	1.22	794	1.95	0.09
R330169		0.29	167.0	6.51	8.03	0.18	0.21	<0.01	0.019	0.03	2.3	10.8	1.06	773	1.97	0.08
R330170		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R330171		0.31	167.0	6.86	7.96	0.16	0.20	<0.01	0.021	0.03	2.3	11.2	1.05	758	1.37	0.08
R330172		0.20	217	6.47	6.73	0.18	0.27	<0.01	0.019	0.03	2.3	9.5	0.93	689	1.28	0.06
R330173		0.47	126.5	5.97	5.21	0.07	1.06	0.01	0.018	0.08	4.2	10.0	0.95	900	1.22	0.05
R330174		1.00	143.0	7.81	5.94	0.05	0.52	0.01	0.026	0.16	2.6	11.3	1.18	1170	1.91	0.03
R330175		1.06	180.0	8.48	6.36	<0.05	0.43	0.01	0.030	0.25	2.8	10.3	0.96	1120	2.36	0.01
R330176		0.09	26.1	1.19	1.37	<0.05	3.42	0.01	0.007	0.04	4.2	2.0	0.08	163	1.77	0.06
R330177		0.78	164.0	9.81	5.86	0.05	0.07	0.01	0.047	0.11	1.9	19.9	1.28	1580	1.76	0.03
R330178		0.56	155.5	9.57	5.97	0.05	0.04	0.01	0.029	0.20	1.9	15.3	1.08	1260	1.21	0.01
R330179		0.26	18.0	1.30	1.18	<0.05	1.35	0.01	0.006	0.05	3.9	1.7	0.09	150	16.40	0.06
R330180		2.20	64.2	2.96	6.26	0.12	0.59	0.15	0.027	0.13	9.0	20.2	1.05	774	4.41	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330141		0.13	28.8	490	2.0	2.3	0.004	0.35	<0.05	8.4	0.7	0.4	37.4	<0.01	0.04	0.2
R330142		0.18	30.0	500	1.6	1.4	0.003	0.60	<0.05	6.7	0.8	0.3	43.7	<0.01	0.07	0.2
R330143		0.10	79.5	540	1.4	4.2	0.004	0.43	<0.05	9.5	0.8	0.3	40.0	<0.01	0.28	0.7
R330144		0.49	13.9	880	7.5	2.6	<0.001	0.07	<0.05	2.2	0.2	0.5	55.5	<0.01	0.02	4.5
R330145		0.44	12.5	850	8.8	3.0	<0.001	0.06	<0.05	2.5	0.3	0.7	52.8	<0.01	0.04	5.1
R330146		0.15	31.8	490	1.4	2.3	0.002	0.60	<0.05	11.3	0.8	0.3	34.6	<0.01	0.07	0.3
R330147		0.20	33.9	490	1.7	1.5	0.002	0.65	<0.05	8.5	1.1	0.3	41.6	<0.01	0.09	0.2
R330148		0.09	21.1	500	2.7	3.8	0.003	0.27	<0.05	8.5	0.9	0.3	38.1	<0.01	0.04	0.2
R330149		0.11	26.7	490	1.1	3.4	0.007	0.47	<0.05	11.2	0.9	0.4	29.0	<0.01	0.06	0.2
R330150		0.09	15.5	480	111.0	14.2	0.211	5.11	2.84	1.4	8.3	1.9	36.3	<0.01	1.07	1.1
R330151		0.36	25.0	400	13.1	3.8	0.004	0.71	<0.05	7.7	0.9	0.3	24.6	<0.01	0.08	4.8
R330152		0.17	29.2	510	1.7	3.6	0.003	0.77	<0.05	9.6	0.8	0.4	27.3	<0.01	0.09	0.2
R330153		0.29	26.4	520	1.0	2.5	0.002	0.53	<0.05	7.9	1.0	0.3	35.4	<0.01	0.07	0.2
R330154		0.23	31.1	500	1.0	1.1	0.009	0.70	0.05	8.2	0.8	0.4	50.1	<0.01	0.08	0.2
R330155		0.22	26.3	470	0.8	1.1	0.004	0.45	<0.05	6.8	0.7	0.3	45.2	<0.01	0.05	0.3
R330156		0.14	33.4	510	0.9	1.6	0.011	0.70	<0.05	10.2	1.1	0.5	27.4	<0.01	0.07	0.2
R330157		0.12	37.0	490	0.9	1.4	0.007	0.93	0.05	14.3	1.5	0.3	33.4	<0.01	0.12	<0.2
R330158		<0.05	32.7	440	0.7	15.2	0.012	0.99	0.06	19.7	1.0	<0.2	100.5	<0.01	0.12	<0.2
R330159		<0.05	37.9	760	1.5	18.5	0.011	1.73	0.11	24.9	1.0	0.2	161.0	<0.01	0.17	<0.2
R330160		<0.05	36.1	780	1.4	17.6	0.011	1.69	0.10	24.9	1.1	0.2	165.5	<0.01	0.15	<0.2
R330161		0.24	32.1	500	0.8	1.3	0.006	0.65	<0.05	7.9	1.1	0.3	27.5	<0.01	0.07	0.2
R330162		0.29	24.4	390	2.2	2.0	0.003	0.47	0.06	7.7	0.7	0.5	63.8	<0.01	0.05	3.0
R330163		0.16	30.0	500	2.0	5.1	0.008	0.68	<0.05	9.1	1.0	0.3	25.1	<0.01	0.08	0.3
R330164		0.25	24.0	500	1.3	2.4	0.004	0.53	<0.05	7.3	0.8	0.4	24.0	<0.01	0.04	0.2
R330165		0.12	29.2	500	0.9	2.8	0.014	0.62	<0.05	7.7	0.7	0.2	21.1	<0.01	0.07	0.2
R330166		0.14	27.0	490	0.7	1.1	0.012	0.76	<0.05	12.3	0.9	0.4	25.5	<0.01	0.08	0.2
R330167		0.10	33.2	500	1.9	1.1	0.007	1.21	<0.05	23.2	1.2	0.4	39.7	<0.01	0.14	0.2
R330168		0.17	36.1	530	1.0	1.0	0.007	0.81	<0.05	9.1	1.1	0.4	33.8	<0.01	0.10	0.2
R330169		0.22	34.6	500	1.3	1.4	0.008	0.89	<0.05	8.6	1.2	0.3	28.6	<0.01	0.11	0.2
R330170		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330171		0.22	31.4	540	1.2	1.8	0.006	0.96	<0.05	9.2	1.1	0.4	24.2	<0.01	0.10	0.2
R330172		0.42	30.7	510	1.1	2.2	0.006	0.94	<0.05	7.3	1.1	0.3	35.3	<0.01	0.09	0.2
R330173		0.14	23.7	340	10.6	5.6	0.003	0.96	0.07	6.5	0.9	0.4	30.4	<0.01	0.17	4.9
R330174		<0.05	17.3	400	2.9	13.0	0.009	1.15	0.06	9.0	0.6	0.2	50.7	<0.01	0.13	2.3
R330175		<0.05	17.7	480	2.4	13.2	0.014	1.56	0.07	9.0	1.1	0.2	81.0	<0.01	0.27	2.5
R330176		0.07	1.4	30	3.7	1.5	0.001	0.43	0.05	0.7	0.2	<0.2	9.0	<0.01	0.15	18.0
R330177		<0.05	33.3	500	2.0	6.3	0.003	2.34	0.06	15.4	1.2	<0.2	212	<0.01	0.54	0.2
R330178		<0.05	32.4	460	0.7	8.7	0.003	0.96	0.05	9.8	0.7	<0.2	78.0	<0.01	0.24	0.2
R330179		<0.05	3.5	130	9.7	1.4	0.004	0.73	0.09	1.0	0.2	0.4	27.5	<0.01	0.45	6.7
R330180		0.13	9.9	620	15.5	5.6	0.002	0.43	0.37	8.5	0.7	0.5	104.5	<0.01	4.23	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330141		0.292	0.02	<0.05	174	0.38	10.25	82	2.9
R330142		0.314	<0.02	0.07	161	0.38	9.41	71	3.3
R330143		0.233	0.03	0.18	154	0.43	9.36	71	9.4
R330144		0.156	0.02	1.23	36	0.46	5.96	46	38.6
R330145		0.161	0.02	1.33	38	0.48	6.37	48	36.6
R330146		0.317	0.02	0.08	180	0.65	10.15	82	4.8
R330147		0.349	<0.02	<0.05	180	0.47	10.90	77	4.6
R330148		0.248	0.02	0.06	160	0.26	10.65	68	2.8
R330149		0.266	0.03	<0.05	173	0.35	10.25	71	3.4
R330150		0.013	0.32	0.16	18	2.09	2.70	851	<0.5
R330151		0.278	0.03	2.62	144	0.48	8.58	69	28.5
R330152		0.303	0.03	0.08	169	0.48	10.05	77	3.7
R330153		0.326	0.02	<0.05	152	0.41	9.39	59	4.4
R330154		0.342	<0.02	0.05	177	0.56	10.10	70	4.7
R330155		0.305	<0.02	0.13	156	0.42	9.02	68	5.4
R330156		0.318	0.02	<0.05	169	0.40	10.00	95	4.1
R330157		0.321	0.02	<0.05	208	0.42	10.75	92	5.1
R330158		0.046	0.08	<0.05	94	0.21	10.25	96	1.1
R330159		0.050	0.12	<0.05	130	0.49	10.35	116	1.1
R330160		0.045	0.11	<0.05	128	0.45	10.10	116	1.0
R330161		0.312	<0.02	0.05	191	0.40	9.44	77	4.2
R330162		0.326	0.02	1.31	149	0.63	9.07	71	15.5
R330163		0.278	0.05	0.10	185	0.42	9.44	66	3.7
R330164		0.291	0.03	0.05	182	0.30	9.47	54	3.3
R330165		0.258	0.03	<0.05	172	0.27	8.40	66	2.7
R330166		0.312	<0.02	<0.05	196	0.35	10.20	93	3.5
R330167		0.306	0.02	0.06	258	0.66	13.60	125	3.1
R330168		0.321	0.02	<0.05	195	0.40	10.35	87	3.8
R330169		0.318	0.06	<0.05	174	0.37	9.73	80	4.5
R330170		<0.005	<0.02	0.10	<1	<0.05	0.63	<2	0.8
R330171		0.309	0.03	<0.05	192	0.39	9.96	79	4.2
R330172		0.361	0.02	0.08	171	0.40	10.10	73	6.1
R330173		0.208	0.05	2.16	117	0.32	7.05	84	24.4
R330174		0.089	0.09	1.03	124	0.17	8.37	89	12.4
R330175		0.015	0.08	1.23	113	0.24	9.33	65	11.8
R330176		<0.005	<0.02	7.41	3	0.11	8.87	5	79.8
R330177		0.020	0.04	0.15	129	0.23	8.05	86	2.0
R330178		0.018	0.05	0.07	107	0.12	4.51	75	1.1
R330179		<0.005	<0.02	2.73	6	0.10	2.87	18	32.1
R330180		0.135	0.08	0.41	76	0.44	7.87	63	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330181		2.25	0.024	0.05	2.20	0.4	<0.2	<10	20	0.62	1.49	6.10	0.04	4.55	43.7	20
R330182		3.36	3.63	0.41	0.14	0.2	3.1	<10	10	0.10	0.92	0.46	0.03	3.61	3.8	13
R330183		3.17	0.060	0.12	0.14	<0.1	0.4	<10	10	0.09	0.52	0.63	<0.01	6.97	2.5	14
R330184		1.07	0.662	0.35	1.46	0.4	0.8	<10	10	0.89	2.09	4.86	0.03	5.32	39.4	13
R330185		2.29	0.026	0.04	1.97	0.3	<0.2	<10	10	0.56	0.28	8.03	0.04	4.74	46.7	18
R330186		2.17	0.219	0.07	2.30	0.2	<0.2	<10	10	1.08	0.48	6.75	0.03	4.85	49.8	12
R330187		1.12	0.973	0.38	1.58	0.3	0.9	<10	10	1.70	4.90	7.84	0.01	7.23	45.7	18
R330188		2.70	0.043	0.16	0.38	0.2	<0.2	<10	30	0.14	0.66	1.43	0.09	19.10	6.9	12
R330189		2.65	0.070	0.10	0.26	0.1	<0.2	<10	10	0.23	0.44	1.10	0.10	17.75	4.5	14
R330190		<0.02	0.083	0.14	0.28	0.2	<0.2	<10	10	0.22	0.45	1.10	0.12	18.60	4.9	17
R330191		3.09	0.023	0.04	0.66	<0.1	<0.2	<10	20	0.65	0.18	0.93	0.04	30.1	3.3	16
R330192		3.19	0.052	0.05	0.36	0.1	<0.2	<10	30	0.27	0.44	1.28	0.01	18.50	3.1	19
R330193		3.09	1.580	0.06	0.37	<0.1	<0.2	<10	20	0.31	0.71	1.09	0.01	20.9	2.9	15
R330194		3.00	0.079	0.09	0.36	0.1	<0.2	<10	30	0.37	1.15	1.25	0.01	18.65	3.8	14
R330195		3.00	0.031	0.07	0.28	<0.1	<0.2	<10	20	0.21	0.74	1.32	0.01	15.50	3.6	13
R330196		0.97	1.500	0.45	0.09	0.2	0.5	<10	130	0.21	18.25	4.21	<0.01	30.3	5.1	17
R330197		0.79	3.04	3.82	0.55	0.5	1.8	<10	30	0.61	67.8	4.45	<0.01	91.4	19.3	14
R330198		1.51	0.052	0.11	0.43	0.1	<0.2	<10	80	0.36	0.79	1.34	<0.01	24.8	3.6	16
R330199		0.58	0.344	0.07	0.32	<0.1	<0.2	<10	270	0.25	1.64	1.06	<0.01	29.9	3.0	14
R330200		1.14	0.004	0.02	0.34	0.1	<0.2	<10	390	0.26	0.49	1.08	0.01	28.6	3.3	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330181		0.93	166.5	8.22	7.04	<0.05	0.04	0.01	0.035	0.22	2.2	14.8	1.46	1600	0.81	<0.01
R330182		0.10	208	1.34	0.82	<0.05	1.12	<0.01	0.010	0.02	2.4	1.4	0.06	108	6.59	0.06
R330183		0.06	151.5	1.12	1.01	<0.05	0.88	0.01	0.007	0.02	4.4	1.4	0.08	117	5.47	0.05
R330184		0.79	262	7.97	5.02	<0.05	0.69	0.01	0.028	0.09	2.6	18.9	1.15	1080	2.96	0.03
R330185		0.74	160.5	8.57	5.16	<0.05	0.02	0.01	0.033	0.21	2.0	19.8	1.18	1440	1.56	<0.01
R330186		1.21	169.0	8.06	6.19	<0.05	0.04	0.01	0.035	0.20	2.0	23.4	1.36	1260	1.70	0.01
R330187		0.41	3090	7.53	6.81	<0.05	0.27	0.01	0.084	0.14	2.7	15.6	0.99	931	1.55	0.03
R330188		0.05	760	1.70	2.84	<0.05	0.70	0.01	0.020	0.02	9.9	5.2	0.32	152	3.72	0.07
R330189		0.08	18.9	1.35	2.12	<0.05	0.74	0.01	0.006	0.01	9.5	3.0	0.19	129	1.13	0.06
R330190		0.08	20.0	1.38	2.22	<0.05	0.78	0.01	0.005	0.02	9.8	3.3	0.20	128	1.38	0.08
R330191		0.27	4.2	1.65	5.54	0.05	0.88	<0.01	0.009	0.03	16.6	9.2	0.58	190	0.50	0.07
R330192		0.19	4.9	1.36	2.95	<0.05	0.86	<0.01	0.007	0.04	9.9	4.2	0.27	167	2.48	0.06
R330193		0.17	3.2	1.42	3.14	0.05	0.97	<0.01	0.007	0.03	11.4	5.2	0.29	172	10.00	0.07
R330194		0.18	8.8	1.48	3.05	<0.05	0.95	<0.01	0.009	0.03	9.9	4.7	0.28	165	6.67	0.07
R330195		0.15	7.1	1.35	2.22	<0.05	0.86	0.01	0.008	0.03	8.1	3.2	0.20	155	5.31	0.07
R330196		<0.05	21.3	0.95	0.73	0.05	0.40	<0.01	0.040	0.01	16.6	1.0	0.05	327	1340	0.05
R330197		0.19	722	2.44	4.69	0.11	0.54	0.01	0.043	0.01	48.1	12.3	0.55	502	5940	0.04
R330198		0.27	58.2	1.32	3.49	<0.05	0.93	<0.01	0.012	0.05	13.0	7.3	0.36	197	51.2	0.06
R330199		0.38	10.6	1.50	2.16	<0.05	0.80	<0.01	0.009	0.06	16.3	5.0	0.22	200	147.5	0.07
R330200		0.58	9.0	1.47	2.27	<0.05	0.96	<0.01	0.009	0.07	15.9	5.5	0.25	229	1.85	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330181		<0.05	29.8	480	2.0	9.3	0.002	1.07	<0.05	11.4	1.0	<0.2	264	<0.01	0.17	0.2
R330182		<0.05	3.4	90	2.1	0.5	0.002	0.85	0.07	0.7	0.3	0.4	9.5	<0.01	0.41	5.9
R330183		<0.05	2.9	140	1.4	0.5	0.002	0.61	<0.05	1.0	0.2	<0.2	12.1	<0.01	0.20	4.0
R330184		<0.05	24.5	600	5.0	4.6	0.003	5.22	0.07	10.7	1.0	0.2	288	<0.01	1.77	2.8
R330185		<0.05	27.6	520	1.0	8.1	0.005	1.04	<0.05	8.6	1.0	<0.2	229	<0.01	0.16	<0.2
R330186		<0.05	26.2	530	0.9	9.9	0.006	1.33	<0.05	10.9	1.1	<0.2	83.6	<0.01	0.30	<0.2
R330187		<0.05	29.0	580	7.8	6.8	0.004	4.58	<0.05	13.8	1.8	<0.2	83.5	<0.01	2.49	0.8
R330188		0.16	5.5	470	2.0	0.5	0.002	0.94	0.07	1.6	0.2	0.5	19.0	<0.01	0.37	3.7
R330189		0.29	4.3	330	6.3	0.5	0.001	0.69	0.05	1.3	0.2	0.2	14.0	<0.01	0.27	3.5
R330190		0.33	4.6	350	6.4	0.6	<0.001	0.72	0.08	1.4	0.2	0.5	15.0	<0.01	0.30	4.0
R330191		0.21	6.1	380	2.3	1.2	<0.001	0.25	<0.05	1.8	0.4	0.3	16.2	<0.01	0.11	5.1
R330192		0.25	5.7	380	1.7	1.5	0.001	0.49	0.05	1.6	0.2	0.4	19.1	<0.01	0.19	4.6
R330193		0.24	4.9	390	1.7	1.4	0.003	0.43	<0.05	1.5	0.3	0.2	16.2	<0.01	0.32	5.3
R330194		0.23	5.5	440	2.7	1.1	0.003	0.70	0.05	1.7	0.4	0.5	28.8	<0.01	0.45	4.8
R330195		0.15	4.4	410	2.1	1.1	0.003	0.69	<0.05	1.5	0.4	<0.2	18.5	<0.01	0.23	4.7
R330196		0.06	3.0	380	37.8	0.2	0.369	0.61	0.06	1.0	1.2	0.4	83.2	<0.01	7.34	1.5
R330197		<0.05	9.1	350	102.0	0.6	1.730	1.92	0.06	1.8	5.2	<0.2	33.8	<0.01	20.6	3.2
R330198		0.13	5.0	400	2.2	2.3	0.015	0.35	0.06	1.4	0.3	0.4	19.0	<0.01	0.20	5.1
R330199		0.06	5.0	390	8.0	2.7	0.043	0.44	<0.05	1.2	0.5	<0.2	31.0	<0.01	0.63	4.5
R330200		0.16	5.0	420	2.7	4.9	0.001	0.36	0.05	1.2	0.3	0.4	36.5	<0.01	0.10	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330181		0.006	0.06	0.07	119	0.12	7.17	52	1.1
R330182		<0.005	<0.02	1.75	3	0.09	2.10	5	25.8
R330183		<0.005	<0.02	1.22	3	0.09	2.19	2	20.8
R330184		<0.005	0.02	1.29	62	0.39	10.65	41	18.3
R330185		0.005	0.05	<0.05	92	0.34	8.60	58	0.7
R330186		0.014	0.06	<0.05	101	0.39	11.70	58	0.8
R330187		0.033	0.04	0.37	102	0.63	16.90	34	7.7
R330188		0.016	<0.02	1.13	8	0.18	3.59	14	18.3
R330189		0.022	<0.02	1.27	10	0.20	3.32	15	18.8
R330190		0.025	<0.02	1.34	11	0.24	3.45	15	20.5
R330191		0.036	<0.02	1.85	23	0.25	5.57	21	23.8
R330192		0.027	<0.02	1.75	17	0.35	3.62	11	23.0
R330193		0.024	<0.02	2.12	16	0.33	3.87	11	24.1
R330194		0.023	<0.02	1.91	16	2.45	4.38	10	25.1
R330195		0.013	<0.02	1.80	14	0.22	3.56	8	22.5
R330196		<0.005	0.04	0.66	3	0.11	11.60	2	9.5
R330197		<0.005	1.36	1.69	21	0.26	9.55	19	14.8
R330198		0.017	0.03	2.04	19	0.23	3.94	14	24.3
R330199		0.005	0.02	1.88	12	0.12	3.89	13	20.7
R330200		0.018	0.03	2.01	15	0.11	3.96	20	24.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114163

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
This copy reported on
26-AUG-2015
Account: OBMICO

CERTIFICATE SD15114168

Project: Miller

This report is for 133 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 31-JUL-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330201		0.77	0.671	0.89	0.18	0.2	<0.2	<10	60	0.15	73.9	1.29	0.02	16.60	3.2	15
R330202		2.32	0.038	0.04	0.37	0.3	<0.2	<10	210	0.32	0.35	1.18	0.01	30.4	3.0	17
R330203		2.41	0.012	0.03	0.44	0.1	<0.2	<10	80	0.32	0.47	0.89	0.01	26.4	3.5	17
R330204		0.59	0.009	0.05	0.28	0.2	<0.2	<10	170	0.30	0.52	1.29	0.01	26.8	3.0	18
R330205		3.11	0.006	0.02	0.31	0.2	<0.2	<10	460	0.27	0.34	1.27	0.01	26.4	3.1	14
R330206		3.04	0.020	0.09	0.40	0.4	<0.2	<10	370	0.31	0.48	0.98	0.01	32.2	3.7	17
R330207		3.32	0.014	0.05	0.43	0.1	<0.2	<10	240	0.34	0.57	0.91	0.01	30.9	3.5	20
R330208		0.63	0.125	0.17	0.35	0.1	0.2	<10	220	0.44	2.48	1.19	<0.01	24.9	3.7	19
R330209		3.23	0.028	0.04	0.47	0.3	<0.2	<10	190	0.41	0.17	0.93	0.02	37.2	4.0	19
R330210		0.09	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.02	0.1	<1
R330211		3.30	0.215	0.07	0.40	0.2	<0.2	<10	150	0.35	0.88	1.19	0.01	30.3	3.4	20
R330212		3.14	0.014	0.05	0.44	0.2	<0.2	<10	60	0.47	0.56	0.99	0.01	26.7	3.2	18
R330213		3.43	0.006	0.03	0.43	0.3	<0.2	<10	110	0.35	0.33	0.95	0.01	33.7	3.7	20
R330214		2.54	0.001	0.01	0.59	0.2	<0.2	<10	80	0.46	0.09	0.70	0.01	36.6	3.3	20
R330215		2.36	0.013	0.04	0.42	0.3	<0.2	<10	100	0.34	0.37	0.79	0.02	27.5	3.0	21
R330216		0.74	0.056	0.27	0.22	0.2	0.2	<10	50	0.21	1.88	0.97	<0.01	16.00	3.2	17
R330217		3.50	0.013	0.06	0.42	0.2	<0.2	<10	220	0.35	0.49	0.97	0.02	29.7	3.3	22
R330218		2.91	0.013	0.03	0.47	0.3	<0.2	<10	110	0.33	0.27	0.83	0.01	32.7	3.1	20
R330219		3.38	0.019	0.05	0.48	0.3	<0.2	<10	170	0.41	0.32	0.92	0.01	40.2	3.5	21
R330220		0.07	2.38	4.95	1.71	20.3	2.6	<10	40	0.67	0.08	3.83	0.38	22.8	11.8	26
R330221		3.50	0.012	0.06	0.46	0.2	<0.2	<10	150	0.34	0.45	1.00	0.01	39.1	3.4	23
R330222		3.50	0.006	0.03	0.60	0.2	<0.2	<10	90	0.38	0.07	0.68	0.01	39.0	3.3	21
R330223		3.66	0.009	0.04	0.49	0.2	<0.2	<10	150	0.37	0.32	0.85	0.01	33.3	3.3	19
R330224		3.64	0.531	0.16	0.43	0.2	0.3	<10	180	0.37	3.23	1.19	0.01	31.9	3.6	22
R330225		3.31	0.007	0.02	0.48	0.2	<0.2	<10	70	0.28	0.18	1.00	<0.01	51.5	2.9	21
R330226		2.48	0.021	0.05	0.41	0.3	<0.2	<10	310	0.32	0.50	0.95	0.01	26.0	3.3	20
R330227		3.27	0.002	0.02	0.60	0.2	<0.2	<10	120	0.49	0.14	0.90	0.01	38.2	3.7	22
R330228		2.10	0.004	0.02	0.56	<0.1	<0.2	<10	330	0.35	0.20	0.81	0.01	38.7	3.5	19
R330229		2.00	<0.001	0.01	0.59	0.2	<0.2	<10	80	0.32	0.04	0.83	0.01	46.5	4.1	20
R330230		<0.02	<0.001	0.01	0.62	0.2	<0.2	<10	90	0.35	0.04	0.85	0.01	46.1	3.8	23
R330231		0.69	0.096	0.20	0.51	0.2	<0.2	<10	400	0.39	0.65	0.95	<0.01	33.5	3.8	19
R330232		3.12	<0.001	0.02	0.63	0.3	<0.2	<10	160	0.31	0.14	0.95	0.01	46.5	5.4	22
R330233		2.68	<0.001	0.02	0.59	0.2	<0.2	<10	430	0.32	0.21	1.01	0.01	42.6	4.4	26
R330234		2.16	0.001	0.06	2.36	0.3	<0.2	<10	30	1.10	0.33	3.58	0.04	29.6	34.5	151
R330235		1.84	0.003	0.13	2.00	0.5	<0.2	<10	10	0.68	0.34	1.42	0.03	17.75	50.3	21
R330236		1.27	0.096	0.10	0.74	0.3	<0.2	<10	20	0.46	0.45	2.10	0.02	30.3	8.0	25
R330237		2.36	0.007	0.19	1.71	0.8	<0.2	<10	20	0.60	1.54	5.27	0.05	9.19	45.7	24
R330238		3.96	0.001	0.11	1.55	0.7	<0.2	<10	10	0.31	0.33	2.13	0.03	8.47	42.4	25
R330239		4.24	0.001	0.23	1.99	0.8	<0.2	<10	10	0.32	0.64	2.51	0.04	7.18	44.7	23
R330240		0.10	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.12	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330201		0.11	25.9	1.56	1.12	<0.05	0.77	<0.01	0.007	0.02	8.6	1.5	0.09	203	7.41	0.09
R330202		0.35	10.5	1.46	2.31	<0.05	0.89	<0.01	0.007	0.09	16.8	4.9	0.24	218	0.71	0.07
R330203		0.28	7.1	1.51	3.19	<0.05	0.92	<0.01	0.009	0.06	14.4	6.9	0.37	199	1.00	0.06
R330204		0.15	11.2	1.52	1.69	<0.05	0.87	<0.01	0.007	0.08	14.6	2.2	0.11	197	2.15	0.11
R330205		0.23	10.5	1.38	1.97	<0.05	0.95	<0.01	0.008	0.06	14.4	3.6	0.20	230	1.47	0.07
R330206		0.40	12.6	1.53	2.73	0.05	0.92	<0.01	0.010	0.08	18.5	5.4	0.31	259	9.65	0.07
R330207		0.37	26.3	1.56	3.04	<0.05	0.89	<0.01	0.012	0.08	17.7	5.5	0.33	243	0.80	0.07
R330208		0.19	13.6	1.63	2.52	0.06	0.88	<0.01	0.008	0.06	12.9	3.5	0.19	213	195.0	0.11
R330209		0.40	11.9	1.57	3.26	0.07	1.07	0.01	0.010	0.09	20.2	6.0	0.37	283	0.67	0.07
R330210		<0.05	0.8	0.03	<0.05	<0.05	0.03	0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.10	<0.01
R330211		0.37	6.6	1.54	2.64	0.06	0.98	0.01	0.009	0.10	16.5	4.4	0.25	231	2.55	0.09
R330212		0.31	4.5	1.49	3.69	0.05	0.99	0.01	0.007	0.05	14.4	5.6	0.33	181	2.80	0.08
R330213		0.37	6.7	1.58	3.21	0.07	1.04	0.01	0.009	0.07	18.1	4.7	0.31	229	2.96	0.09
R330214		0.37	4.6	1.60	4.39	0.07	1.04	<0.01	0.011	0.10	19.8	7.8	0.49	244	0.24	0.08
R330215		0.37	3.7	1.46	3.40	0.07	0.97	0.01	0.007	0.07	14.9	4.8	0.32	202	4.57	0.07
R330216		0.25	7.5	1.25	1.59	0.06	0.87	0.01	<0.005	0.04	8.4	2.1	0.12	129	66.3	0.08
R330217		0.36	5.5	1.56	3.15	0.07	1.03	0.01	0.009	0.07	15.8	4.5	0.29	197	5.63	0.09
R330218		0.42	4.1	1.52	3.69	0.08	1.05	0.01	0.009	0.08	17.5	4.9	0.36	214	0.94	0.07
R330219		0.54	6.4	1.56	3.71	0.08	1.00	0.01	0.009	0.09	21.7	5.5	0.36	205	1.54	0.08
R330220		3.25	79.4	3.13	6.75	0.11	0.38	0.11	0.040	0.26	10.6	16.4	0.91	745	6.11	0.07
R330221		0.46	4.6	1.56	3.68	0.06	1.07	0.01	0.009	0.08	21.4	4.7	0.34	196	3.05	0.08
R330222		0.48	5.0	1.65	4.45	0.08	1.14	<0.01	0.010	0.11	20.7	7.6	0.47	214	0.99	0.09
R330223		0.37	4.3	1.51	3.78	0.07	1.10	<0.01	0.008	0.07	17.5	6.1	0.39	187	8.51	0.08
R330224		0.28	5.1	1.65	3.25	0.07	1.15	<0.01	0.007	0.07	16.7	4.6	0.30	191	32.3	0.10
R330225		0.34	3.4	1.39	4.22	0.08	1.08	<0.01	0.009	0.08	27.2	5.8	0.36	193	0.25	0.08
R330226		0.26	10.8	1.43	3.56	0.07	0.99	0.01	0.007	0.07	13.4	4.6	0.29	170	14.05	0.09
R330227		0.40	6.3	1.66	4.48	0.07	0.97	<0.01	0.009	0.09	19.0	8.5	0.48	245	0.26	0.07
R330228		0.36	10.1	1.57	4.08	0.08	1.04	<0.01	0.010	0.09	20.5	7.9	0.45	226	0.87	0.08
R330229		0.41	4.5	1.65	4.26	0.09	0.94	<0.01	0.012	0.07	24.8	8.9	0.52	273	0.21	0.06
R330230		0.42	3.8	1.71	4.17	0.09	0.97	<0.01	0.011	0.10	24.6	8.5	0.51	275	0.18	0.08
R330231		0.31	12.2	1.57	3.52	0.07	0.85	<0.01	0.009	0.08	17.2	6.5	0.41	241	41.9	0.07
R330232		0.39	10.2	1.74	4.21	0.10	0.86	<0.01	0.012	0.09	24.9	8.1	0.50	300	0.39	0.08
R330233		0.37	11.2	1.76	4.09	0.07	0.81	<0.01	0.011	0.08	23.3	7.6	0.51	298	1.46	0.07
R330234		2.10	102.5	6.06	10.95	0.14	0.83	0.01	0.034	0.05	14.0	39.9	2.50	1020	0.57	0.07
R330235		0.53	181.0	8.10	9.78	0.18	0.24	0.01	0.031	0.06	8.5	15.9	1.46	847	1.24	0.07
R330236		0.36	36.0	2.86	5.34	0.07	0.95	<0.01	0.014	0.07	13.8	7.7	0.67	393	0.23	0.07
R330237		0.83	286	9.86	12.15	0.14	0.31	<0.01	0.045	0.03	3.5	13.7	1.51	1270	52.0	0.06
R330238		0.22	165.0	7.20	7.48	0.18	0.23	<0.01	0.023	0.03	3.1	7.0	0.82	862	2.42	0.10
R330239		0.28	153.0	7.18	9.28	0.17	0.22	<0.01	0.023	0.03	2.5	10.2	1.11	1000	1.60	0.09
R330240		<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330201		<0.05	8.4	380	122.5	1.1	0.002	1.17	<0.05	1.5	0.9	<0.2	43.5	<0.01	1.80	3.9
R330202		0.10	7.0	380	2.4	4.5	<0.001	0.25	<0.05	1.1	0.4	<0.2	33.5	<0.01	0.10	5.0
R330203		0.18	5.6	400	2.0	2.5	<0.001	0.30	<0.05	1.3	0.3	0.4	20.8	<0.01	0.06	4.7
R330204		0.14	4.8	390	2.1	3.3	0.001	0.71	<0.05	1.1	0.4	<0.2	27.6	<0.01	0.10	4.9
R330205		0.17	5.3	420	2.6	3.3	0.001	0.46	<0.05	1.3	0.4	<0.2	40.0	<0.01	0.08	4.9
R330206		0.34	5.6	400	3.8	4.4	0.007	0.35	0.05	1.4	0.4	0.5	40.6	<0.01	0.07	4.9
R330207		0.30	5.4	410	3.2	3.6	<0.001	0.29	<0.05	1.4	0.2	0.3	30.4	<0.01	0.04	4.7
R330208		0.15	7.3	400	8.1	2.2	0.033	0.79	<0.05	1.4	0.4	<0.2	29.5	<0.01	0.40	4.6
R330209		0.43	6.4	420	4.5	5.2	<0.001	0.20	0.05	1.6	<0.2	0.5	42.2	<0.01	0.06	5.7
R330210		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330211		0.33	5.8	430	4.1	5.6	<0.001	0.43	<0.05	1.6	0.2	0.2	38.4	<0.01	0.33	5.7
R330212		0.14	6.4	420	1.6	2.1	0.001	0.47	<0.05	1.6	0.4	0.2	18.1	<0.01	0.11	6.0
R330213		0.36	6.0	430	3.7	3.3	0.001	0.41	<0.05	1.6	0.4	0.5	29.7	<0.01	0.04	6.2
R330214		0.34	6.0	430	3.2	4.0	<0.001	0.05	<0.05	1.7	<0.2	0.4	29.3	<0.01	0.01	6.1
R330215		0.29	5.4	390	2.4	3.1	0.001	0.25	<0.05	1.5	0.2	0.3	24.3	<0.01	0.07	6.0
R330216		0.25	4.4	380	5.8	1.5	0.013	0.70	<0.05	0.9	0.3	0.4	16.5	<0.01	0.30	6.0
R330217		0.27	5.6	400	2.8	3.1	0.001	0.49	<0.05	1.5	0.2	0.2	25.9	<0.01	0.03	6.4
R330218		0.38	5.7	410	2.9	3.6	<0.001	0.21	<0.05	1.6	0.4	0.3	37.4	<0.01	0.03	6.2
R330219		0.28	5.9	400	2.5	3.9	<0.001	0.21	0.05	1.6	<0.2	0.6	33.8	<0.01	0.02	6.1
R330220		0.05	11.6	670	17.6	12.7	0.003	0.91	0.48	9.3	0.9	0.5	124.5	<0.01	2.66	1.4
R330221		0.25	6.6	420	2.9	3.4	0.001	0.31	<0.05	1.6	0.3	0.3	31.9	<0.01	0.05	6.5
R330222		0.34	6.1	430	2.1	4.8	0.001	0.03	<0.05	1.6	0.2	0.4	25.9	<0.01	0.01	6.5
R330223		0.29	5.6	410	1.8	2.9	0.001	0.25	<0.05	1.5	0.2	0.4	23.1	<0.01	0.04	7.0
R330224		0.31	5.9	440	3.6	2.7	0.006	0.58	<0.05	1.7	0.4	0.3	28.3	<0.01	1.59	6.6
R330225		0.38	5.7	410	1.4	2.8	<0.001	0.16	<0.05	1.7	0.3	0.3	19.5	<0.01	0.02	6.0
R330226		0.34	5.4	410	1.9	2.5	0.002	0.38	<0.05	1.4	0.2	0.5	23.7	<0.01	0.08	5.6
R330227		0.32	6.5	450	1.4	3.8	<0.001	0.07	<0.05	1.8	<0.2	0.3	25.8	<0.01	0.02	5.9
R330228		0.46	5.8	440	2.0	3.6	<0.001	0.14	<0.05	1.9	<0.2	0.3	31.4	<0.01	0.04	5.8
R330229		0.60	6.4	500	2.1	3.3	<0.001	0.01	<0.05	2.2	<0.2	0.6	31.7	<0.01	<0.01	5.2
R330230		0.62	6.4	480	2.1	4.1	<0.001	0.01	<0.05	2.2	0.3	0.4	34.0	<0.01	<0.01	4.8
R330231		0.51	5.9	440	3.6	3.1	0.010	0.23	<0.05	1.9	0.2	0.3	36.7	<0.01	0.18	4.4
R330232		0.59	6.5	470	2.6	3.8	<0.001	0.13	<0.05	2.1	0.2	0.6	42.9	<0.01	0.01	4.3
R330233		0.50	8.5	470	2.8	3.4	<0.001	0.19	<0.05	2.3	0.3	0.4	45.3	<0.01	0.01	4.2
R330234		0.15	39.2	1010	4.0	3.1	0.003	0.65	<0.05	14.4	0.8	0.6	140.0	<0.01	0.07	1.5
R330235		0.16	29.4	590	2.5	3.1	0.007	1.29	<0.05	12.5	1.2	0.5	36.8	<0.01	0.13	0.2
R330236		0.30	9.9	620	5.9	2.4	<0.001	0.64	<0.05	4.0	0.4	0.4	30.4	<0.01	0.12	5.5
R330237		0.17	27.1	510	12.8	2.1	0.013	2.42	<0.05	23.2	1.4	0.6	64.3	<0.01	0.09	0.5
R330238		0.35	26.1	530	2.5	1.2	0.006	1.15	<0.05	8.2	1.2	0.4	71.2	<0.01	0.10	0.2
R330239		0.21	28.3	540	15.3	1.1	0.007	1.28	<0.05	9.8	1.0	0.3	63.4	<0.01	0.13	0.2
R330240		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330201		<0.005	<0.02	1.19	4	0.08	3.22	6	20.1
R330202		0.012	0.03	2.05	14	0.14	4.06	14	23.3
R330203		0.023	0.02	1.95	17	0.22	4.05	16	24.0
R330204		0.012	0.02	1.82	10	0.18	4.13	6	23.4
R330205		0.015	0.02	1.95	11	0.14	3.86	15	24.7
R330206		0.036	0.04	1.83	17	0.22	3.76	26	24.4
R330207		0.035	0.03	1.76	20	0.26	3.83	23	23.6
R330208		0.017	0.02	1.76	13	0.21	3.82	10	22.9
R330209		0.051	0.03	2.10	21	0.29	4.40	30	27.0
R330210		<0.005	<0.02	0.09	<1	<0.05	0.67	<2	0.9
R330211		0.035	0.04	2.03	17	0.71	4.01	22	25.6
R330212		0.017	0.02	1.55	21	0.22	4.12	15	25.6
R330213		0.043	0.02	2.04	21	0.34	4.22	22	26.9
R330214		0.054	0.02	1.82	24	0.42	4.41	29	26.6
R330215		0.036	0.02	1.92	21	0.31	3.83	20	24.6
R330216		0.018	0.02	2.23	11	0.26	3.33	8	21.1
R330217		0.031	0.02	2.26	21	0.31	4.12	15	25.3
R330218		0.046	0.02	1.80	23	0.37	3.99	23	26.7
R330219		0.034	0.03	1.97	22	0.32	4.01	23	25.7
R330220		0.060	0.13	0.36	73	0.44	8.43	89	13.2
R330221		0.031	0.02	2.53	22	0.32	4.12	21	26.7
R330222		0.053	0.03	2.00	25	0.39	4.61	25	28.7
R330223		0.039	0.02	2.18	24	0.37	4.24	19	27.3
R330224		0.035	0.02	2.26	22	0.28	4.64	15	28.5
R330225		0.050	0.02	1.98	26	0.31	4.85	18	27.3
R330226		0.039	0.02	2.04	24	0.30	4.18	14	25.2
R330227		0.054	0.02	2.01	28	0.29	4.99	26	24.8
R330228		0.070	0.02	2.06	28	0.22	4.62	23	25.2
R330229		0.085	<0.02	1.79	30	0.17	5.00	30	23.5
R330230		0.091	0.02	1.78	30	0.16	5.24	30	24.6
R330231		0.064	0.02	2.11	27	0.22	4.43	24	21.0
R330232		0.082	<0.02	1.64	29	0.14	4.87	34	21.9
R330233		0.082	0.02	1.54	31	0.14	4.64	37	20.4
R330234		0.306	0.02	0.58	159	0.39	11.40	101	32.1
R330235		0.344	0.02	0.20	222	0.76	10.80	97	5.0
R330236		0.092	0.02	1.72	53	0.56	6.23	50	24.1
R330237		0.383	0.03	0.28	262	0.64	14.15	140	6.8
R330238		0.404	<0.02	0.05	179	0.43	11.85	69	4.7
R330239		0.357	<0.02	0.06	180	0.45	10.90	91	4.8
R330240		<0.005	<0.02	0.08	<1	<0.05	0.66	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330241		3.98	0.002	0.20	1.64	0.6	<0.2	<10	10	0.31	1.60	2.39	0.06	7.52	40.8	23
R330242		4.16	0.002	0.10	1.42	0.4	<0.2	<10	10	0.32	0.06	2.16	0.04	7.13	33.2	23
R330243		4.01	<0.001	0.22	1.35	0.4	<0.2	<10	10	0.32	0.83	1.93	0.23	7.11	39.2	26
R330244		4.34	<0.001	0.15	1.40	0.3	<0.2	<10	10	0.19	0.10	1.59	0.11	5.87	42.0	24
R330245		4.03	<0.001	0.08	1.59	0.5	<0.2	<10	10	0.22	0.07	1.66	0.05	11.50	33.7	24
R330246		3.20	0.001	0.13	1.49	0.3	<0.2	<10	10	0.24	0.19	1.61	0.04	14.35	37.4	23
R330247		4.04	0.001	0.13	1.44	0.2	<0.2	<10	10	0.19	0.13	1.37	0.05	5.84	38.1	26
R330248		4.11	<0.001	0.10	1.31	0.5	<0.2	<10	10	0.20	0.09	2.00	0.16	6.20	36.3	22
R330249		3.13	0.001	0.11	1.69	0.5	<0.2	<10	10	0.28	0.11	1.87	0.16	7.17	48.2	21
R330250		0.06	0.876	6.08	1.03	39.3	0.8	<10	40	0.21	1.11	0.40	5.21	4.76	14.7	19
R330251		2.09	0.001	0.15	1.85	0.8	<0.2	<10	10	0.28	0.23	1.70	0.20	7.18	42.6	18
R330252		0.91	0.001	0.16	1.82	0.6	<0.2	<10	<10	0.26	0.86	3.83	0.09	5.03	45.3	26
R330253		3.70	0.002	0.12	1.56	0.6	<0.2	<10	10	0.21	0.11	1.55	0.40	7.40	38.8	17
R330254		3.70	0.030	0.13	1.67	0.5	<0.2	<10	10	0.26	0.16	1.85	0.28	7.41	45.1	18
R330255		1.04	0.003	0.14	1.29	0.7	<0.2	<10	10	0.20	0.10	2.72	1.73	6.24	27.0	9
R330256		4.08	0.005	0.15	1.58	0.7	<0.2	<10	10	0.26	0.11	1.55	1.41	6.76	43.7	28
R330257		1.62	0.012	0.36	2.08	0.7	<0.2	<10	10	0.24	0.46	4.79	0.82	7.44	42.9	17
R330258		4.21	0.048	0.71	1.96	1.1	<0.2	<10	20	0.27	1.96	2.01	0.41	7.18	47.3	22
R330259		4.10	0.001	0.08	1.56	0.4	<0.2	<10	10	0.23	0.08	1.81	0.05	6.27	35.9	24
R330260		<0.02	0.001	0.08	1.56	0.5	<0.2	<10	10	0.28	0.09	1.83	0.07	6.85	36.2	24
R330261		4.50	0.002	0.19	1.73	0.6	<0.2	<10	10	0.31	0.12	1.51	0.11	6.99	41.7	29
R330262		4.42	0.001	0.12	1.88	1.0	<0.2	<10	10	0.32	0.13	1.80	0.11	6.54	44.8	27
R330263		3.45	0.004	0.17	2.47	1.0	<0.2	<10	10	0.44	0.24	1.83	0.04	5.59	49.4	25
R330264		3.55	0.002	0.11	2.07	1.5	<0.2	<10	20	0.59	0.29	2.18	0.04	7.30	47.1	26
R330265		0.96	0.010	0.14	2.56	1.3	<0.2	<10	20	1.11	0.72	2.59	0.04	6.73	49.5	25
R330266		3.02	0.009	0.08	0.40	0.2	<0.2	<10	20	0.28	0.42	0.79	0.03	18.90	3.1	14
R330267		2.96	0.011	0.05	0.19	<0.1	<0.2	<10	20	0.21	0.23	0.36	0.01	11.60	1.2	14
R330268		0.93	0.185	0.20	1.76	0.1	<0.2	<10	20	1.15	33.4	5.40	0.03	26.2	20.5	152
R330269		0.09	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	0.96	0.1	<1
R330270		2.15	0.010	0.07	0.22	0.1	<0.2	<10	20	0.21	0.42	0.50	<0.01	15.95	1.4	15
R330271		0.86	0.096	0.34	0.11	0.3	<0.2	<10	30	0.13	1.25	0.50	0.01	16.15	1.1	11
R330272		2.20	0.058	0.17	0.15	0.2	<0.2	<10	50	0.15	0.53	0.61	0.02	10.20	1.0	16
R330273		2.56	0.004	0.09	2.45	0.3	<0.2	<10	20	0.95	0.35	2.26	0.03	16.20	51.4	61
R330274		1.99	0.002	0.06	2.42	0.4	<0.2	<10	30	1.04	0.55	2.53	0.02	20.6	40.5	34
R330275		1.79	0.031	0.09	0.44	0.4	<0.2	<10	30	0.51	1.05	1.23	0.02	25.3	5.3	17
R330276		2.08	0.008	0.06	0.36	0.1	<0.2	<10	20	0.35	0.46	1.26	0.01	28.8	3.0	18
R330277		1.20	0.025	0.11	2.34	0.3	<0.2	<10	10	1.03	0.51	2.77	0.03	9.09	50.8	21
R330278		1.20	0.070	0.24	1.28	1.0	<0.2	<10	20	0.99	3.74	4.06	<0.01	6.40	47.3	26
R330279		1.74	0.034	0.17	0.21	0.4	<0.2	<10	10	0.22	1.29	0.99	0.04	10.10	3.8	13
R330280		0.06	8.58	9.41	1.60	11.4	8.6	<10	20	0.60	0.07	3.62	0.30	20.2	10.6	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330241		0.36	160.5	6.89	7.63	0.17	0.19	<0.01	0.024	0.05	2.6	6.5	0.87	880	2.20	0.15
R330242		0.22	165.5	6.15	6.21	0.18	0.22	<0.01	0.023	0.06	2.5	3.8	0.58	862	1.12	0.14
R330243		0.46	166.0	6.57	6.46	0.18	0.19	0.01	0.024	0.05	2.5	4.6	0.67	644	1.66	0.16
R330244		0.45	167.0	6.14	7.14	0.25	0.17	<0.01	0.021	0.04	2.3	7.8	0.76	623	1.34	0.12
R330245		0.54	134.0	6.34	9.15	0.24	0.25	<0.01	0.019	0.05	4.7	11.6	1.04	665	0.60	0.11
R330246		0.39	151.5	5.63	7.41	0.25	0.27	<0.01	0.021	0.06	6.2	10.0	0.85	648	0.90	0.12
R330247		0.22	167.5	6.56	7.32	0.21	0.15	0.01	0.023	0.04	2.2	8.2	0.80	571	0.68	0.13
R330248		0.34	169.0	5.67	7.02	0.22	0.18	0.01	0.021	0.04	2.5	6.2	0.67	639	1.14	0.11
R330249		0.56	178.5	6.78	8.57	0.28	0.17	0.01	0.022	0.04	2.6	9.0	0.87	707	1.74	0.11
R330250		3.46	6830	6.50	3.17	0.13	<0.02	0.05	0.324	0.27	2.4	11.4	0.30	604	136.5	0.02
R330251		0.39	195.5	5.97	9.00	0.26	0.17	0.01	0.023	0.05	2.6	11.0	1.04	761	1.71	0.11
R330252		0.69	138.0	8.33	11.40	0.23	0.15	<0.01	0.031	0.02	1.9	19.4	1.52	942	49.2	0.06
R330253		0.38	170.0	5.38	7.50	0.23	0.14	0.01	0.024	0.04	2.7	9.0	0.89	653	1.37	0.11
R330254		0.38	171.0	5.82	8.29	0.24	0.19	0.01	0.025	0.04	2.7	8.2	0.94	757	1.10	0.13
R330255		1.02	171.5	4.69	7.24	0.22	0.13	0.01	0.031	0.09	2.2	6.4	0.82	888	0.67	0.12
R330256		0.50	186.0	6.19	8.10	0.25	0.18	0.01	0.026	0.05	2.5	8.0	0.89	714	1.07	0.13
R330257		0.40	121.5	7.52	10.70	0.28	0.20	0.01	0.030	0.02	2.8	15.5	1.28	1120	9.71	0.06
R330258		0.54	166.0	6.73	9.74	0.25	0.20	<0.01	0.027	0.07	2.6	11.8	1.11	916	1.04	0.12
R330259		0.46	170.0	6.08	7.89	0.24	0.19	0.01	0.023	0.06	2.4	8.9	0.89	708	0.60	0.12
R330260		0.46	166.0	6.02	8.17	0.23	0.20	<0.01	0.023	0.06	2.5	9.1	0.88	706	0.69	0.12
R330261		1.00	169.5	6.81	9.41	0.24	0.17	<0.01	0.022	0.07	2.5	11.8	1.07	719	1.00	0.14
R330262		0.84	168.5	6.51	9.86	0.25	0.18	<0.01	0.025	0.05	2.4	12.1	1.27	843	0.86	0.12
R330263		1.59	166.5	8.63	14.40	0.24	0.20	<0.01	0.025	0.05	2.2	19.0	2.01	1090	0.45	0.07
R330264		1.03	178.0	7.27	10.60	0.23	0.21	<0.01	0.028	0.08	2.7	16.5	1.47	922	0.85	0.11
R330265		0.87	144.5	8.93	13.60	0.17	0.84	<0.01	0.029	0.10	3.5	24.9	2.12	1020	0.78	0.03
R330266		0.10	15.5	1.27	3.03	0.11	1.03	<0.01	0.007	0.08	13.5	3.4	0.26	173	25.8	0.08
R330267		0.07	8.2	0.76	1.35	0.09	1.21	<0.01	0.005	0.07	8.9	1.4	0.07	86	1.11	0.07
R330268		0.33	10.6	3.82	8.13	0.15	0.90	<0.01	0.021	0.08	14.1	22.2	1.94	709	0.11	0.05
R330269		<0.05	1.0	0.02	<0.05	0.08	0.03	0.01	<0.005	0.08	0.5	0.2	<0.01	<5	<0.05	0.01
R330270		0.07	6.7	0.98	1.71	0.10	1.06	<0.01	0.006	0.06	11.0	2.2	0.12	111	10.05	0.07
R330271		<0.05	6.0	0.71	0.73	0.09	1.00	<0.01	<0.005	0.04	14.3	0.7	0.03	59	53.9	0.07
R330272		0.06	6.6	0.78	1.03	0.09	1.24	<0.01	<0.005	0.05	7.6	1.0	0.05	79	10.65	0.07
R330273		0.79	142.5	7.53	11.10	0.20	0.46	<0.01	0.030	0.06	9.4	25.6	2.14	1020	1.33	0.04
R330274		0.83	101.0	7.57	12.90	0.17	0.61	<0.01	0.040	0.10	12.2	25.2	2.35	960	0.65	0.03
R330275		0.12	9.4	1.95	3.74	0.12	1.05	<0.01	0.010	0.07	13.5	4.3	0.32	196	1.41	0.08
R330276		0.12	9.2	1.46	3.04	0.11	0.88	<0.01	0.009	0.05	16.4	4.0	0.28	183	9.47	0.07
R330277		1.21	167.5	9.72	13.40	0.20	0.39	<0.01	0.045	0.08	4.1	26.3	2.30	1120	5.78	0.04
R330278		1.04	165.5	8.79	8.97	0.16	0.45	<0.01	0.045	0.06	2.7	19.0	1.33	818	452	0.05
R330279		0.06	21.8	1.31	1.36	0.09	1.34	<0.01	0.006	0.05	5.8	1.5	0.11	119	20.3	0.09
R330280		2.23	68.5	2.79	6.59	0.16	0.71	0.14	0.026	0.13	9.2	22.5	1.00	740	5.14	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330241		0.31	25.5	590	4.5	1.9	0.005	1.05	<0.05	11.9	1.1	0.4	29.2	<0.01	0.08	0.2
R330242		0.38	22.9	570	1.9	2.0	0.003	0.57	<0.05	10.5	1.2	0.5	22.7	0.01	0.06	0.2
R330243		0.39	23.5	590	15.7	2.7	0.004	1.01	<0.05	9.8	1.1	0.4	18.1	<0.01	0.12	0.2
R330244		0.14	29.6	560	9.5	2.0	0.006	0.97	0.06	9.3	1.0	0.3	19.2	<0.01	0.11	0.2
R330245		0.10	27.6	680	2.7	2.3	0.004	0.58	0.05	8.0	0.9	0.4	23.2	<0.01	0.10	0.5
R330246		0.14	26.1	730	5.0	2.6	0.005	1.00	0.05	8.3	0.9	0.3	25.0	<0.01	0.12	0.6
R330247		0.12	27.6	550	3.1	1.3	0.003	0.85	0.05	8.8	1.0	0.3	14.5	<0.01	0.12	0.2
R330248		0.20	25.2	560	4.8	1.4	0.002	0.76	0.07	8.4	0.9	0.4	27.7	<0.01	0.12	0.2
R330249		0.19	25.8	550	8.9	2.1	0.006	1.35	0.06	9.0	1.1	0.3	28.1	<0.01	0.14	0.2
R330250		0.07	15.5	470	112.0	13.1	0.203	4.95	2.60	1.3	7.7	1.7	36.7	<0.01	1.00	1.0
R330251		0.13	27.8	560	8.2	2.1	0.008	1.24	0.05	9.9	1.0	0.4	24.1	<0.01	0.17	0.2
R330252		0.05	32.4	450	23.0	1.8	0.012	1.55	<0.05	17.2	0.9	0.9	23.8	<0.01	0.07	<0.2
R330253		0.10	22.9	570	9.7	2.0	0.004	0.88	0.06	9.1	0.9	0.3	18.7	<0.01	0.13	0.2
R330254		0.14	27.6	550	16.3	1.4	0.005	1.08	0.07	10.1	1.1	0.3	30.6	<0.01	0.16	0.2
R330255		0.08	14.2	540	285	4.4	0.002	0.50	0.07	7.3	0.7	0.3	15.4	<0.01	0.09	0.2
R330256		0.16	29.2	540	98.2	1.9	0.003	0.93	0.08	9.3	1.0	0.3	26.3	<0.01	0.11	0.2
R330257		0.10	24.8	550	85.8	1.2	0.005	1.57	0.07	15.1	1.0	0.4	30.3	<0.01	0.30	0.3
R330258		0.12	29.8	570	37.7	2.4	0.004	1.18	0.08	13.3	1.4	0.4	25.9	<0.01	1.97	0.2
R330259		0.13	25.5	540	5.1	2.1	0.002	0.59	0.06	9.2	0.8	0.3	25.9	<0.01	0.09	<0.2
R330260		0.13	26.1	530	5.3	2.2	0.002	0.57	0.06	10.0	0.8	0.3	26.9	<0.01	0.09	0.2
R330261		0.08	28.6	550	9.2	4.0	0.004	0.83	0.06	10.7	1.1	0.4	19.8	<0.01	0.11	0.2
R330262		0.07	31.0	560	8.6	2.3	0.003	0.87	0.06	10.9	1.0	0.3	22.0	<0.01	0.15	0.2
R330263		0.05	33.2	530	9.8	2.8	0.002	0.96	0.06	9.1	1.2	0.3	25.1	<0.01	0.14	0.2
R330264		0.09	31.9	550	4.2	4.3	0.003	0.96	0.07	13.2	1.1	0.5	27.7	<0.01	0.15	0.2
R330265		0.07	31.4	420	12.4	7.6	0.002	1.47	0.06	15.1	1.2	0.4	28.1	<0.01	0.17	3.3
R330266		0.28	3.4	160	6.2	2.7	0.005	0.20	<0.05	1.2	<0.2	0.2	15.0	<0.01	0.09	3.9
R330267		0.20	1.8	70	3.7	2.3	<0.001	0.16	0.05	0.4	<0.2	0.4	8.6	<0.01	0.07	6.1
R330268		0.11	37.9	1080	19.5	4.9	<0.001	0.82	<0.05	11.6	0.6	0.5	41.2	<0.01	4.65	2.6
R330269		<0.05	0.5	290	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2
R330270		0.26	2.6	130	3.5	2.1	0.002	0.26	<0.05	0.7	<0.2	0.2	12.5	<0.01	0.08	4.8
R330271		0.17	1.5	50	4.2	0.9	0.012	0.29	0.05	0.3	<0.2	0.4	6.1	<0.01	0.50	4.3
R330272		0.24	1.7	60	4.2	1.7	0.003	0.25	<0.05	0.4	<0.2	<0.2	9.1	<0.01	0.13	5.8
R330273		0.12	39.5	660	2.3	4.0	0.002	1.05	0.05	12.9	1.2	0.6	42.3	<0.01	0.17	0.8
R330274		0.08	26.3	750	2.7	6.2	0.002	0.93	0.05	14.0	1.1	0.5	44.3	<0.01	0.14	1.9
R330275		0.42	6.2	380	4.5	2.7	0.001	0.81	0.05	2.9	0.5	0.3	27.5	<0.01	0.38	4.6
R330276		0.32	5.0	340	3.7	2.0	0.002	0.49	<0.05	1.6	0.3	0.3	27.1	<0.01	0.21	3.9
R330277		0.10	28.6	520	3.3	5.9	0.003	1.31	0.06	18.6	1.3	0.5	33.3	<0.01	0.17	0.8
R330278		0.18	28.5	490	21.2	4.7	0.093	3.52	0.05	22.3	1.7	0.5	43.5	<0.01	0.20	1.3
R330279		0.17	3.1	80	5.2	1.4	0.004	0.57	<0.05	1.4	0.2	0.2	11.4	<0.01	0.55	5.8
R330280		0.11	12.4	610	16.8	5.3	0.003	0.42	0.42	7.9	0.7	0.5	103.5	<0.01	4.10	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330241		0.365	0.02	0.07	178	0.45	11.20	77	4.0
R330242		0.362	0.02	0.06	160	0.62	10.55	59	5.3
R330243		0.325	0.04	0.12	175	0.38	10.30	90	4.3
R330244		0.299	0.06	<0.05	161	0.35	9.06	77	3.9
R330245		0.322	0.05	0.12	164	0.44	9.76	82	7.3
R330246		0.279	0.04	0.14	146	0.26	9.38	70	8.1
R330247		0.260	0.03	<0.05	176	0.25	8.82	61	3.0
R330248		0.309	0.06	0.09	150	0.37	9.54	91	4.4
R330249		0.300	0.06	0.07	168	0.34	9.27	113	4.1
R330250		0.012	0.31	0.13	17	2.26	2.67	813	<0.5
R330251		0.302	0.06	0.05	153	0.33	9.65	144	3.8
R330252		0.282	0.02	<0.05	215	0.31	10.15	170	2.0
R330253		0.265	0.08	<0.05	143	0.28	9.04	174	3.0
R330254		0.327	0.08	<0.05	143	0.36	10.40	161	4.4
R330255		0.250	0.15	<0.05	112	0.40	8.18	591	2.7
R330256		0.322	0.16	0.05	162	0.32	10.25	519	4.3
R330257		0.254	0.06	0.09	179	0.60	9.11	388	6.0
R330258		0.336	0.12	<0.05	173	0.48	11.05	231	4.6
R330259		0.329	0.06	<0.05	166	0.38	9.85	93	4.3
R330260		0.330	0.06	<0.05	165	0.39	10.50	91	4.6
R330261		0.310	0.11	0.05	185	0.39	10.15	124	3.5
R330262		0.346	0.13	<0.05	174	0.50	10.55	140	4.3
R330263		0.319	0.05	0.05	204	0.48	10.00	192	5.2
R330264		0.352	0.07	0.05	195	0.45	11.70	119	4.7
R330265		0.300	0.07	1.54	194	0.81	10.20	141	22.6
R330266		0.044	0.02	1.45	16	0.21	2.34	18	30.7
R330267		0.011	0.02	2.32	5	0.21	1.40	7	29.3
R330268		0.169	0.04	0.99	86	0.74	9.25	83	40.2
R330269		<0.005	<0.02	0.09	<1	<0.05	0.67	<2	0.9
R330270		0.018	<0.02	1.93	7	0.20	1.92	10	29.0
R330271		0.006	<0.02	1.85	3	0.19	1.24	2	24.1
R330272		0.009	0.02	2.62	4	0.22	1.38	5	27.4
R330273		0.329	0.03	0.31	183	0.68	11.35	124	14.3
R330274		0.262	0.04	0.71	182	0.77	10.95	136	20.1
R330275		0.073	0.02	1.94	28	1.07	4.91	21	28.2
R330276		0.040	0.02	1.44	15	0.46	3.69	18	24.4
R330277		0.350	0.05	0.36	236	0.84	12.45	144	7.8
R330278		0.350	0.07	0.72	238	1.60	13.35	83	8.6
R330279		0.029	0.02	2.16	13	0.23	2.62	8	32.8
R330280		0.133	0.08	0.40	74	0.51	7.40	63	20.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330281		1.68	0.023	0.16	0.19	0.2	<0.2	<10	<10	0.17	0.81	0.42	0.19	10.35	1.2	10
R330282		3.51	0.004	0.15	1.90	1.0	<0.2	<10	10	0.29	0.21	1.89	0.10	7.03	40.8	17
R330283		3.76	0.002	0.14	1.88	0.9	<0.2	<10	<10	0.22	0.22	2.16	0.41	7.82	42.5	12
R330284		3.48	0.002	0.16	1.53	1.0	<0.2	<10	10	0.23	0.20	1.71	0.67	7.49	40.7	14
R330285		3.82	0.002	0.22	1.77	1.8	<0.2	<10	10	0.30	0.37	1.68	0.79	7.71	39.3	12
R330286		1.85	0.013	0.20	3.28	1.1	<0.2	<10	10	0.38	0.75	4.21	0.07	7.18	49.8	10
R330287		2.26	0.047	0.41	2.68	0.9	<0.2	<10	10	0.41	0.78	3.99	0.08	7.92	42.7	9
R330288		0.82	0.004	0.08	1.05	0.4	<0.2	<10	30	0.37	0.16	1.63	0.06	52.9	9.8	26
R330289		1.23	0.041	0.26	2.14	1.3	<0.2	<10	20	0.58	0.49	5.50	0.07	12.60	33.5	8
R330290		<0.02	0.044	0.36	2.18	1.5	0.2	<10	20	0.64	0.52	5.92	0.07	12.80	34.3	8
R330291		2.08	0.009	0.08	4.55	0.7	<0.2	<10	10	0.95	0.32	1.44	0.03	8.80	50.1	13
R330292		2.10	0.006	0.05	2.39	0.5	<0.2	<10	10	0.53	0.06	2.20	0.06	7.72	30.2	10
R330293		3.54	0.004	0.07	2.49	0.5	<0.2	<10	<10	0.39	0.08	1.80	0.04	7.98	35.5	8
R330294		3.62	0.002	0.08	2.27	0.3	<0.2	<10	<10	0.42	0.13	1.50	0.05	18.95	35.1	40
R330295		3.55	0.001	0.05	1.43	0.2	<0.2	<10	290	0.31	0.06	1.28	0.07	27.0	24.8	58
R330296		1.14	0.002	0.29	0.38	0.2	<0.2	<10	<10	0.16	0.44	1.17	0.11	10.10	4.9	7
R330297		1.36	0.003	0.08	1.72	0.2	<0.2	<10	<10	0.37	0.09	1.84	0.08	7.51	24.3	11
R330298		3.58	0.004	0.23	1.76	0.3	<0.2	<10	<10	0.53	0.50	2.41	0.09	8.55	30.1	13
R330299		3.95	0.002	0.08	1.75	0.2	<0.2	<10	<10	0.25	0.05	2.21	0.09	8.04	27.6	8
R330300		1.57	0.001	0.17	1.44	0.4	<0.2	<10	<10	0.35	0.34	1.84	0.27	8.50	19.0	7
R330301		3.68	0.002	0.16	1.48	0.2	<0.2	<10	<10	0.28	0.09	2.77	0.10	9.57	24.2	7
R330302		3.67	<0.001	0.11	1.42	0.3	<0.2	<10	<10	0.25	0.06	1.78	0.10	8.48	26.8	9
R330303		3.79	0.001	0.09	1.26	0.1	<0.2	<10	<10	0.26	0.04	1.77	0.05	9.09	27.2	13
R330304		1.15	<0.001	0.05	1.76	0.2	<0.2	<10	<10	0.25	0.05	4.04	0.38	8.30	29.5	10
R330305		3.82	0.003	0.09	1.27	0.4	<0.2	<10	<10	0.20	0.04	1.90	0.15	8.12	29.6	13
R330306		2.45	0.002	0.05	1.91	0.2	<0.2	<10	<10	0.20	0.04	1.11	0.14	8.70	34.4	15
R330307		0.85	0.001	0.03	2.03	0.3	<0.2	<10	<10	0.27	0.04	0.85	0.04	8.35	35.9	13
R330308		3.80	0.002	0.05	1.75	0.3	<0.2	<10	<10	0.22	0.06	1.17	0.07	8.36	34.1	14
R330309		3.49	0.099	0.43	1.99	0.3	<0.2	<10	<10	0.34	0.33	3.19	0.04	7.34	38.7	14
R330310		0.10	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.93	0.1	<1
R330311		4.53	0.002	0.03	1.79	0.3	<0.2	<10	<10	0.24	0.05	1.41	0.04	8.67	34.5	14
R330312		3.44	0.001	0.06	1.71	0.4	<0.2	<10	<10	0.36	0.58	2.56	0.05	8.23	35.7	12
R330313		3.48	0.003	0.06	1.50	0.3	<0.2	<10	<10	0.39	0.14	1.26	0.09	9.56	32.5	23
R330314		2.82	0.008	0.19	1.50	0.3	<0.2	<10	<10	0.28	0.81	2.59	0.18	9.11	37.5	14
R330315		3.93	0.007	0.09	1.60	0.3	<0.2	<10	<10	0.17	0.13	1.49	0.06	8.51	32.6	17
R330316		2.24	0.004	0.06	1.27	0.2	<0.2	<10	<10	0.18	0.04	1.20	0.07	7.63	30.6	17
R330317		1.08	0.003	0.06	2.07	0.2	<0.2	10	<10	0.58	0.04	1.56	0.13	9.64	39.3	15
R330318		3.66	0.004	0.05	1.48	0.3	<0.2	<10	<10	0.15	0.05	1.44	0.04	7.98	33.6	16
R330319		3.99	0.002	0.05	1.22	0.4	<0.2	<10	<10	0.14	0.07	1.40	0.06	8.91	28.5	16
R330320		0.07	0.918	6.14	1.06	39.6	0.8	<10	30	0.22	1.15	0.40	5.17	4.86	14.3	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330281		0.06	14.4	0.77	1.40	<0.05	1.86	<0.01	0.006	0.05	6.3	1.6	0.09	96	25.4	0.08
R330282		0.69	163.0	6.47	9.43	0.19	0.16	<0.01	0.029	0.07	2.5	12.0	1.12	705	1.93	0.14
R330283		0.79	169.0	7.23	10.55	0.23	0.15	<0.01	0.030	0.06	2.7	13.0	1.15	680	1.06	0.14
R330284		0.67	162.5	6.03	8.56	0.22	0.17	<0.01	0.028	0.06	2.5	8.3	0.90	610	1.12	0.15
R330285		0.96	163.5	6.10	9.58	0.19	0.20	<0.01	0.034	0.07	2.6	11.3	1.11	613	0.94	0.15
R330286		2.09	163.0	10.10	18.60	0.22	0.14	<0.01	0.063	0.10	2.5	27.1	2.13	1060	1.22	0.06
R330287		2.17	154.0	8.48	12.35	0.15	0.17	<0.01	0.046	0.16	2.9	24.1	1.79	897	0.93	0.05
R330288		0.44	19.7	2.63	6.25	0.09	1.30	<0.01	0.017	0.10	27.0	12.6	0.81	388	0.47	0.09
R330289		0.68	206	6.52	9.52	0.08	0.21	<0.01	0.036	0.12	6.0	21.5	1.82	1040	3.69	0.02
R330290		0.69	222	6.76	9.71	0.09	0.23	<0.01	0.038	0.12	6.0	22.2	1.89	1090	3.83	0.02
R330291		2.09	282	10.55	23.0	0.22	0.18	<0.01	0.070	0.07	3.1	56.4	4.46	1270	0.43	0.04
R330292		0.70	137.0	6.16	11.95	0.20	0.17	<0.01	0.034	0.07	2.6	19.6	1.74	842	0.38	0.13
R330293		0.70	165.0	6.84	13.55	0.22	0.15	<0.01	0.033	0.04	2.7	22.7	1.70	801	2.03	0.11
R330294		0.70	159.0	6.68	13.60	0.24	0.24	<0.01	0.029	0.02	8.5	21.5	1.90	756	0.60	0.10
R330295		0.24	112.0	4.53	7.91	0.17	0.33	<0.01	0.018	0.03	12.8	11.2	1.07	506	0.53	0.13
R330296		0.16	41.5	1.55	2.53	0.05	1.80	<0.01	0.005	0.05	6.5	3.1	0.24	163	0.18	0.08
R330297		0.31	130.0	4.93	8.44	0.14	0.40	<0.01	0.022	0.05	3.1	10.9	1.06	628	0.63	0.12
R330298		0.66	139.5	6.02	9.94	0.18	0.47	<0.01	0.027	0.06	3.5	13.1	1.16	618	0.68	0.12
R330299		0.18	149.0	4.58	7.96	0.17	0.18	<0.01	0.027	0.05	2.9	8.2	0.86	572	1.03	0.18
R330300		0.43	129.0	4.57	8.85	0.13	0.77	<0.01	0.017	0.04	4.7	8.9	1.14	511	1.19	0.11
R330301		0.14	143.5	4.53	8.36	0.16	0.16	<0.01	0.022	0.03	3.5	7.3	0.86	629	0.75	0.14
R330302		0.15	177.0	4.42	6.86	0.15	0.26	<0.01	0.025	0.04	3.0	6.2	0.73	547	3.19	0.16
R330303		0.17	168.5	4.69	6.91	0.13	0.15	<0.01	0.024	0.04	3.2	4.5	0.68	535	0.85	0.16
R330304		0.32	160.0	5.65	11.80	0.16	0.13	<0.01	0.020	0.04	2.9	12.0	1.12	704	1.64	0.10
R330305		0.12	162.0	5.18	7.59	0.15	0.15	<0.01	0.026	0.03	2.7	6.5	0.74	556	2.06	0.15
R330306		0.10	160.0	7.84	11.55	0.19	0.11	<0.01	0.026	0.02	2.7	15.3	1.22	679	0.67	0.13
R330307		0.11	99.6	8.58	13.55	0.20	0.15	<0.01	0.026	0.02	2.6	17.1	1.47	670	0.96	0.10
R330308		0.29	129.5	8.00	11.40	0.18	0.24	<0.01	0.023	0.02	2.9	15.3	1.25	659	1.12	0.10
R330309		0.13	159.5	9.17	11.50	0.18	0.19	<0.01	0.041	0.02	2.5	17.6	1.47	869	0.91	0.07
R330310		<0.05	0.9	0.03	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	0.01
R330311		0.16	161.0	8.66	10.45	0.18	0.18	<0.01	0.027	0.02	2.8	14.0	1.27	710	0.67	0.10
R330312		0.39	139.5	8.55	10.80	0.19	0.14	<0.01	0.033	0.03	2.7	13.7	1.31	728	1.48	0.08
R330313		0.57	163.5	7.85	9.33	0.18	0.21	<0.01	0.028	0.04	3.3	12.2	1.04	635	0.58	0.13
R330314		1.65	155.5	8.71	9.55	0.18	0.21	<0.01	0.036	0.09	3.1	12.4	1.15	796	0.90	0.10
R330315		0.64	161.0	8.25	8.95	0.17	0.15	<0.01	0.025	0.05	2.8	11.5	1.07	678	1.68	0.12
R330316		0.16	171.5	7.68	7.51	0.16	0.15	<0.01	0.024	0.03	2.6	11.8	0.87	551	0.38	0.13
R330317		0.68	133.0	9.36	12.30	0.19	0.10	<0.01	0.033	0.06	3.2	37.7	1.77	623	1.12	0.10
R330318		0.18	162.0	7.94	8.68	0.17	0.12	<0.01	0.026	0.02	2.7	12.9	0.97	602	0.72	0.13
R330319		0.17	167.5	7.28	7.49	0.14	0.11	<0.01	0.023	0.02	3.1	8.1	0.78	581	0.54	0.15
R330320		3.62	7030	6.68	2.97	0.07	<0.02	0.05	0.321	0.27	2.3	11.7	0.30	625	138.0	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330281		0.23	2.5	50	26.0	1.7	0.005	0.27	0.06	0.5	<0.2	0.4	10.4	<0.01	0.13	9.2
R330282		0.11	21.5	550	9.4	3.5	0.003	0.93	0.09	12.1	1.0	0.4	23.2	<0.01	0.13	0.2
R330283		0.12	19.4	570	10.5	3.3	0.005	0.99	0.06	12.9	1.0	0.4	26.4	<0.01	0.15	0.2
R330284		0.11	18.5	580	42.9	2.9	0.003	1.02	0.08	11.1	0.9	0.5	16.8	<0.01	0.14	0.2
R330285		0.09	17.8	570	26.1	4.3	0.003	1.13	0.07	12.0	1.0	0.4	14.8	<0.01	0.20	0.4
R330286		0.07	21.7	540	5.6	10.3	0.005	2.10	0.05	27.6	1.3	0.5	33.3	<0.01	0.29	0.2
R330287		0.07	19.4	570	4.4	14.4	0.005	2.05	0.06	18.9	1.4	0.4	35.6	<0.01	0.54	0.2
R330288		0.29	11.3	780	12.8	4.9	0.001	0.41	<0.05	3.9	0.4	0.4	54.7	<0.01	0.08	4.0
R330289		0.05	13.3	410	4.2	5.4	0.009	1.42	<0.05	10.1	1.4	0.3	35.3	<0.01	0.26	0.5
R330290		0.06	13.3	410	4.4	5.3	0.010	1.48	0.06	10.3	1.3	0.4	37.9	<0.01	0.27	0.5
R330291		0.05	23.5	610	1.4	4.0	0.002	0.39	<0.05	22.8	0.8	0.7	11.2	<0.01	0.07	0.2
R330292		0.07	15.5	580	1.1	2.0	0.005	0.14	<0.05	12.5	0.8	0.4	12.3	<0.01	0.02	0.2
R330293		0.07	14.6	600	1.9	2.0	0.003	0.23	0.05	13.1	0.9	0.5	13.3	<0.01	0.04	0.2
R330294		0.09	24.4	710	1.9	1.2	0.001	0.25	<0.05	11.5	1.0	0.4	14.8	<0.01	0.03	0.9
R330295		0.18	26.7	760	4.3	1.4	0.001	0.21	<0.05	7.0	0.7	0.4	32.9	<0.01	0.02	1.3
R330296		0.26	3.1	80	26.8	1.8	<0.001	0.16	<0.05	1.5	0.3	0.2	11.9	<0.01	0.11	7.8
R330297		0.13	12.2	530	4.2	2.9	0.001	0.16	<0.05	9.9	0.5	0.4	32.6	<0.01	0.04	1.5
R330298		0.18	13.4	510	8.5	3.9	0.001	0.39	<0.05	13.4	0.9	0.4	30.0	<0.01	0.10	1.6
R330299		0.15	10.3	580	3.5	2.6	0.003	0.25	<0.05	10.8	0.8	0.3	29.8	<0.01	0.02	0.5
R330300		0.11	7.9	380	25.4	1.4	0.002	0.23	<0.05	6.3	0.6	0.4	18.6	<0.01	0.07	3.0
R330301		0.18	10.2	580	4.7	1.2	0.002	0.39	0.06	9.8	0.7	0.3	32.2	<0.01	0.10	0.2
R330302		0.24	11.0	570	6.1	2.1	0.004	0.30	0.06	9.8	0.8	0.5	27.0	<0.01	0.03	0.5
R330303		0.19	11.1	590	3.1	1.9	0.002	0.28	<0.05	9.9	1.0	0.3	22.5	<0.01	0.02	0.3
R330304		0.08	13.3	530	2.8	1.3	0.003	0.23	<0.05	6.8	0.9	0.3	27.9	<0.01	0.03	0.2
R330305		0.15	11.8	570	2.9	1.3	0.003	0.28	<0.05	8.4	0.9	0.3	17.1	<0.01	0.02	0.2
R330306		0.12	14.8	610	3.2	1.1	0.002	0.18	<0.05	10.2	0.8	0.3	15.2	<0.01	0.03	0.2
R330307		0.10	15.2	590	1.1	0.9	0.001	0.16	<0.05	9.8	0.6	0.3	14.1	<0.01	0.02	0.2
R330308		0.14	15.1	540	2.2	1.5	0.002	0.20	0.05	8.9	0.7	0.5	12.5	<0.01	0.02	0.8
R330309		0.12	17.4	590	1.5	1.3	0.002	1.23	0.06	18.2	1.0	0.5	21.1	<0.01	0.62	0.3
R330310		<0.05	0.4	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330311		0.16	15.6	590	0.7	1.3	0.002	0.23	<0.05	10.5	1.0	0.3	15.8	<0.01	0.02	0.3
R330312		0.13	15.1	540	1.4	2.4	0.003	0.51	<0.05	13.2	1.0	0.5	22.7	<0.01	0.04	0.2
R330313		0.20	14.3	590	1.8	5.1	0.002	0.22	<0.05	10.1	0.8	0.4	14.9	<0.01	0.03	0.5
R330314		0.21	15.7	600	3.9	12.1	0.003	0.85	<0.05	13.7	1.0	0.4	36.4	<0.01	0.14	0.3
R330315		0.16	13.9	570	0.8	5.4	0.003	0.31	<0.05	10.0	0.8	0.4	19.0	<0.01	0.07	0.2
R330316		0.18	12.2	580	0.9	1.2	0.001	0.22	<0.05	8.8	1.1	0.3	19.2	<0.01	0.04	0.2
R330317		0.06	17.0	570	1.2	3.5	0.002	0.17	<0.05	9.3	1.1	0.3	42.5	<0.01	0.03	0.2
R330318		0.13	13.6	590	0.8	0.9	0.001	0.30	<0.05	11.2	1.0	0.4	13.9	<0.01	0.05	0.2
R330319		0.14	14.6	610	0.8	0.9	0.001	0.28	<0.05	9.5	1.0	0.3	10.2	<0.01	0.04	0.2
R330320		0.08	14.7	460	107.5	12.8	0.198	5.02	2.64	1.4	7.5	1.6	34.7	<0.01	1.00	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330281		0.011	0.02	3.53	5	0.17	1.56	29	34.5
R330282		0.283	0.06	0.05	189	0.70	10.05	97	3.1
R330283		0.315	0.07	<0.05	206	0.45	11.20	179	2.9
R330284		0.292	0.10	0.05	173	0.37	10.70	271	3.3
R330285		0.264	0.11	0.16	175	0.39	10.65	197	3.7
R330286		0.265	0.12	<0.05	292	0.58	13.10	136	1.8
R330287		0.250	0.16	0.06	213	0.69	11.70	114	3.7
R330288		0.169	0.03	1.25	49	0.35	7.22	55	47.8
R330289		0.205	0.04	0.15	132	0.82	10.55	95	6.4
R330290		0.211	0.04	0.16	135	0.89	10.70	97	6.8
R330291		0.408	0.02	0.05	313	0.54	18.70	215	3.2
R330292		0.401	0.02	<0.05	196	0.45	13.70	108	3.1
R330293		0.352	0.02	<0.05	213	0.64	13.10	108	2.7
R330294		0.381	<0.02	0.17	212	0.66	12.35	125	7.2
R330295		0.298	<0.02	0.29	149	0.34	8.92	75	10.6
R330296		0.082	<0.02	2.86	34	0.24	2.58	24	35.1
R330297		0.298	0.02	0.72	152	0.35	8.83	82	10.1
R330298		0.365	0.03	0.69	193	0.40	10.65	90	9.9
R330299		0.267	0.04	0.19	142	0.17	10.10	66	4.4
R330300		0.256	0.02	1.35	121	0.33	8.14	103	16.8
R330301		0.313	0.02	0.06	133	0.47	10.90	76	3.4
R330302		0.298	0.05	0.24	136	0.29	10.35	68	5.4
R330303		0.269	0.04	0.10	150	0.22	10.55	59	3.4
R330304		0.246	<0.02	0.05	165	0.27	10.05	130	2.5
R330305		0.263	0.02	<0.05	183	0.27	10.10	72	2.8
R330306		0.318	<0.02	<0.05	264	0.32	11.70	109	2.0
R330307		0.330	<0.02	<0.05	270	0.52	11.80	117	1.8
R330308		0.320	<0.02	0.34	263	0.41	10.90	99	4.5
R330309		0.321	<0.02	0.11	255	1.07	13.60	101	2.9
R330310		<0.005	<0.02	0.06	<1	<0.05	0.60	<2	0.7
R330311		0.361	<0.02	0.08	272	0.28	12.50	85	3.0
R330312		0.319	0.02	<0.05	258	0.58	12.25	92	2.8
R330313		0.323	0.04	0.22	262	0.31	11.65	80	4.0
R330314		0.339	0.11	0.10	249	0.38	12.80	89	3.7
R330315		0.327	0.05	<0.05	263	0.25	11.30	79	2.7
R330316		0.317	<0.02	<0.05	257	0.31	10.90	66	3.4
R330317		0.284	<0.02	<0.05	291	0.63	13.10	115	2.3
R330318		0.272	<0.02	<0.05	267	0.32	10.85	74	2.7
R330319		0.249	<0.02	<0.05	241	0.22	9.84	60	2.8
R330320		0.012	0.32	0.15	17	2.16	2.50	830	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330321		3.68	0.002	0.08	1.24	0.4	<0.2	<10	<10	0.24	0.16	1.94	0.05	8.62	31.1	15
R330322		3.16	0.003	0.05	1.71	0.3	<0.2	<10	<10	0.19	0.05	1.72	0.03	8.35	27.5	11
R330323		3.26	0.003	0.08	2.15	0.4	<0.2	<10	<10	0.29	0.26	2.01	0.03	7.00	51.4	12
R330324		3.93	0.003	0.07	2.04	0.3	<0.2	<10	<10	0.35	0.35	1.88	0.04	6.57	44.3	12
R330325		3.55	0.001	0.10	2.09	0.3	<0.2	<10	<10	0.39	0.23	1.87	0.04	5.01	34.3	11
R330326		3.89	0.001	0.08	1.92	0.3	<0.2	<10	<10	0.20	0.20	2.07	0.05	7.77	31.9	12
R330327		4.13	0.002	0.16	1.89	0.4	<0.2	<10	<10	0.28	0.10	2.02	0.11	7.24	41.6	14
R330328		3.79	0.001	0.14	1.97	0.5	<0.2	<10	<10	0.34	0.09	1.83	0.14	7.33	59.7	21
R330329		4.01	0.003	0.15	2.55	0.4	<0.2	<10	<10	0.22	0.12	2.08	0.08	7.19	49.6	26
R330330		<0.02	0.003	0.14	2.56	0.3	<0.2	<10	<10	0.21	0.12	2.16	0.07	7.42	48.8	27
R330331		3.55	0.007	0.10	1.92	0.4	<0.2	<10	<10	0.16	0.04	1.92	0.13	7.20	33.4	23
R330332		3.36	0.007	0.09	1.56	0.1	<0.2	<10	10	0.23	0.04	1.98	0.12	7.35	29.8	27
R330333		2.34	0.005	0.12	1.67	0.2	<0.2	<10	<10	0.17	0.04	1.63	0.10	7.59	32.4	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330321		0.18	182.0	6.55	7.19	0.13	0.13	<0.01	0.028	0.03	3.0	8.1	0.82	628	1.17	0.16
R330322		0.18	153.5	4.86	7.47	0.13	0.14	<0.01	0.027	0.03	2.8	9.8	1.02	715	1.19	0.19
R330323		0.23	426	7.06	9.80	0.20	0.15	<0.01	0.024	0.02	2.5	17.9	1.26	873	0.90	0.12
R330324		0.22	115.5	6.90	9.38	0.18	0.17	<0.01	0.024	0.03	2.2	18.6	1.25	793	2.55	0.12
R330325		0.30	185.0	5.96	9.14	0.17	0.13	<0.01	0.030	0.05	1.8	20.3	1.28	709	0.45	0.19
R330326		0.30	165.0	5.46	8.33	0.16	0.14	<0.01	0.027	0.04	2.7	12.2	0.96	697	1.21	0.19
R330327		0.40	270	5.91	8.11	0.17	0.14	<0.01	0.027	0.05	2.5	10.9	0.87	687	1.75	0.19
R330328		0.66	266	6.97	9.70	0.19	0.15	<0.01	0.029	0.05	2.5	14.1	1.06	866	2.49	0.14
R330329		0.29	224	7.60	11.85	0.19	0.14	<0.01	0.029	0.04	2.5	23.7	1.19	938	1.07	0.14
R330330		0.29	231	7.65	11.85	0.17	0.14	<0.01	0.031	0.04	2.6	23.0	1.19	948	1.11	0.15
R330331		0.32	174.0	5.50	9.13	0.13	0.14	<0.01	0.027	0.05	2.5	15.4	0.87	804	0.58	0.14
R330332		0.34	166.5	4.89	7.14	0.13	0.17	<0.01	0.026	0.07	2.5	8.1	0.65	749	0.46	0.16
R330333		0.36	176.5	5.07	8.24	0.15	0.16	<0.01	0.027	0.06	2.6	9.8	0.72	663	0.49	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330321		0.17	13.3	590	1.6	0.9	0.001	0.40	<0.05	12.9	1.1	0.3	14.4	<0.01	0.05	0.2
R330322		0.09	13.6	610	1.8	1.7	0.003	0.26	<0.05	12.0	1.1	0.4	20.5	<0.01	0.05	0.2
R330323		0.15	15.8	580	3.0	1.0	0.001	0.98	<0.05	9.4	1.9	0.3	47.6	<0.01	0.09	0.2
R330324		0.13	15.5	580	2.1	1.4	0.003	0.61	<0.05	11.2	1.2	0.3	45.3	<0.01	0.10	0.2
R330325		0.09	15.0	580	1.9	2.3	0.001	0.42	<0.05	14.3	1.0	0.4	30.7	<0.01	0.09	0.2
R330326		0.14	13.3	600	2.0	1.5	0.001	0.51	<0.05	13.5	1.1	0.3	31.8	<0.01	0.09	0.2
R330327		0.16	15.9	540	4.2	2.6	0.002	0.80	<0.05	12.0	1.5	0.4	26.5	<0.01	0.15	0.3
R330328		0.17	25.2	540	3.0	2.2	0.004	0.87	0.05	12.6	1.7	0.6	21.5	<0.01	0.12	0.2
R330329		0.14	27.9	590	3.0	1.5	0.002	0.68	<0.05	15.1	1.4	0.4	23.1	0.01	0.09	0.2
R330330		0.18	28.2	590	3.0	1.5	0.002	0.71	<0.05	14.9	1.4	0.4	24.2	0.01	0.11	0.2
R330331		0.19	21.8	600	2.6	1.9	0.001	0.23	<0.05	13.9	0.9	0.4	25.6	0.01	0.06	0.2
R330332		0.24	19.3	580	2.8	2.7	0.001	0.18	<0.05	12.3	1.0	0.3	24.0	0.01	0.06	0.2
R330333		0.18	21.4	590	1.9	2.4	0.001	0.26	<0.05	12.8	0.9	0.3	22.7	<0.01	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330321		0.273	<0.02	<0.05	223	0.33	11.05	58	3.5
R330322		0.297	0.02	<0.05	141	0.38	11.25	73	3.6
R330323		0.366	0.02	<0.05	165	0.84	9.01	103	3.5
R330324		0.424	0.02	<0.05	187	1.04	9.38	97	3.4
R330325		0.294	0.03	<0.05	176	0.45	10.10	81	2.9
R330326		0.289	0.02	<0.05	154	0.45	10.35	72	3.6
R330327		0.257	0.17	<0.05	151	0.43	9.55	85	3.3
R330328		0.333	0.08	<0.05	166	0.57	10.10	130	3.7
R330329		0.303	0.06	<0.05	212	0.33	10.25	125	3.5
R330330		0.312	0.06	<0.05	213	0.35	10.45	124	4.0
R330331		0.311	0.02	<0.05	182	0.34	9.83	97	3.5
R330332		0.324	0.03	0.07	155	0.36	10.60	77	4.5
R330333		0.321	0.03	<0.05	178	0.34	10.25	76	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-AUG-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15114168

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

CERTIFICATE SD15122210

Project: Miller

This report is for 179 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 14-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330334		3.29	0.002	0.15	1.70	0.7	<0.2	<10	10	0.24	0.31	1.84	0.06	6.21	35.7	31
R330335		4.20	0.002	0.21	1.66	0.5	<0.2	<10	70	0.19	0.12	1.56	0.18	6.51	43.9	26
R330336		3.71	0.002	0.13	1.40	0.4	<0.2	<10	20	0.19	0.10	1.71	0.05	7.59	29.7	16
R330337		3.95	0.003	0.16	1.42	0.5	<0.2	<10	20	0.19	0.08	2.17	0.05	6.79	31.3	13
R330338		3.45	0.003	0.18	1.41	0.4	<0.2	<10	20	0.13	0.07	1.52	0.05	7.55	27.9	9
R330339		3.61	0.002	0.07	1.02	0.4	<0.2	<10	10	0.12	0.03	1.20	0.05	6.22	22.1	10
R330340		0.08	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R330341		3.18	0.002	0.09	1.38	0.4	<0.2	<10	10	0.20	0.05	1.52	0.05	11.50	30.8	25
R330342		3.08	0.006	0.09	1.58	0.4	<0.2	<10	10	0.21	0.07	2.48	0.06	6.22	33.7	35
R330343		0.69	0.012	0.36	1.98	0.5	<0.2	<10	10	0.88	3.06	4.66	0.03	6.30	42.8	37
R330344		3.76	0.007	0.06	2.04	0.6	<0.2	<10	10	0.35	0.20	2.38	0.03	8.08	38.8	9
R330345		3.62	0.003	0.05	1.53	0.5	<0.2	<10	20	0.20	0.03	1.63	0.03	13.90	27.9	30
R330346		2.94	0.003	0.06	1.26	0.3	<0.2	<10	10	0.20	0.07	1.48	0.02	6.65	30.9	14
R330347		3.31	0.003	0.06	1.17	0.5	<0.2	<10	10	0.27	0.19	1.88	0.05	7.29	26.5	13
R330348		4.14	0.003	0.06	1.25	0.5	<0.2	<10	10	0.24	0.30	1.76	0.03	7.45	35.4	12
R330349		2.84	0.003	0.06	1.17	0.3	<0.2	<10	10	0.18	0.04	1.55	0.05	7.49	25.4	12
R330350		0.07	1.000	6.11	1.07	42.1	0.7	<10	50	0.21	1.27	0.41	5.02	5.60	14.3	20
R330351		2.45	0.004	0.20	1.38	0.3	<0.2	<10	10	0.17	0.66	1.30	0.13	7.73	29.2	10
R330352		1.21	0.007	2.69	0.45	0.4	<0.2	<10	10	0.20	24.7	3.79	0.06	7.35	34.1	10
R330353		3.61	0.003	0.09	2.13	0.3	<0.2	<10	10	0.19	0.24	0.97	0.04	7.22	35.0	10
R330354		3.91	0.004	0.07	1.40	0.6	<0.2	<10	10	0.19	0.09	2.19	0.05	6.06	30.0	26
R330355		3.58	0.003	0.09	2.02	0.4	<0.2	<10	10	0.26	0.72	2.53	0.04	6.65	36.0	33
R330356		2.68	0.003	0.04	2.80	0.6	<0.2	<10	10	0.65	0.15	4.31	0.02	6.12	52.3	44
R330357		2.46	0.124	0.18	2.54	0.5	<0.2	<10	10	0.57	0.60	5.54	0.02	5.85	39.2	30
R330358		2.79	0.013	0.07	2.57	0.5	<0.2	<10	10	0.57	0.25	3.54	0.04	7.07	48.1	40
R330359		0.69	0.392	0.67	0.86	0.3	0.6	<10	30	0.41	32.8	2.91	0.02	16.15	17.3	26
R330360		<0.02	0.710	0.86	0.86	0.3	1.7	<10	30	0.43	46.9	3.77	0.02	15.75	17.1	22
R330361		2.23	0.031	0.17	0.44	0.2	<0.2	<10	40	0.35	0.94	1.04	0.01	25.2	4.4	23
R330362		0.67	0.020	0.06	0.41	0.4	<0.2	<10	30	0.31	0.39	0.77	<0.01	21.0	3.7	26
R330363		3.55	0.094	0.16	0.45	0.1	<0.2	<10	40	0.31	0.50	0.97	<0.01	24.1	4.1	27
R330364		3.36	0.040	0.15	0.47	0.2	<0.2	<10	40	0.34	0.77	1.26	0.01	36.9	4.9	25
R330365		3.49	0.546	0.34	0.47	0.1	<0.2	<10	30	0.32	4.12	0.87	<0.01	23.7	4.0	23
R330366		3.75	0.042	0.15	0.41	0.1	<0.2	<10	90	0.36	0.88	0.65	0.01	28.0	11.2	23
R330367		3.00	0.095	0.19	0.43	0.3	<0.2	<10	40	0.32	0.69	0.86	0.01	19.65	9.6	24
R330368		0.90	0.362	0.10	0.43	0.2	<0.2	<10	40	0.28	0.55	0.79	<0.01	22.3	8.0	30
R330369		0.95	0.080	0.11	0.36	0.1	<0.2	<10	60	0.26	0.90	1.14	0.01	24.1	4.8	23
R330370		0.08	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.99	0.1	<1
R330371		2.95	0.584	0.23	0.36	<0.1	<0.2	<10	40	0.26	1.10	0.93	<0.01	21.9	5.9	22
R330372		3.24	0.085	0.05	0.43	0.1	<0.2	<10	60	0.30	0.77	0.77	<0.01	24.5	5.2	24
R330373		3.53	0.886	0.07	0.41	0.4	<0.2	<10	30	0.28	1.10	0.92	<0.01	15.75	4.8	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330334		0.42	143.5	5.73	7.86	0.23	0.15	<0.01	0.025	0.04	2.2	14.3	0.90	770	5.41	0.13
R330335		1.11	238	6.01	7.53	0.20	0.14	<0.01	0.028	0.21	2.3	14.2	0.73	640	2.92	0.13
R330336		0.41	183.0	5.33	6.77	0.25	0.17	0.01	0.025	0.06	2.8	6.8	0.70	579	3.56	0.17
R330337		1.07	222	6.01	7.46	0.25	0.11	<0.01	0.029	0.06	2.6	11.4	0.76	644	4.09	0.09
R330338		0.77	266	6.10	7.39	0.24	0.14	<0.01	0.028	0.07	2.9	6.8	0.74	633	2.33	0.17
R330339		0.21	151.5	4.84	5.81	0.21	0.16	<0.01	0.019	0.03	2.4	5.4	0.53	415	1.27	0.12
R330340		<0.05	0.9	0.03	<0.05	0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R330341		0.35	155.5	5.69	7.31	0.23	0.19	<0.01	0.026	0.05	4.8	10.0	0.80	524	6.29	0.13
R330342		1.22	206	6.12	8.88	0.27	0.16	<0.01	0.027	0.07	2.4	15.5	1.03	666	1.16	0.08
R330343		1.51	149.0	10.15	12.85	0.21	0.10	<0.01	0.059	0.05	2.2	20.7	1.93	880	74.3	0.08
R330344		0.53	149.5	7.39	11.45	0.28	0.20	0.01	0.034	0.03	3.1	20.1	1.49	735	1.35	0.08
R330345		0.47	155.0	4.99	7.49	0.22	0.21	<0.01	0.022	0.05	5.6	12.7	0.93	542	1.91	0.12
R330346		0.24	169.5	5.89	7.52	0.20	0.15	<0.01	0.027	0.03	2.5	8.3	0.79	530	5.45	0.13
R330347		0.19	127.0	5.66	7.10	0.28	0.19	<0.01	0.022	0.03	2.8	7.2	0.68	545	2.29	0.10
R330348		0.26	156.0	6.36	7.68	0.25	0.17	<0.01	0.025	0.03	2.9	8.4	0.76	534	2.90	0.11
R330349		0.21	180.5	5.04	6.48	0.22	0.20	<0.01	0.024	0.03	3.0	6.2	0.61	514	0.93	0.12
R330350		3.67	6940	6.65	3.25	0.09	<0.02	0.05	0.322	0.28	2.7	11.1	0.32	634	144.0	0.02
R330351		0.22	189.5	5.78	7.12	0.21	0.15	<0.01	0.023	0.03	2.9	10.2	0.82	568	0.82	0.12
R330352		0.13	68.5	7.26	3.60	0.24	0.21	0.01	0.019	0.02	2.8	1.6	0.28	345	97.3	0.08
R330353		0.40	147.5	8.12	11.15	0.22	0.12	<0.01	0.023	0.02	2.6	23.4	1.29	800	1.42	0.09
R330354		0.26	177.0	5.08	6.73	0.27	0.19	0.01	0.018	0.03	2.4	8.5	0.71	565	14.05	0.10
R330355		0.48	169.5	6.97	9.38	0.22	0.19	<0.01	0.028	0.03	2.5	15.2	1.36	727	4.51	0.10
R330356		1.38	185.5	9.49	14.55	0.25	0.24	<0.01	0.039	0.03	2.3	23.6	2.22	1170	5.05	0.05
R330357		1.07	115.0	7.85	10.20	0.12	0.68	<0.01	0.042	0.10	2.7	27.5	1.44	1180	2.66	0.05
R330358		1.24	197.5	8.34	11.40	0.19	0.34	<0.01	0.038	0.09	2.7	21.5	1.74	1160	0.89	0.06
R330359		0.23	38.1	3.58	5.45	0.08	1.05	<0.01	0.013	0.07	8.9	8.3	0.67	392	17.60	0.14
R330360		0.23	45.7	3.48	5.34	0.08	1.02	<0.01	0.012	0.07	8.5	8.2	0.65	415	18.75	0.15
R330361		0.30	19.0	1.62	3.37	0.08	0.80	<0.01	0.009	0.05	14.0	5.4	0.35	193	0.96	0.08
R330362		0.31	14.3	1.58	3.17	0.08	0.64	<0.01	0.006	0.06	11.3	4.9	0.29	163	2.43	0.10
R330363		0.39	20.3	1.64	3.37	0.08	0.75	<0.01	0.008	0.06	13.4	5.9	0.37	188	3.78	0.08
R330364		0.26	13.8	1.65	3.42	0.09	0.78	<0.01	0.008	0.06	19.7	5.6	0.36	186	3.59	0.10
R330365		0.39	335	1.48	3.57	0.08	0.78	<0.01	0.009	0.07	12.5	6.3	0.33	142	1.25	0.10
R330366		0.72	14.9	1.35	3.37	0.09	0.76	<0.01	0.007	0.05	15.3	6.8	0.33	105	1.09	0.05
R330367		0.44	11.1	1.63	3.35	0.07	0.79	<0.01	0.006	0.05	10.3	6.8	0.33	142	1.38	0.09
R330368		0.46	4.2	1.62	3.30	0.08	0.72	<0.01	0.007	0.06	11.5	6.2	0.34	155	1.84	0.06
R330369		0.32	12.1	1.47	2.52	0.08	0.86	<0.01	0.006	0.07	12.5	4.5	0.24	130	1.72	0.08
R330370		<0.05	2.3	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06	<0.01
R330371		0.39	5.9	1.39	2.79	<0.05	0.66	<0.01	0.007	0.03	11.3	5.5	0.31	125	1.61	0.04
R330372		0.39	3.9	1.53	3.31	0.05	0.67	<0.01	0.009	0.06	12.9	5.3	0.31	132	1.17	0.08
R330373		0.35	6.6	1.42	3.22	0.05	0.71	<0.01	0.006	0.05	8.2	6.5	0.34	135	1.39	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330334		0.16	28.4	520	2.6	2.0	0.005	0.81	0.08	11.6	1.0	0.5	22.3	<0.01	0.10	0.2
R330335		0.12	28.0	530	6.1	10.5	0.004	1.13	0.07	11.7	1.5	0.4	8.3	<0.01	0.18	0.2
R330336		0.14	15.5	560	2.0	3.0	0.004	0.46	0.07	11.9	1.1	0.4	18.5	<0.01	0.09	0.2
R330337		0.08	14.3	530	2.4	5.4	0.004	0.63	0.06	11.7	1.2	0.3	11.5	<0.01	0.10	0.2
R330338		0.09	11.6	560	1.9	4.3	0.004	0.65	0.06	10.6	1.2	0.5	9.2	<0.01	0.09	0.2
R330339		0.13	8.9	570	1.0	1.6	0.002	0.23	0.05	8.7	0.8	0.3	17.0	<0.01	0.02	0.2
R330340		<0.05	0.4	10	0.4	0.1	<0.001	0.02	0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330341		0.12	14.8	680	1.6	2.6	0.006	0.38	0.05	9.9	0.9	0.5	18.9	<0.01	0.04	0.6
R330342		0.13	24.3	480	1.6	5.6	0.001	0.30	0.06	12.8	0.9	0.4	23.8	<0.01	0.06	0.3
R330343		0.09	32.0	430	8.1	5.8	0.014	2.11	0.07	32.2	1.8	0.8	56.9	<0.01	0.12	0.2
R330344		0.09	16.3	560	1.0	1.9	0.003	0.38	0.06	14.9	1.2	0.4	35.3	<0.01	0.05	0.3
R330345		0.15	15.3	760	0.8	3.0	0.004	0.26	0.07	9.5	1.0	0.5	31.4	<0.01	0.03	0.6
R330346		0.11	12.8	600	0.6	1.3	0.005	0.43	0.06	10.3	1.1	0.4	12.4	<0.01	0.03	0.2
R330347		0.26	11.4	550	1.1	1.1	0.003	0.37	0.08	8.9	0.7	0.6	33.5	<0.01	0.04	0.2
R330348		0.20	13.0	560	1.3	1.2	0.004	0.65	0.07	9.8	1.1	0.4	37.1	<0.01	0.04	0.2
R330349		0.23	10.9	550	0.7	1.2	0.002	0.29	0.07	8.5	0.9	0.5	24.4	<0.01	0.04	0.2
R330350		0.08	16.0	470	106.0	13.5	0.227	5.09	2.56	1.4	8.1	1.8	37.2	<0.01	1.10	1.2
R330351		0.16	11.5	570	4.8	1.5	0.002	0.41	0.05	9.0	0.9	0.4	27.6	<0.01	0.03	0.2
R330352		0.72	10.9	470	31.9	0.8	0.018	2.79	0.09	8.3	1.4	0.7	46.2	<0.01	0.18	0.2
R330353		0.09	14.4	570	0.9	1.0	0.002	0.47	0.05	10.2	1.1	0.4	14.0	<0.01	0.06	0.2
R330354		0.20	19.5	460	1.1	1.5	0.010	0.38	0.07	7.7	0.8	0.5	54.9	<0.01	0.05	0.2
R330355		0.11	27.3	490	1.7	1.9	0.005	0.35	0.05	12.5	0.9	0.4	40.3	<0.01	0.03	0.2
R330356		0.06	40.8	490	2.5	2.5	0.005	0.36	0.06	18.5	1.1	0.6	75.2	<0.01	0.06	0.2
R330357		<0.05	30.6	360	6.1	7.7	0.001	0.68	0.06	19.5	0.8	0.2	89.1	<0.01	0.17	5.0
R330358		0.13	35.8	450	1.7	7.6	0.002	0.38	0.08	18.9	1.2	0.6	53.9	<0.01	0.18	0.5
R330359		0.21	13.7	360	22.1	3.5	0.004	1.77	0.06	6.7	0.9	0.4	78.0	<0.01	10.90	6.8
R330360		0.22	13.4	360	27.1	3.6	0.004	1.82	0.07	6.5	0.8	0.6	103.0	<0.01	15.85	6.6
R330361		0.21	5.6	380	9.1	2.3	<0.001	0.51	0.05	1.6	0.4	0.3	35.7	<0.01	0.29	6.5
R330362		0.13	5.5	310	1.4	2.3	0.001	0.45	0.09	1.4	0.2	0.7	23.1	<0.01	0.09	4.1
R330363		0.21	5.8	400	2.2	2.3	0.001	0.53	0.05	1.7	0.3	0.3	24.7	<0.01	0.15	4.3
R330364		0.16	5.9	410	2.3	2.2	0.001	0.66	0.06	1.8	0.3	0.5	28.0	<0.01	0.27	4.3
R330365		0.14	5.8	350	1.9	2.9	<0.001	0.46	<0.05	1.6	0.3	0.3	19.1	<0.01	2.41	3.9
R330366		0.13	5.4	360	1.8	2.0	<0.001	0.60	0.05	1.5	0.8	0.4	18.1	<0.01	0.26	4.0
R330367		0.13	6.2	380	2.0	2.3	0.001	0.85	0.07	1.5	0.3	0.5	18.4	<0.01	0.27	4.1
R330368		0.23	6.2	350	1.8	2.2	0.001	0.49	0.05	1.7	0.5	0.4	20.0	<0.01	0.29	3.4
R330369		0.13	5.4	350	2.8	2.4	0.001	0.67	0.08	1.5	0.3	0.5	23.0	<0.01	0.37	4.7
R330370		<0.05	0.7	10	1.2	0.1	<0.001	0.04	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330371		0.12	4.6	370	1.6	1.1	<0.001	0.53	0.05	1.3	0.3	0.4	17.6	<0.01	0.71	3.5
R330372		0.11	5.0	370	1.7	1.8	<0.001	0.45	<0.05	1.4	0.2	0.3	19.4	<0.01	0.36	3.2
R330373		0.16	5.0	370	1.5	1.6	<0.001	0.46	0.06	1.4	0.4	0.4	15.1	<0.01	0.55	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330334		0.295	0.02	0.05	160	0.48	9.37	88	3.4
R330335		0.280	0.09	<0.05	158	0.46	8.78	104	3.4
R330336		0.282	0.03	<0.05	159	0.51	11.10	57	3.6
R330337		0.203	0.05	<0.05	167	0.71	8.85	63	2.3
R330338		0.222	0.06	<0.05	162	0.39	9.72	59	3.0
R330339		0.255	<0.02	<0.05	168	0.31	9.21	46	3.1
R330340		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.7
R330341		0.254	0.02	0.10	169	0.38	10.50	62	4.7
R330342		0.303	0.05	0.06	193	0.73	9.83	75	3.8
R330343		0.428	0.05	0.33	284	2.61	18.05	119	2.0
R330344		0.343	0.02	0.08	225	1.14	13.20	102	3.4
R330345		0.292	0.02	0.10	170	0.48	10.65	66	5.1
R330346		0.270	<0.02	0.06	196	0.49	10.20	61	2.8
R330347		0.318	<0.02	0.08	177	0.72	10.20	49	4.2
R330348		0.316	<0.02	0.09	192	0.45	10.95	57	3.7
R330349		0.319	<0.02	0.07	171	0.51	10.65	49	4.2
R330350		0.013	0.35	0.16	17	2.90	2.78	835	<0.5
R330351		0.286	<0.02	0.07	169	0.38	10.40	72	3.0
R330352		0.334	<0.02	0.10	145	0.70	11.55	25	3.9
R330353		0.260	<0.02	<0.05	205	0.41	9.46	114	1.9
R330354		0.294	<0.02	0.05	151	0.71	9.27	54	4.7
R330355		0.328	<0.02	0.08	195	0.46	10.95	81	4.1
R330356		0.366	0.02	0.07	239	0.93	13.55	131	5.0
R330357		0.089	0.05	3.01	165	0.40	11.10	90	12.5
R330358		0.369	0.05	0.47	236	0.65	14.00	104	6.2
R330359		0.125	0.02	2.30	61	1.13	6.87	30	24.1
R330360		0.120	0.02	2.30	58	1.13	7.07	29	23.7
R330361		0.033	<0.02	2.10	20	0.31	4.17	19	18.8
R330362		0.022	<0.02	1.18	19	0.30	3.31	15	15.8
R330363		0.032	<0.02	1.23	23	0.51	4.17	22	18.7
R330364		0.027	0.02	1.45	23	0.43	4.56	20	18.1
R330365		0.023	0.02	1.24	23	0.26	3.81	17	20.0
R330366		0.019	<0.02	1.71	30	0.37	3.58	17	18.5
R330367		0.020	<0.02	1.19	23	0.32	4.16	17	20.6
R330368		0.033	0.02	0.99	22	0.35	3.66	20	19.4
R330369		0.016	0.02	1.85	15	0.26	3.97	13	22.9
R330370		<0.005	<0.02	0.07	<1	<0.05	0.54	<2	0.7
R330371		0.017	<0.02	1.14	22	0.27	2.87	16	16.9
R330372		0.018	0.02	1.17	24	0.27	2.99	16	18.7
R330373		0.025	<0.02	1.30	21	0.34	3.31	17	18.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330374		3.49	0.051	0.08	0.45	0.2	<0.2	<10	40	0.35	0.45	0.90	0.02	21.5	3.2	24
R330375		2.81	0.131	0.05	0.40	0.2	<0.2	<10	70	0.31	0.55	1.12	<0.01	18.00	3.4	22
R330376		0.90	0.240	0.09	0.21	0.2	<0.2	<10	20	0.14	41.0	0.90	0.02	10.70	2.7	34
R330377		3.24	0.257	0.09	0.39	0.2	<0.2	<10	50	0.34	1.19	1.09	<0.01	21.4	3.0	22
R330378		3.36	0.040	0.18	0.37	0.1	0.7	<10	110	0.39	0.41	1.09	<0.01	19.40	2.9	20
R330379		3.28	0.055	0.05	0.34	0.1	<0.2	<10	200	0.34	0.54	1.12	0.01	17.80	3.0	21
R330380		0.05	2.46	4.08	1.51	17.5	2.2	<10	40	0.61	0.08	3.61	0.33	19.90	9.9	23
R330381		3.17	0.022	0.06	0.36	0.4	<0.2	<10	340	0.35	0.56	1.22	<0.01	20.5	3.0	19
R330382		1.83	0.023	0.02	0.34	<0.1	<0.2	<10	340	0.36	0.43	1.21	<0.01	18.45	2.9	19
R330383		2.37	0.288	0.04	0.37	0.3	<0.2	<10	320	0.37	0.74	1.07	0.01	20.5	3.3	18
R330384		2.91	0.055	0.04	0.38	0.1	<0.2	<10	260	0.39	0.19	1.17	<0.01	26.8	2.8	19
R330385		3.44	0.011	0.02	0.43	<0.1	<0.2	<10	100	0.42	0.25	0.88	<0.01	24.7	2.8	18
R330386		3.15	0.041	0.03	0.43	0.1	<0.2	<10	60	0.42	0.27	0.92	0.01	20.1	2.9	21
R330387		3.22	0.338	0.03	0.42	0.1	<0.2	<10	60	0.36	3.78	0.87	0.01	17.70	2.8	21
R330388		3.48	0.023	0.03	0.41	<0.1	<0.2	<10	30	0.37	0.19	1.05	<0.01	18.95	2.7	26
R330389		3.29	0.126	0.03	0.44	0.2	<0.2	<10	30	0.42	0.26	1.44	0.01	20.1	2.8	21
R330390		<0.02	0.076	0.03	0.42	<0.1	<0.2	<10	30	0.39	0.25	1.39	<0.01	19.80	2.9	20
R330391		2.37	0.088	0.06	0.47	<0.1	<0.2	<10	30	0.38	0.34	1.24	<0.01	50.6	3.2	20
R330392		2.49	0.072	0.03	0.47	0.1	<0.2	<10	30	0.41	0.20	0.69	<0.01	19.10	3.2	20
R330393		2.25	0.033	0.02	0.46	0.2	<0.2	<10	60	0.42	0.48	0.60	<0.01	22.6	2.7	21
R330394		2.61	0.089	0.04	0.42	0.1	<0.2	<10	50	0.39	0.30	0.84	0.01	26.9	2.4	22
R330395		3.62	0.006	0.01	0.44	0.1	<0.2	<10	40	0.41	0.07	0.90	0.01	24.8	2.7	22
R330396		3.25	0.020	0.01	0.47	<0.1	<0.2	<10	40	0.79	0.07	0.78	<0.01	23.5	2.8	25
R330397		2.05	0.022	0.01	0.45	0.2	<0.2	<10	30	0.36	0.10	0.80	<0.01	20.3	2.9	22
R330398		2.25	0.151	0.04	0.45	0.2	<0.2	<10	50	0.50	0.18	0.75	<0.01	12.80	3.0	19
R330399		1.95	0.022	0.03	0.54	<0.1	<0.2	<10	30	0.50	0.17	0.65	<0.01	20.0	3.6	17
R330400		1.78	0.009	0.01	0.43	0.1	<0.2	<10	30	0.45	0.07	1.02	<0.01	24.2	2.7	20
R330401		3.07	0.037	0.01	0.46	0.1	<0.2	<10	40	0.44	0.25	0.95	<0.01	26.2	3.1	21
R330402		3.24	0.082	0.01	0.50	0.1	<0.2	<10	50	0.52	0.16	0.92	0.01	25.4	3.3	21
R330403		3.09	0.013	0.02	0.44	0.2	<0.2	<10	40	0.48	0.18	1.17	<0.01	44.7	2.9	23
R330404		3.28	0.043	0.03	0.41	<0.1	<0.2	<10	30	0.57	0.50	0.82	0.01	21.4	3.5	16
R330405		3.31	0.037	0.04	0.32	0.2	<0.2	<10	50	0.43	0.44	1.08	0.03	24.5	3.5	14
R330406		1.23	0.523	0.09	0.25	0.2	<0.2	<10	10	0.67	1.79	0.95	0.03	19.85	4.0	13
R330407		3.26	0.044	0.04	0.34	0.2	<0.2	<10	50	0.49	0.44	1.26	0.01	24.5	3.8	17
R330408		3.40	0.426	0.05	0.40	0.2	<0.2	<10	60	0.40	0.96	0.94	0.01	21.5	3.3	19
R330409		3.30	0.110	0.03	0.44	0.2	<0.2	<10	40	0.41	0.20	0.83	<0.01	26.1	3.1	20
R330410		0.08	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.05	0.1	<1
R330411		3.11	0.016	0.02	0.45	0.2	<0.2	<10	30	0.48	0.23	0.82	<0.01	28.4	3.5	21
R330412		2.59	0.164	0.06	0.46	0.2	<0.2	<10	30	0.53	2.40	0.77	<0.01	24.8	3.6	20
R330413		2.59	0.180	0.10	0.38	0.1	<0.2	<10	20	0.29	4.54	0.51	0.01	15.35	3.7	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330374		0.36	5.4	1.50	3.29	<0.05	0.77	<0.01	0.005	0.07	11.0	6.4	0.34	152	1.21	0.07
R330375		0.35	3.4	1.40	2.94	<0.05	0.86	<0.01	0.005	0.04	9.6	6.6	0.33	145	1.54	0.06
R330376		0.21	9.3	1.23	1.59	<0.05	0.46	<0.01	0.005	0.02	5.8	2.6	0.16	125	8.39	0.06
R330377		0.34	8.3	1.33	2.71	<0.05	0.85	<0.01	0.007	0.06	11.5	6.2	0.29	148	1.92	0.07
R330378		0.25	7.5	1.20	2.59	<0.05	0.85	<0.01	0.007	0.05	10.3	6.7	0.31	149	1.23	0.05
R330379		0.23	17.8	1.28	2.07	<0.05	0.88	<0.01	0.007	0.05	9.5	5.9	0.25	148	1.44	0.06
R330380		2.88	65.6	2.86	6.02	0.08	0.36	0.08	0.034	0.21	9.2	15.9	0.84	658	5.59	0.06
R330381		0.29	8.3	1.33	2.10	<0.05	0.91	<0.01	0.006	0.07	10.7	6.4	0.23	152	1.09	0.07
R330382		0.24	9.9	1.31	2.09	<0.05	0.91	<0.01	0.007	0.06	9.8	5.6	0.21	178	1.06	0.06
R330383		0.31	12.1	1.34	1.94	<0.05	0.91	<0.01	0.005	0.06	11.0	7.5	0.26	171	2.97	0.07
R330384		0.30	6.3	1.24	2.35	<0.05	0.95	<0.01	0.007	0.09	14.3	4.9	0.25	193	0.67	0.06
R330385		0.39	4.4	1.26	2.82	<0.05	0.99	<0.01	0.006	0.08	13.8	6.5	0.31	175	0.30	0.07
R330386		0.31	5.8	1.28	3.06	<0.05	0.87	<0.01	0.006	0.06	10.9	6.0	0.33	152	0.22	0.06
R330387		0.37	7.8	1.31	3.32	<0.05	0.90	<0.01	0.005	0.07	9.4	5.8	0.32	131	0.23	0.07
R330388		0.42	11.2	1.22	3.34	<0.05	0.90	<0.01	0.006	0.06	9.5	5.5	0.33	135	0.17	0.06
R330389		0.33	6.2	1.27	3.33	<0.05	0.88	<0.01	0.007	0.05	10.5	5.3	0.35	147	0.27	0.07
R330390		0.33	6.4	1.26	3.42	<0.05	0.89	<0.01	0.007	0.05	10.1	5.5	0.34	150	0.25	0.06
R330391		0.42	2.8	1.40	4.01	0.07	0.84	<0.01	0.012	0.05	26.6	6.5	0.37	146	0.13	0.07
R330392		0.39	6.5	1.26	3.85	<0.05	0.89	<0.01	0.006	0.05	9.9	6.8	0.38	128	0.17	0.06
R330393		0.44	4.3	1.25	4.01	0.05	0.93	<0.01	0.006	0.08	12.0	6.3	0.35	120	0.23	0.07
R330394		0.47	3.5	1.24	3.65	<0.05	0.90	<0.01	0.007	0.07	14.2	5.6	0.33	118	0.17	0.06
R330395		0.42	4.0	1.29	3.52	0.05	1.04	<0.01	0.007	0.08	13.0	5.5	0.34	144	0.19	0.07
R330396		0.45	5.3	1.27	3.99	<0.05	1.02	<0.01	0.006	0.07	12.3	6.0	0.37	140	0.20	0.06
R330397		0.43	8.5	1.29	3.55	<0.05	1.04	<0.01	0.005	0.08	10.8	6.4	0.36	154	0.15	0.06
R330398		0.78	25.3	1.26	3.35	<0.05	0.95	<0.01	0.006	0.07	6.5	6.4	0.36	124	0.22	0.05
R330399		0.70	13.3	1.36	4.50	<0.05	1.01	<0.01	0.006	0.08	10.2	8.6	0.43	131	0.22	0.06
R330400		0.47	5.0	1.25	3.65	<0.05	0.99	<0.01	0.007	0.06	12.8	6.0	0.36	158	0.12	0.05
R330401		0.39	6.4	1.31	3.41	<0.05	1.01	<0.01	0.007	0.08	14.2	6.2	0.36	178	0.18	0.06
R330402		0.58	8.7	1.36	3.65	0.05	0.88	<0.01	0.008	0.08	13.8	6.6	0.39	170	0.18	0.06
R330403		0.41	7.3	1.32	3.71	0.06	0.89	<0.01	0.009	0.07	25.5	6.2	0.35	142	0.15	0.07
R330404		0.40	22.3	1.27	2.99	<0.05	0.90	<0.01	0.006	0.07	10.8	7.3	0.34	115	0.18	0.06
R330405		0.25	25.6	1.32	2.32	<0.05	0.88	<0.01	0.006	0.07	13.1	4.0	0.21	115	0.31	0.08
R330406		0.21	26.4	1.29	1.87	0.11	0.81	<0.01	0.007	0.03	10.0	4.0	0.17	94	0.28	0.08
R330407		0.28	25.5	1.29	2.44	0.11	0.95	<0.01	0.008	0.06	13.0	5.0	0.23	132	0.23	0.08
R330408		0.37	13.3	1.27	2.68	0.11	0.89	<0.01	0.008	0.07	11.5	6.8	0.30	126	0.22	0.08
R330409		0.39	14.8	1.27	3.06	0.11	0.95	<0.01	0.008	0.08	14.7	8.0	0.34	145	0.15	0.08
R330410		<0.05	0.7	0.02	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	0.01
R330411		0.40	15.8	1.34	3.19	0.11	0.98	<0.01	0.006	0.07	16.3	7.3	0.37	162	0.19	0.08
R330412		0.28	19.4	1.38	3.48	0.12	1.02	<0.01	0.007	0.07	12.8	7.0	0.36	137	4.20	0.08
R330413		0.18	20.3	1.39	2.76	0.11	1.01	<0.01	0.007	0.03	7.4	5.3	0.31	95	20.8	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330374		0.15	4.8	380	1.6	2.5	<0.001	0.32	0.06	1.4	0.2	0.5	19.2	<0.01	0.22	3.4
R330375		0.13	4.6	360	1.9	1.7	<0.001	0.54	<0.05	1.4	0.5	0.2	21.0	<0.01	0.29	4.0
R330376		0.08	3.8	190	4.3	0.8	0.002	0.61	0.09	1.0	0.7	0.4	16.0	<0.01	25.1	2.0
R330377		0.11	4.4	350	2.2	2.9	<0.001	0.49	0.06	1.2	0.4	0.4	22.5	<0.01	0.68	4.0
R330378		0.09	4.0	350	1.8	3.0	<0.001	0.46	<0.05	1.0	0.5	<0.2	22.2	<0.01	0.15	4.1
R330379		0.11	3.9	340	3.0	2.5	<0.001	0.52	<0.05	1.0	0.5	0.3	23.5	<0.01	0.18	4.2
R330380		0.06	9.5	590	15.8	10.2	0.002	0.87	0.42	7.9	0.7	0.5	107.0	<0.01	2.37	1.3
R330381		0.12	4.2	360	2.0	3.7	<0.001	0.53	<0.05	1.1	0.4	0.3	28.9	<0.01	0.19	4.3
R330382		0.07	3.9	340	1.5	3.6	<0.001	0.51	<0.05	0.9	0.3	<0.2	27.2	<0.01	0.09	4.7
R330383		<0.05	3.9	350	2.0	3.7	0.001	0.57	<0.05	0.9	0.6	0.2	29.1	<0.01	0.24	4.4
R330384		0.05	3.8	340	1.9	4.9	<0.001	0.16	<0.05	0.9	0.3	0.3	31.1	<0.01	0.04	4.7
R330385		0.12	3.9	340	1.7	4.7	<0.001	0.24	<0.05	1.0	0.3	<0.2	25.8	<0.01	0.06	5.0
R330386		0.12	4.1	350	1.6	2.8	<0.001	0.33	<0.05	1.2	0.3	0.3	20.0	<0.01	0.09	4.3
R330387		0.11	4.7	350	1.4	2.9	<0.001	0.30	<0.05	1.2	<0.2	0.4	16.4	<0.01	2.30	4.3
R330388		0.13	4.6	340	1.5	2.4	<0.001	0.20	<0.05	1.4	0.2	0.2	17.6	<0.01	0.07	4.4
R330389		0.10	4.3	330	1.6	1.9	<0.001	0.27	<0.05	1.4	0.2	0.4	19.1	<0.01	0.09	4.1
R330390		0.11	4.4	330	1.5	1.9	<0.001	0.26	<0.05	1.5	0.2	0.5	19.6	<0.01	0.08	4.4
R330391		0.11	4.7	330	1.4	2.0	<0.001	0.36	<0.05	1.9	0.3	0.3	21.5	<0.01	0.12	4.2
R330392		0.11	4.6	330	1.5	1.9	<0.001	0.20	<0.05	1.3	0.2	0.8	14.3	<0.01	0.06	4.3
R330393		0.15	4.5	340	1.1	2.6	<0.001	0.11	<0.05	1.2	0.2	0.6	16.0	<0.01	0.26	4.4
R330394		0.18	4.4	350	1.5	2.2	<0.001	0.13	<0.05	1.4	0.2	0.3	14.9	<0.01	0.15	4.3
R330395		0.17	4.6	340	1.2	3.0	<0.001	0.06	<0.05	1.4	<0.2	0.4	17.9	<0.01	0.02	4.8
R330396		0.15	5.1	330	1.2	2.8	<0.001	0.06	<0.05	1.4	0.2	0.4	14.6	<0.01	0.04	4.7
R330397		0.14	4.4	330	1.4	2.9	<0.001	0.11	<0.05	1.2	<0.2	0.2	14.7	<0.01	0.05	4.8
R330398		0.08	4.3	340	1.2	2.8	<0.001	0.18	<0.05	1.1	0.2	0.4	12.9	<0.01	0.10	4.8
R330399		0.08	5.4	350	1.1	3.7	<0.001	0.13	<0.05	1.3	0.2	0.5	13.4	<0.01	0.10	5.1
R330400		0.14	4.7	350	1.0	2.5	<0.001	0.04	<0.05	1.3	0.3	0.3	16.0	<0.01	0.02	4.7
R330401		0.14	4.5	350	1.5	3.0	<0.001	0.10	<0.05	1.3	<0.2	0.4	20.2	<0.01	0.13	4.8
R330402		0.12	4.6	360	1.2	3.1	<0.001	0.13	<0.05	1.3	0.3	0.4	18.0	<0.01	0.05	4.5
R330403		0.18	4.7	390	1.2	2.4	<0.001	0.19	<0.05	1.5	0.2	0.3	17.1	<0.01	0.06	4.2
R330404		0.13	4.4	370	1.5	3.3	<0.001	0.45	<0.05	1.1	0.3	0.3	17.0	<0.01	0.15	4.3
R330405		0.13	4.3	350	3.7	3.4	<0.001	0.71	<0.05	0.9	0.5	0.3	18.6	<0.01	0.10	4.4
R330406		0.10	4.2	320	12.6	1.7	<0.001	0.84	<0.05	0.9	0.6	<0.2	14.6	<0.01	0.92	4.1
R330407		0.15	4.6	360	4.7	2.7	<0.001	0.60	<0.05	1.0	0.4	0.3	24.1	<0.01	0.11	4.8
R330408		0.12	4.5	360	2.4	3.3	<0.001	0.34	<0.05	1.1	0.4	0.3	23.3	<0.01	0.46	4.7
R330409		0.16	4.6	330	1.7	3.5	<0.001	0.19	<0.05	1.1	0.4	0.2	22.9	<0.01	0.05	5.0
R330410		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330411		0.20	5.2	360	1.6	2.7	<0.001	0.30	<0.05	1.3	0.3	0.4	20.6	<0.01	0.04	5.4
R330412		0.19	4.9	340	1.9	2.6	0.001	0.35	<0.05	1.4	0.4	0.5	17.3	<0.01	1.33	5.2
R330413		0.18	4.5	350	9.5	1.3	0.004	0.71	<0.05	1.2	0.7	0.2	12.6	<0.01	2.49	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330374		0.029	0.02	1.23	22	0.34	3.41	18	19.9
R330375		0.020	<0.02	1.62	19	0.31	3.37	17	22.0
R330376		0.009	<0.02	0.84	8	0.18	1.98	9	11.5
R330377		0.016	0.02	1.43	16	0.35	3.28	13	21.6
R330378		0.013	0.02	1.74	11	0.26	3.55	14	22.2
R330379		0.013	0.02	1.86	10	0.23	3.23	13	22.7
R330380		0.053	0.13	0.33	64	0.46	6.92	79	11.5
R330381		0.015	0.02	1.75	9	0.27	3.68	12	23.9
R330382		0.008	0.02	1.75	9	0.23	3.58	12	24.4
R330383		<0.005	0.02	1.84	7	0.21	3.42	15	23.4
R330384		0.007	0.03	1.98	11	0.36	3.64	19	25.7
R330385		0.016	0.02	2.03	13	0.23	3.52	19	25.7
R330386		0.020	0.02	1.81	19	0.29	3.40	19	22.2
R330387		0.017	0.02	1.91	19	0.40	3.31	19	23.4
R330388		0.019	0.02	1.68	20	0.49	3.22	22	23.0
R330389		0.016	<0.02	1.62	21	0.36	3.64	19	22.7
R330390		0.016	<0.02	1.63	20	0.37	3.71	19	22.9
R330391		0.019	<0.02	1.71	24	0.37	3.71	19	23.0
R330392		0.020	<0.02	1.53	22	0.46	3.47	19	22.8
R330393		0.024	0.02	1.78	21	0.57	3.33	17	24.0
R330394		0.028	0.02	1.70	23	0.68	3.43	18	23.0
R330395		0.027	0.02	1.92	20	0.50	3.69	22	26.7
R330396		0.024	0.02	1.66	21	0.54	5.00	23	25.4
R330397		0.024	<0.02	1.85	19	0.43	3.37	22	26.5
R330398		0.014	0.02	2.11	18	0.51	3.28	22	24.9
R330399		0.015	0.02	1.83	20	0.38	3.50	23	26.8
R330400		0.021	<0.02	1.52	20	0.48	3.87	21	25.9
R330401		0.023	0.02	1.76	20	0.38	4.06	23	25.2
R330402		0.020	0.02	1.56	22	0.38	4.03	24	23.3
R330403		0.029	0.02	1.69	24	0.59	4.13	18	24.7
R330404		0.018	0.02	1.56	15	0.32	4.08	16	24.2
R330405		0.015	0.02	1.68	11	0.25	3.88	11	23.5
R330406		0.008	<0.02	1.58	8	0.29	5.21	8	20.2
R330407		0.014	0.02	1.93	14	0.26	4.87	11	22.6
R330408		0.013	0.02	2.10	15	0.30	4.27	17	21.8
R330409		0.019	0.03	1.93	18	0.29	4.30	17	23.0
R330410		<0.005	<0.02	0.09	<1	<0.05	0.61	<2	0.7
R330411		0.023	0.02	1.96	22	0.30	4.60	23	23.0
R330412		0.023	0.02	2.04	24	0.41	4.21	21	25.4
R330413		0.018	<0.02	2.08	19	0.24	2.97	17	23.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330414		1.30	0.007	0.04	0.51	0.2	<0.2	<10	20	0.28	0.32	0.26	<0.01	70.6	3.8	21
R330415		2.62	0.077	0.08	0.53	0.2	<0.2	<10	10	0.33	4.01	0.40	<0.01	12.75	4.8	18
R330416		2.42	1.445	0.45	0.83	0.3	0.5	<10	20	0.49	6.16	0.15	<0.01	7.94	5.5	18
R330417		3.22	0.103	0.11	0.98	0.2	0.2	<10	50	0.73	0.75	0.55	<0.01	12.45	5.9	18
R330418		2.33	0.029	0.08	0.89	0.2	<0.2	<10	20	0.48	1.15	0.51	<0.01	19.90	5.8	20
R330419		3.08	0.033	0.05	0.74	0.2	<0.2	<10	20	0.42	0.50	0.93	<0.01	17.95	4.7	19
R330420		0.07	2.12	4.57	1.55	17.5	2.3	<10	40	0.59	0.09	3.62	0.35	22.4	10.7	24
R330421		3.45	0.073	0.13	0.71	0.2	<0.2	<10	20	0.52	0.97	0.94	<0.01	11.20	6.0	21
R330422		2.30	0.026	0.05	0.62	0.3	<0.2	<10	20	0.36	0.41	1.02	<0.01	33.7	4.6	18
R330423		2.04	0.089	0.08	0.48	0.2	<0.2	<10	30	0.26	0.57	1.05	<0.01	26.0	5.0	18
R330424		2.11	0.099	0.10	0.60	0.3	<0.2	<10	20	0.33	1.75	0.81	<0.01	27.5	4.9	18
R330425		3.51	0.025	0.02	0.62	0.1	<0.2	<10	40	0.29	0.25	0.56	<0.01	47.2	3.7	22
R330426		3.40	0.040	0.02	0.69	0.2	<0.2	<10	20	0.41	0.15	0.37	<0.01	35.5	4.1	21
R330427		3.58	0.040	0.05	0.78	0.2	<0.2	<10	20	0.49	0.45	0.34	<0.01	30.6	5.5	24
R330428		1.64	0.021	0.10	0.72	0.3	<0.2	<10	20	0.40	4.79	0.45	0.03	22.4	6.9	20
R330429		1.94	0.013	0.10	0.96	0.2	<0.2	<10	10	0.43	0.68	0.91	0.16	17.30	10.5	21
R330430		<0.02	0.035	0.11	1.06	0.2	<0.2	<10	10	0.48	0.71	0.93	0.21	17.25	11.6	20
R330431		3.78	0.039	0.03	5.43	0.5	<0.2	<10	10	1.66	0.47	2.90	0.03	29.8	62.2	317
R330432		3.53	0.110	0.06	6.41	0.4	<0.2	<10	20	2.19	0.47	1.07	0.01	11.85	63.3	58
R330433		1.54	0.117	0.53	3.01	0.2	<0.2	10	50	3.86	0.80	1.63	0.10	9.47	4.4	6
R330434		3.16	0.217	0.33	3.28	0.1	0.2	10	110	3.76	0.27	4.52	0.02	21.5	2.5	6
R330435		0.61	0.129	0.31	2.83	0.3	<0.2	20	90	2.50	0.36	2.79	0.01	16.80	7.2	8
R330436		4.04	0.014	0.08	3.83	0.6	<0.2	<10	10	1.02	0.44	1.63	0.01	9.72	50.5	50
R330437		3.68	0.008	0.08	2.86	0.6	<0.2	<10	10	0.36	0.22	2.86	0.03	6.60	45.6	43
R330438		3.83	0.009	0.09	2.36	0.5	<0.2	<10	10	0.27	0.43	1.93	0.01	6.28	41.4	39
R330439		3.82	0.005	0.06	2.70	0.4	<0.2	<10	10	0.23	0.03	1.38	0.01	6.88	38.5	41
R330440		0.08	<0.001	0.01	0.01	0.4	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.95	0.1	<1
R330441		2.65	0.006	0.07	2.85	1.0	<0.2	<10	10	0.33	0.09	1.88	0.01	7.14	46.3	43
R330442		2.34	0.008	0.07	2.79	0.5	<0.2	<10	<10	0.34	0.11	1.66	0.04	6.82	41.0	47
R330443		3.29	0.170	0.15	3.68	0.4	0.2	<10	20	0.55	0.29	1.68	0.01	6.31	47.5	38
R330444		4.52	0.005	0.08	2.21	0.5	<0.2	<10	10	0.35	0.72	1.85	0.02	7.02	38.3	40
R330445		3.84	0.001	0.05	2.32	0.5	<0.2	<10	<10	0.19	0.13	1.71	0.02	7.20	36.6	34
R330446		3.97	0.017	0.05	1.82	0.5	<0.2	<10	10	0.15	0.17	1.97	0.02	6.57	30.8	30
R330447		3.84	0.002	0.06	2.34	0.5	<0.2	<10	10	0.20	0.06	1.38	0.02	7.04	33.9	33
R330448		4.09	0.001	0.06	1.80	0.2	<0.2	<10	10	0.20	0.12	1.36	0.02	6.41	27.9	28
R330449		2.47	0.002	0.10	1.82	0.4	<0.2	<10	<10	0.28	0.52	1.72	0.02	6.80	35.3	32
R330450		0.07	0.859	5.88	1.07	39.4	0.7	<10	40	0.19	1.17	0.40	4.91	5.03	13.9	20
R330451		2.44	0.002	0.06	1.63	0.4	<0.2	<10	<10	0.20	0.29	1.99	0.02	6.20	29.0	30
R330452		2.99	0.001	0.06	1.97	0.4	<0.2	<10	10	0.20	0.13	1.55	0.02	6.57	30.8	28
R330453		3.69	0.053	0.17	2.39	0.5	<0.2	<10	10	0.29	0.26	4.30	0.03	5.90	39.4	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330414		0.16	3.3	1.31	4.19	0.14	1.25	<0.01	0.009	0.05	36.3	7.7	0.43	129	0.17	0.09
R330415		0.18	6.3	1.61	4.10	0.12	1.18	<0.01	0.006	0.03	5.9	7.7	0.45	130	1.68	0.11
R330416		0.23	5.9	2.10	6.70	0.13	1.09	0.01	0.008	0.06	3.4	13.6	0.79	201	61.7	0.08
R330417		0.25	3.8	2.15	8.62	0.13	1.15	0.01	0.009	0.05	5.8	13.8	0.94	255	2.87	0.09
R330418		0.25	4.9	1.91	7.56	0.12	1.06	0.01	0.009	0.05	9.6	12.5	0.84	255	0.22	0.09
R330419		0.24	4.1	1.70	5.79	0.12	1.03	0.01	0.007	0.07	8.5	10.2	0.67	223	0.44	0.09
R330420		3.17	70.6	2.95	6.12	0.14	0.38	0.08	0.039	0.23	10.3	17.1	0.86	666	6.13	0.08
R330421		0.26	4.8	2.13	5.19	0.12	1.00	<0.01	0.009	0.05	5.2	10.4	0.64	184	1.89	0.10
R330422		0.16	4.2	1.72	4.73	0.13	1.10	<0.01	0.008	0.06	17.8	9.3	0.55	196	0.28	0.08
R330423		0.15	2.6	1.83	3.42	0.12	0.97	0.01	0.006	0.03	13.0	7.3	0.41	138	0.62	0.11
R330424		0.14	3.8	1.85	4.34	0.13	0.89	0.01	0.008	0.05	14.3	7.6	0.54	175	0.28	0.10
R330425		0.16	1.4	1.72	4.63	0.14	1.06	0.01	0.008	0.07	24.3	8.0	0.54	190	0.29	0.10
R330426		0.27	2.6	1.75	5.08	0.13	1.12	0.01	0.010	0.08	18.1	8.9	0.62	203	0.32	0.09
R330427		0.29	3.0	2.04	5.57	0.13	0.84	0.01	0.010	0.06	15.2	10.8	0.73	220	3.93	0.09
R330428		0.19	37.4	1.87	5.02	0.13	1.23	0.01	0.009	0.07	10.9	9.3	0.65	192	1.53	0.10
R330429		0.22	303	2.49	5.85	0.13	1.19	0.01	0.022	0.05	8.2	13.6	0.87	270	0.33	0.09
R330430		0.23	300	2.64	6.19	0.13	1.16	0.01	0.024	0.05	8.3	14.6	0.95	288	0.41	0.10
R330431		2.51	139.5	10.20	19.55	0.28	0.22	0.01	0.071	0.09	19.0	86.0	6.11	1320	1.40	0.02
R330432		5.11	92.3	12.15	21.4	0.33	0.23	0.01	0.047	0.07	6.0	109.5	6.34	1760	0.61	0.02
R330433		4.10	15.3	2.23	5.91	0.12	0.93	0.01	0.008	0.21	6.0	182.0	3.86	848	0.39	0.02
R330434		2.12	1.8	1.07	5.62	0.13	0.54	0.01	0.006	0.28	13.4	98.8	1.81	644	0.13	0.02
R330435		2.84	4.4	2.87	5.67	0.11	0.45	0.01	0.010	0.46	9.5	91.2	2.66	884	1.24	0.02
R330436		1.22	174.0	9.44	13.25	0.25	0.21	0.01	0.030	0.03	4.6	42.0	3.59	1260	1.50	0.04
R330437		0.67	164.0	8.94	11.10	0.22	0.17	0.01	0.033	0.03	2.5	26.9	2.54	1040	0.97	0.06
R330438		0.56	167.5	7.82	9.03	0.20	0.15	0.01	0.021	0.03	2.4	22.5	2.02	796	22.0	0.08
R330439		0.47	153.0	7.67	9.67	0.20	0.18	0.01	0.021	0.03	2.7	24.9	2.08	838	0.97	0.07
R330440		<0.05	0.8	0.03	<0.05	0.08	0.02	0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	0.01
R330441		0.46	174.0	8.33	10.05	0.24	0.18	0.01	0.021	0.02	3.0	26.0	2.25	866	1.74	0.05
R330442		0.43	152.5	8.40	9.64	0.23	0.18	<0.01	0.020	0.02	2.8	22.6	2.25	886	1.09	0.06
R330443		1.48	85.0	10.00	12.60	0.22	0.19	<0.01	0.026	0.12	2.6	40.3	3.53	1240	1.05	0.04
R330444		0.69	169.0	8.15	9.28	0.19	0.18	0.01	0.022	0.04	2.8	20.6	2.00	797	8.98	0.08
R330445		0.40	175.5	6.83	10.05	0.21	0.16	0.01	0.024	0.03	2.9	20.1	1.73	737	1.99	0.10
R330446		0.49	174.5	6.36	8.39	0.18	0.15	0.01	0.021	0.05	2.5	14.2	1.37	613	5.35	0.11
R330447		0.57	159.0	6.84	9.56	0.21	0.15	0.01	0.023	0.04	2.9	20.5	1.66	694	1.51	0.12
R330448		0.43	147.0	5.90	8.57	0.20	0.16	0.01	0.021	0.05	2.4	14.1	1.29	540	0.55	0.13
R330449		0.46	165.5	6.97	9.39	0.21	0.16	0.01	0.023	0.03	2.6	16.5	1.50	578	2.30	0.12
R330450		3.63	7060	6.75	3.04	0.13	<0.02	0.04	0.313	0.28	2.4	9.9	0.31	612	137.0	0.03
R330451		0.54	142.5	6.31	8.12	0.19	0.13	0.01	0.020	0.04	2.3	13.8	1.32	542	2.39	0.10
R330452		0.52	144.5	5.93	8.14	0.21	0.13	0.01	0.020	0.05	2.5	16.5	1.41	591	3.67	0.10
R330453		1.05	164.5	7.58	9.16	0.15	0.13	<0.01	0.028	0.12	2.2	21.2	1.69	814	15.05	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330414		0.37	4.6	370	2.0	1.6	<0.001	0.27	<0.05	1.6	0.2	0.4	7.8	<0.01	0.14	6.6
R330415		0.29	5.5	390	2.9	1.1	0.001	0.65	<0.05	1.3	0.3	0.5	8.4	<0.01	2.24	6.6
R330416		0.19	6.7	400	3.9	2.0	0.018	0.54	0.05	1.7	0.7	0.3	7.6	<0.01	3.54	7.3
R330417		0.21	8.1	420	1.3	1.4	0.001	0.32	<0.05	1.9	0.5	0.6	8.9	<0.01	0.41	6.6
R330418		0.25	7.7	500	1.2	1.7	0.001	0.15	<0.05	2.0	0.3	0.4	7.6	<0.01	0.27	5.8
R330419		0.27	6.6	470	1.1	2.3	<0.001	0.23	<0.05	1.7	0.4	0.6	11.9	<0.01	0.27	6.0
R330420		0.06	10.9	610	18.0	10.9	0.002	0.85	0.48	8.2	1.0	0.5	114.5	<0.01	2.36	1.5
R330421		0.28	7.1	490	2.7	1.5	0.001	0.84	<0.05	1.7	0.4	0.3	12.4	<0.01	0.39	5.8
R330422		0.32	6.2	480	1.5	2.0	<0.001	0.44	<0.05	1.6	0.4	0.6	11.6	<0.01	0.16	6.7
R330423		0.33	5.9	500	1.3	0.9	<0.001	0.96	<0.05	1.6	0.8	0.3	13.8	<0.01	0.25	5.4
R330424		0.30	6.3	500	4.0	1.5	<0.001	0.69	0.05	1.6	0.7	0.6	12.1	<0.01	0.92	4.7
R330425		0.35	6.0	550	0.9	2.0	<0.001	0.23	<0.05	1.9	0.3	0.4	10.4	<0.01	0.10	5.4
R330426		0.30	6.4	530	0.9	2.7	<0.001	0.14	<0.05	1.7	0.2	0.6	8.8	<0.01	0.05	7.0
R330427		0.26	7.5	610	1.5	2.2	0.001	0.39	<0.05	1.9	0.5	0.4	9.7	<0.01	0.13	5.5
R330428		0.27	6.9	470	4.1	2.1	0.001	0.54	<0.05	1.8	0.6	0.5	8.9	<0.01	2.77	6.4
R330429		0.19	8.5	470	5.0	1.8	<0.001	0.71	<0.05	3.8	0.7	0.3	10.3	<0.01	0.14	5.1
R330430		0.19	9.1	490	4.9	1.9	0.001	0.72	<0.05	4.3	0.8	0.5	10.5	<0.01	0.17	5.2
R330431		<0.05	271	640	0.9	9.5	0.003	0.38	<0.05	24.6	1.1	0.5	66.7	<0.01	0.13	0.6
R330432		0.06	53.6	620	1.0	7.5	0.002	0.25	<0.05	19.6	1.0	0.5	137.0	<0.01	0.10	0.3
R330433		<0.05	3.3	100	4.5	14.0	<0.001	0.48	<0.05	1.3	0.4	0.2	19.1	<0.01	0.51	8.4
R330434		0.09	2.9	210	47.8	18.1	<0.001	0.22	<0.05	1.0	0.3	0.3	34.1	<0.01	0.22	5.3
R330435		0.08	4.9	240	4.5	32.3	0.001	0.33	<0.05	1.7	0.4	0.2	30.1	<0.01	0.37	4.4
R330436		0.07	43.7	520	1.4	2.9	0.003	0.56	0.05	12.0	1.2	0.4	110.0	<0.01	0.23	0.4
R330437		0.08	37.3	460	1.2	2.3	0.001	0.69	<0.05	14.1	1.0	0.4	55.4	<0.01	0.08	0.2
R330438		0.09	31.9	470	1.7	2.2	0.006	1.00	<0.05	8.6	1.2	0.4	53.2	<0.01	0.07	0.2
R330439		0.08	32.5	500	0.7	1.9	0.003	0.20	<0.05	8.7	0.7	0.2	67.9	<0.01	0.04	0.2
R330440		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330441		0.10	35.5	500	1.1	1.2	0.005	0.43	<0.05	8.6	1.2	0.3	125.5	<0.01	0.05	0.2
R330442		0.09	38.5	490	3.2	1.1	0.003	0.25	<0.05	7.7	0.7	0.3	92.1	<0.01	0.05	0.2
R330443		0.08	34.6	420	2.2	14.1	0.001	0.62	<0.05	10.5	1.0	0.4	110.5	<0.01	0.07	0.2
R330444		0.10	30.7	500	2.9	2.7	0.002	0.69	<0.05	8.1	1.1	0.3	88.0	<0.01	0.03	0.2
R330445		0.08	28.4	500	1.0	2.7	0.003	0.32	<0.05	8.6	0.9	0.4	51.5	<0.01	0.02	0.2
R330446		0.08	24.4	480	1.0	5.1	0.003	0.50	<0.05	7.4	1.1	0.3	50.5	<0.01	0.02	0.2
R330447		0.07	27.0	500	0.9	3.7	0.002	0.28	<0.05	9.0	0.9	0.3	63.3	<0.01	0.03	0.2
R330448		0.09	22.7	470	0.9	3.5	0.001	0.22	<0.05	7.9	0.8	0.3	35.0	<0.01	0.02	0.2
R330449		0.12	27.8	490	1.2	2.1	0.003	0.64	<0.05	8.7	1.0	0.4	37.1	<0.01	0.04	0.2
R330450		0.08	15.8	480	106.0	11.8	0.190	4.98	3.07	1.2	8.1	1.8	35.2	<0.01	0.95	1.1
R330451		0.08	23.7	460	1.1	2.6	0.003	0.48	<0.05	7.9	0.8	0.3	32.6	<0.01	0.04	0.2
R330452		0.08	23.0	450	0.8	3.6	0.003	0.36	<0.05	7.4	1.0	0.3	41.6	<0.01	0.03	0.2
R330453		0.06	30.9	460	1.0	8.9	0.016	0.59	<0.05	11.2	1.0	0.3	37.4	<0.01	0.12	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330414		0.049	<0.02	2.69	29	0.17	4.77	20	29.5
R330415		0.036	<0.02	2.25	23	0.23	3.53	19	28.0
R330416		0.032	0.02	2.56	32	0.25	3.86	32	26.4
R330417		0.044	<0.02	2.32	36	0.23	5.74	41	28.1
R330418		0.051	0.02	3.60	32	0.21	4.91	38	27.5
R330419		0.041	0.02	1.76	26	0.26	3.98	31	26.6
R330420		0.054	0.15	0.36	66	0.55	7.93	82	11.9
R330421		0.037	<0.02	2.33	25	0.26	5.13	26	25.5
R330422		0.041	0.02	2.07	24	0.25	4.03	24	26.9
R330423		0.034	<0.02	1.70	16	0.22	4.61	16	24.6
R330424		0.039	0.02	1.43	23	0.24	4.35	23	23.7
R330425		0.051	0.02	1.79	28	0.43	4.35	24	29.3
R330426		0.051	0.02	2.28	30	0.44	4.27	28	27.7
R330427		0.050	0.02	1.82	35	0.29	4.86	33	21.3
R330428		0.042	<0.02	2.19	31	0.23	4.49	30	31.1
R330429		0.075	<0.02	2.07	48	0.24	7.42	43	32.2
R330430		0.082	0.02	2.07	53	0.24	7.72	48	32.2
R330431		0.366	0.04	0.29	247	0.46	17.05	189	5.2
R330432		0.326	0.03	0.22	307	0.61	16.25	222	4.4
R330433		0.018	0.05	2.91	117	0.15	3.36	110	22.5
R330434		0.028	0.07	2.19	106	0.23	2.75	67	15.5
R330435		0.038	0.13	1.64	99	0.33	3.97	99	13.3
R330436		0.300	0.02	0.11	221	0.61	11.85	143	3.9
R330437		0.270	0.02	0.05	211	0.54	11.55	112	2.8
R330438		0.241	0.02	0.07	181	0.33	9.04	97	2.8
R330439		0.268	<0.02	0.05	186	0.37	10.40	99	3.0
R330440		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.7
R330441		0.300	<0.02	0.06	185	0.50	10.30	106	3.4
R330442		0.295	<0.02	0.07	190	0.40	9.05	112	2.9
R330443		0.297	0.09	0.10	238	0.43	9.86	173	3.8
R330444		0.303	0.02	0.09	197	0.32	10.30	100	3.5
R330445		0.254	0.02	<0.05	181	0.26	10.15	89	2.9
R330446		0.244	0.03	<0.05	174	0.31	9.33	70	2.9
R330447		0.268	0.02	<0.05	190	0.35	9.80	85	2.6
R330448		0.285	0.03	0.05	172	0.34	9.95	67	3.6
R330449		0.288	<0.02	0.11	187	0.44	9.89	77	2.8
R330450		0.012	0.31	0.16	18	2.85	2.69	811	<0.5
R330451		0.250	0.02	<0.05	171	0.36	8.86	69	2.3
R330452		0.241	0.02	<0.05	159	0.35	8.80	73	2.4
R330453		0.222	0.07	<0.05	175	0.67	10.70	84	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330454		2.84	0.004	0.13	2.14	0.3	<0.2	<10	<10	0.28	1.54	2.81	0.03	5.47	34.0	34
R330455		0.84	0.004	0.06	2.19	0.4	<0.2	<10	<10	0.23	0.17	5.88	0.03	5.39	32.4	36
R330456		3.40	0.001	0.09	1.55	0.5	<0.2	<10	<10	0.17	0.05	1.66	0.03	5.88	32.2	36
R330457		2.73	0.003	0.15	1.77	0.2	<0.2	<10	<10	0.28	0.55	2.61	0.03	6.51	30.7	31
R330458		2.58	0.003	0.08	2.27	0.4	<0.2	<10	<10	0.20	0.09	2.10	0.02	6.86	34.8	30
R330459		1.87	0.255	0.15	3.35	0.5	<0.2	<10	10	0.55	0.44	3.98	0.05	5.34	49.3	28
R330460		<0.02	0.168	0.15	3.26	0.6	<0.2	<10	10	0.52	0.44	4.03	0.05	5.22	48.2	28
R330461		1.28	0.083	0.21	2.38	0.4	0.2	<10	<10	0.51	0.24	5.08	0.04	6.09	26.3	188
R330462		3.00	0.013	0.26	3.30	0.8	<0.2	<10	10	0.54	0.14	8.92	0.05	9.04	45.9	379
R330463		3.82	0.002	0.06	2.57	0.8	<0.2	<10	20	0.21	0.05	2.58	0.02	5.85	48.0	46
R330464		3.41	0.001	0.08	2.29	0.3	<0.2	<10	30	0.22	0.07	1.65	0.02	6.01	47.1	39
R330465		3.59	0.001	0.10	1.61	0.4	<0.2	<10	20	0.21	0.34	2.55	0.04	5.78	39.9	35
R330466		3.99	0.001	0.11	1.65	0.4	<0.2	<10	10	0.17	0.06	1.64	0.03	5.54	50.8	34
R330467		1.97	0.001	0.20	2.00	0.5	<0.2	<10	20	0.30	0.14	1.85	0.08	5.12	51.4	35
R330468		3.74	0.001	0.04	1.25	0.3	<0.2	<10	10	0.30	0.10	2.00	0.06	5.97	28.8	19
R330469		2.59	0.001	0.04	1.55	0.3	<0.2	<10	<10	0.18	0.08	1.67	0.04	6.98	27.5	17
R330470		0.07	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.87	0.1	<1
R330471		4.21	0.001	0.06	1.36	0.3	<0.2	<10	<10	0.19	0.12	1.10	0.03	6.89	30.2	33
R330472		4.18	0.002	0.03	1.43	0.2	<0.2	<10	10	0.17	0.05	1.09	0.03	6.39	28.4	41
R330473		4.13	0.002	0.06	1.67	0.2	<0.2	<10	<10	0.27	0.12	1.03	0.02	6.82	34.4	49
R330474		4.19	0.002	0.05	1.69	0.3	<0.2	<10	10	0.18	0.09	1.00	0.02	6.50	34.9	54
R330475		3.85	0.003	0.17	1.67	0.1	<0.2	<10	<10	0.22	0.68	2.21	0.02	6.61	37.3	56
R330476		3.88	0.002	0.04	1.50	0.2	<0.2	<10	10	0.16	0.09	2.07	0.03	5.90	29.9	52
R330477		4.13	0.003	0.06	1.60	0.1	<0.2	<10	10	0.13	0.04	1.38	0.03	6.87	28.2	49
R330478		4.03	0.001	0.05	1.28	0.2	<0.2	<10	10	0.15	0.09	1.37	0.04	6.44	27.6	44
R330479		2.82	0.003	0.08	1.37	0.4	<0.2	<10	10	0.16	0.22	1.26	0.02	6.93	32.0	47
R330480		0.07	2.23	4.86	1.58	19.4	2.5	<10	40	0.63	0.08	3.56	0.35	21.3	11.1	24
R330481		4.09	0.005	0.08	1.48	0.2	<0.2	<10	10	0.17	0.50	1.43	0.04	6.57	31.2	52
R330482		3.95	0.004	0.06	1.44	0.1	<0.2	<10	10	0.14	0.08	1.11	0.03	7.11	28.6	49
R330483		3.08	0.002	0.06	1.51	0.5	<0.2	<10	10	0.20	0.24	1.38	0.03	6.48	36.1	48
R330484		3.40	0.002	0.08	1.49	0.2	<0.2	<10	10	0.24	0.50	1.89	0.03	5.82	41.2	54
R330485		2.04	0.002	0.06	1.09	0.2	<0.2	<10	<10	0.23	0.23	3.78	0.04	5.80	25.1	36
R330486		1.86	0.004	0.03	1.27	0.2	<0.2	<10	10	0.18	0.10	1.49	0.03	15.05	24.1	84
R330487		3.45	0.002	0.02	1.02	0.1	<0.2	<10	10	0.11	0.04	0.72	0.01	33.5	12.3	188
R330488		3.05	0.007	1.16	1.05	0.2	<0.2	<10	20	0.10	123.5	0.98	0.01	31.7	13.3	203
R330489		3.16	0.002	0.10	1.29	0.1	<0.2	<10	20	0.14	0.75	1.11	0.01	28.5	14.3	220
R330490		<0.02	0.002	0.11	1.21	0.2	<0.2	<10	20	0.13	0.94	1.13	<0.01	28.4	14.1	212
R330491		3.17	0.002	0.06	1.42	0.1	<0.2	<10	10	0.21	0.42	1.19	0.01	27.2	18.0	301
R330492		3.13	0.002	0.01	1.25	0.2	<0.2	<10	30	0.08	0.04	0.65	0.01	27.4	13.3	222
R330493		3.29	0.001	0.01	1.32	0.2	<0.2	<10	20	0.08	0.03	0.74	0.01	31.3	13.4	233

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330454		0.86	134.5	7.06	9.39	0.19	0.13	0.01	0.030	0.04	2.1	18.8	1.82	744	22.8	0.07
R330455		0.98	128.0	7.24	10.40	0.20	0.13	0.01	0.037	0.03	2.1	19.8	1.92	1010	5.08	0.06
R330456		0.20	146.5	5.91	6.73	0.20	0.18	0.01	0.018	0.03	2.3	10.5	0.94	616	3.28	0.11
R330457		0.65	145.0	6.06	8.19	0.18	0.17	0.01	0.028	0.06	2.5	13.4	1.46	623	40.7	0.14
R330458		0.67	152.0	6.42	9.16	0.17	0.15	<0.01	0.026	0.05	2.7	16.9	1.74	671	3.35	0.11
R330459		2.02	205	8.59	10.05	0.15	0.12	0.01	0.042	0.15	2.0	49.3	2.65	1040	1.95	0.04
R330460		2.02	197.5	8.36	9.95	0.15	0.12	<0.01	0.041	0.14	2.0	48.1	2.59	1020	2.03	0.04
R330461		1.51	57.8	4.77	5.59	0.11	0.04	0.01	0.031	0.12	2.6	53.9	2.45	727	1.32	0.02
R330462		2.10	104.0	6.36	9.11	0.14	0.08	0.01	0.046	0.15	3.7	52.1	4.16	1070	2.38	0.02
R330463		1.21	174.0	6.97	12.45	0.17	0.17	0.01	0.038	0.10	2.1	21.7	1.64	927	0.62	0.09
R330464		0.90	159.5	5.86	10.10	0.22	0.19	0.01	0.025	0.13	2.2	24.7	1.35	904	0.77	0.11
R330465		0.41	194.0	5.00	7.63	0.21	0.22	0.01	0.027	0.09	2.1	12.3	0.94	682	4.46	0.14
R330466		0.41	240	4.93	7.60	0.20	0.21	<0.01	0.022	0.08	2.1	13.4	0.95	662	0.46	0.13
R330467		0.57	296	8.30	8.75	0.21	0.21	<0.01	0.030	0.09	1.8	19.7	1.14	789	1.95	0.09
R330468		0.09	90.1	5.75	5.68	0.24	0.23	<0.01	0.019	0.04	2.3	6.3	0.65	499	4.31	0.10
R330469		0.22	87.4	5.31	7.23	0.21	0.20	0.01	0.022	0.04	2.6	8.7	1.02	615	2.51	0.16
R330470		<0.05	0.8	0.03	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	0.01
R330471		0.57	108.5	6.85	7.95	0.19	0.13	0.01	0.017	0.04	2.5	14.4	1.18	543	5.88	0.13
R330472		0.46	118.0	7.37	8.58	0.20	0.11	0.01	0.016	0.05	2.3	17.4	1.26	525	2.22	0.13
R330473		0.52	163.0	7.09	8.78	0.21	0.13	<0.01	0.020	0.04	2.8	21.8	1.52	473	5.87	0.10
R330474		0.70	128.5	7.83	8.91	0.19	0.10	<0.01	0.018	0.06	2.3	21.9	1.46	513	4.56	0.13
R330475		0.63	137.5	8.03	9.73	0.18	0.14	<0.01	0.028	0.04	2.4	20.6	1.67	581	13.05	0.10
R330476		0.39	106.5	7.28	7.86	0.18	0.12	<0.01	0.018	0.05	2.2	16.0	1.29	523	2.48	0.11
R330477		0.51	122.0	6.62	7.74	0.17	0.08	<0.01	0.018	0.06	2.5	17.5	1.05	455	6.10	0.15
R330478		0.44	100.0	5.77	7.24	0.19	0.12	<0.01	0.021	0.05	2.5	11.5	0.86	409	4.25	0.14
R330479		0.48	117.0	6.08	7.46	0.19	0.12	<0.01	0.019	0.05	2.6	17.3	1.03	432	4.22	0.11
R330480		3.31	72.4	2.90	6.66	0.12	0.38	0.10	0.037	0.23	10.0	17.5	0.85	677	6.14	0.07
R330481		0.61	114.5	6.32	8.12	0.18	0.13	<0.01	0.020	0.05	2.5	20.2	1.18	472	16.70	0.11
R330482		0.43	140.0	6.08	7.73	0.19	0.10	<0.01	0.019	0.05	2.6	16.3	1.00	444	2.12	0.12
R330483		0.59	124.0	7.16	8.73	0.17	0.13	<0.01	0.019	0.05	2.4	21.3	1.28	530	5.41	0.12
R330484		1.68	133.0	8.13	9.74	0.17	0.13	<0.01	0.022	0.08	2.1	30.2	1.54	529	2.13	0.09
R330485		0.55	131.0	4.79	7.85	0.23	0.14	<0.01	0.012	0.03	2.6	22.6	0.95	439	19.70	0.05
R330486		0.49	105.0	5.03	7.02	0.19	0.14	<0.01	0.013	0.04	7.3	17.2	1.05	377	1.39	0.09
R330487		0.63	29.1	1.59	4.87	0.12	0.24	<0.01	0.005	0.05	15.6	20.8	1.11	210	1.89	0.09
R330488		1.05	48.3	1.52	4.41	0.10	0.25	<0.01	0.005	0.10	15.4	22.6	1.15	199	25.8	0.08
R330489		1.02	33.7	1.64	4.84	0.09	0.18	<0.01	0.005	0.10	13.5	27.8	1.38	225	35.7	0.08
R330490		0.98	33.2	1.68	4.68	0.09	0.17	<0.01	<0.005	0.09	13.5	27.0	1.32	228	40.3	0.07
R330491		0.87	21.5	2.11	7.10	0.10	0.23	<0.01	0.008	0.08	12.7	39.0	1.76	305	12.65	0.08
R330492		1.06	32.2	1.61	4.24	0.09	0.14	<0.01	<0.005	0.13	12.8	27.2	1.32	201	1.12	0.08
R330493		0.81	36.5	1.83	4.71	0.11	0.15	<0.01	<0.005	0.09	14.9	25.8	1.35	228	0.54	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330454		0.09	28.1	430	2.4	3.0	0.006	0.54	<0.05	12.0	1.0	0.4	36.4	<0.01	0.06	0.2
R330455		0.06	27.4	430	0.8	3.2	0.007	0.37	<0.05	13.6	0.8	0.4	43.9	<0.01	0.05	0.2
R330456		0.17	25.7	480	0.8	1.3	0.003	0.33	<0.05	7.3	1.0	0.4	39.2	<0.01	0.05	0.2
R330457		0.12	24.4	510	1.8	3.5	0.010	0.60	<0.05	10.1	0.9	0.3	25.7	<0.01	0.05	0.2
R330458		0.07	28.7	490	0.8	3.9	0.004	0.37	<0.05	9.7	1.0	0.4	26.8	<0.01	0.06	0.2
R330459		<0.05	37.6	440	1.4	12.4	0.002	1.35	0.05	14.6	1.2	0.3	55.0	<0.01	0.12	<0.2
R330460		<0.05	37.2	430	1.4	12.1	0.001	1.31	0.05	14.3	1.2	0.3	54.7	<0.01	0.14	<0.2
R330461		<0.05	134.0	410	0.8	9.5	0.001	0.30	<0.05	9.0	0.5	<0.2	47.1	<0.01	0.13	<0.2
R330462		<0.05	348	550	1.4	11.4	0.002	0.31	0.06	17.1	0.7	0.2	129.5	<0.01	0.25	0.2
R330463		0.07	42.3	500	0.7	5.7	0.001	0.36	<0.05	16.4	1.2	0.4	32.5	<0.01	0.06	0.2
R330464		0.11	39.5	510	1.0	6.5	0.001	0.41	<0.05	12.2	0.9	0.3	45.4	<0.01	0.07	0.2
R330465		0.21	31.8	500	1.3	3.3	0.002	0.80	<0.05	10.7	1.4	0.4	43.3	<0.01	0.05	0.2
R330466		0.19	31.8	480	1.3	4.3	0.001	0.82	<0.05	9.4	1.1	0.4	36.4	<0.01	0.11	0.2
R330467		0.15	41.3	500	1.9	3.5	0.002	1.54	<0.05	9.1	1.6	0.5	36.4	<0.01	0.15	0.2
R330468		0.30	16.7	480	1.1	0.8	0.005	0.33	<0.05	7.3	0.6	0.4	47.0	<0.01	0.03	0.2
R330469		0.16	14.8	530	0.8	0.9	0.002	0.36	<0.05	8.7	0.7	0.4	25.9	<0.01	0.04	0.2
R330470		<0.05	0.4	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330471		0.10	22.3	520	1.1	2.1	0.005	0.37	<0.05	6.6	1.0	0.2	14.3	<0.01	0.04	0.2
R330472		0.08	25.1	490	0.8	2.9	0.002	0.18	<0.05	5.4	0.6	0.2	17.8	<0.01	0.02	0.2
R330473		0.09	27.0	470	1.6	2.7	0.005	0.41	<0.05	5.0	0.7	0.3	44.9	<0.01	0.04	0.2
R330474		0.07	29.6	500	1.0	4.3	0.005	0.31	<0.05	6.0	0.6	0.2	19.1	<0.01	0.03	0.2
R330475		0.09	32.3	450	2.1	3.1	0.004	1.17	<0.05	10.7	1.1	0.4	28.2	<0.01	0.13	0.2
R330476		0.12	26.4	440	1.0	2.7	0.003	0.29	<0.05	7.8	0.7	0.3	28.3	<0.01	0.03	0.2
R330477		0.08	23.8	480	2.0	5.0	0.006	0.20	<0.05	7.1	0.8	0.2	23.4	<0.01	0.02	0.2
R330478		0.10	22.6	450	1.1	4.1	0.005	0.28	0.06	8.5	0.8	0.3	28.7	<0.01	0.02	0.2
R330479		0.08	25.5	450	1.2	3.9	0.005	0.46	0.05	7.3	1.0	0.3	34.9	<0.01	0.03	0.2
R330480		0.05	11.4	600	17.7	11.9	0.003	0.86	0.44	9.0	1.0	0.6	117.0	<0.01	2.58	1.5
R330481		0.10	26.5	430	1.6	3.8	0.011	0.62	0.05	8.2	0.9	0.3	31.4	<0.01	0.03	0.2
R330482		0.08	23.4	440	0.8	3.7	0.002	0.26	0.05	7.3	0.9	0.5	27.3	<0.01	0.05	0.2
R330483		0.08	29.8	460	1.1	3.6	0.006	0.54	<0.05	7.6	1.1	0.3	25.3	<0.01	0.04	0.2
R330484		0.06	33.8	410	2.2	7.4	0.001	0.83	<0.05	10.2	0.9	0.3	20.5	<0.01	0.04	0.2
R330485		0.14	24.4	310	4.2	2.2	0.013	0.83	0.06	5.6	1.2	0.5	48.9	<0.01	0.02	<0.2
R330486		0.10	31.6	500	1.1	2.8	0.001	0.14	0.05	5.7	0.5	0.3	47.3	<0.01	0.01	0.5
R330487		0.06	64.7	720	1.2	4.0	0.002	0.05	<0.05	1.6	0.2	<0.2	23.4	<0.01	0.01	1.5
R330488		0.06	68.3	670	158.0	7.8	0.003	0.18	<0.05	1.8	1.0	0.2	31.0	<0.01	0.15	1.4
R330489		0.06	77.9	620	2.9	7.6	0.005	0.16	<0.05	2.2	0.3	0.2	31.9	<0.01	0.01	1.4
R330490		0.06	76.5	610	3.2	6.7	0.005	0.17	0.05	2.0	0.2	0.3	29.4	<0.01	0.01	1.3
R330491		0.05	98.8	660	3.4	5.9	0.002	0.33	0.05	3.0	0.3	0.2	28.3	<0.01	0.01	1.4
R330492		0.05	80.3	610	1.6	9.2	0.001	0.04	0.06	1.9	0.2	0.3	28.7	<0.01	0.01	1.4
R330493		0.05	77.3	670	3.9	5.1	0.001	0.01	0.05	2.0	<0.2	<0.2	26.2	<0.01	0.01	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330454		0.281	0.03	0.05	181	0.45	9.27	84	2.6
R330455		0.273	0.02	<0.05	187	0.55	9.53	104	3.2
R330456		0.306	<0.02	<0.05	165	0.49	9.31	61	4.2
R330457		0.311	0.04	0.10	164	0.44	10.35	70	3.8
R330458		0.260	0.02	<0.05	162	0.35	9.36	84	3.0
R330459		0.150	0.08	<0.05	157	0.29	9.22	129	2.8
R330460		0.144	0.08	<0.05	153	0.29	8.96	125	3.2
R330461		0.015	0.05	<0.05	70	0.12	6.71	61	2.6
R330462		0.035	0.07	<0.05	116	0.12	9.68	74	2.5
R330463		0.312	0.04	<0.05	231	0.44	10.95	115	4.1
R330464		0.371	0.04	<0.05	188	0.48	10.15	119	4.6
R330465		0.360	0.03	<0.05	166	0.68	10.60	82	5.9
R330466		0.330	0.03	0.05	144	0.50	9.44	89	5.0
R330467		0.360	0.03	<0.05	180	0.83	8.54	146	4.8
R330468		0.356	<0.02	<0.05	146	0.72	10.65	75	5.8
R330469		0.341	<0.02	0.06	138	0.57	11.45	84	5.1
R330470		<0.005	<0.02	0.07	<1	<0.05	0.59	<2	0.7
R330471		0.221	<0.02	0.07	186	0.42	9.57	81	2.6
R330472		0.218	0.02	<0.05	190	0.49	9.63	77	2.5
R330473		0.229	0.02	0.05	164	0.65	10.60	82	3.3
R330474		0.208	0.03	<0.05	198	0.46	10.10	77	2.4
R330475		0.218	0.02	0.08	197	0.88	10.65	88	3.1
R330476		0.243	0.02	<0.05	192	0.62	9.35	67	2.7
R330477		0.180	0.03	<0.05	187	0.41	9.14	59	2.0
R330478		0.201	0.03	<0.05	167	0.36	9.21	47	2.7
R330479		0.202	0.02	0.05	169	1.09	9.41	52	2.5
R330480		0.056	0.15	0.35	66	0.39	7.91	82	12.8
R330481		0.233	0.03	0.05	174	0.44	9.71	61	2.7
R330482		0.202	0.02	<0.05	178	0.30	9.60	56	2.2
R330483		0.231	0.02	0.05	200	0.29	9.60	66	2.6
R330484		0.253	0.06	0.06	220	0.46	9.44	78	3.0
R330485		0.208	0.02	0.12	113	0.63	5.76	51	3.4
R330486		0.223	0.02	0.06	148	0.44	6.90	47	4.5
R330487		0.090	0.03	0.20	30	0.16	2.98	26	9.8
R330488		0.087	0.06	0.18	31	0.20	2.57	26	10.3
R330489		0.092	0.05	0.19	32	0.73	2.62	27	7.6
R330490		0.087	0.04	0.19	30	0.60	2.50	26	7.5
R330491		0.117	0.04	0.20	49	0.27	2.94	41	8.9
R330492		0.098	0.05	0.18	27	0.15	2.28	24	5.6
R330493		0.089	0.03	0.20	30	0.36	2.59	25	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330494		2.37	0.003	0.01	1.17	0.2	<0.2	<10	10	0.10	0.03	0.82	0.01	34.0	12.5	189
R330495		2.04	0.002	0.03	1.19	0.1	<0.2	<10	10	0.15	0.06	1.21	0.02	18.85	18.3	120
R330496		3.14	0.004	0.09	1.77	0.2	<0.2	<10	10	0.15	0.07	1.36	0.03	7.24	29.9	41
R330497		3.27	0.005	0.08	1.76	0.3	<0.2	<10	10	0.17	0.07	1.29	0.03	6.94	31.2	34
R330498		3.11	0.004	0.08	1.33	0.3	<0.2	<10	10	0.19	0.09	1.39	0.04	7.58	28.8	31
R330499		3.34	0.004	0.06	1.30	0.1	<0.2	<10	10	0.19	0.08	1.35	0.02	7.63	26.9	26
R330500		2.30	0.007	0.09	1.70	0.4	<0.2	<10	10	0.24	0.19	1.37	0.02	7.92	29.8	26
R330501		2.34	0.008	0.04	2.41	0.4	<0.2	<10	10	0.42	0.05	1.74	0.01	9.14	30.4	30
R330502		0.91	0.042	0.25	2.72	0.9	<0.2	<10	10	0.83	0.35	2.92	0.01	11.90	42.4	15
R330503		3.03	0.003	0.08	1.47	0.4	<0.2	<10	10	0.36	0.12	1.19	0.02	9.55	31.1	3
R330504		2.98	0.005	0.09	1.82	0.6	<0.2	<10	10	0.30	0.11	1.43	0.02	9.68	33.3	5
R330505		2.51	0.003	0.15	1.84	0.6	<0.2	<10	<10	0.22	0.15	1.45	0.03	9.14	34.3	10
R330506		3.31	0.003	0.17	1.26	0.5	<0.2	<10	<10	0.21	0.17	2.24	0.04	8.44	32.0	15
R330507		3.25	0.002	0.22	1.07	0.4	<0.2	<10	<10	0.27	0.27	3.37	0.03	7.55	32.3	13
R330508		3.29	0.003	0.19	1.55	0.5	<0.2	<10	<10	0.19	0.19	1.91	0.03	8.23	34.4	14
R330509		2.74	0.003	0.31	1.74	0.5	<0.2	<10	<10	0.19	0.24	1.27	0.03	9.05	37.0	16
R330510		0.09	0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.97	0.1	<1
R330511		2.28	0.003	0.27	1.70	0.6	<0.2	<10	<10	0.18	0.20	1.59	0.05	8.63	38.6	16
R330512		2.34	0.003	0.18	1.74	0.5	<0.2	<10	10	0.22	0.56	2.23	0.05	9.40	39.2	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330494		0.55	48.1	1.78	4.87	0.12	0.22	<0.01	0.005	0.04	15.8	19.9	1.17	239	1.14	0.11
R330495		0.40	62.7	3.07	5.70	0.17	0.20	<0.01	0.013	0.04	8.3	14.4	0.92	328	2.76	0.12
R330496		0.45	170.5	5.45	7.62	0.17	0.12	<0.01	0.023	0.07	2.6	14.9	0.99	446	4.57	0.17
R330497		0.37	185.0	5.83	8.24	0.18	0.12	<0.01	0.023	0.06	2.5	15.9	1.06	523	3.63	0.17
R330498		0.33	182.0	6.00	7.49	0.20	0.13	<0.01	0.022	0.05	2.8	10.9	0.89	448	2.63	0.15
R330499		0.45	160.5	6.22	7.57	0.18	0.14	<0.01	0.023	0.05	2.9	12.3	0.95	438	1.81	0.15
R330500		0.35	184.0	6.12	8.74	0.19	0.16	<0.01	0.023	0.04	3.0	16.4	1.18	564	6.05	0.12
R330501		0.70	156.5	7.73	12.60	0.22	0.18	<0.01	0.033	0.06	3.4	25.4	1.76	740	0.59	0.10
R330502		0.67	214	8.66	16.50	0.31	0.24	0.01	0.042	0.03	5.1	35.5	2.31	765	5.41	0.05
R330503		0.48	120.5	8.29	11.35	0.25	0.21	<0.01	0.030	0.04	3.4	18.0	1.19	588	2.91	0.11
R330504		0.47	85.9	7.94	12.40	0.22	0.17	<0.01	0.028	0.03	3.5	23.5	1.44	665	4.73	0.10
R330505		0.40	117.5	6.77	10.20	0.23	0.17	<0.01	0.026	0.03	3.3	21.2	1.34	599	13.35	0.11
R330506		0.49	151.0	5.69	7.27	0.25	0.14	<0.01	0.018	0.04	3.4	13.1	0.85	466	18.10	0.10
R330507		0.37	155.5	5.80	6.56	0.27	0.15	<0.01	0.021	0.03	3.0	9.7	0.69	438	23.6	0.10
R330508		0.45	135.5	5.71	7.87	0.20	0.17	<0.01	0.024	0.05	3.1	10.8	0.96	469	9.68	0.16
R330509		0.54	249	6.02	8.21	0.19	0.14	<0.01	0.022	0.05	3.3	16.2	1.12	474	29.0	0.13
R330510		<0.05	1.1	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06	<0.01
R330511		0.56	202	6.22	8.28	0.21	0.18	<0.01	0.027	0.05	3.3	9.9	1.03	521	16.20	0.18
R330512		0.31	212	6.24	8.49	0.20	0.14	<0.01	0.022	0.04	3.6	16.6	1.24	554	32.4	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330494		0.06	63.4	760	2.5	3.2	0.001	0.03	<0.05	2.4	0.2	0.2	28.1	<0.01	0.01	1.6
R330495		0.07	40.7	570	1.3	2.8	0.003	0.13	<0.05	4.8	0.5	0.2	38.5	<0.01	0.03	0.9
R330496		0.07	23.1	420	1.7	5.9	0.005	0.27	<0.05	9.0	1.1	0.3	32.8	<0.01	0.04	0.2
R330497		0.06	22.0	430	2.0	5.0	0.005	0.31	<0.05	9.5	0.9	0.3	32.4	<0.01	0.04	0.2
R330498		0.11	20.1	470	2.4	3.0	0.003	0.38	<0.05	8.5	1.1	0.4	32.6	<0.01	0.03	0.2
R330499		0.10	18.5	470	2.7	3.3	0.002	0.32	<0.05	9.3	0.9	0.3	38.7	<0.01	0.04	0.2
R330500		0.08	19.6	480	1.6	2.8	0.007	0.47	0.05	8.8	1.1	0.3	46.1	<0.01	0.03	0.2
R330501		0.05	24.8	500	1.3	4.1	0.002	0.16	0.05	13.3	1.2	0.5	56.8	<0.01	0.03	0.2
R330502		0.07	20.5	460	3.6	1.3	0.007	0.56	0.09	16.8	1.7	0.6	74.2	<0.01	0.12	0.2
R330503		0.10	8.7	640	1.3	2.3	0.006	0.48	0.07	10.5	1.5	0.5	20.5	<0.01	0.06	0.3
R330504		0.08	9.9	620	1.1	2.1	0.005	0.46	<0.05	12.9	1.3	0.3	14.4	<0.01	0.08	0.3
R330505		0.08	13.7	560	3.0	1.9	0.011	0.75	0.05	10.7	1.3	0.4	28.4	<0.01	0.09	0.2
R330506		0.16	15.1	520	4.3	2.3	0.014	0.90	0.05	8.2	1.3	0.2	24.0	<0.01	0.10	0.2
R330507		0.25	13.6	480	11.9	2.1	0.016	1.45	0.06	8.4	1.7	0.4	32.1	<0.01	0.12	0.2
R330508		0.09	15.4	530	2.3	2.3	0.009	1.04	<0.05	13.0	2.0	0.2	12.5	<0.01	0.11	0.3
R330509		0.06	18.1	520	2.2	3.1	0.023	1.48	<0.05	11.7	2.3	0.3	13.6	<0.01	0.17	0.3
R330510		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2
R330511		0.09	16.7	530	2.1	2.6	0.013	1.27	<0.05	13.6	2.1	0.4	14.3	<0.01	0.14	0.3
R330512		0.10	17.9	500	2.2	2.2	0.022	1.66	<0.05	12.1	1.7	0.4	18.5	<0.01	0.13	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330494		0.088	0.02	0.21	33	0.23	3.26	27	9.1
R330495		0.159	0.02	0.12	86	0.41	6.64	34	6.2
R330496		0.207	0.03	<0.05	176	0.37	10.75	49	2.4
R330497		0.224	0.02	<0.05	201	0.38	10.50	57	2.5
R330498		0.241	0.02	0.05	200	0.35	11.05	47	3.1
R330499		0.268	0.02	0.05	199	0.43	11.10	49	3.1
R330500		0.258	0.02	0.06	188	0.46	11.30	62	2.9
R330501		0.296	0.02	0.11	239	0.87	14.80	92	3.6
R330502		0.454	0.04	0.13	236	2.68	18.55	111	5.1
R330503		0.314	0.02	0.05	216	0.70	16.90	62	4.1
R330504		0.258	<0.02	0.06	210	0.59	15.45	76	3.5
R330505		0.298	0.04	<0.05	182	0.76	12.20	67	3.8
R330506		0.248	0.08	<0.05	160	0.71	9.87	46	3.5
R330507		0.259	0.06	0.05	153	0.85	11.05	36	3.6
R330508		0.251	0.06	<0.05	139	0.62	11.60	49	4.2
R330509		0.216	0.11	<0.05	138	0.70	10.70	61	2.9
R330510		<0.005	<0.02	0.08	<1	<0.05	0.66	<2	0.8
R330511		0.268	0.11	<0.05	143	0.83	12.35	56	4.4
R330512		0.272	0.04	<0.05	147	0.78	11.80	68	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15122210

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

CERTIFICATE SD15126097

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330513		2.41	0.011	0.07	2.00	0.9	<0.2	<10	10	0.29	0.03	2.39	0.09	5.04	36.5	19
R330514		4.66	0.001	0.10	1.41	1.2	<0.2	<10	10	0.14	0.04	1.66	0.03	4.40	33.2	14
R330515		4.36	<0.001	0.12	1.55	1.2	<0.2	<10	10	0.10	0.02	1.23	0.08	4.34	34.4	17
R330516		4.16	0.003	0.08	1.50	1.2	<0.2	<10	10	0.21	0.04	2.98	0.18	4.41	29.2	13
R330517		3.89	0.002	0.13	1.37	1.5	<0.2	<10	10	0.15	0.04	1.74	0.32	4.07	28.9	15
R330518		3.68	0.002	0.08	1.46	1.5	<0.2	<10	10	0.15	0.04	1.58	0.09	3.91	31.5	14
R330519		3.46	0.002	0.09	1.23	1.8	<0.2	<10	10	0.17	0.03	2.00	0.04	3.65	25.7	13
R330520		0.06	1.045	5.77	0.97	38.8	0.8	<10	40	0.22	1.17	0.38	4.91	4.96	13.9	19
R330521		2.46	0.003	0.08	1.48	0.5	<0.2	<10	10	0.15	0.02	1.26	0.04	5.24	28.7	15
R330522		3.11	0.003	0.09	1.63	0.5	<0.2	<10	150	0.15	0.09	1.61	0.04	6.78	24.8	9
R330523		2.54	0.003	0.14	1.39	0.8	<0.2	<10	20	0.17	0.07	1.31	0.06	4.96	33.6	12
R330524		2.83	0.005	0.08	1.64	0.7	<0.2	<10	<10	0.24	0.18	1.80	0.30	4.81	33.6	15
R330525		2.01	0.002	0.06	1.35	0.8	<0.2	<10	<10	0.14	0.03	1.11	0.25	4.44	32.4	13
R330526		2.37	0.003	0.07	1.82	0.7	<0.2	<10	<10	0.14	0.03	1.66	0.22	5.13	37.3	15
R330527		2.30	0.002	0.08	1.17	0.5	<0.2	<10	<10	0.13	0.06	1.64	0.10	3.87	28.0	13
R330528		2.61	0.008	0.07	1.43	0.7	<0.2	<10	<10	0.15	0.09	2.78	0.03	5.49	30.4	13
R330529		2.55	0.004	0.10	3.15	0.9	<0.2	<10	20	0.32	0.08	3.65	0.04	5.77	50.0	18
R330530		<0.02	0.005	0.10	3.11	1.0	<0.2	<10	20	0.31	0.08	3.49	0.04	5.65	49.1	17
R330531		0.85	0.017	0.56	1.81	1.5	<0.2	<10	10	0.27	0.35	4.15	0.73	7.62	45.5	11
R330532		3.51	0.004	0.13	2.64	0.6	<0.2	<10	10	0.20	0.07	2.29	0.08	7.88	34.5	24
R330533		3.29	0.002	0.08	2.61	0.6	<0.2	<10	10	0.23	0.15	1.87	0.03	7.85	40.0	34
R330534		3.02	0.099	0.10	3.19	0.8	<0.2	<10	10	0.33	0.19	3.79	0.06	8.05	46.3	43
R330535		3.32	0.004	0.07	3.57	0.8	<0.2	<10	10	0.39	0.21	3.77	0.05	8.94	52.1	51
R330536		3.21	0.074	0.21	3.36	0.8	<0.2	<10	10	0.63	0.66	4.28	0.04	9.51	50.3	50
R330537		1.96	0.107	0.10	3.51	0.5	<0.2	<10	10	0.49	0.18	5.21	0.08	10.10	47.6	49
R330538		2.09	0.004	0.05	3.18	0.4	<0.2	<10	390	0.44	0.14	4.94	0.09	10.85	43.3	29
R330539		0.77	0.012	0.09	0.68	0.3	<0.2	<10	50	0.38	0.11	1.42	0.02	39.2	7.3	16
R330540		0.08	0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.00	0.1	<1
R330541		1.32	0.010	0.03	3.04	0.3	<0.2	<10	20	0.45	0.09	3.62	0.05	9.42	45.6	16
R330542		2.86	0.030	0.18	0.65	0.2	<0.2	<10	50	0.40	0.20	1.28	0.01	42.0	6.2	22
R330543		3.76	0.013	0.14	0.71	0.3	<0.2	<10	60	0.37	0.16	1.11	0.01	50.5	6.9	24
R330544		3.09	0.006	0.11	0.78	0.2	<0.2	<10	50	0.44	0.09	0.94	0.01	49.7	6.6	27
R330545		3.23	0.007	0.03	0.82	0.1	<0.2	<10	40	0.34	0.08	1.09	0.01	50.5	6.9	30
R330546		2.94	0.013	0.02	0.91	0.3	<0.2	<10	30	0.40	0.06	1.16	0.01	53.0	8.0	33
R330547		2.57	0.016	0.04	0.99	0.2	<0.2	<10	30	0.42	0.08	1.17	<0.01	47.1	7.6	32
R330548		2.78	0.011	0.03	1.00	<0.1	<0.2	<10	50	0.39	0.07	0.97	0.01	47.4	7.6	33
R330549		2.37	0.061	0.31	1.29	0.1	<0.2	<10	20	0.62	0.86	0.72	<0.01	34.6	10.4	36
R330550		0.06	2.34	4.44	1.62	20.0	2.3	<10	40	0.64	0.09	3.71	0.36	20.5	10.3	24
R330551		2.74	0.161	0.19	1.22	0.3	<0.2	<10	10	0.53	0.96	0.43	<0.01	24.6	9.7	28
R330552		0.50	0.160	0.30	3.39	0.3	0.2	<10	20	1.20	0.94	3.36	0.01	26.0	27.0	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330513		0.30	183.0	5.01	9.52	0.15	0.21	<0.01	0.025	0.02	1.8	19.1	1.27	741	0.56	0.11
R330514		0.18	182.0	3.60	6.45	0.12	0.20	<0.01	0.021	0.02	1.6	9.5	0.77	436	5.58	0.13
R330515		0.16	195.0	3.74	6.61	0.12	0.21	<0.01	0.019	0.02	1.5	10.6	0.80	433	0.61	0.15
R330516		0.24	178.0	3.70	7.15	0.14	0.24	0.01	0.020	0.03	1.6	9.9	0.83	484	1.16	0.11
R330517		0.42	179.5	3.33	6.06	0.11	0.23	0.01	0.019	0.03	1.5	6.9	0.70	434	1.02	0.15
R330518		0.17	185.0	3.56	5.75	0.11	0.22	<0.01	0.018	0.02	1.3	8.8	0.80	434	0.34	0.15
R330519		0.15	159.5	2.83	5.07	0.12	0.23	<0.01	0.016	0.02	1.4	6.2	0.61	361	0.48	0.11
R330520		3.56	6800	6.33	3.01	0.06	<0.02	0.05	0.307	0.25	2.4	11.6	0.29	584	129.0	0.02
R330521		0.23	176.0	3.83	6.24	0.12	0.16	<0.01	0.019	0.03	2.0	9.1	0.84	380	0.46	0.13
R330522		0.64	141.0	4.18	6.47	0.12	0.15	<0.01	0.025	0.07	2.5	6.5	0.68	429	1.61	0.17
R330523		0.49	198.5	3.94	6.42	0.12	0.16	<0.01	0.023	0.05	1.8	8.0	0.75	432	0.82	0.14
R330524		0.26	162.0	4.35	7.97	0.15	0.20	<0.01	0.020	0.02	1.9	14.4	1.16	565	0.82	0.09
R330525		0.21	193.5	3.77	6.50	0.11	0.17	<0.01	0.017	0.02	1.6	11.6	0.81	498	1.34	0.11
R330526		0.22	174.5	4.52	8.23	0.15	0.19	<0.01	0.022	0.02	2.0	14.6	1.09	568	0.47	0.12
R330527		0.20	153.5	3.33	5.56	0.13	0.17	<0.01	0.014	0.02	1.4	9.0	0.69	456	0.44	0.09
R330528		0.15	170.0	3.54	6.29	0.14	0.16	<0.01	0.015	0.02	2.1	13.7	0.84	586	0.37	0.06
R330529		0.82	155.0	7.85	11.00	0.09	0.08	<0.01	0.029	0.14	2.2	40.8	2.06	1100	0.73	0.02
R330530		0.78	147.0	7.70	10.70	0.07	0.07	<0.01	0.029	0.14	2.2	39.4	2.02	1080	0.76	0.02
R330531		0.97	291	6.27	7.39	0.09	0.12	0.02	0.177	0.05	3.0	19.2	1.14	787	4.83	0.01
R330532		0.31	149.5	6.68	9.44	0.12	0.09	<0.01	0.029	0.05	3.0	25.1	1.41	682	1.42	0.09
R330533		0.22	134.0	6.92	10.30	0.13	0.12	<0.01	0.018	0.02	2.9	22.1	1.69	734	1.19	0.09
R330534		1.30	124.0	9.01	13.90	0.17	0.12	<0.01	0.046	0.07	2.9	24.2	2.22	961	1.78	0.05
R330535		0.75	126.5	10.60	15.35	0.17	0.18	<0.01	0.050	0.05	3.3	28.6	2.67	1160	7.06	0.03
R330536		0.66	124.0	10.35	16.50	0.25	0.15	<0.01	0.063	0.03	3.7	25.4	2.62	1150	6.79	0.03
R330537		0.30	98.7	10.50	16.60	0.22	0.06	<0.01	0.072	0.04	3.9	29.2	2.58	1120	4.34	0.03
R330538		1.19	131.0	9.76	14.95	0.14	0.14	<0.01	0.054	0.14	4.5	26.8	2.37	1060	2.74	0.02
R330539		0.40	40.3	2.13	4.31	0.05	1.26	<0.01	0.013	0.08	21.3	5.1	0.52	355	0.71	0.07
R330540		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	0.01	<5	<0.05	<0.01
R330541		0.64	140.5	10.35	12.60	0.11	0.16	<0.01	0.033	0.10	3.7	28.0	2.53	1110	1.63	0.01
R330542		0.24	22.8	1.88	4.56	0.06	1.25	<0.01	0.014	0.08	22.2	6.3	0.56	310	1.18	0.07
R330543		0.34	19.3	1.98	5.20	0.08	0.94	<0.01	0.013	0.09	26.4	7.7	0.61	325	0.58	0.07
R330544		0.33	6.9	2.06	5.68	0.07	1.22	<0.01	0.015	0.09	26.0	8.9	0.67	349	0.23	0.07
R330545		0.36	12.3	2.06	5.79	0.08	1.03	<0.01	0.016	0.08	26.5	8.4	0.70	334	0.15	0.07
R330546		0.38	14.1	2.25	6.65	0.08	0.65	<0.01	0.014	0.06	27.6	9.3	0.82	367	0.18	0.07
R330547		0.44	4.8	2.23	7.15	0.06	0.63	<0.01	0.011	0.05	23.8	12.9	0.89	362	0.28	0.08
R330548		0.54	2.4	2.30	6.57	0.07	0.77	<0.01	0.011	0.07	24.0	10.2	0.83	372	0.14	0.08
R330549		0.37	125.0	2.72	7.29	0.07	0.64	<0.01	0.013	0.05	16.6	14.3	1.32	294	0.23	0.08
R330550		3.08	71.4	2.90	6.10	0.06	0.38	0.08	0.037	0.23	9.6	17.0	0.87	691	5.93	0.07
R330551		0.18	63.3	2.55	7.44	0.06	0.77	<0.01	0.012	0.02	11.4	15.3	1.27	247	0.21	0.09
R330552		0.42	377	7.82	16.85	0.13	0.78	<0.01	0.044	0.06	12.5	38.8	3.25	893	0.73	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330513		0.10	34.3	410	5.9	1.0	0.001	0.18	0.05	10.9	0.9	0.4	16.3	<0.01	0.03	0.2
R330514		0.13	29.5	390	2.5	1.2	0.006	0.33	0.05	8.4	1.0	0.4	13.6	<0.01	0.01	0.2
R330515		0.13	28.8	400	3.5	1.3	0.001	0.29	<0.05	8.2	0.8	0.3	13.3	<0.01	0.02	0.2
R330516		0.15	26.5	430	5.3	1.6	0.002	0.22	<0.05	9.5	0.6	0.4	23.0	<0.01	0.02	<0.2
R330517		0.18	26.0	400	13.6	2.5	0.002	0.28	<0.05	8.1	0.7	0.3	16.0	<0.01	0.02	0.2
R330518		0.15	27.1	410	4.2	1.0	0.001	0.31	<0.05	8.5	0.8	0.5	13.5	<0.01	<0.01	0.2
R330519		0.25	23.2	390	5.4	1.4	0.001	0.23	0.05	6.9	0.8	0.3	23.3	<0.01	0.01	<0.2
R330520		0.08	15.3	450	105.0	12.3	0.193	4.64	2.85	1.3	7.8	1.8	36.2	<0.01	0.99	1.1
R330521		0.09	23.4	400	1.7	1.6	0.001	0.24	<0.05	7.9	0.7	0.4	17.5	<0.01	<0.01	0.2
R330522		0.13	12.7	520	1.8	3.3	0.004	0.29	<0.05	9.6	0.7	0.5	34.1	<0.01	0.05	0.2
R330523		0.10	26.8	440	5.1	3.4	0.002	0.41	0.06	8.8	1.1	0.4	12.9	<0.01	0.04	0.2
R330524		0.10	28.5	410	6.0	0.9	0.001	0.28	<0.05	7.2	0.6	0.3	18.3	<0.01	0.04	0.2
R330525		0.12	29.3	380	3.1	0.9	0.002	0.30	0.05	7.3	0.7	0.4	12.1	<0.01	0.04	0.2
R330526		0.11	29.8	400	2.2	0.8	0.001	0.33	<0.05	8.0	0.7	0.3	22.1	<0.01	0.02	0.2
R330527		0.15	25.5	360	2.2	0.8	0.002	0.39	0.05	5.6	0.6	0.3	16.3	<0.01	0.02	<0.2
R330528		0.14	24.9	350	1.3	1.1	0.001	0.31	0.06	6.2	0.7	0.5	27.1	<0.01	0.05	<0.2
R330529		0.06	42.1	390	3.3	8.0	0.001	0.78	<0.05	13.1	1.0	0.4	18.9	<0.01	0.07	0.2
R330530		0.06	41.7	390	3.2	8.0	0.001	0.78	<0.05	12.8	1.0	0.3	18.5	<0.01	0.08	0.2
R330531		0.06	30.9	280	9.4	3.2	0.005	1.56	0.06	4.8	3.1	1.9	37.1	<0.01	0.78	0.3
R330532		0.06	31.1	580	1.7	2.4	0.004	0.33	<0.05	8.1	0.9	0.4	20.6	<0.01	0.09	0.2
R330533		0.07	40.3	560	1.1	1.2	0.003	0.41	<0.05	6.3	0.7	0.4	32.3	<0.01	0.07	0.2
R330534		0.06	47.9	540	1.2	8.3	0.003	0.57	<0.05	18.1	0.9	0.3	121.5	<0.01	0.12	0.2
R330535		0.08	53.2	550	2.2	4.0	0.007	0.50	0.05	21.9	0.8	0.5	77.6	<0.01	0.06	0.2
R330536		0.06	51.4	520	2.6	2.5	0.008	0.64	0.05	24.6	1.0	0.5	66.7	<0.01	0.33	0.2
R330537		0.05	45.1	520	1.3	2.3	0.005	0.40	<0.05	28.3	0.9	0.4	126.5	<0.01	0.06	0.2
R330538		<0.05	30.4	520	1.4	12.1	0.003	0.37	0.05	23.3	1.0	0.3	147.5	<0.01	0.03	0.3
R330539		0.26	8.8	730	9.5	4.6	0.001	0.55	0.06	3.1	0.4	0.5	128.5	<0.01	0.07	4.6
R330540		<0.05	0.4	10	0.6	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330541		0.07	25.2	610	1.2	7.0	0.002	0.37	0.05	16.5	1.1	0.3	100.0	<0.01	0.04	0.3
R330542		0.30	9.5	610	7.8	3.4	0.001	0.51	0.05	2.3	0.3	0.5	65.6	<0.01	0.18	4.5
R330543		0.44	10.7	810	9.0	4.4	0.001	0.38	0.06	2.4	0.3	0.6	57.0	<0.01	0.14	4.4
R330544		0.42	10.7	720	5.5	4.1	0.001	0.19	<0.05	2.6	0.4	0.4	43.7	<0.01	0.08	4.8
R330545		0.40	11.4	770	4.6	3.9	<0.001	0.17	<0.05	2.5	<0.2	0.3	45.4	<0.01	0.01	4.4
R330546		0.29	13.2	840	2.9	3.2	<0.001	0.19	0.05	2.9	0.3	0.5	41.3	<0.01	0.02	4.4
R330547		0.20	13.2	800	2.0	3.0	<0.001	0.12	<0.05	3.1	0.2	0.5	31.0	<0.01	0.04	4.3
R330548		0.20	13.3	830	2.0	4.6	<0.001	0.12	<0.05	2.9	0.3	0.2	41.3	<0.01	0.06	4.6
R330549		0.13	13.5	950	2.1	2.9	<0.001	0.55	<0.05	3.8	0.2	0.2	23.0	<0.01	0.63	4.2
R330550		0.06	10.3	630	17.1	10.9	0.003	0.87	0.49	8.1	1.1	0.5	115.0	<0.01	2.38	1.3
R330551		0.14	10.9	720	3.0	1.3	0.001	0.49	0.05	3.1	0.5	0.5	15.3	<0.01	0.68	4.5
R330552		0.11	7.9	860	1.7	3.2	0.003	1.26	<0.05	15.6	1.2	0.7	37.6	<0.01	0.54	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330513		0.330	<0.02	<0.05	143	0.62	9.86	116	4.3
R330514		0.242	0.03	<0.05	114	0.25	7.74	53	4.3
R330515		0.240	0.03	<0.05	116	0.18	7.58	61	4.6
R330516		0.304	0.03	<0.05	124	0.51	8.67	74	5.5
R330517		0.266	0.04	<0.05	112	0.22	7.56	87	5.3
R330518		0.277	0.02	<0.05	110	0.15	7.38	63	4.9
R330519		0.292	0.02	<0.05	92	0.17	6.48	43	5.1
R330520		0.011	0.33	0.19	16	2.35	2.72	788	<0.5
R330521		0.194	0.02	<0.05	114	0.15	7.27	50	3.9
R330522		0.241	0.05	<0.05	121	0.41	10.45	51	3.1
R330523		0.199	0.08	<0.05	116	0.35	8.24	54	3.1
R330524		0.310	0.02	<0.05	126	0.28	7.95	105	3.9
R330525		0.261	0.02	<0.05	118	0.25	7.66	90	3.1
R330526		0.265	0.06	<0.05	125	0.19	7.70	99	3.6
R330527		0.247	0.07	<0.05	98	0.27	6.44	57	3.3
R330528		0.270	0.05	<0.05	99	0.36	6.81	56	3.4
R330529		0.258	0.08	<0.05	188	0.80	8.25	168	1.5
R330530		0.253	0.07	<0.05	184	0.80	8.17	165	1.5
R330531		0.152	0.07	<0.05	88	0.71	4.83	255	3.7
R330532		0.207	0.03	<0.05	132	1.20	9.06	125	2.0
R330533		0.221	<0.02	<0.05	135	0.40	8.55	95	2.1
R330534		0.207	0.09	<0.05	204	2.03	10.85	112	2.4
R330535		0.280	0.03	<0.05	226	0.49	13.85	139	2.8
R330536		0.269	0.02	<0.05	249	0.90	13.90	133	3.2
R330537		0.182	0.02	<0.05	252	0.68	13.25	126	2.9
R330538		0.202	0.10	0.07	229	0.28	13.40	109	3.5
R330539		0.054	0.03	1.49	29	0.39	5.67	39	45.9
R330540		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R330541		0.231	0.06	0.08	202	0.25	13.20	128	3.4
R330542		0.080	0.02	1.47	27	0.57	4.58	40	49.7
R330543		0.107	0.02	1.28	28	0.49	5.42	44	42.0
R330544		0.109	0.02	1.41	31	0.56	5.17	44	49.3
R330545		0.121	0.02	1.31	35	0.53	5.05	43	42.2
R330546		0.115	0.02	1.24	38	0.50	5.22	47	30.6
R330547		0.101	0.02	1.22	36	0.71	5.65	46	29.1
R330548		0.098	0.02	1.18	35	0.45	5.55	47	33.4
R330549		0.092	0.02	1.24	44	0.67	6.53	45	28.4
R330550		0.056	0.14	0.32	68	0.53	7.45	84	12.1
R330551		0.077	<0.02	1.39	35	0.82	5.31	42	34.4
R330552		0.317	0.02	0.77	91	2.15	15.05	133	29.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330553		2.46	0.014	0.03	2.07	0.4	<0.2	<10	20	0.53	0.13	2.65	0.05	23.8	27.2	36
R330554		1.97	0.003	0.04	2.16	0.2	<0.2	<10	10	0.35	0.13	1.50	0.03	12.70	31.8	7
R330555		2.09	0.003	0.03	1.96	0.3	<0.2	<10	10	0.32	0.10	2.01	0.04	16.10	26.8	13
R330556		1.79	0.007	0.03	2.15	0.5	<0.2	<10	20	0.58	0.12	2.83	0.02	21.6	24.9	23
R330557		2.30	0.021	0.05	1.02	0.2	<0.2	<10	30	0.38	0.10	2.19	0.01	47.0	9.4	27
R330558		2.30	0.014	0.02	0.97	0.1	<0.2	<10	40	0.36	0.07	1.31	0.01	50.9	7.5	36
R330559		2.77	0.061	0.02	1.02	0.3	<0.2	<10	40	0.38	0.08	1.45	<0.01	50.5	7.9	35
R330560		<0.02	0.072	0.02	1.02	0.2	<0.2	<10	40	0.35	0.09	1.44	<0.01	49.2	7.9	35
R330561		1.95	0.106	0.04	0.84	0.1	<0.2	<10	30	0.42	0.09	1.73	0.01	52.1	6.6	29
R330562		2.07	0.108	0.05	0.83	0.3	<0.2	<10	40	0.42	0.14	1.55	<0.01	47.9	6.9	31
R330563		2.02	0.036	0.03	0.78	0.1	<0.2	<10	110	0.47	0.13	1.26	0.01	47.2	6.7	25
R330564		2.00	0.022	0.04	0.83	0.2	<0.2	<10	600	0.45	0.10	1.22	0.01	50.0	7.0	28
R330565		2.40	0.116	0.06	0.80	0.1	0.3	<10	300	0.47	0.16	1.43	0.01	46.4	6.7	27
R330566		1.91	0.320	0.06	0.75	0.2	0.2	<10	430	0.43	0.18	1.45	0.01	41.4	6.9	29
R330567		2.22	0.027	0.06	0.82	1.3	<0.2	<10	110	0.41	0.13	1.42	0.01	50.5	7.4	30
R330568		2.06	0.122	0.11	0.73	0.4	<0.2	<10	50	0.54	0.42	1.90	0.01	48.3	7.8	28
R330569		2.11	0.043	0.06	0.86	0.2	<0.2	<10	40	0.49	0.20	1.27	0.01	51.3	6.7	37
R330570		0.08	0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.07	0.1	<1
R330571		2.20	0.041	0.14	1.23	0.4	<0.2	<10	20	0.88	0.39	0.57	0.02	46.4	12.2	31
R330572		0.92	0.020	0.07	1.71	0.4	<0.2	<10	30	1.16	0.20	0.41	0.01	51.0	8.8	33
R330573		2.28	0.003	0.05	1.06	0.3	<0.2	<10	20	0.38	0.15	0.80	0.01	61.1	7.9	38
R330574		2.00	0.007	0.19	3.05	0.7	<0.2	<10	10	1.73	0.53	3.38	0.02	13.50	41.2	18
R330575		2.83	0.004	0.04	0.82	0.2	<0.2	<10	50	0.49	0.07	1.45	0.04	50.6	7.7	34
R330576		2.59	0.012	0.06	0.74	0.3	<0.2	<10	40	0.47	0.06	1.28	0.03	52.2	6.7	31
R330577		0.56	0.009	0.08	2.29	0.5	<0.2	10	100	0.80	0.04	1.90	0.23	27.9	19.0	23
R330578		2.07	0.004	0.05	0.89	0.3	<0.2	<10	60	0.35	0.05	1.21	0.08	46.6	7.3	34
R330579		1.56	0.004	0.15	0.85	0.3	<0.2	<10	40	0.39	0.07	1.10	0.02	50.7	7.1	34
R330580		0.05	2.34	4.47	1.66	18.4	2.4	<10	40	0.62	0.08	3.80	0.34	20.9	10.6	25
R330581		2.93	0.002	0.03	0.99	0.3	<0.2	<10	40	0.43	0.06	1.20	0.03	52.6	7.8	38
R330582		3.09	0.011	0.06	2.32	0.5	<0.2	<10	20	0.66	0.10	2.88	0.03	20.3	36.4	25
R330583		1.85	0.002	0.03	0.64	0.1	<0.2	<10	30	0.25	0.03	1.84	0.02	44.8	4.9	21
R330584		2.93	0.003	0.11	2.27	0.5	<0.2	<10	10	0.52	0.19	2.15	0.03	10.40	39.8	20
R330585		2.80	0.002	0.08	1.52	0.6	<0.2	<10	10	0.34	0.12	1.79	0.05	8.35	35.6	17
R330586		2.57	0.003	0.09	1.49	0.5	<0.2	<10	10	0.39	0.18	1.89	0.05	7.90	32.9	19
R330587		2.54	0.003	0.08	1.75	0.7	<0.2	<10	10	0.43	0.23	2.21	0.05	9.56	33.6	15
R330588		2.04	0.001	0.02	0.62	0.3	<0.2	<10	40	0.30	0.04	1.30	0.02	37.8	6.8	21
R330589		2.47	0.002	0.07	1.80	0.5	<0.2	<10	10	0.76	0.25	1.91	0.03	11.70	41.0	22
R330590		<0.02	0.002	0.07	1.79	0.4	<0.2	<10	10	0.75	0.25	1.90	0.03	11.15	40.4	24
R330591		1.97	0.139	0.10	1.72	0.5	0.2	<10	20	1.68	0.31	4.65	0.03	13.90	35.9	24
R330592		3.05	0.007	0.03	0.74	0.3	<0.2	<10	30	0.50	0.07	1.50	0.01	48.7	7.6	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330553		0.31	62.3	7.57	10.65	0.09	0.36	<0.01	0.037	0.07	10.9	18.0	1.55	849	0.71	0.06
R330554		0.20	57.7	8.47	11.35	0.14	0.20	<0.01	0.026	0.03	4.9	18.1	1.40	849	0.99	0.06
R330555		0.30	67.3	7.25	10.35	0.12	0.25	<0.01	0.025	0.05	6.8	15.7	1.26	802	0.54	0.07
R330556		0.54	53.7	7.00	11.40	0.11	0.30	<0.01	0.038	0.09	10.3	18.2	1.51	871	3.17	0.04
R330557		0.22	55.4	3.05	7.38	0.09	0.97	<0.01	0.021	0.06	23.9	7.5	0.78	457	0.22	0.07
R330558		0.35	7.7	2.22	6.30	0.07	0.90	<0.01	0.016	0.08	25.4	8.9	0.81	380	0.21	0.07
R330559		0.31	6.2	2.34	6.50	0.06	0.65	<0.01	0.015	0.07	25.3	9.9	0.88	379	0.39	0.07
R330560		0.31	6.4	2.38	6.48	0.07	0.52	<0.01	0.014	0.07	24.5	9.8	0.87	382	0.39	0.07
R330561		0.21	5.8	2.13	5.70	0.06	0.94	<0.01	0.013	0.07	26.2	7.8	0.71	348	0.30	0.07
R330562		0.20	4.6	2.18	5.73	0.06	0.65	<0.01	0.014	0.07	24.3	7.9	0.72	319	0.16	0.07
R330563		0.34	7.7	1.98	4.93	0.06	0.77	<0.01	0.012	0.09	24.1	9.2	0.66	325	0.22	0.07
R330564		0.36	9.3	2.08	5.20	0.06	0.73	<0.01	0.011	0.09	25.5	10.6	0.70	348	0.30	0.07
R330565		0.36	12.1	2.13	4.76	0.05	0.78	<0.01	0.012	0.09	23.4	10.5	0.72	339	0.14	0.08
R330566		0.33	12.7	2.11	4.31	0.05	0.94	<0.01	0.010	0.07	20.5	11.7	0.71	314	0.13	0.07
R330567		0.45	10.2	2.08	4.36	0.06	0.94	<0.01	0.011	0.10	25.5	10.5	0.71	356	0.19	0.06
R330568		0.27	62.8	2.21	4.61	0.07	0.75	<0.01	0.018	0.05	23.8	11.0	0.74	378	0.21	0.07
R330569		0.29	27.5	2.21	5.84	0.07	0.64	<0.01	0.013	0.06	25.6	12.5	0.86	376	0.13	0.08
R330570		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R330571		0.65	61.2	2.94	6.86	0.08	0.96	<0.01	0.023	0.04	23.3	24.1	1.49	449	0.27	0.08
R330572		1.46	5.8	3.10	7.97	0.08	1.06	<0.01	0.024	0.06	25.5	38.6	2.10	635	0.22	0.07
R330573		0.35	127.0	2.20	5.84	0.08	0.60	<0.01	0.015	0.06	30.6	13.6	1.04	459	0.25	0.07
R330574		1.47	153.5	10.85	18.80	0.18	0.33	<0.01	0.060	0.05	5.8	33.6	3.20	1360	1.81	0.05
R330575		0.63	124.0	2.34	6.07	0.07	1.02	<0.01	0.016	0.10	25.9	8.4	0.74	402	0.16	0.07
R330576		0.38	80.4	2.04	5.80	0.07	1.08	<0.01	0.013	0.08	26.5	7.6	0.68	349	0.18	0.07
R330577		0.98	113.0	3.83	7.42	0.08	1.16	<0.01	0.026	0.05	14.4	16.0	1.57	528	0.32	0.31
R330578		0.43	40.8	2.18	6.16	0.07	1.00	<0.01	0.015	0.10	23.5	8.0	0.77	381	0.16	0.08
R330579		0.41	11.3	2.10	5.80	0.07	0.93	<0.01	0.012	0.08	25.6	7.9	0.74	373	0.52	0.06
R330580		3.06	72.4	2.94	6.38	0.07	0.41	0.08	0.036	0.24	9.8	17.0	0.89	706	5.90	0.07
R330581		0.34	17.4	2.22	6.83	0.08	0.64	<0.01	0.012	0.07	26.3	8.6	0.84	422	0.83	0.07
R330582		0.87	98.5	8.98	13.10	0.16	0.50	<0.01	0.037	0.06	9.8	19.1	1.75	989	1.43	0.06
R330583		0.16	13.0	1.86	4.63	0.06	1.29	<0.01	0.012	0.08	23.4	5.1	0.44	288	0.17	0.06
R330584		0.51	232	8.13	11.75	0.16	0.26	<0.01	0.025	0.05	4.2	17.9	1.45	775	0.71	0.08
R330585		0.36	133.5	7.44	8.79	0.16	0.19	<0.01	0.027	0.05	2.9	11.5	0.93	738	1.24	0.11
R330586		0.53	137.5	7.48	8.70	0.16	0.22	<0.01	0.023	0.04	2.9	10.7	0.92	782	1.96	0.11
R330587		0.43	150.5	7.78	9.88	0.18	0.22	<0.01	0.025	0.04	3.6	11.6	1.08	919	7.27	0.10
R330588		0.19	28.9	2.11	4.48	0.06	1.14	<0.01	0.008	0.07	19.7	6.6	0.47	302	0.27	0.07
R330589		0.61	136.0	7.80	11.65	0.16	0.27	<0.01	0.025	0.06	5.4	17.3	1.39	904	26.1	0.09
R330590		0.59	135.5	7.84	11.20	0.17	0.27	<0.01	0.026	0.06	5.1	16.4	1.38	913	27.0	0.08
R330591		0.71	136.0	8.16	11.40	0.17	0.83	<0.01	0.035	0.05	6.7	14.6	1.46	1020	34.1	0.07
R330592		0.22	34.8	2.13	5.77	0.08	1.28	<0.01	0.012	0.07	24.6	8.2	0.66	310	0.80	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330553		0.16	14.6	880	1.1	3.7	0.002	0.51	<0.05	10.5	0.6	0.4	54.2	<0.01	0.06	1.4
R330554		0.17	6.0	820	1.0	1.5	0.003	0.55	<0.05	7.2	0.9	0.4	39.2	<0.01	0.07	0.5
R330555		0.18	8.2	770	1.6	2.4	0.001	0.43	0.05	6.9	0.9	0.5	46.8	<0.01	0.03	0.8
R330556		0.09	12.6	680	1.5	5.9	0.002	0.41	<0.05	10.1	0.6	0.5	60.9	<0.01	0.06	1.2
R330557		0.27	10.6	780	3.4	2.8	<0.001	0.41	<0.05	4.1	0.3	0.3	84.9	<0.01	0.12	4.0
R330558		0.31	12.5	870	2.8	4.2	<0.001	0.18	<0.05	2.9	0.3	0.3	55.6	<0.01	0.06	4.4
R330559		0.26	13.4	890	1.6	3.9	<0.001	0.22	<0.05	3.2	0.5	0.4	44.1	<0.01	0.08	4.0
R330560		0.25	13.2	890	1.7	3.9	<0.001	0.22	<0.05	3.1	0.2	0.5	44.1	<0.01	0.06	4.0
R330561		0.30	11.6	760	1.6	3.6	<0.001	0.32	<0.05	3.0	0.2	0.2	47.2	<0.01	0.11	4.0
R330562		0.30	11.2	800	2.0	3.2	<0.001	0.43	<0.05	3.1	0.4	0.3	40.2	<0.01	0.15	4.2
R330563		0.25	11.0	750	2.8	5.0	<0.001	0.36	<0.05	2.6	0.3	0.4	57.2	<0.01	0.11	4.2
R330564		0.27	11.6	780	2.9	5.0	<0.001	0.31	0.05	2.7	0.2	0.5	63.1	<0.01	0.09	4.4
R330565		0.25	11.2	840	3.4	5.2	<0.001	0.48	<0.05	2.6	0.4	0.2	76.0	<0.01	0.15	4.2
R330566		0.22	11.1	810	2.4	4.3	<0.001	0.55	<0.05	2.5	0.4	0.2	73.5	<0.01	0.21	3.6
R330567		0.28	12.4	850	2.2	6.3	<0.001	0.43	0.05	2.5	0.4	0.4	65.4	<0.01	0.16	4.2
R330568		0.21	12.7	900	2.5	3.0	<0.001	0.86	0.05	3.6	0.5	0.4	56.6	<0.01	0.28	4.6
R330569		0.30	13.3	920	2.6	3.2	<0.001	0.36	<0.05	3.4	0.4	0.4	44.6	<0.01	0.09	4.9
R330570		<0.05	0.3	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330571		0.26	12.9	1010	10.4	2.7	<0.001	1.21	<0.05	3.6	0.7	0.4	21.0	<0.01	0.19	5.1
R330572		0.21	14.6	910	3.2	3.2	<0.001	0.49	<0.05	3.7	0.5	0.6	32.1	0.01	0.08	5.0
R330573		0.33	13.0	900	14.9	2.2	<0.001	0.12	<0.05	3.4	0.5	0.7	28.9	<0.01	0.01	5.2
R330574		0.12	21.0	740	223	3.8	0.002	0.98	<0.05	21.2	1.6	0.6	45.5	<0.01	0.08	0.4
R330575		0.38	11.6	750	8.6	8.2	<0.001	0.16	<0.05	3.1	0.5	0.5	60.9	<0.01	0.01	4.9
R330576		0.49	10.6	740	5.9	5.2	<0.001	0.12	<0.05	2.4	0.3	0.7	64.6	<0.01	0.02	5.1
R330577		0.11	35.0	520	31.4	2.7	<0.001	0.11	0.05	8.2	0.5	0.7	96.1	<0.01	0.01	2.6
R330578		0.48	12.3	740	13.9	5.5	<0.001	0.14	<0.05	2.9	0.2	0.5	73.0	<0.01	<0.01	5.0
R330579		0.47	11.4	800	8.0	4.5	0.001	0.24	0.05	2.5	0.3	0.7	70.9	<0.01	0.08	4.7
R330580		0.06	10.6	640	17.0	11.2	0.003	0.89	0.44	8.3	1.0	0.5	118.5	<0.01	2.40	1.4
R330581		0.40	12.8	840	20.5	3.8	0.001	0.17	0.05	2.8	0.4	0.6	75.4	<0.01	0.01	5.2
R330582		0.19	20.6	780	2.5	5.0	0.003	0.47	<0.05	11.6	0.9	0.6	73.0	<0.01	0.03	1.1
R330583		0.49	6.4	490	6.1	3.0	<0.001	0.06	<0.05	2.1	0.2	0.4	43.1	<0.01	<0.01	5.1
R330584		0.17	19.4	710	2.3	2.9	0.001	0.84	<0.05	8.4	1.1	0.6	76.0	<0.01	0.10	0.3
R330585		0.26	14.3	660	2.3	2.7	0.002	0.46	<0.05	9.7	1.1	0.6	29.3	<0.01	0.07	0.3
R330586		0.18	15.6	670	4.8	2.2	0.002	0.63	<0.05	7.3	1.1	0.4	34.3	<0.01	0.07	0.4
R330587		0.22	15.2	710	6.9	1.7	0.004	0.72	<0.05	7.9	1.3	0.4	58.9	<0.01	0.09	0.3
R330588		0.53	8.1	610	35.7	2.9	<0.001	0.10	0.05	1.8	0.3	0.7	37.3	<0.01	0.01	4.4
R330589		0.13	23.4	620	4.1	3.2	0.014	0.81	0.05	8.3	1.3	0.6	46.4	<0.01	0.09	0.4
R330590		0.16	23.0	620	3.9	3.2	0.016	0.81	<0.05	8.2	1.3	0.4	45.3	<0.01	0.06	0.3
R330591		0.25	24.0	580	5.2	4.2	0.020	1.10	<0.05	14.0	1.1	0.6	78.8	<0.01	0.06	2.2
R330592		0.54	11.5	790	3.7	3.1	<0.001	0.23	<0.05	2.5	0.6	0.7	37.0	<0.01	0.03	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330553		0.250	0.02	0.25	87	0.48	12.85	108	10.7
R330554		0.280	<0.02	0.06	100	0.33	13.65	121	3.9
R330555		0.263	0.02	0.14	90	0.34	12.45	108	6.5
R330556		0.215	0.04	0.19	87	0.64	10.75	108	7.9
R330557		0.149	0.02	1.34	52	1.00	6.16	53	41.1
R330558		0.131	0.02	1.27	38	0.59	5.46	49	40.9
R330559		0.130	0.02	1.14	40	0.64	5.43	49	31.9
R330560		0.127	0.02	1.15	40	0.64	5.33	49	28.3
R330561		0.110	0.02	1.30	34	0.74	5.27	40	43.6
R330562		0.115	0.02	1.42	38	0.93	5.41	42	33.6
R330563		0.090	0.03	1.37	29	0.43	5.04	42	38.2
R330564		0.105	0.03	1.44	31	0.42	5.27	45	37.2
R330565		0.087	0.03	1.32	31	0.32	5.53	46	38.1
R330566		0.084	0.03	1.04	28	0.30	5.24	41	39.7
R330567		0.104	0.04	1.11	29	0.37	5.39	44	40.1
R330568		0.087	0.02	1.46	31	0.84	6.57	44	36.8
R330569		0.130	0.02	1.49	43	0.48	5.90	52	33.7
R330570		<0.005	<0.02	0.08	<1	<0.05	0.63	<2	0.8
R330571		0.122	0.02	1.73	53	0.43	6.93	81	44.7
R330572		0.132	0.02	1.61	56	0.27	6.51	109	48.2
R330573		0.142	0.02	1.68	42	0.35	6.49	67	32.7
R330574		0.417	0.03	0.14	196	1.15	21.1	182	6.0
R330575		0.141	0.06	1.66	45	0.40	6.04	60	46.8
R330576		0.129	0.04	1.89	35	0.36	5.93	55	51.0
R330577		0.244	0.14	0.84	107	0.10	10.80	113	48.0
R330578		0.135	0.05	1.67	38	0.41	5.84	69	44.4
R330579		0.132	0.03	1.43	33	0.54	5.63	54	42.7
R330580		0.056	0.15	0.34	69	0.45	7.62	84	12.0
R330581		0.153	0.02	1.55	38	0.41	6.26	63	32.3
R330582		0.347	0.05	0.37	155	0.64	14.20	121	15.0
R330583		0.100	0.02	1.80	27	0.47	5.70	37	49.1
R330584		0.334	0.03	0.17	153	0.61	12.45	102	5.3
R330585		0.291	0.02	0.16	140	0.52	12.30	77	4.1
R330586		0.300	0.02	0.16	122	0.54	11.60	81	5.0
R330587		0.349	0.02	0.07	128	0.59	12.30	92	4.7
R330588		0.125	0.02	1.53	33	0.25	5.36	39	44.4
R330589		0.348	0.03	0.13	151	0.53	11.40	101	6.4
R330590		0.350	0.03	0.10	153	0.51	11.20	100	5.9
R330591		0.392	0.03	1.08	175	2.29	13.85	98	19.3
R330592		0.135	0.02	1.50	37	0.74	5.67	49	52.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330593		2.79	0.015	0.04	0.78	0.3	<0.2	<10	40	0.49	0.07	1.04	<0.01	43.8	7.7	31
R330594		2.88	0.008	0.08	0.74	0.2	<0.2	<10	40	0.44	0.04	0.93	0.01	44.8	6.6	26
R330595		3.08	0.015	0.05	1.34	0.2	<0.2	<10	60	1.02	0.07	1.64	0.11	40.8	11.1	28
R330596		3.18	0.002	0.04	2.70	0.1	<0.2	10	30	0.18	0.01	1.81	0.05	15.55	19.6	8
R330597		2.99	0.002	0.05	2.76	0.2	<0.2	10	20	0.12	0.01	1.83	0.05	14.40	20.3	8
R330598		3.25	0.002	0.04	2.96	0.3	<0.2	10	20	0.13	0.01	1.96	0.05	14.05	21.0	10
R330599		3.22	0.002	0.05	2.77	0.1	<0.2	10	20	0.13	0.01	1.88	0.07	14.80	20.4	8
R330600		2.49	0.001	0.18	1.78	0.9	<0.2	<10	20	0.32	0.24	1.93	0.03	12.20	28.0	3
R330601		2.48	0.001	0.07	1.97	0.5	<0.2	<10	20	0.31	0.10	1.70	0.03	9.98	30.2	5
R330602		2.62	0.001	0.06	2.81	0.5	<0.2	<10	10	0.26	0.18	3.11	0.01	8.69	42.3	24
R330603		1.33	0.507	0.22	2.04	0.9	0.4	<10	10	0.50	1.37	5.77	0.03	6.43	43.7	20
R330604		2.20	0.009	0.13	3.67	0.5	<0.2	<10	10	0.54	0.45	3.93	0.02	9.79	50.5	25
R330605		2.29	0.011	0.07	2.58	0.7	<0.2	<10	10	0.37	0.35	3.00	0.03	8.60	40.9	20
R330606		3.65	0.698	0.13	4.15	0.7	<0.2	<10	10	0.62	0.51	4.38	0.02	10.95	56.2	28
R330607		3.65	0.382	0.26	2.63	0.8	0.6	<10	10	0.62	0.51	5.27	0.03	8.80	30.9	1
R330608		1.87	0.001	0.47	3.16	0.7	0.4	<10	10	0.78	0.23	5.56	0.07	12.85	32.4	<1
R330609		2.53	0.029	0.02	3.86	0.6	<0.2	<10	10	0.54	0.10	4.22	0.07	15.65	41.2	1
R330610		0.08	<0.001	0.05	3.20	0.9	<0.2	<10	10	0.55	0.29	7.29	0.05	10.00	36.8	<1
R330611		0.72	9.20	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.81	0.1	<1
R330612		0.91	5.36	3.57	0.69	6.7	5.7	<10	10	0.21	1.33	7.93	0.43	6.59	40.8	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330593		0.21	19.4	2.04	6.10	0.07	1.37	<0.01	0.013	0.07	22.6	8.2	0.71	316	2.90	0.07
R330594		0.28	11.4	1.87	4.93	0.06	0.76	<0.01	0.011	0.08	23.5	7.2	0.64	288	1.04	0.06
R330595		0.79	63.1	2.65	6.98	0.07	0.88	<0.01	0.016	0.11	20.5	11.8	1.08	319	3.06	0.17
R330596		0.60	166.5	4.15	7.44	0.07	0.39	<0.01	0.023	0.05	6.7	3.3	0.79	410	0.44	0.46
R330597		0.74	161.0	4.37	7.38	0.07	0.44	<0.01	0.026	0.04	6.0	3.4	0.81	357	0.44	0.45
R330598		0.80	155.0	4.42	7.67	0.07	0.43	<0.01	0.025	0.04	5.9	3.4	0.91	355	0.39	0.48
R330599		0.61	163.5	4.30	7.38	0.08	0.40	<0.01	0.026	0.04	6.2	3.2	0.84	397	0.38	0.46
R330600		0.73	97.6	7.45	10.85	0.18	0.25	<0.01	0.037	0.05	4.5	21.9	1.21	722	3.26	0.15
R330601		0.53	77.4	6.86	10.65	0.17	0.18	<0.01	0.035	0.03	3.5	16.0	1.14	814	1.95	0.13
R330602		0.36	109.0	8.65	12.15	0.17	0.21	<0.01	0.034	0.02	3.2	19.3	1.82	1030	10.65	0.05
R330603		0.81	154.5	8.27	10.90	0.08	0.09	<0.01	0.050	0.10	2.4	15.5	1.25	1160	2.06	0.03
R330604		1.08	117.0	11.50	16.10	0.12	0.24	<0.01	0.055	0.06	3.7	27.9	2.86	1420	6.26	0.02
R330605		0.54	168.5	10.15	12.60	0.15	0.26	<0.01	0.048	0.03	3.1	15.6	1.85	1250	3.80	0.04
R330606		1.19	132.0	12.95	17.90	0.12	0.26	<0.01	0.060	0.07	4.1	30.6	3.21	1580	6.82	0.02
R330607		0.95	59.7	9.82	11.30	0.07	0.10	<0.01	0.079	0.07	3.3	15.3	1.18	1510	3.46	0.02
R330608		1.32	60.3	10.40	15.55	0.09	0.08	<0.01	0.094	0.09	5.0	28.5	1.33	1480	0.67	0.02
R330609		1.24	59.1	13.15	20.6	0.18	0.17	<0.01	0.082	0.10	5.5	31.6	1.78	1490	1.31	0.03
R330610		0.61	84.3	10.05	14.05	0.10	0.12	<0.01	0.080	0.11	4.0	22.1	1.24	1700	3.29	0.02
R330611		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
R330612		0.12	177.0	11.25	3.80	0.06	0.13	<0.01	0.075	0.02	2.7	8.7	0.31	1320	2.75	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330593		0.44	12.8	780	3.7	3.4	0.003	0.22	<0.05	2.6	0.5	0.6	52.3	<0.01	0.03	5.1
R330594		0.46	10.2	770	3.7	4.5	<0.001	0.09	<0.05	2.3	0.4	0.4	61.4	<0.01	0.03	4.7
R330595		0.28	19.7	870	17.8	8.4	0.002	0.09	<0.05	4.7	0.5	0.5	56.0	<0.01	0.02	4.2
R330596		0.26	41.7	530	1.3	2.5	0.001	0.05	<0.05	3.5	0.8	0.8	78.2	<0.01	0.01	0.6
R330597		0.27	43.0	510	0.8	2.0	<0.001	0.05	<0.05	3.2	1.1	0.8	79.1	<0.01	0.01	0.5
R330598		0.26	46.4	490	0.9	2.0	0.001	0.05	<0.05	3.2	0.9	0.6	85.6	<0.01	0.02	0.5
R330599		0.31	43.0	530	5.4	2.0	0.001	0.04	<0.05	3.5	0.7	0.6	81.1	<0.01	0.02	0.6
R330600		0.17	6.7	850	6.4	2.5	0.004	0.73	0.09	9.6	1.3	0.7	116.0	<0.01	0.11	0.3
R330601		0.12	5.9	850	1.6	1.8	0.003	0.56	<0.05	9.9	1.0	0.5	40.9	<0.01	0.08	0.3
R330602		0.10	25.9	600	1.2	1.0	0.007	0.76	0.05	13.7	1.4	0.4	68.9	<0.01	0.10	0.2
R330603		0.09	24.3	530	1.9	7.0	0.002	1.59	<0.05	20.5	1.2	0.3	77.5	<0.01	0.79	0.2
R330604		0.07	30.2	650	1.4	4.3	0.004	0.86	0.05	22.8	1.3	0.6	72.2	<0.01	0.41	0.2
R330605		0.13	19.7	650	1.6	3.8	0.005	1.17	0.06	16.3	1.6	0.5	57.9	<0.01	0.18	0.2
R330606		0.09	33.8	730	1.6	4.6	0.004	0.97	<0.05	25.5	1.5	0.6	81.1	<0.01	0.38	0.3
R330607		0.05	1.9	730	1.6	5.4	0.003	1.68	<0.05	17.9	1.3	0.3	85.1	<0.01	0.76	0.2
R330608		<0.05	1.1	840	1.5	7.0	0.002	0.94	0.05	20.4	0.8	0.3	98.9	<0.01	0.52	0.2
R330609		0.18	1.5	1110	0.9	13.7	0.002	0.42	0.06	22.1	1.6	0.6	55.8	0.01	0.05	0.4
R330610		0.06	2.4	870	1.0	6.3	0.005	0.86	0.05	18.2	1.4	0.3	105.5	<0.01	0.27	0.2
R330611		<0.05	0.4	<10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330612		<0.05	6.1	850	17.9	1.9	0.002	>10.0	0.21	18.9	1.6	<0.2	174.5	<0.01	17.70	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330593		0.114	0.02	1.68	35	0.39	5.27	53	53.8
R330594		0.118	0.02	1.57	31	0.32	5.10	48	38.6
R330595		0.168	0.08	1.41	62	0.57	7.87	87	39.4
R330596		0.463	0.15	0.09	166	0.05	13.25	55	14.2
R330597		0.496	0.13	0.09	189	0.05	13.65	56	17.9
R330598		0.478	0.13	0.09	185	0.05	13.45	55	17.5
R330599		0.472	0.11	0.09	176	0.05	13.85	66	15.8
R330600		0.334	0.07	<0.05	85	0.43	16.10	46	6.2
R330601		0.259	0.04	<0.05	85	0.32	15.15	71	2.8
R330602		0.313	<0.02	<0.05	163	0.46	12.65	112	2.9
R330603		0.222	0.05	0.16	181	0.64	14.05	84	2.3
R330604		0.371	0.04	0.09	194	0.49	16.80	166	4.1
R330605		0.300	0.03	0.06	150	0.45	13.10	130	3.5
R330606		0.408	0.04	0.09	217	0.50	18.55	185	4.5
R330607		0.115	0.03	0.07	60	0.57	13.20	115	2.6
R330608		0.075	0.04	0.10	57	0.34	13.75	140	3.5
R330609		0.292	0.10	<0.05	76	0.30	21.1	185	3.8
R330610		0.112	0.04	0.11	75	0.34	9.28	129	3.6
R330611		<0.005	<0.02	0.08	<1	<0.05	0.54	<2	0.7
R330612		0.006	0.02	0.05	39	1.01	8.12	64	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126097

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

CERTIFICATE SD15126099

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330613		0.59	7.24	1.47	0.74	1.6	6.0	<10	10	0.18	3.20	3.15	0.03	4.67	22.9	13
R330614		1.85	0.879	0.13	2.98	1.0	0.7	<10	20	0.75	1.76	6.36	0.03	8.01	27.5	4
R330615		1.96	0.115	0.13	3.03	1.5	<0.2	<10	10	0.48	0.36	5.41	0.08	11.10	35.0	5
R330616		3.69	0.015	0.08	2.49	0.6	<0.2	<10	10	0.40	0.27	3.11	0.05	10.50	36.1	8
R330617		3.55	0.002	0.09	1.91	0.7	<0.2	<10	10	0.23	0.15	1.68	0.06	9.63	31.1	7
R330618		3.65	0.002	0.09	1.86	0.5	<0.2	<10	10	0.25	0.12	1.66	0.16	10.50	27.8	10
R330619		4.07	0.002	0.11	1.64	0.5	<0.2	<10	10	0.26	0.19	1.87	0.11	9.09	29.3	7
R330620		0.07	9.36	9.21	1.64	11.2	8.6	<10	30	0.55	0.07	3.72	0.28	18.45	10.1	18
R330621		2.85	0.003	0.11	1.55	0.6	<0.2	<10	10	0.21	0.11	1.48	0.05	10.75	32.1	8
R330622		2.55	0.002	0.11	1.43	0.4	<0.2	<10	10	0.21	0.13	1.39	0.05	9.12	31.7	17
R330623		2.34	0.004	0.07	1.62	0.4	<0.2	<10	10	0.24	0.32	2.16	0.05	12.45	24.1	7
R330624		2.34	0.002	0.14	1.41	0.5	<0.2	<10	10	0.22	0.14	1.48	0.05	7.82	34.0	17
R330625		3.62	0.002	0.09	1.57	0.4	<0.2	<10	10	0.17	0.13	1.71	0.07	6.59	31.6	30
R330626		3.28	0.002	0.07	1.70	0.4	<0.2	<10	10	0.16	0.09	1.31	0.04	14.50	28.4	35
R330627		3.16	0.002	0.07	1.66	0.6	<0.2	<10	10	0.26	0.41	2.19	0.03	11.80	31.7	50
R330628		1.86	0.002	0.07	1.72	0.5	<0.2	<10	10	0.31	0.20	2.25	0.04	10.10	33.5	27
R330629		1.76	0.004	0.23	2.86	0.5	<0.2	<10	<10	0.46	1.32	2.50	0.02	7.68	40.7	32
R330630		<0.02	0.005	0.19	2.88	0.4	<0.2	<10	<10	0.47	1.15	2.51	0.01	7.70	41.3	30
R330631		0.95	0.008	0.39	0.47	0.5	<0.2	<10	10	0.26	1.67	2.54	0.30	9.54	8.4	13
R330632		3.57	0.004	0.14	1.83	0.3	<0.2	<10	10	0.57	0.63	2.76	0.06	16.40	30.6	19
R330633		3.12	0.036	0.24	1.13	0.4	<0.2	<10	20	0.59	2.48	2.57	0.05	21.0	23.1	29
R330634		3.55	0.004	0.10	2.22	0.3	<0.2	<10	10	0.56	0.48	2.63	0.03	7.78	42.4	31
R330635		2.83	0.024	0.25	2.19	0.5	<0.2	10	10	0.73	1.08	4.47	0.08	6.82	37.6	40
R330636		2.59	0.030	0.15	2.43	0.4	<0.2	20	10	1.14	0.88	5.20	0.05	7.41	32.6	25
R330637		2.34	0.008	0.08	2.22	0.3	<0.2	<10	10	0.62	0.58	3.15	0.03	7.61	42.8	36
R330638		1.87	0.010	0.38	0.83	0.4	<0.2	<10	10	0.50	3.07	3.37	0.09	8.34	24.6	21
R330639		2.51	0.003	0.08	2.01	0.3	<0.2	<10	10	0.64	0.50	1.92	0.03	9.24	39.9	39
R330640		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.08	0.1	<1
R330641		2.46	0.031	0.19	2.17	0.4	<0.2	<10	10	0.81	1.59	1.99	0.02	13.85	39.8	28
R330642		2.08	0.005	0.14	0.19	0.3	<0.2	<10	10	0.12	0.58	0.32	0.05	7.87	1.4	14
R330643		1.94	0.005	0.16	0.13	0.2	<0.2	<10	10	0.13	1.05	0.40	0.08	7.46	0.8	8
R330644		2.25	0.010	0.21	0.45	0.2	<0.2	<10	10	0.28	0.86	0.81	0.08	10.60	6.3	20
R330645		2.26	0.005	0.13	2.83	0.3	<0.2	<10	10	0.64	0.58	1.26	0.04	13.65	41.4	39
R330646		3.61	0.002	0.09	2.39	0.4	<0.2	<10	10	0.46	0.36	1.72	0.03	10.80	35.4	25
R330647		3.66	0.001	0.05	1.99	0.6	<0.2	<10	10	0.33	0.14	2.13	0.02	8.67	30.4	32
R330648		2.42	0.001	0.08	2.61	0.5	<0.2	<10	10	0.46	0.17	1.63	0.02	12.90	37.5	43
R330649		2.67	0.003	0.12	2.97	0.7	<0.2	<10	10	0.67	1.05	2.28	0.01	12.25	47.3	40
R330650		0.04	2.37	4.73	1.64	18.5	2.3	<10	40	0.63	0.08	3.77	0.37	21.1	10.7	25
R330651		2.32	0.005	0.05	2.69	0.4	<0.2	<10	20	0.42	0.38	4.36	0.02	18.55	39.7	136
R330652		2.04	0.003	0.05	2.60	0.5	<0.2	<10	20	0.34	0.26	3.15	0.02	7.76	47.4	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330613		0.20	143.5	7.14	2.98	0.05	0.21	<0.01	0.031	0.01	1.6	7.0	0.21	626	0.43	0.04
R330614		1.43	60.5	10.90	12.85	0.09	0.08	<0.01	0.098	0.07	2.7	18.6	1.05	1540	0.79	0.02
R330615		0.52	73.2	10.05	15.55	0.12	0.10	0.01	0.071	0.10	3.6	21.6	1.49	1440	1.93	0.03
R330616		0.96	96.6	9.55	13.30	0.16	0.30	0.01	0.052	0.03	3.5	15.4	1.44	959	2.07	0.05
R330617		0.28	103.5	7.76	10.05	0.23	0.23	<0.01	0.025	0.03	3.4	13.5	1.02	798	1.92	0.08
R330618		0.33	79.3	7.39	10.30	0.25	0.24	<0.01	0.025	0.03	3.8	12.3	0.94	793	3.09	0.11
R330619		0.33	107.5	6.88	8.86	0.23	0.20	<0.01	0.022	0.03	3.4	9.8	0.82	719	3.70	0.10
R330620		2.36	62.2	2.75	6.45	0.20	0.66	0.15	0.023	0.12	8.3	22.4	1.00	764	4.75	0.07
R330621		0.39	111.5	7.07	8.97	0.25	0.21	<0.01	0.025	0.05	3.8	8.8	0.70	629	1.21	0.12
R330622		0.35	127.5	6.49	8.27	0.23	0.18	<0.01	0.024	0.04	3.4	8.4	0.69	552	1.97	0.12
R330623		0.25	81.3	4.92	8.88	0.21	0.21	<0.01	0.031	0.03	4.5	9.6	0.63	682	1.15	0.14
R330624		0.33	132.0	5.95	7.70	0.21	0.17	<0.01	0.024	0.04	2.8	8.0	0.63	563	2.49	0.14
R330625		0.33	138.5	5.46	8.03	0.22	0.16	<0.01	0.022	0.04	2.5	10.4	0.76	549	3.46	0.12
R330626		0.38	115.5	5.01	7.75	0.20	0.18	<0.01	0.021	0.05	5.8	13.8	0.94	445	3.53	0.13
R330627		0.33	126.5	4.94	7.93	0.20	0.28	<0.01	0.020	0.05	5.0	14.8	1.07	540	2.38	0.08
R330628		0.35	132.0	5.93	8.04	0.19	0.18	<0.01	0.024	0.06	4.0	11.8	0.92	720	2.57	0.09
R330629		0.70	129.0	8.58	15.10	0.22	0.17	<0.01	0.030	0.02	3.2	22.9	1.91	1010	1.29	0.05
R330630		0.74	130.5	8.65	15.75	0.22	0.17	<0.01	0.033	0.01	3.2	23.5	1.92	1010	1.32	0.04
R330631		0.22	43.9	2.07	3.03	0.10	6.19	<0.01	0.011	0.02	7.7	3.7	0.26	263	0.34	0.06
R330632		0.47	118.5	6.41	10.55	0.19	0.73	<0.01	0.026	0.04	8.0	14.6	1.16	749	1.78	0.06
R330633		0.56	70.9	4.41	6.55	0.14	2.15	<0.01	0.022	0.06	11.1	10.2	0.83	548	0.99	0.06
R330634		0.59	143.0	7.28	10.10	0.21	0.74	<0.01	0.021	0.03	3.5	16.1	1.38	917	1.16	0.05
R330635		1.07	104.0	6.51	11.10	0.20	1.59	<0.01	0.031	0.05	3.9	23.1	1.41	927	0.82	0.04
R330636		1.42	84.2	6.64	11.15	0.23	1.09	<0.01	0.032	0.07	4.2	30.1	1.51	1020	1.03	0.03
R330637		1.03	131.0	8.04	10.95	0.17	0.38	<0.01	0.038	0.08	3.3	17.3	1.58	1030	1.12	0.04
R330638		0.28	57.8	5.37	5.12	0.12	3.42	<0.01	0.026	0.02	4.5	6.1	0.75	572	5.04	0.07
R330639		0.51	142.0	6.89	9.09	0.18	0.72	<0.01	0.023	0.05	4.5	16.1	1.35	895	1.13	0.05
R330640		<0.05	0.9	0.03	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R330641		0.73	123.5	7.53	10.80	0.18	1.71	<0.01	0.029	0.05	9.5	19.4	1.60	947	1.28	0.05
R330642		0.06	28.5	0.90	1.10	0.08	2.58	<0.01	<0.005	0.06	6.0	0.9	0.07	97	1.40	0.07
R330643		<0.05	44.7	0.65	0.76	0.08	3.04	<0.01	<0.005	0.06	5.1	0.4	0.02	56	0.24	0.06
R330644		0.19	70.2	1.66	2.61	0.09	3.77	<0.01	0.008	0.06	7.6	3.9	0.28	201	0.34	0.06
R330645		0.80	172.5	7.40	11.25	0.20	0.60	<0.01	0.027	0.05	7.5	26.0	2.00	963	1.20	0.04
R330646		0.49	154.5	6.36	8.93	0.23	0.26	<0.01	0.019	0.03	6.1	19.4	1.38	835	1.38	0.05
R330647		0.29	148.5	7.05	8.99	0.24	0.21	<0.01	0.020	0.03	3.9	16.1	1.30	796	1.15	0.06
R330648		0.31	149.0	7.89	11.45	0.25	0.22	<0.01	0.026	0.03	5.6	23.6	1.86	924	1.28	0.06
R330649		0.37	97.9	7.93	14.40	0.26	0.26	<0.01	0.030	0.03	5.1	28.8	2.35	1010	3.48	0.06
R330650		3.15	72.8	2.89	6.40	0.14	0.41	0.09	0.035	0.23	9.9	17.2	0.86	694	6.24	0.07
R330651		0.69	89.3	6.60	10.80	0.19	0.68	<0.01	0.022	0.06	8.0	29.5	2.17	1040	0.73	0.04
R330652		0.88	173.5	6.43	8.61	0.15	0.15	<0.01	0.016	0.10	3.1	24.0	1.57	1050	12.20	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330613		<0.05	2.3	900	12.9	0.6	0.001	5.80	0.08	9.3	1.1	<0.2	50.9	<0.01	11.30	<0.2
R330614		<0.05	3.2	870	1.7	5.8	0.001	1.94	0.05	22.3	0.9	0.4	100.5	<0.01	1.19	<0.2
R330615		0.11	5.6	820	1.3	6.7	0.002	1.39	0.05	22.4	1.1	0.4	91.5	0.01	1.04	0.2
R330616		0.18	7.0	830	1.7	3.0	0.004	1.06	0.06	17.9	1.3	0.5	43.2	<0.01	0.17	0.3
R330617		0.16	6.8	860	2.2	1.3	0.003	1.07	0.05	7.6	1.3	0.5	39.9	<0.01	0.13	0.3
R330618		0.15	7.3	880	4.1	1.4	0.004	0.81	<0.05	7.8	1.0	0.5	49.8	<0.01	0.10	0.3
R330619		0.14	8.2	740	6.2	1.4	0.004	0.89	<0.05	7.7	1.2	0.3	45.2	<0.01	0.11	0.3
R330620		0.14	11.2	590	14.7	5.8	0.002	0.43	0.40	8.2	0.6	0.5	102.0	<0.01	3.95	1.5
R330621		0.15	10.2	820	3.3	2.2	0.002	0.84	0.05	8.2	1.7	0.5	33.7	<0.01	0.12	0.3
R330622		0.12	15.6	660	3.4	2.1	0.003	0.80	<0.05	7.8	0.9	0.3	28.9	<0.01	0.11	0.2
R330623		0.12	6.6	910	2.8	1.6	0.003	0.57	<0.05	8.7	1.1	0.5	22.8	<0.01	0.09	0.3
R330624		0.13	19.5	680	3.8	1.9	0.003	0.88	<0.05	8.1	1.0	0.4	16.5	<0.01	0.13	0.3
R330625		0.10	21.9	530	2.9	2.0	0.006	0.58	<0.05	8.4	1.0	0.3	35.4	<0.01	0.10	0.2
R330626		0.09	21.9	690	1.9	3.1	0.005	0.46	<0.05	7.3	0.8	0.3	28.7	<0.01	0.06	0.6
R330627		0.09	27.2	590	1.8	2.3	0.003	0.71	<0.05	6.9	0.9	0.4	38.1	<0.01	0.11	0.5
R330628		0.11	20.5	590	1.5	2.4	0.004	0.74	<0.05	8.0	1.1	0.3	33.3	<0.01	0.10	0.4
R330629		0.08	26.0	580	1.7	1.4	0.004	0.80	<0.05	12.3	1.2	0.4	35.4	<0.01	0.56	0.3
R330630		0.08	25.6	570	1.7	1.3	0.004	0.78	<0.05	12.6	1.2	0.4	35.0	<0.01	0.48	0.3
R330631		0.22	5.3	60	50.2	0.9	0.001	0.70	0.05	3.8	0.7	0.2	21.8	<0.01	0.41	25.0
R330632		0.16	16.2	570	7.5	2.7	0.003	0.63	<0.05	8.2	1.0	0.4	54.0	<0.01	0.10	2.2
R330633		0.25	22.8	580	16.5	4.1	0.001	1.14	0.05	8.5	1.0	0.5	50.3	<0.01	0.41	7.7
R330634		0.10	31.7	450	4.3	2.9	0.003	0.85	<0.05	10.1	0.7	0.4	64.1	<0.01	0.15	2.7
R330635		0.07	31.3	290	19.3	2.5	0.002	0.94	<0.05	13.6	1.8	0.4	58.9	<0.01	0.19	7.3
R330636		0.09	23.7	330	11.0	3.4	0.002	0.82	<0.05	14.4	1.0	0.5	81.0	<0.01	0.15	4.9
R330637		0.09	33.9	450	3.2	7.0	0.004	0.86	<0.05	16.3	1.1	0.4	48.8	<0.01	0.14	1.0
R330638		0.22	18.0	280	22.5	1.5	0.002	3.94	<0.05	9.6	2.2	0.4	58.4	<0.01	0.81	13.9
R330639		0.16	34.3	480	3.2	5.5	0.003	0.64	<0.05	10.0	0.7	0.5	48.2	<0.01	0.10	3.1
R330640		<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330641		0.16	28.5	480	5.8	5.7	0.005	1.18	0.05	12.1	1.1	0.4	78.0	<0.01	0.16	7.5
R330642		0.24	1.8	10	8.5	2.5	0.001	0.27	<0.05	0.5	0.3	<0.2	4.7	<0.01	0.06	11.2
R330643		0.29	1.1	10	10.1	2.2	<0.001	0.30	<0.05	0.4	0.3	0.3	3.8	<0.01	0.06	13.3
R330644		0.19	5.1	40	17.0	2.5	<0.001	0.43	<0.05	2.6	0.4	0.2	15.1	<0.01	0.14	16.5
R330645		0.12	31.0	450	7.4	3.4	0.005	0.66	0.05	9.9	1.1	0.4	109.5	<0.01	0.12	2.9
R330646		0.13	25.0	470	17.4	2.0	0.003	0.62	0.06	7.4	1.1	0.4	169.0	<0.01	0.09	0.6
R330647		0.11	22.5	530	4.1	1.1	0.002	0.50	<0.05	6.9	1.0	0.4	102.5	<0.01	0.05	0.2
R330648		0.09	30.0	520	4.0	1.1	0.003	0.55	0.06	7.8	1.1	0.4	135.0	<0.01	0.11	0.3
R330649		0.08	36.9	550	2.8	1.1	0.006	0.75	0.06	9.4	1.4	0.5	82.0	<0.01	0.12	0.3
R330650		0.07	11.6	610	17.7	11.8	0.002	0.90	0.45	8.4	0.7	0.5	117.5	<0.01	2.46	1.4
R330651		0.11	45.8	850	2.0	3.1	0.002	1.11	<0.05	12.8	1.1	0.5	69.1	<0.01	0.10	1.2
R330652		0.10	42.6	460	2.0	4.9	0.005	0.91	<0.05	8.3	1.2	0.3	62.5	<0.01	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330613		<0.005	<0.02	0.16	24	0.54	6.27	33	6.1
R330614		0.104	0.04	0.05	79	1.65	11.50	112	2.4
R330615		0.172	0.05	<0.05	97	1.87	14.40	124	2.6
R330616		0.349	0.03	0.08	112	0.69	16.70	113	5.3
R330617		0.299	0.02	0.06	80	0.44	13.80	93	4.3
R330618		0.310	<0.02	0.06	82	0.39	13.55	112	5.2
R330619		0.319	0.02	0.06	118	0.50	12.35	84	4.4
R330620		0.127	0.08	0.41	73	0.50	7.29	60	20.4
R330621		0.283	0.03	0.05	93	0.47	13.50	68	3.9
R330622		0.256	0.04	<0.05	116	0.38	11.10	59	4.0
R330623		0.235	0.02	0.05	49	0.26	14.10	67	4.0
R330624		0.226	0.05	0.05	110	0.33	10.50	54	3.5
R330625		0.255	0.02	<0.05	142	0.38	9.85	62	3.4
R330626		0.207	0.03	0.08	138	0.33	9.85	56	4.7
R330627		0.241	0.02	0.20	122	0.40	8.59	55	9.0
R330628		0.248	0.02	0.09	127	0.39	10.35	68	4.3
R330629		0.286	<0.02	0.09	196	0.76	12.15	117	3.6
R330630		0.276	0.02	0.10	194	0.76	12.55	119	3.4
R330631		0.083	<0.02	12.80	32	0.96	4.35	44	141.5
R330632		0.267	0.02	1.08	127	0.58	11.75	85	21.2
R330633		0.198	0.03	3.41	97	1.25	8.61	57	59.1
R330634		0.317	0.02	1.33	171	0.69	10.10	96	16.5
R330635		0.224	0.02	3.42	166	0.81	8.84	99	41.3
R330636		0.283	0.02	2.39	197	0.78	9.92	105	27.9
R330637		0.330	0.06	0.47	216	0.65	12.00	108	8.2
R330638		0.128	0.02	6.49	60	1.20	8.34	57	79.8
R330639		0.327	0.04	1.31	172	0.42	10.35	93	16.5
R330640		<0.005	<0.02	0.09	<1	<0.05	0.61	<2	0.8
R330641		0.331	0.04	3.49	169	0.67	10.85	110	40.8
R330642		0.012	0.02	4.95	9	0.17	4.45	10	57.9
R330643		0.006	0.02	6.23	4	0.23	5.38	11	69.7
R330644		0.039	0.02	7.83	25	0.36	3.83	29	86.5
R330645		0.348	0.03	1.15	181	0.47	10.15	132	15.0
R330646		0.355	0.02	0.21	149	0.49	9.63	103	5.8
R330647		0.352	0.02	0.17	173	0.57	10.10	95	4.6
R330648		0.408	0.02	0.13	187	0.59	11.70	125	4.9
R330649		0.467	0.02	0.16	207	0.93	12.65	138	5.2
R330650		0.056	0.13	0.33	66	0.55	7.70	82	12.8
R330651		0.315	0.02	0.42	154	0.51	9.78	143	25.9
R330652		0.365	0.03	<0.05	152	0.43	8.45	122	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330653		3.26	0.001	0.12	1.56	0.6	<0.2	<10	10	0.25	0.13	1.31	0.03	7.02	41.5	28
R330654		3.18	0.001	0.10	1.76	0.4	<0.2	<10	20	0.31	0.15	1.66	0.04	8.79	35.3	53
R330655		1.75	<0.001	0.28	0.14	0.2	<0.2	<10	10	0.14	0.92	0.43	0.09	10.35	0.9	10
R330656		2.18	0.002	0.13	1.92	0.5	<0.2	<10	10	0.35	0.14	1.57	0.05	6.89	41.4	32
R330657		2.07	0.001	0.09	1.50	0.5	<0.2	<10	10	0.16	0.07	1.43	0.04	20.4	22.7	164
R330658		3.51	0.001	0.12	1.47	0.6	<0.2	<10	10	0.20	0.36	1.75	0.02	7.53	37.0	37
R330659		3.71	0.001	0.08	1.69	0.4	<0.2	<10	10	0.20	0.07	1.08	0.03	7.69	29.5	24
R330660		<0.02	0.001	0.09	1.75	0.5	<0.2	<10	10	0.19	0.07	1.13	0.02	8.07	30.6	25
R330661		3.28	0.001	0.11	1.29	0.4	<0.2	<10	10	0.18	0.13	1.26	0.03	9.29	29.1	69
R330662		3.73	0.001	0.24	1.31	1.1	<0.2	<10	10	0.20	0.08	2.08	0.65	6.26	37.4	27
R330663		3.78	0.001	0.12	1.38	0.7	<0.2	<10	10	0.21	0.08	1.25	0.30	6.71	32.1	27
R330664		3.73	0.002	0.92	1.87	0.6	<0.2	<10	10	0.27	6.77	2.34	0.15	7.79	38.9	19
R330665		2.37	0.001	0.16	2.09	1.0	<0.2	<10	10	0.27	0.13	1.74	0.36	7.30	43.8	26
R330666		2.52	0.003	0.24	1.83	0.8	<0.2	<10	10	0.31	0.76	2.05	0.16	7.66	43.2	29
R330667		2.01	0.002	0.26	2.31	1.2	<0.2	<10	10	0.46	0.19	2.10	0.08	9.62	41.7	31
R330668		2.11	0.005	0.16	3.21	1.3	<0.2	<10	10	0.61	0.59	2.10	0.01	11.35	48.6	28
R330669		3.21	0.001	0.13	2.03	1.2	<0.2	<10	10	0.26	0.22	2.85	0.03	7.41	39.3	23
R330670		0.07	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.09	0.1	<1
R330671		3.53	0.001	0.10	1.63	0.9	<0.2	<10	10	0.21	0.07	2.05	0.02	6.53	34.7	29
R330672		3.45	0.002	0.09	1.58	0.6	<0.2	<10	10	0.19	0.05	2.03	0.03	6.23	35.0	23
R330673		3.50	0.001	0.13	1.63	0.6	<0.2	<10	10	0.25	0.79	2.24	0.04	11.35	38.3	26
R330674		2.23	0.063	0.26	1.99	0.7	<0.2	<10	20	0.79	39.6	3.42	0.02	24.3	29.7	30
R330675		1.20	0.008	0.15	0.98	0.3	<0.2	<10	20	0.42	11.20	1.62	0.01	42.3	9.7	30
R330676		2.90	0.020	0.11	0.57	0.3	0.2	<10	30	0.47	1.17	0.94	<0.01	26.6	5.2	19
R330677		3.54	0.238	0.04	0.52	0.1	0.2	<10	40	0.47	0.24	0.74	0.01	35.0	3.8	20
R330678		3.18	0.120	0.05	0.46	0.3	<0.2	<10	40	0.39	0.62	0.60	0.01	23.0	3.9	18
R330679		3.16	0.017	0.03	0.51	0.1	<0.2	<10	30	0.56	0.43	0.69	0.01	29.2	3.5	17
R330680		0.05	2.40	4.45	1.51	18.0	2.3	<10	40	0.59	0.08	3.62	0.33	21.3	10.5	23
R330681		3.25	0.018	0.03	0.47	0.2	<0.2	<10	50	0.34	0.09	0.69	<0.01	33.8	3.4	18
R330682		3.36	0.042	0.04	0.47	0.1	<0.2	<10	40	0.36	2.06	0.74	0.01	27.2	3.7	16
R330683		2.45	0.003	0.02	0.66	0.1	<0.2	<10	30	0.35	0.07	0.48	<0.01	35.1	4.5	19
R330684		2.14	0.033	0.05	0.52	0.1	<0.2	<10	20	0.30	0.50	0.54	<0.01	32.6	3.9	18
R330685		2.92	0.158	0.06	0.60	0.2	0.2	<10	20	0.40	0.50	0.54	<0.01	25.7	4.7	16
R330686		2.81	0.014	0.02	0.81	0.2	<0.2	<10	20	0.39	0.17	0.25	0.01	23.1	5.5	18
R330687		0.65	1.250	0.57	0.53	0.1	0.5	<10	30	0.58	5.42	0.27	<0.01	10.00	4.8	18
R330688		0.08	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.90	0.1	<1
R330689		2.84	0.034	0.06	0.59	0.1	<0.2	<10	20	0.47	1.07	0.45	<0.01	12.20	4.6	16
R330690		<0.02	0.043	0.05	0.68	0.1	<0.2	<10	20	0.50	1.12	0.47	<0.01	13.50	4.8	21
R330691		0.87	0.409	0.10	0.41	0.1	<0.2	<10	10	1.40	4.45	0.37	<0.01	60.3	4.5	16
R330692		2.32	0.030	0.03	0.68	0.1	<0.2	<10	10	0.51	0.48	0.29	0.01	15.80	5.0	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330653		0.41	181.5	5.66	8.01	0.14	0.14	0.01	0.019	0.04	2.7	15.7	1.06	745	1.25	0.10
R330654		0.52	135.0	5.38	8.41	0.14	0.17	0.01	0.020	0.06	3.7	19.4	1.23	721	0.99	0.11
R330655		0.05	37.1	0.77	0.92	<0.05	2.20	0.01	0.005	0.06	9.1	0.6	0.03	75	0.60	0.07
R330656		0.46	148.5	5.82	9.37	0.16	0.16	0.01	0.020	0.05	3.3	18.8	1.35	810	0.76	0.10
R330657		0.58	90.6	3.80	7.83	0.13	0.15	<0.01	0.012	0.03	9.4	20.5	1.33	542	1.57	0.10
R330658		0.49	147.0	6.09	9.88	0.16	0.13	0.01	0.016	0.03	3.1	14.4	1.04	678	1.12	0.09
R330659		0.48	124.5	5.85	8.28	0.14	0.10	0.01	0.020	0.04	2.9	14.2	0.94	651	0.77	0.14
R330660		0.50	130.0	6.22	8.79	0.15	0.12	<0.01	0.024	0.05	3.0	15.1	1.01	694	0.78	0.15
R330661		0.43	121.5	4.92	7.23	0.14	0.15	<0.01	0.016	0.03	3.7	12.5	0.90	567	1.18	0.10
R330662		0.55	137.0	5.11	7.29	0.15	0.14	<0.01	0.020	0.04	2.4	9.6	0.77	682	1.89	0.10
R330663		0.52	146.0	5.98	7.75	0.16	0.13	0.01	0.019	0.04	2.6	9.9	0.81	635	1.24	0.13
R330664		1.02	173.0	6.92	11.00	0.20	0.12	<0.01	0.027	0.03	3.0	17.9	1.35	836	4.18	0.11
R330665		1.25	141.5	7.98	12.80	0.19	0.18	<0.01	0.031	0.02	3.0	15.5	1.56	975	4.11	0.10
R330666		1.42	161.0	7.35	11.80	0.19	0.17	<0.01	0.030	0.03	3.0	16.8	1.56	818	4.58	0.11
R330667		2.23	150.0	7.41	13.15	0.22	0.17	<0.01	0.038	0.03	4.2	22.1	2.23	898	0.67	0.08
R330668		2.82	144.0	9.38	15.95	0.22	0.24	<0.01	0.045	0.02	5.6	28.8	2.86	1180	1.27	0.05
R330669		0.95	165.0	6.63	9.50	0.17	0.16	<0.01	0.025	0.02	3.2	14.7	1.39	977	2.79	0.09
R330670		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R330671		0.62	151.5	6.00	7.88	0.17	0.16	<0.01	0.021	0.02	2.9	10.5	1.03	812	1.97	0.09
R330672		0.38	162.0	5.99	7.45	0.14	0.13	<0.01	0.021	0.04	2.4	10.9	0.88	831	1.43	0.11
R330673		0.97	158.0	5.95	8.93	0.17	0.24	<0.01	0.028	0.05	5.0	12.8	1.17	786	3.55	0.09
R330674		1.23	193.0	6.40	11.65	0.15	0.61	<0.01	0.051	0.04	11.5	21.2	1.75	825	4.09	0.06
R330675		0.79	107.0	2.53	6.59	0.08	1.02	<0.01	0.022	0.05	22.0	12.4	0.96	385	5.95	0.08
R330676		0.33	295	1.80	4.27	0.05	1.04	<0.01	0.014	0.06	13.3	6.8	0.51	245	0.72	0.07
R330677		0.41	20.6	1.52	4.17	0.05	1.07	<0.01	0.009	0.06	18.5	8.7	0.46	223	0.19	0.07
R330678		0.31	13.2	1.40	4.16	<0.05	1.18	<0.01	0.006	0.05	12.1	7.3	0.40	171	2.09	0.08
R330679		0.47	9.4	1.43	4.28	0.05	1.31	<0.01	0.008	0.06	16.0	7.7	0.46	210	0.61	0.08
R330680		3.29	67.8	2.76	6.05	0.09	0.38	0.09	0.037	0.21	9.9	14.5	0.81	654	5.91	0.07
R330681		0.45	26.2	1.38	3.62	0.05	1.39	<0.01	0.010	0.07	19.4	7.3	0.41	221	0.19	0.07
R330682		0.40	8.9	1.36	3.87	0.05	1.32	<0.01	0.009	0.05	14.4	6.4	0.41	193	1.66	0.08
R330683		0.55	2.5	1.64	5.09	0.06	1.29	<0.01	0.009	0.06	19.4	11.2	0.61	242	0.18	0.08
R330684		0.47	3.8	1.42	4.23	0.05	1.24	<0.01	0.007	0.04	17.7	7.7	0.49	195	0.17	0.07
R330685		0.40	4.6	1.53	4.53	0.05	1.19	<0.01	0.007	0.03	13.4	9.5	0.56	187	4.37	0.08
R330686		0.44	2.6	1.72	5.87	0.05	1.12	<0.01	0.007	0.03	12.1	13.5	0.78	213	0.16	0.09
R330687		0.25	3.1	1.57	3.84	<0.05	1.06	<0.01	0.005	0.02	4.6	8.6	0.51	141	226	0.08
R330688		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.19	0.01
R330689		0.32	7.6	1.44	4.09	0.09	1.14	<0.01	0.006	0.04	6.0	8.8	0.55	151	1.98	0.07
R330690		0.35	6.1	1.70	4.52	0.10	1.23	<0.01	0.007	0.05	6.5	10.0	0.61	179	1.60	0.10
R330691		0.12	7.2	1.60	2.93	0.12	1.01	<0.01	0.010	0.01	30.3	5.7	0.37	106	6.25	0.08
R330692		0.26	5.3	1.53	4.53	0.10	1.04	<0.01	0.008	0.02	7.7	10.1	0.65	154	0.89	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330653		0.08	28.3	510	2.7	2.0	0.002	0.80	0.05	7.9	1.2	0.3	21.4	<0.01	0.12	0.2
R330654		0.10	32.9	520	1.9	3.6	0.003	0.60	<0.05	8.8	1.0	0.3	25.1	<0.01	0.08	0.3
R330655		0.28	1.3	10	28.3	2.0	<0.001	0.22	<0.05	0.4	0.2	<0.2	6.1	<0.01	0.20	10.6
R330656		0.07	30.2	490	6.9	2.1	0.003	0.76	<0.05	8.2	1.2	0.3	22.6	<0.01	0.12	0.2
R330657		0.05	58.5	580	7.3	1.9	0.003	0.29	<0.05	3.9	0.6	0.2	15.3	<0.01	0.05	0.9
R330658		0.06	28.4	510	3.5	1.4	0.003	0.86	<0.05	7.0	1.2	0.2	22.9	<0.01	0.09	0.2
R330659		0.06	18.1	540	1.7	2.9	0.002	0.44	<0.05	7.2	1.1	0.3	19.0	<0.01	0.06	0.3
R330660		0.06	18.1	570	1.9	3.0	0.003	0.46	<0.05	7.9	1.1	0.2	19.6	<0.01	0.06	0.3
R330661		0.07	32.6	550	3.6	1.7	0.002	0.52	<0.05	6.2	0.8	0.2	19.3	<0.01	0.05	0.4
R330662		0.09	26.5	490	27.4	2.6	0.004	0.68	0.06	7.5	1.2	0.3	23.7	<0.01	0.09	0.2
R330663		0.09	22.2	520	25.8	2.3	0.003	0.52	<0.05	7.2	1.0	0.3	22.7	<0.01	0.05	0.2
R330664		0.08	21.1	530	48.6	2.3	0.004	0.88	<0.05	10.2	1.6	0.4	20.5	<0.01	0.12	0.2
R330665		0.06	32.7	550	56.4	1.6	0.008	0.75	<0.05	9.4	1.1	0.4	18.1	<0.01	0.09	0.2
R330666		0.07	31.0	540	34.1	2.3	0.012	0.88	0.05	9.0	1.5	0.4	18.2	<0.01	0.10	0.2
R330667		0.05	29.7	510	17.6	2.4	0.003	0.67	<0.05	9.8	1.3	0.5	20.9	<0.01	0.09	0.2
R330668		0.06	33.8	540	3.7	2.6	0.003	0.82	<0.05	13.2	1.3	0.5	34.3	<0.01	0.12	0.2
R330669		0.07	26.2	520	2.4	1.7	0.005	0.82	<0.05	10.5	1.3	0.3	23.0	<0.01	0.07	0.2
R330670		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	0.1	0.2	<0.2	0.6	<0.01	<0.01	0.2
R330671		0.11	25.7	530	2.6	1.4	0.004	0.44	<0.05	8.3	0.9	0.3	23.9	<0.01	0.05	0.2
R330672		0.11	26.3	510	1.3	2.1	0.003	0.46	<0.05	9.0	0.8	0.4	17.3	<0.01	0.05	0.2
R330673		0.12	25.6	570	2.6	4.4	0.006	0.57	<0.05	10.0	1.1	0.4	30.6	<0.01	0.06	0.6
R330674		0.11	23.4	630	23.1	3.8	0.003	0.52	<0.05	12.3	1.1	0.5	60.1	<0.01	0.05	2.4
R330675		0.18	12.2	770	10.0	3.1	0.001	0.32	<0.05	4.1	0.5	0.6	26.2	<0.01	0.03	6.3
R330676		0.15	5.7	410	2.7	3.0	<0.001	0.28	<0.05	1.6	0.4	0.3	21.0	<0.01	0.01	7.0
R330677		0.23	5.5	410	1.8	3.3	0.001	0.08	<0.05	1.7	0.3	0.3	23.0	<0.01	0.01	6.5
R330678		0.26	5.2	380	2.3	2.7	0.001	0.32	<0.05	1.5	0.3	0.5	16.2	<0.01	0.04	6.7
R330679		0.23	4.9	350	1.7	3.0	<0.001	0.14	<0.05	1.5	0.3	0.3	18.0	<0.01	0.02	6.7
R330680		0.06	10.4	590	17.3	11.3	0.003	0.81	0.42	8.2	0.9	0.5	111.0	<0.01	2.38	1.4
R330681		0.34	5.0	350	3.6	3.6	<0.001	0.04	<0.05	1.6	0.3	0.3	28.1	<0.01	0.01	7.6
R330682		0.25	5.2	360	4.9	2.7	0.001	0.20	<0.05	1.6	0.5	0.5	20.3	<0.01	0.09	7.8
R330683		0.22	5.4	370	1.4	3.2	<0.001	0.02	<0.05	1.7	0.3	0.3	18.2	<0.01	0.01	8.4
R330684		0.27	5.0	370	2.2	2.4	<0.001	0.13	<0.05	1.6	0.2	0.3	16.1	<0.01	0.07	7.5
R330685		0.25	5.3	380	1.6	1.9	0.001	0.31	<0.05	1.7	0.6	0.5	15.7	<0.01	0.06	7.2
R330686		0.19	5.6	370	1.4	2.1	<0.001	0.12	<0.05	1.8	0.2	0.3	12.4	<0.01	0.02	6.9
R330687		0.25	4.7	330	10.7	1.2	0.066	0.55	<0.05	1.3	0.7	0.2	12.5	<0.01	2.01	5.9
R330688		<0.05	0.3	10	0.3	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330689		0.23	5.8	370	3.2	1.6	0.001	0.49	0.05	1.4	0.4	0.4	15.1	<0.01	0.22	6.2
R330690		0.27	5.9	390	3.0	2.1	0.001	0.52	<0.05	1.6	0.3	0.3	17.0	<0.01	0.26	6.7
R330691		0.22	5.3	390	3.0	0.6	0.002	1.03	<0.05	1.4	0.7	0.2	15.2	<0.01	1.63	5.2
R330692		0.21	5.4	390	1.4	1.1	<0.001	0.43	<0.05	1.5	0.4	0.4	12.1	<0.01	0.07	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330653		0.252	0.13	<0.05	152	0.43	9.07	72	3.0
R330654		0.255	0.07	0.11	142	0.32	9.15	78	4.0
R330655		0.007	0.02	5.12	5	0.15	1.55	17	47.9
R330656		0.271	0.04	<0.05	153	0.33	9.35	108	3.5
R330657		0.158	0.03	0.13	91	0.31	6.16	77	5.1
R330658		0.235	0.02	0.05	164	0.43	9.46	80	3.0
R330659		0.181	0.02	<0.05	136	0.25	10.15	67	2.1
R330660		0.194	0.02	<0.05	142	0.25	11.05	72	2.4
R330661		0.206	0.02	0.07	125	0.43	8.04	63	3.8
R330662		0.222	0.11	<0.05	134	1.80	8.51	200	3.0
R330663		0.230	0.05	<0.05	172	0.39	9.13	127	2.7
R330664		0.271	0.02	0.06	186	0.51	10.85	128	2.4
R330665		0.277	0.02	<0.05	203	0.50	10.35	208	4.1
R330666		0.307	0.04	<0.05	210	0.55	11.60	143	3.7
R330667		0.275	0.04	0.05	210	0.67	12.70	142	4.2
R330668		0.333	0.02	0.06	252	0.82	13.90	164	5.3
R330669		0.272	<0.02	<0.05	181	0.47	10.20	99	3.6
R330670		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R330671		0.271	<0.02	<0.05	178	0.32	9.44	77	4.0
R330672		0.248	0.02	<0.05	165	0.29	8.96	70	3.1
R330673		0.255	0.04	0.14	180	0.32	10.00	80	7.1
R330674		0.215	0.03	0.95	159	0.57	11.80	92	22.2
R330675		0.093	0.02	2.82	49	0.18	7.48	47	30.4
R330676		0.028	0.02	2.62	29	0.17	4.77	33	23.4
R330677		0.036	0.02	2.65	24	0.26	4.68	30	24.4
R330678		0.032	0.02	2.76	25	0.27	4.61	23	28.0
R330679		0.030	0.02	3.27	21	0.30	5.02	26	28.1
R330680		0.053	0.14	0.34	64	0.44	7.53	78	12.1
R330681		0.043	0.02	3.40	22	0.24	4.12	26	28.2
R330682		0.033	<0.02	3.84	22	0.34	4.56	26	28.9
R330683		0.036	0.02	3.29	23	0.34	3.97	33	29.5
R330684		0.036	0.02	2.58	22	0.42	4.00	28	27.2
R330685		0.035	<0.02	2.65	22	0.31	4.56	29	27.2
R330686		0.037	<0.02	2.37	26	0.29	3.84	37	27.0
R330687		0.032	0.04	2.45	18	0.24	4.97	25	24.0
R330688		<0.005	<0.02	0.08	<1	<0.05	0.59	<2	0.8
R330689		0.035	<0.02	2.35	21	0.31	4.38	26	25.3
R330690		0.044	0.02	2.58	23	0.35	4.82	28	28.2
R330691		0.022	<0.02	1.81	15	0.22	8.69	20	23.2
R330692		0.034	<0.02	2.05	24	0.24	4.15	30	24.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330693		1.98	0.007	0.04	0.70	0.1	<0.2	<10	50	0.53	0.67	0.41	0.01	18.30	4.8	19
R330694		2.03	0.024	0.03	0.78	0.1	<0.2	<10	20	0.59	0.71	0.22	<0.01	17.40	5.7	19
R330695		2.04	0.015	0.03	0.84	0.1	<0.2	<10	10	0.47	0.26	0.26	<0.01	22.9	6.0	18
R330696		2.08	0.003	0.02	0.62	<0.1	<0.2	<10	20	0.37	0.21	0.41	<0.01	26.4	4.2	20
R330697		2.08	0.001	0.02	0.76	0.1	<0.2	<10	20	0.35	0.17	0.34	<0.01	26.0	5.0	19
R330698		2.57	0.003	0.02	0.64	0.2	<0.2	<10	30	0.36	0.22	0.51	0.01	22.6	4.3	17
R330699		2.09	<0.001	0.02	0.58	0.1	<0.2	<10	30	0.35	0.44	0.60	<0.01	24.7	3.7	22
R330700		2.11	0.004	0.03	0.59	<0.1	<0.2	<10	30	0.56	1.05	0.54	<0.01	23.6	4.0	20
R330701		2.30	0.003	0.02	0.54	0.1	<0.2	<10	30	0.43	0.23	0.67	0.01	25.7	3.8	18
R330702		2.11	0.004	0.01	0.56	0.1	<0.2	<10	50	0.37	0.09	0.80	<0.01	29.0	3.5	20
R330703		1.63	0.013	0.02	0.53	<0.1	<0.2	<10	70	0.44	0.47	0.65	<0.01	20.6	3.5	17
R330704		1.71	0.009	0.01	0.55	0.2	<0.2	<10	30	0.38	0.12	0.90	<0.01	26.5	3.7	17
R330705		0.76	0.512	0.14	0.35	0.1	<0.2	<10	140	0.56	8.53	0.64	0.01	13.80	3.5	17
R330706		2.10	0.005	0.03	0.49	<0.1	<0.2	<10	80	0.43	0.83	0.99	0.01	24.1	3.4	19
R330707		2.89	0.021	0.01	0.55	0.1	<0.2	<10	40	0.51	0.19	0.75	<0.01	30.9	3.8	16
R330708		1.21	0.027	0.05	0.48	0.1	<0.2	<10	70	0.52	0.85	1.01	<0.01	20.6	3.8	17
R330709		0.55	0.103	0.08	0.23	0.1	<0.2	<10	70	0.40	1.21	0.52	<0.01	12.30	2.0	11
R330710		0.08	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.05	0.1	<1
R330711		1.04	1.295	0.90	0.26	0.2	3.0	<10	160	0.39	110.5	1.72	<0.01	13.90	2.7	13
R330712		3.35	0.024	0.02	0.56	0.1	<0.2	<10	60	0.46	0.30	0.88	0.01	27.0	3.7	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330693		0.30	3.6	1.66	4.68	0.10	1.09	<0.01	0.006	0.05	9.0	9.2	0.62	183	0.16	0.09
R330694		0.33	3.7	1.75	5.24	0.09	1.07	<0.01	0.007	0.04	8.6	12.0	0.73	178	0.13	0.08
R330695		0.40	3.1	1.70	5.99	0.11	1.03	<0.01	0.008	0.03	11.9	13.8	0.81	203	0.20	0.07
R330696		0.41	3.4	1.53	4.55	0.10	1.01	<0.01	0.007	0.06	13.9	8.8	0.54	210	0.14	0.08
R330697		0.44	2.6	1.67	5.49	0.11	1.07	<0.01	0.009	0.04	14.0	11.7	0.71	218	0.14	0.07
R330698		0.36	4.3	1.47	4.62	0.10	1.08	<0.01	0.006	0.05	11.9	9.8	0.58	193	0.72	0.08
R330699		0.44	5.7	1.51	4.27	0.10	1.07	<0.01	0.006	0.06	13.3	9.8	0.51	220	0.13	0.08
R330700		0.26	8.4	1.51	4.22	0.10	1.07	<0.01	0.007	0.06	11.8	8.1	0.49	188	0.41	0.08
R330701		0.34	5.2	1.41	3.98	0.11	0.98	<0.01	0.008	0.05	13.7	7.1	0.47	213	0.18	0.07
R330702		0.40	2.5	1.52	3.90	0.11	0.80	<0.01	0.008	0.07	15.6	7.6	0.44	245	0.14	0.09
R330703		0.22	15.3	1.33	3.88	0.10	0.92	<0.01	0.007	0.05	10.6	5.9	0.42	180	0.14	0.07
R330704		0.30	6.1	1.39	3.89	0.10	0.90	<0.01	0.009	0.06	13.7	5.8	0.44	219	0.17	0.08
R330705		0.16	55.5	1.43	2.46	0.09	0.71	<0.01	0.007	0.02	6.9	4.8	0.29	150	8.55	0.08
R330706		0.30	11.0	1.43	3.33	0.10	0.90	<0.01	0.008	0.05	12.6	6.3	0.39	205	3.76	0.07
R330707		0.31	9.9	1.34	4.10	0.10	0.91	<0.01	0.008	0.06	16.4	6.9	0.46	211	0.17	0.06
R330708		0.22	27.0	1.52	3.44	0.09	0.98	<0.01	0.009	0.05	11.0	6.0	0.38	197	0.47	0.08
R330709		0.07	33.4	0.96	1.48	0.09	2.20	<0.01	0.006	0.02	7.2	2.4	0.14	103	4.09	0.10
R330710		<0.05	0.8	0.02	<0.05	0.06	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R330711		0.11	71.8	1.17	1.87	0.09	0.60	<0.01	0.008	0.03	7.3	3.1	0.21	156	273	0.06
R330712		0.22	16.2	1.49	4.07	0.09	0.97	<0.01	0.008	0.08	14.6	5.3	0.43	225	0.34	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330693		0.23	5.5	390	1.6	2.2	<0.001	0.36	<0.05	1.6	0.4	0.2	14.8	<0.01	0.08	6.0
R330694		0.21	5.8	390	1.5	1.8	<0.001	0.44	<0.05	1.5	0.3	0.3	11.5	<0.01	0.09	5.4
R330695		0.20	5.9	390	0.9	1.8	<0.001	0.27	<0.05	1.7	0.2	0.4	10.9	<0.01	0.03	5.3
R330696		0.25	5.5	390	1.0	2.6	<0.001	0.18	<0.05	1.6	0.2	0.3	14.0	<0.01	0.02	5.4
R330697		0.19	5.9	390	0.9	2.4	<0.001	0.09	<0.05	1.7	<0.2	0.3	12.9	<0.01	0.01	5.9
R330698		0.22	5.5	390	1.1	2.2	<0.001	0.13	<0.05	1.5	0.4	0.5	15.7	<0.01	0.01	5.8
R330699		0.24	5.8	390	1.4	2.9	<0.001	0.08	<0.05	1.6	<0.2	0.3	18.1	<0.01	0.02	5.5
R330700		0.21	5.3	390	1.5	2.5	<0.001	0.26	<0.05	1.4	0.5	0.3	16.5	<0.01	0.03	5.6
R330701		0.23	5.4	400	1.3	2.5	<0.001	0.11	<0.05	1.5	0.2	0.4	19.4	<0.01	0.01	4.9
R330702		0.22	5.5	390	1.2	3.3	<0.001	0.01	<0.05	1.6	<0.2	0.2	27.9	<0.01	0.02	4.2
R330703		0.17	4.9	340	1.3	1.9	<0.001	0.19	<0.05	1.3	0.2	0.2	15.2	<0.01	0.05	4.7
R330704		0.16	5.3	380	1.0	2.5	<0.001	0.03	<0.05	1.5	0.2	0.4	21.4	<0.01	<0.01	4.6
R330705		0.10	4.7	320	11.0	1.2	0.003	0.76	<0.05	1.1	0.5	<0.2	18.6	<0.01	2.70	3.1
R330706		0.18	5.1	390	2.1	2.4	0.002	0.23	<0.05	1.4	0.2	0.2	26.8	<0.01	0.07	4.8
R330707		0.08	5.5	400	1.4	2.7	<0.001	0.07	<0.05	1.5	<0.2	0.3	21.5	<0.01	0.01	6.0
R330708		0.08	5.0	360	2.3	2.3	<0.001	0.57	<0.05	1.5	0.5	<0.2	22.8	<0.01	0.11	5.1
R330709		<0.05	2.6	120	3.0	0.8	0.001	0.48	<0.05	0.7	0.3	<0.2	13.9	<0.01	0.09	11.6
R330710		<0.05	0.4	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330711		0.05	3.8	420	27.4	1.3	0.087	0.67	<0.05	1.1	0.5	0.3	87.5	<0.01	3.98	3.4
R330712		0.10	5.7	410	1.1	3.4	<0.001	0.11	<0.05	1.4	0.2	0.2	23.5	<0.01	0.02	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330693		0.045	<0.02	2.44	28	0.29	4.52	31	25.7
R330694		0.043	<0.02	2.13	32	0.26	4.35	34	25.2
R330695		0.043	<0.02	2.06	33	0.30	3.93	37	24.5
R330696		0.047	0.02	2.32	30	0.29	3.83	31	23.2
R330697		0.040	<0.02	2.26	29	0.30	3.54	35	24.7
R330698		0.042	0.02	2.50	26	0.31	3.90	28	24.6
R330699		0.040	0.02	2.30	25	0.41	3.72	28	24.0
R330700		0.035	<0.02	2.40	27	0.36	4.83	26	25.0
R330701		0.034	<0.02	2.07	26	0.32	4.35	31	22.9
R330702		0.034	0.02	1.56	26	0.26	4.35	31	20.1
R330703		0.025	0.02	1.88	24	0.34	3.95	24	22.2
R330704		0.026	<0.02	1.82	25	0.33	3.94	31	21.2
R330705		0.012	<0.02	1.24	16	0.14	3.96	17	17.2
R330706		0.025	<0.02	1.77	22	0.25	4.27	23	21.1
R330707		0.014	0.02	2.39	25	0.16	4.63	34	21.7
R330708		0.010	0.02	2.14	22	0.16	4.61	25	22.3
R330709		<0.005	<0.02	5.55	7	0.16	4.34	8	44.7
R330710		<0.005	<0.02	0.08	<1	<0.05	0.64	<2	0.8
R330711		<0.005	0.02	1.56	11	0.17	4.19	17	13.8
R330712		0.017	0.02	2.26	27	0.28	4.26	39	23.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126099

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

CERTIFICATE SD15126100

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R330713		1.52	0.023		0.08	0.13	0.9	<0.2	<10	50	0.21	0.45	0.27	0.02	10.45	0.8
R330714		2.09	0.019		0.10	0.40	0.4	<0.2	<10	140	0.77	1.60	1.07	0.01	22.4	5.1
R330715		1.80	0.079		0.03	0.46	0.5	<0.2	<10	130	0.65	0.41	1.14	0.01	34.8	3.5
R330716		1.84	0.024		0.05	0.42	0.2	<0.2	<10	190	0.57	0.80	1.02	0.01	29.8	3.4
R330717		2.04	0.402		0.03	0.50	0.2	<0.2	<10	50	0.69	0.51	0.79	<0.01	31.1	3.6
R330718		2.15	0.121		0.09	0.51	0.4	<0.2	<10	60	0.50	38.3	1.00	0.01	32.7	3.8
R330719		1.17	0.066		0.07	0.48	0.4	<0.2	<10	70	0.74	4.57	0.98	0.01	25.9	3.6
R330720		0.05	8.81		9.75	1.77	11.9	9.2	<10	40	0.61	0.08	4.05	0.27	20.5	11.5
R330721		1.25	0.048		0.09	0.41	0.3	<0.2	<10	110	0.75	1.89	1.11	0.02	27.1	4.0
R330722		2.05	0.023		0.05	0.51	0.5	<0.2	<10	180	0.50	0.92	1.03	<0.01	35.9	3.7
R330723		1.59	0.128		0.08	0.52	0.4	<0.2	<10	110	0.65	1.78	0.92	<0.01	30.5	4.1
R330724		1.43	0.106		0.04	0.50	0.4	<0.2	<10	160	0.51	0.79	1.23	0.01	33.9	4.1
R330725		1.42	0.254		0.13	0.40	0.2	<0.2	<10	360	0.73	7.24	1.30	0.01	24.0	3.9
R330726		1.18	0.015		0.03	0.56	0.1	<0.2	<10	80	0.74	0.38	1.01	<0.01	27.6	3.8
R330727		0.66	0.264		0.12	0.30	0.5	<0.2	<10	180	0.71	3.59	0.76	<0.01	13.00	4.3
R330728		1.99	1.215		0.08	0.52	0.3	<0.2	<10	80	0.34	19.10	1.05	<0.01	42.2	3.7
R330729		2.05	1.370		0.07	0.46	0.2	<0.2	<10	110	0.79	10.85	1.26	0.01	20.4	3.4
R330730		<0.02	1.720		0.07	0.44	0.2	<0.2	<10	110	0.79	11.45	1.23	<0.01	21.8	3.6
R330731		2.03	0.021		0.07	0.59	0.2	<0.2	<10	100	0.63	1.40	1.15	<0.01	26.6	4.1
R330732		2.64	0.194		0.11	0.59	0.2	<0.2	<10	70	0.67	3.41	0.87	<0.01	43.3	4.5
R330733		2.05	0.133		0.11	0.53	0.2	<0.2	<10	60	0.40	2.62	1.09	<0.01	37.8	3.9
R330734		2.02	0.328		0.07	0.53	0.2	0.3	<10	80	0.41	2.57	1.01	<0.01	40.0	3.8
R330735		1.63	0.033		0.04	0.52	0.1	<0.2	<10	70	0.53	0.61	0.99	<0.01	24.2	3.8
R330736		1.69	0.189		0.04	0.50	0.3	<0.2	<10	50	0.57	0.42	0.98	<0.01	28.1	3.5
R330737		1.86	0.006		0.01	0.56	0.2	<0.2	<10	40	0.43	0.07	1.11	<0.01	32.4	3.6
R330738		2.21	0.008		0.02	0.56	0.1	<0.2	<10	50	0.48	0.48	1.04	<0.01	31.5	3.8
R330739		1.87	0.003		0.02	0.59	0.1	<0.2	<10	50	0.64	0.47	0.86	<0.01	24.6	4.1
R330740		0.07	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.05	0.7
R330741		2.28	0.002		0.02	0.56	0.1	<0.2	<10	70	0.40	1.58	1.03	0.01	33.2	3.9
R330742		2.19	0.008		0.02	0.57	0.2	<0.2	<10	50	0.48	0.16	1.08	<0.01	35.6	4.0
R330743		2.74	0.015		0.03	0.52	0.2	<0.2	<10	50	0.67	0.44	0.97	<0.01	26.8	4.2
R330744		2.65	0.016		0.03	0.59	0.1	<0.2	<10	50	0.50	0.80	1.12	<0.01	27.9	4.1
R330745		0.49	0.009		0.06	0.49	0.2	<0.2	<10	80	0.81	0.97	1.15	<0.01	18.20	4.1
R330746		0.10	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.03	0.1
R330747		1.84	<0.001		0.01	0.59	0.3	<0.2	<10	40	0.43	0.13	1.06	<0.01	35.8	3.8
R330748		3.30	0.010		0.02	0.47	0.4	<0.2	<10	60	0.41	0.21	1.06	0.01	29.2	3.5
R330749		3.09	0.029		0.04	0.46	0.3	<0.2	<10	60	0.44	0.87	0.96	<0.01	21.5	3.8
R330750		0.05	2.34		4.57	1.50	18.4	2.4	<10	40	0.55	0.08	3.69	0.33	20.9	10.5
R330751		3.19	0.005		0.01	0.53	0.3	<0.2	<10	60	0.37	0.08	0.85	<0.01	35.0	3.7
R330752		3.28	0.001		0.03	0.49	0.2	<0.2	<10	40	0.40	0.51	0.87	<0.01	29.9	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R330713		19	<0.05	33.1	0.74	0.81	0.08	3.03	<0.01	0.005	0.05	7.8	0.8	0.04	74	0.27
R330714		15	0.16	51.7	1.76	2.81	0.10	1.47	<0.01	0.010	0.02	12.1	5.0	0.37	188	1.30
R330715		22	0.23	8.3	1.45	3.09	0.11	1.08	<0.01	0.008	0.07	18.7	4.9	0.36	228	0.16
R330716		21	0.22	10.5	1.39	3.00	0.10	0.88	<0.01	0.009	0.05	16.0	4.7	0.35	214	11.40
R330717		19	0.29	12.5	1.33	3.72	0.11	1.10	<0.01	0.011	0.06	16.7	6.4	0.41	207	2.92
R330718		24	0.25	14.0	1.46	3.76	0.11	0.94	<0.01	0.010	0.07	17.1	5.3	0.40	222	0.65
R330719		23	0.23	16.3	1.44	3.63	0.11	1.29	<0.01	0.008	0.06	13.7	5.7	0.37	203	0.55
R330720		20	2.57	65.0	3.03	7.07	0.18	0.70	0.16	0.026	0.14	9.3	24.4	1.10	828	5.22
R330721		19	0.20	21.4	1.40	3.21	0.10	0.95	<0.01	0.009	0.05	13.9	4.8	0.35	193	15.70
R330722		23	0.24	15.1	1.47	3.92	0.11	0.95	<0.01	0.011	0.06	18.7	5.9	0.42	223	1.51
R330723		21	0.28	22.8	1.57	3.85	0.12	0.95	<0.01	0.011	0.05	15.8	7.0	0.45	217	11.05
R330724		18	0.26	17.0	1.43	3.90	0.11	0.94	<0.01	0.009	0.06	17.5	6.1	0.41	223	1.19
R330725		20	0.19	18.3	1.52	3.21	0.11	0.81	<0.01	0.008	0.03	12.2	5.5	0.35	196	12.65
R330726		22	0.30	14.8	1.46	4.45	0.10	0.98	<0.01	0.009	0.06	14.3	7.5	0.48	209	2.88
R330727		15	0.14	19.3	1.40	2.35	0.09	0.67	<0.01	0.005	0.02	6.4	4.1	0.25	131	18.20
R330728		24	0.24	19.1	1.45	4.16	0.12	0.87	<0.01	0.011	0.05	21.8	5.8	0.42	236	1.07
R330729		21	0.19	31.9	1.37	3.49	0.10	0.83	<0.01	0.009	0.04	10.4	5.7	0.38	218	5.33
R330730		19	0.20	33.5	1.33	3.54	0.10	0.87	<0.01	0.009	0.04	11.1	5.8	0.37	209	6.51
R330731		24	0.26	14.5	1.56	4.89	0.10	0.99	<0.01	0.010	0.06	13.8	7.5	0.49	243	3.12
R330732		22	0.34	40.1	1.62	4.72	0.11	1.02	<0.01	0.013	0.05	22.2	8.4	0.48	216	6.38
R330733		21	0.37	12.3	1.40	3.79	0.11	0.92	<0.01	0.011	0.06	19.8	6.9	0.43	229	0.20
R330734		24	0.37	15.1	1.49	3.61	0.11	0.82	<0.01	0.008	0.07	21.4	6.5	0.42	219	0.22
R330735		21	0.36	58.3	1.38	3.61	0.10	0.96	<0.01	0.008	0.06	12.3	7.8	0.43	196	0.14
R330736		22	0.34	14.5	1.25	3.70	0.10	0.88	<0.01	0.008	0.05	14.7	7.6	0.42	201	0.20
R330737		23	0.34	4.9	1.36	4.28	0.11	0.92	<0.01	0.009	0.06	17.1	8.6	0.47	232	0.12
R330738		28	0.39	9.3	1.51	4.14	0.11	0.96	<0.01	0.008	0.06	16.8	7.5	0.46	234	0.14
R330739		23	0.39	28.3	1.44	4.07	0.10	0.84	<0.01	0.010	0.06	12.3	7.8	0.49	212	0.18
R330740		<1	<0.05	0.9	0.03	<0.05	0.07	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05
R330741		23	0.34	19.6	1.51	3.99	0.11	0.98	<0.01	0.010	0.06	17.4	6.7	0.44	220	0.15
R330742		26	0.42	4.0	1.50	4.19	0.11	0.98	<0.01	0.010	0.06	19.0	7.5	0.47	244	0.14
R330743		23	0.27	8.9	1.41	3.76	0.10	0.93	<0.01	0.009	0.05	14.0	5.9	0.43	211	0.96
R330744		23	0.31	19.4	1.46	4.14	0.10	0.91	<0.01	0.008	0.06	14.5	6.8	0.49	223	0.13
R330745		20	0.18	30.1	1.53	3.39	0.11	0.93	<0.01	0.009	0.05	9.2	6.5	0.40	195	0.98
R330746		<1	<0.05	0.7	0.02	<0.05	0.06	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05
R330747		24	0.35	8.3	1.49	4.46	0.10	1.03	<0.01	0.011	0.06	19.7	8.4	0.50	252	0.17
R330748		22	0.43	16.8	1.40	3.60	<0.05	0.95	0.01	0.010	0.05	15.7	7.8	0.41	210	0.17
R330749		19	0.41	53.9	1.38	3.69	<0.05	0.94	<0.01	0.008	0.05	11.4	9.0	0.40	192	0.51
R330750		23	3.04	69.1	2.82	6.19	0.08	0.40	0.09	0.039	0.21	10.1	16.1	0.82	669	6.23
R330751		22	0.54	6.6	1.51	3.96	0.06	1.00	<0.01	0.011	0.06	19.3	11.6	0.48	229	0.15
R330752		22	0.51	12.5	1.34	3.75	0.06	0.95	<0.01	0.008	0.05	16.6	10.6	0.46	209	0.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R330713		0.07	0.16	2.1	20	12.6	1.6	<0.001	0.32	<0.05	0.3	0.3	<0.2	8.5	<0.01	0.04
R330714		0.09	0.05	5.7	440	7.6	1.3	<0.001	1.30	0.05	1.4	0.7	0.3	26.6	<0.01	0.14
R330715		0.07	0.06	5.5	380	1.7	3.8	<0.001	0.23	<0.05	1.2	0.3	<0.2	32.5	<0.01	0.08
R330716		0.06	0.07	5.2	360	2.6	2.8	0.003	0.40	<0.05	1.4	0.5	<0.2	33.7	<0.01	0.09
R330717		0.06	0.10	5.1	330	1.8	2.8	0.001	0.21	<0.05	1.4	0.5	0.4	18.2	<0.01	0.08
R330718		0.07	0.11	5.8	400	4.9	3.2	<0.001	0.23	<0.05	1.6	0.9	0.2	22.2	<0.01	1.00
R330719		0.07	0.12	5.3	350	2.9	2.8	<0.001	0.37	<0.05	1.4	0.4	<0.2	22.7	<0.01	0.76
R330720		0.08	0.13	10.4	650	14.9	6.2	0.002	0.47	0.41	9.3	0.9	0.6	112.0	<0.01	4.10
R330721		0.06	0.08	5.5	380	2.7	2.3	0.004	0.69	0.06	1.4	0.4	0.3	24.9	<0.01	0.30
R330722		0.07	0.07	5.8	390	1.6	2.9	<0.001	0.39	<0.05	1.5	0.4	<0.2	24.9	<0.01	0.11
R330723		0.07	0.06	5.5	420	2.3	2.7	0.003	0.62	<0.05	1.5	0.6	<0.2	21.6	<0.01	0.15
R330724		0.06	0.06	5.7	420	1.8	3.1	<0.001	0.47	<0.05	1.5	0.6	0.3	27.5	<0.01	0.07
R330725		0.07	0.05	5.4	380	3.3	1.5	0.004	0.83	<0.05	1.3	0.5	<0.2	28.0	<0.01	1.21
R330726		0.06	<0.05	5.8	410	1.3	3.2	0.001	0.19	<0.05	1.6	0.3	<0.2	19.4	<0.01	0.04
R330727		0.07	<0.05	4.6	310	3.5	1.0	0.005	0.94	<0.05	0.8	0.7	0.3	17.8	<0.01	0.63
R330728		0.06	0.07	5.6	400	3.1	2.5	<0.001	0.19	<0.05	1.6	0.5	0.2	23.4	<0.01	1.56
R330729		0.07	<0.05	4.8	370	2.9	1.8	0.002	0.49	<0.05	1.3	0.4	<0.2	23.7	<0.01	0.25
R330730		0.06	<0.05	5.0	370	3.2	1.7	0.002	0.52	<0.05	1.4	0.6	0.3	23.8	<0.01	0.25
R330731		0.07	0.05	6.0	410	1.7	2.6	<0.001	0.35	<0.05	1.6	0.4	0.2	23.2	<0.01	0.12
R330732		0.07	0.09	5.9	410	2.5	2.6	0.001	0.58	<0.05	1.4	0.5	0.2	20.7	<0.01	0.40
R330733		0.06	0.16	5.7	440	2.0	3.2	<0.001	0.18	<0.05	1.5	0.3	0.4	23.3	<0.01	0.30
R330734		0.07	0.10	5.4	400	2.1	3.7	<0.001	0.27	<0.05	1.3	0.3	<0.2	25.8	<0.01	0.70
R330735		0.06	0.14	5.2	410	1.5	2.8	<0.001	0.31	<0.05	1.4	0.3	0.2	20.9	<0.01	0.08
R330736		0.05	0.21	5.4	390	1.3	2.7	<0.001	0.14	<0.05	1.5	0.2	0.4	21.9	<0.01	0.06
R330737		0.06	0.20	5.5	400	1.0	2.9	<0.001	0.03	<0.05	1.6	0.3	0.3	23.3	<0.01	<0.01
R330738		0.07	0.23	5.8	420	1.3	3.1	<0.001	0.08	<0.05	1.7	0.4	0.3	24.7	<0.01	0.04
R330739		0.06	0.14	5.8	430	1.3	3.3	<0.001	0.10	<0.05	1.4	0.3	0.4	20.4	<0.01	0.10
R330740		<0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.04	<0.05	<0.1	0.3	<0.2	0.7	<0.01	<0.01
R330741		0.07	0.27	5.7	420	1.8	3.2	<0.001	0.15	<0.05	1.7	0.3	0.3	25.7	<0.01	0.32
R330742		0.06	0.29	6.1	430	1.2	3.2	<0.001	0.06	<0.05	1.8	0.3	0.3	26.8	<0.01	0.02
R330743		0.06	0.16	5.6	410	1.2	2.6	<0.001	0.31	<0.05	1.5	0.3	0.4	22.8	<0.01	0.03
R330744		0.06	0.14	5.7	440	1.2	2.6	<0.001	0.17	<0.05	1.6	0.4	0.2	21.2	<0.01	0.27
R330745		0.08	0.19	5.1	390	1.8	1.9	0.001	0.61	<0.05	1.5	0.8	0.2	21.9	<0.01	0.12
R330746		<0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.04	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
R330747		0.07	0.18	6.0	410	1.1	2.7	<0.001	0.08	<0.05	1.6	0.3	0.2	23.4	<0.01	0.01
R330748		0.06	0.23	5.4	400	1.6	2.6	<0.001	0.10	<0.05	1.7	0.3	0.2	29.9	<0.01	0.04
R330749		0.06	0.20	5.3	400	1.5	2.5	<0.001	0.28	<0.05	1.5	0.3	0.4	22.9	<0.01	0.07
R330750		0.07	0.06	10.4	610	16.6	11.0	0.002	0.83	0.45	8.3	1.0	0.5	115.5	<0.01	2.32
R330751		0.07	0.24	5.7	420	1.3	3.2	<0.001	0.03	<0.05	1.7	0.2	0.3	26.0	<0.01	0.01
R330752		0.06	0.28	5.7	410	1.8	2.6	0.002	0.10	<0.05	1.6	0.3	0.4	23.7	<0.01	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330713		13.6	<0.005	<0.02	6.13	3	0.20	1.94	5	58.5
R330714		7.7	0.005	<0.02	3.48	14	0.15	6.38	29	32.9
R330715		5.4	0.007	0.02	2.40	18	0.20	5.14	30	24.5
R330716		4.9	0.008	0.02	1.84	17	0.24	4.81	29	21.6
R330717		5.4	0.013	0.02	2.29	21	0.21	4.95	31	25.3
R330718		4.9	0.017	0.02	1.88	25	0.25	4.37	35	24.2
R330719		7.6	0.015	0.02	3.06	24	0.27	4.97	32	30.9
R330720		1.6	0.140	0.08	0.46	80	0.54	8.27	65	21.9
R330721		5.1	0.009	0.02	1.96	20	0.16	5.36	31	22.5
R330722		5.2	0.009	0.02	2.09	24	0.15	4.58	38	22.1
R330723		5.5	0.008	0.02	2.02	22	0.13	5.48	35	22.9
R330724		5.6	0.008	0.02	2.21	23	0.17	5.10	36	22.6
R330725		4.6	0.005	<0.02	1.75	18	0.12	6.01	26	19.5
R330726		5.7	0.007	0.02	2.14	28	0.17	5.83	36	23.8
R330727		3.6	<0.005	<0.02	1.35	12	0.09	4.89	17	16.7
R330728		5.0	0.012	0.02	1.84	25	0.23	4.17	34	20.8
R330729		4.6	0.005	0.02	1.80	19	0.12	5.86	28	20.2
R330730		4.7	0.005	0.02	1.87	19	0.14	5.89	28	20.8
R330731		5.6	0.009	0.02	1.73	26	0.17	5.31	37	23.5
R330732		5.6	0.013	0.02	2.17	25	0.17	5.76	31	25.7
R330733		5.4	0.023	0.02	1.77	23	0.29	4.64	30	22.2
R330734		4.6	0.016	0.03	1.74	21	0.17	4.75	30	19.5
R330735		5.0	0.021	0.02	1.98	21	0.27	4.69	24	21.8
R330736		4.7	0.030	<0.02	1.68	21	0.37	4.82	22	21.7
R330737		4.6	0.034	0.02	1.76	23	0.36	4.60	24	22.5
R330738		5.6	0.039	0.02	1.61	26	0.48	4.91	27	22.8
R330739		5.2	0.026	0.02	2.03	26	0.36	5.06	29	19.9
R330740		0.2	<0.005	<0.02	0.08	<1	<0.05	0.66	<2	0.8
R330741		5.2	0.040	0.02	2.01	25	0.74	4.83	25	23.0
R330742		6.1	0.041	0.02	2.08	26	0.45	5.12	29	23.7
R330743		5.4	0.023	0.02	2.09	23	0.29	5.37	28	21.5
R330744		6.1	0.022	0.02	1.90	25	0.40	4.77	29	22.8
R330745		5.6	0.024	<0.02	1.73	23	0.34	6.41	18	23.0
R330746		0.2	<0.005	<0.02	0.09	<1	<0.05	0.70	<2	0.9
R330747		5.6	0.029	0.02	2.43	26	0.36	4.73	26	24.3
R330748		6.3	0.031	<0.02	2.22	23	0.33	4.47	23	21.2
R330749		5.8	0.025	0.02	2.29	23	36.0	4.16	18	21.4
R330750		1.4	0.052	0.15	0.34	64	0.53	7.51	80	12.0
R330751		5.7	0.037	<0.02	2.34	26	0.54	4.46	25	22.9
R330752		5.7	0.032	0.03	2.34	24	240	4.49	24	22.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R330753		3.06	0.005		0.02	0.50	0.3	<0.2	<10	70	0.43	0.34	0.82	0.01	33.1	3.7
R330754		3.32	0.006		0.02	0.48	0.4	<0.2	<10	70	0.40	0.31	0.82	<0.01	29.8	3.6
R330755		3.11	<0.001		0.02	0.48	0.2	<0.2	<10	200	0.29	0.11	0.87	0.01	38.0	3.6
R330756		2.45	0.002		0.04	0.46	0.3	<0.2	<10	90	0.35	0.48	0.95	0.01	29.6	3.6
R330757		1.95	0.027		0.02	0.46	0.3	<0.2	<10	150	0.32	0.32	0.94	0.01	31.4	3.6
R330758		2.38	0.001		0.03	0.45	0.2	<0.2	<10	120	0.38	0.81	0.85	0.01	35.3	4.0
R330759		2.43	0.003		0.04	0.49	0.3	<0.2	<10	150	0.28	0.26	1.07	0.01	40.9	3.9
R330760		<0.02	0.002		0.04	0.49	0.5	<0.2	<10	150	0.30	0.23	1.04	0.01	40.8	4.0
R330761		1.84	0.060		0.04	0.41	0.3	<0.2	<10	80	0.42	0.47	1.14	0.01	27.4	3.4
R330762		1.52	0.001		0.02	0.48	0.3	<0.2	<10	130	0.31	0.14	0.90	<0.01	35.7	3.8
R330763		2.17	0.012		0.05	0.42	0.4	<0.2	<10	90	0.42	0.66	0.95	<0.01	24.1	3.9
R330764		1.99	0.009		0.05	0.41	0.3	<0.2	<10	130	0.38	0.62	1.04	0.01	23.9	3.6
R330765		2.06	0.007		0.03	0.39	0.3	<0.2	<10	100	0.47	0.65	1.11	<0.01	28.0	3.6
R330766		0.89	0.310		0.90	0.23	0.1	<0.2	<10	150	0.23	34.7	1.35	<0.01	9.86	2.9
R330767		1.95	0.024		0.07	0.39	0.2	<0.2	<10	140	0.40	1.04	1.06	<0.01	25.7	3.7
R330768		1.98	0.021		0.06	0.39	0.1	<0.2	<10	120	0.41	0.95	0.97	<0.01	22.0	3.5
R330769		1.78	0.013		0.05	0.43	0.3	<0.2	<10	100	0.45	0.79	0.87	<0.01	23.2	3.7
R330770		0.09	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.09	0.1
R330771		0.65	0.105		0.08	0.43	0.1	<0.2	<10	120	0.31	0.98	1.04	0.01	16.95	3.1
R330772		1.19	0.019		0.05	0.46	0.3	<0.2	<10	80	0.40	1.41	1.10	<0.01	21.7	3.3
R330773		0.60	0.085		0.14	0.27	0.1	<0.2	<10	120	0.35	14.10	1.10	0.01	16.00	3.2
R330774		1.69	0.052		0.10	0.30	0.3	<0.2	<10	90	0.34	1.37	1.30	0.01	20.0	3.6
R330775		1.54	0.623		1.57	0.01	0.1	0.2	<10	30	<0.05	129.0	0.04	<0.01	1.88	0.3
R330776		0.64	>10.0	19.90	4.57	0.34	0.3	19.2	<10	120	0.37	798	0.98	<0.01	13.90	4.4
R330777		0.10	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.25	0.01	<0.01	1.06	0.1
R330778		2.03	0.019		0.03	0.52	<0.1	<0.2	<10	60	0.38	1.15	0.92	<0.01	25.0	3.0
R330779		1.77	0.027		0.05	0.43	0.2	<0.2	<10	70	0.41	1.61	1.06	<0.01	20.9	3.4
R330780		0.05	8.61		8.65	1.70	11.2	8.1	<10	30	0.54	0.08	3.86	0.27	18.35	10.1
R330781		1.31	0.003		0.02	0.55	0.1	<0.2	<10	80	0.49	0.25	0.73	<0.01	33.5	3.0
R330782		1.13	0.019		0.03	0.43	0.1	<0.2	<10	110	0.40	0.67	0.83	0.01	23.9	3.4
R330783		2.13	0.137		0.03	0.52	0.1	<0.2	<10	90	0.37	0.64	0.94	<0.01	28.6	3.3
R330784		2.10	0.007		0.03	0.54	0.1	<0.2	<10	90	0.45	0.46	0.86	<0.01	29.1	3.6
R330785		2.20	0.043		0.03	0.55	0.1	<0.2	<10	100	0.36	0.47	0.89	<0.01	29.6	3.7
R330786		2.11	0.055		0.08	0.49	0.2	<0.2	<10	100	0.30	1.18	1.16	<0.01	18.85	3.5
R330787		1.80	0.014		0.03	0.50	0.3	<0.2	<10	90	0.39	0.52	1.00	<0.01	25.2	3.3
R330788		1.83	0.030		0.06	0.52	0.2	<0.2	<10	60	0.28	0.81	0.77	<0.01	22.7	3.5
R330789		0.75	0.009		0.09	0.94	0.2	<0.2	<10	50	0.80	1.39	0.52	<0.01	15.45	5.4
R330790		<0.02	0.009		0.09	0.92	0.2	<0.2	<10	50	0.79	1.46	0.49	<0.01	16.90	5.6
R330791		2.17	0.007		0.05	0.45	0.1	<0.2	<10	150	0.36	0.83	0.87	<0.01	17.80	3.9
R330792		2.18	0.003		0.02	0.48	0.2	<0.2	<10	220	0.35	0.22	0.87	<0.01	31.3	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R330753		22	0.44	7.2	1.37	4.09	0.05	1.08	<0.01	0.009	0.05	18.2	9.7	0.44	198	0.14
R330754		20	0.43	18.4	1.33	3.74	0.05	0.95	<0.01	0.009	0.05	16.3	9.4	0.44	201	0.58
R330755		23	0.49	8.6	1.48	3.58	0.06	1.01	<0.01	0.010	0.07	21.3	7.9	0.43	283	0.17
R330756		22	0.39	4.7	1.33	3.82	0.05	0.97	<0.01	0.006	0.04	16.1	8.4	0.41	191	2.46
R330757		23	0.50	11.2	1.53	3.56	0.06	0.93	<0.01	0.009	0.06	17.0	7.9	0.39	237	2.07
R330758		20	0.43	14.7	1.42	3.80	0.05	0.99	<0.01	0.008	0.05	19.4	7.9	0.38	202	1.65
R330759		24	0.56	12.3	1.54	4.02	0.06	1.03	<0.01	0.011	0.06	22.6	9.0	0.43	259	0.15
R330760		21	0.58	11.7	1.47	3.99	0.05	1.04	<0.01	0.011	0.06	22.8	9.2	0.43	255	0.22
R330761		20	0.34	22.3	1.48	3.17	0.05	0.94	<0.01	0.008	0.05	14.7	6.6	0.33	209	0.97
R330762		20	0.38	13.8	1.42	3.93	0.05	1.01	<0.01	0.008	0.05	19.5	9.1	0.42	230	0.19
R330763		18	0.29	30.0	1.48	3.27	<0.05	0.97	<0.01	0.006	0.06	12.8	5.8	0.29	175	1.92
R330764		18	0.31	23.3	1.44	3.00	<0.05	0.93	<0.01	0.006	0.06	12.5	5.1	0.28	179	1.18
R330765		18	0.30	17.1	1.40	3.03	<0.05	0.99	<0.01	0.007	0.07	14.8	4.8	0.26	175	0.24
R330766		13	0.13	109.0	1.23	1.54	<0.05	0.76	<0.01	0.007	0.03	5.0	2.3	0.12	164	46.3
R330767		16	0.30	25.7	1.49	3.06	<0.05	0.97	<0.01	0.009	0.06	13.4	5.6	0.28	186	12.70
R330768		16	0.29	8.5	1.39	2.94	<0.05	0.97	<0.01	0.006	0.06	11.7	5.3	0.27	162	3.15
R330769		18	0.27	9.0	1.44	3.25	<0.05	1.02	<0.01	0.006	0.06	12.2	5.7	0.31	169	6.00
R330770		<1	<0.05	1.2	0.02	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05
R330771		19	0.25	16.2	1.48	2.81	<0.05	0.91	<0.01	0.007	0.05	8.8	4.7	0.32	177	17.35
R330772		17	0.30	9.7	1.47	3.21	<0.05	0.90	<0.01	0.006	0.06	11.5	5.7	0.37	188	8.06
R330773		12	0.13	23.9	1.34	1.64	<0.05	0.68	<0.01	0.008	0.04	8.4	2.5	0.21	164	30.7
R330774		14	0.19	29.7	1.37	2.12	<0.05	0.84	<0.01	0.008	0.04	10.6	3.5	0.22	169	3.25
R330775		21	<0.05	49.0	0.57	0.14	<0.05	0.02	<0.01	0.006	<0.01	1.1	0.2	0.01	57	125.5
R330776		14	0.20	287	1.68	2.06	<0.05	0.89	<0.01	0.016	0.02	7.1	3.3	0.29	150	809
R330777		<1	<0.05	0.9	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.39
R330778		21	0.39	6.6	1.49	3.32	<0.05	0.89	<0.01	0.007	0.07	13.2	6.7	0.40	194	4.00
R330779		19	0.32	19.4	1.47	2.94	<0.05	0.96	<0.01	0.005	0.06	11.0	5.9	0.31	183	5.01
R330780		18	2.31	64.0	2.97	6.25	0.12	0.59	0.14	0.027	0.13	8.3	21.5	1.05	804	4.82
R330781		20	0.40	3.2	1.43	3.60	<0.05	0.86	<0.01	0.006	0.06	18.1	8.3	0.43	199	4.78
R330782		16	0.34	15.2	1.42	2.96	<0.05	0.88	<0.01	0.006	0.05	12.6	6.7	0.33	174	6.00
R330783		19	0.50	31.7	1.48	3.36	<0.05	0.96	<0.01	0.006	0.07	15.3	7.6	0.40	209	0.27
R330784		20	0.48	22.9	1.50	3.59	<0.05	0.96	<0.01	0.008	0.07	15.4	7.8	0.42	205	1.54
R330785		19	0.45	27.0	1.53	3.49	<0.05	0.92	<0.01	0.008	0.07	15.8	7.7	0.43	211	1.18
R330786		15	0.23	22.2	1.42	2.85	<0.05	0.91	<0.01	0.007	0.07	9.9	6.4	0.35	182	10.30
R330787		19	0.39	20.5	1.47	3.16	<0.05	0.93	<0.01	0.006	0.07	13.1	6.8	0.38	193	5.41
R330788		18	0.31	39.0	1.36	3.34	<0.05	0.91	<0.01	0.006	0.06	12.0	7.9	0.41	185	2.53
R330789		15	0.39	66.4	2.29	6.33	<0.05	0.87	<0.01	0.010	0.06	7.7	15.7	0.85	239	3.59
R330790		15	0.40	70.6	2.26	6.17	<0.05	0.90	<0.01	0.010	0.07	8.5	15.3	0.80	237	4.03
R330791		17	0.24	37.2	1.48	2.95	<0.05	0.95	<0.01	0.006	0.06	9.1	6.9	0.35	159	2.75
R330792		19	0.57	12.4	1.40	3.29	<0.05	1.01	<0.01	0.006	0.07	17.4	6.8	0.37	201	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R330753		0.06	0.22	5.3	390	1.6	2.7	<0.001	0.16	<0.05	1.6	0.2	0.2	22.6	<0.01	0.01
R330754		0.06	0.23	5.2	400	1.6	2.4	0.001	0.13	<0.05	1.6	<0.2	0.4	24.1	<0.01	0.02
R330755		0.06	0.35	5.3	410	4.2	3.3	<0.001	0.02	<0.05	1.6	0.2	0.3	44.8	<0.01	0.01
R330756		0.06	0.22	5.3	380	2.1	2.1	0.001	0.27	<0.05	1.6	0.2	0.2	24.4	<0.01	0.03
R330757		0.06	0.53	5.4	400	2.1	3.0	0.005	0.15	<0.05	1.7	0.3	0.2	40.1	<0.01	0.03
R330758		0.06	0.23	5.5	400	1.8	2.9	0.001	0.27	<0.05	1.5	0.2	0.4	28.0	<0.01	0.15
R330759		0.06	0.33	6.3	410	1.9	3.3	<0.001	0.06	<0.05	1.9	<0.2	0.3	39.2	<0.01	0.06
R330760		0.06	0.36	6.2	410	2.0	3.1	<0.001	0.06	<0.05	1.9	0.3	0.5	38.4	<0.01	0.07
R330761		0.07	0.18	5.2	400	1.9	2.6	<0.001	0.29	<0.05	1.5	0.3	0.2	25.9	<0.01	0.06
R330762		0.06	0.28	5.5	400	1.7	2.5	0.001	0.09	<0.05	1.7	0.3	0.4	32.5	<0.01	0.02
R330763		0.07	0.13	5.6	380	1.8	2.8	0.001	0.46	0.05	1.2	0.4	0.4	23.7	<0.01	0.06
R330764		0.07	0.08	5.3	380	2.1	3.1	0.001	0.45	<0.05	1.2	0.2	<0.2	27.0	<0.01	0.06
R330765		0.06	0.12	5.4	390	1.5	3.3	0.001	0.36	<0.05	1.1	0.2	0.4	25.7	<0.01	0.09
R330766		0.09	0.13	4.4	350	14.5	1.3	0.010	0.69	<0.05	1.1	1.3	<0.2	26.3	<0.01	3.72
R330767		0.07	0.13	5.5	400	2.2	2.6	0.004	0.51	<0.05	1.3	0.4	0.4	27.7	<0.01	0.12
R330768		0.07	0.14	5.0	360	1.7	2.9	0.001	0.48	<0.05	1.1	0.3	<0.2	25.8	<0.01	0.10
R330769		0.07	0.15	5.4	380	1.7	2.8	0.002	0.48	<0.05	1.1	0.4	0.4	24.5	<0.01	0.07
R330770		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
R330771		0.09	0.09	7.3	400	4.5	2.3	0.004	0.57	<0.05	1.3	0.3	<0.2	26.1	<0.01	0.18
R330772		0.06	0.10	5.3	410	2.3	2.4	0.002	0.35	<0.05	1.3	0.3	0.3	25.8	<0.01	0.10
R330773		0.07	<0.05	4.3	310	11.6	1.3	0.007	0.79	<0.05	1.3	0.3	<0.2	26.6	<0.01	0.65
R330774		0.07	0.06	4.9	380	2.4	1.5	0.001	0.78	<0.05	1.4	0.5	0.3	27.1	<0.01	0.21
R330775		0.01	<0.05	1.5	10	144.0	0.1	0.036	0.08	<0.05	<0.1	0.7	<0.2	1.8	<0.01	3.57
R330776		0.09	<0.05	5.3	470	69.4	1.0	0.210	1.19	0.05	1.3	3.1	0.3	27.6	<0.01	37.6
R330777		<0.01	<0.05	0.4	10	0.6	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01
R330778		0.07	0.18	5.0	400	1.8	3.2	0.001	0.10	<0.05	1.3	<0.2	0.2	23.8	<0.01	0.06
R330779		0.06	0.22	5.2	390	1.9	2.8	0.003	0.40	<0.05	1.1	0.2	0.4	24.1	<0.01	0.12
R330780		0.07	0.11	9.4	620	14.2	5.5	0.002	0.41	0.39	8.1	0.5	0.5	104.0	<0.01	3.87
R330781		0.06	0.14	5.0	350	1.3	3.0	0.001	0.05	<0.05	1.1	0.3	0.2	20.6	<0.01	0.02
R330782		0.06	0.14	4.8	370	1.6	2.5	0.001	0.32	<0.05	1.1	0.2	0.4	22.2	<0.01	0.08
R330783		0.07	0.19	5.2	400	1.6	3.3	<0.001	0.15	<0.05	1.3	0.2	0.2	26.3	<0.01	0.07
R330784		0.06	0.25	5.6	410	2.2	3.4	0.001	0.20	<0.05	1.2	0.5	0.4	26.1	<0.01	0.03
R330785		0.07	0.13	5.2	390	1.9	3.6	0.001	0.27	<0.05	1.2	<0.2	0.2	25.6	<0.01	0.05
R330786		0.06	0.14	4.7	390	2.4	3.7	0.003	0.47	<0.05	0.8	0.3	0.3	28.7	<0.01	0.16
R330787		0.07	0.18	5.1	410	1.7	3.4	0.001	0.29	<0.05	1.1	0.2	0.2	26.0	<0.01	0.04
R330788		0.06	0.11	4.6	370	1.7	3.3	0.001	0.31	<0.05	1.0	0.2	0.4	21.7	<0.01	0.06
R330789		0.09	0.06	5.6	340	2.1	3.3	0.002	0.75	<0.05	1.2	0.5	<0.2	18.9	<0.01	0.08
R330790		0.10	0.07	5.9	350	2.2	3.8	0.001	0.77	<0.05	1.2	0.5	0.4	19.6	<0.01	0.08
R330791		0.07	0.16	5.1	400	2.1	3.2	0.001	0.67	<0.05	1.0	0.4	<0.2	26.2	<0.01	0.07
R330792		0.06	0.26	5.2	380	1.9	3.9	<0.001	0.09	<0.05	1.3	0.3	0.4	33.1	<0.01	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330753		6.7	0.031	<0.02	2.42	27	0.60	4.60	21	24.5
R330754		5.5	0.033	<0.02	2.04	25	0.38	4.06	22	22.0
R330755		5.8	0.051	0.02	2.13	25	0.27	3.69	33	23.3
R330756		5.3	0.032	<0.02	1.92	24	0.32	4.07	18	22.6
R330757		5.3	0.038	0.06	1.95	25	730	4.24	25	21.3
R330758		5.6	0.031	0.02	2.06	26	1.38	4.26	20	23.0
R330759		5.7	0.046	0.02	2.32	27	1.23	4.46	27	24.7
R330760		5.7	0.045	<0.02	2.39	27	0.75	4.39	27	24.1
R330761		5.2	0.024	0.02	1.86	21	0.67	4.46	18	22.0
R330762		5.7	0.040	<0.02	2.22	28	0.49	4.24	24	23.5
R330763		5.9	0.017	0.02	2.33	24	0.55	4.45	14	24.0
R330764		5.4	0.011	0.02	2.16	22	0.25	4.26	14	23.2
R330765		5.4	0.014	0.02	1.89	21	0.31	4.57	13	24.2
R330766		4.1	0.010	<0.02	1.58	8	0.19	3.31	6	18.6
R330767		5.3	0.016	0.02	2.01	21	0.36	4.49	14	24.3
R330768		5.6	0.016	0.02	2.51	20	0.28	4.40	12	23.9
R330769		6.3	0.019	0.02	2.28	21	0.32	4.44	16	24.2
R330770		0.2	<0.005	<0.02	0.07	<1	<0.05	0.63	<2	0.8
R330771		4.8	0.012	0.02	1.99	19	0.21	3.51	22	22.1
R330772		5.0	0.015	<0.02	1.92	23	0.26	3.96	22	21.8
R330773		3.9	<0.005	<0.02	1.65	11	0.12	3.40	18	17.4
R330774		5.0	0.006	<0.02	1.63	15	0.18	3.73	17	20.8
R330775		<0.2	<0.005	<0.02	0.09	1	<0.05	0.14	<2	0.5
R330776		4.7	<0.005	0.02	1.40	13	6.25	4.20	23	21.4
R330777		0.2	<0.005	<0.02	0.07	<1	<0.05	0.58	<2	0.8
R330778		4.9	0.025	0.02	1.62	22	0.36	4.07	23	22.0
R330779		5.2	0.025	<0.02	1.76	19	0.37	4.13	16	23.3
R330780		1.4	0.134	0.07	0.40	76	0.47	7.30	63	19.3
R330781		4.8	0.027	0.02	2.95	22	0.46	4.30	22	20.4
R330782		5.3	0.019	0.02	1.73	19	0.32	3.87	16	21.2
R330783		5.6	0.029	0.02	1.89	21	0.39	4.27	21	22.8
R330784		5.2	0.036	0.02	1.92	22	0.34	4.62	21	23.1
R330785		5.6	0.021	0.02	2.06	21	0.19	4.26	23	23.2
R330786		5.1	0.018	0.03	1.85	12	0.25	3.77	14	21.9
R330787		5.1	0.027	0.02	1.71	21	0.29	4.27	19	23.5
R330788		5.0	0.018	0.02	2.00	19	0.17	3.42	18	22.1
R330789		4.8	0.014	0.02	1.99	29	0.12	4.74	26	20.9
R330790		5.0	0.015	0.03	2.08	28	0.14	4.94	25	22.4
R330791		5.3	0.020	0.02	2.11	19	0.28	3.92	14	23.7
R330792		5.6	0.037	0.02	2.20	22	0.30	4.13	23	25.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R330793		2.20	0.004		0.05	0.43	0.2	<0.2	<10	80	0.44	2.23	0.99	<0.01	22.5	3.7
R330794		2.17	0.010		0.10	0.43	0.3	<0.2	<10	60	0.60	1.69	1.08	0.01	21.7	5.7
R330795		3.20	0.004		0.06	0.43	0.4	<0.2	<10	80	0.48	0.78	0.80	<0.01	26.1	4.5
R330796		2.19	0.010		0.02	0.47	0.2	<0.2	<10	150	0.39	0.38	0.90	0.01	34.2	3.7
R330797		2.23	0.014		0.03	0.45	0.2	<0.2	<10	190	0.47	0.38	0.91	0.01	32.3	3.8
R330798		1.72	0.003		0.03	0.48	0.2	<0.2	<10	100	0.31	0.24	0.88	0.01	37.5	3.5
R330799		2.06	0.021		0.06	0.66	0.2	<0.2	<10	50	0.51	1.03	0.35	<0.01	35.2	3.8
R330800		0.58	0.047		0.38	1.02	0.2	<0.2	<10	40	1.33	3.04	0.21	<0.01	27.7	4.1
R330801		2.44	0.058		0.12	0.48	0.3	<0.2	<10	50	0.40	1.98	0.67	<0.01	29.7	3.6
R330802		0.80	0.240		0.26	0.15	0.4	0.2	<10	110	0.27	34.6	1.11	<0.01	32.2	3.3
R330803		1.03	0.013		0.05	0.43	0.2	<0.2	<10	170	0.40	0.83	0.91	0.01	22.5	3.8
R330804		0.60	1.455		6.95	0.17	0.1	0.7	<10	20	0.23	341	0.31	<0.01	9.13	1.9
R330805		1.73	0.011		0.04	0.43	0.2	<0.2	<10	40	0.48	1.58	0.66	<0.01	23.2	3.1
R330806		2.57	0.020		0.05	0.41	0.2	<0.2	<10	70	0.37	1.25	0.93	<0.01	20.9	3.5
R330807		2.67	0.618		0.05	0.47	0.3	<0.2	<10	70	0.46	9.77	0.78	0.01	21.7	3.5
R330808		2.67	1.120		0.31	0.39	0.2	0.3	<10	70	0.40	6.57	1.03	<0.01	20.5	4.4
R330809		2.32	0.027		0.03	0.48	0.2	<0.2	<10	90	0.47	0.65	0.88	<0.01	25.2	3.7
R330810		0.09	0.001		0.01	0.01	0.4	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.17	0.1
R330811		0.66	0.295		0.63	0.47	0.2	0.2	<10	30	0.63	8.03	0.43	<0.01	29.7	5.2
R330812		1.88	0.033		0.08	0.57	0.2	<0.2	<10	40	0.45	0.85	0.53	<0.01	23.0	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R330793		18	0.30	17.6	1.46	3.13	<0.05	1.26	<0.01	0.007	0.05	12.1	6.3	0.36	178	0.18
R330794		14	0.16	8.7	1.88	3.33	<0.05	1.02	<0.01	0.006	0.02	12.1	6.8	0.42	161	0.25
R330795		19	0.30	44.2	1.51	3.52	<0.05	0.99	<0.01	0.009	0.05	13.9	6.8	0.36	159	0.25
R330796		22	0.44	18.9	1.50	3.63	0.05	1.01	<0.01	0.008	0.06	18.3	6.3	0.39	221	0.14
R330797		18	0.43	24.1	1.40	3.44	0.05	0.98	<0.01	0.009	0.05	17.3	5.9	0.38	208	0.88
R330798		21	0.42	13.2	1.45	3.71	0.05	0.90	<0.01	0.008	0.06	20.5	5.5	0.41	247	0.16
R330799		18	0.42	17.1	1.43	4.11	0.06	0.93	<0.01	0.008	0.07	19.4	11.3	0.61	228	1.90
R330800		16	2.11	9.7	2.07	4.33	0.05	0.73	<0.01	0.026	0.12	14.9	36.8	1.04	237	114.5
R330801		18	0.41	20.0	1.27	3.34	<0.05	0.88	<0.01	0.006	0.05	16.4	8.9	0.46	191	58.1
R330802		18	0.14	18.9	1.39	1.24	<0.05	0.47	<0.01	<0.005	0.01	17.9	2.8	0.12	114	200
R330803		18	0.32	22.1	1.43	3.43	<0.05	0.96	<0.01	0.007	0.04	12.0	8.7	0.39	174	2.77
R330804		21	0.11	96.3	1.13	1.30	<0.05	0.41	<0.01	0.009	0.02	4.8	3.2	0.12	104	78.3
R330805		18	0.40	16.3	1.22	3.64	<0.05	1.02	<0.01	0.006	0.05	12.7	8.5	0.36	158	6.26
R330806		19	0.33	19.5	1.37	3.35	<0.05	0.87	<0.01	0.006	0.05	11.3	7.8	0.33	155	21.8
R330807		20	0.44	17.1	1.39	3.73	<0.05	0.93	<0.01	0.007	0.05	11.7	9.5	0.40	174	6.99
R330808		19	0.26	22.2	1.60	2.88	<0.05	0.93	<0.01	0.006	0.03	10.8	7.2	0.33	148	256
R330809		18	0.31	15.8	1.28	3.78	<0.05	0.85	<0.01	0.006	0.03	13.4	9.4	0.43	145	4.63
R330810		<1	<0.05	0.8	0.02	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.6	0.2	<0.01	<5	0.07
R330811		20	0.15	41.6	1.62	3.25	0.05	0.77	<0.01	0.006	0.02	16.2	10.3	0.45	134	361
R330812		18	0.37	61.0	1.27	4.05	<0.05	1.05	<0.01	0.005	0.05	12.3	11.1	0.51	143	53.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R330793		0.08	0.15	5.1	380	3.7	2.5	<0.001	0.52	<0.05	1.5	0.5	<0.2	22.0	<0.01	0.09
R330794		0.07	0.14	5.8	470	2.6	1.0	0.001	1.26	<0.05	1.6	0.8	0.3	18.5	<0.01	0.15
R330795		0.06	0.15	5.5	410	2.0	2.7	<0.001	0.70	<0.05	1.3	0.7	0.4	20.9	<0.01	0.05
R330796		0.06	0.19	5.8	390	1.4	3.0	<0.001	0.20	<0.05	1.5	0.4	0.2	26.9	<0.01	0.02
R330797		0.07	0.15	5.3	390	1.6	2.7	<0.001	0.33	<0.05	1.5	0.3	0.4	29.5	<0.01	0.04
R330798		0.07	0.21	5.2	390	1.6	2.9	<0.001	0.07	<0.05	1.6	0.2	0.2	29.0	<0.01	0.04
R330799		0.07	0.15	5.3	390	1.5	3.5	0.001	0.18	<0.05	1.5	0.3	0.5	16.3	<0.01	0.03
R330800		0.06	0.09	4.5	320	3.6	11.5	0.042	0.56	<0.05	1.1	0.6	0.2	19.3	<0.01	0.38
R330801		0.06	0.16	5.0	380	3.0	2.1	0.018	0.42	<0.05	1.3	0.5	0.4	17.3	<0.01	0.19
R330802		0.06	0.07	3.5	250	12.0	0.5	0.062	0.94	<0.05	0.8	0.9	<0.2	30.0	<0.01	0.62
R330803		0.07	0.16	5.4	410	1.6	1.8	0.001	0.65	<0.05	1.5	0.4	0.4	24.3	<0.01	0.06
R330804		0.05	0.09	3.2	150	489	0.8	0.030	0.44	0.07	0.5	2.2	<0.2	8.9	<0.01	32.3
R330805		0.06	0.13	4.8	320	1.9	2.5	0.003	0.19	<0.05	1.3	0.2	0.4	14.6	<0.01	0.48
R330806		0.07	0.13	4.9	390	2.3	2.2	0.007	0.44	<0.05	1.3	0.2	0.2	18.0	<0.01	0.12
R330807		0.07	0.12	5.2	380	5.4	2.3	0.002	0.31	<0.05	1.4	0.3	0.4	19.7	<0.01	1.46
R330808		0.08	0.09	5.2	400	9.2	1.6	0.090	0.91	<0.05	1.4	0.6	0.3	20.4	<0.01	1.54
R330809		0.07	0.11	4.7	360	1.3	1.7	0.001	0.39	<0.05	1.3	0.2	0.4	16.0	<0.01	0.08
R330810		0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
R330811		0.07	0.11	4.8	280	8.6	0.9	0.134	0.67	<0.05	1.1	0.6	<0.2	10.2	<0.01	0.98
R330812		0.07	0.13	4.9	390	2.3	2.3	0.020	0.25	<0.05	1.4	0.3	0.4	14.1	<0.01	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330793		6.7	0.019	<0.02	2.49	18	0.39	4.85	17	29.7
R330794		4.4	0.016	<0.02	1.60	19	0.28	5.11	14	26.2
R330795		5.4	0.021	0.02	2.35	22	0.27	4.63	17	25.6
R330796		5.3	0.026	0.02	2.18	25	0.35	4.32	27	24.2
R330797		5.7	0.020	<0.02	2.25	22	0.29	4.77	29	23.0
R330798		5.6	0.026	0.02	2.22	25	0.28	4.42	36	21.4
R330799		5.7	0.028	0.02	2.19	26	0.28	4.41	34	22.5
R330800		4.5	0.017	0.06	1.62	26	0.26	4.08	31	18.1
R330801		5.3	0.022	0.02	1.78	20	0.28	4.18	23	21.8
R330802		2.3	<0.005	<0.02	0.91	6	0.21	2.84	4	11.5
R330803		5.0	0.022	<0.02	1.98	24	0.24	4.51	17	23.1
R330804		2.2	0.006	0.05	1.00	8	0.16	1.90	5	9.8
R330805		6.0	0.019	0.02	2.20	22	0.33	4.19	17	23.4
R330806		4.9	0.017	0.02	1.66	22	0.29	4.02	15	21.8
R330807		6.2	0.018	<0.02	1.97	25	0.27	4.21	18	22.9
R330808		5.7	0.009	0.02	1.94	17	0.23	4.29	14	23.8
R330809		4.8	0.015	<0.02	1.80	22	0.27	4.15	17	21.2
R330810		0.2	<0.005	<0.02	0.07	<1	0.06	0.64	<2	0.8
R330811		4.2	0.013	0.04	2.09	17	0.31	4.78	17	19.0
R330812		5.6	0.019	0.02	1.68	22	0.34	4.04	20	24.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 6-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126100

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

CERTIFICATE SD15126103

Project: Miller

This report is for 119 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330813		1.00	0.012	0.02	0.56	0.2	<0.2	<10	20	0.37	0.53	0.44	<0.01	19.60	3.8	21
R330814		2.49	0.011	0.06	0.49	0.1	<0.2	<10	60	0.42	1.20	0.57	0.01	19.80	4.0	20
R330815		2.93	0.011	0.03	0.49	0.2	<0.2	<10	50	0.56	0.53	0.87	0.01	23.3	4.0	20
R330816		2.04	0.004	0.05	0.44	0.1	<0.2	<10	60	0.66	0.89	0.89	0.02	19.20	4.1	19
R330817		2.05	0.001	0.02	0.55	0.2	<0.2	<10	70	0.45	0.25	0.77	<0.01	28.0	3.6	19
R330818		2.23	0.025	0.04	0.45	<0.1	<0.2	<10	70	0.42	14.55	0.84	0.01	22.8	3.5	19
R330819		1.89	0.074	0.20	0.30	0.1	1.2	<10	90	0.38	0.77	1.12	<0.01	23.8	3.5	15
R330820		0.07	2.21	4.46	1.62	18.5	2.3	<10	40	0.60	0.08	3.67	0.35	20.7	10.7	24
R330821		1.82	0.003	0.02	0.41	0.1	<0.2	<10	150	0.40	0.78	1.11	0.01	33.1	3.0	18
R330822		1.76	0.010	0.03	0.48	0.2	<0.2	<10	190	0.38	0.32	0.87	<0.01	32.6	3.6	19
R330823		2.09	0.049	0.05	0.48	0.1	<0.2	<10	430	0.40	1.25	1.04	0.01	33.1	3.9	18
R330824		2.09	0.019	0.06	0.41	0.2	<0.2	<10	500	0.33	1.48	1.14	0.02	32.2	3.9	19
R330825		2.12	0.025	0.19	0.46	<0.1	<0.2	<10	270	0.33	3.40	0.91	0.01	35.2	3.5	18
R330826		1.95	0.001	0.01	0.52	0.3	<0.2	<10	90	0.41	0.15	0.69	<0.01	31.2	3.6	20
R330827		2.03	0.006	0.02	0.43	0.1	<0.2	<10	130	0.47	0.20	0.95	0.01	31.0	3.2	18
R330828		2.42	0.011	0.04	0.38	0.2	<0.2	<10	140	0.37	0.60	0.91	<0.01	26.9	3.4	17
R330829		2.03	0.007	0.02	0.48	0.1	<0.2	<10	90	0.48	0.25	0.77	0.01	29.8	3.4	19
R330830		<0.02	0.011	0.03	0.47	0.2	<0.2	<10	80	0.48	0.24	0.76	<0.01	29.6	3.6	19
R330831		2.20	0.002	0.02	0.44	<0.1	<0.2	<10	100	0.38	0.38	0.72	0.01	26.5	3.2	18
R330832		2.24	0.008	0.02	0.42	0.2	<0.2	<10	90	0.34	0.21	0.85	0.01	25.0	3.1	18
R330833		2.11	0.013	0.02	0.45	0.1	<0.2	<10	100	0.43	0.20	0.81	<0.01	28.2	3.0	19
R330834		1.96	0.006	0.03	0.40	0.2	<0.2	<10	170	0.36	0.46	0.98	<0.01	24.8	3.6	17
R330835		2.69	0.008	0.03	0.41	0.1	<0.2	<10	400	0.33	0.40	0.99	<0.01	28.3	3.2	17
R330836		0.96	0.012	0.07	0.35	0.2	<0.2	<10	210	0.41	1.17	1.25	0.01	18.25	4.1	13
R330837		2.08	0.018	0.04	0.43	<0.1	<0.2	<10	450	0.32	0.88	1.09	0.01	29.6	3.4	16
R330838		1.97	0.028	0.03	0.41	0.1	<0.2	<10	460	0.31	0.42	0.97	0.01	31.0	3.4	16
R330839		2.16	0.008	0.01	0.47	0.3	<0.2	<10	360	0.27	0.08	0.90	0.01	39.7	3.7	20
R330840		0.11	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R330841		2.25	0.007	0.02	0.45	0.9	<0.2	<10	410	0.22	0.44	0.87	0.01	38.0	3.5	19
R330842		2.36	0.012	0.06	0.42	0.3	<0.2	<10	470	0.33	0.79	0.88	0.01	31.7	3.6	18
R330843		2.07	0.027	0.03	0.42	0.1	<0.2	<10	530	0.38	0.45	0.77	0.01	28.6	3.1	18
R330844		2.30	0.022	0.07	0.36	0.2	<0.2	<10	400	0.26	0.59	0.92	0.02	29.0	3.6	17
R330845		2.12	0.010	0.09	0.39	0.2	<0.2	<10	360	0.24	1.30	0.90	0.02	32.2	3.2	18
R330846		2.29	0.046	0.05	0.33	0.2	<0.2	<10	330	0.28	0.66	1.06	0.01	26.8	3.7	16
R330847		1.67	0.025	0.05	0.33	0.1	<0.2	<10	330	0.31	0.76	1.22	0.01	26.0	3.6	16
R330848		1.57	0.060	0.05	0.39	0.2	<0.2	<10	570	0.30	0.94	0.98	0.01	28.9	3.6	18
R330849		0.67	0.040	0.06	0.36	0.1	<0.2	<10	490	0.28	0.83	1.01	0.01	25.7	3.1	16
R330850		0.10	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R330851		0.60	0.009	0.07	0.43	0.1	<0.2	<10	380	0.41	0.77	0.98	0.01	26.1	3.7	18
R330852		2.17	0.018	0.03	0.49	0.1	<0.2	<10	390	0.32	0.24	0.90	0.01	40.5	3.3	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330813		0.37	33.7	1.25	3.69	<0.05	0.96	<0.01	0.005	0.05	10.0	9.5	0.49	138	0.49	0.06
R330814		0.25	189.0	1.49	3.37	<0.05	1.10	<0.01	0.006	0.04	10.3	8.5	0.39	135	4.39	0.09
R330815		0.33	22.9	1.43	3.62	<0.05	1.00	<0.01	0.006	0.05	12.2	8.7	0.40	166	3.06	0.07
R330816		0.27	26.2	1.52	3.28	<0.05	1.00	<0.01	0.005	0.05	9.7	6.8	0.33	165	0.91	0.08
R330817		0.47	7.4	1.51	4.19	<0.05	0.98	<0.01	0.009	0.06	15.1	9.4	0.47	241	2.18	0.07
R330818		0.39	24.9	1.50	3.07	<0.05	0.90	<0.01	0.006	0.06	12.0	7.3	0.35	171	4.59	0.07
R330819		0.23	23.7	1.34	2.01	<0.05	0.77	<0.01	0.007	0.05	12.8	4.6	0.20	165	4.48	0.07
R330820		3.08	72.8	2.92	6.33	0.07	0.37	0.08	0.037	0.22	9.7	16.8	0.85	686	6.19	0.07
R330821		0.34	21.6	1.37	2.59	<0.05	0.90	<0.01	0.009	0.09	18.0	6.0	0.27	191	0.31	0.07
R330822		0.44	22.6	1.50	3.24	<0.05	0.94	<0.01	0.009	0.07	18.0	7.8	0.38	214	0.37	0.06
R330823		0.54	23.5	1.63	2.82	<0.05	0.92	<0.01	0.008	0.08	18.1	8.9	0.37	209	2.32	0.08
R330824		0.69	25.7	1.55	2.57	<0.05	0.94	<0.01	0.010	0.11	18.2	7.1	0.30	274	1.37	0.07
R330825		0.55	25.5	1.47	3.14	<0.05	0.97	<0.01	0.008	0.11	19.7	6.6	0.34	240	0.44	0.07
R330826		0.42	24.7	1.50	3.61	<0.05	0.99	<0.01	0.009	0.07	16.7	7.6	0.42	234	0.26	0.07
R330827		0.36	22.2	1.47	2.82	<0.05	0.90	<0.01	0.008	0.07	16.7	7.0	0.35	209	0.77	0.07
R330828		0.28	27.1	1.43	2.78	<0.05	0.89	<0.01	0.007	0.05	14.5	5.8	0.30	182	0.88	0.07
R330829		0.38	22.9	1.50	3.41	<0.05	0.88	<0.01	0.008	0.06	15.7	7.9	0.40	208	0.15	0.08
R330830		0.40	24.7	1.52	3.40	<0.05	0.87	<0.01	0.009	0.06	15.9	8.0	0.40	209	0.23	0.07
R330831		0.33	21.7	1.40	3.03	<0.05	0.86	<0.01	0.009	0.06	14.2	6.7	0.37	184	0.87	0.07
R330832		0.35	20.3	1.35	3.13	<0.05	0.86	<0.01	0.007	0.06	13.4	7.1	0.37	202	0.42	0.06
R330833		0.37	18.4	1.42	3.18	<0.05	0.89	<0.01	0.009	0.07	14.9	6.9	0.36	196	0.16	0.07
R330834		0.28	30.7	1.53	2.79	<0.05	0.90	<0.01	0.007	0.05	13.3	6.8	0.34	198	0.28	0.06
R330835		0.26	13.2	1.45	2.63	<0.05	0.84	<0.01	0.007	0.06	15.3	6.2	0.33	189	0.28	0.07
R330836		0.23	19.6	1.62	2.25	<0.05	0.77	<0.01	0.009	0.03	9.6	5.4	0.31	213	3.74	0.07
R330837		0.19	14.1	1.48	2.66	<0.05	0.88	<0.01	0.008	0.06	15.8	6.0	0.37	227	8.11	0.07
R330838		0.28	15.2	1.48	2.73	<0.05	0.90	<0.01	0.009	0.06	16.6	6.9	0.36	226	0.27	0.07
R330839		0.38	16.1	1.54	3.21	<0.05	0.97	<0.01	0.010	0.07	21.7	8.1	0.40	278	0.23	0.06
R330840		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R330841		0.37	14.9	1.48	3.11	<0.05	0.99	<0.01	0.011	0.08	20.7	7.2	0.38	262	0.42	0.07
R330842		0.30	10.6	1.57	3.14	<0.05	0.95	<0.01	0.008	0.06	16.9	6.4	0.35	227	0.48	0.06
R330843		0.31	25.4	1.45	2.99	<0.05	0.92	<0.01	0.008	0.07	15.3	6.0	0.33	203	0.24	0.07
R330844		0.91	47.6	1.53	2.41	<0.05	0.88	<0.01	0.009	0.13	16.1	5.8	0.32	253	1.56	0.07
R330845		1.60	27.8	1.51	2.46	<0.05	0.88	<0.01	0.007	0.20	18.3	6.7	0.31	266	0.28	0.07
R330846		0.46	31.2	1.48	2.43	<0.05	1.06	<0.01	0.007	0.08	14.8	4.5	0.23	215	0.23	0.07
R330847		0.31	23.6	1.52	2.20	<0.05	0.93	<0.01	0.007	0.07	14.0	3.9	0.22	230	1.24	0.07
R330848		0.26	24.9	1.55	2.77	<0.05	1.00	<0.01	0.009	0.07	15.7	4.8	0.29	217	0.28	0.07
R330849		0.20	14.2	1.41	2.42	<0.05	0.92	<0.01	0.007	0.06	13.9	4.4	0.27	210	0.46	0.06
R330850		<0.05	0.8	0.02	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R330851		0.15	19.9	1.53	3.09	<0.05	1.01	<0.01	0.009	0.05	14.1	6.2	0.36	214	1.62	0.06
R330852		0.38	13.8	1.53	3.31	<0.05	0.97	<0.01	0.011	0.08	22.2	6.6	0.40	258	0.15	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330813		0.13	5.5	360	0.9	2.5	<0.001	0.16	<0.05	1.2	<0.2	0.5	12.5	<0.01	0.02	5.4
R330814		0.13	4.7	360	1.6	2.0	0.001	0.60	<0.05	1.3	0.4	0.2	15.5	<0.01	0.09	5.9
R330815		0.14	5.3	400	1.5	2.5	0.001	0.45	<0.05	1.3	0.3	0.4	19.2	<0.01	0.06	5.5
R330816		0.13	5.2	380	4.1	2.2	<0.001	0.64	<0.05	1.3	0.3	0.2	20.6	<0.01	0.05	5.3
R330817		0.13	5.5	400	1.3	2.9	0.001	0.13	<0.05	1.5	<0.2	0.5	23.0	<0.01	0.03	5.5
R330818		<0.05	5.2	370	2.8	2.9	0.001	0.41	<0.05	1.2	0.3	<0.2	22.5	<0.01	0.33	4.8
R330819		<0.05	4.8	350	1.9	2.4	0.002	0.59	<0.05	1.0	0.4	0.3	24.2	<0.01	0.15	4.8
R330820		0.06	10.6	600	17.9	11.1	0.002	0.81	0.45	8.3	0.7	0.5	116.5	<0.01	2.28	1.4
R330821		0.06	4.8	380	2.1	4.3	<0.001	0.25	<0.05	1.1	0.4	<0.2	30.2	<0.01	0.04	5.0
R330822		0.13	5.4	390	1.9	3.6	<0.001	0.18	<0.05	1.3	0.2	0.4	31.9	<0.01	0.04	5.4
R330823		0.05	6.5	400	2.8	4.4	0.001	0.54	<0.05	1.3	0.2	<0.2	43.7	<0.01	0.42	4.8
R330824		0.15	5.6	390	4.2	8.4	<0.001	0.46	<0.05	1.5	0.2	0.4	68.6	<0.01	0.05	4.6
R330825		0.22	5.5	390	4.2	7.0	<0.001	0.18	<0.05	1.5	0.2	0.2	49.1	<0.01	0.20	5.0
R330826		0.17	5.5	400	1.5	3.5	<0.001	0.10	<0.05	1.4	0.3	0.5	26.8	<0.01	<0.01	5.3
R330827		0.12	5.1	380	2.2	3.1	<0.001	0.25	<0.05	1.3	0.2	0.2	30.0	<0.01	0.02	5.7
R330828		0.15	5.1	370	1.8	2.4	<0.001	0.40	0.05	1.3	0.2	0.4	26.8	<0.01	0.07	5.0
R330829		0.12	5.1	380	1.3	3.0	<0.001	0.23	<0.05	1.4	0.3	0.2	24.6	<0.01	0.02	4.9
R330830		0.11	5.3	380	1.3	2.8	<0.001	0.24	0.05	1.4	<0.2	0.5	23.7	<0.01	0.02	4.9
R330831		0.10	4.6	360	1.1	2.5	<0.001	0.26	<0.05	1.2	0.2	0.2	20.8	<0.01	0.01	5.0
R330832		0.10	4.9	370	1.1	2.5	<0.001	0.16	0.05	1.3	<0.2	0.4	22.7	<0.01	0.02	4.9
R330833		0.11	5.1	390	1.3	3.2	<0.001	0.18	<0.05	1.4	0.3	0.2	25.1	<0.01	0.01	4.7
R330834		0.05	5.2	390	1.6	2.4	<0.001	0.47	0.05	1.3	0.3	0.4	28.0	<0.01	0.06	5.1
R330835		0.06	4.9	380	1.4	3.0	<0.001	0.43	<0.05	1.2	0.2	<0.2	34.9	<0.01	0.08	4.3
R330836		0.10	5.4	430	1.7	1.5	0.001	0.94	0.05	1.3	0.6	0.5	32.8	<0.01	0.12	3.9
R330837		0.09	5.1	410	2.1	2.6	0.003	0.54	<0.05	1.4	0.3	<0.2	43.9	<0.01	0.15	4.7
R330838		0.17	5.1	410	1.9	2.6	<0.001	0.38	<0.05	1.4	0.3	0.2	43.2	<0.01	0.06	4.9
R330839		0.33	5.8	390	2.1	3.5	<0.001	0.02	0.05	1.7	0.2	0.6	49.5	<0.01	<0.01	5.2
R330840		<0.05	0.3	10	0.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R330841		0.35	5.2	380	2.7	4.1	<0.001	0.12	<0.05	1.7	0.3	0.3	52.7	<0.01	0.03	5.4
R330842		0.27	5.4	370	2.1	2.9	<0.001	0.25	0.05	1.5	0.3	0.5	46.7	<0.01	0.05	4.8
R330843		0.26	4.9	360	1.5	3.1	<0.001	0.24	<0.05	1.3	0.3	0.2	48.5	<0.01	0.04	4.6
R330844		0.28	5.2	370	3.7	13.4	<0.001	0.58	0.05	1.4	0.2	0.5	161.5	<0.01	0.04	5.1
R330845		0.26	5.0	350	5.7	22.9	<0.001	0.52	<0.05	1.5	0.2	0.2	191.0	<0.01	0.07	5.2
R330846		0.26	5.2	380	2.3	5.2	<0.001	0.60	0.05	1.3	0.5	0.4	65.2	<0.01	0.07	5.6
R330847		0.16	5.3	400	2.0	3.8	0.001	0.59	<0.05	1.3	0.4	<0.2	57.1	<0.01	0.09	4.8
R330848		0.26	5.4	390	1.7	3.4	<0.001	0.43	0.05	1.2	0.3	0.5	56.2	<0.01	0.06	4.9
R330849		0.17	4.8	350	2.0	2.8	<0.001	0.41	<0.05	1.1	0.3	<0.2	49.7	<0.01	0.10	4.6
R330850		<0.05	0.4	10	0.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330851		0.23	5.4	410	1.7	2.3	<0.001	0.57	<0.05	1.2	0.3	0.4	54.8	<0.01	0.06	5.2
R330852		0.33	5.2	380	1.6	3.7	<0.001	0.10	<0.05	1.7	0.3	0.3	51.6	<0.01	0.03	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330813		0.023	<0.02	1.68	21	0.25	3.41	18	23.7
R330814		0.015	<0.02	1.98	19	0.21	4.19	12	25.1
R330815		0.019	0.02	2.11	26	0.20	4.72	15	24.6
R330816		0.017	0.02	2.16	24	0.16	5.03	14	24.6
R330817		0.022	<0.02	2.03	27	0.24	4.52	26	24.2
R330818		0.005	0.02	1.86	19	0.18	4.23	19	22.2
R330819		<0.005	0.02	1.69	11	1.46	4.11	12	19.6
R330820		0.055	0.13	0.33	66	0.47	7.66	83	11.9
R330821		0.009	0.02	1.95	18	0.13	4.70	16	22.8
R330822		0.019	0.02	1.96	21	0.15	4.47	24	23.8
R330823		0.006	0.03	1.94	17	0.09	4.57	22	24.0
R330824		0.016	0.07	1.93	19	0.07	4.29	27	23.6
R330825		0.029	0.05	1.97	23	0.14	4.17	27	24.1
R330826		0.031	0.02	1.98	26	0.18	4.55	27	24.7
R330827		0.021	0.02	2.10	20	0.15	4.59	23	22.3
R330828		0.021	0.02	1.82	22	0.20	4.02	16	22.3
R330829		0.023	0.02	1.72	25	0.17	4.31	23	22.9
R330830		0.022	0.02	1.73	25	0.18	4.29	23	22.8
R330831		0.018	0.02	1.76	22	0.14	3.84	21	21.5
R330832		0.019	0.02	1.90	23	0.19	3.83	24	21.3
R330833		0.020	0.02	1.97	25	0.19	4.12	24	23.1
R330834		0.008	0.02	1.98	21	0.14	4.01	21	22.3
R330835		0.011	0.02	1.77	18	0.13	4.14	22	21.7
R330836		0.012	<0.02	1.39	12	0.15	4.91	18	19.8
R330837		0.014	0.02	2.05	17	0.14	4.52	22	22.9
R330838		0.026	0.02	1.80	18	0.12	4.38	22	22.4
R330839		0.054	0.02	1.94	22	0.17	4.14	29	23.7
R330840		<0.005	<0.02	0.07	<1	<0.05	0.58	<2	0.7
R330841		0.049	0.03	2.10	22	0.13	3.99	28	24.4
R330842		0.040	0.02	1.90	22	0.19	4.18	23	24.1
R330843		0.036	0.02	1.89	22	0.19	4.05	22	22.6
R330844		0.032	0.11	2.06	21	0.11	3.44	28	21.6
R330845		0.035	0.17	2.05	23	<0.05	3.20	34	20.7
R330846		0.023	0.04	2.15	19	0.22	4.13	16	26.1
R330847		0.018	0.03	1.87	16	0.19	4.07	16	24.5
R330848		0.030	0.03	1.98	21	0.26	4.32	16	25.2
R330849		0.020	0.02	1.66	18	0.21	3.85	17	22.8
R330850		<0.005	<0.02	0.08	<1	<0.05	0.60	<2	0.8
R330851		0.031	<0.02	2.03	20	0.27	4.28	21	25.6
R330852		0.053	0.02	1.96	24	0.25	4.31	27	23.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330853		2.27	1.120	0.06	0.45	0.2	<0.2	<10	300	0.34	0.57	1.09	0.01	36.0	3.5	21
R330854		2.24	0.113	0.06	0.51	0.2	<0.2	<10	150	0.38	0.43	0.95	0.01	39.1	3.7	18
R330855		1.97	0.040	0.05	0.48	0.2	<0.2	<10	330	0.37	2.82	0.91	0.01	32.2	3.6	23
R330856		2.04	0.091	0.04	0.46	0.2	<0.2	<10	200	0.29	0.29	0.85	0.01	39.4	3.5	19
R330857		2.26	0.147	2.02	0.44	0.1	14.7	<10	120	0.39	4.54	0.86	0.01	33.0	3.4	20
R330858		2.35	0.029	0.02	0.44	0.2	<0.2	<10	260	0.29	0.28	0.84	0.01	38.5	3.6	18
R330859		2.02	0.029	0.03	0.47	0.1	<0.2	<10	260	0.34	0.29	0.87	0.01	34.8	3.4	22
R330860		<0.02	0.072	0.05	0.46	0.1	<0.2	<10	250	0.35	0.67	0.88	0.01	34.4	3.6	18
R330861		2.16	0.067	0.05	0.43	0.2	<0.2	<10	300	0.32	1.32	0.81	0.01	33.3	3.3	22
R330862		1.97	0.019	0.03	0.44	0.3	<0.2	<10	420	0.35	2.85	0.86	0.01	35.4	3.6	18
R330863		2.14	0.020	0.04	0.37	0.2	<0.2	<10	490	0.41	0.91	0.87	0.01	31.6	3.7	22
R330864		2.05	0.075	0.03	0.39	0.4	<0.2	<10	410	0.41	0.33	1.03	0.01	32.9	3.8	18
R330865		1.92	0.045	0.01	0.47	0.1	<0.2	<10	370	0.33	0.10	0.85	0.01	36.9	3.7	22
R330866		2.33	0.038	0.05	0.40	0.3	<0.2	<10	290	0.36	0.64	1.07	0.01	29.8	3.6	17
R330867		2.09	0.104	0.04	0.43	0.2	<0.2	<10	150	0.33	0.64	0.72	0.01	31.3	3.3	22
R330868		1.80	0.034	0.22	0.85	0.2	0.6	<10	50	0.63	1.23	0.48	<0.01	36.3	5.7	36
R330869		2.18	0.014	0.06	0.50	0.3	<0.2	<10	210	0.38	3.87	0.80	<0.01	34.6	3.4	22
R330870		0.13	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.00	0.1	<1
R330871		2.26	0.007	0.05	0.55	0.3	<0.2	<10	60	0.33	0.66	0.63	<0.01	45.2	3.9	18
R330872		2.01	0.002	0.03	0.56	0.2	<0.2	<10	70	0.41	0.47	0.68	<0.01	32.5	3.9	22
R330873		2.01	0.041	0.05	0.49	0.1	<0.2	<10	50	0.32	3.52	0.85	<0.01	28.0	3.5	24
R330874		1.94	0.002	0.01	0.49	0.3	<0.2	<10	180	0.39	0.12	0.85	0.01	35.4	3.3	19
R330875		2.68	0.269	0.10	0.54	0.2	0.3	<10	50	0.44	0.63	0.74	0.01	30.2	3.6	22
R330876		1.57	0.012	0.03	0.43	0.2	<0.2	<10	80	0.38	0.42	0.83	0.01	29.9	3.5	18
R330877		2.28	0.013	0.05	0.61	0.2	<0.2	<10	70	0.52	0.99	0.61	0.01	34.4	3.9	20
R330878		2.93	0.028	0.06	0.52	0.5	<0.2	<10	80	0.38	2.78	0.82	0.01	35.4	3.9	20
R330879		3.26	0.184	0.02	0.52	0.3	<0.2	<10	70	0.44	2.05	0.82	0.01	32.3	3.5	22
R330880		0.07	2.25	4.51	1.49	18.3	2.3	<10	40	0.60	0.09	3.58	0.35	21.0	10.7	23
R330881		2.73	0.018	0.04	0.51	0.3	<0.2	<10	50	0.46	0.56	0.59	<0.01	32.1	3.7	18
R330882		3.18	0.005	0.09	0.69	0.3	<0.2	<10	60	0.66	1.83	0.38	<0.01	30.5	4.3	22
R330883		3.31	0.014	0.02	0.48	0.3	<0.2	<10	110	0.33	0.16	0.77	0.01	35.6	3.5	20
R330884		2.42	0.085	0.08	0.44	0.2	<0.2	<10	120	0.38	5.94	0.96	0.01	26.5	3.6	21
R330885		1.89	0.017	0.05	0.45	0.3	<0.2	<10	200	0.34	0.66	0.91	<0.01	36.6	3.5	19
R330886		3.02	<0.001	0.01	0.50	0.2	<0.2	<10	230	0.33	0.39	0.89	<0.01	40.7	3.7	23
R330887		3.12	0.063	0.03	0.46	0.2	<0.2	<10	250	0.33	2.47	0.95	0.01	38.3	3.6	19
R330888		2.47	0.022	0.04	0.40	0.2	<0.2	<10	200	0.31	1.24	0.78	<0.01	27.5	3.1	22
R330889		2.29	0.001	0.02	0.48	0.4	<0.2	<10	190	0.34	0.15	0.76	0.01	37.7	3.5	20
R330890		<0.02	0.001	0.01	0.49	0.4	<0.2	<10	180	0.36	0.16	0.78	0.01	40.3	3.4	21
R330891		0.76	0.010	0.18	0.36	0.4	<0.2	<10	250	0.41	4.70	0.84	0.01	31.3	3.6	16
R330892		0.09	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.02	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330853		0.25	24.0	1.58	3.10	<0.05	0.93	<0.01	0.010	0.07	19.3	6.1	0.36	236	0.17	0.07
R330854		0.27	21.8	1.51	3.87	<0.05	1.00	<0.01	0.012	0.06	20.9	7.4	0.43	235	0.21	0.06
R330855		0.29	23.4	1.61	3.29	<0.05	0.90	<0.01	0.010	0.06	17.2	6.5	0.40	243	4.45	0.07
R330856		0.36	40.7	1.46	3.46	<0.05	0.92	<0.01	0.009	0.06	21.1	6.5	0.39	235	0.18	0.06
R330857		0.36	41.9	1.54	3.06	<0.05	0.89	<0.01	0.011	0.07	17.5	5.8	0.37	210	0.35	0.06
R330858		0.48	18.1	1.46	3.27	<0.05	0.94	<0.01	0.009	0.06	21.0	6.5	0.39	247	0.18	0.06
R330859		0.41	16.4	1.60	3.35	<0.05	0.95	<0.01	0.008	0.07	18.4	6.1	0.39	241	0.15	0.07
R330860		0.41	18.6	1.47	3.38	<0.05	0.98	<0.01	0.009	0.07	18.2	6.1	0.40	228	0.20	0.06
R330861		0.51	17.5	1.56	3.11	<0.05	0.89	<0.01	0.007	0.07	17.7	5.9	0.36	244	0.31	0.06
R330862		0.64	24.7	1.50	3.52	<0.05	0.96	<0.01	0.009	0.08	18.8	7.3	0.37	249	0.20	0.06
R330863		0.57	24.4	1.60	2.98	<0.05	0.90	<0.01	0.008	0.07	17.1	6.8	0.29	213	3.00	0.07
R330864		0.65	27.8	1.44	2.98	<0.05	0.99	<0.01	0.008	0.07	17.6	7.0	0.33	211	0.49	0.06
R330865		0.49	24.6	1.62	3.70	0.06	1.04	<0.01	0.010	0.08	20.1	7.9	0.39	263	0.16	0.07
R330866		0.19	30.5	1.37	3.12	<0.05	0.89	<0.01	0.007	0.05	16.2	6.2	0.33	167	1.32	0.06
R330867		0.20	34.0	1.45	3.51	0.05	0.92	<0.01	0.008	0.06	17.3	7.0	0.36	171	2.27	0.06
R330868		0.22	11.9	2.04	6.59	0.06	1.04	<0.01	0.013	0.06	20.4	14.8	0.79	253	2.71	0.07
R330869		0.35	7.9	1.58	3.80	0.05	1.07	<0.01	0.009	0.07	18.5	8.5	0.42	191	7.82	0.07
R330870		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
R330871		0.34	16.0	1.51	4.20	0.06	1.06	<0.01	0.010	0.07	25.2	8.4	0.48	200	2.40	0.06
R330872		0.41	29.7	1.67	4.30	0.05	1.05	<0.01	0.009	0.07	17.2	9.6	0.49	229	0.26	0.07
R330873		0.30	16.7	1.53	4.11	0.05	1.03	<0.01	0.009	0.05	14.6	8.3	0.42	196	3.60	0.06
R330874		0.44	4.3	1.34	4.14	0.05	1.07	<0.01	0.008	0.06	18.9	8.8	0.45	197	0.18	0.05
R330875		0.34	13.1	1.49	4.23	0.05	1.09	<0.01	0.009	0.07	15.7	8.9	0.47	211	0.18	0.07
R330876		0.42	19.1	1.39	3.27	<0.05	0.92	<0.01	0.007	0.05	16.1	6.9	0.40	194	1.23	0.06
R330877		0.47	15.1	1.61	3.67	0.05	1.00	<0.01	0.009	0.08	18.9	9.4	0.54	205	2.01	0.07
R330878		0.35	18.6	1.44	3.50	0.05	1.06	<0.01	0.011	0.06	19.1	8.2	0.47	203	0.63	0.06
R330879		0.44	24.1	1.58	3.78	0.05	1.05	<0.01	0.010	0.07	17.2	8.5	0.45	221	0.18	0.07
R330880		3.09	65.7	2.82	6.21	0.08	0.38	0.10	0.037	0.21	9.9	17.2	0.83	652	6.17	0.07
R330881		0.42	37.3	1.40	3.58	0.05	1.08	<0.01	0.010	0.06	17.5	7.7	0.47	192	0.52	0.06
R330882		0.45	20.4	1.66	4.26	0.05	1.11	<0.01	0.008	0.07	16.1	12.0	0.66	218	0.40	0.07
R330883		0.47	14.5	1.39	3.66	0.05	1.01	<0.01	0.010	0.06	19.8	8.1	0.44	233	0.20	0.06
R330884		0.26	11.6	1.50	3.55	<0.05	1.05	<0.01	0.007	0.06	14.2	6.2	0.37	184	0.40	0.07
R330885		0.36	10.9	1.47	3.45	0.05	1.13	<0.01	0.009	0.07	20.5	7.3	0.37	197	8.14	0.07
R330886		0.46	8.8	1.61	3.80	0.05	1.18	<0.01	0.009	0.08	22.9	8.7	0.44	261	0.18	0.07
R330887		0.39	11.0	1.49	3.41	0.05	1.11	<0.01	0.011	0.07	21.5	7.1	0.39	223	0.24	0.06
R330888		0.50	10.8	1.50	2.90	0.05	1.03	<0.01	0.009	0.08	15.2	5.7	0.31	218	4.34	0.06
R330889		0.51	17.5	1.48	3.73	0.07	1.14	<0.01	0.010	0.08	21.1	7.0	0.40	239	0.19	0.06
R330890		0.54	14.2	1.60	3.80	0.07	1.15	<0.01	0.010	0.08	22.7	7.1	0.40	251	0.15	0.06
R330891		0.15	31.1	1.47	2.87	0.05	0.77	<0.01	0.009	0.04	17.0	5.1	0.32	166	2.34	0.06
R330892		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330853		0.30	5.2	400	1.5	3.4	<0.001	0.33	<0.05	1.3	0.4	0.2	40.3	<0.01	0.04	4.6
R330854		0.31	5.4	400	1.3	2.8	<0.001	0.22	<0.05	1.6	<0.2	0.5	27.5	<0.01	0.04	5.2
R330855		0.29	6.0	370	4.0	2.8	0.001	0.43	<0.05	1.5	0.3	0.2	39.2	<0.01	0.15	4.9
R330856		0.34	5.3	410	1.6	3.1	<0.001	0.16	<0.05	1.7	0.2	0.5	31.9	<0.01	0.03	5.5
R330857		0.27	5.2	390	2.4	3.3	<0.001	0.36	<0.05	1.3	0.3	0.2	31.2	<0.01	0.17	5.0
R330858		0.29	5.2	400	1.6	2.9	<0.001	0.14	<0.05	1.6	0.2	0.5	39.6	<0.01	0.02	5.3
R330859		0.23	5.4	380	1.4	3.4	<0.001	0.13	<0.05	1.4	0.2	0.3	32.4	<0.01	0.02	5.6
R330860		0.22	5.4	390	1.9	3.4	<0.001	0.15	<0.05	1.4	<0.2	0.5	32.1	<0.01	0.04	5.1
R330861		0.25	5.0	360	3.0	3.6	<0.001	0.18	<0.05	1.4	0.3	0.2	39.6	<0.01	0.24	4.7
R330862		0.23	5.2	390	2.7	4.2	<0.001	0.13	<0.05	1.5	0.2	0.5	43.3	<0.01	0.02	5.0
R330863		0.16	5.4	370	2.5	3.8	0.001	0.33	<0.05	1.4	0.4	0.2	36.2	<0.01	0.06	5.3
R330864		0.16	5.4	400	2.0	4.2	0.001	0.21	<0.05	1.4	<0.2	0.4	35.4	<0.01	0.05	5.3
R330865		0.35	5.7	380	2.3	4.2	<0.001	0.04	<0.05	1.7	<0.2	0.3	43.5	<0.01	0.01	5.5
R330866		0.18	5.1	390	1.9	2.5	0.001	0.40	<0.05	1.5	0.2	0.4	32.6	<0.01	0.12	4.8
R330867		0.22	5.2	350	1.3	2.6	0.001	0.28	<0.05	1.4	0.2	0.2	20.1	<0.01	0.04	5.1
R330868		0.21	10.1	400	1.4	2.2	0.002	0.31	<0.05	2.1	0.2	0.6	16.2	<0.01	0.15	5.7
R330869		0.33	5.5	390	1.7	2.9	0.004	0.19	<0.05	1.8	0.3	0.3	22.7	<0.01	0.19	5.6
R330870		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330871		0.31	5.9	400	1.5	3.1	<0.001	0.15	<0.05	1.8	0.2	0.6	19.1	<0.01	0.03	5.9
R330872		0.29	6.0	370	1.4	3.2	<0.001	0.11	<0.05	1.7	0.2	0.3	23.5	<0.01	0.03	5.8
R330873		0.28	5.6	380	2.3	2.5	0.001	0.23	<0.05	1.7	0.3	0.3	19.6	<0.01	0.29	5.3
R330874		0.33	5.5	400	1.2	2.8	<0.001	0.02	<0.05	1.8	0.2	0.5	25.8	<0.01	0.01	6.0
R330875		0.26	5.7	380	1.6	3.4	<0.001	0.16	<0.05	1.7	0.3	0.3	20.9	<0.01	0.05	6.3
R330876		0.24	5.1	380	2.3	2.4	0.001	0.28	<0.05	1.6	0.2	0.5	26.1	<0.01	0.04	5.6
R330877		0.27	5.5	380	2.0	4.5	0.001	0.29	<0.05	1.6	0.4	0.3	21.1	<0.01	0.07	5.9
R330878		0.30	5.6	390	2.4	3.0	0.001	0.19	<0.05	1.7	0.4	0.5	23.8	<0.01	0.35	6.4
R330879		0.26	5.5	390	2.0	3.3	0.001	0.10	<0.05	1.7	0.2	0.3	24.1	<0.01	0.02	6.1
R330880		0.06	10.9	590	17.0	10.9	0.003	0.83	0.46	8.7	0.8	0.5	111.0	<0.01	2.21	1.5
R330881		0.27	5.2	380	2.1	2.7	0.001	0.16	<0.05	1.5	0.3	0.5	22.7	<0.01	0.03	6.2
R330882		0.19	5.6	390	2.5	3.0	<0.001	0.23	<0.05	1.6	0.3	0.3	15.6	<0.01	0.04	6.5
R330883		0.34	5.3	380	1.9	2.9	<0.001	0.06	<0.05	1.7	<0.2	0.5	31.1	<0.01	<0.01	6.3
R330884		0.25	5.1	370	3.1	2.5	<0.001	0.40	<0.05	1.6	0.3	0.2	23.4	<0.01	0.26	6.4
R330885		0.38	5.3	380	2.3	3.2	0.003	0.22	<0.05	1.7	0.3	0.5	30.2	<0.01	0.04	6.5
R330886		0.42	5.7	390	2.3	4.1	<0.001	0.04	<0.05	1.8	<0.2	0.3	40.9	<0.01	0.01	7.1
R330887		0.42	5.9	410	2.4	3.5	<0.001	0.19	<0.05	1.7	0.2	0.5	37.3	<0.01	0.04	7.4
R330888		0.31	4.7	350	2.9	3.9	0.003	0.22	<0.05	1.4	0.3	0.2	39.7	<0.01	0.06	5.9
R330889		0.39	5.2	390	2.3	3.6	0.001	0.09	<0.05	1.7	0.3	0.5	38.9	<0.01	0.02	6.0
R330890		0.38	5.3	390	2.4	3.8	0.001	0.08	<0.05	1.7	0.2	0.3	39.8	<0.01	0.01	6.0
R330891		0.25	4.8	360	12.0	1.8	0.003	0.78	<0.05	1.4	0.5	0.4	29.3	<0.01	0.73	4.3
R330892		<0.05	0.4	10	0.4	0.1	0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330853		0.043	0.02	1.81	22	0.28	4.50	23	23.9
R330854		0.054	0.02	2.02	25	0.29	4.54	28	25.1
R330855		0.051	0.02	1.93	25	0.27	4.27	26	22.5
R330856		0.053	0.02	2.03	25	0.22	4.30	27	22.6
R330857		0.043	0.02	1.93	22	0.23	4.49	24	23.4
R330858		0.047	0.02	1.95	24	0.20	4.22	30	22.9
R330859		0.041	0.02	1.64	23	0.27	4.34	29	23.4
R330860		0.040	0.03	1.73	23	0.27	4.25	29	23.6
R330861		0.039	0.03	1.77	21	0.23	3.84	30	22.4
R330862		0.039	0.04	1.92	24	0.21	4.12	33	24.6
R330863		0.021	0.04	1.70	21	0.23	4.11	25	22.4
R330864		0.023	0.04	2.12	20	0.20	4.15	29	23.2
R330865		0.048	0.03	2.10	22	0.34	4.37	34	24.3
R330866		0.022	0.02	1.91	17	0.28	4.07	20	21.6
R330867		0.029	0.02	1.66	18	0.24	3.89	17	22.5
R330868		0.047	0.02	2.32	31	0.27	5.37	30	27.2
R330869		0.047	0.02	2.01	22	0.37	4.67	18	26.2
R330870		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R330871		0.049	0.03	2.23	23	0.36	4.53	22	25.9
R330872		0.047	0.02	2.34	25	0.28	4.62	25	25.1
R330873		0.041	0.02	1.99	23	0.32	4.16	19	24.7
R330874		0.046	0.02	2.52	23	0.34	4.65	23	25.6
R330875		0.041	0.02	2.30	23	0.46	4.60	23	25.6
R330876		0.036	<0.02	2.12	22	0.24	4.18	21	21.8
R330877		0.045	0.02	2.37	23	0.23	4.67	24	24.0
R330878		0.044	0.02	2.37	22	0.22	4.48	23	24.4
R330879		0.041	0.02	2.47	23	0.24	4.58	24	24.0
R330880		0.051	0.15	0.35	63	0.53	7.63	79	12.2
R330881		0.041	<0.02	2.32	22	0.21	4.56	24	23.8
R330882		0.038	0.02	2.55	25	0.23	4.94	27	25.5
R330883		0.049	0.02	2.39	24	0.17	4.17	27	23.1
R330884		0.034	0.02	2.43	23	0.24	4.43	20	24.4
R330885		0.049	0.02	2.55	22	0.24	4.28	18	26.8
R330886		0.057	0.02	2.84	23	0.18	4.20	27	26.7
R330887		0.050	0.02	2.77	22	0.22	4.53	21	25.9
R330888		0.038	0.02	2.40	20	0.23	3.61	22	22.8
R330889		0.056	0.02	2.60	25	0.24	3.92	27	25.1
R330890		0.056	0.02	2.64	25	0.24	3.99	27	25.8
R330891		0.030	<0.02	1.76	19	0.16	4.04	20	19.8
R330892		<0.005	<0.02	0.07	<1	<0.05	0.59	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330893		2.27	0.077	0.06	0.45	0.2	<0.2	<10	240	0.46	0.93	0.83	0.01	29.9	3.7	21
R330894		1.93	0.023	0.03	0.44	0.3	<0.2	<10	450	0.43	7.60	0.79	0.01	32.8	3.7	21
R330895		2.04	0.003	0.07	0.56	0.1	<0.2	<10	270	0.39	0.79	0.68	0.01	37.0	3.9	24
R330896		2.10	0.027	0.05	0.50	0.4	<0.2	<10	140	0.48	2.49	0.72	<0.01	35.1	3.9	18
R330897		2.11	0.006	0.18	0.45	0.2	<0.2	<10	360	0.37	5.75	0.95	0.01	36.4	3.6	22
R330898		2.02	0.016	0.04	0.45	0.2	<0.2	<10	540	0.46	0.51	0.93	0.01	32.6	3.9	18
R330899		2.02	0.037	0.06	0.44	0.1	<0.2	<10	280	0.53	2.99	0.89	<0.01	32.0	3.6	21
R330900		2.09	0.018	0.03	0.52	0.2	<0.2	<10	90	0.37	1.13	0.84	<0.01	39.3	3.8	21
R330901		2.11	0.016	0.42	0.52	0.3	1.4	<10	130	0.53	0.80	0.69	<0.01	32.9	3.6	22
R330902		2.31	0.685	0.11	0.43	0.2	<0.2	<10	90	0.54	2.87	0.73	<0.01	30.2	4.1	17
R330903		1.99	0.031	0.11	0.46	0.1	<0.2	<10	120	0.45	24.9	1.16	<0.01	34.3	3.5	18
R330904		2.40	0.025	0.05	0.42	0.2	<0.2	<10	140	0.40	0.46	0.85	<0.01	33.0	3.5	20
R330905		2.11	0.012	0.04	0.46	0.2	<0.2	<10	90	0.38	0.51	0.79	0.01	34.3	3.5	20
R330906		2.08	0.050	0.04	0.41	0.1	<0.2	<10	140	0.39	2.45	0.81	0.01	32.8	3.7	17
R330907		2.08	0.085	0.15	0.42	0.3	0.9	<10	490	0.34	1.22	0.94	0.01	35.3	3.7	19
R330908		2.42	0.032	0.04	0.42	0.3	<0.2	<10	330	0.35	0.29	0.72	0.01	34.2	3.4	21
R330909		3.23	0.035	0.05	0.46	0.4	<0.2	<10	350	0.37	0.57	0.85	<0.01	35.4	4.1	20
R330910		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.92	0.1	<1
R330911		3.13	0.032	0.04	0.43	0.3	<0.2	<10	270	0.39	0.38	1.01	0.02	33.9	3.6	19
R330912		1.59	1.545	0.13	0.44	0.3	0.6	<10	310	0.31	13.15	0.96	0.01	36.1	4.0	19
R330913		1.55	7.16	0.59	0.47	0.1	2.8	<10	120	0.28	144.0	1.14	<0.01	39.3	3.3	19
R330914		3.46	1.200	0.05	0.60	0.4	<0.2	<10	80	0.30	16.55	0.36	<0.01	39.9	3.7	21
R330915		3.28	0.026	0.09	0.94	0.2	<0.2	<10	40	0.81	1.47	0.26	<0.01	44.9	4.3	19
R330916		3.26	0.038	0.12	0.81	0.3	0.2	<10	40	0.67	1.70	0.46	0.01	45.9	4.3	20
R330917		1.63	0.073	0.12	0.28	0.2	<0.2	<10	20	0.25	4.54	0.43	0.01	25.5	1.8	15
R330918		3.16	0.005	0.02	0.52	0.2	<0.2	<10	150	0.30	0.21	0.89	0.01	38.5	3.6	21
R330919		3.19	0.008	0.03	0.57	0.3	<0.2	<10	70	0.23	1.14	0.74	0.01	41.7	3.7	25
R330920		0.06	2.29	4.49	1.65	18.7	2.3	<10	40	0.61	0.10	3.87	0.36	20.8	10.5	25
R330921		3.26	0.013	0.06	0.97	0.6	<0.2	<10	50	0.50	1.01	0.63	<0.01	46.8	4.4	20
R330922		3.46	0.017	0.05	0.87	0.3	<0.2	<10	70	0.53	0.92	1.15	0.01	39.4	3.9	17
R330923		3.17	0.061	0.06	1.10	0.4	<0.2	<10	40	0.60	0.64	0.32	0.01	49.9	4.8	18
R330924		2.81	0.008	0.12	0.95	0.2	<0.2	<10	30	0.75	6.13	0.25	0.02	38.8	4.9	18
R330925		3.37	0.006	0.04	0.49	0.5	<0.2	<10	140	0.35	0.69	0.92	0.01	36.5	4.0	20
R330926		3.41	1.215	0.12	0.47	0.4	0.3	<10	90	0.34	14.65	1.22	<0.01	36.9	3.9	21
R330927		3.61	0.133	0.03	0.57	0.3	<0.2	<10	90	0.27	0.43	1.25	0.01	39.8	3.7	22
R330928		3.17	0.020	0.03	0.57	0.3	<0.2	<10	70	0.27	2.76	0.98	<0.01	38.1	4.0	21
R330929		3.33	0.038	0.03	0.52	0.1	<0.2	<10	120	0.32	0.40	1.08	0.01	40.3	3.9	22
R330930		<0.02	0.045	0.03	0.52	0.1	<0.2	<10	130	0.36	0.46	1.05	<0.01	37.1	3.9	20
R330931		2.29	0.206	0.03	0.48	0.3	<0.2	<10	270	0.33	2.66	0.99	0.01	37.4	4.0	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330893		0.29	14.2	1.65	3.55	0.06	0.95	<0.01	0.008	0.06	16.0	5.7	0.39	209	0.58	0.06
R330894		0.53	38.2	1.49	3.59	0.06	0.86	<0.01	0.010	0.08	17.6	6.5	0.39	231	0.67	0.05
R330895		0.39	20.3	1.65	4.21	0.06	0.81	<0.01	0.010	0.07	19.9	7.0	0.48	248	2.25	0.07
R330896		0.39	12.0	1.42	3.98	0.07	0.86	<0.01	0.007	0.05	18.3	6.5	0.45	213	0.59	0.06
R330897		0.32	13.9	1.58	3.56	0.06	0.83	<0.01	0.009	0.06	19.2	4.6	0.38	249	5.07	0.06
R330898		0.32	10.5	1.45	3.69	0.06	0.86	<0.01	0.007	0.06	17.1	4.7	0.39	228	0.20	0.05
R330899		0.24	14.2	1.58	3.49	0.06	0.83	<0.01	0.008	0.06	17.1	5.2	0.38	217	5.88	0.07
R330900		0.31	11.5	1.48	4.26	0.07	0.83	<0.01	0.009	0.06	21.1	7.3	0.48	252	0.20	0.06
R330901		0.25	13.6	1.55	3.76	0.06	0.86	<0.01	0.008	0.06	17.1	6.0	0.46	216	8.26	0.07
R330902		0.18	36.9	1.47	3.32	0.05	0.88	<0.01	0.010	0.05	15.9	5.5	0.41	180	9.73	0.06
R330903		0.19	31.9	1.47	3.51	0.06	0.76	<0.01	0.010	0.05	18.1	5.3	0.41	212	6.36	0.06
R330904		0.32	18.9	1.47	3.47	0.05	0.80	0.01	0.008	0.06	17.3	5.1	0.34	205	1.47	0.07
R330905		0.43	30.1	1.60	3.95	0.06	0.86	<0.01	0.010	0.06	18.1	6.4	0.40	228	1.66	0.06
R330906		0.37	38.3	1.38	3.44	0.05	0.81	<0.01	0.008	0.05	17.6	5.4	0.37	199	0.25	0.05
R330907		0.68	25.6	1.58	3.06	0.06	0.85	<0.01	0.008	0.12	19.6	6.9	0.37	266	1.71	0.06
R330908		0.51	11.2	1.57	3.23	0.05	0.81	<0.01	0.007	0.09	18.6	6.0	0.35	235	0.21	0.06
R330909		0.32	39.9	1.63	3.69	0.06	0.99	<0.01	0.010	0.07	19.1	5.9	0.39	242	0.25	0.07
R330910		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01
R330911		0.28	32.0	1.56	3.32	0.06	0.82	<0.01	0.009	0.06	17.9	4.8	0.37	240	0.28	0.06
R330912		0.26	36.2	1.73	3.31	0.05	0.72	<0.01	0.008	0.06	19.6	4.5	0.37	244	8.12	0.06
R330913		0.29	58.8	1.58	3.60	0.07	0.80	<0.01	0.010	0.06	21.2	4.7	0.40	247	21.3	0.06
R330914		0.31	26.0	1.51	4.04	0.06	0.82	<0.01	0.010	0.07	21.8	6.2	0.54	247	1.67	0.07
R330915		0.89	60.9	1.88	4.96	0.07	0.99	<0.01	0.015	0.08	24.3	20.7	0.99	287	16.40	0.07
R330916		1.06	60.5	1.84	4.33	0.06	0.82	<0.01	0.012	0.08	25.3	16.6	0.82	282	10.05	0.07
R330917		0.20	62.4	1.03	1.98	<0.05	2.45	<0.01	0.009	0.05	15.3	3.0	0.22	133	0.83	0.06
R330918		0.42	17.2	1.62	3.66	0.05	0.83	<0.01	0.009	0.07	22.0	5.8	0.45	274	0.37	0.07
R330919		0.42	19.5	1.63	3.78	0.07	0.82	<0.01	0.010	0.07	23.1	7.3	0.53	287	1.46	0.07
R330920		3.02	68.0	3.09	6.06	0.08	0.33	0.08	0.038	0.24	9.9	15.4	0.91	724	5.65	0.07
R330921		0.78	16.1	1.75	4.51	0.08	0.92	<0.01	0.013	0.10	25.7	18.0	1.05	352	9.30	0.07
R330922		0.44	16.3	1.59	4.25	0.07	0.99	0.01	0.012	0.09	21.0	15.3	0.93	338	2.10	0.07
R330923		0.56	5.9	1.92	5.46	0.07	0.88	<0.01	0.012	0.09	27.3	20.3	1.21	332	0.94	0.08
R330924		0.67	34.9	2.02	4.37	0.07	0.87	<0.01	0.014	0.09	20.3	20.9	1.06	287	16.55	0.07
R330925		0.26	10.2	1.66	3.19	0.05	0.77	<0.01	0.010	0.06	19.4	6.3	0.45	212	3.26	0.07
R330926		0.25	12.7	1.59	3.35	0.06	0.79	<0.01	0.011	0.05	19.7	6.4	0.42	207	49.8	0.07
R330927		0.32	6.6	1.72	4.15	0.05	0.87	<0.01	0.012	0.08	21.9	7.1	0.49	245	0.26	0.07
R330928		0.34	8.6	1.66	4.02	0.06	0.84	<0.01	0.012	0.07	20.9	7.6	0.50	228	18.60	0.07
R330929		0.34	8.4	1.67	3.87	0.07	0.80	<0.01	0.010	0.06	21.8	7.0	0.46	220	15.25	0.06
R330930		0.31	8.4	1.71	3.78	0.06	0.76	<0.01	0.011	0.06	19.8	6.8	0.45	220	16.25	0.07
R330931		0.36	10.2	1.65	3.36	0.05	0.73	<0.01	0.010	0.06	19.9	6.0	0.42	248	1.11	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330893		0.31	5.3	420	2.0	2.7	0.002	0.52	<0.05	1.6	0.5	0.2	29.1	<0.01	0.07	5.7
R330894		0.24	5.5	400	3.2	4.4	0.001	0.26	<0.05	1.8	0.4	0.4	37.8	<0.01	0.10	4.7
R330895		0.22	5.5	390	1.6	2.8	0.002	0.19	<0.05	1.7	0.3	0.3	28.3	<0.01	0.02	4.7
R330896		0.30	5.4	400	1.5	2.3	0.002	0.28	<0.05	1.8	0.4	0.4	23.1	<0.01	0.04	5.0
R330897		0.29	5.5	400	12.5	2.6	0.004	0.34	<0.05	1.7	0.4	0.2	39.3	<0.01	0.12	4.9
R330898		0.31	5.5	410	2.0	2.5	0.001	0.32	<0.05	1.8	0.2	0.4	42.8	<0.01	0.13	5.1
R330899		0.25	5.3	380	2.8	2.4	0.003	0.48	<0.05	1.7	0.4	0.3	31.4	<0.01	0.19	4.5
R330900		0.25	5.8	420	1.6	2.5	0.002	0.17	<0.05	1.9	0.3	0.5	26.4	<0.01	0.05	5.2
R330901		0.23	5.6	410	1.9	2.4	0.005	0.38	<0.05	1.7	0.4	0.3	24.3	<0.01	0.07	4.9
R330902		0.24	5.3	410	4.4	1.9	0.006	0.72	<0.05	1.7	0.5	0.4	23.4	<0.01	0.91	5.0
R330903		0.25	5.0	380	11.6	1.8	0.003	0.49	<0.05	1.7	0.7	0.2	19.0	<0.01	0.53	4.3
R330904		0.27	5.3	360	1.5	2.7	0.002	0.32	<0.05	1.6	0.4	0.6	26.3	<0.01	0.04	4.6
R330905		0.34	5.9	420	2.0	2.7	0.002	0.37	<0.05	1.8	0.3	0.3	23.7	<0.01	0.04	4.9
R330906		0.31	5.0	400	2.4	2.5	0.002	0.47	<0.05	1.7	0.4	0.4	25.2	<0.01	0.08	4.8
R330907		0.23	5.5	430	3.4	9.0	0.002	0.40	<0.05	1.6	0.3	0.5	49.8	<0.01	0.06	5.0
R330908		0.30	5.3	380	2.0	6.1	0.001	0.24	<0.05	1.6	0.3	0.2	41.2	<0.01	0.05	4.6
R330909		0.34	5.7	410	1.8	3.0	0.002	0.39	<0.05	1.8	0.3	0.5	35.0	<0.01	0.12	5.1
R330910		<0.05	0.4	10	0.4	0.1	0.002	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R330911		0.22	5.4	410	2.2	2.7	0.002	0.27	<0.05	1.6	0.4	0.2	40.2	<0.01	0.05	4.6
R330912		0.22	5.7	390	5.9	2.7	0.004	0.42	<0.05	1.6	0.4	0.5	38.8	<0.01	2.50	4.6
R330913		0.26	5.4	420	46.1	2.4	0.009	0.23	<0.05	1.8	0.8	0.2	33.8	<0.01	9.83	5.0
R330914		0.33	5.8	430	6.6	2.7	0.002	0.12	<0.05	1.9	0.5	0.6	15.6	<0.01	1.14	5.1
R330915		0.27	5.9	490	8.0	4.2	0.007	0.38	<0.05	2.0	0.4	0.4	15.7	<0.01	0.07	5.6
R330916		0.27	6.0	460	3.7	4.5	0.005	0.40	<0.05	2.0	0.5	0.6	20.6	<0.01	0.08	4.0
R330917		0.27	2.7	160	6.6	2.1	0.001	0.28	<0.05	0.8	0.5	0.2	10.7	<0.01	0.23	12.8
R330918		0.30	5.5	430	2.3	2.9	0.001	0.09	<0.05	1.8	0.2	0.5	37.6	<0.01	0.01	5.4
R330919		0.40	7.0	450	3.0	2.8	0.002	0.10	<0.05	2.1	0.2	0.3	32.3	<0.01	0.14	5.3
R330920		0.05	10.6	650	17.3	10.7	0.004	0.92	0.38	8.8	1.0	0.5	115.0	<0.01	2.27	1.5
R330921		0.25	6.2	490	2.9	5.4	0.004	0.21	<0.05	2.1	0.5	0.6	16.5	<0.01	0.05	6.1
R330922		0.32	5.5	470	8.9	4.2	0.002	0.24	<0.05	2.3	0.4	0.4	16.9	<0.01	0.05	5.9
R330923		0.24	6.2	480	6.0	3.7	0.001	0.26	<0.05	2.0	0.3	0.5	12.6	<0.01	0.05	5.7
R330924		0.23	6.0	480	8.9	5.4	0.009	0.59	<0.05	1.9	0.7	0.4	13.0	<0.01	0.43	5.3
R330925		0.28	6.1	460	2.3	2.3	0.002	0.39	<0.05	1.8	0.5	0.6	26.4	<0.01	0.06	4.7
R330926		0.33	6.2	470	6.6	2.1	0.019	0.44	<0.05	1.9	0.4	0.3	27.9	<0.01	2.83	5.8
R330927		0.39	6.4	450	1.5	2.8	0.001	0.09	<0.05	2.0	0.3	0.3	25.0	<0.01	0.09	5.5
R330928		0.38	5.8	460	3.6	2.8	0.007	0.11	<0.05	2.0	0.4	0.6	28.8	<0.01	0.10	5.4
R330929		0.35	6.2	450	2.8	2.4	0.007	0.16	<0.05	2.0	0.2	0.3	29.9	<0.01	0.07	5.1
R330930		0.30	5.9	450	2.0	2.3	0.007	0.21	<0.05	2.0	0.3	0.3	30.0	<0.01	0.07	4.7
R330931		0.32	5.6	450	3.0	2.5	0.002	0.21	<0.05	1.9	0.3	0.5	40.7	<0.01	0.08	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R330893		0.041	0.02	2.06	25	0.19	4.38	22	22.8
R330894		0.041	0.03	1.77	27	0.16	3.90	30	21.2
R330895		0.046	0.02	1.72	29	0.21	4.20	33	20.5
R330896		0.048	0.02	1.92	29	0.26	4.64	30	21.8
R330897		0.044	0.02	1.85	26	0.22	4.44	32	20.7
R330898		0.045	0.02	1.84	28	0.27	4.65	29	21.3
R330899		0.038	0.02	1.71	25	0.22	4.72	25	20.5
R330900		0.045	0.02	1.78	27	0.23	4.54	34	21.2
R330901		0.046	0.02	2.04	24	0.24	4.93	27	21.4
R330902		0.037	<0.02	1.94	22	0.21	5.08	23	21.3
R330903		0.039	<0.02	1.67	22	0.27	4.79	24	19.6
R330904		0.040	0.02	1.86	23	0.26	4.26	25	19.7
R330905		0.050	0.02	2.12	27	0.24	4.61	27	21.8
R330906		0.041	0.02	1.82	25	0.22	4.25	29	20.1
R330907		0.032	0.07	1.84	22	0.14	4.40	36	21.5
R330908		0.044	0.05	1.76	24	0.18	3.93	34	20.2
R330909		0.047	0.02	2.03	25	0.25	4.82	30	24.7
R330910		<0.005	<0.02	0.07	<1	<0.05	0.60	<2	0.8
R330911		0.033	0.02	1.77	22	0.19	4.43	29	19.6
R330912		0.033	0.02	1.65	22	0.16	4.03	30	18.0
R330913		0.042	0.02	1.77	24	0.20	4.22	30	19.4
R330914		0.059	0.02	1.94	25	0.22	4.41	35	20.4
R330915		0.067	0.02	2.30	30	0.18	5.30	44	25.2
R330916		0.066	0.02	1.57	28	0.20	4.51	43	22.5
R330917		0.021	0.02	5.94	12	0.16	3.26	16	49.7
R330918		0.055	0.02	1.93	24	0.19	3.68	36	19.9
R330919		0.069	<0.02	2.14	25	0.18	4.05	35	20.8
R330920		0.058	0.14	0.36	70	0.45	7.38	86	11.3
R330921		0.074	0.03	2.36	30	0.16	5.05	46	23.0
R330922		0.075	<0.02	2.11	33	0.15	5.87	39	24.0
R330923		0.077	0.02	1.94	41	0.19	4.83	53	22.5
R330924		0.060	0.03	1.92	31	0.23	4.88	42	22.4
R330925		0.050	0.02	1.78	23	0.24	4.50	25	18.5
R330926		0.049	<0.02	1.97	22	0.35	4.56	20	20.2
R330927		0.067	0.02	2.06	25	0.30	4.25	25	20.8
R330928		0.069	0.02	1.84	24	0.24	4.14	25	20.0
R330929		0.062	<0.02	1.86	26	0.25	4.31	23	18.3
R330930		0.058	<0.02	1.86	25	0.23	4.20	22	18.2
R330931		0.058	0.02	1.68	27	0.23	4.14	25	16.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 5-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15126103

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

CERTIFICATE SD15129618

Project: Miller

This report is for 150 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330932		3.39	0.009	0.19	1.67	0.7	<0.2	<10	20	0.16	0.45	1.41	0.12	18.20	31.5	23
R330933		3.01	0.009	0.13	1.60	0.8	<0.2	<10	20	0.15	0.13	1.25	0.09	15.15	26.9	16
R330934		1.40	0.003	0.06	2.59	0.5	<0.2	<10	20	0.32	0.09	1.51	0.07	14.80	31.1	4
R330935		1.80	0.002	0.04	2.63	0.4	<0.2	<10	30	0.47	0.13	1.43	0.08	16.40	30.6	2
R330936		2.81	0.007	0.08	0.81	0.3	<0.2	<10	50	0.32	0.15	1.22	0.09	37.0	6.6	17
R330937		2.85	0.011	0.04	0.81	0.3	<0.2	<10	70	0.40	0.09	1.43	0.03	39.7	7.2	16
R330938		2.78	0.076	0.10	0.84	0.4	<0.2	<10	40	0.38	0.41	1.68	0.02	36.4	7.3	15
R330939		2.87	0.007	0.03	3.08	0.5	<0.2	<10	20	0.44	0.11	2.79	0.04	12.25	36.1	1
R330940		0.11	<0.001	0.01	0.01	0.3	<0.2	<10	10	<0.05	<0.01	0.01	<0.01	1.07	0.1	<1
R330941		3.01	<0.001	0.03	2.25	0.4	<0.2	<10	20	0.31	0.19	1.83	0.04	11.60	30.9	2
R330942		3.15	0.007	0.05	2.61	0.5	<0.2	<10	20	0.64	0.12	3.23	0.07	12.40	35.2	1
R330943		2.06	0.254	1.08	0.63	0.2	0.2	<10	50	0.27	1.54	1.68	0.03	36.8	6.1	18
R330944		2.02	0.009	0.13	0.69	0.2	<0.2	<10	40	0.25	0.20	1.49	0.04	40.8	6.4	21
R330945		3.23	0.010	0.08	2.57	0.5	<0.2	<10	30	0.68	0.27	4.26	0.06	10.30	34.9	11
R330946		1.06	0.004	0.07	0.79	0.3	<0.2	<10	30	0.22	0.15	2.25	0.12	44.3	7.8	22
R330947		1.13	0.003	0.06	2.48	0.5	<0.2	<10	20	0.63	0.09	6.03	0.07	6.34	41.8	30
R330948		3.84	0.002	0.08	2.03	0.5	<0.2	<10	20	0.38	0.14	2.72	0.07	13.70	32.9	12
R330949		3.23	0.002	0.07	1.90	0.5	<0.2	<10	20	0.37	0.10	2.20	0.08	13.40	28.0	5
R330950		0.07	0.898	5.76	1.07	39.4	0.8	<10	50	0.17	1.12	0.41	4.72	5.32	13.9	19
R330951		3.65	0.001	0.05	1.69	0.5	<0.2	<10	20	0.32	0.05	2.64	0.10	12.70	26.0	3
R330952		1.02	<0.001	0.10	1.63	0.6	<0.2	<10	20	0.36	0.53	3.69	0.05	13.20	27.5	4
R330953		1.53	0.003	0.11	1.73	1.0	<0.2	<10	30	0.23	0.25	2.14	0.07	8.15	22.7	18
R330954		3.73	0.001	0.06	2.11	0.8	<0.2	<10	30	0.52	0.15	2.36	0.07	23.4	35.8	109
R330955		2.55	0.005	0.08	1.43	0.4	<0.2	<10	20	0.24	0.35	2.14	0.03	6.61	30.2	10
R330956		3.35	0.002	0.07	1.55	0.3	<0.2	<10	20	0.19	0.14	1.82	0.03	7.28	29.8	8
R330957		2.40	0.001	0.13	1.71	0.3	<0.2	<10	40	0.29	0.21	1.59	0.06	27.9	25.9	19
R330958		2.26	0.001	0.09	2.13	0.9	<0.2	<10	20	0.28	0.08	3.14	0.11	18.20	37.1	21
R330959		2.40	0.004	0.05	2.72	0.8	<0.2	<10	30	0.36	0.20	4.72	0.06	15.25	37.6	15
R330960		<0.02	0.005	0.07	2.69	0.6	<0.2	<10	30	0.36	0.20	4.73	0.05	14.50	38.2	16
R330961		2.31	<0.001	0.03	2.31	0.8	<0.2	<10	20	0.30	0.14	2.18	0.03	9.10	43.7	11
R330962		1.89	0.001	0.03	2.33	0.5	<0.2	<10	20	0.45	0.10	3.12	0.02	6.95	39.3	10
R330963		2.67	0.009	0.40	0.95	0.3	<0.2	<10	40	0.41	0.12	1.56	0.05	48.5	9.0	31
R330964		3.10	0.001	0.03	0.98	0.2	<0.2	<10	50	0.40	0.04	1.10	0.06	58.5	7.9	33
R330965		2.44	<0.001	0.03	0.99	0.2	<0.2	<10	60	0.32	0.04	1.04	0.05	57.2	8.8	32
R330966		2.36	0.001	0.07	1.66	0.3	<0.2	<10	50	0.41	0.11	1.74	0.02	33.7	23.3	25
R330967		2.31	0.005	0.05	1.81	0.3	<0.2	<10	20	0.48	0.09	2.23	0.05	28.5	28.2	78
R330968		2.43	0.006	0.07	1.48	0.2	<0.2	<10	20	0.29	0.11	1.91	0.03	15.20	30.4	22
R330969		4.02	0.001	0.09	1.65	0.3	<0.2	<10	10	0.26	0.16	2.29	0.06	9.37	37.1	50
R330970		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.97	0.2	<1
R330971		3.53	0.005	0.23	2.07	0.3	<0.2	<10	40	0.45	1.15	2.92	0.05	9.51	37.2	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330932		0.40	129.5	5.51	7.17	0.08	0.27	<0.01	0.021	0.07	8.6	18.7	0.99	567	24.5	0.08
R330933		0.30	331	4.99	7.22	0.11	0.22	<0.01	0.022	0.06	6.8	13.6	0.90	517	2.41	0.11
R330934		0.38	91.7	7.85	12.00	0.14	0.16	<0.01	0.032	0.05	5.8	20.0	1.51	716	3.34	0.08
R330935		0.45	79.0	8.67	12.60	0.18	0.16	<0.01	0.032	0.03	6.4	19.8	1.69	735	1.63	0.06
R330936		0.25	18.2	1.89	5.96	0.14	1.19	<0.01	0.015	0.07	18.2	7.3	0.62	294	0.83	0.06
R330937		0.41	33.8	1.83	5.29	0.13	1.28	0.01	0.010	0.10	19.6	10.0	0.63	303	0.70	0.07
R330938		0.27	20.1	2.22	6.17	0.14	0.99	<0.01	0.016	0.07	18.1	9.2	0.66	309	0.57	0.06
R330939		0.27	59.3	9.89	16.30	0.35	0.14	<0.01	0.054	0.03	4.6	26.8	1.87	864	2.60	0.06
R330940		<0.05	1.0	0.03	<0.05	0.07	0.03	0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.11	0.01
R330941		0.25	67.5	8.07	11.75	0.30	0.16	0.01	0.028	0.03	4.2	18.0	1.39	651	1.00	0.08
R330942		0.54	74.2	9.26	14.90	0.32	0.18	0.01	0.052	0.05	4.5	20.0	1.61	876	1.15	0.07
R330943		0.16	14.3	1.94	4.68	0.13	1.02	<0.01	0.013	0.04	19.2	5.4	0.52	263	1.03	0.07
R330944		0.15	14.2	2.01	5.13	0.15	1.37	0.01	0.014	0.06	21.4	5.0	0.50	284	0.76	0.07
R330945		0.48	72.8	9.80	14.35	0.32	0.17	0.01	0.040	0.05	3.8	16.8	1.37	1160	1.81	0.10
R330946		0.18	18.9	2.26	5.95	0.14	0.87	<0.01	0.013	0.06	23.1	6.3	0.52	336	0.63	0.07
R330947		0.73	186.0	12.75	13.15	0.59	0.13	0.01	0.037	0.02	2.5	16.0	1.60	1580	1.22	0.06
R330948		0.29	76.1	8.02	11.80	0.27	0.19	<0.01	0.032	0.02	5.4	13.3	1.10	849	2.87	0.09
R330949		0.17	75.3	7.26	11.00	0.28	0.16	0.01	0.030	0.02	4.9	11.9	0.98	695	0.96	0.11
R330950		3.66	6770	6.44	3.15	0.12	<0.02	0.05	0.296	0.28	2.6	10.7	0.30	613	134.0	0.02
R330951		0.17	59.5	6.23	10.45	0.24	0.18	0.01	0.034	0.03	4.6	8.5	0.75	801	0.86	0.16
R330952		0.21	59.7	6.62	10.65	0.27	0.16	0.01	0.039	0.03	4.8	10.0	0.87	898	18.00	0.13
R330953		0.56	91.1	6.56	9.87	0.24	0.14	0.01	0.027	0.03	2.9	12.9	0.89	861	6.26	0.07
R330954		0.56	91.7	6.79	12.50	0.29	0.29	0.01	0.031	0.06	9.4	20.4	1.54	866	1.72	0.10
R330955		0.16	160.0	6.51	8.43	0.24	0.15	<0.01	0.026	0.03	2.4	9.0	0.80	717	2.81	0.13
R330956		0.15	152.0	5.83	8.14	0.23	0.14	0.01	0.020	0.03	2.7	11.3	0.87	678	2.10	0.11
R330957		0.50	95.4	5.87	9.67	0.20	0.71	0.01	0.023	0.08	13.8	14.2	1.07	771	4.21	0.10
R330958		0.29	115.0	6.27	10.30	0.24	0.41	0.01	0.038	0.06	8.7	17.5	1.29	897	0.81	0.07
R330959		0.40	117.0	9.05	13.80	0.25	0.41	0.01	0.057	0.06	6.9	22.5	1.83	1100	0.74	0.04
R330960		0.40	119.0	8.92	13.65	0.26	0.38	<0.01	0.061	0.05	6.4	22.8	1.82	1100	0.75	0.04
R330961		0.37	171.0	9.14	12.15	0.31	0.22	0.01	0.033	0.02	3.8	16.9	1.59	932	0.42	0.07
R330962		0.90	143.0	8.86	13.05	0.30	0.18	0.01	0.041	0.02	2.7	17.5	1.70	1000	0.32	0.06
R330963		0.34	55.3	2.34	6.59	0.16	0.82	<0.01	0.017	0.08	24.3	9.6	0.77	352	0.82	0.08
R330964		0.47	15.9	2.19	6.62	0.15	0.52	<0.01	0.011	0.06	29.0	9.9	0.79	375	0.81	0.08
R330965		0.60	13.9	2.19	6.40	0.15	0.58	<0.01	0.012	0.10	29.2	10.2	0.73	373	0.92	0.08
R330966		0.36	66.4	5.53	9.74	0.20	0.97	0.01	0.023	0.06	16.8	15.7	1.11	710	0.83	0.07
R330967		0.37	127.5	5.35	9.13	0.20	0.54	0.01	0.024	0.06	13.6	21.8	1.39	646	0.68	0.06
R330968		0.32	127.0	5.16	8.10	0.19	0.29	0.01	0.020	0.05	7.0	14.8	0.96	579	0.63	0.07
R330969		0.33	159.0	5.80	8.18	0.22	0.20	0.01	0.022	0.05	3.6	15.5	0.95	743	1.45	0.10
R330970		<0.05	2.5	0.03	<0.05	0.07	0.02	0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
R330971		3.12	148.0	6.91	10.15	0.23	0.24	0.01	0.029	0.18	3.7	21.7	1.46	828	2.34	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330932		0.08	19.8	580	3.7	3.5	0.027	1.49	0.05	6.5	1.6	0.5	26.5	<0.01	0.19	1.2
R330933		0.07	15.6	630	1.9	2.5	0.003	0.75	<0.05	6.4	1.0	0.3	24.1	<0.01	0.10	0.9
R330934		0.07	5.1	830	1.1	2.3	0.005	0.42	<0.05	9.8	1.0	0.4	31.4	<0.01	0.05	0.6
R330935		0.08	3.4	830	0.9	1.8	0.004	0.28	<0.05	9.2	0.8	0.4	51.6	<0.01	0.04	0.3
R330936		0.24	6.8	650	7.2	3.8	<0.001	0.22	0.08	3.0	0.6	0.6	58.4	<0.01	0.09	3.4
R330937		0.19	6.8	650	6.4	6.6	<0.001	0.23	0.07	2.5	0.8	0.3	69.1	<0.01	0.04	3.6
R330938		0.19	5.8	780	5.5	3.7	0.001	0.31	0.06	3.5	0.6	0.5	60.4	<0.01	0.39	3.2
R330939		0.08	3.7	850	0.7	1.7	0.004	0.31	0.05	17.9	1.5	0.5	48.3	0.01	0.02	0.3
R330940		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R330941		0.10	3.3	830	1.1	1.3	0.002	0.60	<0.05	9.7	1.4	0.5	43.6	<0.01	0.03	0.3
R330942		0.08	3.6	830	0.9	3.5	0.002	0.34	<0.05	15.5	1.4	0.7	75.3	0.01	0.05	0.3
R330943		0.30	8.5	640	9.4	2.1	0.003	0.56	<0.05	3.4	0.7	0.5	45.2	<0.01	1.53	4.5
R330944		0.40	8.4	610	7.2	2.5	0.001	0.52	<0.05	2.9	0.5	0.4	45.6	<0.01	0.12	4.5
R330945		0.07	14.0	750	1.3	2.4	0.005	0.57	<0.05	15.6	1.3	0.5	59.3	<0.01	0.07	0.3
R330946		0.35	8.9	610	6.0	2.6	<0.001	0.27	<0.05	3.4	0.7	0.5	29.4	<0.01	0.13	4.6
R330947		0.09	33.7	480	1.6	1.7	0.001	0.57	<0.05	16.0	1.2	0.5	38.1	0.01	0.07	0.2
R330948		0.10	7.7	890	2.1	1.0	0.006	0.80	<0.05	11.6	1.2	0.4	46.1	<0.01	0.13	0.4
R330949		0.09	3.1	910	2.1	0.9	0.002	0.55	<0.05	8.4	1.4	0.5	45.5	0.01	0.08	0.4
R330950		<0.05	15.4	460	107.5	13.5	0.211	4.92	2.51	1.4	7.4	1.7	36.7	<0.01	0.93	1.2
R330951		0.10	2.1	930	2.1	1.3	0.002	0.35	<0.05	11.4	1.6	0.4	25.9	<0.01	0.05	0.4
R330952		0.08	2.3	880	3.4	1.1	0.013	0.83	<0.05	13.4	1.3	0.4	33.2	<0.01	0.07	0.3
R330953		0.05	2.8	570	3.1	1.6	0.008	1.02	<0.05	9.0	1.6	0.5	20.2	<0.01	0.14	0.2
R330954		0.08	29.0	1250	1.6	1.9	0.003	0.54	<0.05	9.9	1.4	0.5	55.4	<0.01	0.09	0.7
R330955		0.11	12.9	560	1.7	0.9	0.009	0.56	<0.05	9.1	1.0	0.4	30.2	<0.01	0.05	0.2
R330956		0.08	13.3	580	1.0	1.0	0.005	0.27	<0.05	8.7	1.2	0.3	27.8	<0.01	0.04	0.2
R330957		0.14	16.2	660	6.3	5.1	0.003	0.35	<0.05	7.6	0.9	0.3	34.5	<0.01	0.05	2.1
R330958		0.09	24.6	600	2.1	2.5	0.001	0.35	<0.05	14.4	1.5	0.5	39.3	<0.01	0.07	1.3
R330959		0.06	21.0	590	1.2	3.8	0.002	0.57	<0.05	27.2	1.5	0.5	60.3	<0.01	0.04	1.1
R330960		0.07	21.4	590	1.2	3.6	0.001	0.58	<0.05	27.5	1.5	0.5	59.3	<0.01	0.05	1.0
R330961		0.12	19.3	600	0.8	1.1	0.001	0.52	<0.05	12.1	1.3	0.5	32.1	<0.01	0.03	0.2
R330962		0.05	18.5	570	0.7	2.2	0.001	0.27	<0.05	18.3	1.6	0.6	45.9	<0.01	0.04	0.2
R330963		0.36	12.3	780	5.7	3.8	0.002	0.40	<0.05	4.2	0.7	0.4	63.2	<0.01	0.33	4.7
R330964		0.38	12.9	890	7.1	3.9	0.001	0.11	<0.05	2.9	0.7	0.3	54.8	<0.01	0.03	5.0
R330965		0.42	13.4	890	6.9	5.4	<0.001	0.11	<0.05	2.8	0.6	0.2	64.9	<0.01	0.03	4.7
R330966		0.20	17.8	740	3.1	3.7	0.001	0.26	<0.05	8.5	0.9	0.4	54.7	<0.01	0.07	2.8
R330967		0.13	33.3	860	2.4	3.3	0.002	0.29	0.07	9.4	0.8	0.3	57.4	<0.01	0.05	1.9
R330968		0.10	23.6	570	1.3	2.2	0.001	0.39	<0.05	7.9	0.7	0.3	30.4	<0.01	0.06	1.0
R330969		0.14	31.4	690	1.1	2.3	0.002	0.52	<0.05	10.2	0.8	0.3	40.0	<0.01	0.07	0.4
R330970		<0.05	0.6	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R330971		0.09	35.0	600	1.9	17.3	0.003	0.37	<0.05	14.0	0.9	0.4	39.4	<0.01	0.09	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R330932		0.190	0.03	0.19	82	0.60	7.98	87	8.3	
R330933		0.189	0.02	0.14	89	0.35	8.85	73	6.1	
R330934		0.249	0.02	0.10	94	0.42	14.10	108	3.6	
R330935		0.284	0.02	0.11	104	0.35	14.45	117	3.3	
R330936		0.112	0.02	1.24	35	0.55	5.59	45	36.3	
R330937		0.103	0.04	1.28	31	0.43	5.80	43	38.1	
R330938		0.106	0.02	1.08	38	0.83	5.86	44	35.8	
R330939		0.307	0.02	0.06	123	0.48	18.75	133	2.4	
R330940		<0.005	<0.02	0.10	<1	<0.05	0.67	<2	0.8	
R330941		0.286	<0.02	0.06	99	0.38	14.70	111	2.9	
R330942		0.330	0.03	0.16	117	0.60	18.75	142	3.9	
R330943		0.091	<0.02	1.60	29	0.63	6.16	39	44.5	
R330944		0.106	0.02	1.58	31	0.70	5.63	39	51.7	
R330945		0.296	<0.02	0.07	142	1.15	16.85	121	3.2	
R330946		0.127	0.02	1.66	39	0.85	6.76	49	36.8	
R330947		0.297	0.02	0.08	210	1.94	13.40	113	2.8	
R330948		0.307	<0.02	0.06	101	0.62	15.15	98	3.9	
R330949		0.278	<0.02	0.11	72	0.50	14.40	97	4.2	
R330950		0.013	0.34	0.17	17	2.34	2.76	797	<0.5	
R330951		0.288	<0.02	<0.05	66	0.34	16.50	91	3.8	
R330952		0.258	<0.02	0.05	71	0.39	16.75	91	3.6	
R330953		0.213	0.02	0.05	56	0.41	10.75	93	2.9	
R330954		0.319	<0.02	0.09	100	0.57	15.30	112	7.2	
R330955		0.319	<0.02	<0.05	180	0.32	11.40	69	3.5	
R330956		0.294	<0.02	<0.05	181	0.39	11.10	72	2.8	
R330957		0.283	0.03	0.57	137	0.23	9.13	95	26.1	
R330958		0.271	0.02	0.32	168	0.41	10.15	123	14.4	
R330959		0.297	0.02	0.32	261	0.65	14.65	119	13.8	
R330960		0.303	0.02	0.30	262	0.65	14.60	119	13.3	
R330961		0.448	<0.02	0.06	251	0.24	15.00	112	3.7	
R330962		0.347	0.02	0.06	271	0.68	14.80	123	2.9	
R330963		0.159	0.02	1.48	48	0.92	7.07	56	38.0	
R330964		0.167	0.02	1.42	38	0.61	6.94	61	29.7	
R330965		0.172	0.03	1.33	39	0.37	6.71	58	29.1	
R330966		0.315	0.02	0.82	117	0.77	10.35	87	36.3	
R330967		0.237	0.02	0.47	130	0.74	10.45	82	20.6	
R330968		0.237	0.02	0.20	130	0.34	8.26	68	9.1	
R330969		0.298	0.02	0.12	154	0.57	9.45	74	4.8	
R330970		<0.005	<0.02	0.07	<1	<0.05	0.59	2	0.7	
R330971		0.317	0.15	0.08	202	0.48	11.55	95	5.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R330972		3.20	0.003	0.08	1.84	0.5	<0.2	<10	10	0.22	0.16	2.27	0.05	6.32	32.4	26
R330973		4.06	0.005	0.08	1.79	0.3	<0.2	<10	20	0.26	0.18	2.52	0.04	7.39	33.3	30
R330974		3.67	0.002	0.04	1.64	<0.1	<0.2	<10	10	0.20	0.03	1.39	0.04	6.78	23.3	38
R330975		3.67	0.002	0.08	1.42	0.2	<0.2	<10	30	0.27	0.07	1.44	0.03	11.95	25.7	77
R330976		3.72	0.003	0.06	1.50	0.1	<0.2	<10	10	0.21	0.06	1.37	0.04	6.68	24.1	27
R330977		3.61	0.006	0.06	1.58	0.1	<0.2	<10	10	0.19	0.03	1.43	0.04	7.20	23.2	26
R330978		3.82	0.002	0.09	1.40	0.2	<0.2	<10	10	0.26	0.12	1.94	0.06	7.14	31.4	28
R330979		3.54	0.001	0.08	1.52	0.2	<0.2	<10	10	0.34	0.08	2.60	0.05	9.04	30.0	26
R330980		0.07	0.961	6.15	1.04	42.2	0.7	<10	40	0.18	1.17	0.40	5.28	5.16	14.2	19
R330981		3.74	0.004	0.11	1.94	0.3	<0.2	<10	10	0.24	0.16	3.25	0.04	7.67	28.8	17
R330982		3.49	0.001	0.09	1.41	0.3	<0.2	<10	10	0.26	0.09	1.71	0.04	7.23	33.4	22
R330983		3.23	0.002	0.04	1.48	0.1	<0.2	<10	10	0.23	0.07	1.52	0.05	7.42	26.0	24
R330984		3.48	0.002	0.07	1.97	0.3	<0.2	<10	<10	0.21	0.61	2.02	0.02	7.22	33.0	25
R330985		3.66	0.004	0.05	2.92	0.5	<0.2	<10	<10	0.28	0.08	3.15	0.04	7.47	42.5	27
R330986		3.06	0.001	0.03	2.62	0.4	<0.2	<10	<10	0.27	0.04	2.29	0.03	8.64	34.6	21
R330987		2.57	0.004	0.11	1.70	0.3	<0.2	<10	<10	0.29	0.24	2.57	0.06	7.46	29.6	18
R330988		4.22	0.008	0.04	1.67	0.3	<0.2	<10	10	0.23	0.07	2.87	0.04	7.27	26.2	19
R330989		2.17	0.014	0.07	3.70	0.4	<0.2	<10	10	0.95	0.40	2.63	0.06	7.31	52.8	30
R330990		<0.02	0.005	1.05	3.66	0.7	3.4	<10	10	0.95	0.41	2.65	0.04	7.38	54.6	30
R330991		2.91	0.002	0.06	2.94	0.5	<0.2	<10	10	0.57	0.13	1.77	0.08	8.27	41.5	31
R330992		3.30	0.008	0.07	2.65	0.4	<0.2	<10	10	0.54	0.16	2.08	0.02	8.12	42.5	27
R330993		3.60	0.002	0.07	2.43	0.7	<0.2	<10	10	0.47	0.15	2.45	0.04	17.20	32.8	24
R330994		3.40	0.087	0.21	1.67	0.6	<0.2	<10	10	0.30	0.33	2.59	0.01	19.70	16.0	22
R330995		2.62	0.005	0.03	2.27	0.8	<0.2	<10	10	0.57	0.23	3.33	0.04	11.95	30.6	18
R330996		2.36	0.004	0.06	3.31	0.4	<0.2	<10	10	0.97	0.89	2.11	0.01	8.44	52.9	31
R330997		3.51	0.009	0.13	4.45	0.2	<0.2	<10	10	1.12	0.85	2.37	0.03	61.9	56.7	44
R330998		2.74	0.041	0.14	3.79	0.2	<0.2	<10	<10	0.76	0.27	1.13	<0.01	5.13	38.0	142
R330999		2.32	0.005	0.13	5.31	0.2	<0.2	<10	<10	1.00	0.32	0.76	0.01	8.07	50.0	271
R331000		3.24	0.012	0.23	5.09	0.2	<0.2	<10	<10	0.61	0.44	0.54	<0.01	6.12	51.8	45
R331001		2.26	0.007	0.14	1.49	0.2	<0.2	<10	10	0.36	0.28	0.32	0.01	8.05	13.0	29
R331002		1.31	0.011	0.32	0.18	0.2	<0.2	<10	10	0.10	0.23	0.72	0.03	2.55	2.2	5
R331003		1.72	0.002	0.12	0.32	0.2	<0.2	<10	10	0.18	0.08	0.76	0.01	4.30	2.9	9
R331004		2.62	0.003	0.08	0.81	<0.1	<0.2	<10	<10	0.21	0.08	0.27	0.01	7.08	7.7	20
R331005		2.68	0.001	0.03	0.91	<0.1	<0.2	<10	<10	0.24	0.05	0.27	0.01	7.93	7.5	20
R331006		2.86	0.014	0.05	0.90	0.2	<0.2	<10	<10	0.18	0.04	0.43	<0.01	6.66	7.6	20
R331007		3.07	0.005	0.09	1.04	<0.1	<0.2	<10	<10	0.21	0.10	0.43	0.01	5.86	9.6	17
R331008		3.07	0.003	0.03	1.23	0.1	<0.2	<10	<10	0.23	0.06	0.26	<0.01	8.21	10.0	24
R331009		1.60	0.015	0.11	1.39	<0.1	<0.2	<10	<10	0.26	0.19	0.24	0.01	7.16	13.4	25
R331010		0.09	<0.001	0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R331011		1.39	0.010	0.12	1.59	0.1	<0.2	<10	<10	0.35	0.29	0.22	<0.01	5.89	15.1	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R330972		0.59	188.0	6.94	9.55	0.24	0.16	0.01	0.029	0.06	2.2	16.8	1.19	661	3.08	0.11
R330973		0.47	152.0	6.29	9.01	0.23	0.17	0.01	0.020	0.09	2.9	15.1	1.00	742	1.69	0.11
R330974		0.27	152.5	4.84	7.81	0.21	0.12	0.02	0.020	0.05	2.6	15.7	0.98	461	1.38	0.12
R330975		0.70	118.0	4.99	6.97	0.22	0.16	0.01	0.018	0.10	4.8	16.2	0.94	393	2.10	0.12
R330976		0.38	104.5	4.92	7.35	0.21	0.13	0.01	0.022	0.06	2.4	14.3	0.96	447	4.73	0.13
R330977		0.49	124.5	4.87	7.37	0.20	0.14	0.01	0.021	0.06	2.7	15.2	0.93	455	1.04	0.13
R330978		0.27	137.0	6.01	7.47	0.22	0.19	0.01	0.019	0.05	2.6	9.7	0.77	603	1.96	0.14
R330979		0.45	110.0	5.37	7.79	0.22	0.18	0.01	0.021	0.07	3.5	13.7	0.87	638	2.30	0.13
R330980		3.60	7070	6.57	3.12	0.11	<0.02	0.06	0.320	0.27	2.5	10.4	0.31	616	141.0	0.01
R330981		0.24	152.0	6.31	8.77	0.21	0.12	0.01	0.026	0.06	2.7	10.8	0.88	1140	8.05	0.18
R330982		0.23	169.5	5.58	7.48	0.22	0.18	0.01	0.023	0.05	2.8	7.1	0.73	665	4.72	0.14
R330983		0.26	128.5	4.96	7.74	0.21	0.18	<0.01	0.023	0.05	2.7	8.2	0.85	533	1.58	0.15
R330984		0.17	138.5	6.12	8.86	0.22	0.13	0.01	0.023	0.02	2.7	15.0	1.26	588	1.76	0.08
R330985		0.45	148.0	8.17	12.55	0.26	0.14	0.01	0.031	0.02	2.9	22.5	2.13	793	1.12	0.05
R330986		0.23	145.0	6.90	10.75	0.27	0.15	0.01	0.030	0.02	3.5	19.1	1.75	656	0.51	0.07
R330987		0.27	150.5	5.55	8.67	0.21	0.14	0.01	0.019	0.03	2.8	12.5	1.07	528	5.95	0.09
R330988		0.23	149.5	4.56	7.94	0.22	0.16	0.01	0.020	0.02	3.0	11.8	0.97	557	1.70	0.08
R330989		1.38	407	9.95	17.95	0.21	0.21	0.01	0.068	0.09	2.7	41.3	3.71	1140	2.79	0.04
R330990		1.37	409	9.91	17.95	0.21	0.20	0.01	0.068	0.09	2.7	43.1	3.67	1140	2.66	0.04
R330991		0.84	201	8.49	13.60	0.26	0.22	0.01	0.049	0.03	2.9	31.4	2.64	910	1.26	0.07
R330992		0.67	178.5	8.77	13.60	0.26	0.20	0.01	0.042	0.02	2.9	25.6	2.30	1040	0.97	0.07
R330993		0.73	117.5	7.19	12.55	0.21	0.29	<0.01	0.042	0.04	7.7	19.7	1.97	887	6.21	0.05
R330994		0.36	64.7	5.10	8.66	0.15	0.41	<0.01	0.035	0.08	9.3	15.2	1.18	518	2.87	0.04
R330995		0.44	95.1	9.19	12.10	0.21	0.17	0.01	0.046	0.05	5.3	17.4	1.72	817	7.21	0.03
R330996		0.81	174.0	9.51	15.30	0.22	0.18	0.01	0.035	0.02	3.5	27.8	2.98	903	1.62	0.04
R330997		1.53	2680	10.20	21.5	0.31	0.20	0.01	0.067	0.01	33.0	47.1	4.84	1090	0.84	0.03
R330998		0.71	495	7.49	21.3	0.23	0.24	0.01	0.030	<0.01	1.3	44.3	4.21	799	0.90	0.04
R330999		0.89	583	9.96	30.2	0.30	0.26	0.01	0.042	<0.01	2.4	67.7	6.07	1040	1.03	0.02
R331000		0.64	2300	10.15	28.3	0.33	0.29	0.01	0.057	<0.01	0.9	58.6	5.56	1040	2.65	0.03
R331001		0.20	87.7	2.61	8.61	0.12	0.70	<0.01	0.012	0.01	3.4	20.7	1.66	326	0.33	0.10
R331002		<0.05	1045	0.52	0.73	0.09	1.70	<0.01	0.017	0.01	0.6	1.0	0.08	52	0.20	0.11
R331003		<0.05	520	0.65	1.90	0.10	1.76	<0.01	0.009	0.01	1.5	3.4	0.24	98	0.27	0.11
R331004		0.05	184.0	1.57	5.51	0.12	1.22	<0.01	0.009	0.01	2.9	11.5	0.83	213	0.22	0.09
R331005		0.09	87.2	1.74	5.71	0.13	1.05	<0.01	0.007	0.01	3.1	14.0	0.95	214	0.14	0.09
R331006		0.06	251	1.67	5.78	0.13	1.04	<0.01	0.010	0.01	2.6	14.2	0.96	222	0.16	0.08
R331007		0.12	207	1.92	6.56	0.13	1.16	<0.01	0.010	0.01	2.3	16.3	1.11	259	0.15	0.08
R331008		0.12	80.7	2.22	7.75	0.15	1.05	<0.01	0.015	0.01	3.3	18.6	1.33	295	0.14	0.08
R331009		0.16	219	2.52	8.40	0.14	0.72	<0.01	0.012	0.01	2.6	21.6	1.55	324	3.61	0.08
R331010		<0.05	0.9	0.02	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01
R331011		0.20	150.5	2.99	9.73	0.16	0.70	<0.01	0.011	0.01	2.0	26.9	1.83	377	1.12	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R330972		0.08	24.1	530	0.9	3.2	0.004	0.42	<0.05	12.6	1.1	0.3	27.8	<0.01	0.05	0.2
R330973		0.08	24.3	550	0.9	3.3	0.002	0.41	<0.05	10.6	0.7	0.3	27.5	<0.01	0.04	0.2
R330974		0.06	20.7	500	0.5	2.7	0.003	0.08	<0.05	6.9	0.3	0.2	31.0	<0.01	0.01	<0.2
R330975		0.08	28.1	680	0.9	6.3	0.002	0.22	<0.05	7.4	1.0	0.2	25.9	<0.01	0.03	0.4
R330976		0.06	20.0	500	0.9	2.7	0.006	0.16	<0.05	8.6	0.3	0.2	17.9	<0.01	0.03	0.2
R330977		0.08	18.2	510	0.7	2.7	0.001	0.08	<0.05	7.7	0.4	0.2	27.7	<0.01	0.04	0.2
R330978		0.12	21.9	560	1.4	1.9	0.004	0.31	<0.05	10.4	0.7	0.3	24.7	<0.01	0.04	0.2
R330979		0.12	22.7	600	1.3	2.8	0.003	0.26	<0.05	10.9	0.6	0.3	27.8	<0.01	0.03	0.4
R330980		0.07	16.5	470	111.5	12.3	0.210	4.97	2.51	1.4	8.6	1.8	36.5	<0.01	1.05	1.1
R330981		0.05	18.3	580	1.6	2.2	0.004	0.50	<0.05	12.9	0.9	0.3	18.1	<0.01	0.06	0.2
R330982		0.11	22.1	560	2.0	1.4	0.006	0.41	<0.05	10.1	0.7	0.3	34.8	<0.01	0.06	0.2
R330983		0.09	19.5	560	1.0	1.9	0.001	0.17	<0.05	9.5	0.4	0.3	35.0	<0.01	0.03	0.2
R330984		0.09	23.0	560	1.0	0.9	0.002	0.45	<0.05	9.3	0.9	0.2	41.7	<0.01	0.03	0.2
R330985		0.06	32.9	510	0.7	1.3	0.003	0.41	<0.05	14.7	0.7	0.3	46.7	<0.01	0.05	0.2
R330986		0.08	25.1	530	0.6	0.7	0.003	0.18	<0.05	12.3	0.6	0.2	50.8	<0.01	0.01	0.2
R330987		0.10	20.6	500	1.1	1.1	0.006	0.55	<0.05	7.9	1.3	0.3	37.7	<0.01	0.07	0.2
R330988		0.09	18.8	500	0.9	0.8	0.002	0.22	<0.05	7.2	0.5	0.3	68.6	<0.01	0.02	0.2
R330989		<0.05	34.2	550	1.5	7.3	0.006	0.59	<0.05	22.8	1.4	0.6	30.5	<0.01	0.05	0.2
R330990		<0.05	35.3	560	1.6	7.2	0.005	0.62	<0.05	22.7	1.5	0.6	30.5	<0.01	0.06	0.2
R330991		<0.05	26.9	540	1.8	2.4	0.003	0.39	<0.05	14.9	1.0	0.6	37.5	<0.01	0.05	0.3
R330992		0.05	26.8	590	1.3	1.6	0.003	0.48	<0.05	14.3	1.2	0.5	34.4	<0.01	0.06	0.2
R330993		0.07	19.9	650	1.5	2.7	0.013	0.66	<0.05	11.9	1.1	0.5	39.4	<0.01	0.08	0.9
R330994		0.06	15.8	540	1.2	3.5	0.006	1.24	<0.05	7.6	0.9	0.3	17.7	<0.01	0.35	1.7
R330995		0.06	17.2	580	0.8	2.7	0.015	0.51	<0.05	13.7	1.1	0.4	35.7	<0.01	0.09	0.5
R330996		0.05	35.5	550	1.4	1.7	0.007	0.68	<0.05	14.8	1.2	0.5	35.5	<0.01	0.08	0.3
R330997		<0.05	59.3	560	0.8	1.2	0.003	0.81	<0.05	28.0	0.8	0.6	16.5	<0.01	0.10	0.2
R330998		<0.05	84.8	650	0.9	0.5	0.002	0.23	<0.05	19.2	0.3	0.6	7.0	<0.01	0.06	0.3
R330999		<0.05	141.5	1200	0.4	0.8	0.003	0.26	<0.05	25.2	0.4	0.6	11.2	<0.01	0.09	0.4
R331000		<0.05	87.5	750	0.5	0.5	0.005	0.53	<0.05	26.3	0.6	0.7	3.2	<0.01	0.10	0.5
R331001		0.11	26.7	740	2.5	0.5	0.001	0.11	<0.05	4.6	<0.2	0.3	9.2	<0.01	0.06	5.0
R331002		0.45	1.6	60	7.3	0.1	<0.001	0.21	<0.05	0.7	0.3	<0.2	5.9	<0.01	0.07	7.8
R331003		0.38	3.7	240	1.8	0.2	<0.001	0.10	0.05	1.3	<0.2	0.2	7.1	<0.01	0.02	7.2
R331004		0.21	11.3	590	0.6	0.3	0.001	0.09	<0.05	2.4	<0.2	0.2	7.3	<0.01	0.05	5.0
R331005		0.22	12.6	660	0.4	0.3	<0.001	0.05	<0.05	2.5	<0.2	0.2	7.0	<0.01	0.02	5.6
R331006		0.18	12.7	620	0.4	0.3	<0.001	0.06	<0.05	2.6	<0.2	0.2	7.1	<0.01	0.01	4.1
R331007		0.15	14.0	510	0.5	0.5	<0.001	0.13	<0.05	3.0	<0.2	0.2	9.3	<0.01	0.04	4.6
R331008		0.15	16.9	640	0.4	0.4	<0.001	0.06	<0.05	3.9	<0.2	0.3	15.5	<0.01	0.03	4.6
R331009		0.14	19.4	670	0.8	0.4	0.001	0.27	<0.05	4.4	<0.2	0.3	8.8	<0.01	0.07	5.1
R331010		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331011		0.20	24.0	660	0.8	0.4	0.001	0.25	<0.05	5.5	0.2	0.3	6.8	0.01	0.06	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R330972		0.295	0.03	<0.05	178	0.47	10.45	77	3.3	
R330973		0.302	0.02	<0.05	164	0.45	9.71	72	3.3	
R330974		0.226	0.02	<0.05	143	0.24	8.38	59	2.8	
R330975		0.216	0.04	0.07	135	0.27	9.02	53	4.1	
R330976		0.216	0.02	<0.05	138	0.30	9.20	58	2.6	
R330977		0.237	<0.02	<0.05	136	0.29	9.90	59	3.1	
R330978		0.309	0.02	<0.05	165	0.34	11.10	60	3.7	
R330979		0.308	0.03	0.05	151	0.41	10.10	65	3.9	
R330980		0.012	0.34	0.17	17	2.80	2.71	822	<0.5	
R330981		0.235	0.02	<0.05	143	0.51	10.35	72	2.5	
R330982		0.283	0.02	<0.05	145	0.47	9.94	57	3.9	
R330983		0.294	<0.02	0.06	140	0.40	10.65	58	3.9	
R330984		0.275	<0.02	<0.05	159	0.41	9.65	75	2.6	
R330985		0.312	<0.02	<0.05	202	0.58	10.90	106	2.1	
R330986		0.298	<0.02	<0.05	176	0.26	10.40	95	2.5	
R330987		0.278	<0.02	0.07	144	0.48	9.11	68	3.3	
R330988		0.287	<0.02	<0.05	116	0.40	9.28	60	3.6	
R330989		0.385	0.03	<0.05	278	0.55	16.10	135	4.7	
R330990		0.375	0.02	0.05	276	0.60	15.85	134	4.7	
R330991		0.328	<0.02	0.05	240	0.66	16.15	116	4.2	
R330992		0.366	<0.02	0.05	247	0.65	15.00	110	3.8	
R330993		0.290	0.02	0.18	139	0.49	12.40	94	8.1	
R330994		0.124	0.02	0.35	52	0.33	7.91	65	13.4	
R330995		0.273	0.02	0.08	124	0.65	13.20	98	4.2	
R330996		0.296	<0.02	0.06	252	0.66	12.25	102	3.5	
R330997		0.393	<0.02	0.17	338	2.77	12.85	142	4.7	
R330998		0.383	<0.02	0.29	293	3.39	7.77	126	6.1	
R330999		0.275	<0.02	0.38	376	1.72	7.01	176	6.2	
R331000		0.379	<0.02	0.81	359	2.12	7.67	173	9.7	
R331001		0.073	<0.02	1.72	75	0.37	4.11	59	30.2	
R331002		0.016	<0.02	1.27	5	0.36	2.33	4	38.9	
R331003		0.031	<0.02	1.49	12	0.23	3.42	11	43.1	
R331004		0.064	<0.02	1.73	34	0.15	3.63	35	43.5	
R331005		0.082	<0.02	1.52	39	0.24	3.47	36	41.5	
R331006		0.067	<0.02	1.27	38	0.15	3.27	36	39.5	
R331007		0.062	<0.02	1.23	43	0.13	3.31	43	43.6	
R331008		0.076	<0.02	1.52	54	0.16	3.91	51	43.2	
R331009		0.080	<0.02	1.66	61	0.14	4.25	58	32.9	
R331010		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.7	
R331011		0.074	<0.02	1.71	74	0.14	4.25	69	31.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331012		1.01	0.009	0.35	3.29	0.4	<0.2	<10	10	0.69	0.61	0.89	0.02	4.06	30.8	36
R331013		2.00	0.068	0.46	0.67	0.1	0.2	<10	<10	0.17	0.66	0.11	<0.01	1.60	8.4	13
R331014		1.49	0.003	0.22	3.97	0.2	<0.2	<10	<10	0.47	0.36	0.54	0.02	4.81	41.2	36
R331015		0.82	0.054	0.77	1.52	0.2	<0.2	<10	<10	0.18	1.37	0.36	0.04	3.82	27.0	30
R331016		1.59	0.006	0.25	4.41	0.1	<0.2	<10	<10	0.60	0.36	0.57	<0.01	4.16	44.7	55
R331017		1.79	0.012	0.37	3.86	0.1	<0.2	<10	10	0.58	0.52	0.49	0.01	3.52	41.5	57
R331018		1.58	0.007	0.78	3.37	0.2	<0.2	<10	<10	0.40	0.54	0.37	0.02	2.99	36.5	57
R331019		2.26	0.009	0.38	3.41	0.1	<0.2	<10	<10	0.39	0.69	0.44	0.01	3.53	38.3	103
R331020		0.07	9.39	9.53	1.54	11.7	8.5	<10	30	0.56	0.06	3.71	0.29	19.10	10.7	17
R331021		2.21	0.004	0.18	4.28	0.2	<0.2	<10	<10	0.50	0.47	0.49	0.01	3.18	46.4	64
R331022		2.59	0.011	0.15	4.90	0.1	<0.2	<10	<10	0.65	0.52	0.45	<0.01	3.91	51.4	74
R331023		2.27	0.007	0.29	2.67	0.1	<0.2	<10	<10	0.40	0.56	0.52	0.01	3.04	30.0	47
R331024		2.28	0.003	0.21	2.87	0.2	<0.2	<10	<10	0.37	0.41	0.52	<0.01	4.24	33.0	49
R331025		1.74	0.121	0.57	2.57	0.3	<0.2	<10	<10	0.32	1.07	0.46	0.01	3.33	35.6	49
R331026		1.51	0.061	0.34	2.61	<0.1	<0.2	<10	<10	0.31	0.46	0.36	0.01	4.32	27.1	213
R331027		1.96	0.260	0.85	1.05	<0.1	<0.2	<10	10	0.18	1.27	0.60	0.01	2.91	15.1	108
R331028		2.29	0.024	0.21	3.79	<0.1	<0.2	<10	20	0.47	0.35	0.52	0.01	4.03	36.9	252
R331029		2.16	0.085	0.38	2.10	0.1	<0.2	<10	10	0.22	0.71	0.60	0.02	4.03	27.1	43
R331030		<0.02	0.065	0.52	2.05	0.1	<0.2	<10	10	0.24	0.71	0.56	0.01	3.83	26.5	43
R331031		2.22	0.020	0.25	2.27	<0.1	<0.2	<10	<10	0.34	0.53	0.57	0.01	3.69	29.6	36
R331032		2.25	0.002	0.10	3.35	<0.1	<0.2	<10	<10	0.51	0.17	0.51	<0.01	3.82	32.9	40
R331033		2.01	0.042	0.28	4.35	0.3	<0.2	<10	10	0.48	0.54	0.43	0.02	2.99	46.6	53
R331034		0.86	0.185	0.79	0.25	0.1	0.2	<10	10	0.19	2.05	0.58	0.02	1.55	3.9	10
R331035		0.85	0.003	0.14	3.33	<0.1	<0.2	<10	<10	0.37	0.21	0.51	0.01	3.50	34.2	60
R331036		1.69	0.001	0.07	3.92	0.1	<0.2	<10	20	0.79	0.18	0.45	<0.01	9.39	38.8	206
R331037		2.42	0.004	0.18	3.71	0.2	<0.2	<10	260	0.72	0.51	0.52	0.02	10.80	42.7	69
R331038		2.48	0.010	0.14	3.74	0.1	<0.2	<10	270	0.47	0.50	0.64	0.01	3.90	43.1	44
R331039		2.93	0.006	0.07	5.22	0.2	<0.2	<10	30	0.95	0.20	0.54	0.01	15.80	56.7	49
R331040		0.12	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.92	0.1	<1
R331041		0.87	0.038	0.14	0.20	0.5	<0.2	<10	10	0.19	0.74	0.59	0.02	4.10	2.6	16
R331042		2.58	0.002	0.08	2.70	0.2	<0.2	<10	640	0.92	0.30	3.48	0.03	11.55	43.4	83
R331043		2.36	0.002	0.05	2.29	0.4	<0.2	<10	20	0.61	0.15	1.56	0.01	8.26	51.9	31
R331044		2.38	0.002	0.04	1.52	<0.1	<0.2	<10	40	0.31	0.14	1.59	0.03	8.04	38.9	22
R331045		1.94	0.001	0.06	2.55	0.7	<0.2	<10	60	0.26	0.11	1.77	0.02	6.96	40.4	53
R331046		3.70	0.002	0.05	1.58	0.3	<0.2	<10	40	0.25	0.07	1.56	0.03	8.24	39.8	34
R331047		3.79	0.002	0.04	2.07	0.2	<0.2	<10	130	0.42	0.26	2.30	0.01	9.50	47.0	45
R331048		3.88	0.001	0.04	2.23	0.3	<0.2	<10	20	0.47	0.21	2.15	0.02	9.02	40.8	46
R331049		3.77	0.011	0.06	3.04	0.2	<0.2	<10	10	0.76	0.23	4.09	0.03	7.93	44.7	35
R331050		0.07	2.41	4.72	1.63	19.0	2.4	<10	40	0.62	0.08	3.86	0.35	21.9	10.4	25
R331051		3.66	0.044	0.03	3.45	0.4	<0.2	<10	10	1.00	0.48	2.09	0.07	12.35	45.0	54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331012		0.55	538	6.22	18.20	0.25	0.57	<0.01	0.024	<0.01	1.3	61.7	3.76	718	12.40	0.04
R331013		0.07	1525	1.66	4.00	0.11	1.57	<0.01	0.015	<0.01	0.3	9.9	0.65	154	14.80	0.06
R331014		0.48	966	7.70	21.7	0.30	0.40	<0.01	0.023	<0.01	0.8	66.2	4.44	836	1.48	0.04
R331015		0.12	>10000	5.98	8.27	0.19	0.39	<0.01	0.092	<0.01	0.6	19.9	1.60	363	10.40	0.05
R331016		0.61	1490	8.36	22.4	0.33	0.29	<0.01	0.034	<0.01	0.8	69.4	4.99	919	1.65	0.03
R331017		0.74	2720	7.50	20.3	0.30	0.33	<0.01	0.046	<0.01	0.6	62.3	4.58	723	0.79	0.03
R331018		0.57	1960	6.53	16.90	0.27	0.59	<0.01	0.032	<0.01	0.5	51.6	3.91	682	0.88	0.05
R331019		0.50	4600	6.94	17.75	0.26	0.27	<0.01	0.062	<0.01	0.6	53.0	3.95	701	0.72	0.04
R331020		2.47	67.1	2.87	6.67	0.24	0.72	0.16	0.024	0.12	8.5	27.9	1.04	783	4.93	0.06
R331021		0.83	1690	8.04	21.6	0.27	0.21	0.01	0.035	<0.01	0.5	68.2	4.79	896	0.84	0.04
R331022		0.71	763	9.38	24.0	0.32	0.21	<0.01	0.032	<0.01	0.9	86.4	5.41	985	65.1	0.02
R331023		0.28	3670	5.61	13.00	0.21	0.50	<0.01	0.048	<0.01	0.5	42.8	2.89	611	0.73	0.06
R331024		0.23	2150	5.87	15.15	0.24	0.30	<0.01	0.034	<0.01	0.8	46.7	3.02	619	1.21	0.06
R331025		0.30	2290	6.28	12.70	0.21	0.28	0.01	0.038	<0.01	0.6	42.0	2.84	550	77.6	0.06
R331026		0.27	5380	5.56	12.70	0.20	0.71	<0.01	0.061	<0.01	1.0	43.1	2.91	492	0.95	0.06
R331027		0.17	5170	3.11	4.97	0.12	1.84	0.01	0.047	<0.01	0.7	15.6	1.13	222	94.7	0.07
R331028		0.51	2510	7.32	17.65	0.25	0.57	<0.01	0.042	<0.01	1.1	62.3	4.54	686	0.72	0.04
R331029		0.10	2920	5.73	10.50	0.20	0.25	<0.01	0.036	<0.01	0.8	32.3	2.30	422	1.71	0.06
R331030		0.10	2740	5.55	10.60	0.19	0.23	<0.01	0.032	<0.01	0.8	31.5	2.26	411	1.84	0.05
R331031		0.22	2710	5.69	11.75	0.22	0.34	<0.01	0.035	<0.01	0.8	35.3	2.52	465	2.39	0.06
R331032		0.41	583	6.72	17.35	0.24	0.26	<0.01	0.019	<0.01	0.9	50.1	3.92	655	1.24	0.05
R331033		0.44	2810	9.34	20.9	0.26	0.24	<0.01	0.043	<0.01	0.7	60.1	4.75	849	1.90	0.03
R331034		0.10	5710	1.56	1.17	0.10	2.78	<0.01	0.046	0.01	0.4	2.2	0.17	70	0.78	0.08
R331035		0.32	253	6.59	17.60	0.27	0.31	<0.01	0.022	<0.01	0.8	45.5	3.75	656	1.36	0.05
R331036		0.48	84.4	7.67	19.00	0.24	0.29	0.02	0.027	0.01	5.0	65.0	4.52	788	0.58	0.04
R331037		0.38	409	8.95	19.55	0.23	0.22	<0.01	0.031	0.01	6.2	52.3	4.19	816	0.80	0.04
R331038		0.15	1135	7.65	19.40	0.30	0.17	0.01	0.031	0.01	1.4	60.0	4.14	717	12.75	0.03
R331039		0.44	97.1	11.50	26.6	0.26	0.18	0.01	0.038	0.01	9.6	74.6	5.78	1060	1.18	0.03
R331040		<0.05	1.1	0.03	0.05	<0.05	0.02	0.01	<0.005	<0.01	0.4	0.4	0.01	<5	0.13	<0.01
R331041		0.06	199.0	1.16	0.98	<0.05	2.38	0.01	0.007	0.01	1.7	2.3	0.14	68	1.12	0.07
R331042		0.62	195.5	8.43	14.40	0.18	0.45	0.01	0.041	0.04	5.7	37.2	2.97	750	0.82	0.04
R331043		0.56	141.0	9.12	12.85	0.23	0.21	0.01	0.036	0.02	3.0	30.7	2.41	878	0.82	0.06
R331044		0.31	138.5	9.06	9.80	0.18	0.17	<0.01	0.031	0.03	2.8	19.8	1.43	751	0.73	0.08
R331045		0.41	166.5	8.70	13.55	0.21	0.08	<0.01	0.021	0.01	2.5	39.3	2.37	1020	14.75	0.04
R331046		0.44	147.0	7.61	9.80	0.17	0.21	0.01	0.027	0.06	3.0	19.1	1.34	719	0.79	0.11
R331047		0.50	198.5	8.90	13.05	0.23	0.14	0.01	0.034	0.03	3.5	34.2	2.01	840	4.66	0.06
R331048		0.41	130.5	8.69	11.70	0.15	0.16	0.01	0.028	0.04	3.4	29.9	2.22	712	1.73	0.07
R331049		0.31	145.0	10.40	14.55	0.22	0.20	0.01	0.049	0.02	3.1	36.9	2.79	934	0.85	0.04
R331050		2.93	72.3	3.07	6.15	0.07	0.35	0.10	0.036	0.23	10.3	17.0	0.90	702	5.64	0.07
R331051		0.43	50.6	10.35	16.70	0.19	0.26	0.01	0.034	0.02	6.4	46.9	3.49	806	1.40	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331012		0.06	56.6	700	1.3	0.4	0.011	0.36	<0.05	13.8	0.3	0.6	5.0	<0.01	0.15	1.4
R331013		0.14	9.7	100	1.2	0.1	0.004	0.45	<0.05	3.8	0.3	0.2	2.1	<0.01	0.25	5.9
R331014		0.06	57.8	730	0.4	0.4	0.004	0.29	<0.05	21.1	0.4	0.6	2.0	<0.01	0.13	1.0
R331015		0.12	27.1	590	2.1	0.1	0.003	2.54	<0.05	12.9	2.4	0.5	3.7	<0.01	0.42	1.1
R331016		<0.05	71.0	730	0.4	0.3	0.004	0.28	0.06	19.9	0.5	0.7	2.5	<0.01	0.09	0.3
R331017		<0.05	61.6	670	0.6	0.4	0.002	0.62	<0.05	18.3	0.5	0.6	2.4	<0.01	0.21	0.2
R331018		<0.05	50.9	490	0.5	0.4	0.001	0.49	0.06	15.7	0.7	0.4	2.2	<0.01	0.52	2.3
R331019		<0.05	58.9	710	0.6	0.3	0.001	0.91	<0.05	16.0	1.0	0.4	2.5	<0.01	0.21	0.3
R331020		0.24	10.4	620	14.3	8.5	0.001	0.42	0.48	9.3	0.7	0.5	105.5	0.01	4.15	1.5
R331021		<0.05	79.3	720	0.3	0.4	0.002	0.47	<0.05	19.8	0.8	0.4	2.8	<0.01	0.14	0.2
R331022		<0.05	88.8	680	1.7	0.4	0.026	0.44	<0.05	21.8	0.3	0.5	3.2	<0.01	0.11	0.3
R331023		0.07	44.0	670	0.8	0.2	0.002	0.60	<0.05	16.3	0.9	0.4	2.5	<0.01	0.13	1.1
R331024		0.06	50.2	680	0.7	0.2	0.002	0.40	<0.05	19.6	0.7	0.6	2.6	<0.01	0.08	0.2
R331025		0.08	39.3	640	2.9	0.4	0.030	1.17	<0.05	17.6	0.6	0.5	2.2	<0.01	0.25	0.3
R331026		0.06	50.9	580	1.0	0.3	0.001	0.63	<0.05	12.2	1.5	0.4	2.6	<0.01	0.10	3.4
R331027		0.16	22.2	290	6.4	0.2	0.022	1.16	<0.05	6.1	1.0	0.3	5.6	<0.01	0.29	7.9
R331028		<0.05	90.5	600	1.6	0.4	0.001	0.41	<0.05	14.2	0.6	0.5	3.8	<0.01	0.06	3.1
R331029		0.08	32.0	660	4.9	0.1	0.001	0.78	<0.05	13.7	0.9	0.5	2.9	<0.01	0.11	0.3
R331030		0.08	31.8	670	4.6	0.1	0.003	0.77	<0.05	13.1	0.9	0.5	2.9	<0.01	0.15	0.3
R331031		0.07	39.7	680	2.2	0.2	0.002	0.75	<0.05	15.4	0.8	0.6	3.1	<0.01	0.09	0.2
R331032		<0.05	60.9	730	0.4	0.3	0.003	0.17	<0.05	18.4	0.3	0.6	3.5	<0.01	0.05	0.2
R331033		<0.05	72.4	650	2.5	0.3	0.003	0.97	<0.05	20.3	0.5	0.6	2.8	<0.01	0.15	0.3
R331034		0.25	3.3	30	32.5	0.1	<0.001	0.99	0.05	2.3	1.3	<0.2	5.7	<0.01	0.12	11.8
R331035		0.09	54.5	670	0.4	0.3	0.001	0.26	<0.05	21.9	0.4	0.6	2.9	<0.01	0.07	0.2
R331036		<0.05	79.6	620	0.3	0.6	0.002	0.11	0.08	22.1	0.4	0.5	5.2	<0.01	0.04	0.7
R331037		<0.05	50.2	600	1.1	0.5	0.002	0.43	0.05	25.0	0.8	0.5	8.1	<0.01	0.06	0.3
R331038		<0.05	53.4	560	1.7	0.3	0.006	0.50	0.05	21.9	0.7	0.7	7.7	<0.01	0.11	0.3
R331039		<0.05	53.8	630	1.2	0.4	0.004	0.28	<0.05	28.6	0.7	0.5	6.6	<0.01	0.04	0.2
R331040		<0.05	0.6	10	0.7	0.1	<0.001	0.02	<0.05	0.1	0.2	<0.2	0.6	<0.01	<0.01	0.2
R331041		0.18	2.3	20	5.1	0.3	0.001	0.47	0.05	1.2	0.4	<0.2	3.7	<0.01	0.08	11.3
R331042		0.06	49.6	600	0.9	2.4	0.001	0.32	<0.05	20.1	1.0	0.5	56.7	<0.01	0.04	1.6
R331043		0.06	31.9	520	0.7	1.7	0.001	0.24	<0.05	13.0	0.8	0.5	37.8	<0.01	0.03	0.2
R331044		0.07	20.9	570	1.0	1.5	0.001	0.36	<0.05	9.1	0.9	0.3	30.7	<0.01	0.02	0.2
R331045		<0.05	31.7	520	0.7	1.0	0.006	0.61	<0.05	9.1	1.2	0.3	25.5	<0.01	0.04	0.2
R331046		0.07	27.1	530	1.0	3.9	0.002	0.28	0.05	9.0	1.0	0.4	29.5	<0.01	0.04	0.4
R331047		0.06	33.6	540	1.1	1.7	0.003	0.45	0.05	13.8	0.9	0.4	27.0	<0.01	0.04	0.3
R331048		0.06	30.6	530	0.7	2.0	0.003	0.37	<0.05	8.6	0.8	0.3	36.7	<0.01	0.03	0.3
R331049		0.05	30.9	470	0.9	1.5	0.002	0.31	<0.05	24.5	0.8	0.3	55.8	<0.01	0.03	0.6
R331050		0.05	10.6	630	17.0	11.0	0.002	0.89	0.39	8.4	1.0	0.5	116.0	<0.01	2.28	1.3
R331051		<0.05	40.1	540	0.7	1.2	0.003	0.30	<0.05	24.2	0.8	0.5	25.0	<0.01	0.05	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331012		0.301	0.02	4.84	218	1.95	5.12	129	19.3	
R331013		0.065	<0.02	1.09	43	0.41	3.25	24	34.1	
R331014		0.411	<0.02	0.73	265	2.18	5.70	146	10.5	
R331015		0.271	<0.02	0.45	133	1.71	6.32	55	8.5	1.310
R331016		0.444	<0.02	0.49	297	3.10	5.33	156	6.8	
R331017		0.379	<0.02	0.29	257	2.80	4.52	133	7.3	
R331018		0.286	<0.02	0.47	209	1.83	3.54	121	14.4	
R331019		0.312	<0.02	0.23	223	1.55	3.86	118	6.7	
R331020		0.127	0.10	0.44	74	0.72	7.73	63	20.5	
R331021		0.366	<0.02	0.19	300	1.96	3.54	158	5.5	
R331022		0.329	<0.02	0.20	332	1.59	4.28	179	4.8	
R331023		0.418	<0.02	0.42	194	2.84	3.03	94	12.1	
R331024		0.421	<0.02	0.23	221	1.93	4.87	107	7.1	
R331025		0.353	<0.02	0.25	184	1.50	4.33	100	6.5	
R331026		0.238	<0.02	0.71	157	0.83	4.09	88	18.6	
R331027		0.124	<0.02	1.76	69	1.10	3.20	35	43.9	
R331028		0.206	<0.02	0.75	208	1.01	3.73	128	17.3	
R331029		0.365	<0.02	0.21	176	1.12	4.55	73	5.3	
R331030		0.332	<0.02	0.21	170	1.04	4.46	73	5.1	
R331031		0.391	<0.02	0.27	195	2.12	4.86	83	7.7	
R331032		0.378	<0.02	0.24	271	2.33	5.04	124	6.3	
R331033		0.316	<0.02	0.35	299	1.64	4.78	158	7.3	
R331034		0.022	<0.02	2.02	16	1.30	4.25	7	62.8	
R331035		0.400	<0.02	0.62	250	2.25	7.16	126	7.8	
R331036		0.315	<0.02	0.32	289	2.54	5.57	145	7.1	
R331037		0.326	<0.02	0.26	303	2.19	8.59	149	5.1	
R331038		0.321	<0.02	0.40	263	2.59	6.88	131	4.6	
R331039		0.345	<0.02	0.24	372	2.38	9.11	190	3.4	
R331040		<0.005	<0.02	0.13	<1	<0.05	0.57	<2	0.7	
R331041		0.013	<0.02	4.50	12	1.11	6.50	6	59.1	
R331042		0.299	0.02	0.66	253	0.92	13.50	98	11.2	
R331043		0.325	<0.02	0.08	286	0.55	13.60	95	4.2	
R331044		0.265	<0.02	<0.05	249	0.36	13.65	68	3.3	
R331045		0.191	<0.02	<0.05	220	0.32	10.70	109	1.9	
R331046		0.280	0.04	0.13	229	0.39	13.10	64	4.5	
R331047		0.300	0.02	0.09	258	0.52	14.00	80	2.8	
R331048		0.279	<0.02	0.09	239	0.51	12.70	78	3.4	
R331049		0.255	<0.02	0.28	287	0.59	13.85	101	5.0	
R331050		0.055	0.12	0.32	68	0.32	8.05	84	11.5	
R331051		0.297	<0.02	0.40	287	1.23	13.25	120	5.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331052		2.26	0.002	0.02	3.21	0.4	<0.2	<10	<10	0.82	0.31	0.75	<0.01	3.25	37.1	40
R331053		2.27	0.002	0.05	3.49	0.1	<0.2	<10	<10	0.84	0.36	0.85	0.01	2.94	37.9	40
R331054		3.43	0.007	0.02	4.29	0.2	<0.2	<10	<10	0.98	0.27	0.58	<0.01	7.56	46.6	71
R331055		3.47	0.007	0.04	4.43	0.4	<0.2	<10	<10	0.57	0.22	0.52	0.01	3.31	47.6	181
R331056		1.85	0.001	0.02	3.75	0.4	<0.2	<10	<10	0.74	0.15	0.52	<0.01	9.80	42.6	198
R331057		2.58	0.001	0.02	4.07	0.3	<0.2	<10	30	0.97	0.18	0.61	0.01	15.35	47.6	62
R331058		3.33	0.003	0.04	4.30	0.5	<0.2	<10	10	0.80	0.41	0.54	<0.01	13.75	52.4	61
R331059		3.37	0.003	0.07	4.14	0.1	<0.2	<10	<10	0.78	0.35	0.50	0.40	3.56	47.6	32
R331060		<0.02	0.010	0.05	4.20	0.3	<0.2	<10	<10	0.74	0.29	0.50	<0.01	3.56	47.8	33
R331061		2.57	0.040	0.10	0.72	0.1	<0.2	<10	10	0.21	0.83	0.68	0.01	5.98	8.9	29
R331062		2.88	0.008	0.07	0.78	0.1	<0.2	<10	<10	0.22	0.38	0.60	<0.01	6.77	7.6	32
R331063		0.96	0.176	0.72	0.26	0.6	0.2	<10	<10	0.10	3.88	0.35	0.01	2.63	28.6	31
R331064		2.73	0.025	0.25	1.10	0.2	<0.2	<10	<10	0.24	0.91	0.26	<0.01	6.42	12.0	33
R331065		2.38	0.005	0.15	1.72	<0.1	<0.2	<10	<10	0.30	0.42	0.28	<0.01	6.79	14.8	34
R331066		3.13	0.021	0.32	1.60	<0.1	<0.2	<10	20	0.29	0.58	0.11	<0.01	2.24	13.1	13
R331067		1.59	0.001	0.19	1.68	<0.1	<0.2	<10	10	0.27	0.21	0.17	<0.01	2.86	11.2	12
R331068		2.11	0.004	0.05	1.13	0.2	<0.2	<10	<10	0.20	0.09	0.16	<0.01	3.83	7.3	15
R331069		2.60	0.004	0.06	1.33	0.2	<0.2	<10	<10	0.23	0.12	0.18	<0.01	4.37	8.8	16
R331070		0.13	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.83	0.1	<1
R331071		1.70	0.053	0.15	0.25	0.3	<0.2	<10	120	0.08	0.21	0.03	<0.01	1.48	2.3	5
R331072		1.66	0.083	0.12	0.31	<0.1	<0.2	<10	<10	0.12	0.18	0.06	0.01	1.76	2.3	6
R331073		2.73	0.003	0.05	1.08	<0.1	<0.2	<10	10	0.22	0.10	0.19	<0.01	4.04	6.7	18
R331074		2.58	0.005	0.07	1.75	0.3	<0.2	<10	10	0.31	0.13	0.24	<0.01	5.88	11.9	29
R331075		2.98	0.783	0.23	0.83	0.1	<0.2	<10	<10	0.17	1.71	0.23	<0.01	4.70	7.7	23
R331076		3.24	0.021	0.43	1.06	<0.1	<0.2	<10	10	0.26	0.70	0.26	<0.01	6.17	10.4	26
R331077		3.13	0.210	0.39	0.39	<0.1	<0.2	<10	10	0.16	1.28	0.18	<0.01	3.80	10.0	19
R331078		1.88	0.010	0.27	0.79	0.1	<0.2	<10	10	0.23	0.74	0.28	0.01	5.80	8.0	25
R331079		2.43	0.013	0.43	0.91	0.1	<0.2	<10	<10	0.23	0.63	1.14	0.01	6.57	8.5	30
R331080		0.07	2.46	4.60	1.56	17.2	2.2	<10	40	0.62	0.08	3.69	0.32	21.6	9.8	24
R331081		1.48	0.056	1.52	0.66	0.1	<0.2	<10	10	0.20	1.57	1.54	0.02	5.97	10.1	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331052		0.41	107.0	7.83	17.45	0.17	0.20	<0.01	0.021	<0.01	1.1	49.8	3.96	650	3.63	0.05
R331053		0.71	995	7.55	18.40	0.17	0.33	0.01	0.027	0.01	0.9	53.4	4.17	716	1.76	0.06
R331054		0.78	68.3	8.68	23.7	0.21	0.17	0.01	0.021	<0.01	3.5	64.0	4.92	873	1.17	0.04
R331055		0.28	333	8.40	24.2	0.25	0.12	0.01	0.033	<0.01	1.0	65.7	5.28	844	0.78	0.03
R331056		0.34	37.1	7.06	20.1	0.20	0.20	0.01	0.025	<0.01	5.1	63.0	4.58	798	0.69	0.04
R331057		0.82	38.2	10.60	19.75	0.27	0.18	0.01	0.034	0.01	8.5	56.3	4.46	918	0.97	0.04
R331058		0.56	244	10.45	19.25	0.24	0.24	0.01	0.033	0.01	7.4	58.2	4.65	901	1.30	0.03
R331059		0.65	466	8.67	20.7	0.24	0.21	0.01	0.026	0.01	1.3	62.2	4.58	885	0.58	0.04
R331060		0.69	451	8.76	20.9	0.25	0.21	0.01	0.025	0.01	1.3	61.9	4.67	904	0.64	0.04
R331061		0.05	663	1.88	3.83	0.05	0.33	0.01	0.009	0.01	2.2	10.0	0.76	140	4.10	0.11
R331062		0.06	71.8	1.76	4.19	0.06	0.24	0.01	0.007	0.01	2.7	11.3	0.86	158	3.14	0.09
R331063		0.05	94.3	3.81	1.29	0.06	0.49	0.01	<0.005	0.01	0.7	3.1	0.22	75	12.60	0.08
R331064		0.07	29.1	2.30	6.02	0.06	0.32	0.01	0.007	0.01	2.5	17.3	1.28	202	3.51	0.09
R331065		0.11	4.0	2.90	9.63	0.07	0.35	0.01	0.009	0.01	3.0	28.3	2.05	313	0.75	0.09
R331066		0.10	15.5	2.94	9.36	0.06	1.40	0.01	0.011	0.01	0.7	25.8	1.87	328	14.75	0.07
R331067		0.10	607	2.98	9.69	0.08	1.42	0.01	0.012	0.01	1.0	25.1	1.93	346	0.17	0.08
R331068		0.14	131.0	2.14	6.86	0.07	0.94	0.01	0.011	0.01	1.5	17.3	1.29	243	0.38	0.08
R331069		0.08	5.4	2.37	8.08	0.07	0.96	<0.01	0.012	0.01	1.7	20.8	1.51	275	0.26	0.09
R331070		<0.05	0.9	0.03	0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.4	0.5	<0.01	<5	0.08	<0.01
R331071		<0.05	88.4	0.64	1.23	<0.05	1.26	<0.01	0.007	0.02	0.4	2.2	0.17	56	0.55	0.10
R331072		0.05	255	0.73	1.67	<0.05	1.18	<0.01	0.010	0.02	0.5	3.3	0.25	66	0.21	0.10
R331073		0.06	9.3	2.08	6.53	0.07	0.83	<0.01	0.010	0.01	1.6	15.6	1.23	239	0.21	0.08
R331074		0.06	3.3	2.89	9.93	0.07	0.60	<0.01	0.015	0.01	2.1	28.8	2.08	324	0.18	0.09
R331075		0.06	31.2	1.77	4.72	0.06	1.18	<0.01	0.011	0.01	1.8	12.8	0.92	162	2.00	0.08
R331076		0.06	7.9	2.12	6.04	0.06	0.84	<0.01	0.013	0.01	2.2	17.5	1.19	185	0.43	0.10
R331077		0.07	460	1.47	2.19	<0.05	1.32	<0.01	0.008	0.02	1.3	5.0	0.36	83	0.28	0.09
R331078		0.09	232	1.65	4.56	0.06	1.21	<0.01	0.010	0.01	2.0	11.7	0.85	148	0.70	0.10
R331079		0.07	686	1.92	5.17	0.07	0.89	<0.01	0.014	0.01	2.4	14.0	1.03	212	0.33	0.08
R331080		2.95	69.4	2.93	5.86	0.08	0.35	0.09	0.036	0.23	10.1	16.4	0.86	671	5.46	0.07
R331081		0.09	719	1.63	3.91	0.05	1.31	<0.01	0.015	0.01	2.3	8.6	0.67	159	0.35	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331052		0.05	42.3	590	0.6	0.3	0.002	0.33	<0.05	21.2	0.7	0.5	5.5	<0.01	0.05	0.5
R331053		0.05	42.7	630	0.5	0.5	0.003	0.31	<0.05	25.1	0.7	0.6	5.6	<0.01	0.04	1.5
R331054		<0.05	60.7	660	0.4	0.5	0.001	0.36	<0.05	24.9	0.5	0.4	4.8	<0.01	0.05	0.2
R331055		<0.05	84.0	640	0.5	0.3	0.002	0.29	<0.05	25.3	0.5	0.6	3.3	<0.01	0.05	0.3
R331056		<0.05	80.5	640	0.4	0.3	0.001	0.17	<0.05	21.3	0.5	0.6	7.3	<0.01	0.03	0.4
R331057		<0.05	46.8	600	0.4	0.7	0.002	0.16	<0.05	24.9	0.9	0.5	19.8	<0.01	0.04	0.2
R331058		<0.05	49.0	560	0.7	1.0	0.003	0.43	<0.05	21.7	0.8	0.4	27.9	<0.01	0.06	0.7
R331059		0.05	38.2	640	0.5	0.5	0.001	0.44	<0.05	23.7	0.9	0.5	4.3	<0.01	0.08	0.5
R331060		0.05	39.2	650	0.5	0.5	0.001	0.38	<0.05	23.7	0.7	0.4	4.3	<0.01	0.06	0.6
R331061		0.23	10.8	790	1.0	0.2	0.001	0.63	<0.05	4.3	0.5	0.3	11.9	<0.01	0.37	4.3
R331062		0.20	10.4	830	0.6	0.2	0.001	0.33	<0.05	3.6	0.2	0.3	10.0	<0.01	0.15	4.7
R331063		0.56	13.1	590	2.6	0.2	0.004	3.48	0.05	1.8	1.0	0.7	8.2	<0.01	1.99	1.2
R331064		0.15	15.1	760	1.0	0.2	<0.001	0.55	<0.05	4.2	0.3	0.3	7.9	<0.01	0.44	4.9
R331065		0.10	21.2	810	0.6	0.2	<0.001	0.15	<0.05	6.0	<0.2	0.3	6.2	<0.01	0.21	4.9
R331066		0.07	19.7	200	1.1	0.2	0.005	0.17	<0.05	5.3	0.2	0.2	3.9	<0.01	0.26	7.9
R331067		0.09	18.6	290	0.4	0.2	<0.001	0.14	<0.05	4.8	0.2	0.3	3.5	<0.01	0.08	7.1
R331068		0.13	13.0	440	0.4	0.2	<0.001	0.11	<0.05	3.7	0.2	0.3	8.4	<0.01	0.03	4.9
R331069		0.15	15.4	490	0.5	0.2	<0.001	0.15	<0.05	4.3	0.3	0.4	7.7	<0.01	0.06	4.9
R331070		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331071		0.22	2.2	30	0.7	0.2	<0.001	0.16	<0.05	0.7	0.2	<0.2	3.5	<0.01	0.10	6.7
R331072		0.25	3.0	80	0.6	0.2	<0.001	0.20	<0.05	0.8	0.2	<0.2	3.1	<0.01	0.07	6.3
R331073		0.16	12.4	530	0.5	0.2	<0.001	0.11	<0.05	3.4	0.4	0.3	8.0	<0.01	0.05	3.4
R331074		0.11	21.5	660	0.5	0.1	<0.001	0.12	<0.05	5.3	0.2	0.4	5.8	<0.01	0.06	5.7
R331075		0.20	10.7	610	1.1	0.2	0.001	0.37	<0.05	2.6	0.3	0.3	6.2	<0.01	1.09	5.5
R331076		0.21	13.9	750	1.0	0.2	<0.001	0.44	<0.05	3.5	0.3	0.4	10.6	<0.01	0.59	4.7
R331077		0.38	6.9	480	1.4	0.2	<0.001	0.84	<0.05	1.4	0.5	0.3	7.2	<0.01	0.76	6.1
R331078		0.25	10.1	600	0.7	0.2	<0.001	0.37	<0.05	3.0	0.4	0.4	7.0	<0.01	0.46	5.5
R331079		0.21	11.6	680	0.8	0.2	<0.001	0.35	<0.05	3.8	0.3	0.3	11.6	<0.01	0.38	5.2
R331080		0.05	9.9	610	17.9	11.3	0.003	0.85	0.38	8.0	0.8	0.5	112.0	<0.01	2.50	1.4
R331081		0.22	9.0	570	2.3	0.3	<0.001	0.53	<0.05	2.9	0.3	0.3	16.2	<0.01	1.12	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331052		0.364	<0.02	0.20	298	3.30	7.25	116	4.6	
R331053		0.416	<0.02	0.31	290	3.51	8.22	128	9.2	
R331054		0.375	<0.02	0.18	318	3.08	6.83	154	4.2	
R331055		0.279	<0.02	0.21	272	2.50	5.08	150	3.6	
R331056		0.316	<0.02	0.24	259	2.66	4.74	138	5.8	
R331057		0.347	<0.02	0.16	313	1.99	11.05	156	3.3	
R331058		0.298	<0.02	0.21	289	1.38	9.50	159	6.9	
R331059		0.342	<0.02	0.24	260	3.44	7.06	159	6.3	
R331060		0.344	<0.02	0.27	263	3.40	7.07	163	6.9	
R331061		0.100	<0.02	0.97	43	0.64	4.15	22	21.4	
R331062		0.082	<0.02	1.06	43	0.53	3.67	26	17.6	
R331063		0.183	<0.02	0.85	26	1.43	3.56	7	17.9	
R331064		0.073	<0.02	1.50	46	0.29	3.54	34	20.1	
R331065		0.085	<0.02	1.36	63	0.25	3.53	55	20.6	
R331066		0.028	<0.02	1.46	54	0.17	2.59	52	39.5	
R331067		0.038	<0.02	1.48	53	0.17	2.65	54	44.7	
R331068		0.047	<0.02	1.72	40	0.23	2.22	35	31.9	
R331069		0.060	<0.02	1.91	47	0.17	2.57	43	35.1	
R331070		<0.005	<0.02	0.08	<1	<0.05	0.57	<2	0.8	
R331071		0.011	<0.02	1.86	6	0.20	1.76	6	29.4	
R331072		0.016	<0.02	1.24	9	0.17	1.70	8	27.6	
R331073		0.056	<0.02	1.30	41	0.14	2.43	35	30.1	
R331074		0.079	<0.02	1.76	60	0.26	3.53	54	30.1	
R331075		0.053	<0.02	1.80	30	0.19	2.67	25	40.8	
R331076		0.073	<0.02	1.63	42	0.25	3.15	31	37.3	
R331077		0.055	<0.02	2.23	17	0.29	2.68	11	42.2	
R331078		0.073	<0.02	1.89	33	0.27	3.22	24	45.4	
R331079		0.076	<0.02	1.57	37	0.21	3.43	30	40.3	
R331080		0.053	0.13	0.32	66	0.34	7.71	80	12.2	
R331081		0.059	<0.02	1.90	27	0.19	2.96	24	48.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129618

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	Cu-OG46	ME-MS41	ME-OG46

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

CERTIFICATE SD15129622

Project: Miller

This report is for 150 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331082		1.17	2.80	4.24	0.65	0.6	1.2	<10	10	0.19	2.36	0.34	0.29	4.31	14.8	23
R331083		1.95	0.588	1.82	0.70	<0.1	<0.2	<10	<10	0.22	3.91	0.50	<0.01	5.32	15.5	23
R331084		1.60	0.962	1.79	0.41	0.6	0.7	<10	10	0.16	11.50	2.54	0.01	3.06	99.2	18
R331085		1.81	0.188	1.48	0.70	0.2	0.6	<10	10	0.14	3.77	0.84	<0.01	3.67	28.6	20
R331086		1.64	3.33	2.11	0.75	0.3	0.6	<10	<10	0.17	7.30	0.87	<0.01	2.80	25.8	20
R331087		1.21	0.042	0.93	0.72	0.5	<0.2	<10	10	0.18	2.73	1.03	0.02	7.34	22.5	29
R331088		2.82	0.025	0.57	0.93	0.1	<0.2	<10	10	0.20	1.72	0.45	0.01	7.98	17.9	33
R331089		2.70	0.021	0.39	0.75	0.3	<0.2	<10	10	0.21	0.83	0.16	<0.01	3.96	10.3	16
R331090		<0.02	0.036	0.92	0.77	0.2	<0.2	<10	10	0.23	0.97	0.16	<0.01	3.91	10.2	16
R331091		2.02	0.016	0.25	0.22	0.3	<0.2	<10	20	0.11	0.47	0.12	<0.01	2.56	2.3	6
R331092		1.77	0.020	0.28	0.76	0.1	<0.2	<10	10	0.25	0.39	0.18	<0.01	4.74	8.0	15
R331093		2.60	0.007	0.08	0.44	0.2	<0.2	<10	10	0.15	0.19	0.17	<0.01	5.47	4.5	20
R331094		2.98	0.003	0.12	0.71	0.3	<0.2	<10	10	0.21	0.23	0.28	<0.01	7.75	7.0	35
R331095		3.13	0.001	0.07	0.82	<0.1	<0.2	<10	10	0.23	0.12	0.33	<0.01	8.07	6.6	36
R331096		2.00	0.003	0.08	0.16	0.3	<0.2	<10	10	0.12	0.16	0.30	<0.01	1.83	1.9	9
R331097		1.19	0.003	0.08	1.26	0.2	<0.2	<10	10	0.52	0.18	0.39	<0.01	10.90	8.7	32
R331098		2.71	0.010	0.10	2.16	0.6	<0.2	<10	20	1.03	1.23	1.72	0.02	13.85	41.5	28
R331099		2.57	0.014	0.08	4.00	0.4	<0.2	<10	10	1.09	2.51	1.08	0.01	13.85	57.7	36
R331100		2.71	0.246	0.07	3.89	0.5	<0.2	<10	10	1.03	2.34	1.67	0.01	8.18	53.3	32
R331101		1.55	0.001	0.06	0.93	0.2	<0.2	<10	10	0.42	0.28	1.71	0.05	9.06	20.7	17
R331102		3.57	0.001	0.10	1.87	0.9	<0.2	<10	10	0.55	0.25	2.09	0.16	7.21	44.8	25
R331103		3.80	<0.001	0.10	1.18	0.6	<0.2	<10	10	0.29	0.12	2.48	0.14	5.83	37.0	23
R331104		3.47	0.007	0.17	2.35	0.9	<0.2	<10	10	0.57	0.20	3.45	0.32	6.17	43.6	23
R331105		3.76	0.002	0.17	2.56	0.5	<0.2	<10	30	0.59	0.15	2.02	0.51	8.22	50.9	26
R331106		3.16	0.002	0.18	2.03	1.0	<0.2	<10	20	0.39	0.18	1.83	0.47	7.07	43.9	26
R331107		2.73	0.001	0.14	1.26	0.5	<0.2	<10	10	0.29	0.14	1.77	0.05	7.63	40.4	27
R331108		2.98	0.001	0.09	1.62	0.4	<0.2	<10	10	0.46	0.09	1.72	0.04	6.84	41.6	31
R331109		2.79	0.002	0.17	1.05	0.5	<0.2	<10	10	0.22	0.14	1.23	0.05	5.38	45.1	22
R331110		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.88	0.1	<1
R331111		2.87	0.002	0.13	1.08	0.2	<0.2	<10	10	0.45	0.33	1.88	0.05	5.66	43.4	25
R331112		3.90	0.001	0.14	1.25	0.3	<0.2	<10	10	0.25	0.08	1.38	0.04	6.43	37.7	22
R331113		3.60	0.001	0.16	1.67	0.4	<0.2	<10	20	0.30	0.10	1.32	0.05	6.68	43.6	19
R331114		3.29	0.002	0.08	1.21	0.6	<0.2	<10	10	0.39	0.10	1.70	0.57	6.18	34.4	22
R331115		3.55	0.002	0.13	1.35	0.3	<0.2	<10	10	0.20	0.11	1.38	0.08	6.63	39.3	14
R331116		3.88	0.040	0.17	2.13	0.6	<0.2	<10	10	0.40	0.46	2.75	0.04	6.78	44.9	18
R331117		3.79	0.002	0.09	2.20	1.0	<0.2	<10	10	0.34	0.19	2.05	0.04	6.22	46.1	19
R331118		2.53	0.001	0.08	1.41	0.7	<0.2	<10	10	0.44	0.11	1.87	0.04	6.69	38.2	14
R331119		2.52	0.002	0.15	1.32	0.6	<0.2	<10	10	0.49	0.44	2.30	0.05	6.44	43.5	27
R331120		0.06	2.50	4.59	1.57	18.3	2.3	<10	40	0.61	0.08	3.78	0.35	21.6	10.6	24
R331121		2.85	0.002	0.12	1.38	0.5	<0.2	<10	10	0.33	0.37	2.33	0.04	6.23	39.4	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331082		0.10	>10000	4.92	3.83	0.07	1.13	0.01	0.270	0.01	1.7	9.5	0.69	145	2.51	0.06
R331083		0.05	105.5	1.89	4.04	0.05	0.74	<0.01	0.010	0.01	1.9	10.7	0.78	151	4.85	0.07
R331084		<0.05	2200	5.37	2.49	0.08	0.77	<0.01	0.018	0.01	0.9	4.9	0.40	164	1.95	0.07
R331085		0.07	1175	2.57	4.37	0.05	1.10	<0.01	0.016	<0.01	1.3	9.4	0.77	178	6.08	0.06
R331086		0.06	1005	2.63	4.72	0.05	1.25	<0.01	0.013	0.01	0.8	9.2	0.82	195	3.93	0.08
R331087		0.08	321	2.18	4.17	0.05	0.25	<0.01	0.014	0.01	2.6	8.9	0.70	185	2.09	0.09
R331088		0.05	105.5	2.18	5.65	0.06	0.31	<0.01	0.012	0.01	2.5	13.8	1.03	180	3.74	0.10
R331089		0.06	94.5	1.63	4.86	<0.05	1.22	0.01	0.009	0.02	1.3	10.0	0.79	162	1.03	0.09
R331090		0.06	95.3	1.67	4.88	0.05	1.29	<0.01	0.009	0.02	1.2	10.0	0.79	166	1.10	0.12
R331091		<0.05	290	0.53	1.13	<0.05	1.24	<0.01	0.009	0.03	0.7	2.0	0.13	45	0.60	0.09
R331092		0.07	14.7	1.62	5.14	0.06	0.93	0.01	0.006	0.02	1.5	10.9	0.80	172	0.63	0.09
R331093		0.11	36.0	1.06	2.69	<0.05	1.06	<0.01	0.006	0.02	2.0	6.3	0.40	113	0.35	0.10
R331094		0.13	16.6	1.48	4.26	0.05	0.54	0.01	0.008	0.01	2.9	10.6	0.75	148	0.14	0.10
R331095		0.06	3.3	1.59	5.07	0.06	0.31	<0.01	0.008	0.01	3.0	12.3	0.91	165	0.17	0.08
R331096		<0.05	22.0	0.59	0.64	<0.05	1.62	<0.01	<0.005	0.03	0.5	1.0	0.05	51	0.28	0.10
R331097		0.26	111.0	2.36	7.66	0.06	0.32	<0.01	0.010	0.02	4.8	23.6	1.46	270	1.10	0.06
R331098		0.78	506	7.65	11.55	0.20	0.44	<0.01	0.026	0.05	6.6	26.5	2.06	692	2.22	0.08
R331099		0.65	1085	9.47	19.95	0.20	0.39	0.01	0.032	0.02	6.7	52.4	4.23	1070	0.46	0.04
R331100		0.78	417	8.74	18.40	0.22	0.24	0.01	0.038	0.03	3.7	53.0	4.09	951	0.61	0.03
R331101		0.27	72.5	3.42	5.21	0.09	1.39	<0.01	0.015	0.05	5.8	8.4	0.70	389	0.49	0.06
R331102		0.42	161.0	7.45	9.71	0.20	0.22	0.01	0.026	0.04	2.7	14.3	1.48	832	0.90	0.11
R331103		0.20	139.5	6.91	6.69	0.21	0.28	0.01	0.022	0.03	2.2	7.5	0.75	771	1.42	0.09
R331104		0.31	216	9.52	12.60	0.25	0.19	0.01	0.040	0.02	2.2	22.2	1.68	1140	0.69	0.06
R331105		0.82	221	8.90	11.40	0.20	0.32	0.01	0.031	0.07	3.1	23.7	1.76	1200	0.80	0.06
R331106		0.64	192.0	7.62	9.02	0.16	0.32	0.01	0.026	0.07	2.9	14.0	1.27	960	0.86	0.10
R331107		0.27	160.0	6.03	6.35	0.15	0.51	0.01	0.022	0.05	3.3	6.3	0.69	711	0.68	0.12
R331108		0.66	145.0	7.76	8.94	0.16	0.24	0.01	0.027	0.06	2.4	9.2	1.08	838	0.79	0.16
R331109		0.32	182.0	6.02	5.87	0.14	0.18	<0.01	0.018	0.04	1.9	5.9	0.68	593	1.16	0.11
R331110		<0.05	1.4	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.3	<0.01	<5	0.12	<0.01
R331111		0.55	159.5	7.89	6.75	0.18	0.19	<0.01	0.019	0.05	2.0	7.8	0.70	704	0.83	0.10
R331112		0.40	145.0	5.77	7.11	0.15	0.20	<0.01	0.022	0.04	2.3	7.4	0.81	631	1.04	0.13
R331113		1.30	177.5	7.22	8.88	0.16	0.15	<0.01	0.024	0.07	2.3	13.4	1.08	748	1.41	0.11
R331114		0.32	183.0	6.14	6.71	0.15	0.17	<0.01	0.027	0.04	2.3	6.1	0.76	740	0.74	0.10
R331115		0.33	134.0	5.34	6.86	0.15	0.16	<0.01	0.022	0.05	2.3	7.2	0.83	639	0.83	0.12
R331116		0.34	175.0	8.10	9.57	0.17	0.13	<0.01	0.026	0.03	2.3	15.3	1.35	937	1.28	0.07
R331117		0.26	148.5	7.36	9.04	0.15	0.13	<0.01	0.020	0.03	2.2	15.3	1.38	885	1.90	0.07
R331118		0.21	159.0	6.82	6.94	0.16	0.16	<0.01	0.015	0.03	2.4	8.3	0.91	697	0.96	0.08
R331119		0.29	182.0	6.60	6.96	0.15	0.32	<0.01	0.021	0.04	2.6	9.3	0.89	685	1.15	0.07
R331120		2.87	72.6	2.98	5.83	0.06	0.34	0.09	0.038	0.22	10.1	16.1	0.88	683	5.67	0.07
R331121		0.39	152.0	6.80	7.27	0.16	0.19	<0.01	0.021	0.03	2.3	9.7	0.91	724	1.74	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331082		0.27	10.9	530	55.5	0.3	0.001	3.66	<0.05	2.6	5.5	0.5	10.7	<0.01	0.92	3.1
R331083		0.19	11.2	640	4.8	0.2	0.001	0.70	<0.05	2.8	0.4	0.4	10.2	<0.01	2.70	3.3
R331084		0.80	17.3	690	11.0	0.2	0.003	5.07	0.08	1.9	1.3	0.7	20.3	<0.01	5.03	1.5
R331085		0.26	12.3	540	5.7	0.2	0.002	1.44	0.05	2.4	0.7	0.5	12.9	<0.01	1.29	3.6
R331086		0.31	12.0	440	10.0	0.1	0.001	1.36	0.05	2.8	0.5	0.6	10.9	<0.01	1.44	6.0
R331087		0.32	9.9	930	1.4	0.3	0.002	0.78	<0.05	3.5	0.6	0.6	15.5	<0.01	1.70	4.6
R331088		0.27	13.6	930	1.6	0.2	0.001	0.71	<0.05	3.8	0.4	0.5	10.7	<0.01	1.14	4.3
R331089		0.18	8.0	380	0.9	0.2	<0.001	0.31	0.08	2.7	0.3	0.4	7.0	<0.01	0.54	5.8
R331090		0.20	8.0	360	1.0	0.2	<0.001	0.31	<0.05	2.7	0.2	0.4	7.4	<0.01	0.99	6.1
R331091		0.42	1.6	160	0.8	0.3	<0.001	0.19	<0.05	0.9	0.3	0.2	3.8	<0.01	0.30	7.1
R331092		0.26	8.0	470	0.9	0.2	<0.001	0.25	<0.05	2.6	0.3	0.5	8.5	<0.01	0.26	4.2
R331093		0.30	5.2	460	0.6	0.3	<0.001	0.14	<0.05	1.6	<0.2	0.5	7.0	<0.01	0.08	5.5
R331094		0.25	8.3	800	0.7	0.2	<0.001	0.19	<0.05	2.9	0.2	0.5	8.3	<0.01	0.11	4.9
R331095		0.21	9.1	840	0.5	0.2	<0.001	0.15	<0.05	3.6	<0.2	0.5	7.7	<0.01	0.04	4.6
R331096		0.42	1.4	30	0.9	0.2	<0.001	0.13	<0.05	0.8	0.2	0.4	4.0	<0.01	0.03	8.4
R331097		0.10	12.7	740	1.5	1.3	<0.001	0.16	<0.05	4.1	0.3	0.5	11.4	<0.01	0.04	5.0
R331098		0.10	27.7	600	2.8	3.1	0.003	0.64	<0.05	11.4	1.0	0.5	34.0	<0.01	0.07	1.2
R331099		0.05	43.1	630	1.7	1.4	0.002	0.84	<0.05	19.9	1.4	0.4	21.1	<0.01	0.10	0.9
R331100		0.06	38.8	560	1.1	2.0	0.002	0.79	<0.05	22.5	1.0	0.6	26.7	<0.01	0.97	0.2
R331101		0.17	14.1	270	6.6	2.4	0.001	0.28	0.05	5.2	0.6	0.4	32.0	<0.01	0.04	7.7
R331102		0.10	27.6	550	15.7	1.5	0.002	0.69	<0.05	10.3	1.1	0.4	34.3	<0.01	0.07	0.2
R331103		0.30	22.3	540	25.6	1.1	0.002	0.57	<0.05	7.2	0.9	0.4	26.6	<0.01	0.05	0.5
R331104		0.13	27.3	520	31.4	1.1	0.003	1.06	<0.05	20.0	1.2	0.6	21.7	<0.01	0.15	0.3
R331105		0.12	34.4	510	39.9	3.6	0.004	1.42	<0.05	12.3	1.7	0.5	27.9	<0.01	0.09	0.8
R331106		0.14	30.6	500	30.0	3.7	0.004	1.17	0.05	10.5	1.5	0.4	22.9	<0.01	0.13	1.2
R331107		0.28	27.9	500	10.4	2.3	0.003	0.90	<0.05	8.8	1.2	0.4	18.3	<0.01	0.11	1.6
R331108		0.14	30.4	560	3.0	2.9	0.003	0.70	<0.05	11.0	1.2	0.5	21.1	<0.01	0.09	0.2
R331109		0.14	30.7	550	9.6	1.7	0.004	1.21	0.05	7.0	1.6	0.3	13.4	<0.01	0.13	0.2
R331110		<0.05	0.6	10	0.7	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.5	<0.01	<0.01	0.2
R331111		0.22	27.9	540	5.8	2.9	0.003	1.22	<0.05	7.8	0.9	0.4	14.1	<0.01	0.10	0.2
R331112		0.11	27.1	550	2.9	1.8	0.004	0.88	<0.05	9.5	0.9	0.3	17.2	<0.01	0.10	0.2
R331113		0.08	25.8	560	4.5	5.1	0.005	1.07	<0.05	11.0	1.3	0.3	15.1	<0.01	0.14	0.2
R331114		0.12	22.6	510	9.0	1.4	0.003	0.61	<0.05	6.8	0.9	0.4	15.1	<0.01	0.07	0.2
R331115		0.10	23.3	570	12.6	1.8	0.003	1.06	0.07	9.2	0.8	0.4	16.9	<0.01	0.15	0.2
R331116		0.08	27.0	550	3.1	1.6	0.004	1.37	<0.05	14.6	1.1	0.3	24.5	<0.01	0.38	0.2
R331117		0.09	27.9	530	7.9	1.5	0.007	1.18	<0.05	9.2	0.9	0.3	25.6	<0.01	0.15	0.2
R331118		0.19	20.4	550	7.1	1.0	0.003	0.98	0.05	6.6	1.2	0.3	34.4	<0.01	0.11	0.2
R331119		0.18	28.4	470	15.6	1.7	0.005	1.48	0.06	10.1	1.6	0.4	36.5	<0.01	0.16	1.0
R331120		0.05	10.2	610	18.0	11.1	0.003	0.87	0.38	8.4	0.9	0.5	113.5	<0.01	2.43	1.3
R331121		0.22	27.5	480	4.5	1.5	0.005	1.25	<0.05	9.8	1.0	0.4	29.6	<0.01	0.12	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331082		0.054	<0.02	1.46	28	0.23	2.66	37	43.4	3.55
R331083		0.065	<0.02	1.24	29	0.28	3.37	22	35.2	
R331084		0.226	<0.02	1.00	27	1.27	4.36	14	27.4	
R331085		0.086	<0.02	1.60	29	0.30	2.70	23	37.7	
R331086		0.123	<0.02	1.82	33	0.62	2.76	24	35.4	
R331087		0.101	<0.02	1.54	32	0.40	4.45	24	17.8	
R331088		0.094	<0.02	1.77	38	0.24	4.21	30	22.8	
R331089		0.043	<0.02	1.60	29	0.13	2.29	24	37.9	
R331090		0.047	<0.02	1.62	29	0.13	2.40	24	38.5	
R331091		0.025	<0.02	2.08	6	0.11	1.85	4	29.3	
R331092		0.051	<0.02	1.60	32	0.12	2.34	24	32.0	
R331093		0.046	<0.02	1.37	18	0.32	2.20	13	33.4	
R331094		0.079	<0.02	1.90	31	0.48	3.14	23	29.0	
R331095		0.079	<0.02	1.50	36	0.36	3.27	24	21.0	
R331096		0.012	0.02	1.53	4	0.48	1.38	2	37.3	
R331097		0.094	<0.02	2.00	46	0.75	3.70	42	22.8	
R331098		0.372	0.08	0.44	215	1.09	11.05	81	13.1	
R331099		0.384	0.06	0.34	283	1.40	12.10	148	13.3	
R331100		0.405	0.03	0.23	282	1.85	10.70	143	5.6	
R331101		0.204	0.02	3.31	104	0.56	6.89	54	33.3	
R331102		0.354	0.09	0.06	205	0.45	11.25	160	4.8	
R331103		0.348	0.04	0.21	185	0.43	9.78	105	6.7	
R331104		0.345	0.02	0.17	262	0.76	12.45	236	4.0	
R331105		0.369	0.07	0.36	211	0.54	11.15	280	7.6	
R331106		0.362	0.09	0.50	189	0.48	10.15	198	6.8	
R331107		0.340	0.05	0.73	160	0.36	10.05	68	13.3	
R331108		0.403	0.07	0.06	207	0.39	11.80	102	5.3	
R331109		0.280	0.04	0.06	155	0.27	8.10	71	3.6	
R331110		<0.005	<0.02	0.06	<1	<0.05	0.51	<2	0.7	
R331111		0.328	0.03	0.12	201	0.32	8.89	78	4.2	
R331112		0.312	0.04	<0.05	168	0.35	9.31	71	4.2	
R331113		0.312	0.08	0.06	204	0.34	9.39	103	3.4	
R331114		0.271	0.06	0.06	165	0.31	8.16	201	3.7	
R331115		0.270	0.08	<0.05	150	0.36	8.78	85	3.6	
R331116		0.270	0.03	0.05	197	0.63	9.64	116	2.6	
R331117		0.275	0.03	<0.05	180	0.44	8.07	123	2.7	
R331118		0.307	0.03	0.09	170	0.40	8.76	76	3.4	
R331119		0.300	0.03	0.41	171	0.49	9.45	78	7.3	
R331120		0.053	0.12	0.31	67	0.34	7.63	81	12.1	
R331121		0.304	0.04	0.07	186	0.44	9.12	80	4.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331122		3.77	0.001	0.08	1.53	0.6	<0.2	<10	10	0.27	0.11	2.07	0.04	6.48	39.0	25
R331123		3.76	0.001	0.09	2.06	0.5	<0.2	<10	10	0.34	0.10	1.75	0.04	7.78	43.6	13
R331124		1.78	0.005	0.11	2.27	0.6	<0.2	<10	10	0.51	0.28	1.62	0.04	8.45	50.0	25
R331125		2.02	0.003	0.14	1.51	0.6	<0.2	<10	10	0.41	0.29	2.13	0.06	8.37	40.7	25
R331126		2.84	0.001	0.10	0.44	0.1	<0.2	<10	20	0.43	1.14	1.09	0.06	28.3	3.9	15
R331127		3.17	0.001	0.11	0.41	0.1	<0.2	<10	20	0.40	0.80	1.18	0.06	29.2	3.9	15
R331128		2.91	0.013	0.06	0.52	0.1	<0.2	<10	30	0.31	0.42	1.11	<0.01	37.0	3.8	17
R331129		3.18	0.007	0.07	0.44	<0.1	<0.2	<10	30	0.28	0.33	1.14	0.01	37.6	3.4	17
R331130		<0.02	0.048	0.05	0.45	0.2	<0.2	<10	30	0.26	0.33	1.13	0.01	37.1	3.4	16
R331131		3.75	0.001	0.05	0.53	0.4	<0.2	<10	60	0.34	0.35	0.82	0.04	37.6	3.8	19
R331132		3.00	1.430	0.49	0.42	0.3	1.3	<10	200	0.27	5.05	1.18	<0.01	33.2	3.6	16
R331133		3.06	0.002	0.03	0.46	0.2	<0.2	<10	560	0.24	0.21	1.16	0.01	29.2	3.2	17
R331134		2.81	0.001	0.02	0.54	0.1	<0.2	<10	50	0.30	0.13	1.08	<0.01	33.5	3.3	16
R331135		1.15	0.001	0.03	2.31	0.2	<0.2	<10	70	1.02	0.21	4.39	<0.01	21.0	20.9	141
R331136		3.34	0.044	0.02	0.50	0.3	<0.2	<10	190	0.34	0.15	0.89	0.01	35.0	3.5	15
R331137		3.29	0.009	0.02	0.44	0.2	<0.2	<10	170	0.27	0.11	0.73	0.01	32.3	3.0	18
R331138		3.04	0.014	0.02	0.48	0.2	<0.2	<10	70	0.35	0.16	0.73	0.01	31.9	3.0	17
R331139		2.84	0.002	0.02	0.47	0.1	<0.2	<10	110	0.42	0.52	0.77	0.01	31.3	3.5	15
R331140		0.11	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.92	0.1	<1
R331141		2.98	0.013	0.02	0.44	0.3	<0.2	<10	110	0.29	0.36	0.72	0.01	33.3	3.2	17
R331142		2.88	0.091	0.04	0.42	0.1	<0.2	<10	100	0.29	0.30	0.84	0.01	31.2	3.4	16
R331143		0.80	0.252	0.40	0.20	0.3	<0.2	<10	170	0.11	4.90	0.40	0.04	11.20	2.3	21
R331144		1.08	0.027	0.09	2.66	0.3	<0.2	<10	180	0.76	0.62	5.63	0.01	25.1	19.3	107
R331145		1.09	0.878	1.46	0.31	0.3	0.2	<10	190	0.14	17.05	1.37	0.01	7.60	5.8	40
R331146		1.98	0.067	0.09	0.42	0.2	<0.2	<10	380	0.28	0.64	1.05	0.07	31.3	3.2	17
R331147		2.21	0.016	0.03	0.49	0.2	<0.2	<10	90	0.28	0.34	0.78	0.01	36.9	3.3	18
R331148		2.18	0.030	0.17	0.45	0.2	<0.2	<10	90	0.33	0.98	0.94	0.04	21.2	3.9	15
R331149		2.13	0.034	0.06	0.43	0.1	<0.2	<10	90	0.40	0.96	1.21	0.06	25.7	3.6	13
R331150		0.07	2.48	4.67	1.52	16.6	2.4	<10	40	0.58	0.08	3.61	0.34	21.8	10.7	24
R331151		1.05	0.134	0.19	0.35	0.2	1.1	<10	310	0.26	0.57	0.94	0.02	20.5	2.7	14
R331152		2.86	0.190	0.04	0.43	0.1	<0.2	<10	160	0.36	0.78	1.07	0.01	24.8	3.2	15
R331153		1.77	0.019	0.02	0.55	0.2	<0.2	<10	50	0.34	0.34	0.85	<0.01	28.7	3.5	16
R331154		1.85	0.086	0.02	0.48	0.1	<0.2	<10	130	0.27	0.19	0.79	0.01	33.7	3.2	16
R331155		2.11	0.019	0.03	0.49	0.1	<0.2	<10	250	0.30	0.48	1.30	0.05	33.0	3.9	12
R331156		2.11	0.060	0.06	0.38	0.2	<0.2	<10	130	0.25	1.84	1.42	0.05	28.8	4.0	10
R331157		2.15	0.017	0.05	0.36	0.2	<0.2	<10	230	0.23	1.31	1.62	0.07	31.6	3.8	10
R331158		3.44	0.007	0.03	0.44	0.2	<0.2	<10	320	0.27	0.33	0.92	0.02	31.8	3.3	16
R331159		2.99	0.007	0.04	0.41	0.1	<0.2	<10	180	0.33	0.43	0.91	0.01	34.7	3.4	15
R331160		<0.02	0.008	0.04	0.45	0.2	<0.2	<10	190	0.31	0.45	0.92	0.01	35.1	3.4	15
R331161		2.03	0.005	0.03	0.43	0.2	<0.2	<10	110	0.30	0.22	0.92	0.01	29.6	3.4	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331122		0.30	172.0	6.24	7.09	0.20	0.19	<0.01	0.020	0.03	2.4	8.2	0.84	777	4.02	0.08
R331123		0.55	159.0	6.50	9.12	0.16	0.19	<0.01	0.023	0.05	2.9	13.3	1.37	876	1.56	0.10
R331124		0.66	185.5	7.59	10.90	0.16	0.22	<0.01	0.027	0.05	3.9	17.2	1.60	925	1.49	0.08
R331125		0.60	196.5	6.50	7.39	0.12	0.23	<0.01	0.024	0.06	3.5	10.8	1.05	711	1.15	0.09
R331126		0.11	25.9	1.64	3.22	0.05	1.02	<0.01	0.011	0.05	15.6	3.8	0.39	198	1.70	0.08
R331127		0.12	15.3	1.58	3.34	0.05	0.98	<0.01	0.009	0.04	15.8	4.3	0.37	191	0.82	0.07
R331128		0.16	13.8	1.67	3.97	0.05	0.98	<0.01	0.009	0.07	20.3	5.0	0.44	208	1.44	0.08
R331129		0.21	4.3	1.54	3.54	0.05	0.96	<0.01	0.009	0.06	21.2	4.8	0.39	219	1.85	0.06
R331130		0.20	4.3	1.55	3.53	0.05	0.97	<0.01	0.009	0.06	20.7	4.8	0.39	217	1.93	0.07
R331131		0.28	5.8	1.65	4.00	0.05	0.98	<0.01	0.009	0.08	21.4	6.0	0.44	238	0.50	0.07
R331132		0.24	8.6	1.57	3.18	<0.05	0.93	<0.01	0.008	0.06	18.7	6.1	0.35	177	19.35	0.07
R331133		0.33	7.7	1.43	3.60	<0.05	0.93	<0.01	0.009	0.07	15.6	6.1	0.41	191	0.56	0.06
R331134		0.31	6.5	1.43	3.96	0.05	0.95	<0.01	0.008	0.09	18.1	7.1	0.45	187	0.24	0.07
R331135		1.17	17.2	4.08	8.97	0.05	0.40	<0.01	0.025	0.11	9.3	41.1	2.73	655	0.45	0.03
R331136		0.27	15.0	1.40	3.34	0.05	1.02	<0.01	0.010	0.08	20.3	6.7	0.41	224	0.20	0.07
R331137		0.25	8.1	1.38	2.95	0.05	0.97	<0.01	0.009	0.08	19.4	5.3	0.37	224	0.21	0.07
R331138		0.25	4.6	1.42	3.43	<0.05	0.98	<0.01	0.009	0.07	18.3	6.7	0.43	210	0.68	0.06
R331139		0.34	8.1	1.45	3.31	0.05	1.01	<0.01	0.008	0.07	17.0	7.3	0.42	185	1.86	0.06
R331140		<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.3	<0.01	<5	<0.05	<0.01
R331141		0.36	6.8	1.43	3.02	<0.05	1.05	<0.01	0.008	0.09	19.8	5.7	0.34	216	0.86	0.07
R331142		0.41	8.6	1.38	2.76	<0.05	0.94	<0.01	0.007	0.07	17.7	6.6	0.36	208	0.33	0.05
R331143		0.11	7.8	0.99	1.17	<0.05	0.25	<0.01	<0.005	0.02	6.5	3.9	0.18	94	133.5	0.03
R331144		0.38	4.1	4.21	9.07	0.05	0.11	<0.01	0.016	0.14	12.8	55.1	2.96	569	0.42	0.02
R331145		0.14	7.6	1.54	1.87	0.08	0.34	<0.01	0.005	0.03	4.1	8.8	0.31	138	72.1	0.03
R331146		0.36	10.9	1.13	2.98	0.10	0.88	0.01	0.007	0.06	16.9	7.8	0.34	158	1.02	0.06
R331147		0.34	9.2	1.37	3.43	0.10	0.98	<0.01	0.008	0.08	19.8	8.6	0.39	192	3.13	0.07
R331148		0.18	55.7	1.38	3.25	0.10	1.04	0.01	0.007	0.05	11.0	7.8	0.38	154	8.10	0.07
R331149		0.19	20.7	1.37	2.98	0.09	1.04	<0.01	0.009	0.05	13.8	6.9	0.37	187	2.46	0.07
R331150		2.97	69.5	2.89	6.12	0.14	0.35	0.09	0.037	0.22	10.0	17.8	0.85	686	5.62	0.07
R331151		0.20	18.2	1.22	2.33	0.08	0.87	0.01	0.006	0.05	11.0	5.5	0.29	157	3.12	0.06
R331152		0.18	9.2	1.26	3.17	0.09	0.97	<0.01	0.008	0.06	13.0	6.9	0.36	155	1.39	0.07
R331153		0.26	6.6	1.32	4.00	0.10	0.92	0.01	0.009	0.06	15.4	9.5	0.49	206	0.17	0.06
R331154		0.33	20.0	1.37	3.10	0.09	0.95	0.01	0.011	0.08	18.9	7.1	0.40	246	0.25	0.08
R331155		0.27	16.9	1.55	2.86	0.10	1.02	0.01	0.012	0.04	18.0	9.6	0.49	360	0.25	0.07
R331156		0.19	24.1	1.52	2.14	0.09	0.96	0.01	0.013	0.03	15.6	7.6	0.40	331	0.32	0.08
R331157		0.13	17.0	1.43	2.24	0.10	1.07	0.01	0.009	0.02	16.8	6.5	0.35	292	8.67	0.09
R331158		0.32	12.2	1.34	3.09	0.10	1.09	0.01	0.009	0.07	18.2	6.6	0.36	234	1.78	0.08
R331159		0.27	16.2	1.31	3.07	0.10	1.08	0.01	0.011	0.06	19.7	6.3	0.36	221	8.21	0.07
R331160		0.28	16.5	1.42	3.14	0.10	1.04	<0.01	0.011	0.08	19.7	6.8	0.36	238	7.64	0.09
R331161		0.28	14.9	1.35	3.12	0.10	0.96	<0.01	0.011	0.06	16.7	6.1	0.39	219	0.35	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331122		0.16	28.8	520	3.5	1.1	0.009	0.78	<0.05	9.1	1.1	0.3	50.0	<0.01	0.11	0.2
R331123		0.07	25.2	600	4.5	1.9	0.006	1.01	<0.05	10.1	1.1	0.4	31.7	<0.01	0.13	0.2
R331124		0.08	35.8	560	10.3	2.1	0.005	1.12	<0.05	11.5	1.1	0.4	33.3	<0.01	0.14	0.2
R331125		0.12	26.8	560	28.8	4.0	0.005	1.24	<0.05	9.4	1.1	0.4	23.0	<0.01	0.14	0.6
R331126		0.22	5.2	420	10.0	1.7	<0.001	0.56	<0.05	1.9	0.4	0.4	21.8	<0.01	0.04	5.8
R331127		0.23	5.1	400	7.3	1.4	<0.001	0.59	<0.05	1.7	0.5	0.4	18.0	<0.01	0.06	6.8
R331128		0.23	5.2	410	2.4	2.4	<0.001	0.33	<0.05	1.7	0.3	0.5	19.7	<0.01	0.08	5.6
R331129		0.28	5.0	400	2.3	2.1	0.001	0.34	<0.05	1.6	0.3	0.4	24.6	<0.01	0.05	5.4
R331130		0.26	5.0	400	2.4	2.3	<0.001	0.35	<0.05	1.5	0.4	0.4	24.8	<0.01	0.04	5.5
R331131		0.31	5.5	410	3.4	3.1	<0.001	0.22	<0.05	1.7	0.4	0.5	25.2	<0.01	0.03	5.8
R331132		0.20	5.3	420	2.9	2.1	0.003	0.52	<0.05	1.6	0.3	0.4	24.1	<0.01	1.71	5.7
R331133		0.25	5.1	400	2.1	2.3	<0.001	0.20	<0.05	1.6	0.3	0.4	25.7	<0.01	0.02	6.1
R331134		0.17	5.3	390	1.6	3.2	<0.001	0.10	<0.05	1.5	<0.2	0.5	19.8	<0.01	0.02	6.3
R331135		0.05	47.7	1170	1.2	9.5	<0.001	0.13	<0.05	9.3	0.4	0.3	76.0	<0.01	0.01	2.7
R331136		0.32	4.9	390	4.4	3.5	<0.001	0.10	<0.05	1.6	0.2	0.5	38.3	<0.01	0.02	6.3
R331137		0.39	4.4	390	7.5	3.1	<0.001	0.07	<0.05	1.3	<0.2	0.5	42.1	<0.01	0.01	5.6
R331138		0.28	4.7	380	4.3	3.1	<0.001	0.08	<0.05	1.5	0.2	0.4	28.5	<0.01	0.02	5.8
R331139		0.22	4.9	390	2.5	3.1	<0.001	0.22	<0.05	1.5	0.2	0.4	23.6	<0.01	0.08	6.1
R331140		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331141		0.40	4.8	400	6.0	4.6	<0.001	0.12	<0.05	1.3	0.2	0.5	43.7	<0.01	0.09	5.8
R331142		0.30	4.8	390	3.7	3.7	<0.001	0.20	<0.05	1.3	<0.2	0.4	35.1	<0.01	0.06	5.6
R331143		0.07	4.3	110	7.7	1.4	0.035	0.29	0.05	0.6	0.2	0.4	12.1	<0.01	1.33	1.2
R331144		0.05	43.3	1250	1.9	10.7	<0.001	0.60	<0.05	6.9	0.4	0.2	47.1	<0.01	0.10	2.5
R331145		0.06	9.2	180	9.5	2.0	0.019	0.80	0.07	1.9	0.5	0.5	18.3	<0.01	10.30	0.6
R331146		0.19	4.6	380	8.8	2.5	0.001	0.29	<0.05	1.6	0.3	0.4	26.6	<0.01	0.09	5.5
R331147		0.27	4.6	390	2.4	3.5	0.001	0.17	<0.05	1.5	0.2	0.5	29.1	<0.01	0.06	5.7
R331148		0.13	4.5	380	4.1	2.1	0.003	0.58	<0.05	1.4	0.5	0.3	28.6	<0.01	0.13	6.1
R331149		0.14	4.4	400	3.5	1.8	0.001	0.58	<0.05	1.7	0.6	0.3	45.7	<0.01	0.30	6.2
R331150		0.05	9.6	610	17.4	11.2	0.002	0.85	0.40	8.4	1.1	0.5	118.0	<0.01	2.46	1.3
R331151		0.13	3.9	350	1.9	2.2	0.001	0.42	<0.05	1.2	0.5	0.3	32.2	<0.01	0.15	5.4
R331152		0.14	4.2	360	1.7	2.3	<0.001	0.41	<0.05	1.4	0.4	0.3	26.2	<0.01	0.27	6.1
R331153		0.11	4.4	380	1.4	2.5	<0.001	0.19	<0.05	1.4	0.4	0.3	23.9	<0.01	0.03	6.1
R331154		0.23	4.4	390	3.1	3.6	<0.001	0.15	<0.05	1.5	0.2	0.4	37.5	<0.01	0.04	5.5
R331155		0.14	4.8	430	5.4	1.9	<0.001	0.71	<0.05	1.8	0.5	0.3	65.5	<0.01	0.09	5.9
R331156		0.06	5.2	450	6.6	1.1	<0.001	1.05	<0.05	2.2	0.9	0.2	84.5	<0.01	0.35	5.3
R331157		0.11	4.9	470	4.2	0.9	0.002	0.95	<0.05	1.8	0.6	0.3	58.2	<0.01	0.22	6.3
R331158		0.42	4.4	390	4.4	3.9	<0.001	0.23	<0.05	1.6	0.3	0.4	41.7	<0.01	0.10	6.0
R331159		0.32	4.3	390	4.3	3.2	0.002	0.29	<0.05	1.5	0.3	0.4	33.8	<0.01	0.08	5.5
R331160		0.34	4.4	380	5.0	3.9	0.002	0.29	<0.05	1.5	0.4	0.5	35.8	<0.01	0.05	5.5
R331161		0.32	4.4	390	2.9	2.8	<0.001	0.23	<0.05	1.6	0.3	0.4	33.3	<0.01	0.05	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331122		0.298	0.05	<0.05	165	0.46	9.05	76	4.6	
R331123		0.314	0.07	<0.05	171	0.45	10.00	116	4.2	
R331124		0.364	0.02	0.07	219	0.53	11.25	132	4.6	
R331125		0.266	0.04	0.23	174	0.36	8.64	94	5.2	
R331126		0.046	<0.02	2.01	27	0.23	4.29	34	26.4	
R331127		0.041	<0.02	1.99	26	0.18	4.46	29	25.8	
R331128		0.047	0.02	1.89	27	0.20	4.16	24	25.5	
R331129		0.045	<0.02	1.82	24	0.25	3.80	22	24.6	
R331130		0.045	0.02	1.81	24	0.25	3.80	22	25.1	
R331131		0.054	0.02	2.33	26	0.20	3.87	30	25.9	
R331132		0.031	0.02	1.78	22	0.22	3.90	18	24.4	
R331133		0.040	0.02	1.83	24	0.31	3.90	20	24.2	
R331134		0.036	0.03	1.79	24	0.25	3.81	21	24.0	
R331135		0.149	0.06	1.22	69	0.48	9.03	65	23.3	
R331136		0.054	0.02	2.27	22	0.24	3.82	29	25.4	
R331137		0.059	0.02	1.95	20	0.18	3.30	31	25.4	
R331138		0.051	0.02	1.95	22	0.26	3.56	25	25.9	
R331139		0.040	0.02	2.08	21	0.24	3.96	23	26.0	
R331140		<0.005	<0.02	0.08	<1	<0.05	0.56	<2	0.7	
R331141		0.059	0.03	2.06	20	0.22	3.43	26	27.5	
R331142		0.046	0.02	2.10	19	0.27	3.40	25	23.7	
R331143		0.010	<0.02	0.64	6	0.14	1.28	11	6.6	
R331144		0.092	0.06	1.29	61	0.56	8.97	61	11.7	
R331145		0.022	0.02	0.44	19	0.23	2.08	9	13.3	
R331146		0.027	0.02	1.55	21	0.19	3.98	19	22.2	
R331147		0.046	0.02	1.98	21	0.25	4.25	21	24.6	
R331148		0.020	0.03	2.15	16	0.20	4.58	16	26.1	
R331149		0.021	<0.02	2.08	15	0.23	4.87	18	26.2	
R331150		0.052	0.13	0.32	66	0.35	7.64	82	12.0	
R331151		0.019	<0.02	1.90	14	0.21	3.76	14	22.1	
R331152		0.023	0.02	1.99	18	0.22	4.48	15	24.4	
R331153		0.021	0.02	1.97	22	0.18	4.25	24	23.2	
R331154		0.040	0.02	2.07	20	0.19	4.00	29	23.7	
R331155		0.021	<0.02	2.41	12	0.16	4.72	36	26.1	
R331156		0.008	<0.02	1.66	7	0.24	4.89	20	24.4	
R331157		0.013	<0.02	1.65	6	0.46	4.81	21	27.3	
R331158		0.048	0.02	2.24	19	0.32	4.32	26	27.6	
R331159		0.039	0.02	2.18	19	0.23	4.27	26	27.3	
R331160		0.043	0.02	2.16	20	0.23	4.32	26	26.4	
R331161		0.042	0.02	2.02	20	0.24	4.18	29	24.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331162		2.09	0.003	0.03	0.44	0.2	<0.2	<10	60	0.30	0.29	0.87	0.02	31.3	3.3	15
R331163		1.04	0.010	0.04	0.38	0.2	<0.2	<10	90	0.33	0.40	0.88	0.01	29.7	3.4	15
R331164		1.03	0.025	0.07	0.28	0.1	<0.2	<10	120	0.31	0.44	1.63	0.04	18.30	2.8	13
R331165		3.17	0.005	0.03	0.46	0.1	<0.2	<10	40	0.32	0.18	0.87	0.01	29.9	3.4	16
R331166		2.98	0.009	0.04	0.56	0.3	<0.2	<10	340	0.69	0.17	1.02	<0.01	29.0	3.8	17
R331167		3.39	0.031	0.17	0.60	0.3	<0.2	<10	210	0.44	1.32	0.68	<0.01	28.4	4.9	16
R331168		3.18	0.001	0.02	0.46	0.2	<0.2	<10	70	0.25	0.12	0.86	0.01	36.4	3.2	18
R331169		3.22	0.012	0.03	0.44	0.2	<0.2	<10	120	0.28	0.24	0.86	0.01	31.3	3.3	16
R331170		0.12	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R331171		3.13	0.009	0.04	0.41	0.2	<0.2	<10	380	0.25	0.35	1.07	0.01	33.4	3.2	15
R331172		3.22	0.032	0.06	0.40	0.3	<0.2	<10	190	0.31	1.01	1.10	0.05	32.1	3.4	16
R331173		3.17	0.005	0.02	0.44	0.3	<0.2	<10	120	0.27	0.16	0.83	0.02	38.8	3.3	17
R331174		2.96	0.002	0.02	0.48	0.2	<0.2	<10	60	0.31	0.10	0.86	0.01	35.3	3.2	17
R331175		3.20	0.016	0.05	0.38	0.3	<0.2	<10	140	0.29	0.65	1.21	0.01	28.3	3.7	14
R331176		3.08	0.008	0.06	0.37	0.3	<0.2	<10	170	0.27	0.41	1.05	0.01	34.5	3.3	15
R331177		2.67	0.022	0.02	0.45	0.2	<0.2	<10	130	0.28	0.12	0.92	0.01	35.4	3.3	17
R331178		2.15	0.004	0.01	0.48	0.3	<0.2	<10	90	0.28	0.06	0.73	0.02	38.8	3.5	20
R331179		2.00	0.004	0.03	0.43	0.3	<0.2	<10	110	0.29	0.15	0.76	0.01	36.6	3.1	17
R331180		0.07	9.16	10.15	1.61	10.4	9.2	<10	30	0.50	0.07	3.86	0.26	21.1	10.8	18
R331181		2.39	0.328	0.05	0.36	0.2	<0.2	<10	750	0.31	0.48	0.98	0.01	26.9	3.0	17
R331182		1.90	0.003	0.01	0.49	0.2	<0.2	<10	40	0.32	0.10	0.65	0.01	32.5	3.4	18
R331183		2.04	0.021	0.04	0.45	0.2	<0.2	<10	100	0.29	0.20	0.83	0.01	33.5	3.2	17
R331184		2.11	0.030	0.11	0.38	0.2	<0.2	<10	100	0.38	1.15	1.00	0.01	31.1	3.4	16
R331185		2.26	0.034	0.08	0.38	0.2	<0.2	<10	50	0.30	1.04	1.08	0.03	25.9	3.4	16
R331186		1.96	0.092	0.64	0.26	0.1	<0.2	<10	20	0.26	5.97	1.37	0.09	18.90	4.7	11
R331187		2.28	0.015	0.03	0.51	0.1	<0.2	<10	30	0.35	0.32	0.80	0.01	30.4	3.4	17
R331188		1.88	0.010	0.04	0.47	0.2	<0.2	<10	30	0.38	0.27	0.99	<0.01	31.8	3.2	17
R331189		2.09	0.008	0.03	0.45	0.2	<0.2	<10	110	0.29	0.24	0.82	0.01	33.6	3.4	16
R331190		<0.02	0.014	0.02	0.45	0.2	<0.2	<10	110	0.27	0.31	0.78	0.01	32.0	3.3	16
R331191		2.13	<0.001	0.02	0.42	0.2	<0.2	<10	460	0.25	0.06	0.62	0.01	34.6	3.1	17
R331192		1.91	0.001	0.01	0.50	0.2	<0.2	<10	60	0.33	0.05	0.72	0.01	33.8	3.5	17
R331193		2.08	0.001	0.02	0.54	0.3	<0.2	<10	50	0.35	0.10	0.77	0.01	32.6	3.6	19
R331194		2.08	0.005	0.04	0.47	0.1	<0.2	<10	80	0.37	0.38	1.03	0.01	40.4	3.5	17
R331195		1.20	0.004	0.02	0.39	0.2	<0.2	<10	60	0.36	0.28	0.85	0.01	28.1	3.0	16
R331196		1.07	0.006	0.04	0.31	0.2	<0.2	<10	50	0.36	6.79	1.21	<0.01	31.8	3.2	14
R331197		2.01	0.004	0.03	0.47	0.1	<0.2	<10	50	0.38	0.49	0.88	0.01	36.7	3.5	16
R331198		1.10	0.003	0.02	0.35	0.2	<0.2	<10	40	0.33	0.31	0.88	0.01	27.5	2.8	17
R331199		1.11	0.023	0.05	0.23	0.3	<0.2	<10	120	0.26	0.92	1.04	<0.01	15.75	2.7	15
R331200		2.01	0.008	0.04	0.31	0.1	<0.2	<10	270	0.26	0.88	1.05	0.01	25.9	3.2	14
R331201		2.18	0.004	0.03	0.38	0.2	<0.2	<10	70	0.27	0.74	0.93	0.01	32.4	3.0	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331162		0.29	10.6	1.35	3.32	0.09	1.01	<0.01	0.010	0.07	17.5	6.4	0.37	203	0.33	0.08
R331163		0.30	8.8	1.40	2.91	0.10	0.94	<0.01	0.009	0.06	17.0	4.9	0.31	199	3.92	0.07
R331164		0.20	20.8	1.17	2.04	0.09	0.89	<0.01	0.008	0.05	10.0	3.5	0.21	200	5.30	0.07
R331165		0.28	13.8	1.34	3.59	0.10	0.98	0.01	0.010	0.07	16.6	6.6	0.41	198	3.68	0.06
R331166		0.30	53.3	1.38	4.34	0.11	1.01	0.01	0.010	0.08	15.3	7.1	0.49	214	0.22	0.08
R331167		0.29	37.6	1.53	4.53	0.10	0.94	<0.01	0.012	0.06	15.7	9.4	0.57	207	72.2	0.07
R331168		0.32	5.9	1.34	3.53	0.11	1.07	0.01	0.010	0.07	21.1	5.9	0.39	228	0.69	0.07
R331169		0.31	7.6	1.40	3.10	0.10	1.02	0.01	0.010	0.07	17.8	6.6	0.38	243	2.87	0.07
R331170		<0.05	0.7	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	0.01
R331171		0.38	9.9	1.39	2.70	0.10	1.06	<0.01	0.010	0.10	19.4	5.5	0.31	268	0.24	0.07
R331172		0.26	13.2	1.43	2.84	0.10	1.15	0.01	0.009	0.09	18.1	5.1	0.29	226	1.51	0.07
R331173		0.38	9.1	1.43	3.03	0.11	1.10	<0.01	0.011	0.10	23.4	5.9	0.34	257	0.91	0.07
R331174		0.24	7.2	1.40	3.63	0.10	1.12	<0.01	0.011	0.07	20.3	8.0	0.42	236	0.17	0.07
R331175		0.34	21.2	1.51	2.47	0.09	1.02	0.01	0.010	0.08	15.7	5.8	0.29	235	8.26	0.09
R331176		0.38	11.3	1.31	2.74	0.11	1.04	<0.01	0.009	0.09	20.1	4.8	0.28	225	1.45	0.07
R331177		0.52	13.7	1.44	3.03	0.10	1.14	<0.01	0.010	0.12	20.0	5.9	0.34	258	0.21	0.08
R331178		0.81	8.3	1.48	3.35	0.11	1.24	<0.01	0.009	0.17	22.6	8.4	0.36	285	0.28	0.08
R331179		0.52	6.2	1.38	3.06	0.11	1.05	<0.01	0.009	0.11	21.1	5.6	0.32	229	0.21	0.07
R331180		2.42	63.4	2.97	6.71	0.17	0.62	0.16	0.025	0.13	9.3	21.8	1.07	818	5.26	0.08
R331181		0.36	8.4	1.31	2.69	0.10	0.94	<0.01	0.009	0.06	16.0	5.0	0.30	184	8.66	0.06
R331182		0.43	5.7	1.46	3.78	0.10	1.08	<0.01	0.011	0.07	19.2	8.0	0.45	222	1.73	0.07
R331183		0.36	8.6	1.41	3.30	0.10	1.09	<0.01	0.009	0.08	20.1	6.2	0.39	228	1.73	0.07
R331184		0.28	8.0	1.41	3.13	0.10	1.05	<0.01	0.009	0.06	17.9	5.5	0.31	169	3.31	0.07
R331185		0.27	8.2	1.42	2.92	0.09	1.00	<0.01	0.010	0.06	14.9	5.6	0.31	181	3.46	0.08
R331186		0.15	10.7	1.48	2.30	0.09	1.18	<0.01	0.009	0.02	10.0	3.5	0.19	134	103.0	0.09
R331187		0.34	6.0	1.45	4.14	0.10	1.09	<0.01	0.009	0.07	16.8	9.4	0.46	185	1.62	0.08
R331188		0.32	6.9	1.34	3.69	0.10	1.07	<0.01	0.008	0.06	17.8	8.8	0.43	187	1.95	0.06
R331189		0.40	7.0	1.41	3.30	0.10	1.08	<0.01	0.011	0.07	19.9	7.5	0.40	251	0.29	0.06
R331190		0.38	6.7	1.43	3.18	0.10	1.07	<0.01	0.011	0.07	19.3	6.9	0.39	247	0.25	0.07
R331191		0.51	8.5	1.33	3.10	0.10	1.14	<0.01	0.011	0.09	21.5	6.8	0.35	247	0.20	0.07
R331192		0.40	5.4	1.44	3.80	0.10	1.08	<0.01	0.010	0.07	20.0	7.6	0.46	243	0.17	0.06
R331193		0.32	4.2	1.54	4.21	0.10	1.17	0.01	0.011	0.08	18.3	7.8	0.46	214	0.24	0.08
R331194		0.30	4.2	1.44	4.09	0.11	1.22	<0.01	0.010	0.06	23.3	6.9	0.41	188	1.34	0.07
R331195		0.28	10.4	1.34	3.08	0.09	1.05	<0.01	0.009	0.06	15.7	5.5	0.31	164	1.52	0.08
R331196		0.23	12.2	1.32	2.62	0.10	1.08	<0.01	0.009	0.04	17.5	4.4	0.24	150	3.37	0.07
R331197		0.38	13.1	1.49	3.66	0.10	1.08	<0.01	0.011	0.07	21.0	8.0	0.40	209	3.99	0.08
R331198		0.30	12.2	1.26	2.78	0.10	0.95	<0.01	0.008	0.05	15.4	4.9	0.29	167	1.57	0.06
R331199		0.23	12.9	1.24	1.55	0.08	0.84	<0.01	0.005	0.05	8.5	2.9	0.14	160	31.2	0.07
R331200		0.38	24.3	1.34	2.09	0.09	1.14	<0.01	0.008	0.06	14.7	4.6	0.22	198	9.16	0.07
R331201		0.39	12.8	1.36	2.65	0.10	1.21	0.01	0.008	0.08	19.8	5.5	0.29	221	1.78	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331162		0.30	4.4	380	3.6	3.1	<0.001	0.22	<0.05	1.6	0.3	0.5	30.6	<0.01	0.06	5.5
R331163		0.32	4.5	380	3.1	2.9	0.001	0.33	<0.05	1.5	0.4	0.5	30.6	<0.01	0.07	5.1
R331164		0.23	3.7	330	6.4	2.1	0.002	0.46	0.08	2.0	0.4	0.3	30.0	<0.01	0.11	5.1
R331165		0.24	4.5	390	3.3	2.9	0.001	0.19	<0.05	1.5	0.3	0.4	26.2	<0.01	0.04	5.5
R331166		0.17	4.6	390	1.2	3.6	<0.001	0.10	<0.05	1.5	0.3	0.5	24.7	<0.01	0.02	5.9
R331167		0.13	4.8	380	5.5	2.8	0.015	0.33	<0.05	1.5	0.4	0.4	24.8	<0.01	0.17	5.6
R331168		0.40	4.5	390	3.2	3.3	<0.001	0.10	<0.05	1.6	0.3	0.5	34.8	<0.01	0.03	5.9
R331169		0.35	4.4	380	4.2	3.5	<0.001	0.17	<0.05	1.6	0.3	0.5	38.1	<0.01	0.08	5.8
R331170		<0.05	0.3	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R331171		0.56	4.3	400	6.1	8.2	<0.001	0.19	<0.05	1.6	0.3	0.5	59.6	<0.01	0.11	5.5
R331172		0.46	4.6	380	11.3	5.7	<0.001	0.38	0.05	1.6	0.4	0.5	43.8	<0.01	0.36	6.6
R331173		0.54	4.6	390	5.8	9.2	<0.001	0.13	<0.05	1.6	0.4	0.5	52.0	<0.01	0.07	5.9
R331174		0.40	4.5	400	4.1	3.7	<0.001	0.07	<0.05	1.6	0.3	0.5	33.7	<0.01	0.02	6.1
R331175		0.18	4.7	430	3.7	5.9	0.002	0.50	<0.05	1.6	0.4	0.4	47.2	<0.01	0.14	5.5
R331176		0.47	4.4	450	5.0	7.4	0.001	0.20	<0.05	1.5	0.2	0.5	51.9	<0.01	0.09	6.0
R331177		0.39	4.5	390	3.8	8.8	<0.001	0.11	<0.05	1.6	0.2	0.5	44.5	<0.01	0.03	6.5
R331178		0.69	4.7	390	6.6	20.3	<0.001	0.02	<0.05	1.5	0.4	0.6	65.7	<0.01	<0.01	6.8
R331179		0.60	4.3	400	5.5	8.9	<0.001	0.06	<0.05	1.4	0.2	0.6	52.6	<0.01	0.07	6.2
R331180		0.10	9.4	640	15.0	6.2	0.002	0.43	0.37	8.8	0.8	0.5	112.0	<0.01	4.39	1.5
R331181		0.30	5.4	360	4.4	3.3	0.003	0.23	0.05	1.4	0.2	0.4	40.0	<0.01	0.19	5.8
R331182		0.30	5.4	400	2.8	3.2	0.001	0.07	<0.05	1.5	0.2	0.5	28.3	<0.01	0.01	6.6
R331183		0.35	5.0	400	3.7	3.6	0.001	0.13	<0.05	1.5	<0.2	0.5	37.1	<0.01	0.04	6.2
R331184		0.27	5.2	390	5.1	2.3	0.001	0.47	0.05	1.5	0.3	0.5	25.4	<0.01	0.39	5.9
R331185		0.25	5.1	410	7.0	2.4	0.001	0.56	<0.05	1.5	0.3	0.4	31.7	<0.01	0.20	5.8
R331186		0.15	5.5	560	11.0	0.7	0.032	1.10	<0.05	1.6	0.8	0.3	30.3	<0.01	1.63	6.2
R331187		0.17	5.3	410	2.3	2.8	<0.001	0.22	<0.05	1.5	0.2	0.5	21.1	<0.01	0.04	6.4
R331188		0.20	4.8	390	1.9	2.5	<0.001	0.16	<0.05	1.4	<0.2	0.5	19.9	<0.01	0.03	6.4
R331189		0.35	5.0	400	5.1	3.3	<0.001	0.11	<0.05	1.6	<0.2	0.4	41.0	<0.01	0.04	6.5
R331190		0.35	5.0	390	4.8	3.3	<0.001	0.11	<0.05	1.5	<0.2	0.5	39.9	<0.01	0.10	5.8
R331191		0.56	4.6	380	9.3	6.5	<0.001	0.04	<0.05	1.2	<0.2	0.5	57.9	<0.01	<0.01	6.2
R331192		0.37	5.1	400	3.3	3.2	<0.001	0.02	<0.05	1.4	0.2	0.5	35.8	<0.01	<0.01	6.9
R331193		0.26	5.6	410	2.2	3.4	<0.001	0.12	<0.05	1.6	0.2	0.6	26.1	<0.01	0.01	6.8
R331194		0.29	5.4	410	2.2	2.8	<0.001	0.21	<0.05	1.6	0.2	0.5	24.7	<0.01	0.10	7.3
R331195		0.27	4.6	360	2.7	2.5	<0.001	0.27	<0.05	1.4	0.2	0.5	24.3	<0.01	0.02	5.8
R331196		0.27	4.6	380	3.6	1.8	0.001	0.49	<0.05	1.5	0.4	0.4	22.6	<0.01	0.11	6.1
R331197		0.31	5.4	400	3.9	3.4	0.001	0.27	<0.05	1.6	<0.2	0.5	28.3	<0.01	0.08	6.5
R331198		0.29	4.7	360	2.1	2.2	0.001	0.27	<0.05	1.4	0.3	0.4	25.0	<0.01	0.05	5.4
R331199		0.21	4.1	300	3.7	2.5	0.009	0.57	0.05	1.1	0.3	0.4	30.3	<0.01	0.15	4.7
R331200		0.30	4.6	380	3.4	4.1	0.003	0.55	<0.05	1.3	0.2	0.3	36.0	<0.01	0.06	6.2
R331201		0.48	4.6	390	5.3	6.6	<0.001	0.24	<0.05	1.4	0.3	0.4	42.0	<0.01	0.27	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331162		0.044	0.02	1.99	20	0.27	4.08	24	25.6	
R331163		0.040	0.02	1.79	18	0.30	3.97	25	24.7	
R331164		0.026	<0.02	1.65	12	0.23	3.92	18	23.1	
R331165		0.037	<0.02	2.16	19	0.29	4.14	25	25.4	
R331166		0.028	0.03	2.04	20	0.25	6.15	30	26.2	
R331167		0.024	0.03	2.02	21	0.24	4.39	32	26.3	
R331168		0.052	0.02	2.15	21	0.31	4.13	28	27.7	
R331169		0.048	0.02	2.11	20	0.29	3.88	30	25.4	
R331170		<0.005	<0.02	0.07	<1	<0.05	0.60	<2	0.8	
R331171		0.058	0.05	2.22	19	0.48	3.93	32	26.9	
R331172		0.048	0.03	2.93	19	2.99	4.10	29	28.5	
R331173		0.060	0.05	2.16	20	0.34	3.93	34	28.6	
R331174		0.054	0.02	2.34	22	0.36	4.43	27	28.5	
R331175		0.023	0.04	1.96	15	0.20	4.23	22	26.6	
R331176		0.044	0.05	2.21	16	0.25	4.21	25	26.6	
R331177		0.056	0.05	2.32	22	0.15	4.15	31	27.2	
R331178		0.077	0.13	2.46	22	0.11	4.11	37	29.5	
R331179		0.069	0.06	2.34	21	0.25	3.89	28	25.9	
R331180		0.133	0.08	0.43	79	0.41	8.01	65	21.1	
R331181		0.039	0.02	2.05	19	0.24	3.49	22	22.6	
R331182		0.047	0.02	2.21	23	0.30	4.05	27	25.6	
R331183		0.053	0.02	2.15	22	0.27	3.81	27	25.8	
R331184		0.033	<0.02	2.32	19	0.33	4.38	16	26.1	
R331185		0.033	<0.02	2.39	18	0.32	3.96	20	24.3	
R331186		0.013	0.07	2.09	11	0.18	4.89	16	29.8	
R331187		0.032	0.02	2.22	21	0.30	3.97	21	26.0	
R331188		0.034	0.02	2.22	21	0.39	4.20	20	24.9	
R331189		0.052	0.02	2.32	22	0.33	3.73	31	25.5	
R331190		0.051	0.02	2.21	21	0.32	3.55	30	24.8	
R331191		0.064	0.04	2.26	20	0.17	3.45	32	26.9	
R331192		0.055	0.02	2.38	23	0.32	3.73	31	25.5	
R331193		0.048	0.02	2.43	24	0.37	4.41	24	27.9	
R331194		0.043	0.02	2.58	22	0.34	4.71	19	29.1	
R331195		0.038	<0.02	2.22	21	0.28	4.03	15	24.9	
R331196		0.031	<0.02	2.15	19	0.30	4.38	13	25.9	
R331197		0.044	0.02	2.42	22	0.31	4.42	22	26.2	
R331198		0.035	<0.02	1.96	19	0.27	3.74	16	22.6	
R331199		0.018	0.02	1.70	11	0.18	3.05	10	19.9	
R331200		0.028	0.03	2.34	15	0.19	3.79	17	25.9	
R331201		0.049	0.04	2.39	19	0.25	3.76	23	28.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331202		2.29	0.002	0.04	0.40	0.1	<0.2	<10	80	0.38	0.51	0.90	0.01	28.2	3.3	17
R331203		2.04	0.005	0.03	0.45	0.1	<0.2	<10	30	0.42	0.40	0.86	0.01	19.95	3.7	16
R331204		2.06	0.008	0.05	0.40	0.2	<0.2	<10	30	0.39	1.40	0.89	0.01	24.5	4.1	16
R331205		2.21	0.001	0.05	0.37	0.2	<0.2	<10	40	0.30	0.49	0.82	0.01	26.8	4.3	17
R331206		2.16	<0.001	0.02	0.42	0.2	<0.2	<10	50	0.29	0.08	0.75	0.01	34.7	3.2	17
R331207		1.35	<0.001	0.01	0.49	0.2	<0.2	<10	30	0.28	0.03	0.77	0.01	36.9	3.5	22
R331208		4.15	0.001	0.04	2.42	0.3	<0.2	<10	10	0.37	0.05	1.39	0.02	6.89	36.7	37
R331209		3.61	0.001	0.03	2.19	0.2	<0.2	<10	10	0.23	0.04	1.06	0.02	6.15	36.2	38
R331210		0.11	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.95	0.1	<1
R331211		3.90	0.001	0.04	2.21	0.2	<0.2	<10	<10	0.22	0.03	1.76	0.02	6.28	39.6	37
R331212		2.44	<0.001	0.04	1.97	0.3	<0.2	<10	10	0.18	0.01	0.95	0.02	6.19	34.5	35
R331213		2.55	<0.001	0.05	1.95	0.4	<0.2	<10	10	0.25	0.02	1.17	0.04	5.94	30.4	33
R331214		3.64	<0.001	0.05	1.98	0.3	<0.2	<10	10	0.25	0.02	1.39	0.06	6.23	26.0	35
R331215		3.91	0.001	0.26	1.43	0.3	<0.2	<10	<10	0.21	0.07	1.68	0.05	5.66	28.5	38
R331216		3.84	0.003	0.06	1.33	0.4	<0.2	<10	<10	0.11	0.04	1.31	0.05	5.17	27.8	35
R331217		2.19	0.008	0.16	2.04	0.5	<0.2	<10	<10	0.30	2.58	2.98	0.08	5.75	38.5	40
R331218		3.84	0.002	0.06	1.95	0.5	<0.2	<10	<10	0.15	0.05	1.49	0.06	5.44	31.3	33
R331219		4.03	0.002	0.09	1.25	0.7	<0.2	<10	<10	0.17	0.04	1.94	0.07	5.23	25.1	29
R331220		0.07	0.913	6.00	0.98	38.1	1.2	10	40	0.19	1.18	0.40	5.02	4.85	14.1	20
R331221		3.35	0.006	0.11	1.09	0.6	<0.2	<10	<10	0.25	0.13	2.70	0.05	5.50	26.8	26
R331222		3.92	0.008	0.09	1.27	0.3	<0.2	<10	<10	0.16	0.06	2.32	0.05	5.23	24.2	22
R331223		3.92	0.022	0.15	1.30	0.4	<0.2	<10	<10	0.20	0.16	2.20	0.09	5.68	26.1	23
R331224		3.70	0.002	0.13	1.10	0.5	<0.2	<10	10	0.18	0.06	1.75	0.09	5.78	31.4	22
R331225		3.36	0.019	0.09	1.92	0.6	<0.2	<10	10	0.11	0.11	3.22	0.05	5.54	36.9	34
R331226		3.48	0.007	0.31	1.37	0.7	<0.2	<10	10	0.15	0.18	2.16	0.06	5.65	32.5	27
R331227		3.79	0.002	0.11	2.04	0.6	<0.2	<10	20	0.18	0.10	2.17	0.09	6.34	43.9	33
R331228		3.55	0.003	0.10	2.36	1.3	<0.2	<10	20	0.17	0.08	1.84	0.10	7.71	39.0	24
R331229		3.68	0.001	0.10	1.71	0.7	<0.2	<10	20	0.18	0.06	2.28	0.08	7.35	27.6	14
R331230		<0.02	0.001	0.11	1.62	0.7	<0.2	<10	20	0.15	0.07	2.17	0.09	7.21	28.2	14
R331231		3.79	0.001	0.13	1.40	0.6	<0.2	<10	10	0.14	0.11	1.94	0.09	6.73	26.0	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331202		0.38	6.4	1.44	3.04	0.09	1.15	<0.01	0.010	0.06	16.0	5.6	0.32	191	2.87	0.07
R331203		0.22	4.2	1.45	3.90	0.10	1.19	<0.01	0.008	0.05	10.7	7.0	0.40	159	0.36	0.08
R331204		0.26	9.3	1.56	3.31	0.10	1.24	<0.01	0.009	0.05	13.7	7.2	0.36	171	6.47	0.07
R331205		0.28	11.1	1.61	2.90	0.09	1.23	<0.01	0.009	0.06	15.8	5.0	0.30	189	1.15	0.08
R331206		0.39	10.3	1.36	3.37	0.10	1.41	<0.01	0.010	0.07	21.3	6.1	0.36	225	0.19	0.06
R331207		0.32	12.4	1.53	4.15	0.11	1.22	<0.01	0.012	0.07	22.1	6.6	0.44	235	0.18	0.07
R331208		0.96	163.0	8.07	10.05	0.17	0.12	<0.01	0.021	0.05	3.3	28.2	2.08	652	0.95	0.08
R331209		0.94	149.0	8.16	8.93	0.17	0.08	<0.01	0.019	0.05	2.5	21.8	1.88	562	0.57	0.06
R331210		<0.05	0.8	0.03	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	0.01
R331211		0.39	156.0	8.50	8.91	0.17	0.09	0.01	0.021	0.02	2.4	17.9	1.80	585	1.07	0.03
R331212		0.44	155.0	7.86	9.05	0.14	0.07	<0.01	0.015	0.05	2.5	18.0	1.46	445	1.26	0.05
R331213		0.42	140.5	7.58	8.84	0.14	0.14	<0.01	0.012	0.05	2.4	13.2	1.12	393	1.48	0.13
R331214		0.21	150.5	7.29	8.52	0.13	0.07	0.01	0.014	0.06	2.4	6.4	0.63	279	0.21	0.21
R331215		0.23	154.5	7.52	7.24	0.15	0.16	0.01	0.018	0.03	2.3	10.1	0.92	492	0.38	0.09
R331216		0.13	165.0	6.09	5.95	0.17	0.17	<0.01	0.015	0.02	1.9	7.1	0.77	482	0.61	0.08
R331217		1.11	139.0	8.14	10.05	0.17	0.27	<0.01	0.038	0.05	2.1	18.1	1.72	834	13.85	0.05
R331218		0.24	155.0	6.08	7.85	0.16	0.11	<0.01	0.019	0.02	2.1	13.7	1.23	660	4.44	0.10
R331219		0.31	147.0	4.51	5.71	0.14	0.17	0.01	0.018	0.02	2.0	7.3	0.73	627	0.30	0.09
R331220		3.47	6750	6.55	2.93	0.05	<0.02	0.06	0.312	0.25	2.3	11.7	0.31	597	121.0	0.02
R331221		0.25	156.5	4.08	5.49	0.13	0.15	<0.01	0.022	0.03	2.1	6.0	0.69	638	0.47	0.11
R331222		0.22	132.0	3.57	5.61	0.16	0.15	<0.01	0.019	0.02	2.0	6.4	0.65	540	0.39	0.10
R331223		0.34	129.0	4.23	5.76	0.12	0.15	<0.01	0.021	0.04	2.1	7.2	0.76	532	1.20	0.11
R331224		0.30	175.5	3.62	4.69	0.14	0.17	<0.01	0.016	0.04	2.2	6.3	0.57	458	0.90	0.11
R331225		0.40	152.0	5.44	9.18	0.14	0.18	<0.01	0.027	0.03	2.0	15.8	1.04	807	0.46	0.08
R331226		0.30	194.5	4.19	5.95	0.12	0.17	<0.01	0.021	0.06	2.0	11.6	0.71	604	1.15	0.09
R331227		0.44	202	6.09	8.60	0.10	0.17	<0.01	0.023	0.09	2.3	21.8	1.08	794	0.29	0.08
R331228		0.44	170.5	6.50	9.36	0.15	0.16	<0.01	0.032	0.10	2.8	25.0	1.09	768	0.59	0.10
R331229		0.30	146.0	4.52	6.60	0.11	0.17	<0.01	0.031	0.09	2.9	12.6	0.75	556	1.56	0.12
R331230		0.30	145.5	4.35	6.39	0.13	0.16	<0.01	0.029	0.09	2.8	13.1	0.73	533	1.45	0.11
R331231		0.23	142.0	4.19	5.49	0.12	0.18	<0.01	0.022	0.06	2.5	6.1	0.64	550	1.29	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331202		0.28	5.3	380	3.4	2.8	0.001	0.35	<0.05	1.5	0.2	0.4	29.2	<0.01	0.06	7.2
R331203		0.22	5.1	390	1.6	1.9	<0.001	0.42	<0.05	1.4	0.2	0.4	18.0	<0.01	0.04	6.8
R331204		0.26	5.1	410	3.1	2.0	0.002	0.60	<0.05	1.5	0.4	0.4	20.2	<0.01	0.27	6.8
R331205		0.42	5.1	400	4.5	2.2	0.001	0.56	<0.05	1.5	0.3	0.5	26.6	<0.01	0.09	7.5
R331206		0.57	4.6	380	5.5	3.0	<0.001	0.04	<0.05	1.4	<0.2	0.5	37.5	<0.01	<0.01	7.7
R331207		0.47	6.3	420	4.3	2.9	<0.001	0.02	<0.05	1.7	<0.2	0.5	38.4	<0.01	<0.01	7.0
R331208		0.05	31.8	470	1.5	3.9	0.003	0.30	<0.05	7.4	0.9	0.3	43.7	<0.01	0.02	0.3
R331209		0.06	32.9	450	1.8	4.1	0.001	0.21	<0.05	7.0	0.7	0.3	34.4	<0.01	0.01	0.2
R331210		<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331211		0.06	35.3	440	0.5	1.6	0.001	0.15	<0.05	8.8	0.6	0.3	37.2	<0.01	0.01	0.2
R331212		0.06	30.4	450	0.6	3.9	0.002	0.16	<0.05	6.3	0.7	0.3	33.3	<0.01	0.01	0.2
R331213		0.11	27.3	440	1.3	4.3	0.002	0.13	<0.05	5.7	0.7	0.3	44.7	<0.01	<0.01	0.8
R331214		0.13	22.8	470	1.0	5.0	0.001	0.16	<0.05	5.3	0.5	0.3	65.2	<0.01	0.01	0.2
R331215		0.20	24.3	450	1.4	2.5	0.001	0.21	<0.05	7.4	0.6	0.4	40.5	<0.01	0.02	0.5
R331216		0.17	22.2	460	0.7	1.0	0.001	0.25	<0.05	5.9	0.7	0.3	33.3	<0.01	0.02	0.2
R331217		0.05	29.8	440	6.3	5.0	0.006	0.72	0.05	16.0	0.7	0.4	49.0	<0.01	0.88	1.2
R331218		0.07	23.2	470	1.2	1.0	0.005	0.20	<0.05	7.6	0.5	0.3	31.8	<0.01	0.03	0.2
R331219		0.11	19.9	470	1.9	0.8	0.001	0.23	<0.05	7.2	0.7	0.3	20.7	<0.01	0.04	0.3
R331220		0.07	15.2	460	108.0	12.2	0.189	4.95	2.43	1.2	7.3	1.7	36.0	<0.01	1.01	1.1
R331221		0.14	20.5	490	1.6	1.3	0.001	0.48	<0.05	10.2	0.9	0.3	18.9	<0.01	0.06	0.2
R331222		0.13	19.6	510	1.5	1.0	<0.001	0.26	<0.05	8.5	0.6	0.3	18.8	<0.01	0.04	0.2
R331223		0.12	20.8	490	1.6	2.3	0.001	0.68	<0.05	9.9	0.9	0.3	18.8	<0.01	0.09	0.2
R331224		0.16	21.9	470	3.2	2.3	0.001	0.52	<0.05	6.8	0.7	0.3	15.0	<0.01	0.07	0.2
R331225		0.07	29.0	470	1.7	1.3	0.001	0.47	<0.05	13.5	0.8	0.4	20.8	<0.01	0.07	<0.2
R331226		0.11	27.3	460	2.5	2.4	0.003	0.82	<0.05	9.8	0.9	0.3	20.0	<0.01	0.32	<0.2
R331227		0.09	33.0	500	3.4	4.4	0.001	1.24	<0.05	10.4	1.2	0.4	21.2	<0.01	0.10	0.2
R331228		0.07	27.9	640	2.5	4.6	0.002	1.05	<0.05	10.8	1.3	0.5	19.5	<0.01	0.08	0.2
R331229		0.13	14.5	540	1.6	3.3	0.003	0.42	0.05	9.8	0.9	0.4	39.7	<0.01	0.07	0.2
R331230		0.11	14.5	540	1.5	3.1	0.003	0.43	0.05	9.0	0.8	0.4	37.4	<0.01	0.09	0.2
R331231		0.18	13.7	530	6.2	1.7	0.001	0.52	0.05	9.0	1.1	0.3	28.4	<0.01	0.10	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R331202		0.039	0.02	2.55	20	0.24	4.14	20	27.6	
R331203		0.032	0.02	2.69	24	0.25	4.25	15	27.8	
R331204		0.032	0.02	2.74	21	0.30	4.14	17	29.1	
R331205		0.045	<0.02	2.80	20	0.20	3.77	18	29.2	
R331206		0.061	0.02	3.09	21	0.18	3.63	26	31.3	
R331207		0.069	<0.02	2.57	25	0.17	3.79	29	29.1	
R331208		0.203	0.02	0.08	219	0.26	7.84	94	2.5	
R331209		0.211	0.03	0.06	241	0.76	7.39	89	1.5	
R331210		<0.005	<0.02	0.08	<1	<0.05	0.55	<2	0.7	
R331211		0.195	<0.02	<0.05	244	0.14	7.84	89	1.3	
R331212		0.183	0.02	0.05	255	0.26	6.45	77	1.3	
R331213		0.180	0.03	0.32	240	0.30	6.09	70	3.1	
R331214		0.163	0.02	0.13	245	0.09	6.19	49	1.6	
R331215		0.246	0.02	0.22	226	0.16	7.68	62	3.3	
R331216		0.284	<0.02	<0.05	191	0.19	8.20	55	3.2	
R331217		0.240	0.04	0.59	219	0.47	9.28	94	4.4	
R331218		0.241	0.02	<0.05	169	0.25	7.48	79	2.2	
R331219		0.243	0.03	0.09	143	0.30	7.97	66	3.5	
R331220		0.011	0.31	0.15	17	2.44	2.70	801	<0.5	
R331221		0.234	0.02	0.06	133	0.42	9.79	59	3.1	
R331222		0.235	0.02	<0.05	114	0.43	8.87	58	3.1	
R331223		0.245	0.02	<0.05	118	0.49	8.85	63	3.5	
R331224		0.239	0.03	<0.05	110	0.31	7.56	52	3.7	
R331225		0.274	0.02	<0.05	173	0.60	9.15	88	3.6	
R331226		0.253	0.03	<0.05	136	0.43	8.00	71	3.6	
R331227		0.290	0.04	<0.05	173	0.49	8.75	125	3.8	
R331228		0.251	0.04	<0.05	129	4.39	10.60	154	3.2	
R331229		0.275	0.03	<0.05	112	0.38	10.45	80	4.4	
R331230		0.252	0.04	<0.05	105	0.36	9.51	77	3.9	
R331231		0.278	0.04	<0.05	106	0.33	10.20	67	4.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129622

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	Cu-OG46	ME-MS41	ME-OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

CERTIFICATE SD15129626

Project: Miller

This report is for 75 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331232		2.71	0.001	0.12	1.61	0.9	<0.2	<10	10	0.25	0.28	2.97	0.44	7.37	33.9	19
R331233		2.68	0.002	0.12	1.62	1.0	<0.2	<10	10	0.27	0.25	2.54	0.09	9.38	39.2	22
R331234		2.40	<0.001	0.04	2.60	0.4	<0.2	<10	<10	0.14	0.21	2.22	0.01	9.43	45.0	535
R331235		3.35	0.003	0.05	1.17	0.3	<0.2	<10	<10	0.27	0.18	2.87	0.04	8.12	23.8	23
R331236		3.16	0.003	0.03	1.50	0.4	<0.2	<10	<10	0.21	0.27	1.94	0.03	7.78	27.3	18
R331237		3.53	0.004	0.04	1.68	0.4	<0.2	<10	<10	0.15	0.14	1.15	0.03	7.29	27.9	36
R331238		3.65	0.002	0.06	1.86	0.3	<0.2	<10	<10	0.14	0.36	1.11	0.03	7.53	34.5	52
R331239		3.58	0.001	0.03	2.21	0.2	<0.2	<10	<10	0.26	0.15	1.72	0.03	7.76	34.6	54
R331240		0.12	0.002	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.09	0.01	<0.01	1.04	0.1	<1
R331241		3.58	0.002	0.04	2.05	0.3	<0.2	<10	10	0.16	0.12	1.45	0.04	7.31	30.3	60
R331242		2.45	0.002	0.03	2.08	0.2	<0.2	<10	10	0.19	0.13	1.74	0.06	8.02	31.9	49
R331243		2.18	0.015	0.16	2.73	0.5	<0.2	<10	10	0.70	0.66	5.19	0.04	8.44	49.0	61
R331244		1.75	0.032	0.47	0.41	0.6	<0.2	<10	10	0.26	1.82	1.83	0.05	9.90	16.0	19
R331245		1.68	0.006	0.16	0.37	0.2	<0.2	<10	10	0.25	0.78	1.27	0.09	19.75	4.9	13
R331246		3.52	0.005	0.05	2.23	0.3	<0.2	<10	10	0.31	0.25	2.21	0.04	8.08	38.4	57
R331247		3.87	0.001	0.04	1.86	0.2	<0.2	<10	10	0.23	0.24	1.34	0.03	7.36	28.6	48
R331248		2.44	0.008	0.05	2.78	0.5	<0.2	<10	<10	0.45	0.17	2.77	0.04	7.45	40.5	59
R331249		2.20	0.002	0.04	2.86	0.3	<0.2	<10	<10	0.23	0.11	2.39	0.04	7.44	38.1	51
R331250		0.07	9.33	5.89	1.08	41.3	0.7	<10	50	0.18	1.34	0.40	4.95	6.10	14.6	19
R331251		3.71	0.004	0.10	1.81	0.4	<0.2	<10	10	0.22	0.22	2.43	0.06	7.39	36.7	46
R331252		3.70	0.002	0.08	2.30	0.3	<0.2	<10	10	0.19	0.19	2.75	0.06	7.32	36.7	59
R331253		3.22	0.002	0.06	1.84	0.2	<0.2	<10	<10	0.15	0.17	3.41	0.04	6.98	27.8	41
R331254		3.30	0.001	0.11	1.86	0.5	<0.2	<10	<10	0.11	0.17	1.98	0.03	6.68	32.2	45
R331255		1.69	0.001	0.09	1.82	0.6	<0.2	<10	<10	0.15	0.23	2.76	0.06	8.34	37.4	246
R331256		1.97	0.001	0.06	2.73	0.4	<0.2	<10	<10	0.25	0.33	1.66	0.01	8.66	39.7	130
R331257		1.72	0.001	0.05	2.74	0.4	<0.2	<10	<10	0.20	0.21	0.94	0.02	7.08	41.4	151
R331258		3.02	0.001	0.03	1.58	0.3	<0.2	<10	10	0.13	0.14	1.40	0.02	7.64	27.3	53
R331259		2.60	0.001	0.02	1.20	0.3	<0.2	<10	10	0.15	0.11	1.51	0.03	6.08	21.6	47
R331260		<0.02	0.002	0.02	1.20	0.3	<0.2	<10	<10	0.13	0.12	1.51	0.02	6.36	22.8	47
R331261		2.77	0.003	0.06	1.69	0.7	<0.2	<10	10	0.17	0.17	2.07	0.06	7.46	30.6	33
R331262		2.50	0.003	0.08	1.27	0.6	<0.2	<10	10	0.15	0.23	2.22	0.04	7.10	26.6	28
R331263		2.27	0.003	0.08	1.54	0.4	<0.2	<10	10	0.21	0.63	1.45	0.05	7.14	27.3	32
R331264		1.93	0.002	0.08	1.43	0.2	<0.2	<10	10	0.13	0.22	1.14	0.03	5.98	24.0	23
R331265		3.50	0.006	0.13	1.27	0.2	<0.2	<10	10	0.15	1.41	1.22	0.05	5.72	23.7	30
R331266		3.43	0.006	0.08	1.12	0.2	<0.2	<10	10	0.13	0.18	1.31	0.05	5.55	24.4	18
R331267		3.42	0.004	0.11	1.09	0.3	<0.2	<10	10	0.16	0.35	1.41	0.06	5.44	22.8	4
R331268		3.47	0.003	0.04	1.17	0.3	<0.2	<10	10	0.15	0.13	1.13	0.04	6.83	22.8	2
R331269		2.69	0.003	0.05	1.00	0.4	<0.2	<10	10	0.18	0.18	1.00	0.06	7.48	24.4	1
R331270		0.12	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.04	0.01	<0.01	0.89	0.1	<1
R331271		2.72	0.002	0.05	1.38	0.3	<0.2	<10	10	0.14	0.24	0.78	0.03	9.71	31.5	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331232		0.21	205	6.03	7.90	0.24	0.25	<0.01	0.026	0.05	3.0	10.1	0.75	681	0.97	0.11
R331233		0.40	206	6.85	8.64	0.27	0.25	<0.01	0.034	0.04	3.8	12.9	1.04	662	0.69	0.08
R331234		0.43	51.8	3.76	8.46	0.20	0.11	<0.01	0.014	0.01	3.9	13.7	4.48	439	4.08	0.01
R331235		0.15	214	4.55	6.17	0.20	0.22	<0.01	0.020	0.03	3.3	6.3	0.66	459	1.63	0.12
R331236		0.21	154.5	4.67	8.40	0.21	0.19	<0.01	0.025	0.03	3.0	13.4	0.92	475	0.47	0.11
R331237		0.21	126.5	5.98	8.81	0.23	0.11	<0.01	0.024	0.03	2.7	15.1	1.05	479	2.08	0.13
R331238		0.39	133.5	7.30	10.10	0.19	0.09	<0.01	0.020	0.03	2.8	19.9	1.41	445	4.73	0.10
R331239		0.42	118.5	7.02	10.65	0.21	0.09	<0.01	0.025	0.04	2.8	23.3	1.55	541	0.61	0.11
R331240		<0.05	0.8	0.02	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R331241		0.30	124.5	5.97	8.74	0.18	0.10	0.01	0.022	0.06	2.9	16.3	1.14	491	4.25	0.17
R331242		0.39	115.5	5.94	9.44	0.22	0.13	<0.01	0.021	0.05	3.3	18.4	1.34	537	1.65	0.11
R331243		0.76	129.0	9.04	15.85	0.28	0.13	<0.01	0.047	0.04	3.6	26.1	2.40	945	1.86	0.05
R331244		0.08	45.2	2.59	3.43	0.13	1.55	<0.01	0.013	0.07	5.9	3.4	0.35	187	0.17	0.06
R331245		0.06	50.9	1.46	3.41	0.11	1.63	<0.01	0.009	0.04	12.1	2.9	0.29	165	0.23	0.08
R331246		0.31	124.0	6.68	10.10	0.21	0.13	<0.01	0.026	0.04	3.6	21.7	1.66	630	1.93	0.09
R331247		0.35	114.0	5.45	7.58	0.16	0.09	<0.01	0.022	0.06	2.8	17.1	1.14	448	2.32	0.14
R331248		0.25	113.5	7.86	12.35	0.23	0.08	<0.01	0.034	0.02	2.7	29.7	2.18	701	3.43	0.06
R331249		0.42	115.5	6.82	11.25	0.22	0.10	<0.01	0.034	0.04	2.9	28.1	1.87	623	2.40	0.11
R331250		3.87	6830	6.58	3.34	0.11	<0.02	0.04	0.321	0.29	2.9	11.2	0.31	600	138.5	0.02
R331251		1.49	128.5	6.54	8.13	0.16	0.10	<0.01	0.027	0.10	2.7	14.7	1.18	462	5.71	0.15
R331252		0.98	119.0	7.83	11.10	0.23	0.09	<0.01	0.029	0.09	2.5	22.7	1.36	492	1.80	0.11
R331253		0.39	124.0	4.71	7.27	0.19	0.11	<0.01	0.023	0.05	2.6	12.8	1.05	539	3.26	0.17
R331254		0.29	141.5	5.11	7.76	0.17	0.09	<0.01	0.023	0.05	2.5	12.8	1.13	511	1.68	0.17
R331255		0.33	125.5	4.66	7.32	0.20	0.14	<0.01	0.017	0.03	3.5	13.7	1.61	517	4.89	0.08
R331256		0.78	153.0	6.08	11.90	0.19	0.11	<0.01	0.021	0.03	3.3	33.8	2.79	593	4.88	0.07
R331257		0.43	85.1	6.47	12.80	0.21	0.13	<0.01	0.022	0.03	2.7	29.7	2.56	584	4.94	0.07
R331258		0.27	142.0	4.88	8.13	0.21	0.10	<0.01	0.024	0.04	2.9	13.5	1.03	443	1.13	0.13
R331259		0.18	133.5	4.81	6.46	0.17	0.12	<0.01	0.017	0.04	2.3	9.1	0.84	386	1.92	0.14
R331260		0.19	140.0	4.84	6.67	0.17	0.12	<0.01	0.020	0.04	2.4	9.7	0.83	387	1.95	0.14
R331261		0.22	215	4.90	8.75	0.20	0.16	<0.01	0.024	0.06	2.9	13.4	1.10	470	3.25	0.16
R331262		0.17	244	4.09	6.95	0.19	0.16	<0.01	0.020	0.05	2.9	7.6	0.78	389	2.49	0.15
R331263		0.62	155.5	5.34	8.66	0.20	0.13	<0.01	0.026	0.07	2.7	12.9	1.04	457	4.85	0.17
R331264		0.68	180.0	4.51	6.93	0.20	0.11	0.01	0.022	0.06	2.4	15.4	0.96	411	2.12	0.13
R331265		0.71	164.5	5.62	6.94	0.19	0.14	0.01	0.024	0.07	2.2	14.0	0.94	406	2.29	0.14
R331266		0.43	174.0	6.03	6.78	0.19	0.13	<0.01	0.025	0.05	2.2	10.7	0.85	405	1.14	0.14
R331267		0.34	218	5.27	6.50	0.20	0.24	<0.01	0.021	0.05	2.2	8.6	0.79	384	1.00	0.14
R331268		0.39	198.5	6.14	7.65	0.19	0.13	<0.01	0.024	0.06	2.6	9.9	0.82	442	0.33	0.15
R331269		0.49	160.0	6.71	7.60	0.20	0.12	<0.01	0.025	0.05	2.8	9.8	0.73	426	0.40	0.13
R331270		<0.05	0.8	0.02	0.05	0.08	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
R331271		0.50	97.4	8.80	9.59	0.20	0.10	<0.01	0.025	0.04	3.3	17.1	1.01	464	1.25	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331232		0.31	18.2	500	13.5	1.1	0.004	0.80	0.08	10.5	1.1	0.5	58.0	<0.01	0.10	0.2
R331233		0.25	21.4	500	4.1	1.9	0.003	0.82	0.07	11.7	1.9	0.5	60.6	<0.01	0.10	0.2
R331234		<0.05	427	730	1.5	0.9	0.006	0.23	<0.05	2.4	0.3	0.3	28.0	<0.01	0.04	0.3
R331235		0.34	15.5	510	1.2	1.3	0.005	0.34	0.05	8.5	1.1	0.4	47.4	<0.01	0.03	0.3
R331236		0.18	15.3	520	1.0	1.8	0.005	0.35	0.06	9.7	1.0	0.5	44.5	<0.01	0.03	0.2
R331237		0.08	19.5	520	0.6	1.6	0.005	0.16	<0.05	9.0	1.0	0.3	20.4	<0.01	0.03	0.2
R331238		0.09	28.6	470	0.8	2.1	0.006	0.32	<0.05	6.8	0.7	0.4	24.4	<0.01	0.02	0.2
R331239		0.08	29.7	470	0.9	2.8	0.004	0.21	0.05	10.7	0.6	0.3	34.4	<0.01	0.01	0.2
R331240		<0.05	0.5	10	0.4	0.1	0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R331241		0.08	25.4	470	1.5	4.3	0.007	0.14	0.06	7.9	0.7	0.4	36.5	<0.01	0.02	0.2
R331242		0.08	26.2	430	0.7	3.5	0.005	0.18	0.06	7.9	0.8	0.3	57.8	<0.01	0.03	0.2
R331243		0.07	40.7	430	2.6	4.4	0.005	0.90	0.07	20.2	1.4	0.4	88.3	<0.01	0.23	0.2
R331244		0.26	10.5	110	12.6	2.2	0.002	1.47	0.08	4.2	0.5	0.3	19.4	<0.01	0.65	8.1
R331245		0.27	5.0	270	5.6	1.5	0.002	0.52	0.06	1.7	0.3	0.5	23.1	<0.01	0.15	7.8
R331246		0.08	31.6	420	0.8	2.6	0.004	0.41	0.05	11.1	1.1	0.3	44.3	<0.01	0.05	0.2
R331247		0.09	22.1	430	1.1	4.5	0.004	0.31	0.05	7.0	0.8	0.3	35.1	<0.01	0.02	0.2
R331248		0.06	34.8	400	0.7	1.7	0.006	0.26	<0.05	16.3	0.7	0.3	33.7	<0.01	0.07	0.2
R331249		0.06	31.0	450	0.5	2.7	0.005	0.14	0.05	15.7	0.7	0.4	26.5	<0.01	0.03	0.2
R331250		0.08	15.5	460	109.0	14.1	0.222	4.92	2.77	1.4	8.1	1.8	37.4	<0.01	1.08	1.2
R331251		0.10	28.9	460	0.9	7.9	0.008	0.47	<0.05	11.5	0.8	0.3	18.9	<0.01	0.06	0.2
R331252		0.12	37.6	510	0.8	6.4	0.005	0.33	<0.05	14.0	0.9	0.6	14.5	<0.01	0.06	0.2
R331253		0.11	22.8	420	0.9	2.8	0.005	0.25	<0.05	10.5	0.8	0.3	25.2	<0.01	0.04	0.2
R331254		0.07	23.9	460	1.2	2.7	0.004	0.44	<0.05	10.3	0.8	0.3	16.1	<0.01	0.07	0.2
R331255		0.08	169.0	490	1.2	2.1	0.007	0.46	<0.05	6.3	0.7	0.3	40.2	<0.01	0.10	0.2
R331256		0.05	104.0	470	1.1	2.5	0.005	0.49	0.05	4.6	0.8	0.3	40.2	<0.01	0.04	0.2
R331257		0.05	88.5	470	0.7	1.6	0.007	0.30	<0.05	5.5	0.7	0.4	53.3	<0.01	0.07	0.2
R331258		0.09	22.8	440	0.6	2.4	0.004	0.19	0.05	7.1	0.8	0.3	55.9	<0.01	0.04	0.2
R331259		0.09	18.1	420	0.5	1.6	0.004	0.16	<0.05	6.9	0.8	0.4	26.2	<0.01	0.02	0.2
R331260		0.11	18.8	430	0.6	1.6	0.004	0.17	<0.05	7.0	0.6	0.5	26.6	<0.01	0.03	0.2
R331261		0.10	21.4	450	1.2	2.3	0.006	0.21	0.05	10.6	0.7	0.5	56.1	<0.01	0.05	0.2
R331262		0.15	17.5	420	2.4	1.9	0.005	0.23	0.05	10.3	0.7	0.4	40.5	<0.01	0.05	0.2
R331263		0.07	20.6	420	1.5	4.3	0.007	0.34	<0.05	10.5	0.9	0.4	22.3	<0.01	0.06	0.2
R331264		0.06	18.5	420	1.6	4.0	0.004	0.20	0.05	8.2	0.8	0.4	26.3	<0.01	0.03	0.2
R331265		0.06	18.9	420	3.0	3.8	0.004	0.27	<0.05	8.8	0.9	0.3	18.6	<0.01	0.03	0.2
R331266		0.08	17.8	450	1.1	2.6	0.004	0.29	<0.05	9.5	0.5	0.4	17.2	<0.01	0.03	0.2
R331267		0.10	14.4	410	1.9	2.5	0.003	0.30	<0.05	9.6	0.5	0.4	20.0	<0.01	0.04	0.8
R331268		0.06	11.5	490	0.8	3.1	0.003	0.18	<0.05	10.1	0.8	0.4	17.7	<0.01	0.01	0.2
R331269		0.08	6.9	500	1.3	2.7	0.004	0.24	<0.05	8.5	0.9	0.4	13.8	<0.01	0.02	0.2
R331270		<0.05	0.4	10	0.5	0.1	0.002	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331271		0.10	5.8	680	0.7	3.1	0.005	0.39	<0.05	7.3	0.9	0.4	19.8	<0.01	0.04	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331232		0.331	0.05	0.07	138	0.48	12.15	124	5.8
R331233		0.355	0.02	0.08	183	0.68	13.30	83	5.6
R331234		0.178	<0.02	0.08	76	0.45	3.90	41	3.7
R331235		0.315	<0.02	0.13	125	0.46	12.10	39	4.9
R331236		0.305	<0.02	0.05	124	0.34	11.20	64	3.9
R331237		0.214	<0.02	<0.05	183	0.31	9.71	64	2.4
R331238		0.224	<0.02	0.05	207	0.25	9.79	74	1.9
R331239		0.215	<0.02	0.06	195	0.28	10.40	77	2.1
R331240		<0.005	<0.02	0.08	<1	<0.05	0.65	<2	0.8
R331241		0.205	<0.02	0.05	169	0.29	9.38	64	2.0
R331242		0.231	<0.02	<0.05	157	0.43	10.15	66	3.5
R331243		0.248	0.02	0.10	232	2.29	14.35	120	2.4
R331244		0.080	<0.02	3.25	36	2.00	4.68	24	35.4
R331245		0.028	<0.02	3.46	24	0.41	4.44	24	37.0
R331246		0.237	<0.02	0.08	169	0.37	10.30	79	2.6
R331247		0.197	<0.02	0.06	145	0.24	9.00	57	1.9
R331248		0.214	<0.02	0.05	216	0.44	11.00	93	2.0
R331249		0.220	<0.02	<0.05	180	0.30	10.70	87	1.9
R331250		0.013	0.33	0.16	17	4.15	2.76	806	<0.5
R331251		0.226	0.06	<0.05	169	0.49	9.41	74	2.5
R331252		0.256	0.03	0.06	228	0.80	11.50	103	2.1
R331253		0.238	<0.02	<0.05	125	0.40	9.58	52	2.5
R331254		0.202	<0.02	<0.05	135	0.35	8.99	53	2.0
R331255		0.237	<0.02	0.05	111	0.48	9.04	55	3.6
R331256		0.269	<0.02	0.06	155	0.49	9.12	106	2.4
R331257		0.260	<0.02	0.05	150	0.53	9.45	104	2.6
R331258		0.223	<0.02	<0.05	143	0.34	9.46	54	2.6
R331259		0.249	<0.02	0.05	146	0.36	9.62	45	2.4
R331260		0.251	<0.02	0.05	148	0.38	10.00	45	2.5
R331261		0.321	0.07	<0.05	164	0.57	11.90	57	3.4
R331262		0.335	0.09	<0.05	158	0.61	11.20	45	3.5
R331263		0.247	0.07	<0.05	192	0.45	10.50	64	2.6
R331264		0.185	<0.02	<0.05	169	0.23	8.27	53	2.2
R331265		0.214	<0.02	<0.05	218	0.26	8.89	50	2.6
R331266		0.225	<0.02	<0.05	263	0.28	8.60	49	2.5
R331267		0.237	<0.02	0.39	249	0.28	8.06	45	4.7
R331268		0.235	<0.02	<0.05	268	0.33	10.10	50	2.3
R331269		0.200	<0.02	0.05	203	0.35	10.45	46	2.5
R331270		<0.005	<0.02	0.07	<1	<0.05	0.55	<2	0.7
R331271		0.217	<0.02	<0.05	199	0.46	13.35	61	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331272		1.11	0.003	0.04	1.26	0.6	<0.2	<10	<10	0.50	0.40	1.93	0.02	22.8	36.8	1
R331273		1.33	0.002	0.02	1.25	0.3	<0.2	<10	10	0.36	0.16	1.03	0.01	14.85	24.7	36
R331274		2.33	0.001	0.03	1.37	0.4	<0.2	<10	10	0.32	0.29	1.00	0.02	18.25	32.2	78
R331275		2.14	<0.001	0.01	1.14	0.1	<0.2	<10	10	0.17	0.05	0.89	0.01	19.40	9.9	206
R331276		2.30	0.001	0.01	1.18	0.1	<0.2	<10	10	0.08	0.03	0.51	0.01	29.9	10.9	177
R331277		2.20	0.001	0.01	0.99	0.1	<0.2	<10	10	0.12	0.05	0.54	0.01	27.0	10.4	146
R331278		2.03	<0.001	0.01	1.25	<0.1	<0.2	<10	10	0.09	0.06	0.77	0.01	26.2	13.2	232
R331279		2.15	0.022	0.03	1.22	0.2	<0.2	<10	10	0.16	0.95	1.01	<0.01	24.5	15.7	232
R331280		0.07	2.53	4.58	1.46	18.2	2.1	<10	40	0.57	0.09	3.54	0.35	20.1	10.2	23
R331281		2.07	0.002	0.02	1.14	0.1	<0.2	<10	20	0.12	0.11	0.97	0.01	32.1	12.5	215
R331282		2.68	0.001	0.01	1.24	0.1	<0.2	<10	20	0.27	0.08	0.59	0.01	19.15	13.1	216
R331283		2.07	0.001	0.03	1.36	0.1	<0.2	<10	20	0.21	0.27	0.78	0.01	21.2	14.4	248
R331284		2.26	0.001	0.01	1.31	<0.1	<0.2	<10	50	0.12	0.05	0.65	0.01	24.9	13.5	249
R331285		2.07	0.001	0.01	1.22	0.1	<0.2	<10	40	0.12	0.05	0.67	0.01	22.7	14.1	255
R331286		2.56	0.002	0.01	1.31	0.2	<0.2	<10	40	0.16	0.03	0.61	<0.01	20.8	13.3	243
R331287		2.66	0.002	0.01	1.39	0.1	<0.2	<10	40	0.14	0.07	0.68	0.01	21.6	14.2	262
R331288		0.53	<0.001	0.02	1.50	<0.1	<0.2	<10	30	0.33	0.04	1.54	<0.01	22.0	15.0	292
R331289		1.47	0.002	0.02	1.64	<0.1	<0.2	<10	30	0.25	0.05	0.59	0.01	24.0	16.5	287
R331290		<0.02	0.002	0.02	1.61	0.1	<0.2	<10	30	0.27	0.05	0.56	0.01	22.0	16.0	287
R331291		2.11	0.001	0.02	1.75	0.1	<0.2	10	30	0.15	0.10	2.03	0.01	26.4	18.1	371
R331292		1.98	0.001	0.04	2.57	0.2	<0.2	<10	70	0.26	0.07	2.78	0.02	29.1	24.3	431
R331293		2.03	<0.001	0.01	2.59	0.1	<0.2	<10	30	0.10	0.03	3.82	0.03	29.2	23.4	433
R331294		1.87	0.001	0.01	1.87	0.1	<0.2	<10	20	0.15	0.06	1.44	0.01	33.4	20.2	396
R331295		3.17	<0.001	0.01	1.29	0.1	<0.2	<10	10	0.11	0.04	0.68	0.02	32.5	14.8	279
R331296		3.19	0.004	0.04	1.18	0.2	<0.2	<10	10	0.11	0.07	1.14	0.01	23.8	15.6	121
R331297		3.22	0.004	0.30	1.00	0.3	<0.2	<10	10	0.13	0.88	1.04	0.03	8.57	22.6	9
R331298		2.95	0.002	0.08	1.43	0.5	<0.2	<10	10	0.14	0.09	1.37	0.04	9.79	27.8	11
R331299		2.77	0.010	0.12	1.62	0.5	<0.2	<10	10	0.20	0.36	1.71	0.06	9.51	28.9	14
R331300		1.15	0.002	0.25	1.86	1.0	<0.2	<10	10	0.35	0.12	1.42	0.08	16.70	30.9	20
R331301		2.68	0.001	0.08	1.59	0.5	<0.2	<10	10	0.23	0.08	1.38	0.11	9.09	27.1	14
R331302		2.28	0.001	0.10	1.99	1.0	<0.2	<10	10	0.20	0.17	1.61	0.09	7.67	32.6	14
R331303		2.87	0.001	0.12	1.71	0.7	<0.2	<10	10	0.23	0.17	1.81	0.06	8.92	27.8	10
R331304		3.62	0.001	0.11	1.68	0.3	<0.2	<10	10	0.20	0.05	1.69	0.06	9.26	24.0	9
R331305		3.72	0.001	0.20	1.72	1.0	<0.2	<10	10	0.24	0.08	1.61	0.09	8.27	29.1	11
R331306		2.70	<0.001	0.12	1.54	0.3	<0.2	<10	10	0.16	0.09	1.55	0.07	8.19	23.1	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331272		0.06	51.4	4.78	7.85	0.35	0.17	<0.01	0.030	0.02	10.2	10.2	0.71	293	1.75	0.05
R331273		0.21	37.1	4.33	6.91	0.21	0.15	<0.01	0.020	0.04	6.4	14.8	1.00	367	1.21	0.07
R331274		0.20	14.7	3.92	6.94	0.18	0.20	<0.01	0.019	0.04	8.0	16.0	1.15	337	1.66	0.09
R331275		0.10	1.9	1.99	5.22	0.15	0.21	<0.01	0.009	0.03	8.5	17.1	1.10	214	0.32	0.07
R331276		0.61	19.7	1.80	4.56	0.13	0.20	<0.01	0.005	0.05	14.3	18.4	1.27	199	1.40	0.09
R331277		0.64	25.5	1.45	3.84	0.11	0.15	<0.01	0.005	0.04	12.8	14.8	1.10	170	0.24	0.09
R331278		0.88	15.1	1.68	4.89	0.13	0.17	<0.01	0.006	0.07	13.0	21.4	1.41	201	0.51	0.08
R331279		0.96	43.8	1.82	5.28	0.12	0.16	<0.01	0.005	0.05	11.8	24.5	1.45	226	4.37	0.07
R331280		2.97	68.5	2.80	6.02	0.13	0.37	0.08	0.038	0.21	9.8	15.3	0.83	649	6.16	0.06
R331281		0.87	22.6	1.61	4.87	0.12	0.21	<0.01	0.006	0.08	16.3	20.9	1.35	202	0.26	0.08
R331282		0.94	28.0	1.75	5.07	0.13	0.20	<0.01	0.007	0.08	8.6	26.2	1.55	200	0.14	0.09
R331283		1.45	28.4	1.94	5.52	0.12	0.18	<0.01	0.007	0.11	9.9	31.9	1.61	243	21.3	0.09
R331284		2.03	30.0	1.74	5.00	0.13	0.18	<0.01	0.006	0.22	12.2	26.2	1.45	194	1.25	0.10
R331285		1.03	29.7	1.68	5.04	0.12	0.18	<0.01	0.006	0.14	10.7	25.0	1.41	202	2.42	0.10
R331286		0.86	45.6	1.78	4.84	0.12	0.18	<0.01	0.007	0.15	9.6	28.1	1.61	179	0.29	0.09
R331287		1.80	39.3	1.91	5.30	0.11	0.19	<0.01	0.006	0.18	10.0	28.2	1.60	206	0.59	0.09
R331288		1.37	18.7	2.07	5.90	0.13	0.25	<0.01	0.010	0.18	10.7	31.1	1.78	230	0.23	0.08
R331289		1.40	46.1	2.14	6.16	0.13	0.19	<0.01	0.006	0.16	10.9	32.8	1.88	228	0.37	0.09
R331290		1.33	44.1	2.15	5.83	0.14	0.17	<0.01	0.008	0.15	10.1	31.8	1.87	229	0.38	0.08
R331291		3.88	23.1	2.30	6.68	0.15	0.21	<0.01	0.006	0.30	12.4	33.0	2.02	299	1.38	0.07
R331292		4.46	13.5	3.21	9.37	0.15	0.24	<0.01	0.009	0.44	13.5	66.0	2.92	476	4.46	0.05
R331293		2.28	5.5	3.26	9.52	0.15	0.20	<0.01	0.013	0.20	13.5	62.0	3.11	493	13.50	0.04
R331294		1.65	28.7	2.61	8.29	0.15	0.23	<0.01	0.009	0.11	15.6	46.9	2.34	361	13.40	0.06
R331295		0.80	8.8	1.92	6.07	0.14	0.26	<0.01	0.005	0.06	15.9	26.1	1.54	232	1.61	0.09
R331296		0.59	73.5	3.31	6.64	0.14	0.20	<0.01	0.014	0.04	11.6	17.6	1.14	296	1.77	0.10
R331297		0.61	143.5	7.16	7.89	0.19	0.15	<0.01	0.025	0.04	3.1	10.3	0.80	366	0.63	0.14
R331298		0.50	148.0	7.28	8.39	0.18	0.13	<0.01	0.028	0.04	4.0	10.6	0.92	449	1.86	0.12
R331299		0.38	153.5	6.87	8.48	0.20	0.17	<0.01	0.032	0.04	3.8	12.7	1.21	490	2.00	0.15
R331300		0.46	163.0	6.10	10.75	0.22	0.68	<0.01	0.031	0.04	8.5	21.6	1.52	514	3.08	0.11
R331301		0.56	143.5	5.79	8.76	0.18	0.16	<0.01	0.028	0.04	3.4	15.1	1.18	519	3.89	0.15
R331302		0.52	179.0	6.21	11.20	0.16	0.14	<0.01	0.021	0.04	2.7	22.7	1.47	581	8.84	0.12
R331303		0.37	135.0	5.17	8.56	0.16	0.18	<0.01	0.031	0.05	3.1	14.5	1.13	506	2.93	0.19
R331304		0.39	149.5	4.29	7.76	0.17	0.17	<0.01	0.033	0.04	3.3	8.0	0.77	449	1.33	0.23
R331305		0.50	130.5	4.61	8.17	0.16	0.17	<0.01	0.029	0.05	2.9	11.6	0.89	440	17.75	0.22
R331306		0.37	122.5	4.19	7.34	0.15	0.15	<0.01	0.029	0.04	2.9	9.5	0.85	418	1.76	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331272		0.41	8.7	600	1.6	0.6	0.004	0.34	0.08	5.2	0.7	0.4	269	<0.01	0.03	0.2
R331273		0.14	21.5	610	0.8	2.2	0.003	0.16	0.07	5.1	0.5	0.4	113.0	<0.01	0.02	0.4
R331274		0.12	32.5	730	0.9	2.3	0.004	0.34	0.05	4.6	0.5	0.3	82.4	<0.01	0.02	0.7
R331275		0.08	59.2	660	0.7	1.3	0.002	0.02	<0.05	1.1	<0.2	0.2	69.2	<0.01	<0.01	1.1
R331276		0.05	67.7	710	1.0	3.9	0.002	0.01	<0.05	1.6	0.2	0.2	20.1	<0.01	0.01	1.4
R331277		<0.05	62.0	640	0.7	3.4	0.001	0.01	<0.05	1.5	<0.2	0.2	19.2	<0.01	0.01	1.2
R331278		0.05	80.9	620	0.8	5.2	0.002	0.02	<0.05	1.6	<0.2	0.2	22.3	<0.01	<0.01	1.2
R331279		0.05	83.6	550	1.8	4.1	0.002	0.22	<0.05	1.6	0.2	0.3	19.7	<0.01	0.01	1.1
R331280		0.07	10.5	580	17.7	11.2	0.004	0.82	0.49	7.8	1.0	0.6	113.0	<0.01	2.43	1.3
R331281		0.05	73.8	570	0.6	5.2	0.001	0.07	<0.05	1.8	0.2	0.2	28.3	<0.01	0.01	1.0
R331282		<0.05	77.5	560	1.3	4.7	0.002	0.05	<0.05	2.0	<0.2	0.2	16.4	<0.01	0.01	1.1
R331283		<0.05	87.4	550	9.6	6.4	0.005	0.18	<0.05	2.0	0.2	0.2	21.5	<0.01	0.01	1.1
R331284		0.05	86.1	580	1.6	15.7	0.002	0.03	<0.05	1.9	<0.2	0.3	19.4	<0.01	0.01	1.2
R331285		0.05	84.3	560	0.8	8.0	0.003	0.04	<0.05	1.9	<0.2	0.2	18.6	<0.01	<0.01	1.1
R331286		<0.05	84.0	540	0.4	5.7	0.002	0.01	0.05	2.0	0.2	0.2	17.3	<0.01	<0.01	1.0
R331287		<0.05	88.4	550	0.5	8.8	0.002	0.09	<0.05	1.9	<0.2	0.2	18.7	<0.01	<0.01	1.1
R331288		<0.05	91.8	550	0.4	7.8	0.002	0.01	<0.05	2.8	<0.2	0.3	23.3	<0.01	0.01	1.0
R331289		<0.05	97.6	590	1.3	7.3	0.001	0.03	<0.05	1.8	<0.2	0.2	17.9	<0.01	0.01	1.2
R331290		<0.05	93.7	600	1.1	6.8	0.002	0.03	<0.05	1.6	<0.2	0.2	15.7	<0.01	<0.01	1.2
R331291		<0.05	112.0	570	1.3	17.9	0.002	0.13	<0.05	2.1	0.2	0.2	20.6	<0.01	<0.01	1.2
R331292		0.05	143.0	650	1.4	23.5	0.004	0.07	<0.05	5.9	0.3	0.3	33.4	<0.01	0.01	1.4
R331293		<0.05	147.0	620	1.5	10.6	0.011	0.01	<0.05	8.3	0.2	0.2	38.2	<0.01	0.01	1.3
R331294		0.06	122.0	680	1.2	7.4	0.008	0.05	<0.05	4.3	0.2	0.2	21.6	<0.01	0.01	1.4
R331295		0.06	86.5	730	1.4	4.1	0.002	0.03	<0.05	1.6	<0.2	0.2	15.8	<0.01	0.01	1.4
R331296		0.07	44.6	680	1.2	2.9	0.003	0.10	<0.05	3.7	0.4	0.3	17.6	<0.01	0.02	0.9
R331297		0.11	9.0	600	3.9	2.6	0.002	0.47	<0.05	7.7	1.1	0.3	14.0	<0.01	0.04	0.2
R331298		0.11	11.4	570	1.1	2.1	0.004	0.35	0.05	8.8	1.0	0.3	25.4	<0.01	0.06	0.2
R331299		0.09	13.0	560	1.9	1.7	0.004	0.63	0.05	9.9	1.0	0.4	31.2	<0.01	0.08	0.3
R331300		0.07	18.0	440	4.4	1.4	0.003	0.45	0.05	10.7	1.3	0.3	64.4	<0.01	0.07	2.5
R331301		<0.05	13.5	550	5.0	2.1	0.004	0.37	<0.05	11.0	1.0	0.3	25.8	<0.01	0.06	0.3
R331302		0.05	16.2	520	13.5	2.0	0.008	0.62	<0.05	9.8	1.3	0.3	21.9	<0.01	0.10	0.2
R331303		0.05	11.6	550	3.7	1.9	0.003	0.50	<0.05	12.3	1.0	0.4	24.6	<0.01	0.08	0.3
R331304		0.06	10.3	560	2.4	2.8	0.002	0.34	<0.05	13.0	1.0	0.3	21.5	<0.01	0.06	0.3
R331305		<0.05	12.6	530	3.7	3.0	0.011	0.51	<0.05	12.5	0.9	0.3	20.1	<0.01	0.08	0.2
R331306		0.05	11.6	530	1.9	2.0	0.002	0.34	<0.05	12.0	0.7	0.3	12.5	<0.01	0.07	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331272		0.495	<0.02	0.08	111	2.54	11.70	31	3.9
R331273		0.239	<0.02	0.07	99	0.87	9.71	40	3.4
R331274		0.243	<0.02	0.12	89	0.65	9.30	44	5.1
R331275		0.099	<0.02	0.15	28	0.36	2.37	33	7.8
R331276		0.070	<0.02	0.18	27	0.64	2.59	32	8.1
R331277		0.057	<0.02	0.16	22	0.13	2.23	26	6.3
R331278		0.075	0.02	0.15	27	0.18	2.01	30	6.2
R331279		0.083	<0.02	0.15	31	0.21	2.09	34	6.5
R331280		0.051	0.11	0.32	63	0.58	7.45	77	12.2
R331281		0.077	0.02	0.16	28	0.22	2.10	29	7.7
R331282		0.070	<0.02	0.16	29	0.19	2.10	32	7.6
R331283		0.089	0.02	0.16	35	0.23	2.30	41	7.0
R331284		0.097	0.09	0.18	35	0.20	2.19	32	7.3
R331285		0.097	0.03	0.17	35	0.27	2.26	31	6.7
R331286		0.081	<0.02	0.16	33	0.21	2.38	27	7.0
R331287		0.090	0.03	0.16	36	0.30	2.41	29	6.9
R331288		0.092	0.02	0.17	39	0.52	2.83	30	9.4
R331289		0.088	0.02	0.16	37	4.37	2.61	33	7.7
R331290		0.086	0.02	0.16	37	4.94	2.43	33	7.0
R331291		0.109	0.10	0.17	48	0.61	2.84	42	7.9
R331292		0.162	0.12	0.17	72	0.81	4.59	65	9.2
R331293		0.151	0.05	0.19	78	0.54	4.63	56	7.5
R331294		0.135	0.03	0.19	57	1.52	3.66	52	9.0
R331295		0.116	<0.02	0.19	36	0.27	2.42	36	10.1
R331296		0.164	<0.02	0.14	89	0.37	6.34	34	7.0
R331297		0.251	<0.02	0.06	221	0.38	12.65	38	3.1
R331298		0.236	<0.02	0.05	227	0.43	11.95	49	2.8
R331299		0.257	<0.02	0.07	196	0.51	12.55	59	3.6
R331300		0.289	0.02	1.17	163	0.81	15.90	80	14.3
R331301		0.220	<0.02	0.05	164	0.37	12.10	69	3.4
R331302		0.246	0.02	0.06	148	0.55	11.80	96	3.2
R331303		0.235	0.04	<0.05	138	0.48	12.95	60	3.6
R331304		0.215	0.05	0.06	116	0.34	12.85	48	3.6
R331305		0.217	0.08	<0.05	123	0.42	11.95	57	3.6
R331306		0.205	0.04	<0.05	112	0.43	11.70	56	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 1-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15129626

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

CERTIFICATE SD15133851

Project: Miller

This report is for 13 Rock samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15133851

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333714		2.02	2.51	0.26	0.05	0.3	1.3	<10	10	0.05	1.37	0.01	0.04	1.33	7.5	20
R333715		1.84	6.11	0.85	0.05	0.5	6.0	<10	20	<0.05	7.35	0.02	0.01	0.79	3.6	20
R333716		1.82	0.014	0.88	0.02	0.2	<0.2	<10	20	<0.05	44.4	0.12	0.03	0.37	2.1	28
R333717		2.03	0.845	0.33	0.11	0.5	0.5	<10	10	0.19	1.22	2.45	0.20	3.37	18.7	16
R333718		1.11	0.016	3.34	0.52	0.5	<0.2	<10	<10	0.09	3.73	0.10	0.73	0.52	8.6	18
R333719		1.06	0.130	0.12	0.18	0.2	<0.2	<10	530	0.09	2.19	0.11	0.03	8.71	2.4	19
R333720		0.08	2.49	4.64	1.52	18.0	2.4	<10	40	0.60	0.08	3.53	0.35	21.4	10.8	23
R333721		1.01	0.003	0.48	0.58	0.2	<0.2	<10	10	0.17	0.11	0.18	0.05	8.33	5.9	19
R333722		0.84	<0.001	0.05	0.13	0.4	<0.2	<10	<10	<0.05	0.05	0.04	0.02	0.62	2.3	29
R333723		0.82	0.002	0.19	0.43	0.2	<0.2	<10	<10	0.10	0.06	0.09	0.01	1.45	4.8	28
R333724		1.21	0.040	0.70	1.29	0.1	<0.2	<10	<10	0.34	2.50	0.35	0.04	1.38	16.2	47
R333725		1.21	0.001	1.25	0.88	0.2	<0.2	<10	<10	0.15	0.07	0.15	0.02	1.00	10.2	37
R333726		2.78	0.002	0.21	0.01	0.2	<0.2	<10	<10	<0.05	5.07	0.01	<0.01	0.04	0.4	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15133851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333714		0.09	11.9	1.96	0.24	0.07	0.02	<0.01	0.009	0.01	0.4	0.5	0.01	394	2.46	0.03
R333715		0.20	9.6	2.39	0.43	0.07	0.03	<0.01	0.009	0.02	0.3	0.2	0.01	132	2.89	0.03
R333716		0.17	7.9	1.09	0.20	0.07	<0.02	<0.01	0.005	0.01	<0.2	0.2	0.01	85	39.9	0.02
R333717		0.38	158.0	5.11	0.56	0.08	0.06	<0.01	0.038	0.07	1.2	1.2	0.81	835	1.32	0.03
R333718		0.12	>10000	11.60	2.89	0.17	0.06	0.04	0.844	<0.01	<0.2	7.2	0.58	132	0.67	0.03
R333719		0.50	63.4	1.07	1.12	0.07	0.43	<0.01	<0.005	0.05	4.5	3.7	0.09	110	23.5	0.06
R333720		2.99	77.3	2.79	6.19	0.13	0.37	0.09	0.036	0.22	10.1	16.3	0.83	662	5.81	0.07
R333721		0.26	200	1.33	3.79	0.09	0.37	<0.01	0.009	0.02	3.4	10.8	0.58	119	0.49	0.06
R333722		0.12	95.6	1.00	0.74	0.07	<0.02	<0.01	<0.005	0.01	0.3	1.8	0.12	113	2.53	0.03
R333723		0.07	132.5	1.20	2.15	0.09	0.14	<0.01	0.005	0.01	0.5	7.9	0.48	117	0.37	0.04
R333724		0.34	7310	3.22	7.66	0.14	0.14	0.01	0.202	0.01	0.3	30.8	1.51	205	27.8	0.03
R333725		0.06	1930	2.26	4.31	0.12	0.07	<0.01	0.041	<0.01	0.2	12.9	0.97	192	0.80	0.02
R333726		<0.05	4.9	0.47	0.11	0.07	<0.02	<0.01	<0.005	<0.01	<0.2	0.1	<0.01	45	9.63	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15133851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333714		<0.05	4.5	20	5.0	0.8	<0.001	0.50	<0.05	3.2	0.2	<0.2	1.0	<0.01	1.26	<0.2
R333715		<0.05	3.3	110	15.1	1.2	0.001	0.22	0.09	1.8	0.3	0.5	2.5	<0.01	6.56	<0.2
R333716		<0.05	2.3	40	22.1	0.7	0.002	0.32	<0.05	0.9	0.2	<0.2	4.4	<0.01	0.18	<0.2
R333717		<0.05	10.8	40	6.4	4.5	0.001	2.19	0.06	11.3	0.7	<0.2	110.5	<0.01	1.36	<0.2
R333718		<0.05	14.1	70	3.3	0.2	<0.001	3.45	0.05	2.3	32.3	1.7	3.2	<0.01	0.03	<0.2
R333719		<0.05	6.8	240	9.5	2.5	0.002	0.36	<0.05	0.8	0.3	<0.2	26.1	<0.01	0.69	2.0
R333720		0.05	10.5	610	18.1	11.5	0.002	0.85	0.39	8.8	0.9	0.5	123.0	<0.01	2.36	1.3
R333721		0.10	6.5	530	1.9	1.3	<0.001	0.12	<0.05	1.2	0.2	0.2	10.1	<0.01	0.01	1.7
R333722		0.07	4.6	30	2.2	0.6	0.001	0.04	0.08	0.4	<0.2	0.7	7.6	<0.01	0.01	<0.2
R333723		0.05	12.0	130	0.9	0.4	0.001	0.04	<0.05	2.0	0.2	<0.2	5.6	<0.01	0.02	0.3
R333724		0.07	33.6	280	3.0	0.7	0.049	0.70	<0.05	10.9	0.9	0.4	3.0	<0.01	0.07	<0.2
R333725		0.05	18.9	120	1.4	0.2	<0.001	0.20	0.07	5.2	0.3	0.7	3.0	<0.01	0.01	<0.2
R333726		<0.05	1.3	10	2.0	0.1	0.001	0.03	<0.05	0.1	<0.2	<0.2	0.6	<0.01	1.97	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15133851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Cu
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
R333714		<0.005	<0.02	<0.05	4	0.16	0.65	16	0.6	
R333715		<0.005	<0.02	<0.05	5	0.27	0.52	13	1.2	
R333716		<0.005	<0.02	<0.05	5	0.05	0.29	7	<0.5	
R333717		<0.005	0.02	0.05	17	0.32	3.64	81	1.7	
R333718		0.051	<0.02	0.05	48	0.22	1.02	46	1.7	12.00
R333719		<0.005	<0.02	0.58	4	0.07	1.74	10	12.0	
R333720		0.051	0.13	0.32	65	0.41	7.86	80	12.4	
R333721		0.053	<0.02	0.34	23	0.28	1.49	15	13.8	
R333722		0.011	<0.02	<0.05	9	0.07	0.21	4	<0.5	
R333723		0.047	<0.02	0.12	36	0.20	0.75	11	4.7	
R333724		0.214	0.02	0.20	160	0.68	2.91	28	2.8	
R333725		0.124	<0.02	0.09	82	0.42	1.56	21	1.3	
R333726		<0.005	<0.02	<0.05	1	<0.05	<0.05	<2	<0.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15133851

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-22	LOG-23
PUL-35a	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	Cu-OG46	ME-MS41	ME-OG46

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-SEP-2015
Account: OBMICO

CERTIFICATE SD15136098

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 7-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15136098

Sample Description	Method Analyte Units LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R330776		19.25	186.0	9.59	4.813	25.87	447.1	10.10	9.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-SEP-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15136098

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 4-OCT-2015
Account: OBMICO

CERTIFICATE SD15142178

Project: Miller

This report is for 7 Pulp samples submitted to our lab in Sudbury, ON, Canada on 17-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

Comments: ORIGINAL WO# SD15114168, SD15122210, SD15126099, SD15126100, SD15126100, SD15126103, SD15126103 - as per requested from Julia Singh - Sept 17, 2015

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 4-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15142178

Sample Description	Method	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
R330268		0.31	5.08	0.09	0.159	31.31	672.0	0.11	0.07
R330369		0.16	0.06	0.17	0.002	34.59	667.1	0.21	0.12
R330687		1.66	7.46	1.03	0.347	46.51	427.4	1.03	1.02
R330745		<0.05	<0.05	<0.05	<0.001	32.10	302.7	0.02	0.03
R330776		8.65	12.95	8.01	0.536	41.38	274.0	7.73	8.28
R330849		<0.05	<0.05	0.05	<0.001	45.12	451.2	0.03	0.06
R330891		<0.05	0.16	<0.05	0.007	43.10	510.1	0.02	0.02

Comments: ORIGINAL WO# SD15114168, SD15122210, SD15126099, SD15126100, SD15126100, SD15126103, SD15126103 - as per requested from Julia Singh - Sept 17, 2015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 4-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15142178

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
FND-02 SCR-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

CERTIFICATE SD15143474

Project: Miller

This report is for 3 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
SCR-21	Screen to -100 to 106 um
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143474

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
R332394		0.78	0.21	0.21	0.3	0.6	<10	380	0.10	7.78	0.70	0.10	10.25	1.9	11	0.16
R332399		0.64	31.2	0.43	0.2	23.0	<10	260	0.26	182.5	1.11	0.01	17.25	3.0	11	0.37
R332451		2.07	1.22	0.54	0.3	0.9	<10	180	0.38	15.50	1.34	<0.01	31.7	5.0	18	1.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143474

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
R332394		39.2	0.92	0.91	0.09	0.61	<0.01	<0.005	0.07	4.8	1.1	0.04	107	5.76	0.13	0.05
R332399		41.6	1.41	2.07	0.09	0.67	0.01	0.007	0.12	8.9	5.8	0.23	196	11.60	0.09	<0.05
R332451		34.8	1.78	3.19	0.10	0.73	<0.01	0.011	0.15	16.9	7.9	0.38	285	69.7	0.10	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143474

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
R332394		2.4	200	6.0	3.1	0.001	0.59	0.13	0.4	0.9	<0.2	31.7	<0.01	2.76	1.6	<0.005
R332399		3.9	330	8.3	6.1	0.004	0.69	0.12	1.0	0.6	<0.2	41.9	<0.01	123.5	2.2	0.005
R332451		5.4	560	8.5	11.2	0.010	0.87	0.17	2.2	0.7	0.3	80.3	<0.01	14.00	3.0	0.057

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143474

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
R332394		0.03	0.55	2	0.24	2.03	10	13.5	1.29	18.55	0.40	0.700	37.71	725.5	0.45	0.34
R332399		0.04	0.97	7	0.28	2.76	10	21.5	74.9	682	24.1	33.005	48.42	577.6	24.5	23.6
R332451		0.10	1.13	19	0.55	3.87	29	18.3	9.11	100.5	2.60	6.381	63.44	890.9	2.38	2.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143474

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	LOG-22	PUL-35a	SCR-21
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA26	Au-AA26D	Au-SCR24	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

CERTIFICATE SD15143475

Project: Miller

This report is for 2 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
SCR-21	Screen to -100 to 106 um
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143475

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
R331675		0.56	0.15	0.21	0.1	0.2	<10	20	0.17	0.89	1.03	<0.01	12.25	1.9	10	0.05
R331679		1.14	0.11	0.69	0.2	<0.2	<10	20	0.43	0.66	0.98	0.12	19.00	6.0	13	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143475

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
R331675		5.7	0.73	1.23	0.08	1.44	<0.01	0.006	0.08	7.2	1.8	0.08	75	17.35	0.09	0.28
R331679		23.3	1.65	2.68	0.10	1.72	<0.01	0.010	0.08	11.1	8.2	0.55	119	7.94	0.15	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143475

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
R331675		1.9	100	3.6	2.1	0.006	0.27	0.08	0.7	0.2	0.2	11.1	<0.01	0.28	5.5	0.016
R331679		9.6	200	15.2	2.4	0.003	0.39	0.06	3.5	0.3	0.2	30.1	<0.01	0.07	7.2	0.054

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143475

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
R331675		0.02	2.04	6	0.22	2.57	3	35.0	0.18	0.72	0.13	0.035	48.32	518.5	0.11	0.14
R331679		0.03	2.74	28	0.18	4.36	27	42.5	0.07	<0.05	0.08	0.003	79.17	1057.5	0.10	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 16-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143475

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	LOG-22	PUL-35a	SCR-21
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA26	Au-AA26D	Au-SCR24	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

CERTIFICATE SD15143477

Project: Miller

This report is for 134 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331307		2.29	0.001	0.11	1.71	0.1	<0.2	<10	20	0.20	0.15	2.06	0.07	14.55	22.1	28
R331308		2.26	<0.001	0.12	1.95	0.2	<0.2	<10	70	0.19	0.22	4.57	0.07	7.60	25.5	5
R331309		1.83	0.002	0.28	1.24	0.2	<0.2	<10	60	0.23	1.60	3.40	0.05	8.54	25.6	5
R331310		0.10	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	0.99	0.1	<1
R331311		3.87	0.002	0.06	1.42	0.2	<0.2	<10	20	0.20	0.07	2.11	0.06	6.76	17.7	7
R331312		3.69	<0.001	0.04	1.46	0.3	<0.2	<10	40	0.15	0.12	1.88	0.05	6.16	20.2	9
R331313		3.65	0.001	0.07	1.47	0.4	<0.2	<10	30	0.16	0.08	1.83	0.08	10.70	21.1	32
R331314		3.56	0.002	0.06	1.44	0.3	<0.2	<10	30	0.15	0.06	1.70	0.05	10.10	19.5	26
R331315		3.86	0.003	0.07	1.49	0.3	<0.2	<10	50	0.14	0.06	1.62	0.07	7.52	21.2	7
R331316		2.14	0.003	0.06	1.43	0.4	<0.2	<10	10	0.16	0.08	1.64	0.05	6.69	22.6	7
R331317		2.42	0.001	0.04	1.77	0.4	<0.2	<10	10	0.16	0.05	1.96	0.05	7.81	25.6	5
R331318		1.17	0.329	0.27	1.40	1.1	0.5	<10	20	0.41	0.62	4.57	0.12	6.94	35.6	3
R331319		3.76	0.003	0.07	2.30	0.6	<0.2	<10	20	0.23	0.11	2.78	1.06	7.03	29.6	4
R331320		0.07	0.884	5.93	1.01	40.1	0.7	<10	40	0.20	1.19	0.40	4.82	5.07	13.3	19
R331321		3.50	<0.001	0.16	2.22	0.3	<0.2	<10	10	0.20	0.28	3.06	0.10	6.22	27.9	3
R331322		3.88	0.001	0.12	2.42	0.2	<0.2	<10	10	0.19	0.19	3.18	0.06	7.23	25.7	3
R331323		3.80	0.001	0.10	2.29	0.3	<0.2	<10	<10	0.19	0.16	2.99	0.04	7.00	23.0	4
R331324		2.17	0.001	0.10	2.04	0.3	<0.2	<10	<10	0.16	0.23	3.06	0.04	6.95	25.0	3
R331325		2.21	0.001	0.04	1.22	0.4	<0.2	<10	<10	0.18	0.27	3.42	0.06	6.05	23.3	4
R331326		3.57	0.001	0.06	1.56	0.4	<0.2	<10	<10	0.15	0.06	1.36	0.03	7.35	21.9	5
R331327		3.58	0.003	0.07	1.61	0.3	<0.2	<10	<10	0.14	0.09	1.26	0.03	9.39	21.9	3
R331328		3.81	0.005	0.05	2.03	0.1	<0.2	<10	<10	0.15	0.03	1.17	0.02	9.80	23.2	3
R331329		3.81	0.006	0.05	1.65	0.2	<0.2	<10	10	0.18	0.10	1.38	0.03	8.87	22.9	4
R331330		<0.02	0.007	0.05	1.80	0.4	<0.2	<10	10	0.15	0.10	1.48	0.03	8.91	22.8	3
R331331		3.32	0.001	0.07	1.37	0.1	<0.2	<10	10	0.16	0.17	1.64	0.05	7.97	21.9	6
R331332		3.78	0.003	0.05	1.57	0.4	<0.2	<10	10	0.16	0.05	1.40	0.05	7.50	22.8	5
R331333		3.59	0.004	0.09	1.48	0.3	<0.2	<10	10	0.13	0.08	1.87	0.05	7.28	24.2	7
R331334		3.40	0.002	0.36	1.15	0.4	<0.2	<10	10	0.20	7.38	2.47	0.08	8.19	30.0	7
R331335		3.78	0.001	0.08	1.66	0.5	<0.2	<10	<10	0.18	0.30	1.65	0.04	7.79	29.4	8
R331336		3.84	0.001	0.05	1.71	0.4	<0.2	<10	<10	0.12	0.04	1.63	0.02	9.27	22.0	10
R331337		3.50	<0.001	0.05	1.51	0.2	<0.2	<10	<10	0.16	0.09	1.22	0.03	7.93	23.8	10
R331338		3.56	0.001	0.03	1.69	0.3	<0.2	<10	<10	0.16	0.04	1.14	0.01	8.16	24.6	8
R331339		3.48	0.004	0.07	1.64	0.4	<0.2	<10	<10	0.24	0.14	1.72	0.03	9.43	24.3	5
R331340		0.13	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.98	0.1	<1
R331341		3.58	0.002	0.05	1.72	0.5	<0.2	<10	<10	0.17	0.16	1.31	0.02	8.91	26.1	5
R331342		3.47	0.002	0.05	1.69	0.3	<0.2	<10	<10	0.14	0.11	1.21	0.03	9.13	24.3	4
R331343		3.57	0.002	0.06	1.52	0.3	<0.2	<10	<10	0.17	0.11	1.13	0.02	9.94	24.0	4
R331344		3.71	0.001	0.08	1.52	0.5	<0.2	<10	10	0.14	0.10	1.46	0.02	9.12	23.3	3
R331345		3.62	0.001	0.08	1.39	0.3	<0.2	<10	<10	0.15	0.09	1.45	0.02	8.13	21.3	3
R331346		3.52	0.003	0.07	1.70	0.2	<0.2	<10	<10	0.22	0.15	1.77	0.02	7.83	27.4	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331307		0.78	93.4	5.19	8.21	0.20	0.20	<0.01	0.030	0.08	5.8	11.8	1.02	828	1.59	0.18
R331308		4.93	172.0	9.93	10.20	0.23	0.11	<0.01	0.035	0.22	2.7	17.1	1.01	1440	1.51	0.16
R331309		4.34	173.0	7.65	7.69	0.17	0.15	<0.01	0.032	0.23	2.9	12.2	0.78	981	75.0	0.16
R331310		<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.08	<0.01
R331311		0.71	101.0	4.30	6.25	0.17	0.13	<0.01	0.023	0.07	2.4	5.8	0.65	632	0.80	0.16
R331312		0.96	93.3	4.29	6.45	0.15	0.14	<0.01	0.027	0.09	2.2	5.8	0.68	594	0.94	0.17
R331313		0.89	102.0	4.16	6.38	0.17	0.16	<0.01	0.027	0.09	4.1	6.7	0.77	588	1.91	0.18
R331314		0.72	87.2	3.99	6.33	0.16	0.14	<0.01	0.025	0.08	3.8	6.9	0.72	501	3.58	0.16
R331315		1.32	124.0	4.45	6.71	0.19	0.12	<0.01	0.026	0.10	2.6	5.6	0.69	536	1.06	0.16
R331316		0.38	125.0	4.64	6.92	0.18	0.13	<0.01	0.025	0.05	2.3	6.3	0.70	525	2.90	0.14
R331317		0.26	115.5	5.29	8.85	0.18	0.12	<0.01	0.031	0.03	2.6	9.2	0.94	698	0.37	0.15
R331318		4.73	147.0	7.64	7.93	0.10	0.22	<0.01	0.066	0.24	2.5	9.2	1.40	1500	0.22	0.06
R331319		4.04	110.5	7.51	11.00	0.19	0.15	<0.01	0.053	0.24	2.2	16.1	1.16	1200	1.82	0.11
R331320		3.52	6600	6.34	2.99	0.06	<0.02	0.04	0.304	0.27	2.5	10.5	0.30	589	137.0	0.01
R331321		0.67	129.5	8.76	9.25	0.21	0.09	<0.01	0.023	0.05	2.1	14.5	0.97	1440	16.75	0.15
R331322		0.89	108.5	9.58	9.41	0.24	0.08	<0.01	0.024	0.06	2.3	16.8	1.02	1400	3.51	0.15
R331323		0.36	88.6	7.36	8.30	0.16	0.10	<0.01	0.028	0.05	2.3	14.1	0.87	1330	3.16	0.18
R331324		0.43	114.5	6.88	8.71	0.18	0.13	<0.01	0.026	0.04	2.3	12.2	0.86	1220	1.42	0.15
R331325		0.33	93.9	5.25	6.76	0.14	0.17	<0.01	0.027	0.04	2.1	5.7	0.61	722	1.80	0.15
R331326		0.34	120.0	5.02	7.67	0.15	0.10	<0.01	0.025	0.04	2.5	9.6	0.77	470	0.58	0.15
R331327		0.64	127.0	5.09	8.04	0.17	0.10	<0.01	0.025	0.04	3.3	11.1	0.92	402	1.20	0.15
R331328		0.34	109.0	5.73	9.67	0.20	0.10	<0.01	0.029	0.03	3.3	16.3	1.15	442	0.42	0.16
R331329		0.99	113.5	5.69	8.52	0.19	0.11	<0.01	0.026	0.06	3.0	14.0	0.95	389	0.91	0.15
R331330		0.89	117.0	5.99	8.76	0.20	0.11	<0.01	0.028	0.06	3.0	13.7	1.02	423	0.95	0.17
R331331		1.12	108.5	5.66	6.84	0.17	0.12	<0.01	0.028	0.08	2.7	9.5	0.72	429	1.05	0.15
R331332		0.82	127.0	5.78	7.43	0.18	0.11	<0.01	0.026	0.06	2.5	9.8	0.78	458	1.19	0.15
R331333		0.67	147.5	5.25	6.99	0.18	0.10	<0.01	0.025	0.06	2.5	8.7	0.77	444	0.66	0.16
R331334		0.73	128.5	6.61	7.05	0.19	0.14	<0.01	0.025	0.05	2.8	9.3	0.71	460	5.92	0.13
R331335		0.44	133.5	6.18	8.07	0.18	0.11	<0.01	0.026	0.04	2.6	12.8	0.99	497	3.35	0.14
R331336		0.41	130.5	5.30	8.27	0.17	0.10	<0.01	0.029	0.04	3.1	12.0	0.91	466	0.62	0.16
R331337		0.58	162.0	5.91	7.69	0.14	0.12	<0.01	0.027	0.04	2.7	13.2	0.83	455	0.56	0.14
R331338		0.47	108.0	5.47	8.32	0.15	0.13	<0.01	0.027	0.04	2.8	15.5	0.90	468	0.67	0.14
R331339		0.49	131.0	6.15	8.75	0.15	0.13	<0.01	0.024	0.03	3.8	14.2	0.94	462	8.89	0.10
R331340		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R331341		0.43	125.0	5.94	8.87	0.13	0.14	<0.01	0.027	0.04	3.1	15.0	0.94	500	1.10	0.13
R331342		0.92	108.5	5.81	8.59	0.13	0.12	<0.01	0.026	0.05	3.1	15.2	0.95	453	1.08	0.13
R331343		0.65	125.0	5.80	8.09	0.13	0.13	<0.01	0.025	0.05	3.4	12.7	0.81	425	1.54	0.13
R331344		0.94	95.1	5.26	7.56	0.14	0.13	<0.01	0.023	0.07	3.2	12.8	0.86	432	4.53	0.14
R331345		0.39	111.0	5.03	6.96	0.14	0.15	<0.01	0.021	0.05	2.9	10.1	0.72	422	1.29	0.12
R331346		0.98	110.5	6.72	8.56	0.15	0.12	<0.01	0.025	0.05	2.6	17.4	1.05	489	1.43	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331307		0.11	13.6	780	0.9	3.3	0.002	0.30	<0.05	11.0	0.8	0.4	21.5	<0.01	0.05	0.6
R331308		0.05	12.3	470	1.1	17.9	0.003	0.79	<0.05	11.9	1.7	0.3	10.4	<0.01	0.12	0.2
R331309		0.09	11.9	540	5.4	18.5	0.015	1.36	0.06	10.7	1.4	0.5	12.3	<0.01	0.08	0.2
R331310		<0.05	0.3	10	0.3	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331311		0.14	8.7	550	0.3	2.9	0.001	0.14	0.05	10.1	0.8	0.4	9.8	<0.01	0.03	0.2
R331312		0.18	9.7	540	0.3	4.3	0.002	0.19	<0.05	10.9	0.7	0.3	16.5	<0.01	0.03	0.2
R331313		0.17	16.3	620	0.6	4.4	0.002	0.17	0.05	11.0	1.0	0.4	19.7	<0.01	0.03	0.4
R331314		0.14	14.8	620	0.4	3.3	0.006	0.11	<0.05	10.6	0.7	0.4	18.3	<0.01	0.02	0.3
R331315		0.13	11.0	540	0.3	6.2	0.002	0.13	<0.05	11.2	0.7	0.3	13.2	<0.01	0.04	0.2
R331316		0.15	11.5	560	0.3	1.7	0.004	0.21	<0.05	9.7	0.9	0.4	13.9	<0.01	0.03	0.2
R331317		0.11	12.0	600	0.2	0.8	0.002	0.22	0.05	10.6	1.1	0.4	8.7	<0.01	0.04	0.2
R331318		0.07	17.2	450	4.0	27.8	0.002	2.10	0.09	24.5	1.1	0.4	114.0	<0.01	0.62	0.2
R331319		0.07	14.8	510	0.5	21.4	0.002	0.41	0.07	18.8	1.0	0.7	9.7	<0.01	0.08	0.2
R331320		0.07	14.8	450	102.5	12.4	0.185	4.72	2.62	1.3	7.9	1.8	34.0	<0.01	0.97	1.1
R331321		0.08	11.2	490	1.5	2.5	0.012	0.76	<0.05	11.1	1.4	0.4	7.6	0.01	0.13	0.2
R331322		0.07	10.6	490	0.8	3.9	0.004	0.47	<0.05	12.3	1.1	0.3	7.1	<0.01	0.09	0.2
R331323		0.09	9.9	510	0.4	2.0	0.004	0.38	<0.05	11.6	1.1	0.4	6.8	<0.01	0.09	0.2
R331324		0.10	10.4	530	0.5	1.9	0.003	0.59	<0.05	12.2	1.0	0.4	7.0	<0.01	0.12	0.2
R331325		0.21	8.6	530	0.4	1.3	0.002	0.55	<0.05	10.3	1.0	0.4	13.3	<0.01	0.04	0.2
R331326		0.08	8.2	560	0.4	1.5	0.002	0.23	<0.05	9.0	1.0	0.4	7.3	<0.01	0.04	0.2
R331327		0.06	8.1	570	0.5	2.2	0.003	0.30	<0.05	9.0	1.0	0.3	6.8	<0.01	0.04	0.3
R331328		0.08	8.3	590	0.2	1.4	0.002	0.15	<0.05	10.2	1.0	0.3	8.5	<0.01	<0.01	0.3
R331329		0.10	7.3	590	0.4	3.5	0.002	0.35	<0.05	9.3	1.0	0.4	13.8	<0.01	0.02	0.2
R331330		0.09	7.2	600	0.4	3.2	0.002	0.34	<0.05	9.8	0.9	0.4	14.4	<0.01	0.03	0.3
R331331		0.15	6.9	620	0.6	4.7	0.003	0.38	<0.05	9.5	0.8	0.3	13.7	<0.01	0.04	0.2
R331332		0.10	9.1	570	0.3	3.1	0.003	0.25	<0.05	9.4	0.8	0.4	14.8	<0.01	0.04	0.2
R331333		0.09	14.8	500	0.4	2.8	0.001	0.21	<0.05	9.1	0.6	0.4	11.4	<0.01	0.05	0.2
R331334		0.20	16.6	550	9.3	2.9	0.005	1.05	<0.05	8.2	1.1	0.5	22.4	<0.01	0.08	0.2
R331335		0.11	12.3	570	1.2	1.8	0.005	0.51	<0.05	9.4	1.4	0.4	17.6	<0.01	0.06	0.3
R331336		0.08	9.1	540	0.4	1.8	0.002	0.19	<0.05	10.0	0.9	0.4	7.9	<0.01	0.01	0.3
R331337		0.11	9.1	520	0.6	2.2	0.002	0.37	<0.05	8.9	0.5	0.2	9.0	<0.01	0.02	0.2
R331338		0.10	8.8	560	0.4	1.7	0.002	0.20	<0.05	9.4	0.7	0.3	10.9	<0.01	0.02	0.2
R331339		0.13	9.0	560	0.9	1.2	0.006	0.48	<0.05	7.7	1.0	0.3	52.3	<0.01	0.04	0.2
R331340		<0.05	0.3	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R331341		0.10	8.7	570	0.6	1.9	0.002	0.42	<0.05	8.9	0.8	0.2	18.7	<0.01	0.04	0.2
R331342		0.09	8.5	580	0.5	3.2	0.002	0.33	<0.05	8.5	0.7	0.3	15.1	<0.01	0.02	0.2
R331343		0.09	7.3	630	0.9	2.7	0.002	0.32	<0.05	8.8	0.8	0.3	11.3	<0.01	0.01	0.3
R331344		0.09	7.3	630	0.7	4.0	0.005	0.25	<0.05	9.1	0.9	0.2	10.5	<0.01	0.04	0.2
R331345		0.13	5.7	630	0.6	2.2	0.002	0.36	<0.05	7.9	0.6	0.3	18.3	<0.01	0.04	0.2
R331346		0.09	7.1	630	0.7	3.4	0.002	0.46	<0.05	10.1	0.6	0.4	22.1	<0.01	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331307		0.224	0.03	0.09	132	0.69	11.50	65	5.1
R331308		0.227	0.13	<0.05	152	0.33	16.90	68	2.4
R331309		0.225	0.14	<0.05	159	0.33	12.05	56	3.0
R331310		<0.005	<0.02	0.09	<1	<0.05	0.60	<2	0.7
R331311		0.230	0.03	<0.05	116	0.49	11.35	50	3.1
R331312		0.260	0.04	<0.05	120	0.59	11.95	50	3.4
R331313		0.235	0.05	0.06	120	0.42	12.00	55	4.6
R331314		0.217	0.02	0.05	126	0.34	12.60	51	3.8
R331315		0.233	0.05	<0.05	137	0.30	13.75	55	2.5
R331316		0.238	0.02	<0.05	137	0.33	12.65	56	2.9
R331317		0.249	<0.02	<0.05	156	0.27	12.95	77	2.7
R331318		0.129	0.22	0.09	165	1.75	9.27	105	5.1
R331319		0.232	0.18	<0.05	205	0.49	12.75	145	3.2
R331320		0.012	0.33	0.15	17	2.05	2.65	772	<0.5
R331321		0.188	0.07	<0.05	140	0.88	9.54	96	2.3
R331322		0.193	0.05	<0.05	148	7.62	10.20	83	2.3
R331323		0.211	0.02	<0.05	135	11.65	10.50	61	2.4
R331324		0.233	0.02	<0.05	146	1.93	10.15	71	3.3
R331325		0.292	<0.02	<0.05	142	0.80	11.65	55	4.4
R331326		0.207	0.02	<0.05	140	0.44	11.40	55	2.3
R331327		0.200	0.04	<0.05	139	0.46	12.90	52	2.3
R331328		0.220	<0.02	<0.05	158	0.31	14.50	60	2.0
R331329		0.207	0.03	<0.05	146	0.45	14.65	58	2.3
R331330		0.220	0.02	<0.05	155	0.48	14.80	63	2.3
R331331		0.212	0.05	<0.05	149	0.45	14.20	53	2.4
R331332		0.217	0.03	<0.05	162	0.39	13.25	58	2.3
R331333		0.191	0.03	<0.05	179	0.47	12.05	53	1.9
R331334		0.246	0.03	0.05	189	0.62	13.40	54	2.8
R331335		0.249	<0.02	0.05	162	0.71	12.65	67	2.6
R331336		0.213	<0.02	<0.05	162	0.23	13.60	51	2.0
R331337		0.218	0.02	0.05	164	0.15	12.50	50	2.2
R331338		0.218	<0.02	<0.05	157	0.34	13.15	51	2.4
R331339		0.263	<0.02	<0.05	153	0.61	13.30	53	2.6
R331340		<0.005	<0.02	0.08	<1	<0.05	0.60	<2	0.7
R331341		0.226	<0.02	0.05	159	0.33	14.00	54	2.8
R331342		0.208	0.03	<0.05	157	0.22	14.15	53	2.4
R331343		0.199	0.02	0.07	156	0.24	15.00	46	2.6
R331344		0.204	0.03	<0.05	144	0.42	13.60	52	2.7
R331345		0.219	<0.02	<0.05	122	0.40	12.90	44	3.1
R331346		0.202	0.03	<0.05	158	0.40	13.45	68	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331347		3.84	0.004	0.10	1.73	0.3	<0.2	<10	10	0.18	0.18	1.26	0.08	8.41	26.5	3
R331348		3.79	0.002	0.06	1.81	0.5	<0.2	<10	<10	0.16	0.04	1.50	0.05	8.66	26.4	3
R331349		3.26	0.003	0.08	1.86	0.6	<0.2	<10	<10	0.20	0.05	1.08	0.03	6.77	28.5	6
R331350		0.07	0.932	6.04	1.04	42.1	0.8	<10	40	0.22	1.19	0.41	5.00	5.28	13.8	20
R331351		3.76	0.003	0.07	1.59	0.2	<0.2	<10	10	0.12	0.03	1.40	0.05	5.05	23.9	25
R331352		3.48	0.003	0.06	1.82	0.4	<0.2	<10	10	0.19	0.38	1.86	0.03	5.10	29.4	28
R331353		3.67	0.001	0.16	1.49	0.4	<0.2	<10	10	0.13	0.52	1.69	0.05	5.07	25.7	31
R331354		3.46	0.002	0.05	1.75	0.3	<0.2	<10	10	0.11	0.09	1.39	0.04	5.71	29.0	38
R331355		2.90	0.001	0.02	1.91	0.5	<0.2	<10	<10	0.13	0.11	1.32	0.03	6.20	32.7	39
R331356		2.86	0.001	0.04	2.04	0.5	<0.2	<10	10	0.12	0.02	1.40	0.03	6.83	29.5	38
R331357		3.36	0.001	0.05	2.00	0.4	<0.2	<10	10	0.14	0.06	1.40	0.04	6.58	30.6	35
R331358		4.08	0.003	0.07	1.88	0.3	<0.2	<10	10	0.13	0.07	1.31	0.04	7.20	28.7	26
R331359		2.12	0.002	0.08	2.06	0.4	<0.2	<10	10	0.18	0.22	1.40	0.03	8.37	34.6	21
R331360		<0.02	0.003	0.10	2.06	0.6	<0.2	<10	10	0.16	0.21	1.41	0.04	8.61	34.4	21
R331361		2.12	0.001	0.10	2.72	0.3	<0.2	<10	30	0.55	0.96	4.15	0.11	8.58	39.9	18
R331362		0.99	<0.001	0.04	0.77	0.3	<0.2	<10	<10	0.13	0.11	2.18	0.02	6.48	5.3	14
R331363		3.06	0.001	0.05	1.58	0.8	<0.2	<10	20	0.25	0.22	2.23	0.03	91.5	17.6	18
R331364		3.27	0.002	0.03	1.19	0.5	<0.2	<10	10	0.15	0.09	1.43	0.01	95.6	12.9	14
R331365		3.70	0.002	0.02	1.28	0.6	<0.2	<10	<10	0.12	0.05	1.20	0.01	100.5	12.5	16
R331366		3.66	0.005	0.05	2.67	0.3	<0.2	<10	<10	0.18	0.02	1.30	0.01	8.70	31.1	11
R331367		3.61	0.001	0.05	2.04	0.4	<0.2	<10	10	0.15	0.11	1.52	0.02	8.12	27.8	11
R331368		3.73	<0.001	0.04	2.47	0.5	<0.2	<10	10	0.18	0.05	1.66	0.03	9.02	32.1	7
R331369		3.48	0.001	0.06	2.20	0.6	<0.2	<10	10	0.20	0.09	1.73	0.03	9.08	26.1	6
R331370		0.13	<0.001	0.01	0.01	0.4	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.94	0.1	<1
R331371		3.67	<0.001	0.05	2.28	0.3	<0.2	<10	10	0.21	0.10	1.91	0.04	9.19	26.3	5
R331372		3.46	<0.001	0.04	2.11	0.5	<0.2	<10	10	0.19	0.03	1.56	0.02	9.61	24.4	5
R331373		3.63	0.005	0.07	1.81	0.7	<0.2	<10	<10	0.23	0.05	1.66	0.05	7.95	25.0	5
R331374		3.68	0.011	0.10	1.50	0.4	<0.2	<10	10	0.13	0.04	1.34	0.05	7.74	24.5	6
R331375		3.73	0.003	0.09	1.31	0.4	<0.2	<10	10	0.16	0.13	1.50	0.03	6.14	25.0	8
R331376		3.61	0.001	0.08	1.33	0.4	<0.2	<10	10	0.12	0.02	1.13	0.04	5.49	20.9	16
R331377		3.50	0.001	0.34	1.69	0.6	<0.2	<10	10	0.11	0.02	1.46	0.03	5.17	27.1	28
R331378		3.92	0.001	0.06	1.58	0.3	<0.2	<10	10	0.14	0.04	1.39	0.04	5.05	25.7	29
R331379		3.17	0.003	0.07	1.57	0.3	<0.2	<10	10	0.14	0.09	1.45	0.04	5.96	29.6	42
R331380		0.07	0.907	5.97	1.00	41.3	1.2	<10	40	0.24	1.16	0.40	5.07	5.08	13.9	19
R331381		2.32	0.002	0.09	1.71	0.7	<0.2	<10	10	0.12	0.09	1.11	0.04	6.04	30.7	37
R331382		1.77	0.002	0.04	1.66	0.6	<0.2	<10	10	0.14	0.05	1.70	0.02	14.10	24.1	127
R331383		2.86	0.002	0.01	1.77	0.2	<0.2	<10	10	0.17	0.09	3.26	0.02	25.6	21.3	345
R331384		2.78	0.072	0.31	1.91	0.2	<0.2	<10	10	0.29	0.34	2.58	0.02	28.5	22.3	327
R331385		2.66	0.003	0.11	2.25	0.8	<0.2	<10	<10	0.19	0.15	2.63	0.12	14.75	36.8	93
R331386		3.54	0.043	0.13	2.35	0.4	<0.2	<10	<10	0.16	0.16	1.21	0.29	7.45	51.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331347		0.58	156.5	6.13	8.57	0.13	0.14	<0.01	0.029	0.05	2.9	15.7	0.91	494	0.93	0.13
R331348		0.37	122.0	6.49	8.70	0.14	0.13	<0.01	0.029	0.04	3.1	16.3	0.92	544	0.85	0.12
R331349		0.47	141.0	6.38	8.48	0.12	0.11	<0.01	0.022	0.04	2.3	17.9	1.02	508	0.68	0.12
R331350		3.61	6830	6.65	3.00	0.05	<0.02	0.05	0.319	0.28	2.6	11.3	0.31	603	141.5	0.02
R331351		0.43	161.5	4.71	6.59	0.12	0.09	<0.01	0.021	0.05	1.8	11.8	0.80	433	0.62	0.13
R331352		0.55	156.5	5.84	7.42	0.13	0.12	<0.01	0.023	0.04	1.8	16.5	1.10	504	2.00	0.11
R331353		0.61	134.0	5.12	6.14	0.11	0.11	<0.01	0.020	0.05	1.8	12.4	0.80	429	8.76	0.13
R331354		0.49	134.0	5.27	7.04	0.12	0.10	<0.01	0.019	0.04	2.0	16.4	1.01	472	4.26	0.12
R331355		0.23	119.0	5.38	7.80	0.12	0.12	<0.01	0.018	0.03	2.3	19.5	1.10	514	1.12	0.09
R331356		0.56	115.0	5.51	8.30	0.12	0.11	<0.01	0.021	0.05	2.4	19.2	1.09	528	0.85	0.14
R331357		0.86	115.5	5.87	8.14	0.13	0.12	<0.01	0.025	0.05	2.4	18.2	1.10	527	2.58	0.13
R331358		0.85	125.5	5.90	8.21	0.12	0.11	<0.01	0.022	0.06	2.5	18.0	1.08	490	0.91	0.12
R331359		1.84	135.0	6.76	8.96	0.12	0.10	<0.01	0.020	0.09	2.9	24.2	1.35	498	7.59	0.11
R331360		1.87	133.0	6.76	9.03	0.12	0.10	<0.01	0.022	0.09	2.9	24.1	1.34	502	7.58	0.11
R331361		20.3	124.5	9.42	14.15	0.15	0.15	<0.01	0.079	0.68	3.1	32.7	2.14	859	8.26	0.06
R331362		0.29	9.8	1.87	3.24	<0.05	0.22	<0.01	0.017	0.02	2.8	15.1	0.55	262	2.61	0.06
R331363		4.83	71.0	3.61	8.98	0.16	0.50	<0.01	0.021	0.18	40.6	20.3	1.42	394	1.63	0.07
R331364		0.69	78.5	2.23	5.61	0.18	0.44	<0.01	0.011	0.04	42.7	12.8	0.84	249	1.29	0.08
R331365		0.34	63.6	2.39	6.06	0.18	0.29	<0.01	0.010	0.02	44.3	14.2	0.95	235	1.02	0.07
R331366		0.30	131.5	6.51	10.90	0.12	0.11	<0.01	0.023	0.03	3.1	30.6	1.64	533	0.90	0.11
R331367		0.54	150.5	6.30	8.39	0.13	0.12	<0.01	0.022	0.04	2.9	17.0	1.16	489	0.83	0.15
R331368		0.71	137.0	7.46	10.60	0.15	0.12	<0.01	0.028	0.05	3.1	23.8	1.41	614	3.85	0.14
R331369		0.48	163.0	6.29	8.69	0.14	0.13	<0.01	0.029	0.06	3.2	14.8	1.01	525	4.65	0.16
R331370		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R331371		0.96	140.5	6.50	8.96	0.15	0.12	<0.01	0.027	0.07	3.2	18.5	1.11	542	0.70	0.17
R331372		0.41	129.5	5.97	8.71	0.15	0.13	<0.01	0.027	0.05	3.3	17.0	1.01	515	2.04	0.17
R331373		0.36	125.0	5.64	8.19	0.17	0.14	<0.01	0.020	0.03	2.8	16.0	0.90	450	1.68	0.09
R331374		0.53	208	5.21	7.53	0.14	0.12	<0.01	0.027	0.05	2.7	13.1	0.78	426	0.99	0.11
R331375		0.67	159.5	5.44	6.98	0.12	0.13	<0.01	0.021	0.05	2.2	13.1	0.85	413	1.05	0.10
R331376		0.51	174.0	4.39	6.21	0.12	0.10	<0.01	0.024	0.05	1.9	10.5	0.69	370	0.74	0.13
R331377		0.41	150.5	5.16	7.38	0.13	0.11	<0.01	0.020	0.05	1.8	14.0	0.96	442	0.67	0.12
R331378		0.41	128.5	4.73	6.62	0.11	0.10	<0.01	0.019	0.04	1.8	13.9	0.84	404	4.06	0.12
R331379		0.76	130.5	5.66	7.21	0.12	0.10	<0.01	0.021	0.05	2.1	15.2	0.94	468	2.36	0.12
R331380		3.61	6670	6.41	3.00	0.06	<0.02	0.06	0.320	0.27	2.4	11.5	0.30	590	131.0	0.02
R331381		0.35	127.5	5.89	7.81	0.13	0.10	<0.01	0.021	0.04	2.1	17.8	1.02	503	1.75	0.10
R331382		0.29	97.6	4.20	7.09	0.13	0.15	<0.01	0.015	0.04	6.1	18.5	1.17	460	0.47	0.07
R331383		0.43	49.9	2.68	6.66	0.06	0.26	<0.01	0.009	0.06	11.8	28.5	2.06	364	3.70	0.05
R331384		0.83	35.7	2.86	7.36	0.09	0.26	<0.01	0.013	0.06	13.2	37.0	2.43	391	26.7	0.06
R331385		0.40	196.0	6.20	8.67	0.14	0.14	<0.01	0.024	0.03	6.6	29.6	1.71	509	0.68	0.07
R331386		0.57	282	7.68	10.10	0.13	0.10	<0.01	0.034	0.03	2.6	27.1	1.40	431	0.60	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331347		0.10	7.2	630	1.3	2.4	0.002	0.39	<0.05	9.4	0.8	0.5	16.2	<0.01	0.05	0.2
R331348		0.12	6.7	630	0.7	1.7	0.002	0.25	<0.05	9.3	1.1	0.5	22.1	<0.01	0.02	0.3
R331349		0.09	10.9	580	0.6	1.7	0.002	0.31	<0.05	8.7	0.8	0.3	17.5	<0.01	0.04	0.2
R331350		0.08	15.9	460	104.5	12.5	0.206	4.97	2.69	1.3	8.3	1.8	35.8	<0.01	1.01	1.1
R331351		0.09	16.7	470	0.6	2.1	0.002	0.15	<0.05	7.7	0.6	0.2	27.9	<0.01	0.01	0.2
R331352		0.08	20.0	470	0.7	2.3	0.003	0.37	<0.05	8.8	0.7	0.3	25.2	<0.01	0.02	0.2
R331353		0.12	18.4	450	2.0	3.0	0.004	0.43	<0.05	7.5	0.7	0.4	22.4	<0.01	0.01	0.2
R331354		0.07	23.0	440	0.5	2.4	0.004	0.29	<0.05	6.7	0.6	0.2	21.1	<0.01	0.02	0.2
R331355		0.08	26.7	470	0.5	1.2	0.003	0.23	<0.05	5.2	0.7	0.2	33.2	<0.01	0.01	0.2
R331356		0.07	25.8	510	0.5	2.3	0.002	0.14	<0.05	6.9	0.6	0.2	18.2	<0.01	0.01	0.2
R331357		0.07	23.2	510	0.6	2.7	0.003	0.27	<0.05	7.2	0.8	0.2	20.5	<0.01	0.01	0.2
R331358		0.10	19.2	540	0.7	3.5	0.002	0.33	<0.05	6.8	0.6	0.3	32.8	<0.01	0.02	0.2
R331359		0.09	19.7	540	0.8	7.0	0.006	0.47	<0.05	6.8	1.0	0.4	27.2	<0.01	0.05	0.2
R331360		0.11	20.0	550	0.9	7.2	0.007	0.46	<0.05	7.0	1.0	0.3	27.7	<0.01	0.05	0.2
R331361		0.05	22.3	520	1.9	80.6	0.005	0.80	<0.05	26.6	1.0	0.8	64.0	<0.01	0.05	0.2
R331362		<0.05	5.8	480	0.3	1.9	0.002	0.08	<0.05	3.4	<0.2	0.4	24.8	<0.01	0.02	0.2
R331363		0.08	16.2	1650	2.0	18.2	0.001	0.25	<0.05	6.7	0.4	0.3	44.6	<0.01	0.03	4.7
R331364		0.25	11.7	1880	2.2	3.2	<0.001	0.20	<0.05	2.6	0.2	0.4	89.1	<0.01	0.01	5.1
R331365		0.13	11.5	1850	1.3	1.6	<0.001	0.07	<0.05	2.4	0.3	0.4	56.1	<0.01	0.01	5.1
R331366		0.07	13.6	520	0.4	1.8	0.002	0.17	<0.05	8.7	0.7	0.2	28.5	<0.01	0.02	0.3
R331367		0.10	11.9	610	0.8	2.4	0.002	0.48	<0.05	9.3	1.2	0.3	28.2	<0.01	0.01	0.2
R331368		0.07	12.1	680	0.5	2.6	0.007	0.27	<0.05	11.2	0.7	0.2	21.5	<0.01	0.02	0.3
R331369		0.10	8.0	590	0.8	3.0	0.007	0.28	<0.05	9.9	0.8	0.2	51.3	<0.01	0.01	0.2
R331370		<0.05	0.3	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331371		0.10	8.2	610	0.6	4.0	0.002	0.36	<0.05	11.1	0.6	0.3	40.4	<0.01	0.02	0.3
R331372		0.09	7.1	610	0.4	2.6	0.003	0.21	<0.05	10.2	0.9	0.3	30.2	<0.01	<0.01	0.3
R331373		0.14	7.1	570	0.4	1.7	0.003	0.25	<0.05	8.0	1.2	0.2	45.6	<0.01	<0.01	0.2
R331374		0.10	8.8	550	0.5	2.3	0.002	0.20	<0.05	8.9	0.8	0.3	18.3	<0.01	0.02	0.2
R331375		0.11	12.5	500	0.7	2.8	0.002	0.44	<0.05	9.5	1.0	0.4	17.9	<0.01	0.02	0.2
R331376		0.08	12.6	470	0.5	2.6	0.002	0.14	<0.05	8.6	0.9	0.2	19.8	<0.01	0.01	0.2
R331377		0.06	19.6	420	0.5	2.5	0.002	0.14	<0.05	8.6	0.7	0.3	29.2	<0.01	0.01	0.2
R331378		0.09	18.7	440	0.5	2.0	0.005	0.18	<0.05	7.3	0.8	0.3	30.7	<0.01	0.01	0.2
R331379		0.08	22.0	520	0.6	2.9	0.004	0.32	<0.05	6.8	0.6	0.2	19.6	<0.01	0.02	0.2
R331380		0.08	15.8	450	104.0	12.6	0.195	4.78	2.65	1.3	7.7	1.7	35.5	<0.01	0.96	1.1
R331381		0.07	21.7	510	0.7	1.7	0.003	0.23	<0.05	6.3	0.6	0.3	25.7	<0.01	0.03	0.2
R331382		0.08	43.9	560	0.6	1.5	0.001	0.17	<0.05	4.8	0.6	0.2	45.6	<0.01	0.02	0.5
R331383		0.05	122.5	690	0.6	3.6	0.002	0.22	<0.05	5.2	0.3	<0.2	35.1	<0.01	0.02	1.2
R331384		<0.05	122.0	680	1.9	4.5	0.006	0.22	<0.05	7.1	0.3	0.3	28.9	<0.01	0.16	1.2
R331385		0.07	44.5	540	0.8	1.5	0.002	0.96	<0.05	6.2	3.3	0.7	25.2	<0.01	0.08	0.6
R331386		0.08	20.3	470	2.8	1.8	0.003	1.33	<0.05	9.7	2.2	2.1	17.6	<0.01	0.06	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331347		0.193	0.02	<0.05	147	0.27	13.80	78	2.6
R331348		0.224	<0.02	<0.05	154	0.25	14.30	85	2.4
R331349		0.193	<0.02	<0.05	168	0.30	11.30	73	2.0
R331350		0.012	0.32	0.16	18	2.77	2.70	809	<0.5
R331351		0.187	0.02	<0.05	167	0.13	10.90	52	1.8
R331352		0.196	0.02	<0.05	182	0.29	10.90	64	1.8
R331353		0.183	0.02	<0.05	158	0.12	10.55	50	2.0
R331354		0.172	0.02	<0.05	154	0.16	10.05	58	1.9
R331355		0.193	<0.02	<0.05	144	0.15	9.56	66	2.2
R331356		0.181	0.02	<0.05	163	0.10	11.90	61	2.1
R331357		0.187	0.02	<0.05	165	0.12	11.40	68	2.2
R331358		0.193	0.03	<0.05	159	0.20	11.60	71	2.2
R331359		0.201	0.06	<0.05	175	3.88	12.20	79	2.0
R331360		0.208	0.06	<0.05	176	4.16	12.40	79	2.0
R331361		0.219	0.68	<0.05	274	0.36	11.65	125	3.3
R331362		0.010	<0.02	0.05	27	0.14	3.29	27	7.2
R331363		0.104	0.15	0.65	95	0.20	8.03	61	24.5
R331364		0.131	0.02	0.59	52	0.24	6.03	45	19.8
R331365		0.091	<0.02	0.61	55	0.17	6.74	44	14.0
R331366		0.230	<0.02	<0.05	166	0.28	11.30	71	2.2
R331367		0.219	0.02	<0.05	171	0.19	12.25	56	2.3
R331368		0.208	0.02	<0.05	204	0.23	13.95	77	2.1
R331369		0.209	0.02	<0.05	170	0.30	12.95	61	2.9
R331370		<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.7
R331371		0.216	0.03	<0.05	172	0.25	13.85	71	2.5
R331372		0.197	0.02	<0.05	156	0.25	14.10	63	2.6
R331373		0.240	<0.02	<0.05	137	0.27	12.55	57	3.3
R331374		0.180	0.02	<0.05	146	0.37	13.00	53	2.5
R331375		0.189	0.02	<0.05	175	0.29	12.20	55	2.5
R331376		0.175	0.02	<0.05	162	0.10	10.90	45	2.2
R331377		0.182	0.02	<0.05	182	1.00	10.25	57	2.1
R331378		0.188	<0.02	<0.05	144	0.16	9.48	52	2.0
R331379		0.171	0.02	<0.05	164	0.19	10.45	58	2.0
R331380		0.011	0.32	0.15	17	2.09	2.77	787	<0.5
R331381		0.186	<0.02	<0.05	159	0.30	9.80	62	2.2
R331382		0.177	<0.02	0.06	102	0.30	7.17	51	4.1
R331383		0.097	0.02	0.15	58	0.18	3.88	43	10.1
R331384		0.103	0.03	0.18	63	0.28	4.36	44	10.5
R331385		0.180	<0.02	0.08	122	0.46	7.13	130	4.0
R331386		0.185	0.02	<0.05	176	0.36	10.60	147	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331387		3.35	0.001	0.17	2.08	0.7	<0.2	<10	<10	0.15	0.84	1.24	0.03	8.09	32.3	21
R331388		2.29	<0.001	0.11	2.01	0.4	<0.2	<10	<10	0.14	0.13	1.16	0.02	8.21	35.2	21
R331389		2.09	<0.001	0.14	2.15	0.3	<0.2	<10	<10	0.15	0.44	1.25	0.03	7.73	39.5	21
R331390		<0.02	<0.001	0.14	2.07	0.5	<0.2	<10	<10	0.15	0.49	1.25	0.03	7.72	39.7	20
R331391		3.73	<0.001	0.07	2.04	0.2	<0.2	<10	<10	0.14	0.15	0.95	0.02	8.37	29.8	19
R331392		4.02	0.004	0.07	1.97	0.2	<0.2	<10	<10	0.30	0.13	2.08	0.03	7.00	28.4	17
R331393		3.65	<0.001	0.07	1.84	0.3	<0.2	<10	<10	0.23	0.63	1.41	0.02	7.19	28.6	18
R331394		4.12	0.001	0.07	1.88	0.4	<0.2	<10	<10	0.20	0.29	1.52	0.02	8.17	30.6	19
R331395		3.70	<0.001	0.05	1.76	0.2	<0.2	<10	<10	0.20	0.27	1.82	0.02	8.06	33.1	16
R331396		2.83	<0.001	0.07	1.27	0.3	<0.2	<10	<10	0.19	0.30	1.35	0.02	7.64	24.6	13
R331397		3.40	<0.001	0.04	1.30	0.1	<0.2	<10	<10	0.16	0.12	1.34	0.03	7.61	22.1	23
R331398		3.80	<0.001	0.06	1.09	0.1	<0.2	<10	<10	0.14	0.07	1.36	0.03	7.62	18.0	16
R331399		3.53	<0.001	0.07	1.40	0.2	<0.2	<10	<10	0.12	0.08	1.28	0.02	7.90	24.4	15
R331400		3.89	0.002	0.07	1.22	0.2	<0.2	<10	<10	0.19	0.18	1.41	0.02	6.31	22.3	11
R331401		3.00	0.003	0.06	0.94	0.2	<0.2	<10	<10	0.20	0.18	1.58	0.02	6.24	22.6	7
R331402		2.40	0.001	0.03	1.08	0.2	<0.2	<10	<10	0.18	0.10	1.57	0.02	7.53	19.4	5
R331403		2.11	<0.001	0.02	1.10	0.2	<0.2	<10	<10	0.18	0.03	1.28	0.02	7.81	14.9	7
R331404		2.84	0.001	0.04	1.08	0.2	<0.2	<10	<10	0.19	0.06	1.26	0.03	10.90	19.8	7
R331405		2.88	0.002	0.09	0.91	0.3	<0.2	<10	<10	0.13	0.09	0.96	0.05	7.51	25.8	10
R331406		3.60	0.003	0.07	0.97	0.2	<0.2	<10	<10	0.17	0.17	2.12	0.04	8.18	29.4	15
R331407		3.56	0.002	0.07	1.26	0.3	<0.2	<10	<10	0.18	0.18	1.58	0.04	7.22	31.3	13
R331408		3.42	0.001	0.09	0.79	0.3	<0.2	<10	<10	0.14	0.15	0.90	0.09	10.90	25.0	10
R331409		3.50	0.001	0.09	1.10	0.5	<0.2	<10	10	0.17	0.10	0.97	0.07	7.42	26.9	27
R331410		0.11	<0.001	0.01	0.01	0.4	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.92	0.1	<1
R331411		3.65	0.001	0.21	1.23	0.3	<0.2	<10	10	0.15	0.67	2.00	0.03	6.20	31.4	27
R331412		3.53	0.005	0.08	1.32	0.5	<0.2	<10	10	0.22	0.11	1.79	0.04	7.12	30.2	18
R331413		3.69	<0.001	0.06	1.01	0.4	<0.2	<10	10	0.21	0.36	1.42	0.04	7.44	24.4	22
R331414		1.74	0.001	0.05	0.97	0.4	<0.2	<10	10	0.18	0.06	1.05	0.04	7.73	25.0	20
R331415		2.42	1.520	0.69	1.36	0.6	7.3	<10	20	0.30	0.20	2.58	0.04	8.93	31.5	24
R331416		1.97	0.045	0.03	0.78	0.3	<0.2	<10	90	0.43	0.07	1.58	0.02	56.0	7.6	27
R331417		3.39	0.002	0.04	2.02	0.5	<0.2	<10	10	0.30	0.14	1.85	0.03	8.21	36.9	31
R331418		3.44	0.017	0.11	1.51	0.7	<0.2	<10	10	0.33	0.49	2.38	0.02	7.28	37.7	33
R331419		3.66	0.002	0.04	1.46	0.6	<0.2	<10	10	0.32	0.11	1.60	0.03	9.07	33.1	37
R331420		0.06	0.926	5.75	1.06	41.7	0.6	<10	40	0.21	1.06	0.42	4.92	5.11	13.5	19
R331421		2.50	0.002	0.04	1.17	0.5	<0.2	<10	10	0.24	0.18	1.29	0.03	10.95	29.0	26
R331422		2.52	0.001	0.04	1.39	0.5	<0.2	<10	20	0.28	0.18	1.55	0.03	13.25	31.5	25
R331423		1.89	0.276	0.04	0.66	0.3	<0.2	<10	70	0.39	0.14	1.15	0.02	48.0	6.4	25
R331424		2.55	0.210	0.05	0.65	0.4	<0.2	<10	40	0.36	0.20	1.46	0.02	49.7	6.4	28
R331425		1.99	0.028	0.10	0.70	0.3	<0.2	<10	30	0.33	0.16	1.67	0.02	51.7	6.4	30
R331426		2.04	0.069	0.03	0.67	0.2	<0.2	<10	50	0.43	0.17	1.30	0.02	50.7	5.8	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331387		0.53	258	7.21	9.27	0.14	0.10	<0.01	0.022	0.03	2.8	23.7	1.30	389	1.71	0.11
R331388		0.50	162.5	6.79	8.71	0.13	0.09	<0.01	0.025	0.04	2.8	21.5	1.22	375	0.98	0.16
R331389		1.23	177.0	7.41	9.30	0.13	0.08	<0.01	0.017	0.04	2.6	33.7	1.51	412	0.86	0.09
R331390		1.22	172.0	7.28	9.29	0.14	0.09	<0.01	0.017	0.04	2.7	33.1	1.45	395	0.92	0.09
R331391		0.62	143.0	6.53	8.58	0.13	0.08	<0.01	0.021	0.04	2.8	27.2	1.34	409	1.06	0.12
R331392		2.31	126.5	6.34	8.56	0.14	0.12	<0.01	0.033	0.11	2.6	22.0	1.36	556	1.42	0.10
R331393		0.39	138.0	5.66	7.97	0.13	0.10	<0.01	0.021	0.04	2.6	17.9	1.09	446	0.75	0.14
R331394		0.37	137.0	6.40	8.21	0.13	0.10	<0.01	0.025	0.05	2.8	21.5	1.16	462	0.82	0.13
R331395		0.30	128.0	7.26	9.17	0.14	0.13	<0.01	0.028	0.04	2.7	21.4	1.29	494	1.31	0.11
R331396		0.17	162.0	5.41	6.50	0.13	0.15	<0.01	0.027	0.04	2.8	9.7	0.77	383	0.59	0.14
R331397		0.38	86.3	5.44	7.03	0.12	0.16	<0.01	0.024	0.05	2.6	9.9	0.81	356	0.78	0.17
R331398		0.24	152.5	5.07	5.71	0.14	0.14	<0.01	0.026	0.05	2.7	5.8	0.62	333	1.05	0.16
R331399		0.36	142.0	5.39	7.18	0.12	0.13	<0.01	0.026	0.05	2.7	11.1	0.83	368	0.40	0.15
R331400		0.19	105.0	5.88	6.52	0.12	0.16	<0.01	0.019	0.04	2.4	10.8	0.74	371	1.72	0.10
R331401		0.30	110.0	6.78	5.77	0.13	0.16	<0.01	0.020	0.04	2.3	8.2	0.66	358	0.83	0.09
R331402		0.26	70.9	6.67	6.45	0.14	0.15	<0.01	0.018	0.03	2.6	8.7	0.69	399	1.03	0.08
R331403		0.18	28.7	5.39	6.04	0.12	0.15	<0.01	0.021	0.04	2.7	7.4	0.59	367	1.25	0.11
R331404		0.31	73.2	6.13	6.41	0.11	0.21	<0.01	0.019	0.04	4.3	8.3	0.63	393	1.59	0.11
R331405		0.40	125.0	7.21	6.65	0.11	0.12	<0.01	0.018	0.04	2.7	8.0	0.60	367	1.17	0.09
R331406		0.24	129.5	6.71	5.86	0.11	0.14	<0.01	0.016	0.03	3.0	8.5	0.61	424	1.11	0.07
R331407		0.28	102.0	7.67	7.87	0.11	0.13	<0.01	0.018	0.03	2.6	13.5	0.90	487	2.42	0.08
R331408		0.41	82.4	8.40	7.27	0.11	0.11	<0.01	0.018	0.03	3.9	7.4	0.53	333	1.01	0.08
R331409		0.47	93.0	7.30	7.50	0.21	0.12	<0.01	0.016	0.04	2.7	10.6	0.72	398	1.93	0.10
R331410		<0.05	1.3	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.13	<0.01
R331411		0.52	86.8	7.96	8.30	0.20	0.12	<0.01	0.015	0.03	2.3	15.1	1.00	482	2.58	0.06
R331412		0.31	114.5	7.83	7.82	0.21	0.13	<0.01	0.019	0.03	2.6	14.3	0.94	476	1.75	0.07
R331413		0.35	67.9	7.02	5.93	0.19	0.15	<0.01	0.015	0.04	2.8	9.7	0.67	381	1.77	0.07
R331414		0.27	72.8	7.38	6.52	0.18	0.15	<0.01	0.016	0.04	2.8	8.3	0.65	380	0.96	0.08
R331415		0.81	87.0	7.22	6.75	0.16	0.20	<0.01	0.023	0.11	3.9	13.4	1.18	725	1.63	0.05
R331416		0.87	9.1	2.02	4.16	0.12	1.55	<0.01	0.014	0.12	29.1	10.2	0.58	338	1.04	0.07
R331417		0.99	102.5	7.78	10.00	0.18	0.15	<0.01	0.023	0.07	3.4	22.8	1.54	652	2.96	0.05
R331418		0.38	118.5	6.45	7.78	0.20	0.21	<0.01	0.020	0.03	3.3	15.9	1.13	655	1.88	0.05
R331419		0.36	130.5	7.86	8.59	0.22	0.19	<0.01	0.018	0.04	3.6	14.5	1.06	529	12.70	0.06
R331420		3.44	6810	6.60	3.13	0.12	<0.02	0.05	0.303	0.27	2.5	11.1	0.30	614	134.0	0.02
R331421		0.41	76.2	7.29	7.22	0.19	0.28	<0.01	0.014	0.05	4.8	11.9	0.84	457	1.12	0.07
R331422		0.53	88.8	7.96	8.49	0.19	0.31	<0.01	0.016	0.05	5.9	15.1	1.13	580	0.85	0.06
R331423		0.70	10.2	1.98	4.64	0.12	1.61	<0.01	0.010	0.14	25.0	8.9	0.56	304	0.45	0.06
R331424		0.33	21.6	1.93	4.88	0.13	1.57	<0.01	0.012	0.07	25.5	7.2	0.58	316	0.56	0.05
R331425		0.33	22.2	2.06	5.45	0.14	1.61	<0.01	0.016	0.06	26.6	7.1	0.65	341	0.51	0.05
R331426		0.42	16.9	1.92	4.40	0.13	1.80	<0.01	0.012	0.09	25.8	7.5	0.59	330	0.59	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331387		0.07	18.3	480	1.5	1.9	0.003	1.07	<0.05	8.2	3.6	0.4	16.9	<0.01	0.05	0.2
R331388		0.07	17.3	530	1.1	2.1	0.002	0.66	<0.05	8.9	2.8	0.2	14.9	<0.01	0.03	0.2
R331389		0.07	18.1	520	3.5	3.1	0.003	0.93	<0.05	7.4	2.8	0.2	13.0	<0.01	0.05	0.2
R331390		0.07	17.9	490	3.5	3.0	0.003	0.90	<0.05	7.5	3.3	0.3	13.4	<0.01	0.05	0.2
R331391		0.06	15.3	520	1.3	2.2	0.002	0.52	<0.05	8.7	2.0	0.2	10.4	<0.01	0.02	0.2
R331392		0.07	14.2	490	1.9	10.7	0.003	0.38	<0.05	12.4	0.9	0.2	26.4	<0.01	0.05	0.2
R331393		0.08	13.8	530	2.8	2.4	0.002	0.34	<0.05	10.0	1.0	0.3	20.8	<0.01	0.03	0.2
R331394		0.11	13.9	550	1.2	2.8	0.001	0.50	<0.05	9.9	1.5	0.2	16.7	<0.01	0.02	0.2
R331395		0.09	14.1	590	1.0	2.2	0.002	0.48	<0.05	11.2	1.5	0.2	16.3	<0.01	0.02	0.2
R331396		0.15	9.7	590	0.8	1.4	0.001	0.31	<0.05	9.9	1.5	0.4	14.1	<0.01	0.02	0.2
R331397		0.09	11.7	550	0.7	2.4	0.001	0.26	<0.05	10.5	0.8	0.2	12.5	<0.01	0.01	0.2
R331398		0.14	8.4	560	0.6	2.1	0.001	0.22	<0.05	9.6	1.1	0.2	8.9	<0.01	0.01	0.2
R331399		0.07	11.2	600	0.5	2.7	0.002	0.32	<0.05	9.1	1.0	0.3	11.3	<0.01	0.01	0.2
R331400		0.15	9.0	550	0.6	1.8	0.002	0.28	<0.05	7.6	0.8	0.2	27.2	<0.01	0.03	0.2
R331401		0.21	7.5	550	0.7	1.7	0.002	0.40	<0.05	7.8	0.5	0.2	19.5	<0.01	0.02	0.2
R331402		0.20	5.7	610	0.5	1.7	0.001	0.31	<0.05	7.4	0.7	0.3	20.6	<0.01	0.01	0.2
R331403		0.29	4.3	630	0.2	1.2	0.001	0.06	<0.05	7.9	0.8	0.2	14.2	<0.01	0.01	0.2
R331404		0.26	5.3	670	1.0	1.8	0.002	0.22	<0.05	7.1	0.8	0.2	17.9	<0.01	0.02	0.5
R331405		0.14	9.3	550	1.2	2.1	0.001	0.31	<0.05	6.4	0.6	0.3	10.7	<0.01	0.03	0.2
R331406		0.19	10.0	570	1.5	2.0	0.002	0.47	<0.05	5.5	0.8	0.2	46.0	<0.01	0.05	0.2
R331407		0.14	12.5	590	1.1	2.1	0.002	0.50	<0.05	7.0	0.9	0.2	19.5	<0.01	0.05	0.2
R331408		0.20	7.1	720	3.2	2.2	0.001	0.30	<0.05	5.5	0.6	0.4	12.4	<0.01	0.03	0.3
R331409		0.14	19.8	560	5.6	2.7	0.002	0.36	<0.05	6.1	0.7	0.3	12.8	<0.01	0.03	0.2
R331410		<0.05	0.9	10	0.9	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331411		0.10	18.8	470	3.7	2.5	0.001	0.57	<0.05	6.1	0.7	0.2	24.2	<0.01	0.02	0.2
R331412		0.13	15.8	520	1.2	2.1	0.002	0.38	<0.05	8.7	1.0	0.4	20.9	<0.01	0.05	0.2
R331413		0.26	12.1	590	2.4	2.5	0.002	0.29	<0.05	5.1	0.8	0.3	22.8	<0.01	0.02	0.2
R331414		0.26	11.2	580	0.9	2.6	0.001	0.22	<0.05	5.4	0.9	0.2	15.8	<0.01	0.01	0.2
R331415		0.09	19.0	440	1.8	8.1	0.002	0.66	0.05	9.4	0.9	0.3	81.9	<0.01	0.06	0.5
R331416		0.41	10.7	640	8.0	9.4	0.001	0.21	<0.05	2.5	0.5	0.3	77.9	<0.01	0.01	7.8
R331417		0.07	23.7	490	1.2	6.2	0.003	0.47	<0.05	9.9	0.9	0.2	34.0	<0.01	0.04	0.5
R331418		0.14	27.0	510	1.9	2.5	0.002	0.71	<0.05	8.2	1.0	0.5	34.3	<0.01	0.18	0.3
R331419		0.19	20.4	530	1.2	3.2	0.009	0.39	<0.05	5.7	0.8	0.3	45.7	<0.01	0.03	0.3
R331420		0.08	14.7	450	110.5	12.7	0.186	4.94	2.62	1.4	7.9	1.8	34.5	<0.01	0.91	1.1
R331421		0.22	15.2	580	1.5	3.7	0.001	0.49	<0.05	5.1	0.8	0.3	30.8	<0.01	0.03	0.8
R331422		0.20	16.5	610	1.8	4.1	0.001	0.47	<0.05	5.9	1.1	0.4	42.8	<0.01	0.04	0.8
R331423		0.50	9.1	680	7.8	10.8	<0.001	0.23	<0.05	2.3	0.3	0.4	64.5	<0.01	0.12	4.8
R331424		0.54	9.7	690	6.0	4.5	<0.001	0.23	<0.05	2.4	0.3	0.5	67.4	<0.01	0.07	4.7
R331425		0.44	10.5	700	4.4	3.4	<0.001	0.22	<0.05	2.9	0.4	0.7	61.2	<0.01	0.04	4.7
R331426		0.57	9.5	730	5.4	5.5	<0.001	0.24	<0.05	2.4	0.4	0.5	73.5	<0.01	0.10	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331387		0.173	0.02	0.05	174	0.27	10.45	74	1.7
R331388		0.165	0.02	<0.05	186	0.10	11.75	54	1.9
R331389		0.187	0.03	<0.05	180	0.14	10.10	81	1.6
R331390		0.192	0.02	<0.05	176	0.15	10.45	78	1.7
R331391		0.167	<0.02	<0.05	176	0.08	10.80	72	1.7
R331392		0.194	0.09	<0.05	182	0.16	11.05	70	2.1
R331393		0.182	0.02	<0.05	164	0.16	11.50	55	1.8
R331394		0.189	0.02	<0.05	178	0.19	12.00	59	2.0
R331395		0.207	<0.02	<0.05	203	0.21	12.75	68	2.5
R331396		0.203	<0.02	<0.05	154	0.10	12.75	41	3.1
R331397		0.187	0.02	<0.05	171	0.13	12.30	41	3.3
R331398		0.172	<0.02	<0.05	161	0.07	12.45	33	3.1
R331399		0.174	0.02	<0.05	161	0.10	12.60	44	2.9
R331400		0.271	<0.02	<0.05	161	0.33	11.30	53	3.8
R331401		0.270	<0.02	0.05	178	0.22	12.45	42	3.3
R331402		0.277	<0.02	<0.05	168	0.19	13.80	45	2.9
R331403		0.300	<0.02	<0.05	146	0.15	14.75	32	3.3
R331404		0.274	<0.02	0.10	156	0.27	14.35	40	5.7
R331405		0.235	0.02	<0.05	208	0.31	11.00	45	2.8
R331406		0.247	<0.02	<0.05	150	0.41	11.60	44	2.9
R331407		0.256	0.02	<0.05	196	0.38	12.00	62	3.1
R331408		0.204	<0.02	<0.05	174	0.34	13.40	47	2.8
R331409		0.232	0.02	<0.05	172	0.33	9.86	62	2.7
R331410		<0.005	<0.02	0.07	<1	<0.05	0.59	<2	0.7
R331411		0.261	0.02	<0.05	208	0.32	8.07	75	2.6
R331412		0.247	0.02	<0.05	211	0.45	10.60	65	2.6
R331413		0.277	0.02	0.05	146	0.32	10.85	49	3.3
R331414		0.273	0.02	<0.05	162	0.33	11.40	51	3.4
R331415		0.163	0.06	0.11	145	0.19	8.60	67	5.6
R331416		0.102	0.05	1.89	31	0.18	5.50	37	54.9
R331417		0.198	0.05	0.08	191	0.32	9.61	85	3.9
R331418		0.287	0.02	0.09	167	0.61	9.34	71	5.2
R331419		0.307	0.02	0.07	159	0.42	11.30	71	4.4
R331420		0.013	0.32	0.16	17	2.31	2.56	820	<0.5
R331421		0.267	0.02	0.20	156	0.38	10.15	58	8.2
R331422		0.299	0.03	0.19	160	0.34	10.65	75	9.6
R331423		0.123	0.07	1.58	38	0.45	5.41	46	66.9
R331424		0.118	0.03	1.57	37	0.69	5.29	45	63.5
R331425		0.116	0.02	1.57	39	0.94	5.37	49	65.0
R331426		0.120	0.03	1.71	31	0.52	5.72	46	73.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331427		2.12	0.365	0.16	0.60	0.2	<0.2	<10	50	0.42	0.95	1.68	0.02	46.8	6.7	22
R331428		2.08	0.167	0.12	0.68	0.4	0.4	<10	40	0.47	0.37	1.85	0.01	40.4	6.9	25
R331429		2.01	0.122	0.04	0.66	0.3	<0.2	<10	40	0.51	0.30	1.52	0.01	40.2	6.1	25
R331430		<0.02	0.263	0.04	0.67	0.3	<0.2	<10	40	0.51	0.36	1.56	0.01	42.7	6.5	25
R331431		0.67	0.683	12.20	0.61	0.5	0.2	<10	40	0.40	456	1.29	0.06	40.8	6.2	25
R331432		1.21	0.155	0.05	0.69	0.3	<0.2	<10	40	0.43	1.02	1.36	0.01	45.7	6.6	30
R331433		2.68	0.216	0.02	0.89	0.3	<0.2	<10	40	0.61	0.26	1.61	0.01	50.1	7.5	33
R331434		2.55	0.068	0.07	0.64	0.4	<0.2	<10	20	0.25	0.32	0.96	0.01	37.4	6.2	30
R331435		3.57	0.005	0.09	2.93	0.7	<0.2	<10	10	0.66	0.22	2.34	0.01	7.80	40.6	44
R331436		3.41	0.001	0.03	2.64	0.9	<0.2	<10	10	0.49	0.20	1.20	0.01	6.55	37.7	33
R331437		3.71	0.002	0.03	2.13	0.7	<0.2	<10	120	0.32	0.32	0.93	0.01	7.24	35.1	40
R331438		3.54	0.002	0.05	2.31	1.1	<0.2	<10	10	0.42	0.33	1.17	0.01	9.26	39.9	34
R331439		3.11	0.002	0.03	2.00	0.6	<0.2	<10	10	0.30	0.17	1.47	0.02	10.85	32.5	18
R331440		0.10	<0.001	0.01	0.01	0.4	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.92	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331427		0.34	8.5	1.99	4.11	0.12	1.58	<0.01	0.013	0.07	24.1	9.7	0.51	280	0.56	0.07
R331428		0.32	17.0	1.97	4.68	0.11	1.65	<0.01	0.015	0.07	19.5	8.5	0.61	325	1.38	0.05
R331429		0.35	13.9	1.87	4.25	0.11	1.10	<0.01	0.014	0.09	19.2	7.9	0.58	322	0.56	0.05
R331430		0.37	15.1	1.92	4.32	0.12	1.46	<0.01	0.015	0.08	20.7	8.0	0.60	333	0.60	0.05
R331431		0.28	106.0	1.92	3.93	0.12	1.21	<0.01	0.014	0.07	20.0	6.4	0.56	293	2.91	0.06
R331432		0.31	16.5	2.04	4.74	0.12	1.10	<0.01	0.011	0.08	23.1	7.9	0.62	291	0.73	0.06
R331433		0.37	6.6	2.24	6.24	0.13	1.56	<0.01	0.014	0.08	26.1	8.9	0.78	320	0.34	0.07
R331434		0.18	13.5	1.88	4.65	0.11	1.50	<0.01	0.010	0.05	20.3	6.1	0.55	243	0.86	0.06
R331435		0.78	104.5	8.23	13.80	0.36	0.22	<0.01	0.028	0.01	3.6	31.2	2.40	1010	0.86	0.03
R331436		0.72	102.5	7.48	12.60	0.29	0.20	<0.01	0.021	0.02	2.8	32.9	2.36	930	1.31	0.02
R331437		0.66	103.5	7.05	9.50	0.25	0.21	<0.01	0.021	0.02	3.0	24.6	1.78	813	1.08	0.04
R331438		0.62	113.5	8.81	11.40	0.31	0.25	<0.01	0.034	0.02	3.6	28.8	2.04	865	0.84	0.05
R331439		0.36	79.8	8.49	11.05	0.25	0.19	<0.01	0.032	0.04	3.9	20.0	1.29	897	0.86	0.08
R331440		<0.05	0.7	0.03	0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331427		0.50	9.8	740	7.4	5.0	<0.001	0.73	<0.05	2.6	0.7	0.4	47.8	<0.01	0.42	4.9
R331428		0.37	11.8	700	4.0	4.6	<0.001	0.59	<0.05	2.8	0.5	0.6	85.6	<0.01	0.17	4.5
R331429		0.34	10.0	680	3.3	5.1	<0.001	0.40	<0.05	2.4	0.4	0.4	93.5	<0.01	0.21	4.5
R331430		0.40	10.5	700	3.5	5.0	<0.001	0.43	<0.05	2.5	0.5	0.4	96.3	<0.01	0.24	4.6
R331431		0.48	9.7	730	710	4.2	0.001	0.56	<0.05	2.3	2.6	0.6	75.6	<0.01	73.0	4.7
R331432		0.46	11.1	800	4.1	4.6	<0.001	0.41	<0.05	2.6	0.4	0.4	54.9	<0.01	0.22	4.7
R331433		0.26	12.7	600	3.6	5.1	<0.001	0.28	<0.05	3.3	0.5	0.4	62.5	<0.01	0.06	6.5
R331434		0.33	9.3	530	7.6	2.5	<0.001	0.33	0.05	2.2	0.3	0.7	24.0	<0.01	0.13	7.7
R331435		0.07	32.3	460	1.1	1.0	0.001	0.30	0.05	12.8	0.9	0.3	124.0	<0.01	0.12	0.3
R331436		0.06	24.2	430	1.1	1.1	0.001	0.33	0.05	9.7	0.9	0.4	106.0	<0.01	0.04	0.2
R331437		0.07	24.0	450	1.1	1.5	0.001	0.57	0.06	8.0	1.1	0.5	91.0	<0.01	0.07	0.2
R331438		0.09	24.1	590	1.7	1.6	0.001	0.65	0.07	12.2	1.4	0.4	82.7	<0.01	0.05	0.2
R331439		0.14	10.2	720	0.8	1.9	0.001	0.62	<0.05	9.7	1.3	0.4	37.7	<0.01	0.05	0.4
R331440		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331427		0.091	0.03	1.69	25	1.00	6.11	35	72.3
R331428		0.091	0.02	1.60	29	0.63	5.98	40	71.3
R331429		0.094	0.02	1.50	26	0.56	5.44	39	52.0
R331430		0.100	0.02	1.53	27	0.57	5.70	40	64.4
R331431		0.102	0.10	1.54	25	0.42	5.53	42	52.9
R331432		0.115	0.02	1.57	30	0.43	5.89	42	52.3
R331433		0.116	0.02	1.99	47	0.83	5.98	48	66.0
R331434		0.090	<0.02	2.86	32	0.71	4.33	36	55.9
R331435		0.313	<0.02	0.07	168	0.90	11.20	126	4.6
R331436		0.284	<0.02	<0.05	154	0.61	10.20	118	4.4
R331437		0.280	<0.02	<0.05	144	0.49	10.60	91	4.2
R331438		0.363	<0.02	0.05	181	0.85	15.30	100	5.0
R331439		0.255	<0.02	0.05	96	0.33	15.60	104	3.8
R331440		<0.005	<0.02	0.08	<1	<0.05	0.65	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 8-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143477

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

CERTIFICATE SD15143479

Project: Miller

This report is for 150 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331441		3.35	0.002	0.05	2.33	0.9	<0.2	<10	10	0.32	0.16	2.38	0.03	9.11	42.1	25
R331442		3.54	0.004	0.04	2.50	1.1	<0.2	<10	10	0.32	0.16	3.85	0.04	7.58	44.5	27
R331443		3.46	0.003	0.02	2.34	0.7	<0.2	<10	10	0.21	0.07	1.30	0.01	7.88	36.8	49
R331444		3.61	0.001	0.04	2.12	1.0	<0.2	<10	10	0.20	0.11	2.99	0.03	7.59	44.0	43
R331445		3.40	0.001	0.03	2.46	0.7	<0.2	<10	10	0.24	0.07	1.47	0.02	7.59	44.8	46
R331446		3.60	0.002	0.03	2.46	0.6	<0.2	<10	10	0.29	0.15	1.87	0.02	9.02	45.9	51
R331447		2.43	0.001	0.03	2.12	0.5	<0.2	<10	10	0.21	0.09	2.06	0.02	8.00	42.7	44
R331448		3.18	0.207	0.11	2.48	0.5	<0.2	<10	10	0.31	1.50	4.53	0.08	8.71	46.2	53
R331449		3.46	0.001	0.02	3.47	0.6	<0.2	<10	10	0.36	0.16	4.18	0.05	7.74	52.9	50
R331450		0.05	0.946	5.97	1.07	40.0	0.8	<10	40	0.21	1.16	0.41	5.20	5.29	14.1	19
R331451		3.10	0.131	0.07	2.85	0.7	<0.2	<10	20	0.41	0.33	5.09	0.06	6.78	47.3	36
R331452		2.29	0.009	0.02	3.38	0.4	<0.2	<10	10	0.24	0.16	5.20	0.09	7.87	51.9	49
R331453		2.43	0.001	0.02	3.33	0.4	<0.2	<10	10	0.23	0.10	4.99	0.08	7.40	50.8	53
R331454		2.01	0.004	0.02	3.31	0.5	<0.2	<10	10	0.46	0.13	5.34	0.05	7.35	48.7	37
R331455		2.21	0.734	1.76	1.57	4.8	0.6	<10	10	0.51	1.29	4.51	0.03	6.74	48.8	24
R331456		1.46	0.041	0.12	2.01	0.9	<0.2	<10	10	0.46	8.16	6.04	0.08	7.05	50.3	41
R331457		2.57	0.006	0.09	1.67	0.5	<0.2	<10	10	0.26	1.48	3.94	0.05	5.59	52.0	46
R331458		2.47	0.001	0.06	1.66	0.5	<0.2	<10	10	0.22	0.23	2.55	0.03	5.39	41.5	37
R331459		2.06	0.001	0.14	1.21	0.6	<0.2	<10	10	0.18	2.47	2.99	0.04	5.58	41.2	40
R331460		<0.02	0.001	0.17	1.20	0.5	<0.2	<10	10	0.16	2.73	2.93	0.04	5.50	40.3	40
R331461		2.65	0.001	0.06	1.57	0.6	<0.2	<10	10	0.15	0.07	1.96	0.03	4.95	37.4	36
R331462		2.11	0.005	0.18	1.16	0.6	<0.2	<10	10	0.22	0.20	2.75	0.04	6.30	40.6	39
R331463		2.27	0.001	0.09	1.67	0.5	<0.2	<10	10	0.16	0.07	1.81	0.02	5.98	42.5	29
R331464		2.26	<0.001	0.15	1.41	0.6	<0.2	<10	10	0.14	0.05	2.14	0.03	5.10	45.3	38
R331465		2.53	0.001	0.12	1.59	0.7	<0.2	<10	10	0.17	0.05	2.32	0.05	5.57	43.7	34
R331466		2.29	0.001	0.05	1.99	0.6	<0.2	<10	30	0.28	0.07	2.22	0.03	5.97	45.8	41
R331467		1.64	<0.001	0.03	1.05	0.5	<0.2	<10	10	0.18	0.06	4.41	0.06	9.01	15.6	17
R331468		2.68	0.001	0.06	1.74	0.4	<0.2	<10	20	0.23	0.19	2.39	0.04	6.73	42.2	42
R331469		2.58	0.004	0.15	1.61	0.5	<0.2	<10	60	0.43	1.73	3.25	0.04	9.78	46.4	42
R331470		0.08	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.95	0.1	<1
R331471		2.00	0.061	0.07	0.56	0.2	<0.2	<10	310	0.44	0.61	1.46	0.01	40.6	6.2	17
R331472		1.98	0.028	0.06	0.52	0.2	<0.2	<10	180	0.27	0.62	1.76	0.01	34.3	5.3	16
R331473		1.71	0.112	0.17	0.68	0.3	<0.2	<10	80	0.55	1.34	1.85	0.02	50.8	8.7	19
R331474		1.45	0.003	0.04	2.52	0.4	<0.2	<10	260	1.79	0.64	6.35	0.02	33.6	28.2	200
R331475		3.04	0.001	0.05	2.18	0.5	<0.2	<10	40	0.95	0.60	4.38	0.06	14.60	47.0	67
R331476		1.98	0.027	0.17	0.76	0.4	<0.2	<10	150	0.63	1.18	2.42	0.02	36.0	12.0	20
R331477		1.97	0.015	0.07	0.49	0.2	<0.2	<10	110	0.33	0.58	1.17	0.01	23.6	4.2	17
R331478		2.01	0.007	0.08	0.51	0.2	<0.2	<10	70	0.29	0.58	1.47	<0.01	34.6	4.5	16
R331479		2.08	0.008	0.07	0.44	0.2	<0.2	<10	320	0.30	0.52	0.87	<0.01	13.85	4.0	14
R331480		0.05	2.48	5.14	1.48	19.1	2.2	<10	40	0.65	0.08	3.59	0.40	21.5	11.3	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331441		0.27	115.5	9.19	13.00	0.27	0.17	<0.01	0.039	0.02	3.4	25.4	1.75	993	0.68	0.05
R331442		0.27	109.0	9.46	13.65	0.26	0.17	<0.01	0.052	0.03	2.8	29.2	1.89	1090	0.70	0.04
R331443		0.20	120.0	6.60	8.69	0.20	0.16	<0.01	0.014	0.03	3.2	23.0	1.61	795	0.39	0.06
R331444		0.22	142.5	7.14	8.99	0.20	0.17	<0.01	0.024	0.02	3.3	21.2	1.52	852	0.91	0.05
R331445		0.25	123.0	7.49	9.63	0.19	0.18	<0.01	0.024	0.02	3.2	24.4	1.83	903	0.64	0.04
R331446		0.40	139.5	7.87	10.80	0.20	0.23	<0.01	0.030	0.02	3.9	25.5	1.98	962	0.66	0.04
R331447		0.26	109.5	7.18	8.99	0.19	0.21	<0.01	0.026	0.02	3.3	21.6	1.62	883	0.83	0.04
R331448		0.37	117.5	8.80	12.70	0.16	0.12	<0.01	0.056	0.07	3.4	32.4	2.01	1190	1.02	0.04
R331449		0.72	122.5	10.15	14.95	0.16	0.07	<0.01	0.053	0.10	2.9	50.4	2.35	1220	0.70	0.02
R331450		3.80	6780	6.63	3.24	0.12	<0.02	0.05	0.325	0.28	2.6	11.9	0.30	607	137.5	0.02
R331451		0.50	134.0	8.95	12.55	0.16	0.09	<0.01	0.059	0.09	2.4	39.8	1.88	1240	1.35	0.03
R331452		0.35	145.0	10.60	15.40	0.18	0.05	<0.01	0.071	0.06	2.8	53.2	2.24	1500	0.70	0.03
R331453		0.40	164.0	10.30	15.40	0.20	0.07	<0.01	0.065	0.07	2.7	56.0	2.15	1390	0.46	0.03
R331454		0.87	124.5	10.00	13.40	0.17	0.09	<0.01	0.053	0.08	2.6	53.5	2.35	1460	0.56	0.02
R331455		0.99	128.5	10.00	6.59	0.15	0.13	0.01	0.061	0.05	2.1	21.5	1.62	995	3.72	0.04
R331456		1.14	169.5	8.83	11.45	0.17	0.22	<0.01	0.062	0.10	2.6	19.0	1.63	1410	12.40	0.03
R331457		0.57	181.5	8.72	9.61	0.20	0.20	<0.01	0.040	0.05	2.0	15.2	1.40	1200	6.06	0.05
R331458		0.33	163.5	6.58	7.52	0.21	0.24	<0.01	0.021	0.03	2.1	13.9	1.12	845	0.38	0.05
R331459		0.35	172.0	6.43	6.65	0.17	0.25	<0.01	0.025	0.04	2.1	10.5	0.83	755	0.56	0.05
R331460		0.35	167.5	6.43	6.59	0.19	0.25	<0.01	0.023	0.04	2.0	10.3	0.83	744	0.50	0.05
R331461		0.35	151.0	6.34	6.54	0.20	0.22	<0.01	0.019	0.04	1.8	12.5	0.88	708	0.41	0.06
R331462		0.31	154.5	6.47	6.91	0.22	0.25	<0.01	0.032	0.03	2.3	10.0	0.79	728	0.66	0.07
R331463		0.43	176.0	6.84	7.28	0.22	0.18	<0.01	0.023	0.05	2.2	14.8	1.01	817	0.70	0.09
R331464		0.42	169.0	6.66	7.34	0.21	0.25	<0.01	0.027	0.05	1.9	11.8	0.76	820	1.43	0.09
R331465		0.45	188.5	6.66	7.37	0.24	0.25	<0.01	0.034	0.09	2.1	11.3	0.78	876	1.23	0.10
R331466		0.68	168.5	6.86	8.51	0.23	0.27	<0.01	0.027	0.08	2.4	17.9	1.15	992	1.22	0.07
R331467		0.07	140.5	3.04	5.02	0.46	0.40	<0.01	0.018	<0.01	4.5	2.0	0.08	310	1.38	0.01
R331468		0.96	168.5	7.07	7.93	0.18	0.17	<0.01	0.031	0.07	2.6	17.1	1.08	914	1.03	0.10
R331469		4.03	197.5	7.13	7.95	0.18	0.31	<0.01	0.040	0.22	4.2	21.6	1.22	919	43.4	0.06
R331470		<0.05	0.8	0.03	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
R331471		1.11	25.2	2.16	3.67	0.11	0.60	<0.01	0.016	0.10	19.9	13.6	0.50	294	21.5	0.07
R331472		0.38	14.3	1.91	3.31	0.10	0.52	<0.01	0.013	0.06	16.4	8.8	0.46	272	3.12	0.06
R331473		0.85	57.6	2.80	3.98	0.12	0.69	<0.01	0.021	0.10	24.6	15.2	0.71	317	66.6	0.06
R331474		4.37	105.0	4.51	10.95	0.18	1.43	<0.01	0.050	0.47	14.6	58.6	2.94	1010	0.23	0.04
R331475		2.97	148.5	8.46	11.80	0.19	0.47	<0.01	0.065	0.20	6.5	39.2	2.07	1140	1.90	0.05
R331476		0.53	58.3	3.00	5.02	0.11	0.81	<0.01	0.027	0.05	15.9	17.2	0.77	392	0.81	0.06
R331477		0.34	10.2	1.61	3.41	0.10	0.93	<0.01	0.008	0.07	11.0	7.5	0.40	191	1.97	0.07
R331478		0.45	8.6	1.58	4.16	0.11	0.96	<0.01	0.013	0.06	16.9	8.7	0.41	184	1.25	0.06
R331479		0.29	6.3	1.62	3.05	0.09	1.11	<0.01	0.008	0.06	7.1	6.0	0.35	164	2.53	0.07
R331480		3.06	69.3	2.82	6.59	0.15	0.37	0.09	0.046	0.21	9.9	16.8	0.80	640	5.99	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331441		0.09	21.1	560	3.2	1.4	0.001	0.72	0.05	14.3	1.3	2.3	46.3	<0.01	0.08	0.3
R331442		0.09	25.6	510	0.8	1.9	0.001	0.64	<0.05	22.7	1.2	0.5	43.3	<0.01	0.07	0.2
R331443		0.10	32.8	440	0.7	1.4	0.001	0.33	<0.05	6.9	0.8	0.2	37.2	<0.01	0.02	0.3
R331444		0.13	35.9	450	0.9	1.4	0.001	0.69	0.06	7.0	1.2	0.4	69.9	<0.01	0.05	0.2
R331445		0.11	38.2	470	0.8	1.2	0.001	0.44	<0.05	7.6	0.8	0.3	52.4	<0.01	0.04	0.2
R331446		0.09	40.8	450	1.5	1.5	0.002	0.49	<0.05	10.2	0.9	0.3	49.7	<0.01	0.04	0.4
R331447		0.14	35.3	450	0.8	1.5	0.001	0.37	0.05	8.7	0.8	0.5	44.2	<0.01	0.04	0.3
R331448		<0.05	41.9	450	1.2	4.7	0.001	0.73	<0.05	20.4	1.0	0.3	57.8	<0.01	0.85	0.3
R331449		0.05	46.0	420	0.9	5.9	0.001	0.37	<0.05	17.5	1.2	0.3	50.1	<0.01	0.04	0.2
R331450		0.08	15.4	450	110.5	13.3	0.190	4.92	2.58	1.4	8.4	1.8	36.3	<0.01	0.99	1.2
R331451		0.06	37.5	440	1.1	4.8	0.001	1.07	<0.05	21.3	1.4	0.3	66.2	<0.01	0.21	0.2
R331452		<0.05	41.1	450	0.8	3.5	0.001	0.43	<0.05	26.8	1.0	0.2	72.7	<0.01	0.05	0.2
R331453		<0.05	41.7	440	0.7	4.3	0.001	0.32	<0.05	25.0	0.9	0.2	80.5	<0.01	0.04	0.2
R331454		<0.05	37.6	470	0.7	5.5	0.001	0.51	<0.05	16.5	1.3	0.2	99.7	<0.01	0.08	0.3
R331455		0.14	34.6	500	6.0	3.9	0.002	8.41	0.13	18.0	1.6	0.5	89.6	<0.01	5.38	0.2
R331456		0.10	41.4	480	7.6	8.6	0.004	1.59	0.07	20.7	1.6	0.4	108.5	<0.01	0.47	0.2
R331457		0.16	41.9	450	2.8	3.7	0.002	1.04	0.08	15.0	1.1	0.5	57.2	<0.01	0.08	0.2
R331458		0.27	32.9	430	1.2	2.3	<0.001	0.51	0.08	6.9	0.7	0.3	69.3	<0.01	0.03	0.2
R331459		0.34	31.6	450	3.9	2.8	<0.001	1.10	0.09	6.8	1.2	0.6	53.4	<0.01	0.06	0.2
R331460		0.34	31.4	450	4.3	2.8	0.001	1.15	0.09	6.6	1.1	0.6	52.1	<0.01	0.07	0.2
R331461		0.26	29.1	450	0.9	2.7	0.001	0.40	0.07	6.7	0.8	0.3	61.3	<0.01	0.03	0.2
R331462		0.33	32.7	440	0.9	2.5	0.001	0.82	0.10	10.2	1.2	0.6	53.0	<0.01	0.13	0.2
R331463		0.18	28.6	490	0.8	3.0	0.002	0.57	0.06	8.2	1.0	0.4	33.6	<0.01	0.03	0.2
R331464		0.29	37.0	470	1.6	3.3	0.002	0.70	<0.05	9.2	1.2	0.3	28.8	<0.01	0.07	0.2
R331465		0.33	35.3	460	1.1	4.3	0.001	0.75	0.06	10.1	1.3	0.5	36.8	<0.01	0.06	0.2
R331466		0.19	36.7	490	0.8	4.3	0.001	0.49	0.06	10.8	0.9	0.5	63.7	<0.01	0.04	0.2
R331467		0.51	9.6	230	0.6	0.1	0.002	0.27	0.05	5.1	0.6	0.3	159.5	0.01	0.04	<0.2
R331468		0.21	34.6	480	0.7	5.1	0.002	0.40	<0.05	11.6	1.0	0.5	44.6	<0.01	0.04	0.2
R331469		0.27	37.7	460	3.8	24.5	0.010	0.97	0.06	12.5	1.1	0.6	62.0	<0.01	0.06	0.2
R331470		<0.05	0.3	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R331471		0.08	7.2	520	3.4	8.3	0.005	0.50	<0.05	2.4	0.3	0.2	45.6	<0.01	0.14	4.6
R331472		0.18	6.6	620	2.1	3.1	0.001	0.80	<0.05	1.9	0.4	0.4	35.6	<0.01	0.11	3.7
R331473		0.17	11.6	1090	5.3	8.2	0.022	1.37	0.05	3.0	0.7	0.5	42.3	<0.01	0.29	3.7
R331474		0.12	52.9	1130	1.9	36.1	<0.001	0.73	<0.05	15.3	0.6	0.6	129.0	<0.01	0.08	2.6
R331475		0.14	43.1	560	15.5	19.2	0.001	0.70	<0.05	20.7	1.0	0.7	74.3	<0.01	0.03	0.4
R331476		0.14	12.4	810	4.9	4.4	<0.001	1.56	0.05	3.3	0.7	0.5	51.3	<0.01	0.28	3.9
R331477		0.16	5.8	480	1.8	3.0	0.001	0.60	<0.05	1.5	0.4	0.2	29.2	<0.01	0.08	5.0
R331478		0.15	6.6	440	1.4	3.2	<0.001	0.62	<0.05	1.4	0.4	0.5	22.5	<0.01	0.10	5.0
R331479		0.10	5.2	410	1.6	3.0	0.001	0.80	<0.05	1.1	0.2	0.4	28.0	<0.01	0.06	5.7
R331480		0.06	11.4	560	17.9	10.8	0.002	0.83	0.50	8.6	1.2	0.5	117.0	<0.01	2.60	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331441		0.280	<0.02	<0.05	184	0.39	13.75	119	3.3
R331442		0.306	<0.02	<0.05	219	0.51	14.95	115	3.7
R331443		0.300	<0.02	<0.05	158	0.30	8.75	95	3.4
R331444		0.314	<0.02	<0.05	161	0.44	10.25	95	3.8
R331445		0.309	<0.02	<0.05	171	0.35	10.55	108	3.6
R331446		0.288	<0.02	0.09	194	0.37	10.70	118	5.3
R331447		0.321	<0.02	<0.05	173	0.35	10.85	100	5.1
R331448		0.143	0.03	0.05	206	0.23	12.15	113	3.0
R331449		0.192	0.04	0.06	189	0.20	15.35	134	1.8
R331450		0.012	0.33	0.16	17	2.84	2.72	809	<0.5
R331451		0.175	0.03	0.07	171	0.28	14.45	111	1.9
R331452		0.081	0.02	<0.05	236	0.12	11.55	128	1.3
R331453		0.127	0.03	<0.05	235	0.16	14.15	126	1.3
R331454		0.151	0.03	<0.05	168	0.40	18.00	157	2.3
R331455		0.269	0.02	0.17	87	1.50	16.45	91	3.7
R331456		0.327	0.06	0.08	210	0.46	14.35	121	5.1
R331457		0.347	0.02	0.05	223	0.43	11.70	117	4.6
R331458		0.384	<0.02	<0.05	163	0.49	10.35	93	5.8
R331459		0.365	0.02	0.08	160	0.48	10.40	73	6.1
R331460		0.370	0.02	0.08	159	0.48	10.25	72	6.2
R331461		0.375	0.02	<0.05	165	0.35	9.37	77	5.1
R331462		0.396	0.02	0.07	180	0.64	11.70	70	6.0
R331463		0.364	0.02	<0.05	177	0.40	9.56	86	4.4
R331464		0.383	0.03	<0.05	177	0.35	11.00	73	5.3
R331465		0.351	0.03	<0.05	163	0.43	10.60	76	6.4
R331466		0.403	0.03	<0.05	183	0.75	11.30	102	6.9
R331467		0.353	<0.02	<0.05	73	0.40	7.37	5	12.6
R331468		0.318	0.03	0.06	187	0.30	11.15	95	4.1
R331469		0.377	0.18	0.09	185	0.34	13.25	95	7.5
R331470		<0.005	<0.02	0.08	<1	<0.05	0.66	<2	0.8
R331471		0.026	0.05	1.24	31	0.18	5.40	39	15.0
R331472		0.033	0.02	1.07	22	0.23	4.54	29	12.7
R331473		0.030	0.05	0.95	29	0.30	7.51	42	18.3
R331474		0.181	0.27	1.25	107	0.55	11.70	99	64.3
R331475		0.384	0.14	0.23	230	0.48	14.95	118	14.6
R331476		0.042	0.02	1.32	40	0.28	6.87	38	24.8
R331477		0.026	0.02	1.58	23	0.18	4.51	21	24.3
R331478		0.022	<0.02	1.57	22	0.16	4.68	17	27.2
R331479		0.015	<0.02	1.95	18	0.15	3.98	16	28.4
R331480		0.050	0.13	0.32	61	0.48	8.08	79	13.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331481		2.01	0.004	0.03	0.43	<0.1	<0.2	<10	180	0.42	0.17	1.12	0.01	21.0	2.9	15
R331482		1.93	0.007	0.05	0.40	0.1	<0.2	<10	310	0.37	0.62	0.89	<0.01	22.1	3.6	14
R331483		1.98	0.017	0.08	0.39	0.2	<0.2	<10	230	0.37	1.02	0.72	0.01	22.9	4.0	13
R331484		2.40	0.060	0.05	0.42	0.2	<0.2	<10	360	0.38	2.30	0.85	0.01	28.9	3.5	16
R331485		2.17	0.007	0.04	0.39	0.2	<0.2	<10	360	0.33	0.36	0.93	0.01	19.80	3.9	13
R331486		1.83	0.010	0.09	0.34	0.3	<0.2	<10	130	0.35	0.74	1.02	0.05	15.50	3.9	12
R331487		1.40	0.031	0.17	0.26	0.1	<0.2	<10	120	0.31	0.94	1.39	0.07	15.25	3.9	9
R331488		1.11	0.172	0.19	1.66	0.3	0.2	<10	40	0.75	2.20	6.26	0.06	16.20	21.2	40
R331489		0.59	0.036	0.22	0.40	0.1	<0.2	<10	580	0.34	2.02	1.62	0.02	13.05	4.4	14
R331490		<0.02	0.041	0.21	0.41	0.3	<0.2	<10	460	0.34	2.04	1.55	0.02	12.30	4.5	15
R331491		2.09	0.005	0.06	0.37	0.2	<0.2	<10	350	0.35	0.81	1.10	<0.01	19.05	3.9	13
R331492		2.06	0.009	0.03	0.48	0.2	<0.2	<10	140	0.37	0.43	0.93	<0.01	25.2	3.4	16
R331493		1.92	<0.001	0.02	0.46	0.2	<0.2	<10	140	0.30	0.19	1.05	<0.01	36.3	3.2	16
R331494		2.10	0.034	0.03	0.41	0.2	<0.2	<10	1200	0.35	0.63	1.75	<0.01	37.9	3.0	15
R331495		2.02	0.483	0.13	0.34	0.2	0.8	<10	240	0.38	8.77	1.18	0.01	19.45	3.6	14
R331496		2.03	0.018	0.04	0.36	0.2	<0.2	<10	230	0.26	0.60	1.22	0.01	15.25	3.6	14
R331497		1.95	0.116	0.05	0.35	0.3	<0.2	<10	370	0.33	0.74	1.39	<0.01	26.4	4.0	13
R331498		2.03	0.264	0.04	0.44	<0.1	<0.2	<10	350	0.27	0.36	0.89	0.01	25.3	3.0	16
R331499		2.01	0.038	0.02	0.45	0.2	<0.2	<10	420	0.35	0.41	0.87	<0.01	25.6	3.4	16
R331500		1.95	0.100	0.05	0.41	0.2	<0.2	<10	490	0.28	0.84	1.05	0.01	26.9	4.0	16
R331501		2.00	0.266	0.21	0.41	0.3	<0.2	<10	360	0.41	8.50	0.98	0.01	31.7	3.4	16
R331502		2.04	0.053	0.09	0.33	0.3	<0.2	<10	440	0.35	2.14	0.90	0.01	26.2	3.4	14
R331503		1.97	0.028	0.07	0.37	0.3	<0.2	<10	480	0.30	14.60	0.89	<0.01	30.8	4.0	14
R331504		1.92	0.003	0.04	0.40	0.1	<0.2	<10	600	0.39	0.42	1.11	0.01	31.9	3.6	14
R331505		1.92	0.219	0.05	0.37	0.3	<0.2	<10	490	0.41	0.64	1.03	0.01	22.2	3.6	13
R331506		2.00	0.280	0.04	0.42	0.2	<0.2	<10	320	0.40	0.33	1.01	0.01	36.1	3.8	16
R331507		1.87	0.936	0.22	0.39	0.2	0.2	<10	350	0.36	10.35	1.14	0.01	36.0	3.6	14
R331508		1.99	0.031	0.05	0.37	0.3	<0.2	<10	380	0.42	10.05	1.00	<0.01	22.5	4.0	14
R331509		1.87	0.078	0.11	0.35	0.4	<0.2	<10	340	0.43	2.49	0.95	0.01	16.40	4.7	13
R331510		0.10	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.88	0.1	<1
R331511		2.02	0.057	0.08	0.29	0.1	<0.2	<10	300	0.39	1.02	1.10	0.01	26.7	3.5	13
R331512		2.07	0.005	0.01	0.50	0.1	<0.2	<10	160	0.53	0.19	0.89	0.01	32.5	3.8	17
R331513		2.13	0.349	0.04	0.44	0.3	<0.2	<10	260	0.46	2.38	0.77	<0.01	28.1	3.7	15
R331514		3.09	0.009	0.03	0.40	<0.1	<0.2	<10	200	0.50	0.52	0.93	<0.01	26.6	3.6	16
R331515		2.98	0.002	0.01	0.45	0.3	<0.2	<10	350	0.37	0.18	0.80	0.01	32.6	3.4	17
R331516		3.02	1.150	0.29	0.39	0.2	2.9	<10	300	0.33	1.19	1.07	0.01	24.1	3.6	15
R331517		1.45	0.310	0.05	0.42	0.1	<0.2	<10	230	0.26	7.40	0.95	<0.01	25.9	3.2	16
R331518		1.79	0.008	0.01	0.53	0.2	<0.2	<10	40	0.38	0.16	0.84	<0.01	22.2	3.1	16
R331519		1.53	0.011	0.01	0.50	0.3	<0.2	<10	30	0.50	0.07	0.72	<0.01	27.2	3.1	15
R331520		0.05	2.44	4.23	1.50	18.0	2.8	<10	40	0.60	0.08	3.64	0.33	20.6	10.5	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331481		0.36	3.0	1.23	3.55	0.09	1.00	<0.01	0.009	0.08	11.0	6.1	0.34	165	0.13	0.06
R331482		0.35	12.1	1.37	3.08	0.09	1.01	<0.01	0.008	0.07	11.5	5.7	0.31	151	1.46	0.07
R331483		0.46	55.5	1.48	3.04	0.09	1.10	<0.01	0.012	0.08	11.2	6.4	0.32	160	1.52	0.06
R331484		0.51	23.6	1.34	3.18	0.10	1.07	<0.01	0.011	0.08	14.4	6.5	0.33	167	0.25	0.06
R331485		0.46	8.8	1.34	2.71	0.09	1.06	<0.01	0.007	0.07	10.0	6.6	0.30	141	1.09	0.05
R331486		0.41	26.8	1.39	2.10	0.08	0.96	<0.01	0.010	0.07	8.0	6.8	0.24	133	2.81	0.06
R331487		0.31	44.4	1.40	1.32	0.08	1.02	<0.01	0.010	0.05	7.8	3.8	0.18	135	1.82	0.07
R331488		0.47	57.6	3.59	5.05	0.10	0.51	<0.01	0.027	0.18	7.5	37.8	1.60	651	1.42	0.01
R331489		0.85	36.3	1.18	2.40	0.09	0.50	<0.01	0.015	0.07	6.9	9.1	0.31	146	20.4	0.03
R331490		0.87	36.5	1.25	2.40	0.08	0.53	<0.01	0.013	0.07	6.4	9.2	0.32	149	17.50	0.03
R331491		0.52	48.1	1.34	2.43	0.09	0.98	<0.01	0.006	0.08	10.0	5.2	0.24	137	0.61	0.06
R331492		0.54	15.6	1.51	3.10	0.10	1.13	<0.01	0.005	0.08	12.2	6.8	0.34	161	0.16	0.06
R331493		0.40	5.3	1.35	3.49	0.10	1.12	<0.01	0.010	0.08	18.4	6.1	0.34	170	0.26	0.06
R331494		0.52	5.6	1.23	3.22	0.11	1.05	<0.01	0.010	0.08	19.1	5.7	0.29	162	0.49	0.06
R331495		0.30	6.2	1.52	2.33	0.09	1.06	<0.01	0.006	0.07	10.2	4.6	0.22	143	2.54	0.07
R331496		0.26	7.4	1.30	2.56	0.08	0.97	<0.01	0.008	0.06	7.9	4.8	0.25	131	0.24	0.06
R331497		0.24	16.4	1.50	2.68	0.10	1.01	<0.01	0.009	0.06	13.3	4.7	0.23	162	4.73	0.06
R331498		0.46	13.1	1.47	2.99	0.10	1.07	<0.01	0.009	0.08	12.5	5.3	0.33	191	4.45	0.06
R331499		0.38	17.2	1.44	3.35	0.10	1.23	<0.01	0.008	0.07	12.8	5.8	0.34	180	0.23	0.06
R331500		0.42	19.6	1.48	3.26	0.10	1.20	<0.01	0.006	0.07	13.6	5.4	0.28	157	0.23	0.06
R331501		0.63	27.3	1.44	2.84	0.09	1.07	<0.01	0.010	0.09	16.3	5.9	0.30	200	1.66	0.06
R331502		0.51	21.5	1.42	2.15	0.10	1.11	<0.01	0.007	0.08	13.4	5.5	0.23	169	10.40	0.07
R331503		0.35	12.9	1.39	3.13	0.09	1.10	<0.01	0.009	0.07	15.6	5.0	0.25	139	0.74	0.06
R331504		0.38	15.2	1.46	3.21	0.10	1.07	<0.01	0.011	0.08	16.0	6.4	0.28	158	0.24	0.06
R331505		0.36	19.7	1.40	2.48	0.10	1.05	<0.01	0.011	0.08	12.0	5.5	0.26	165	0.48	0.06
R331506		0.49	27.8	1.47	3.34	0.10	1.05	<0.01	0.011	0.08	18.1	5.4	0.31	207	0.26	0.06
R331507		0.41	33.9	1.46	2.85	0.09	0.99	<0.01	0.011	0.08	18.1	5.4	0.28	184	2.26	0.06
R331508		0.36	27.9	1.41	2.84	0.09	0.98	<0.01	0.011	0.07	11.5	5.7	0.25	146	0.84	0.06
R331509		0.52	32.4	1.46	2.82	0.09	1.01	<0.01	0.012	0.07	8.6	5.6	0.22	132	1.00	0.07
R331510		<0.05	0.7	0.02	<0.05	0.07	0.03	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.16	<0.01
R331511		0.33	25.2	1.38	2.12	0.09	0.92	<0.01	0.012	0.07	13.1	4.4	0.17	141	4.30	0.07
R331512		0.47	13.5	1.49	4.18	0.10	1.08	<0.01	0.012	0.08	16.0	7.5	0.39	177	0.23	0.06
R331513		0.35	22.4	1.48	3.64	0.09	1.01	<0.01	0.010	0.07	13.8	6.2	0.33	160	1.80	0.07
R331514		0.38	21.3	1.46	3.19	0.10	0.99	<0.01	0.011	0.06	13.1	6.2	0.30	163	2.15	0.07
R331515		0.51	12.9	1.43	3.30	0.10	0.97	<0.01	0.009	0.07	16.3	5.9	0.35	204	0.41	0.06
R331516		0.33	32.0	1.44	2.66	0.07	0.95	0.01	0.009	0.07	13.3	5.5	0.28	191	0.75	0.07
R331517		0.30	6.1	1.52	2.85	0.07	1.03	0.02	0.005	0.06	14.0	5.5	0.31	168	4.61	0.07
R331518		0.36	5.7	1.38	4.02	0.07	1.21	0.02	0.007	0.07	11.7	7.7	0.42	189	0.27	0.07
R331519		0.36	7.4	1.28	4.08	0.08	1.15	0.02	0.008	0.07	14.9	8.1	0.40	192	0.22	0.07
R331520		2.84	71.4	2.81	6.21	0.10	0.36	0.12	0.039	0.22	9.6	16.4	0.83	671	5.84	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331481		0.08	5.2	360	1.4	3.7	<0.001	0.11	<0.05	1.1	0.3	<0.2	23.9	<0.01	0.04	4.8
R331482		0.05	5.1	360	1.5	3.5	0.001	0.49	<0.05	0.9	0.4	0.4	25.0	<0.01	0.04	4.7
R331483		0.06	5.5	370	2.6	4.5	<0.001	0.74	<0.05	1.1	0.5	0.4	33.4	<0.01	0.06	5.0
R331484		<0.05	5.4	360	2.4	4.5	<0.001	0.29	<0.05	1.1	0.4	<0.2	32.5	<0.01	0.05	5.0
R331485		0.09	5.4	360	1.6	4.3	<0.001	0.51	<0.05	0.8	0.5	0.4	34.5	<0.01	0.03	5.0
R331486		0.05	5.2	370	3.8	4.4	0.001	0.79	<0.05	0.7	0.5	0.4	32.2	<0.01	0.08	4.6
R331487		<0.05	4.7	400	15.8	3.2	<0.001	1.05	<0.05	0.8	0.7	<0.2	30.3	<0.01	0.14	4.6
R331488		<0.05	36.7	1130	4.7	14.6	0.001	1.59	<0.05	3.7	0.7	0.2	73.9	<0.01	0.22	2.0
R331489		<0.05	5.9	280	2.1	6.3	0.006	0.51	<0.05	0.9	0.4	<0.2	28.2	<0.01	0.33	1.7
R331490		<0.05	6.1	280	2.0	6.3	0.005	0.52	<0.05	0.8	0.5	<0.2	26.3	<0.01	0.30	1.8
R331491		0.09	4.9	370	1.6	4.5	<0.001	0.54	<0.05	0.7	0.2	0.5	25.1	<0.01	0.05	4.9
R331492		0.14	5.6	390	2.0	4.5	<0.001	0.24	<0.05	1.1	0.3	0.2	20.3	<0.01	0.05	5.3
R331493		0.25	5.9	400	1.6	4.3	<0.001	0.13	0.05	1.3	0.3	0.6	25.5	<0.01	0.01	4.9
R331494		0.22	5.3	360	1.5	4.0	<0.001	0.23	0.05	1.1	0.4	0.6	37.3	<0.01	0.20	4.8
R331495		0.17	5.2	380	2.7	3.2	0.001	0.67	<0.05	1.0	0.6	<0.2	25.9	<0.01	1.03	4.7
R331496		0.14	4.9	360	1.5	3.1	<0.001	0.52	<0.05	0.9	0.4	0.5	22.5	<0.01	0.06	4.3
R331497		0.08	5.3	390	1.6	2.8	0.001	0.61	0.06	1.1	0.5	0.5	30.5	<0.01	0.08	4.5
R331498		0.11	4.8	370	1.7	3.4	0.002	0.16	<0.05	1.2	0.3	<0.2	26.4	<0.01	0.04	4.9
R331499		0.12	5.2	350	1.4	3.4	<0.001	0.19	<0.05	1.2	0.2	0.5	24.5	<0.01	0.02	5.6
R331500		0.15	5.4	360	1.8	3.7	<0.001	0.43	<0.05	1.1	0.5	0.5	31.3	<0.01	0.17	5.5
R331501		0.06	5.2	370	13.3	5.0	<0.001	0.26	<0.05	1.2	0.3	<0.2	33.5	<0.01	0.36	5.0
R331502		0.11	4.7	360	3.4	4.7	0.003	0.64	<0.05	1.0	0.4	0.4	35.2	<0.01	0.15	4.9
R331503		0.14	5.3	340	2.0	3.5	<0.001	0.42	0.05	1.0	0.5	0.5	26.8	<0.01	0.41	4.9
R331504		0.12	5.5	360	1.5	4.2	<0.001	0.35	<0.05	1.1	0.4	0.2	33.0	<0.01	0.06	5.1
R331505		0.06	4.9	360	2.2	4.1	<0.001	0.50	0.05	1.0	0.3	0.5	33.9	<0.01	0.10	4.9
R331506		0.12	5.7	370	2.1	4.4	<0.001	0.15	0.05	1.3	0.4	0.6	33.1	<0.01	0.05	5.1
R331507		<0.05	5.3	360	12.7	4.2	<0.001	0.41	<0.05	1.2	0.5	<0.2	29.0	<0.01	0.69	4.7
R331508		<0.05	5.4	360	3.5	3.8	<0.001	0.46	0.05	1.0	0.6	0.5	26.5	<0.01	0.24	4.7
R331509		0.08	5.4	370	2.0	4.1	0.001	0.66	0.05	0.9	0.4	0.5	24.1	<0.01	0.09	5.0
R331510		<0.05	0.4	10	0.6	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331511		<0.05	4.9	340	2.0	3.8	0.001	0.74	<0.05	0.9	0.5	<0.2	25.2	<0.01	0.11	4.4
R331512		0.13	6.0	380	1.1	4.0	<0.001	0.12	0.05	1.4	0.3	0.6	20.9	<0.01	0.02	5.3
R331513		0.09	5.6	370	1.8	3.8	0.001	0.28	<0.05	1.2	0.5	0.5	21.2	<0.01	0.49	4.5
R331514		<0.05	5.4	380	1.5	3.4	0.001	0.43	<0.05	1.3	0.4	<0.2	22.4	<0.01	0.05	4.7
R331515		0.12	5.0	360	1.5	3.3	<0.001	0.16	<0.05	1.3	0.3	0.5	27.5	<0.01	0.02	4.6
R331516		0.14	5.8	390	1.9	4.0	<0.001	0.52	0.06	1.1	0.3	0.4	26.1	<0.01	0.14	5.0
R331517		0.21	5.1	380	1.5	2.8	0.002	0.47	<0.05	1.2	0.4	0.2	20.1	<0.01	1.06	5.4
R331518		0.22	5.3	400	0.7	3.4	0.001	0.07	0.05	1.4	0.2	0.5	15.0	<0.01	0.01	6.3
R331519		0.17	5.3	360	0.7	3.0	<0.001	0.02	0.05	1.3	0.2	0.5	15.2	<0.01	0.03	6.7
R331520		0.05	10.6	600	16.2	11.0	0.003	0.85	0.41	8.6	1.0	0.5	111.0	<0.01	2.36	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331481		0.014	0.02	1.79	20	0.17	4.25	20	28.9
R331482		0.007	0.02	3.58	17	0.13	4.41	16	28.6
R331483		0.006	0.03	2.23	16	0.09	4.41	21	30.2
R331484		0.005	0.02	2.33	18	0.12	4.54	22	30.4
R331485		0.010	0.02	2.02	13	0.12	4.46	15	29.2
R331486		<0.005	0.02	1.78	8	0.09	4.29	14	26.6
R331487		<0.005	0.02	1.86	4	0.08	3.99	14	27.9
R331488		0.035	0.07	1.16	19	0.39	9.87	47	34.8
R331489		0.006	0.03	0.98	9	0.09	3.57	10	16.6
R331490		0.006	0.03	1.07	9	0.09	3.56	10	17.2
R331491		0.010	0.02	1.91	12	0.15	4.31	10	26.1
R331492		0.020	0.03	2.18	17	0.23	4.36	15	28.9
R331493		0.033	0.02	1.79	18	0.25	4.61	17	30.8
R331494		0.023	0.02	1.90	16	0.25	4.83	14	30.0
R331495		0.018	0.02	1.85	15	0.14	4.31	10	28.1
R331496		0.016	0.02	1.63	14	0.15	3.79	11	26.6
R331497		0.009	0.02	1.77	14	0.18	4.58	11	28.5
R331498		0.014	0.02	1.97	19	0.21	3.97	18	27.8
R331499		0.016	0.02	2.04	20	0.47	4.09	18	29.5
R331500		0.018	0.02	1.83	19	0.48	4.35	15	31.6
R331501		0.008	0.03	2.37	20	0.17	4.27	22	29.9
R331502		0.011	0.03	2.15	15	0.12	3.67	16	27.7
R331503		0.015	0.02	1.83	17	0.30	4.28	13	31.1
R331504		0.015	0.03	1.87	20	0.30	4.77	15	31.5
R331505		0.006	0.03	2.54	16	0.28	4.58	18	28.7
R331506		0.018	0.03	2.42	22	0.25	4.77	25	30.4
R331507		<0.005	0.02	2.25	18	0.15	5.01	17	28.2
R331508		<0.005	0.02	2.03	17	0.22	4.53	14	28.8
R331509		0.008	0.02	1.96	15	0.36	4.41	11	29.9
R331510		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8
R331511		<0.005	0.02	1.80	10	0.20	4.69	8	27.6
R331512		0.020	0.02	1.87	23	0.56	5.45	22	31.8
R331513		0.012	0.03	2.33	21	0.31	4.71	20	28.5
R331514		<0.005	0.02	2.28	19	0.24	4.92	20	28.8
R331515		0.018	0.02	2.02	22	0.21	4.35	24	26.3
R331516		0.017	0.02	2.58	14	0.17	3.86	17	25.0
R331517		0.030	0.02	1.89	17	0.22	3.98	16	25.5
R331518		0.038	0.02	1.94	22	0.42	4.54	22	29.7
R331519		0.028	0.02	2.49	22	0.50	4.97	23	28.8
R331520		0.054	0.14	0.32	65	0.37	7.86	81	11.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331521		2.61	0.078	0.03	0.53	<0.1	<0.2	<10	50	0.66	0.42	0.81	0.01	22.6	3.4	17
R331522		2.21	0.001	0.02	0.53	0.1	<0.2	<10	40	0.49	0.47	0.83	<0.01	21.3	3.6	17
R331523		2.97	0.015	0.02	0.49	0.1	<0.2	<10	90	0.48	0.56	0.96	<0.01	23.9	3.5	15
R331524		2.96	0.003	0.02	0.50	<0.1	<0.2	<10	20	0.42	0.41	0.97	<0.01	27.0	3.4	15
R331525		2.37	0.009	0.02	0.53	0.2	<0.2	<10	70	0.59	0.53	1.11	<0.01	27.9	3.9	14
R331526		1.88	0.010	0.02	0.68	0.2	<0.2	<10	40	0.50	0.27	0.30	0.01	39.8	4.1	15
R331527		1.45	0.064	0.04	2.31	<0.1	<0.2	<10	50	1.55	0.68	0.09	<0.01	22.0	11.5	10
R331528		1.21	0.013	0.13	3.89	0.2	<0.2	<10	30	1.97	1.73	0.12	0.01	10.10	21.0	10
R331529		0.95	0.019	0.15	1.44	0.2	<0.2	<10	10	0.71	1.08	0.12	0.06	16.30	9.3	13
R331530		<0.02	0.019	0.16	1.49	0.2	<0.2	<10	10	0.76	1.63	0.12	0.06	17.30	9.8	16
R331531		2.91	0.107	0.16	0.53	0.2	0.2	<10	20	0.96	1.61	0.45	0.12	17.90	4.2	20
R331532		2.94	0.140	0.08	0.53	0.1	0.2	<10	40	1.14	0.98	0.50	0.04	24.1	3.9	19
R331533		2.99	0.009	0.01	0.51	<0.1	<0.2	<10	40	0.51	4.30	0.78	<0.01	20.4	3.2	18
R331534		2.10	0.046	0.03	0.48	0.2	<0.2	<10	40	0.65	1.13	0.83	0.01	25.8	3.3	19
R331535		2.46	0.001	0.01	0.50	0.2	<0.2	<10	50	0.47	0.29	0.72	0.01	27.4	3.5	19
R331536		2.32	0.002	0.02	0.49	<0.1	<0.2	<10	50	0.59	0.36	0.87	<0.01	26.8	3.3	20
R331537		3.06	0.017	0.05	0.48	0.2	<0.2	<10	50	0.73	3.50	0.94	0.01	32.9	3.7	19
R331538		3.08	0.001	0.02	0.51	0.2	<0.2	<10	60	0.44	0.19	0.80	<0.01	37.8	3.5	20
R331539		2.04	0.015	0.17	0.38	<0.1	<0.2	<10	90	0.43	16.60	0.62	<0.01	21.9	3.2	21
R331540		0.09	<0.001	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.03	0.1	<1
R331541		2.06	0.002	0.02	0.50	0.1	<0.2	<10	60	0.37	0.21	0.71	<0.01	34.2	3.0	19
R331542		1.94	0.005	0.02	0.50	0.1	<0.2	<10	690	0.39	0.34	0.85	0.01	44.1	3.1	19
R331543		1.60	0.001	0.01	0.48	0.2	<0.2	<10	70	0.36	0.09	0.82	<0.01	39.9	3.2	20
R331544		1.04	0.742	0.25	0.17	0.1	<0.2	<10	170	0.17	66.6	0.47	<0.01	6.42	1.8	22
R331545		1.76	0.002	0.03	0.34	0.1	<0.2	<10	330	0.44	0.66	0.99	<0.01	23.2	3.3	19
R331546		2.01	0.003	0.03	0.43	0.1	<0.2	<10	460	0.45	0.71	0.97	0.01	35.2	3.3	20
R331547		2.08	0.001	0.02	0.48	0.2	<0.2	<10	580	0.33	0.20	0.92	0.01	36.8	3.3	21
R331548		1.97	0.002	0.03	0.41	0.1	<0.2	<10	520	0.38	0.20	1.15	0.01	35.9	3.2	18
R331549		2.04	0.006	0.04	0.36	0.1	<0.2	<10	580	0.33	0.49	0.97	<0.01	24.4	3.4	18
R331550		0.06	8.96	8.75	1.60	11.5	10.4	<10	30	0.54	0.07	3.87	0.26	19.65	10.8	18
R331551		1.99	0.001	0.02	0.47	0.1	<0.2	<10	480	0.34	0.36	0.87	0.01	31.8	3.0	20
R331552		1.99	0.005	0.07	0.38	0.2	<0.2	<10	490	0.43	0.92	0.91	0.01	33.0	3.5	18
R331553		1.97	0.463	0.43	0.27	0.2	1.5	<10	510	0.35	11.60	0.83	0.01	22.5	2.9	18
R331554		2.42	0.011	0.03	0.36	<0.1	<0.2	<10	590	0.36	0.32	1.05	0.01	36.5	3.2	18
R331555		1.94	0.003	0.05	0.39	0.1	<0.2	<10	520	0.30	0.46	0.84	0.01	35.6	3.5	17
R331556		2.01	0.091	3.80	0.29	<0.1	7.2	<10	510	0.24	88.0	0.98	0.03	32.1	3.0	19
R331557		1.93	0.005	0.22	0.27	<0.1	<0.2	<10	200	0.21	3.19	1.17	0.02	35.0	3.2	14
R331558		1.93	0.021	0.24	0.33	0.2	<0.2	<10	460	0.27	46.9	1.02	0.04	34.9	3.4	17
R331559		2.04	0.002	0.07	0.43	<0.1	<0.2	<10	480	0.36	0.53	0.87	0.02	37.0	3.4	19
R331560		<0.02	0.003	0.09	0.43	0.1	<0.2	<10	470	0.35	0.45	0.86	0.02	35.1	3.3	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331521		0.28	13.0	1.46	4.10	0.06	1.08	0.02	0.008	0.06	11.8	8.6	0.43	179	0.14	0.07
R331522		0.37	15.7	1.39	3.92	0.06	1.11	0.03	0.006	0.07	11.3	8.1	0.42	174	0.27	0.08
R331523		0.35	15.9	1.37	3.44	0.07	1.00	0.02	0.006	0.07	12.7	7.3	0.39	168	0.46	0.08
R331524		0.74	10.6	1.30	3.74	0.06	1.00	0.02	0.008	0.06	14.2	7.6	0.42	182	0.23	0.08
R331525		0.73	12.7	1.31	3.83	0.07	0.93	0.02	0.008	0.05	14.6	7.8	0.47	209	0.23	0.07
R331526		1.01	21.6	1.24	4.09	0.07	0.88	0.02	0.009	0.08	21.1	11.6	0.63	198	0.20	0.07
R331527		4.87	1.9	3.33	7.80	0.07	0.63	0.02	0.034	0.10	10.8	86.3	2.62	373	0.28	0.05
R331528		3.60	7.0	6.03	22.5	0.09	0.68	0.01	0.037	0.07	4.5	92.1	4.34	632	0.73	0.04
R331529		0.73	31.9	2.59	9.12	0.07	0.97	0.01	0.013	0.03	7.9	27.4	1.51	290	0.81	0.09
R331530		0.82	28.9	2.69	9.88	0.07	0.98	0.01	0.012	0.02	8.4	29.2	1.59	301	0.83	0.09
R331531		0.24	357	1.56	3.82	0.06	0.85	0.01	0.012	0.04	8.4	7.7	0.49	156	1.74	0.08
R331532		0.26	219	1.45	3.86	0.07	0.86	0.01	0.009	0.04	11.0	7.3	0.48	169	1.51	0.08
R331533		0.36	12.1	1.31	3.68	0.05	0.85	0.01	0.006	0.06	10.4	6.3	0.44	201	0.53	0.08
R331534		0.38	12.8	1.38	3.95	0.06	0.89	0.01	0.008	0.06	14.0	6.0	0.41	226	0.82	0.07
R331535		0.36	11.5	1.40	4.10	0.05	0.88	0.01	0.009	0.06	14.5	5.7	0.42	240	0.70	0.07
R331536		0.30	9.6	1.44	3.77	0.05	0.84	0.01	0.005	0.06	13.7	4.6	0.40	226	0.81	0.08
R331537		0.26	12.9	1.53	3.81	0.06	0.80	<0.01	0.009	0.06	17.1	4.8	0.39	233	5.71	0.08
R331538		0.28	5.3	1.43	4.24	0.07	0.96	0.01	0.008	0.07	19.2	4.7	0.41	239	0.77	0.08
R331539		0.15	37.3	1.47	3.05	0.05	0.80	<0.01	0.006	0.05	11.4	4.0	0.31	176	15.80	0.08
R331540		<0.05	0.7	0.03	<0.05	<0.05	0.02	0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	0.01
R331541		0.29	5.4	1.43	3.99	0.06	0.81	0.01	0.009	0.06	18.2	4.9	0.42	263	0.56	0.07
R331542		0.35	6.3	1.49	4.03	0.07	0.88	0.01	0.009	0.07	24.6	5.3	0.41	269	0.59	0.08
R331543		0.35	6.1	1.42	3.96	0.07	0.84	0.01	0.011	0.07	22.1	4.9	0.40	257	0.78	0.07
R331544		0.10	23.2	0.95	1.23	<0.05	0.37	<0.01	<0.005	0.03	3.0	2.2	0.12	104	28.8	0.05
R331545		0.22	19.4	1.39	2.79	0.05	0.86	0.01	0.007	0.06	12.5	3.9	0.23	164	1.74	0.08
R331546		0.35	12.1	1.46	3.19	0.07	0.83	<0.01	0.007	0.08	18.6	5.0	0.34	224	1.23	0.08
R331547		0.39	9.6	1.42	3.57	0.07	0.90	<0.01	0.009	0.07	19.7	6.1	0.40	242	0.72	0.07
R331548		0.39	10.7	1.50	2.89	0.06	0.85	0.01	0.007	0.09	19.2	4.6	0.30	241	0.63	0.07
R331549		0.46	11.4	1.33	2.66	0.05	0.80	<0.01	0.006	0.08	13.2	4.8	0.26	197	4.12	0.08
R331550		2.27	62.3	2.89	6.59	0.12	0.59	0.16	0.025	0.13	9.0	22.5	1.04	803	4.69	0.08
R331551		0.47	2.7	1.36	3.33	0.06	0.83	0.01	0.009	0.07	17.4	6.3	0.40	229	0.71	0.06
R331552		0.42	15.1	1.45	2.90	0.08	0.84	<0.01	0.007	0.07	17.1	4.9	0.29	201	1.77	0.07
R331553		0.37	14.2	1.24	1.89	0.06	0.67	<0.01	0.006	0.07	12.0	3.2	0.16	169	1.67	0.07
R331554		0.60	18.2	1.25	2.46	0.07	0.77	<0.01	0.008	0.09	19.2	4.1	0.25	211	1.41	0.07
R331555		0.61	12.7	1.47	2.44	0.06	0.80	<0.01	0.006	0.12	19.0	5.0	0.28	247	2.23	0.08
R331556		0.47	36.8	1.32	1.71	0.06	0.68	0.01	0.006	0.09	17.2	4.0	0.20	259	2.01	0.07
R331557		0.44	16.4	1.50	1.43	0.06	0.77	<0.01	0.008	0.08	18.3	4.0	0.13	292	6.28	0.10
R331558		0.53	31.0	1.39	1.96	0.05	0.72	<0.01	0.011	0.11	18.6	4.6	0.23	265	2.30	0.07
R331559		0.68	12.6	1.50	2.82	0.06	0.88	0.01	0.008	0.13	20.6	5.7	0.35	292	4.29	0.08
R331560		0.67	12.1	1.50	2.73	0.06	0.82	<0.01	0.009	0.14	19.6	5.4	0.34	291	3.89	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331521		0.12	5.3	390	0.8	2.8	<0.001	0.22	<0.05	1.3	<0.2	0.2	14.4	<0.01	0.09	6.0
R331522		0.12	5.4	390	0.8	3.3	<0.001	0.27	0.05	1.3	0.2	0.4	15.6	<0.01	0.04	6.2
R331523		0.12	5.2	390	1.0	3.2	<0.001	0.35	0.05	1.1	0.3	0.5	16.7	0.01	0.10	5.2
R331524		0.10	5.2	400	0.9	3.1	0.001	0.31	<0.05	1.2	0.3	0.2	16.8	<0.01	0.03	5.9
R331525		0.06	5.1	380	0.9	2.8	<0.001	0.35	<0.05	1.3	0.4	0.4	16.1	<0.01	0.04	4.9
R331526		0.05	5.0	360	1.0	3.4	<0.001	0.07	0.05	1.2	<0.2	0.4	10.8	<0.01	0.02	5.1
R331527		<0.05	4.3	300	2.2	7.9	<0.001	0.16	<0.05	1.2	0.3	0.2	12.2	<0.01	0.08	4.1
R331528		<0.05	7.9	310	4.6	6.0	0.001	0.17	<0.05	2.7	0.4	0.4	12.5	<0.01	0.84	4.2
R331529		0.08	6.0	360	4.6	1.6	<0.001	0.38	<0.05	1.6	0.4	0.4	8.2	<0.01	0.19	5.5
R331530		0.08	6.2	350	5.0	1.6	0.001	0.40	<0.05	1.7	0.4	0.2	8.5	<0.01	0.48	4.7
R331531		0.11	5.5	460	4.5	1.8	0.001	0.74	<0.05	1.0	0.6	0.5	14.1	<0.01	0.32	5.4
R331532		0.10	5.2	400	3.4	1.8	0.001	0.60	0.05	1.2	0.4	0.5	13.8	<0.01	0.10	4.9
R331533		0.10	5.0	420	0.9	2.4	<0.001	0.14	<0.05	1.3	0.2	0.2	16.6	<0.01	0.16	4.3
R331534		0.08	5.5	390	0.8	2.4	<0.001	0.13	0.05	1.3	0.2	0.4	21.1	<0.01	0.15	4.8
R331535		0.11	5.4	400	0.8	2.4	0.001	0.22	<0.05	1.3	0.2	0.4	18.2	<0.01	0.02	4.8
R331536		0.09	5.3	400	1.0	2.6	<0.001	0.20	<0.05	1.3	0.2	<0.2	21.9	<0.01	0.02	5.2
R331537		0.08	5.6	420	1.7	2.5	0.003	0.48	0.05	1.4	0.3	0.4	25.3	<0.01	0.29	4.3
R331538		0.13	5.8	410	1.0	2.8	<0.001	0.13	0.05	1.5	<0.2	0.4	21.8	<0.01	0.02	5.8
R331539		0.16	5.1	380	5.4	1.9	0.004	0.78	<0.05	1.1	0.5	<0.2	16.2	<0.01	0.36	4.2
R331540		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331541		0.13	5.2	400	1.0	2.5	<0.001	0.11	<0.05	1.3	0.2	0.2	19.6	<0.01	0.01	5.1
R331542		0.16	5.3	420	1.3	2.9	<0.001	0.09	<0.05	1.4	0.3	0.2	32.6	<0.01	0.02	4.6
R331543		0.15	5.7	400	1.1	2.6	<0.001	0.01	<0.05	1.5	<0.2	0.4	24.7	<0.01	0.01	4.7
R331544		0.09	3.5	180	12.3	1.1	0.010	0.37	<0.05	0.5	0.4	<0.2	12.9	<0.01	3.40	1.9
R331545		0.15	5.0	380	1.4	2.5	0.001	0.51	<0.05	1.0	0.2	<0.2	34.7	<0.01	0.06	4.1
R331546		0.14	5.7	380	1.8	3.9	0.001	0.21	<0.05	1.2	0.2	0.4	41.9	<0.01	0.06	4.5
R331547		0.25	5.7	400	1.5	3.2	<0.001	0.07	<0.05	1.4	<0.2	0.2	45.7	<0.01	0.01	4.9
R331548		0.06	5.4	420	2.0	4.3	<0.001	0.11	<0.05	1.1	0.2	<0.2	48.8	<0.01	0.02	4.8
R331549		0.13	5.2	390	1.6	4.5	0.002	0.39	<0.05	1.1	0.3	0.3	37.3	<0.01	0.03	4.0
R331550		0.10	9.9	630	14.0	5.5	0.002	0.43	0.36	8.9	0.7	0.5	104.0	<0.01	4.07	1.4
R331551		0.21	5.6	390	1.3	3.0	<0.001	0.03	<0.05	1.3	<0.2	0.2	39.1	<0.01	0.01	4.5
R331552		0.14	5.5	400	2.5	3.1	<0.001	0.45	<0.05	1.2	0.2	0.2	37.7	<0.01	0.07	4.4
R331553		<0.05	4.8	300	9.7	3.1	0.002	0.46	<0.05	0.8	0.4	<0.2	40.6	<0.01	1.00	3.6
R331554		0.05	5.3	390	1.8	4.3	<0.001	0.18	<0.05	1.0	0.2	<0.2	61.3	<0.01	0.05	4.3
R331555		0.06	5.4	400	3.0	8.7	0.001	0.44	<0.05	1.2	0.2	<0.2	81.9	<0.01	0.05	4.5
R331556		0.05	5.0	340	209	6.0	<0.001	0.41	0.06	1.0	0.6	<0.2	76.2	<0.01	1.78	4.0
R331557		0.05	5.4	390	7.9	5.9	0.002	0.89	<0.05	1.1	0.3	<0.2	97.6	<0.01	0.15	4.2
R331558		0.06	5.5	390	57.6	7.6	<0.001	0.43	<0.05	1.1	0.2	<0.2	80.2	<0.01	0.20	4.1
R331559		0.14	5.8	400	4.9	10.2	0.001	0.20	<0.05	1.4	0.3	0.2	86.1	<0.01	0.04	4.7
R331560		0.13	5.5	400	4.3	10.0	0.002	0.21	<0.05	1.3	0.2	<0.2	84.7	<0.01	0.05	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331521		0.023	0.02	2.04	23	0.39	5.55	22	28.0
R331522		0.022	0.02	2.17	23	0.33	4.65	23	28.1
R331523		0.023	0.02	1.81	21	0.25	4.41	21	26.3
R331524		0.020	0.02	2.07	23	0.22	4.95	25	26.5
R331525		0.012	<0.02	1.93	27	0.16	6.13	29	23.7
R331526		0.013	<0.02	1.86	30	0.12	4.27	36	23.6
R331527		<0.005	0.03	1.47	54	0.06	3.01	64	17.4
R331528		0.029	0.02	1.44	112	0.10	3.58	115	20.5
R331529		0.029	<0.02	1.85	49	0.10	4.63	57	26.3
R331530		0.030	<0.02	1.77	51	0.10	4.88	60	28.0
R331531		0.020	<0.02	1.60	25	0.13	6.32	35	22.8
R331532		0.019	<0.02	1.69	25	0.14	6.99	34	22.2
R331533		0.020	<0.02	1.65	31	0.22	4.13	34	21.6
R331534		0.015	<0.02	1.74	29	0.19	5.45	34	22.4
R331535		0.021	0.02	1.80	31	0.18	4.28	37	22.1
R331536		0.017	<0.02	1.83	29	0.19	5.00	38	21.3
R331537		0.015	<0.02	1.61	28	0.14	6.14	36	20.7
R331538		0.024	0.02	1.88	32	0.22	4.18	37	23.6
R331539		0.019	<0.02	1.67	27	0.10	4.29	25	21.2
R331540		<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.7
R331541		0.022	<0.02	1.79	33	0.16	3.96	36	19.9
R331542		0.024	0.02	1.88	28	0.24	5.12	34	21.9
R331543		0.024	0.02	1.83	29	0.22	4.36	34	20.4
R331544		0.007	<0.02	0.89	9	0.11	1.74	9	9.8
R331545		0.020	0.02	1.57	23	0.25	4.46	17	21.3
R331546		0.022	0.02	1.69	23	0.19	4.23	26	20.5
R331547		0.042	0.02	1.88	25	0.18	4.19	29	21.5
R331548		0.011	0.03	1.85	21	0.22	4.62	25	21.4
R331549		0.018	0.03	1.56	21	0.48	3.82	20	20.2
R331550		0.134	0.07	0.40	77	0.41	8.23	64	19.8
R331551		0.037	0.02	1.63	24	0.39	4.07	28	20.6
R331552		0.019	0.02	1.58	21	0.39	3.94	21	21.2
R331553		<0.005	0.04	1.30	13	650	3.56	14	16.1
R331554		0.006	0.03	1.64	18	1.03	3.84	21	19.4
R331555		0.008	0.05	1.71	22	0.41	3.33	31	19.6
R331556		0.006	0.05	1.30	14	0.67	2.98	25	17.0
R331557		<0.005	0.04	1.66	10	0.30	3.13	21	19.7
R331558		0.008	0.05	1.48	17	0.33	3.19	39	17.8
R331559		0.023	0.07	1.71	23	0.22	3.81	36	20.5
R331560		0.022	0.06	1.69	23	0.20	3.53	35	19.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331561		1.91	0.002	0.13	0.44	0.1	<0.2	<10	400	0.36	1.20	0.71	0.02	40.5	3.5	18
R331562		1.97	0.006	0.11	0.36	0.1	<0.2	<10	440	0.33	1.21	1.02	0.01	37.6	3.7	17
R331563		2.02	0.380	0.12	0.29	0.2	<0.2	<10	410	0.35	2.99	1.16	0.01	30.2	3.1	15
R331564		2.03	0.038	0.09	0.43	0.2	<0.2	<10	350	0.30	0.38	0.91	0.02	41.6	3.4	19
R331565		2.03	0.003	0.08	0.43	0.1	<0.2	<10	350	0.31	0.43	0.74	0.02	36.9	3.3	18
R331566		1.98	0.002	0.07	0.45	0.1	<0.2	<10	340	0.33	0.44	0.79	0.01	37.7	3.3	19
R331567		1.12	0.022	0.14	0.25	0.1	<0.2	<10	480	0.22	0.69	0.69	0.01	27.9	2.0	16
R331568		3.03	0.008	0.09	0.43	0.1	<0.2	<10	520	0.31	0.60	1.13	0.02	37.6	3.4	16
R331569		2.97	0.002	0.09	0.44	0.1	<0.2	<10	400	0.32	1.35	0.86	0.01	37.6	3.5	18
R331570		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.90	0.1	<1
R331571		2.87	0.122	0.06	0.42	0.2	<0.2	<10	400	0.33	0.67	0.85	0.01	37.8	3.4	18
R331572		2.01	0.233	1.70	0.45	0.1	<0.2	<10	360	0.30	11.60	0.99	0.01	37.8	3.6	19
R331573		1.96	0.005	0.05	0.47	0.1	<0.2	<10	510	0.36	0.49	0.91	0.01	35.3	3.4	20
R331574		3.06	<0.001	0.02	0.50	0.1	<0.2	<10	260	0.28	0.09	0.92	0.01	43.4	3.6	20
R331575		2.86	0.006	0.28	0.47	0.1	<0.2	<10	300	0.26	0.15	1.01	0.01	41.4	3.8	21
R331576		1.95	0.006	0.04	0.49	0.1	<0.2	<10	390	0.32	0.34	1.12	0.02	41.6	3.5	19
R331577		2.01	0.023	0.08	0.31	0.1	<0.2	<10	340	0.25	0.75	1.51	0.01	30.8	3.4	14
R331578		2.07	0.147	0.08	0.48	<0.1	<0.2	<10	490	0.39	0.90	1.08	0.01	33.9	3.7	18
R331579		2.05	0.008	0.03	0.51	0.1	<0.2	<10	440	0.43	0.20	1.04	0.01	37.7	3.4	19
R331580		0.06	2.47	4.23	1.45	17.7	2.7	<10	40	0.53	0.09	3.52	0.32	21.2	10.5	22
R331581		1.85	0.019	0.11	0.30	0.1	<0.2	<10	150	0.34	0.87	1.15	0.02	32.2	3.8	15
R331582		3.07	0.007	0.03	0.53	0.1	<0.2	<10	280	0.30	0.14	0.90	0.01	42.2	3.6	21
R331583		2.97	0.001	0.03	0.56	0.2	<0.2	<10	210	0.31	0.15	0.88	0.02	44.8	3.8	21
R331584		2.95	<0.001	0.02	0.49	<0.1	<0.2	<10	140	0.23	0.08	0.87	0.02	41.8	3.8	21
R331585		2.20	0.001	0.02	0.51	<0.1	<0.2	<10	180	0.30	0.11	0.89	0.02	42.5	3.8	20
R331586		2.01	<0.001	0.02	0.50	0.1	<0.2	<10	370	0.29	0.18	0.96	0.01	39.6	3.5	20
R331587		2.45	0.009	0.03	0.47	<0.1	<0.2	<10	660	0.47	0.35	1.21	0.01	35.2	3.3	18
R331588		2.04	0.159	0.03	0.47	0.1	<0.2	<10	330	0.31	0.24	0.94	0.01	35.4	3.6	19
R331589		2.34	0.001	0.02	0.49	0.1	<0.2	<10	430	0.30	0.17	1.02	0.01	37.7	3.7	18
R331590		<0.02	<0.001	0.02	0.44	0.1	<0.2	<10	470	0.32	0.20	1.02	0.01	35.4	3.7	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331561		1.25	27.7	1.49	2.88	0.06	0.93	<0.01	0.011	0.20	21.9	7.5	0.35	293	0.64	0.08
R331562		0.88	18.4	1.45	2.39	0.06	0.92	<0.01	0.008	0.14	20.3	5.2	0.26	263	3.93	0.08
R331563		0.25	20.1	1.30	1.96	<0.05	0.73	<0.01	0.008	0.08	16.0	2.7	0.17	209	6.75	0.08
R331564		0.99	20.0	1.45	2.77	0.06	0.97	<0.01	0.009	0.18	22.9	6.9	0.34	299	0.74	0.07
R331565		1.09	12.3	1.45	2.75	0.07	0.95	<0.01	0.010	0.19	19.8	8.0	0.35	288	1.99	0.07
R331566		1.01	14.8	1.47	2.78	0.06	0.90	<0.01	0.009	0.19	21.0	7.1	0.34	293	0.72	0.08
R331567		0.28	18.7	1.10	1.56	0.05	1.48	<0.01	0.008	0.07	16.3	2.1	0.15	194	1.83	0.09
R331568		0.66	14.0	1.45	2.70	0.06	0.88	<0.01	0.010	0.15	20.5	5.1	0.34	324	0.51	0.08
R331569		0.69	11.8	1.49	2.92	0.06	0.91	<0.01	0.010	0.16	20.8	6.0	0.35	285	0.90	0.08
R331570		<0.05	0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	0.01
R331571		0.51	7.9	1.42	3.04	0.06	0.94	<0.01	0.011	0.11	20.6	5.4	0.34	274	0.68	0.07
R331572		0.42	10.7	1.53	2.96	0.06	0.87	<0.01	0.010	0.10	20.0	5.0	0.36	289	0.65	0.07
R331573		0.24	6.2	1.59	3.34	0.05	0.84	<0.01	0.010	0.07	18.4	5.6	0.38	272	0.96	0.08
R331574		0.58	3.2	1.55	3.28	0.06	0.97	<0.01	0.010	0.13	23.4	6.7	0.41	319	0.66	0.08
R331575		0.49	8.7	1.54	3.07	0.06	0.91	<0.01	0.011	0.11	22.9	6.3	0.41	312	0.71	0.07
R331576		0.64	5.8	1.58	2.75	0.05	0.87	<0.01	0.009	0.17	22.0	6.0	0.35	287	0.76	0.10
R331577		0.26	9.0	1.44	1.89	0.05	0.78	<0.01	0.009	0.07	16.5	3.6	0.22	271	0.67	0.07
R331578		0.21	11.9	1.57	3.21	0.05	0.88	<0.01	0.010	0.07	17.6	5.7	0.40	259	6.10	0.08
R331579		0.24	10.1	1.52	3.78	0.07	0.89	<0.01	0.012	0.08	19.0	5.3	0.43	264	0.53	0.08
R331580		2.79	69.5	2.72	5.76	0.08	0.36	0.09	0.034	0.21	9.9	14.5	0.80	652	5.52	0.07
R331581		0.13	45.2	1.30	2.68	0.05	0.86	<0.01	0.012	0.04	16.2	2.6	0.23	211	22.1	0.07
R331582		0.58	7.5	1.61	3.52	0.06	0.90	<0.01	0.013	0.10	23.1	7.7	0.48	326	0.70	0.07
R331583		0.92	9.1	1.66	3.33	0.06	1.03	<0.01	0.010	0.23	24.4	7.6	0.42	328	0.63	0.10
R331584		0.44	8.7	1.58	3.30	0.06	1.08	<0.01	0.009	0.12	23.2	6.6	0.44	336	0.67	0.07
R331585		0.46	10.8	1.58	3.46	0.07	1.06	<0.01	0.013	0.12	23.8	6.8	0.44	335	0.60	0.07
R331586		0.46	7.0	1.51	3.30	0.06	0.86	<0.01	0.012	0.09	21.9	6.6	0.45	285	0.57	0.07
R331587		0.25	8.8	1.45	3.38	0.06	0.87	<0.01	0.012	0.06	17.7	5.6	0.43	259	3.63	0.08
R331588		0.35	9.3	1.49	3.35	0.08	0.82	<0.01	0.012	0.06	18.8	7.0	0.43	257	0.76	0.06
R331589		0.42	19.1	1.55	3.30	0.08	0.83	<0.01	0.012	0.10	20.4	6.9	0.41	276	0.52	0.08
R331590		0.39	23.8	1.51	3.10	0.07	0.79	<0.01	0.012	0.08	19.4	6.6	0.40	268	0.54	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331561		0.23	5.5	400	8.7	19.9	<0.001	0.18	<0.05	1.5	0.2	0.2	91.9	<0.01	0.06	5.1
R331562		0.23	5.6	420	5.7	13.0	0.001	0.48	<0.05	1.3	0.3	0.2	82.7	<0.01	0.08	5.1
R331563		0.05	4.8	360	6.9	3.5	0.003	0.59	<0.05	0.9	0.4	<0.2	58.3	<0.01	0.18	4.2
R331564		0.25	5.5	400	9.8	16.6	<0.001	0.16	<0.05	1.5	<0.2	0.2	231	<0.01	0.06	5.0
R331565		0.31	5.5	400	9.9	18.4	0.001	0.20	<0.05	1.5	0.3	0.2	319	<0.01	0.04	4.9
R331566		0.23	5.4	400	5.6	17.0	<0.001	0.21	<0.05	1.5	0.2	0.2	370	<0.01	0.03	5.1
R331567		0.11	4.0	240	5.7	3.9	0.001	0.36	<0.05	0.8	<0.2	<0.2	89.3	<0.01	0.10	8.6
R331568		0.16	5.5	420	4.9	11.4	<0.001	0.27	<0.05	1.7	0.3	<0.2	139.5	<0.01	0.07	4.9
R331569		0.30	5.7	420	7.6	12.6	<0.001	0.26	<0.05	1.5	0.2	0.2	105.0	<0.01	0.27	4.8
R331570		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331571		0.34	5.5	380	5.7	8.0	<0.001	0.22	<0.05	1.5	0.2	0.2	78.8	<0.01	0.04	6.0
R331572		0.26	5.6	410	15.4	6.0	<0.001	0.21	<0.05	1.5	0.2	0.2	69.4	<0.01	1.45	4.6
R331573		0.24	5.8	400	3.1	3.4	<0.001	0.26	<0.05	1.4	0.3	0.2	66.4	<0.01	0.07	4.7
R331574		0.46	5.9	410	5.5	9.8	<0.001	0.02	<0.05	1.7	0.2	0.3	79.1	<0.01	0.01	4.6
R331575		0.45	5.9	440	6.3	7.0	<0.001	0.11	<0.05	1.7	<0.2	0.3	70.5	<0.01	0.02	4.5
R331576		0.18	5.8	420	3.6	11.1	<0.001	0.20	<0.05	1.4	0.2	0.2	81.6	<0.01	0.04	4.8
R331577		0.05	5.4	510	3.7	3.7	<0.001	0.66	<0.05	1.3	0.5	<0.2	82.9	<0.01	0.13	4.3
R331578		0.16	5.9	440	3.7	3.2	0.001	0.42	<0.05	1.4	0.3	0.2	54.5	<0.01	0.13	4.7
R331579		0.30	5.9	430	2.1	3.1	<0.001	0.11	<0.05	1.6	0.2	0.3	51.8	<0.01	0.02	4.3
R331580		<0.05	10.5	580	17.4	10.9	0.002	0.82	0.37	8.1	0.9	0.4	111.0	<0.01	2.39	1.3
R331581		0.22	5.6	490	3.6	1.8	0.009	0.67	<0.05	1.3	0.4	<0.2	55.9	<0.01	0.08	4.4
R331582		0.47	6.0	440	3.8	5.6	<0.001	0.03	<0.05	1.8	0.2	0.4	59.3	<0.01	0.01	4.7
R331583		0.65	6.2	450	9.1	17.9	<0.001	0.06	<0.05	1.7	0.2	0.4	93.9	<0.01	0.01	4.9
R331584		0.70	5.9	460	10.4	7.8	<0.001	0.01	<0.05	1.5	0.2	0.4	89.0	<0.01	<0.01	5.1
R331585		0.52	6.2	450	7.6	7.9	<0.001	0.01	<0.05	1.8	0.2	0.4	86.5	<0.01	<0.01	5.1
R331586		0.44	5.7	440	3.1	5.3	<0.001	0.07	<0.05	1.8	<0.2	0.3	69.6	<0.01	0.01	5.3
R331587		0.22	5.7	430	2.7	2.5	0.002	0.29	<0.05	1.6	0.3	0.2	127.5	<0.01	0.04	5.0
R331588		0.31	6.2	440	3.2	3.0	<0.001	0.15	<0.05	1.8	0.2	0.3	58.2	<0.01	0.04	4.4
R331589		0.32	6.0	460	2.6	4.7	<0.001	0.19	<0.05	1.8	0.3	0.3	67.4	<0.01	0.02	4.5
R331590		0.29	6.0	440	2.7	3.8	<0.001	0.23	<0.05	1.7	0.3	0.2	66.8	<0.01	0.02	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331561		0.042	0.14	1.86	25	0.23	3.65	37	21.5
R331562		0.029	0.09	1.67	18	165.0	4.29	26	21.8
R331563		0.006	0.02	1.49	12	0.88	3.57	13	17.9
R331564		0.040	0.12	1.90	23	0.16	3.91	34	22.4
R331565		0.047	0.12	1.87	25	0.22	3.52	37	22.3
R331566		0.038	0.11	1.85	26	0.13	3.40	39	21.4
R331567		0.011	0.03	2.36	11	0.34	2.75	16	28.1
R331568		0.028	0.07	1.77	23	11.05	4.35	36	20.6
R331569		0.044	0.09	1.83	25	0.34	3.69	34	21.8
R331570		<0.005	<0.02	0.07	<1	<0.05	0.57	<2	0.7
R331571		0.046	0.05	1.88	23	0.42	3.79	30	22.0
R331572		0.042	0.04	1.63	24	0.41	4.30	31	20.6
R331573		0.040	0.02	1.64	22	0.61	4.27	31	21.1
R331574		0.069	0.06	1.75	25	0.26	4.10	37	22.5
R331575		0.063	0.04	1.74	25	0.23	4.08	36	21.6
R331576		0.029	0.07	1.61	22	0.34	4.34	34	20.4
R331577		0.005	0.03	1.59	13	24.5	3.98	20	18.8
R331578		0.025	0.02	1.91	21	0.46	4.80	29	21.3
R331579		0.046	0.02	1.43	26	0.45	5.33	31	21.9
R331580		0.051	0.13	0.31	62	0.42	7.58	79	11.3
R331581		0.024	<0.02	1.56	21	0.27	4.54	15	20.9
R331582		0.074	0.04	1.46	27	0.28	4.28	38	21.0
R331583		0.091	0.12	1.74	27	0.12	4.77	41	24.3
R331584		0.083	0.06	1.92	26	0.14	3.78	40	24.0
R331585		0.078	0.05	1.89	26	0.17	4.21	41	23.6
R331586		0.069	0.04	1.75	28	0.22	4.28	36	20.1
R331587		0.039	0.02	1.60	22	0.24	5.17	32	20.3
R331588		0.048	0.02	1.73	24	0.20	4.71	30	20.7
R331589		0.051	0.03	1.89	26	0.15	4.63	29	20.5
R331590		0.045	0.02	1.82	26	0.14	4.31	29	19.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 9-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143479

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

CERTIFICATE SD15143485

Project: Miller

This report is for 115 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R331591		1.97	0.082		0.06	0.44	0.1	0.2	<10	700	0.31	0.38	1.07	0.01	27.7	3.4
R331592		2.05	0.036		0.07	0.38	0.2	0.2	<10	400	0.24	0.54	1.10	0.01	29.1	3.2
R331593		2.06	0.034		0.09	0.36	0.1	<0.2	<10	280	0.25	2.61	1.14	0.01	30.3	3.7
R331594		1.96	>10.0	42.6	2.03	0.34	<0.1	11.5	<10	430	0.28	74.2	1.14	<0.01	25.3	3.2
R331595		2.07	1.850		0.82	0.39	0.1	7.9	<10	430	0.26	2.70	1.08	0.01	24.4	3.2
R331596		2.11	0.768		0.07	0.46	0.1	0.5	<10	270	0.30	0.43	1.10	0.01	30.4	3.5
R331597		2.06	0.460		0.07	0.43	<0.1	0.4	<10	380	0.30	0.45	1.18	0.01	28.6	3.4
R331598		1.96	0.048		0.01	0.47	0.3	<0.2	<10	240	0.34	0.11	1.15	0.01	36.2	3.4
R331599		1.97	0.093		0.04	0.39	<0.1	0.2	<10	290	0.32	0.91	1.07	<0.01	24.2	3.2
R331600		2.02	0.009		0.01	0.46	<0.1	<0.2	<10	130	0.26	0.14	0.96	0.01	33.9	3.4
R331601		1.89	<0.001		0.01	0.50	0.2	<0.2	<10	100	0.29	0.04	0.93	0.01	39.5	3.6
R331602		1.86	0.001		0.01	0.50	0.1	<0.2	<10	80	0.32	0.04	0.95	0.01	36.2	3.4
R331603		2.04	0.105		0.04	0.43	0.1	<0.2	<10	140	0.31	18.80	0.83	0.01	26.8	3.0
R331604		2.10	0.542		0.03	0.49	0.2	<0.2	<10	50	0.27	0.17	1.02	0.01	31.3	3.3
R331605		1.92	0.022		0.04	0.44	<0.1	<0.2	<10	40	0.33	5.29	0.94	0.01	26.5	3.1
R331606		2.00	<0.001		<0.01	0.51	<0.1	<0.2	<10	30	0.29	0.04	0.78	<0.01	37.1	3.3
R331607		2.00	0.048		0.02	0.43	0.3	<0.2	<10	50	0.43	0.31	0.77	<0.01	23.4	3.5
R331608		2.01	0.003		0.08	0.50	0.1	<0.2	<10	60	0.51	4.62	0.82	<0.01	27.4	3.7
R331609		2.20	0.002		0.01	0.56	0.1	<0.2	<10	30	0.46	0.13	0.63	0.01	31.4	3.6
R331610		0.12	<0.001		<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.01	0.1
R331611		2.09	0.002		0.03	0.56	0.1	<0.2	<10	30	0.52	0.51	0.68	<0.01	28.3	4.3
R331612		2.09	0.004		0.03	0.44	<0.1	<0.2	<10	80	0.35	1.75	0.89	<0.01	33.3	3.1
R331613		2.22	0.007		0.02	0.42	0.1	<0.2	<10	130	0.43	1.70	0.90	<0.01	29.8	3.2
R331614		1.85	0.003		0.02	0.44	0.2	<0.2	<10	100	0.41	0.27	1.04	0.01	34.2	3.5
R331615		2.07	0.033		0.06	0.39	<0.1	<0.2	<10	70	0.62	40.6	1.03	<0.01	27.9	3.5
R331616		1.48	0.060		0.12	0.46	0.1	<0.2	<10	30	0.39	0.98	0.92	<0.01	21.5	3.1
R331617		1.85	0.053		0.22	1.15	0.4	<0.2	<10	60	0.79	2.38	0.27	<0.01	12.70	7.1
R331618		2.12	0.016		0.02	0.77	0.1	<0.2	<10	10	0.38	0.69	0.21	<0.01	25.2	5.3
R331619		2.13	0.039		0.06	0.68	<0.1	<0.2	<10	10	0.33	5.57	0.17	<0.01	21.9	5.3
R331620		0.06	2.44		4.20	1.47	17.6	2.6	<10	40	0.59	0.08	3.54	0.31	20.1	10.2
R331621		1.96	0.002		0.01	0.82	<0.1	<0.2	<10	10	0.39	0.05	0.16	<0.01	24.0	4.8
R331622		2.65	0.018		0.06	2.17	<0.1	<0.2	<10	10	1.14	0.33	0.17	0.01	13.70	11.7
R331623		2.33	0.027		0.09	1.62	0.1	<0.2	<10	10	0.65	0.64	0.16	0.01	17.80	9.6
R331624		2.01	0.033		0.08	0.97	0.1	<0.2	<10	10	0.42	0.43	0.17	0.01	14.45	8.5
R331625		1.84	0.131		0.24	1.27	0.1	<0.2	<10	20	0.22	0.89	0.18	<0.01	7.16	13.3
R331626		2.05	0.130		0.20	1.39	<0.1	<0.2	<10	10	0.27	2.52	0.18	<0.01	5.59	12.7
R331627		1.89	0.106		0.42	1.79	<0.1	<0.2	<10	20	0.32	2.30	0.17	<0.01	4.52	19.0
R331628		1.96	0.339		0.37	2.41	0.1	<0.2	<10	10	0.32	8.21	0.17	<0.01	5.55	17.3
R331629		1.90	0.013		0.08	2.10	0.1	<0.2	<10	10	0.32	0.30	0.19	<0.01	5.64	14.4
R331630		<0.02	0.012		0.07	2.02	0.1	<0.2	<10	<10	0.33	0.30	0.18	0.01	5.42	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R331591		16	0.19	8.5	1.45	3.38	0.07	0.76	<0.01	0.008	0.06	14.2	5.9	0.38	210	1.47
R331592		15	0.62	15.4	1.40	2.26	0.06	0.65	<0.01	0.008	0.12	15.8	5.8	0.29	240	0.23
R331593		16	0.38	16.6	1.52	2.32	0.06	0.77	<0.01	0.009	0.08	15.6	5.1	0.28	235	1.49
R331594		14	0.20	21.1	1.44	2.28	0.06	0.67	<0.01	0.007	0.05	13.3	4.8	0.27	199	28.1
R331595		15	0.18	15.5	1.36	2.45	0.05	0.60	<0.01	0.008	0.06	12.8	5.0	0.33	213	2.63
R331596		20	0.22	9.8	1.51	3.10	0.06	0.69	<0.01	0.008	0.07	15.9	4.5	0.38	230	5.04
R331597		16	0.30	13.2	1.50	2.78	0.06	0.74	<0.01	0.008	0.07	15.0	4.8	0.37	209	8.67
R331598		17	0.36	12.3	1.51	3.28	0.06	0.76	<0.01	0.009	0.07	19.4	5.8	0.39	206	0.25
R331599		17	0.22	9.1	1.45	2.60	0.05	0.65	<0.01	0.007	0.06	12.6	4.5	0.34	168	35.2
R331600		19	0.38	8.7	1.54	3.21	0.06	0.69	<0.01	0.010	0.06	18.7	6.5	0.41	220	2.69
R331601		18	0.38	6.6	1.55	3.64	0.06	0.72	<0.01	0.010	0.07	20.8	6.7	0.44	232	0.26
R331602		20	0.41	4.8	1.52	3.78	0.06	0.80	0.01	0.011	0.07	20.1	7.4	0.45	223	0.22
R331603		20	0.28	11.0	1.40	3.14	0.05	0.63	<0.01	0.007	0.05	14.1	5.5	0.40	179	9.43
R331604		18	0.32	6.2	1.35	3.59	0.06	0.75	<0.01	0.008	0.06	16.8	6.6	0.45	199	0.26
R331605		20	0.32	6.6	1.34	3.20	0.06	0.70	<0.01	0.007	0.05	13.6	5.8	0.41	176	5.59
R331606		19	0.48	2.0	1.55	3.78	0.07	0.74	<0.01	0.008	0.07	20.5	9.9	0.48	219	0.17
R331607		18	0.33	4.8	1.45	3.58	0.05	0.75	<0.01	0.006	0.05	12.1	7.0	0.39	168	5.19
R331608		20	0.39	6.0	1.53	4.11	0.06	0.77	<0.01	0.007	0.05	14.1	8.5	0.47	177	1.36
R331609		19	0.45	3.4	1.55	4.35	0.06	0.73	<0.01	0.007	0.06	16.7	10.0	0.52	193	0.14
R331610		<1	<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05
R331611		21	0.35	7.1	1.59	4.67	0.06	0.77	<0.01	0.007	0.05	14.5	9.4	0.52	182	4.77
R331612		19	0.44	5.8	1.42	3.60	0.06	0.70	<0.01	0.007	0.05	17.9	6.8	0.39	181	2.11
R331613		18	0.38	10.8	1.39	3.48	0.06	0.69	<0.01	0.007	0.06	15.8	6.9	0.37	166	3.32
R331614		17	0.40	22.1	1.40	3.29	0.06	0.60	<0.01	0.008	0.06	18.3	6.9	0.38	196	0.51
R331615		17	0.34	34.2	1.43	3.04	0.06	0.59	<0.01	0.007	0.04	14.9	6.2	0.35	181	95.5
R331616		16	0.28	70.7	1.33	3.29	0.05	0.56	<0.01	0.005	0.04	10.8	7.0	0.42	156	55.4
R331617		15	0.60	18.7	2.19	7.69	0.05	0.69	<0.01	0.012	0.04	6.0	21.2	1.20	248	67.1
R331618		19	0.33	134.5	1.62	5.51	0.06	0.68	<0.01	0.009	0.04	12.6	14.2	0.76	186	1.27
R331619		17	0.26	7.3	1.62	4.71	0.06	0.67	<0.01	0.006	0.02	11.0	12.7	0.71	146	20.1
R331620		23	2.88	69.9	2.68	5.66	0.07	0.31	0.09	0.037	0.21	9.6	17.2	0.80	651	5.64
R331621		19	0.33	3.8	1.57	5.39	0.05	0.64	<0.01	0.005	0.03	11.5	14.3	0.86	202	0.25
R331622		17	1.02	4.5	3.70	11.05	0.07	0.77	<0.01	0.016	0.02	6.0	52.4	2.49	482	1.35
R331623		17	0.59	7.8	2.85	8.47	0.05	0.77	<0.01	0.009	0.02	8.4	36.4	1.92	367	2.32
R331624		19	0.26	329	2.07	5.88	<0.05	0.83	<0.01	0.010	0.02	6.6	17.5	1.13	217	5.12
R331625		20	0.10	659	2.67	7.47	0.06	0.78	<0.01	0.012	0.01	3.0	21.1	1.57	223	27.4
R331626		20	0.08	563	2.76	8.29	0.05	0.80	<0.01	0.013	0.01	2.3	22.6	1.72	254	15.10
R331627		19	0.09	27.1	3.41	11.10	0.08	0.80	<0.01	0.010	0.01	1.7	31.6	2.30	307	230
R331628		20	0.13	35.6	3.90	14.60	0.09	0.78	<0.01	0.016	0.01	2.2	44.5	3.17	397	2.01
R331629		21	0.11	353	3.42	12.85	0.08	0.79	<0.01	0.015	0.01	2.3	37.3	2.73	359	4.17
R331630		20	0.11	414	3.30	12.65	0.10	0.73	<0.01	0.015	0.01	2.1	36.6	2.62	348	4.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R331591		0.07	0.19	5.7	470	1.4	2.6	<0.001	0.38	<0.05	1.4	0.2	0.2	65.7	<0.01	0.04
R331592		0.07	0.17	5.3	410	3.0	9.0	<0.001	0.32	0.05	1.3	0.2	0.4	61.6	<0.01	0.07
R331593		0.07	0.18	5.4	440	4.0	4.7	<0.001	0.61	<0.05	1.4	0.3	<0.2	66.2	<0.01	0.11
R331594		0.07	0.11	5.2	430	3.8	2.3	0.007	0.58	<0.05	1.1	0.7	<0.2	54.4	<0.01	42.0
R331595		0.06	<0.05	4.9	350	5.4	2.5	0.001	0.41	0.05	1.2	0.3	0.4	47.2	<0.01	0.33
R331596		0.07	0.14	5.4	420	2.7	2.9	0.002	0.25	<0.05	1.5	0.3	<0.2	42.9	<0.01	0.06
R331597		0.07	0.15	5.5	440	2.2	3.1	0.002	0.29	<0.05	1.3	0.3	<0.2	47.5	<0.01	0.08
R331598		0.06	0.24	5.8	440	1.4	3.3	<0.001	0.06	0.05	1.5	0.2	0.5	37.4	<0.01	0.02
R331599		0.06	0.20	4.9	410	3.0	2.4	0.009	0.42	<0.05	1.3	0.4	0.2	35.4	<0.01	0.18
R331600		0.06	0.32	5.6	420	2.2	2.6	0.001	0.09	<0.05	1.6	0.2	0.3	37.7	<0.01	0.02
R331601		0.06	0.25	6.0	440	1.6	2.9	<0.001	<0.01	0.05	1.6	0.3	0.6	31.4	<0.01	<0.01
R331602		0.07	0.30	5.7	420	1.9	2.9	<0.001	<0.01	<0.05	1.6	0.2	0.3	28.8	<0.01	0.01
R331603		0.07	0.21	5.3	380	8.7	2.1	0.003	0.18	<0.05	1.4	0.4	0.2	24.9	<0.01	0.29
R331604		0.07	0.24	5.6	430	2.0	2.4	<0.001	0.09	<0.05	1.5	0.3	0.6	25.7	<0.01	0.04
R331605		0.07	0.23	5.1	400	4.5	2.1	0.001	0.19	<0.05	1.5	0.4	0.2	23.3	<0.01	0.12
R331606		0.07	0.29	5.9	420	1.6	2.8	<0.001	<0.01	<0.05	1.6	0.3	0.3	26.9	<0.01	<0.01
R331607		0.07	0.21	5.6	380	1.4	2.0	0.002	0.29	0.05	1.4	0.5	0.5	21.0	<0.01	0.05
R331608		0.07	0.22	5.5	420	3.4	2.1	0.001	0.25	<0.05	1.5	0.4	0.3	20.5	<0.01	0.09
R331609		0.07	0.22	5.8	420	0.9	2.4	<0.001	0.09	<0.05	1.5	0.3	0.3	18.9	<0.01	0.02
R331610		0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R331611		0.07	0.20	6.2	410	1.5	2.1	0.002	0.29	<0.05	1.6	0.3	0.6	19.9	<0.01	0.02
R331612		0.07	0.20	5.2	390	1.7	2.2	0.001	0.17	<0.05	1.4	0.2	0.2	22.5	<0.01	0.03
R331613		0.07	0.25	5.5	380	2.1	2.4	0.001	0.21	<0.05	1.5	0.4	0.3	26.7	<0.01	0.17
R331614		0.06	0.22	5.5	400	1.4	2.5	<0.001	0.19	<0.05	1.5	0.3	0.5	27.3	<0.01	0.05
R331615		0.07	0.18	5.0	410	9.9	1.9	0.018	0.49	<0.05	1.3	0.7	0.2	23.3	<0.01	1.69
R331616		0.07	0.16	4.7	420	3.0	1.6	0.018	0.39	<0.05	1.3	0.4	0.2	16.4	<0.01	0.21
R331617		0.06	0.14	6.4	430	2.5	2.1	0.021	0.20	<0.05	1.8	0.5	0.5	9.0	<0.01	0.25
R331618		0.07	0.16	5.7	420	1.0	1.9	0.001	0.25	<0.05	1.7	0.4	0.3	9.7	<0.01	0.03
R331619		0.08	0.20	6.5	430	1.7	1.1	0.005	0.42	<0.05	1.6	0.6	0.3	9.6	<0.01	3.01
R331620		0.07	<0.05	10.3	590	15.6	10.7	0.002	0.83	0.40	8.1	0.8	0.5	109.0	<0.01	2.22
R331621		0.08	0.14	6.6	430	0.5	1.5	<0.001	0.04	<0.05	1.6	0.2	0.6	10.6	<0.01	0.01
R331622		0.07	0.08	17.3	470	7.1	1.4	0.001	0.29	<0.05	3.0	0.2	0.4	13.7	<0.01	0.09
R331623		0.07	0.08	13.5	480	7.1	1.2	0.001	0.29	<0.05	2.2	0.3	0.4	10.1	<0.01	0.22
R331624		0.08	0.16	9.5	490	2.6	1.0	0.002	0.45	<0.05	2.3	0.5	0.6	10.0	<0.01	0.07
R331625		0.08	0.14	13.4	500	7.1	0.3	0.009	0.74	<0.05	4.0	0.8	0.4	9.3	<0.01	0.26
R331626		0.08	0.14	14.3	520	2.4	0.2	0.003	0.63	<0.05	4.5	0.6	0.4	8.7	<0.01	1.49
R331627		0.06	0.12	18.2	480	10.0	0.2	0.097	0.72	<0.05	5.8	0.7	0.8	8.5	<0.01	0.65
R331628		0.06	0.08	22.0	480	2.1	0.2	0.001	0.20	<0.05	6.7	0.6	0.5	7.3	<0.01	5.13
R331629		0.06	0.11	19.7	610	2.6	0.2	0.002	0.20	<0.05	5.9	0.4	0.5	7.6	<0.01	0.07
R331630		0.06	0.10	19.2	560	2.8	0.2	0.001	0.20	<0.05	5.7	0.4	0.7	7.4	<0.01	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331591		3.9	0.029	0.02	1.53	22	0.23	4.76	27	20.4
R331592		3.5	0.025	0.06	1.43	17	0.14	3.37	27	16.9
R331593		3.7	0.023	0.03	1.55	17	0.17	3.73	22	19.2
R331594		3.3	0.014	<0.02	1.29	17	0.16	4.27	18	17.5
R331595		3.3	0.007	0.02	1.26	16	0.35	3.44	23	15.8
R331596		3.5	0.019	0.02	1.40	22	0.45	3.88	28	18.1
R331597		3.8	0.024	0.02	1.45	20	0.30	4.63	22	18.8
R331598		4.4	0.041	0.02	1.49	23	0.44	4.75	26	19.4
R331599		4.6	0.031	<0.02	1.34	18	0.32	4.19	19	16.0
R331600		3.9	0.051	<0.02	1.42	23	0.24	3.75	26	18.0
R331601		4.0	0.048	0.02	1.46	24	0.28	4.36	30	17.9
R331602		4.0	0.053	<0.02	1.77	23	0.30	4.30	29	19.5
R331603		3.6	0.037	<0.02	1.40	21	0.20	3.39	22	15.4
R331604		4.5	0.048	0.02	1.48	22	0.35	4.00	26	18.1
R331605		3.9	0.038	<0.02	1.43	21	0.26	3.53	24	16.9
R331606		4.7	0.055	<0.02	1.55	24	0.19	3.94	25	18.3
R331607		4.1	0.036	<0.02	1.72	22	0.28	4.09	19	17.9
R331608		4.6	0.044	<0.02	1.79	26	0.35	4.71	22	19.1
R331609		4.4	0.048	0.02	1.67	26	0.27	4.50	27	18.2
R331610		0.2	<0.005	<0.02	0.08	<1	<0.05	0.56	<2	0.6
R331611		4.4	0.042	0.02	1.88	27	0.26	4.67	24	18.7
R331612		4.3	0.038	<0.02	1.64	24	0.26	4.28	22	16.5
R331613		3.8	0.043	0.02	1.46	23	0.24	4.43	20	16.6
R331614		3.7	0.038	<0.02	1.40	21	0.20	4.62	27	15.1
R331615		3.6	0.029	<0.02	1.33	20	0.19	5.37	22	14.8
R331616		3.6	0.035	0.02	1.14	18	0.31	4.01	18	14.6
R331617		3.8	0.051	0.03	1.31	29	0.58	3.26	39	19.7
R331618		3.8	0.046	<0.02	1.39	26	0.31	3.91	28	17.1
R331619		3.6	0.043	<0.02	1.20	23	0.21	3.57	28	17.5
R331620		1.2	0.052	0.13	0.30	63	0.35	7.25	79	11.2
R331621		3.6	0.045	<0.02	1.28	25	0.27	3.92	36	16.5
R331622		4.1	0.037	<0.02	1.46	58	0.35	3.56	86	19.2
R331623		3.8	0.037	<0.02	1.37	44	0.33	2.81	64	19.4
R331624		3.4	0.046	<0.02	1.23	31	0.19	3.74	35	20.0
R331625		3.6	0.048	<0.02	1.18	43	0.14	3.52	42	20.1
R331626		4.4	0.052	<0.02	1.21	47	0.12	4.42	47	18.9
R331627		4.2	0.048	<0.02	1.64	57	0.14	3.05	56	19.4
R331628		4.3	0.057	<0.02	1.39	69	0.12	3.63	77	18.9
R331629		4.4	0.059	<0.02	1.76	62	0.11	3.46	73	17.6
R331630		4.5	0.056	<0.02	1.69	59	0.12	3.36	70	17.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R331631		1.91	0.118		0.11	1.75	0.1	<0.2	<10	10	0.32	0.65	0.18	<0.01	4.93	14.1
R331632		2.15	0.073		0.20	1.20	<0.1	<0.2	<10	20	0.29	0.69	0.05	<0.01	2.87	8.9
R331633		1.92	1.375		0.52	2.02	0.3	<0.2	<10	10	0.34	9.05	0.24	0.01	6.60	20.1
R331634		1.90	0.093		0.11	1.95	0.2	<0.2	<10	10	0.32	0.50	0.22	0.03	6.12	17.2
R331635		1.99	0.050		0.09	1.90	0.2	<0.2	<10	10	0.33	0.49	0.22	0.05	7.11	15.0
R331636		3.00	0.004		0.02	1.95	<0.1	<0.2	<10	10	0.35	0.08	0.21	0.02	7.41	11.8
R331637		2.87	0.009		0.02	1.21	0.2	<0.2	<10	10	0.59	0.09	0.19	0.01	21.0	7.3
R331638		2.25	0.007		0.10	2.00	0.2	<0.2	<10	10	0.37	0.16	0.18	<0.01	7.20	12.8
R331639		2.24	0.110		0.13	1.83	0.2	<0.2	<10	10	0.32	0.48	0.17	0.17	5.39	14.2
R331640		0.12	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.07	0.1
R331641		2.93	0.032		0.09	1.99	<0.1	<0.2	<10	10	0.32	0.16	0.17	<0.01	5.01	13.3
R331642		2.87	0.030		0.11	2.28	<0.1	<0.2	<10	10	0.32	0.31	0.12	0.02	4.04	14.8
R331643		0.63	0.066		0.08	2.18	0.2	<0.2	<10	10	0.41	0.32	0.07	0.02	3.42	14.6
R331644		2.60	0.090		0.20	0.89	0.1	<0.2	<10	10	0.22	0.58	0.06	<0.01	2.97	9.2
R331645		1.91	0.009		0.09	1.99	0.2	<0.2	<10	10	0.34	0.15	0.18	0.96	5.42	13.3
R331646		2.01	0.028		0.11	2.35	<0.1	<0.2	<10	10	0.39	0.29	0.18	0.02	5.56	17.9
R331647		2.10	0.169		0.43	2.54	0.2	<0.2	<10	10	0.48	1.89	0.20	0.03	4.07	22.2
R331648		1.94	0.230		1.03	1.89	0.3	<0.2	<10	<10	0.30	4.34	0.15	0.01	3.64	18.1
R331649		2.94	0.139		0.30	2.05	<0.1	<0.2	<10	10	0.33	1.53	0.17	0.06	4.48	15.2
R331650		0.07	2.49		4.66	1.56	18.9	2.4	<10	40	0.60	0.09	3.72	0.35	21.3	10.4
R331651		2.98	0.023		0.10	2.43	0.1	<0.2	<10	10	0.36	0.27	0.18	0.04	4.98	15.3
R331652		2.91	0.099		0.18	1.94	<0.1	0.8	<10	10	0.36	0.61	0.19	0.01	5.29	14.4
R331653		3.08	0.030		0.08	1.13	0.2	<0.2	<10	10	0.36	0.21	0.18	0.01	18.75	7.0
R331654		2.90	0.019		0.01	0.86	0.1	<0.2	<10	20	0.41	0.11	0.19	<0.01	35.4	5.3
R331655		2.98	0.037		0.18	1.20	0.2	<0.2	<10	10	0.29	0.61	0.22	<0.01	12.50	8.8
R331656		1.86	0.051		0.07	1.46	<0.1	<0.2	<10	10	0.26	0.25	0.22	<0.01	8.62	9.3
R331657		1.79	0.075		0.14	1.70	0.1	<0.2	<10	10	0.40	0.74	0.21	<0.01	5.65	13.3
R331658		1.98	0.554		0.03	1.23	0.3	<0.2	<10	20	0.37	0.10	0.22	<0.01	26.5	7.3
R331659		2.03	0.062		0.07	0.69	0.1	<0.2	<10	30	0.35	0.54	0.34	<0.01	23.9	5.7
R331660		<0.02	0.064		0.12	0.71	0.3	0.2	<10	30	0.29	0.65	0.35	<0.01	25.3	5.8
R331661		2.11	0.302		0.02	0.65	0.2	<0.2	<10	60	0.32	0.19	0.61	0.01	34.0	4.2
R331662		2.08	0.042		0.08	0.60	0.4	0.3	<10	80	0.43	0.13	0.79	<0.01	39.1	4.1
R331663		1.95	0.007		0.03	0.44	0.2	<0.2	<10	80	0.28	0.33	0.66	0.02	34.2	3.6
R331664		2.53	0.002		0.04	2.02	0.4	<0.2	<10	20	0.49	0.11	1.48	0.02	7.20	42.1
R331665		2.50	<0.001		0.04	1.85	0.2	<0.2	<10	20	0.21	0.04	1.38	0.02	6.89	36.9
R331666		2.44	0.001		0.03	2.03	0.2	<0.2	<10	20	0.46	0.13	1.74	0.02	6.32	36.5
R331667		0.66	0.034		0.15	0.15	0.5	<0.2	<10	20	0.12	0.56	0.48	0.10	3.45	2.0
R331668		1.17	0.191		0.09	1.63	0.3	<0.2	<10	20	0.87	1.15	3.15	0.02	15.80	36.3
R331669		1.94	0.047		0.06	0.57	0.2	<0.2	<10	20	0.33	0.35	0.50	<0.01	25.0	4.3
R331670		1.82	0.103		0.08	0.42	0.3	<0.2	<10	20	0.33	0.68	0.80	<0.01	25.1	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R331631		18	0.10	18.7	3.04	10.80	0.07	0.90	<0.01	0.011	0.01	1.9	30.0	2.24	295	18.20
R331632		6	0.09	69.7	2.22	7.65	<0.05	2.32	<0.01	0.006	0.01	0.6	16.8	1.41	195	8.43
R331633		24	0.12	7.7	3.59	12.80	0.08	0.84	<0.01	0.010	0.01	2.6	37.9	2.64	320	3.95
R331634		23	0.10	11.7	3.37	11.85	0.08	0.79	<0.01	0.009	0.01	2.4	35.3	2.57	325	4.20
R331635		22	0.11	18.7	3.18	11.65	0.08	0.93	<0.01	0.013	0.01	3.0	37.0	2.48	350	0.29
R331636		19	0.14	7.7	2.98	11.80	0.09	1.00	<0.01	0.012	0.01	3.0	37.5	2.53	362	0.15
R331637		21	0.41	7.5	2.16	7.08	<0.05	0.82	<0.01	0.010	0.03	10.2	21.2	1.35	275	0.24
R331638		18	0.14	7.9	3.11	11.95	0.07	0.76	<0.01	0.015	0.01	3.2	38.4	2.62	360	0.18
R331639		16	0.18	110.5	3.07	10.55	0.06	0.81	<0.01	0.016	0.01	2.2	36.5	2.38	310	7.21
R331640		<1	<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05
R331641		17	0.08	13.9	3.10	11.75	0.07	0.81	<0.01	0.012	0.01	1.9	39.9	2.62	347	0.14
R331642		12	0.29	13.3	3.45	13.20	0.08	1.12	<0.01	0.011	0.01	1.4	44.3	3.05	357	0.19
R331643		6	0.84	9.0	3.35	12.90	0.07	2.12	<0.01	0.010	0.01	0.9	41.3	2.75	328	0.13
R331644		7	<0.05	82.4	1.88	5.50	<0.05	2.17	<0.01	0.007	0.01	0.8	14.1	1.02	156	0.14
R331645		17	0.09	41.9	3.10	11.85	0.07	0.77	<0.01	0.026	0.01	2.1	40.4	2.59	356	0.31
R331646		17	0.19	35.9	3.72	13.75	0.09	0.82	<0.01	0.012	0.01	2.2	48.3	3.11	397	0.91
R331647		15	0.40	34.5	4.50	14.55	0.10	0.70	<0.01	0.013	0.01	1.6	48.9	3.28	402	11.35
R331648		16	0.10	10.8	3.46	11.25	0.06	0.78	<0.01	0.009	0.01	1.3	35.6	2.40	318	57.4
R331649		18	0.08	374	3.46	11.80	0.08	0.73	<0.01	0.013	0.01	1.7	40.3	2.61	341	1.48
R331650		24	3.02	71.2	2.98	6.10	0.06	0.39	0.09	0.034	0.23	10.0	17.0	0.87	675	5.97
R331651		18	0.12	472	3.91	14.35	0.09	0.80	<0.01	0.016	0.01	1.9	47.2	3.15	435	0.63
R331652		17	0.08	361	3.35	11.65	0.07	0.84	<0.01	0.013	0.01	2.1	37.5	2.39	346	3.49
R331653		15	0.25	189.0	2.14	7.24	<0.05	0.83	<0.01	0.008	0.04	9.7	19.5	1.24	263	1.33
R331654		20	0.39	9.7	1.87	5.72	<0.05	0.64	<0.01	0.006	0.06	17.9	14.8	0.84	237	0.23
R331655		21	0.14	714	2.31	7.47	0.05	0.77	<0.01	0.011	0.02	5.7	21.2	1.35	265	3.00
R331656		20	0.07	478	2.62	8.75	0.06	0.86	<0.01	0.010	0.01	3.8	26.7	1.73	291	0.46
R331657		20	0.09	466	3.11	10.80	0.06	0.95	<0.01	0.011	0.01	2.3	31.9	2.10	330	0.71
R331658		20	0.29	10.1	2.30	8.31	0.08	0.61	<0.01	0.013	0.04	13.7	22.5	1.33	288	0.30
R331659		18	0.24	6.9	1.81	4.97	0.07	0.63	<0.01	0.006	0.04	13.3	12.1	0.70	176	21.9
R331660		20	0.25	7.0	1.91	5.02	0.06	0.66	<0.01	0.006	0.04	13.8	12.0	0.70	186	22.6
R331661		18	0.36	5.0	1.70	4.91	0.08	0.72	<0.01	0.008	0.06	19.5	10.2	0.61	204	0.26
R331662		18	0.34	5.5	1.73	4.82	0.09	0.75	<0.01	0.007	0.07	21.8	8.2	0.52	210	0.26
R331663		18	0.27	10.1	1.53	3.54	0.07	0.89	<0.01	0.007	0.07	20.1	5.6	0.36	206	0.80
R331664		26	0.31	178.0	7.30	10.55	0.21	0.21	<0.01	0.019	0.03	3.0	20.5	1.47	833	1.83
R331665		29	0.18	160.0	6.59	9.39	0.16	0.16	<0.01	0.019	0.03	2.6	19.8	1.10	897	1.09
R331666		21	0.29	168.5	6.66	9.05	0.14	0.15	<0.01	0.017	0.06	2.8	21.2	1.24	883	1.76
R331667		8	0.05	42.5	0.79	0.77	<0.05	1.37	<0.01	<0.005	0.05	2.3	0.6	0.03	71	5.97
R331668		23	0.26	235	7.27	9.59	0.10	0.63	<0.01	0.016	0.06	8.5	18.5	1.52	610	5.72
R331669		16	0.14	38.5	1.57	4.62	0.06	1.03	<0.01	0.007	0.04	13.8	8.7	0.54	163	2.07
R331670		16	0.11	9.4	1.57	3.69	<0.05	0.86	<0.01	0.006	0.04	14.2	5.0	0.35	130	8.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R331631		0.08	0.11	17.4	530	4.9	0.3	0.006	0.39	<0.05	5.4	0.3	0.7	8.9	<0.01	0.22
R331632		0.10	0.11	13.2	70	11.1	0.2	0.002	0.36	<0.05	3.9	0.2	0.5	4.9	<0.01	0.30
R331633		0.07	0.12	22.0	730	7.1	0.3	0.001	0.67	<0.05	6.6	0.9	0.7	9.2	<0.01	5.03
R331634		0.08	0.13	20.7	650	4.9	0.2	0.001	0.47	<0.05	6.2	0.4	0.8	8.5	<0.01	0.16
R331635		0.08	0.13	20.3	660	4.2	0.3	<0.001	0.33	<0.05	5.2	0.2	0.7	8.2	<0.01	0.12
R331636		0.08	0.13	19.8	590	2.0	0.4	<0.001	0.05	<0.05	5.1	<0.2	0.6	8.8	<0.01	0.03
R331637		0.09	0.12	8.8	530	1.3	2.0	<0.001	0.09	<0.05	2.1	0.4	0.7	11.1	<0.01	0.01
R331638		0.08	0.11	19.8	510	0.7	0.5	<0.001	0.07	<0.05	5.6	0.2	0.7	8.6	<0.01	0.10
R331639		0.08	0.11	18.0	520	13.3	0.4	0.003	0.40	<0.05	4.9	0.3	0.7	8.3	<0.01	0.16
R331640		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R331641		0.07	0.11	20.0	480	2.6	0.3	<0.001	0.14	<0.05	6.1	<0.2	0.7	8.5	<0.01	0.08
R331642		0.07	0.08	22.0	320	7.4	0.4	<0.001	0.14	<0.05	6.4	0.2	0.7	6.4	<0.01	0.14
R331643		0.12	0.09	21.5	150	6.2	0.6	<0.001	0.23	<0.05	5.6	0.3	0.5	4.9	<0.01	0.08
R331644		0.09	0.12	10.2	160	7.5	0.2	<0.001	0.50	<0.05	3.3	0.5	0.4	4.7	<0.01	0.16
R331645		0.09	0.12	20.2	520	75.9	0.4	<0.001	0.12	<0.05	5.4	0.3	0.7	8.5	<0.01	0.05
R331646		0.07	0.10	22.6	510	5.6	0.3	<0.001	0.26	<0.05	6.9	<0.2	0.7	8.3	<0.01	0.10
R331647		0.07	0.09	24.1	380	9.1	0.5	0.003	0.74	<0.05	8.7	0.5	0.8	9.4	<0.01	0.78
R331648		0.07	0.11	17.8	400	20.9	0.3	0.017	0.56	<0.05	6.9	0.7	0.7	6.8	<0.01	2.14
R331649		0.09	0.12	20.1	480	9.7	0.3	<0.001	0.38	<0.05	6.1	0.5	0.7	8.4	<0.01	0.74
R331650		0.07	0.05	10.8	620	18.0	10.7	0.003	0.86	0.44	8.1	0.9	0.5	117.5	<0.01	2.28
R331651		0.07	0.09	24.0	510	4.4	0.3	<0.001	0.23	<0.05	7.0	0.5	0.7	7.7	<0.01	0.08
R331652		0.10	0.12	20.4	490	16.7	0.3	0.001	0.37	<0.05	5.7	0.4	0.8	9.4	<0.01	0.18
R331653		0.09	0.13	11.0	380	2.6	1.8	0.001	0.16	<0.05	2.8	<0.2	0.6	9.9	<0.01	0.04
R331654		0.09	0.22	7.0	460	0.9	2.8	<0.001	0.06	<0.05	2.0	0.3	0.6	13.0	<0.01	0.02
R331655		0.09	0.18	14.9	580	2.1	1.1	0.002	0.28	<0.05	3.2	0.9	0.7	12.5	<0.01	0.09
R331656		0.10	0.17	17.6	590	1.4	0.3	<0.001	0.28	<0.05	4.4	0.4	0.7	9.3	<0.01	0.04
R331657		0.08	0.12	21.7	600	2.2	0.4	0.001	0.40	<0.05	4.6	0.5	0.8	9.3	<0.01	0.25
R331658		0.07	0.12	9.3	530	0.9	2.2	<0.001	0.09	<0.05	2.4	0.2	0.6	17.1	<0.01	0.03
R331659		0.06	0.17	5.9	450	2.3	1.7	0.010	0.37	<0.05	1.5	0.3	0.5	15.8	<0.01	0.15
R331660		0.07	0.16	6.1	450	2.6	1.8	0.009	0.37	<0.05	1.6	0.3	0.6	16.6	<0.01	0.13
R331661		0.06	0.22	5.6	460	2.6	2.5	<0.001	0.10	<0.05	1.5	0.2	0.5	25.8	<0.01	0.06
R331662		0.07	0.32	5.9	480	3.4	3.2	<0.001	0.08	<0.05	1.7	0.3	0.6	31.6	<0.01	0.05
R331663		0.06	0.43	5.1	470	6.5	3.0	<0.001	0.14	0.05	1.1	0.3	0.6	38.8	<0.01	0.13
R331664		0.06	0.09	28.6	550	1.1	1.6	0.003	0.29	<0.05	8.6	1.1	0.5	50.6	<0.01	0.04
R331665		0.07	0.11	25.0	540	4.8	1.5	0.003	0.24	0.06	8.4	0.9	3.2	41.5	<0.01	0.02
R331666		0.06	0.11	25.5	530	0.7	3.1	0.002	0.22	<0.05	8.6	0.8	0.4	37.3	<0.01	0.02
R331667		0.08	0.07	1.4	10	19.3	1.3	0.001	0.34	0.06	0.3	0.2	0.3	14.2	<0.01	0.07
R331668		0.05	0.11	23.3	520	4.3	3.0	0.004	1.26	<0.05	11.0	0.7	0.5	44.2	<0.01	0.14
R331669		0.07	0.23	4.5	340	2.1	1.7	0.001	0.28	<0.05	1.4	0.3	0.5	14.2	<0.01	0.05
R331670		0.08	0.35	4.7	280	2.6	1.4	0.003	0.59	<0.05	1.4	0.2	0.6	14.5	<0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331631		5.9	0.051	<0.02	2.45	52	0.13	3.08	61	19.0
R331632		10.6	0.018	<0.02	2.72	36	0.21	2.63	30	45.2
R331633		4.5	0.068	<0.02	1.68	62	0.15	2.95	66	19.3
R331634		5.3	0.070	<0.02	1.44	59	0.17	2.29	62	17.7
R331635		6.4	0.069	<0.02	1.89	59	0.13	2.84	67	19.9
R331636		6.6	0.071	<0.02	1.78	54	0.13	2.66	65	19.6
R331637		5.7	0.043	<0.02	2.19	31	0.21	3.82	44	16.8
R331638		4.4	0.061	<0.02	1.24	57	0.15	3.11	63	18.0
R331639		5.1	0.052	<0.02	1.95	52	0.15	2.38	68	18.1
R331640		0.2	<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.7
R331641		5.4	0.056	<0.02	1.19	56	0.14	2.07	61	17.8
R331642		6.2	0.039	<0.02	2.61	62	0.10	2.01	61	26.9
R331643		11.1	0.031	<0.02	3.81	61	0.08	3.57	57	48.0
R331644		9.1	0.019	<0.02	3.93	26	0.17	2.69	25	46.1
R331645		5.9	0.066	<0.02	1.91	55	0.14	2.13	111	18.1
R331646		6.3	0.059	<0.02	1.77	65	0.16	2.19	72	18.2
R331647		5.1	0.047	<0.02	1.52	70	0.15	2.39	71	14.9
R331648		4.4	0.051	0.02	1.50	56	0.13	2.78	55	18.5
R331649		4.2	0.060	<0.02	1.35	58	0.12	3.29	65	18.8
R331650		1.4	0.054	0.13	0.33	66	0.43	7.71	82	11.6
R331651		4.5	0.060	<0.02	1.19	72	0.10	2.76	77	19.4
R331652		4.5	0.061	<0.02	1.27	59	0.14	2.76	60	20.8
R331653		3.8	0.045	<0.02	1.21	35	0.18	3.11	38	20.4
R331654		3.1	0.058	0.02	0.94	29	0.25	4.35	33	16.8
R331655		3.6	0.061	<0.02	0.93	40	0.18	2.67	42	20.7
R331656		6.9	0.073	<0.02	1.42	47	0.17	2.51	45	20.7
R331657		6.7	0.066	<0.02	1.29	56	0.16	2.73	53	22.3
R331658		5.0	0.058	<0.02	1.78	35	0.29	3.39	45	16.3
R331659		4.6	0.043	<0.02	1.71	23	0.26	3.10	25	15.4
R331660		4.9	0.047	<0.02	1.73	23	0.30	3.23	25	16.6
R331661		5.7	0.052	<0.02	1.81	23	0.43	3.17	29	18.6
R331662		5.6	0.065	0.02	2.01	26	0.56	3.89	28	19.5
R331663		6.3	0.061	0.02	2.34	22	0.22	3.35	27	21.2
R331664		0.4	0.307	<0.02	0.13	185	0.51	8.90	78	5.0
R331665		0.2	0.266	<0.02	0.05	165	0.25	8.17	81	3.6
R331666		0.2	0.280	0.02	<0.05	153	0.33	8.33	76	3.3
R331667		6.5	0.006	<0.02	2.87	4	0.21	1.03	12	30.5
R331668		2.6	0.257	0.03	1.06	151	1.26	8.58	60	17.1
R331669		5.0	0.042	0.02	1.89	22	0.31	3.33	20	29.2
R331670		4.0	0.045	<0.02	1.54	19	0.35	3.09	15	24.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R331671		1.99	0.080		0.11	0.29	0.3	<0.2	<10	20	0.24	7.78	0.50	0.02	15.25	2.7
R331672		1.92	0.059		0.06	0.31	0.2	<0.2	<10	30	0.19	0.35	0.55	<0.01	21.4	2.2
R331673		2.30	1.340		0.08	0.33	0.3	<0.2	<10	20	0.25	2.29	1.28	<0.01	21.1	3.0
R331674		1.13	0.144		0.13	0.21	0.3	<0.2	<10	20	0.14	1.38	0.45	<0.01	13.25	2.1
R331676		0.11	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.88	0.1
R331677		1.17	0.097		0.39	0.27	0.3	0.3	<10	10	0.26	9.79	0.62	0.08	18.90	3.0
R331678		1.73	0.005		0.05	2.77	0.2	<0.2	10	10	0.26	0.03	1.94	0.09	14.80	19.7
R331680		0.11	<0.001		<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.89	0.1
R331681		0.74	0.397		0.24	0.28	0.3	<0.2	<10	10	0.27	25.5	1.35	0.01	14.25	4.0
R331682		2.36	0.027		0.07	2.23	0.3	<0.2	<10	20	0.57	0.32	3.50	0.03	9.42	44.6
R331683		3.39	0.003		0.08	2.00	0.6	<0.2	<10	20	0.42	1.13	2.79	0.02	8.45	38.4
R331684		3.34	0.003		0.07	2.38	0.6	<0.2	10	20	0.60	0.12	2.81	0.04	7.96	34.0
R331685		2.84	0.002		0.05	2.01	0.1	<0.2	<10	10	0.29	0.11	2.35	0.03	7.13	37.4
R331686		2.44	0.004		0.06	2.81	0.2	<0.2	20	20	0.28	0.04	1.92	0.01	14.60	23.7
R331687		2.51	0.003		0.04	2.61	0.4	<0.2	10	10	0.15	0.02	1.80	0.07	13.60	19.9
R331688		3.43	0.001		0.05	1.99	0.3	<0.2	<10	10	0.22	0.06	2.39	0.02	6.28	34.2
R331689		3.44	0.005		0.08	1.99	0.2	<0.2	<10	10	0.19	0.20	2.53	0.03	7.18	34.2
R331690		<0.02	0.005		0.07	1.91	0.2	<0.2	<10	10	0.22	0.17	2.52	0.03	7.16	31.9
R331691		3.33	0.002		0.06	2.16	0.1	<0.2	<10	30	0.22	0.10	2.78	0.06	6.02	35.9
R331692		3.45	0.005		0.07	2.28	0.3	<0.2	<10	30	0.26	0.05	2.91	0.04	6.08	39.7
R331693		1.09	0.012		0.13	1.89	0.5	<0.2	<10	20	1.02	1.13	4.66	0.05	7.84	46.2
R331694		2.21	0.005		0.19	1.14	0.5	<0.2	<10	10	1.24	0.68	4.22	0.09	7.60	29.7
R331695		2.06	0.007		0.18	1.30	0.4	<0.2	<10	<10	0.81	0.39	3.63	0.06	7.03	30.1
R331696		1.84	0.010		0.36	1.05	0.3	<0.2	<10	<10	1.09	0.53	3.82	0.11	7.96	23.9
R331697		1.57	0.001		0.08	2.40	0.3	<0.2	<10	<10	0.91	0.17	5.04	0.08	6.34	43.9
R331698		3.03	0.003		0.06	2.39	0.1	<0.2	<10	<10	0.14	0.01	2.25	0.02	7.98	34.4
R331699		2.96	0.003		0.05	2.20	0.1	<0.2	<10	<10	0.31	0.25	2.24	0.02	8.72	35.4
R331700		3.21	0.004		0.07	2.01	0.4	<0.2	<10	10	0.38	0.08	2.59	0.06	7.90	37.4
R331701		3.70	0.003		0.10	1.93	0.3	<0.2	<10	10	0.58	0.18	3.65	0.05	9.44	33.7
R331702		3.34	0.004		0.09	1.98	0.6	<0.2	<10	10	0.59	0.18	3.29	0.04	7.16	33.2
R331703		2.47	0.031		0.33	2.27	1.4	<0.2	<10	10	0.80	0.99	4.35	0.07	5.88	40.3
R331704		2.43	0.002		0.06	2.14	0.9	<0.2	<10	10	0.57	0.18	3.05	0.13	7.39	37.1
R331705		2.73	0.003		0.06	1.48	0.3	<0.2	<10	10	0.22	0.05	1.99	0.03	6.23	27.8
R331706		2.91	0.005		0.09	1.56	0.2	<0.2	<10	10	0.25	0.10	2.68	0.06	6.09	26.7
R331707		2.54	0.004		0.07	1.60	0.3	<0.2	<10	10	0.17	0.06	2.36	0.04	6.97	26.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R331671		12	0.14	28.7	1.00	2.20	<0.05	1.39	<0.01	0.005	0.05	9.0	3.3	0.20	94	0.73
R331672		13	0.10	15.6	1.03	2.42	0.05	1.37	<0.01	0.007	0.07	12.8	3.3	0.21	103	2.86
R331673		14	0.06	7.0	1.14	2.85	0.06	1.15	<0.01	0.012	0.06	12.1	3.7	0.24	114	4.06
R331674		11	0.05	8.9	0.93	1.48	<0.05	1.30	<0.01	0.005	0.08	8.1	2.2	0.11	70	30.6
R331676		<1	<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.06
R331677		12	0.08	11.0	1.10	2.25	<0.05	1.54	<0.01	0.007	0.05	11.1	3.2	0.19	85	5.30
R331678		11	1.16	153.5	4.07	7.92	0.09	0.63	<0.01	0.025	0.05	6.7	6.9	1.01	478	0.45
R331680		<1	<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05
R331681		11	0.06	46.4	1.28	2.14	<0.05	1.13	<0.01	0.005	0.04	8.0	3.3	0.19	115	20.5
R331682		26	0.57	138.0	8.89	11.55	0.11	0.29	<0.01	0.027	0.11	4.8	21.1	1.64	948	1.72
R331683		23	0.49	193.5	7.02	10.20	0.14	0.15	<0.01	0.029	0.06	3.7	13.0	1.42	880	21.3
R331684		25	0.68	139.0	7.31	12.15	0.19	0.13	<0.01	0.029	0.06	3.2	21.0	1.81	946	4.43
R331685		24	0.50	167.5	7.12	10.10	0.17	0.16	<0.01	0.028	0.04	2.9	16.8	1.38	857	0.32
R331686		13	1.13	158.5	4.92	8.07	0.13	0.56	<0.01	0.030	0.05	6.0	12.8	1.73	375	0.35
R331687		8	1.02	156.5	4.19	7.64	0.09	0.54	<0.01	0.022	0.06	5.8	4.7	0.93	425	0.37
R331688		20	0.17	146.0	5.81	8.32	0.13	0.16	<0.01	0.017	0.05	2.5	12.8	1.00	867	1.38
R331689		21	0.24	163.5	5.99	8.81	0.13	0.12	<0.01	0.019	0.05	2.7	14.8	1.00	777	0.26
R331690		19	0.21	155.0	5.76	8.36	0.11	0.11	<0.01	0.019	0.05	2.6	13.4	0.97	752	0.27
R331691		21	0.44	166.5	6.24	8.84	0.12	0.09	<0.01	0.022	0.11	2.2	13.8	1.02	809	0.36
R331692		21	1.20	164.0	7.26	8.64	0.10	0.11	<0.01	0.022	0.16	2.4	16.2	1.21	879	1.91
R331693		30	5.15	170.5	9.22	10.15	0.12	0.20	<0.01	0.036	0.34	3.3	20.3	1.61	941	53.6
R331694		32	3.43	137.0	6.83	8.66	0.10	1.09	<0.01	0.031	0.18	4.6	12.9	1.06	600	0.91
R331695		32	2.55	121.5	6.12	7.77	0.14	1.14	<0.01	0.023	0.12	3.6	11.7	1.06	563	1.86
R331696		23	2.04	96.6	5.03	6.53	0.11	2.08	<0.01	0.027	0.09	5.1	10.4	0.89	517	1.52
R331697		36	9.31	154.5	8.79	12.05	0.21	0.09	<0.01	0.040	0.29	2.5	23.8	1.91	866	9.19
R331698		34	0.25	145.0	7.11	9.02	0.12	0.06	<0.01	0.015	0.03	2.9	19.0	1.56	657	0.26
R331699		20	0.64	167.0	6.28	8.99	0.13	0.10	<0.01	0.023	0.04	3.3	16.8	1.49	605	0.88
R331700		21	0.55	164.5	6.25	8.13	0.13	0.25	<0.01	0.024	0.06	3.2	11.0	1.10	835	1.84
R331701		21	0.66	139.5	6.27	7.85	0.11	0.23	<0.01	0.031	0.08	4.6	9.2	0.97	1000	0.68
R331702		20	1.04	141.0	6.33	8.44	0.12	0.57	<0.01	0.028	0.08	3.2	10.6	1.01	928	1.22
R331703		21	1.45	155.0	7.96	10.55	0.15	0.65	<0.01	0.035	0.07	2.8	14.1	1.20	1240	4.49
R331704		19	0.91	152.5	6.48	8.81	0.15	0.25	<0.01	0.022	0.06	3.3	12.8	1.01	1040	0.73
R331705		16	0.31	164.0	4.34	5.69	0.11	0.13	<0.01	0.020	0.06	2.4	6.1	0.62	682	0.49
R331706		16	0.51	166.5	4.79	6.50	0.12	0.13	<0.01	0.023	0.09	2.3	6.8	0.69	752	0.29
R331707		19	0.27	186.0	4.40	6.30	0.13	0.10	<0.01	0.024	0.08	2.5	5.6	0.62	694	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R331671		0.08	0.21	2.8	130	6.9	1.9	<0.001	0.33	0.05	0.7	0.3	1.0	11.1	<0.01	4.31
R331672		0.07	0.25	2.8	190	2.0	2.3	0.001	0.22	0.05	0.7	0.2	0.5	12.9	<0.01	0.07
R331673		0.06	0.31	3.2	250	1.9	1.5	0.001	0.39	<0.05	1.1	0.4	0.5	28.8	<0.01	1.08
R331674		0.06	0.23	2.1	100	3.2	2.2	0.010	0.37	0.05	0.6	0.3	0.5	10.7	<0.01	0.41
R331676		<0.01	<0.05	0.2	10	0.3	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R331677		0.07	0.41	3.2	230	18.8	1.7	0.001	0.46	<0.05	0.9	0.3	0.5	9.2	<0.01	0.47
R331678		0.46	0.17	39.5	480	7.7	2.3	0.001	0.04	<0.05	4.5	0.6	0.8	82.6	<0.01	0.02
R331680		<0.01	<0.05	0.3	10	0.3	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R331681		0.08	0.28	3.5	250	18.9	1.4	0.005	0.65	<0.05	1.0	0.9	0.5	16.7	<0.01	1.15
R331682		0.03	0.10	33.3	480	2.0	6.9	0.002	0.32	<0.05	14.0	1.0	0.4	52.4	<0.01	0.07
R331683		0.09	0.08	27.0	540	3.2	3.5	0.009	0.55	<0.05	11.0	1.4	0.4	47.1	<0.01	0.10
R331684		0.10	0.06	25.5	560	4.0	2.8	0.006	0.28	0.05	10.5	0.9	0.4	53.9	<0.01	0.05
R331685		0.11	0.08	26.3	540	1.1	2.0	0.001	0.34	<0.05	11.1	0.9	0.4	48.8	<0.01	0.04
R331686		0.41	0.08	43.6	510	3.3	2.9	0.001	0.14	<0.05	7.8	0.8	0.7	90.0	<0.01	0.02
R331687		0.42	0.16	40.5	490	4.6	3.9	0.002	0.05	<0.05	3.7	0.8	0.6	75.7	<0.01	0.01
R331688		0.11	0.11	24.3	530	1.1	2.0	0.003	0.30	<0.05	9.2	0.8	0.4	38.2	<0.01	0.04
R331689		0.10	0.10	22.8	550	1.2	2.5	0.001	0.32	<0.05	9.0	0.9	0.4	40.7	<0.01	0.07
R331690		0.10	0.10	21.7	540	1.0	2.2	0.001	0.28	<0.05	8.6	0.7	0.4	38.9	<0.01	0.06
R331691		0.11	0.08	24.2	540	1.4	4.7	0.002	0.26	<0.05	10.2	0.9	0.3	32.3	<0.01	0.03
R331692		0.07	0.08	26.3	520	0.6	11.0	0.004	0.33	<0.05	10.2	0.8	0.3	37.9	<0.01	0.03
R331693		0.06	0.10	33.8	520	4.3	35.2	0.012	1.87	<0.05	16.9	1.6	0.4	82.7	<0.01	0.10
R331694		0.06	0.16	25.8	310	8.8	21.7	0.001	1.09	<0.05	15.3	1.1	0.5	35.4	<0.01	0.11
R331695		0.07	0.14	25.3	370	8.2	16.3	0.002	0.64	<0.05	12.1	1.0	0.3	29.8	<0.01	0.06
R331696		0.07	0.20	22.0	240	16.1	11.9	0.002	0.64	0.06	13.5	0.5	0.5	34.3	<0.01	0.10
R331697		0.04	0.13	36.5	460	1.6	48.5	0.010	0.37	<0.05	21.1	1.1	0.6	37.8	<0.01	0.03
R331698		0.08	0.08	27.2	560	0.2	1.9	0.002	0.07	<0.05	7.6	0.5	0.2	21.3	<0.01	0.01
R331699		0.08	0.08	22.5	570	0.7	4.1	0.002	0.35	<0.05	9.5	0.7	0.3	27.8	<0.01	0.02
R331700		0.09	0.14	24.3	540	2.3	4.6	0.003	0.36	<0.05	11.2	1.2	0.3	25.4	<0.01	0.05
R331701		0.10	0.11	21.8	540	6.2	4.6	0.001	0.24	<0.05	12.3	0.8	0.4	30.3	<0.01	0.03
R331702		0.10	0.13	21.6	490	5.1	7.6	0.003	0.22	<0.05	13.3	1.0	0.3	29.7	<0.01	0.02
R331703		0.07	0.10	25.4	470	8.6	9.4	0.004	1.21	<0.05	18.1	1.2	0.4	34.7	<0.01	0.46
R331704		0.08	0.10	24.2	530	6.3	6.4	0.002	0.37	<0.05	11.9	1.2	0.3	24.2	<0.01	0.04
R331705		0.12	0.16	16.0	560	1.3	2.5	0.001	0.23	<0.05	8.6	0.7	0.4	17.9	<0.01	0.02
R331706		0.14	0.12	15.8	580	1.7	3.6	0.002	0.28	<0.05	11.2	0.7	0.2	22.9	<0.01	0.04
R331707		0.16	0.11	15.4	600	0.9	2.7	0.004	0.20	<0.05	10.2	0.7	0.4	18.7	<0.01	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331671		6.7	0.022	<0.02	2.93	10	0.27	2.21	11	33.2
R331672		7.1	0.025	0.02	2.75	10	0.47	2.53	10	32.0
R331673		4.9	0.033	0.02	1.78	15	0.37	3.15	11	29.4
R331674		6.1	0.015	0.02	2.21	7	0.28	2.09	5	31.0
R331676		0.2	<0.005	<0.02	0.07	<1	<0.05	0.56	<2	0.7
R331677		7.9	0.030	<0.02	2.83	10	0.33	2.96	17	37.0
R331678		0.6	0.445	0.09	0.13	143	<0.05	11.60	61	30.7
R331680		0.2	<0.005	<0.02	0.07	<1	<0.05	0.55	<2	0.7
R331681		4.5	0.029	<0.02	1.81	9	0.35	3.32	8	33.1
R331682		1.3	0.342	0.05	0.53	200	0.67	10.40	99	7.1
R331683		0.2	0.339	0.03	<0.05	180	0.49	9.51	81	3.2
R331684		0.2	0.387	0.04	0.06	185	0.76	11.35	98	2.7
R331685		0.2	0.352	0.03	<0.05	185	0.45	9.91	72	3.9
R331686		0.5	0.437	0.05	0.08	173	0.32	14.50	53	22.4
R331687		0.4	0.464	0.07	0.07	153	<0.05	12.05	59	23.0
R331688		0.2	0.297	0.02	<0.05	141	0.31	8.13	78	3.4
R331689		0.2	0.270	0.02	<0.05	145	0.28	8.48	80	2.7
R331690		0.2	0.270	<0.02	<0.05	141	0.27	8.05	78	2.5
R331691		0.2	0.222	0.02	<0.05	153	0.19	8.27	89	2.1
R331692		0.2	0.244	0.09	<0.05	158	1.06	8.43	89	2.7
R331693		0.2	0.328	0.27	0.08	204	1.54	14.40	100	5.3
R331694		4.5	0.229	0.16	2.14	170	0.94	9.99	77	27.1
R331695		5.4	0.223	0.13	2.62	162	0.53	8.92	71	30.5
R331696		10.1	0.170	0.10	4.47	131	0.77	9.11	62	51.1
R331697		0.2	0.245	0.45	0.19	238	0.75	11.25	108	2.5
R331698		0.2	0.212	0.02	<0.05	181	0.16	7.51	89	1.8
R331699		0.2	0.224	0.03	0.05	154	0.33	7.95	77	2.0
R331700		0.9	0.269	0.05	0.38	159	0.28	9.40	101	6.2
R331701		0.9	0.268	0.04	0.35	162	0.43	10.65	92	5.4
R331702		3.3	0.279	0.07	1.60	165	0.29	10.60	95	14.2
R331703		3.2	0.225	0.08	1.57	196	0.56	10.20	110	15.0
R331704		1.1	0.219	0.06	0.48	159	0.32	8.22	118	6.0
R331705		0.2	0.247	0.04	0.11	110	0.18	7.66	55	3.1
R331706		0.2	0.276	0.03	<0.05	133	0.29	9.05	66	2.9
R331707		0.2	0.211	0.03	<0.05	123	0.24	8.49	57	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143485

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

CERTIFICATE SD15143491

Project: Miller

This report is for 151 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R332347		3.53	<0.001		0.28	1.52	0.6	<0.2	<10	10	0.10	0.15	1.07	0.07	6.13	33.4
R332348		3.69	<0.001		0.15	1.66	0.2	<0.2	<10	10	0.10	0.12	1.28	0.06	6.50	24.0
R332349		3.68	<0.001		0.14	1.85	0.4	<0.2	<10	10	0.14	0.13	1.54	0.06	6.46	25.4
R332350		0.08	0.989		5.76	0.99	40.4	0.7	<10	40	0.21	1.14	0.41	4.98	4.91	13.4
R332351		3.82	<0.001		0.21	1.65	0.1	<0.2	<10	10	0.06	0.06	1.02	0.06	6.27	31.2
R332352		3.66	<0.001		0.17	1.74	0.1	<0.2	<10	10	0.11	0.14	1.22	0.07	6.53	29.7
R332353		3.77	0.001		0.22	1.90	0.5	<0.2	<10	20	0.21	0.82	2.30	0.05	6.90	32.2
R332354		4.04	<0.001		0.12	1.91	<0.1	<0.2	<10	10	0.13	0.17	1.32	0.05	6.93	34.6
R332355		3.92	<0.001		0.16	1.37	<0.1	<0.2	<10	10	0.08	0.07	1.15	0.05	5.82	34.8
R332356		3.14	<0.001		0.33	1.30	0.2	<0.2	<10	10	0.09	0.15	1.06	0.07	5.51	44.3
R332357		3.79	<0.001		0.21	2.13	0.2	<0.2	<10	10	0.12	0.11	1.63	0.06	6.00	41.7
R332358		3.81	<0.001		0.17	2.81	0.4	<0.2	<10	20	0.50	0.92	2.49	0.08	6.94	47.5
R332359		3.63	<0.001		0.10	2.05	0.5	<0.2	<10	10	0.22	0.61	1.48	0.03	7.23	37.2
R332360		<0.02	<0.001		0.10	2.04	0.3	<0.2	<10	10	0.22	0.64	1.45	0.03	7.19	37.4
R332361		4.13	0.003		0.11	1.97	0.4	<0.2	<10	10	0.14	0.13	1.70	0.04	8.18	30.2
R332362		4.10	<0.001		0.13	1.11	0.2	<0.2	<10	10	0.12	0.03	1.39	0.04	7.01	25.5
R332363		3.62	<0.001		0.14	1.45	0.2	<0.2	<10	<10	0.13	0.05	1.36	0.07	6.01	29.2
R332364		3.57	0.002		0.16	2.67	0.4	<0.2	<10	10	0.28	1.29	2.09	0.06	7.86	37.1
R332365		3.95	<0.001		0.14	2.34	0.3	<0.2	<10	<10	0.13	0.16	1.13	0.03	8.08	36.8
R332366		2.45	<0.001		0.07	2.79	0.1	<0.2	<10	10	0.20	0.02	2.47	0.05	7.71	36.0
R332367		2.53	0.005		0.13	2.79	0.6	<0.2	<10	20	0.37	0.76	4.67	0.10	7.07	36.8
R332368		2.15	0.001		0.13	2.68	0.5	<0.2	<10	10	0.30	0.45	3.18	0.07	7.87	38.8
R332369		2.17	0.001		0.10	2.81	0.4	<0.2	<10	10	0.41	0.62	4.12	0.06	9.35	42.2
R332370		0.14	<0.001		<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.95	0.2
R332371		0.91	<0.001		0.03	0.79	0.1	<0.2	<10	50	0.23	0.01	1.35	0.04	23.9	7.1
R332372		4.24	<0.001		0.05	2.45	0.2	<0.2	<10	10	0.23	0.09	1.93	0.02	8.44	34.8
R332373		3.78	<0.001		0.06	1.75	<0.1	<0.2	<10	10	0.12	0.10	1.35	0.02	7.56	28.8
R332374		3.80	<0.001		0.07	1.72	0.4	<0.2	<10	10	0.15	0.20	1.46	0.01	7.57	26.6
R332375		3.14	<0.001		0.07	1.98	0.3	<0.2	<10	20	0.24	0.12	1.62	0.02	8.25	32.1
R332376		2.92	<0.001		0.08	1.67	0.4	<0.2	<10	10	0.22	0.14	1.78	0.04	7.55	30.6
R332377		2.65	<0.001		0.10	2.35	0.1	<0.2	<10	20	0.30	1.02	2.78	0.06	8.23	39.5
R332378		2.14	0.015		0.10	1.79	0.3	<0.2	<10	30	0.25	0.61	3.52	0.08	6.62	36.0
R332379		1.31	0.001		0.08	2.77	0.2	<0.2	<10	10	0.27	0.10	2.96	0.07	8.11	40.8
R332380		0.08	2.47		4.98	1.57	19.5	2.8	<10	40	0.62	0.10	3.89	0.39	22.7	11.1
R332381		2.00	0.187		0.22	1.18	0.3	<0.2	<10	20	0.39	0.58	4.41	0.07	6.48	31.8
R332382		2.02	0.185		0.39	0.96	0.7	0.2	<10	40	0.48	2.54	4.93	0.06	6.65	31.0
R332383		1.09	0.599		0.40	0.23	1.3	0.5	<10	20	0.20	6.78	3.28	0.09	5.15	29.6
R332384		1.82	0.191		0.32	0.46	0.2	1.7	<10	130	0.23	1.77	1.86	0.03	20.6	5.4
R332385		1.82	0.073		0.07	0.54	0.4	0.2	<10	270	0.24	1.50	1.75	0.01	29.3	4.8
R332386		2.00	0.092		0.07	1.95	<0.1	<0.2	<10	60	0.59	2.04	4.54	0.03	7.99	31.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R332347		72	2.19	135.5	6.09	6.87	0.12	0.08	<0.01	0.020	0.19	2.2	9.5	0.86	392	7.52
R332348		68	3.88	119.0	5.88	7.17	0.21	0.08	<0.01	0.019	0.17	2.5	11.8	0.80	350	4.65
R332349		72	2.44	118.5	6.14	7.55	0.22	0.10	<0.01	0.022	0.14	2.4	13.4	0.89	445	4.27
R332350		19	3.38	6780	6.66	3.06	0.13	<0.02	0.05	0.307	0.27	2.4	11.5	0.31	598	135.5
R332351		68	1.52	122.5	6.11	7.29	0.20	0.07	<0.01	0.019	0.12	2.4	11.1	0.97	376	8.34
R332352		68	1.17	118.5	6.40	7.68	0.19	0.09	<0.01	0.022	0.08	2.4	11.0	0.90	406	6.14
R332353		62	6.36	110.5	7.12	9.14	0.20	0.12	<0.01	0.031	0.45	2.6	20.5	1.36	554	63.0
R332354		62	4.66	107.0	6.97	8.90	0.19	0.09	<0.01	0.024	0.28	2.6	19.8	1.36	473	6.22
R332355		65	1.83	103.5	6.73	7.02	0.20	0.10	<0.01	0.017	0.15	2.2	11.1	0.93	405	3.37
R332356		70	2.28	143.5	7.34	6.63	0.20	0.11	<0.01	0.021	0.25	2.1	11.1	0.99	387	3.24
R332357		66	2.63	110.5	6.99	8.40	0.22	0.08	<0.01	0.019	0.17	2.3	19.9	1.57	486	7.04
R332358		86	21.9	128.0	8.96	11.85	0.23	0.11	<0.01	0.040	1.13	2.6	38.4	2.76	811	25.1
R332359		67	3.51	122.5	7.50	9.70	0.22	0.12	<0.01	0.027	0.19	2.7	24.9	2.00	577	6.57
R332360		63	3.51	122.5	7.43	9.92	0.21	0.13	<0.01	0.032	0.18	2.7	25.3	2.01	577	6.80
R332361		36	1.48	100.5	7.64	10.60	0.24	0.12	<0.01	0.037	0.09	3.1	19.3	1.59	531	2.72
R332362		22	0.51	95.0	5.90	6.08	0.19	0.19	<0.01	0.024	0.08	2.6	6.2	0.75	460	2.82
R332363		28	1.81	141.0	7.06	7.77	0.21	0.16	<0.01	0.037	0.12	2.3	11.2	1.13	531	5.58
R332364		32	11.80	166.0	8.70	11.30	0.20	0.13	<0.01	0.049	0.68	2.9	27.1	2.04	692	37.6
R332365		31	2.19	141.5	7.71	10.25	0.23	0.09	<0.01	0.026	0.10	3.0	20.7	1.72	500	5.30
R332366		32	4.17	113.5	7.70	11.15	0.20	0.11	<0.01	0.033	0.27	2.9	26.0	2.06	697	2.77
R332367		34	29.5	113.5	9.70	11.25	0.17	0.12	<0.01	0.052	1.43	2.6	34.7	2.31	1040	13.65
R332368		38	11.10	185.0	9.62	11.70	0.19	0.17	<0.01	0.048	0.62	3.0	31.6	2.41	942	29.6
R332369		39	12.85	147.5	10.45	13.90	0.20	0.17	<0.01	0.059	0.74	3.5	33.2	2.61	976	2.98
R332370		<1	<0.05	1.1	0.04	<0.05	0.08	0.03	<0.01	<0.005	<0.01	0.5	0.3	<0.01	<5	<0.05
R332371		19	0.79	49.1	2.20	4.69	0.12	0.92	<0.01	0.012	0.13	11.6	8.5	0.57	301	1.10
R332372		35	1.45	103.0	8.26	11.35	0.21	0.15	<0.01	0.028	0.07	3.3	29.1	2.27	630	3.09
R332373		27	1.61	105.5	6.72	8.14	0.20	0.12	<0.01	0.021	0.10	2.9	16.5	1.36	394	6.55
R332374		27	3.82	89.8	6.13	8.45	0.21	0.14	<0.01	0.025	0.15	2.9	15.6	1.29	371	3.33
R332375		32	7.16	112.5	7.77	9.97	0.21	0.15	<0.01	0.033	0.37	3.2	22.1	1.74	515	1.50
R332376		25	4.19	116.5	7.28	8.72	0.21	0.19	<0.01	0.032	0.26	2.9	17.6	1.44	534	3.00
R332377		30	8.16	132.5	10.00	12.40	0.19	0.20	<0.01	0.048	0.63	3.0	29.3	2.33	869	4.69
R332378		18	1.32	168.5	8.99	7.74	0.14	0.20	<0.01	0.036	0.24	2.5	17.1	2.04	1060	0.86
R332379		27	1.17	160.5	10.20	11.60	0.15	0.24	<0.01	0.039	0.17	3.0	27.8	2.53	1080	1.77
R332380		24	3.33	73.6	3.12	6.60	0.16	0.39	0.08	0.038	0.24	11.2	17.6	0.91	697	6.39
R332381		11	0.48	103.0	8.56	4.10	0.11	0.31	<0.01	0.028	0.28	2.6	12.3	1.97	1380	1.17
R332382		8	0.92	106.0	8.04	2.98	0.13	0.55	<0.01	0.030	0.22	3.0	9.7	1.56	1180	1.70
R332383		7	0.24	114.0	7.86	1.24	0.12	1.08	<0.01	0.025	0.08	2.3	3.6	1.34	966	29.4
R332384		11	0.63	14.5	2.09	2.07	0.10	0.91	<0.01	0.008	0.13	10.4	5.8	0.42	343	90.2
R332385		13	0.70	12.9	1.81	2.65	0.13	0.88	<0.01	0.011	0.14	15.0	7.1	0.40	317	24.2
R332386		16	0.77	108.0	8.51	6.52	0.12	0.24	<0.01	0.028	0.32	3.4	25.8	1.79	987	4.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R332347		0.15	0.07	31.9	470	5.9	13.1	0.007	1.15	0.06	8.2	1.3	1.4	11.9	<0.01	0.06
R332348		0.22	0.06	25.2	480	1.6	13.3	0.007	0.61	0.06	7.3	1.2	0.4	17.0	<0.01	0.03
R332349		0.25	0.06	26.9	480	1.3	10.7	0.006	0.53	0.09	9.2	0.9	0.6	19.1	<0.01	0.04
R332350		0.02	0.07	15.4	450	103.0	12.0	0.209	4.99	2.52	1.3	7.8	1.9	34.2	<0.01	1.06
R332351		0.16	0.05	35.0	460	1.9	8.6	0.008	0.77	<0.05	7.1	1.1	0.3	9.7	<0.01	0.04
R332352		0.20	0.06	32.0	490	1.7	5.8	0.006	0.76	0.05	7.8	1.0	0.3	15.0	<0.01	0.07
R332353		0.15	0.06	34.7	450	3.9	42.2	0.024	1.54	0.06	11.5	1.3	0.7	17.0	<0.01	0.08
R332354		0.14	0.05	45.3	480	1.2	21.8	0.007	0.75	<0.05	8.3	0.8	0.4	11.6	<0.01	0.04
R332355		0.15	0.07	51.3	430	1.1	10.1	0.005	0.75	0.05	6.5	0.7	0.4	11.7	<0.01	0.03
R332356		0.16	0.06	71.3	470	1.9	16.5	0.003	1.47	<0.05	7.1	1.5	0.3	9.0	<0.01	0.07
R332357		0.14	0.05	73.2	460	2.1	12.0	0.005	0.90	0.05	6.7	0.5	0.3	14.7	<0.01	0.07
R332358		0.07	0.05	99.9	450	3.4	106.5	0.012	1.40	0.05	16.9	1.2	0.5	13.5	<0.01	0.08
R332359		0.08	<0.05	55.5	550	1.9	15.1	0.005	0.97	0.06	7.6	1.3	0.4	11.2	<0.01	0.05
R332360		0.07	0.05	55.4	550	1.9	14.9	0.005	0.96	<0.05	7.6	1.2	0.3	10.9	<0.01	0.06
R332361		0.10	0.05	29.2	630	1.4	6.6	0.003	0.60	0.08	12.9	1.3	0.3	11.5	<0.01	0.07
R332362		0.14	0.16	23.2	580	2.7	3.5	0.002	0.60	0.07	7.9	1.0	0.4	8.5	<0.01	0.08
R332363		0.12	0.08	27.8	470	2.2	9.0	0.006	0.66	0.08	10.5	1.1	0.7	6.9	<0.01	0.06
R332364		0.09	0.07	34.3	450	3.8	65.2	0.008	1.15	0.05	17.3	1.7	0.5	15.4	<0.01	0.13
R332365		0.13	0.08	32.0	480	1.8	8.2	0.005	0.79	0.05	9.7	1.0	0.4	7.7	<0.01	0.06
R332366		0.07	0.08	31.9	450	1.1	23.9	0.004	0.44	<0.05	15.6	1.1	0.3	16.5	<0.01	0.03
R332367		0.03	0.05	32.4	410	3.2	139.0	0.010	2.03	0.12	23.0	1.4	0.5	62.9	<0.01	0.18
R332368		0.04	0.09	31.5	420	3.3	57.7	0.025	1.92	0.06	22.4	1.8	0.4	27.9	<0.01	0.07
R332369		0.04	0.06	36.2	460	2.1	75.2	0.004	1.50	0.06	26.4	1.9	0.5	39.6	<0.01	0.07
R332370		<0.01	<0.05	0.4	10	0.7	0.1	<0.001	0.04	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01
R332371		0.07	0.14	7.4	470	5.1	9.4	<0.001	0.18	<0.05	2.9	0.4	0.3	26.3	<0.01	0.01
R332372		0.08	0.06	27.2	480	1.1	5.3	0.004	0.60	<0.05	13.1	1.4	0.4	15.6	<0.01	0.04
R332373		0.11	0.09	21.1	500	0.8	7.7	0.009	0.52	<0.05	8.7	1.0	0.2	10.4	<0.01	0.05
R332374		0.13	0.08	20.0	510	1.0	13.0	0.005	0.58	<0.05	9.4	0.9	0.3	11.0	<0.01	0.03
R332375		0.11	0.06	21.5	530	1.0	32.7	0.003	0.55	<0.05	13.5	0.9	0.2	11.9	<0.01	0.03
R332376		0.10	0.09	20.2	500	1.1	23.6	0.004	0.76	<0.05	12.3	1.0	0.3	16.7	<0.01	0.04
R332377		0.06	0.06	25.6	510	2.5	56.3	0.008	1.07	<0.05	23.5	0.9	0.3	27.1	<0.01	0.06
R332378		0.04	0.05	21.6	440	2.0	19.4	0.002	1.43	0.06	13.7	0.9	0.2	67.8	<0.01	0.32
R332379		0.03	0.05	26.5	480	1.6	14.9	0.003	0.48	0.11	17.4	1.2	0.2	31.7	<0.01	0.04
R332380		0.07	0.06	12.2	620	18.4	11.7	0.003	0.90	0.49	8.8	1.3	0.6	119.5	<0.01	2.54
R332381		0.03	<0.05	18.4	440	2.9	15.0	0.004	1.78	0.18	10.1	0.9	0.2	84.2	<0.01	1.20
R332382		0.04	<0.05	15.8	410	4.3	13.8	0.001	3.98	0.36	9.8	1.4	<0.2	147.0	<0.01	3.38
R332383		0.07	<0.05	14.9	230	8.8	5.2	0.007	8.27	0.56	11.5	2.2	0.3	169.0	<0.01	5.38
R332384		0.08	0.05	6.3	540	6.8	8.1	0.015	1.24	0.13	2.4	0.6	<0.2	79.6	<0.01	0.79
R332385		0.08	0.15	5.7	570	4.9	9.1	0.005	0.72	0.14	1.9	0.4	0.5	85.9	<0.01	0.48
R332386		0.02	<0.05	20.3	460	2.4	18.7	0.001	2.20	0.12	11.8	1.2	<0.2	102.0	<0.01	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332347		0.2	0.172	0.13	<0.05	154	0.41	9.58	56	1.8
R332348		0.2	0.145	0.12	<0.05	149	0.20	9.59	52	1.6
R332349		0.2	0.178	0.10	<0.05	153	0.31	11.15	53	2.1
R332350		1.1	0.012	0.31	0.20	17	2.37	2.59	791	<0.5
R332351		0.2	0.141	0.12	<0.05	147	0.46	8.95	62	1.6
R332352		0.2	0.153	0.07	<0.05	149	0.44	9.94	58	1.7
R332353		0.2	0.190	0.35	0.05	162	0.64	11.40	74	2.4
R332354		0.2	0.182	0.19	<0.05	162	0.23	10.90	70	1.8
R332355		0.2	0.174	0.10	<0.05	147	0.29	8.50	57	2.1
R332356		0.2	0.189	0.16	<0.05	154	0.35	8.05	65	2.5
R332357		0.2	0.178	0.12	<0.05	148	0.39	8.10	69	1.7
R332358		0.2	0.318	0.90	0.08	177	0.54	13.25	113	2.4
R332359		0.2	0.213	0.15	0.06	126	0.36	12.85	85	2.6
R332360		0.2	0.206	0.13	0.06	125	0.35	12.70	85	2.6
R332361		0.2	0.185	0.06	<0.05	150	0.35	14.90	79	2.0
R332362		0.2	0.272	0.07	<0.05	146	0.40	12.95	51	3.5
R332363		0.2	0.256	0.15	<0.05	192	0.38	10.90	85	2.7
R332364		0.2	0.287	0.57	0.06	216	0.37	11.85	108	1.8
R332365		0.2	0.243	0.09	<0.05	211	0.52	10.85	79	1.8
R332366		0.2	0.263	0.20	<0.05	201	0.38	12.00	81	2.1
R332367		0.2	0.273	1.22	0.05	200	0.32	7.61	96	2.6
R332368		0.3	0.342	0.50	0.10	232	0.39	13.90	102	3.3
R332369		0.2	0.317	0.63	0.09	255	0.33	15.75	99	3.2
R332370		0.2	<0.005	<0.02	0.12	1	<0.05	0.61	<2	0.8
R332371		2.8	0.084	0.07	1.14	36	0.16	4.66	41	22.8
R332372		0.3	0.254	0.05	0.08	223	0.29	14.00	81	2.8
R332373		0.2	0.246	0.07	0.05	202	0.18	11.05	47	2.6
R332374		0.3	0.227	0.12	0.07	183	0.16	11.80	43	2.7
R332375		0.2	0.259	0.27	<0.05	228	0.20	13.50	66	2.5
R332376		0.3	0.245	0.21	0.08	209	0.21	13.70	63	3.4
R332377		0.3	0.255	0.51	0.14	270	0.15	15.05	97	3.4
R332378		0.4	0.109	0.16	0.22	150	0.16	9.58	73	4.0
R332379		0.6	0.161	0.13	0.36	221	0.11	12.45	104	5.2
R332380		1.5	0.057	0.16	0.36	68	0.49	8.03	86	12.8
R332381		1.0	0.008	0.12	0.71	78	0.19	6.62	55	8.3
R332382		1.4	0.007	0.09	0.96	49	0.31	6.63	43	13.9
R332383		2.3	<0.005	0.03	1.44	19	0.40	5.63	32	25.1
R332384		3.3	0.008	0.05	1.62	10	0.23	4.43	17	23.2
R332385		3.4	0.031	0.05	1.30	13	0.22	4.47	22	23.5
R332386		0.7	0.029	0.13	0.39	124	0.24	8.59	55	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R332387		1.98	0.034		0.07	0.34	0.3	<0.2	<10	360	0.24	1.56	1.06	0.01	14.55	2.9
R332388		2.09	0.015		0.04	0.26	0.2	<0.2	<10	150	0.23	0.49	0.43	0.02	14.70	1.4
R332389		1.80	0.035		0.09	0.27	0.2	<0.2	<10	400	0.20	1.46	1.01	0.03	9.12	2.8
R332390		<0.02	0.027		0.13	0.33	0.3	0.2	<10	420	0.18	1.57	1.02	0.05	10.05	2.6
R332391		2.09	1.435		0.20	0.30	0.3	0.7	<10	260	0.27	4.80	1.13	0.02	13.30	3.6
R332392		1.39	0.012		0.07	0.49	0.1	<0.2	<10	370	0.26	0.60	1.03	0.02	25.8	3.5
R332393		1.51	0.417		0.12	0.41	0.3	0.2	<10	110	0.20	1.95	1.69	0.04	18.75	4.0
R332395		0.12	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.05	0.1
R332396		2.01	0.085		0.12	0.21	<0.1	<0.2	<10	200	0.12	3.66	1.27	0.05	11.70	3.1
R332397		1.51	>10.0	8.35	0.68	0.20	0.3	1.7	<10	220	0.12	35.3	1.65	0.02	11.75	3.0
R332398		1.50	0.024		0.12	0.37	<0.1	<0.2	<10	380	0.21	1.11	1.22	0.02	17.90	2.8
R332400		0.13	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.08	0.1
R332401		2.11	0.016		0.07	0.36	0.4	<0.2	<10	180	0.23	0.41	0.67	0.02	19.40	2.4
R332402		1.97	0.294		0.14	0.40	0.3	<0.2	<10	280	0.33	2.19	1.16	<0.01	18.40	3.3
R332403		2.18	5.78		0.78	0.16	0.3	3.9	<10	180	0.15	21.0	1.41	0.06	23.3	3.8
R332404		2.14	0.314		0.17	0.30	0.2	0.6	<10	170	0.25	2.03	0.80	0.01	18.80	1.6
R332405		1.99	0.046		0.21	0.52	0.3	<0.2	<10	530	0.37	0.85	0.82	<0.01	38.3	3.3
R332406		1.86	1.245		0.87	0.30	0.1	0.3	<10	140	0.23	4.85	0.56	<0.01	10.90	1.6
R332407		1.32	0.126		0.39	0.24	0.2	<0.2	<10	50	0.19	2.18	0.79	<0.01	8.23	2.4
R332408		1.42	0.050		0.13	0.37	0.3	<0.2	<10	160	0.34	1.72	1.53	0.01	18.80	2.9
R332409		0.85	0.031		0.14	0.17	0.3	<0.2	<10	50	0.17	0.93	0.55	0.01	4.69	1.3
R332410		0.13	<0.001		<0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.98	0.1
R332411		2.02	0.106		0.17	0.35	0.1	<0.2	<10	160	0.27	1.03	0.62	<0.01	17.25	2.0
R332412		1.78	0.020		0.07	0.19	0.4	<0.2	<10	20	0.21	0.95	0.38	<0.01	7.69	1.0
R332413		1.83	0.122		0.25	0.18	0.3	1.0	<10	10	0.21	1.16	0.48	0.01	19.75	0.6
R332414		2.28	0.175		0.18	0.19	0.5	0.7	<10	10	0.19	0.82	0.36	0.01	8.42	0.9
R332415		1.96	0.005		0.04	0.25	0.2	<0.2	<10	30	0.25	0.34	0.29	0.01	11.50	0.8
R332416		2.53	0.014		0.06	0.20	0.2	<0.2	<10	10	0.22	0.50	0.26	0.01	8.39	0.8
R332417		2.09	0.190		0.18	0.19	0.3	<0.2	<10	10	0.20	1.45	0.21	0.03	8.68	0.5
R332418		2.19	0.146		0.16	0.16	0.4	<0.2	<10	10	0.17	3.38	0.25	<0.01	6.33	1.0
R332419		2.25	0.015		0.03	0.19	0.1	<0.2	<10	10	0.21	0.19	0.13	0.01	9.06	0.3
R332420		0.08	9.29		9.67	1.63	11.9	9.3	<10	30	0.53	0.08	4.07	0.28	19.80	10.8
R332421		2.01	0.017		0.08	0.21	0.2	<0.2	<10	90	0.17	0.52	0.37	0.01	7.53	1.1
R332422		1.86	0.019		0.05	0.24	0.2	<0.2	<10	70	0.21	0.50	0.42	0.01	10.60	1.2
R332423		1.92	0.032		0.05	0.21	0.3	<0.2	<10	30	0.22	0.64	0.42	0.01	10.10	1.2
R332424		2.03	2.12		0.16	0.29	0.2	0.2	<10	80	0.24	102.0	0.68	<0.01	10.70	1.9
R332425		1.92	0.350		0.19	0.15	0.4	<0.2	<10	20	0.14	2.67	0.46	<0.01	5.42	0.8
R332426		1.67	0.019		0.09	0.30	0.1	<0.2	<10	20	0.24	1.21	0.42	<0.01	11.30	1.4
R332427		1.76	0.050		0.18	0.14	0.3	<0.2	<10	20	0.15	1.45	0.33	<0.01	6.58	0.6
R332428		1.94	0.238		0.19	0.14	0.5	<0.2	<10	20	0.13	2.01	0.44	<0.01	6.75	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R332387		13	0.52	10.8	1.31	1.68	0.10	1.12	<0.01	<0.005	0.10	7.2	4.7	0.20	173	30.0
R332388		17	0.47	9.5	0.96	1.49	0.10	1.28	<0.01	0.006	0.11	7.7	2.8	0.11	145	12.30
R332389		14	0.47	14.4	1.23	1.29	0.09	0.97	<0.01	<0.005	0.10	4.3	3.6	0.16	160	1.79
R332390		15	0.48	12.6	1.21	1.44	0.09	1.03	<0.01	0.005	0.13	4.7	3.8	0.17	155	1.80
R332391		16	0.41	16.1	1.52	1.52	0.09	0.82	<0.01	0.005	0.09	6.4	4.5	0.18	180	104.0
R332392		15	1.02	15.2	1.52	2.75	0.11	0.94	<0.01	0.005	0.16	13.6	6.1	0.32	254	2.37
R332393		12	0.48	13.6	1.57	1.90	0.10	0.73	<0.01	0.006	0.14	9.5	5.0	0.24	233	1.49
R332395		<1	<0.05	0.8	0.03	<0.05	0.08	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
R332396		13	0.26	6.5	1.36	0.92	0.10	0.48	<0.01	0.005	0.08	5.7	2.5	0.10	168	20.7
R332397		17	0.23	25.4	1.33	1.06	0.09	0.55	<0.01	0.007	0.08	5.7	2.7	0.11	251	5.33
R332398		16	0.40	18.5	1.25	1.75	0.10	0.72	<0.01	0.007	0.11	9.5	5.4	0.26	214	15.20
R332400		<1	<0.05	0.8	0.02	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.07
R332401		17	0.59	37.6	1.16	2.06	0.11	1.03	<0.01	0.007	0.13	10.5	4.5	0.20	186	1.48
R332402		14	0.37	15.1	1.55	2.23	0.10	0.94	<0.01	0.005	0.11	9.5	5.7	0.22	168	75.0
R332403		15	0.13	22.3	1.53	1.02	0.10	0.81	<0.01	0.007	0.07	12.9	1.5	0.06	167	34.3
R332404		18	0.17	13.1	1.12	1.88	0.10	1.01	<0.01	<0.005	0.12	10.0	3.2	0.12	161	4.99
R332405		18	0.36	10.9	1.42	3.80	0.12	1.14	<0.01	0.006	0.11	20.5	7.9	0.34	206	1.25
R332406		13	0.17	9.3	0.89	1.87	0.11	0.94	<0.01	<0.005	0.10	5.4	3.3	0.13	113	143.5
R332407		15	0.12	10.0	1.15	1.59	0.09	1.17	<0.01	<0.005	0.09	3.9	2.5	0.09	111	28.5
R332408		16	0.24	12.0	1.39	2.45	0.10	1.09	<0.01	0.007	0.11	9.9	4.9	0.20	210	2.23
R332409		14	0.10	12.9	0.84	0.94	0.09	1.11	<0.01	<0.005	0.07	2.2	1.1	0.03	98	5.94
R332410		<1	<0.05	0.7	0.02	<0.05	0.09	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05
R332411		17	0.19	12.2	1.26	2.41	0.11	1.19	<0.01	<0.005	0.10	9.2	4.1	0.18	152	30.6
R332412		11	0.17	10.8	0.81	1.21	0.10	1.24	<0.01	<0.005	0.10	3.8	1.7	0.05	104	3.03
R332413		12	0.17	8.8	0.79	1.08	0.10	1.30	<0.01	<0.005	0.08	11.8	1.2	0.03	105	7.52
R332414		15	0.13	11.2	0.78	1.20	0.09	1.15	<0.01	<0.005	0.08	4.2	1.6	0.05	105	13.40
R332415		14	0.27	14.6	0.83	1.45	0.10	1.19	<0.01	<0.005	0.13	6.1	2.2	0.08	137	1.35
R332416		16	0.21	16.3	0.75	1.12	0.09	1.22	<0.01	<0.005	0.11	4.3	1.6	0.05	115	14.65
R332417		13	0.22	66.2	0.69	1.11	0.09	1.19	<0.01	0.007	0.11	4.4	1.7	0.05	115	1.86
R332418		15	0.14	51.4	0.80	0.94	0.09	1.27	<0.01	<0.005	0.08	3.1	1.4	0.04	99	27.7
R332419		11	0.20	5.8	0.63	1.03	0.09	1.11	<0.01	<0.005	0.10	4.7	1.4	0.04	116	3.82
R332420		18	2.42	65.0	3.14	6.67	0.19	0.63	0.16	0.026	0.13	8.9	23.0	1.13	831	4.90
R332421		14	0.18	13.0	0.75	1.20	0.10	1.03	<0.01	<0.005	0.08	3.7	2.0	0.08	119	16.45
R332422		18	0.27	16.5	0.94	1.35	0.09	1.00	<0.01	<0.005	0.10	5.5	2.8	0.11	151	6.49
R332423		15	0.15	21.1	0.90	1.27	0.09	1.14	<0.01	<0.005	0.11	5.1	1.9	0.07	123	2.75
R332424		14	0.15	39.5	1.16	1.83	0.09	1.11	<0.01	<0.005	0.10	5.3	3.4	0.14	147	112.5
R332425		11	0.08	26.3	0.74	0.80	0.10	1.15	<0.01	<0.005	0.07	2.6	0.9	0.02	96	94.9
R332426		14	0.18	11.9	0.97	2.23	0.10	1.08	<0.01	<0.005	0.09	5.6	4.0	0.16	128	23.1
R332427		15	0.11	10.3	0.81	0.86	0.09	1.01	<0.01	<0.005	0.07	3.6	1.1	0.03	93	92.8
R332428		17	0.09	12.6	1.00	0.84	0.09	0.98	<0.01	<0.005	0.07	3.6	0.8	0.02	116	73.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R332387		0.07	0.07	4.0	300	5.6	6.4	0.006	0.60	0.17	0.8	0.4	0.4	40.6	<0.01	0.36
R332388		0.07	0.17	2.6	130	7.3	6.7	0.002	0.20	0.12	0.6	<0.2	0.2	21.0	<0.01	0.11
R332389		0.05	0.09	3.8	280	6.0	5.4	<0.001	0.58	0.21	0.7	0.4	0.5	33.5	<0.01	0.35
R332390		0.07	0.09	3.5	290	6.3	6.8	<0.001	0.59	0.17	0.7	0.2	<0.2	35.3	<0.01	0.42
R332391		0.06	0.08	4.9	350	7.0	5.4	0.019	0.72	0.17	0.8	0.4	0.6	39.2	<0.01	2.00
R332392		0.08	0.15	4.6	410	5.9	10.8	0.001	0.41	0.10	1.2	0.4	0.2	61.2	<0.01	0.18
R332393		0.05	<0.05	4.9	440	6.7	8.1	0.001	0.84	0.14	1.0	0.4	0.5	52.4	<0.01	0.42
R332395		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01
R332396		0.06	<0.05	4.7	260	7.4	4.0	0.002	0.77	0.09	0.8	0.3	<0.2	37.1	<0.01	0.55
R332397		0.05	<0.05	4.6	260	12.0	3.2	0.001	0.70	0.18	1.0	0.8	0.6	31.1	<0.01	13.55
R332398		0.06	0.05	4.2	300	6.1	5.6	0.003	0.50	0.11	1.3	<0.2	<0.2	48.4	<0.01	0.29
R332400		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	0.2	<0.2	0.7	<0.01	0.01
R332401		0.06	0.15	3.7	220	5.0	6.7	<0.001	0.21	0.19	0.8	<0.2	0.6	36.9	<0.01	0.15
R332402		0.07	0.08	4.3	360	6.0	6.2	0.017	0.79	0.09	0.9	0.6	<0.2	39.7	<0.01	0.49
R332403		0.06	0.09	4.4	280	12.6	3.0	0.008	1.12	0.13	0.8	0.8	0.5	30.2	<0.01	10.45
R332404		0.08	0.11	3.1	170	5.9	5.1	0.001	0.35	0.07	0.5	0.2	<0.2	22.7	<0.01	0.59
R332405		0.06	0.25	4.6	380	5.3	6.5	<0.001	0.26	0.10	1.2	<0.2	0.7	34.7	<0.01	0.14
R332406		0.09	0.17	2.5	160	5.9	4.6	0.060	0.24	0.08	0.6	0.2	0.2	21.2	<0.01	2.14
R332407		0.07	0.26	3.7	240	4.3	3.7	0.008	0.57	0.11	0.7	0.3	0.6	16.6	<0.01	0.38
R332408		0.07	0.18	4.3	340	4.3	5.4	<0.001	0.52	0.08	1.1	0.3	0.2	35.3	<0.01	0.33
R332409		0.09	0.09	2.4	80	3.4	2.6	0.002	0.29	0.11	0.3	0.2	0.6	17.8	<0.01	0.12
R332410		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R332411		0.08	0.17	3.0	190	5.4	4.6	0.009	0.37	0.08	0.7	0.2	0.2	23.3	<0.01	0.23
R332412		0.07	0.19	1.9	40	4.7	4.0	0.001	0.20	0.12	0.3	0.2	0.6	15.1	<0.01	0.20
R332413		0.09	0.17	1.7	40	3.9	3.6	0.003	0.22	0.07	0.3	<0.2	<0.2	15.1	<0.01	0.22
R332414		0.08	0.14	2.0	40	4.5	3.7	0.004	0.16	0.10	0.3	<0.2	0.6	13.2	<0.01	0.12
R332415		0.08	0.16	1.7	50	6.3	5.8	<0.001	0.09	0.07	0.3	<0.2	0.2	15.2	<0.01	0.06
R332416		0.07	0.17	1.9	30	5.7	4.6	0.002	0.10	0.11	0.3	<0.2	0.6	10.1	<0.01	0.06
R332417		0.06	0.13	1.4	30	9.8	5.0	0.001	0.13	0.07	0.2	<0.2	0.2	8.5	<0.01	0.85
R332418		0.07	0.13	1.7	30	7.0	3.3	0.005	0.27	0.10	0.2	0.4	0.5	11.5	<0.01	1.51
R332419		0.07	0.21	1.2	10	9.0	4.7	0.001	0.04	0.05	0.2	<0.2	0.2	8.2	<0.01	0.03
R332420		0.08	0.12	11.0	640	14.7	5.7	0.003	0.46	0.42	8.2	0.7	0.5	106.5	<0.01	4.13
R332421		0.07	0.12	1.8	70	4.5	3.4	0.006	0.15	0.09	0.3	<0.2	0.5	15.7	<0.01	0.11
R332422		0.06	0.13	2.4	120	5.4	4.4	0.001	0.16	0.06	0.4	0.2	0.2	18.6	<0.01	0.16
R332423		0.07	0.13	2.2	80	6.5	4.2	0.001	0.21	0.11	0.3	0.2	0.6	13.5	<0.01	0.10
R332424		0.07	0.12	2.8	160	18.9	4.0	0.023	0.44	0.07	0.6	0.5	<0.2	17.8	<0.01	4.15
R332425		0.08	0.09	1.7	20	6.2	2.5	0.024	0.24	0.10	0.3	0.2	0.5	14.3	<0.01	0.59
R332426		0.07	0.13	2.4	150	4.1	4.0	0.004	0.19	0.06	0.6	0.2	0.2	17.7	<0.01	0.09
R332427		0.06	0.11	1.6	20	6.8	3.0	0.018	0.21	0.08	0.2	0.2	<0.2	10.5	<0.01	0.23
R332428		0.07	0.10	2.3	10	5.6	2.6	0.011	0.21	0.11	0.2	0.2	0.6	11.3	<0.01	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332387		3.7	0.005	0.04	2.02	5	0.27	3.02	9	28.3
R332388		4.3	0.009	0.04	2.49	4	0.29	2.15	10	29.8
R332389		3.2	0.007	0.03	1.50	3	0.28	2.56	11	24.2
R332390		3.2	0.008	0.04	1.56	4	0.28	2.71	12	25.4
R332391		2.8	0.008	0.03	1.39	5	0.25	2.95	9	22.3
R332392		3.2	0.030	0.08	1.53	13	0.19	3.38	24	26.0
R332393		2.9	<0.005	0.04	1.26	5	0.30	3.79	11	21.5
R332395		0.2	<0.005	<0.02	0.08	<1	<0.05	0.64	<2	0.8
R332396		1.6	<0.005	0.02	0.62	2	0.19	2.59	9	14.7
R332397		1.9	<0.005	0.03	0.75	2	0.35	2.69	4	16.2
R332398		2.4	0.005	0.03	1.02	6	0.30	2.86	11	21.4
R332400		0.2	<0.005	<0.02	0.07	<1	<0.05	0.66	<2	0.8
R332401		2.9	0.021	0.05	1.65	8	0.30	2.51	16	27.9
R332402		3.4	0.010	0.03	1.71	7	0.58	3.21	12	25.3
R332403		2.7	0.006	0.02	1.30	2	0.36	2.57	15	20.8
R332404		3.2	0.009	0.03	2.02	4	0.55	2.09	8	23.9
R332405		4.1	0.041	0.04	2.16	15	1.07	3.34	20	29.3
R332406		3.0	0.018	0.04	1.44	6	1.45	2.13	8	23.4
R332407		3.7	0.018	0.03	1.29	5	1.56	2.59	6	28.2
R332408		3.7	0.024	0.04	1.74	9	0.72	3.21	14	28.8
R332409		3.6	<0.005	0.02	1.67	2	0.71	2.10	2	24.3
R332410		0.2	<0.005	<0.02	0.08	<1	<0.05	0.63	<2	0.8
R332411		4.0	0.019	0.03	2.14	8	1.01	2.27	12	28.9
R332412		4.0	0.006	0.02	1.98	2	0.91	1.77	5	28.7
R332413		4.4	0.005	0.03	1.89	2	1.20	1.93	3	29.2
R332414		3.7	0.005	0.03	1.90	2	0.83	1.42	5	26.3
R332415		3.7	0.011	0.04	2.41	4	0.49	1.50	10	28.0
R332416		4.0	0.005	0.03	2.22	2	0.71	1.33	7	24.6
R332417		4.0	0.005	0.04	3.01	2	11.05	1.20	11	25.3
R332418		3.6	0.005	0.02	2.72	2	0.64	1.27	7	26.0
R332419		3.4	0.008	0.03	2.39	2	0.22	1.19	10	23.6
R332420		1.6	0.138	0.08	0.44	78	0.49	7.73	67	21.2
R332421		3.2	0.010	0.02	2.21	3	0.53	1.31	9	22.4
R332422		3.0	0.012	0.03	2.12	5	0.33	1.40	12	21.8
R332423		3.7	0.006	0.03	3.03	3	0.54	1.47	7	25.0
R332424		3.5	0.011	0.03	2.00	6	0.84	1.88	8	24.3
R332425		3.3	<0.005	0.02	1.29	1	0.76	1.20	2	23.8
R332426		3.4	0.016	0.03	2.11	7	0.97	1.60	9	24.3
R332427		3.5	<0.005	0.03	1.58	2	0.83	0.97	4	20.8
R332428		3.2	<0.005	0.02	1.20	2	0.94	1.05	4	20.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R332429		1.84	0.013		0.07	0.16	0.6	<0.2	<10	10	0.15	0.58	0.22	<0.01	8.30	0.9
R332430		<0.02	0.010		0.07	0.16	0.5	<0.2	<10	20	0.13	0.48	0.21	<0.01	7.91	0.9
R332431		2.21	0.037		0.09	0.41	0.2	<0.2	<10	130	0.37	0.82	0.75	0.01	25.2	2.8
R332432		2.13	0.015		0.09	0.23	0.3	<0.2	<10	70	0.24	0.64	0.41	<0.01	12.05	1.4
R332433		1.93	0.093		0.51	0.12	0.2	<0.2	<10	20	0.14	2.57	0.38	<0.01	8.80	1.0
R332434		2.09	0.022		0.11	0.35	0.3	<0.2	<10	170	0.30	1.77	0.90	0.01	15.85	2.6
R332435		2.23	0.015		0.07	0.40	0.5	<0.2	<10	160	0.24	0.70	0.54	<0.01	21.7	2.7
R332436		2.33	0.046		0.11	0.25	0.4	<0.2	<10	130	0.17	0.80	0.35	0.01	12.40	1.8
R332437		2.30	0.010		0.07	0.20	<0.1	<0.2	<10	30	0.19	4.61	0.22	<0.01	11.15	0.6
R332438		2.17	0.046		0.09	0.24	0.3	<0.2	<10	230	0.18	0.79	0.41	<0.01	8.87	1.6
R332439		2.31	0.044		0.12	0.14	0.2	<0.2	<10	980	0.13	1.01	0.52	<0.01	5.10	0.8
R332440		0.09	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.11	0.1
R332441		2.14	0.387		0.12	0.17	0.3	<0.2	<10	160	0.14	12.75	1.11	<0.01	6.38	0.5
R332442		1.88	0.111		0.12	0.26	0.2	<0.2	<10	120	0.22	8.72	0.42	<0.01	14.30	1.6
R332443		1.90	0.010		0.09	0.72	0.4	<0.2	<10	350	0.43	1.82	1.48	0.01	27.7	8.6
R332444		1.87	0.052		0.15	1.35	0.2	<0.2	<10	150	0.45	2.01	1.52	0.03	18.45	25.2
R332445		2.27	0.010		0.06	0.55	0.2	<0.2	<10	400	0.36	0.92	1.18	<0.01	30.5	4.6
R332446		2.33	0.006		0.06	0.53	0.4	<0.2	<10	550	0.48	0.43	1.01	0.02	38.4	4.7
R332447		2.41	0.003		0.05	0.69	0.2	<0.2	<10	260	0.45	0.13	0.74	0.03	48.3	5.7
R332448		1.97	0.009		0.06	0.49	0.3	<0.2	<10	210	0.38	0.28	0.58	<0.01	42.6	4.1
R332449		1.86	1.620		0.30	0.65	0.5	0.8	<10	410	0.33	168.0	1.00	<0.01	36.8	6.0
R332450		0.08	9.12		9.84	1.59	11.9	9.4	<10	30	0.50	0.28	3.95	0.28	20.3	10.8
R332452		0.14	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.08	0.01	<0.01	1.15	0.1
R332453		2.23	0.079		0.09	0.64	0.2	<0.2	<10	510	0.34	1.30	1.19	0.01	42.9	5.5
R332454		2.20	0.012		0.07	0.59	0.6	<0.2	<10	290	0.39	0.30	0.81	0.02	38.1	4.9
R332455		2.22	0.004		0.05	0.65	0.5	<0.2	<10	250	0.44	0.23	0.74	0.03	41.2	5.1
R332456		1.99	0.035		0.09	0.53	0.4	<0.2	<10	380	0.40	0.74	1.12	0.04	34.6	5.0
R332457		1.80	0.296		0.28	0.77	0.4	<0.2	<10	270	0.60	3.30	2.30	0.04	19.95	9.2
R332458		2.29	<0.001		0.10	0.94	0.4	<0.2	<10	30	0.45	0.18	2.54	0.04	6.45	15.9
R332459		2.27	0.001		0.11	1.58	0.5	<0.2	<10	40	0.50	1.00	3.43	0.04	7.35	28.2
R332460		<0.02	0.001		0.10	1.50	0.6	<0.2	<10	30	0.44	0.93	3.18	0.04	6.84	25.6
R332461		2.48	0.003		0.22	1.63	0.5	<0.2	<10	130	0.39	0.26	2.68	0.06	7.79	30.9
R332462		2.29	0.012		0.10	0.84	0.3	<0.2	<10	280	0.42	0.59	2.04	0.04	28.0	15.5
R332463		2.45	0.003		0.23	2.17	0.5	<0.2	<10	70	0.52	2.81	2.94	0.09	9.43	37.4
R332464		2.36	<0.001		0.16	1.49	0.4	<0.2	<10	140	0.47	0.54	3.50	0.10	6.65	28.3
R332465		2.35	<0.001		0.24	0.84	0.3	<0.2	<10	60	0.21	0.23	1.78	0.07	6.47	27.7
R332466		1.71	0.008		0.07	0.30	0.4	<0.2	<10	30	0.19	0.36	0.42	0.03	9.77	4.2
R332467		2.88	0.007		0.35	0.85	0.4	<0.2	<10	40	0.31	0.55	2.83	0.11	7.21	28.9
R332468		2.85	0.013		0.29	0.87	0.3	<0.2	<10	70	0.20	0.30	1.19	0.08	7.39	26.3
R332469		2.94	0.018		0.25	0.95	0.4	<0.2	<10	80	0.30	0.49	2.20	0.10	7.29	28.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R332429		17	0.16	10.5	0.83	1.08	0.08	0.81	<0.01	<0.005	0.08	4.5	1.5	0.05	108	18.10
R332430		19	0.17	9.7	0.87	1.03	0.08	0.79	<0.01	<0.005	0.09	4.3	1.4	0.05	115	16.80
R332431		18	0.90	19.4	1.57	2.59	0.10	1.17	<0.01	0.007	0.12	13.6	6.2	0.27	258	19.40
R332432		16	0.23	19.3	0.99	1.42	0.10	1.31	<0.01	<0.005	0.09	6.2	2.5	0.10	145	7.88
R332433		15	0.07	13.5	0.81	0.68	0.09	0.87	<0.01	<0.005	0.05	4.7	0.6	0.01	94	319
R332434		15	0.30	15.9	1.33	2.25	0.09	0.96	<0.01	0.007	0.11	8.6	4.8	0.19	179	10.60
R332435		17	0.54	19.1	1.36	2.88	0.11	0.76	<0.01	0.006	0.11	12.2	5.8	0.26	201	22.3
R332436		17	0.37	16.4	1.08	1.67	0.10	0.80	<0.01	<0.005	0.09	6.4	3.1	0.13	154	39.7
R332437		20	0.18	7.8	0.83	1.11	0.08	1.17	<0.01	<0.005	0.10	5.9	1.4	0.05	113	5.22
R332438		17	0.18	12.0	1.04	1.65	0.10	1.13	<0.01	<0.005	0.10	4.4	2.8	0.10	140	11.75
R332439		13	0.10	12.0	0.81	0.82	0.09	0.94	<0.01	<0.005	0.06	2.5	1.0	0.03	94	15.25
R332440		<1	<0.05	0.7	0.03	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.06
R332441		16	0.11	8.3	0.85	0.95	0.09	0.94	<0.01	<0.005	0.09	3.3	1.4	0.04	120	25.0
R332442		13	0.19	13.5	0.99	1.79	0.09	1.00	<0.01	<0.005	0.09	7.9	3.5	0.13	124	30.6
R332443		19	0.78	54.5	2.81	4.32	0.12	0.87	<0.01	0.011	0.15	14.4	11.6	0.64	387	39.3
R332444		14	4.78	124.0	6.42	7.81	0.15	0.89	<0.01	0.032	0.52	9.1	21.6	1.30	659	48.2
R332445		19	0.75	16.2	1.86	3.26	0.12	0.73	<0.01	0.011	0.13	16.1	8.3	0.43	279	15.60
R332446		18	1.23	17.4	1.80	3.43	0.13	0.80	<0.01	0.010	0.16	20.5	7.4	0.39	285	1.38
R332447		20	2.95	25.6	2.15	4.84	0.14	1.09	<0.01	0.010	0.27	25.4	10.7	0.52	331	0.79
R332448		18	1.00	19.4	1.68	3.52	0.13	1.05	<0.01	0.008	0.14	23.3	7.6	0.37	235	19.20
R332449		20	0.93	43.2	2.22	4.21	0.12	0.90	<0.01	0.010	0.13	19.7	9.7	0.53	296	73.6
R332450		17	2.46	65.5	3.04	6.73	0.17	0.65	0.18	0.027	0.13	9.1	22.0	1.09	798	5.14
R332452		<1	<0.05	0.8	0.03	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.6	0.2	<0.01	<5	0.06
R332453		18	0.88	13.1	2.14	4.52	0.12	0.82	<0.01	0.011	0.13	22.8	9.5	0.53	332	56.4
R332454		17	1.66	15.4	1.83	4.05	0.11	0.74	<0.01	0.010	0.20	20.5	11.4	0.45	286	7.85
R332455		19	1.92	15.6	1.92	4.43	0.12	0.61	0.01	0.009	0.23	22.0	12.1	0.48	310	1.10
R332456		16	1.18	18.3	1.91	3.44	0.11	0.99	0.01	0.011	0.15	17.7	9.7	0.45	333	23.5
R332457		64	3.01	23.9	2.21	3.43	0.10	1.12	0.01	0.015	0.39	10.0	21.2	0.81	463	8.09
R332458		20	0.51	67.3	4.18	4.79	0.20	0.31	0.01	0.019	0.03	2.7	9.3	0.61	435	6.52
R332459		19	9.95	114.5	7.51	8.27	0.20	0.20	0.01	0.045	0.55	2.8	25.3	1.43	835	84.7
R332460		17	8.96	99.5	6.97	7.76	0.20	0.17	0.01	0.038	0.48	2.6	22.9	1.31	763	79.3
R332461		25	5.47	151.5	7.37	7.68	0.18	0.26	<0.01	0.034	0.45	3.0	19.3	1.26	714	22.1
R332462		17	3.77	80.1	4.10	4.97	0.13	0.77	0.01	0.024	0.36	13.8	13.1	0.72	547	28.1
R332463		21	19.75	135.5	10.45	11.00	0.15	0.15	0.01	0.061	1.32	3.4	32.4	2.15	1260	221
R332464		25	13.20	169.0	8.31	9.04	0.20	0.24	0.01	0.052	0.89	2.6	17.9	1.28	992	28.5
R332465		25	2.38	124.5	6.40	5.34	0.14	0.21	0.01	0.023	0.23	2.5	8.2	0.67	592	2.36
R332466		15	1.48	21.2	1.55	2.11	0.07	1.20	0.01	0.007	0.16	4.9	3.3	0.18	207	18.30
R332467		21	3.80	254	5.91	5.91	0.14	0.71	0.01	0.031	0.33	3.0	10.0	0.72	598	13.95
R332468		20	3.44	155.5	6.90	6.44	0.14	0.35	0.01	0.021	0.42	3.0	8.8	0.71	482	12.60
R332469		17	3.12	142.5	7.70	6.16	0.11	0.32	<0.01	0.031	0.38	2.9	10.3	1.09	845	5.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R332429		0.05	0.13	2.3	30	4.7	3.5	0.004	0.09	0.10	0.3	0.2	0.7	9.2	<0.01	0.07
R332430		0.05	0.13	2.3	30	4.9	3.9	0.003	0.08	0.10	0.2	<0.2	0.7	9.3	<0.01	0.05
R332431		0.07	0.23	4.2	360	8.9	10.3	0.007	0.37	0.08	1.0	0.3	0.2	42.1	<0.01	0.18
R332432		0.06	0.15	2.5	100	6.4	4.2	0.005	0.20	0.12	0.4	0.2	0.6	16.8	<0.01	0.13
R332433		0.08	0.06	2.1	10	13.3	1.7	0.158	0.23	0.12	0.2	0.3	0.6	13.2	<0.01	0.40
R332434		0.07	0.11	3.7	280	7.2	5.1	0.003	0.48	0.10	0.8	0.4	<0.2	32.4	<0.01	0.38
R332435		0.06	0.16	3.9	280	5.5	6.2	0.004	0.20	0.10	0.8	0.4	0.7	29.6	<0.01	0.08
R332436		0.05	0.13	2.9	140	5.9	4.7	0.013	0.16	0.08	0.4	<0.2	0.6	20.3	<0.01	0.12
R332437		0.07	0.15	1.8	30	7.1	4.2	0.002	0.11	0.06	0.2	0.2	0.2	11.6	<0.01	2.48
R332438		0.07	0.15	2.6	110	6.6	4.1	0.005	0.25	0.10	0.4	<0.2	0.7	19.7	<0.01	0.14
R332439		0.07	0.15	1.9	40	3.7	2.1	0.003	0.25	0.09	0.3	<0.2	0.6	28.6	<0.01	0.13
R332440		<0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
R332441		0.07	0.11	1.8	20	4.2	3.0	0.006	0.15	0.06	0.4	0.3	<0.2	17.3	<0.01	7.05
R332442		0.06	0.14	2.6	120	7.2	3.9	0.007	0.20	0.10	0.5	0.2	0.6	17.1	<0.01	1.01
R332443		0.06	0.14	7.7	590	5.2	9.5	0.010	0.71	0.08	3.3	0.5	0.6	55.6	<0.01	0.50
R332444		0.05	0.15	11.2	570	7.2	43.0	0.020	1.33	0.06	11.9	1.1	0.3	44.7	<0.01	0.20
R332445		0.06	0.16	5.7	530	4.0	8.1	0.003	0.52	0.09	1.5	0.4	0.6	62.9	<0.01	0.13
R332446		0.08	0.35	6.3	670	6.3	10.6	<0.001	0.37	0.07	1.4	0.3	0.7	72.4	<0.01	0.10
R332447		0.08	0.45	6.8	820	10.6	23.5	<0.001	0.11	0.05	1.5	0.2	0.4	72.2	<0.01	0.02
R332448		0.07	0.48	5.0	520	8.4	9.9	0.005	0.13	0.08	1.1	0.3	0.7	52.1	<0.01	0.06
R332449		0.07	0.24	6.9	660	54.9	9.1	0.021	0.65	0.16	1.8	1.3	0.7	57.7	<0.01	3.74
R332450		0.07	0.11	10.9	620	14.8	5.8	0.002	0.44	0.39	8.2	0.7	0.5	106.0	<0.01	4.22
R332452		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
R332453		0.08	0.34	6.7	720	10.5	9.4	0.009	0.42	0.07	1.9	0.3	0.4	72.9	<0.01	0.36
R332454		0.07	0.38	8.0	670	11.2	15.8	0.003	0.21	0.17	1.5	<0.2	0.7	62.4	<0.01	0.11
R332455		0.08	0.40	6.5	690	8.9	16.7	0.001	0.11	0.16	1.5	0.3	0.7	70.1	<0.01	0.04
R332456		0.05	0.32	5.8	670	15.1	10.9	0.008	0.43	0.21	1.9	0.2	0.3	64.1	<0.01	0.36
R332457		0.06	0.10	28.7	470	6.2	36.3	0.004	0.65	0.44	4.2	0.2	0.5	81.1	<0.01	2.09
R332458		0.02	0.25	11.8	510	2.0	2.6	0.006	0.88	0.62	5.0	0.7	0.6	59.3	<0.01	0.04
R332459		0.02	0.11	18.6	560	4.4	48.5	0.031	1.36	0.40	17.2	1.3	0.4	73.2	<0.01	0.04
R332460		0.02	0.10	17.6	520	4.3	41.6	0.030	1.25	0.44	15.5	1.4	0.6	71.2	<0.01	0.04
R332461		0.02	0.15	22.6	680	2.8	34.5	0.010	1.21	0.34	12.8	1.4	0.6	88.8	<0.01	0.08
R332462		0.06	0.20	11.9	680	7.8	31.8	0.009	0.93	0.24	7.4	0.8	0.3	68.1	<0.01	0.14
R332463		0.04	0.07	26.8	720	11.5	125.5	0.114	1.80	0.23	21.5	1.6	0.6	27.4	<0.01	0.11
R332464		0.04	0.15	20.6	610	3.6	80.7	0.010	1.46	0.13	16.5	1.5	0.9	108.0	<0.01	0.03
R332465		0.06	0.36	20.5	640	2.2	17.9	0.002	1.30	0.16	6.8	1.3	0.4	21.1	<0.01	0.03
R332466		0.06	0.21	4.3	120	10.5	12.9	0.006	0.23	0.22	1.9	<0.2	0.6	17.8	<0.01	0.08
R332467		0.05	0.28	17.3	500	12.2	27.1	0.009	1.39	0.31	9.5	1.5	0.8	25.4	<0.01	0.13
R332468		0.06	0.18	18.6	580	4.9	29.4	0.006	1.28	0.15	5.8	1.3	0.3	15.4	<0.01	0.06
R332469		0.06	0.14	21.0	590	4.8	27.5	0.003	1.58	0.60	9.2	1.2	0.5	39.6	<0.01	0.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332429		3.0	0.007	0.03	1.24	3	6.59	0.95	6	16.9
R332430		2.9	0.007	0.03	1.24	3	5.00	0.91	6	16.7
R332431		4.0	0.038	0.09	4.47	14	92.0	2.76	26	28.5
R332432		4.3	0.009	0.03	3.32	4	90.8	1.69	9	28.7
R332433		2.8	<0.005	0.02	1.32	1	0.89	0.87	<2	18.2
R332434		3.5	0.018	0.03	3.28	8	0.52	2.20	13	23.9
R332435		3.0	0.034	0.05	3.00	11	0.45	1.98	20	18.1
R332436		2.7	0.020	0.03	1.71	6	0.48	1.34	14	17.0
R332437		3.9	0.008	0.03	2.29	3	0.63	1.22	8	23.0
R332438		3.7	0.012	0.03	2.50	5	0.56	1.53	10	23.6
R332439		3.2	0.006	0.02	1.37	2	1.19	1.43	3	20.5
R332440		0.2	<0.005	<0.02	0.08	<1	<0.05	0.67	<2	0.8
R332441		2.9	0.005	0.02	0.96	2	1.07	1.41	4	17.9
R332442		3.7	0.013	0.02	1.81	6	0.91	1.71	9	20.8
R332443		3.6	0.087	0.07	2.05	39	0.39	5.38	35	23.9
R332444		2.8	0.246	0.36	1.65	117	0.34	10.20	67	20.6
R332445		3.4	0.045	0.05	1.50	18	0.32	3.42	27	18.5
R332446		3.8	0.078	0.08	1.44	20	0.20	5.68	32	21.4
R332447		5.4	0.125	0.19	2.69	31	0.14	4.43	53	27.1
R332448		4.6	0.088	0.08	2.14	22	0.29	4.07	35	31.6
R332449		4.3	0.079	0.07	2.11	25	0.49	3.93	38	21.9
R332450		1.6	0.135	0.09	0.44	76	0.48	7.92	65	21.6
R332452		0.2	<0.005	<0.02	0.07	<1	<0.05	0.65	<2	0.8
R332453		4.0	0.096	0.07	1.44	27	0.41	4.29	45	20.2
R332454		3.8	0.093	0.13	1.68	25	0.27	3.51	45	18.5
R332455		3.4	0.103	0.14	1.18	27	0.16	3.63	47	16.8
R332456		4.1	0.066	0.09	1.98	26	0.25	4.00	46	23.1
R332457		3.1	0.048	0.35	1.58	30	0.32	4.62	38	29.8
R332458		0.6	0.179	0.02	0.79	68	1.47	8.13	30	7.1
R332459		0.2	0.255	0.40	0.16	113	1.24	14.10	85	4.2
R332460		0.2	0.237	0.35	0.14	102	1.25	12.65	78	3.9
R332461		0.3	0.284	0.29	0.27	108	0.67	13.95	83	6.0
R332462		2.7	0.128	0.25	1.03	58	0.31	7.69	62	23.5
R332463		0.2	0.292	1.05	0.20	163	0.21	14.30	149	3.4
R332464		0.2	0.322	0.66	0.46	144	0.54	14.55	106	5.7
R332465		0.2	0.266	0.15	0.56	119	0.57	12.15	68	4.8
R332466		3.2	0.054	0.10	2.16	19	0.20	3.52	23	27.4
R332467		1.7	0.241	0.23	1.51	100	0.90	12.75	79	15.5
R332468		0.8	0.241	0.23	0.59	117	0.42	10.45	66	8.0
R332469		0.9	0.181	0.24	0.67	114	0.50	10.85	82	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R332470		0.13	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.97	0.1
R332471		2.31	0.005		0.05	0.43	0.3	<0.2	<10	160	0.27	0.30	0.58	0.03	33.0	4.1
R332472		2.00	0.046		0.06	0.37	0.1	<0.2	<10	150	0.22	0.57	0.59	0.01	20.7	2.6
R332473		1.39	0.043		0.08	0.40	0.3	<0.2	<10	310	0.29	1.18	0.98	0.01	21.9	3.6
R332474		0.98	0.087		0.13	0.33	0.3	<0.2	<10	270	0.22	1.50	0.63	<0.01	15.40	2.6
R332475		2.24	0.018		0.04	0.44	0.1	<0.2	<10	150	0.28	0.27	0.55	0.02	28.4	3.3
R332476		2.26	0.006		0.04	0.31	0.2	<0.2	<10	110	0.21	0.34	0.40	0.01	19.00	2.5
R332477		1.41	0.022		0.04	0.51	0.3	<0.2	<10	170	0.22	0.45	0.70	0.01	33.7	4.7
R332478		2.84	0.027		0.08	0.55	0.1	<0.2	<10	330	0.30	0.42	0.78	0.02	28.0	4.5
R332479		2.83	0.021		0.07	0.49	0.2	<0.2	<10	380	0.33	0.44	0.99	0.01	27.9	4.0
R332480		0.08	2.37		4.63	1.58	18.3	2.5	<10	40	0.71	0.09	3.77	0.36	21.6	11.1
R332481		2.36	0.052		0.10	0.48	0.3	<0.2	<10	170	0.41	0.84	1.40	0.01	28.0	5.0
R332482		1.86	0.009		0.07	0.61	0.1	<0.2	<10	260	0.37	0.17	0.85	0.02	35.5	4.7
R332483		2.24	0.021		0.12	0.21	0.4	0.2	<10	40	0.22	0.48	0.50	0.02	8.99	1.8
R332484		2.33	0.021		0.13	0.33	0.3	<0.2	<10	120	0.31	0.83	0.75	0.02	17.30	2.7
R332485		2.21	0.039		0.08	0.37	0.3	<0.2	<10	380	0.28	0.77	0.82	0.01	22.5	3.2
R332486		2.51	0.009		0.05	0.57	0.3	<0.2	<10	250	0.34	0.21	0.74	0.04	36.9	4.2
R332487		1.92	0.005		0.05	0.60	0.2	<0.2	<10	290	0.34	0.19	0.80	0.02	38.9	4.7
R332488		1.09	0.029		0.13	0.43	0.3	<0.2	<10	250	0.33	1.39	0.74	0.01	25.8	3.7
R332489		1.66	0.008		0.07	0.53	0.3	<0.2	<10	300	0.39	0.30	0.81	0.01	35.5	4.8
R332490		<0.02	0.008		0.06	0.54	0.2	<0.2	<10	300	0.33	0.26	0.80	0.01	32.0	4.1
R332491		2.21	0.001		0.04	0.54	0.2	<0.2	<10	250	0.32	0.13	0.65	0.02	33.4	4.2
R332492		1.23	0.108		0.07	0.61	0.3	<0.2	<10	110	0.34	1.23	0.92	<0.01	30.9	4.8
R332493		2.02	0.025		0.09	0.51	0.1	<0.2	<10	200	0.33	0.65	1.13	0.03	26.4	4.8
R332494		2.67	0.005		0.04	0.68	0.3	<0.2	<10	210	0.32	0.23	0.84	0.02	36.5	5.3
R332495		1.20	0.021		0.06	0.47	0.3	<0.2	<10	120	0.30	0.61	1.43	0.10	25.0	4.0
R332496		1.62	0.002		0.02	0.66	0.2	<0.2	<10	80	0.39	0.10	0.41	<0.01	24.7	4.0
R332497		1.80	2.56		0.54	1.49	0.3	0.3	<10	70	0.67	12.55	0.48	0.02	17.10	12.7
R332498		2.30	0.007		0.05	0.83	0.3	<0.2	<10	110	0.35	0.36	0.60	0.01	25.7	6.2
R332499		1.45	0.578		0.13	0.39	0.2	<0.2	<10	60	0.32	1.83	0.90	0.03	13.35	3.7
R332500		1.96	0.050		0.07	0.65	0.3	<0.2	<10	40	0.40	0.91	0.58	0.07	13.25	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R332470		<1	<0.05	0.8	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05
R332471		17	1.09	19.8	1.59	2.71	0.10	1.10	<0.01	0.007	0.17	17.1	6.3	0.31	276	8.49
R332472		17	0.62	9.2	1.27	2.32	0.08	0.86	<0.01	0.006	0.12	10.9	5.2	0.23	196	45.4
R332473		16	0.53	16.9	1.44	2.44	0.08	0.85	<0.01	0.007	0.10	11.5	5.8	0.27	230	5.87
R332474		18	0.30	16.7	1.25	2.18	0.07	0.94	<0.01	0.005	0.07	8.2	4.8	0.22	182	108.0
R332475		22	0.99	19.7	1.44	2.80	0.08	0.84	<0.01	0.007	0.17	14.9	7.0	0.31	243	24.1
R332476		22	0.60	20.0	1.20	2.06	0.08	0.84	<0.01	0.006	0.12	10.0	4.6	0.21	187	5.27
R332477		19	0.70	9.0	1.71	3.69	0.10	0.77	<0.01	0.007	0.23	17.5	8.2	0.36	283	35.8
R332478		19	1.52	33.2	1.76	3.67	0.09	0.59	<0.01	0.012	0.22	14.6	8.8	0.39	288	20.5
R332479		18	0.58	35.2	1.61	3.31	0.08	0.56	<0.01	0.011	0.11	14.7	6.8	0.35	259	17.60
R332480		25	3.27	69.5	2.96	6.49	0.13	0.38	0.09	0.041	0.24	10.2	18.3	0.88	698	6.05
R332481		16	0.33	24.4	1.86	3.52	0.09	0.67	<0.01	0.012	0.08	14.3	6.5	0.35	257	22.9
R332482		18	0.86	27.3	1.69	4.15	0.10	0.41	<0.01	0.012	0.14	19.0	8.9	0.48	308	0.71
R332483		18	0.11	22.8	1.03	1.45	0.07	1.11	<0.01	<0.005	0.07	4.4	2.1	0.12	124	17.30
R332484		17	0.42	36.8	1.23	2.19	0.08	1.01	<0.01	0.008	0.11	9.2	4.0	0.20	192	11.10
R332485		18	0.36	25.0	1.40	2.56	0.09	0.72	<0.01	0.006	0.10	12.0	4.7	0.24	207	5.34
R332486		18	0.88	34.9	1.68	4.04	0.10	0.71	<0.01	0.010	0.17	19.6	8.4	0.40	267	1.33
R332487		17	1.04	15.6	1.82	4.23	0.10	0.60	<0.01	0.010	0.20	20.6	9.0	0.44	279	3.52
R332488		18	0.57	39.8	1.47	3.11	0.09	0.63	<0.01	0.010	0.10	13.6	6.1	0.31	218	69.5
R332489		17	0.86	17.1	1.73	4.01	0.10	0.66	<0.01	0.010	0.15	18.5	8.1	0.40	262	9.37
R332490		18	0.84	16.9	1.72	3.76	0.14	0.64	<0.01	0.009	0.16	17.0	7.7	0.40	259	8.85
R332491		18	0.76	24.8	1.64	3.90	0.15	0.66	<0.01	0.008	0.16	17.8	8.4	0.40	249	1.00
R332492		22	0.33	40.0	1.82	4.66	0.14	0.49	0.01	0.011	0.07	16.0	8.7	0.52	258	106.0
R332493		16	0.46	51.8	1.88	3.42	0.14	0.57	<0.01	0.013	0.11	13.9	6.3	0.39	251	12.35
R332494		18	0.99	24.5	1.92	4.60	0.14	0.43	<0.01	0.010	0.18	19.4	10.4	0.54	290	2.92
R332495		16	0.40	43.4	1.63	3.32	0.12	0.70	<0.01	0.019	0.10	13.5	5.9	0.35	293	3.73
R332496		19	0.47	14.4	1.58	3.95	0.12	0.68	<0.01	0.009	0.09	13.0	10.4	0.63	221	0.95
R332497		21	0.63	173.5	2.80	7.68	0.13	0.48	<0.01	0.017	0.04	8.2	32.2	1.87	363	5.96
R332498		20	0.30	69.1	1.76	4.90	0.12	0.61	<0.01	0.011	0.08	13.3	14.0	0.83	259	1.35
R332499		14	0.13	146.5	1.37	2.58	0.10	0.72	<0.01	0.008	0.06	6.6	5.5	0.32	170	1.06
R332500		16	0.18	175.5	1.77	4.37	0.12	0.60	<0.01	0.011	0.05	6.4	11.8	0.66	206	18.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R332470		<0.01	<0.05	0.4	10	0.5	0.1	0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R332471		0.06	0.47	4.3	380	11.5	13.9	0.002	0.33	0.23	1.3	<0.2	0.6	47.4	<0.01	0.06
R332472		0.07	0.23	3.8	310	9.4	8.4	0.016	0.22	0.07	0.9	0.2	0.2	35.7	<0.01	0.14
R332473		0.06	0.13	4.8	360	6.6	5.7	0.002	0.47	0.15	1.2	0.3	0.5	44.8	<0.01	0.59
R332474		0.06	0.13	3.6	280	8.1	3.6	0.017	0.33	0.12	0.8	0.2	0.5	26.9	<0.01	0.28
R332475		0.06	0.28	4.1	390	9.2	12.9	0.005	0.14	0.06	1.1	<0.2	0.2	42.4	<0.01	0.06
R332476		0.05	0.18	3.6	240	5.9	7.7	0.002	0.16	0.10	0.8	0.2	0.5	27.6	<0.01	0.04
R332477		0.07	0.34	5.3	560	7.4	14.5	0.009	0.31	0.07	1.5	0.3	0.5	46.2	<0.01	0.11
R332478		0.06	0.25	5.6	510	6.5	16.6	0.005	0.33	0.07	1.4	0.3	0.3	50.2	<0.01	0.14
R332479		0.06	0.16	5.0	440	4.8	6.3	0.006	0.40	0.09	1.5	0.3	0.6	55.4	<0.01	0.16
R332480		0.07	0.05	11.4	630	18.2	11.1	0.003	0.88	0.44	8.3	0.9	0.5	119.5	<0.01	2.61
R332481		0.08	0.17	6.1	550	4.7	4.0	0.004	0.78	0.10	2.0	0.4	0.6	45.2	<0.01	0.29
R332482		0.05	0.27	5.8	570	4.8	9.2	<0.001	0.23	0.07	1.7	0.2	0.3	58.8	<0.01	0.10
R332483		0.05	0.12	2.9	140	14.8	3.0	0.004	0.29	0.10	0.5	<0.2	0.5	11.8	<0.01	0.18
R332484		0.06	0.17	3.6	280	11.9	6.3	0.004	0.31	0.14	1.0	0.2	0.6	37.5	<0.01	0.36
R332485		0.06	0.21	4.1	340	9.9	4.9	0.002	0.36	0.12	1.1	0.2	0.6	47.6	<0.01	0.17
R332486		0.07	0.36	5.2	540	12.1	10.9	0.001	0.15	0.09	1.3	0.2	0.7	63.0	<0.01	0.08
R332487		0.07	0.36	5.7	640	8.2	13.4	0.002	0.21	0.06	1.4	0.2	0.3	68.4	<0.01	0.05
R332488		0.06	0.26	4.9	420	7.4	6.8	0.015	0.30	0.13	1.3	<0.2	0.6	46.7	<0.01	0.57
R332489		0.07	0.33	5.8	580	6.8	11.0	0.003	0.27	0.10	1.5	0.2	0.7	57.3	<0.01	0.10
R332490		0.07	0.30	5.2	560	6.3	10.6	0.003	0.25	0.07	1.5	0.3	0.3	56.6	<0.01	0.08
R332491		0.07	0.36	5.1	560	8.2	10.0	0.001	0.15	0.06	1.3	0.3	0.6	53.8	<0.01	0.01
R332492		0.07	0.19	5.8	560	5.2	4.0	0.024	0.32	0.08	2.1	0.4	0.7	43.9	<0.01	0.32
R332493		0.06	0.21	5.7	590	5.2	5.8	0.004	0.66	0.05	1.7	0.5	0.2	46.8	<0.01	0.21
R332494		0.07	0.27	6.0	640	4.9	11.9	0.001	0.22	0.07	1.8	0.3	0.6	62.8	<0.01	0.07
R332495		0.06	0.21	4.7	430	13.6	5.0	0.002	0.41	0.07	1.7	0.4	0.6	42.4	<0.01	0.19
R332496		0.06	0.11	4.4	400	4.9	4.6	0.001	0.06	<0.05	1.6	<0.2	0.3	30.0	<0.01	0.01
R332497		0.06	0.06	11.8	580	4.2	2.5	0.002	0.37	0.05	2.2	0.5	0.6	20.9	<0.01	7.63
R332498		0.06	0.11	6.2	480	3.2	3.5	0.001	0.16	0.07	1.7	0.3	0.6	29.1	<0.01	0.16
R332499		0.07	0.11	3.8	340	4.1	2.2	0.001	0.59	<0.05	1.4	0.4	0.2	20.1	<0.01	0.69
R332500		0.05	0.10	6.0	420	7.1	2.2	0.006	0.56	0.07	1.7	0.3	0.5	19.6	<0.01	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332470		0.2	<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.7
R332471		4.0	0.069	0.10	2.24	18	0.18	3.35	35	28.7
R332472		3.1	0.041	0.06	1.51	14	0.27	2.65	22	22.3
R332473		3.0	0.025	0.04	1.46	12	0.36	3.13	22	25.4
R332474		3.2	0.021	0.03	1.50	10	0.48	2.49	14	23.5
R332475		3.4	0.060	0.09	1.51	19	0.17	2.93	32	23.0
R332476		3.2	0.034	0.06	1.37	13	0.27	2.13	21	20.5
R332477		3.5	0.083	0.10	1.26	27	0.26	4.28	37	21.7
R332478		2.7	0.066	0.13	1.00	21	0.19	3.18	40	16.4
R332479		3.1	0.042	0.05	1.23	18	0.39	3.22	28	14.6
R332480		1.5	0.053	0.14	0.36	68	0.41	8.04	85	12.4
R332481		3.4	0.040	0.02	1.33	20	1.17	4.04	24	17.2
R332482		2.7	0.076	0.07	0.78	23	0.30	3.21	47	11.4
R332483		4.2	0.014	0.02	3.29	7	0.53	1.71	12	19.8
R332484		3.8	0.030	0.05	2.44	10	0.48	2.13	19	20.2
R332485		2.9	0.045	0.03	1.57	14	0.51	2.49	21	18.0
R332486		3.4	0.087	0.08	1.32	22	0.30	3.35	41	17.7
R332487		3.5	0.092	0.10	1.24	25	0.17	3.65	43	15.7
R332488		2.7	0.057	0.05	1.20	17	12.10	2.95	27	15.5
R332489		3.4	0.079	0.08	1.32	22	0.28	3.53	36	16.9
R332490		3.2	0.080	0.08	1.24	22	0.28	3.39	36	16.5
R332491		3.4	0.088	0.08	1.24	23	0.20	3.24	38	17.0
R332492		2.7	0.060	0.03	0.65	23	0.82	3.47	31	13.8
R332493		2.9	0.054	0.04	0.86	20	1.90	3.60	31	15.2
R332494		2.5	0.090	0.09	0.51	27	0.36	3.71	43	12.6
R332495		3.1	0.053	0.03	1.28	18	0.38	3.19	50	17.0
R332496		3.1	0.051	0.03	1.44	20	0.33	2.60	29	15.8
R332497		2.6	0.052	0.02	0.77	28	0.39	3.96	59	14.6
R332498		2.8	0.060	0.02	1.19	22	0.37	2.80	35	17.4
R332499		2.5	0.029	<0.02	0.80	12	2.58	3.09	18	16.8
R332500		2.6	0.036	0.02	0.80	18	0.52	2.83	36	15.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143491

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

CERTIFICATE SD15143496

Project: Miller

This report is for 200 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335501		1.68	0.171		0.05	0.72	0.3	<0.2	<10	40	0.42	0.54	0.30	0.01	14.40	5.4
R335502		1.36	0.010		0.13	0.58	0.1	0.5	<10	60	0.36	0.26	0.70	<0.01	28.5	4.0
R335503		1.70	0.028		0.05	0.39	0.3	<0.2	<10	70	0.28	0.50	0.44	0.03	14.55	2.9
R335504		1.00	0.002		0.02	1.27	0.3	<0.2	<10	80	2.76	0.15	1.69	0.03	23.0	9.8
R335505		1.96	0.036		0.08	0.37	0.2	<0.2	<10	10	2.96	0.96	0.60	0.06	11.85	2.8
R335506		3.28	0.006		0.02	0.61	0.3	<0.2	<10	90	0.36	0.31	0.55	0.01	26.9	4.4
R335507		1.94	0.642		0.33	0.14	0.1	0.3	<10	30	0.30	5.21	1.22	<0.01	6.33	2.4
R335508		1.87	0.002		0.02	0.79	0.1	<0.2	<10	90	0.38	0.31	0.63	0.01	31.9	5.7
R335509		1.29	0.205		0.12	0.36	0.3	<0.2	<10	310	0.31	2.42	1.49	0.01	15.65	3.9
R335510		0.09	<0.001		<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1
R335511		2.45	0.010		0.02	0.82	0.2	<0.2	<10	90	0.39	0.12	0.53	0.01	31.1	5.4
R335512		1.13	1.380		0.14	0.56	0.2	0.4	<10	60	0.55	11.55	0.17	0.01	14.35	4.8
R335513		1.89	0.016		0.02	0.97	0.3	<0.2	<10	110	0.40	0.30	0.34	0.01	27.6	6.5
R335514		2.52	0.008		0.03	0.87	0.2	<0.2	<10	70	0.40	0.43	0.46	<0.01	31.2	5.9
R335515		1.31	0.212		0.08	1.11	0.2	<0.2	<10	50	0.65	1.72	0.33	0.02	22.1	8.4
R335516		1.06	0.004		0.03	1.20	0.3	<0.2	<10	60	0.58	0.26	0.31	<0.01	25.5	9.0
R335517		1.13	2.43		0.07	1.38	0.2	<0.2	<10	40	0.72	5.12	0.43	<0.01	19.40	10.9
R335518		2.77	1.730		0.07	1.05	0.1	0.3	<10	50	0.54	2.75	0.74	0.01	27.4	7.8
R335519		1.85	0.033		0.02	0.74	0.2	<0.2	<10	140	0.43	0.88	0.87	0.01	31.0	5.5
R335520		0.08	0.933		5.92	1.08	40.8	0.7	<10	40	0.19	1.13	0.41	4.91	5.29	13.8
R335521		1.68	0.079		0.06	0.60	0.2	<0.2	<10	100	0.43	1.67	0.97	<0.01	23.1	4.9
R335522		2.11	0.195		0.03	0.64	0.1	<0.2	<10	150	0.29	0.74	1.28	0.01	32.3	5.0
R335523		2.49	0.892		0.64	0.59	0.3	<0.2	<10	100	0.28	1.21	0.78	0.01	28.9	4.3
R335524		1.81	0.059		0.11	0.52	0.3	<0.2	<10	220	0.25	0.83	0.86	0.01	32.3	4.4
R335525		1.07	<0.001		0.04	1.45	0.2	<0.2	<10	20	0.20	0.06	1.69	0.06	7.29	30.0
R335526		1.88	0.164		0.52	1.08	0.6	<0.2	<10	30	0.34	1.83	3.71	0.04	5.79	28.3
R335527		2.98	0.004		0.07	3.34	0.4	<0.2	<10	10	0.94	1.38	1.68	0.01	12.45	42.3
R335528		1.43	0.002		0.14	1.78	0.6	<0.2	<10	10	0.51	3.23	2.66	0.03	9.70	41.2
R335529		1.76	0.003		0.11	3.12	0.6	<0.2	<10	10	1.05	1.58	1.13	0.02	14.40	44.0
R335530		<0.02	0.003		0.11	3.08	0.5	<0.2	<10	10	1.00	1.54	1.08	0.02	15.25	41.5
R335531		0.93	0.008		0.12	2.63	0.4	<0.2	<10	<10	0.69	2.91	7.04	0.01	36.7	43.0
R335532		1.51	0.008		0.10	2.41	0.6	<0.2	<10	10	0.67	0.78	2.43	0.02	30.2	35.9
R335533		1.80	0.103		0.68	1.46	0.4	<0.2	<10	20	0.64	1.27	5.11	0.03	24.0	28.0
R335534		2.26	0.002		0.07	3.20	0.6	<0.2	<10	10	0.76	0.21	3.57	0.04	22.3	38.1
R335535		1.74	0.076		0.28	2.05	0.5	<0.2	<10	10	0.40	0.90	3.18	0.03	11.55	30.8
R335536		2.10	0.038		0.17	1.23	0.3	<0.2	<10	40	0.32	0.51	1.77	0.02	18.75	17.1
R335537		2.39	0.017		0.08	0.56	0.1	<0.2	<10	120	0.24	0.23	0.94	0.01	32.3	4.8
R335538		3.62	0.008		0.18	1.79	0.8	<0.2	<10	20	0.23	0.12	1.88	0.07	7.01	32.2
R335539		2.64	0.007		0.23	1.91	0.6	<0.2	<10	20	0.22	0.46	2.15	0.05	8.59	35.9
R335540		0.09	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.96	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335501		19	0.29	65.4	1.96	4.37	0.10	1.01	<0.01	0.007	0.08	7.3	12.7	0.69	245	3.20
R335502		19	0.34	15.0	1.71	3.74	0.12	0.73	<0.01	0.009	0.09	15.1	8.3	0.51	222	12.20
R335503		14	0.20	51.9	1.17	2.53	0.10	1.16	<0.01	0.005	0.06	7.4	5.1	0.31	161	10.65
R335504		13	0.31	160.0	2.38	7.24	0.15	0.97	<0.01	0.018	0.02	11.2	23.2	1.56	446	1.72
R335505		13	0.09	142.0	1.18	2.33	0.11	1.09	<0.01	0.009	0.04	4.9	5.9	0.36	148	40.5
R335506		19	0.38	35.0	1.64	4.03	0.12	0.72	<0.01	0.008	0.09	14.0	8.7	0.54	232	3.93
R335507		12	<0.05	100.0	1.17	0.78	0.10	1.12	<0.01	0.005	0.02	2.8	0.8	0.04	128	648
R335508		21	0.47	18.1	2.05	5.29	0.13	0.56	<0.01	0.008	0.08	17.0	11.7	0.75	239	6.14
R335509		15	0.15	51.6	1.53	2.47	0.11	0.66	<0.01	0.008	0.06	7.8	4.3	0.29	222	15.90
R335510		<1	<0.05	0.8	0.02	<0.05	0.08	0.03	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.08
R335511		23	0.47	31.7	1.89	5.35	0.12	0.50	<0.01	0.011	0.09	16.0	12.2	0.80	248	2.31
R335512		17	0.14	204	1.72	3.44	0.11	0.58	<0.01	0.009	0.07	6.8	8.5	0.56	157	19.55
R335513		21	0.32	47.0	2.01	6.12	0.12	0.50	<0.01	0.009	0.09	13.9	15.7	0.98	270	1.67
R335514		24	0.41	49.6	1.99	5.23	0.12	0.50	<0.01	0.009	0.09	15.9	12.8	0.86	248	1.06
R335515		19	0.51	408	2.33	6.40	0.12	0.36	<0.01	0.017	0.05	10.7	19.2	1.27	277	9.02
R335516		20	0.59	156.0	2.31	7.59	0.11	0.35	<0.01	0.013	0.06	12.1	21.5	1.41	291	3.15
R335517		21	0.48	70.4	3.04	8.42	0.12	0.36	<0.01	0.014	0.04	9.1	25.0	1.71	341	33.9
R335518		21	0.43	36.6	2.29	6.73	0.12	0.45	<0.01	0.011	0.07	13.5	17.1	1.09	287	4.27
R335519		16	0.27	27.2	1.75	5.41	0.12	0.43	<0.01	0.009	0.07	15.9	11.1	0.67	251	0.67
R335520		20	3.63	6900	6.80	3.26	0.12	<0.02	0.04	0.327	0.29	2.6	10.6	0.32	621	135.0
R335521		21	0.21	37.2	1.79	4.30	0.11	0.47	<0.01	0.008	0.06	11.8	8.2	0.52	219	7.15
R335522		20	0.27	18.3	1.96	4.89	0.12	0.45	<0.01	0.011	0.08	16.9	7.9	0.53	264	11.20
R335523		18	0.32	24.9	1.75	4.17	0.12	0.61	<0.01	0.009	0.09	15.1	7.1	0.51	251	5.87
R335524		19	0.46	37.2	1.81	3.51	0.15	0.78	<0.01	0.009	0.13	16.7	6.9	0.40	275	88.8
R335525		19	1.53	103.0	8.70	7.82	0.16	0.14	<0.01	0.030	0.17	2.8	18.2	1.41	754	0.89
R335526		15	2.36	125.0	8.84	6.60	0.15	0.41	<0.01	0.046	0.22	2.2	16.4	1.27	925	156.5
R335527		20	4.41	348	10.85	17.60	0.28	0.26	<0.01	0.092	0.03	5.5	58.8	4.76	857	3.13
R335528		23	2.19	180.5	10.65	12.10	0.24	0.24	<0.01	0.058	0.04	4.2	28.6	2.49	745	19.95
R335529		21	5.06	81.9	11.30	16.10	0.27	0.31	<0.01	0.090	0.03	6.8	51.8	4.44	760	3.37
R335530		22	4.99	78.3	11.10	15.60	0.27	0.28	<0.01	0.081	0.03	7.3	50.4	4.37	746	3.25
R335531		16	3.06	17.4	9.05	14.60	0.31	0.21	<0.01	0.107	0.01	15.5	34.8	3.35	1560	2.11
R335532		19	2.67	734	9.64	14.20	0.27	0.42	0.01	0.066	0.02	15.0	32.3	3.14	720	1.97
R335533		254	1.06	103.5	4.81	7.29	0.17	0.93	<0.01	0.030	0.04	9.4	19.1	1.82	748	15.95
R335534		139	1.98	88.3	9.87	12.55	0.20	0.26	<0.01	0.054	0.11	9.9	36.9	3.71	1100	2.39
R335535		15	0.74	147.5	9.07	9.07	0.13	0.26	<0.01	0.042	0.13	4.9	20.8	1.70	886	9.69
R335536		17	0.60	100.5	5.40	7.05	0.17	0.82	0.01	0.031	0.06	9.3	12.2	1.13	542	12.55
R335537		17	0.34	18.6	1.85	4.20	0.12	0.94	<0.01	0.010	0.09	16.5	6.4	0.45	276	10.15
R335538		15	0.72	111.0	8.23	8.78	0.19	0.17	<0.01	0.025	0.07	2.8	15.9	1.42	813	10.90
R335539		17	1.21	127.0	9.40	10.70	0.18	0.11	<0.01	0.035	0.09	3.2	16.7	1.43	813	6.49
R335540		<1	<0.05	0.9	0.03	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335501		0.07	0.10	5.8	260	11.8	3.4	0.001	0.41	0.07	1.4	0.4	3.3	19.9	<0.01	0.18
R335502		0.06	0.15	4.8	440	3.8	4.0	0.004	0.20	0.05	1.8	0.3	0.3	32.0	<0.01	0.07
R335503		0.07	0.15	3.3	220	9.6	2.8	0.005	0.26	0.07	1.0	0.2	0.6	24.5	<0.01	0.12
R335504		0.07	0.05	9.2	180	16.2	1.1	0.001	0.13	0.05	2.2	0.8	0.2	19.5	<0.01	0.03
R335505		0.07	0.08	3.2	120	16.0	1.3	0.013	0.32	<0.05	1.1	0.8	0.2	14.3	<0.01	0.18
R335506		0.06	0.17	4.9	440	5.5	4.2	0.001	0.15	0.07	1.6	0.3	0.7	35.1	<0.01	0.08
R335507		0.10	0.08	2.5	270	28.3	0.8	0.135	0.83	0.06	0.9	0.6	<0.2	28.7	<0.01	1.58
R335508		0.07	0.14	6.1	580	2.1	3.9	0.001	0.31	<0.05	2.3	0.4	0.3	27.2	<0.01	0.03
R335509		0.06	0.16	4.2	400	4.6	2.1	0.004	0.70	0.10	1.7	0.4	0.6	36.2	<0.01	0.85
R335510		<0.01	<0.05	0.4	10	0.3	0.1	<0.001	0.02	<0.05	0.2	<0.2	<0.2	0.7	<0.01	<0.01
R335511		0.06	0.11	5.4	550	2.5	4.2	0.001	0.11	<0.05	2.1	0.3	0.3	30.0	<0.01	0.03
R335512		0.06	0.08	4.6	330	4.8	2.3	0.005	0.56	0.05	1.2	0.7	0.2	14.9	<0.01	7.16
R335513		0.07	0.08	6.3	580	2.1	3.8	0.001	0.14	0.07	2.0	0.3	0.7	23.4	<0.01	0.07
R335514		0.07	0.11	5.6	550	1.7	3.9	0.001	0.19	<0.05	2.0	0.2	0.3	26.8	<0.01	0.19
R335515		0.06	0.05	10.2	540	4.5	2.6	0.002	0.36	0.05	2.0	0.3	0.2	19.0	<0.01	0.93
R335516		0.06	0.05	7.3	610	1.0	3.5	0.002	0.21	0.06	2.1	0.3	0.6	21.1	<0.01	0.09
R335517		0.06	<0.05	8.1	560	2.8	1.9	0.009	0.60	<0.05	2.2	0.4	0.2	19.4	<0.01	2.28
R335518		0.07	0.09	6.8	630	1.6	3.4	0.002	0.37	<0.05	2.2	0.3	0.3	26.6	<0.01	1.45
R335519		0.06	0.15	5.2	650	1.7	3.6	<0.001	0.23	0.06	1.9	0.3	0.6	29.6	<0.01	0.37
R335520		0.02	0.08	15.2	470	104.0	12.9	0.186	4.97	2.46	1.4	8.0	1.8	37.0	<0.01	0.97
R335521		0.06	0.17	5.0	510	1.9	3.0	0.003	0.48	0.07	1.7	0.3	0.3	30.2	<0.01	0.71
R335522		0.06	0.18	5.7	600	2.0	3.8	0.002	0.48	<0.05	2.1	0.4	0.3	40.9	<0.01	0.23
R335523		0.06	0.20	4.7	510	6.3	3.9	0.001	0.21	0.08	1.6	0.2	0.6	37.5	<0.01	1.38
R335524		0.06	0.26	8.6	470	11.6	7.0	0.030	0.36	0.11	1.8	0.4	0.3	49.8	<0.01	0.34
R335525		0.04	0.10	22.6	720	1.7	13.0	0.002	0.37	0.09	11.2	1.0	0.3	18.1	<0.01	0.04
R335526		0.05	0.06	20.1	570	8.0	18.1	0.046	3.02	0.25	15.0	1.4	0.5	45.3	<0.01	1.86
R335527		0.04	<0.05	28.0	740	1.3	3.3	0.005	0.68	0.06	24.7	1.2	0.5	41.6	<0.01	0.06
R335528		0.05	0.07	27.2	750	3.8	4.3	0.009	2.01	0.07	16.8	1.9	0.4	31.0	<0.01	0.09
R335529		0.05	0.05	29.6	810	2.5	4.5	0.003	1.69	0.07	24.4	1.8	0.6	39.4	<0.01	0.08
R335530		0.04	<0.05	27.8	800	2.5	4.3	0.003	1.64	0.07	23.2	1.4	0.5	38.9	<0.01	0.08
R335531		0.03	<0.05	28.2	630	2.2	1.6	0.003	1.14	0.06	26.2	1.5	0.3	57.8	<0.01	0.09
R335532		0.03	0.05	31.6	650	2.7	1.9	0.002	0.93	0.08	22.4	1.6	0.6	37.2	<0.01	0.10
R335533		0.05	0.17	58.2	1330	7.6	3.1	0.006	1.88	0.12	14.5	1.0	0.5	75.5	<0.01	1.10
R335534		0.02	0.06	60.1	960	1.3	7.9	0.002	0.78	0.08	20.7	1.4	0.4	77.0	<0.01	0.03
R335535		0.03	0.06	22.5	690	3.4	6.8	0.006	1.49	0.11	14.5	1.4	0.4	42.9	<0.01	0.43
R335536		0.05	0.10	12.1	460	5.7	3.2	0.005	0.73	0.09	11.2	0.7	0.3	29.4	<0.01	0.20
R335537		0.06	0.21	5.0	540	5.0	4.8	0.002	0.29	0.06	2.1	0.4	0.3	37.3	<0.01	0.08
R335538		0.06	0.13	23.5	690	4.0	3.9	0.009	1.15	0.11	8.3	1.2	0.6	27.8	<0.01	0.10
R335539		0.06	0.09	26.0	760	3.4	5.7	0.006	1.39	0.08	13.2	1.5	0.3	26.4	<0.01	0.10
R335540		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335501		3.2	0.033	0.02	1.59	15	0.27	2.91	31	24.8
R335502		3.4	0.057	0.02	1.53	21	0.33	3.20	26	16.7
R335503		3.4	0.027	0.02	2.17	10	0.29	2.38	21	28.2
R335504		2.8	0.026	<0.02	0.99	20	0.24	17.15	54	24.2
R335505		3.2	0.013	<0.02	1.62	7	0.32	17.05	23	21.9
R335506		3.1	0.057	0.02	1.41	20	0.28	3.01	32	18.7
R335507		3.9	0.006	0.02	1.55	2	0.51	3.52	5	22.5
R335508		3.2	0.060	0.02	1.11	28	0.37	3.74	31	15.3
R335509		3.0	0.033	<0.02	1.08	14	0.68	3.61	14	15.5
R335510		0.2	<0.005	<0.02	0.07	<1	<0.05	0.65	<2	0.8
R335511		3.0	0.061	0.02	0.97	27	0.42	3.63	33	13.1
R335512		2.7	0.026	0.02	0.81	13	0.37	3.59	19	14.7
R335513		3.1	0.052	0.02	0.78	27	0.52	2.69	38	14.4
R335514		2.9	0.059	0.02	0.70	26	0.61	3.50	35	13.9
R335515		2.6	0.034	<0.02	0.69	28	0.36	3.46	45	10.3
R335516		2.8	0.045	<0.02	0.62	31	0.39	3.34	44	11.4
R335517		2.4	0.035	<0.02	0.55	32	0.32	4.28	49	11.1
R335518		3.0	0.051	0.02	0.74	31	0.59	3.95	40	13.5
R335519		3.1	0.058	0.02	0.69	26	0.78	3.94	31	13.8
R335520		1.1	0.012	0.32	0.15	17	2.52	2.76	819	<0.5
R335521		2.4	0.056	<0.02	0.56	23	1.90	3.63	23	14.2
R335522		2.9	0.063	0.02	0.64	26	0.70	4.10	28	13.9
R335523		3.1	0.067	0.02	1.25	24	0.35	3.32	33	15.5
R335524		3.2	0.074	0.06	1.06	27	0.36	3.72	38	22.1
R335525		0.2	0.218	0.15	0.07	147	0.17	13.80	94	2.6
R335526		0.9	0.133	0.18	0.50	106	0.37	11.25	77	7.4
R335527		0.2	0.277	0.04	0.07	188	0.71	19.65	121	4.6
R335528		0.2	0.281	0.06	0.20	179	0.60	18.05	78	4.4
R335529		0.2	0.306	0.06	0.09	192	0.65	17.75	115	6.0
R335530		0.2	0.293	0.06	0.09	188	0.63	16.85	114	5.8
R335531		<0.2	0.221	0.04	0.13	142	0.49	32.1	98	4.1
R335532		0.7	0.256	0.02	0.55	158	0.69	15.05	97	8.6
R335533		3.2	0.169	0.02	2.60	105	1.99	10.70	58	26.1
R335534		0.7	0.275	0.06	0.20	150	0.82	16.35	135	6.6
R335535		0.7	0.178	0.05	0.24	114	1.04	14.80	113	6.2
R335536		2.5	0.177	0.02	1.23	82	0.75	10.95	71	19.1
R335537		3.2	0.072	0.03	1.12	30	0.67	4.33	34	27.0
R335538		0.2	0.255	0.04	0.05	130	0.88	12.25	109	3.8
R335539		0.2	0.229	0.06	0.05	158	0.82	13.30	125	2.1
R335540		0.2	<0.005	<0.02	0.08	<1	<0.05	0.60	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335541		3.80	<0.001		0.23	0.98	0.6	<0.2	<10	10	0.11	0.11	1.19	0.06	6.78	32.0
R335542		2.27	0.004		0.10	1.13	0.3	<0.2	<10	30	0.06	0.03	1.24	0.02	3.58	16.1
R335543		1.59	0.021		0.42	1.93	0.6	<0.2	<10	20	0.22	0.23	3.93	0.05	7.45	35.1
R335544		3.75	<0.001		0.16	1.34	0.6	<0.2	<10	40	0.17	0.14	1.48	0.08	7.47	32.9
R335545		3.85	0.011		0.12	1.71	0.4	<0.2	<10	20	0.24	0.29	1.82	0.04	8.35	37.1
R335546		2.48	0.008		0.15	2.62	0.8	<0.2	<10	10	0.74	2.25	2.61	0.02	11.45	39.2
R335547		1.41	0.011		0.23	2.07	0.6	<0.2	<10	10	0.48	0.65	3.08	0.02	9.78	35.3
R335548		2.37	0.003		0.12	2.39	0.7	<0.2	<10	20	0.56	0.88	1.41	0.03	20.7	37.8
R335549		1.61	0.056		0.11	0.75	0.3	<0.2	<10	20	0.49	1.04	1.61	<0.01	12.30	8.6
R335550		0.08	8.97		9.39	1.64	11.4	9.0	<10	30	0.48	0.07	3.94	0.27	19.25	10.6
R335551		1.70	0.499		0.19	1.07	0.3	0.2	<10	10	0.61	2.71	3.11	0.02	8.35	24.3
R335552		1.21	1.360		0.37	0.47	0.3	1.2	<10	30	0.46	3.50	1.33	0.01	12.85	5.7
R335553		1.40	0.272		0.28	2.03	0.3	0.3	<10	20	1.24	3.50	1.91	0.01	8.98	30.5
R335554		1.42	0.363		0.45	1.56	0.3	1.8	<10	10	0.87	2.91	3.11	0.02	12.05	29.3
R335555		1.52	0.268		0.24	0.76	0.3	0.2	<10	50	0.69	4.29	2.01	0.02	25.9	12.7
R335556		2.03	0.358		0.28	1.35	0.2	0.3	<10	40	0.59	3.33	2.53	<0.01	28.5	20.7
R335557		1.50	0.311		0.08	0.36	0.2	<0.2	<10	30	0.24	1.05	0.75	0.02	15.85	2.4
R335558		1.56	0.792		0.08	0.16	0.3	<0.2	<10	20	0.13	1.58	0.58	0.01	6.97	1.8
R335559		1.44	0.282		0.16	0.80	0.2	0.2	<10	30	0.51	2.09	3.09	0.02	9.63	18.5
R335560		<0.02	0.363		0.17	0.75	<0.1	0.3	<10	30	0.53	2.10	2.82	0.01	9.06	17.2
R335561		1.07	0.034		0.06	0.21	0.1	<0.2	<10	50	0.20	0.29	0.52	0.01	9.80	1.1
R335562		1.67	0.100		0.05	0.28	<0.1	<0.2	<10	20	0.21	0.35	0.55	0.01	8.53	2.7
R335563		1.44	0.028		0.05	1.51	<0.1	<0.2	<10	30	0.48	0.56	2.01	0.03	8.79	28.0
R335564		1.15	0.169		0.05	0.69	<0.1	<0.2	<10	130	0.32	1.49	1.22	0.01	23.7	7.6
R335565		1.99	0.026		0.09	1.68	0.1	<0.2	<10	110	0.46	0.54	2.20	0.03	10.05	31.1
R335566		1.47	0.790		0.57	0.37	<0.1	0.4	<10	30	0.32	3.42	3.82	0.02	10.50	14.5
R335567		1.81	0.012		0.06	1.53	<0.1	<0.2	<10	20	0.38	0.27	1.76	0.04	8.89	30.6
R335568		2.61	0.024		0.10	1.70	0.1	<0.2	<10	30	0.60	0.75	2.33	0.04	10.80	30.0
R335569		2.74	0.624		0.47	0.18	0.1	0.2	<10	30	0.19	2.10	0.79	<0.01	8.85	3.3
R335570		0.09	0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.02	0.1
R335571		0.91	0.633		0.38	0.23	<0.1	0.6	<10	30	0.22	3.76	2.12	0.01	14.50	7.8
R335572		1.61	0.024		0.09	0.56	0.1	<0.2	<10	170	0.27	0.57	1.71	<0.01	27.4	5.1
R335573		2.21	0.043		0.11	0.57	0.1	<0.2	<10	60	0.28	0.73	1.59	<0.01	23.1	4.8
R335574		2.01	>10.0	20.8	0.65	0.84	<0.1	2.8	<10	30	0.43	31.4	1.01	0.01	22.5	8.6
R335575		1.62	0.087		0.09	1.34	<0.1	<0.2	<10	50	0.32	1.62	1.93	0.01	20.6	27.4
R335576		1.99	2.28		0.49	0.54	0.3	0.4	<10	30	0.61	5.35	4.17	0.03	13.65	25.0
R335577		1.14	0.173		0.10	0.58	0.4	<0.2	<10	20	0.32	1.40	2.24	0.02	22.5	7.9
R335578		1.76	0.140		0.20	0.88	<0.1	<0.2	<10	20	0.40	1.25	1.23	0.03	10.15	12.2
R335579		1.26	0.052		0.09	0.34	<0.1	<0.2	<10	60	0.19	3.16	0.57	0.01	15.35	2.4
R335580		0.08	2.42		4.87	1.60	18.5	2.5	<10	40	0.60	0.09	3.72	0.37	22.5	10.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335541		17	0.56	196.0	7.90	6.94	0.20	0.20	<0.01	0.025	0.04	2.6	7.4	0.69	498	1.38
R335542		16	0.38	106.5	7.86	3.50	0.15	0.10	0.01	0.009	0.07	1.4	4.2	0.71	509	2.24
R335543		17	0.62	150.0	9.25	10.15	0.18	0.15	<0.01	0.040	0.08	2.8	18.3	1.34	876	4.57
R335544		14	2.03	108.5	8.70	9.50	0.22	0.18	<0.01	0.024	0.15	2.9	14.7	1.08	562	10.10
R335545		12	0.63	119.0	9.75	10.05	0.20	0.14	0.01	0.031	0.06	3.2	15.9	1.51	674	6.35
R335546		10	1.27	342	11.55	16.45	0.22	0.31	<0.01	0.087	0.05	4.7	28.2	2.98	933	3.42
R335547		9	0.97	131.0	11.25	12.20	0.17	0.15	<0.01	0.056	0.08	3.6	21.9	2.13	812	11.55
R335548		8	2.06	243	10.70	13.30	0.18	0.23	<0.01	0.043	0.14	10.0	31.1	2.59	764	12.20
R335549		13	0.39	78.7	2.68	4.07	0.11	0.99	<0.01	0.015	0.05	5.8	9.5	0.79	340	50.7
R335550		18	2.40	63.6	3.07	6.47	0.17	0.62	0.16	0.025	0.13	8.6	20.9	1.10	816	5.25
R335551		10	0.33	221	6.71	7.27	0.14	0.56	<0.01	0.028	0.03	3.5	12.1	1.19	535	4.86
R335552		13	0.22	137.5	2.04	3.25	0.10	1.43	<0.01	0.012	0.06	6.0	5.3	0.41	256	43.5
R335553		14	0.66	312	8.45	12.85	0.15	0.54	<0.01	0.038	0.09	3.4	26.0	2.42	586	1.44
R335554		15	0.44	355	9.53	10.80	0.19	0.84	<0.01	0.038	0.04	5.4	18.9	1.83	611	24.8
R335555		22	0.33	173.5	3.73	5.46	0.13	1.15	<0.01	0.017	0.07	11.9	9.4	0.73	340	27.8
R335556		25	0.45	86.3	5.98	9.08	0.16	0.81	<0.01	0.024	0.06	13.9	16.5	1.40	498	250
R335557		15	0.28	34.7	1.25	2.82	0.10	1.10	<0.01	0.006	0.07	8.2	4.5	0.27	167	22.1
R335558		13	0.13	20.7	1.02	1.06	0.10	1.04	<0.01	<0.005	0.09	3.5	1.2	0.06	112	9.67
R335559		12	0.41	69.6	5.94	5.38	0.12	0.81	<0.01	0.020	0.08	4.6	10.6	0.73	485	6.34
R335560		10	0.38	75.1	5.53	5.05	0.08	0.74	<0.01	0.022	0.07	4.2	11.3	0.67	449	5.25
R335561		11	0.28	17.2	0.83	1.46	<0.05	1.21	<0.01	<0.005	0.07	5.0	2.3	0.09	127	1.65
R335562		15	0.27	19.7	1.40	1.65	<0.05	0.96	<0.01	0.006	0.07	4.3	3.5	0.17	153	4.62
R335563		13	0.61	155.5	8.25	7.82	0.10	0.24	<0.01	0.025	0.10	3.5	22.9	1.34	655	5.43
R335564		16	0.56	53.8	2.59	4.44	0.07	0.62	<0.01	0.012	0.08	12.7	10.4	0.57	333	18.70
R335565		17	1.27	110.0	7.82	8.18	0.12	0.39	<0.01	0.031	0.12	4.3	23.5	1.48	788	2.38
R335566		9	0.20	28.0	4.41	1.84	0.05	0.61	<0.01	0.018	0.07	5.0	6.1	0.50	652	72.1
R335567		27	0.86	137.0	8.63	8.11	0.13	0.32	<0.01	0.023	0.13	3.6	21.0	1.38	695	0.86
R335568		25	1.55	228	8.09	9.39	0.12	0.58	<0.01	0.037	0.15	4.9	27.2	1.63	683	4.96
R335569		12	0.14	144.0	1.37	1.48	<0.05	1.05	<0.01	0.006	0.06	4.4	1.9	0.09	118	127.5
R335570		<1	<0.05	0.8	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.16
R335571		13	0.16	35.6	2.44	2.03	0.05	1.12	<0.01	0.007	0.05	7.1	2.8	0.14	190	36.1
R335572		18	0.54	27.6	1.84	3.87	0.05	0.47	<0.01	0.011	0.07	14.2	7.8	0.45	252	16.20
R335573		19	0.45	17.3	1.93	4.35	0.06	0.56	<0.01	0.012	0.06	11.6	7.7	0.47	242	19.70
R335574		20	0.38	139.0	2.45	5.61	0.07	0.59	<0.01	0.013	0.06	10.9	12.7	0.81	266	7.20
R335575		32	0.72	211	7.21	7.65	0.09	0.35	<0.01	0.027	0.11	9.7	15.8	1.24	588	33.3
R335576		16	0.17	434	6.05	3.80	0.07	0.56	<0.01	0.028	0.05	5.8	5.8	0.42	491	0.94
R335577		18	0.38	23.8	2.82	3.86	0.06	0.50	<0.01	0.016	0.03	10.4	7.0	0.49	357	24.1
R335578		17	0.35	2460	3.91	5.76	0.08	1.29	<0.01	0.079	0.04	4.8	12.8	0.95	329	3.04
R335579		14	0.29	45.7	1.23	2.18	<0.05	0.76	<0.01	0.006	0.07	8.1	4.6	0.26	160	3.68
R335580		24	3.07	69.9	2.99	6.24	0.08	0.37	0.09	0.039	0.23	10.8	17.8	0.88	695	6.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335541		0.08	0.18	22.1	690	4.0	2.5	0.002	1.06	0.08	7.5	1.4	0.3	14.2	<0.01	0.09
R335542		0.09	0.10	11.8	760	1.8	2.0	0.002	0.82	0.05	4.2	0.7	0.3	7.9	<0.01	0.05
R335543		0.05	0.12	25.1	790	2.9	4.1	0.006	1.42	0.07	15.5	1.4	0.5	49.4	<0.01	0.23
R335544		0.08	0.13	23.9	750	5.9	9.5	0.010	1.04	0.07	7.6	1.2	0.4	25.2	<0.01	0.05
R335545		0.07	0.09	24.7	800	2.4	3.4	0.005	1.26	0.06	12.5	1.3	0.6	31.1	<0.01	0.06
R335546		0.04	0.07	23.0	810	3.0	3.4	0.004	1.36	0.05	23.4	1.9	0.5	30.0	<0.01	0.10
R335547		0.04	0.08	22.7	740	1.6	6.0	0.009	1.14	0.07	19.4	1.6	0.4	34.1	<0.01	0.28
R335548		0.05	0.10	22.6	870	2.1	11.0	0.007	1.50	0.07	13.5	1.5	0.6	28.0	<0.01	0.08
R335549		0.06	0.07	5.3	370	7.2	2.2	0.026	1.07	0.05	4.1	0.7	0.2	24.2	<0.01	0.27
R335550		0.07	0.11	10.1	640	14.1	5.4	0.002	0.43	0.39	8.6	0.8	0.5	109.5	<0.01	4.37
R335551		0.06	0.13	13.1	770	3.9	2.0	0.002	2.89	0.07	11.4	1.4	0.4	40.3	<0.01	0.76
R335552		0.06	0.18	4.4	440	7.3	2.8	0.011	0.95	0.09	2.0	0.7	0.6	25.7	<0.01	1.62
R335553		0.03	0.10	18.5	830	3.7	5.3	0.001	2.34	0.07	13.4	1.2	0.5	22.1	<0.01	0.60
R335554		0.04	0.13	22.0	680	3.3	2.2	0.010	2.70	0.08	17.7	1.6	0.6	34.4	<0.01	0.64
R335555		0.05	0.25	11.6	680	7.8	3.6	0.007	2.04	0.09	4.8	1.0	0.8	35.9	<0.01	0.92
R335556		0.04	0.20	16.3	750	7.0	3.3	0.061	1.57	0.05	11.3	1.2	0.6	37.8	<0.01	1.08
R335557		0.05	0.16	2.9	230	7.1	2.6	0.003	0.28	<0.05	1.1	0.3	0.2	20.8	<0.01	0.37
R335558		0.05	0.13	2.1	80	6.3	2.5	0.002	0.34	0.09	0.6	0.3	0.6	14.8	<0.01	0.39
R335559		0.04	0.17	10.8	410	4.5	5.3	0.002	1.63	0.06	9.6	0.9	0.4	37.2	<0.01	0.54
R335560		0.03	0.18	9.9	380	4.1	4.9	0.001	1.57	0.06	7.9	0.5	0.3	34.7	<0.01	0.51
R335561		0.05	0.12	1.5	100	5.5	2.5	0.001	0.14	0.08	0.5	<0.2	0.5	18.6	<0.01	0.05
R335562		0.04	0.17	2.3	100	6.2	3.2	0.001	0.19	0.06	1.2	<0.2	0.2	15.6	<0.01	0.07
R335563		0.02	0.13	18.1	650	1.0	6.9	0.005	1.04	0.06	9.4	1.1	0.3	30.5	<0.01	0.13
R335564		0.04	0.16	6.5	450	4.0	4.5	0.005	0.46	0.07	3.3	0.6	0.6	41.2	<0.01	0.60
R335565		0.03	0.13	22.6	660	1.9	10.7	0.003	1.28	0.07	10.1	1.3	0.3	58.9	<0.01	0.29
R335566		0.04	<0.05	12.0	460	8.2	3.9	0.020	4.05	0.09	5.4	1.4	<0.2	69.6	<0.01	2.11
R335567		0.05	0.14	23.7	720	1.4	8.5	0.001	0.71	0.06	8.3	1.3	0.6	28.8	<0.01	0.08
R335568		0.03	0.10	23.3	570	3.0	12.8	0.003	1.13	0.06	14.0	1.3	0.4	31.2	<0.01	0.14
R335569		0.05	0.14	3.1	110	9.0	2.0	0.028	0.73	<0.05	1.1	0.4	<0.2	18.8	<0.01	0.54
R335570		<0.01	<0.05	0.2	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
R335571		0.05	0.31	7.0	370	8.0	1.8	0.008	2.07	0.11	2.6	0.9	0.6	27.3	<0.01	1.24
R335572		0.05	0.15	5.5	610	2.6	3.8	0.004	0.61	0.05	2.0	0.5	0.2	38.1	<0.01	0.17
R335573		0.05	0.19	6.0	620	2.4	3.1	0.003	0.60	0.05	2.0	0.5	0.3	32.1	<0.01	0.18
R335574		0.05	0.12	7.0	700	2.7	2.5	0.002	0.71	0.07	2.1	0.5	0.6	25.9	<0.01	22.2
R335575		0.04	0.15	20.3	910	3.7	7.2	0.011	1.06	0.05	7.3	1.1	0.3	42.3	<0.01	0.21
R335576		0.05	0.35	16.8	1030	8.6	2.6	0.001	4.85	0.18	6.8	2.3	0.3	66.0	<0.01	2.53
R335577		0.06	0.15	7.6	1180	2.8	1.7	0.003	1.60	0.07	2.8	1.2	0.6	35.8	<0.01	0.41
R335578		0.04	0.08	9.8	270	7.1	1.7	0.001	1.15	0.06	6.1	0.9	0.2	20.4	<0.01	0.19
R335579		0.05	0.10	2.7	210	6.9	2.9	0.001	0.31	<0.05	0.9	0.2	<0.2	23.6	<0.01	1.89
R335580		0.07	0.06	10.5	630	17.6	10.8	0.002	0.89	0.46	7.8	1.2	0.5	119.5	<0.01	2.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335541		0.2	0.241	0.06	0.18	136	0.42	13.00	60	4.0
R335542		<0.2	0.255	0.03	<0.05	138	0.27	6.81	57	1.8
R335543		0.2	0.237	0.03	0.13	158	0.85	15.90	106	2.9
R335544		0.3	0.263	0.10	0.23	161	0.36	13.30	96	4.3
R335545		0.2	0.246	0.03	0.07	167	0.40	14.60	105	2.7
R335546		0.3	0.277	0.03	0.55	178	0.79	18.95	152	7.9
R335547		0.3	0.276	0.05	0.19	177	0.66	20.1	109	3.5
R335548		0.4	0.298	0.10	0.28	172	0.46	18.90	120	5.7
R335549		3.2	0.058	0.02	1.36	33	0.42	7.30	36	26.0
R335550		1.4	0.131	0.07	0.41	78	0.41	7.43	65	20.7
R335551		1.5	0.173	0.02	0.62	87	1.46	11.65	54	18.5
R335552		3.5	0.039	0.02	1.62	21	0.46	5.83	24	35.1
R335553		1.2	0.207	0.04	0.80	138	1.44	14.35	99	13.2
R335554		1.6	0.256	0.02	1.27	149	1.37	15.70	68	17.4
R335555		4.1	0.101	0.02	2.04	43	0.99	7.64	31	25.4
R335556		2.3	0.194	0.03	1.27	96	0.87	10.20	55	19.3
R335557		3.4	0.028	0.02	1.91	12	0.28	2.61	17	27.7
R335558		2.8	0.013	0.02	1.71	4	0.33	1.91	6	23.8
R335559		1.6	0.167	0.04	1.15	78	0.70	11.05	40	19.8
R335560		1.5	0.148	0.04	1.11	71	0.63	10.75	36	17.4
R335561		3.3	0.013	0.02	2.01	5	0.29	2.51	11	28.4
R335562		2.9	0.031	0.03	2.00	13	0.39	3.01	15	21.5
R335563		0.4	0.216	0.05	0.37	118	0.38	15.30	81	4.5
R335564		2.4	0.083	0.03	1.04	37	0.25	5.32	37	16.7
R335565		0.9	0.229	0.10	0.45	118	0.32	14.95	93	8.2
R335566		1.5	<0.005	0.02	0.95	13	0.31	6.55	16	15.1
R335567		0.6	0.258	0.07	0.36	146	0.25	14.35	95	7.3
R335568		1.3	0.203	0.12	1.14	130	0.39	14.40	91	12.9
R335569		3.3	0.017	0.03	3.04	11	0.42	3.06	8	23.9
R335570		0.2	<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R335571		3.2	0.046	0.02	1.85	15	0.86	5.18	9	29.6
R335572		2.9	0.050	0.02	0.78	23	0.38	3.92	27	13.8
R335573		3.1	0.059	0.02	0.93	25	0.47	4.44	25	15.6
R335574		3.4	0.063	0.02	0.97	32	0.54	5.04	31	17.3
R335575		1.4	0.213	0.07	0.38	116	0.29	10.50	77	9.0
R335576		2.0	0.091	0.02	1.01	46	1.37	10.85	23	15.0
R335577		2.8	0.044	<0.02	0.56	22	0.38	7.04	25	15.7
R335578		3.9	0.080	0.02	2.51	53	0.53	6.84	34	25.7
R335579		2.8	0.026	0.02	1.32	11	0.15	2.27	15	17.2
R335580		1.4	0.053	0.13	0.34	66	0.46	7.91	83	12.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335581		3.41	0.035		0.06	0.78	0.2	<0.2	<10	300	0.32	0.46	0.92	0.03	50.0	6.2
R335582		3.38	0.001		0.07	0.72	<0.1	<0.2	<10	250	0.34	0.13	0.62	0.03	40.0	5.2
R335583		2.00	0.019		0.13	0.81	<0.1	<0.2	<10	420	0.40	0.71	1.20	0.02	44.0	6.9
R335584		2.40	<0.001		0.11	0.85	0.3	<0.2	<10	370	0.35	0.79	0.95	0.03	44.5	6.0
R335585		2.34	0.008		0.07	0.78	<0.1	<0.2	<10	230	0.31	0.17	0.82	0.04	41.1	5.3
R335586		1.25	0.432		2.88	0.27	0.5	9.6	<10	50	0.28	3.81	2.77	<0.01	18.65	7.8
R335587		2.09	0.029		0.07	0.66	0.2	<0.2	<10	330	0.31	2.14	1.22	0.02	35.6	5.7
R335588		2.44	0.005		0.11	0.67	<0.1	<0.2	<10	400	0.34	4.47	1.13	0.01	37.3	5.2
R335589		2.01	0.001		0.06	0.87	<0.1	<0.2	<10	60	0.35	0.76	0.91	0.01	40.8	6.3
R335590		<0.02	0.003		0.07	0.84	<0.1	<0.2	<10	60	0.34	0.69	0.92	<0.01	39.5	6.6
R335591		2.14	<0.001		0.05	0.89	0.1	<0.2	<10	40	0.34	0.19	0.76	0.01	42.2	5.9
R335592		2.62	0.001		0.05	0.79	<0.1	<0.2	<10	50	0.38	0.74	0.82	0.01	36.7	5.3
R335593		1.32	0.006		0.16	0.27	0.1	<0.2	<10	50	0.18	0.58	0.58	0.01	16.00	1.9
R335594		2.49	0.003		0.06	0.29	<0.1	<0.2	<10	100	0.21	0.45	0.43	<0.01	17.80	1.6
R335595		2.96	0.015		0.12	0.64	<0.1	<0.2	<10	380	0.32	3.39	0.90	0.01	36.7	5.2
R335596		2.42	0.002		0.06	0.61	0.1	<0.2	<10	320	0.29	0.38	0.71	0.03	33.5	4.5
R335597		2.72	0.007		0.07	0.48	<0.1	<0.2	<10	400	0.27	0.45	0.72	0.01	26.7	3.5
R335598		2.54	0.006		0.10	0.62	<0.1	<0.2	<10	330	0.37	0.49	0.90	0.02	31.0	5.9
R335599		2.49	0.007		0.04	0.43	0.4	<0.2	<10	130	0.31	0.29	0.50	0.01	25.5	3.0
R335600		0.94	0.013		0.09	0.36	0.2	<0.2	<10	110	0.28	1.94	0.71	0.01	18.65	3.0
R335601		2.87	<0.001		0.06	1.50	<0.1	<0.2	<10	10	0.23	0.09	1.17	0.04	8.30	28.5
R335602		2.32	<0.001		0.09	1.29	0.1	<0.2	<10	10	0.28	0.24	0.90	0.04	40.5	23.4
R335603		2.02	0.009		0.18	0.99	0.1	<0.2	<10	20	0.31	0.72	0.87	0.04	79.1	10.9
R335604		2.85	<0.001		0.10	1.50	0.3	<0.2	<10	20	0.19	0.17	0.84	0.05	28.2	30.3
R335605		2.71	0.001		0.09	1.50	0.6	<0.2	<10	20	0.38	0.48	1.37	0.06	9.60	25.7
R335606		2.15	<0.001		0.13	1.94	0.4	<0.2	<10	50	0.64	4.61	2.15	0.02	10.25	33.3
R335607		1.30	0.004		0.09	1.72	<0.1	<0.2	<10	40	0.35	0.39	1.06	0.04	10.15	27.1
R335608		1.10	0.004		0.11	0.58	0.5	<0.2	<10	20	0.34	0.49	0.56	0.04	10.50	6.9
R335609		2.88	<0.001		0.10	1.51	0.2	<0.2	<10	40	0.36	0.71	1.96	0.03	9.33	25.2
R335610		0.10	<0.001		<0.01	0.01	0.4	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.03	0.1
R335611		2.24	<0.001		0.08	1.53	0.5	<0.2	<10	40	0.20	0.15	1.77	0.05	9.15	24.1
R335612		1.81	0.002		0.68	1.65	0.7	<0.2	<10	50	0.47	19.30	2.08	0.10	9.94	32.7
R335613		2.68	0.012		0.16	0.19	0.4	<0.2	<10	10	0.32	0.98	0.39	0.02	11.95	1.0
R335614		2.68	0.012		0.17	0.37	0.5	<0.2	<10	20	0.51	1.64	1.05	0.08	12.00	5.1
R335615		1.89	<0.001		0.09	1.64	0.4	<0.2	<10	40	0.53	0.30	2.06	0.10	9.38	29.1
R335616		1.29	0.001		0.14	0.99	0.3	<0.2	<10	50	0.78	0.95	1.80	0.11	11.05	17.6
R335617		1.48	0.003		0.27	1.07	0.3	<0.2	<10	20	0.58	1.30	1.46	0.33	10.65	23.9
R335618		3.35	<0.001		0.21	2.33	0.5	<0.2	<10	30	0.29	0.30	1.59	0.97	7.14	34.5
R335619		2.59	0.001		0.18	1.83	0.5	<0.2	<10	30	0.31	0.18	1.45	0.10	6.62	44.9
R335620		0.08	0.979		6.22	1.11	42.1	1.0	<10	40	0.24	1.21	0.42	5.10	5.55	13.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335581		22	1.46	32.2	2.30	5.15	0.08	0.54	<0.01	0.011	0.26	27.5	12.7	0.62	363	0.67
R335582		24	2.58	42.0	2.04	4.69	0.08	0.70	<0.01	0.011	0.36	21.8	13.4	0.54	305	1.08
R335583		23	3.12	34.8	2.58	5.37	0.09	0.54	<0.01	0.017	0.36	23.4	16.5	0.69	382	16.20
R335584		23	3.85	35.5	2.24	5.37	0.09	0.53	<0.01	0.012	0.44	24.1	17.9	0.65	363	0.51
R335585		23	2.26	31.3	1.97	4.81	0.10	0.51	<0.01	0.012	0.29	22.5	14.5	0.59	333	0.24
R335586		16	0.13	37.1	1.85	2.12	0.06	0.61	<0.01	0.012	0.04	9.1	3.7	0.20	356	239
R335587		21	1.21	42.5	2.07	4.56	0.09	0.63	<0.01	0.014	0.15	19.0	11.2	0.56	315	4.62
R335588		23	1.10	26.1	1.97	4.52	0.08	0.58	<0.01	0.015	0.14	20.1	11.1	0.60	312	10.65
R335589		24	0.83	235	2.23	5.70	0.09	0.66	<0.01	0.020	0.08	22.3	15.2	0.95	284	0.61
R335590		24	0.82	237	2.20	5.51	0.10	0.65	<0.01	0.018	0.08	21.4	15.1	0.92	282	0.62
R335591		25	0.86	206	2.10	5.87	0.09	0.65	<0.01	0.019	0.08	22.7	16.0	0.98	271	4.20
R335592		24	0.67	96.3	2.02	5.15	0.09	0.86	<0.01	0.016	0.08	19.8	12.6	0.80	291	3.04
R335593		13	0.32	18.4	0.99	1.75	0.06	1.12	<0.01	0.005	0.07	8.6	3.5	0.17	150	24.6
R335594		14	0.79	12.1	0.93	1.92	<0.05	1.35	<0.01	0.006	0.10	9.6	3.9	0.17	159	6.26
R335595		22	1.69	23.0	1.98	4.12	0.09	0.69	<0.01	0.010	0.24	20.6	11.8	0.50	305	18.35
R335596		21	1.94	21.8	1.69	3.58	0.08	0.78	<0.01	0.009	0.26	18.5	11.7	0.44	269	3.51
R335597		18	0.99	15.2	1.46	2.87	0.07	0.79	<0.01	0.007	0.17	14.4	8.2	0.36	236	19.05
R335598		20	1.76	46.8	1.98	3.81	0.09	1.04	<0.01	0.013	0.21	16.6	11.3	0.47	289	15.50
R335599		17	1.25	13.7	1.29	2.78	0.07	1.13	<0.01	0.008	0.16	13.7	7.5	0.29	217	5.58
R335600		18	0.67	9.3	1.34	2.29	0.05	0.83	<0.01	0.006	0.10	10.0	4.9	0.25	200	17.05
R335601		17	1.05	118.5	6.59	6.93	0.13	0.13	<0.01	0.025	0.11	3.1	14.2	1.04	561	1.44
R335602		19	3.07	130.5	5.64	5.95	0.16	0.42	<0.01	0.021	0.19	18.0	12.3	0.89	440	3.59
R335603		15	6.10	68.0	2.69	4.16	0.16	0.98	<0.01	0.011	0.31	35.2	10.2	0.68	303	40.2
R335604		20	8.40	144.5	6.23	7.50	0.19	0.23	<0.01	0.030	0.22	12.5	10.4	0.84	441	8.70
R335605		18	4.84	94.8	6.09	6.91	0.15	0.79	<0.01	0.029	0.26	3.9	12.3	0.98	587	8.20
R335606		18	7.60	121.5	8.35	9.00	0.16	0.22	<0.01	0.038	0.47	4.6	23.3	1.55	863	88.8
R335607		13	5.46	100.5	6.51	6.78	0.11	0.68	<0.01	0.022	0.35	4.1	17.1	1.22	652	3.59
R335608		11	1.27	31.2	2.30	2.73	0.08	1.51	<0.01	0.011	0.11	4.9	4.4	0.33	265	14.95
R335609		17	2.06	94.5	5.75	6.80	0.16	0.48	<0.01	0.028	0.16	3.9	12.0	0.92	579	66.9
R335610		<1	<0.05	0.8	0.03	0.06	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.10
R335611		15	1.18	96.6	4.70	6.77	0.19	0.19	<0.01	0.027	0.11	3.5	7.6	0.65	406	6.56
R335612		21	3.80	128.0	7.53	8.19	0.15	0.25	<0.01	0.046	0.23	4.0	17.8	1.29	664	124.0
R335613		13	0.27	12.8	0.83	1.25	0.05	2.41	<0.01	<0.005	0.07	5.7	1.4	0.06	135	56.4
R335614		15	1.91	33.9	2.08	2.47	0.06	2.80	<0.01	0.014	0.18	5.5	4.6	0.24	308	126.5
R335615		17	3.90	99.6	6.26	7.28	0.18	0.39	<0.01	0.030	0.24	3.7	9.7	1.03	680	2.42
R335616		17	7.96	98.0	5.40	6.17	0.13	2.22	<0.01	0.033	0.50	5.0	9.8	0.81	677	19.50
R335617		6	3.04	243	6.22	5.53	0.15	1.81	<0.01	0.031	0.16	5.0	8.1	0.74	679	6.39
R335618		28	3.37	241	8.99	8.98	0.20	0.28	<0.01	0.035	0.21	2.8	17.3	1.25	1100	4.26
R335619		33	3.73	157.0	7.86	7.97	0.17	0.34	<0.01	0.029	0.18	2.5	13.1	0.91	970	4.29
R335620		21	3.66	7130	6.88	3.12	0.09	<0.02	0.06	0.334	0.28	2.7	11.6	0.33	649	138.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335581		0.06	0.31	7.1	880	5.1	19.1	<0.001	0.18	0.07	1.8	0.3	0.7	60.2	<0.01	0.27
R335582		0.07	0.33	6.2	750	8.0	28.2	<0.001	0.19	<0.05	1.6	0.3	0.4	53.7	<0.01	0.01
R335583		0.06	0.34	8.4	890	5.5	30.2	0.004	0.65	<0.05	2.6	0.7	0.4	67.2	<0.01	0.12
R335584		0.06	0.35	7.3	760	9.0	36.0	<0.001	0.26	0.05	2.2	0.5	0.7	79.5	<0.01	0.04
R335585		0.06	0.36	6.4	680	12.9	22.6	<0.001	0.20	<0.05	1.8	0.4	0.4	66.0	<0.01	0.03
R335586		0.06	0.30	5.8	690	11.0	1.6	0.061	1.32	0.06	2.9	0.9	0.2	39.9	<0.01	0.85
R335587		0.05	0.18	7.1	650	4.0	11.0	0.001	0.52	0.06	2.4	0.7	0.6	60.7	<0.01	0.46
R335588		0.06	0.19	6.1	660	6.0	9.6	0.002	0.30	<0.05	2.2	0.4	0.3	54.6	<0.01	0.86
R335589		0.06	0.15	7.1	690	2.2	4.8	<0.001	0.32	<0.05	2.7	0.5	0.3	34.4	<0.01	0.30
R335590		0.06	0.16	7.2	670	2.1	4.7	<0.001	0.34	0.06	2.7	0.5	0.6	34.3	<0.01	0.24
R335591		0.05	0.13	6.8	650	2.1	4.8	0.001	0.15	<0.05	2.7	0.4	0.4	33.3	<0.01	0.02
R335592		0.06	0.16	6.6	580	3.5	4.7	0.001	0.21	<0.05	2.6	0.2	0.4	36.6	<0.01	0.03
R335593		0.05	0.23	2.3	160	8.1	3.4	0.005	0.22	0.06	0.7	0.3	0.6	32.3	<0.01	0.14
R335594		0.05	0.35	1.8	200	8.4	7.3	0.001	0.15	<0.05	0.7	<0.2	0.3	26.3	<0.01	0.08
R335595		0.06	0.29	6.7	670	9.8	18.3	0.003	0.38	<0.05	1.7	0.4	0.3	63.8	<0.01	0.26
R335596		0.07	0.31	11.0	530	11.9	20.7	0.002	0.20	0.07	1.5	<0.2	0.6	71.6	<0.01	0.10
R335597		0.05	0.25	5.0	450	7.9	11.5	0.004	0.27	<0.05	1.3	<0.2	0.3	50.5	<0.01	0.03
R335598		0.06	0.31	7.2	520	9.2	18.2	0.004	0.34	<0.05	2.5	0.3	0.3	58.1	<0.01	0.03
R335599		0.06	0.38	4.3	340	8.0	12.3	0.001	0.15	0.05	1.1	<0.2	0.6	40.4	<0.01	0.04
R335600		0.06	0.24	4.2	340	5.4	6.1	0.004	0.39	<0.05	1.1	<0.2	0.2	31.2	<0.01	0.43
R335601		0.07	0.17	19.7	710	0.8	6.6	0.001	0.46	<0.05	8.4	1.0	0.5	13.1	<0.01	0.04
R335602		0.08	0.16	17.1	1010	2.8	18.6	0.003	0.53	<0.05	6.1	0.9	0.5	14.3	<0.01	0.03
R335603		0.09	0.20	9.8	1210	12.9	29.8	0.012	0.22	0.06	2.5	0.3	0.5	23.7	<0.01	0.08
R335604		0.12	0.08	17.7	900	2.7	30.4	0.009	0.73	0.05	7.7	1.5	0.5	9.0	<0.01	0.06
R335605		0.10	0.12	17.9	590	6.1	35.1	0.012	0.51	<0.05	9.9	0.9	0.5	12.9	<0.01	0.08
R335606		0.09	0.19	22.2	760	4.4	52.0	0.037	0.85	0.05	15.8	1.3	0.5	30.2	<0.01	0.05
R335607		0.08	0.17	17.1	580	6.7	35.8	0.003	0.68	<0.05	8.7	0.8	0.4	16.9	<0.01	0.09
R335608		0.08	0.19	5.6	200	12.4	8.7	0.004	0.22	0.06	2.9	<0.2	0.5	10.5	<0.01	0.06
R335609		0.10	0.27	17.2	660	5.0	12.0	0.034	0.69	0.05	10.2	1.1	0.5	31.1	<0.01	0.06
R335610		<0.01	<0.05	0.5	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01
R335611		0.11	0.26	15.6	710	1.4	7.6	0.005	0.45	0.05	8.7	0.7	0.4	26.0	0.01	0.06
R335612		0.08	0.19	21.5	670	27.5	23.6	0.051	1.28	0.06	14.4	1.5	0.6	36.0	<0.01	0.14
R335613		0.08	0.40	1.6	40	13.4	5.0	0.016	0.19	0.07	0.6	0.2	0.5	12.3	<0.01	0.08
R335614		0.09	0.28	4.5	120	26.2	23.4	0.038	0.47	0.08	3.4	0.2	0.6	23.4	<0.01	0.13
R335615		0.12	0.34	19.5	760	4.4	28.3	0.003	0.60	0.07	11.1	0.9	0.6	28.6	0.01	0.06
R335616		0.10	0.23	12.6	400	21.8	70.3	0.006	0.63	0.06	12.1	0.7	0.6	25.3	<0.01	0.07
R335617		0.07	0.26	6.3	360	34.4	23.0	0.004	1.77	0.07	7.3	1.9	0.6	19.7	<0.01	0.26
R335618		0.12	0.16	32.7	490	6.9	22.0	0.004	1.65	0.05	11.9	1.7	0.9	17.2	0.01	0.22
R335619		0.14	0.18	37.8	460	6.0	22.9	0.004	1.07	0.06	12.1	1.2	0.5	17.4	<0.01	0.08
R335620		0.02	0.08	15.9	480	111.0	12.9	0.192	5.16	2.53	1.4	8.9	1.7	36.2	<0.01	1.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335581		3.4	0.122	0.14	0.93	35	0.28	4.24	61	15.5
R335582		3.2	0.122	0.21	1.18	32	0.07	3.75	52	20.1
R335583		2.7	0.124	0.23	0.79	38	0.26	4.76	57	16.5
R335584		2.8	0.129	0.26	0.77	36	0.08	4.22	59	15.5
R335585		2.8	0.113	0.16	0.73	31	0.12	3.81	53	14.7
R335586		2.6	0.040	0.09	1.02	14	0.80	6.06	11	17.9
R335587		3.2	0.070	0.08	1.13	30	0.25	4.27	40	18.2
R335588		3.1	0.087	0.07	1.08	31	0.25	4.08	41	16.6
R335589		3.4	0.091	0.03	1.09	34	0.40	4.57	35	20.2
R335590		3.2	0.088	0.02	1.01	33	0.41	4.47	34	19.8
R335591		3.0	0.088	0.03	1.02	34	0.35	4.17	36	20.0
R335592		3.7	0.084	0.03	1.73	31	0.33	4.01	38	23.1
R335593		3.5	0.027	0.03	2.00	9	0.20	2.41	15	28.9
R335594		3.9	0.036	0.05	2.35	10	0.20	2.30	18	32.0
R335595		2.9	0.098	0.13	1.28	28	0.21	3.66	44	22.8
R335596		2.8	0.091	0.16	1.02	24	0.07	3.41	44	24.1
R335597		2.6	0.071	0.09	1.05	20	0.16	2.95	32	22.9
R335598		3.1	0.115	0.13	1.64	29	0.22	4.93	39	29.9
R335599		3.3	0.064	0.10	1.60	16	0.25	2.77	28	30.7
R335600		2.4	0.047	0.05	1.08	13	0.22	2.58	22	23.5
R335601		0.3	0.225	0.06	0.09	106	0.34	12.40	88	3.0
R335602		2.6	0.174	0.15	0.84	99	0.20	9.88	74	10.1
R335603		7.4	0.113	0.25	3.36	54	0.18	5.76	52	27.6
R335604		1.5	0.156	0.26	0.41	110	0.22	10.70	74	5.2
R335605		2.3	0.208	0.31	1.75	99	0.28	11.70	79	18.1
R335606		0.4	0.332	0.48	0.16	124	0.28	17.05	100	3.6
R335607		2.4	0.244	0.33	1.55	90	0.22	11.60	86	15.5
R335608		4.6	0.078	0.08	3.16	30	0.20	4.82	31	34.7
R335609		1.3	0.293	0.12	0.83	93	0.51	14.50	68	10.1
R335610		0.2	<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8
R335611		0.3	0.261	0.08	0.05	83	0.54	14.85	54	3.8
R335612		0.5	0.301	0.19	0.99	117	0.44	16.70	100	4.9
R335613		5.9	0.015	0.05	4.08	4	0.20	3.10	15	56.1
R335614		7.9	0.060	0.21	5.05	23	0.27	5.15	40	64.4
R335615		0.8	0.300	0.25	0.50	98	0.47	16.95	91	7.6
R335616		5.7	0.232	0.65	4.11	85	0.35	13.85	84	47.3
R335617		4.9	0.205	0.22	3.67	71	0.55	10.90	161	38.5
R335618		0.6	0.287	0.19	0.35	185	0.75	11.45	448	5.8
R335619		0.8	0.276	0.21	0.52	200	0.57	11.40	108	7.7
R335620		1.4	0.013	0.33	0.15	18	3.20	2.78	837	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335621		1.67	0.001		0.13	1.08	0.8	<0.2	<10	20	0.30	0.51	2.28	0.19	7.16	38.3
R335622		1.14	0.001		0.26	0.34	0.1	<0.2	<10	10	0.50	1.06	0.64	0.13	13.70	6.8
R335623		3.40	<0.001		0.14	1.21	0.5	<0.2	<10	20	0.28	0.20	1.60	0.11	7.28	32.7
R335624		1.31	0.010		0.24	0.74	<0.1	<0.2	<10	20	0.50	1.07	1.15	0.17	9.00	11.0
R335625		1.42	0.053		4.17	1.53	<0.1	<0.2	<10	10	0.81	48.4	2.21	0.09	8.87	22.7
R335626		1.07	0.007		0.22	1.59	0.2	<0.2	<10	10	0.61	1.69	1.69	0.11	9.84	18.8
R335627		3.32	<0.001		0.08	2.74	<0.1	<0.2	<10	10	0.23	0.10	1.11	0.03	8.93	32.0
R335628		2.70	<0.001		0.13	1.59	0.2	<0.2	<10	10	0.13	0.14	0.94	0.02	7.46	29.2
R335629		2.88	0.002		0.09	1.57	0.2	<0.2	<10	10	0.29	0.31	1.73	0.03	6.09	28.2
R335630		<0.02	0.002		0.08	1.60	0.3	<0.2	<10	10	0.30	0.29	1.65	0.03	6.08	27.4
R335631		2.03	0.127		0.36	0.58	0.2	<0.2	<10	30	0.31	0.57	1.57	0.02	22.9	5.7
R335632		3.05	<0.001		0.09	2.29	0.3	<0.2	<10	20	0.25	0.45	1.68	0.04	9.18	34.9
R335633		3.54	<0.001		0.06	2.54	<0.1	<0.2	<10	<10	0.13	0.08	0.88	0.02	9.58	32.8
R335634		1.04	0.005		0.66	1.93	<0.1	<0.2	<10	10	0.12	6.75	2.68	0.04	8.54	42.6
R335635		3.35	<0.001		0.07	2.08	0.4	<0.2	<10	10	0.10	0.21	0.92	0.03	9.04	27.8
R335636		3.26	<0.001		0.04	1.60	<0.1	<0.2	<10	<10	0.09	0.02	0.79	0.02	8.16	20.5
R335637		2.62	0.001		0.07	1.16	0.1	<0.2	<10	10	0.10	0.06	0.84	0.06	8.17	18.0
R335638		1.52	<0.001		0.17	1.02	<0.1	<0.2	<10	10	0.10	0.58	1.78	0.44	6.87	21.7
R335639		2.97	<0.001		0.11	1.65	0.1	<0.2	<10	30	0.10	0.09	1.01	0.10	7.72	28.3
R335640		0.10	<0.001		0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.97	0.1
R335641		0.91	<0.001		0.15	1.35	0.4	<0.2	<10	30	0.15	0.61	1.36	0.74	11.35	24.8
R335642		2.81	<0.001		0.09	1.55	0.4	<0.2	<10	20	0.14	0.12	1.27	0.36	9.28	25.2
R335643		2.41	0.009		15.30	1.58	0.5	<0.2	<10	20	0.14	192.0	2.13	0.92	8.59	27.6
R335644		3.03	<0.001		0.09	1.33	<0.1	<0.2	<10	10	0.09	0.24	1.28	0.08	8.22	21.5
R335645		1.18	0.002		0.50	1.81	0.4	<0.2	<10	10	0.13	1.95	2.49	0.66	8.04	31.4
R335646		2.63	0.004		0.09	3.23	0.2	<0.2	<10	10	0.23	0.38	3.10	0.07	7.88	43.1
R335647		1.36	0.044		0.49	0.50	0.2	<0.2	<10	20	0.29	22.1	4.21	0.13	3.35	38.4
R335648		2.48	<0.001		0.15	2.22	<0.1	<0.2	<10	40	0.27	0.61	3.13	0.08	9.05	39.3
R335649		0.91	0.001		0.30	2.28	0.3	<0.2	<10	90	0.17	0.36	4.67	0.14	5.27	52.4
R335650		0.08	9.21		9.80	1.69	10.8	9.3	<10	30	0.53	0.08	3.88	0.29	20.7	10.2
R335651		3.45	0.001		0.23	1.70	<0.1	<0.2	<10	50	0.12	0.26	1.36	0.04	8.27	37.4
R335652		3.28	<0.001		0.16	1.77	<0.1	<0.2	<10	20	0.09	0.10	1.19	0.06	9.07	32.2
R335653		3.65	0.001		0.12	1.50	0.2	<0.2	<10	10	0.12	0.09	1.42	0.07	9.79	23.0
R335654		3.43	0.001		0.13	1.65	<0.1	<0.2	<10	10	0.09	0.08	1.20	0.05	8.63	25.7
R335655		3.19	<0.001		0.11	2.96	0.1	<0.2	<10	10	0.15	0.13	1.56	0.03	9.38	38.3
R335656		2.66	0.001		0.05	3.13	0.3	<0.2	<10	150	1.41	0.79	5.91	0.05	39.7	36.5
R335657		0.84	0.202		4.77	0.96	0.3	1.3	<10	20	0.35	561	4.60	<0.01	28.0	20.5
R335658		1.56	0.003		0.09	2.52	<0.1	<0.2	<10	40	0.75	3.87	4.92	0.05	9.68	40.8
R335659		0.83	0.001		0.01	3.40	0.1	<0.2	<10	20	0.35	0.31	4.34	0.04	10.60	40.2
R335660		<0.02	0.001		0.02	3.29	0.3	<0.2	<10	20	0.35	1.02	4.16	0.02	10.10	37.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335621		32	1.65	150.5	6.69	5.72	0.17	0.64	<0.01	0.027	0.14	3.1	6.3	0.60	872	17.70
R335622		12	1.69	45.1	1.66	2.31	0.06	3.41	<0.01	0.012	0.10	6.9	2.6	0.16	305	1.75
R335623		27	2.56	131.5	6.85	5.67	0.18	0.47	<0.01	0.024	0.13	3.1	6.9	0.59	757	5.57
R335624		17	6.24	62.1	3.27	3.64	0.08	3.31	<0.01	0.022	0.40	4.1	9.9	0.58	445	26.7
R335625		23	7.37	95.7	5.70	6.38	0.11	1.62	<0.01	0.030	0.57	4.2	20.7	1.29	655	122.0
R335626		23	14.90	72.4	4.93	6.49	0.10	2.54	<0.01	0.029	0.77	4.6	22.5	1.30	563	4.49
R335627		28	5.76	124.5	6.96	9.66	0.15	0.23	<0.01	0.022	0.32	3.4	28.4	1.99	528	1.81
R335628		21	1.08	116.5	4.86	6.38	0.17	0.11	<0.01	0.022	0.08	2.8	10.1	0.94	324	3.92
R335629		23	0.75	123.0	4.94	5.67	0.15	0.20	<0.01	0.021	0.06	2.5	10.4	1.01	449	10.70
R335630		23	0.74	121.0	5.01	5.72	0.15	0.19	<0.01	0.020	0.06	2.4	10.3	1.03	450	9.83
R335631		18	0.61	28.2	2.28	3.91	0.07	0.88	<0.01	0.013	0.09	11.4	6.3	0.41	239	1.23
R335632		35	12.70	175.5	8.13	10.30	0.16	0.12	<0.01	0.035	0.47	3.5	27.9	1.64	490	3.79
R335633		31	1.21	119.0	7.07	11.00	0.16	0.08	<0.01	0.028	0.07	3.4	26.9	1.76	421	3.58
R335634		35	4.27	112.0	9.87	12.50	0.16	0.15	<0.01	0.027	0.18	3.1	25.0	1.84	476	0.56
R335635		26	4.24	126.0	6.11	9.44	0.15	0.10	<0.01	0.025	0.20	3.3	20.5	1.43	349	2.33
R335636		23	0.41	109.5	4.26	6.92	0.14	0.06	<0.01	0.020	0.03	3.1	9.7	0.96	245	0.97
R335637		27	0.53	105.0	6.37	8.03	0.17	0.10	<0.01	0.022	0.05	2.9	8.2	0.78	343	4.26
R335638		31	1.83	96.5	6.39	6.92	0.15	0.10	<0.01	0.022	0.14	2.6	8.4	0.76	366	55.4
R335639		41	6.89	122.5	7.00	8.76	0.15	0.11	<0.01	0.028	0.33	2.8	16.7	1.13	401	5.63
R335640		<1	<0.05	1.0	0.03	0.07	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
R335641		25	2.58	97.0	6.32	8.60	0.15	0.21	<0.01	0.023	0.15	4.6	16.3	1.02	396	53.2
R335642		17	1.27	105.5	6.39	8.52	0.18	0.14	<0.01	0.031	0.10	3.4	12.0	1.00	479	3.20
R335643		9	1.58	131.0	6.92	9.12	0.20	0.14	<0.01	0.030	0.10	3.2	13.2	1.04	520	11.25
R335644		42	1.03	106.0	5.55	7.22	0.16	0.13	<0.01	0.024	0.10	3.0	9.7	0.88	405	1.40
R335645		40	2.02	118.0	7.43	10.15	0.15	0.12	<0.01	0.027	0.13	3.1	21.3	1.42	539	141.5
R335646		35	1.19	126.0	9.69	12.65	0.10	0.06	<0.01	0.039	0.18	2.8	29.2	2.75	993	5.88
R335647		16	4.29	121.0	9.79	3.87	0.05	0.07	<0.01	0.054	0.38	1.2	16.6	2.44	1360	162.0
R335648		36	14.55	152.0	9.52	12.30	0.15	0.15	<0.01	0.042	0.97	3.3	29.0	1.99	765	13.35
R335649		35	7.78	146.5	10.80	12.85	0.12	0.12	<0.01	0.023	1.57	1.9	50.9	1.96	947	5.68
R335650		18	2.42	62.9	2.98	6.84	0.13	0.66	0.17	0.026	0.13	9.4	23.5	1.07	801	4.87
R335651		33	5.80	154.5	8.07	9.39	0.13	0.12	<0.01	0.022	0.67	3.0	20.9	1.31	490	5.84
R335652		28	1.08	128.5	6.29	8.42	0.16	0.10	<0.01	0.021	0.10	3.2	12.3	1.05	394	12.90
R335653		25	0.60	181.0	5.22	7.12	0.17	0.13	<0.01	0.028	0.07	3.5	5.9	0.75	370	6.04
R335654		20	0.72	167.5	5.31	7.77	0.16	0.10	<0.01	0.026	0.06	3.1	9.2	0.97	324	4.52
R335655		28	1.99	157.0	7.83	12.60	0.18	0.10	<0.01	0.035	0.13	3.2	38.5	2.24	575	10.05
R335656		223	18.60	119.5	8.46	13.60	0.22	0.53	<0.01	0.065	1.33	17.4	52.4	3.73	1100	0.47
R335657		90	1.20	115.5	4.37	6.28	0.13	0.42	<0.01	0.034	0.08	12.6	16.3	1.10	666	1110
R335658		35	12.65	110.0	10.85	13.75	0.16	0.12	<0.01	0.066	0.82	3.5	39.1	2.58	1020	19.40
R335659		39	3.88	41.5	11.00	16.40	0.21	0.11	<0.01	0.074	0.28	3.8	44.4	3.02	987	2.55
R335660		39	4.66	39.6	10.70	16.05	0.23	0.12	<0.01	0.073	0.34	3.5	41.0	2.91	988	3.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335621		0.11	0.42	34.1	440	8.3	14.3	0.003	1.28	0.06	12.2	1.6	0.8	23.4	<0.01	0.07
R335622		0.08	0.42	6.7	60	32.9	15.7	0.001	0.44	0.07	2.4	0.2	0.8	9.8	<0.01	0.07
R335623		0.10	0.34	27.4	480	5.3	15.0	0.004	0.98	0.05	8.8	1.0	0.5	16.6	<0.01	0.05
R335624		0.08	0.13	11.2	150	34.6	58.7	0.007	0.57	0.07	6.0	0.5	0.6	18.4	<0.01	0.16
R335625		0.08	0.08	19.6	310	101.5	62.8	0.046	1.30	0.08	11.1	1.4	0.4	34.6	<0.01	3.79
R335626		0.07	0.10	17.2	260	18.8	91.7	0.002	0.76	0.07	10.9	0.4	0.4	23.2	<0.01	0.10
R335627		0.09	0.08	26.5	460	2.6	33.4	0.003	0.29	<0.05	10.1	0.6	0.3	15.4	<0.01	0.02
R335628		0.14	0.06	23.2	480	1.6	7.4	0.003	0.65	0.12	8.1	1.0	0.3	8.0	<0.01	0.06
R335629		0.10	0.19	19.9	420	1.9	5.5	0.006	0.69	0.18	7.8	1.1	0.3	17.8	<0.01	0.09
R335630		0.09	0.18	20.0	420	1.7	5.6	0.008	0.68	0.18	7.7	0.9	0.3	16.6	<0.01	0.09
R335631		0.07	0.28	6.1	440	4.7	6.2	0.001	0.90	0.31	3.4	<0.2	0.6	32.5	<0.01	0.75
R335632		0.12	0.08	30.2	530	3.4	47.2	0.004	0.89	0.63	11.8	1.3	0.4	17.3	<0.01	0.05
R335633		0.14	0.07	27.2	500	0.9	5.9	0.005	0.30	0.37	11.1	1.0	0.2	7.6	<0.01	0.03
R335634		0.08	0.11	33.1	470	5.9	18.8	0.001	4.07	0.34	8.3	2.7	0.8	16.2	<0.01	0.29
R335635		0.16	0.06	23.6	480	1.1	20.2	0.003	0.38	0.19	10.0	0.7	0.3	5.9	<0.01	0.02
R335636		0.15	0.05	16.3	480	0.4	2.0	0.002	0.16	0.07	8.1	0.7	0.2	4.3	<0.01	0.01
R335637		0.14	0.06	15.2	600	8.3	2.8	0.004	0.16	<0.05	8.1	0.6	0.3	7.3	<0.01	0.02
R335638		0.11	0.06	16.6	540	30.9	9.0	0.020	0.49	<0.05	7.2	0.8	0.3	8.9	<0.01	0.02
R335639		0.14	0.07	20.3	670	4.6	24.3	0.006	0.44	0.05	9.1	0.9	0.3	7.2	<0.01	0.04
R335640		<0.01	<0.05	0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01
R335641		0.10	0.06	17.6	540	15.6	10.6	0.021	0.71	<0.05	8.1	1.1	0.4	14.6	<0.01	0.04
R335642		0.17	0.05	13.8	610	14.4	4.9	0.003	0.35	<0.05	10.9	1.1	0.4	13.5	<0.01	0.04
R335643		0.14	0.08	14.6	600	971	5.0	0.006	1.03	0.05	10.4	2.5	0.4	12.6	<0.01	0.36
R335644		0.18	0.06	17.5	600	4.8	4.8	0.002	0.26	<0.05	8.8	1.0	0.4	8.3	<0.01	0.03
R335645		0.11	0.05	25.4	530	113.0	8.1	0.033	1.24	<0.05	9.9	1.4	0.3	12.3	<0.01	0.05
R335646		0.04	0.06	35.9	470	2.5	12.9	0.005	0.44	<0.05	17.9	1.0	0.3	38.6	<0.01	0.05
R335647		0.05	<0.05	31.4	470	24.2	35.1	0.083	3.00	0.07	21.3	1.4	0.2	150.5	<0.01	0.43
R335648		0.08	0.08	33.4	540	3.6	80.2	0.010	1.33	<0.05	18.5	1.6	0.4	28.5	<0.01	0.04
R335649		0.06	0.07	36.4	430	7.0	91.5	0.004	6.13	<0.05	11.0	2.3	0.2	55.8	<0.01	0.19
R335650		0.07	0.12	10.6	630	15.2	5.8	0.002	0.42	0.39	8.5	0.5	0.6	107.0	<0.01	4.39
R335651		0.13	0.07	30.6	540	3.1	44.7	0.004	1.15	<0.05	9.0	1.4	0.3	10.8	<0.01	0.04
R335652		0.16	0.07	23.2	570	2.2	6.5	0.011	0.66	<0.05	9.4	1.4	0.3	9.5	<0.01	0.05
R335653		0.20	0.08	14.8	580	2.0	3.5	0.006	0.40	<0.05	9.7	0.9	0.4	12.4	<0.01	0.05
R335654		0.15	0.08	16.5	570	1.5	3.4	0.004	0.46	<0.05	8.4	1.2	0.2	12.8	<0.01	0.05
R335655		0.09	0.06	29.0	570	1.2	10.2	0.009	0.59	<0.05	15.3	1.2	0.3	24.7	<0.01	0.08
R335656		0.04	0.12	73.1	1590	2.7	110.5	<0.001	0.76	<0.05	28.6	1.2	0.6	161.5	<0.01	0.02
R335657		0.04	0.28	15.3	920	266	6.4	0.468	1.34	0.07	13.3	3.5	0.8	60.6	<0.01	3.20
R335658		0.03	0.05	27.4	530	4.9	74.4	0.012	1.39	<0.05	32.4	1.5	0.4	90.6	<0.01	0.07
R335659		0.04	0.07	32.4	550	0.9	22.2	0.002	0.29	<0.05	35.9	1.0	0.3	68.8	<0.01	0.02
R335660		0.05	0.09	31.3	540	1.2	27.3	0.003	0.18	<0.05	35.6	1.0	0.4	63.3	<0.01	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335621		1.1	0.331	0.14	0.85	195	0.82	13.45	111	13.2
R335622		9.1	0.058	0.13	7.36	27	0.45	3.73	48	69.0
R335623		1.0	0.284	0.13	0.71	180	0.54	11.35	88	10.2
R335624		7.8	0.119	0.54	6.01	71	0.16	5.85	72	70.5
R335625		4.4	0.188	0.59	3.35	129	0.33	9.37	71	39.5
R335626		6.5	0.198	0.80	5.20	120	0.20	9.25	64	54.2
R335627		0.7	0.213	0.28	0.47	181	0.10	10.60	70	5.1
R335628		0.3	0.139	0.07	0.08	138	0.30	9.50	36	2.3
R335629		0.4	0.198	0.07	0.25	124	390	8.60	44	4.2
R335630		0.3	0.204	0.06	0.22	126	270	8.65	46	3.9
R335631		2.4	0.088	0.05	0.89	36	4.88	4.62	28	25.7
R335632		0.2	0.231	0.38	0.05	223	0.87	12.95	81	2.7
R335633		0.3	0.187	0.06	<0.05	207	0.76	12.35	62	1.8
R335634		0.2	0.248	0.15	0.17	205	0.84	12.50	81	3.0
R335635		0.3	0.179	0.17	0.07	176	0.28	10.55	55	2.2
R335636		0.2	0.125	0.02	<0.05	149	0.26	8.71	37	1.2
R335637		0.2	0.191	0.02	<0.05	200	0.38	12.55	49	2.4
R335638		<0.2	0.208	0.08	<0.05	167	0.44	10.50	105	2.8
R335639		0.2	0.235	0.19	0.06	207	0.38	12.50	74	2.4
R335640		0.2	<0.005	<0.02	0.08	<1	<0.05	0.60	<2	0.8
R335641		0.6	0.184	0.08	0.20	154	0.31	11.25	153	5.2
R335642		0.3	0.197	0.04	<0.05	159	0.26	15.90	113	2.6
R335643		0.2	0.221	0.19	0.23	176	0.31	14.00	165	2.7
R335644		0.2	0.199	0.04	<0.05	156	0.19	13.80	54	2.6
R335645		0.2	0.209	0.08	0.07	183	0.28	12.50	170	2.4
R335646		0.2	0.180	0.09	<0.05	238	0.32	11.00	118	1.7
R335647		<0.2	0.066	0.27	<0.05	125	0.29	4.50	94	2.2
R335648		0.2	0.323	0.63	<0.05	268	0.39	13.85	94	3.2
R335649		<0.2	0.360	0.63	<0.05	240	0.54	11.25	106	3.1
R335650		1.6	0.132	0.08	0.45	78	0.50	7.76	65	21.3
R335651		0.2	0.283	0.35	<0.05	227	0.41	11.65	63	2.7
R335652		0.2	0.178	0.06	<0.05	188	0.29	12.55	50	2.0
R335653		0.2	0.180	0.09	<0.05	173	0.22	14.25	42	2.6
R335654		0.2	0.170	0.07	<0.05	166	0.27	13.75	40	2.3
R335655		0.2	0.197	0.08	<0.05	222	1.39	15.75	81	1.6
R335656		1.5	0.293	0.79	0.42	255	0.57	17.50	105	17.5
R335657		0.8	0.223	0.07	0.40	127	1.38	10.05	37	11.9
R335658		0.2	0.271	0.59	0.06	315	0.53	16.45	91	2.6
R335659		0.2	0.244	0.16	<0.05	331	0.30	20.5	114	2.1
R335660		0.2	0.285	0.20	<0.05	330	0.32	21.8	110	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335661		3.54	<0.001		0.07	2.55	0.2	<0.2	<10	10	0.14	2.31	1.19	0.02	8.75	29.8
R335662		3.33	0.001		0.10	2.40	<0.1	<0.2	<10	<10	0.16	0.13	1.62	0.08	8.19	27.8
R335663		3.56	<0.001		0.18	2.48	<0.1	<0.2	<10	10	0.19	0.42	2.55	0.14	8.91	32.6
R335664		3.54	<0.001		1.49	2.70	0.1	<0.2	<10	60	0.20	26.7	3.30	0.55	6.80	39.1
R335665		2.20	<0.001		0.12	2.34	0.3	<0.2	<10	60	0.16	0.48	3.92	0.05	7.15	31.4
R335666		2.12	<0.001		0.08	1.94	<0.1	<0.2	<10	<10	0.12	0.48	1.19	0.02	8.99	27.0
R335667		1.44	<0.001		0.08	1.94	<0.1	<0.2	<10	10	0.16	0.75	1.87	0.03	8.09	25.9
R335668		2.55	<0.001		0.10	1.80	0.3	<0.2	<10	<10	0.08	0.12	0.88	0.03	8.32	26.9
R335669		1.47	<0.001		0.06	1.68	0.2	<0.2	<10	10	0.14	0.37	2.98	0.07	7.86	29.9
R335670		0.09	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.93	0.1
R335671		1.77	<0.001		0.04	1.24	0.2	<0.2	<10	<10	0.12	0.16	1.47	0.04	6.84	20.7
R335672		1.35	<0.001		0.05	1.55	0.2	<0.2	<10	<10	0.11	0.15	1.24	0.03	7.16	22.8
R335673		2.57	<0.001		0.08	1.15	0.2	<0.2	<10	<10	0.10	0.45	2.14	0.04	6.97	25.1
R335674		1.16	0.004		0.70	2.11	0.2	<0.2	<10	30	0.16	27.1	1.97	0.16	10.40	29.8
R335675		1.64	<0.001		0.06	1.47	0.1	<0.2	<10	20	0.10	0.04	0.95	0.05	8.96	22.5
R335676		1.13	<0.001		0.40	1.04	0.3	<0.2	<10	20	0.14	8.30	1.33	0.14	8.74	25.0
R335677		2.35	<0.001		0.17	1.21	0.2	<0.2	<10	20	0.14	3.05	1.12	0.09	9.67	23.4
R335678		2.32	0.001		0.26	1.56	0.2	<0.2	<10	20	0.17	6.25	1.77	0.08	10.00	24.6
R335679		3.42	0.001		0.04	1.86	0.3	<0.2	<10	20	0.14	0.14	1.42	0.04	10.20	27.0
R335680		0.08	2.51		4.78	1.61	18.2	2.4	<10	40	0.65	0.09	3.67	0.37	22.3	10.7
R335681		2.00	0.001		0.09	2.08	0.3	<0.2	<10	30	0.32	0.57	2.60	0.05	11.05	32.2
R335682		2.25	<0.001		0.07	1.73	0.4	<0.2	<10	30	0.21	0.17	1.87	0.10	9.47	27.2
R335683		2.03	<0.001		0.07	1.91	0.3	<0.2	<10	20	0.13	0.07	1.55	0.06	9.80	28.4
R335684		3.53	<0.001		0.08	1.37	0.2	<0.2	<10	20	0.10	0.05	1.07	0.05	8.90	24.8
R335685		1.06	<0.001		0.08	0.93	0.5	<0.2	<10	10	0.09	0.14	1.85	0.04	7.18	20.6
R335686		2.01	<0.001		0.04	1.38	0.2	<0.2	<10	20	0.16	0.09	1.76	0.04	9.79	23.2
R335687		1.46	<0.001		0.04	1.60	0.1	<0.2	<10	20	0.13	0.25	1.51	0.06	10.70	24.3
R335688		1.72	<0.001		0.06	1.97	0.2	<0.2	<10	40	0.26	0.33	2.39	0.08	9.49	31.4
R335689		0.82	0.001		0.12	1.21	0.3	<0.2	<10	20	0.14	4.64	2.66	0.08	6.02	21.0
R335690		<0.02	0.001		0.12	1.21	0.1	<0.2	<10	30	0.13	3.54	2.41	0.07	6.54	20.5
R335691		2.22	<0.001		0.07	1.50	0.2	<0.2	<10	20	0.11	0.03	1.60	0.09	6.66	23.0
R335692		1.43	<0.001		0.05	1.58	0.1	<0.2	<10	10	0.07	0.03	1.25	0.06	6.87	24.2
R335693		3.06	0.001		0.05	1.89	0.3	<0.2	<10	20	0.14	0.13	1.49	0.08	6.06	27.5
R335694		2.03	0.229		0.13	2.27	0.6	0.2	<10	80	0.84	1.53	4.11	0.15	30.7	33.5
R335695		1.02	0.001		0.21	2.24	0.5	<0.2	<10	90	1.25	4.07	3.12	0.34	27.2	38.8
R335696		1.01	0.006		0.30	2.25	0.4	<0.2	<10	40	0.57	5.21	5.21	0.91	11.65	39.1
R335697		2.54	0.019		0.03	2.16	0.3	<0.2	<10	20	0.21	0.23	1.62	0.05	7.14	28.7
R335698		0.87	<0.001		0.05	1.58	0.4	<0.2	<10	10	0.13	0.16	13.10	0.40	4.37	24.3
R335699		1.70	<0.001		0.06	1.92	0.2	<0.2	<10	10	0.08	0.16	1.05	0.06	6.68	31.1
R335700		0.09	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.98	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335661		26	0.54	128.0	6.75	9.43	0.18	0.12	<0.01	0.024	0.05	3.1	29.9	1.75	527	5.05
R335662		33	3.58	124.5	5.63	8.57	0.16	0.09	<0.01	0.028	0.15	2.9	13.0	1.33	445	1.96
R335663		29	6.44	121.5	6.07	9.34	0.17	0.09	<0.01	0.026	0.31	3.1	20.4	1.46	469	1.20
R335664		35	25.0	163.0	8.83	12.40	0.24	0.09	<0.01	0.042	1.09	2.2	50.8	1.67	695	4.43
R335665		26	14.00	78.7	6.70	9.40	0.15	0.09	<0.01	0.027	0.66	2.4	30.3	1.38	792	7.29
R335666		24	4.88	87.3	5.60	8.80	0.18	0.11	<0.01	0.022	0.18	3.2	19.7	1.32	366	3.31
R335667		25	9.89	118.0	5.40	8.59	0.17	0.12	<0.01	0.025	0.56	2.9	24.4	1.38	443	8.61
R335668		26	1.65	111.0	4.79	7.87	0.12	0.11	<0.01	0.024	0.08	2.9	16.3	1.25	318	20.4
R335669		33	4.84	61.5	7.03	10.90	0.11	0.17	<0.01	0.026	0.19	2.8	20.6	1.56	469	0.78
R335670		<1	<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.06
R335671		20	0.40	79.9	4.09	6.57	0.12	0.14	<0.01	0.025	0.06	2.4	8.2	0.89	337	0.33
R335672		21	0.38	74.5	4.61	7.27	0.11	0.11	<0.01	0.021	0.04	2.6	11.6	1.04	397	0.97
R335673		27	0.87	96.2	5.14	6.87	0.11	0.13	<0.01	0.022	0.05	2.4	9.7	0.84	389	1.87
R335674		10	13.80	137.0	8.15	11.90	0.14	0.13	<0.01	0.038	0.70	3.7	28.6	1.60	535	0.78
R335675		6	2.07	128.5	5.41	7.54	0.12	0.08	<0.01	0.028	0.10	3.1	10.2	0.84	351	0.29
R335676		5	4.49	150.0	7.18	7.63	0.13	0.13	<0.01	0.030	0.21	3.0	10.3	0.75	380	1.13
R335677		5	4.10	123.0	6.67	8.04	0.13	0.12	<0.01	0.029	0.17	3.4	13.2	0.83	390	1.02
R335678		5	5.61	118.5	6.74	8.89	0.13	0.14	<0.01	0.037	0.29	3.6	16.4	1.13	486	0.64
R335679		3	5.45	80.7	5.93	9.50	0.13	0.14	<0.01	0.033	0.27	3.6	18.0	1.18	422	0.81
R335680		25	3.23	69.1	3.07	6.32	0.06	0.38	0.09	0.039	0.24	10.3	16.8	0.90	710	5.92
R335681		3	15.60	94.1	8.63	13.10	0.15	0.22	<0.01	0.068	0.94	3.8	27.9	1.78	616	13.55
R335682		4	8.64	119.0	7.36	9.27	0.14	0.15	<0.01	0.040	0.59	3.2	20.4	1.21	519	10.80
R335683		5	3.67	115.0	6.70	9.11	0.15	0.10	<0.01	0.029	0.23	3.5	14.3	1.11	490	0.81
R335684		6	1.69	147.5	5.55	7.37	0.13	0.12	<0.01	0.028	0.10	3.1	5.9	0.79	358	1.62
R335685		5	1.99	109.0	5.21	5.81	0.10	0.09	<0.01	0.022	0.10	2.6	8.4	0.68	329	0.58
R335686		4	4.20	49.3	6.24	7.97	0.13	0.15	<0.01	0.033	0.27	3.5	10.7	0.98	392	0.71
R335687		4	4.32	99.1	6.27	8.82	0.15	0.14	<0.01	0.035	0.30	3.8	13.1	0.98	422	0.41
R335688		6	15.40	117.0	7.80	10.35	0.15	0.12	<0.01	0.044	0.87	3.4	23.3	1.52	682	6.88
R335689		29	3.00	126.0	5.10	5.87	0.11	0.15	<0.01	0.023	0.16	2.1	7.1	0.80	477	3.66
R335690		26	3.02	117.5	5.07	5.90	0.11	0.15	<0.01	0.025	0.15	2.3	7.7	0.79	455	2.01
R335691		36	1.55	133.5	4.70	6.48	0.12	0.10	<0.01	0.025	0.08	2.3	8.0	0.79	440	0.24
R335692		40	0.47	146.0	4.73	6.77	0.12	0.08	<0.01	0.024	0.03	2.4	7.7	0.75	377	0.26
R335693		42	2.69	129.5	5.47	7.76	0.11	0.09	<0.01	0.024	0.16	2.2	16.4	1.23	507	0.60
R335694		132	15.80	108.5	7.96	14.45	0.13	0.68	<0.01	0.056	0.87	14.3	57.5	2.91	893	89.8
R335695		344	19.80	23.7	7.19	14.70	0.13	1.22	<0.01	0.051	1.29	11.4	64.3	3.25	685	33.2
R335696		58	13.45	140.0	10.20	13.90	0.15	0.21	<0.01	0.072	0.75	4.9	48.3	2.59	965	789
R335697		37	2.06	113.5	5.52	8.82	0.13	0.12	<0.01	0.029	0.10	3.1	22.5	1.59	643	2.09
R335698		27	3.38	72.8	4.64	6.56	0.10	0.07	<0.01	0.024	0.15	1.5	18.8	1.10	986	4.42
R335699		32	1.25	130.5	5.57	7.97	0.12	0.08	<0.01	0.021	0.07	2.4	16.8	1.23	459	2.09
R335700		<1	<0.05	1.0	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335661		0.12	0.08	23.2	530	1.7	3.4	0.003	0.24	<0.05	9.1	1.0	0.2	22.6	<0.01	0.03
R335662		0.22	0.07	29.0	520	1.0	14.8	0.002	0.38	<0.05	9.6	0.8	0.3	19.6	<0.01	0.04
R335663		0.20	0.08	33.2	500	11.3	26.5	0.002	0.69	<0.05	9.5	1.1	0.4	17.1	<0.01	0.05
R335664		0.08	0.12	35.6	540	25.9	78.7	0.003	1.45	<0.05	13.7	2.1	0.6	13.4	<0.01	0.15
R335665		0.14	0.07	26.5	510	3.3	48.3	0.005	0.94	<0.05	9.8	1.2	0.3	12.1	<0.01	0.11
R335666		0.15	0.08	21.3	510	1.4	15.5	0.003	0.61	<0.05	9.4	1.0	0.3	7.4	<0.01	0.04
R335667		0.13	0.07	20.3	490	2.1	44.7	0.004	0.60	<0.05	9.1	1.0	0.3	12.8	<0.01	0.04
R335668		0.13	0.06	22.8	510	2.8	5.7	0.015	0.46	<0.05	8.4	1.1	0.3	7.3	<0.01	0.07
R335669		0.11	0.06	22.5	540	2.2	16.1	0.002	1.35	<0.05	10.4	1.2	0.4	19.4	<0.01	0.04
R335670		<0.01	<0.05	0.4	10	0.6	0.1	<0.001	0.03	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01
R335671		0.15	0.07	13.0	490	1.8	2.9	0.001	0.32	<0.05	8.3	0.9	0.3	9.5	<0.01	0.02
R335672		0.13	0.07	14.5	510	1.3	2.0	0.001	0.28	<0.05	7.8	0.8	0.2	12.8	<0.01	0.03
R335673		0.12	0.08	15.7	550	1.8	3.0	0.001	1.02	<0.05	7.3	1.0	0.3	13.0	<0.01	0.04
R335674		0.15	0.05	14.6	660	29.2	67.0	0.002	0.78	<0.05	13.6	1.1	0.4	15.8	<0.01	0.15
R335675		0.15	0.05	9.4	630	0.8	6.3	0.001	0.30	<0.05	9.0	1.0	0.2	5.8	<0.01	0.04
R335676		0.15	0.10	8.7	650	17.0	17.2	0.002	1.07	<0.05	8.7	1.4	0.4	8.4	<0.01	0.06
R335677		0.14	0.09	7.4	640	4.5	12.7	0.002	0.78	<0.05	9.0	1.4	0.4	7.4	<0.01	0.03
R335678		0.14	0.08	7.2	620	6.4	22.5	0.002	0.86	<0.05	10.8	1.2	0.4	12.5	<0.01	0.07
R335679		0.13	0.09	8.3	650	0.7	20.9	0.003	0.34	<0.05	11.6	1.3	0.5	10.7	<0.01	0.02
R335680		0.07	0.05	10.7	640	18.6	11.6	0.003	0.90	0.41	8.3	0.8	0.5	120.0	<0.01	2.44
R335681		0.10	0.07	10.2	620	1.7	78.8	0.005	1.29	<0.05	23.2	1.5	0.5	20.6	<0.01	0.05
R335682		0.12	0.08	7.6	670	1.7	49.4	0.008	0.56	<0.05	14.8	1.2	0.4	14.9	<0.01	0.04
R335683		0.14	0.11	8.8	680	1.7	15.6	0.002	0.36	<0.05	11.1	1.1	0.4	22.6	<0.01	0.04
R335684		0.15	0.07	9.5	600	0.8	5.7	0.005	0.36	<0.05	9.6	1.1	0.3	6.2	<0.01	0.04
R335685		0.08	0.08	8.1	430	0.7	7.1	0.002	0.59	<0.05	6.9	0.9	0.5	15.6	<0.01	0.03
R335686		0.14	0.06	8.2	680	0.8	20.6	0.002	0.44	<0.05	11.4	0.8	0.3	12.3	<0.01	0.02
R335687		0.16	0.06	8.6	640	0.7	21.1	0.002	0.68	<0.05	11.8	1.2	0.4	10.8	<0.01	0.01
R335688		0.09	0.05	15.9	580	1.2	77.8	0.005	0.70	<0.05	18.4	1.2	0.4	19.8	<0.01	0.05
R335689		0.18	0.17	18.6	420	1.5	10.3	0.002	0.50	<0.05	9.9	0.9	0.6	23.7	<0.01	0.04
R335690		0.16	0.17	18.3	470	1.3	10.0	0.001	0.57	<0.05	9.4	0.7	0.5	20.2	<0.01	0.05
R335691		0.18	0.09	21.1	500	0.7	4.1	0.001	0.20	<0.05	9.3	0.9	0.3	10.4	<0.01	0.02
R335692		0.19	0.08	20.7	480	0.5	1.3	0.002	0.23	<0.05	9.0	1.2	0.3	10.6	<0.01	0.02
R335693		0.12	0.07	27.2	460	1.0	11.5	0.002	0.25	<0.05	9.0	0.8	0.4	19.0	<0.01	0.03
R335694		0.07	0.12	50.3	850	10.0	92.0	0.039	1.94	<0.05	21.3	1.2	0.8	63.5	<0.01	0.04
R335695		0.06	0.16	74.6	1050	29.8	145.0	0.007	3.81	<0.05	20.3	1.6	0.9	33.1	<0.01	0.07
R335696		0.05	0.08	41.4	500	34.7	78.1	0.341	2.52	<0.05	28.9	1.8	0.6	49.1	<0.01	0.09
R335697		0.12	0.06	28.1	460	1.6	7.7	0.002	0.31	<0.05	8.6	0.9	0.4	24.0	<0.01	0.04
R335698		0.07	0.06	23.0	350	1.5	14.0	0.005	0.33	<0.05	8.5	0.9	0.3	50.6	<0.01	0.05
R335699		0.12	0.07	28.3	520	1.6	5.4	0.002	0.38	<0.05	8.4	1.0	0.3	9.2	<0.01	0.07
R335700		<0.01	<0.05	0.7	10	1.1	0.1	<0.001	0.03	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335661		0.2	0.216	0.02	<0.05	190	0.15	12.80	67	1.8
R335662		0.2	0.173	0.13	<0.05	150	0.27	11.95	64	1.8
R335663		0.2	0.200	0.21	0.06	149	1.23	12.55	83	2.1
R335664		0.2	0.353	0.54	0.15	218	0.55	11.95	163	2.3
R335665		0.2	0.275	0.35	<0.05	163	0.52	11.75	62	2.1
R335666		0.2	0.216	0.12	<0.05	156	0.26	12.65	42	2.1
R335667		0.2	0.242	0.34	<0.05	158	0.21	12.50	47	2.5
R335668		0.2	0.178	0.05	<0.05	142	0.18	11.70	45	1.9
R335669		0.2	0.270	0.12	<0.05	206	0.34	13.70	73	2.9
R335670		0.2	<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8
R335671		0.2	0.216	0.02	<0.05	129	0.27	12.95	32	2.7
R335672		0.2	0.213	0.02	<0.05	132	0.27	12.00	47	2.2
R335673		0.2	0.206	0.02	<0.05	147	0.31	12.45	41	2.5
R335674		0.3	0.232	0.50	<0.05	248	0.22	15.05	88	2.3
R335675		0.3	0.146	0.05	<0.05	174	0.16	13.00	53	1.7
R335676		0.2	0.203	0.13	0.05	196	0.23	14.55	60	2.5
R335677		0.3	0.192	0.09	0.05	184	0.20	15.15	59	2.5
R335678		0.3	0.217	0.16	0.05	164	0.28	15.90	64	2.5
R335679		0.3	0.238	0.15	<0.05	162	0.24	16.50	62	2.8
R335680		1.4	0.057	0.14	0.34	70	0.38	7.78	85	12.2
R335681		0.3	0.263	0.60	0.05	220	0.36	19.80	75	4.0
R335682		0.2	0.263	0.37	<0.05	175	0.32	17.20	70	2.9
R335683		0.3	0.210	0.13	<0.05	168	0.23	13.95	76	2.0
R335684		0.2	0.185	0.07	<0.05	177	0.20	13.75	43	2.9
R335685		0.2	0.165	0.05	<0.05	139	0.36	11.65	36	2.0
R335686		0.3	0.195	0.15	<0.05	189	0.23	15.70	48	2.6
R335687		0.3	0.194	0.16	<0.05	167	0.16	15.60	63	2.7
R335688		0.2	0.263	0.57	<0.05	239	0.33	14.10	89	2.2
R335689		0.2	0.284	0.07	<0.05	161	0.36	12.15	47	3.0
R335690		0.2	0.284	0.06	<0.05	164	0.39	12.20	45	3.2
R335691		0.2	0.199	0.03	<0.05	155	0.21	12.50	48	1.8
R335692		0.2	0.162	<0.02	<0.05	160	0.14	11.70	45	1.6
R335693		0.2	0.195	0.08	<0.05	165	0.22	10.85	71	1.5
R335694		1.2	0.338	0.70	0.29	222	0.52	12.90	148	25.2
R335695		1.8	0.273	1.05	0.56	196	0.68	11.20	170	48.5
R335696		0.2	0.341	0.60	0.17	298	0.61	16.85	218	4.5
R335697		0.2	0.226	0.06	<0.05	166	0.40	11.55	90	1.8
R335698		<0.2	0.180	0.11	<0.05	126	0.38	8.41	77	1.1
R335699		0.2	0.170	0.06	<0.05	157	0.36	10.20	65	1.4
R335700		0.2	<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 10-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15143496

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

CERTIFICATE SD15144851

Project: Miller

This report is for 1 Drill Core sample submitted to our lab in Sudbury, ON, Canada on 23-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-32	Fine Crushing 90% <2mm
SCR-21	Screen to -100 to 106 um
SPL-21	Split sample - riffle splitter
PUL-35a	Pulv 1 kg split to 95%<106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144851

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
R335785		0.69	0.03	0.65	0.3	<0.2	<10	240	0.32	0.18	0.71	0.01	36.0	3.9	19	1.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
R335785		7.7	1.74	4.00	0.10	0.56	<0.01	0.009	0.16	18.2	9.3	0.45	231	0.52	0.10	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
R335785		4.8	730	2.7	10.1	<0.001	0.15	<0.05	1.4	0.3	0.4	56.2	<0.01	0.06	2.7	0.102

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144851

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
R335785		0.06	0.79	23	0.22	3.48	35	15.2	<0.05	<0.05	<0.05	<0.001	56.25	616.5	0.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 17-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144851

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	LOG-22	PUL-35a	SCR-21
SPL-21	WEI-21		

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA26	Au-AA26D	Au-SCR24	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

CERTIFICATE SD15144921

Project: Miller

This report is for 149 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 23-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335701		3.71	<0.001	0.09	1.11	0.2	<0.2	<10	80	0.09	0.10	1.05	0.08	15.60	23.2	17
R335702		3.49	<0.001	0.06	1.02	0.2	<0.2	<10	40	0.07	0.06	0.83	0.06	11.25	21.9	11
R335703		3.61	<0.001	0.11	1.05	0.2	<0.2	<10	50	0.11	0.26	1.13	0.05	11.05	25.5	8
R335704		3.55	<0.001	0.07	1.06	0.3	<0.2	<10	100	0.17	0.06	1.45	0.04	21.2	22.8	10
R335705		2.03	<0.001	0.03	1.10	0.3	<0.2	<10	130	0.20	0.06	1.04	0.02	25.9	17.6	14
R335706		3.44	<0.001	0.15	1.43	0.6	<0.2	<10	30	0.18	0.17	1.65	0.03	22.8	30.4	16
R335707		3.53	<0.001	0.12	1.71	0.4	<0.2	<10	30	0.18	0.22	1.82	0.05	10.80	33.6	9
R335708		1.37	<0.001	0.15	1.44	0.4	<0.2	<10	40	0.13	0.09	1.18	0.05	9.08	32.7	12
R335709		1.93	<0.001	0.15	1.44	0.4	<0.2	<10	80	0.35	0.69	2.54	0.05	8.12	36.2	17
R335710		0.07	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.93	0.1	<1
R335711		2.67	<0.001	0.12	1.46	0.2	<0.2	<10	60	0.13	0.11	1.07	0.05	9.54	27.2	30
R335712		2.90	<0.001	0.09	1.85	0.4	<0.2	<10	20	0.16	0.07	1.15	0.03	8.84	31.9	34
R335713		1.52	0.007	0.07	2.50	0.6	<0.2	<10	20	0.39	0.16	3.69	0.09	10.45	36.0	39
R335714		1.01	0.100	0.49	2.15	0.5	<0.2	<10	10	0.32	1.27	4.24	0.15	8.65	37.2	35
R335715		3.35	<0.001	0.09	2.28	0.4	<0.2	<10	20	0.19	0.10	1.83	0.05	9.65	33.3	38
R335716		3.64	<0.001	0.14	1.47	0.4	<0.2	<10	40	0.15	0.07	1.41	0.08	9.46	28.9	36
R335717		3.69	<0.001	0.17	1.30	0.2	<0.2	<10	50	0.17	0.29	1.45	0.09	10.15	31.6	22
R335718		3.49	<0.001	0.15	1.19	0.3	<0.2	<10	30	0.16	0.42	1.38	0.05	11.20	27.4	18
R335719		3.58	<0.001	0.11	0.83	0.3	<0.2	<10	50	0.15	0.11	1.12	0.03	22.5	22.4	17
R335720		0.08	2.44	4.84	1.55	19.4	2.5	<10	40	0.65	0.08	3.64	0.37	22.2	11.4	24
R335721		3.40	0.001	0.15	1.35	0.2	<0.2	<10	20	0.20	0.85	1.52	0.04	9.28	27.0	19
R335722		3.87	<0.001	0.15	1.28	0.2	<0.2	<10	30	0.14	0.19	1.30	0.04	9.90	28.3	17
R335723		3.70	<0.001	0.11	1.07	0.2	<0.2	<10	10	0.14	0.11	1.08	0.05	8.47	24.7	19
R335724		3.46	<0.001	0.08	1.17	0.2	<0.2	<10	10	0.13	0.05	1.34	0.05	9.26	21.9	16
R335725		2.33	<0.001	0.13	1.43	0.3	<0.2	<10	10	0.22	0.14	1.57	0.21	9.40	28.3	14
R335726		2.31	<0.001	0.15	1.32	0.2	<0.2	<10	20	0.18	0.11	0.95	0.21	11.50	27.3	16
R335727		1.26	<0.001	0.16	1.14	0.4	<0.2	<10	10	0.31	0.21	1.07	0.11	9.58	26.2	16
R335728		3.65	<0.001	0.16	1.58	0.4	<0.2	<10	20	0.27	0.18	1.39	0.12	9.27	29.8	16
R335729		3.14	<0.001	0.26	1.29	0.9	<0.2	<10	20	0.32	0.28	1.42	0.13	8.65	37.9	25
R335730		<0.02	<0.001	0.25	1.33	1.0	<0.2	<10	20	0.31	0.27	1.38	0.13	8.82	37.7	25
R335731		3.15	0.005	0.37	0.61	0.4	<0.2	<10	10	0.30	1.26	1.28	0.09	8.92	18.6	22
R335732		3.34	0.004	0.21	1.48	0.4	<0.2	<10	20	0.39	0.33	1.45	0.06	6.78	40.0	29
R335733		2.50	0.119	0.16	0.86	0.2	<0.2	<10	20	0.52	0.87	1.84	0.03	9.70	17.0	23
R335734		1.56	0.063	0.32	0.20	0.2	<0.2	<10	10	0.24	1.08	1.81	0.02	10.00	3.8	20
R335735		1.16	0.009	0.06	0.31	<0.1	<0.2	<10	30	0.28	0.50	0.59	0.01	20.2	2.2	19
R335736		2.42	<0.001	0.06	0.20	0.2	<0.2	<10	10	0.38	0.38	0.18	0.03	14.90	0.6	19
R335737		3.09	<0.001	0.04	0.19	0.2	<0.2	<10	10	0.32	0.23	0.13	0.01	12.45	0.5	17
R335738		2.15	0.005	0.15	0.16	0.2	<0.2	<10	10	0.28	0.53	0.16	0.01	10.45	0.5	21
R335739		2.39	<0.001	0.03	0.18	0.3	<0.2	<10	10	0.36	0.21	0.14	0.02	15.00	0.4	17
R335740		0.08	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.00	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335701		1.59	101.5	6.02	7.32	0.14	0.15	<0.01	0.023	0.17	6.2	5.9	0.64	317	2.75	0.12
R335702		1.02	100.5	6.72	8.66	0.13	0.09	<0.01	0.028	0.10	4.0	4.0	0.57	280	0.91	0.13
R335703		3.41	93.1	7.55	8.05	0.12	0.12	<0.01	0.021	0.24	3.9	7.5	0.66	329	7.01	0.11
R335704		2.10	75.5	6.59	7.45	0.15	0.32	<0.01	0.023	0.33	9.5	9.2	0.67	406	5.80	0.13
R335705		3.04	42.0	5.88	7.40	0.13	0.32	<0.01	0.020	0.45	11.7	10.0	0.70	277	0.46	0.11
R335706		2.41	86.7	6.54	8.32	0.16	0.28	<0.01	0.021	0.15	9.7	12.2	0.98	407	34.1	0.09
R335707		2.31	110.5	7.62	9.37	0.16	0.13	<0.01	0.023	0.12	4.0	15.9	1.21	497	16.05	0.08
R335708		1.54	122.0	7.58	8.56	0.13	0.12	<0.01	0.024	0.11	3.2	13.8	1.00	499	4.37	0.10
R335709		13.80	114.5	9.16	10.50	0.14	0.16	<0.01	0.044	0.74	2.8	17.8	1.41	623	14.90	0.08
R335710		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
R335711		2.67	130.0	6.23	8.01	0.15	0.15	<0.01	0.028	0.16	3.4	10.2	0.90	451	2.84	0.14
R335712		0.94	109.5	6.76	8.20	0.12	0.12	<0.01	0.021	0.08	3.2	15.9	1.24	524	0.88	0.09
R335713		2.48	102.0	8.83	11.15	0.08	0.11	<0.01	0.055	0.16	3.7	20.5	1.98	1060	2.23	0.05
R335714		0.90	85.1	9.59	10.10	0.10	0.09	<0.01	0.067	0.09	3.1	19.1	2.06	1160	0.49	0.03
R335715		1.98	109.5	7.73	10.05	0.12	0.13	<0.01	0.031	0.12	3.4	19.2	1.51	661	4.81	0.10
R335716		2.41	104.5	6.39	7.32	0.14	0.12	<0.01	0.025	0.13	3.4	8.9	0.82	487	2.78	0.14
R335717		2.30	156.5	6.96	7.22	0.14	0.18	<0.01	0.031	0.17	3.6	8.2	0.80	492	6.12	0.14
R335718		1.72	110.0	6.83	6.96	0.14	0.15	<0.01	0.028	0.12	4.5	8.5	0.73	487	3.98	0.12
R335719		1.19	81.0	5.11	5.03	0.12	0.29	<0.01	0.019	0.11	10.3	3.5	0.49	404	3.02	0.13
R335720		3.17	72.4	2.90	6.29	0.08	0.36	0.08	0.038	0.22	10.3	16.3	0.85	672	5.99	0.07
R335721		2.03	120.0	7.10	7.84	0.17	0.14	<0.01	0.030	0.10	3.3	10.4	0.84	575	9.02	0.12
R335722		2.23	122.0	6.76	7.76	0.17	0.15	<0.01	0.027	0.10	3.5	6.4	0.72	513	3.48	0.14
R335723		1.43	125.5	5.65	6.45	0.13	0.11	<0.01	0.029	0.07	3.0	5.9	0.63	405	1.76	0.13
R335724		0.88	97.4	4.24	5.96	0.14	0.20	<0.01	0.026	0.06	3.4	3.8	0.58	386	1.44	0.14
R335725		2.32	182.0	6.73	7.96	0.18	0.23	<0.01	0.038	0.12	3.4	8.0	0.79	504	5.45	0.13
R335726		2.56	114.5	6.14	7.54	0.13	0.20	<0.01	0.032	0.11	4.2	6.8	0.80	405	2.80	0.15
R335727		3.77	106.5	5.29	6.47	0.12	0.88	<0.01	0.024	0.18	3.6	7.5	0.66	463	3.20	0.12
R335728		2.14	120.0	6.76	7.98	0.15	0.23	<0.01	0.027	0.14	3.3	11.5	0.92	560	3.93	0.12
R335729		1.58	148.5	6.53	6.67	0.15	0.49	<0.01	0.022	0.09	3.5	10.7	0.75	688	6.05	0.10
R335730		1.61	145.0	6.59	6.89	0.13	0.46	<0.01	0.022	0.09	3.6	10.8	0.77	693	6.79	0.11
R335731		0.14	78.1	3.54	3.33	0.06	1.64	<0.01	0.012	0.04	3.8	5.9	0.41	431	11.45	0.06
R335732		3.73	128.0	7.11	6.32	0.09	0.45	<0.01	0.024	0.18	2.7	14.8	0.99	756	7.18	0.08
R335733		2.08	64.0	3.61	4.20	0.05	1.74	<0.01	0.014	0.12	4.3	13.0	0.75	414	6.20	0.06
R335734		0.13	11.8	1.19	1.45	<0.05	1.63	<0.01	0.006	0.04	5.0	2.2	0.11	223	30.1	0.07
R335735		1.65	8.7	1.05	2.15	<0.05	1.89	<0.01	0.007	0.09	10.4	4.2	0.20	207	3.83	0.07
R335736		0.47	9.2	0.74	1.45	<0.05	2.59	<0.01	<0.005	0.08	7.9	1.8	0.07	156	2.10	0.07
R335737		0.42	9.0	0.64	1.25	<0.05	1.97	<0.01	<0.005	0.08	6.9	1.6	0.06	148	0.72	0.06
R335738		0.28	13.6	0.68	1.13	<0.05	1.99	<0.01	<0.005	0.07	5.6	1.3	0.04	124	12.70	0.07
R335739		0.54	4.7	0.65	1.19	<0.05	2.23	<0.01	<0.005	0.08	8.0	1.3	0.05	176	0.37	0.06
R335740		<0.05	2.2	0.02	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335701		0.11	14.5	780	2.1	9.2	0.002	0.47	<0.05	7.2	1.2	0.3	16.7	<0.01	0.04	0.5
R335702		0.08	12.3	770	0.8	5.4	0.002	0.33	<0.05	8.6	1.3	0.3	11.2	<0.01	0.02	0.3
R335703		0.11	13.6	770	1.6	14.7	0.005	0.72	<0.05	6.9	1.4	0.3	18.5	<0.01	0.03	0.3
R335704		0.24	11.8	930	1.5	16.6	0.005	0.39	<0.05	6.4	0.8	0.3	43.3	0.01	0.03	0.8
R335705		0.33	9.8	1070	1.3	25.3	0.001	0.18	<0.05	4.4	0.7	0.4	60.3	<0.01	0.01	1.1
R335706		0.20	16.1	960	2.1	11.2	0.022	1.01	<0.05	6.9	1.5	0.3	65.5	<0.01	0.07	0.9
R335707		0.13	20.2	730	1.2	9.2	0.012	0.94	<0.05	8.6	1.3	0.2	42.2	<0.01	0.06	0.3
R335708		0.11	24.6	680	2.0	8.1	0.005	0.51	<0.05	8.8	1.0	0.5	17.6	<0.01	0.04	0.3
R335709		0.10	27.2	680	2.3	68.2	0.005	1.58	<0.05	15.1	1.5	0.4	18.6	<0.01	0.07	0.2
R335710		<0.05	0.4	10	0.3	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R335711		0.07	21.9	680	0.9	12.3	0.003	0.42	<0.05	10.0	1.2	0.5	11.4	<0.01	0.05	0.3
R335712		0.08	24.0	670	0.6	4.9	0.002	0.61	<0.05	8.3	1.1	<0.2	21.1	<0.01	0.05	0.2
R335713		<0.05	28.3	640	0.9	14.6	0.003	0.57	0.06	19.7	1.0	0.2	72.5	<0.01	0.08	0.3
R335714		<0.05	29.5	750	4.3	5.8	0.001	2.64	0.11	23.9	1.3	<0.2	112.5	<0.01	1.09	0.2
R335715		0.07	25.0	700	0.8	10.9	0.007	0.47	<0.05	13.1	1.4	0.3	22.8	<0.01	0.06	0.3
R335716		0.13	20.6	740	1.2	8.7	0.003	0.50	<0.05	9.9	1.1	0.3	16.2	<0.01	0.05	0.3
R335717		0.14	20.8	730	2.6	12.0	0.005	1.56	<0.05	11.1	1.9	0.5	22.8	<0.01	0.06	0.3
R335718		0.14	16.7	750	1.7	7.1	0.004	0.93	<0.05	9.2	1.3	0.3	14.5	<0.01	0.05	0.4
R335719		0.20	13.3	940	2.3	6.7	0.004	0.81	<0.05	6.3	1.0	0.3	23.1	<0.01	0.07	0.9
R335720		0.06	10.7	590	16.8	11.4	0.003	0.86	0.49	8.3	1.2	0.5	116.0	<0.01	2.46	1.4
R335721		0.09	16.7	720	1.8	6.5	0.008	0.93	<0.05	9.9	1.2	0.3	16.3	<0.01	0.08	0.3
R335722		0.10	18.1	700	2.5	7.1	0.004	0.83	<0.05	9.5	1.1	0.3	11.6	<0.01	0.08	0.3
R335723		0.07	14.6	720	1.4	5.4	0.004	0.51	<0.05	9.2	1.3	0.3	6.6	<0.01	0.05	0.3
R335724		0.11	13.7	730	1.7	6.4	0.003	0.34	<0.05	9.4	1.1	0.3	7.6	<0.01	0.05	0.4
R335725		0.09	16.9	700	6.5	13.0	0.006	0.68	<0.05	10.3	1.4	0.5	8.5	<0.01	0.09	0.6
R335726		0.06	17.1	760	6.1	12.5	0.005	0.57	<0.05	10.2	1.2	0.3	5.8	<0.01	0.07	0.6
R335727		0.13	16.0	640	10.8	24.6	0.004	0.58	<0.05	8.7	1.2	0.3	7.1	<0.01	0.06	1.9
R335728		0.12	17.6	740	7.6	11.3	0.006	0.94	<0.05	9.7	1.5	0.3	17.9	<0.01	0.08	0.5
R335729		0.17	32.0	510	25.5	9.3	0.007	1.73	0.10	8.4	1.7	0.3	34.1	<0.01	0.09	1.1
R335730		0.14	29.9	530	24.2	9.2	0.009	1.68	0.09	8.7	1.6	0.3	30.8	<0.01	0.09	1.0
R335731		0.19	13.9	160	69.8	2.4	0.006	0.99	0.06	3.8	0.7	0.2	40.5	<0.01	0.12	3.7
R335732		0.16	34.3	410	4.7	26.4	0.005	1.20	<0.05	9.7	1.5	0.3	20.9	<0.01	0.09	0.9
R335733		0.20	13.6	220	10.1	18.2	0.003	1.08	0.05	4.8	1.0	0.2	28.0	<0.01	0.15	3.8
R335734		0.24	3.2	90	8.0	2.3	0.005	0.58	0.05	2.1	0.4	0.2	20.1	<0.01	0.15	4.5
R335735		0.37	2.6	230	10.2	14.4	0.001	0.20	<0.05	1.1	<0.2	0.3	20.1	<0.01	0.08	5.3
R335736		0.54	1.4	60	22.7	7.8	0.001	0.07	0.05	0.5	0.2	0.3	7.1	<0.01	0.05	7.6
R335737		0.35	1.1	30	15.8	6.8	<0.001	0.06	<0.05	0.3	<0.2	0.2	6.0	<0.01	0.02	5.7
R335738		0.31	1.3	30	11.8	5.3	0.003	0.13	<0.05	0.4	<0.2	0.2	6.8	<0.01	0.12	5.7
R335739		0.59	1.1	30	18.0	8.8	<0.001	0.03	0.06	0.4	<0.2	0.3	7.7	<0.01	0.03	6.7
R335740		<0.05	0.6	10	1.0	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335701		0.163	0.13	0.07	117	0.29	12.45	58	5.1
R335702		0.161	0.09	<0.05	146	0.22	14.80	48	2.1
R335703		0.199	0.15	<0.05	132	0.33	15.95	52	2.8
R335704		0.255	0.16	0.12	114	0.34	15.05	52	10.0
R335705		0.263	0.25	0.16	107	0.26	13.60	50	9.7
R335706		0.235	0.10	0.15	100	0.43	12.70	63	10.3
R335707		0.243	0.07	0.08	128	0.39	14.65	78	2.8
R335708		0.218	0.08	<0.05	164	0.37	15.15	74	2.1
R335709		0.281	0.52	0.09	184	0.26	17.25	94	3.3
R335710		<0.005	<0.02	0.07	<1	<0.05	0.60	<2	0.7
R335711		0.192	0.12	0.08	139	0.23	15.00	64	2.8
R335712		0.203	0.04	0.05	119	0.23	13.70	79	2.2
R335713		0.124	0.13	0.24	141	0.46	11.55	113	2.5
R335714		0.072	0.05	0.06	133	0.66	8.67	120	1.9
R335715		0.196	0.10	0.06	133	0.33	15.30	103	2.0
R335716		0.201	0.09	0.05	113	0.32	15.25	67	2.3
R335717		0.234	0.15	0.08	112	0.45	17.25	62	3.8
R335718		0.215	0.09	0.06	114	0.57	13.45	58	3.4
R335719		0.195	0.13	0.13	80	0.55	10.60	36	8.7
R335720		0.052	0.14	0.34	65	0.52	7.98	80	12.9
R335721		0.232	0.08	0.06	108	0.60	13.10	68	3.1
R335722		0.201	0.10	0.05	111	0.53	13.55	56	3.0
R335723		0.168	0.07	0.06	99	0.36	12.00	52	2.5
R335724		0.197	0.08	0.12	83	0.37	13.35	50	4.1
R335725		0.177	0.13	0.25	99	0.48	13.00	129	5.9
R335726		0.163	0.15	0.24	117	0.42	14.05	138	4.5
R335727		0.203	0.22	1.41	97	0.23	11.85	83	20.0
R335728		0.234	0.11	0.23	110	0.40	13.30	98	5.5
R335729		0.253	0.11	0.69	142	0.46	11.35	96	11.8
R335730		0.248	0.12	0.64	139	0.45	11.60	95	11.6
R335731		0.126	0.02	2.56	67	0.75	6.21	52	39.0
R335732		0.264	0.24	0.72	171	0.45	10.75	86	10.9
R335733		0.134	0.16	3.02	67	0.58	7.24	37	39.3
R335734		0.035	0.02	3.82	19	1.20	3.85	8	36.4
R335735		0.036	0.12	3.80	12	0.36	3.57	20	43.5
R335736		0.015	0.05	5.73	5	0.26	2.33	18	57.4
R335737		0.011	0.04	4.02	4	0.16	1.67	13	41.5
R335738		0.008	0.04	3.80	3	0.21	1.84	9	43.8
R335739		0.014	0.06	4.48	3	0.18	1.99	17	46.1
R335740		<0.005	<0.02	0.07	<1	0.06	0.61	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335741		1.55	0.001	0.03	0.39	0.3	<0.2	<10	80	0.43	0.11	0.33	0.01	24.7	2.2	22
R335742		1.62	0.004	0.04	0.43	0.4	<0.2	<10	160	0.42	0.25	0.48	0.02	28.8	2.9	21
R335743		1.17	0.896	0.20	0.39	0.3	<0.2	<10	50	0.35	1.92	0.67	0.02	23.4	2.2	22
R335744		2.30	0.020	0.12	0.17	0.3	<0.2	<10	10	0.25	0.89	0.22	0.02	12.25	0.5	19
R335745		2.22	0.030	0.15	0.14	0.3	<0.2	<10	10	0.29	0.39	0.33	0.02	13.95	0.2	17
R335746		1.24	0.006	0.10	0.21	0.3	<0.2	<10	20	0.29	0.44	0.28	0.02	14.00	0.9	18
R335747		2.05	0.022	0.07	0.19	0.3	<0.2	<10	90	0.30	0.49	0.30	0.02	11.85	0.7	19
R335748		1.36	0.026	0.05	0.37	0.2	<0.2	<10	80	0.39	0.64	0.66	0.01	20.4	2.5	21
R335749		2.52	0.029	0.06	0.46	0.3	<0.2	<10	240	0.41	0.79	0.67	0.02	31.2	3.7	22
R335750		0.07	9.48	10.00	1.60	11.6	9.4	<10	30	0.57	0.08	3.77	0.29	21.4	10.7	18
R335751		3.18	0.003	0.05	0.59	0.3	<0.2	<10	220	0.35	0.22	0.71	0.01	40.4	4.5	23
R335752		1.59	0.030	0.17	0.22	0.2	<0.2	<10	60	0.22	0.79	0.50	<0.01	11.45	1.8	26
R335753		2.80	0.011	0.06	0.24	0.2	<0.2	<10	60	0.25	0.30	0.24	0.01	17.30	1.0	20
R335754		1.65	0.011	0.06	0.45	0.2	<0.2	<10	380	0.35	0.49	0.62	0.01	27.4	3.1	21
R335755		1.45	0.027	0.05	0.23	0.3	<0.2	<10	120	0.20	0.29	0.33	0.01	12.55	1.2	21
R335756		3.21	<0.001	0.05	0.19	0.2	<0.2	<10	20	0.22	0.15	0.14	0.03	15.55	0.5	20
R335757		0.97	<0.001	0.02	0.43	0.2	<0.2	<10	70	0.31	0.08	0.35	0.01	28.4	2.8	19
R335758		2.16	0.011	0.05	0.15	0.3	<0.2	<10	30	0.16	0.29	0.16	0.01	7.21	0.5	17
R335759		0.95	0.123	0.08	0.30	0.3	<0.2	<10	30	0.26	0.90	0.36	0.01	17.70	1.8	25
R335760		<0.02	0.047	0.07	0.31	<0.1	<0.2	<10	30	0.23	0.72	0.36	<0.01	17.60	1.7	27
R335761		3.38	0.001	0.05	0.66	0.2	<0.2	<10	190	0.33	0.11	0.58	0.01	48.0	4.5	23
R335762		3.45	0.003	0.06	0.58	0.3	<0.2	<10	200	0.31	0.12	0.56	0.02	43.8	4.4	22
R335763		2.26	0.001	0.05	0.57	0.1	<0.2	<10	210	0.27	0.17	0.54	0.01	40.3	4.1	22
R335764		2.93	0.005	0.08	0.86	0.1	<0.2	<10	240	0.48	1.21	1.30	0.02	34.9	11.4	29
R335765		0.97	0.360	0.06	0.37	0.2	<0.2	<10	90	0.19	94.1	0.48	<0.01	20.2	2.5	25
R335766		2.55	0.026	0.09	0.51	0.3	<0.2	<10	210	0.45	0.85	0.89	0.01	34.9	4.4	22
R335767		1.99	0.003	0.06	0.59	0.2	<0.2	<10	170	0.37	0.48	0.77	<0.01	38.2	5.0	24
R335768		1.11	0.004	0.04	0.31	0.1	<0.2	<10	110	0.18	0.32	0.49	0.01	17.40	2.2	20
R335769		2.55	0.004	0.04	0.67	0.2	<0.2	<10	270	0.37	0.32	0.72	0.01	50.4	5.5	25
R335770		0.09	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.15	0.1	<1
R335771		0.81	0.043	0.06	0.57	0.2	<0.2	<10	260	0.35	0.84	0.78	<0.01	41.5	5.0	23
R335772		1.20	0.041	0.06	0.55	0.1	<0.2	<10	140	0.37	0.75	1.47	0.01	37.5	5.1	24
R335773		1.90	0.009	0.04	0.59	0.2	<0.2	<10	140	0.39	0.69	0.93	0.01	34.4	4.4	23
R335774		2.55	0.003	0.09	0.25	0.3	<0.2	<10	70	0.29	0.54	0.31	0.01	16.60	1.2	21
R335775		1.46	0.076	0.17	0.23	0.2	<0.2	<10	230	0.15	1.00	0.45	0.01	12.30	1.5	17
R335776		3.24	0.017	0.04	0.62	0.2	<0.2	<10	150	0.24	0.34	0.68	0.01	37.5	4.5	26
R335777		2.89	0.002	0.04	0.65	0.3	<0.2	<10	170	0.35	0.21	0.60	0.01	39.7	4.6	27
R335778		0.98	0.009	0.03	0.53	0.1	<0.2	<10	430	0.24	0.45	1.35	0.01	37.2	5.4	24
R335779		1.87	0.004	0.06	0.66	0.1	<0.2	<10	410	0.33	0.50	0.99	0.02	45.8	5.8	24
R335780		0.07	2.45	5.04	1.57	18.9	2.6	<10	40	0.61	0.13	3.66	0.41	23.4	11.4	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335741		1.28	15.9	1.10	2.59	0.12	1.56	<0.01	0.007	0.13	13.1	8.1	0.23	238	0.61	0.07
R335742		1.62	8.4	1.26	2.89	0.13	2.07	<0.01	0.010	0.14	14.4	8.1	0.28	284	4.28	0.08
R335743		0.78	19.8	1.18	2.67	0.12	1.72	<0.01	0.012	0.09	12.0	5.7	0.26	262	18.30	0.06
R335744		0.35	15.4	0.65	1.18	0.11	1.97	<0.01	0.005	0.06	5.8	1.8	0.06	128	1.06	0.07
R335745		0.26	15.4	0.65	1.00	0.10	1.90	<0.01	0.006	0.07	6.7	1.0	0.02	112	0.29	0.07
R335746		0.36	12.0	0.78	1.48	0.10	1.59	<0.01	0.005	0.06	6.9	2.7	0.10	142	2.44	0.05
R335747		0.33	11.0	0.71	1.33	0.10	1.61	<0.01	0.005	0.08	5.6	1.9	0.06	127	21.5	0.06
R335748		0.38	14.5	1.19	2.73	0.11	1.27	<0.01	0.007	0.07	10.3	5.7	0.27	200	11.70	0.05
R335749		1.07	9.5	1.49	2.84	0.13	1.23	<0.01	0.010	0.13	15.7	7.7	0.33	261	42.5	0.07
R335750		2.49	63.3	2.94	7.00	0.17	0.62	0.18	0.029	0.13	9.1	25.9	1.06	808	5.19	0.07
R335751		1.38	34.2	1.59	3.87	0.13	1.10	<0.01	0.010	0.16	21.0	11.1	0.44	294	0.28	0.07
R335752		0.18	12.1	0.98	1.74	0.10	1.26	<0.01	<0.005	0.03	5.0	3.1	0.13	123	2.16	0.07
R335753		0.44	12.6	0.77	1.57	0.09	1.39	<0.01	<0.005	0.08	9.1	3.2	0.11	147	2.03	0.05
R335754		0.68	9.9	1.32	3.23	0.12	1.18	<0.01	0.007	0.10	13.9	8.0	0.32	215	8.04	0.07
R335755		0.25	7.1	0.79	1.52	0.10	1.12	<0.01	<0.005	0.08	6.0	3.2	0.13	126	1.26	0.05
R335756		0.21	13.4	0.70	1.19	0.11	1.56	<0.01	<0.005	0.09	7.5	1.8	0.05	110	0.84	0.06
R335757		0.63	13.0	1.20	2.92	0.12	1.08	<0.01	0.006	0.11	14.3	7.4	0.29	188	0.20	0.06
R335758		0.14	23.0	0.56	0.99	0.11	1.16	<0.01	<0.005	0.08	3.7	1.2	0.03	69	0.33	0.04
R335759		0.40	6.1	1.09	2.15	0.11	0.97	<0.01	0.005	0.07	8.4	4.2	0.20	141	13.50	0.06
R335760		0.40	6.2	1.15	2.18	0.11	0.91	<0.01	<0.005	0.07	8.2	4.1	0.20	143	15.50	0.07
R335761		1.20	32.9	1.73	4.44	0.15	0.84	0.01	0.010	0.21	24.2	12.1	0.47	263	0.49	0.09
R335762		1.08	23.2	1.77	3.93	0.14	1.05	<0.01	0.009	0.23	21.8	9.3	0.40	266	8.43	0.09
R335763		1.36	7.0	1.63	3.96	0.15	0.82	<0.01	0.007	0.26	20.6	11.0	0.38	242	0.22	0.08
R335764		3.24	51.9	3.61	5.39	0.13	0.97	<0.01	0.019	0.43	16.8	18.2	0.80	391	8.40	0.08
R335765		0.85	46.4	1.22	2.66	0.11	0.52	<0.01	0.007	0.09	10.2	5.0	0.30	180	13.80	0.05
R335766		1.12	70.5	2.01	3.57	0.12	0.88	<0.01	0.011	0.12	17.0	9.3	0.38	239	34.9	0.08
R335767		1.13	19.6	1.89	4.29	0.11	0.62	<0.01	0.012	0.13	19.1	10.1	0.49	258	17.55	0.07
R335768		0.36	14.3	1.14	2.29	0.11	0.77	<0.01	0.005	0.07	8.1	4.1	0.22	153	9.25	0.06
R335769		1.30	20.9	1.97	5.09	0.15	0.61	<0.01	0.011	0.20	26.2	12.7	0.54	278	7.07	0.07
R335770		<0.05	0.8	0.03	<0.05	0.09	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
R335771		1.08	8.5	2.06	4.18	0.13	0.50	<0.01	0.008	0.14	21.4	10.4	0.45	242	74.3	0.07
R335772		0.68	7.0	1.96	4.32	0.13	0.53	<0.01	0.012	0.08	18.5	9.6	0.46	289	18.35	0.06
R335773		0.69	8.4	1.74	4.38	0.13	0.56	<0.01	0.010	0.10	17.2	10.1	0.46	262	2.54	0.07
R335774		0.44	12.3	0.81	1.83	0.10	1.94	<0.01	<0.005	0.09	8.3	3.0	0.13	129	1.72	0.06
R335775		0.23	26.0	0.85	1.49	0.10	1.23	<0.01	<0.005	0.08	5.8	2.6	0.10	114	8.40	0.07
R335776		0.97	17.0	1.74	4.32	0.06	0.52	<0.01	0.010	0.13	20.3	9.8	0.49	235	0.42	0.06
R335777		1.18	10.0	1.73	4.82	0.07	0.78	<0.01	0.012	0.12	21.6	10.7	0.51	247	0.19	0.06
R335778		0.71	9.1	1.72	3.65	0.05	0.48	<0.01	0.009	0.06	19.4	8.4	0.47	231	0.22	0.04
R335779		1.54	27.6	1.92	4.44	0.05	0.56	<0.01	0.012	0.17	25.0	10.9	0.58	292	2.77	0.06
R335780		3.31	71.8	2.92	6.68	0.07	0.39	0.10	0.042	0.23	11.2	18.7	0.86	683	6.07	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335741		0.35	3.3	280	15.2	13.2	<0.001	0.07	0.05	0.9	<0.2	0.4	36.1	<0.01	0.01	5.1
R335742		0.61	4.0	370	15.5	17.9	0.001	0.15	0.06	1.3	<0.2	0.5	36.2	<0.01	0.03	5.7
R335743		0.27	3.4	270	11.4	8.6	0.004	0.15	0.05	1.2	<0.2	0.4	24.4	<0.01	0.93	5.2
R335744		0.28	1.2	30	12.1	5.4	<0.001	0.13	0.05	0.4	<0.2	0.3	7.5	<0.01	0.33	6.0
R335745		0.23	1.0	10	9.5	4.9	<0.001	0.14	0.05	0.4	<0.2	0.3	6.7	<0.01	0.06	6.0
R335746		0.20	1.7	90	8.8	4.6	0.001	0.14	0.05	0.6	<0.2	0.2	11.4	<0.01	0.06	5.0
R335747		0.20	1.5	60	9.0	5.4	0.004	0.15	0.06	0.5	<0.2	0.2	9.8	<0.01	0.07	4.9
R335748		0.20	3.4	290	7.0	4.2	0.003	0.29	0.05	1.2	<0.2	0.3	25.7	<0.01	0.10	3.9
R335749		0.40	4.7	500	9.4	10.7	0.006	0.32	<0.05	1.4	0.2	0.4	48.7	<0.01	0.13	4.0
R335750		0.11	10.2	640	14.8	5.9	0.002	0.43	0.39	8.5	0.4	0.6	107.5	<0.01	4.21	1.6
R335751		0.35	5.4	590	7.7	13.0	<0.001	0.20	<0.05	1.7	0.2	0.4	62.2	<0.01	0.05	4.0
R335752		0.09	2.8	190	2.3	1.5	<0.001	0.39	<0.05	0.7	0.2	0.2	20.5	<0.01	0.09	3.8
R335753		0.23	1.8	110	11.3	5.4	<0.001	0.09	<0.05	0.5	<0.2	0.2	16.6	<0.01	0.05	4.6
R335754		0.21	4.0	420	6.1	6.4	0.001	0.28	<0.05	1.3	0.2	0.3	44.6	<0.01	0.06	4.1
R335755		0.15	2.2	130	7.4	3.7	<0.001	0.14	<0.05	0.5	<0.2	0.2	22.4	<0.01	0.04	3.1
R335756		0.25	1.2	20	15.4	4.4	<0.001	0.06	0.05	0.2	<0.2	0.2	9.4	<0.01	0.01	4.6
R335757		0.27	3.6	430	7.6	6.8	<0.001	0.06	<0.05	0.9	<0.2	0.3	40.1	<0.01	0.01	3.6
R335758		0.12	1.2	10	11.0	3.8	0.001	0.10	<0.05	0.2	<0.2	<0.2	8.7	<0.01	0.01	3.6
R335759		0.15	2.9	220	5.1	3.6	0.003	0.17	0.05	0.9	<0.2	0.2	21.6	<0.01	0.36	3.5
R335760		0.16	3.0	230	4.8	3.9	0.003	0.17	0.05	0.9	<0.2	0.2	22.3	<0.01	0.22	3.4
R335761		0.36	5.3	710	6.3	14.5	<0.001	0.13	<0.05	1.4	0.2	0.4	63.0	<0.01	0.01	3.4
R335762		0.44	5.1	670	12.4	15.9	0.001	0.11	<0.05	1.3	0.2	0.4	53.5	<0.01	0.02	3.7
R335763		0.39	5.1	640	7.7	19.7	<0.001	0.14	<0.05	1.2	<0.2	0.4	57.1	<0.01	0.02	3.2
R335764		0.20	12.3	490	6.1	36.3	0.002	0.69	<0.05	5.9	0.6	0.4	49.1	<0.01	0.20	2.9
R335765		0.15	3.3	280	54.0	5.1	0.002	0.17	<0.05	0.9	0.4	0.2	28.8	<0.01	0.35	1.9
R335766		0.22	3.4	540	4.6	8.2	0.006	0.72	<0.05	1.5	0.5	0.3	46.8	<0.01	0.07	3.2
R335767		0.19	5.3	670	4.1	8.4	0.004	0.48	<0.05	1.7	<0.2	0.3	44.4	<0.01	0.04	3.4
R335768		0.15	3.0	280	4.7	3.0	0.002	0.24	<0.05	0.9	<0.2	0.2	27.2	<0.01	0.04	2.7
R335769		0.27	6.4	840	5.3	13.8	0.002	0.23	<0.05	1.6	0.2	0.4	54.5	<0.01	0.03	3.7
R335770		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R335771		0.26	5.9	750	5.3	9.4	0.012	0.61	<0.05	1.5	0.4	0.3	51.8	<0.01	0.19	3.4
R335772		0.18	6.1	750	2.8	4.7	0.004	0.70	<0.05	1.9	0.4	0.3	50.7	<0.01	0.09	3.3
R335773		0.22	5.4	620	4.0	5.3	0.001	0.34	<0.05	1.7	0.3	0.4	53.5	<0.01	0.08	2.9
R335774		0.22	1.8	130	17.5	5.2	<0.001	0.07	0.05	0.5	0.2	0.2	16.4	<0.01	0.20	6.2
R335775		0.15	2.0	140	7.2	3.9	0.001	0.20	<0.05	0.5	<0.2	0.2	25.4	<0.01	0.28	4.2
R335776		0.21	5.3	640	4.2	8.6	<0.001	0.16	0.06	1.4	0.3	0.3	51.3	<0.01	0.06	3.0
R335777		0.26	5.5	650	5.7	8.3	<0.001	0.04	0.07	1.4	0.2	0.4	60.2	<0.01	0.02	4.0
R335778		0.17	5.8	690	1.4	4.5	<0.001	0.52	0.06	1.7	0.4	0.3	45.6	<0.01	0.09	3.0
R335779		0.24	7.0	760	3.2	13.3	0.001	0.37	0.06	2.0	0.5	0.3	71.6	<0.01	0.07	3.4
R335780		<0.05	11.3	620	18.1	12.3	0.003	0.87	0.47	8.5	1.2	0.5	119.0	<0.01	2.45	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335741		0.047	0.10	3.58	13	0.18	2.64	26	37.1
R335742		0.057	0.14	3.83	16	0.26	3.67	36	47.4
R335743		0.036	0.08	3.73	12	0.32	2.83	26	37.5
R335744		0.007	0.04	3.95	3	0.35	1.92	11	41.8
R335745		0.005	0.04	3.33	2	0.43	1.91	8	41.3
R335746		0.013	0.03	3.58	5	0.34	1.84	13	34.7
R335747		0.007	0.04	2.90	3	0.34	1.88	11	35.2
R335748		0.029	0.03	3.06	13	0.29	2.72	20	28.8
R335749		0.057	0.09	2.58	17	0.20	3.59	34	29.8
R335750		0.126	0.08	0.44	77	0.46	7.89	64	20.6
R335751		0.085	0.10	2.06	23	0.15	3.85	41	28.4
R335752		0.013	0.02	2.25	7	0.28	2.34	7	28.1
R335753		0.019	0.04	3.29	6	0.21	1.83	15	29.4
R335754		0.045	0.05	2.63	15	0.27	3.18	26	27.1
R335755		0.018	0.02	1.85	7	0.25	1.79	12	25.0
R335756		0.010	0.03	3.59	3	0.17	1.39	12	32.8
R335757		0.064	0.05	2.32	16	0.17	2.56	27	23.7
R335758		0.005	0.03	2.39	2	0.30	1.21	5	22.5
R335759		0.027	0.03	1.49	11	0.43	2.11	12	19.4
R335760		0.028	0.03	1.41	11	0.42	2.14	12	19.6
R335761		0.104	0.12	1.20	27	0.18	4.06	43	22.2
R335762		0.108	0.12	1.47	27	0.15	4.33	45	28.6
R335763		0.098	0.16	1.07	24	0.11	3.69	40	24.0
R335764		0.135	0.33	1.09	75	0.29	6.93	59	25.4
R335765		0.042	0.05	0.88	13	0.27	2.04	22	13.1
R335766		0.053	0.07	0.96	23	0.28	4.56	29	25.9
R335767		0.074	0.07	1.30	27	0.31	3.60	38	17.7
R335768		0.032	0.02	1.31	11	0.31	2.21	15	16.8
R335769		0.103	0.11	1.11	31	0.25	3.92	45	16.4
R335770		<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.8
R335771		0.085	0.07	1.14	24	0.18	3.69	37	14.3
R335772		0.060	0.03	1.33	24	0.38	3.85	29	14.7
R335773		0.067	0.03	1.18	23	0.32	3.47	32	15.2
R335774		0.024	0.03	4.78	7	0.37	1.80	17	30.2
R335775		0.022	0.03	1.47	7	0.68	2.20	11	21.0
R335776		0.088	0.07	1.05	26	0.31	3.28	35	12.9
R335777		0.094	0.07	1.64	27	0.32	3.55	37	17.0
R335778		0.061	0.03	0.71	21	0.42	4.06	26	12.7
R335779		0.097	0.10	0.97	28	0.22	4.16	47	14.8
R335780		0.054	0.14	0.35	68	0.37	8.30	81	12.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335781		2.13	0.001	0.04	0.73	0.2	<0.2	<10	270	0.28	0.18	0.65	0.02	55.3	6.2	24
R335782		2.63	0.004	0.11	0.68	0.1	<0.2	<10	320	0.33	0.30	0.84	0.02	46.5	4.7	25
R335783		0.92	0.082	0.03	0.64	<0.1	<0.2	<10	640	0.21	0.56	2.18	0.01	21.7	4.9	23
R335784		2.95	0.004	0.04	0.81	0.1	<0.2	<10	180	0.29	0.23	0.65	0.01	48.4	5.9	24
R335786		0.09	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.15	0.1	<1
R335787		0.85	0.037	0.04	0.40	<0.1	<0.2	<10	380	0.17	0.77	0.90	0.01	13.45	3.3	29
R335788		2.09	0.028	0.04	0.67	0.1	<0.2	<10	210	0.30	0.23	0.85	0.02	52.5	5.3	21
R335789		2.32	0.025	0.06	0.40	<0.1	<0.2	<10	420	0.22	1.00	1.00	0.01	22.1	3.9	28
R335790		<0.02	0.039	0.06	0.43	<0.1	<0.2	<10	410	0.23	1.01	1.04	<0.01	23.0	4.0	34
R335791		1.77	0.044	0.08	0.49	<0.1	<0.2	<10	390	0.21	0.55	1.13	0.01	38.8	4.5	24
R335792		3.32	0.027	0.05	0.72	<0.1	<0.2	<10	510	0.31	0.34	1.11	0.01	50.1	5.1	24
R335793		1.41	0.071	0.05	0.65	<0.1	<0.2	<10	640	0.28	0.65	0.83	0.01	45.4	4.5	20
R335794		1.29	0.015	0.06	0.44	<0.1	<0.2	<10	360	0.18	0.68	1.09	0.01	41.1	3.7	20
R335795		2.11	0.004	0.03	0.55	<0.1	<0.2	<10	210	0.21	0.18	0.67	0.02	44.4	3.7	21
R335796		1.79	0.012	0.04	0.46	0.1	<0.2	<10	480	0.20	0.50	1.01	0.02	29.9	3.3	21
R335797		1.64	0.008	0.05	0.48	<0.1	<0.2	<10	440	0.23	0.55	0.92	0.01	26.5	3.1	23
R335798		1.84	0.014	0.11	0.26	<0.1	<0.2	<10	150	0.12	1.29	1.45	0.07	10.95	3.4	18
R335799		2.73	0.028	0.10	0.24	<0.1	<0.2	<10	220	0.12	0.94	1.19	0.02	16.20	2.9	26
R335800		2.64	0.173	0.08	0.20	<0.1	<0.2	<10	340	0.07	0.86	1.23	0.03	14.90	2.5	28
R335801		2.39	0.087	0.14	0.21	<0.1	<0.2	<10	150	0.10	1.56	1.19	0.04	15.80	3.0	25
R335802		1.85	0.326	0.10	0.19	<0.1	<0.2	<10	480	0.08	0.72	1.03	0.02	13.00	2.3	26
R335803		2.83	0.820	0.36	0.40	<0.1	<0.2	<10	320	0.16	3.27	1.45	0.05	22.5	3.5	23
R335804		3.30	0.019	0.04	0.47	<0.1	<0.2	<10	500	0.19	0.52	1.38	0.02	32.3	3.7	18
R335805		3.11	0.011	0.05	0.41	<0.1	<0.2	<10	410	0.21	0.55	1.35	0.01	30.0	3.6	17
R335806		1.20	0.027	0.02	0.08	<0.1	<0.2	<10	230	<0.05	0.16	0.52	<0.01	6.63	0.8	29
R335807		1.00	0.022	0.05	0.27	<0.1	<0.2	<10	440	0.10	0.53	0.90	0.02	16.25	2.6	24
R335808		1.34	0.041	0.08	0.33	<0.1	<0.2	<10	320	0.10	0.67	1.19	0.14	24.3	3.4	17
R335809		1.89	0.039	0.04	0.43	<0.1	<0.2	<10	450	0.17	0.37	1.21	0.02	25.8	3.1	19
R335810		0.09	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	0.01	1.19	0.1	<1
R335811		1.72	0.185	0.09	0.35	<0.1	<0.2	<10	410	0.16	0.88	1.14	0.03	23.1	2.8	20
R335812		0.86	0.019	0.05	0.31	<0.1	<0.2	<10	460	0.14	0.38	0.73	0.01	26.1	2.4	20
R335813		1.18	0.020	0.07	0.32	0.1	<0.2	<10	360	0.13	0.51	0.96	0.04	27.6	2.7	20
R335814		2.26	0.020	0.05	0.45	0.1	<0.2	<10	270	0.20	0.33	0.93	0.01	26.9	3.2	18
R335815		0.96	0.007	0.03	0.33	0.1	<0.2	<10	340	0.11	0.20	0.48	0.02	21.5	2.3	19
R335816		1.06	0.012	0.04	0.40	0.1	<0.2	<10	180	0.17	0.23	0.59	0.01	27.1	2.8	19
R335817		3.35	0.019	0.04	0.50	0.1	<0.2	<10	160	0.24	0.12	0.57	0.01	30.7	3.0	19
R335818		3.18	0.001	0.05	0.57	0.2	<0.2	<10	180	0.22	0.12	0.57	0.02	33.8	3.5	20
R335819		1.94	0.012	0.06	0.48	0.2	<0.2	<10	390	0.21	0.30	0.81	0.01	30.5	3.5	18
R335820		0.07	0.916	5.26	1.00	38.2	0.7	<10	40	0.19	1.13	0.40	5.06	4.81	14.0	20
R335821		2.98	0.015	0.05	0.49	0.1	<0.2	<10	500	0.26	0.49	1.59	0.01	26.2	3.6	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335781		2.79	15.5	2.09	5.36	0.07	0.80	<0.01	0.013	0.35	30.3	12.7	0.60	297	0.13	0.06
R335782		0.77	23.0	1.81	4.85	<0.05	0.67	<0.01	0.011	0.09	23.5	9.5	0.56	252	0.30	0.05
R335783		0.46	3.0	1.70	4.74	<0.05	0.41	<0.01	0.018	0.06	10.6	9.5	0.54	345	10.95	0.03
R335784		1.47	14.0	2.09	5.76	0.06	0.74	<0.01	0.013	0.18	24.8	11.7	0.67	279	0.36	0.06
R335786		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05	<0.01
R335787		0.33	4.3	1.45	2.62	<0.05	0.35	<0.01	0.006	0.05	6.5	6.7	0.33	179	0.32	0.04
R335788		1.45	22.2	1.90	4.77	0.05	0.71	<0.01	0.011	0.16	27.6	10.7	0.53	273	0.19	0.06
R335789		0.67	8.9	1.53	2.56	<0.05	0.46	<0.01	0.007	0.08	11.0	6.3	0.31	179	17.20	0.04
R335790		0.68	9.3	1.64	2.71	<0.05	0.47	<0.01	0.006	0.09	11.7	6.4	0.32	193	17.95	0.05
R335791		0.75	28.1	1.66	3.31	0.05	0.58	<0.01	0.011	0.10	20.1	7.8	0.40	238	0.36	0.05
R335792		0.83	17.1	1.87	5.03	0.06	0.72	<0.01	0.013	0.10	26.0	10.5	0.58	280	0.13	0.06
R335793		1.17	15.7	1.69	4.38	<0.05	0.68	<0.01	0.011	0.13	23.5	10.2	0.48	234	0.09	0.05
R335794		0.66	15.5	1.55	3.01	<0.05	0.74	<0.01	0.007	0.07	21.8	6.3	0.33	192	0.41	0.05
R335795		1.78	16.9	1.52	3.73	0.06	0.90	<0.01	0.009	0.18	23.8	8.5	0.40	226	0.12	0.06
R335796		0.72	12.2	1.45	2.97	<0.05	0.69	<0.01	0.009	0.09	15.7	6.5	0.34	196	2.71	0.05
R335797		0.70	14.1	1.42	2.91	<0.05	0.66	<0.01	0.007	0.08	13.5	7.3	0.37	186	0.19	0.04
R335798		0.18	6.2	1.36	1.64	<0.05	0.65	<0.01	0.006	0.04	5.1	3.8	0.17	141	1.50	0.07
R335799		0.24	14.8	1.23	1.23	<0.05	0.46	<0.01	0.006	0.07	8.0	3.1	0.15	143	0.56	0.04
R335800		0.28	11.9	1.21	1.02	<0.05	0.35	<0.01	0.006	0.07	7.3	2.0	0.11	164	2.08	0.04
R335801		0.22	16.4	1.22	0.94	<0.05	0.45	<0.01	0.007	0.08	7.8	2.4	0.12	166	1.27	0.05
R335802		0.18	17.5	1.04	0.84	<0.05	0.44	<0.01	0.005	0.06	6.5	2.3	0.11	150	0.96	0.04
R335803		0.52	27.6	1.38	2.08	<0.05	0.75	<0.01	0.011	0.11	11.4	4.8	0.27	250	0.46	0.05
R335804		0.74	22.2	1.47	2.69	<0.05	0.81	<0.01	0.011	0.12	16.7	5.7	0.32	266	0.13	0.05
R335805		0.65	22.8	1.39	2.29	<0.05	0.77	<0.01	0.009	0.13	15.5	5.0	0.27	254	0.10	0.05
R335806		0.14	9.3	0.56	0.51	<0.05	0.13	<0.01	<0.005	0.02	3.4	1.0	0.05	105	5.44	0.02
R335807		0.30	9.2	1.16	1.32	<0.05	0.36	<0.01	<0.005	0.07	8.0	3.8	0.18	148	1.88	0.03
R335808		0.32	19.4	1.37	1.45	<0.05	0.96	<0.01	0.006	0.10	12.2	3.9	0.22	209	0.48	0.05
R335809		0.44	20.2	1.35	2.19	<0.05	0.54	<0.01	0.006	0.10	13.4	5.6	0.30	232	0.19	0.04
R335810		<0.05	0.9	0.03	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05	<0.01
R335811		0.42	22.6	1.31	1.95	<0.05	1.11	<0.01	0.007	0.10	11.7	4.2	0.22	189	0.31	0.05
R335812		0.50	18.9	1.13	1.93	<0.05	0.44	<0.01	0.006	0.07	13.5	3.7	0.21	167	23.0	0.05
R335813		0.28	17.8	1.27	1.99	<0.05	0.42	<0.01	0.007	0.08	14.8	3.9	0.19	159	2.09	0.06
R335814		0.89	35.1	1.39	2.90	<0.05	0.49	<0.01	0.006	0.11	14.0	6.6	0.32	213	0.63	0.05
R335815		0.47	27.5	1.06	2.32	<0.05	0.41	<0.01	<0.005	0.07	11.4	4.7	0.23	151	0.40	0.05
R335816		1.16	36.8	1.19	2.86	<0.05	0.41	<0.01	0.008	0.09	14.4	6.2	0.30	198	11.10	0.03
R335817		1.29	32.2	1.31	3.33	0.05	0.59	<0.01	0.008	0.16	16.6	8.7	0.33	224	0.25	0.06
R335818		2.16	26.0	1.47	4.08	0.05	0.53	<0.01	0.006	0.22	17.8	11.4	0.41	259	0.16	0.06
R335819		1.51	21.2	1.44	3.28	<0.05	0.47	<0.01	0.007	0.16	16.2	9.2	0.36	230	8.16	0.05
R335820		3.34	6790	6.52	2.92	<0.05	<0.02	0.04	0.311	0.26	2.3	10.7	0.31	610	137.5	0.02
R335821		0.78	18.0	1.48	3.34	0.05	0.44	<0.01	0.008	0.10	13.6	7.6	0.35	283	0.88	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335781		0.29	7.2	960	5.4	29.5	<0.001	0.13	0.05	1.7	0.3	0.4	60.5	<0.01	0.03	4.0
R335782		0.15	5.6	690	2.9	5.9	<0.001	0.19	0.12	1.5	0.4	0.3	51.0	<0.01	0.13	3.7
R335783		0.12	5.7	650	1.5	4.0	0.001	0.41	0.07	2.2	0.5	0.2	58.9	<0.01	0.13	2.5
R335784		0.27	6.7	890	2.6	14.4	<0.001	0.11	0.06	1.5	0.2	0.4	46.6	<0.01	0.04	3.9
R335786		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2
R335787		0.11	4.6	540	1.4	3.1	<0.001	0.51	0.06	1.0	0.5	0.2	37.3	<0.01	0.11	1.9
R335788		0.39	5.7	890	3.5	12.3	<0.001	0.17	0.06	1.6	0.3	0.4	64.2	<0.01	0.05	3.7
R335789		0.17	4.7	540	2.7	5.1	0.003	0.60	0.08	1.1	0.5	0.2	50.0	<0.01	0.24	2.3
R335790		0.18	4.8	560	2.8	5.5	0.004	0.61	0.08	1.1	0.4	0.2	52.0	<0.01	0.25	2.4
R335791		0.19	5.0	620	3.2	6.2	<0.001	0.51	0.08	1.5	0.4	0.2	69.9	<0.01	0.18	2.9
R335792		0.25	5.7	740	2.6	6.3	<0.001	0.20	0.07	1.8	0.3	0.4	66.7	<0.01	0.11	3.8
R335793		0.30	5.0	670	3.4	8.4	<0.001	0.15	0.07	1.4	0.2	0.4	68.1	<0.01	0.34	3.6
R335794		0.20	4.4	600	2.7	4.7	<0.001	0.57	0.05	1.1	0.5	0.2	59.2	<0.01	0.16	3.4
R335795		0.31	4.3	590	4.1	13.7	<0.001	0.11	0.05	1.1	<0.2	0.3	59.4	<0.01	0.05	4.0
R335796		0.18	4.1	510	3.1	5.7	0.001	0.43	0.05	1.0	0.4	0.2	57.0	<0.01	0.10	3.4
R335797		0.12	3.9	480	2.8	5.1	<0.001	0.40	0.05	0.9	0.2	0.2	51.2	<0.01	0.13	3.1
R335798		0.13	3.7	520	5.1	2.2	0.001	0.96	0.06	1.0	0.5	<0.2	86.2	<0.01	0.38	2.7
R335799		<0.05	3.7	380	5.0	3.4	<0.001	0.78	0.06	0.7	0.4	<0.2	63.3	<0.01	0.27	2.2
R335800		<0.05	3.7	360	14.4	3.2	0.002	0.70	0.07	0.7	0.5	<0.2	61.3	<0.01	0.23	1.8
R335801		<0.05	3.9	410	9.7	3.7	0.001	0.85	0.09	0.7	0.5	<0.2	59.3	<0.01	0.68	2.0
R335802		<0.05	3.1	290	16.7	2.7	<0.001	0.60	0.09	0.6	0.3	<0.2	48.0	<0.01	0.23	1.8
R335803		<0.05	4.0	480	8.1	5.5	<0.001	0.66	0.07	0.8	0.6	<0.2	69.1	<0.01	0.96	3.8
R335804		0.06	4.1	540	3.5	7.4	<0.001	0.44	0.06	1.1	0.4	<0.2	70.6	<0.01	0.25	3.7
R335805		0.06	3.9	500	3.8	7.3	<0.001	0.52	0.07	1.1	0.4	<0.2	68.4	<0.01	0.17	3.6
R335806		<0.05	1.9	110	0.9	1.3	0.001	0.14	0.05	0.3	0.3	<0.2	18.8	<0.01	0.08	0.7
R335807		<0.05	3.2	340	3.2	3.5	0.001	0.61	0.05	0.5	0.6	<0.2	41.0	<0.01	0.19	1.7
R335808		0.05	3.6	410	4.8	4.7	<0.001	0.76	0.05	0.8	0.3	<0.2	65.2	<0.01	0.20	3.1
R335809		0.05	3.9	460	3.2	5.5	<0.001	0.48	<0.05	0.7	0.3	<0.2	68.7	<0.01	0.12	2.6
R335810		<0.05	0.5	10	0.6	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.8	<0.01	<0.01	0.2
R335811		0.06	3.4	410	4.3	4.7	<0.001	0.63	0.05	0.8	0.5	<0.2	65.4	<0.01	0.34	3.6
R335812		0.13	3.0	320	3.4	4.0	0.004	0.43	0.05	0.8	0.3	<0.2	48.5	<0.01	0.09	2.0
R335813		0.05	3.6	360	3.0	4.1	0.002	0.62	<0.05	0.7	0.3	<0.2	45.8	<0.01	0.15	2.1
R335814		0.11	3.7	450	2.7	6.6	<0.001	0.57	<0.05	1.0	0.3	<0.2	51.0	<0.01	0.08	2.5
R335815		0.11	2.9	270	2.4	3.6	<0.001	0.33	<0.05	0.7	0.3	<0.2	37.8	<0.01	0.06	2.0
R335816		0.18	3.6	390	3.2	6.7	0.002	0.37	<0.05	1.1	0.2	0.2	38.7	<0.01	0.03	2.4
R335817		0.21	3.6	390	4.4	11.3	<0.001	0.28	<0.05	1.1	0.2	0.2	50.5	<0.01	0.03	2.8
R335818		0.27	4.2	480	4.5	18.4	<0.001	0.28	<0.05	1.4	0.3	0.3	62.3	<0.01	0.01	2.9
R335819		0.18	3.9	480	3.3	12.7	0.001	0.47	<0.05	1.3	0.5	0.2	54.6	<0.01	0.09	2.7
R335820		0.06	14.8	470	104.5	12.7	0.182	5.04	2.28	1.2	7.5	1.6	35.4	<0.01	1.00	1.0
R335821		0.11	4.3	500	2.5	5.7	<0.001	0.57	<0.05	1.5	0.5	<0.2	61.2	<0.01	0.12	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335781		0.146	0.24	1.34	35	0.12	4.39	59	21.6
R335782		0.058	0.04	1.44	25	0.45	3.66	36	16.8
R335783		0.035	0.03	0.48	18	0.53	5.14	31	11.2
R335784		0.109	0.12	1.08	31	0.36	4.15	49	18.5
R335786		<0.005	<0.02	0.09	<1	<0.05	0.69	<2	0.8
R335787		0.029	0.02	0.57	12	0.29	2.75	14	9.9
R335788		0.119	0.10	1.09	28	0.26	4.40	46	18.8
R335789		0.039	0.03	0.69	13	0.29	2.99	18	12.4
R335790		0.042	0.04	0.70	14	0.34	3.11	18	13.0
R335791		0.049	0.04	0.77	17	0.24	3.58	33	15.6
R335792		0.093	0.04	1.12	27	0.50	4.02	40	19.1
R335793		0.097	0.06	1.17	24	2.49	3.54	41	18.7
R335794		0.044	0.04	1.00	13	0.38	3.24	21	20.3
R335795		0.083	0.10	1.47	20	0.24	3.10	40	21.5
R335796		0.041	0.03	1.48	13	0.32	3.01	24	17.9
R335797		0.029	0.03	1.09	12	0.27	2.73	22	16.3
R335798		0.013	0.02	0.50	4	88.3	3.84	11	15.6
R335799		<0.005	0.02	0.78	4	13.05	2.37	7	12.4
R335800		<0.005	0.04	0.59	4	590	2.47	9	9.5
R335801		<0.005	0.02	0.76	2	1.61	2.61	6	12.2
R335802		<0.005	0.02	0.56	2	0.82	1.88	4	10.4
R335803		<0.005	0.03	1.58	8	0.83	3.16	21	18.2
R335804		0.016	0.05	1.57	12	0.52	3.21	25	20.7
R335805		0.014	0.05	1.65	11	0.38	3.08	22	20.2
R335806		<0.005	<0.02	0.18	1	0.24	0.97	3	3.2
R335807		<0.005	0.02	0.52	4	0.25	2.20	6	9.4
R335808		0.010	0.03	0.90	6	0.29	3.57	29	21.9
R335809		0.009	0.03	0.72	9	0.25	2.98	20	14.8
R335810		<0.005	<0.02	0.09	<1	0.06	0.72	<2	0.8
R335811		0.011	0.03	1.32	8	1.18	3.37	16	25.6
R335812		0.023	0.03	0.72	9	0.20	2.24	16	11.4
R335813		0.009	0.02	0.84	6	0.17	2.48	13	11.7
R335814		0.028	0.05	0.70	13	0.17	2.62	25	14.0
R335815		0.025	0.02	0.54	9	0.15	1.90	16	10.8
R335816		0.042	0.05	0.67	14	0.15	2.22	29	11.2
R335817		0.061	0.07	0.86	16	0.14	2.51	34	15.8
R335818		0.084	0.12	0.83	22	0.13	2.90	42	14.4
R335819		0.056	0.08	0.77	17	0.17	2.84	32	12.7
R335820		0.012	0.30	0.13	17	1.76	2.69	813	<0.5
R335821		0.029	0.03	0.60	14	0.24	3.82	22	12.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335822		3.19	0.008	0.04	0.60	0.2	<0.2	<10	300	0.27	0.22	0.79	0.02	35.0	3.8	22
R335823		3.27	0.005	0.04	0.59	0.2	<0.2	<10	320	0.27	0.25	0.84	0.01	36.9	3.8	22
R335824		2.94	0.040	0.08	0.53	0.1	<0.2	<10	240	0.20	0.99	1.35	0.02	27.0	4.3	20
R335825		2.18	0.611	0.22	0.24	0.3	<0.2	<10	40	0.29	3.72	3.52	0.04	24.3	7.7	10
R335826		2.34	0.013	0.06	0.74	0.2	<0.2	<10	420	0.30	0.38	1.49	0.02	45.9	6.4	19
R335827		1.09	0.093	0.13	0.27	0.1	<0.2	<10	50	0.07	1.48	2.61	0.10	19.70	5.3	9
R335828		3.19	0.002	0.03	0.72	0.2	<0.2	<10	250	0.21	0.09	0.69	0.02	41.3	4.6	22
R335829		3.16	0.001	0.04	0.72	0.2	<0.2	<10	250	0.19	0.09	0.70	0.01	43.1	4.8	23
R335830		<0.02	0.001	0.04	0.72	0.2	<0.2	<10	250	0.22	0.08	0.68	0.02	41.1	4.6	21
R335831		3.31	0.003	0.08	0.65	<0.1	<0.2	<10	320	0.23	0.51	0.79	0.04	39.5	4.9	19
R335832		2.72	0.003	0.08	0.58	0.2	<0.2	<10	190	0.24	0.17	0.63	0.02	41.6	4.7	19
R335833		0.83	0.007	0.04	0.42	0.2	<0.2	<10	210	0.21	0.25	0.63	0.01	27.1	3.0	19
R335834		1.16	0.024	0.04	0.47	0.2	<0.2	<10	340	0.22	0.29	0.80	0.02	29.7	3.9	18
R335835		1.63	<0.001	0.03	0.66	0.1	<0.2	<10	170	0.25	0.06	0.50	0.01	40.7	4.3	20
R335836		0.83	0.933	0.23	0.39	0.1	0.6	<10	70	0.10	5.74	1.78	<0.01	20.3	4.2	10
R335837		3.39	0.023	0.04	0.60	0.1	<0.2	<10	210	0.26	0.16	0.61	0.01	38.9	4.2	21
R335838		3.30	0.024	0.05	0.54	0.2	<0.2	<10	280	0.24	0.35	0.84	0.01	31.3	3.9	20
R335839		2.19	0.020	0.02	0.55	0.1	<0.2	<10	450	0.21	0.25	0.97	0.01	31.7	3.8	19
R335840		0.09	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.98	0.1	<1
R335841		3.20	0.037	0.05	0.49	0.2	<0.2	<10	610	0.23	0.72	1.40	0.01	20.9	3.6	16
R335842		3.29	0.006	0.02	0.55	<0.1	<0.2	<10	250	0.21	0.19	0.83	0.01	31.6	3.6	18
R335843		1.25	0.049	0.09	0.50	0.1	0.8	<10	300	0.22	1.21	1.13	0.01	22.3	4.4	15
R335844		2.70	0.042	0.05	0.48	0.1	<0.2	<10	360	0.22	0.90	1.49	0.01	24.1	4.1	18
R335845		1.22	0.233	0.11	0.40	0.2	<0.2	<10	160	0.15	2.46	1.41	<0.01	27.2	4.8	14
R335846		1.93	0.016	0.02	0.57	0.2	<0.2	<10	390	0.23	0.35	0.99	0.01	35.2	3.9	19
R335847		2.46	0.073	0.11	0.23	0.2	<0.2	<10	60	0.11	1.64	3.04	0.02	15.25	4.7	10
R335848		1.90	0.040	0.04	0.48	0.1	<0.2	<10	380	0.19	0.54	1.61	0.02	28.5	3.7	18
R335849		1.80	0.011	0.03	0.58	0.7	<0.2	<10	140	0.26	0.24	0.86	0.01	32.2	3.9	21
R335850		0.07	9.28	9.99	1.74	12.2	9.2	<10	30	0.57	0.07	4.13	0.28	20.8	11.1	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335822		1.61	16.1	1.58	4.15	0.05	0.51	<0.01	0.008	0.18	18.7	11.3	0.43	257	6.74	0.06
R335823		1.71	23.5	1.57	4.04	0.05	0.48	<0.01	0.007	0.16	19.9	10.5	0.45	256	0.28	0.05
R335824		0.44	13.1	1.71	3.69	0.05	0.49	<0.01	0.005	0.08	13.8	7.3	0.39	211	0.32	0.06
R335825		0.11	31.9	2.33	1.61	<0.05	0.63	<0.01	0.014	0.07	11.5	3.0	0.18	328	14.70	0.05
R335826		1.19	15.9	2.00	4.52	0.06	0.64	<0.01	0.008	0.16	23.6	12.2	0.62	310	0.19	0.05
R335827		0.08	9.7	1.71	1.31	<0.05	0.53	<0.01	0.006	0.06	9.8	3.6	0.22	252	11.90	0.04
R335828		2.85	8.4	1.76	4.67	0.06	0.72	<0.01	0.010	0.34	21.7	11.8	0.51	285	0.20	0.07
R335829		3.66	10.9	1.71	4.76	0.07	0.72	<0.01	0.010	0.36	23.2	12.5	0.53	285	0.23	0.06
R335830		3.47	10.1	1.72	4.54	0.06	0.68	<0.01	0.011	0.36	21.9	12.2	0.52	281	0.26	0.06
R335831		3.43	32.6	1.69	4.36	0.06	0.70	<0.01	0.008	0.32	21.2	12.2	0.48	277	0.17	0.07
R335832		3.12	38.1	1.47	4.26	0.07	0.75	<0.01	0.008	0.24	22.4	11.0	0.47	246	1.09	0.04
R335833		1.46	18.4	1.29	2.96	<0.05	0.55	<0.01	0.008	0.13	14.6	7.4	0.32	198	7.27	0.04
R335834		1.52	13.2	1.57	3.22	0.05	0.61	<0.01	<0.005	0.15	15.9	8.0	0.36	234	13.25	0.05
R335835		3.58	10.9	1.53	4.54	0.06	0.77	<0.01	0.006	0.34	21.8	13.1	0.47	264	0.16	0.06
R335836		0.93	12.8	1.68	2.10	<0.05	0.60	<0.01	0.008	0.10	10.3	6.0	0.34	207	774	0.06
R335837		2.92	15.3	1.50	4.19	0.05	0.77	<0.01	0.007	0.28	20.7	10.9	0.42	248	9.64	0.06
R335838		1.58	19.3	1.49	3.49	<0.05	0.72	<0.01	0.005	0.18	16.6	9.3	0.39	233	6.93	0.06
R335839		0.96	8.2	1.48	3.46	0.05	0.69	<0.01	0.007	0.15	16.9	8.2	0.41	227	0.66	0.05
R335840		<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.07	<0.01
R335841		0.37	8.9	1.36	3.05	<0.05	0.63	<0.01	0.010	0.09	10.7	7.5	0.36	208	7.16	0.05
R335842		0.79	5.2	1.41	3.58	0.05	0.73	<0.01	0.008	0.14	16.7	9.2	0.42	221	0.23	0.05
R335843		0.40	15.1	1.70	2.85	<0.05	0.71	<0.01	0.007	0.08	11.6	7.9	0.40	195	12.00	0.05
R335844		0.53	10.6	1.61	3.03	<0.05	0.73	<0.01	0.011	0.09	12.5	7.8	0.39	227	2.68	0.06
R335845		0.42	8.4	1.62	2.88	<0.05	0.71	<0.01	0.006	0.05	14.1	7.2	0.34	197	125.5	0.04
R335846		0.70	4.7	1.49	4.02	<0.05	0.74	<0.01	0.009	0.11	18.5	9.5	0.44	223	0.68	0.05
R335847		0.06	16.9	1.70	1.70	<0.05	0.68	<0.01	0.014	0.04	7.3	3.3	0.17	246	1.50	0.06
R335848		0.65	5.7	1.51	3.42	<0.05	0.71	<0.01	0.010	0.10	15.3	7.9	0.38	226	3.45	0.05
R335849		0.98	10.2	1.52	4.12	0.06	0.76	<0.01	0.010	0.13	16.9	10.1	0.44	232	0.78	0.05
R335850		2.41	66.1	3.17	6.95	0.11	0.65	0.18	0.029	0.13	9.0	24.3	1.14	857	4.90	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335822		0.22	4.4	530	3.3	13.0	0.001	0.37	<0.05	1.4	0.3	0.3	66.3	<0.01	0.03	2.8
R335823		0.17	4.3	540	3.1	11.5	<0.001	0.45	<0.05	1.4	0.3	0.2	64.8	<0.01	0.05	2.7
R335824		0.08	5.1	630	4.3	4.2	<0.001	0.83	<0.05	1.5	0.5	<0.2	58.6	<0.01	0.30	2.8
R335825		<0.05	11.3	1060	13.1	2.5	0.003	2.20	0.05	3.4	1.5	<0.2	104.0	<0.01	1.66	3.5
R335826		0.12	9.7	850	2.4	12.1	<0.001	0.44	<0.05	1.7	0.5	0.2	81.3	<0.01	0.16	3.5
R335827		<0.05	7.6	770	7.8	1.9	0.002	1.48	<0.05	1.8	0.7	<0.2	117.0	<0.01	0.51	3.1
R335828		0.27	7.7	610	5.1	27.3	<0.001	0.15	<0.05	1.8	0.3	0.4	79.1	<0.01	0.01	3.2
R335829		0.27	7.7	620	6.8	31.0	<0.001	0.21	<0.05	1.8	0.3	0.4	82.9	<0.01	0.02	3.5
R335830		0.24	7.6	610	6.3	30.0	<0.001	0.20	<0.05	1.7	0.4	0.4	81.0	<0.01	0.02	3.3
R335831		0.26	7.4	620	8.0	28.2	<0.001	0.50	<0.05	1.8	0.4	0.3	93.0	<0.01	0.03	3.2
R335832		0.36	6.9	550	6.7	22.9	<0.001	0.41	<0.05	1.4	0.3	0.4	69.1	<0.01	0.04	3.5
R335833		0.19	5.3	400	4.1	10.7	0.002	0.34	<0.05	1.1	0.3	0.2	56.0	<0.01	0.02	2.7
R335834		0.20	5.6	470	5.2	12.3	0.003	0.52	<0.05	1.3	0.4	0.2	67.4	<0.01	0.06	2.7
R335835		0.30	6.6	550	7.1	30.0	<0.001	0.17	<0.05	1.3	0.3	0.4	70.9	<0.01	<0.01	3.6
R335836		0.11	6.0	600	32.1	7.0	0.133	1.27	<0.05	1.8	0.9	<0.2	101.0	<0.01	1.86	2.6
R335837		0.24	6.4	510	5.3	25.5	0.002	0.22	<0.05	1.5	0.2	0.3	70.7	<0.01	0.04	3.4
R335838		0.22	5.8	520	4.7	14.3	0.002	0.42	<0.05	1.3	0.4	0.3	65.3	<0.01	0.11	3.2
R335839		0.17	5.6	530	3.3	10.2	<0.001	0.33	<0.05	1.2	0.3	0.2	63.3	<0.01	0.07	3.3
R335840		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R335841		0.13	5.3	490	3.1	4.4	0.002	0.51	<0.05	1.4	0.5	0.2	73.0	<0.01	0.29	2.9
R335842		0.18	5.3	510	3.1	8.9	<0.001	0.16	<0.05	1.2	0.3	0.2	57.9	<0.01	0.07	3.4
R335843		0.11	5.8	510	3.1	4.3	0.003	0.82	<0.05	1.3	0.6	<0.2	55.8	<0.01	0.47	3.3
R335844		0.14	5.6	560	3.2	4.9	0.001	0.78	<0.05	1.7	0.6	0.2	70.1	<0.01	0.27	3.3
R335845		0.17	5.7	550	6.1	3.1	0.024	0.96	<0.05	1.5	0.7	0.2	62.4	<0.01	0.72	3.7
R335846		0.19	5.6	530	2.5	6.3	<0.001	0.23	<0.05	1.5	0.4	0.3	55.1	<0.01	0.12	3.6
R335847		0.09	5.6	670	4.4	1.4	0.001	1.46	<0.05	2.2	1.2	<0.2	86.6	<0.01	0.38	2.7
R335848		0.18	5.2	530	4.5	6.5	0.001	0.45	0.05	1.4	0.3	0.2	87.3	<0.01	0.10	3.4
R335849		0.21	5.6	500	3.1	8.3	0.001	0.25	<0.05	1.3	0.2	0.3	48.4	<0.01	0.05	3.2
R335850		0.11	10.7	690	14.9	5.7	0.002	0.46	0.41	8.4	0.7	0.6	113.0	<0.01	4.06	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335822		0.070	0.09	0.63	21	0.17	3.18	37	13.8
R335823		0.068	0.07	0.59	20	0.16	3.03	40	13.5
R335824		0.024	0.02	0.47	14	0.30	3.55	18	14.2
R335825		<0.005	<0.02	0.76	7	0.27	7.09	8	19.2
R335826		0.054	0.07	0.80	24	0.19	4.55	45	19.0
R335827		<0.005	<0.02	0.39	6	0.22	4.22	10	15.1
R335828		0.111	0.17	0.90	27	0.09	3.64	50	20.3
R335829		0.114	0.21	0.99	28	0.09	3.47	53	19.1
R335830		0.113	0.21	0.94	27	0.09	3.29	52	18.8
R335831		0.101	0.20	0.78	25	0.08	3.38	52	19.9
R335832		0.093	0.15	1.02	21	0.09	3.17	47	19.8
R335833		0.056	0.07	0.90	15	0.10	2.45	30	14.4
R335834		0.061	0.09	0.72	17	0.10	2.78	37	16.6
R335835		0.108	0.20	1.11	25	0.07	3.17	48	20.5
R335836		0.024	0.06	0.63	9	0.14	3.97	19	16.9
R335837		0.091	0.17	1.11	22	0.09	3.17	43	20.5
R335838		0.070	0.10	1.08	19	0.15	3.03	35	19.0
R335839		0.055	0.06	0.92	18	0.42	2.92	31	18.3
R335840		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.7
R335841		0.031	0.02	0.80	12	0.46	3.13	18	17.4
R335842		0.064	0.06	1.22	18	0.29	2.86	31	18.7
R335843		0.034	0.02	1.04	13	0.37	2.84	20	18.4
R335844		0.043	0.03	0.93	14	0.44	3.36	23	18.8
R335845		0.039	0.02	1.07	13	0.36	3.37	20	18.0
R335846		0.070	0.03	1.10	20	0.32	3.15	29	19.5
R335847		0.012	<0.02	0.54	5	0.23	5.26	5	18.4
R335848		0.056	0.04	1.03	17	0.24	3.22	27	18.5
R335849		0.071	0.06	1.09	21	0.36	2.77	31	19.4
R335850		0.141	0.09	0.45	84	0.46	7.73	67	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 14-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144921

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

CERTIFICATE SD15144923

Project: Miller

This report is for 163 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 23-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335851		0.98	0.020	0.04	0.46	0.3	<0.2	<10	180	0.24	0.68	0.78	0.01	21.8	3.4	29
R335852		3.59	0.032	0.04	0.61	0.2	<0.2	<10	310	0.27	0.58	0.91	0.01	34.8	4.4	19
R335853		3.13	0.004	0.02	0.61	0.2	<0.2	<10	180	0.23	0.09	0.66	0.01	37.7	4.0	17
R335854		3.27	0.043	0.03	0.58	0.1	<0.2	<10	290	0.26	0.38	0.84	0.01	34.0	4.0	18
R335855		1.71	0.009	0.03	0.54	0.3	<0.2	<10	330	0.21	0.78	0.90	0.01	34.7	4.0	15
R335856		2.19	0.031	0.04	0.59	0.1	<0.2	<10	250	0.23	0.19	0.82	0.01	35.7	4.1	16
R335857		1.46	0.108	0.09	0.38	0.1	<0.2	<10	200	0.20	1.81	1.83	0.01	26.6	5.3	16
R335858		3.15	0.004	0.04	0.66	0.3	<0.2	<10	210	0.23	13.40	0.79	0.01	38.8	4.5	17
R335859		2.79	0.027	0.14	0.60	0.2	<0.2	<10	180	0.23	13.10	0.59	0.02	36.2	4.1	19
R335860		<0.02	0.115	0.12	0.60	0.1	<0.2	<10	180	0.22	12.05	0.60	0.02	36.8	4.0	16
R335861		3.53	0.296	0.18	0.57	0.1	0.2	<10	220	0.24	20.3	0.65	0.02	36.6	4.1	19
R335862		3.06	0.001	0.04	0.59	0.1	<0.2	<10	180	0.27	0.14	0.59	0.02	38.2	3.9	18
R335863		1.85	0.031	0.05	0.60	0.1	<0.2	<10	170	0.25	0.79	0.97	0.01	26.6	4.2	17
R335864		0.76	0.372	0.20	0.31	0.1	0.7	<10	610	0.17	89.9	0.39	<0.01	10.30	2.4	21
R335865		3.32	3.82	0.06	0.48	0.1	<0.2	<10	440	0.22	5.13	0.74	0.02	30.1	3.7	17
R335866		2.52	0.004	0.04	0.52	0.1	<0.2	<10	180	0.20	0.46	0.56	0.02	31.5	3.5	14
R335867		1.08	0.027	0.04	0.32	0.1	<0.2	<10	530	0.17	0.92	0.98	0.01	21.1	3.0	17
R335868		1.85	0.005	0.04	0.51	0.1	<0.2	<10	280	0.23	0.26	0.69	0.02	34.6	3.5	15
R335869		2.00	0.003	0.03	0.54	0.1	<0.2	<10	250	0.23	0.17	0.75	0.01	36.5	3.7	16
R335870		0.09	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	0.01	1.12	0.1	<1
R335871		2.94	0.023	0.03	0.53	0.3	<0.2	<10	440	0.28	0.55	1.03	0.01	31.8	4.1	15
R335872		0.78	0.086	0.10	0.22	0.3	<0.2	<10	690	0.09	1.60	0.56	<0.01	9.84	2.0	20
R335873		2.28	0.036	0.06	0.48	0.4	<0.2	<10	630	0.24	1.16	1.12	0.01	21.4	3.5	14
R335874		1.05	0.165	0.16	0.36	0.5	0.4	<10	520	0.17	1.68	1.18	0.06	21.5	3.2	18
R335875		2.72	0.071	0.09	0.47	0.2	<0.2	<10	480	0.26	0.97	1.20	0.01	24.4	4.0	13
R335876		1.43	0.044	0.18	0.37	0.4	<0.2	<10	330	0.21	3.23	1.66	0.01	21.0	3.9	16
R335877		3.49	0.003	0.03	0.45	0.5	<0.2	<10	240	0.23	0.31	0.66	0.02	32.5	3.5	14
R335878		2.15	0.001	0.02	0.55	0.2	<0.2	<10	130	0.25	0.07	0.53	0.01	34.7	3.8	15
R335879		1.92	0.005	0.06	0.52	0.3	<0.2	<10	330	0.24	0.44	0.70	0.01	32.5	3.9	15
R335880		0.07	2.50	4.39	1.58	17.7	2.3	<10	40	0.61	0.10	3.71	0.32	20.7	10.5	24
R335881		1.86	0.087	0.34	0.39	0.4	<0.2	<10	120	0.16	1.85	1.36	0.01	21.4	4.2	15
R335882		2.77	0.554	0.09	0.50	0.4	<0.2	<10	840	0.23	0.93	0.80	0.01	30.2	3.9	17
R335883		2.69	0.005	0.04	0.52	0.4	<0.2	<10	270	0.25	0.26	0.76	0.01	31.2	3.7	18
R335884		2.16	0.004	0.03	0.46	0.4	<0.2	<10	140	0.19	0.25	0.51	0.01	32.5	3.4	15
R335885		1.26	0.135	0.16	0.43	0.4	<0.2	<10	320	0.21	1.94	1.28	0.02	23.9	3.9	14
R335886		2.83	0.029	0.12	0.44	0.4	<0.2	<10	340	0.23	0.63	0.91	0.01	31.3	3.7	14
R335887		3.12	0.003	0.03	0.45	0.4	<0.2	<10	200	0.21	0.35	0.54	0.01	32.5	3.3	14
R335888		3.39	0.003	0.05	0.46	0.3	<0.2	<10	240	0.17	0.37	0.63	0.02	34.2	3.5	14
R335889		3.23	0.007	0.13	0.46	0.4	<0.2	<10	290	0.22	1.18	0.69	0.01	32.7	3.6	14
R335890		<0.02	0.005	0.10	0.46	0.5	<0.2	<10	280	0.22	1.25	0.69	0.02	32.1	3.5	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335851		0.79	12.2	1.52	2.98	0.05	0.52	<0.01	0.005	0.06	10.5	7.5	0.36	190	26.9	0.05
R335852		1.03	8.2	1.73	4.16	0.06	0.78	<0.01	0.009	0.13	16.6	10.2	0.46	247	11.65	0.06
R335853		1.69	5.5	1.62	4.07	0.06	0.94	<0.01	0.009	0.23	18.7	10.9	0.43	259	1.06	0.06
R335854		1.36	5.5	1.69	3.77	0.08	0.80	<0.01	0.007	0.17	17.1	8.9	0.41	263	6.40	0.06
R335855		1.04	9.9	1.55	3.61	0.07	0.81	<0.01	0.006	0.13	16.8	8.0	0.41	247	1.19	0.05
R335856		1.54	21.5	1.68	3.73	0.06	0.84	<0.01	0.008	0.19	17.6	9.5	0.42	263	4.31	0.06
R335857		0.18	23.9	1.95	3.02	0.05	0.89	<0.01	0.008	0.06	12.5	5.3	0.26	200	11.30	0.07
R335858		1.57	17.2	1.78	4.43	0.07	0.85	<0.01	0.008	0.18	18.9	9.6	0.48	277	0.68	0.06
R335859		2.20	14.8	1.68	4.01	0.07	0.83	<0.01	0.007	0.26	17.8	9.2	0.41	263	5.77	0.06
R335860		2.20	13.9	1.65	4.00	0.06	0.90	<0.01	0.007	0.25	18.3	8.9	0.41	262	5.36	0.06
R335861		2.42	17.5	1.61	3.74	0.06	0.90	<0.01	0.007	0.25	18.3	9.5	0.38	262	1.60	0.06
R335862		2.63	17.4	1.62	3.90	0.06	0.92	<0.01	0.008	0.25	18.9	10.1	0.40	261	1.88	0.06
R335863		1.03	7.7	1.66	4.22	0.05	0.80	<0.01	0.008	0.09	12.6	9.2	0.46	235	1.32	0.05
R335864		0.76	12.1	1.26	2.11	<0.05	0.40	<0.01	0.005	0.06	4.8	4.9	0.22	135	178.0	0.04
R335865		1.88	13.8	1.54	3.14	0.06	0.80	<0.01	0.008	0.20	14.9	7.6	0.34	227	13.25	0.06
R335866		1.89	11.8	1.48	3.37	0.06	0.83	<0.01	0.007	0.23	15.6	8.2	0.35	228	14.00	0.07
R335867		0.75	9.8	1.30	1.95	0.05	0.60	<0.01	0.007	0.09	10.3	4.6	0.23	183	27.0	0.05
R335868		1.90	11.5	1.50	3.28	0.05	0.87	<0.01	0.008	0.23	17.3	9.6	0.36	240	12.70	0.06
R335869		1.67	11.5	1.54	3.50	0.06	0.93	<0.01	0.009	0.22	18.0	9.4	0.38	247	3.75	0.06
R335870		<0.05	0.6	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R335871		0.89	10.3	1.59	3.41	0.05	0.86	<0.01	0.009	0.13	15.4	8.0	0.40	240	10.15	0.06
R335872		0.21	8.8	1.09	1.68	0.11	0.33	<0.01	<0.005	0.05	5.1	3.2	0.14	134	103.5	0.04
R335873		0.36	8.7	1.36	3.40	0.14	0.76	<0.01	0.009	0.07	10.9	7.8	0.34	203	3.06	0.04
R335874		0.14	18.3	1.32	2.69	0.14	0.58	<0.01	0.009	0.06	10.9	5.8	0.26	153	24.2	0.05
R335875		0.41	18.0	1.45	3.09	0.13	0.78	<0.01	0.007	0.08	12.7	7.6	0.33	200	5.37	0.05
R335876		0.52	16.0	1.48	2.58	0.13	0.91	<0.01	0.009	0.09	10.7	6.0	0.26	227	14.05	0.06
R335877		1.28	9.5	1.38	3.37	0.14	0.80	<0.01	0.007	0.17	17.3	8.4	0.32	207	0.97	0.05
R335878		1.17	9.1	1.48	4.13	0.15	0.75	<0.01	0.009	0.17	18.7	11.8	0.37	216	0.74	0.06
R335879		0.97	10.0	1.51	4.01	0.14	0.72	<0.01	0.009	0.13	17.4	9.4	0.38	213	0.99	0.06
R335880		3.15	71.2	2.91	6.69	0.18	0.35	0.08	0.035	0.22	9.8	16.3	0.86	672	6.02	0.06
R335881		0.32	17.7	1.38	3.06	0.14	0.65	<0.01	0.006	0.06	10.9	5.8	0.28	161	42.6	0.04
R335882		0.73	10.6	1.52	3.92	0.13	0.73	<0.01	0.008	0.10	15.8	7.9	0.36	208	6.75	0.06
R335883		1.18	10.7	1.52	3.68	0.14	0.70	<0.01	0.007	0.15	16.3	8.5	0.39	229	1.79	0.05
R335884		1.58	7.6	1.42	3.39	0.13	0.69	<0.01	0.006	0.15	17.4	7.6	0.32	198	3.68	0.06
R335885		0.48	13.5	1.48	2.61	0.13	0.73	<0.01	0.007	0.09	12.3	6.9	0.33	177	1.73	0.05
R335886		1.56	12.9	1.50	3.04	0.12	0.86	<0.01	0.007	0.16	16.3	6.7	0.32	219	6.46	0.06
R335887		1.68	6.4	1.34	3.40	0.15	0.78	<0.01	0.008	0.16	17.6	7.4	0.33	196	1.50	0.06
R335888		1.53	7.5	1.48	3.46	0.14	0.86	<0.01	0.007	0.18	18.4	7.6	0.32	216	0.65	0.07
R335889		1.40	13.0	1.41	3.35	0.14	0.78	<0.01	0.008	0.14	17.5	7.0	0.34	213	1.92	0.06
R335890		1.41	12.5	1.46	3.35	0.15	0.81	<0.01	0.009	0.14	17.1	6.8	0.33	216	1.90	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335851		0.19	5.4	390	6.7	3.6	0.004	0.44	0.07	1.0	0.3	0.7	38.4	<0.01	0.13	2.3
R335852		0.32	5.5	560	5.1	8.5	0.002	0.28	0.05	1.4	0.2	0.7	57.1	<0.01	0.11	3.5
R335853		0.49	5.2	550	7.6	18.2	<0.001	0.05	<0.05	1.2	0.2	0.4	63.8	<0.01	0.03	3.9
R335854		0.43	4.9	550	6.1	12.7	<0.001	0.19	<0.05	1.2	0.2	0.4	68.8	<0.01	0.06	3.5
R335855		0.35	4.9	530	5.2	9.8	<0.001	0.22	0.05	1.2	<0.2	0.5	64.4	<0.01	0.07	3.4
R335856		0.35	4.9	570	5.2	14.4	0.001	0.28	<0.05	1.3	0.3	0.3	69.9	<0.01	0.05	3.8
R335857		0.29	5.3	670	3.6	2.8	0.002	1.29	<0.05	1.5	0.6	0.2	68.5	<0.01	0.42	3.6
R335858		0.41	5.5	590	14.4	13.4	<0.001	0.20	0.05	1.4	<0.2	0.7	68.1	<0.01	0.04	3.6
R335859		0.50	4.8	550	31.5	21.2	0.001	0.14	<0.05	1.2	0.2	0.4	68.7	<0.01	0.40	3.4
R335860		0.57	5.0	560	26.8	20.8	0.001	0.12	<0.05	1.2	<0.2	0.4	69.7	<0.01	0.39	3.5
R335861		0.61	4.8	530	35.9	21.1	0.001	0.19	<0.05	1.1	0.2	0.4	79.8	<0.01	0.95	3.5
R335862		0.61	5.0	530	8.2	21.4	0.001	0.18	<0.05	1.2	<0.2	0.4	70.5	<0.01	0.02	3.6
R335863		0.22	5.0	560	2.5	4.7	<0.001	0.32	<0.05	1.5	0.3	0.3	39.8	<0.01	0.13	3.3
R335864		0.16	3.8	270	31.1	3.2	0.039	0.30	<0.05	0.7	0.9	0.2	59.6	<0.01	7.67	1.7
R335865		0.36	4.3	490	6.2	16.1	0.002	0.35	<0.05	1.2	0.3	0.3	64.6	<0.01	2.10	3.2
R335866		0.47	4.3	490	7.8	18.7	0.006	0.15	<0.05	1.1	0.2	0.3	57.3	<0.01	0.06	3.2
R335867		0.21	3.7	410	5.8	6.5	0.007	0.50	<0.05	1.0	0.2	0.2	70.7	<0.01	0.25	2.5
R335868		0.49	4.3	520	8.7	18.5	0.004	0.21	<0.05	1.1	<0.2	0.3	66.3	<0.01	0.03	3.5
R335869		0.45	4.5	520	6.5	16.9	<0.001	0.19	<0.05	1.2	<0.2	0.3	65.7	<0.01	0.03	3.6
R335870		<0.05	0.4	10	0.3	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R335871		0.32	4.8	510	3.7	8.4	0.002	0.35	0.05	1.4	0.3	0.5	60.0	<0.01	0.12	3.5
R335872		0.12	4.2	190	5.7	2.2	0.016	0.24	0.15	0.6	0.3	0.6	36.5	<0.01	0.27	1.3
R335873		0.18	5.0	460	3.1	3.8	<0.001	0.34	0.13	1.3	0.2	0.4	50.3	<0.01	0.18	3.3
R335874		0.22	4.9	360	11.4	2.9	0.003	0.41	0.16	1.1	0.5	0.6	53.2	<0.01	0.24	2.3
R335875		0.19	5.4	480	4.8	4.7	0.002	0.46	0.14	1.2	0.5	0.4	53.9	<0.01	0.20	3.7
R335876		0.31	6.1	480	7.9	6.0	0.003	0.66	0.16	1.5	0.4	0.5	54.4	<0.01	0.32	3.7
R335877		0.33	4.7	470	5.8	12.7	<0.001	0.20	0.19	1.1	0.4	0.5	57.9	<0.01	0.05	3.4
R335878		0.43	5.1	530	5.1	11.8	<0.001	0.02	0.16	1.0	0.2	0.6	64.8	<0.01	0.01	3.3
R335879		0.34	5.2	520	5.4	8.1	0.001	0.18	0.16	1.2	0.3	0.6	63.4	<0.01	0.06	3.3
R335880		0.06	10.9	610	16.5	11.0	0.002	0.85	0.54	8.3	1.0	0.5	113.0	<0.01	2.12	1.4
R335881		0.23	5.5	470	6.7	2.6	0.007	0.56	0.22	1.3	0.3	0.5	62.7	<0.01	0.25	2.8
R335882		0.29	5.4	500	4.7	5.3	0.001	0.23	0.18	1.3	0.3	0.6	65.4	<0.01	0.26	3.3
R335883		0.25	5.1	510	3.6	10.4	<0.001	0.20	0.18	1.3	0.4	0.5	53.8	<0.01	0.05	3.3
R335884		0.40	4.7	470	4.8	11.3	0.001	0.08	0.18	0.9	0.3	0.6	50.2	<0.01	0.05	3.0
R335885		0.20	5.0	460	7.5	5.4	<0.001	0.68	0.20	1.1	0.5	0.4	54.7	<0.01	0.54	3.3
R335886		0.23	4.9	470	5.6	12.2	0.002	0.35	0.18	1.2	0.3	0.5	62.5	<0.01	0.23	3.7
R335887		0.46	4.3	500	5.8	12.3	<0.001	0.13	0.11	1.0	0.4	0.5	49.4	<0.01	0.05	3.4
R335888		0.40	4.7	510	7.8	13.1	<0.001	0.17	0.12	1.1	0.3	0.6	61.6	<0.01	0.04	3.6
R335889		0.34	4.7	490	9.8	10.7	<0.001	0.20	0.15	1.1	0.4	0.5	59.5	<0.01	0.17	3.6
R335890		0.37	4.7	480	9.2	10.6	0.001	0.18	0.16	1.1	0.2	0.6	60.4	<0.01	0.16	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335851		0.045	0.03	0.64	17	0.35	2.19	28	14.4
R335852		0.077	0.06	1.17	23	1.79	3.19	36	20.8
R335853		0.098	0.13	1.41	23	0.16	3.20	44	24.5
R335854		0.086	0.09	1.24	21	0.39	3.17	40	21.8
R335855		0.073	0.07	1.08	20	0.33	3.16	37	20.8
R335856		0.080	0.10	1.13	22	0.14	3.28	42	22.2
R335857		0.040	<0.02	0.72	17	0.47	3.70	13	23.4
R335858		0.086	0.09	1.10	24	0.22	3.37	41	22.9
R335859		0.104	0.15	1.09	24	0.16	3.25	45	23.0
R335860		0.104	0.15	1.11	24	0.15	3.25	44	22.9
R335861		0.096	0.16	1.27	22	0.10	3.13	43	23.5
R335862		0.099	0.16	1.42	22	0.09	3.12	43	23.9
R335863		0.052	0.03	1.14	20	0.52	2.76	27	21.2
R335864		0.032	0.02	0.59	11	0.26	1.58	11	10.6
R335865		0.070	0.12	1.11	19	0.12	3.00	32	20.9
R335866		0.086	0.14	2.01	20	0.17	2.94	37	21.2
R335867		0.029	0.04	0.93	11	0.30	2.75	19	16.7
R335868		0.084	0.15	1.39	20	0.08	2.97	40	22.3
R335869		0.085	0.12	1.43	21	0.11	3.03	41	24.0
R335870		<0.005	<0.02	0.09	<1	<0.05	0.64	<2	0.8
R335871		0.063	0.06	1.47	19	0.36	3.09	31	22.2
R335872		0.019	0.03	0.38	6	0.34	1.40	9	8.6
R335873		0.044	0.02	1.24	15	0.67	3.08	21	19.4
R335874		0.041	0.03	0.63	13	0.53	3.08	26	15.3
R335875		0.041	0.04	1.65	13	1.24	3.23	22	20.6
R335876		0.049	0.04	1.65	12	0.88	3.62	18	22.6
R335877		0.069	0.11	1.33	16	0.13	2.78	35	21.4
R335878		0.095	0.09	1.27	19	0.13	3.05	37	20.6
R335879		0.081	0.07	1.24	19	0.24	3.12	33	19.5
R335880		0.055	0.15	0.34	67	0.43	7.42	82	11.5
R335881		0.044	0.11	1.13	14	0.44	3.26	15	17.3
R335882		0.069	0.06	1.21	18	0.34	3.34	29	20.3
R335883		0.068	0.09	1.09	18	0.18	3.11	35	19.3
R335884		0.080	0.10	1.09	16	0.14	2.86	31	19.0
R335885		0.039	0.05	1.25	11	0.76	3.01	17	19.3
R335886		0.050	0.10	1.63	14	0.33	3.01	31	22.4
R335887		0.082	0.11	1.34	17	0.14	2.85	33	20.9
R335888		0.078	0.11	1.41	17	0.10	3.08	37	21.9
R335889		0.072	0.10	1.44	17	0.18	2.99	36	20.1
R335890		0.071	0.09	1.39	17	0.17	2.99	34	20.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335891		1.89	0.010	0.07	0.43	0.2	<0.2	<10	320	0.22	1.20	0.92	0.02	30.7	3.6	14
R335892		2.59	0.013	0.08	0.45	0.4	<0.2	<10	480	0.23	0.74	0.94	0.02	29.3	3.7	14
R335893		2.72	<0.001	0.17	0.47	0.2	<0.2	<10	180	0.22	1.93	0.51	0.01	33.3	3.3	13
R335894		2.97	0.020	0.07	0.48	0.3	<0.2	<10	260	0.21	0.73	0.70	0.03	33.6	3.7	14
R335895		3.42	0.017	0.05	0.48	0.3	<0.2	<10	400	0.24	0.67	0.82	0.02	31.6	3.7	13
R335896		3.19	<0.001	0.04	0.50	0.3	<0.2	<10	190	0.26	0.22	0.61	0.02	34.5	3.7	15
R335897		1.18	0.003	0.99	0.43	0.3	<0.2	<10	220	0.17	23.4	0.53	0.03	31.2	3.2	16
R335898		3.51	<0.001	0.03	0.51	0.2	<0.2	<10	150	0.20	0.36	0.49	0.01	35.3	3.5	16
R335899		1.05	0.018	0.03	0.35	0.3	<0.2	<10	210	0.15	0.41	0.52	0.01	24.3	2.8	18
R335900		3.58	<0.001	0.17	0.48	0.3	<0.2	<10	160	0.21	5.12	0.47	0.02	33.3	3.3	15
R335901		2.99	0.005	0.11	0.46	0.2	<0.2	<10	190	0.19	4.19	0.52	0.01	34.2	3.4	14
R335902		1.17	0.078	0.08	0.41	0.4	<0.2	<10	540	0.17	31.0	0.77	0.01	25.2	3.4	15
R335903		2.47	0.002	0.04	0.52	0.4	<0.2	<10	150	0.18	0.19	0.51	0.03	34.8	3.7	15
R335904		3.47	<0.001	0.04	0.49	0.3	<0.2	<10	110	0.18	0.07	0.41	0.02	33.9	3.5	15
R335905		2.63	0.002	0.04	0.52	0.3	<0.2	<10	140	0.16	0.35	0.47	0.01	35.9	3.6	15
R335906		2.16	0.001	0.03	0.47	0.3	<0.2	<10	170	0.21	0.21	0.53	0.02	31.6	3.4	16
R335907		3.10	3.15	0.31	0.34	0.3	1.0	<10	40	0.24	45.1	1.65	0.01	13.20	4.3	9
R335908		2.10	0.016	0.06	0.46	0.3	<0.2	<10	280	0.25	1.21	0.73	0.01	17.45	3.3	14
R335909		2.13	0.149	0.12	0.53	0.2	<0.2	<10	390	0.24	2.45	0.98	0.01	18.25	3.6	13
R335910		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.93	0.1	<1
R335911		3.23	0.001	0.03	0.52	0.2	<0.2	<10	180	0.22	0.20	0.54	0.01	32.8	3.7	16
R335912		3.00	0.007	0.04	0.47	0.2	<0.2	<10	290	0.20	0.33	0.54	0.01	28.8	3.5	16
R335913		2.89	0.003	0.03	0.50	0.2	<0.2	<10	140	0.19	0.13	0.46	0.01	32.5	3.6	15
R335914		3.08	0.037	0.04	0.45	0.1	<0.2	<10	370	0.19	0.47	0.68	0.01	27.5	3.4	13
R335915		1.09	4.56	0.34	0.32	0.2	1.4	<10	440	0.12	196.5	0.83	<0.01	17.00	3.1	16
R335916		2.67	0.016	0.04	0.44	0.1	<0.2	<10	370	0.20	0.61	0.74	0.01	26.1	3.2	14
R335917		3.28	0.067	0.04	0.48	0.2	<0.2	<10	170	0.24	1.75	0.62	0.01	31.0	3.5	15
R335918		2.55	0.019	0.04	0.54	0.2	<0.2	<10	90	0.21	0.87	1.03	0.01	25.8	3.6	16
R335919		1.68	0.070	0.06	0.51	0.2	<0.2	<10	290	0.21	60.0	0.75	0.01	22.7	4.0	17
R335920		0.07	0.916	6.06	1.07	43.0	0.9	<10	40	0.19	1.23	0.42	5.15	5.28	13.9	21
R335921		2.03	0.013	0.09	0.40	0.2	<0.2	<10	250	0.20	16.60	0.64	0.01	22.7	3.3	19
R335922		2.88	0.014	0.05	0.51	0.2	<0.2	<10	330	0.22	1.24	0.58	0.01	32.6	3.5	13
R335923		2.74	<0.001	0.05	0.47	0.1	<0.2	<10	250	0.17	0.47	0.51	0.01	29.1	3.3	13
R335924		3.43	0.027	0.04	0.52	0.2	<0.2	<10	330	0.17	0.23	0.65	0.01	29.9	3.5	14
R335925		3.15	0.035	0.06	0.47	0.1	<0.2	<10	500	0.22	0.54	0.88	0.02	27.7	4.0	12
R335926		3.20	0.001	0.03	0.48	0.2	<0.2	<10	150	0.20	0.17	0.47	0.01	32.5	3.4	13
R335927		2.29	0.003	0.03	0.46	0.2	<0.2	<10	200	0.16	0.32	0.52	0.01	29.5	3.3	13
R335928		3.25	0.001	0.04	0.48	0.2	<0.2	<10	390	0.18	0.14	0.55	0.02	34.4	3.6	13
R335929		3.36	0.001	0.08	0.48	0.2	<0.2	<10	180	0.19	1.68	0.51	0.02	33.0	3.4	14
R335930		<0.02	0.002	0.05	0.51	0.2	<0.2	<10	190	0.22	0.67	0.53	0.02	35.5	3.6	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335891		0.82	11.7	1.35	3.14	0.15	0.80	<0.01	0.008	0.11	16.5	6.5	0.33	234	3.93	0.04
R335892		0.74	7.0	1.53	3.28	0.13	0.78	<0.01	0.007	0.10	15.4	6.7	0.34	232	1.41	0.06
R335893		1.22	8.5	1.35	3.55	0.14	0.79	<0.01	0.008	0.16	18.0	7.8	0.34	198	1.55	0.06
R335894		1.06	10.0	1.53	3.62	0.15	0.82	<0.01	0.008	0.16	18.0	7.8	0.34	228	0.76	0.06
R335895		0.76	7.2	1.45	3.59	0.13	0.70	<0.01	0.009	0.11	16.8	8.0	0.35	210	3.27	0.06
R335896		1.00	9.1	1.50	3.90	0.14	0.72	<0.01	0.008	0.17	18.6	9.5	0.35	224	0.95	0.06
R335897		0.77	12.6	1.32	3.26	0.14	0.59	<0.01	0.009	0.15	16.8	7.6	0.30	185	7.56	0.06
R335898		0.83	6.6	1.49	3.81	0.15	0.69	<0.01	0.007	0.19	18.7	9.1	0.33	212	0.96	0.06
R335899		0.65	8.1	1.25	2.68	0.12	0.49	<0.01	0.005	0.13	13.1	5.9	0.24	169	18.85	0.05
R335900		0.99	7.4	1.42	3.59	0.13	0.71	<0.01	0.007	0.18	17.7	8.7	0.32	201	0.94	0.06
R335901		0.85	7.1	1.35	3.59	0.13	0.73	<0.01	0.006	0.17	18.6	8.3	0.31	196	1.65	0.05
R335902		0.64	16.7	1.46	2.98	0.13	0.61	<0.01	0.006	0.12	13.4	6.3	0.29	189	21.8	0.05
R335903		1.50	16.2	1.50	3.86	0.15	0.85	<0.01	0.005	0.23	18.4	9.2	0.34	226	0.98	0.07
R335904		1.02	8.9	1.36	3.72	0.14	0.79	<0.01	<0.005	0.19	18.4	9.0	0.33	203	0.85	0.06
R335905		0.94	7.2	1.44	3.81	0.15	0.76	<0.01	0.007	0.21	19.3	8.2	0.34	214	0.79	0.07
R335906		1.01	13.7	1.35	3.50	0.14	0.79	<0.01	0.007	0.16	16.9	7.9	0.32	197	2.88	0.06
R335907		0.08	31.2	1.66	2.03	0.12	0.73	<0.01	0.005	0.02	6.4	4.7	0.29	198	31.6	0.09
R335908		0.41	11.2	1.34	2.88	0.05	0.63	<0.01	0.006	0.08	9.1	6.2	0.37	185	1.47	0.05
R335909		0.27	7.4	1.54	3.44	0.05	0.75	<0.01	0.006	0.05	9.3	8.4	0.46	216	10.55	0.06
R335910		<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.07	<0.01
R335911		0.74	8.6	1.54	3.50	0.06	0.66	<0.01	0.005	0.15	17.5	7.6	0.37	227	3.63	0.06
R335912		0.74	9.3	1.43	3.27	0.05	0.66	<0.01	0.005	0.14	15.3	7.4	0.35	212	11.95	0.06
R335913		0.90	8.5	1.49	3.23	0.06	0.93	<0.01	0.005	0.19	17.4	7.8	0.33	226	6.64	0.07
R335914		0.62	6.6	1.35	2.88	0.06	0.82	<0.01	0.007	0.14	14.7	7.3	0.34	197	8.07	0.04
R335915		0.32	54.4	1.29	1.81	<0.05	0.56	<0.01	<0.005	0.07	8.9	4.4	0.23	151	192.5	0.05
R335916		0.68	6.8	1.36	2.64	0.05	0.73	<0.01	0.006	0.12	14.1	6.7	0.34	203	11.20	0.05
R335917		0.60	6.3	1.47	3.33	0.05	0.82	<0.01	0.006	0.11	16.3	7.5	0.34	209	8.27	0.06
R335918		0.40	5.5	1.52	3.95	0.05	0.91	<0.01	0.007	0.07	13.4	7.5	0.43	217	3.13	0.05
R335919		0.44	19.3	1.62	3.68	0.05	0.78	<0.01	0.005	0.08	11.7	7.2	0.39	203	19.15	0.06
R335920		3.75	7010	6.86	3.16	0.06	<0.02	0.06	0.314	0.27	2.6	9.7	0.32	632	140.0	0.02
R335921		0.50	13.3	1.38	2.67	0.05	0.65	<0.01	0.005	0.08	12.1	5.8	0.30	176	23.4	0.05
R335922		0.78	7.0	1.43	3.21	0.07	0.84	<0.01	0.006	0.16	17.3	7.2	0.33	204	45.2	0.08
R335923		0.75	6.4	1.36	2.98	0.06	0.89	<0.01	<0.005	0.15	15.5	7.5	0.33	196	21.6	0.06
R335924		0.80	7.3	1.49	3.17	0.05	0.88	<0.01	0.007	0.16	15.8	6.8	0.36	231	0.92	0.06
R335925		0.60	10.0	1.48	3.06	0.06	0.81	<0.01	0.007	0.13	14.6	8.4	0.36	212	13.90	0.05
R335926		0.63	5.7	1.42	3.19	0.06	0.95	<0.01	0.005	0.15	17.6	8.2	0.32	216	4.86	0.06
R335927		0.72	6.7	1.34	2.99	0.05	0.95	<0.01	0.005	0.16	15.9	7.0	0.31	214	10.20	0.06
R335928		0.72	6.2	1.52	3.21	0.06	1.05	<0.01	0.005	0.17	18.1	7.8	0.33	229	0.69	0.06
R335929		0.62	5.8	1.39	3.32	0.06	0.80	<0.01	0.006	0.16	17.7	7.2	0.33	211	0.69	0.06
R335930		0.65	6.4	1.51	3.44	0.05	0.89	<0.01	0.006	0.17	18.7	7.9	0.34	226	0.81	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335891		0.24	4.8	460	6.5	7.4	<0.001	0.25	0.13	1.2	0.3	0.8	63.3	<0.01	0.12	3.8
R335892		0.25	5.0	510	6.3	6.2	<0.001	0.39	0.13	1.2	0.5	0.5	72.9	<0.01	0.08	3.3
R335893		0.36	4.4	490	6.3	11.6	<0.001	0.10	0.10	1.0	0.2	0.5	50.3	<0.01	0.43	3.4
R335894		0.38	5.0	510	7.5	11.1	<0.001	0.16	0.11	1.1	0.3	0.6	60.5	<0.01	0.11	3.4
R335895		0.30	4.8	510	4.6	7.4	0.001	0.28	0.09	1.1	0.4	0.5	66.9	<0.01	0.11	3.5
R335896		0.39	5.0	510	6.5	12.0	<0.001	0.14	0.10	1.1	0.3	0.6	66.6	<0.01	0.02	3.3
R335897		0.44	4.3	470	35.6	9.8	0.003	0.12	0.11	0.9	0.2	0.5	59.0	<0.01	0.48	2.9
R335898		0.49	4.9	520	7.0	12.4	0.001	0.04	0.10	0.9	0.3	0.7	65.6	<0.01	<0.01	3.4
R335899		0.29	4.1	370	3.9	8.5	0.002	0.19	0.09	0.8	0.3	0.5	46.0	<0.01	0.05	2.5
R335900		0.41	4.5	490	16.4	12.4	<0.001	0.06	0.09	0.9	0.2	0.6	60.8	<0.01	0.12	3.4
R335901		0.44	4.6	500	13.8	11.9	<0.001	0.08	0.08	0.9	0.3	0.6	61.3	<0.01	0.33	3.5
R335902		0.32	4.5	470	17.3	8.1	0.003	0.44	0.10	1.0	0.6	0.5	57.8	<0.01	0.61	3.0
R335903		0.43	4.9	510	8.6	17.9	<0.001	0.10	0.10	1.1	<0.2	0.7	58.7	<0.01	0.01	3.6
R335904		0.52	4.6	510	7.2	13.9	<0.001	0.02	0.08	0.8	0.2	0.6	60.0	<0.01	<0.01	3.5
R335905		0.57	4.9	530	7.7	13.9	<0.001	0.03	0.07	1.0	0.3	0.6	64.5	<0.01	0.01	3.5
R335906		0.49	4.6	480	5.8	11.3	0.001	0.15	0.08	1.0	0.2	0.5	64.1	<0.01	0.01	3.4
R335907		<0.05	5.3	560	8.8	1.4	0.004	1.26	0.09	1.5	1.0	0.3	87.6	<0.01	5.00	2.7
R335908		0.15	6.0	410	5.3	4.1	0.001	0.40	0.06	1.1	<0.2	0.4	54.1	<0.01	0.13	2.6
R335909		0.10	4.9	530	5.2	2.5	0.003	0.54	0.06	1.3	0.3	0.4	64.8	<0.01	0.19	3.0
R335910		<0.05	0.4	10	0.8	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R335911		0.42	4.8	520	5.8	9.1	0.001	0.13	0.05	1.0	<0.2	0.6	63.4	<0.01	0.02	3.3
R335912		0.34	4.5	480	5.4	9.0	0.002	0.24	<0.05	1.0	<0.2	0.5	63.5	<0.01	0.04	3.1
R335913		0.46	4.8	490	7.5	12.1	0.002	0.09	0.05	0.9	<0.2	0.7	61.5	<0.01	0.02	3.5
R335914		0.26	4.5	460	4.3	8.6	0.002	0.25	<0.05	1.0	<0.2	0.4	53.2	<0.01	0.14	3.3
R335915		0.17	4.2	310	142.0	4.3	0.024	0.54	0.15	0.8	0.6	0.5	41.4	<0.01	12.85	2.0
R335916		0.21	4.4	450	3.8	7.4	0.002	0.27	<0.05	1.1	<0.2	0.4	53.1	<0.01	0.13	2.9
R335917		0.32	4.8	470	5.9	5.3	0.002	0.15	0.05	1.0	<0.2	0.6	61.2	<0.01	0.09	3.3
R335918		0.21	5.2	490	2.8	2.9	<0.001	0.31	0.05	1.3	<0.2	0.5	45.2	<0.01	0.10	3.3
R335919		0.21	5.5	490	29.7	4.0	0.006	0.43	0.06	1.3	0.5	0.6	50.8	<0.01	0.37	3.2
R335920		0.08	14.8	490	106.5	12.6	0.203	5.15	3.13	1.3	8.5	1.9	37.6	<0.01	1.00	1.1
R335921		0.27	4.6	420	11.8	4.3	0.005	0.31	<0.05	0.9	0.4	0.5	47.7	<0.01	1.39	2.6
R335922		0.36	4.7	500	6.5	9.3	0.007	0.21	<0.05	1.0	0.2	0.5	63.2	<0.01	0.07	3.3
R335923		0.42	4.5	500	6.9	9.4	0.004	0.22	<0.05	0.8	<0.2	0.5	64.0	<0.01	0.03	3.2
R335924		0.35	4.8	500	5.9	10.5	<0.001	0.16	0.05	1.0	<0.2	0.6	65.2	<0.01	0.10	3.2
R335925		0.31	5.0	510	4.9	7.9	0.002	0.39	0.05	1.2	0.2	0.5	65.0	<0.01	0.23	3.1
R335926		0.50	4.7	500	7.2	9.2	0.001	0.06	<0.05	0.8	<0.2	0.6	69.1	<0.01	0.03	3.4
R335927		0.42	4.5	470	7.3	10.0	0.002	0.13	<0.05	0.9	<0.2	0.5	64.5	<0.01	0.05	3.3
R335928		0.49	4.7	520	7.8	10.5	<0.001	0.16	<0.05	1.0	0.2	0.6	74.1	<0.01	0.02	3.5
R335929		0.53	4.0	510	11.7	10.0	<0.001	0.09	<0.05	0.9	0.2	0.6	67.2	<0.01	0.04	3.3
R335930		0.53	4.6	520	10.0	10.8	<0.001	0.09	0.05	1.0	<0.2	0.6	71.8	<0.01	0.01	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335891		0.046	0.06	1.67	15	0.18	2.93	33	19.7
R335892		0.045	0.05	1.14	14	0.15	3.11	30	20.0
R335893		0.078	0.11	1.34	18	0.09	2.82	35	20.3
R335894		0.078	0.08	1.24	17	0.12	3.11	35	21.2
R335895		0.065	0.06	1.16	16	0.16	3.13	33	19.2
R335896		0.083	0.10	1.11	19	0.11	3.06	36	20.0
R335897		0.079	0.08	0.80	17	0.08	2.73	33	16.5
R335898		0.098	0.10	0.89	20	0.08	3.03	37	18.6
R335899		0.059	0.08	0.61	13	0.13	2.22	25	12.7
R335900		0.090	0.11	1.14	18	0.08	2.78	34	18.9
R335901		0.085	0.10	1.02	18	0.11	2.81	35	18.5
R335902		0.059	0.06	0.83	14	0.20	3.04	26	17.1
R335903		0.097	0.14	1.23	19	0.10	3.08	38	22.4
R335904		0.097	0.12	0.98	20	0.06	2.89	37	20.7
R335905		0.104	0.11	1.01	21	0.08	3.15	39	21.1
R335906		0.085	0.10	1.08	19	0.10	2.86	34	20.2
R335907		<0.005	<0.02	0.55	5	0.15	4.58	7	20.1
R335908		0.031	0.03	0.82	14	0.27	2.38	26	17.3
R335909		0.021	<0.02	0.59	13	0.57	3.44	21	19.5
R335910		<0.005	<0.02	0.08	<1	<0.05	0.55	<2	0.8
R335911		0.077	0.07	0.67	20	0.20	2.75	36	17.8
R335912		0.066	0.07	0.65	18	0.16	2.68	32	17.3
R335913		0.080	0.09	0.95	20	0.11	2.96	35	23.6
R335914		0.054	0.06	0.91	17	0.17	2.71	27	21.7
R335915		0.026	0.04	0.64	9	0.29	2.27	14	14.9
R335916		0.049	0.05	0.74	16	0.22	2.57	26	19.8
R335917		0.065	0.04	0.89	19	0.23	2.88	29	22.8
R335918		0.052	0.02	0.80	20	0.51	3.03	24	24.2
R335919		0.050	0.02	0.83	20	0.36	3.00	24	22.6
R335920		0.012	0.30	0.15	18	2.37	2.69	840	<0.5
R335921		0.051	0.03	0.69	16	0.20	2.46	23	17.5
R335922		0.070	0.07	0.93	18	0.11	3.19	30	23.6
R335923		0.068	0.07	0.93	18	0.10	2.96	30	24.5
R335924		0.067	0.09	0.94	20	0.21	2.94	34	24.1
R335925		0.054	0.05	0.97	17	0.24	3.08	29	24.4
R335926		0.080	0.07	1.04	19	0.10	2.96	34	25.3
R335927		0.070	0.07	1.13	18	0.08	2.83	32	25.9
R335928		0.078	0.08	1.25	20	0.10	3.23	36	28.1
R335929		0.081	0.07	1.20	19	0.09	2.73	37	21.3
R335930		0.086	0.08	1.27	20	0.10	2.94	38	22.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335931		2.20	0.017	0.04	0.55	0.2	<0.2	<10	400	0.22	0.58	0.66	0.01	30.0	3.9	15
R335932		2.64	0.002	0.03	0.51	0.3	<0.2	<10	220	0.24	0.17	0.56	0.02	35.4	3.5	15
R335933		2.25	0.004	0.03	0.48	0.2	<0.2	<10	170	0.16	0.09	0.46	0.02	33.5	3.4	15
R335934		2.15	<0.001	0.02	0.57	0.2	<0.2	<10	160	0.17	0.02	0.47	0.01	35.6	3.8	14
R335935		1.16	0.118	0.05	0.42	0.1	<0.2	<10	210	0.13	1.00	0.56	<0.01	23.0	2.6	16
R335936		3.61	0.001	0.03	0.46	0.2	<0.2	<10	230	0.20	7.09	0.47	0.01	31.8	3.3	14
R335937		3.06	0.033	0.06	0.47	0.2	<0.2	<10	370	0.23	0.68	0.72	0.01	27.5	3.6	15
R335938		2.93	0.001	0.03	0.58	0.1	<0.2	<10	200	0.21	0.25	0.57	0.02	35.0	3.8	16
R335939		1.88	0.008	0.04	0.52	0.2	<0.2	<10	270	0.22	0.24	0.66	0.01	35.8	3.6	15
R335940		0.07	0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.02	0.1	<1
R335941		1.02	0.109	0.38	0.33	0.3	2.0	<10	380	0.16	0.74	0.75	<0.01	15.35	2.8	17
R335942		3.03	0.004	0.04	0.50	0.3	<0.2	<10	210	0.20	0.16	0.61	0.02	34.4	3.5	16
R335943		3.23	0.004	0.03	0.51	0.2	<0.2	<10	160	0.25	0.12	0.53	0.02	35.6	3.8	15
R335944		3.30	0.004	0.03	0.52	0.4	<0.2	<10	130	0.27	0.14	0.56	0.02	31.4	3.5	15
R335945		3.48	0.008	0.04	0.46	0.3	<0.2	<10	180	0.24	0.22	0.55	0.02	31.4	3.5	14
R335946		2.96	0.085	0.02	0.55	0.3	<0.2	<10	170	0.27	0.31	0.63	0.01	32.2	3.7	16
R335947		0.78	2.82	0.30	0.13	0.4	0.2	<10	120	0.06	13.65	0.68	0.01	7.45	3.0	20
R335948		1.37	0.177	0.11	0.39	0.3	<0.2	<10	250	0.19	2.17	1.02	<0.01	12.70	3.4	16
R335949		1.78	0.017	0.05	0.53	0.3	<0.2	<10	230	0.23	0.58	0.83	0.01	30.8	4.0	17
R335950		0.06	2.39	4.46	1.56	17.7	2.3	<10	40	0.65	0.09	3.63	0.35	20.5	10.4	24
R335951		1.84	6.24	0.52	0.50	0.3	2.3	<10	270	0.20	10.70	1.23	<0.01	26.8	4.5	13
R335952		1.16	2.12	1.78	0.33	0.5	1.7	<10	90	0.15	14.00	1.45	<0.01	24.5	6.5	12
R335953		3.31	0.006	0.02	0.51	0.4	<0.2	<10	350	0.22	0.38	0.75	0.01	33.1	3.8	14
R335954		3.30	0.016	0.05	0.52	0.3	<0.2	<10	220	0.25	28.4	0.63	0.01	34.3	3.7	14
R335955		3.33	0.039	0.04	0.51	0.4	<0.2	<10	220	0.24	2.79	0.72	0.01	33.9	3.6	15
R335956		3.29	0.143	0.05	0.47	0.4	<0.2	<10	300	0.19	1.13	0.93	0.01	24.2	3.6	14
R335957		3.44	0.006	0.06	0.51	0.3	<0.2	<10	240	0.20	0.36	0.79	0.01	32.4	3.8	14
R335958		3.44	0.010	0.03	0.51	0.3	<0.2	<10	230	0.19	3.18	0.66	0.02	33.9	3.7	14
R335959		3.21	0.038	0.04	0.50	0.4	<0.2	<10	270	0.19	0.53	0.77	0.02	33.4	3.8	15
R335960		<0.02	0.106	0.04	0.48	0.3	<0.2	<10	280	0.19	0.67	0.78	0.02	34.3	3.8	14
R335961		2.15	0.008	0.03	0.52	0.3	<0.2	<10	240	0.19	0.34	0.64	0.02	31.4	3.7	15
R335962		1.65	0.008	0.03	0.53	0.2	<0.2	<10	170	0.21	0.14	0.50	0.01	33.0	3.6	16
R335963		2.28	0.005	0.03	0.62	0.4	<0.2	<10	150	0.24	1.45	0.69	0.01	33.9	4.3	17
R335964		1.12	0.026	0.07	0.63	0.4	<0.2	<10	310	0.24	27.2	0.76	0.01	34.1	4.7	18
R335965		2.99	0.011	0.07	0.79	0.3	<0.2	<10	180	0.32	0.64	0.96	0.01	45.0	6.1	21
R335966		3.36	0.035	0.15	0.54	0.3	<0.2	<10	410	0.24	3.46	1.10	0.01	32.6	4.6	14
R335967		2.71	0.001	0.13	0.63	0.3	<0.2	<10	200	0.22	0.18	0.56	0.01	40.3	4.5	17
R335968		3.60	0.005	0.07	0.60	0.3	<0.2	<10	330	0.20	0.83	0.65	0.03	41.3	4.5	14
R335969		3.09	0.042	0.12	0.55	0.3	<0.2	<10	460	0.18	6.60	0.70	0.05	36.5	4.2	15
R335970		0.09	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.05	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335931		0.63	14.0	1.50	3.75	0.05	0.80	<0.01	0.009	0.13	15.4	7.6	0.42	227	5.41	0.05
R335932		0.97	8.7	1.52	3.33	0.05	0.97	<0.01	0.007	0.18	18.5	7.5	0.35	229	2.33	0.07
R335933		0.73	4.4	1.36	3.23	0.05	0.89	<0.01	0.005	0.22	18.0	7.3	0.33	208	7.92	0.06
R335934		0.93	6.8	1.50	3.69	0.06	0.77	<0.01	0.006	0.29	18.9	8.7	0.37	234	1.12	0.06
R335935		0.78	7.5	1.29	2.19	0.05	0.56	<0.01	0.005	0.17	12.3	5.3	0.31	189	162.0	0.05
R335936		1.01	8.2	1.42	3.18	0.05	0.91	<0.01	0.007	0.18	17.0	7.5	0.32	197	1.44	0.07
R335937		0.59	8.0	1.46	3.29	0.06	0.88	<0.01	0.006	0.10	14.3	7.0	0.35	184	21.6	0.06
R335938		1.56	13.8	1.50	3.66	0.05	0.94	<0.01	0.007	0.24	18.1	8.6	0.39	238	1.04	0.08
R335939		1.40	8.4	1.51	3.25	0.06	1.00	<0.01	0.007	0.20	18.9	7.3	0.35	231	12.80	0.08
R335940		<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
R335941		0.44	10.2	1.31	1.98	<0.05	0.65	<0.01	<0.005	0.07	7.9	4.7	0.24	163	17.25	0.05
R335942		1.35	8.0	1.49	3.14	0.05	1.04	<0.01	0.006	0.21	18.2	6.4	0.33	231	5.62	0.08
R335943		1.63	12.5	1.48	3.61	0.07	0.90	<0.01	0.006	0.21	19.0	9.0	0.36	228	4.81	0.06
R335944		1.66	15.1	1.44	3.46	0.14	0.90	<0.01	0.010	0.19	17.0	8.1	0.36	222	2.70	0.05
R335945		1.86	14.2	1.36	3.23	0.16	1.02	<0.01	0.006	0.19	16.9	7.7	0.33	205	2.47	0.05
R335946		1.08	8.6	1.49	3.74	0.14	0.78	<0.01	0.008	0.15	17.2	9.7	0.40	223	2.65	0.05
R335947		0.14	5.6	1.54	0.87	0.11	0.25	<0.01	<0.005	0.02	4.0	1.8	0.07	107	184.5	0.03
R335948		0.25	7.0	1.44	2.70	0.12	0.78	<0.01	0.007	0.07	6.7	5.9	0.28	173	52.5	0.04
R335949		0.90	10.5	1.55	3.49	0.14	0.78	<0.01	0.009	0.13	16.1	8.3	0.40	237	1.10	0.04
R335950		3.04	67.6	2.89	6.18	0.17	0.35	0.09	0.037	0.22	9.8	15.4	0.85	673	5.61	0.05
R335951		0.71	10.3	1.69	2.97	0.14	0.67	<0.01	0.008	0.14	13.9	8.4	0.40	211	243	0.04
R335952		0.36	364	1.70	1.93	0.14	0.53	<0.01	0.010	0.07	13.2	5.9	0.29	161	1475	0.03
R335953		1.37	8.2	1.53	3.33	0.14	0.62	<0.01	0.006	0.18	17.5	8.8	0.37	214	13.55	0.05
R335954		1.38	16.1	1.45	3.58	0.14	0.72	<0.01	0.007	0.17	18.4	8.9	0.36	215	2.09	0.05
R335955		1.63	12.6	1.48	3.27	0.14	0.79	<0.01	0.007	0.19	18.2	6.9	0.34	231	3.41	0.06
R335956		0.69	12.9	1.46	3.05	0.13	0.66	<0.01	0.007	0.11	13.1	7.2	0.35	197	9.58	0.05
R335957		1.02	15.2	1.42	3.27	0.14	0.70	<0.01	0.007	0.15	17.5	7.4	0.36	225	1.88	0.04
R335958		1.15	9.3	1.44	3.49	0.15	0.79	<0.01	0.008	0.14	18.1	7.7	0.36	226	1.50	0.05
R335959		0.98	9.2	1.48	3.25	0.15	0.71	<0.01	0.006	0.17	17.9	7.2	0.36	234	1.17	0.05
R335960		0.94	8.8	1.43	3.26	0.14	0.69	<0.01	0.007	0.16	18.2	7.3	0.35	228	1.22	0.05
R335961		1.45	14.7	1.45	3.42	0.14	0.70	<0.01	0.008	0.21	16.8	8.1	0.36	228	5.15	0.05
R335962		1.91	12.9	1.37	3.60	0.14	0.82	<0.01	0.005	0.22	18.0	9.5	0.36	213	4.46	0.05
R335963		1.94	27.4	1.58	4.21	0.14	0.71	<0.01	0.006	0.21	18.0	9.5	0.46	247	12.35	0.05
R335964		1.45	28.3	1.66	4.50	0.15	0.60	<0.01	0.010	0.15	18.0	10.7	0.49	245	19.40	0.04
R335965		1.22	33.1	2.25	5.99	0.16	0.63	<0.01	0.010	0.14	23.2	12.9	0.65	304	9.74	0.05
R335966		1.12	19.9	1.70	3.98	0.14	0.48	<0.01	0.008	0.13	17.2	9.8	0.43	229	14.95	0.04
R335967		2.10	40.1	1.73	4.39	0.15	0.53	<0.01	0.007	0.29	21.5	10.6	0.45	263	4.72	0.06
R335968		2.04	23.9	1.71	4.04	0.15	0.57	<0.01	0.009	0.29	21.7	10.0	0.44	259	0.69	0.05
R335969		1.67	64.0	1.65	3.70	0.14	0.52	<0.01	0.009	0.24	19.4	9.1	0.38	242	32.6	0.05
R335970		<0.05	0.7	0.02	<0.05	0.10	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335931		0.35	4.8	510	5.0	8.2	0.001	0.25	<0.05	1.2	0.2	0.5	66.4	<0.01	0.08	3.5
R335932		0.46	4.3	530	8.3	12.3	0.001	0.15	<0.05	1.0	<0.2	0.7	70.4	<0.01	0.02	3.7
R335933		0.48	4.2	500	7.7	14.7	0.002	0.06	<0.05	0.9	<0.2	0.6	60.3	<0.01	0.01	3.5
R335934		0.40	4.8	510	6.5	19.0	<0.001	0.04	<0.05	1.1	<0.2	0.6	63.7	<0.01	<0.01	3.2
R335935		0.25	3.4	430	8.4	9.7	0.028	0.17	<0.05	0.8	0.2	0.4	38.6	<0.01	0.21	2.3
R335936		0.43	4.2	500	8.1	12.6	<0.001	0.12	<0.05	0.9	<0.2	0.7	52.4	<0.01	0.14	3.4
R335937		0.33	4.4	530	4.9	6.3	0.005	0.33	0.05	1.2	0.2	0.6	53.1	<0.01	0.12	3.2
R335938		0.36	4.7	530	7.0	17.9	<0.001	0.19	<0.05	1.3	<0.2	0.5	59.6	<0.01	0.02	3.5
R335939		0.44	4.7	550	8.1	14.8	0.003	0.15	0.05	1.2	<0.2	0.7	63.4	<0.01	0.03	3.5
R335940		<0.05	0.3	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R335941		0.21	4.0	340	3.9	4.7	0.005	0.43	0.06	0.8	0.2	0.5	40.5	<0.01	0.16	2.2
R335942		0.49	4.6	510	9.0	15.9	0.001	0.13	0.06	1.1	<0.2	0.7	63.8	<0.01	0.03	3.5
R335943		0.53	4.7	540	8.9	17.2	0.001	0.11	<0.05	1.1	<0.2	0.7	60.9	<0.01	0.02	3.5
R335944		0.35	4.7	480	6.9	15.7	0.001	0.11	0.09	1.1	0.4	0.6	54.1	<0.01	0.02	3.6
R335945		0.39	4.7	490	8.5	15.1	0.001	0.12	0.11	1.0	0.4	0.5	49.2	<0.01	0.04	4.1
R335946		0.31	4.9	530	4.8	9.9	0.001	0.09	0.09	1.2	0.3	0.6	57.3	<0.01	0.12	3.4
R335947		0.15	4.0	210	13.9	1.4	0.035	1.08	0.11	0.4	0.7	0.5	24.1	<0.01	3.78	1.0
R335948		0.20	4.7	430	10.0	3.5	0.009	0.60	0.11	0.9	0.4	0.6	43.3	<0.01	0.29	3.0
R335949		0.26	5.0	520	4.3	8.1	<0.001	0.24	0.11	1.4	0.4	0.6	57.6	<0.01	0.17	3.5
R335950		0.06	10.8	610	16.9	10.7	0.002	0.85	0.44	7.9	1.0	0.5	111.0	<0.01	2.24	1.4
R335951		0.19	5.7	550	9.2	8.9	0.034	0.78	0.10	1.5	0.7	0.4	71.8	<0.01	5.52	3.2
R335952		0.19	5.8	520	35.3	3.5	0.215	1.26	0.11	1.3	1.0	0.4	60.9	<0.01	4.65	2.5
R335953		0.27	5.2	510	3.9	12.8	0.003	0.27	0.08	1.2	0.4	0.6	65.2	<0.01	0.06	2.9
R335954		0.39	5.0	510	13.1	12.7	<0.001	0.13	0.08	1.1	0.4	0.5	69.4	<0.01	5.21	3.5
R335955		0.38	4.9	490	10.7	13.7	0.002	0.10	0.11	1.1	0.4	0.6	68.8	<0.01	0.55	3.6
R335956		0.21	5.7	470	5.7	6.8	0.001	0.46	0.09	1.1	0.4	0.5	51.7	<0.01	0.29	2.8
R335957		0.26	5.7	480	6.6	9.5	0.001	0.19	0.08	1.1	0.3	0.5	62.7	<0.01	0.12	3.6
R335958		0.38	5.7	490	10.8	10.0	<0.001	0.11	0.08	1.1	0.3	0.6	70.6	<0.01	0.35	3.5
R335959		0.33	5.7	500	8.2	11.1	<0.001	0.19	0.08	1.2	0.2	0.5	69.9	<0.01	0.23	3.2
R335960		0.31	5.6	500	8.1	10.7	<0.001	0.21	0.08	1.2	0.4	0.5	70.7	<0.01	0.33	3.3
R335961		0.33	5.7	480	6.3	15.1	0.001	0.18	0.07	1.1	0.5	0.6	68.3	<0.01	0.08	3.1
R335962		0.42	5.7	480	6.9	17.8	0.001	0.12	0.07	1.0	0.4	0.6	67.3	<0.01	0.02	3.4
R335963		0.31	6.8	530	5.2	16.6	0.007	0.25	0.07	1.3	0.4	0.6	67.9	<0.01	0.07	3.3
R335964		0.27	7.2	560	11.9	10.4	0.005	0.28	0.08	1.6	0.6	0.6	62.9	<0.01	0.41	3.0
R335965		0.33	8.8	890	2.7	9.5	0.003	0.46	0.08	2.1	0.6	0.7	71.6	<0.01	0.05	3.5
R335966		0.26	5.1	600	4.1	8.9	0.003	0.55	0.08	1.7	0.6	0.5	66.2	<0.01	0.17	2.7
R335967		0.34	5.1	590	4.5	21.6	0.001	0.21	0.07	1.5	0.3	0.7	82.4	<0.01	<0.01	3.0
R335968		0.41	4.9	610	7.1	22.2	<0.001	0.28	0.06	1.5	0.5	0.6	86.6	<0.01	0.02	3.0
R335969		0.39	4.8	580	11.5	18.0	0.007	0.32	0.06	1.2	0.5	0.5	87.9	<0.01	0.13	2.9
R335970		<0.05	0.3	10	0.4	0.1	<0.001	0.01	<0.05	<0.1	0.2	<0.2	0.7	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335931		0.067	0.06	1.29	20	0.37	2.84	35	20.7
R335932		0.083	0.10	1.64	19	0.10	2.87	36	22.5
R335933		0.085	0.12	1.20	20	0.07	2.80	38	21.7
R335934		0.093	0.14	0.87	22	0.08	2.95	41	20.2
R335935		0.062	0.07	0.79	16	0.12	1.99	29	14.8
R335936		0.080	0.11	1.39	18	0.14	2.77	30	23.5
R335937		0.061	0.05	1.18	18	0.37	2.98	25	23.0
R335938		0.086	0.13	1.24	22	0.11	3.12	38	24.2
R335939		0.080	0.12	1.44	18	0.12	3.14	35	27.0
R335940		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8
R335941		0.031	0.03	0.90	9	0.31	2.12	14	16.7
R335942		0.083	0.13	1.45	20	0.09	3.07	37	26.6
R335943		0.087	0.15	1.30	20	0.09	2.89	39	23.9
R335944		0.082	0.13	1.58	18	0.15	2.85	36	23.4
R335945		0.081	0.13	1.84	18	0.15	2.99	34	25.3
R335946		0.081	0.08	1.29	19	0.31	3.00	36	20.4
R335947		0.016	0.02	0.43	3	0.30	1.45	5	7.2
R335948		0.036	0.02	0.81	9	0.68	3.16	14	19.2
R335949		0.073	0.06	1.45	19	0.36	3.04	34	19.0
R335950		0.054	0.14	0.35	66	0.45	7.46	82	11.2
R335951		0.045	0.08	0.94	14	0.49	3.42	24	18.1
R335952		0.028	0.12	1.02	8	0.45	2.99	14	14.2
R335953		0.072	0.11	0.84	19	0.17	2.87	33	16.5
R335954		0.084	0.11	1.29	18	0.17	2.83	36	17.9
R335955		0.082	0.11	1.43	18	0.12	2.91	38	19.3
R335956		0.048	0.05	0.77	14	0.37	2.71	25	16.9
R335957		0.064	0.09	1.15	17	0.18	2.76	37	17.8
R335958		0.080	0.08	1.21	19	0.13	2.87	40	18.5
R335959		0.072	0.10	0.93	19	0.14	2.84	40	17.3
R335960		0.070	0.09	0.94	19	0.14	2.88	40	17.0
R335961		0.084	0.12	0.89	20	0.14	2.78	38	17.7
R335962		0.096	0.15	1.20	20	0.10	2.79	38	20.3
R335963		0.093	0.12	1.00	22	0.20	2.93	41	18.5
R335964		0.092	0.08	0.81	25	0.33	3.22	38	16.7
R335965		0.129	0.07	0.76	35	0.43	4.56	46	18.8
R335966		0.070	0.06	0.48	21	0.77	3.36	34	14.2
R335967		0.114	0.17	0.68	26	0.11	3.43	47	14.8
R335968		0.109	0.17	0.62	25	0.08	3.38	47	15.4
R335969		0.095	0.15	0.58	23	0.13	3.24	51	13.8
R335970		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335971		3.03	0.009	0.04	0.55	0.3	<0.2	<10	320	0.19	0.37	0.76	0.01	35.2	4.1	15
R335972		3.43	0.020	0.08	0.53	0.2	<0.2	<10	210	0.18	0.31	0.69	0.02	38.3	4.0	15
R335973		2.69	0.037	0.13	0.50	0.3	<0.2	<10	350	0.17	3.72	0.81	0.01	35.1	4.0	16
R335974		1.47	0.097	0.05	0.53	0.3	<0.2	<10	320	0.19	0.50	0.83	0.01	33.1	4.0	16
R335975		1.70	0.036	0.09	0.51	0.3	<0.2	<10	540	0.20	13.40	1.23	0.01	28.7	3.9	14
R335976		1.70	0.032	0.09	0.60	0.3	<0.2	<10	280	0.22	55.1	0.61	0.01	38.2	4.1	15
R335977		1.34	0.022	0.13	0.27	0.3	0.2	<10	310	0.10	15.55	0.61	<0.01	18.35	3.0	19
R335978		2.51	1.680	0.15	0.49	0.3	<0.2	<10	190	0.18	90.7	0.65	0.01	30.1	3.3	15
R335979		3.19	0.005	0.03	0.53	0.3	<0.2	<10	150	0.18	1.01	0.51	0.01	34.8	3.3	14
R335980		0.06	8.92	9.32	1.65	11.1	8.8	<10	30	0.57	0.08	3.85	0.28	19.40	10.6	18
R335981		1.32	0.025	0.09	0.34	0.3	<0.2	<10	380	0.15	0.74	0.75	<0.01	22.6	2.5	15
R335982		2.06	0.030	0.09	0.29	0.2	<0.2	<10	220	0.16	1.01	0.98	0.01	23.1	2.2	13
R335983		2.37	0.013	0.07	0.47	0.3	<0.2	<10	280	0.23	18.45	0.64	0.02	29.0	3.6	14
R335984		2.93	0.044	0.08	0.57	0.3	<0.2	<10	390	0.26	1.37	0.94	0.01	32.4	4.3	16
R335985		2.64	0.045	0.06	0.63	0.2	<0.2	<10	390	0.32	0.87	1.05	0.01	30.9	4.8	16
R335986		2.24	0.193	0.11	0.56	0.2	<0.2	<10	110	0.28	1.95	0.76	<0.01	28.1	4.6	15
R335987		2.28	0.024	0.03	0.69	0.2	<0.2	<10	120	0.30	0.50	0.86	0.01	33.0	4.6	17
R335988		3.38	0.035	0.03	0.55	0.5	<0.2	<10	280	0.26	0.79	1.08	0.01	30.8	4.3	15
R335989		3.41	0.017	0.04	0.55	0.1	<0.2	<10	160	0.21	0.35	0.83	0.01	31.5	3.9	16
R335990		<0.02	0.032	0.05	0.55	0.2	<0.2	<10	180	0.21	0.26	0.85	0.01	32.8	4.1	16
R335991		1.48	0.034	0.31	1.00	0.3	<0.2	<10	40	0.36	9.27	2.53	0.05	8.08	26.2	29
R335992		3.55	0.001	0.12	0.70	0.2	<0.2	<10	40	0.07	0.10	0.77	0.03	6.12	25.7	15
R335993		3.65	0.014	1.22	1.13	0.3	<0.2	<10	40	0.21	43.5	2.33	0.12	8.01	29.1	17
R335994		3.97	<0.001	0.14	2.08	0.2	<0.2	<10	10	0.20	0.14	1.39	0.05	8.41	31.5	18
R335995		3.79	<0.001	0.12	1.86	0.1	<0.2	<10	10	0.19	0.07	1.41	0.04	7.83	28.4	18
R335996		3.73	0.001	0.14	1.36	0.2	<0.2	<10	20	0.17	0.38	1.43	0.06	7.29	24.3	17
R335997		2.22	<0.001	0.08	1.72	0.1	<0.2	<10	20	0.20	0.20	1.77	0.05	7.92	29.5	16
R335998		1.71	0.011	0.43	1.51	0.3	<0.2	<10	60	0.36	0.23	1.22	0.13	7.41	29.6	14
R335999		3.07	0.015	0.22	0.81	0.3	<0.2	<10	30	0.31	1.29	1.26	0.08	7.40	21.4	12
R336000		3.81	0.007	0.13	0.91	0.3	<0.2	<10	30	0.30	0.29	1.47	0.08	7.56	24.5	13
P449701		3.57	0.001	0.12	0.69	0.4	<0.2	<10	30	0.31	0.54	1.17	0.08	7.92	13.8	10
P449702		3.80	0.001	0.10	1.17	0.3	<0.2	<10	40	0.41	1.07	1.89	0.08	8.21	24.7	11
P449703		3.84	<0.001	0.09	1.22	0.1	<0.2	<10	40	0.20	0.12	1.43	0.13	7.88	22.9	22
P449704		3.65	<0.001	0.11	1.08	0.2	<0.2	<10	40	0.27	0.21	1.23	0.06	8.54	18.5	15
P449705		3.74	0.001	0.12	1.49	0.3	<0.2	<10	40	0.35	0.52	1.94	0.09	9.34	26.8	17
P449706		3.83	0.001	0.10	1.59	0.3	<0.2	<10	30	0.24	0.47	1.78	0.09	8.93	31.0	16
P449707		3.67	0.001	0.12	1.18	0.3	<0.2	<10	30	0.33	0.57	1.98	0.13	8.21	28.8	16
P449708		1.97	<0.001	0.09	1.23	0.2	<0.2	<10	10	0.13	0.07	1.06	0.10	7.81	24.2	17
P449709		3.89	<0.001	0.12	1.31	0.2	<0.2	<10	50	0.11	0.08	1.20	0.12	9.57	23.1	18
P449710		0.09	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.03	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335971		1.15	27.7	1.57	3.72	0.14	0.50	<0.01	0.007	0.17	19.0	7.5	0.41	240	9.16	0.04
R335972		1.26	19.6	1.57	3.69	0.15	0.51	<0.01	0.007	0.20	20.3	8.2	0.38	246	3.55	0.05
R335973		1.54	22.4	1.55	3.53	0.14	0.51	<0.01	0.008	0.19	18.7	7.9	0.36	251	103.5	0.05
R335974		0.70	13.1	1.53	3.43	0.14	0.83	<0.01	0.007	0.16	17.5	7.0	0.38	227	1.34	0.06
R335975		0.61	27.9	1.51	3.73	0.13	0.45	<0.01	0.008	0.10	14.6	7.4	0.39	245	46.2	0.04
R335976		2.00	63.1	1.62	4.37	0.15	0.46	<0.01	0.007	0.24	20.4	11.0	0.44	249	4.10	0.05
R335977		0.25	51.1	1.28	2.06	0.11	0.26	<0.01	<0.005	0.05	9.9	3.9	0.20	138	62.5	0.04
R335978		0.82	44.3	1.46	3.47	0.14	0.44	<0.01	0.009	0.14	15.9	7.6	0.35	207	41.4	0.05
R335979		1.44	23.3	1.45	3.67	0.14	0.55	<0.01	0.008	0.22	18.8	9.1	0.37	233	0.94	0.04
R335980		2.39	64.6	2.92	6.42	0.22	0.63	0.15	0.024	0.12	8.9	21.3	1.06	783	4.63	0.06
R335981		0.44	23.2	1.20	2.35	0.13	0.47	<0.01	0.006	0.09	12.3	5.3	0.23	174	16.25	0.05
R335982		0.46	29.2	1.03	2.10	0.12	0.77	<0.01	0.005	0.08	12.2	4.4	0.19	148	18.30	0.04
R335983		0.73	22.4	1.44	3.15	0.13	0.58	<0.01	0.009	0.13	15.2	7.2	0.35	207	5.81	0.05
R335984		0.94	26.3	1.66	4.17	0.14	0.58	<0.01	0.010	0.12	17.3	10.2	0.46	258	46.3	0.05
R335985		0.89	29.9	1.76	4.52	0.15	0.53	<0.01	0.009	0.09	16.1	10.3	0.50	242	9.02	0.04
R335986		0.90	12.6	1.62	4.23	0.15	0.63	<0.01	0.007	0.08	14.4	8.9	0.45	223	44.9	0.04
R335987		1.26	8.6	1.74	4.97	0.15	0.62	<0.01	0.007	0.12	17.1	11.5	0.54	254	3.68	0.05
R335988		0.89	9.8	1.60	3.85	0.15	0.70	<0.01	0.007	0.16	16.4	9.3	0.44	250	11.60	0.04
R335989		0.88	10.3	1.46	3.54	0.14	0.70	<0.01	0.006	0.14	16.7	7.7	0.42	247	8.19	0.05
R335990		0.88	11.6	1.47	3.62	0.14	0.74	<0.01	0.008	0.14	17.2	7.7	0.43	251	10.05	0.05
R335991		2.46	99.3	5.82	5.41	0.14	0.20	<0.01	0.034	0.30	3.6	15.7	1.30	718	173.5	0.03
R335992		0.70	111.0	6.53	5.69	0.19	0.14	<0.01	0.017	0.11	2.5	4.7	0.54	356	0.83	0.07
R335993		3.09	128.5	8.00	6.56	0.20	0.22	<0.01	0.035	0.28	3.4	9.2	1.08	741	0.79	0.08
R335994		0.84	117.5	7.68	7.53	0.21	0.17	<0.01	0.024	0.08	3.4	14.6	1.18	649	1.19	0.05
R335995		0.71	109.5	6.46	7.05	0.20	0.14	<0.01	0.022	0.08	3.3	7.7	0.76	500	1.65	0.11
R335996		3.94	115.5	6.62	6.39	0.21	0.24	<0.01	0.021	0.22	3.0	9.5	0.72	466	1.14	0.08
R335997		4.86	107.5	7.21	7.37	0.23	0.18	<0.01	0.028	0.30	3.2	13.0	0.99	609	1.73	0.08
R335998		5.07	228	11.75	10.20	0.25	0.22	<0.01	0.024	0.33	3.1	14.1	0.93	778	0.93	0.06
R335999		2.67	108.0	5.37	5.34	0.16	1.17	<0.01	0.017	0.23	3.2	6.5	0.60	511	5.39	0.06
R336000		3.63	95.8	5.95	5.65	0.17	1.30	<0.01	0.027	0.27	3.2	7.4	0.74	606	2.22	0.07
P449701		2.23	68.5	3.73	4.03	0.16	1.60	<0.01	0.018	0.15	3.3	3.6	0.44	415	12.35	0.09
P449702		4.06	109.5	6.14	6.15	0.21	0.42	<0.01	0.032	0.27	3.5	7.8	0.81	683	3.37	0.11
P449703		3.93	110.0	4.87	5.65	0.23	0.24	<0.01	0.026	0.15	3.3	2.7	0.65	518	1.93	0.15
P449704		4.22	87.5	4.23	5.02	0.18	0.63	<0.01	0.022	0.22	3.7	4.1	0.61	460	4.96	0.12
P449705		11.00	102.5	5.86	7.53	0.22	0.57	<0.01	0.035	0.51	3.8	12.2	0.98	685	26.7	0.11
P449706		4.38	128.5	6.94	8.21	0.28	0.18	<0.01	0.033	0.21	3.6	10.0	0.90	764	4.00	0.13
P449707		7.87	231	6.89	7.20	0.29	0.21	<0.01	0.027	0.27	3.3	12.3	0.84	689	1.49	0.10
P449708		0.43	113.0	6.00	6.25	0.22	0.10	<0.01	0.025	0.04	3.1	7.9	0.72	593	1.95	0.11
P449709		2.44	114.5	6.01	6.56	0.23	0.12	<0.01	0.026	0.11	3.7	4.1	0.69	563	2.40	0.14
P449710		<0.05	0.8	0.03	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335971		0.29	4.7	540	4.9	12.0	0.001	0.28	0.08	1.3	0.4	1.0	71.0	<0.01	0.07	3.1
R335972		0.37	4.4	540	8.0	14.4	<0.001	0.21	0.07	1.2	0.4	0.5	69.5	<0.01	0.09	3.2
R335973		0.31	4.7	520	10.6	14.1	0.028	0.30	0.07	1.4	0.6	0.5	77.4	<0.01	0.23	3.0
R335974		0.30	5.3	510	4.1	9.0	<0.001	0.28	0.08	1.4	0.3	0.5	59.9	<0.01	0.09	3.4
R335975		0.24	4.4	570	12.4	6.4	0.008	0.40	0.08	1.2	0.6	0.4	66.3	<0.01	0.44	2.9
R335976		0.28	4.6	540	46.1	18.1	0.001	0.30	0.08	1.6	0.5	0.5	55.9	<0.01	0.40	2.8
R335977		0.14	3.7	260	8.6	2.5	0.017	0.51	0.08	0.8	0.6	0.5	33.2	<0.01	0.20	1.7
R335978		0.27	4.1	430	53.3	8.5	0.010	0.29	0.08	1.2	0.6	0.5	49.4	<0.01	1.74	2.7
R335979		0.31	3.8	470	4.5	16.1	<0.001	0.11	0.06	1.1	0.3	0.5	49.8	<0.01	0.06	3.1
R335980		0.13	10.2	620	14.5	5.7	0.002	0.43	0.40	8.4	0.8	0.5	103.0	<0.01	3.90	1.6
R335981		0.23	3.3	320	3.7	5.1	0.003	0.29	0.07	0.8	0.3	0.5	48.2	<0.01	0.09	2.4
R335982		0.19	2.9	240	4.9	4.3	0.003	0.30	0.07	0.8	0.4	0.4	54.0	<0.01	0.09	3.0
R335983		0.27	4.2	480	20.4	7.7	0.001	0.27	0.07	1.2	0.4	0.5	50.9	<0.01	0.11	2.9
R335984		0.27	4.9	590	5.2	8.6	0.008	0.35	0.06	1.6	0.4	0.6	59.1	<0.01	0.17	3.1
R335985		0.25	6.0	630	3.6	4.7	0.002	0.35	0.06	1.6	0.4	0.6	56.5	<0.01	0.13	3.3
R335986		0.27	5.2	580	5.2	4.9	0.004	0.39	0.07	1.5	0.4	0.5	48.0	<0.01	0.21	3.8
R335987		0.26	5.4	600	2.8	7.7	0.001	0.21	0.08	1.7	0.3	0.6	49.9	<0.01	0.08	3.7
R335988		0.28	4.9	570	3.5	10.6	0.003	0.32	0.06	1.7	0.5	0.5	47.8	<0.01	0.20	3.5
R335989		0.28	5.1	490	4.2	8.1	0.002	0.21	0.06	1.6	0.4	0.5	58.6	<0.01	0.06	3.1
R335990		0.28	5.3	480	4.2	8.3	0.002	0.22	0.06	1.7	0.4	0.5	60.2	<0.01	0.05	3.2
R335991		0.08	24.8	530	15.9	30.3	0.033	1.38	0.10	11.6	1.1	0.4	58.2	<0.01	0.43	0.4
R335992		0.16	18.6	740	1.1	4.3	<0.001	0.58	0.05	5.6	1.0	0.4	6.7	<0.01	0.01	0.2
R335993		0.14	20.3	730	60.8	23.4	0.001	1.68	0.17	12.2	1.6	0.5	59.1	<0.01	3.97	0.4
R335994		0.15	21.9	760	1.1	5.7	0.001	0.69	0.08	9.4	1.2	0.4	32.6	<0.01	0.03	0.3
R335995		0.16	19.6	710	0.8	5.8	0.001	0.59	0.05	8.8	1.3	0.4	38.0	0.01	0.03	0.3
R335996		0.19	16.8	620	2.1	20.3	<0.001	0.56	0.05	7.9	1.1	0.5	23.8	<0.01	0.02	0.6
R335997		0.14	20.0	670	1.7	25.0	0.001	0.81	0.05	10.9	1.3	0.4	37.6	<0.01	0.03	0.3
R335998		0.15	21.2	590	3.0	29.1	0.001	1.87	0.07	7.4	2.1	0.6	9.8	<0.01	0.18	0.6
R335999		0.22	14.2	420	7.7	24.3	0.002	0.92	0.07	6.8	0.9	0.5	15.3	<0.01	0.59	2.9
R336000		0.18	16.8	540	10.2	33.3	0.001	0.88	0.06	8.7	1.4	0.4	16.4	<0.01	0.09	3.1
P449701		0.14	9.6	340	12.8	16.7	0.006	0.55	0.05	6.2	0.8	0.4	11.3	<0.01	0.07	4.8
P449702		0.22	15.4	680	7.7	28.5	0.002	0.86	0.07	12.3	1.2	0.5	18.6	<0.01	0.07	1.1
P449703		0.15	17.0	670	5.3	17.7	0.002	0.45	0.05	9.6	0.9	0.5	9.4	<0.01	0.09	0.6
P449704		0.11	13.3	530	5.6	24.4	0.004	0.52	0.05	8.0	0.9	0.4	8.9	<0.01	0.06	2.0
P449705		0.09	18.2	680	6.2	59.6	0.008	0.83	0.05	14.9	1.4	0.6	19.7	<0.01	0.11	1.5
P449706		0.13	18.9	760	2.7	22.6	0.005	1.16	<0.05	13.3	1.7	0.5	16.3	<0.01	0.11	0.3
P449707		0.22	16.6	700	4.7	32.0	0.001	1.15	0.05	10.5	1.5	0.6	21.4	<0.01	0.07	0.3
P449708		0.10	14.8	700	3.8	1.9	0.003	0.54	<0.05	8.7	1.3	0.3	8.1	<0.01	0.06	0.3
P449709		0.08	15.9	760	3.6	7.5	0.002	0.43	0.05	9.8	1.0	0.4	9.7	<0.01	0.08	0.3
P449710		<0.05	0.4	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335971		0.079	0.10	0.68	21	0.18	3.07	39	12.6
R335972		0.089	0.11	0.79	22	0.11	2.97	44	13.4
R335973		0.075	0.11	0.74	20	0.14	3.10	38	13.5
R335974		0.077	0.07	1.00	21	0.36	3.37	34	21.6
R335975		0.059	0.04	0.57	17	0.44	3.38	26	12.6
R335976		0.091	0.14	0.61	23	0.26	3.15	40	12.5
R335977		0.030	0.02	0.36	10	0.29	1.72	13	7.1
R335978		0.070	0.07	0.70	19	0.31	2.54	28	12.3
R335979		0.088	0.13	0.90	20	0.13	2.56	38	14.3
R335980		0.138	0.08	0.44	77	0.45	7.53	63	19.7
R335981		0.043	0.04	0.75	11	0.31	2.11	19	11.9
R335982		0.035	0.03	1.14	9	0.38	2.79	16	16.7
R335983		0.068	0.05	1.10	18	0.17	2.55	34	14.0
R335984		0.078	0.06	0.98	23	0.29	3.16	34	14.6
R335985		0.078	0.03	1.01	25	0.37	3.31	31	14.0
R335986		0.068	0.03	2.22	23	0.34	3.26	30	13.7
R335987		0.087	0.06	1.36	28	0.33	3.42	35	14.9
R335988		0.077	0.08	1.30	24	0.30	3.30	31	16.7
R335989		0.080	0.06	0.98	22	0.25	3.20	36	18.3
R335990		0.082	0.06	1.00	22	0.26	3.28	37	18.9
R335991		0.133	0.29	0.14	95	0.15	8.88	76	4.6
R335992		0.219	0.07	0.06	143	0.08	10.60	45	2.9
R335993		0.239	0.23	0.12	134	0.12	11.55	79	4.6
R335994		0.251	0.05	0.06	127	0.13	12.20	95	3.0
R335995		0.219	0.05	<0.05	121	0.17	11.40	66	2.6
R335996		0.245	0.17	0.38	121	0.13	11.10	70	4.7
R335997		0.298	0.20	0.06	127	0.16	12.70	75	3.0
R335998		0.204	0.28	0.36	147	0.25	9.63	145	4.3
R335999		0.218	0.23	2.36	93	0.25	9.66	67	20.3
R336000		0.247	0.29	2.75	108	0.23	11.55	67	23.7
P449701		0.146	0.15	4.23	62	0.24	8.18	45	29.0
P449702		0.278	0.26	0.79	110	0.38	14.05	69	8.1
P449703		0.197	0.16	0.33	88	0.25	12.20	58	4.8
P449704		0.175	0.21	1.46	70	0.28	10.65	52	12.0
P449705		0.247	0.54	1.13	105	0.42	13.65	83	11.3
P449706		0.230	0.24	0.05	106	0.44	14.15	80	3.4
P449707		0.264	0.28	0.10	103	0.46	13.70	74	4.0
P449708		0.176	0.05	<0.05	102	0.31	10.65	68	1.9
P449709		0.168	0.09	<0.05	110	0.34	12.40	70	2.6
P449710		<0.005	<0.02	0.07	<1	<0.05	0.64	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
P449711		3.89	0.006	0.09	1.30	0.2	<0.2	<10	50	0.12	0.07	1.16	0.07	10.90	21.9	17
P449712		3.77	<0.001	0.15	1.39	0.1	<0.2	<10	70	0.19	0.12	1.41	0.12	9.20	27.1	18
P449713		3.75	<0.001	0.11	1.80	0.1	<0.2	<10	100	0.16	0.08	1.20	0.11	11.25	26.8	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
P449711		2.36	108.5	5.52	7.35	0.23	0.12	<0.01	0.032	0.12	4.2	4.4	0.69	315	1.54	0.15
P449712		2.90	207	6.69	7.18	0.23	0.13	<0.01	0.024	0.23	3.7	7.7	0.82	428	1.65	0.11
P449713		3.54	127.5	6.54	8.64	0.24	0.11	<0.01	0.031	0.22	4.3	10.0	1.02	448	1.32	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
P449711		0.08	13.4	810	0.8	8.5	0.002	0.34	<0.05	10.8	1.3	0.4	10.8	<0.01	0.04	0.3
P449712		0.17	16.8	740	1.2	17.7	0.002	0.70	<0.05	9.2	1.4	0.4	16.8	<0.01	0.05	0.3
P449713		0.07	18.4	790	1.6	16.1	0.002	0.39	<0.05	12.6	0.9	0.4	13.1	<0.01	0.06	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449711		0.179	0.07	<0.05	116	0.26	15.05	52	2.6
P449712		0.236	0.15	0.07	116	0.39	13.30	86	3.0
P449713		0.196	0.14	0.05	125	0.31	15.60	91	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 11-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15144923

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

CERTIFICATE SD15146181

Project: Miller

This report is for 172 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449714		1.52	<0.001		0.04	1.25	0.4	<0.2	<10	20	0.17	0.06	0.45	0.01	23.0	13.0
P449715		1.37	<0.001		0.12	0.81	0.3	<0.2	<10	10	0.22	0.43	0.72	<0.01	22.2	8.6
P449716		2.75	<0.001		0.04	0.71	0.3	<0.2	<10	10	0.10	0.11	0.41	0.01	21.2	8.3
P449717		1.90	<0.001		0.09	0.54	0.6	<0.2	<10	10	0.18	0.78	1.22	<0.01	14.20	6.9
P449718		2.81	<0.001		0.02	0.86	0.3	<0.2	<10	10	0.17	0.10	0.57	0.01	26.4	10.1
P449719		3.12	0.001		0.04	0.92	0.3	<0.2	<10	10	0.16	0.08	0.45	0.01	23.2	10.4
P449720		0.05	2.49		4.84	1.62	18.4	2.5	<10	40	0.67	0.10	3.70	0.39	22.8	11.6
P449721		3.46	0.001		0.03	0.97	0.3	<0.2	<10	10	0.17	0.18	0.72	0.01	22.9	10.4
P449722		2.20	0.001		0.05	1.63	0.5	<0.2	<10	20	0.35	0.32	1.27	0.02	67.6	20.3
P449723		1.89	<0.001		0.05	2.17	0.6	<0.2	<10	20	0.53	0.18	0.38	0.03	15.55	19.3
P449724		1.78	0.022		0.22	0.59	0.4	<0.2	<10	30	0.29	0.51	0.66	0.02	33.5	5.5
P449725		1.80	0.002		0.08	0.62	0.3	<0.2	<10	30	0.32	0.27	0.85	0.01	37.4	5.2
P449726		2.59	<0.001		0.05	0.83	0.3	<0.2	<10	10	0.22	0.13	0.82	0.02	25.2	10.8
P449727		3.15	<0.001		0.06	0.75	0.3	<0.2	<10	20	0.09	0.09	0.55	0.02	19.10	9.5
P449728		2.97	<0.001		0.05	0.78	0.3	<0.2	<10	20	0.10	0.13	0.67	0.02	16.10	10.1
P449729		3.13	0.001		0.14	1.30	0.3	<0.2	<10	30	0.25	0.52	1.69	0.03	17.55	15.3
P449730		<0.02	<0.001		0.12	1.34	0.3	<0.2	<10	30	0.22	0.47	1.74	0.02	17.15	15.6
P449731		2.21	0.007		0.19	0.97	0.2	<0.2	<10	20	0.17	0.18	1.13	0.02	26.5	12.1
P449732		3.11	0.003		0.13	1.12	0.3	<0.2	<10	10	0.20	0.24	1.13	0.02	21.9	14.5
P449733		3.56	<0.001		0.12	1.59	0.4	<0.2	<10	30	0.18	0.24	1.59	0.02	21.9	18.7
P449734		3.05	<0.001		0.06	1.49	0.3	<0.2	<10	20	0.19	0.11	1.14	0.02	21.2	18.0
P449735		3.37	0.027		0.31	1.26	0.2	<0.2	<10	30	0.20	0.57	1.93	<0.01	18.75	15.4
P449736		2.78	<0.001		0.10	0.83	0.4	<0.2	<10	20	0.15	0.33	1.45	0.03	18.45	7.7
P449737		2.17	<0.001		0.06	1.18	0.1	<0.2	<10	60	0.17	0.18	0.74	0.02	18.30	14.2
P449738		2.06	0.003		0.16	1.56	0.2	<0.2	<10	80	0.25	0.35	2.56	0.03	21.1	19.9
P449739		3.26	0.001		0.08	1.33	0.2	<0.2	<10	120	0.21	0.11	1.59	0.03	19.90	17.0
P449740		0.06	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.05	0.1
P449741		3.19	0.001		0.16	1.38	0.2	<0.2	<10	60	0.16	0.26	0.87	0.03	20.0	15.3
P449742		3.54	<0.001		0.05	0.87	0.3	<0.2	<10	60	0.10	0.04	0.46	0.01	16.65	12.1
P449743		3.26	<0.001		0.04	0.91	0.2	<0.2	<10	50	0.08	0.05	0.65	0.01	18.45	10.9
P449744		3.00	0.006		0.19	1.53	0.3	<0.2	<10	10	0.31	0.40	2.96	0.01	12.20	18.2
P449745		3.17	<0.001		0.03	1.49	0.3	<0.2	<10	60	0.16	0.09	0.88	0.01	18.40	14.6
P449746		3.26	<0.001		0.04	1.51	0.2	<0.2	<10	60	0.15	0.17	0.79	0.01	18.50	15.9
P449747		3.18	<0.001		0.03	1.35	0.2	<0.2	<10	50	0.13	0.12	0.64	<0.01	19.25	14.0
P449748		3.30	<0.001		0.03	1.43	0.1	<0.2	<10	60	0.16	0.14	1.10	0.01	19.25	14.2
P449749		2.14	<0.001		0.02	1.17	0.2	<0.2	<10	30	0.12	0.14	0.86	0.01	21.1	13.2
P449750		0.06	9.40		8.96	1.67	11.2	9.5	<10	30	0.60	0.07	3.87	0.28	20.6	10.9
P449751		2.13	0.006		0.42	1.18	0.3	<0.2	<10	20	0.22	1.28	3.80	0.01	18.00	16.4
P449752		3.64	<0.001		0.05	1.23	0.2	<0.2	<10	30	0.07	0.05	0.58	<0.01	17.90	13.2
P449753		0.98	<0.001		0.10	1.51	0.3	<0.2	<10	40	0.09	0.06	1.36	0.01	16.85	14.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449714		85	4.88	33.5	2.11	5.46	0.07	0.40	<0.01	<0.005	0.25	11.6	28.4	1.17	227	1.18
P449715		80	2.34	39.3	1.64	5.11	0.06	0.41	<0.01	0.006	0.14	11.2	19.9	0.84	182	18.45
P449716		70	1.15	61.2	1.54	4.16	0.05	0.33	0.01	<0.005	0.07	10.6	15.6	0.71	189	1.01
P449717		61	0.67	73.4	1.49	4.67	0.06	0.29	<0.01	0.006	0.04	7.1	14.0	0.60	182	46.9
P449718		67	0.44	31.0	1.61	4.89	0.07	0.31	0.01	0.005	0.04	13.0	17.6	0.84	208	3.85
P449719		62	0.32	31.4	1.65	4.77	0.07	0.26	<0.01	<0.005	0.03	11.5	18.6	0.86	207	9.27
P449720		24	3.12	73.6	3.01	6.90	0.08	0.39	0.09	0.038	0.24	10.9	17.3	0.88	697	6.54
P449721		64	0.47	42.0	1.64	5.11	0.07	0.23	0.01	<0.005	0.04	11.4	18.4	0.87	216	15.15
P449722		124	0.58	22.4	2.54	7.95	0.12	0.31	<0.01	0.009	0.10	30.9	31.7	1.65	349	1.04
P449723		156	0.47	14.1	3.46	13.10	0.06	0.49	<0.01	0.013	0.06	7.3	51.0	2.61	515	0.92
P449724		23	0.41	28.9	1.45	4.64	0.07	0.67	<0.01	0.008	0.08	17.4	10.2	0.54	183	34.0
P449725		30	0.55	17.7	1.49	4.85	0.07	0.57	<0.01	0.008	0.08	20.5	10.8	0.52	207	7.31
P449726		80	0.47	163.5	1.52	5.09	0.07	0.24	<0.01	0.005	0.06	12.8	17.0	0.83	208	2.14
P449727		61	2.12	41.8	1.43	3.69	0.06	0.21	<0.01	<0.005	0.15	9.7	14.0	0.63	150	4.85
P449728		69	3.26	57.6	1.43	4.20	0.05	0.19	<0.01	<0.005	0.21	8.2	16.9	0.72	160	5.25
P449729		95	4.78	56.7	2.30	6.82	0.07	0.27	<0.01	0.009	0.33	8.8	29.9	1.46	340	41.5
P449730		100	4.69	58.4	2.36	6.78	0.06	0.26	<0.01	0.011	0.33	8.6	29.7	1.51	348	37.0
P449731		74	1.44	52.3	1.78	4.54	0.06	0.37	0.01	0.006	0.14	14.4	17.2	0.96	247	14.80
P449732		104	4.04	52.4	2.10	4.97	0.07	0.23	0.01	0.009	0.24	11.2	20.1	1.20	286	2.85
P449733		133	6.78	72.5	2.70	7.36	0.08	0.26	0.01	0.013	0.47	11.1	30.8	1.74	379	9.29
P449734		119	2.97	70.5	2.43	6.51	0.09	0.22	<0.01	0.011	0.29	10.6	31.4	1.66	332	3.87
P449735		88	4.44	44.4	2.15	5.71	0.07	0.27	<0.01	0.009	0.32	9.4	23.4	1.24	288	104.5
P449736		58	0.77	48.0	1.12	4.40	0.07	0.23	<0.01	0.005	0.08	9.1	8.2	0.53	141	2.89
P449737		91	4.40	51.6	1.83	4.59	0.06	0.22	0.01	0.006	0.46	9.4	23.6	1.10	216	7.61
P449738		100	3.09	57.8	2.54	5.34	0.05	0.25	<0.01	0.011	0.33	10.6	33.0	1.76	403	25.8
P449739		92	2.17	45.5	2.17	4.84	<0.05	0.20	<0.01	0.006	0.26	10.1	25.8	1.52	333	3.82
P449740		<1	<0.05	0.8	0.03	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.06
P449741		103	5.84	99.5	2.06	5.14	0.06	0.20	<0.01	0.012	0.44	10.0	24.9	1.33	243	2.34
P449742		100	2.15	46.9	1.57	4.12	0.05	0.17	0.01	0.005	0.27	8.8	15.7	0.83	168	1.36
P449743		92	2.04	49.6	1.60	4.22	0.06	0.19	0.01	0.006	0.25	9.4	15.5	0.84	167	11.55
P449744		112	0.48	189.0	2.59	7.15	0.05	0.24	0.01	0.016	0.10	5.7	23.4	1.67	372	13.50
P449745		109	1.14	64.6	2.37	6.77	0.09	0.16	<0.01	0.008	0.23	9.1	26.6	1.63	333	5.78
P449746		99	1.26	40.9	2.33	6.84	0.09	0.17	<0.01	0.006	0.30	9.0	27.1	1.68	377	8.99
P449747		110	1.04	120.0	2.09	5.92	0.09	0.20	<0.01	0.006	0.21	9.3	23.3	1.54	337	3.43
P449748		130	1.71	38.7	2.12	6.21	0.09	0.24	0.01	0.005	0.28	9.4	26.1	1.62	369	4.75
P449749		96	0.84	28.2	1.66	4.41	0.05	0.16	0.01	<0.005	0.18	10.2	19.2	1.19	252	8.32
P449750		18	2.42	64.4	2.96	6.65	0.14	0.54	0.16	0.028	0.13	8.8	23.4	1.07	785	6.62
P449751		125	0.42	41.5	2.35	6.03	0.05	0.20	0.01	0.010	0.09	8.4	17.9	1.18	316	7.82
P449752		98	0.61	30.1	1.84	4.14	0.05	0.13	<0.01	<0.005	0.16	8.6	21.3	1.28	266	1.23
P449753		158	1.13	18.1	2.23	5.49	0.06	0.14	<0.01	<0.005	0.25	7.9	28.9	1.69	320	2.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449714		0.08	0.10	42.4	520	1.4	27.2	0.001	0.04	0.05	2.0	<0.2	0.4	28.3	<0.01	0.01
P449715		0.07	0.21	34.0	480	1.9	15.1	0.008	0.11	0.07	2.0	0.2	0.5	36.2	<0.01	0.01
P449716		0.08	0.14	30.8	460	1.0	6.0	<0.001	0.08	0.07	1.2	<0.2	0.4	19.8	<0.01	<0.01
P449717		0.05	0.18	29.5	300	3.0	3.6	0.019	0.23	0.09	2.2	0.3	0.8	28.3	<0.01	0.01
P449718		0.07	0.11	38.3	560	1.0	2.8	0.002	0.09	0.07	1.7	<0.2	0.4	29.4	<0.01	0.01
P449719		0.06	0.10	38.8	540	0.9	2.2	0.005	0.04	0.06	1.7	0.2	0.3	30.4	<0.01	0.02
P449720		0.07	<0.05	11.0	630	17.9	12.7	0.003	0.88	0.45	9.4	1.0	0.5	120.5	<0.01	2.44
P449721		0.07	0.10	37.8	540	1.3	3.1	0.011	0.10	0.07	1.7	0.2	0.3	50.2	<0.01	0.01
P449722		0.05	0.09	71.1	1060	1.3	4.9	0.001	0.41	0.07	3.4	0.3	0.3	92.9	<0.01	0.02
P449723		0.06	0.07	85.4	540	1.1	4.2	<0.001	0.01	0.06	7.5	0.2	0.4	25.8	<0.01	0.03
P449724		0.05	0.28	9.1	480	4.2	3.9	0.015	0.21	0.08	2.2	0.4	0.5	30.8	<0.01	0.18
P449725		0.06	0.33	11.1	480	3.6	4.5	0.003	0.17	0.07	1.9	0.2	0.5	48.4	<0.01	0.06
P449726		0.06	0.17	42.4	580	1.7	4.1	<0.001	0.12	0.06	1.8	0.3	0.4	55.3	<0.01	0.01
P449727		0.08	0.10	36.5	490	1.1	9.4	0.003	0.11	0.05	1.4	<0.2	0.4	31.5	<0.01	0.01
P449728		0.07	0.10	38.4	470	2.7	18.3	0.003	0.14	<0.05	1.2	0.2	0.3	32.0	<0.01	0.01
P449729		0.07	0.08	59.0	460	2.4	32.6	0.022	0.35	<0.05	4.8	0.3	0.3	65.0	<0.01	0.10
P449730		0.07	0.08	60.4	480	2.4	31.6	0.017	0.34	0.05	4.8	0.3	0.3	64.9	<0.01	0.08
P449731		0.07	0.10	43.6	530	3.1	11.3	0.006	0.21	0.06	2.8	<0.2	0.3	45.3	<0.01	0.11
P449732		0.07	0.07	57.2	500	1.7	22.1	0.002	0.20	0.05	4.1	<0.2	0.4	42.2	<0.01	0.06
P449733		0.07	0.06	73.8	480	2.3	33.2	0.011	0.20	0.05	6.2	0.3	0.4	40.7	<0.01	0.05
P449734		0.06	0.06	70.3	480	1.8	20.4	0.002	0.19	0.05	5.4	0.2	0.3	33.7	<0.01	0.02
P449735		0.05	0.08	57.3	440	3.2	26.2	0.057	0.34	0.06	4.1	0.3	0.4	64.5	<0.01	0.23
P449736		0.05	0.26	30.3	430	2.3	6.1	0.002	0.15	0.07	1.8	<0.2	0.4	67.6	<0.01	<0.01
P449737		0.07	0.08	52.9	490	1.2	31.4	0.006	0.14	<0.05	2.3	0.2	0.3	31.7	<0.01	0.01
P449738		0.04	0.05	71.5	510	2.0	22.9	0.006	0.42	0.05	5.2	0.5	0.2	66.4	<0.01	0.10
P449739		0.05	0.08	65.8	460	1.7	19.8	0.002	0.26	0.05	3.5	0.2	0.3	76.8	<0.01	0.09
P449740		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
P449741		0.06	0.09	59.2	460	2.0	35.4	0.002	0.13	<0.05	2.7	0.3	0.3	35.9	<0.01	0.02
P449742		0.08	0.07	51.7	470	0.8	13.6	0.001	0.07	<0.05	1.6	<0.2	0.3	22.0	<0.01	0.01
P449743		0.07	0.10	44.9	460	0.8	14.3	0.009	0.05	0.05	1.7	<0.2	0.3	26.2	<0.01	0.01
P449744		0.05	0.06	71.9	480	1.1	5.2	0.010	0.30	<0.05	6.3	0.3	0.3	34.0	<0.01	0.22
P449745		0.06	0.05	60.4	440	1.2	9.1	0.003	0.10	<0.05	2.4	0.2	0.3	26.9	<0.01	0.01
P449746		0.08	0.05	64.6	440	1.1	10.7	0.007	0.14	<0.05	3.0	0.2	0.6	32.6	<0.01	0.02
P449747		0.09	0.06	57.5	470	1.0	7.6	0.002	0.08	<0.05	2.0	0.2	0.3	24.6	<0.01	0.01
P449748		0.08	0.07	60.6	490	1.0	12.5	0.004	0.09	<0.05	2.8	0.2	0.3	37.0	<0.01	<0.01
P449749		0.07	0.08	51.3	550	0.8	7.8	0.007	0.12	<0.05	1.9	0.3	0.3	44.2	<0.01	<0.01
P449750		0.07	0.10	9.3	620	14.5	5.8	0.001	0.43	0.34	8.6	0.7	0.5	106.5	<0.01	3.99
P449751		0.05	0.07	72.2	410	1.3	4.6	0.006	0.40	<0.05	5.7	0.4	0.3	34.2	<0.01	0.30
P449752		0.06	0.06	54.4	480	0.6	5.0	0.001	0.10	<0.05	1.3	0.4	0.2	27.4	<0.01	0.01
P449753		0.05	0.05	68.0	430	3.1	7.5	0.001	0.07	<0.05	1.7	<0.2	0.3	31.2	<0.01	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449714		1.6	0.139	0.21	0.28	35	0.16	2.57	48	16.7
P449715		1.3	0.133	0.13	0.55	34	0.14	2.48	33	16.4
P449716		1.4	0.099	0.05	0.44	26	0.15	1.78	29	13.7
P449717		0.8	0.091	0.03	0.25	29	0.29	2.25	23	9.4
P449718		1.5	0.099	0.02	0.23	26	0.18	2.03	33	12.7
P449719		1.4	0.086	0.02	0.19	24	0.17	1.77	34	11.1
P449720		1.5	0.058	0.15	0.35	69	0.42	7.97	83	13.1
P449721		1.3	0.096	0.02	0.22	23	0.20	1.96	32	8.4
P449722		3.3	0.145	0.03	0.55	38	0.27	3.75	62	11.7
P449723		1.1	0.156	0.03	0.27	55	0.49	3.77	106	20.8
P449724		3.6	0.070	0.03	0.67	22	0.43	3.64	30	20.8
P449725		3.6	0.089	0.03	1.14	24	0.36	3.47	30	18.0
P449726		1.4	0.117	0.03	0.27	27	0.22	2.33	33	9.1
P449727		1.1	0.084	0.07	0.19	21	0.11	1.60	26	7.5
P449728		0.9	0.091	0.15	0.18	22	0.12	1.50	29	6.7
P449729		1.0	0.105	0.26	0.20	42	0.21	2.67	48	10.3
P449730		1.0	0.110	0.25	0.21	43	0.22	2.62	50	9.9
P449731		2.6	0.093	0.09	0.71	30	0.12	2.49	32	12.3
P449732		1.4	0.110	0.19	0.26	39	0.18	2.71	33	9.2
P449733		1.3	0.144	0.25	0.21	55	0.21	3.63	48	9.9
P449734		1.3	0.139	0.16	0.21	47	0.28	3.09	46	8.7
P449735		1.2	0.110	0.21	0.21	37	0.23	2.76	36	9.9
P449736		1.1	0.123	0.05	0.24	22	0.30	2.65	14	7.1
P449737		1.3	0.150	0.23	0.22	37	0.13	2.39	36	8.7
P449738		1.2	0.102	0.20	0.28	37	0.13	3.50	49	9.9
P449739		1.2	0.115	0.17	0.35	33	0.11	2.65	45	7.5
P449740		0.2	<0.005	<0.02	0.08	<1	<0.05	0.64	<2	0.9
P449741		1.3	0.146	0.25	0.25	41	0.25	2.42	40	7.7
P449742		1.4	0.124	0.10	0.23	33	0.13	1.75	25	6.6
P449743		1.2	0.131	0.12	0.20	33	0.11	2.14	25	7.0
P449744		1.1	0.113	0.04	0.30	54	0.40	4.09	47	8.9
P449745		1.2	0.147	0.06	0.18	51	0.28	2.50	53	6.0
P449746		1.3	0.167	0.05	0.18	56	0.28	2.54	67	6.5
P449747		1.2	0.160	0.04	0.19	47	0.39	2.29	64	7.1
P449748		1.3	0.178	0.08	0.22	49	0.30	3.01	62	8.1
P449749		1.3	0.126	0.05	0.19	32	0.16	2.14	39	6.2
P449750		1.5	0.132	0.07	0.42	78	0.34	7.73	65	19.6
P449751		1.1	0.112	0.03	0.19	50	0.49	3.83	47	7.3
P449752		1.2	0.119	0.03	0.17	33	0.27	1.63	44	5.4
P449753		1.1	0.115	0.04	0.15	40	0.21	1.79	55	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449754		3.40	<0.001		0.07	1.23	0.2	<0.2	<10	70	0.06	0.05	0.37	0.01	16.70	14.1
P449755		3.25	<0.001		0.05	1.13	0.3	<0.2	<10	50	0.06	0.06	0.42	0.03	14.80	15.2
P449756		3.31	0.030		0.42	1.61	0.3	<0.2	<10	50	0.25	8.92	2.17	0.07	16.50	23.2
P449757		3.39	<0.001		0.06	1.31	0.1	<0.2	<10	50	0.10	0.07	0.49	0.01	16.00	15.9
P449758		3.49	<0.001		0.03	1.52	<0.1	<0.2	<10	80	0.12	0.07	0.56	0.01	14.70	17.0
P449759		3.48	<0.001		0.03	1.60	0.1	<0.2	<10	120	0.09	0.08	0.41	<0.01	15.05	17.8
P449760		<0.02	<0.001		0.03	1.56	0.1	<0.2	<10	120	0.11	0.07	0.38	0.01	14.95	17.5
P449761		3.50	<0.001		0.07	1.37	0.2	<0.2	<10	100	0.10	0.16	0.47	<0.01	19.40	15.9
P449762		3.18	0.001		0.05	1.53	0.3	<0.2	<10	150	0.09	0.30	0.37	0.01	21.8	16.7
P449763		3.51	<0.001		0.11	1.24	0.2	<0.2	<10	90	0.12	1.43	0.79	<0.01	19.60	14.3
P449764		2.22	<0.001		0.06	0.92	0.1	<0.2	<10	50	0.06	0.26	0.43	0.01	12.80	13.9
P449765		3.46	<0.001		0.04	1.26	0.2	<0.2	<10	150	0.08	0.03	0.43	0.01	11.15	14.6
P449766		2.32	0.017		1.68	1.45	0.1	<0.2	<10	20	0.20	50.5	0.98	<0.01	13.80	17.4
P449767		2.20	0.085		1.47	1.06	0.3	<0.2	<10	10	0.32	1.01	1.87	0.02	14.70	14.6
P449768		3.58	<0.001		0.03	1.26	0.2	<0.2	<10	90	0.10	0.08	0.50	<0.01	13.45	15.2
P449769		3.67	<0.001		0.11	1.05	0.2	<0.2	<10	40	0.14	0.41	0.81	0.01	13.15	13.8
P449770		0.09	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.98	0.1
P449771		3.46	<0.001		0.06	1.04	<0.1	<0.2	<10	20	0.11	0.22	0.73	0.01	14.35	13.5
P449772		1.93	<0.001		0.02	0.99	0.1	<0.2	<10	40	0.08	0.05	0.61	0.01	14.75	13.2
P449773		3.02	0.005		0.07	0.78	0.3	<0.2	<10	10	0.16	0.52	2.01	0.01	13.45	10.0
P449774		3.74	<0.001		0.02	0.72	0.1	<0.2	<10	20	0.11	0.11	0.91	<0.01	14.35	8.4
P449775		3.66	<0.001		0.03	0.94	0.2	<0.2	<10	30	0.09	0.06	0.58	0.01	12.45	12.8
P449776		3.86	<0.001		0.06	0.93	0.1	<0.2	<10	80	0.06	0.06	0.56	0.01	13.00	12.8
P449777		2.29	<0.001		0.12	0.89	0.2	<0.2	<10	30	0.20	0.22	1.30	0.01	14.85	10.8
P449778		1.58	0.003		0.24	1.02	0.3	<0.2	<10	10	0.27	0.45	2.12	<0.01	17.65	14.7
P449779		3.99	<0.001		0.06	0.84	<0.1	<0.2	<10	10	0.06	0.07	0.53	0.01	13.60	15.4
P449780		0.06	0.875		5.86	1.02	41.6	0.8	<10	40	0.21	1.12	0.40	4.73	5.31	14.2
P449781		3.21	<0.001		0.06	1.80	0.1	<0.2	<10	70	0.26	0.10	1.47	0.02	14.60	26.1
P449782		3.06	0.001		0.04	1.18	0.3	<0.2	<10	50	0.16	0.18	0.60	<0.01	14.50	14.8
P449783		2.55	0.001		0.03	1.19	0.2	<0.2	<10	70	0.14	0.07	0.67	<0.01	16.25	14.9
P449784		2.37	0.019		1.02	0.85	0.3	<0.2	<10	40	0.33	1.30	2.28	0.01	13.25	14.4
P449785		1.25	>10.0	20.00	4.86	1.33	0.5	12.0	<10	10	1.22	650	7.97	0.43	13.50	29.5
P449786		1.87	0.025		0.61	1.19	0.4	<0.2	<10	20	0.49	1.60	3.57	0.02	15.85	16.4
P449787		0.69	0.032		0.23	1.23	0.2	<0.2	<10	30	0.50	5.21	3.20	<0.01	17.50	16.0
P449788		1.37	0.092		0.56	1.05	0.2	<0.2	<10	20	0.56	1.19	2.28	0.01	18.15	13.5
P449789		2.44	0.248		0.30	0.47	0.3	0.4	<10	50	0.38	1.23	1.00	<0.01	34.8	4.5
P449790		<0.02	0.174		0.21	0.46	0.2	0.2	<10	50	0.42	1.09	1.00	<0.01	33.1	4.1
P449791		2.94	0.060		0.29	0.38	0.3	<0.2	<10	60	0.27	1.42	0.96	0.04	26.0	3.2
P449792		3.10	0.155		0.26	0.43	0.2	0.5	<10	70	0.38	1.45	1.05	0.01	28.6	3.6
P449793		2.07	0.053		0.09	0.39	0.1	<0.2	<10	190	0.29	0.85	0.88	0.01	30.5	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449754		126	1.08	46.2	1.90	4.44	0.06	0.09	0.01	<0.005	0.32	8.5	21.2	1.22	208	0.84
P449755		140	0.74	17.3	1.76	3.93	<0.05	0.11	0.01	<0.005	0.24	8.0	19.2	1.12	207	1.82
P449756		215	8.10	67.1	2.93	5.24	0.06	0.20	0.01	0.012	0.54	8.4	34.8	2.01	463	85.7
P449757		161	4.01	29.4	1.93	4.28	0.05	0.12	0.01	<0.005	0.40	8.5	24.1	1.30	224	2.19
P449758		183	2.10	25.9	2.13	6.05	0.07	0.11	0.01	<0.005	0.40	7.9	30.8	1.70	264	1.00
P449759		182	2.44	40.9	2.25	6.03	0.06	0.14	0.01	<0.005	0.54	8.2	31.3	1.73	270	3.19
P449760		181	2.45	41.2	2.19	5.98	0.07	0.14	0.01	<0.005	0.54	8.1	31.3	1.70	264	3.14
P449761		144	1.99	60.9	2.15	5.37	0.08	0.17	0.01	0.005	0.45	10.1	27.9	1.51	275	1.35
P449762		138	3.68	44.9	2.38	5.08	0.08	0.15	0.01	0.006	0.86	11.4	30.3	1.42	251	4.51
P449763		131	1.99	33.0	2.08	5.08	0.06	0.13	0.01	0.005	0.42	10.4	22.5	1.28	280	0.73
P449764		130	1.76	51.6	1.71	3.90	0.05	0.13	0.01	<0.005	0.27	7.2	16.2	1.02	234	19.45
P449765		135	1.29	51.5	1.91	4.49	0.05	0.10	0.01	<0.005	0.60	6.2	24.7	1.25	195	0.73
P449766		160	0.95	46.9	2.28	6.11	0.05	0.14	0.01	0.006	0.12	7.7	25.8	1.85	349	36.2
P449767		116	0.59	26.7	2.20	5.94	0.05	0.68	0.01	0.009	0.06	8.2	19.5	1.49	328	104.0
P449768		138	1.84	43.6	2.01	5.02	0.05	0.12	0.01	<0.005	0.44	7.4	26.5	1.30	225	0.71
P449769		141	1.74	76.8	1.77	4.77	0.06	0.16	<0.01	<0.005	0.22	7.1	20.6	1.06	215	14.95
P449770		<1	<0.05	0.4	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05
P449771		130	1.78	32.2	1.85	4.39	0.05	0.14	<0.01	<0.005	0.15	7.6	22.5	1.17	257	8.39
P449772		109	0.88	61.5	1.49	3.13	<0.05	0.11	<0.01	<0.005	0.20	8.1	18.5	0.94	203	4.92
P449773		81	0.62	81.7	1.49	3.93	0.05	0.19	<0.01	0.006	0.07	6.8	13.2	0.90	254	13.10
P449774		82	0.68	46.1	1.17	2.78	<0.05	0.16	<0.01	<0.005	0.10	7.6	11.3	0.67	175	7.80
P449775		134	1.25	50.0	1.58	3.27	0.05	0.13	<0.01	<0.005	0.21	6.6	19.3	0.98	202	3.27
P449776		110	1.22	63.8	1.49	3.08	0.05	0.12	0.01	<0.005	0.33	7.1	15.8	0.81	153	2.68
P449777		101	1.46	53.6	1.52	3.48	<0.05	0.17	<0.01	0.006	0.17	7.9	19.0	0.99	234	3.18
P449778		121	0.59	34.3	2.19	5.05	0.06	0.57	0.01	0.008	0.04	9.9	20.5	1.26	332	20.0
P449779		98	0.88	58.6	1.57	3.20	0.06	0.13	0.01	<0.005	0.09	7.2	13.6	0.82	177	2.32
P449780		19	3.50	6980	6.60	2.97	0.06	<0.02	0.06	0.324	0.26	2.5	10.6	0.31	619	138.5
P449781		218	3.82	82.3	2.85	6.71	0.07	0.23	0.01	0.005	0.32	7.6	54.4	2.10	426	7.75
P449782		130	2.00	50.4	1.86	4.72	0.06	0.17	<0.01	<0.005	0.22	7.9	28.8	1.25	262	2.74
P449783		147	2.09	62.6	1.87	4.32	0.05	0.18	<0.01	<0.005	0.35	8.8	28.4	1.23	242	1.10
P449784		102	1.20	88.4	1.89	3.55	<0.05	0.20	<0.01	0.006	0.19	6.9	18.3	0.92	292	9.53
P449785		53	1.30	253	4.54	7.04	0.05	0.45	<0.01	0.020	0.18	6.3	37.8	1.67	810	211
P449786		72	1.56	74.0	2.27	3.52	<0.05	0.21	<0.01	0.007	0.22	8.0	26.2	1.28	420	1.55
P449787		143	5.85	54.0	2.41	4.36	0.05	0.37	<0.01	0.010	0.26	9.0	34.4	1.55	401	1150
P449788		108	2.85	26.5	1.94	4.41	0.05	0.56	<0.01	0.011	0.15	9.8	26.8	1.39	448	75.4
P449789		18	0.72	37.8	1.81	3.23	0.06	0.79	<0.01	0.012	0.08	19.9	11.2	0.47	289	115.0
P449790		16	0.71	36.7	1.68	3.31	0.05	0.79	0.01	0.011	0.08	19.1	13.0	0.47	277	103.0
P449791		14	0.21	28.1	1.38	2.90	<0.05	0.71	<0.01	0.011	0.07	14.8	6.2	0.36	247	54.3
P449792		16	0.25	25.9	1.42	3.53	0.05	0.68	<0.01	0.010	0.06	16.3	6.8	0.38	220	20.6
P449793		15	0.33	21.1	1.47	2.94	0.05	0.65	<0.01	0.008	0.06	17.4	5.8	0.34	217	6.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449754		0.06	0.06	58.6	490	2.5	9.7	<0.001	0.04	<0.05	1.5	0.2	0.2	16.8	<0.01	<0.01
P449755		0.07	0.06	71.6	460	1.4	7.6	0.001	0.09	<0.05	1.5	0.4	0.2	17.6	<0.01	0.01
P449756		0.05	0.05	113.5	460	26.4	47.3	0.071	0.40	<0.05	6.1	0.4	0.2	59.6	<0.01	2.05
P449757		0.07	0.08	78.2	460	1.2	26.0	0.002	0.07	<0.05	1.4	0.2	0.2	20.7	<0.01	<0.01
P449758		0.06	0.05	84.4	470	0.5	16.1	0.001	0.03	<0.05	1.7	<0.2	0.2	17.9	<0.01	0.01
P449759		0.08	0.05	86.4	490	0.6	20.9	0.003	0.05	<0.05	1.7	<0.2	0.2	16.6	<0.01	0.01
P449760		0.07	0.05	86.0	490	0.6	21.0	0.003	0.05	<0.05	1.6	0.3	0.2	15.5	<0.01	<0.01
P449761		0.07	0.07	68.9	540	1.3	16.2	0.002	0.12	<0.05	1.7	0.3	0.3	15.0	<0.01	0.01
P449762		0.07	0.07	65.2	560	2.0	27.8	0.003	0.12	<0.05	1.9	0.3	0.3	16.2	<0.01	0.01
P449763		0.07	0.06	57.6	580	4.3	15.9	0.001	0.06	<0.05	2.5	0.3	0.2	22.7	<0.01	0.01
P449764		0.07	0.07	64.0	480	5.0	13.7	0.020	0.12	<0.05	1.3	<0.2	0.2	13.0	<0.01	0.01
P449765		0.07	0.05	74.5	510	0.9	15.8	0.001	0.02	<0.05	1.6	<0.2	0.2	13.7	<0.01	0.01
P449766		0.05	0.06	89.7	480	82.6	5.4	0.025	0.13	<0.05	3.8	0.5	0.3	23.7	<0.01	0.22
P449767		0.07	0.07	69.4	350	21.3	3.7	0.063	0.84	<0.05	4.7	0.4	0.3	40.1	<0.01	0.93
P449768		0.07	0.08	74.0	500	0.7	15.9	<0.001	0.06	<0.05	1.4	<0.2	0.2	19.5	<0.01	<0.01
P449769		0.07	0.08	65.9	450	3.3	10.5	0.010	0.16	<0.05	1.8	0.3	0.2	33.3	<0.01	<0.01
P449770		<0.01	<0.05	0.5	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
P449771		0.06	0.09	64.2	430	1.3	10.9	0.006	0.14	<0.05	1.8	0.2	0.3	26.3	<0.01	0.01
P449772		0.07	0.08	62.0	460	1.3	10.6	0.003	0.07	<0.05	1.5	0.3	0.2	31.3	<0.01	<0.01
P449773		0.06	0.15	44.1	430	1.7	4.1	0.010	0.28	<0.05	2.9	0.4	0.3	58.3	<0.01	0.01
P449774		0.06	0.15	38.6	450	0.9	5.9	0.006	0.10	<0.05	1.9	0.3	0.3	39.7	<0.01	0.01
P449775		0.07	0.07	59.9	450	0.9	9.2	0.002	0.11	<0.05	1.7	0.3	0.2	26.3	<0.01	<0.01
P449776		0.07	0.07	58.2	470	0.6	12.3	0.002	0.11	<0.05	1.4	<0.2	0.2	21.7	<0.01	<0.01
P449777		0.07	0.09	50.7	470	1.2	11.0	0.002	0.14	<0.05	2.9	<0.2	0.3	36.2	<0.01	0.06
P449778		0.05	0.11	62.5	380	7.1	3.2	0.014	0.45	<0.05	4.5	0.3	0.3	34.7	<0.01	0.15
P449779		0.07	0.09	66.4	470	0.9	4.7	0.001	0.20	<0.05	1.3	0.4	0.2	24.4	<0.01	0.01
P449780		0.02	0.08	15.6	470	103.0	12.8	0.200	4.94	2.57	1.3	8.5	1.6	35.5	<0.01	0.99
P449781		0.06	0.05	115.5	500	3.8	20.1	0.007	0.41	<0.05	3.1	0.6	0.2	55.0	<0.01	0.01
P449782		0.07	0.07	68.7	500	1.2	12.4	0.003	0.11	0.05	1.7	0.2	0.2	35.3	<0.01	<0.01
P449783		0.07	0.07	66.4	510	1.0	17.4	0.001	0.13	<0.05	1.8	0.2	0.3	33.2	<0.01	<0.01
P449784		0.05	0.10	61.5	420	2.9	11.6	0.008	0.70	0.05	2.9	0.4	0.3	39.2	<0.01	1.15
P449785		0.02	0.14	106.0	50	603	17.7	0.155	3.35	0.17	6.3	3.0	0.3	101.5	<0.01	64.3
P449786		0.03	0.05	62.2	460	4.0	21.0	0.001	0.86	0.10	3.1	0.3	0.2	64.2	<0.01	1.31
P449787		0.05	0.09	68.4	380	27.6	38.3	0.709	0.54	0.15	4.6	0.5	0.3	51.4	<0.01	0.37
P449788		0.05	0.09	62.6	380	7.0	20.8	0.048	0.39	0.07	4.3	0.5	0.3	54.8	<0.01	0.84
P449789		0.06	0.40	7.6	470	12.1	6.3	0.069	0.46	0.06	1.8	0.5	0.5	37.6	<0.01	0.39
P449790		0.05	0.40	6.8	470	10.7	6.2	0.065	0.44	0.06	1.7	0.4	0.4	36.4	<0.01	0.34
P449791		0.04	0.29	5.1	440	19.1	2.4	0.034	0.43	0.05	1.4	0.5	0.4	27.5	<0.01	0.26
P449792		0.04	0.28	5.0	400	4.3	2.2	0.013	0.44	0.05	1.4	0.5	0.4	26.3	<0.01	0.48
P449793		0.04	0.41	4.9	400	3.0	2.5	0.004	0.33	0.05	1.3	0.2	0.6	32.7	<0.01	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449754		1.3	0.108	0.05	0.16	36	0.19	1.46	43	3.9
P449755		1.2	0.101	0.05	0.16	29	0.11	1.34	42	4.3
P449756		1.1	0.123	0.34	0.27	46	1.78	2.75	99	7.6
P449757		1.2	0.131	0.18	0.16	34	0.17	1.35	48	4.8
P449758		1.3	0.140	0.10	0.17	42	0.42	1.43	48	4.5
P449759		1.3	0.157	0.12	0.18	47	0.08	1.51	50	5.6
P449760		1.3	0.156	0.12	0.17	47	0.08	1.44	48	5.3
P449761		1.5	0.158	0.10	0.23	49	0.10	2.05	51	6.8
P449762		1.7	0.173	0.16	0.23	53	0.09	2.06	50	6.6
P449763		1.6	0.154	0.10	0.26	47	0.13	2.25	49	5.4
P449764		1.3	0.138	0.10	0.31	36	0.12	1.51	43	4.9
P449765		1.3	0.166	0.07	0.20	40	0.06	1.30	40	3.9
P449766		1.2	0.147	0.05	0.21	50	0.18	2.68	58	4.5
P449767		4.1	0.108	0.03	1.07	46	0.48	3.60	51	19.3
P449768		1.4	0.179	0.09	0.23	44	0.07	1.58	40	4.1
P449769		1.2	0.143	0.07	0.22	36	0.12	1.97	37	5.1
P449770		0.2	<0.005	<0.02	0.09	<1	<0.05	0.63	<2	0.7
P449771		1.1	0.142	0.08	0.21	39	0.15	2.26	40	4.6
P449772		1.3	0.147	0.07	0.20	31	0.11	2.38	30	3.2
P449773		0.9	0.125	0.03	0.21	34	0.30	3.83	28	4.0
P449774		1.1	0.128	0.04	0.24	26	0.15	3.15	21	4.2
P449775		1.0	0.142	0.06	0.24	34	0.23	2.35	29	4.3
P449776		1.1	0.134	0.08	0.18	30	0.11	1.99	24	3.7
P449777		1.1	0.124	0.07	0.21	36	0.22	2.67	40	6.0
P449778		3.4	0.123	0.02	1.21	43	0.52	3.64	45	14.9
P449779		1.2	0.111	0.04	0.21	26	0.20	1.91	27	4.3
P449780		1.2	0.012	0.32	0.15	17	2.38	2.65	832	<0.5
P449781		1.4	0.170	0.14	0.29	60	0.25	2.44	71	8.9
P449782		1.3	0.152	0.07	0.21	39	0.21	2.08	44	6.0
P449783		1.4	0.157	0.11	0.25	40	0.18	2.25	35	6.2
P449784		1.1	0.118	0.08	0.32	37	0.45	3.25	32	6.4
P449785		1.8	0.069	0.20	2.91	63	1.41	7.31	103	15.7
P449786		1.3	0.063	0.15	0.26	26	0.30	4.06	39	7.4
P449787		1.8	0.071	0.34	0.64	36	0.26	3.79	43	9.8
P449788		2.7	0.079	0.17	1.31	36	0.27	4.52	44	14.1
P449789		5.1	0.049	0.05	2.51	25	0.30	4.34	42	19.6
P449790		5.2	0.047	0.05	2.35	25	0.30	3.93	42	18.4
P449791		5.0	0.035	0.02	2.76	16	0.30	4.24	36	16.9
P449792		4.8	0.035	0.02	2.01	19	4.67	3.66	28	16.5
P449793		3.9	0.044	0.02	1.33	19	59.4	3.47	28	15.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449794		1.19	0.052		0.86	0.30	0.2	<0.2	<10	80	0.22	11.05	0.56	0.01	28.4	2.3
P449795		2.95	0.104		0.19	0.40	0.2	0.2	<10	120	0.28	1.81	0.68	0.01	31.3	3.1
P449796		3.06	0.011		0.06	0.35	0.1	<0.2	<10	110	0.27	3.15	0.67	0.01	29.6	2.7
P449797		3.06	0.005		0.09	0.37	0.1	<0.2	<10	140	0.29	0.74	0.72	0.01	29.3	3.1
P449798		1.82	0.081		0.26	0.47	0.2	<0.2	<10	50	0.29	0.91	0.44	<0.01	25.5	3.2
P449799		2.97	0.003		0.05	0.27	0.3	<0.2	<10	100	0.21	0.28	0.51	0.01	28.0	2.4
P449800		2.13	0.002		0.07	0.26	0.1	<0.2	<10	170	0.18	1.03	0.52	0.02	27.8	2.4
P449801		2.07	<0.001		0.07	0.25	0.2	<0.2	<10	130	0.16	0.28	0.51	0.02	28.8	2.2
P449802		2.92	0.010		0.11	0.29	0.2	<0.2	<10	120	0.18	1.90	0.53	0.01	30.8	2.3
P449803		1.17	0.589		1.00	0.29	0.3	0.8	<10	100	0.22	31.6	0.59	<0.01	27.1	2.8
P449804		2.70	0.042		0.46	0.32	0.2	<0.2	<10	170	0.21	46.9	0.71	0.01	30.6	2.7
P449805		1.46	1.450		4.51	0.12	0.3	2.2	<10	90	0.09	326	0.36	<0.01	6.22	1.8
P449806		2.50	0.029		0.14	0.27	0.2	<0.2	<10	90	0.19	0.76	0.54	<0.01	28.1	2.1
P449807		2.95	0.217		0.18	0.25	0.3	<0.2	<10	60	0.19	1.62	0.45	<0.01	28.3	2.3
P449808		2.41	0.013		0.10	0.30	0.3	<0.2	<10	110	0.28	0.91	0.73	<0.01	23.3	2.9
P449809		2.82	0.088		0.08	0.36	0.1	<0.2	<10	120	0.28	1.06	0.84	<0.01	23.3	3.0
P449810		0.07	<0.001		0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.15	0.1
P449811		1.24	0.642		0.69	0.28	0.3	0.2	<10	100	0.21	22.0	0.64	<0.01	8.68	2.5
P449812		2.97	0.153		0.18	0.37	0.3	<0.2	<10	60	0.30	3.26	0.90	<0.01	26.9	3.8
P449813		1.67	0.052		0.10	0.58	0.1	<0.2	<10	20	0.28	2.38	0.45	<0.01	19.10	4.3
P449814		1.18	0.011		0.03	0.61	0.2	<0.2	<10	20	0.39	0.25	0.15	<0.01	13.95	4.2
P449815		3.33	0.050		0.06	0.43	0.2	<0.2	<10	80	0.31	0.68	0.74	<0.01	28.7	3.2
P449816		1.34	0.092		0.11	0.47	0.1	<0.2	<10	70	0.36	1.20	0.99	<0.01	23.8	4.0
P449817		3.01	0.038		0.05	0.40	0.3	<0.2	<10	110	0.28	0.49	0.70	0.01	31.0	2.9
P449818		2.16	0.002		0.02	0.41	0.2	<0.2	<10	120	0.30	0.14	0.71	0.01	30.6	3.0
P449819		2.67	0.176		0.03	0.43	0.2	<0.2	<10	120	0.29	0.26	0.70	0.01	29.8	3.2
P449820		0.06	2.53		4.67	1.56	17.8	2.8	<10	40	0.55	0.09	3.70	0.32	21.0	10.5
P449821		0.90	0.161		0.13	0.32	0.2	<0.2	<10	70	0.23	1.52	0.61	<0.01	27.0	2.5
P449822		2.54	0.395		1.37	0.43	0.3	2.3	<10	120	0.32	6.27	0.69	<0.01	29.0	3.2
P449823		1.05	0.042		0.12	0.32	0.1	<0.2	<10	30	0.39	1.48	0.42	<0.01	17.90	3.1
P449824		2.93	0.047		0.10	0.80	<0.1	<0.2	<10	20	0.40	0.91	1.82	<0.01	13.05	6.1
P449825		2.06	0.022		0.05	0.44	<0.1	<0.2	<10	30	0.42	0.98	0.43	<0.01	18.80	3.3
P449826		1.72	0.011		0.03	0.38	0.3	<0.2	<10	50	0.32	0.29	0.67	0.01	29.1	3.0
P449827		2.08	0.042		0.06	0.35	0.1	<0.2	<10	40	0.31	1.87	0.63	<0.01	21.3	2.6
P449828		1.01	0.195		0.19	0.37	0.2	<0.2	<10	50	0.37	4.95	0.69	<0.01	19.80	3.5
P449829		3.18	0.023		0.09	0.31	0.4	<0.2	<10	40	0.32	0.69	0.52	0.01	18.55	2.9
P449830		<0.02	0.026		0.04	0.32	0.1	<0.2	<10	40	0.29	0.68	0.53	0.01	18.40	2.5
P449831		2.86	0.001		0.04	0.39	0.3	<0.2	<10	60	0.29	0.22	0.54	0.01	28.3	2.9
P449832		3.22	0.003		0.04	0.41	0.4	<0.2	<10	60	0.32	0.24	0.64	0.01	26.2	3.2
P449833		2.23	<0.001		0.01	0.44	0.1	<0.2	<10	50	0.35	0.10	0.74	0.01	32.1	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449794		17	0.30	12.3	1.17	2.19	0.05	0.61	<0.01	0.005	0.06	17.6	4.2	0.22	171	36.4
P449795		15	0.38	14.7	1.39	3.05	<0.05	0.66	<0.01	0.008	0.06	18.5	6.3	0.34	216	0.93
P449796		17	0.35	18.5	1.33	2.62	<0.05	0.69	<0.01	0.006	0.06	18.0	5.3	0.29	197	1.16
P449797		16	0.66	23.2	1.43	2.55	<0.05	0.69	0.01	0.008	0.09	17.5	7.0	0.33	217	2.75
P449798		17	0.36	33.3	1.23	3.37	<0.05	0.64	<0.01	0.008	0.06	14.4	7.1	0.45	183	25.2
P449799		16	0.54	43.1	1.17	1.92	<0.05	0.68	<0.01	0.007	0.07	17.5	5.1	0.23	155	2.40
P449800		17	0.52	50.4	1.16	1.83	<0.05	0.69	<0.01	0.007	0.08	17.5	5.3	0.22	155	0.93
P449801		16	0.54	46.8	1.20	1.74	<0.05	0.74	<0.01	0.008	0.08	17.5	5.1	0.20	167	0.73
P449802		15	0.51	16.9	1.17	2.14	<0.05	0.81	<0.01	0.007	0.07	18.8	5.2	0.23	172	18.70
P449803		17	0.41	41.4	1.28	1.96	<0.05	0.65	<0.01	0.007	0.07	16.5	4.5	0.22	180	403
P449804		16	0.56	64.0	1.23	2.18	<0.05	0.64	<0.01	0.008	0.08	17.9	5.4	0.26	183	60.0
P449805		21	0.14	110.5	1.00	0.84	<0.05	0.21	<0.01	<0.005	0.03	3.3	1.8	0.08	107	794
P449806		15	0.38	17.3	1.09	1.98	<0.05	0.92	<0.01	0.007	0.07	17.4	4.1	0.21	162	45.7
P449807		18	0.30	14.0	1.31	1.89	0.05	0.76	<0.01	0.005	0.06	18.0	3.2	0.17	144	286
P449808		15	0.48	45.0	1.35	2.36	<0.05	0.55	<0.01	0.007	0.07	13.4	4.7	0.24	169	74.1
P449809		16	0.29	25.3	1.30	2.60	<0.05	0.55	<0.01	0.007	0.06	13.0	5.2	0.29	165	70.5
P449810		<1	<0.05	0.4	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	0.11
P449811		19	0.14	24.3	1.16	2.17	<0.05	0.28	<0.01	<0.005	0.05	4.6	4.3	0.23	132	416
P449812		16	0.28	21.1	1.49	3.07	<0.05	0.61	<0.01	0.008	0.05	15.8	4.7	0.31	172	44.5
P449813		18	0.17	29.5	1.46	4.48	<0.05	0.62	<0.01	0.007	0.05	10.2	8.8	0.56	158	49.6
P449814		23	0.24	9.0	1.35	4.82	<0.05	0.61	<0.01	<0.005	0.03	7.4	10.0	0.64	156	10.25
P449815		16	0.39	42.2	1.36	3.21	<0.05	0.73	<0.01	0.008	0.07	16.4	5.8	0.36	187	47.6
P449816		25	0.46	35.3	1.49	3.60	<0.05	0.62	<0.01	0.011	0.07	13.7	7.8	0.44	217	125.5
P449817		17	0.60	89.8	1.36	2.77	<0.05	0.69	<0.01	0.012	0.09	18.1	5.9	0.33	215	13.45
P449818		17	0.58	21.4	1.33	3.04	<0.05	0.72	<0.01	0.009	0.07	18.5	6.9	0.37	210	1.87
P449819		18	0.75	21.2	1.46	3.19	<0.05	0.77	<0.01	0.012	0.10	17.4	8.1	0.39	226	8.99
P449820		24	2.94	69.7	2.95	6.16	0.08	0.35	0.09	0.034	0.22	10.1	15.1	0.86	699	5.87
P449821		17	0.35	21.9	1.21	2.44	<0.05	0.66	<0.01	0.008	0.06	16.4	4.6	0.27	183	268
P449822		17	0.55	29.6	1.45	3.04	<0.05	0.72	<0.01	0.008	0.09	17.1	6.3	0.35	210	47.3
P449823		16	0.29	26.5	1.06	2.46	<0.05	0.47	<0.01	0.006	0.03	10.5	5.4	0.35	129	80.0
P449824		17	0.34	23.3	1.75	5.02	<0.05	0.64	<0.01	0.010	0.02	7.0	12.6	0.95	270	62.7
P449825		18	0.26	19.6	1.37	3.15	<0.05	0.53	<0.01	0.006	0.05	10.3	7.0	0.44	156	59.4
P449826		17	0.33	19.0	1.39	3.02	<0.05	0.73	<0.01	0.010	0.06	17.2	6.1	0.35	209	19.90
P449827		16	0.24	32.3	1.24	2.71	<0.05	0.61	<0.01	0.007	0.06	11.9	5.4	0.31	155	71.9
P449828		13	0.19	47.1	1.25	3.32	<0.05	0.78	<0.01	0.009	0.05	10.6	6.8	0.37	132	290
P449829		18	0.22	32.8	1.20	2.71	<0.05	0.61	<0.01	0.007	0.04	10.5	5.4	0.30	146	30.8
P449830		16	0.22	29.5	1.14	2.59	<0.05	0.59	<0.01	0.007	0.04	10.4	5.2	0.31	139	30.7
P449831		16	0.31	28.7	1.31	2.90	<0.05	0.86	<0.01	0.008	0.06	16.8	6.2	0.37	167	6.88
P449832		17	0.33	33.8	1.36	3.11	<0.05	0.85	<0.01	0.008	0.05	15.6	6.5	0.40	197	3.55
P449833		17	0.40	7.6	1.32	3.44	0.05	0.91	<0.01	0.009	0.06	19.4	6.1	0.39	220	3.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449794		0.05	0.65	3.6	360	31.3	2.6	0.024	0.08	0.05	0.7	0.2	0.5	40.3	<0.01	1.85
P449795		0.05	0.43	4.7	400	4.8	2.7	<0.001	0.18	0.05	1.1	<0.2	0.5	37.8	<0.01	0.20
P449796		0.05	0.52	4.2	390	5.0	2.7	0.001	0.14	0.05	1.0	0.2	0.5	38.9	<0.01	0.09
P449797		0.04	0.37	4.5	390	3.1	6.6	0.002	0.26	0.05	1.1	<0.2	0.5	34.7	<0.01	0.11
P449798		0.04	0.25	4.7	370	5.5	2.6	0.018	0.07	<0.05	1.1	<0.2	0.5	18.5	<0.01	0.20
P449799		0.05	0.53	3.7	330	11.6	5.8	0.001	0.17	<0.05	0.8	0.2	0.5	30.3	<0.01	0.02
P449800		0.05	0.59	3.5	360	13.9	6.7	<0.001	0.24	<0.05	0.7	0.2	0.4	37.5	<0.01	0.04
P449801		0.05	0.68	3.4	380	15.1	7.9	<0.001	0.17	<0.05	0.7	0.3	0.5	40.6	<0.01	0.02
P449802		0.05	0.81	3.5	400	14.2	5.9	0.011	0.11	<0.05	0.7	0.2	0.5	44.9	<0.01	0.12
P449803		0.05	0.58	4.1	360	30.9	3.9	0.237	0.17	0.05	0.8	0.4	0.5	36.1	<0.01	1.55
P449804		0.05	0.46	4.1	370	69.7	5.7	0.043	0.21	0.05	1.0	0.4	0.4	35.9	<0.01	2.81
P449805		0.03	0.13	3.1	130	354	1.2	0.485	0.40	0.08	0.3	2.0	0.5	13.6	<0.01	6.29
P449806		0.05	0.51	3.3	330	10.3	3.9	0.031	0.12	0.07	0.8	0.2	0.4	30.7	<0.01	0.14
P449807		0.05	0.68	3.7	360	13.2	2.9	0.180	0.26	0.05	0.6	0.3	0.5	33.5	<0.01	0.37
P449808		0.05	0.29	4.3	390	3.9	4.1	0.052	0.37	0.06	0.9	0.4	0.5	26.1	<0.01	0.11
P449809		0.04	0.22	4.5	360	2.9	2.6	0.047	0.42	<0.05	1.0	0.3	0.4	24.3	<0.01	0.30
P449810		<0.01	<0.05	0.2	10	0.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01
P449811		0.04	0.17	3.7	360	56.4	1.9	0.250	0.44	0.06	0.7	0.9	0.5	23.6	<0.01	2.88
P449812		0.05	0.41	5.2	390	14.8	2.2	0.026	0.53	0.06	1.1	0.4	0.4	33.7	<0.01	0.51
P449813		0.07	0.26	4.9	340	8.1	2.0	0.027	0.31	<0.05	1.3	0.3	0.5	18.1	<0.01	0.67
P449814		0.05	0.16	4.6	290	3.1	1.4	0.006	0.14	<0.05	1.0	0.2	0.4	9.5	<0.01	0.05
P449815		0.06	0.40	4.5	390	8.9	3.3	0.031	0.24	<0.05	1.3	0.3	0.4	26.1	<0.01	0.17
P449816		0.04	0.33	8.5	360	4.0	3.7	0.080	0.31	0.05	1.5	0.2	0.4	25.7	<0.01	0.25
P449817		0.06	0.54	4.3	370	4.1	6.3	0.010	0.12	0.05	1.2	0.2	0.5	35.5	<0.01	0.24
P449818		0.05	0.42	4.6	380	3.1	5.5	0.001	0.08	<0.05	1.3	0.2	0.4	31.8	<0.01	0.04
P449819		0.05	0.42	4.8	380	3.1	9.9	0.005	0.18	<0.05	1.3	0.3	0.5	31.9	<0.01	0.04
P449820		0.07	0.05	10.1	610	16.6	11.4	0.002	0.86	0.41	8.3	0.8	0.4	114.0	<0.01	2.36
P449821		0.05	0.61	3.8	340	10.6	3.4	0.162	0.16	<0.05	0.9	0.3	0.4	30.2	<0.01	0.38
P449822		0.07	0.48	4.6	380	7.5	7.1	0.034	0.18	0.05	1.2	0.3	0.5	36.1	<0.01	0.40
P449823		0.03	0.26	3.6	310	3.0	1.7	0.050	0.29	<0.05	0.9	0.2	0.3	15.8	<0.01	0.43
P449824		0.06	0.17	12.5	410	2.1	1.4	0.035	0.20	<0.05	2.4	0.2	0.3	24.5	<0.01	0.20
P449825		0.05	0.24	4.5	310	2.8	2.2	0.036	0.31	<0.05	1.1	0.2	0.2	16.6	<0.01	0.12
P449826		0.05	0.45	5.2	370	3.6	2.6	0.011	0.11	0.05	1.1	<0.2	0.7	29.7	<0.01	0.05
P449827		0.05	0.28	4.3	320	5.9	2.3	0.044	0.31	<0.05	0.9	0.3	0.2	21.6	<0.01	0.20
P449828		0.04	0.27	4.7	380	15.4	2.1	0.198	0.52	<0.05	1.2	0.4	0.2	20.0	<0.01	0.55
P449829		0.04	0.25	4.4	260	5.2	2.0	0.019	0.24	0.05	1.0	0.2	0.5	17.7	<0.01	0.09
P449830		0.04	0.23	3.8	270	5.7	1.9	0.020	0.26	<0.05	1.0	0.2	0.2	17.1	<0.01	0.11
P449831		0.05	0.40	4.3	370	5.8	3.0	0.004	0.12	<0.05	1.1	0.2	0.3	28.4	<0.01	0.02
P449832		0.05	0.36	4.6	380	6.0	2.4	0.002	0.15	0.06	1.1	<0.2	0.5	25.6	<0.01	0.03
P449833		0.05	0.42	4.4	390	4.0	3.2	0.002	0.04	<0.05	1.3	<0.2	0.3	31.6	<0.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449794		3.7	0.054	0.02	1.32	16	3.94	2.82	24	14.4
P449795		4.4	0.049	0.02	1.51	19	0.43	3.15	29	16.0
P449796		4.3	0.051	0.02	1.62	18	0.33	3.03	26	16.9
P449797		5.2	0.041	0.04	2.09	19	0.26	3.15	29	15.7
P449798		5.3	0.038	0.03	1.34	17	0.47	3.08	28	15.5
P449799		4.9	0.043	0.04	2.06	14	0.15	2.68	22	18.1
P449800		3.6	0.043	0.05	2.55	14	0.09	2.70	25	17.2
P449801		4.3	0.048	0.06	2.35	14	0.10	2.87	24	18.8
P449802		5.1	0.058	0.04	1.98	17	0.12	3.04	29	18.9
P449803		4.8	0.044	0.05	1.44	15	0.25	2.77	23	15.4
P449804		4.5	0.043	0.05	1.96	16	0.22	2.95	25	15.1
P449805		1.4	0.007	0.04	0.51	4	0.22	1.02	8	4.8
P449806		6.5	0.043	0.03	2.36	15	0.20	2.61	22	20.3
P449807		5.8	0.049	0.03	2.11	14	0.22	2.57	19	17.0
P449808		5.6	0.025	0.03	2.03	13	0.24	3.39	17	13.9
P449809		6.2	0.024	0.02	1.38	15	0.42	2.94	18	13.3
P449810		0.2	<0.005	<0.02	0.09	<1	<0.05	0.59	<2	0.7
P449811		2.2	0.015	0.03	0.51	8	0.47	2.78	12	6.4
P449812		4.7	0.041	0.02	1.68	18	0.60	2.96	20	14.7
P449813		4.6	0.039	0.02	2.68	19	0.37	2.81	22	15.2
P449814		6.2	0.029	<0.02	2.18	18	0.31	2.79	24	14.5
P449815		5.3	0.043	0.02	2.31	20	0.48	3.59	24	17.0
P449816		4.5	0.039	0.05	2.68	22	0.32	3.04	27	15.4
P449817		5.1	0.053	0.05	2.06	21	0.33	3.23	28	15.9
P449818		5.3	0.046	0.04	2.44	21	0.38	3.27	28	16.9
P449819		5.6	0.049	0.06	2.43	21	0.40	3.43	29	17.4
P449820		1.4	0.054	0.13	0.33	66	0.40	7.81	83	11.7
P449821		5.5	0.047	0.03	1.84	17	0.39	2.88	23	15.7
P449822		5.9	0.052	0.05	1.90	21	0.60	3.39	26	16.7
P449823		4.2	0.026	0.02	1.80	14	0.37	2.81	19	10.6
P449824		5.7	0.041	0.02	1.89	26	0.43	3.52	32	14.9
P449825		3.7	0.032	0.02	1.44	17	0.32	2.80	20	12.6
P449826		5.0	0.048	0.02	2.28	20	0.47	3.10	27	17.1
P449827		4.5	0.031	0.02	2.82	15	0.35	2.81	19	13.6
P449828		5.2	0.026	0.02	4.69	16	0.41	3.56	22	17.3
P449829		4.1	0.027	0.02	2.27	14	0.43	2.59	19	13.7
P449830		4.1	0.027	0.02	2.26	15	0.45	2.49	20	13.1
P449831		6.5	0.046	0.02	2.67	18	0.33	2.93	25	18.7
P449832		6.4	0.044	0.02	2.56	19	0.35	2.96	27	17.9
P449833		6.5	0.052	0.02	1.89	19	0.38	3.23	30	19.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449834		1.71	0.041		0.09	0.34	0.1	<0.2	<10	80	0.33	7.64	0.68	<0.01	22.3	2.7
P449835		1.17	0.167		0.22	0.34	0.2	0.2	<10	40	0.28	22.0	0.53	<0.01	17.90	2.8
P449836		1.22	0.004		0.05	0.44	0.1	<0.2	<10	50	0.37	0.44	0.62	<0.01	31.2	3.0
P449837		0.95	0.589		0.54	0.30	0.2	0.8	<10	40	0.27	5.98	0.68	<0.01	15.35	2.1
P449838		2.99	0.005		0.06	0.35	0.2	<0.2	<10	70	0.25	1.20	0.64	<0.01	28.4	2.6
P449839		3.18	4.27		0.13	0.34	0.1	0.2	<10	50	0.28	9.40	0.63	0.01	26.5	2.3
P449840		0.08	<0.001		0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	0.92	0.1
P449841		2.94	0.017		0.06	0.36	0.2	<0.2	<10	60	0.44	0.43	0.72	<0.01	29.4	2.5
P449842		2.97	0.021		0.07	0.31	0.2	<0.2	<10	80	0.24	0.51	0.60	0.01	28.4	2.4
P449843		2.83	0.001		0.05	0.32	0.1	<0.2	<10	90	0.20	0.30	0.52	0.02	30.0	2.3
P449844		1.61	0.003		0.05	0.32	0.1	<0.2	<10	110	0.23	1.39	0.62	0.02	29.8	2.4
P449845		1.27	0.025		0.67	0.27	0.1	<0.2	<10	140	0.22	19.05	0.59	<0.01	23.2	2.3
P449846		2.21	<0.001		0.06	0.41	0.1	<0.2	<10	70	0.30	0.46	0.75	0.02	32.8	3.0
P449847		0.86	<0.001		0.12	0.26	0.2	<0.2	<10	90	0.17	1.20	0.44	<0.01	26.2	1.9
P449848		1.96	0.006		0.09	0.36	0.2	<0.2	<10	180	0.22	1.10	0.72	0.02	31.9	3.0
P449849		1.29	<0.001		0.03	0.30	0.1	<0.2	<10	80	0.17	0.04	0.48	0.01	32.1	2.1
P449850		0.06	0.943		5.70	1.01	41.1	0.8	<10	40	0.18	1.05	0.40	5.04	5.05	13.3
P449851		0.76	0.060		0.54	0.40	0.1	<0.2	<10	130	0.37	53.5	0.70	<0.01	29.0	2.7
P449852		0.91	0.008		0.07	0.36	0.2	<0.2	<10	90	0.25	0.52	0.75	0.01	26.3	3.0
P449853		2.91	0.025		0.07	0.38	0.1	<0.2	<10	160	0.30	0.55	0.68	0.01	31.0	2.8
P449854		3.05	<0.001		0.05	0.37	0.1	<0.2	<10	100	0.24	1.27	0.59	0.01	27.6	2.5
P449855		3.05	0.003		0.06	0.39	0.1	<0.2	<10	190	0.22	0.87	0.73	0.02	32.4	3.0
P449856		2.91	<0.001		0.04	0.92	0.1	<0.2	<10	160	0.51	0.33	1.08	0.01	29.1	7.7
P449857		2.94	0.008		0.05	0.40	0.2	<0.2	<10	120	0.32	0.41	0.77	<0.01	30.6	3.1
P449858		2.74	0.018		0.07	0.41	0.1	<0.2	<10	140	0.36	0.77	0.92	0.01	29.4	3.0
P449859		1.71	0.309		0.18	0.33	0.1	<0.2	<10	90	0.25	2.00	0.71	<0.01	23.8	2.7
P449860		<0.02	0.207		0.23	0.33	0.1	0.2	<10	80	0.25	2.00	0.69	<0.01	23.2	2.7
P449861		3.10	0.046		0.09	0.33	0.1	<0.2	<10	150	0.31	1.02	0.79	0.01	28.1	2.9
P449862		3.03	0.021		0.15	0.36	0.3	<0.2	<10	110	0.29	1.00	0.82	0.01	26.3	2.9
P449863		0.78	1.130		1.42	0.27	0.3	0.5	<10	50	0.20	96.4	0.40	<0.01	15.40	2.1
P449864		1.98	0.043		0.19	0.40	0.1	0.2	<10	110	0.32	7.22	0.68	<0.01	26.9	2.7
P449865		2.28	0.006		0.07	0.40	0.1	<0.2	<10	160	0.25	0.44	0.72	0.01	32.5	3.0
P449866		1.08	3.62		1.82	0.31	0.2	0.8	<10	180	0.27	27.0	0.73	<0.01	24.3	2.6
P449867		2.98	0.479		0.23	0.39	0.2	<0.2	<10	210	0.32	9.73	0.80	<0.01	32.1	2.9
P449868		1.65	0.011		0.22	0.39	0.1	<0.2	<10	260	0.28	9.40	0.86	0.02	32.2	3.0
P449869		0.69	1.760		16.50	0.09	0.2	>25.0	<10	30	0.05	253	0.18	<0.01	4.90	1.1
P449870		0.11	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.11	0.01	<0.01	0.99	0.1
P449871		2.45	0.001		0.04	0.47	0.1	<0.2	<10	150	0.30	0.33	0.69	0.01	36.8	3.4
P449872		2.55	0.330		0.81	0.40	0.2	<0.2	<10	160	0.27	46.8	0.69	0.01	34.5	2.9
P449873		1.31	0.020		0.19	0.31	0.2	<0.2	<10	90	0.25	2.84	0.77	<0.01	18.80	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449834		16	0.28	19.7	1.23	2.58	<0.05	0.65	<0.01	0.007	0.05	13.1	5.3	0.31	172	49.3
P449835		19	0.24	22.3	1.23	2.68	<0.05	0.54	<0.01	0.006	0.04	10.3	5.4	0.33	162	337
P449836		18	0.39	14.7	1.33	3.41	0.05	0.75	<0.01	0.010	0.06	18.7	7.9	0.41	214	73.3
P449837		17	0.17	17.1	1.11	2.24	<0.05	0.46	<0.01	0.006	0.04	8.9	5.0	0.27	150	407
P449838		17	0.32	11.4	1.25	2.69	<0.05	0.75	<0.01	0.008	0.05	17.6	5.3	0.31	193	76.1
P449839		16	0.31	24.1	1.19	2.53	<0.05	1.14	<0.01	0.008	0.06	16.5	5.0	0.29	184	45.3
P449840		<1	<0.05	0.7	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.10
P449841		16	0.39	14.1	1.27	2.75	<0.05	0.74	<0.01	0.008	0.06	18.4	7.2	0.33	185	21.7
P449842		16	0.34	14.4	1.25	2.31	0.05	0.77	<0.01	0.007	0.06	17.3	5.1	0.26	178	13.50
P449843		16	0.33	17.2	1.23	2.47	0.05	0.76	<0.01	0.007	0.06	18.8	5.2	0.26	175	5.45
P449844		15	0.56	22.2	1.24	2.15	<0.05	0.77	<0.01	0.007	0.09	18.4	5.8	0.26	195	3.18
P449845		17	0.21	17.3	1.17	2.04	<0.05	0.59	<0.01	0.005	0.05	13.8	4.5	0.23	166	28.2
P449846		22	0.51	24.7	1.39	2.94	0.05	0.83	<0.01	0.011	0.08	19.3	7.0	0.37	211	3.29
P449847		16	0.24	13.4	1.10	1.97	<0.05	0.63	<0.01	0.006	0.05	16.0	3.8	0.20	151	41.7
P449848		16	0.53	27.6	1.43	2.56	0.05	0.70	<0.01	0.010	0.08	19.6	6.2	0.31	201	11.60
P449849		16	0.29	6.9	1.16	2.34	0.05	0.75	<0.01	0.005	0.06	20.5	4.9	0.22	168	0.53
P449850		19	3.29	6980	6.55	2.93	0.05	<0.02	0.05	0.306	0.26	2.3	10.8	0.31	617	136.5
P449851		18	0.35	67.8	1.40	2.75	0.05	0.70	<0.01	0.009	0.07	16.8	8.1	0.34	219	119.0
P449852		18	0.28	18.3	1.37	2.80	0.05	0.57	<0.01	0.007	0.05	15.4	6.8	0.34	206	1.83
P449853		16	0.42	29.5	1.36	2.90	0.05	0.72	<0.01	0.010	0.07	18.2	6.4	0.34	205	24.8
P449854		18	0.38	35.4	1.23	2.63	<0.05	0.64	<0.01	0.010	0.06	16.4	6.1	0.33	178	2.80
P449855		17	0.42	22.2	1.40	2.96	0.05	0.77	<0.01	0.008	0.07	18.7	6.6	0.34	222	1.41
P449856		21	1.40	55.1	2.17	4.09	0.06	0.80	<0.01	0.018	0.08	17.4	16.9	0.87	321	2.24
P449857		17	0.55	35.0	1.45	2.94	0.05	0.71	<0.01	0.008	0.07	17.5	6.8	0.35	221	1.45
P449858		16	0.36	25.7	1.40	2.80	0.05	0.73	<0.01	0.009	0.07	16.5	6.5	0.34	215	21.9
P449859		17	0.33	189.5	1.23	2.48	<0.05	0.60	<0.01	0.024	0.06	13.6	5.7	0.30	174	314
P449860		18	0.32	189.5	1.26	2.39	<0.05	0.57	<0.01	0.023	0.06	13.5	5.6	0.29	174	331
P449861		16	0.37	30.9	1.37	2.43	<0.05	0.72	<0.01	0.008	0.06	16.2	5.4	0.28	188	13.65
P449862		15	0.33	33.8	1.29	2.47	0.05	0.77	<0.01	0.008	0.06	15.5	5.3	0.30	178	12.80
P449863		18	0.19	44.5	1.03	1.91	<0.05	0.45	<0.01	0.007	0.04	8.7	4.3	0.23	126	318
P449864		17	0.28	22.2	1.25	2.68	<0.05	0.69	<0.01	0.008	0.05	15.8	5.7	0.34	176	22.1
P449865		17	0.58	25.7	1.33	2.76	0.05	0.81	<0.01	0.009	0.07	19.6	6.2	0.35	201	8.05
P449866		17	0.33	34.4	1.26	2.01	<0.05	0.56	<0.01	0.008	0.05	14.0	4.7	0.26	166	269
P449867		18	0.59	20.2	1.33	2.45	<0.05	0.70	<0.01	0.009	0.08	18.5	6.4	0.33	212	39.6
P449868		17	0.69	48.1	1.35	2.24	0.05	0.68	<0.01	0.009	0.11	18.3	6.1	0.30	219	7.14
P449869		20	0.09	117.0	0.67	0.59	<0.05	0.10	0.01	<0.005	0.02	2.7	1.3	0.06	72	898
P449870		<1	<0.05	0.7	0.02	<0.05	<0.05	0.02	<0.01	0.074	<0.01	0.5	0.1	<0.01	<5	0.60
P449871		18	0.91	34.4	1.48	3.25	0.05	0.84	<0.01	0.010	0.09	21.5	7.4	0.38	232	2.20
P449872		18	0.91	37.1	1.35	2.71	0.05	0.75	0.01	0.008	0.10	20.1	6.9	0.33	225	7.62
P449873		18	0.29	46.0	1.26	2.32	<0.05	0.58	0.01	0.006	0.06	10.3	4.6	0.24	142	242

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449834		0.04	0.37	3.9	350	9.8	2.0	0.031	0.27	<0.05	0.9	0.3	0.2	24.8	<0.01	0.21
P449835		0.04	0.29	4.0	290	16.0	2.0	0.227	0.21	0.05	0.9	0.4	0.5	16.3	<0.01	1.76
P449836		0.05	0.39	4.8	400	4.5	2.9	0.051	0.08	<0.05	1.2	<0.2	0.3	28.7	<0.01	0.03
P449837		0.05	0.24	3.4	390	13.6	1.8	0.249	0.32	<0.05	0.8	0.4	0.2	17.9	<0.01	0.98
P449838		0.05	0.55	4.1	380	6.3	2.5	0.058	0.11	0.05	1.0	0.2	0.5	31.2	<0.01	0.09
P449839		0.05	0.47	3.5	330	17.6	3.0	0.033	0.12	<0.05	1.0	0.2	0.3	25.6	<0.01	0.80
P449840		<0.01	<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01
P449841		0.05	0.47	3.8	360	4.4	2.6	0.014	0.13	<0.05	0.9	<0.2	0.3	32.4	<0.01	0.05
P449842		0.05	0.66	3.7	380	8.9	3.1	0.009	0.17	<0.05	0.8	0.2	0.4	35.0	<0.01	0.07
P449843		0.05	0.71	3.8	400	8.2	3.3	0.003	0.12	<0.05	0.8	0.2	0.3	45.7	<0.01	0.01
P449844		0.06	0.64	3.8	380	16.1	8.4	0.002	0.14	<0.05	0.8	<0.2	0.2	44.2	<0.01	0.02
P449845		0.04	0.52	3.8	310	43.4	2.2	0.018	0.25	0.05	0.8	0.3	0.4	26.8	<0.01	0.80
P449846		0.06	0.67	5.9	400	7.9	5.3	0.002	0.22	<0.05	1.3	0.3	0.3	39.4	<0.01	0.02
P449847		0.05	0.76	3.2	330	8.6	2.7	0.031	0.11	<0.05	0.7	0.3	0.2	43.3	<0.01	0.02
P449848		0.05	0.56	4.6	400	9.1	6.3	0.008	0.28	<0.05	1.0	0.3	0.5	49.2	<0.01	0.03
P449849		0.05	0.86	3.5	410	13.1	2.7	<0.001	0.01	<0.05	0.7	<0.2	0.3	59.3	<0.01	<0.01
P449850		0.02	0.07	14.3	470	103.0	12.4	0.182	4.90	2.42	1.1	7.5	1.5	34.2	<0.01	0.91
P449851		0.06	0.73	4.4	390	56.9	3.6	0.085	0.20	<0.05	1.0	0.6	0.3	40.3	<0.01	1.48
P449852		0.04	0.34	4.7	330	2.0	2.1	0.001	0.30	<0.05	1.2	0.3	0.4	25.0	<0.01	0.08
P449853		0.06	0.50	4.5	410	4.3	3.7	0.015	0.21	<0.05	1.2	0.2	0.2	37.9	<0.01	0.09
P449854		0.05	0.51	3.9	360	6.5	3.3	0.002	0.19	<0.05	1.1	0.2	0.2	35.3	<0.01	0.03
P449855		0.06	0.61	4.5	400	4.9	4.2	<0.001	0.12	<0.05	1.1	0.2	0.5	47.5	<0.01	0.01
P449856		0.11	0.18	12.4	400	3.1	6.2	0.001	0.15	<0.05	4.5	0.3	0.3	75.2	<0.01	0.01
P449857		0.05	0.49	4.7	400	2.6	4.8	0.001	0.20	<0.05	1.3	0.4	0.4	36.3	<0.01	0.06
P449858		0.06	0.44	4.7	400	7.0	3.6	0.015	0.30	<0.05	1.2	0.2	0.2	35.1	<0.01	0.15
P449859		0.05	0.37	4.1	320	6.7	3.0	0.246	0.26	<0.05	1.0	0.4	0.2	25.2	<0.01	0.53
P449860		0.05	0.37	4.3	320	7.0	3.0	0.249	0.27	<0.05	1.0	0.3	0.5	24.7	<0.01	0.50
P449861		0.05	0.42	4.4	380	4.3	3.6	0.008	0.40	<0.05	1.0	0.4	0.2	33.4	<0.01	0.21
P449862		0.05	0.42	4.4	380	11.1	3.1	0.008	0.38	0.07	1.2	0.4	0.2	30.8	<0.01	0.17
P449863		0.04	0.24	3.3	230	39.0	1.9	0.207	0.26	0.10	0.8	0.9	0.4	16.4	<0.01	9.38
P449864		0.05	0.36	4.0	370	10.7	2.7	0.013	0.16	0.06	1.1	0.4	0.2	33.5	<0.01	0.28
P449865		0.05	0.51	4.5	430	12.0	6.2	0.006	0.18	0.07	1.2	0.4	0.3	44.1	<0.01	0.02
P449866		0.04	0.38	3.9	330	32.3	3.0	0.173	0.43	0.08	1.0	0.7	0.4	29.6	<0.01	3.37
P449867		0.05	0.40	4.8	390	17.4	5.9	0.028	0.25	0.06	1.3	0.5	0.2	41.3	<0.01	0.85
P449868		0.05	0.35	4.4	390	26.8	9.2	0.004	0.30	0.06	1.2	0.3	0.2	47.4	<0.01	0.34
P449869		0.02	0.12	2.1	80	97.4	0.9	0.609	0.20	0.10	0.2	2.0	0.4	7.0	<0.01	13.20
P449870		<0.01	<0.05	0.4	10	0.4	0.1	0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.02
P449871		0.05	0.57	5.0	420	6.0	9.7	0.001	0.11	0.05	1.4	0.4	0.3	57.9	<0.01	0.03
P449872		0.05	0.56	4.5	420	78.6	10.3	0.005	0.18	0.06	1.3	0.6	0.3	51.3	<0.01	2.05
P449873		0.05	0.35	4.2	410	6.4	3.4	0.174	0.49	0.07	1.0	0.6	0.4	25.8	<0.01	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449834		5.0	0.034	0.02	1.76	16	0.32	2.85	22	14.8
P449835		3.8	0.029	0.02	1.56	16	0.96	2.59	19	12.6
P449836		5.9	0.049	0.02	2.27	20	0.38	3.19	33	17.2
P449837		3.7	0.023	0.02	1.03	12	0.30	2.83	17	10.6
P449838		5.5	0.052	0.02	2.16	17	0.42	2.74	26	17.1
P449839		8.4	0.046	0.02	2.89	16	0.56	2.71	26	25.0
P449840		0.2	<0.005	<0.02	0.07	<1	<0.05	0.56	<2	0.7
P449841		5.7	0.048	0.02	1.77	17	0.31	2.75	24	17.5
P449842		4.9	0.052	0.02	2.26	18	0.27	2.83	26	18.1
P449843		4.8	0.055	0.02	1.65	18	0.15	2.79	27	18.1
P449844		5.0	0.053	0.05	1.81	17	0.14	2.83	29	17.8
P449845		3.9	0.039	0.02	1.85	15	0.27	2.50	20	13.4
P449846		4.7	0.055	0.04	2.15	22	0.18	3.48	31	20.2
P449847		3.6	0.049	0.02	1.95	14	0.11	2.40	20	14.5
P449848		4.5	0.049	0.04	2.21	17	0.19	2.99	28	16.9
P449849		4.7	0.064	0.02	1.86	18	0.10	2.79	26	17.2
P449850		1.0	0.012	0.28	0.16	17	2.16	2.48	833	<0.5
P449851		3.7	0.057	0.03	1.72	19	0.22	3.14	45	17.6
P449852		3.6	0.037	<0.02	1.40	18	0.31	2.77	24	14.1
P449853		4.5	0.050	0.03	2.14	21	0.25	3.26	27	16.9
P449854		3.9	0.048	0.02	1.77	18	0.17	2.81	24	15.1
P449855		5.0	0.059	0.03	2.27	21	0.19	3.21	31	17.5
P449856		4.4	0.094	0.05	2.19	52	0.18	5.48	41	22.5
P449857		5.4	0.049	0.03	2.13	21	0.35	3.30	28	16.6
P449858		5.5	0.045	0.03	2.67	20	0.48	3.41	25	16.5
P449859		4.0	0.034	0.03	1.90	15	0.29	2.63	23	12.9
P449860		4.2	0.033	0.03	1.84	15	0.31	2.60	22	12.6
P449861		5.0	0.035	0.03	2.61	16	0.29	3.14	23	16.0
P449862		6.1	0.038	0.03	3.15	18	0.36	3.26	22	17.2
P449863		2.9	0.019	0.02	1.07	11	0.26	1.99	18	9.4
P449864		4.5	0.040	0.02	1.86	19	0.38	3.26	23	16.3
P449865		5.1	0.050	0.04	2.38	20	0.32	3.48	29	19.4
P449866		3.8	0.031	0.04	2.90	13	0.24	2.80	19	13.4
P449867		4.9	0.039	0.04	2.06	18	0.29	3.29	28	16.6
P449868		4.7	0.036	0.06	2.44	17	0.26	3.32	31	17.0
P449869		0.8	0.006	0.03	0.62	3	0.11	0.71	9	2.4
P449870		0.2	<0.005	<0.02	0.09	<1	<0.05	0.57	<2	0.6
P449871		6.0	0.061	0.07	2.40	23	0.35	3.67	33	19.4
P449872		4.8	0.053	0.08	3.48	21	0.26	3.50	31	18.4
P449873		3.6	0.028	0.03	1.33	16	0.22	3.58	17	14.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449874		3.03	0.029		0.03	0.45	0.2	<0.2	<10	140	0.26	0.23	0.70	0.01	34.0	3.3
P449875		3.03	<0.001		0.03	0.49	0.1	<0.2	<10	130	0.26	0.09	0.68	0.01	37.4	3.2
P449876		2.99	0.002		0.04	0.51	0.2	<0.2	<10	240	0.31	0.40	0.74	0.01	37.8	3.6
P449877		2.07	0.018		0.07	0.47	0.1	<0.2	<10	200	0.30	0.71	0.71	0.01	35.1	3.3
P449878		2.43	0.028		0.13	0.53	0.1	<0.2	<10	70	0.35	1.55	0.64	<0.01	28.5	3.9
P449879		3.48	0.007		0.06	2.59	0.4	<0.2	<10	50	0.63	0.09	1.71	0.11	17.50	20.0
P449880		0.05	2.41		5.14	1.74	19.1	2.6	<10	40	0.57	0.09	3.91	0.37	22.5	10.8
P449881		0.91	0.277		0.24	0.50	0.1	0.2	<10	110	0.24	2.24	0.51	<0.01	21.6	3.6
P449882		3.64	0.002		0.02	0.53	0.2	<0.2	<10	140	0.36	0.49	0.77	0.02	34.2	3.4
P449883		3.15	0.007		0.03	0.42	0.1	<0.2	<10	150	0.27	0.58	0.77	0.01	34.6	3.2
P449884		0.92	0.028		0.04	0.27	0.1	<0.2	<10	60	0.18	0.54	0.50	<0.01	18.50	1.9
P449885		3.26	0.114		0.18	0.37	0.1	<0.2	<10	120	0.25	1.22	0.71	<0.01	31.1	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449874		18	1.15	31.7	1.40	3.04	0.05	0.74	<0.01	0.008	0.11	19.9	7.7	0.39	228	12.75
P449875		19	1.01	20.8	1.47	3.35	0.06	0.88	<0.01	0.008	0.11	22.1	8.0	0.41	267	0.73
P449876		19	2.05	20.1	1.50	3.42	<0.05	0.85	<0.01	0.008	0.17	21.8	12.3	0.45	250	0.98
P449877		18	2.02	18.0	1.53	3.03	<0.05	0.78	<0.01	0.009	0.16	19.7	11.9	0.40	238	23.9
P449878		19	1.00	54.5	1.62	3.57	0.05	0.75	<0.01	0.008	0.10	16.5	9.1	0.50	206	47.4
P449879		11	4.01	136.5	4.07	7.51	0.08	1.03	<0.01	0.025	0.04	8.4	16.1	1.29	648	9.33
P449880		26	3.07	73.1	3.14	6.32	0.07	0.35	0.10	0.037	0.24	10.7	15.5	0.92	711	6.07
P449881		16	0.27	13.6	1.41	3.25	<0.05	0.67	<0.01	0.009	0.05	12.3	6.0	0.47	172	398
P449882		18	0.52	18.3	1.54	3.32	0.05	0.81	<0.01	0.009	0.07	20.0	7.6	0.46	241	5.96
P449883		17	0.56	19.6	1.43	2.82	<0.05	0.82	<0.01	0.008	0.07	20.3	6.4	0.37	225	1.62
P449884		18	0.26	21.9	1.06	1.78	<0.05	0.38	<0.01	0.005	0.04	10.4	4.3	0.22	133	37.0
P449885		16	0.57	14.7	1.32	2.46	<0.05	0.67	<0.01	0.009	0.07	18.6	5.6	0.30	191	131.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449874		0.05	0.47	7.1	410	3.5	13.3	0.008	0.12	<0.05	1.5	0.3	1.5	45.4	<0.01	0.04
P449875		0.05	0.59	5.0	420	4.5	11.0	<0.001	0.03	<0.05	1.5	0.3	0.3	61.8	<0.01	0.01
P449876		0.05	0.34	5.4	440	2.9	22.9	<0.001	0.13	0.07	1.6	0.4	0.4	43.4	<0.01	0.06
P449877		0.05	0.35	4.9	420	6.0	20.9	0.014	0.17	0.05	1.5	0.5	0.2	45.2	<0.01	0.07
P449878		0.05	0.33	5.4	440	13.7	10.6	0.029	0.36	0.05	1.5	0.4	0.2	35.8	<0.01	0.21
P449879		0.39	0.07	37.5	510	24.4	2.5	0.006	0.06	0.07	5.9	0.7	0.7	212	<0.01	0.01
P449880		0.07	<0.05	10.8	660	18.0	11.4	0.004	0.93	0.40	8.9	1.0	0.5	123.0	<0.01	2.48
P449881		0.05	0.31	4.9	390	30.1	2.2	0.271	0.26	0.06	1.2	0.4	0.2	33.5	<0.01	0.62
P449882		0.06	0.38	5.1	440	4.9	3.7	0.004	0.13	<0.05	1.5	0.4	0.3	43.2	<0.01	0.05
P449883		0.05	0.57	4.8	450	3.6	4.1	0.001	0.20	0.05	1.3	0.3	0.4	41.8	<0.01	0.06
P449884		0.04	0.28	3.2	230	2.2	2.1	0.027	0.27	<0.05	0.8	0.4	0.2	17.3	<0.01	0.10
P449885		0.05	0.60	4.0	430	6.7	5.1	0.095	0.23	0.05	1.1	0.3	0.3	42.1	<0.01	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449874		4.3	0.053	0.09	1.87	23	0.22	3.53	35	19.1
P449875		5.5	0.069	0.07	2.33	24	0.19	3.62	37	20.3
P449876		5.7	0.050	0.16	2.80	25	0.16	3.89	39	19.7
P449877		4.9	0.044	0.14	1.94	22	0.22	3.51	39	18.5
P449878		5.0	0.048	0.09	2.37	24	0.20	3.64	31	17.2
P449879		1.5	0.300	0.28	0.53	130	0.08	13.15	73	49.9
P449880		1.4	0.055	0.13	0.35	71	0.32	8.11	89	11.9
P449881		4.8	0.039	0.06	1.94	18	0.28	3.36	32	15.2
P449882		6.1	0.058	0.03	2.38	25	0.49	3.93	36	18.7
P449883		4.4	0.055	0.03	1.81	21	0.28	3.65	33	20.4
P449884		2.0	0.026	0.02	1.11	12	0.22	2.08	16	10.0
P449885		3.5	0.052	0.04	1.91	19	0.22	3.36	28	17.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 13-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146181

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

CERTIFICATE SD15146184

Project: Miller

This report is for 173 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449886		3.19	0.116		0.44	0.39	0.3	<0.2	<10	290	0.27	15.05	0.82	<0.01	32.6	3.3
P449887		1.49	0.051		0.50	0.31	0.2	<0.2	<10	100	0.26	15.50	0.60	<0.01	24.4	2.6
P449888		1.92	0.008		0.04	0.49	0.3	<0.2	<10	130	0.41	0.75	0.80	0.01	30.4	3.6
P449889		1.15	0.189		0.24	0.24	0.3	0.2	<10	70	0.20	2.73	0.32	<0.01	12.60	3.2
P449890		<0.02	0.182		0.18	0.25	0.4	<0.2	<10	70	0.22	2.67	0.31	<0.01	12.70	3.1
P449891		3.11	0.083		0.03	0.67	0.2	<0.2	<10	20	0.59	0.62	0.23	<0.01	23.6	5.7
P449892		3.23	0.121		0.04	0.84	0.2	<0.2	<10	10	0.68	19.45	0.21	<0.01	24.8	6.3
P449893		2.93	0.042		0.02	0.77	0.2	<0.2	<10	10	0.56	3.32	0.16	<0.01	22.8	6.1
P449894		2.95	0.066		0.02	0.61	0.2	<0.2	<10	20	0.47	0.53	0.28	<0.01	23.1	4.6
P449895		2.81	0.074		0.12	0.49	<0.1	<0.2	<10	20	0.49	1.34	0.45	0.01	23.0	4.3
P449896		1.76	0.024		0.06	0.75	0.4	<0.2	<10	30	0.71	0.52	0.59	<0.01	25.8	6.3
P449897		1.11	0.021		0.04	0.97	0.6	<0.2	<10	10	0.77	0.42	0.25	<0.01	10.05	8.2
P449898		1.52	0.002		0.04	3.90	0.6	<0.2	<10	30	1.86	0.35	0.44	<0.01	17.55	35.1
P449899		1.76	0.005		0.08	0.46	0.2	<0.2	<10	90	0.38	1.14	0.65	<0.01	31.1	3.9
P449900		1.86	0.040		0.16	0.32	0.3	<0.2	<10	260	0.29	2.22	0.82	<0.01	26.2	3.2
P449901		1.86	0.358		0.08	0.35	0.2	<0.2	<10	170	0.29	2.13	1.21	<0.01	23.7	3.2
P449902		1.49	0.198		0.22	0.18	0.3	<0.2	<10	80	0.21	2.46	1.42	<0.01	13.15	3.4
P449903		2.61	0.009		0.03	0.46	0.2	<0.2	<10	140	0.30	0.41	0.84	0.01	37.8	3.5
P449904		2.09	0.005		0.03	0.40	0.3	<0.2	<10	150	0.29	0.31	0.72	0.02	31.6	3.2
P449905		2.87	0.001		0.06	0.44	0.3	<0.2	<10	110	0.30	0.58	0.81	0.01	26.6	3.4
P449906		1.00	0.001		0.06	0.32	0.3	<0.2	<10	80	0.23	0.48	0.47	<0.01	14.75	2.8
P449907		1.98	0.012		0.19	0.43	0.3	<0.2	<10	150	0.35	0.87	0.73	<0.01	31.1	3.5
P449908		2.28	0.028		0.10	0.36	0.4	<0.2	<10	130	0.27	1.31	0.60	<0.01	33.3	3.0
P449909		1.97	0.006		0.03	0.41	0.2	<0.2	<10	170	0.28	0.26	0.70	0.01	33.7	3.6
P449910		0.11	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.02	0.1
P449911		3.07	0.013		0.05	0.46	0.5	<0.2	<10	140	0.31	0.49	0.67	0.01	32.7	3.6
P449912		2.05	0.014		0.58	0.39	0.1	<0.2	<10	200	0.29	4.56	0.75	0.01	35.1	3.5
P449913		2.20	0.262		0.22	0.38	0.2	0.3	<10	100	0.28	2.31	1.09	<0.01	16.70	3.5
P449914		1.58	0.045		0.29	0.41	0.1	<0.2	<10	120	0.31	1.62	0.91	0.01	24.2	3.6
P449915		1.20	0.002		0.08	0.52	0.3	<0.2	<10	90	0.37	0.21	0.44	0.01	26.8	4.0
P449916		1.62	<0.001		0.07	0.61	0.2	<0.2	<10	60	0.45	0.08	0.40	0.01	31.6	4.9
P449917		1.55	0.005		0.14	3.15	0.4	<0.2	<10	10	1.02	1.52	0.46	<0.01	11.25	35.4
P449918		2.93	0.001		0.04	0.55	0.2	<0.2	<10	60	0.42	0.21	0.42	0.01	28.0	4.1
P449919		1.76	0.017		0.11	0.57	0.3	<0.2	<10	40	0.32	1.18	0.34	<0.01	18.95	4.4
P449920		0.06	9.22		9.81	1.71	11.6	9.2	<10	30	0.56	0.07	3.89	0.29	21.1	10.7
P449921		1.49	0.021		0.06	0.66	0.2	<0.2	<10	40	0.45	1.16	0.37	<0.01	29.5	4.8
P449922		0.70	0.013		0.07	0.34	0.3	<0.2	<10	70	0.32	0.81	0.56	<0.01	19.10	2.7
P449923		2.91	0.003		0.03	0.49	0.3	<0.2	<10	80	0.40	0.39	0.61	0.01	28.8	3.6
P449924		2.13	0.014		0.22	0.55	0.2	<0.2	<10	80	0.39	15.60	0.38	<0.01	25.5	4.2
P449925		1.28	0.002		0.04	0.37	0.1	<0.2	<10	50	0.29	0.64	0.40	<0.01	23.6	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449886		17	0.39	24.1	1.38	2.84	<0.05	0.74	<0.01	0.009	0.07	18.5	6.7	0.34	234	90.5
P449887		20	0.32	14.5	1.17	2.32	<0.05	0.60	<0.01	0.007	0.06	14.1	4.8	0.26	165	163.5
P449888		17	0.46	8.9	1.42	3.72	<0.05	0.81	<0.01	0.011	0.07	16.5	9.7	0.44	210	4.52
P449889		27	0.20	44.1	1.23	1.97	<0.05	0.37	<0.01	<0.005	0.04	6.5	4.3	0.21	116	314
P449890		27	0.19	43.6	1.28	1.95	<0.05	0.38	<0.01	0.005	0.05	6.4	4.3	0.20	125	327
P449891		19	0.30	36.0	1.49	5.07	<0.05	0.78	<0.01	0.006	0.05	11.1	12.4	0.74	150	6.60
P449892		20	0.40	10.4	1.55	5.37	0.05	0.75	<0.01	0.006	0.04	11.8	14.4	0.95	180	2.81
P449893		19	0.52	14.9	1.42	5.00	0.05	0.64	<0.01	<0.005	0.03	11.0	13.6	0.89	169	18.50
P449894		18	0.52	18.6	1.39	4.52	0.05	0.67	<0.01	0.006	0.05	11.7	10.4	0.64	148	66.4
P449895		17	0.39	59.7	1.33	4.20	0.05	0.71	<0.01	0.006	0.05	11.6	9.0	0.49	143	87.1
P449896		25	0.81	93.7	1.66	5.59	<0.05	0.73	<0.01	0.008	0.07	12.8	15.7	0.80	214	33.1
P449897		53	1.29	68.5	1.85	5.78	<0.05	0.51	<0.01	0.009	0.04	4.5	21.8	1.21	222	6.22
P449898		248	4.44	195.5	5.93	17.30	0.08	0.44	<0.01	0.033	0.05	7.0	68.8	5.56	636	1.59
P449899		20	0.63	47.9	1.51	3.58	<0.05	0.76	<0.01	0.006	0.08	17.4	7.4	0.40	200	9.98
P449900		17	0.60	55.6	1.30	2.13	<0.05	0.78	<0.01	0.009	0.10	14.6	5.7	0.23	185	76.6
P449901		16	0.44	23.7	1.24	2.40	<0.05	0.74	<0.01	0.008	0.08	12.6	5.7	0.27	216	20.0
P449902		16	0.10	44.5	1.21	1.36	<0.05	0.55	<0.01	0.006	0.07	6.5	1.9	0.08	171	272
P449903		19	0.97	18.9	1.46	3.21	<0.05	0.81	<0.01	0.008	0.12	21.1	8.0	0.39	252	33.5
P449904		17	0.83	23.7	1.37	2.79	<0.05	0.81	<0.01	0.011	0.10	18.0	6.9	0.34	217	7.86
P449905		19	0.29	33.2	1.38	3.46	<0.05	0.77	<0.01	0.008	0.07	14.9	6.3	0.36	189	10.75
P449906		20	0.18	28.7	1.11	2.42	<0.05	0.50	<0.01	0.006	0.06	8.0	5.1	0.26	131	31.0
P449907		18	1.00	16.0	1.40	3.18	<0.05	0.87	<0.01	0.010	0.11	17.2	7.8	0.36	218	100.5
P449908		17	0.72	15.6	1.29	2.64	<0.05	0.88	<0.01	0.009	0.09	20.0	6.3	0.28	207	190.0
P449909		19	1.67	20.4	1.39	2.83	<0.05	0.88	<0.01	0.010	0.15	19.3	9.7	0.35	237	14.05
P449910		<1	<0.05	0.8	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.08
P449911		19	0.79	31.3	1.42	3.27	<0.05	0.80	<0.01	0.008	0.12	18.6	8.3	0.40	231	29.6
P449912		18	1.57	22.5	1.37	2.78	<0.05	0.88	<0.01	0.007	0.17	19.7	9.8	0.35	252	20.6
P449913		16	0.26	85.2	1.22	2.62	<0.05	0.69	<0.01	0.005	0.08	8.5	5.6	0.26	144	37.5
P449914		16	0.49	42.9	1.33	2.75	<0.05	0.71	<0.01	0.006	0.07	13.2	7.0	0.34	177	27.5
P449915		21	0.76	37.5	1.35	3.73	<0.05	0.66	<0.01	0.006	0.09	15.0	9.9	0.50	180	9.87
P449916		22	1.02	53.4	1.42	4.34	0.05	0.83	<0.01	0.007	0.09	18.1	12.1	0.62	192	1.10
P449917		272	3.00	326	4.89	16.00	0.15	0.51	0.01	0.029	0.01	4.5	60.9	4.74	342	7.55
P449918		19	0.58	17.0	1.31	3.70	0.06	0.66	<0.01	0.007	0.07	16.1	8.9	0.48	171	14.70
P449919		20	0.21	16.6	1.46	3.87	<0.05	0.49	<0.01	<0.005	0.05	9.9	9.3	0.51	128	223
P449920		18	2.56	65.6	2.98	7.12	0.09	0.60	0.18	0.026	0.14	9.4	23.6	1.07	832	5.07
P449921		23	0.30	23.2	1.46	4.72	0.05	0.58	<0.01	0.006	0.05	15.7	11.0	0.62	168	51.4
P449922		21	0.27	25.1	1.22	2.31	<0.05	0.43	<0.01	0.005	0.06	10.6	4.6	0.24	155	146.0
P449923		19	0.46	27.0	1.33	3.31	0.05	0.73	0.01	0.006	0.07	16.2	7.7	0.42	177	15.90
P449924		18	0.50	30.6	1.29	3.55	<0.05	0.81	0.01	0.006	0.07	14.4	9.6	0.51	164	297
P449925		20	0.31	33.9	1.12	2.64	<0.05	0.55	0.01	0.005	0.06	13.1	5.7	0.30	148	166.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449886		0.05	0.49	5.1	400	41.3	3.2	0.062	0.22	0.08	1.3	0.2	0.5	43.4	<0.01	0.59
P449887		0.04	0.35	4.0	350	44.2	2.6	0.100	0.24	0.07	0.8	0.4	0.5	29.8	<0.01	1.42
P449888		0.05	0.21	5.4	420	2.6	3.8	0.002	0.17	0.05	1.4	0.3	0.5	30.0	<0.01	0.07
P449889		0.04	0.17	4.7	190	6.0	2.1	0.266	0.45	0.10	0.7	0.4	0.5	14.2	<0.01	0.75
P449890		0.04	0.18	4.6	190	6.0	2.3	0.264	0.44	0.11	0.7	0.3	0.6	14.1	<0.01	0.74
P449891		0.06	0.18	6.5	420	1.8	2.0	0.005	0.35	0.06	1.5	0.3	0.5	16.5	<0.01	0.16
P449892		0.07	0.15	7.5	420	2.3	2.0	0.002	0.19	0.06	1.5	0.5	0.5	13.4	<0.01	10.70
P449893		0.07	0.12	8.6	400	2.3	1.9	0.014	0.13	0.05	1.5	0.4	0.5	12.4	<0.01	0.20
P449894		0.06	0.18	5.6	390	2.5	2.6	0.048	0.18	0.05	1.5	<0.2	0.5	15.8	<0.01	0.13
P449895		0.05	0.24	5.5	390	3.3	2.3	0.069	0.28	0.05	1.4	0.3	0.4	18.0	<0.01	0.37
P449896		0.06	0.14	9.8	440	3.9	3.9	0.024	0.31	0.05	1.9	0.5	0.5	20.9	<0.01	0.07
P449897		0.04	0.06	15.5	420	2.1	3.0	0.004	0.34	<0.05	2.7	0.5	0.4	13.0	<0.01	0.06
P449898		0.03	<0.05	69.1	1380	2.7	5.4	0.001	0.11	0.05	17.6	0.5	0.6	26.6	<0.01	0.03
P449899		0.06	0.32	5.5	390	2.7	5.5	0.007	0.39	0.09	1.5	0.6	0.5	37.1	<0.01	0.47
P449900		0.05	0.19	4.9	390	4.7	7.2	0.056	0.52	0.07	1.1	0.7	0.4	41.4	<0.01	0.29
P449901		0.04	0.15	4.9	430	2.9	4.8	0.014	0.36	0.06	1.3	0.2	0.3	39.9	<0.01	0.80
P449902		0.05	0.11	5.0	430	9.8	2.7	0.206	0.81	0.07	1.0	0.6	0.5	29.0	<0.01	0.58
P449903		0.05	0.40	5.4	420	3.6	12.7	0.024	0.07	0.07	1.5	<0.2	0.5	53.5	<0.01	0.07
P449904		0.05	0.42	4.9	380	3.0	9.9	0.005	0.17	0.07	1.2	0.2	0.5	49.0	<0.01	0.05
P449905		0.05	0.32	5.1	390	2.3	3.9	0.008	0.20	0.07	1.3	0.2	0.5	39.2	<0.01	0.09
P449906		0.04	0.20	4.3	250	1.9	2.8	0.024	0.26	0.07	0.9	0.2	0.5	27.2	<0.01	0.04
P449907		0.05	0.43	5.5	440	5.0	11.1	0.074	0.25	0.08	1.4	0.5	0.5	51.6	<0.01	0.06
P449908		0.05	0.64	4.6	380	9.0	8.4	0.135	0.12	0.09	1.0	0.3	0.6	60.1	<0.01	0.21
P449909		0.05	0.45	5.1	390	4.0	19.8	0.011	0.13	0.06	1.4	0.3	0.5	52.0	<0.01	0.01
P449910		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01
P449911		0.06	0.41	5.3	400	4.1	12.2	0.021	0.13	0.09	1.3	0.4	0.5	53.2	<0.01	0.09
P449912		0.05	0.35	5.0	400	42.3	23.0	0.016	0.14	0.07	1.4	0.3	0.4	52.3	<0.01	0.05
P449913		0.05	0.20	4.9	410	2.7	5.5	0.028	0.41	0.08	0.8	0.4	0.4	38.1	<0.01	0.61
P449914		0.04	0.15	5.0	410	3.1	5.8	0.024	0.33	0.08	1.1	0.2	0.3	40.1	<0.01	0.36
P449915		0.05	0.24	5.2	360	2.4	8.5	0.006	0.13	0.07	1.4	0.2	0.5	33.9	<0.01	0.04
P449916		0.06	0.36	6.6	430	4.5	9.2	<0.001	0.11	0.06	1.5	0.2	0.5	44.8	<0.01	0.01
P449917		0.05	<0.05	61.5	1400	2.3	1.4	0.005	0.64	0.08	14.4	0.6	0.8	29.6	<0.01	0.68
P449918		0.07	0.37	7.1	400	5.9	4.3	0.014	0.16	0.11	1.2	0.3	0.5	37.7	<0.01	0.01
P449919		0.08	0.27	5.4	460	5.2	2.2	0.184	0.43	0.11	1.1	0.3	0.5	22.7	<0.01	0.13
P449920		0.08	0.10	11.0	650	14.5	6.1	0.002	0.44	0.48	8.5	0.6	0.6	111.5	<0.01	4.14
P449921		0.06	0.24	5.7	390	2.2	2.3	0.036	0.17	0.11	1.5	<0.2	0.5	23.7	<0.01	0.24
P449922		0.06	0.33	4.4	260	3.5	2.8	0.112	0.22	0.13	1.0	0.2	0.6	31.1	<0.01	0.11
P449923		0.07	0.43	5.1	400	4.4	4.9	0.011	0.17	0.12	1.4	<0.2	0.5	38.5	<0.01	0.03
P449924		0.08	0.31	6.0	370	27.2	4.7	0.235	0.12	0.10	1.2	0.3	0.5	32.9	<0.01	0.42
P449925		0.06	0.34	4.2	340	3.9	3.4	0.111	0.15	0.11	1.0	<0.2	0.5	30.7	<0.01	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449886		3.6	0.050	0.04	1.38	20	0.39	3.54	31	17.8
P449887		3.4	0.036	0.04	1.08	14	0.24	2.98	21	14.8
P449888		5.6	0.036	0.05	1.95	22	0.28	3.83	29	19.4
P449889		2.6	0.016	0.03	1.16	11	0.18	1.90	11	8.4
P449890		2.7	0.017	0.04	1.14	11	0.20	1.88	11	8.4
P449891		5.4	0.038	0.02	2.76	24	0.31	4.14	23	18.7
P449892		4.9	0.040	0.02	1.40	27	0.34	4.73	30	18.0
P449893		4.3	0.032	<0.02	1.62	25	0.29	4.10	27	15.7
P449894		4.4	0.037	0.03	1.82	24	0.35	3.84	22	15.4
P449895		4.9	0.036	0.03	2.25	24	0.35	3.85	20	17.2
P449896		5.2	0.038	0.04	2.13	32	0.38	4.54	33	18.7
P449897		3.1	0.030	0.02	1.44	34	0.28	3.56	34	14.9
P449898		2.0	0.062	0.04	0.83	159	0.35	6.24	94	21.9
P449899		4.9	0.046	0.05	2.30	26	0.29	3.71	23	18.5
P449900		4.2	0.017	0.06	1.45	13	0.21	3.66	15	20.1
P449901		4.4	0.015	0.04	2.75	13	0.45	4.38	16	18.8
P449902		3.6	0.007	0.05	1.53	4	0.26	4.15	4	13.7
P449903		4.9	0.050	0.10	2.18	23	0.38	3.83	35	19.6
P449904		4.8	0.043	0.08	2.49	20	0.25	3.34	28	19.5
P449905		4.6	0.039	0.04	1.48	21	0.31	3.37	19	18.6
P449906		2.7	0.022	0.03	1.14	13	0.18	2.29	11	12.1
P449907		6.3	0.045	0.09	4.34	21	0.42	4.42	27	21.5
P449908		5.3	0.055	0.06	2.77	19	0.26	3.40	27	21.9
P449909		4.6	0.048	0.17	2.43	21	0.21	3.44	31	21.4
P449910		0.2	<0.005	<0.02	0.08	<1	<0.05	0.63	<2	0.8
P449911		4.4	0.051	0.09	2.12	22	0.26	3.55	28	19.8
P449912		4.8	0.040	0.16	2.34	20	0.23	3.60	36	21.3
P449913		4.4	0.017	0.04	1.04	11	0.81	3.71	13	16.4
P449914		4.8	0.019	0.05	3.45	15	1.46	3.74	21	17.8
P449915		4.1	0.040	0.06	1.88	22	0.53	3.22	25	17.2
P449916		5.3	0.055	0.07	1.93	29	0.46	3.92	27	20.6
P449917		2.4	0.082	<0.02	1.18	148	0.53	5.20	61	26.4
P449918		4.0	0.048	0.03	1.68	23	0.20	3.11	25	20.0
P449919		3.4	0.033	0.02	0.95	19	0.20	3.63	15	14.2
P449920		1.5	0.136	0.08	0.44	82	0.35	7.86	67	21.9
P449921		4.1	0.040	0.02	1.04	24	0.24	3.25	22	16.3
P449922		2.7	0.031	0.02	1.27	15	0.30	2.47	15	12.4
P449923		4.5	0.048	0.04	2.35	22	0.26	3.42	22	19.4
P449924		4.8	0.041	0.04	2.06	21	0.19	3.27	27	22.4
P449925		3.3	0.037	0.03	1.31	17	0.17	3.03	17	15.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449926		1.22	0.001		0.04	0.49	0.1	<0.2	<10	40	0.39	0.41	0.37	<0.01	19.75	3.6
P449927		0.68	0.071		0.22	0.47	0.1	<0.2	<10	40	0.27	33.6	0.30	<0.01	18.90	3.5
P449928		1.63	0.045		0.14	0.97	0.5	<0.2	<10	30	0.69	82.4	0.15	0.01	19.55	8.4
P449929		2.67	0.071		0.07	0.53	0.1	<0.2	<10	80	0.38	1.01	0.36	<0.01	21.6	4.3
P449930		<0.02	0.043		0.06	0.59	0.3	<0.2	<10	80	0.45	1.04	0.37	<0.01	25.4	4.6
P449931		2.98	0.021		0.07	0.35	0.2	<0.2	<10	130	0.29	0.95	0.62	0.01	25.9	3.0
P449932		2.19	0.232		0.13	0.28	0.3	<0.2	<10	160	0.21	2.21	0.66	<0.01	25.3	2.5
P449933		2.69	0.128		0.12	0.29	0.2	<0.2	<10	170	0.21	1.15	0.68	<0.01	31.4	2.8
P449934		1.20	0.094		0.10	0.27	0.4	<0.2	<10	150	0.19	0.94	0.52	<0.01	26.7	2.3
P449935		2.16	0.004		0.07	0.35	0.1	<0.2	<10	140	0.24	5.44	0.58	0.01	33.0	2.7
P449936		1.95	0.020		0.07	0.37	0.3	<0.2	<10	220	0.26	0.42	0.76	0.01	32.3	3.0
P449937		0.96	0.228		0.27	0.32	0.3	0.4	<10	280	0.26	2.11	0.74	<0.01	29.4	2.8
P449938		1.69	0.877		0.38	0.19	0.2	0.6	<10	70	0.14	6.04	0.33	<0.01	13.00	1.9
P449939		1.91	0.023		0.19	0.29	0.2	<0.2	<10	200	0.29	1.04	0.61	<0.01	29.9	2.6
P449940		0.11	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.07	0.1
P449941		2.32	0.024		0.10	0.30	0.3	<0.2	<10	160	0.28	0.51	0.62	0.01	32.5	2.8
P449942		1.93	0.669		4.13	0.22	0.2	0.3	<10	270	0.19	36.2	0.64	<0.01	23.3	2.5
P449943		2.04	0.038		0.25	0.34	0.3	0.3	<10	250	0.29	1.20	0.76	0.01	34.5	3.1
P449944		3.50	0.010		0.05	0.39	0.2	<0.2	<10	190	0.31	0.39	0.59	0.01	35.5	3.2
P449945		2.07	0.404		0.11	0.41	0.3	<0.2	<10	190	0.31	10.15	0.70	<0.01	28.0	3.0
P449946		2.01	0.014		0.05	0.32	0.3	<0.2	<10	150	0.30	1.71	0.56	<0.01	28.9	2.6
P449947		2.09	0.018		0.08	0.37	0.2	<0.2	<10	190	0.24	0.83	0.67	<0.01	24.6	3.0
P449948		1.90	0.006		0.06	0.38	0.4	<0.2	<10	140	0.29	0.24	0.62	<0.01	33.0	3.1
P449949		2.00	0.153		0.07	0.29	0.1	<0.2	<10	150	0.25	9.31	0.68	0.01	27.7	2.7
P449950		0.06	0.929		6.23	1.11	43.5	0.7	<10	50	0.20	1.16	0.40	5.41	5.76	14.2
P449951		1.84	0.001		0.11	0.37	0.2	<0.2	<10	210	0.26	0.73	0.64	0.02	34.4	3.2
P449952		1.87	0.002		0.04	0.42	0.2	<0.2	<10	210	0.29	0.09	0.69	0.01	38.0	3.5
P449953		1.15	0.012		0.06	0.33	0.4	<0.2	<10	250	0.27	0.43	0.80	<0.01	31.8	3.0
P449954		1.19	1.595		2.90	0.18	0.3	0.9	<10	240	0.17	20.2	0.80	<0.01	20.5	2.7
P449955		2.39	0.011		0.08	0.32	0.4	<0.2	<10	230	0.27	0.35	0.96	0.07	34.5	3.5
P449956		3.01	0.119		0.17	0.34	0.2	<0.2	<10	170	0.26	5.69	0.72	<0.01	32.6	3.1
P449957		2.02	0.030		0.12	0.23	0.3	<0.2	<10	190	0.19	4.57	0.69	0.02	23.7	2.7
P449958		3.40	0.010		0.10	0.40	0.3	<0.2	<10	160	0.31	0.15	0.65	0.02	38.5	3.5
P449959		2.48	0.036		0.14	0.40	0.3	<0.2	<10	220	0.31	0.41	0.73	0.05	39.4	3.9
P449960		<0.02	0.013		0.12	0.38	0.2	<0.2	<10	210	0.24	0.40	0.71	0.03	37.0	3.5
P449961		1.08	0.035		0.34	0.26	0.2	<0.2	<10	270	0.23	6.68	0.71	0.05	26.1	2.8
P449962		1.80	0.015		0.05	0.26	0.2	<0.2	<10	150	0.19	0.26	0.58	0.02	31.2	2.5
P449963		3.00	0.002		0.05	0.30	0.2	<0.2	<10	160	0.23	0.18	0.60	0.02	36.3	2.8
P449964		1.13	1.350		0.25	0.24	0.3	<0.2	<10	250	0.22	1.31	0.73	0.41	22.9	2.8
P449965		1.63	0.016		0.08	0.30	0.3	<0.2	<10	210	0.24	1.49	0.77	0.05	34.3	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449926		20	0.27	31.7	1.15	3.50	<0.05	0.62	0.01	0.005	0.04	10.6	8.0	0.43	123	40.0
P449927		17	0.20	39.1	1.08	3.33	<0.05	0.73	<0.01	<0.005	0.04	10.3	7.4	0.42	106	476
P449928		31	0.54	128.0	1.67	6.41	<0.05	0.66	<0.01	0.007	0.02	9.4	19.2	1.07	137	66.9
P449929		19	0.25	86.5	1.22	3.69	<0.05	0.80	0.01	0.005	0.05	11.7	9.2	0.50	128	66.0
P449930		18	0.30	85.5	1.30	4.02	<0.05	0.77	0.01	0.006	0.05	13.5	10.3	0.55	143	56.8
P449931		17	0.45	43.4	1.16	2.27	<0.05	0.82	0.01	0.007	0.08	14.9	5.8	0.28	171	29.7
P449932		17	0.48	23.1	1.09	1.61	<0.05	0.70	<0.01	0.006	0.08	14.5	4.9	0.19	180	356
P449933		15	0.60	26.3	1.19	1.94	<0.05	0.80	<0.01	0.009	0.09	18.7	5.5	0.22	208	111.5
P449934		16	0.38	13.3	1.03	1.76	<0.05	0.83	<0.01	0.007	0.09	16.3	4.3	0.19	169	107.5
P449935		15	0.57	33.2	1.17	2.39	<0.05	0.90	<0.01	0.006	0.10	19.3	6.0	0.27	218	1.84
P449936		17	1.09	17.1	1.27	2.24	<0.05	0.79	<0.01	0.008	0.13	18.7	7.2	0.27	229	42.2
P449937		14	0.50	51.7	1.18	1.80	<0.05	0.62	<0.01	0.007	0.09	16.2	5.7	0.21	194	289
P449938		29	0.30	95.4	0.94	1.19	<0.05	0.21	<0.01	<0.005	0.05	6.6	3.6	0.12	114	698
P449939		15	0.66	45.8	1.15	1.84	<0.05	0.92	<0.01	0.008	0.09	17.7	5.9	0.20	197	147.0
P449940		<1	<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.40
P449941		15	0.73	21.1	1.20	2.04	<0.05	1.02	<0.01	0.006	0.11	19.9	6.0	0.21	215	60.9
P449942		16	0.64	43.2	1.03	1.43	<0.05	0.53	<0.01	0.008	0.10	13.6	4.8	0.14	192	701
P449943		20	1.06	13.6	1.32	2.29	<0.05	0.79	<0.01	0.008	0.12	20.4	7.8	0.25	246	69.3
P449944		18	1.57	14.0	1.28	2.86	0.05	0.85	<0.01	0.006	0.15	20.7	9.7	0.30	238	52.9
P449945		17	0.46	26.0	1.29	2.83	<0.05	0.75	<0.01	0.007	0.08	15.9	6.8	0.32	215	107.0
P449946		17	0.52	18.1	1.20	2.27	<0.05	0.72	<0.01	0.006	0.08	16.9	5.5	0.25	184	74.8
P449947		18	1.04	9.7	1.19	2.44	<0.05	0.71	<0.01	<0.005	0.12	14.1	7.7	0.28	169	100.5
P449948		20	1.43	9.4	1.34	2.68	0.05	0.85	<0.01	0.008	0.15	19.1	8.5	0.29	251	30.1
P449949		14	1.69	18.7	1.00	2.15	<0.05	0.83	<0.01	0.006	0.14	16.2	9.2	0.29	209	8.99
P449950		20	3.93	7050	6.74	3.42	0.06	<0.02	0.05	0.341	0.30	2.8	12.4	0.31	645	148.5
P449951		18	1.56	25.9	1.34	2.52	<0.05	0.87	<0.01	0.007	0.18	19.8	9.5	0.27	257	7.03
P449952		17	2.07	16.3	1.33	2.94	<0.05	0.94	<0.01	0.007	0.23	21.7	12.1	0.32	267	2.00
P449953		17	1.11	42.9	1.28	2.17	<0.05	0.79	<0.01	0.008	0.12	17.8	8.0	0.23	190	30.6
P449954		20	0.45	90.4	1.08	1.15	<0.05	0.51	<0.01	0.008	0.06	11.3	3.2	0.10	136	725
P449955		15	1.01	20.7	1.36	2.14	<0.05	0.97	<0.01	0.011	0.13	19.9	8.8	0.29	282	4.28
P449956		15	1.03	21.2	1.30	2.43	0.05	0.92	<0.01	0.008	0.11	19.2	8.4	0.29	227	204
P449957		19	0.76	22.8	1.17	1.59	<0.05	0.64	<0.01	0.006	0.11	13.6	6.5	0.17	207	82.2
P449958		19	1.64	26.3	1.47	3.08	<0.05	1.07	<0.01	0.008	0.18	22.8	13.2	0.34	275	11.50
P449959		18	2.58	68.6	1.52	2.92	0.05	1.01	<0.01	0.011	0.21	22.4	14.6	0.34	297	16.65
P449960		17	2.41	62.6	1.41	2.65	<0.05	0.99	<0.01	0.008	0.21	21.2	13.5	0.33	282	14.05
P449961		19	0.93	15.1	1.20	1.67	<0.05	0.64	<0.01	0.007	0.10	14.7	7.2	0.22	209	41.3
P449962		15	1.11	11.1	1.06	1.91	<0.05	1.27	<0.01	0.007	0.10	19.8	6.2	0.23	197	15.50
P449963		18	1.31	14.0	1.27	2.08	<0.05	1.14	<0.01	0.006	0.13	22.6	7.5	0.25	221	1.34
P449964		21	0.60	408	1.17	1.44	<0.05	0.50	<0.01	0.061	0.09	12.2	5.8	0.20	198	20.9
P449965		18	1.26	27.6	1.38	1.97	<0.05	0.91	<0.01	0.010	0.13	19.2	8.6	0.27	256	25.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449926		0.07	0.19	4.6	310	4.3	2.4	0.024	0.17	0.12	1.2	0.2	0.4	22.2	<0.01	0.01
P449927		0.07	0.20	4.0	280	16.7	1.8	0.360	0.21	0.11	1.1	0.5	0.4	18.4	<0.01	0.94
P449928		0.09	0.08	18.7	390	53.1	1.6	0.052	0.29	0.13	2.4	0.7	0.4	17.4	<0.01	0.49
P449929		0.06	0.18	5.0	350	5.8	2.4	0.053	0.33	0.12	1.1	0.2	0.4	20.4	<0.01	0.24
P449930		0.07	0.19	5.3	360	6.8	2.6	0.042	0.30	0.13	1.2	0.3	0.4	22.0	<0.01	0.25
P449931		0.05	0.41	4.1	330	3.7	5.3	0.022	0.27	0.15	1.0	0.3	0.4	37.1	<0.01	0.26
P449932		0.05	0.29	3.8	300	8.3	5.4	0.257	0.30	0.12	0.8	0.3	0.4	42.5	<0.01	0.64
P449933		0.05	0.66	4.2	360	10.1	7.8	0.085	0.28	0.12	0.9	<0.2	0.4	58.0	<0.01	0.26
P449934		0.05	0.48	3.5	280	7.3	6.0	0.080	0.16	0.13	0.7	<0.2	0.5	38.7	<0.01	0.23
P449935		0.06	0.81	4.0	360	11.4	9.0	0.002	0.06	0.12	1.0	<0.2	0.4	54.1	<0.01	0.08
P449936		0.07	0.44	4.6	350	5.3	13.0	0.031	0.19	0.12	1.2	0.2	0.4	56.5	<0.01	0.08
P449937		0.06	0.15	4.2	340	7.3	6.3	0.237	0.42	0.15	0.9	0.5	0.4	50.3	<0.01	0.59
P449938		0.04	<0.05	3.6	160	12.4	2.7	0.558	0.37	0.14	0.3	0.3	0.4	20.9	<0.01	1.30
P449939		0.05	0.42	3.9	330	8.5	8.4	0.113	0.30	0.13	0.8	<0.2	0.4	49.0	<0.01	0.34
P449940		<0.01	<0.05	0.3	10	0.4	0.1	<0.001	0.02	0.08	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
P449941		0.06	0.59	4.1	360	13.8	10.1	0.044	0.22	0.13	0.9	<0.2	0.5	53.7	<0.01	0.12
P449942		0.05	0.25	3.8	250	249	9.4	0.630	0.44	0.18	0.9	0.7	0.4	46.6	<0.01	5.35
P449943		0.06	0.40	4.6	370	13.6	12.5	0.044	0.27	0.13	1.2	0.3	0.4	54.3	<0.01	0.24
P449944		0.06	0.62	4.8	410	11.6	19.2	0.042	0.14	0.10	1.2	<0.2	0.5	64.7	<0.01	0.04
P449945		0.05	0.58	4.8	360	10.0	5.4	0.079	0.19	0.12	1.2	0.3	0.5	45.3	<0.01	1.08
P449946		0.05	0.66	4.3	340	5.8	6.0	0.058	0.19	0.14	0.9	0.3	0.5	43.6	<0.01	0.16
P449947		0.05	0.36	4.5	370	3.4	12.7	0.082	0.28	0.13	0.9	0.2	0.4	41.7	<0.01	0.13
P449948		0.06	0.65	4.7	340	7.3	18.8	0.024	0.07	0.10	1.1	<0.2	0.6	57.6	<0.01	0.03
P449949		0.02	0.43	4.0	390	8.8	23.2	0.007	0.13	0.09	1.0	0.3	0.2	41.8	<0.01	0.37
P449950		0.02	0.08	16.4	480	109.5	13.7	0.217	5.08	2.60	1.3	8.7	1.9	38.0	<0.01	1.07
P449951		0.06	0.46	4.8	390	7.8	25.0	0.004	0.14	0.11	1.0	0.3	0.5	56.1	<0.01	0.05
P449952		0.06	0.37	4.9	380	7.7	34.8	0.001	0.05	0.10	1.3	<0.2	0.4	64.5	<0.01	0.01
P449953		0.05	0.16	4.6	350	3.1	13.9	0.026	0.18	0.21	1.0	<0.2	0.4	47.0	<0.01	0.10
P449954		0.03	<0.05	13.3	300	156.5	3.2	0.537	0.53	0.13	0.7	0.8	0.4	39.9	<0.01	3.90
P449955		0.05	0.33	6.8	400	13.2	14.9	0.003	0.31	0.06	1.5	0.4	0.4	76.0	<0.01	0.14
P449956		0.05	0.44	5.5	390	17.4	12.8	0.165	0.21	0.08	1.2	0.4	0.5	57.6	<0.01	0.39
P449957		0.04	0.24	4.8	280	11.3	12.0	0.062	0.38	0.08	1.0	0.3	0.4	61.2	<0.01	0.43
P449958		0.05	0.55	5.7	410	11.4	27.4	0.008	0.09	0.06	1.3	0.3	0.5	70.5	<0.01	0.05
P449959		0.05	0.42	6.2	420	14.0	33.7	0.013	0.19	0.07	1.5	0.3	0.5	71.3	<0.01	0.17
P449960		0.05	0.40	5.3	410	13.6	32.0	0.011	0.18	0.07	1.4	0.2	0.4	65.5	<0.01	0.13
P449961		0.04	0.22	4.6	300	22.0	11.7	0.027	0.32	0.09	1.0	0.3	0.5	60.0	<0.01	0.36
P449962		0.04	0.60	4.0	380	13.6	14.0	0.013	0.08	0.06	0.9	<0.2	0.4	52.4	<0.01	0.05
P449963		0.05	0.62	4.5	390	11.0	16.0	<0.001	0.10	0.08	1.0	<0.2	0.5	59.2	<0.01	0.05
P449964		0.05	0.21	4.4	460	18.4	8.0	0.019	0.46	0.87	0.9	0.5	0.4	61.7	<0.01	0.71
P449965		0.05	0.37	5.2	390	12.0	15.1	0.021	0.22	0.23	1.2	0.3	0.5	65.6	<0.01	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449926		3.6	0.028	0.02	1.72	19	0.21	2.92	15	17.6
P449927		4.3	0.024	0.03	1.88	16	0.23	2.61	11	20.0
P449928		4.3	0.019	0.03	1.84	36	0.28	3.08	26	20.6
P449929		5.4	0.024	0.03	1.52	17	0.31	3.21	18	23.0
P449930		5.3	0.026	0.03	1.55	19	0.29	3.38	20	22.6
P449931		5.2	0.034	0.05	2.14	14	0.26	3.06	19	22.0
P449932		4.3	0.018	0.04	1.87	11	0.17	2.85	17	20.1
P449933		4.6	0.041	0.05	1.90	15	0.16	3.20	25	22.7
P449934		4.7	0.032	0.05	1.88	12	0.13	2.59	18	24.6
P449935		4.9	0.058	0.06	2.13	19	0.16	3.25	28	24.5
P449936		5.1	0.037	0.09	2.56	17	0.14	3.42	27	21.8
P449937		5.6	0.011	0.05	5.84	10	0.25	3.48	15	17.4
P449938		1.6	<0.005	0.02	0.63	4	0.12	1.41	6	7.0
P449939		7.5	0.027	0.07	2.33	12	0.25	3.05	23	25.3
P449940		0.2	<0.005	<0.02	0.08	<1	<0.05	0.64	<2	0.9
P449941		6.1	0.042	0.07	3.58	15	0.20	3.39	27	27.7
P449942		3.9	0.016	0.15	5.17	10	0.38	2.71	21	14.2
P449943		5.0	0.032	0.09	2.17	17	0.24	3.53	29	23.2
P449944		5.0	0.055	0.12	1.88	21	0.16	3.68	35	23.0
P449945		4.7	0.046	0.05	1.63	19	0.72	3.30	27	21.9
P449946		4.3	0.045	0.04	1.71	16	0.36	3.02	22	21.1
P449947		4.6	0.030	0.08	1.55	15	0.30	3.42	22	19.5
P449948		5.0	0.057	0.12	2.35	19	0.18	3.43	31	25.8
P449949		4.9	0.032	0.15	1.84	16	0.13	3.06	32	23.3
P449950		1.2	0.013	0.35	0.15	18	2.75	2.82	844	<0.5
P449951		5.0	0.043	0.16	1.94	17	0.13	3.41	34	25.4
P449952		5.6	0.043	0.23	2.22	19	0.11	3.64	39	26.5
P449953		4.9	0.015	0.09	1.99	14	0.19	3.36	26	23.2
P449954		3.1	<0.005	0.05	1.04	6	0.19	2.86	17	12.4
P449955		5.0	0.033	0.12	2.32	18	0.17	3.61	35	24.5
P449956		4.9	0.040	0.10	2.10	18	0.24	3.54	28	22.5
P449957		3.6	0.020	0.09	1.44	11	0.17	2.63	20	15.2
P449958		5.2	0.060	0.20	1.86	22	0.22	3.79	38	26.4
P449959		5.2	0.046	0.25	1.71	21	0.15	3.91	41	25.9
P449960		5.2	0.044	0.25	1.67	20	0.14	3.60	39	24.4
P449961		3.7	0.018	0.08	1.94	11	0.15	2.92	22	16.4
P449962		6.7	0.044	0.10	3.28	16	0.17	2.90	28	29.9
P449963		6.2	0.051	0.12	3.17	18	0.16	3.51	30	28.3
P449964		2.6	0.018	0.06	1.36	10	0.18	3.81	38	12.5
P449965		4.5	0.035	0.13	2.02	17	0.14	3.46	32	22.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
P449966		1.04	0.063		1.02	0.31	0.3	<0.2	<10	240	0.29	23.5	0.84	0.02	33.3	3.6
P449967		3.03	0.025		0.20	0.41	0.3	<0.2	<10	230	0.25	7.58	0.71	0.01	40.8	3.7
P449968		1.05	0.001		0.03	0.27	0.2	<0.2	<10	120	0.22	0.21	0.52	0.01	26.4	2.5
P449969		2.96	<0.001		0.04	0.38	0.2	<0.2	<10	220	0.33	0.15	0.75	0.02	37.9	3.7
P449970		0.16	<0.001		0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	1.06	0.1
P449971		2.65	0.167		0.16	0.34	0.2	<0.2	<10	230	0.26	1.45	0.90	<0.01	32.9	3.4
P449972		1.58	0.025		0.25	0.34	0.3	<0.2	<10	170	0.31	2.55	0.73	0.04	31.8	3.1
P449973		3.30	0.094		0.13	0.34	0.1	<0.2	<10	380	0.33	1.19	1.27	0.03	32.8	3.5
P449974		1.92	0.033		0.09	0.36	0.4	<0.2	<10	230	0.31	0.43	0.81	0.03	37.3	3.4
P449975		2.24	0.003		0.06	0.33	0.2	<0.2	<10	160	0.24	0.38	0.70	0.04	36.0	2.8
P449976		1.08	0.089		0.44	0.28	0.2	<0.2	<10	150	0.26	13.35	0.66	0.01	27.6	2.7
P449977		2.20	0.025		0.11	0.29	0.2	<0.2	<10	240	0.24	0.73	0.81	0.04	30.8	3.0
P449978		1.10	0.035		0.09	0.32	0.3	<0.2	<10	220	0.25	0.73	0.86	0.03	33.1	3.3
P449979		3.22	0.010		0.09	0.36	0.3	<0.2	<10	220	0.21	0.27	0.74	0.04	37.8	3.1
P449980		0.12	2.47		5.00	1.62	18.9	2.5	<10	40	0.59	0.07	3.77	0.40	23.8	10.8
P449981		2.92	1.150		0.67	0.37	0.2	0.2	<10	170	0.26	20.6	0.68	0.03	35.9	3.3
P449982		0.75	0.013		0.05	0.39	0.3	<0.2	<10	220	0.33	0.39	0.80	0.02	37.8	3.8
P449983		1.00	0.194		0.13	0.34	0.2	<0.2	<10	280	0.21	1.86	1.26	0.02	31.6	3.6
P449984		3.20	0.176		0.09	0.53	0.2	<0.2	<10	140	0.40	4.81	1.15	<0.01	32.6	4.3
P449985		3.45	0.051		0.09	0.56	0.1	<0.2	<10	110	0.42	0.66	0.79	<0.01	33.7	4.5
P449986		3.50	0.142		0.25	0.78	0.2	<0.2	<10	20	0.43	0.94	0.20	<0.01	18.75	6.4
P449987		2.68	0.002		0.01	0.79	0.1	<0.2	<10	80	0.36	0.10	0.46	<0.01	35.5	5.9
P449988		1.15	0.970		1.38	0.51	0.4	1.7	<10	140	0.35	55.3	0.73	<0.01	37.9	3.9
P449989		2.73	0.001		0.03	0.49	0.1	<0.2	<10	160	0.36	0.21	0.70	0.01	41.0	3.7
P449990		<0.02	0.003		0.02	0.53	0.3	<0.2	<10	170	0.46	0.16	0.67	0.01	37.7	3.8
P449991		2.80	0.018		0.08	0.42	0.2	<0.2	<10	250	0.36	0.48	0.71	0.01	32.9	3.7
P449992		2.11	0.052		0.13	0.39	0.3	<0.2	<10	410	0.38	0.77	0.89	0.01	31.3	3.7
P449993		1.54	0.084		0.37	0.24	0.2	0.4	<10	190	0.24	2.70	0.50	<0.01	17.80	2.2
P449994		3.22	0.038		0.13	0.41	0.2	<0.2	<10	160	0.33	2.53	0.58	<0.01	36.8	3.4
P449995		2.41	0.016		0.07	0.44	0.1	<0.2	<10	130	0.38	0.74	0.66	<0.01	33.1	3.4
P449996		3.50	0.281		0.09	0.43	0.2	<0.2	<10	150	0.33	0.20	0.61	0.02	35.5	3.5
P449997		2.79	0.003		0.10	0.39	0.3	<0.2	<10	160	0.27	0.19	0.51	0.04	34.3	3.2
P449998		1.14	0.336		2.99	0.38	0.2	<0.2	<10	90	0.35	112.5	0.63	<0.01	28.3	2.7
P449999		2.80	1.390		0.09	0.43	0.2	0.8	<10	140	0.41	0.40	0.59	0.01	32.6	3.5
P450000		1.79	0.096		0.13	0.37	0.3	<0.2	<10	60	0.43	2.31	0.71	<0.01	21.4	3.5
R335401		3.30	0.003		0.17	0.42	0.3	0.3	<10	150	0.33	0.20	0.70	0.02	35.9	3.3
R335402		3.23	>10.0	22.9	8.64	0.58	0.4	>25.0	<10	70	0.48	290	0.46	0.05	25.9	4.2
R335403		1.26	0.558		0.48	0.46	0.2	1.1	<10	40	0.48	11.80	0.48	<0.01	18.70	3.7
R335404		2.57	0.142		0.12	0.51	0.1	0.2	<10	40	0.70	1.92	0.56	<0.01	21.8	4.2
R335405		2.11	0.279		0.15	0.37	0.4	<0.2	<10	40	0.47	2.42	1.30	<0.01	17.50	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
P449966		20	1.14	31.4	1.48	2.04	<0.05	0.76	<0.01	0.008	0.12	18.3	8.0	0.25	253	45.6
P449967		21	2.60	17.3	1.59	3.07	0.05	0.96	<0.01	0.007	0.22	22.8	15.1	0.36	290	12.95
P449968		20	1.35	30.6	1.10	1.87	<0.05	0.63	<0.01	0.006	0.15	15.1	10.6	0.23	196	3.32
P449969		19	1.93	17.2	1.52	2.83	<0.05	0.93	<0.01	0.010	0.20	21.7	14.9	0.35	298	2.70
P449970		<1	<0.05	1.0	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05
P449971		18	0.95	15.8	1.35	2.34	<0.05	0.86	<0.01	0.010	0.13	19.4	9.6	0.28	279	247
P449972		20	1.16	38.0	1.38	2.33	<0.05	1.11	<0.01	0.010	0.14	18.8	11.1	0.29	282	22.9
P449973		15	0.54	22.5	1.31	2.24	<0.05	0.78	<0.01	0.009	0.09	18.2	7.7	0.26	328	64.2
P449974		18	0.79	19.8	1.44	2.57	<0.05	0.98	<0.01	0.010	0.10	21.6	8.6	0.32	288	26.4
P449975		17	0.61	12.4	1.27	2.30	<0.05	0.98	<0.01	0.011	0.10	22.2	6.7	0.28	257	0.86
P449976		21	0.85	11.5	1.27	1.90	<0.05	0.70	<0.01	0.006	0.11	16.0	7.6	0.23	230	158.0
P449977		17	0.69	20.3	1.24	1.81	<0.05	0.77	<0.01	0.010	0.10	17.8	7.3	0.23	241	43.0
P449978		18	0.95	29.2	1.43	2.02	<0.05	0.78	<0.01	0.009	0.14	18.9	10.1	0.28	301	67.7
P449979		17	0.89	21.9	1.30	2.47	<0.05	0.97	<0.01	0.011	0.13	22.4	9.3	0.31	273	7.22
P449980		25	3.15	73.9	3.05	6.68	0.05	0.39	0.08	0.041	0.23	11.1	17.4	0.89	704	6.09
P449981		18	1.71	20.5	1.42	2.65	<0.05	0.92	<0.01	0.009	0.16	21.3	10.4	0.31	260	37.2
P449982		22	2.17	20.4	1.53	2.62	<0.05	0.73	<0.01	0.007	0.18	20.4	11.7	0.34	233	11.50
P449983		16	0.47	24.1	1.40	1.72	<0.05	0.50	<0.01	0.006	0.07	17.1	6.8	0.28	206	94.0
P449984		21	0.48	88.7	1.60	3.47	<0.05	0.51	0.02	0.010	0.07	17.5	8.6	0.48	217	15.35
P449985		21	0.89	245	1.69	3.97	0.05	0.66	<0.01	0.008	0.08	18.3	9.5	0.50	240	24.7
P449986		24	0.41	1070	1.74	5.48	<0.05	0.62	<0.01	0.014	0.03	8.7	15.1	0.79	191	57.9
P449987		23	0.45	5.5	1.70	5.70	<0.05	0.62	<0.01	0.006	0.04	18.6	15.1	0.82	233	3.04
P449988		23	0.62	30.2	1.66	3.82	0.05	0.65	<0.01	0.009	0.08	20.5	7.5	0.44	234	59.7
P449989		21	1.08	20.0	1.58	3.48	<0.05	0.88	<0.01	0.009	0.12	23.6	8.2	0.40	258	0.91
P449990		20	1.02	22.4	1.60	3.58	0.13	0.80	<0.01	0.006	0.14	20.8	9.8	0.38	262	0.99
P449991		19	2.06	41.5	1.51	3.04	0.12	0.83	<0.01	0.008	0.16	18.2	12.4	0.35	270	19.70
P449992		17	1.59	21.2	1.43	2.89	0.12	0.77	<0.01	0.007	0.14	17.3	10.4	0.30	251	61.5
P449993		17	0.41	19.8	1.04	1.66	0.11	0.69	<0.01	0.007	0.07	9.3	4.2	0.16	156	250
P449994		19	1.64	18.1	1.42	2.95	0.12	0.75	<0.01	0.006	0.15	20.9	11.0	0.32	253	69.1
P449995		20	0.79	32.2	1.39	3.26	0.12	0.79	<0.01	0.007	0.11	18.7	8.8	0.36	227	35.7
P449996		18	1.18	38.7	1.42	3.06	0.14	0.85	<0.01	0.006	0.14	20.6	9.6	0.33	255	11.85
P449997		21	2.13	64.0	1.36	2.94	0.12	0.87	<0.01	0.006	0.18	19.6	11.3	0.30	243	5.32
P449998		19	0.36	41.6	1.27	2.78	0.12	0.62	<0.01	0.006	0.06	15.3	6.1	0.30	195	430
P449999		19	1.07	41.2	1.46	3.22	0.13	0.77	<0.01	0.008	0.11	18.4	10.0	0.34	235	6.85
P450000		19	0.24	43.2	1.34	2.84	0.12	0.64	<0.01	0.005	0.05	11.3	7.2	0.32	166	86.0
R335401		18	0.39	44.3	1.37	2.93	0.13	0.83	<0.01	0.008	0.08	20.7	7.3	0.33	244	2.51
R335402		21	0.37	98.3	1.61	3.89	0.13	0.72	0.01	0.008	0.07	14.3	11.9	0.53	203	121.0
R335403		23	0.33	64.8	1.42	3.39	0.12	0.55	<0.01	0.005	0.06	9.0	10.5	0.42	162	650
R335404		19	0.31	85.0	1.43	4.01	0.13	0.59	<0.01	0.005	0.06	11.0	12.8	0.48	155	196.0
R335405		21	0.18	52.1	1.39	3.01	0.10	0.50	<0.01	0.005	0.05	8.7	8.1	0.32	200	227

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
P449966		0.05	0.21	5.5	410	73.0	13.6	0.034	0.56	0.10	1.1	0.4	0.3	64.9	<0.01	0.39
P449967		0.06	0.39	5.9	450	25.3	33.7	0.009	0.13	0.08	1.5	0.3	0.5	71.5	<0.01	0.32
P449968		0.04	0.21	4.2	270	3.4	20.9	0.001	0.08	0.08	1.0	0.3	0.4	42.5	<0.01	0.02
P449969		0.05	0.29	5.8	410	7.6	28.7	0.002	0.14	0.07	1.6	0.4	0.5	85.5	<0.01	0.04
P449970		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	0.2	<0.2	0.8	<0.01	<0.01
P449971		0.05	0.31	5.1	410	13.5	14.6	0.164	0.36	0.07	1.3	0.4	0.4	80.9	<0.01	0.38
P449972		0.05	0.30	5.0	350	16.4	16.7	0.016	0.19	0.09	1.3	<0.2	0.5	71.4	<0.01	0.33
P449973		0.05	0.07	4.9	430	9.3	5.7	0.042	0.45	0.10	1.2	0.4	0.3	80.6	<0.01	0.37
P449974		0.05	0.38	5.3	410	12.3	9.9	0.017	0.16	0.09	1.3	0.2	0.5	78.0	<0.01	0.14
P449975		0.05	0.57	4.5	420	16.0	9.4	0.001	0.12	0.05	1.0	0.3	0.5	77.2	<0.01	0.05
P449976		0.04	0.32	4.6	310	42.3	11.4	0.113	0.18	0.09	1.0	0.2	0.5	52.5	<0.01	1.64
P449977		0.05	0.24	4.5	360	10.7	9.2	0.031	0.33	0.06	1.1	0.3	0.4	61.0	<0.01	0.19
P449978		0.05	0.27	5.1	390	14.1	14.5	0.048	0.31	0.07	1.3	0.4	0.5	62.4	<0.01	0.18
P449979		0.05	0.52	4.9	410	18.3	14.0	0.005	0.14	0.05	1.2	0.3	0.5	76.0	<0.01	0.08
P449980		0.07	0.05	11.5	630	18.6	11.7	0.003	0.89	0.42	8.3	0.8	0.6	122.0	<0.01	2.61
P449981		0.05	0.50	5.2	390	69.4	20.1	0.029	0.15	0.08	1.3	0.4	0.5	75.0	<0.01	3.10
P449982		0.05	0.48	6.1	460	5.7	24.1	0.012	0.18	0.08	1.4	0.3	0.5	56.1	<0.01	0.08
P449983		0.03	<0.05	5.1	430	6.1	4.2	0.045	0.68	0.07	0.9	0.5	0.4	52.9	<0.01	0.66
P449984		0.05	0.76	6.4	500	3.6	4.0	0.016	0.33	0.08	1.5	0.5	0.5	60.0	<0.01	1.26
P449985		0.06	0.36	6.8	480	3.7	7.0	0.019	0.25	0.08	1.6	0.4	0.6	56.4	<0.01	0.18
P449986		0.09	0.13	11.6	480	3.0	2.4	0.061	0.24	0.07	1.6	0.6	0.7	24.0	<0.01	0.27
P449987		0.05	0.19	8.4	470	1.9	2.7	0.003	0.04	<0.05	1.7	0.2	0.3	43.5	<0.01	0.01
P449988		0.06	0.49	7.3	440	96.8	5.1	0.045	0.15	0.08	1.6	0.5	0.8	59.4	<0.01	8.24
P449989		0.06	0.63	5.9	470	6.5	11.5	<0.001	0.04	0.06	1.3	<0.2	0.6	74.1	<0.01	0.02
P449990		0.08	0.61	6.2	430	5.8	11.9	<0.001	0.04	0.08	1.4	0.3	0.8	74.2	<0.01	0.02
P449991		0.06	0.62	5.7	420	5.7	21.9	0.013	0.27	0.06	1.7	0.3	0.6	60.3	<0.01	0.08
P449992		0.06	0.47	5.6	480	7.1	17.3	0.043	0.42	0.06	1.6	0.4	0.5	57.4	<0.01	0.15
P449993		0.06	0.38	3.7	220	14.9	4.8	0.173	0.33	0.07	0.8	0.4	0.5	31.5	<0.01	0.81
P449994		0.06	0.82	5.1	410	19.1	18.8	0.050	0.15	0.06	1.2	0.3	0.7	70.8	<0.01	0.36
P449995		0.06	0.58	5.1	390	6.1	9.7	0.027	0.17	0.06	1.5	0.3	0.6	43.5	<0.01	0.06
P449996		0.06	0.85	5.1	410	14.2	16.0	0.011	0.08	0.07	1.3	0.4	0.7	73.6	<0.01	0.05
P449997		0.06	0.81	5.0	400	13.0	25.4	0.004	0.11	0.15	1.2	0.2	0.6	66.7	<0.01	0.04
P449998		0.05	0.61	4.4	330	200	3.5	0.302	0.22	0.09	1.2	1.3	0.6	40.5	<0.01	12.55
P449999		0.06	0.65	5.4	390	7.4	11.9	0.004	0.17	0.07	1.4	0.3	0.6	55.7	<0.01	0.07
P450000		0.05	0.34	5.0	380	8.8	2.4	0.060	0.47	0.07	1.2	0.5	0.5	32.4	<0.01	0.31
R335401		0.05	0.77	4.9	420	9.6	4.9	0.001	0.10	0.06	1.2	0.4	0.6	73.3	<0.01	0.06
R335402		0.06	0.32	5.8	400	109.0	3.5	0.083	0.25	0.08	1.2	2.4	0.7	38.1	<0.01	49.0
R335403		0.05	0.21	5.2	320	14.4	2.9	0.504	0.37	0.08	1.1	0.5	0.6	20.8	<0.01	1.92
R335404		0.06	0.20	5.4	420	4.6	2.7	0.140	0.44	0.07	1.4	0.6	0.5	22.4	<0.01	0.45
R335405		0.05	0.19	5.0	360	5.5	2.2	0.183	0.51	0.09	1.5	0.3	0.6	31.9	<0.01	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
P449966		3.8	0.019	0.11	1.54	14	0.15	3.44	26	18.8
P449967		4.7	0.047	0.27	1.65	23	0.10	4.18	43	24.5
P449968		3.3	0.023	0.16	1.16	13	0.06	2.62	26	15.5
P449969		5.0	0.036	0.21	2.27	20	0.11	3.90	40	22.9
P449970		0.2	<0.005	<0.02	0.09	<1	<0.05	0.69	<2	0.8
P449971		5.4	0.029	0.13	2.01	17	0.19	3.60	32	22.8
P449972		7.1	0.034	0.13	2.37	17	0.20	3.33	31	25.2
P449973		5.5	0.007	0.06	1.92	12	0.74	4.26	33	19.6
P449974		6.0	0.040	0.08	2.73	19	0.37	3.74	35	23.2
P449975		5.4	0.056	0.08	2.36	18	0.18	3.40	32	23.9
P449976		4.1	0.030	0.10	2.39	14	0.17	2.76	26	15.9
P449977		4.6	0.022	0.07	2.10	13	0.22	3.24	26	19.8
P449978		4.6	0.029	0.12	2.62	16	0.21	3.40	31	19.6
P449979		5.9	0.054	0.11	2.55	20	0.21	3.70	33	23.1
P449980		1.5	0.055	0.15	0.35	70	0.38	8.17	84	12.3
P449981		5.1	0.054	0.16	1.81	20	0.22	3.57	34	22.8
P449982		3.5	0.049	0.19	1.44	22	0.27	3.97	36	18.2
P449983		3.6	<0.005	0.04	1.16	8	0.31	4.06	12	11.8
P449984		3.8	0.042	0.06	1.28	24	1100	5.83	25	12.5
P449985		4.1	0.056	0.05	1.58	28	4.94	4.30	28	15.2
P449986		4.5	0.029	0.03	1.63	25	2.22	2.81	26	15.5
P449987		4.6	0.045	0.02	1.49	30	1.32	3.44	32	14.3
P449988		4.1	0.066	0.06	1.25	26	1.68	4.08	26	15.4
P449989		5.3	0.074	0.08	2.40	25	1.08	4.25	33	19.8
P449990		4.8	0.070	0.08	2.24	24	0.70	4.20	31	19.2
P449991		5.2	0.056	0.18	2.06	24	114.5	3.77	36	20.7
P449992		4.7	0.039	0.14	2.07	20	0.44	4.18	30	19.1
P449993		4.6	0.024	0.04	2.09	11	0.65	2.39	13	15.3
P449994		4.3	0.070	0.14	1.84	23	0.24	3.79	35	20.6
P449995		4.9	0.054	0.07	2.44	24	0.51	3.77	27	19.8
P449996		5.0	0.067	0.12	2.61	22	0.34	3.66	35	20.1
P449997		5.0	0.065	0.18	2.31	22	0.24	3.55	35	20.4
P449998		4.0	0.045	0.07	1.61	20	0.55	3.11	20	15.1
P449999		4.6	0.056	0.08	2.36	23	0.33	3.73	30	19.9
P450000		4.3	0.031	0.02	1.84	19	0.54	3.28	17	15.3
R335401		5.4	0.064	0.03	2.72	21	0.44	3.80	32	19.7
R335402		5.0	0.039	0.05	2.28	22	0.65	3.61	36	16.7
R335403		4.2	0.022	0.03	1.80	20	0.79	3.26	16	13.3
R335404		4.4	0.023	0.03	1.87	22	0.55	3.81	18	15.3
R335405		3.9	0.020	0.03	1.10	17	0.49	3.88	11	12.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335406		1.52	0.014		0.05	0.52	0.2	<0.2	<10	110	0.47	0.68	0.81	<0.01	33.8	3.8
R335407		1.02	3.01		1.19	0.14	0.2	2.2	10	30	0.48	17.80	0.24	<0.01	4.56	1.9
R335408		1.78	0.072		0.07	0.52	0.1	<0.2	<10	50	0.51	8.16	0.80	<0.01	23.5	4.2
R335409		3.28	0.035		0.08	0.50	0.1	<0.2	<10	100	0.46	0.57	0.72	<0.01	32.7	3.9
R335410		0.11	<0.001		0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.03	0.1
R335411		3.36	1.395		0.14	0.58	0.1	<0.2	<10	70	0.50	3.45	0.58	<0.01	28.2	4.6
R335412		1.14	0.075		0.20	0.60	0.1	0.2	<10	30	0.50	2.17	0.29	0.01	20.8	4.8
R335413		3.32	0.002		0.02	0.92	<0.1	<0.2	<10	20	0.59	0.18	0.22	<0.01	25.8	7.2
R335414		1.11	0.153		0.07	0.58	0.2	<0.2	<10	20	0.57	12.50	0.14	<0.01	15.75	4.7
R335415		1.87	0.001		0.02	0.58	0.1	<0.2	<10	60	0.44	0.12	0.37	0.01	28.5	4.3
R335416		1.11	6.70		1.16	0.45	0.2	1.3	<10	40	0.38	59.3	0.46	<0.01	21.1	3.7
R335417		2.37	0.039		0.04	0.52	0.2	<0.2	<10	70	0.53	2.48	0.63	<0.01	29.7	4.0
R335418		3.21	0.509		0.06	0.48	0.2	<0.2	<10	70	0.46	0.85	0.68	<0.01	26.5	3.6
R335419		3.18	0.106		0.07	0.46	0.2	<0.2	<10	70	0.44	5.01	0.71	0.01	27.5	3.5
R335420		0.06	9.12		10.00	1.67	11.9	9.4	<10	30	0.53	0.09	3.90	0.27	20.4	10.7
R335421		3.05	0.016		0.04	0.52	0.1	<0.2	<10	60	0.47	1.01	0.59	0.01	28.7	3.4
R335422		3.42	0.030		0.06	0.43	0.1	<0.2	<10	80	0.53	4.86	0.98	0.01	25.3	3.4
R335423		1.93	0.019		0.15	0.47	0.1	<0.2	<10	200	0.37	0.47	0.93	0.02	31.1	3.9
R335424		2.59	0.077		0.32	0.62	0.3	<0.2	<10	20	0.58	1.42	0.65	0.02	18.25	6.4
R335425		1.55	0.044		0.04	1.44	<0.1	<0.2	<10	20	0.45	0.72	2.48	<0.01	17.90	13.4
R335426		2.13	0.129		0.19	1.17	0.2	<0.2	<10	30	0.60	1.59	3.65	0.03	19.45	15.2
R335427		3.46	0.003		0.07	2.03	0.1	<0.2	<10	70	0.41	0.25	2.81	0.03	27.1	20.8
R335428		2.28	0.001		0.02	1.68	0.2	<0.2	<10	90	0.24	0.67	0.95	0.01	21.3	17.5
R335429		3.21	0.001		0.03	1.47	0.6	<0.2	<10	10	0.23	0.12	0.91	0.01	20.7	17.2
R335430		<0.02	0.002		0.02	1.51	0.4	<0.2	<10	20	0.22	0.13	0.93	0.01	21.2	17.0
R335431		2.87	0.006		0.29	1.73	0.3	<0.2	<10	20	0.39	0.91	2.33	<0.01	20.7	18.7
R335432		3.55	0.003		0.08	1.50	0.3	<0.2	<10	30	0.21	0.35	0.98	<0.01	18.35	16.1
R335433		3.40	0.001		0.04	1.25	0.1	<0.2	<10	130	0.11	0.09	0.55	<0.01	17.70	12.5
R335434		3.30	0.001		0.07	1.07	0.4	<0.2	<10	70	0.16	0.37	0.91	0.01	19.30	12.3
R335435		3.52	<0.001		0.05	0.88	0.4	<0.2	<10	50	0.14	0.08	0.86	0.10	23.0	10.2
R335436		2.18	<0.001		0.13	1.10	0.9	<0.2	<10	60	0.32	0.37	1.20	0.02	58.2	14.4
R335437		1.85	0.721		1.10	1.31	0.1	<0.2	<10	100	0.31	53.8	2.66	0.04	16.45	17.5
R335438		2.90	0.002		0.17	1.52	0.1	<0.2	<10	50	0.22	0.29	1.18	0.01	20.5	15.8
R335439		3.08	0.006		0.07	0.62	0.2	<0.2	<10	130	0.36	0.27	0.90	0.01	41.4	5.0
R335440		0.11	<0.001		<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.02	0.01	<0.01	1.04	0.1
R335441		1.60	0.026		0.27	0.46	0.2	<0.2	<10	590	0.33	20.4	1.73	0.02	33.8	4.8
R335442		3.19	0.024		0.45	0.58	0.1	<0.2	<10	140	0.27	15.00	1.19	0.02	49.1	5.4
R335443		3.08	<0.001		0.08	1.19	0.2	<0.2	<10	170	0.12	0.14	1.11	0.01	18.30	13.3
R335444		3.42	0.001		0.09	1.30	0.2	<0.2	<10	230	0.07	0.11	0.57	0.01	16.55	13.6
R335445		3.42	<0.001		0.12	1.25	0.2	<0.2	<10	210	0.12	0.06	0.60	0.02	20.0	14.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335406		19	0.41	50.6	1.39	3.90	0.12	0.69	<0.01	0.007	0.07	17.9	8.4	0.43	213	2.46
R335407		21	0.10	24.8	0.86	1.05	0.11	0.13	<0.01	<0.005	0.03	2.2	2.6	0.10	95	2550
R335408		21	0.39	53.2	1.36	4.15	0.13	0.61	<0.01	0.006	0.05	12.2	11.6	0.48	184	39.2
R335409		21	0.74	53.9	1.50	3.67	0.12	0.66	<0.01	0.006	0.09	17.8	9.6	0.43	231	3.39
R335410		<1	<0.05	0.9	0.03	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.14
R335411		22	0.45	81.3	1.53	4.06	0.13	0.58	<0.01	0.007	0.05	14.7	10.6	0.55	193	35.4
R335412		20	0.41	212	1.42	3.68	0.11	0.43	<0.01	0.008	0.05	10.2	11.6	0.62	157	29.0
R335413		21	0.68	59.3	1.65	5.86	0.14	0.59	<0.01	0.005	0.04	12.2	17.9	1.00	204	2.37
R335414		22	0.40	13.9	1.20	4.13	0.11	0.51	<0.01	0.005	0.03	7.1	11.2	0.59	162	50.8
R335415		20	0.56	30.1	1.43	4.12	0.12	0.63	<0.01	0.006	0.06	14.7	10.3	0.56	204	1.09
R335416		21	0.36	61.3	1.24	3.49	0.13	0.55	<0.01	0.005	0.05	11.0	8.3	0.41	170	535
R335417		21	0.45	100.5	1.48	3.98	0.12	0.66	<0.01	0.008	0.06	16.0	10.0	0.49	208	2.47
R335418		18	0.44	50.2	1.32	3.63	0.12	0.62	<0.01	0.008	0.06	14.3	8.2	0.42	190	42.4
R335419		19	0.32	92.5	1.36	3.38	0.12	0.61	<0.01	0.007	0.06	14.9	8.9	0.40	213	9.36
R335420		19	2.47	62.5	3.03	7.05	0.19	0.63	0.17	0.027	0.14	9.2	25.9	1.09	832	5.06
R335421		19	0.32	54.2	1.34	3.85	0.14	0.76	<0.01	0.006	0.07	15.2	9.4	0.46	194	13.75
R335422		18	0.22	102.5	1.39	3.25	0.11	0.78	<0.01	0.008	0.06	13.8	7.7	0.37	215	1.73
R335423		18	0.45	52.0	1.51	3.02	0.12	0.78	<0.01	0.008	0.08	17.0	7.7	0.41	237	4.01
R335424		20	0.21	368	1.73	4.32	0.12	0.64	<0.01	0.009	0.05	8.0	14.2	0.68	169	52.6
R335425		117	0.67	28.7	2.46	8.23	0.12	0.32	<0.01	0.014	0.08	8.7	31.1	1.82	423	108.0
R335426		74	0.69	37.6	2.18	4.79	0.11	0.28	<0.01	0.014	0.19	8.8	28.6	1.18	410	1.73
R335427		141	2.13	8.2	3.25	7.35	0.12	0.22	<0.01	0.014	0.28	12.8	42.3	2.40	627	9.01
R335428		146	3.18	16.6	2.67	7.10	0.14	0.19	<0.01	0.007	0.39	10.3	33.2	1.98	559	1.32
R335429		146	1.01	33.0	2.50	8.46	0.13	0.23	<0.01	0.009	0.04	10.3	29.0	1.87	565	2.01
R335430		150	1.05	36.1	2.56	8.51	0.15	0.25	<0.01	0.008	0.04	10.6	29.9	1.91	579	2.27
R335431		166	1.46	35.8	3.26	9.85	0.17	0.28	<0.01	0.022	0.04	9.7	35.8	2.44	746	117.0
R335432		130	1.02	40.1	2.43	6.84	0.13	0.15	<0.01	0.008	0.08	8.8	24.3	1.70	547	28.3
R335433		106	1.30	31.9	1.86	4.34	0.11	0.12	<0.01	<0.005	0.44	8.7	18.0	1.15	298	1.17
R335434		108	2.40	41.9	1.77	4.47	0.12	0.20	<0.01	0.007	0.30	9.7	17.7	1.11	313	22.6
R335435		91	1.20	44.8	1.34	3.60	0.12	0.21	<0.01	0.005	0.20	11.5	11.3	0.72	240	1.01
R335436		159	2.32	58.6	1.95	5.15	0.17	0.45	<0.01	0.007	0.32	27.3	18.5	1.30	354	2.95
R335437		94	3.83	47.9	2.77	4.64	0.12	0.23	<0.01	0.018	0.35	7.5	34.9	1.63	743	33.3
R335438		117	2.00	21.5	2.50	4.93	0.12	0.16	<0.01	0.008	0.30	10.0	28.1	1.66	579	3.93
R335439		27	1.16	19.3	1.66	3.98	0.14	0.79	<0.01	0.010	0.17	21.1	14.7	0.55	285	8.44
R335440		<1	<0.05	0.9	0.02	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.06
R335441		17	0.34	25.2	1.53	3.41	0.12	0.86	<0.01	0.005	0.06	17.6	9.7	0.40	325	41.3
R335442		34	0.59	59.8	1.62	3.90	0.13	0.91	<0.01	0.007	0.14	25.5	12.3	0.51	297	24.3
R335443		146	2.22	55.6	1.77	4.34	0.14	0.16	<0.01	<0.005	0.58	9.2	24.1	1.09	323	1.83
R335444		202	3.13	53.1	1.92	4.70	0.14	0.19	<0.01	0.006	0.78	8.0	32.6	1.19	282	6.55
R335445		138	3.13	58.2	1.89	4.45	0.14	0.16	<0.01	0.005	0.74	9.8	31.6	1.14	245	3.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335406		0.06	0.38	5.4	410	3.3	3.3	0.001	0.18	0.07	1.5	<0.2	0.6	45.9	<0.01	0.18
R335407		0.02	0.12	3.0	130	61.9	0.9	1.820	0.37	0.08	0.4	0.8	0.6	10.6	<0.01	6.33
R335408		0.05	0.19	5.8	400	4.8	2.6	0.029	0.33	0.06	1.4	0.4	0.5	33.8	<0.01	0.64
R335409		0.05	0.45	5.7	430	4.4	7.5	0.002	0.13	0.07	1.4	0.5	0.6	48.9	<0.01	0.22
R335410		<0.01	<0.05	0.3	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	0.2	<0.2	0.7	<0.01	<0.01
R335411		0.06	0.24	5.9	430	5.1	2.7	0.024	0.19	0.06	1.5	0.2	0.6	32.5	<0.01	1.05
R335412		0.05	0.11	5.3	340	3.2	2.5	0.018	0.27	0.05	1.2	0.3	0.5	17.9	<0.01	0.56
R335413		0.07	0.11	8.5	440	0.9	2.6	0.001	0.06	0.05	1.7	0.4	0.6	19.3	<0.01	0.08
R335414		0.06	0.12	6.6	320	2.9	2.0	0.040	0.06	0.05	1.1	0.4	0.5	14.1	<0.01	2.87
R335415		0.06	0.22	5.6	390	2.1	3.5	<0.001	0.04	0.06	1.4	0.2	0.5	30.9	<0.01	0.03
R335416		0.05	0.20	4.7	330	29.5	2.9	0.374	0.23	0.07	1.1	0.7	0.5	21.7	<0.01	4.03
R335417		0.05	0.30	5.8	410	2.2	3.0	0.001	0.19	0.07	1.5	0.2	0.6	33.5	<0.01	0.25
R335418		0.06	0.28	5.1	360	2.9	3.2	0.030	0.23	0.05	1.3	0.3	0.5	36.9	<0.01	0.15
R335419		0.05	0.28	5.1	370	3.7	3.1	0.007	0.23	0.07	1.2	0.4	0.5	29.9	<0.01	2.67
R335420		0.07	0.11	10.0	650	14.7	6.0	0.002	0.43	0.39	8.6	0.9	0.6	109.5	<0.01	4.55
R335421		0.06	0.29	5.1	390	2.4	3.3	0.010	0.19	0.06	1.3	0.3	0.5	26.3	<0.01	0.11
R335422		0.05	0.22	4.8	390	3.6	2.9	0.001	0.39	0.06	1.3	0.3	0.5	33.3	<0.01	1.24
R335423		0.05	0.37	5.7	450	3.1	5.5	0.002	0.27	0.07	1.5	0.3	0.5	50.5	<0.01	0.34
R335424		0.05	0.11	9.4	520	6.6	2.1	0.041	0.75	0.08	1.5	0.6	0.5	21.3	<0.01	0.54
R335425		0.05	<0.05	60.7	360	2.0	5.1	0.084	0.33	<0.05	5.9	0.2	0.4	33.2	<0.01	0.27
R335426		0.03	<0.05	60.1	440	14.2	11.4	0.002	0.39	0.07	4.2	0.4	0.3	50.4	<0.01	0.49
R335427		0.04	<0.05	85.0	490	2.1	19.8	0.006	0.23	<0.05	6.8	<0.2	0.3	60.5	<0.01	0.07
R335428		0.06	0.05	72.6	540	1.7	24.6	0.001	0.10	0.05	2.9	<0.2	0.3	32.3	<0.01	0.02
R335429		0.06	0.05	73.4	520	2.3	3.2	0.002	0.11	<0.05	2.8	<0.2	0.3	26.3	<0.01	0.02
R335430		0.06	0.06	72.5	520	2.8	3.3	0.002	0.12	<0.05	2.8	<0.2	0.4	27.3	<0.01	0.02
R335431		0.06	0.05	77.3	500	35.2	3.0	0.105	0.33	<0.05	6.1	<0.2	0.4	42.3	<0.01	0.07
R335432		0.06	0.05	66.1	530	7.4	4.7	0.026	0.17	<0.05	2.6	0.2	0.3	40.5	<0.01	0.01
R335433		0.07	0.05	53.1	500	1.6	14.2	<0.001	0.03	<0.05	1.5	<0.2	0.3	45.6	<0.01	<0.01
R335434		0.06	0.07	49.8	550	3.4	16.8	0.018	0.12	<0.05	2.9	<0.2	0.3	38.2	<0.01	0.01
R335435		0.08	0.11	39.0	670	11.9	9.8	<0.001	0.09	<0.05	1.9	<0.2	0.4	50.1	<0.01	0.01
R335436		0.06	0.18	43.1	1830	7.2	23.8	0.002	0.21	<0.05	3.2	0.4	0.5	52.6	<0.01	0.01
R335437		0.04	<0.05	60.4	400	87.0	30.8	0.028	0.42	0.05	4.9	0.6	0.2	74.3	<0.01	1.91
R335438		0.06	<0.05	62.3	510	2.0	14.9	0.004	0.15	<0.05	2.9	<0.2	<0.2	38.1	<0.01	0.11
R335439		0.05	0.31	9.2	520	6.3	16.6	0.005	0.15	<0.05	1.9	0.2	0.3	54.0	<0.01	0.05
R335440		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01
R335441		0.05	0.17	6.2	450	4.5	3.7	0.022	0.45	<0.05	1.6	0.4	<0.2	54.6	<0.01	12.35
R335442		0.05	0.21	10.0	460	11.9	9.2	0.019	0.16	<0.05	2.0	0.3	0.2	49.2	<0.01	0.44
R335443		0.05	0.05	62.5	490	0.9	22.0	0.002	0.07	<0.05	1.7	<0.2	0.2	40.7	<0.01	0.01
R335444		0.07	<0.05	68.4	500	0.8	29.6	0.004	0.08	<0.05	1.8	0.2	0.2	26.6	<0.01	0.01
R335445		0.06	0.05	59.1	610	2.8	30.9	0.003	0.10	<0.05	1.9	0.2	0.2	29.7	<0.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335406		4.8	0.050	0.03	3.03	25	0.96	4.04	27	17.4
R335407		1.0	0.005	0.06	0.43	8	0.41	2.71	24	3.5
R335408		4.4	0.028	0.03	2.23	23	0.59	3.77	20	14.9
R335409		4.3	0.052	0.05	1.88	24	0.62	4.03	28	17.1
R335410		0.2	<0.005	<0.02	0.08	<1	<0.05	0.63	<2	0.8
R335411		4.3	0.036	0.02	1.63	24	0.51	4.02	23	15.1
R335412		3.5	0.023	0.02	1.23	20	0.55	3.27	20	11.5
R335413		4.8	0.027	0.02	1.50	28	0.40	3.39	29	15.7
R335414		3.8	0.021	0.02	2.04	19	0.35	3.11	22	13.5
R335415		4.7	0.033	0.02	1.82	23	0.47	3.59	28	16.3
R335416		3.8	0.022	0.06	3.19	20	0.48	3.29	24	13.7
R335417		4.5	0.039	0.02	1.80	24	0.56	4.10	25	16.8
R335418		4.1	0.035	0.03	1.70	21	0.51	3.76	22	15.1
R335419		4.2	0.033	0.02	1.93	20	0.53	3.65	23	15.0
R335420		1.6	0.134	0.09	0.44	81	0.39	7.84	65	22.1
R335421		5.3	0.038	0.02	2.29	23	0.63	3.86	23	18.2
R335422		5.5	0.026	0.02	2.16	19	0.50	4.62	18	18.0
R335423		5.4	0.045	0.04	2.31	23	0.56	3.78	29	18.8
R335424		4.6	0.020	0.05	1.87	23	0.41	4.41	25	16.5
R335425		1.5	0.054	0.04	0.40	51	0.34	4.38	47	9.6
R335426		1.9	0.046	0.08	0.32	39	0.63	4.64	51	9.6
R335427		1.9	0.105	0.15	0.78	63	1.64	5.06	122	7.0
R335428		1.3	0.169	0.19	0.21	60	0.24	2.87	93	6.3
R335429		1.5	0.131	0.05	0.35	52	0.44	3.14	97	8.3
R335430		1.6	0.137	0.04	0.34	54	0.45	3.14	98	8.5
R335431		1.3	0.129	0.04	0.30	74	0.56	4.66	124	8.9
R335432		1.4	0.116	0.05	0.21	47	0.34	2.91	92	5.1
R335433		1.3	0.141	0.10	0.22	42	0.50	2.24	36	4.0
R335434		1.4	0.122	0.14	0.26	41	0.16	2.99	38	6.8
R335435		1.8	0.119	0.08	0.44	32	0.20	3.53	42	6.3
R335436		4.9	0.199	0.18	1.34	56	0.20	11.55	46	16.3
R335437		1.0	0.059	0.26	0.17	41	0.15	3.15	121	7.9
R335438		1.4	0.091	0.13	0.20	44	0.11	2.76	144	5.8
R335439		4.4	0.069	0.12	1.51	28	0.28	4.36	42	24.4
R335440		0.2	<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R335441		3.8	0.034	0.04	1.44	28	0.64	4.28	26	28.0
R335442		4.2	0.066	0.07	1.56	37	0.35	3.93	37	29.6
R335443		1.2	0.140	0.15	0.20	41	0.45	2.49	51	5.3
R335444		1.3	0.155	0.19	0.20	45	0.22	2.22	53	6.6
R335445		1.4	0.149	0.21	0.23	45	0.43	2.46	45	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335446		1.86	0.001		0.28	1.44	0.2	<0.2	<10	250	0.10	0.75	0.43	0.02	17.35	15.4
R335447		3.20	<0.001		0.07	1.28	0.4	<0.2	<10	180	0.11	0.05	0.53	0.01	22.3	13.9
R335448		2.14	<0.001		0.07	1.19	0.1	<0.2	<10	210	0.07	0.05	0.37	0.01	15.70	12.3
R335449		3.21	<0.001		0.05	1.18	0.2	<0.2	<10	150	0.09	0.07	0.46	0.01	19.35	13.0
R335450		0.06	0.937		6.22	1.00	39.8	0.9	<10	40	0.20	1.16	0.39	5.15	5.13	13.4
R335451		3.40	<0.001		0.10	1.11	0.2	<0.2	<10	60	0.15	0.40	1.13	0.05	17.05	9.3
R335452		3.19	<0.001		0.11	0.94	0.2	<0.2	<10	60	0.05	0.05	0.43	0.01	16.35	10.5
R335453		2.99	0.001		0.09	1.07	0.3	<0.2	<10	30	0.09	0.08	0.84	0.01	17.50	13.5
R335454		2.03	<0.001		0.10	0.85	0.3	<0.2	<10	50	0.16	0.24	0.89	0.01	15.75	13.9
R335455		3.15	0.001		0.12	1.06	0.3	<0.2	<10	110	<0.05	0.02	0.38	0.01	13.70	11.9
R335456		3.16	<0.001		0.08	1.20	0.4	<0.2	<10	160	0.07	0.04	0.50	0.01	17.50	12.1
R335457		3.11	<0.001		0.22	1.08	0.3	<0.2	<10	30	0.05	0.10	0.90	0.01	12.15	21.2
R335458		2.36	<0.001		0.12	0.63	0.2	<0.2	<10	10	0.06	0.06	0.99	0.01	10.95	13.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335446		140	4.95	105.5	2.28	5.77	0.14	0.14	<0.01	0.005	0.88	8.6	38.4	1.34	290	1.73
R335447		140	2.47	38.2	2.06	5.11	0.16	0.17	<0.01	0.006	0.63	11.0	35.1	1.25	244	0.82
R335448		116	1.36	28.6	1.89	4.17	0.13	0.15	<0.01	0.005	0.68	7.7	25.8	1.11	166	1.45
R335449		134	2.13	31.9	1.86	4.69	0.14	0.12	<0.01	<0.005	0.54	8.8	26.2	1.09	159	4.91
R335450		20	3.63	6850	6.46	3.07	0.12	<0.02	0.05	0.344	0.26	2.4	11.8	0.30	606	134.5
R335451		95	2.70	34.4	1.43	4.96	0.13	0.16	<0.01	0.006	0.31	8.4	22.9	0.70	159	4.02
R335452		98	2.04	41.4	1.43	3.22	0.11	0.10	<0.01	<0.005	0.26	8.0	18.7	0.80	132	1.67
R335453		109	3.44	62.1	1.80	4.00	0.11	0.13	<0.01	0.005	0.21	8.5	25.7	1.08	229	2.03
R335454		89	2.11	62.7	1.54	3.32	0.11	0.18	<0.01	<0.005	0.27	7.4	25.1	0.77	189	31.6
R335455		165	1.11	58.5	1.63	3.63	0.13	0.09	<0.01	0.005	0.46	6.5	25.3	0.98	127	2.29
R335456		105	1.77	42.3	1.77	4.44	0.15	0.13	<0.01	<0.005	0.63	8.6	30.3	0.99	187	9.23
R335457		174	1.58	64.3	1.80	3.36	0.14	0.12	<0.01	<0.005	0.29	5.9	30.5	0.90	174	31.3
R335458		97	0.71	40.5	1.05	2.21	0.13	0.16	<0.01	<0.005	0.14	4.8	12.4	0.43	118	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335446		0.07	<0.05	65.8	510	3.2	39.9	0.001	0.10	<0.05	1.9	0.2	0.2	21.4	<0.01	0.01
R335447		0.06	0.06	59.2	710	1.2	25.6	<0.001	0.03	<0.05	1.8	<0.2	0.2	30.0	<0.01	0.01
R335448		0.07	<0.05	52.6	480	0.9	17.5	0.001	0.02	<0.05	1.6	<0.2	<0.2	16.2	<0.01	0.01
R335449		0.07	0.05	54.5	480	1.1	18.5	0.002	0.04	<0.05	1.6	0.2	0.2	29.2	<0.01	0.01
R335450		0.01	0.06	14.9	470	105.0	12.2	0.199	4.94	2.50	1.3	7.7	1.9	35.6	<0.01	1.00
R335451		0.07	0.08	38.7	490	4.8	15.2	0.003	0.11	<0.05	1.7	<0.2	<0.2	95.0	<0.01	0.01
R335452		0.07	0.05	43.2	480	1.1	9.3	<0.001	0.06	<0.05	1.4	0.2	0.2	19.6	<0.01	0.02
R335453		0.07	0.05	52.1	470	1.8	13.9	0.001	0.21	<0.05	2.3	<0.2	0.4	43.6	<0.01	0.01
R335454		0.05	0.10	54.2	510	4.4	15.8	0.012	0.41	<0.05	1.8	0.3	0.2	37.3	<0.01	0.02
R335455		0.06	<0.05	55.3	440	0.7	12.7	0.002	0.04	<0.05	1.6	<0.2	<0.2	15.3	<0.01	<0.01
R335456		0.08	0.05	50.8	500	1.1	19.6	0.007	0.05	<0.05	1.7	<0.2	<0.2	44.4	<0.01	<0.01
R335457		0.09	0.05	101.0	440	2.6	12.3	0.028	0.48	<0.05	2.4	0.4	<0.2	34.6	<0.01	0.03
R335458		0.07	0.13	52.3	420	2.0	7.0	0.003	0.31	<0.05	1.7	0.2	0.2	159.0	<0.01	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335446		1.3	0.158	0.27	0.26	57	0.25	2.02	45	5.6
R335447		1.5	0.144	0.17	0.27	51	0.22	2.44	46	6.4
R335448		1.2	0.128	0.10	0.18	46	0.13	1.46	37	5.7
R335449		1.3	0.122	0.12	0.21	50	0.19	1.94	41	4.5
R335450		1.0	0.011	0.32	0.15	17	2.21	2.74	805	<0.5
R335451		1.2	0.098	0.11	0.21	36	0.28	2.03	32	5.6
R335452		1.1	0.080	0.07	0.17	30	0.12	1.78	24	3.4
R335453		1.1	0.092	0.13	0.17	34	0.20	2.21	29	4.7
R335454		1.1	0.112	0.14	0.36	34	0.25	2.68	26	6.3
R335455		1.1	0.104	0.09	0.15	40	0.23	1.71	23	3.2
R335456		1.3	0.142	0.12	0.20	43	0.22	2.08	28	4.6
R335457		1.0	0.119	0.13	0.14	34	0.89	2.48	22	3.8
R335458		0.7	0.121	0.09	0.14	25	0.51	3.67	11	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15146184

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

CERTIFICATE SD15147427

Project: Miller

This report is for 181 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 28-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331977		2.32	0.003	0.22	1.28	0.5	<0.2	<10	10	0.17	0.09	1.00	0.04	7.65	28.0	23
R331978		3.48	0.003	0.07	1.24	0.5	<0.2	<10	10	0.14	0.19	1.30	0.05	7.85	24.4	18
R331979		3.85	0.001	0.05	1.16	0.6	<0.2	<10	10	0.18	0.05	1.66	0.04	6.48	22.7	22
R331980		0.07	0.904	6.09	1.05	40.6	0.7	<10	40	0.26	1.21	0.41	5.10	5.13	13.4	20
R331981		3.23	0.001	0.06	1.49	0.3	<0.2	<10	10	0.13	0.04	1.09	0.04	6.62	20.5	24
R331982		3.53	0.007	0.05	1.67	0.6	<0.2	<10	10	0.14	0.03	1.59	0.03	6.44	20.9	38
R331983		3.19	0.001	0.05	1.07	0.3	<0.2	<10	10	0.13	0.04	1.43	0.03	6.28	17.2	38
R331984		3.75	0.001	0.10	1.38	0.4	<0.2	<10	20	0.23	0.07	1.38	0.05	7.68	27.2	40
R331985		4.47	0.001	0.47	1.53	0.4	<0.2	<10	10	0.17	0.05	1.27	0.02	7.09	22.6	36
R331986		3.67	0.002	0.07	1.52	0.2	<0.2	<10	10	0.16	0.04	1.18	0.03	6.91	22.4	36
R331987		4.21	<0.001	0.19	1.00	0.4	<0.2	<10	20	0.18	0.12	1.41	0.05	9.56	25.5	42
R331988		3.40	<0.001	2.12	2.11	1.1	<0.2	<10	260	1.12	0.34	2.95	0.10	76.2	23.6	273
R331989		3.60	<0.001	0.04	1.98	1.2	<0.2	<10	240	0.67	0.06	3.19	0.01	85.4	22.1	252
R331990		<0.02	<0.001	0.04	1.97	1.1	<0.2	<10	240	0.66	0.05	3.22	0.03	83.3	22.0	250
R331991		4.18	<0.001	0.05	1.30	0.7	<0.2	<10	40	0.24	0.07	1.50	0.04	20.8	24.1	70
R331992		4.03	0.002	0.08	1.18	0.3	<0.2	<10	10	0.12	0.04	1.32	0.05	7.43	20.4	45
R331993		2.56	<0.001	0.11	1.09	0.2	<0.2	<10	10	0.20	0.65	1.60	0.04	7.62	30.4	34
R331994		3.89	<0.001	0.16	1.44	0.6	<0.2	<10	10	0.23	0.32	2.21	0.05	7.39	33.4	20
R331995		4.03	0.001	0.08	1.46	0.4	<0.2	<10	10	0.25	0.83	2.02	0.04	7.31	30.2	22
R331996		3.29	0.059	0.23	1.50	0.4	<0.2	<10	10	0.38	0.69	4.18	0.04	6.85	35.1	20
R331997		3.71	0.139	0.19	1.67	0.6	0.2	<10	10	0.45	0.64	4.02	0.06	6.56	35.0	22
R331998		4.19	0.060	0.17	1.67	0.7	<0.2	<10	10	0.46	0.79	3.07	0.09	5.28	38.4	22
R331999		3.47	0.001	0.18	1.09	0.2	<0.2	<10	10	0.42	0.70	2.61	0.09	5.57	31.6	22
R332000		3.66	0.001	0.19	1.05	0.3	<0.2	<10	20	0.57	0.41	2.02	0.08	7.33	32.3	21
R332001		3.20	<0.001	0.06	0.77	0.2	<0.2	<10	70	0.38	0.06	1.08	0.11	65.7	6.0	12
R332002		3.16	<0.001	0.04	0.75	<0.1	<0.2	<10	100	0.34	0.08	0.98	0.06	63.7	5.6	14
R332003		3.80	0.001	0.20	0.98	0.4	<0.2	<10	10	0.48	0.16	1.86	0.07	8.02	27.9	21
R332004		3.86	<0.001	0.23	1.00	0.3	<0.2	<10	10	0.42	0.08	2.00	0.07	7.07	24.5	24
R332005		3.85	0.003	0.18	0.99	0.2	<0.2	<10	10	0.45	0.18	2.69	0.06	6.75	25.2	19
R332006		4.07	0.001	0.17	0.92	<0.1	<0.2	<10	<10	0.64	0.08	3.59	0.09	6.20	23.9	18
R332007		3.94	0.001	0.18	1.06	0.2	<0.2	<10	10	0.56	0.25	2.40	0.08	7.72	25.7	23
R332008		3.95	0.001	0.13	0.91	0.2	<0.2	<10	<10	0.29	0.16	1.48	0.05	6.93	21.5	27
R332009		4.04	0.001	0.22	1.05	0.1	<0.2	<10	10	0.28	0.06	1.31	0.09	7.19	26.5	43
R332010		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.94	0.1	<1
R332011		3.85	0.001	0.24	1.13	0.2	<0.2	<10	10	0.30	0.28	1.96	0.06	7.34	26.9	30
R332012		3.72	0.001	0.20	0.91	0.3	<0.2	<10	10	0.38	0.21	2.11	0.11	12.00	23.1	13
R332013		3.40	0.001	0.61	0.61	0.6	<0.2	<10	10	0.30	1.65	2.03	0.21	17.95	22.7	29
R332014		3.22	<0.001	0.12	0.73	0.2	<0.2	<10	<10	0.31	0.17	1.93	0.13	14.30	20.0	6
R332015		4.39	0.001	0.13	1.07	0.3	<0.2	<10	<10	0.28	0.20	1.69	0.07	14.05	19.2	5
R332016		3.90	0.006	0.13	1.49	0.2	<0.2	<10	10	0.45	0.13	1.74	0.42	20.8	19.6	7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331977		0.97	127.5	7.73	7.83	0.25	0.10	<0.01	0.019	0.05	2.7	25.9	0.92	410	1.47	0.08
R331978		0.37	130.5	6.54	6.95	0.21	0.13	<0.01	0.017	0.03	2.9	15.7	0.80	436	2.64	0.08
R331979		0.27	138.0	6.05	5.85	0.24	0.19	<0.01	0.018	0.03	2.5	11.7	0.65	430	0.89	0.08
R331980		3.57	6980	6.68	3.27	0.12	<0.02	0.05	0.315	0.27	2.5	11.5	0.32	615	142.0	0.02
R331981		0.51	153.5	5.06	6.97	0.19	0.08	<0.01	0.017	0.04	2.4	19.8	0.84	341	1.54	0.12
R331982		0.92	129.0	5.31	7.31	0.20	0.10	<0.01	0.022	0.06	2.4	14.3	0.81	420	0.62	0.15
R331983		0.53	117.5	4.97	5.52	0.19	0.11	<0.01	0.017	0.04	2.4	10.5	0.58	361	0.55	0.12
R331984		2.43	166.0	6.64	8.01	0.23	0.11	<0.01	0.024	0.11	2.8	21.4	0.95	368	1.17	0.13
R331985		0.77	141.0	5.25	6.86	0.19	0.09	<0.01	0.018	0.05	2.8	23.2	0.96	372	2.91	0.11
R331986		0.61	142.5	5.16	7.05	0.21	0.11	<0.01	0.021	0.05	2.6	17.8	0.82	359	0.54	0.16
R331987		1.37	155.0	4.92	5.65	0.19	0.15	<0.01	0.018	0.09	4.0	13.5	0.63	317	3.58	0.10
R331988		18.15	113.5	3.70	10.75	0.28	0.65	<0.01	0.027	1.26	34.8	71.1	2.48	592	0.16	0.07
R331989		11.45	94.3	3.36	9.82	0.26	0.35	<0.01	0.020	1.08	39.3	64.5	2.07	552	0.18	0.08
R331990		11.20	89.9	3.34	9.64	0.27	0.51	<0.01	0.018	1.07	37.9	63.2	2.07	551	0.11	0.08
R331991		2.31	147.0	6.23	7.78	0.23	0.36	<0.01	0.019	0.21	9.6	23.2	0.98	432	0.29	0.12
R331992		0.40	157.5	5.91	7.05	0.21	0.13	<0.01	0.022	0.04	2.9	11.2	0.67	401	0.39	0.15
R331993		0.89	190.0	5.80	6.46	0.22	0.16	<0.01	0.022	0.07	2.9	10.9	0.80	406	8.46	0.16
R331994		0.54	189.0	6.35	7.57	0.26	0.25	<0.01	0.031	0.06	2.8	15.9	0.93	585	1.18	0.16
R331995		0.41	158.5	6.19	7.88	0.21	0.19	<0.01	0.026	0.06	2.7	16.5	0.83	804	2.42	0.12
R331996		0.88	152.0	8.69	8.55	0.23	0.21	<0.01	0.038	0.07	2.6	19.3	1.08	951	15.25	0.08
R331997		0.34	169.5	10.10	10.40	0.30	0.21	<0.01	0.036	0.04	2.4	21.7	1.15	1470	1.88	0.07
R331998		0.36	250	12.10	11.75	0.41	0.19	<0.01	0.035	0.03	1.9	21.9	1.23	1510	3.35	0.05
R331999		0.51	234	10.85	7.85	0.32	0.19	<0.01	0.028	0.06	2.1	14.8	0.74	1250	6.33	0.08
R332000		0.80	178.0	8.87	6.59	0.23	0.28	<0.01	0.028	0.11	2.9	10.1	0.72	951	1.97	0.14
R332001		1.04	14.6	1.89	5.68	0.15	1.16	<0.01	0.012	0.21	32.9	14.8	0.48	308	0.29	0.07
R332002		2.28	16.7	1.82	5.06	0.16	1.44	<0.01	0.011	0.40	31.7	16.7	0.45	264	0.53	0.08
R332003		0.73	190.5	8.15	6.69	0.22	0.34	<0.01	0.029	0.12	3.0	6.8	0.68	863	1.42	0.17
R332004		1.64	177.0	8.41	6.41	0.27	0.29	<0.01	0.026	0.16	2.7	8.2	0.63	874	1.08	0.14
R332005		1.15	220	9.10	6.74	0.36	0.29	<0.01	0.026	0.11	2.8	8.8	0.70	1030	2.89	0.11
R332006		0.97	173.5	11.90	6.81	0.27	0.27	<0.01	0.027	0.10	2.4	11.2	0.74	1180	0.68	0.09
R332007		1.30	209	9.88	7.39	0.27	0.39	<0.01	0.032	0.13	3.0	12.6	0.89	908	0.40	0.13
R332008		0.91	152.0	7.40	6.52	0.20	0.26	<0.01	0.021	0.07	2.6	13.3	0.83	534	0.50	0.13
R332009		2.12	161.5	7.82	8.12	0.24	0.23	<0.01	0.023	0.16	2.7	16.1	0.92	475	0.83	0.16
R332010		<0.05	0.8	0.03	<0.05	0.08	0.03	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R332011		1.31	181.5	7.25	7.26	0.27	0.20	<0.01	0.024	0.10	2.7	12.9	0.91	510	1.40	0.17
R332012		0.97	141.0	8.56	7.32	0.25	0.37	<0.01	0.036	0.10	4.4	8.0	0.59	622	2.11	0.12
R332013		0.31	67.0	7.51	5.89	0.26	0.32	<0.01	0.029	0.04	6.7	6.9	0.41	509	3.26	0.08
R332014		0.27	76.3	7.22	5.95	0.26	0.26	<0.01	0.032	0.04	5.1	5.1	0.35	603	3.36	0.10
R332015		0.29	76.0	6.56	7.30	0.28	0.20	<0.01	0.036	0.04	5.1	8.2	0.50	505	2.81	0.14
R332016		0.49	108.0	8.37	9.46	0.28	0.54	<0.01	0.064	0.06	8.6	13.1	0.75	683	11.60	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331977		0.14	18.5	610	2.6	4.3	0.002	0.13	0.05	6.8	0.7	0.3	15.0	<0.01	0.02	0.2
R331978		0.15	12.8	640	0.7	2.0	0.003	0.24	<0.05	5.8	0.6	0.3	17.7	<0.01	0.03	0.2
R331979		0.33	13.4	570	0.9	1.4	0.001	0.15	<0.05	5.9	0.7	0.2	25.2	<0.01	0.01	0.2
R331980		0.07	15.2	460	109.5	12.4	0.202	5.09	2.69	1.3	7.7	1.8	36.5	<0.01	1.04	1.1
R331981		0.08	15.4	520	0.5	2.2	0.003	0.09	<0.05	5.8	0.6	0.2	15.1	<0.01	0.01	0.2
R331982		0.10	17.0	500	0.4	4.5	0.002	0.07	<0.05	6.8	0.6	0.3	30.6	<0.01	0.01	<0.2
R331983		0.17	14.7	540	0.4	2.7	0.001	0.08	<0.05	5.4	0.5	0.2	15.4	<0.01	0.01	<0.2
R331984		0.11	21.0	570	0.7	10.0	0.002	0.29	<0.05	6.8	1.1	0.4	13.6	<0.01	0.01	0.2
R331985		0.10	19.7	500	0.8	3.9	0.003	0.12	<0.05	6.3	0.6	0.3	28.2	<0.01	0.01	0.2
R331986		0.09	19.7	520	0.6	3.7	0.002	0.15	<0.05	6.3	0.9	0.2	23.1	<0.01	0.01	0.2
R331987		0.17	19.6	570	1.3	6.3	0.002	0.35	<0.05	5.0	1.2	0.3	28.1	<0.01	0.07	0.3
R331988		0.16	66.9	2070	7.0	99.3	<0.001	0.38	<0.05	5.4	1.1	0.9	54.9	<0.01	0.01	5.5
R331989		0.18	64.0	2070	4.2	79.3	<0.001	0.12	<0.05	4.1	0.8	1.9	73.6	<0.01	0.01	6.4
R331990		0.19	63.0	2030	2.7	75.8	<0.001	0.12	<0.05	4.1	1.2	0.9	72.9	<0.01	<0.01	6.2
R331991		0.19	25.4	730	1.6	13.8	0.001	0.19	0.07	6.9	0.8	0.4	43.3	<0.01	<0.01	1.1
R331992		0.19	17.5	520	0.7	2.0	0.002	0.08	<0.05	7.2	0.6	0.2	30.7	<0.01	0.02	0.2
R331993		0.20	22.6	550	1.3	4.7	0.010	0.80	<0.05	8.9	1.2	0.4	22.0	<0.01	0.04	0.2
R331994		0.23	27.7	540	1.6	3.4	0.002	1.03	<0.05	11.0	1.4	0.5	18.8	<0.01	0.10	0.2
R331995		0.21	21.5	530	2.4	3.5	0.002	0.50	<0.05	10.3	0.9	0.3	23.8	<0.01	0.03	0.2
R331996		0.09	22.4	540	1.8	6.1	0.007	0.75	<0.05	14.3	1.0	0.4	41.5	<0.01	0.20	0.2
R331997		0.15	23.0	510	1.6	2.7	0.002	0.87	<0.05	12.8	1.2	0.6	26.9	<0.01	0.12	0.2
R331998		0.24	22.7	470	2.0	2.5	0.003	0.96	<0.05	9.6	1.3	0.9	25.5	<0.01	0.13	<0.2
R331999		0.32	17.3	440	2.1	3.9	0.004	0.80	<0.05	6.9	1.0	0.8	21.8	<0.01	0.04	<0.2
R332000		0.34	17.8	550	3.1	6.5	0.002	0.57	<0.05	10.1	1.0	0.5	29.8	<0.01	0.03	0.2
R332001		0.70	3.6	860	10.5	16.9	<0.001	0.15	<0.05	1.0	0.3	0.8	97.7	<0.01	0.01	4.0
R332002		0.73	3.6	820	12.3	38.6	<0.001	0.22	<0.05	1.0	0.2	0.7	100.0	<0.01	<0.01	3.9
R332003		0.40	17.4	550	2.1	6.9	0.002	0.34	<0.05	11.6	1.0	0.5	23.3	<0.01	0.02	0.2
R332004		0.38	15.6	580	1.7	14.7	0.001	0.24	<0.05	9.2	0.8	0.5	18.4	<0.01	0.03	0.2
R332005		0.36	14.6	530	1.8	9.2	0.002	0.36	<0.05	8.6	0.8	0.6	26.2	<0.01	0.03	0.2
R332006		0.35	15.0	520	1.7	7.6	0.001	0.24	<0.05	7.1	0.7	0.5	35.1	<0.01	0.02	<0.2
R332007		0.45	15.8	600	2.4	8.8	0.001	0.25	<0.05	9.8	1.0	0.7	29.0	<0.01	0.02	0.2
R332008		0.27	15.9	540	1.3	5.4	0.001	0.16	<0.05	8.3	0.6	0.4	17.0	<0.01	0.01	0.2
R332009		0.14	23.9	530	1.7	18.1	0.001	0.13	<0.05	8.6	0.7	0.4	9.6	<0.01	0.01	0.2
R332010		<0.05	0.4	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R332011		0.25	21.2	540	2.4	7.7	0.002	0.38	<0.05	9.0	0.6	0.5	19.6	<0.01	0.03	0.2
R332012		0.55	9.8	820	2.9	5.9	0.002	0.25	<0.05	8.7	1.1	0.6	37.0	<0.01	0.03	0.3
R332013		0.80	9.1	1220	9.2	3.0	0.004	0.58	<0.05	5.8	1.1	0.6	36.2	<0.01	0.03	0.5
R332014		0.61	1.2	1060	2.9	2.3	0.003	0.48	<0.05	7.0	1.3	0.7	29.0	<0.01	0.03	0.3
R332015		0.33	0.9	1050	1.5	2.1	0.002	0.52	<0.05	8.4	1.2	0.6	23.5	<0.01	0.04	0.4
R332016		0.27	4.1	840	1.5	4.2	0.014	0.39	<0.05	8.3	1.4	0.9	19.5	0.01	0.03	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331977		0.240	0.04	<0.05	190	0.69	10.55	64	2.4
R331978		0.228	0.02	<0.05	140	0.40	10.30	60	3.0
R331979		0.368	<0.02	0.05	144	0.42	11.30	49	4.5
R331980		0.013	0.34	0.15	17	2.52	2.69	822	<0.5
R331981		0.163	0.02	<0.05	130	0.16	8.49	50	1.8
R331982		0.193	0.03	<0.05	145	0.16	8.97	46	2.4
R331983		0.203	0.02	<0.05	141	0.28	8.83	35	2.6
R331984		0.203	0.08	0.05	170	0.35	10.15	58	2.6
R331985		0.185	0.03	<0.05	139	0.32	7.70	51	2.0
R331986		0.181	0.02	<0.05	149	0.14	8.28	41	2.2
R331987		0.213	0.06	0.06	145	0.22	8.96	38	3.6
R331988		0.347	0.84	1.34	123	0.22	19.00	70	34.4
R331989		0.344	0.63	1.45	106	0.22	20.2	59	24.1
R331990		0.347	0.62	1.42	105	0.22	19.90	59	29.5
R331991		0.366	0.12	0.26	180	0.22	13.75	52	11.1
R331992		0.271	<0.02	<0.05	183	0.17	11.60	40	3.1
R331993		0.278	0.04	0.05	159	0.26	10.85	47	3.6
R331994		0.374	0.03	0.05	170	0.34	11.80	64	5.8
R331995		0.339	0.03	<0.05	169	0.42	10.65	71	4.8
R331996		0.259	0.05	0.05	229	0.57	11.30	77	5.3
R331997		0.330	0.02	0.06	238	1.62	11.95	104	4.9
R331998		0.318	0.02	0.17	241	2.14	10.70	116	5.2
R331999		0.302	0.03	0.10	213	1.74	9.59	82	5.1
R332000		0.389	0.05	0.07	216	0.68	11.55	63	7.4
R332001		0.173	0.12	1.14	28	0.51	4.00	69	45.4
R332002		0.173	0.30	1.16	30	0.29	4.15	66	51.9
R332003		0.417	0.05	0.08	227	0.54	13.25	57	9.3
R332004		0.372	0.12	0.06	213	0.74	11.65	46	8.1
R332005		0.367	0.07	0.07	210	1.12	11.20	52	7.7
R332006		0.330	0.06	0.15	227	2.05	10.75	61	7.9
R332007		0.445	0.07	0.17	254	0.97	13.80	70	11.2
R332008		0.370	0.04	0.09	205	0.45	10.65	54	6.9
R332009		0.308	0.15	0.07	220	0.28	10.05	60	6.3
R332010		<0.005	<0.02	0.06	<1	<0.05	0.66	<2	0.8
R332011		0.343	0.06	0.06	192	0.61	11.05	57	5.5
R332012		0.394	0.05	0.09	137	1.03	16.70	69	10.1
R332013		0.326	0.02	0.11	58	0.63	16.10	78	8.8
R332014		0.304	<0.02	0.06	41	0.62	17.25	64	7.2
R332015		0.238	0.02	0.06	38	0.48	17.50	63	5.1
R332016		0.230	0.03	0.33	61	1.22	17.05	155	20.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332017		4.17	0.001	0.09	1.10	0.4	<0.2	<10	<10	0.36	0.14	1.71	0.06	15.60	23.3	4
R332018		3.90	<0.001	0.23	0.95	0.3	<0.2	<10	10	0.33	0.86	1.97	0.05	16.10	26.2	3
R332019		3.73	<0.001	0.11	0.85	0.3	<0.2	<10	20	0.29	0.11	1.45	0.07	16.60	24.0	6
R332020		0.07	0.868	5.86	0.98	39.0	0.8	<10	40	0.22	1.36	0.40	5.06	4.86	13.2	20
R332021		3.48	<0.001	0.09	0.81	0.2	<0.2	<10	10	0.28	0.11	1.24	0.10	15.75	22.0	4
R332022		0.74	0.003	0.41	1.20	0.5	<0.2	<10	10	0.20	3.97	1.44	<0.01	14.80	27.8	3
R332023		3.79	<0.001	0.09	1.07	0.3	<0.2	<10	20	0.25	0.13	1.27	0.03	17.90	21.5	4
R332024		3.84	0.001	0.12	1.33	0.3	<0.2	<10	30	0.25	0.06	1.42	0.08	19.55	23.9	5
R332025		3.99	<0.001	0.16	1.30	0.3	<0.2	<10	40	0.34	0.84	1.41	0.11	22.5	26.5	5
R332026		3.98	<0.001	0.13	1.04	0.3	<0.2	<10	20	0.54	0.18	1.81	0.09	15.75	29.0	4
R332027		3.75	<0.001	0.10	1.09	0.3	<0.2	<10	40	0.28	0.15	1.64	0.07	12.10	27.6	3
R332028		3.72	<0.001	0.11	0.95	0.3	<0.2	<10	20	0.24	0.17	1.57	0.08	12.40	24.8	5
R332029		2.91	0.004	0.19	1.36	0.1	<0.2	<10	20	0.28	2.76	1.67	0.06	12.55	25.7	4
R332030		<0.02	0.004	0.14	1.23	0.4	<0.2	<10	20	0.22	2.51	1.51	0.06	11.65	25.1	4
R332031		2.71	<0.001	0.09	1.60	0.3	<0.2	<10	10	0.31	0.08	1.36	0.05	13.70	25.1	3
R332032		0.89	0.151	0.89	1.04	0.7	0.5	<10	10	0.70	3.57	3.41	0.74	11.95	31.9	10
R332033		4.14	0.006	0.11	2.45	0.5	<0.2	<10	10	0.48	0.27	2.06	0.09	13.85	30.8	3
R332034		3.49	<0.001	0.10	1.46	0.2	<0.2	<10	10	0.25	0.14	1.28	0.02	13.30	24.1	3
R332035		4.03	<0.001	0.09	1.64	0.4	<0.2	<10	10	0.25	0.22	1.29	0.03	15.95	23.0	3
R332036		4.25	<0.001	0.08	1.22	0.4	<0.2	<10	10	0.19	0.14	1.12	0.06	15.90	21.8	4
R332037		4.01	0.002	0.12	1.37	0.4	<0.2	<10	10	0.26	0.25	1.73	0.06	16.05	25.2	2
R332038		4.00	<0.001	0.06	1.46	0.3	<0.2	<10	10	0.29	0.05	1.23	0.12	18.15	23.1	3
R332039		4.29	<0.001	0.08	1.47	0.3	<0.2	<10	10	0.28	0.08	1.33	0.07	14.95	24.1	2
R332040		0.10	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.90	0.1	<1
R332041		3.93	<0.001	0.10	1.24	0.2	<0.2	<10	10	0.24	0.17	1.69	0.06	10.10	25.6	2
R332042		3.48	<0.001	0.07	1.16	0.3	<0.2	<10	20	0.31	0.09	1.57	0.07	10.10	27.5	3
R332043		3.76	0.001	0.10	2.38	0.2	<0.2	<10	10	0.53	0.27	2.13	0.04	13.50	38.9	1
R332044		2.39	0.170	0.07	0.44	0.2	<0.2	<10	60	0.31	0.28	1.15	0.01	27.9	3.4	11
R332045		2.00	0.241	0.12	0.30	0.2	<0.2	<10	100	0.26	0.50	1.33	0.01	19.10	3.4	10
R332046		2.35	0.266	0.14	0.29	0.2	0.2	<10	60	0.27	0.66	1.33	<0.01	17.15	3.6	9
R332047		2.04	0.537	0.16	0.19	0.1	<0.2	<10	110	0.16	1.40	1.66	0.01	16.35	3.7	8
R332048		2.47	0.015	0.04	0.37	0.2	<0.2	<10	370	0.24	0.21	1.18	<0.01	24.2	3.0	13
R332049		2.26	0.005	0.02	0.37	0.2	<0.2	<10	360	0.26	0.17	1.03	0.01	25.6	2.9	16
R332050		0.07	2.40	4.68	1.59	18.3	2.6	<10	40	0.66	0.08	3.78	0.34	20.9	10.8	25
R332051		2.33	0.007	0.03	0.41	0.1	<0.2	<10	320	0.25	0.23	1.04	<0.01	26.8	3.0	16
R332052		2.36	<0.001	0.03	0.42	0.1	<0.2	<10	160	0.28	0.16	1.01	<0.01	25.9	3.1	14
R332053		2.23	0.108	0.04	0.32	0.2	<0.2	<10	130	0.24	0.41	1.31	<0.01	24.6	3.0	11
R332054		2.04	0.004	0.04	0.26	0.1	<0.2	<10	180	0.26	0.25	1.33	0.01	23.2	2.7	11
R332055		2.69	0.064	0.04	0.32	0.1	<0.2	<10	160	0.27	0.21	1.25	<0.01	25.2	2.9	15
R332056		2.35	<0.001	0.05	0.37	0.2	<0.2	<10	150	0.28	0.10	1.08	<0.01	29.6	2.5	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332017		0.33	61.2	7.17	8.09	0.29	0.23	<0.01	0.037	0.07	5.5	7.7	0.58	540	6.58	0.14
R332018		0.60	82.4	8.49	8.06	0.24	0.26	<0.01	0.038	0.06	5.8	10.6	0.75	494	2.48	0.14
R332019		1.87	90.8	9.38	9.99	0.27	0.26	<0.01	0.034	0.14	5.9	12.3	0.63	507	1.48	0.11
R332020		3.30	6850	6.56	2.90	0.12	<0.02	0.06	0.309	0.25	2.4	11.1	0.31	606	133.5	0.02
R332021		0.59	91.9	9.47	9.59	0.26	0.22	<0.01	0.032	0.05	5.5	11.4	0.62	452	2.24	0.10
R332022		0.71	117.5	9.42	12.20	0.25	0.14	<0.01	0.036	0.04	5.0	18.3	1.08	545	406	0.08
R332023		1.19	52.1	7.89	10.00	0.29	0.16	<0.01	0.039	0.10	6.2	13.2	0.72	463	2.25	0.13
R332024		2.31	80.2	8.41	11.30	0.29	0.16	<0.01	0.040	0.14	6.9	14.1	0.74	505	4.21	0.13
R332025		2.66	75.5	11.20	13.35	0.29	0.13	<0.01	0.050	0.18	8.3	19.7	0.82	533	5.15	0.11
R332026		2.33	102.5	11.25	10.90	0.27	0.26	<0.01	0.042	0.19	5.5	17.0	0.82	524	3.91	0.10
R332027		3.57	88.9	8.86	8.71	0.27	0.19	<0.01	0.032	0.25	4.2	13.7	0.79	503	3.21	0.13
R332028		1.83	68.9	7.76	7.75	0.26	0.15	<0.01	0.031	0.13	4.3	8.4	0.61	433	1.24	0.13
R332029		1.08	60.9	7.59	8.55	0.24	0.17	<0.01	0.032	0.10	4.4	14.1	0.80	542	3.01	0.14
R332030		1.01	59.7	7.03	7.93	0.23	0.15	<0.01	0.028	0.09	4.2	14.4	0.73	479	2.74	0.12
R332031		0.71	57.1	7.84	9.43	0.31	0.14	<0.01	0.035	0.07	4.9	16.9	0.92	588	4.43	0.13
R332032		1.17	253	11.55	9.66	0.26	0.18	<0.01	0.162	0.06	4.6	15.4	1.03	727	138.0	0.06
R332033		1.60	92.7	11.45	13.45	0.32	0.12	<0.01	0.058	0.08	5.1	33.7	1.69	796	6.78	0.07
R332034		0.92	57.1	6.58	8.85	0.29	0.14	<0.01	0.030	0.07	4.6	13.5	0.83	458	2.59	0.15
R332035		1.65	54.3	7.01	10.10	0.29	0.16	<0.01	0.039	0.10	5.5	18.3	0.91	480	1.52	0.14
R332036		1.27	64.7	7.37	9.36	0.24	0.16	<0.01	0.034	0.09	5.5	13.0	0.75	397	0.88	0.13
R332037		1.07	68.5	8.20	10.30	0.25	0.15	<0.01	0.037	0.07	5.5	13.3	0.89	515	10.90	0.14
R332038		0.65	63.1	7.95	10.90	0.28	0.16	<0.01	0.040	0.06	6.4	12.1	0.78	560	1.42	0.15
R332039		1.03	59.9	7.84	10.15	0.27	0.16	<0.01	0.037	0.08	5.1	14.0	0.87	564	2.01	0.14
R332040		<0.05	0.9	0.03	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01
R332041		1.63	67.0	6.80	8.20	0.25	0.16	<0.01	0.031	0.11	3.6	10.8	0.88	502	4.34	0.14
R332042		2.03	71.5	7.87	8.33	0.28	0.18	<0.01	0.033	0.15	3.5	10.8	0.87	519	2.94	0.14
R332043		3.28	77.3	10.35	12.65	0.22	0.14	<0.01	0.043	0.12	4.8	31.2	2.05	661	14.15	0.10
R332044		0.51	14.4	1.33	2.57	0.11	0.98	<0.01	0.008	0.09	15.3	7.1	0.26	205	0.17	0.08
R332045		0.40	7.5	1.40	1.76	0.10	0.93	<0.01	0.005	0.05	10.4	4.4	0.15	205	0.13	0.09
R332046		0.52	19.3	1.28	1.60	0.09	0.95	<0.01	0.005	0.07	9.4	4.2	0.12	175	0.22	0.09
R332047		0.39	13.1	1.34	1.06	0.10	0.90	<0.01	<0.005	0.03	8.8	2.2	0.06	213	0.17	0.10
R332048		0.60	8.2	1.25	1.86	0.10	0.92	<0.01	0.005	0.09	13.4	6.1	0.20	184	0.12	0.09
R332049		0.73	4.7	1.21	2.15	<0.05	0.93	<0.01	0.005	0.11	14.4	8.4	0.26	214	0.26	0.07
R332050		3.08	71.3	2.99	6.55	0.08	0.36	0.09	0.037	0.22	9.7	20.2	0.88	697	6.14	0.07
R332051		0.58	7.0	1.23	2.60	<0.05	0.97	0.01	0.007	0.09	14.7	7.9	0.26	223	0.16	0.08
R332052		0.56	7.2	1.26	2.63	<0.05	0.94	<0.01	0.005	0.10	13.8	9.2	0.26	187	0.12	0.08
R332053		0.39	12.9	1.15	1.93	<0.05	0.87	0.01	0.005	0.08	13.4	5.6	0.15	189	0.11	0.09
R332054		0.34	11.1	1.14	1.44	<0.05	0.81	0.01	0.005	0.07	12.6	4.6	0.11	178	0.12	0.08
R332055		0.45	12.9	1.26	1.85	<0.05	0.83	0.01	0.005	0.07	13.4	5.9	0.15	169	0.13	0.08
R332056		0.60	12.1	1.13	2.44	<0.05	0.90	0.01	0.006	0.08	15.4	8.3	0.23	167	0.13	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332017		0.43	1.5	910	1.4	4.4	0.007	0.37	<0.05	9.8	1.5	0.4	25.4	<0.01	0.03	0.4
R332018		0.51	1.4	940	2.6	3.5	0.002	1.93	<0.05	9.9	2.1	0.5	15.7	<0.01	0.06	0.4
R332019		0.38	1.2	1020	1.7	14.8	0.002	0.33	<0.05	7.7	1.5	0.4	13.5	<0.01	0.03	0.4
R332020		0.07	14.7	450	110.0	11.7	0.191	4.99	2.50	1.2	8.1	1.8	35.1	<0.01	0.99	1.1
R332021		0.31	1.0	990	1.6	3.5	0.002	0.39	<0.05	6.9	1.2	0.7	13.1	<0.01	0.02	0.4
R332022		0.15	1.2	930	12.2	3.2	0.193	0.99	<0.05	8.9	1.7	0.5	8.4	<0.01	0.10	0.4
R332023		0.16	0.9	1060	1.0	6.6	0.003	0.46	<0.05	8.6	1.4	0.5	9.8	<0.01	0.04	0.4
R332024		0.14	0.9	1190	1.2	12.4	0.004	0.38	<0.05	9.2	1.7	0.9	15.3	<0.01	0.04	0.4
R332025		0.15	0.9	1350	2.0	15.8	0.006	0.52	<0.05	9.4	1.4	0.7	14.2	<0.01	0.03	0.6
R332026		0.25	1.2	1160	2.3	19.2	0.004	0.40	<0.05	9.3	1.5	0.4	21.8	<0.01	0.02	0.4
R332027		0.21	2.9	830	1.3	23.1	0.004	0.47	<0.05	10.3	1.3	0.4	19.6	<0.01	0.03	0.3
R332028		0.23	3.2	830	1.2	9.3	0.002	0.41	<0.05	8.8	1.0	0.6	22.1	<0.01	0.02	0.3
R332029		0.18	2.9	850	2.9	5.9	0.005	0.50	<0.05	9.6	1.1	0.3	33.8	<0.01	0.04	0.3
R332030		0.15	3.2	810	3.0	5.6	0.005	0.51	<0.05	8.8	1.0	0.3	29.6	<0.01	0.04	0.3
R332031		0.16	2.3	870	1.3	4.2	0.005	0.31	<0.05	9.6	1.2	0.8	19.3	<0.01	0.03	0.3
R332032		0.14	14.3	650	11.6	5.6	0.022	2.89	<0.05	12.2	3.5	1.1	21.9	<0.01	0.25	0.3
R332033		0.11	5.8	820	1.4	7.5	0.007	0.57	<0.05	11.3	1.5	0.7	13.2	<0.01	0.06	0.3
R332034		0.10	3.5	850	0.9	4.8	0.003	0.39	<0.05	8.8	1.0	0.3	17.8	<0.01	0.03	0.3
R332035		0.13	1.5	1010	1.0	7.9	0.002	0.45	<0.05	9.4	1.5	0.3	22.9	<0.01	0.03	0.4
R332036		0.14	1.5	980	0.9	6.1	0.002	0.43	<0.05	8.0	1.2	0.5	13.4	<0.01	0.02	0.4
R332037		0.14	1.5	1000	1.7	5.1	0.009	0.58	<0.05	9.0	1.4	0.7	18.2	<0.01	0.03	0.4
R332038		0.12	0.9	1110	0.9	2.9	0.002	0.27	<0.05	9.6	1.3	0.7	18.0	<0.01	0.03	0.5
R332039		0.12	1.5	970	1.1	4.4	0.002	0.41	<0.05	9.9	1.4	0.3	16.4	<0.01	0.03	0.4
R332040		<0.05	0.4	10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R332041		0.12	4.3	690	1.8	7.9	0.004	0.58	<0.05	10.4	1.1	0.5	25.4	<0.01	0.04	0.2
R332042		0.18	5.7	730	1.4	11.0	0.003	0.35	<0.05	10.3	1.1	0.2	20.9	<0.01	0.03	0.2
R332043		0.05	7.6	870	1.9	11.1	0.013	0.57	<0.05	11.8	1.3	0.3	19.3	<0.01	0.04	0.4
R332044		<0.05	4.2	350	2.7	4.3	<0.001	0.29	<0.05	1.3	0.5	0.2	31.1	<0.01	0.11	5.1
R332045		<0.05	4.4	360	2.4	2.9	<0.001	0.84	<0.05	1.0	0.6	<0.2	27.8	<0.01	0.14	5.3
R332046		<0.05	4.2	350	1.6	3.8	0.001	0.84	<0.05	1.0	0.7	0.2	28.3	<0.01	0.38	5.4
R332047		<0.05	4.3	380	2.0	1.9	<0.001	1.10	<0.05	1.4	0.6	0.2	35.7	<0.01	0.85	5.0
R332048		<0.05	4.3	360	1.7	5.1	<0.001	0.47	<0.05	0.8	0.4	<0.2	40.4	<0.01	0.04	5.2
R332049		0.06	4.1	350	1.6	5.8	0.001	0.22	0.06	0.8	<0.2	0.3	45.4	<0.01	0.02	4.7
R332050		0.06	10.6	620	16.4	11.7	0.003	0.87	0.45	8.4	0.9	0.5	114.0	<0.01	2.47	1.3
R332051		0.09	4.1	350	1.7	4.0	0.001	0.32	<0.05	1.0	0.2	0.3	43.9	<0.01	0.05	5.0
R332052		<0.05	4.5	350	1.3	5.0	0.001	0.33	<0.05	0.8	0.3	<0.2	33.0	<0.01	0.02	5.2
R332053		<0.05	3.8	360	1.3	4.3	0.001	0.47	<0.05	0.9	0.3	0.2	30.1	<0.01	0.17	4.9
R332054		<0.05	3.4	340	1.2	4.0	<0.001	0.53	<0.05	0.7	0.2	0.2	28.5	<0.01	0.04	4.7
R332055		0.05	4.0	340	1.1	4.1	0.001	0.46	<0.05	0.8	<0.2	<0.2	29.6	<0.01	0.06	4.8
R332056		<0.05	4.1	340	0.7	4.8	0.001	0.07	<0.05	0.7	0.2	0.2	32.0	<0.01	0.03	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332017		0.306	0.03	0.07	62	0.59	17.15	57	5.6
R332018		0.294	0.03	0.18	73	0.48	18.45	60	6.3
R332019		0.316	0.12	0.08	76	0.51	19.80	72	7.7
R332020		0.012	0.33	0.15	16	2.78	2.62	813	<0.5
R332021		0.282	0.03	0.07	71	0.41	19.00	87	6.0
R332022		0.234	0.05	0.10	72	0.37	18.00	92	3.5
R332023		0.212	0.07	0.08	54	0.25	21.4	57	4.3
R332024		0.195	0.13	0.06	51	0.36	21.0	86	4.0
R332025		0.187	0.15	0.10	54	0.42	24.9	114	4.3
R332026		0.310	0.15	0.10	89	0.51	19.65	92	7.7
R332027		0.300	0.18	0.07	128	0.45	15.15	71	5.2
R332028		0.241	0.08	0.07	115	0.44	14.35	62	4.0
R332029		0.256	0.06	0.07	103	0.46	14.60	74	4.1
R332030		0.224	0.05	0.07	95	0.44	13.40	69	3.7
R332031		0.234	0.04	0.05	84	0.34	15.80	95	3.4
R332032		0.210	0.05	0.12	114	1.38	15.65	279	5.7
R332033		0.253	0.06	0.06	103	0.45	15.65	126	3.0
R332034		0.206	0.04	0.06	99	0.31	15.20	58	3.6
R332035		0.214	0.07	0.06	68	0.36	18.50	66	3.5
R332036		0.197	0.06	0.09	75	0.29	17.35	77	3.6
R332037		0.229	0.05	0.07	77	0.35	18.20	83	3.7
R332038		0.192	0.03	0.08	54	0.32	19.85	100	4.2
R332039		0.210	0.04	0.06	76	0.26	17.25	86	3.4
R332040		<0.005	<0.02	0.07	<1	<0.05	0.59	<2	0.7
R332041		0.237	0.08	0.05	125	0.33	12.55	71	3.6
R332042		0.290	0.10	0.06	137	0.39	13.90	66	4.7
R332043		0.232	0.09	0.15	169	0.36	15.00	112	4.1
R332044		0.007	0.03	2.21	14	0.12	4.20	19	25.5
R332045		<0.005	0.02	2.47	8	0.14	4.22	10	23.8
R332046		<0.005	0.02	2.10	6	0.12	4.27	6	25.0
R332047		<0.005	<0.02	1.46	4	0.15	4.13	3	23.6
R332048		<0.005	0.03	2.42	10	0.10	3.95	12	24.8
R332049		0.006	0.03	2.24	16	0.05	3.48	23	24.8
R332050		0.055	0.13	0.32	68	0.45	8.18	84	12.2
R332051		0.011	0.02	2.32	17	0.05	4.01	20	25.0
R332052		<0.005	0.03	2.47	14	0.07	4.10	17	25.7
R332053		<0.005	0.02	2.23	10	0.11	4.05	10	22.9
R332054		<0.005	0.02	2.40	7	0.09	3.86	5	21.6
R332055		<0.005	0.03	2.30	9	0.10	3.95	7	21.6
R332056		<0.005	0.03	2.30	14	0.08	3.75	13	22.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332057		2.47	0.206	0.16	0.28	0.3	<0.2	<10	40	0.84	0.76	1.21	0.01	80.9	3.1	9
R332058		1.67	0.194	0.08	0.32	0.1	<0.2	<10	40	0.41	0.72	1.41	<0.01	34.9	2.9	9
R332059		2.27	0.016	0.05	0.32	0.1	<0.2	<10	80	0.31	0.22	1.25	<0.01	28.4	3.0	12
R332060		<0.02	0.011	0.04	0.33	0.1	<0.2	<10	80	0.33	0.28	1.28	<0.01	27.6	3.0	12
R332061		2.16	0.001	0.05	0.37	0.1	<0.2	<10	80	0.37	0.17	1.16	<0.01	26.8	3.2	13
R332062		2.06	0.025	0.08	0.31	0.1	<0.2	<10	50	0.35	0.41	1.29	<0.01	21.5	3.4	11
R332063		2.12	<0.001	0.03	0.51	0.1	<0.2	<10	70	0.35	0.06	0.90	<0.01	26.0	3.1	17
R332064		2.08	<0.001	0.06	0.45	0.1	<0.2	<10	120	0.51	0.07	1.03	0.01	27.6	2.7	16
R332065		2.30	0.053	0.06	0.36	0.2	<0.2	<10	120	0.35	0.34	1.16	0.01	23.6	3.1	15
R332066		2.14	0.049	0.06	0.40	0.2	<0.2	<10	150	0.32	0.33	1.07	0.01	24.5	3.0	15
R332067		2.27	0.078	0.18	0.40	0.2	<0.2	<10	70	0.44	0.65	1.11	3.82	17.65	3.3	13
R332068		2.91	0.002	0.04	2.83	0.2	<0.2	10	20	0.17	0.02	1.93	0.06	14.45	20.4	8
R332069		2.70	0.003	0.05	3.10	<0.1	<0.2	10	30	0.20	0.02	2.11	0.05	14.70	20.8	10
R332070		0.10	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.92	0.1	<1
R332071		1.72	0.423	0.55	0.34	0.4	0.6	<10	60	0.35	1.05	1.12	0.22	10.45	4.0	10
R332072		2.02	0.100	0.13	0.30	0.2	<0.2	<10	120	0.30	0.49	1.35	0.01	17.85	3.2	13
R332073		2.13	0.150	0.16	0.36	0.2	<0.2	<10	50	0.30	0.68	1.18	0.01	21.9	3.6	13
R332074		3.68	0.010	0.10	1.86	0.5	<0.2	<10	10	0.57	0.27	2.34	0.06	14.85	31.7	3
R332075		3.59	<0.001	0.07	1.87	0.3	<0.2	<10	10	0.27	0.06	1.35	0.07	17.60	24.0	3
R332076		3.43	<0.001	0.07	1.50	0.3	<0.2	<10	10	0.29	0.10	1.72	0.05	13.85	27.4	4
R332077		3.50	<0.001	0.07	1.18	0.3	<0.2	<10	10	0.21	0.06	1.63	0.06	9.68	25.6	2
R332078		4.15	0.001	0.13	1.29	0.3	<0.2	<10	20	0.23	0.17	1.65	0.06	10.90	30.6	6
R332079		3.72	0.006	0.12	2.63	0.3	<0.2	<10	10	0.24	0.06	1.41	0.04	12.55	32.0	2
R332080		0.07	2.49	4.64	1.63	18.4	2.5	<10	40	0.59	0.08	3.74	0.37	21.9	10.8	25
R332081		3.49	0.001	0.16	2.81	0.5	<0.2	<10	10	0.29	0.09	1.80	0.03	13.60	32.8	3
R332082		2.93	0.011	0.19	1.99	0.6	<0.2	<10	10	0.35	0.18	2.63	0.14	13.70	18.2	10
R332083		2.95	0.001	0.06	1.25	0.3	<0.2	<10	20	0.21	0.02	1.01	0.02	35.3	6.1	37
R332084		2.92	<0.001	0.02	1.28	0.2	<0.2	<10	30	0.20	0.03	0.59	0.01	31.2	7.0	39
R332085		3.30	<0.001	0.03	1.24	0.3	<0.2	<10	20	0.20	0.04	0.71	0.04	32.6	7.3	30
R332086		2.97	<0.001	0.06	1.17	0.2	<0.2	<10	20	0.14	0.02	0.71	0.02	35.1	7.8	35
R332087		3.06	0.002	0.02	1.03	0.3	<0.2	<10	20	0.13	0.02	1.71	0.03	37.3	6.3	27
R332088		1.82	<0.001	0.01	0.94	0.3	<0.2	<10	10	0.15	0.02	0.95	0.01	35.9	6.4	33
R332089		3.35	0.012	0.10	3.16	0.5	<0.2	<10	<10	0.31	0.14	4.80	0.04	8.14	46.4	39
R332090		<0.02	0.008	0.05	3.26	0.4	<0.2	<10	<10	0.40	0.16	4.79	0.04	8.70	49.4	40
R332091		3.71	0.011	0.08	2.31	0.6	<0.2	<10	<10	0.31	0.29	5.06	0.01	4.45	72.7	45
R332092		3.07	0.003	0.04	1.85	0.3	<0.2	<10	10	0.53	0.16	7.78	0.03	7.46	38.1	38
R332093		3.79	0.001	0.04	1.85	0.3	<0.2	<10	10	0.23	0.18	1.28	0.03	9.00	29.0	33
R332094		3.71	0.001	0.08	1.95	0.4	<0.2	<10	10	0.21	0.34	0.98	0.03	9.75	36.0	28
R332095		3.43	0.001	0.11	1.63	0.3	<0.2	<10	20	0.15	0.13	1.25	0.04	11.95	30.9	2
R332096		3.68	0.002	0.14	1.56	0.2	<0.2	<10	20	0.16	0.06	1.74	0.05	7.86	29.4	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332057		0.92	8.4	1.20	2.14	0.07	0.83	0.01	<0.005	0.06	44.2	4.3	0.11	141	0.12	0.10
R332058		0.72	5.0	1.26	2.39	<0.05	0.90	0.02	0.005	0.07	19.1	5.9	0.15	168	0.09	0.08
R332059		0.46	9.2	1.11	2.04	<0.05	0.86	0.02	<0.005	0.08	14.6	5.9	0.15	170	0.13	0.08
R332060		0.45	9.4	1.15	2.04	<0.05	0.89	0.01	<0.005	0.09	14.7	6.1	0.15	171	0.13	0.08
R332061		0.51	11.0	1.25	2.33	<0.05	0.85	0.01	0.005	0.09	14.0	7.6	0.19	172	0.11	0.07
R332062		0.36	8.7	1.27	2.11	<0.05	0.88	0.01	0.005	0.05	11.1	6.5	0.16	184	0.13	0.08
R332063		0.50	2.8	1.38	3.51	<0.05	0.90	0.01	0.006	0.09	14.2	11.8	0.37	205	0.16	0.07
R332064		0.54	11.7	1.35	2.96	<0.05	0.93	0.01	0.007	0.10	15.0	9.2	0.30	198	0.13	0.07
R332065		0.46	5.6	1.31	2.43	<0.05	0.96	0.01	0.006	0.07	12.9	7.2	0.21	181	0.16	0.08
R332066		0.33	5.3	1.34	2.90	<0.05	0.99	0.01	0.006	0.07	13.4	6.7	0.26	177	0.15	0.08
R332067		0.31	10.0	1.36	2.84	<0.05	1.06	0.01	0.010	0.06	9.5	5.5	0.32	146	3.37	0.11
R332068		1.70	154.0	4.13	8.33	0.09	0.49	0.01	0.027	0.04	6.0	4.3	0.94	400	0.36	0.46
R332069		1.80	157.5	4.33	8.65	0.10	0.49	0.01	0.027	0.04	6.2	5.2	1.04	384	0.37	0.50
R332070		<0.05	0.7	0.03	0.05	<0.05	0.02	0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
R332071		0.20	7.0	1.60	2.41	<0.05	1.06	<0.01	0.006	0.02	5.1	5.4	0.32	143	2.19	0.10
R332072		0.15	9.5	1.29	1.89	<0.05	1.05	<0.01	0.006	0.05	9.6	3.9	0.16	163	0.21	0.09
R332073		0.25	12.0	1.51	2.53	<0.05	1.11	<0.01	0.008	0.05	12.3	6.6	0.26	182	0.66	0.07
R332074		2.02	96.5	10.05	12.95	0.15	0.24	0.01	0.051	0.12	5.5	23.9	1.49	732	4.96	0.08
R332075		0.69	63.3	8.20	11.85	0.21	0.16	<0.01	0.040	0.06	6.2	20.6	0.94	661	3.00	0.14
R332076		0.79	76.9	8.40	11.20	0.22	0.20	<0.01	0.040	0.08	4.7	15.0	0.94	609	5.46	0.14
R332077		0.56	87.7	7.65	8.21	0.18	0.18	<0.01	0.028	0.06	3.3	12.0	0.82	506	3.50	0.12
R332078		1.02	94.6	8.41	9.22	0.19	0.23	<0.01	0.030	0.09	3.8	13.7	0.85	543	13.20	0.14
R332079		1.38	92.9	9.06	12.55	0.17	0.10	<0.01	0.028	0.09	4.3	40.0	1.65	622	10.45	0.10
R332080		3.23	71.3	3.01	6.71	0.07	0.36	0.09	0.040	0.23	10.1	18.5	0.88	699	6.14	0.07
R332081		0.45	95.5	8.83	12.70	0.19	0.15	<0.01	0.032	0.07	4.8	37.2	1.56	740	56.7	0.14
R332082		0.55	318	18.60	12.65	0.39	0.18	<0.01	0.080	0.03	6.6	29.2	1.50	771	25.7	0.03
R332083		1.02	7.7	2.45	6.21	0.07	0.50	<0.01	0.008	0.20	17.4	26.7	0.99	400	1.24	0.10
R332084		1.39	6.3	2.12	6.16	0.05	0.57	<0.01	0.006	0.35	15.2	33.0	0.94	380	0.80	0.08
R332085		1.02	11.0	2.08	5.45	0.06	0.57	<0.01	0.007	0.21	16.6	27.4	0.93	372	0.88	0.07
R332086		0.71	6.4	2.08	5.56	0.06	0.62	0.01	0.007	0.16	17.9	24.1	0.86	342	0.45	0.07
R332087		0.32	4.7	1.81	4.84	0.06	0.54	<0.01	0.005	0.15	19.5	16.0	0.73	321	0.32	0.07
R332088		0.48	6.0	1.86	4.87	0.06	0.54	0.01	<0.005	0.10	18.1	17.0	0.71	304	0.46	0.07
R332089		0.87	56.8	11.50	15.55	0.30	0.15	<0.01	0.050	0.04	3.0	44.2	3.02	826	12.85	0.06
R332090		0.87	59.7	11.80	16.30	0.30	0.15	<0.01	0.053	0.04	3.3	45.2	3.07	835	13.55	0.06
R332091		0.16	20.0	12.20	14.45	0.22	0.19	<0.01	0.033	0.02	1.6	30.8	2.24	700	5.63	0.05
R332092		2.07	45.5	9.75	12.35	0.20	0.17	<0.01	0.049	0.07	2.6	30.1	1.79	780	2.50	0.07
R332093		0.50	68.1	6.16	9.18	0.16	0.15	<0.01	0.025	0.05	3.3	25.1	1.36	581	3.86	0.13
R332094		0.47	34.7	7.46	9.63	0.17	0.13	<0.01	0.024	0.04	3.3	28.2	1.33	760	5.96	0.12
R332095		1.01	91.1	6.84	9.06	0.15	0.13	<0.01	0.029	0.06	4.2	17.1	0.92	607	4.08	0.18
R332096		1.97	197.5	5.53	7.10	0.15	0.14	<0.01	0.024	0.12	2.8	13.2	0.83	434	4.68	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332057		<0.05	3.5	370	1.2	3.1	<0.001	0.73	<0.05	0.9	0.7	0.2	21.1	<0.01	0.38	4.8
R332058		<0.05	4.0	380	1.2	3.9	<0.001	0.56	<0.05	1.0	0.5	<0.2	24.0	<0.01	0.38	5.1
R332059		<0.05	3.9	320	1.0	5.3	0.001	0.38	<0.05	0.7	0.3	0.2	25.9	<0.01	0.09	5.1
R332060		<0.05	3.9	320	0.9	5.2	<0.001	0.41	<0.05	0.7	0.3	0.2	25.9	<0.01	0.13	5.2
R332061		<0.05	4.2	360	0.8	5.4	<0.001	0.29	<0.05	0.8	0.3	<0.2	26.7	<0.01	0.06	5.1
R332062		<0.05	4.2	350	1.4	3.0	<0.001	0.62	<0.05	1.1	0.2	0.2	25.1	<0.01	0.16	5.4
R332063		<0.05	4.8	360	1.2	4.2	<0.001	0.10	<0.05	1.0	<0.2	0.3	31.8	<0.01	0.01	5.3
R332064		0.05	4.4	350	1.2	5.0	0.001	0.10	<0.05	0.9	0.3	<0.2	32.1	<0.01	0.04	5.2
R332065		<0.05	4.4	340	1.2	4.0	0.001	0.41	<0.05	1.0	0.3	0.3	26.5	<0.01	0.16	5.4
R332066		0.05	4.3	370	1.4	3.6	0.001	0.37	<0.05	1.1	0.2	0.3	27.0	<0.01	0.14	5.2
R332067		<0.05	4.4	380	137.5	3.1	0.001	0.52	<0.05	1.3	0.2	<0.2	27.8	<0.01	0.12	5.9
R332068		0.13	44.5	510	1.2	2.3	0.002	0.06	<0.05	4.0	0.5	0.7	98.6	<0.01	0.01	0.5
R332069		0.14	44.9	520	0.9	2.4	0.001	0.07	<0.05	4.3	0.7	0.7	102.0	<0.01	0.02	0.5
R332070		<0.05	0.2	10	<0.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332071		<0.05	4.9	420	9.6	1.2	0.001	0.91	0.05	1.3	0.5	0.3	25.4	<0.01	0.43	5.3
R332072		<0.05	4.2	330	1.8	2.6	0.001	0.64	<0.05	1.0	0.3	0.3	27.4	<0.01	0.19	5.4
R332073		0.15	4.3	350	2.2	2.8	0.001	0.56	0.05	1.4	0.5	0.4	27.4	<0.01	0.38	5.2
R332074		0.14	1.7	950	1.5	11.7	0.005	0.71	<0.05	13.0	1.5	0.8	28.3	<0.01	0.05	0.6
R332075		0.13	0.9	1100	0.5	2.8	0.003	0.28	<0.05	9.3	1.2	0.6	27.9	<0.01	0.02	0.5
R332076		0.15	1.9	930	0.8	4.0	0.006	0.43	<0.05	11.3	1.4	0.4	30.8	<0.01	0.02	0.4
R332077		0.19	4.5	710	0.8	3.1	0.006	0.35	<0.05	8.8	1.0	0.6	28.8	<0.01	0.01	0.2
R332078		0.20	6.1	800	1.6	6.8	0.013	0.53	<0.05	9.2	1.4	0.4	26.8	<0.01	0.03	0.3
R332079		0.07	5.9	820	1.0	10.3	0.011	0.27	<0.05	8.4	1.1	0.4	19.4	<0.01	0.02	0.3
R332080		0.06	10.4	620	16.6	12.5	0.003	0.88	0.44	8.1	0.9	0.5	114.0	<0.01	2.53	1.3
R332081		0.09	4.8	920	1.6	4.9	0.048	0.62	<0.05	9.9	1.5	0.6	21.5	<0.01	0.05	0.3
R332082		0.11	10.9	500	1.9	2.1	0.019	0.84	<0.05	2.8	1.4	1.0	22.0	<0.01	0.12	0.7
R332083		0.13	15.4	550	1.5	11.4	0.002	0.02	<0.05	2.0	0.2	0.6	25.4	<0.01	0.03	2.8
R332084		0.13	17.3	500	1.1	23.2	0.001	0.03	<0.05	1.9	<0.2	0.5	21.1	<0.01	<0.01	3.1
R332085		0.10	16.5	490	1.9	13.4	0.001	0.04	0.06	1.6	0.2	0.4	26.1	<0.01	<0.01	2.9
R332086		0.12	18.1	460	1.7	10.2	0.001	0.03	0.05	1.7	<0.2	0.4	27.2	<0.01	<0.01	3.0
R332087		0.10	15.3	520	0.9	7.6	0.001	0.05	<0.05	1.7	0.2	0.4	21.8	<0.01	0.01	3.0
R332088		0.13	16.0	510	1.2	6.2	0.001	0.02	0.06	1.8	0.2	0.5	20.0	<0.01	0.01	3.0
R332089		0.06	38.8	550	1.5	3.7	0.013	0.40	<0.05	21.2	1.0	0.8	31.5	<0.01	0.04	0.3
R332090		0.06	40.7	560	1.6	3.8	0.013	0.39	<0.05	22.5	1.1	0.8	32.9	<0.01	0.03	0.3
R332091		0.08	42.9	610	1.5	1.1	0.008	1.42	<0.05	23.7	1.2	0.6	22.3	<0.01	0.04	0.2
R332092		0.08	35.9	550	1.7	7.7	0.003	0.65	<0.05	24.9	0.9	0.8	34.3	<0.01	0.02	0.2
R332093		0.06	25.9	580	1.2	3.4	0.006	0.21	<0.05	8.3	0.9	0.3	57.2	<0.01	0.02	0.2
R332094		0.06	19.1	720	1.4	3.2	0.009	0.34	<0.05	7.2	1.1	0.4	53.4	<0.01	0.03	0.3
R332095		0.06	7.8	770	1.2	4.5	0.005	0.32	<0.05	9.3	1.2	0.4	22.6	<0.01	0.03	0.3
R332096		0.08	18.3	560	1.1	11.9	0.005	0.29	<0.05	10.5	1.0	0.3	38.7	<0.01	0.02	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332057		<0.005	0.02	2.37	9	0.13	8.06	4	21.1
R332058		<0.005	0.02	1.61	10	0.16	5.12	5	24.0
R332059		<0.005	0.03	2.31	8	0.11	3.99	6	23.0
R332060		<0.005	0.03	2.49	8	0.11	4.07	6	23.2
R332061		<0.005	0.03	2.16	11	0.09	4.21	8	22.5
R332062		<0.005	0.02	2.23	9	0.10	4.24	8	23.6
R332063		0.006	0.02	2.57	19	0.07	3.84	22	23.5
R332064		0.006	0.02	2.28	16	0.08	5.27	17	24.4
R332065		<0.005	0.02	2.66	13	0.08	4.30	11	24.8
R332066		0.005	0.02	2.20	15	0.07	4.27	13	24.1
R332067		<0.005	0.04	2.31	12	0.07	5.00	568	27.3
R332068		0.459	0.15	0.08	177	<0.05	13.95	56	20.2
R332069		0.469	0.14	0.07	183	<0.05	14.00	58	20.1
R332070		<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.8
R332071		0.006	0.02	1.87	10	0.11	5.19	48	27.6
R332072		<0.005	<0.02	2.36	10	0.11	4.26	8	27.2
R332073		0.016	<0.02	2.14	13	0.17	4.68	17	28.4
R332074		0.250	0.08	0.28	97	0.61	21.3	124	5.6
R332075		0.198	0.02	0.13	55	0.22	20.4	98	3.6
R332076		0.252	0.03	0.07	90	0.32	18.45	79	4.1
R332077		0.274	0.02	0.06	128	0.50	13.10	65	4.4
R332078		0.307	0.07	0.05	144	0.56	14.90	71	5.6
R332079		0.238	0.09	<0.05	155	1.39	13.15	117	2.7
R332080		0.057	0.14	0.33	70	0.48	8.37	84	12.7
R332081		0.283	0.04	0.06	126	4.19	15.25	120	3.6
R332082		0.127	0.02	0.14	161	0.87	7.41	222	6.5
R332083		0.097	0.06	0.48	23	0.34	3.86	60	17.8
R332084		0.097	0.13	0.54	21	0.26	3.68	53	21.0
R332085		0.081	0.07	0.51	19	0.27	3.60	57	18.6
R332086		0.079	0.06	0.52	18	0.31	3.21	53	19.6
R332087		0.059	0.04	0.47	17	0.41	3.58	43	17.9
R332088		0.075	0.03	0.49	19	0.27	3.56	40	17.3
R332089		0.401	0.03	0.10	250	1.80	13.80	168	3.6
R332090		0.411	0.03	0.11	257	1.98	14.20	171	3.7
R332091		0.466	<0.02	0.10	277	2.74	13.15	133	4.0
R332092		0.440	0.07	0.07	265	2.42	16.50	103	3.2
R332093		0.263	0.03	<0.05	153	0.53	10.55	69	2.7
R332094		0.238	0.03	<0.05	155	0.64	11.35	88	2.6
R332095		0.211	0.05	<0.05	128	0.38	12.65	69	3.1
R332096		0.223	0.10	<0.05	168	0.36	9.96	51	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332097		3.81	0.002	0.13	1.32	0.2	<0.2	<10	10	0.15	0.05	1.52	0.04	7.08	28.2	21
R332098		3.71	<0.001	0.09	1.46	0.3	<0.2	<10	10	0.16	0.09	2.13	0.04	7.04	30.3	81
R332099		4.21	<0.001	0.08	1.95	0.2	<0.2	<10	20	0.20	0.05	1.85	0.05	7.89	29.5	85
R332100		3.81	<0.001	0.06	1.61	0.4	<0.2	<10	10	0.21	0.05	2.83	0.04	7.87	30.9	81
R332101		3.71	<0.001	0.07	1.82	0.2	<0.2	<10	10	0.19	0.06	1.64	0.03	8.26	32.6	76
R332102		3.75	0.001	0.10	1.70	0.3	<0.2	<10	10	0.18	0.08	1.82	0.04	7.73	32.6	54
R332103		1.94	<0.001	0.12	1.75	0.2	<0.2	<10	10	0.15	0.07	1.58	0.04	8.06	29.2	30
R332104		2.71	0.001	0.11	2.15	0.4	<0.2	<10	20	0.32	0.06	2.16	0.06	8.11	28.6	22
R332105		4.21	0.001	0.22	1.92	0.5	<0.2	<10	30	0.30	0.11	2.10	0.22	6.06	37.5	17
R332106		3.43	<0.001	0.14	2.00	0.6	<0.2	<10	30	0.18	0.12	1.95	0.04	6.06	36.8	18
R332107		3.33	0.002	0.16	2.47	0.5	<0.2	<10	20	0.26	0.42	4.09	0.04	6.67	46.0	16
R332108		3.52	0.003	0.12	2.16	0.3	<0.2	<10	30	0.28	0.13	3.90	0.10	6.82	37.8	20
R332109		4.11	0.001	0.28	1.51	0.1	<0.2	<10	20	0.20	0.10	2.05	0.05	7.93	33.5	20
R332110		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.95	0.1	<1
R332111		3.59	<0.001	0.23	1.38	0.2	<0.2	<10	20	0.12	0.09	1.85	0.05	6.68	34.2	20
R332112		3.30	<0.001	0.12	1.45	0.2	<0.2	<10	10	0.13	0.09	1.98	0.05	6.91	36.3	19
R332113		3.50	<0.001	0.12	1.48	0.2	<0.2	<10	<10	0.15	0.09	2.07	0.05	7.21	34.0	16
R332114		2.38	<0.001	0.16	1.51	0.2	<0.2	<10	10	0.14	0.11	1.88	0.06	6.32	37.9	18
R332115		4.08	<0.001	0.13	1.75	0.3	<0.2	<10	10	0.15	0.10	1.86	0.04	6.21	40.1	19
R332116		4.38	0.002	0.09	1.82	0.4	<0.2	<10	10	0.15	0.11	2.07	0.03	7.79	34.2	19
R332117		3.98	<0.001	0.09	1.94	0.4	<0.2	<10	10	0.16	0.12	2.02	0.03	8.47	35.2	17
R332118		3.89	<0.001	0.11	1.90	0.5	<0.2	<10	10	0.16	0.10	2.35	0.03	8.09	33.6	16
R332119		3.84	0.001	0.06	2.21	0.2	<0.2	<10	10	0.16	0.08	2.17	0.03	6.73	29.8	17
R332120		0.07	0.914	5.91	1.21	40.3	0.9	<10	50	0.23	1.16	0.47	4.87	5.38	14.3	23
R332121		2.55	<0.001	0.07	1.50	0.3	<0.2	<10	<10	0.16	0.07	1.72	0.02	8.21	32.6	12
R332122		2.38	<0.001	0.09	2.06	0.4	<0.2	<10	<10	0.22	0.09	1.83	0.03	9.18	41.0	18
R332123		3.75	<0.001	0.12	1.14	0.3	<0.2	<10	<10	0.08	0.08	1.48	0.03	5.66	27.0	15
R332124		3.73	<0.001	0.12	0.98	0.2	<0.2	<10	10	0.09	0.14	1.85	0.02	6.64	23.0	14
R332125		3.69	0.001	0.12	1.16	0.2	<0.2	<10	30	0.10	0.07	1.90	0.03	6.64	24.2	15
R332126		4.27	<0.001	0.17	1.22	0.1	<0.2	<10	40	0.10	0.07	1.83	0.03	6.33	27.0	15
R332127		2.88	0.009	0.16	1.85	0.5	<0.2	<10	20	0.20	0.15	3.73	0.03	6.76	38.0	21
R332128		3.41	0.001	0.19	1.35	0.3	<0.2	<10	20	0.10	0.14	1.59	0.03	6.09	36.0	16
R332129		3.48	<0.001	0.14	1.17	0.6	<0.2	<10	10	0.10	0.12	1.65	0.02	4.64	35.6	16
R332130		<0.02	<0.001	0.14	1.28	0.5	<0.2	10	10	0.11	0.12	1.74	0.03	5.17	37.2	18
R332131		3.33	<0.001	0.24	1.33	0.7	<0.2	<10	20	0.33	0.11	2.16	0.04	5.33	42.6	19
R332132		3.07	<0.001	0.20	1.23	1.3	<0.2	<10	30	0.17	0.10	1.85	0.04	5.89	38.0	17
R332133		1.97	<0.001	0.33	2.98	1.8	<0.2	10	10	0.44	0.29	1.85	3.12	5.51	42.8	28
R332134		1.84	0.001	0.36	3.70	1.6	<0.2	10	<10	0.39	0.75	4.35	4.22	5.13	45.7	38
R332135		3.92	<0.001	0.17	2.03	1.2	<0.2	<10	20	0.25	0.16	2.17	0.05	7.48	36.3	20
R332136		3.57	<0.001	0.15	1.41	0.6	<0.2	<10	<10	0.13	0.09	1.67	0.04	6.04	27.2	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332097		0.71	252	6.05	6.75	0.14	0.15	<0.01	0.025	0.07	2.4	9.0	0.80	381	2.04	0.18
R332098		2.06	134.5	6.69	7.09	0.16	0.14	<0.01	0.022	0.12	2.5	14.6	0.91	467	3.37	0.16
R332099		1.09	129.5	6.56	7.65	0.13	0.15	<0.01	0.026	0.11	2.8	11.4	0.93	445	1.67	0.27
R332100		0.66	135.0	7.05	6.65	0.15	0.16	<0.01	0.022	0.07	2.9	14.2	0.93	558	0.84	0.18
R332101		0.93	127.5	7.78	7.80	0.13	0.15	<0.01	0.023	0.07	2.9	23.3	1.22	553	1.97	0.19
R332102		1.21	152.0	6.86	7.88	0.17	0.16	<0.01	0.024	0.08	2.7	18.8	1.13	522	9.35	0.18
R332103		2.00	152.0	5.26	7.70	0.17	0.14	<0.01	0.030	0.10	2.8	19.0	1.10	383	3.95	0.19
R332104		0.99	135.5	5.58	8.09	0.18	0.12	<0.01	0.028	0.10	2.9	25.4	1.04	434	2.58	0.18
R332105		1.31	213	6.69	7.05	0.17	0.18	<0.01	0.050	0.14	2.4	21.8	0.96	681	4.32	0.15
R332106		0.49	156.5	4.30	6.78	0.13	0.18	<0.01	0.025	0.12	2.3	18.0	1.01	692	6.67	0.17
R332107		2.82	213	7.26	9.20	0.16	0.18	<0.01	0.037	0.16	2.4	25.0	1.59	1120	11.05	0.12
R332108		4.15	350	9.33	8.35	0.20	0.16	<0.01	0.038	0.25	2.5	21.0	1.27	1200	2.70	0.08
R332109		1.39	261	6.38	6.85	0.20	0.24	<0.01	0.029	0.13	2.8	13.2	0.99	736	1.12	0.15
R332110		<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R332111		1.16	193.0	4.51	5.72	0.17	0.23	<0.01	0.025	0.12	2.3	9.5	0.93	623	0.62	0.20
R332112		0.61	129.5	4.23	5.50	0.16	0.21	<0.01	0.024	0.08	2.4	9.4	0.97	640	19.40	0.21
R332113		0.81	175.0	4.85	5.93	0.18	0.21	<0.01	0.023	0.08	2.6	14.2	1.03	675	7.83	0.16
R332114		1.59	179.5	5.42	6.12	0.19	0.21	<0.01	0.022	0.11	2.2	13.8	1.10	669	1.17	0.19
R332115		1.41	170.5	5.68	6.48	0.15	0.18	<0.01	0.022	0.09	2.2	13.8	1.08	660	10.70	0.20
R332116		1.07	190.5	5.97	6.29	0.13	0.16	<0.01	0.019	0.06	3.3	14.2	1.08	633	5.92	0.16
R332117		0.88	199.5	5.90	6.41	0.13	0.18	<0.01	0.022	0.06	3.3	14.0	1.08	597	10.20	0.17
R332118		1.39	206	4.98	6.01	0.14	0.16	<0.01	0.021	0.07	3.5	12.1	0.98	498	2.52	0.20
R332119		0.95	163.5	4.89	6.89	0.11	0.09	<0.01	0.018	0.08	2.3	16.8	1.20	488	3.88	0.22
R332120		3.59	7770	7.56	3.00	0.05	<0.02	0.05	0.329	0.30	2.5	10.9	0.36	706	158.5	0.03
R332121		0.49	149.0	3.27	5.12	0.13	0.13	<0.01	0.016	0.05	3.4	12.3	0.76	373	13.30	0.10
R332122		2.35	178.5	5.36	7.69	0.17	0.11	<0.01	0.019	0.08	3.4	25.1	1.31	495	10.70	0.13
R332123		0.42	170.5	3.18	4.69	0.12	0.16	<0.01	0.018	0.03	2.0	7.4	0.64	406	6.52	0.14
R332124		0.52	178.0	2.75	4.69	0.12	0.18	<0.01	0.018	0.04	2.4	8.2	0.58	409	27.8	0.14
R332125		1.13	158.0	2.95	5.63	0.15	0.17	<0.01	0.020	0.08	2.3	10.4	0.66	450	2.37	0.16
R332126		1.57	194.5	3.19	5.67	0.15	0.18	<0.01	0.021	0.11	2.3	11.6	0.71	514	5.80	0.15
R332127		1.48	158.5	5.12	9.48	0.16	0.20	<0.01	0.032	0.09	2.4	22.2	1.10	670	13.80	0.12
R332128		2.63	177.0	3.82	6.34	0.17	0.16	<0.01	0.020	0.12	2.2	15.5	0.89	480	39.5	0.14
R332129		1.05	155.0	3.55	5.75	0.16	0.15	<0.01	0.018	0.05	1.7	12.2	0.72	497	20.7	0.14
R332130		1.14	156.5	3.84	6.22	0.15	0.14	<0.01	0.021	0.06	1.8	13.8	0.79	536	19.30	0.15
R332131		1.50	233	4.38	6.65	0.17	0.20	<0.01	0.019	0.10	2.0	16.0	0.72	616	3.54	0.14
R332132		0.72	179.0	3.93	5.81	0.14	0.18	<0.01	0.020	0.09	2.2	9.8	0.67	568	1.62	0.16
R332133		0.89	147.0	7.23	14.65	0.15	0.23	0.01	0.043	0.04	1.9	53.2	3.35	906	11.50	0.11
R332134		0.81	228	8.03	18.30	0.18	0.25	<0.01	0.101	0.01	1.8	54.4	4.07	1120	11.35	0.06
R332135		0.74	134.0	5.18	8.54	0.18	0.20	<0.01	0.027	0.09	2.8	25.0	1.42	755	11.45	0.17
R332136		0.89	163.0	4.24	6.52	0.12	0.17	<0.01	0.021	0.07	2.1	10.8	0.84	615	26.2	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332097		0.08	26.8	540	0.8	4.5	0.003	0.27	<0.05	10.5	0.9	0.4	25.1	<0.01	0.02	0.2
R332098		0.15	26.9	560	1.1	11.6	0.004	0.44	<0.05	7.8	0.9	0.3	34.6	<0.01	0.02	0.2
R332099		0.09	30.7	630	1.0	8.0	0.004	0.23	<0.05	8.5	0.7	0.3	47.6	<0.01	0.02	0.2
R332100		0.18	38.2	610	1.0	4.1	0.003	0.27	<0.05	6.8	0.9	0.3	51.8	<0.01	0.02	0.2
R332101		0.09	41.0	610	1.2	4.8	0.003	0.22	<0.05	7.9	0.8	0.4	22.8	<0.01	0.02	0.2
R332102		0.06	30.7	600	1.3	6.5	0.011	0.32	<0.05	8.9	1.0	0.4	21.7	<0.01	0.02	0.2
R332103		<0.05	24.7	620	1.1	10.9	0.006	0.28	<0.05	9.9	1.0	0.3	11.5	<0.01	0.02	0.2
R332104		0.08	24.1	600	0.9	6.8	0.004	0.17	<0.05	11.4	0.7	0.7	18.4	<0.01	0.04	0.2
R332105		0.14	30.2	450	2.2	10.6	0.005	0.61	<0.05	9.2	1.8	0.8	26.1	<0.01	0.03	0.2
R332106		0.13	29.6	430	2.5	6.1	0.006	0.39	<0.05	11.5	1.3	0.4	28.1	<0.01	0.02	0.2
R332107		0.07	35.3	410	1.6	18.6	0.010	1.35	<0.05	16.6	1.3	0.4	36.8	<0.01	0.07	0.2
R332108		0.12	31.6	390	1.5	28.8	0.003	0.48	<0.05	11.4	1.4	0.6	29.9	<0.01	0.04	0.2
R332109		0.15	30.6	390	1.9	8.4	0.004	0.30	<0.05	12.0	1.4	0.6	21.0	<0.01	0.02	0.2
R332110		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332111		0.14	31.2	430	2.9	6.8	0.001	0.45	<0.05	11.7	1.6	0.4	12.8	<0.01	0.02	0.2
R332112		0.15	31.8	450	1.9	2.7	0.017	0.58	<0.05	11.5	1.6	0.4	12.0	<0.01	0.03	0.2
R332113		0.13	28.7	410	1.6	3.4	0.008	0.55	<0.05	9.8	1.7	0.3	18.4	<0.01	0.03	<0.2
R332114		0.11	31.6	440	2.9	8.4	0.001	0.67	<0.05	10.9	2.1	0.3	11.9	<0.01	0.03	0.2
R332115		0.10	32.6	440	1.8	7.3	0.011	0.68	<0.05	10.7	1.7	0.3	20.2	<0.01	0.03	0.2
R332116		0.13	27.7	430	0.9	5.0	0.006	0.46	<0.05	9.3	1.1	0.3	38.9	<0.01	0.03	0.2
R332117		0.13	29.5	430	1.0	3.9	0.008	0.45	<0.05	9.1	1.2	0.3	42.5	<0.01	0.03	0.2
R332118		0.18	34.1	400	1.4	5.4	0.004	0.43	<0.05	8.1	1.2	0.3	53.2	<0.01	0.03	0.2
R332119		0.09	36.3	430	0.7	5.8	0.005	0.41	<0.05	7.0	0.8	0.4	35.6	<0.01	0.02	0.2
R332120		0.06	15.2	540	112.0	13.4	0.216	6.13	2.43	1.3	7.9	1.8	35.9	<0.01	1.00	1.1
R332121		0.17	38.1	330	0.9	3.6	0.013	0.33	<0.05	5.7	1.2	0.2	45.0	<0.01	0.03	<0.2
R332122		0.07	41.2	390	1.3	9.4	0.011	0.46	<0.05	7.9	1.4	0.3	38.6	<0.01	0.03	0.2
R332123		0.16	24.6	370	1.6	2.2	0.006	0.38	<0.05	7.2	0.9	0.3	17.4	<0.01	0.04	<0.2
R332124		0.17	18.8	390	2.0	2.3	0.018	0.31	<0.05	7.4	1.0	0.3	18.2	<0.01	0.05	<0.2
R332125		0.14	21.6	390	1.1	5.1	0.003	0.24	<0.05	8.7	0.8	0.3	19.6	<0.01	0.04	0.2
R332126		0.10	23.2	400	1.6	7.1	0.004	0.29	<0.05	9.5	0.7	0.3	18.9	<0.01	0.05	0.2
R332127		0.08	36.0	390	2.3	7.2	0.013	0.60	<0.05	14.3	0.9	0.4	19.2	<0.01	0.04	<0.2
R332128		0.09	29.2	400	3.8	11.7	0.035	0.66	<0.05	9.3	1.3	0.3	19.7	<0.01	0.05	<0.2
R332129		0.11	28.0	390	2.9	4.0	0.019	0.63	<0.05	7.8	1.1	0.4	16.7	<0.01	0.04	<0.2
R332130		0.11	29.5	390	2.9	4.3	0.016	0.63	<0.05	9.2	1.0	0.4	17.4	<0.01	0.04	<0.2
R332131		0.15	33.1	400	6.5	7.9	0.004	0.91	<0.05	8.5	1.9	0.4	23.2	<0.01	0.05	<0.2
R332132		0.15	31.7	400	5.6	4.6	0.002	0.71	<0.05	8.8	1.1	0.3	21.5	<0.01	0.04	0.2
R332133		<0.05	41.5	430	60.2	2.5	0.010	0.49	<0.05	7.2	1.2	0.4	16.5	<0.01	0.03	0.2
R332134		<0.05	53.3	440	196.0	0.7	0.013	0.59	<0.05	15.4	1.2	0.5	14.4	<0.01	0.04	<0.2
R332135		0.06	29.5	440	15.4	4.0	0.011	0.50	<0.05	11.5	1.0	0.3	32.3	<0.01	0.04	0.2
R332136		0.10	24.1	440	3.7	4.6	0.028	0.31	<0.05	9.4	0.6	0.3	23.2	<0.01	0.02	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332097		0.254	0.04	<0.05	243	0.26	9.79	45	3.1
R332098		0.289	0.10	0.05	201	0.48	9.02	56	3.4
R332099		0.254	0.07	0.06	167	0.22	10.75	51	3.2
R332100		0.334	0.02	0.05	166	0.45	10.60	55	3.5
R332101		0.297	0.04	0.08	181	0.48	10.40	71	3.3
R332102		0.261	0.06	<0.05	171	0.53	9.79	64	3.6
R332103		0.205	0.10	<0.05	137	0.85	10.00	51	3.3
R332104		0.246	0.05	<0.05	131	0.68	11.70	94	3.1
R332105		0.263	0.10	<0.05	142	0.84	8.11	162	5.2
R332106		0.301	0.05	<0.05	130	0.56	9.10	68	4.6
R332107		0.261	0.15	<0.05	191	0.50	9.17	87	4.5
R332108		0.245	0.23	<0.05	213	1.41	8.11	118	4.6
R332109		0.310	0.09	<0.05	172	0.84	9.83	62	6.8
R332110		<0.005	<0.02	0.07	<1	<0.05	0.64	<2	0.7
R332111		0.331	0.18	<0.05	149	0.47	9.66	44	5.8
R332112		0.349	0.02	<0.05	137	0.52	9.69	47	5.4
R332113		0.300	0.03	<0.05	139	0.97	8.94	45	5.0
R332114		0.317	0.07	<0.05	169	0.83	8.85	49	5.0
R332115		0.305	0.07	<0.05	173	0.55	8.62	51	4.3
R332116		0.310	0.04	<0.05	186	0.54	9.08	52	3.5
R332117		0.322	0.02	<0.05	171	0.54	9.52	49	4.0
R332118		0.336	0.04	<0.05	150	0.62	9.02	41	3.9
R332119		0.230	0.04	<0.05	133	0.45	7.69	48	2.0
R332120		0.014	0.32	0.16	20	2.74	2.70	950	<0.5
R332121		0.266	0.02	<0.05	88	0.49	8.50	30	3.3
R332122		0.234	0.07	<0.05	141	0.69	8.42	51	2.7
R332123		0.247	0.03	<0.05	97	0.44	7.81	31	3.7
R332124		0.271	0.02	<0.05	90	0.41	8.51	30	4.3
R332125		0.280	0.04	<0.05	102	0.38	9.10	34	4.4
R332126		0.279	0.06	<0.05	103	0.44	9.05	35	4.5
R332127		0.316	0.09	<0.05	164	1.01	10.50	50	4.5
R332128		0.269	0.12	<0.05	113	0.45	8.11	41	4.0
R332129		0.254	0.04	<0.05	112	0.49	7.66	38	3.8
R332130		0.272	0.03	<0.05	123	0.50	8.17	42	3.9
R332131		0.300	0.07	<0.05	137	0.93	8.75	45	4.7
R332132		0.281	0.04	<0.05	126	0.41	8.35	40	4.6
R332133		0.374	0.04	<0.05	229	0.70	12.60	836	5.6
R332134		0.393	0.04	0.07	318	0.68	10.85	1120	6.0
R332135		0.337	0.04	<0.05	154	0.68	10.15	62	5.4
R332136		0.289	0.04	<0.05	146	0.56	8.81	41	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332137		3.75	<0.001	0.13	1.89	0.6	<0.2	<10	10	0.17	0.08	1.89	0.03	6.11	27.3	19
R332138		3.65	0.001	0.13	2.68	0.3	<0.2	<10	10	0.12	0.05	1.85	0.02	7.04	26.1	13
R332139		3.87	0.001	0.25	1.80	0.4	<0.2	<10	10	0.23	0.12	2.08	0.05	6.25	39.1	18
R332140		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.98	0.1	<1
R332141		3.07	0.010	0.32	1.86	0.6	<0.2	<10	10	0.22	0.21	2.83	0.06	5.86	43.8	18
R332142		3.17	<0.001	0.33	1.87	0.1	<0.2	<10	40	0.23	0.16	2.23	0.07	6.75	48.6	18
R332143		4.49	<0.001	0.43	1.41	0.2	<0.2	<10	30	0.36	0.21	1.89	0.07	5.72	45.9	14
R332144		3.92	<0.001	0.32	1.74	0.2	<0.2	<10	30	0.14	0.15	2.17	0.09	6.73	41.5	15
R332145		3.71	<0.001	0.42	1.64	0.1	<0.2	<10	60	0.12	0.47	1.90	0.14	6.30	40.2	16
R332146		3.46	<0.001	0.28	1.49	0.1	<0.2	<10	50	0.10	0.14	1.77	0.08	6.48	36.8	15
R332147		3.78	<0.001	0.23	1.31	0.2	<0.2	<10	10	0.12	0.11	1.89	0.05	6.20	35.3	17
R332148		3.56	<0.001	0.27	1.39	0.2	<0.2	<10	10	0.15	0.12	1.85	0.11	6.02	37.0	14
R332149		3.62	<0.001	0.25	1.48	0.4	<0.2	10	<10	0.16	0.16	2.24	0.61	5.23	50.9	15
R332150		0.08	0.926	5.98	1.05	39.2	1.0	<10	40	0.20	1.13	0.42	4.97	5.31	13.7	21
R332151		3.69	0.001	0.19	1.42	0.6	<0.2	<10	<10	0.13	0.14	2.01	0.14	4.05	34.7	13
R332152		3.84	0.001	0.14	2.36	0.2	<0.2	<10	10	0.15	0.05	1.72	0.11	7.40	28.4	13
R332153		3.62	0.001	0.09	2.75	0.7	<0.2	<10	10	0.15	0.06	1.88	0.04	7.81	27.2	13
R332154		4.16	0.001	0.07	2.19	0.4	<0.2	<10	10	0.13	0.03	1.60	0.04	8.18	21.6	13
R332155		3.86	0.001	0.15	2.53	0.4	<0.2	<10	10	0.16	0.11	1.80	0.09	7.65	33.5	15
R332156		2.48	<0.001	0.22	2.16	0.1	<0.2	<10	10	0.12	0.12	1.61	0.06	7.82	33.2	12
R332157		2.44	<0.001	0.25	1.29	0.4	<0.2	<10	10	0.15	0.18	2.03	0.12	13.95	35.1	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332137		1.73	173.0	4.59	6.76	0.12	0.14	<0.01	0.019	0.10	2.1	11.8	0.95	559	67.6	0.21
R332138		1.69	187.5	5.17	8.55	0.10	0.06	<0.01	0.017	0.12	2.4	14.0	1.03	413	87.8	0.24
R332139		1.10	237	5.23	6.75	0.15	0.17	<0.01	0.021	0.08	2.2	9.8	0.89	644	7.42	0.20
R332140		<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.07	0.01
R332141		0.57	228	5.84	7.02	0.15	0.19	<0.01	0.019	0.05	2.2	15.1	0.99	893	2.02	0.12
R332142		0.49	172.5	5.72	6.20	0.14	0.22	<0.01	0.021	0.09	2.4	12.0	0.85	828	2.75	0.18
R332143		0.49	176.0	4.64	5.32	0.14	0.23	<0.01	0.018	0.07	2.1	9.2	0.59	663	1.47	0.13
R332144		0.96	127.5	4.92	7.33	0.16	0.20	<0.01	0.028	0.13	2.3	11.7	0.95	715	6.60	0.19
R332145		1.26	153.5	4.77	6.58	0.14	0.20	<0.01	0.022	0.18	2.2	10.8	0.81	684	42.8	0.18
R332146		1.92	178.0	4.35	6.28	0.13	0.16	<0.01	0.023	0.19	2.2	12.0	0.75	595	14.85	0.18
R332147		1.06	142.0	3.87	5.59	0.14	0.18	<0.01	0.022	0.10	2.2	7.5	0.69	489	94.7	0.17
R332148		1.36	168.0	4.28	5.97	0.14	0.18	<0.01	0.019	0.09	2.1	10.4	0.71	545	25.5	0.17
R332149		0.69	163.5	4.56	5.92	0.12	0.16	<0.01	0.018	0.05	2.0	12.5	0.74	588	57.5	0.13
R332150		3.51	6910	6.73	3.19	0.05	<0.02	0.04	0.332	0.27	2.5	11.3	0.32	625	136.5	0.02
R332151		0.34	142.0	3.17	4.90	0.12	0.17	<0.01	0.013	0.03	1.4	7.4	0.55	405	54.9	0.08
R332152		0.60	167.0	4.07	7.81	0.11	0.08	<0.01	0.019	0.05	2.5	11.2	0.88	397	51.2	0.25
R332153		0.98	180.0	4.77	8.62	0.10	0.09	<0.01	0.020	0.05	2.7	13.8	1.06	346	68.9	0.22
R332154		0.64	181.0	4.23	7.85	0.11	0.08	<0.01	0.021	0.04	2.7	9.0	0.82	300	9.94	0.25
R332155		1.49	168.0	5.77	9.27	0.14	0.10	<0.01	0.026	0.07	2.6	17.9	1.52	541	12.65	0.21
R332156		2.50	170.5	4.38	7.17	0.11	0.09	<0.01	0.020	0.10	2.7	11.5	1.09	394	40.0	0.19
R332157		1.36	195.5	4.24	4.85	0.16	0.23	<0.01	0.015	0.07	5.9	8.8	0.66	475	5.95	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332137		0.10	22.9	410	1.6	9.3	0.070	0.29	<0.05	8.4	0.7	0.3	59.0	0.01	0.02	0.2
R332138		0.05	30.7	390	1.2	12.5	0.087	0.19	<0.05	6.2	0.6	0.3	114.0	<0.01	0.01	0.2
R332139		0.14	37.0	410	3.7	6.6	0.006	0.85	<0.05	8.8	1.3	0.4	42.4	<0.01	0.05	0.2
R332140		<0.05	0.4	10	0.3	0.1	<0.001	0.04	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332141		0.11	36.7	420	3.4	2.3	0.002	1.38	<0.05	9.2	1.7	0.3	18.1	<0.01	0.16	<0.2
R332142		0.17	41.2	440	3.2	2.9	0.003	1.64	<0.05	10.3	1.9	0.3	18.4	<0.01	0.08	0.2
R332143		0.22	37.7	430	2.6	3.0	0.001	1.56	<0.05	8.0	1.9	0.4	19.6	<0.01	0.09	0.2
R332144		0.12	38.8	400	3.1	6.9	0.006	0.91	<0.05	12.0	1.2	0.3	19.3	<0.01	0.06	0.2
R332145		0.12	35.8	380	11.2	11.3	0.041	0.87	<0.05	11.1	0.9	0.3	13.1	<0.01	0.06	0.2
R332146		0.11	31.5	400	2.2	16.4	0.016	0.68	<0.05	10.5	0.8	0.3	10.0	<0.01	0.05	0.2
R332147		0.16	28.9	380	2.0	6.5	0.089	0.69	<0.05	9.6	0.7	0.3	16.0	<0.01	0.04	0.2
R332148		0.15	32.0	400	6.6	7.3	0.023	0.69	<0.05	9.7	0.7	0.3	17.8	<0.01	0.05	0.2
R332149		0.14	35.6	380	63.3	3.4	0.054	0.94	<0.05	8.7	0.7	0.3	23.6	<0.01	0.07	0.2
R332150		0.07	15.2	470	108.5	13.7	0.195	5.04	2.60	1.2	7.8	1.7	35.1	<0.01	0.94	1.0
R332151		0.24	27.3	350	13.1	2.4	0.037	0.52	<0.05	5.8	0.8	0.3	43.5	<0.01	0.06	<0.2
R332152		0.08	22.2	390	5.4	4.3	0.038	0.26	<0.05	8.0	0.7	0.3	50.5	<0.01	0.03	0.2
R332153		0.07	21.3	420	1.2	5.7	0.033	0.22	<0.05	7.8	0.8	0.3	67.5	<0.01	0.02	0.2
R332154		0.06	17.7	420	0.6	3.4	0.006	0.13	<0.05	7.1	0.7	0.3	57.0	<0.01	0.01	0.2
R332155		0.06	28.6	410	6.7	6.8	0.011	0.32	<0.05	10.5	0.7	0.3	39.4	<0.01	0.02	0.2
R332156		0.07	27.1	430	2.2	14.1	0.025	0.53	<0.05	8.3	0.6	0.2	44.0	<0.01	0.03	0.2
R332157		0.33	31.0	520	5.9	7.9	0.003	0.88	0.07	7.1	1.2	0.4	26.4	0.01	0.06	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332137		0.306	0.07	<0.05	160	0.80	7.99	40	3.1
R332138		0.182	0.07	<0.05	172	0.40	6.12	40	1.2
R332139		0.299	0.10	<0.05	153	2.66	8.83	47	4.3
R332140		<0.005	<0.02	0.07	<1	<0.05	0.62	<2	0.7
R332141		0.302	0.02	<0.05	151	0.91	8.16	56	4.5
R332142		0.317	0.03	<0.05	132	1.75	8.98	54	5.7
R332143		0.280	0.08	0.09	98	1.23	8.25	44	5.8
R332144		0.294	0.29	<0.05	131	0.99	9.37	59	5.7
R332145		0.293	0.31	<0.05	127	0.67	8.54	61	5.0
R332146		0.286	0.33	<0.05	121	0.51	8.70	53	4.0
R332147		0.286	0.20	<0.05	104	0.82	8.46	41	4.7
R332148		0.290	0.26	<0.05	122	0.71	8.54	52	4.4
R332149		0.283	0.05	<0.05	123	1.00	7.45	156	3.8
R332150		0.012	0.31	0.15	18	2.44	2.71	844	<0.5
R332151		0.279	0.02	<0.05	89	3.18	6.70	55	4.0
R332152		0.188	0.05	<0.05	130	0.42	7.97	56	1.7
R332153		0.198	0.04	<0.05	156	16.40	8.54	47	1.9
R332154		0.167	0.04	<0.05	152	0.87	8.58	35	1.6
R332155		0.215	0.08	<0.05	162	0.40	9.60	63	2.0
R332156		0.185	0.23	<0.05	112	3.32	7.97	50	2.0
R332157		0.277	0.17	0.07	119	0.84	6.77	47	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 15-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15147427

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

CERTIFICATE SD15149027

Project: Miller

This report is for 42 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335459		3.83	<0.001	0.02	1.32	0.1	<0.2	<10	60	0.08	0.03	0.87	0.01	16.00	11.8	171
R335460		<0.02	<0.001	0.02	1.34	0.1	<0.2	<10	60	0.08	0.03	0.86	0.01	15.70	11.4	173
R335461		3.61	<0.001	0.03	1.32	<0.1	<0.2	<10	80	0.07	0.04	0.78	0.01	16.50	13.8	211
R335462		3.52	<0.001	0.02	1.16	<0.1	<0.2	<10	40	0.08	0.08	0.66	0.01	15.45	12.6	156
R335463		1.95	<0.001	0.12	1.65	<0.1	<0.2	<10	50	0.20	0.24	1.42	0.01	14.65	19.4	253
R335464		3.38	<0.001	0.04	1.35	<0.1	<0.2	<10	40	0.19	0.46	1.03	0.01	14.95	15.0	232
R335465		1.86	0.001	0.03	3.13	<0.1	<0.2	<10	20	0.87	0.86	3.36	0.02	17.45	30.9	453
R335466		2.91	0.053	0.17	0.56	<0.1	<0.2	<10	40	0.23	0.93	1.11	<0.01	34.3	4.5	26
R335467		3.28	0.108	0.24	0.50	0.1	<0.2	<10	40	0.29	1.01	1.59	<0.01	39.3	4.3	17
R335468		3.56	0.103	0.18	0.48	<0.1	<0.2	<10	50	0.35	1.27	0.95	<0.01	37.4	3.8	18
R335469		3.33	0.065	0.24	0.45	<0.1	<0.2	<10	50	0.42	1.09	0.98	<0.01	37.4	4.0	19
R335470		0.10	<0.001	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.19	0.1	<1
R335471		3.24	0.085	0.19	0.43	0.2	<0.2	<10	50	0.34	1.54	0.98	<0.01	29.7	4.3	15
R335472		2.35	0.038	0.28	0.60	<0.1	0.2	<10	50	0.40	1.52	1.25	0.01	43.5	5.5	31
R335473		1.27	0.001	0.03	1.93	<0.1	<0.2	<10	20	0.72	0.19	2.82	0.01	21.5	18.0	245
R335474		3.11	0.004	0.06	0.37	0.1	<0.2	<10	30	0.30	0.81	0.70	0.01	35.2	2.7	15
R335475		3.04	0.030	0.17	0.38	<0.1	0.2	<10	20	0.28	1.15	0.75	<0.01	30.3	2.4	13
R335476		3.16	0.062	0.15	0.41	<0.1	<0.2	<10	30	0.28	1.04	0.55	<0.01	29.2	2.7	19
R335477		3.23	0.009	0.08	0.43	0.3	<0.2	<10	30	0.35	2.93	0.64	0.01	35.4	3.5	18
R335478		3.04	0.019	0.07	0.42	0.1	<0.2	<10	30	0.40	1.15	0.59	0.01	26.3	2.8	16
R335479		3.15	0.032	0.09	0.36	0.2	<0.2	<10	40	0.49	1.96	0.73	0.01	27.9	2.9	21
R335480		0.06	2.42	4.55	1.65	18.9	2.3	<10	40	0.65	0.08	3.72	0.37	21.7	11.3	24
R335481		3.22	0.018	0.08	0.41	0.3	<0.2	<10	40	0.52	0.65	0.76	0.01	29.3	3.4	16
R335482		3.24	0.240	0.17	0.42	0.1	0.2	<10	50	0.50	3.13	0.89	<0.01	30.8	3.6	17
R335483		3.02	0.021	0.10	0.40	0.1	<0.2	<10	120	0.50	2.01	0.90	0.01	30.6	3.2	17
R335484		2.70	0.004	0.07	0.42	0.2	<0.2	<10	60	0.51	0.68	0.84	<0.01	36.4	3.3	16
R335485		3.19	0.004	0.06	0.46	0.2	<0.2	<10	80	0.48	0.35	0.82	0.01	36.0	3.5	18
R335486		1.17	0.021	0.07	0.45	0.1	<0.2	<10	90	0.53	0.51	1.02	0.01	33.8	3.8	18
R335487		3.18	0.050	0.16	0.15	0.2	<0.2	<10	20	0.28	1.73	0.20	<0.01	10.45	1.0	13
R335488		2.93	0.008	0.04	0.52	<0.1	<0.2	<10	80	0.63	0.64	0.84	0.01	33.8	3.6	17
R335489		2.68	0.012	0.04	0.51	0.1	<0.2	<10	40	0.60	0.62	0.70	0.01	38.6	4.0	20
R335490		<0.02	0.014	0.06	0.51	0.2	<0.2	<10	40	0.57	0.69	0.68	0.01	37.3	4.2	20
R335491		2.96	0.066	0.12	0.40	0.1	<0.2	<10	40	0.46	1.37	0.78	<0.01	27.5	3.5	17
R335492		1.10	0.020	0.05	0.26	0.1	<0.2	<10	40	0.39	0.79	0.55	0.01	16.85	2.3	16
R335493		2.75	0.056	0.14	0.16	0.2	<0.2	<10	30	0.20	1.16	0.32	0.19	10.30	1.4	13
R335494		2.05	0.130	0.20	0.10	0.1	<0.2	<10	10	0.09	1.65	0.13	0.16	3.07	0.8	16
R335495		1.96	0.057	0.15	0.17	<0.1	<0.2	<10	20	0.12	1.28	0.24	0.10	5.69	1.2	12
R335496		1.32	0.101	0.25	0.19	0.2	<0.2	<10	20	0.15	1.48	0.35	0.05	11.20	1.8	11
R335497		2.09	0.053	0.22	0.17	0.1	<0.2	<10	10	0.13	1.16	0.30	0.13	4.14	1.3	11
R335498		1.17	0.066	0.17	0.42	0.3	<0.2	<10	30	0.30	1.23	1.26	0.02	22.8	4.4	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335459		1.14	41.5	1.53	4.33	0.05	0.14	<0.01	<0.005	0.27	8.3	22.3	1.07	182	0.48	0.09
R335460		1.15	41.1	1.58	4.28	<0.05	0.13	<0.01	<0.005	0.26	8.1	21.4	1.08	185	0.46	0.10
R335461		1.19	35.0	1.67	4.46	0.06	0.15	0.01	<0.005	0.36	8.4	23.6	1.19	189	0.63	0.10
R335462		1.23	47.3	1.65	3.67	<0.05	0.11	<0.01	<0.005	0.20	7.9	21.1	1.10	202	1.51	0.08
R335463		2.88	46.3	2.17	4.77	<0.05	0.16	0.01	0.006	0.31	7.2	32.0	1.79	299	4.84	0.07
R335464		1.65	43.2	1.70	4.28	<0.05	0.19	0.01	<0.005	0.22	7.6	27.2	1.42	238	1.38	0.06
R335465		2.46	26.8	4.57	13.15	0.08	0.35	<0.01	0.023	0.08	9.0	64.7	4.35	818	10.50	0.03
R335466		0.42	55.6	1.66	4.25	0.05	0.92	<0.01	0.009	0.07	18.6	6.4	0.52	227	63.3	0.06
R335467		0.44	60.8	1.57	4.11	0.07	0.97	0.01	0.010	0.07	21.3	6.4	0.47	229	115.0	0.05
R335468		0.39	55.7	1.62	3.65	0.06	0.92	<0.01	0.009	0.08	20.4	6.0	0.42	215	154.5	0.05
R335469		0.39	61.1	1.57	3.49	0.06	1.08	<0.01	0.010	0.07	19.8	6.2	0.40	218	113.5	0.05
R335470		<0.05	0.8	0.02	<0.05	<0.05	0.03	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	0.13	<0.01
R335471		0.29	49.9	1.71	3.27	0.05	1.13	<0.01	0.010	0.07	15.6	6.1	0.41	198	79.4	0.06
R335472		0.42	35.4	1.90	4.79	0.07	1.22	0.01	0.016	0.07	23.5	9.3	0.68	238	28.4	0.05
R335473		1.84	33.9	3.27	11.95	0.06	0.85	<0.01	0.018	0.07	11.4	43.2	2.54	665	0.74	0.04
R335474		0.29	54.3	1.28	2.94	0.05	1.03	<0.01	0.008	0.08	19.1	5.6	0.30	182	10.05	0.05
R335475		0.25	36.2	1.24	3.14	<0.05	1.04	<0.01	0.006	0.07	17.4	6.8	0.30	149	29.3	0.06
R335476		0.37	25.1	1.26	3.26	<0.05	1.08	<0.01	0.006	0.08	17.3	7.4	0.33	166	59.0	0.06
R335477		0.44	20.3	1.43	3.41	0.05	0.91	<0.01	0.008	0.08	19.6	7.8	0.36	185	5.10	0.05
R335478		0.47	29.8	1.32	3.32	<0.05	1.02	<0.01	0.005	0.07	14.9	9.2	0.34	153	15.30	0.05
R335479		0.43	31.6	1.31	2.84	<0.05	1.19	<0.01	0.008	0.08	15.5	7.8	0.29	169	10.25	0.05
R335480		3.19	72.8	2.98	6.44	0.09	0.34	0.10	0.038	0.24	9.9	18.2	0.88	696	6.07	0.06
R335481		0.49	33.2	1.34	3.24	<0.05	1.04	<0.01	0.007	0.08	16.2	8.3	0.32	187	5.03	0.05
R335482		0.54	33.1	1.54	3.19	0.05	0.84	<0.01	0.007	0.09	17.4	8.8	0.33	209	151.5	0.05
R335483		0.56	24.7	1.42	2.63	<0.05	0.79	<0.01	0.007	0.09	17.3	7.8	0.30	221	10.90	0.05
R335484		0.64	37.8	1.40	3.21	<0.05	0.82	<0.01	0.007	0.09	21.3	9.2	0.33	196	1.19	0.05
R335485		0.75	25.5	1.47	3.31	0.05	0.77	<0.01	0.007	0.09	19.9	8.6	0.36	240	0.80	0.05
R335486		0.72	27.7	1.50	3.32	0.05	0.71	<0.01	0.008	0.09	19.1	9.9	0.37	287	0.27	0.05
R335487		0.20	48.7	0.75	1.07	<0.05	2.10	0.01	<0.005	0.06	5.5	2.0	0.06	64	39.8	0.06
R335488		0.77	26.6	1.54	3.96	0.05	0.80	0.01	0.006	0.09	18.8	11.4	0.41	210	3.27	0.05
R335489		0.59	22.5	1.56	4.12	0.05	0.73	<0.01	0.007	0.08	21.9	10.8	0.44	188	0.77	0.06
R335490		0.61	24.5	1.58	4.15	0.05	0.72	<0.01	0.008	0.08	21.1	10.7	0.45	191	0.85	0.05
R335491		0.43	18.8	1.39	2.94	<0.05	0.66	<0.01	0.006	0.07	15.4	8.3	0.32	169	84.5	0.05
R335492		0.35	28.7	1.10	1.95	<0.05	1.02	<0.01	<0.005	0.07	10.4	5.5	0.17	116	14.35	0.05
R335493		0.20	40.3	0.81	1.01	<0.05	1.36	<0.01	<0.005	0.06	6.2	2.1	0.06	65	104.5	0.06
R335494		0.08	54.6	0.73	0.53	<0.05	1.13	0.01	<0.005	0.04	1.3	0.6	0.02	51	212	0.07
R335495		0.08	23.8	0.76	1.01	<0.05	0.98	<0.01	<0.005	0.06	2.9	2.6	0.08	55	99.0	0.06
R335496		0.16	26.4	0.84	1.31	<0.05	0.97	<0.01	<0.005	0.07	6.4	2.8	0.10	70	184.5	0.05
R335497		0.05	23.5	0.85	1.07	<0.05	1.26	<0.01	<0.005	0.06	1.9	2.8	0.09	61	42.2	0.06
R335498		0.24	44.9	1.49	3.55	<0.05	0.77	<0.01	0.007	0.07	13.2	9.5	0.37	186	52.3	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335459		0.06	56.4	390	1.2	10.6	<0.001	0.05	0.15	1.8	0.2	0.2	41.2	<0.01	0.01	1.1
R335460		0.07	55.8	400	1.1	10.5	<0.001	0.05	0.11	1.8	<0.2	<0.2	42.1	<0.01	<0.01	1.1
R335461		0.05	73.0	430	1.6	10.6	<0.001	0.06	0.08	2.1	<0.2	<0.2	33.7	<0.01	<0.01	1.2
R335462		0.06	61.8	400	0.8	7.7	0.001	0.09	0.06	1.9	0.2	<0.2	32.4	<0.01	0.01	1.1
R335463		0.05	112.5	400	1.3	16.8	0.001	0.21	0.05	4.4	0.3	0.2	62.3	<0.01	0.07	1.1
R335464		0.08	88.5	390	1.2	14.9	0.001	0.13	0.05	2.1	0.2	0.2	49.8	<0.01	0.01	1.2
R335465		<0.05	186.5	440	1.7	7.3	0.005	0.10	0.06	16.1	0.3	0.4	74.9	<0.01	0.02	1.1
R335466		0.30	8.6	470	5.2	3.4	0.037	0.39	0.05	1.9	0.5	0.3	28.1	<0.01	0.32	4.4
R335467		0.45	6.0	510	5.6	3.2	0.068	0.42	0.07	1.9	0.6	0.6	30.4	<0.01	0.35	4.7
R335468		0.53	5.6	500	8.3	3.3	0.090	0.43	0.05	1.7	0.4	0.4	32.3	<0.01	0.39	4.4
R335469		0.50	5.4	480	7.5	3.3	0.064	0.48	0.05	1.8	0.6	0.4	36.8	<0.01	0.33	5.0
R335470		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.3
R335471		0.40	6.3	540	7.4	2.7	0.051	0.82	0.07	1.7	0.7	0.6	32.1	<0.01	0.50	4.8
R335472		0.30	13.2	620	12.9	2.9	0.017	0.83	<0.05	2.6	0.7	0.3	31.8	<0.01	0.47	5.4
R335473		0.12	105.5	400	4.9	5.7	0.001	0.14	<0.05	9.6	0.3	0.4	51.1	<0.01	0.03	2.5
R335474		0.47	3.8	310	5.2	3.3	0.008	0.27	0.05	1.3	0.4	0.6	20.5	<0.01	0.08	4.1
R335475		0.29	3.6	270	3.9	2.9	0.021	0.37	<0.05	1.1	0.4	0.2	14.3	<0.01	0.22	5.1
R335476		0.32	4.1	310	4.6	3.3	0.036	0.29	<0.05	1.2	0.3	0.3	14.6	<0.01	0.22	6.5
R335477		0.44	5.3	390	3.9	3.7	0.004	0.29	0.15	1.5	0.4	0.6	20.7	<0.01	0.27	4.6
R335478		0.29	4.3	320	2.6	3.1	0.009	0.34	0.07	1.1	0.4	0.3	13.0	<0.01	0.17	5.6
R335479		0.36	4.5	330	4.1	3.8	0.007	0.39	0.06	1.2	0.5	0.2	19.6	<0.01	0.19	8.3
R335480		<0.05	11.1	620	17.4	11.6	0.003	0.90	0.43	8.6	1.1	0.5	116.5	<0.01	2.37	1.4
R335481		0.38	5.0	360	3.9	4.0	0.005	0.34	0.08	1.4	0.5	0.5	23.7	<0.01	0.15	6.9
R335482		0.41	5.3	430	7.5	4.7	0.093	0.51	<0.05	1.4	0.5	0.3	30.2	<0.01	1.18	5.3
R335483		0.39	4.7	390	5.0	5.0	0.006	0.37	0.06	1.3	0.5	0.2	32.0	<0.01	0.79	4.7
R335484		0.32	5.0	380	3.4	4.8	0.002	0.34	0.06	1.3	0.3	0.5	26.5	<0.01	0.13	5.1
R335485		0.49	5.5	440	4.9	5.7	0.003	0.20	<0.05	1.4	0.5	0.3	46.1	<0.01	0.10	6.4
R335486		0.41	5.5	440	4.0	6.6	0.001	0.27	<0.05	1.5	0.3	0.3	40.5	<0.01	0.14	5.2
R335487		0.23	1.5	60	6.3	2.2	0.025	0.35	0.06	0.3	0.3	0.4	5.7	<0.01	0.22	14.0
R335488		0.42	5.6	450	2.8	5.6	0.003	0.30	<0.05	1.6	0.4	0.3	28.2	<0.01	0.16	4.7
R335489		0.40	6.1	440	2.4	3.8	0.002	0.32	<0.05	1.5	0.3	0.3	21.4	<0.01	0.16	4.5
R335490		0.41	6.9	450	2.4	3.6	0.001	0.35	0.05	1.6	0.5	0.5	21.3	<0.01	0.21	4.4
R335491		0.40	4.9	390	5.2	3.2	0.049	0.48	<0.05	1.3	0.5	0.3	23.1	<0.01	0.40	3.3
R335492		0.30	3.3	250	3.2	2.9	0.009	0.53	<0.05	0.7	0.5	<0.2	19.1	<0.01	0.20	5.5
R335493		0.19	2.5	110	18.0	2.2	0.056	0.47	0.05	0.3	0.3	0.3	11.6	<0.01	0.28	8.6
R335494		0.09	1.9	30	13.1	1.1	0.120	0.36	<0.05	0.1	0.2	<0.2	5.3	<0.01	0.48	6.1
R335495		0.19	2.2	110	16.9	2.0	0.054	0.42	<0.05	0.3	0.4	<0.2	7.8	<0.01	0.33	5.9
R335496		0.24	3.0	170	16.8	2.3	0.100	0.47	0.05	0.4	0.4	0.3	10.1	<0.01	0.39	5.2
R335497		0.13	3.1	40	10.2	1.6	0.024	0.50	<0.05	0.3	0.4	<0.2	6.1	<0.01	0.40	6.5
R335498		0.35	10.9	380	4.6	3.2	0.032	0.70	<0.05	1.4	0.5	0.2	22.5	<0.01	0.37	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335459		0.124	0.07	0.16	32	0.14	1.97	22	4.9
R335460		0.124	0.07	0.15	32	0.14	1.99	22	5.1
R335461		0.127	0.06	0.16	34	0.10	1.88	25	5.8
R335462		0.122	0.05	0.15	32	0.14	2.14	24	4.0
R335463		0.136	0.12	0.17	42	0.23	2.94	32	5.5
R335464		0.148	0.11	0.27	35	0.15	2.51	30	5.6
R335465		0.182	0.06	0.26	102	0.55	6.53	115	10.4
R335466		0.058	0.02	1.28	24	0.37	4.16	32	28.0
R335467		0.055	0.02	1.45	22	0.44	4.77	31	29.9
R335468		0.061	0.03	1.49	23	0.41	4.46	26	27.3
R335469		0.056	0.02	1.68	20	0.40	4.95	24	31.2
R335470		<0.005	<0.02	0.09	<1	<0.05	0.64	<2	0.9
R335471		0.044	0.02	2.54	18	0.35	5.00	22	32.9
R335472		0.056	0.02	2.45	27	0.38	5.30	36	34.6
R335473		0.171	0.04	1.15	78	0.58	5.86	92	24.0
R335474		0.045	0.02	1.71	16	0.28	3.71	20	30.9
R335475		0.030	0.02	1.90	13	0.29	3.00	16	28.8
R335476		0.039	0.03	1.92	16	0.29	3.14	20	27.8
R335477		0.052	0.03	1.99	21	0.26	3.77	22	27.0
R335478		0.033	0.03	1.75	16	0.29	3.04	18	25.7
R335479		0.034	0.03	3.22	15	0.26	3.16	18	26.5
R335480		0.052	0.14	0.35	69	0.32	7.95	84	11.7
R335481		0.043	0.03	2.54	18	0.31	3.79	20	24.8
R335482		0.045	0.04	1.84	20	0.29	3.89	22	22.3
R335483		0.043	0.04	2.10	18	0.31	3.60	23	20.7
R335484		0.040	0.03	2.01	18	0.27	3.48	19	20.4
R335485		0.060	0.04	2.50	21	0.18	4.06	30	17.8
R335486		0.050	0.04	2.43	21	0.20	3.76	31	17.5
R335487		0.007	0.03	5.32	3	0.22	1.24	3	38.0
R335488		0.056	0.04	2.64	24	0.38	4.15	25	20.5
R335489		0.056	0.03	1.82	26	11.80	3.85	24	19.8
R335490		0.058	0.02	1.79	26	8.09	3.89	24	19.4
R335491		0.042	0.04	2.08	18	0.44	3.74	17	18.8
R335492		0.022	0.02	3.65	10	0.23	2.88	9	27.7
R335493		0.008	0.04	3.20	3	0.19	1.58	26	32.6
R335494		<0.005	0.05	2.63	<1	0.13	0.80	19	23.8
R335495		0.007	0.03	2.78	2	0.42	1.40	14	23.5
R335496		0.013	0.04	2.81	5	0.31	1.63	13	26.3
R335497		<0.005	0.02	2.24	2	0.11	1.58	13	25.1
R335498		0.041	0.02	2.05	17	0.45	3.13	20	19.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R335499		2.20	0.044	1.46	1.90	0.3	<0.2	<10	20	0.87	2.20	3.58	0.03	18.45	23.5	231
R335500		3.26	0.001	0.03	1.71	0.3	<0.2	<10	40	0.43	0.17	1.85	0.01	39.2	20.3	255

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R335499		1.15	41.0	3.22	9.29	<0.05	0.40	<0.01	0.017	0.10	10.4	50.7	2.62	591	8.46	0.04
R335500		2.05	47.8	2.40	7.07	0.07	0.29	<0.01	0.011	0.20	17.7	41.3	2.16	426	4.98	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R335499		0.06	116.5	360	3.0	6.8	0.006	0.75	<0.05	6.5	0.6	0.4	51.9	<0.01	1.83	1.6
R335500		0.08	102.0	850	1.1	13.2	0.003	0.26	<0.05	4.1	0.6	0.3	63.6	<0.01	0.02	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335499		0.134	0.05	0.66	66	0.74	5.03	62	10.5
R335500		0.172	0.10	0.46	53	0.35	5.48	50	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 18-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149027

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

CERTIFICATE SD15149028

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578101		3.21	0.001	0.31	1.16	0.2	<0.2	<10	100	0.12	0.05	0.75	0.01	25.1	13.4	193
N578102		3.46	<0.001	0.04	1.01	0.2	<0.2	<10	70	0.10	0.09	0.92	0.02	43.7	12.8	164
N578103		3.59	0.001	0.07	0.78	0.3	<0.2	<10	50	0.09	0.19	1.07	0.01	51.2	11.6	126
N578104		3.34	0.001	0.09	1.08	0.2	<0.2	<10	110	0.10	0.06	0.76	0.04	35.9	14.2	176
N578105		3.42	0.001	0.08	0.79	0.3	<0.2	<10	40	0.13	0.09	1.01	0.01	43.1	12.0	126
N578106		3.66	0.001	0.07	1.04	0.3	<0.2	<10	40	0.15	0.10	1.86	0.02	75.6	13.3	147
N578107		3.53	0.001	0.05	1.10	0.2	<0.2	<10	100	0.10	0.04	1.10	0.01	66.0	13.4	165
N578108		2.43	0.001	0.05	1.09	0.2	<0.2	<10	140	0.10	0.04	0.69	<0.01	49.3	12.3	187
N578109		3.65	0.001	0.09	0.84	0.4	<0.2	<10	40	0.18	0.14	2.20	0.01	105.0	12.1	222
N578110		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.00	0.1	<1
N578111		3.34	0.001	0.10	0.74	0.2	<0.2	<10	60	0.12	0.05	1.49	0.06	109.5	8.2	186
N578112		3.52	0.002	0.07	0.69	0.3	<0.2	<10	40	0.11	0.06	1.51	0.01	103.0	8.9	169
N578113		3.42	0.001	0.05	0.62	0.3	<0.2	<10	30	0.11	0.03	1.50	0.02	103.5	7.3	161
N578114		1.97	0.001	0.02	0.67	0.3	<0.2	<10	20	0.12	0.02	1.57	0.01	108.5	7.7	155
N578115		1.92	0.009	0.15	1.16	0.3	<0.2	<10	30	0.67	0.62	4.44	<0.01	103.0	19.2	274
N578116		3.69	0.001	0.04	0.70	0.2	<0.2	<10	40	0.14	0.03	1.54	0.02	110.0	8.8	167
N578117		3.60	<0.001	0.03	0.75	0.2	<0.2	<10	60	0.12	0.03	1.54	0.01	104.5	8.6	202
N578118		2.52	0.001	0.07	1.36	0.5	<0.2	<10	270	0.45	1.69	2.08	0.01	102.0	18.5	293
N578119		3.79	0.001	0.03	1.15	0.3	<0.2	<10	300	0.12	0.03	1.01	<0.01	104.5	12.9	242
N578120		0.07	8.13	9.49	1.50	11.2	9.1	<10	30	0.53	0.06	3.62	0.27	19.85	10.9	17
N578121		2.32	0.003	0.04	1.05	0.3	<0.2	<10	80	0.19	0.07	1.37	0.01	105.0	15.3	287
N578122		1.15	0.001	0.08	0.58	0.3	<0.2	<10	40	0.19	0.04	0.89	0.02	66.1	7.5	85
N578123		3.25	<0.001	0.02	1.09	0.3	<0.2	<10	20	0.24	0.06	1.57	0.01	103.0	14.1	272
N578124		3.54	0.001	0.01	0.82	0.3	<0.2	<10	20	0.16	0.06	1.24	0.01	104.5	12.5	208
N578125		2.76	0.011	0.02	1.14	0.2	<0.2	<10	30	0.24	1.67	1.53	0.01	109.5	19.1	253
N578126		3.47	0.002	0.16	1.68	0.4	<0.2	<10	140	0.54	0.18	4.26	0.05	99.6	26.0	285
N578127		2.32	<0.001	0.01	1.01	0.3	<0.2	<10	30	0.22	0.05	1.42	0.01	95.2	11.8	224
N578128		3.54	0.001	0.05	0.81	0.3	<0.2	<10	30	0.17	0.07	1.82	0.01	161.0	11.2	98
N578129		3.61	0.001	0.03	0.91	0.4	<0.2	<10	30	0.19	0.07	2.11	0.01	120.5	11.7	84
N578130		<0.02	0.002	0.03	0.95	0.3	<0.2	<10	30	0.19	0.07	2.15	0.01	119.0	11.3	88
N578131		3.47	0.001	0.03	1.03	0.1	<0.2	<10	90	0.28	0.09	1.51	0.01	72.1	12.9	154
N578132		1.83	0.005	0.15	0.61	0.1	<0.2	<10	100	0.43	0.13	1.04	0.02	41.4	6.1	32
N578133		1.51	0.043	0.53	0.48	0.2	<0.2	<10	90	0.35	0.97	1.13	<0.01	34.6	5.5	22
N578134		1.36	0.016	0.99	1.43	0.2	<0.2	<10	30	0.80	2.51	2.78	0.01	51.7	17.7	140
N578135		2.87	0.023	0.28	0.48	0.2	<0.2	<10	60	0.37	0.37	0.99	0.01	35.9	5.0	26
N578136		3.55	0.001	0.20	1.08	0.3	<0.2	<10	50	0.25	0.60	1.77	<0.01	66.2	12.3	182
N578137		3.51	0.001	0.12	1.06	0.4	<0.2	<10	40	0.20	0.44	1.63	<0.01	84.9	11.0	179
N578138		3.53	0.001	0.03	0.88	0.5	<0.2	<10	30	0.17	0.06	1.49	0.03	75.8	8.4	132
N578139		2.41	0.002	0.27	0.65	0.4	<0.2	<10	60	0.49	0.38	1.25	0.01	55.2	6.5	47
N578140		0.10	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.00	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578101		1.13	47.0	1.42	3.39	0.13	0.13	<0.01	<0.005	0.33	11.9	21.6	0.94	187	1.46	0.08
N578102		1.32	41.7	1.38	3.43	0.13	0.16	<0.01	<0.005	0.28	20.1	19.3	0.87	184	1.46	0.08
N578103		1.01	61.0	1.20	3.04	0.15	0.23	<0.01	<0.005	0.18	23.0	12.1	0.65	155	5.79	0.07
N578104		1.90	71.7	1.59	3.96	0.13	0.20	0.01	0.005	0.38	16.3	24.3	1.00	203	1.01	0.07
N578105		0.67	52.8	1.25	3.43	0.13	0.22	<0.01	<0.005	0.13	19.2	14.9	0.73	169	3.27	0.07
N578106		0.94	64.5	1.48	4.00	0.17	0.26	0.01	0.005	0.16	32.8	16.8	0.93	232	3.00	0.06
N578107		1.41	50.3	1.55	3.52	0.17	0.21	0.01	0.005	0.31	29.1	24.7	1.02	210	1.10	0.07
N578108		1.71	58.7	1.63	4.02	0.15	0.22	0.01	<0.005	0.39	22.1	29.2	1.08	218	0.57	0.06
N578109		0.90	71.8	1.34	4.22	0.23	0.26	<0.01	0.006	0.09	45.8	15.2	0.88	225	1.26	0.09
N578110		<0.05	0.7	0.02	<0.05	0.07	0.02	0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
N578111		0.69	54.5	1.10	2.75	0.21	0.20	0.01	0.006	0.11	47.2	10.2	0.65	148	0.79	0.09
N578112		0.66	58.2	1.02	2.68	0.22	0.20	0.01	0.005	0.08	44.8	9.8	0.62	137	0.94	0.08
N578113		0.64	55.3	1.00	2.62	0.23	0.20	<0.01	0.006	0.06	45.4	9.1	0.64	140	2.66	0.08
N578114		0.57	59.9	1.03	3.20	0.22	0.21	<0.01	0.006	0.05	45.7	9.9	0.70	147	0.22	0.08
N578115		5.64	52.3	2.25	5.53	0.24	0.36	0.01	0.015	0.40	43.5	38.8	1.57	406	82.6	0.06
N578116		1.15	64.5	1.14	3.09	0.22	0.20	<0.01	0.007	0.09	46.3	9.0	0.71	157	0.48	0.10
N578117		0.98	42.4	1.10	3.23	0.22	0.20	<0.01	0.007	0.11	45.1	12.8	0.78	181	0.22	0.11
N578118		5.58	81.4	1.93	6.54	0.23	0.33	<0.01	0.009	0.41	43.8	45.4	1.64	299	3.27	0.06
N578119		2.67	36.6	1.42	3.88	0.21	0.19	0.01	0.005	0.32	46.4	27.7	1.23	170	0.19	0.07
N578120		2.44	64.1	2.60	6.38	0.17	0.60	0.17	0.025	0.11	8.9	23.6	0.94	735	4.67	0.06
N578121		3.55	62.4	1.57	4.49	0.22	0.30	0.01	0.007	0.40	47.1	27.7	1.26	248	0.23	0.09
N578122		0.57	29.3	1.50	4.37	0.15	0.55	0.01	0.006	0.14	35.5	11.1	0.56	210	0.22	0.06
N578123		2.80	34.6	1.67	5.10	0.22	0.26	<0.01	0.008	0.19	44.7	28.8	1.40	302	1.36	0.10
N578124		1.60	45.6	1.25	3.54	0.21	0.24	<0.01	0.006	0.11	46.0	16.7	0.97	201	0.80	0.10
N578125		3.00	34.3	1.73	4.75	0.22	0.26	<0.01	0.007	0.18	46.6	26.3	1.38	254	0.92	0.08
N578126		2.34	25.8	3.17	5.92	0.23	0.36	<0.01	0.019	0.23	42.3	38.8	3.09	595	0.31	0.05
N578127		1.63	21.8	1.51	4.59	0.21	0.27	<0.01	0.008	0.10	40.7	26.9	1.36	281	1.06	0.07
N578128		0.51	108.5	1.31	3.65	0.27	0.38	<0.01	0.011	0.07	72.2	8.1	0.64	180	1.34	0.06
N578129		0.79	70.2	1.23	4.61	0.26	0.37	<0.01	0.007	0.08	53.9	11.9	0.77	198	3.21	0.04
N578130		0.83	63.5	1.26	4.65	0.25	0.38	<0.01	0.009	0.09	53.8	12.3	0.81	203	2.90	0.04
N578131		1.91	62.4	1.61	4.51	0.17	0.41	<0.01	0.008	0.27	33.0	27.5	1.18	282	1.43	0.07
N578132		1.06	14.6	1.70	4.57	0.13	0.71	<0.01	0.010	0.12	23.4	14.7	0.55	258	4.17	0.06
N578133		0.37	32.4	1.58	3.62	0.12	0.55	<0.01	0.008	0.07	17.9	8.6	0.44	229	38.1	0.05
N578134		0.52	69.1	2.86	7.92	0.14	0.65	<0.01	0.016	0.08	25.5	31.1	1.69	589	4.37	0.04
N578135		0.40	13.8	1.49	3.64	0.13	0.65	<0.01	0.008	0.08	18.8	9.6	0.46	218	4.21	0.05
N578136		1.64	46.9	1.77	5.23	0.16	0.36	<0.01	0.008	0.18	29.4	26.3	1.26	382	225	0.08
N578137		1.31	44.6	1.66	5.50	0.17	0.34	<0.01	0.008	0.13	37.2	23.5	1.18	339	87.0	0.07
N578138		0.66	56.8	1.24	3.99	0.15	0.32	<0.01	0.006	0.10	33.7	14.5	0.78	224	0.91	0.07
N578139		1.17	31.4	2.45	5.41	0.12	1.01	<0.01	0.012	0.12	27.0	15.5	0.71	325	2.01	0.06
N578140		<0.05	0.9	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578101		0.09	74.2	650	1.1	12.6	0.001	0.11	<0.05	1.6	0.2	<0.2	51.2	<0.01	0.03	1.6
N578102		0.09	65.9	980	1.1	11.5	0.001	0.13	<0.05	1.8	0.3	0.3	48.9	<0.01	0.02	2.3
N578103		0.15	50.4	1050	4.4	8.2	0.002	0.19	<0.05	1.9	0.3	0.2	48.6	<0.01	0.01	2.7
N578104		0.10	69.8	850	11.7	17.9	0.001	0.18	<0.05	1.8	0.3	0.2	36.3	<0.01	0.04	2.1
N578105		0.20	48.8	950	3.1	7.1	0.001	0.25	<0.05	1.7	0.2	0.3	59.7	<0.01	0.02	2.3
N578106		0.16	53.9	1520	2.7	7.6	0.002	0.19	<0.05	2.5	0.4	0.2	78.6	<0.01	0.03	3.8
N578107		0.10	59.7	1430	1.7	12.1	0.001	0.10	<0.05	2.1	0.3	<0.2	48.6	<0.01	0.02	3.4
N578108		0.08	60.2	1020	1.2	16.7	<0.001	0.05	<0.05	1.8	0.3	0.3	27.4	<0.01	<0.01	2.6
N578109		0.20	54.5	2280	3.4	5.8	0.001	0.15	<0.05	3.7	0.5	0.2	95.9	<0.01	<0.01	4.2
N578110		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
N578111		0.26	41.9	2470	2.8	4.7	<0.001	0.04	<0.05	2.8	0.3	0.2	110.5	<0.01	0.01	4.2
N578112		0.24	42.2	2260	1.9	3.6	<0.001	0.06	<0.05	2.6	0.6	0.3	109.5	<0.01	<0.01	4.1
N578113		0.23	38.3	2160	1.4	4.6	0.002	0.02	<0.05	2.7	0.3	0.2	94.0	<0.01	<0.01	4.1
N578114		0.27	38.7	2280	1.5	4.0	<0.001	0.06	<0.05	2.6	0.6	0.2	115.0	<0.01	0.01	4.3
N578115		0.08	92.7	2030	2.8	50.2	0.056	0.30	0.05	8.9	0.5	0.3	125.0	<0.01	0.10	3.6
N578116		0.21	43.7	2220	1.9	8.2	<0.001	0.06	<0.05	3.2	0.4	0.2	106.5	<0.01	0.01	4.2
N578117		0.11	45.3	2250	1.2	5.8	<0.001	0.01	<0.05	3.1	0.4	<0.2	50.2	<0.01	0.01	4.2
N578118		0.08	84.1	2200	3.7	26.7	0.002	0.33	<0.05	3.2	0.6	0.3	110.0	<0.01	0.01	4.0
N578119		0.06	64.9	2310	3.3	9.0	<0.001	0.02	<0.05	2.5	0.3	<0.2	40.0	<0.01	0.02	4.5
N578120		0.12	10.5	560	15.3	5.7	0.002	0.39	0.36	8.7	0.6	0.5	102.0	<0.01	4.18	1.6
N578121		0.08	75.1	2180	4.9	26.2	<0.001	0.13	<0.05	3.0	0.4	0.2	42.2	<0.01	0.01	4.3
N578122		0.36	21.9	1120	12.6	9.2	<0.001	0.07	<0.05	1.2	0.3	0.5	54.7	<0.01	0.01	4.8
N578123		0.07	72.5	2170	1.3	18.4	0.001	0.11	<0.05	3.7	0.3	0.2	39.8	<0.01	0.01	4.0
N578124		0.10	60.1	2220	1.3	12.1	<0.001	0.07	<0.05	3.0	0.4	<0.2	37.6	<0.01	0.01	4.2
N578125		0.07	86.1	2240	1.4	15.9	0.001	0.18	<0.05	3.3	0.3	<0.2	53.3	<0.01	0.01	4.4
N578126		0.05	118.5	2140	3.0	21.4	<0.001	0.23	0.06	10.2	0.5	0.2	239	<0.01	0.40	3.8
N578127		0.08	57.9	1990	1.2	8.4	0.001	0.04	<0.05	3.1	0.4	0.2	45.6	<0.01	<0.01	3.9
N578128		0.51	27.0	2420	2.5	4.7	0.001	0.17	<0.05	3.3	0.5	0.3	124.0	<0.01	0.01	8.5
N578129		0.38	30.5	1950	2.6	6.5	0.002	0.16	0.05	2.6	0.4	0.4	140.5	<0.01	0.02	6.5
N578130		0.35	30.7	1960	2.5	6.8	0.002	0.16	<0.05	2.6	0.5	0.2	141.5	<0.01	0.01	6.3
N578131		0.14	56.1	1300	2.2	26.0	0.001	0.14	<0.05	3.3	0.3	0.2	60.2	<0.01	0.01	4.0
N578132		0.65	11.4	860	6.2	11.4	0.003	0.11	<0.05	1.8	0.3	0.6	72.8	<0.01	0.02	4.4
N578133		0.42	8.3	570	7.9	3.8	0.025	0.35	<0.05	1.7	0.4	0.3	45.9	<0.01	0.34	3.7
N578134		0.11	59.9	1020	12.7	6.4	0.003	0.64	<0.05	5.0	0.4	0.3	76.0	<0.01	0.71	4.4
N578135		0.42	10.2	470	9.8	4.2	0.003	0.30	0.05	1.8	0.3	0.5	39.8	<0.01	0.09	4.4
N578136		0.13	54.5	1380	32.0	13.6	0.158	0.26	<0.05	3.7	0.3	0.2	68.1	<0.01	0.03	3.4
N578137		0.17	48.4	1680	8.5	10.3	0.053	0.22	0.07	3.2	0.4	0.2	83.9	<0.01	<0.01	3.9
N578138		0.26	33.3	1480	12.7	6.1	<0.001	0.07	0.10	2.5	0.3	0.4	100.5	<0.01	0.01	3.4
N578139		0.76	11.5	940	7.1	11.8	0.002	0.32	0.06	2.5	0.3	0.5	50.3	<0.01	0.04	5.2
N578140		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578101		0.145	0.08	0.26	30	1.12	3.07	24	3.7
N578102		0.135	0.08	0.36	30	0.24	3.52	25	5.2
N578103		0.138	0.06	0.54	28	0.73	4.28	21	7.4
N578104		0.150	0.14	0.51	34	0.26	3.39	37	7.3
N578105		0.134	0.05	0.56	27	0.26	3.88	25	7.7
N578106		0.150	0.05	0.62	35	0.46	5.68	24	8.3
N578107		0.154	0.09	0.50	35	0.27	4.52	27	7.7
N578108		0.153	0.10	0.41	42	0.11	3.83	31	7.8
N578109		0.155	0.05	0.76	37	0.22	8.37	22	8.1
N578110		<0.005	<0.02	0.07	<1	<0.05	0.57	<2	0.7
N578111		0.144	0.04	0.71	28	0.27	7.87	16	5.7
N578112		0.133	0.02	0.73	25	0.22	7.60	12	6.4
N578113		0.134	0.03	0.74	26	0.13	8.05	10	6.3
N578114		0.140	0.03	0.77	28	0.09	8.65	12	6.8
N578115		0.128	0.40	0.88	59	0.22	9.19	29	13.0
N578116		0.139	0.06	0.79	29	0.13	8.13	13	6.5
N578117		0.108	0.04	0.71	29	0.08	6.65	12	7.7
N578118		0.141	0.19	0.76	52	0.18	6.79	39	13.2
N578119		0.093	0.05	0.74	29	0.06	4.07	20	8.4
N578120		0.123	0.08	0.43	68	0.44	7.67	58	20.5
N578121		0.122	0.20	0.81	38	0.14	6.00	30	13.7
N578122		0.111	0.07	1.03	28	0.49	4.57	31	16.2
N578123		0.113	0.14	0.72	40	0.15	6.22	32	12.1
N578124		0.098	0.10	0.76	28	0.09	5.36	18	10.5
N578125		0.100	0.12	0.79	38	0.10	5.61	23	12.1
N578126		0.090	0.17	0.69	58	0.13	8.78	44	13.6
N578127		0.111	0.07	0.73	32	0.18	5.91	33	11.4
N578128		0.185	0.04	1.18	36	0.30	10.20	18	11.3
N578129		0.164	0.06	0.95	37	0.66	7.22	23	11.3
N578130		0.166	0.06	0.96	38	0.86	7.05	25	11.9
N578131		0.154	0.21	0.80	36	0.32	6.66	38	13.3
N578132		0.115	0.08	1.53	28	0.96	4.14	44	20.0
N578133		0.071	0.03	1.29	23	2.80	3.78	31	15.8
N578134		0.125	0.05	1.52	60	2.16	6.59	95	19.4
N578135		0.062	0.03	1.68	26	1.61	4.00	32	17.0
N578136		0.162	0.10	0.61	44	0.47	6.54	53	11.3
N578137		0.171	0.08	0.65	42	0.36	7.01	50	11.8
N578138		0.165	0.04	0.61	32	0.25	6.43	33	9.7
N578139		0.142	0.09	2.44	47	0.41	6.39	50	27.6
N578140		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578141		3.52	0.001	0.05	1.17	0.4	<0.2	<10	30	0.31	0.17	2.47	0.01	86.0	11.1	189
N578142		3.11	0.001	0.02	1.15	0.5	<0.2	<10	40	0.19	0.10	1.60	0.01	75.1	11.4	200
N578143		1.64	0.011	0.32	1.28	0.4	<0.2	<10	30	0.55	2.43	4.09	<0.01	99.5	14.5	148
N578144		2.12	0.002	0.03	1.25	0.4	<0.2	<10	40	0.32	0.16	1.84	0.01	94.4	12.4	170
N578145		1.40	0.038	0.25	0.79	0.5	<0.2	<10	30	0.50	0.71	2.91	0.02	39.7	8.2	47
N578146		1.22	0.001	0.02	1.22	0.4	<0.2	<10	40	0.40	0.08	2.43	0.01	133.5	13.0	178
N578147		2.25	0.017	0.08	0.43	0.3	<0.2	<10	60	0.29	0.30	1.24	0.01	44.7	4.1	26
N578148		3.23	0.005	0.14	0.46	0.3	<0.2	<10	80	0.35	0.52	0.88	<0.01	35.4	4.0	17
N578149		0.99	0.017	0.34	0.32	0.2	<0.2	<10	80	0.26	1.70	0.92	<0.01	29.0	4.4	16
N578150		0.07	0.969	5.86	1.05	43.9	0.7	<10	40	0.24	1.14	0.41	5.01	5.72	14.0	19
N578151		2.97	0.010	0.06	0.53	0.1	<0.2	<10	110	0.41	0.50	0.76	0.01	38.4	4.1	21
N578152		1.16	0.078	0.16	0.32	0.3	<0.2	<10	80	0.25	1.73	0.79	<0.01	25.6	3.8	20
N578153		1.47	0.015	0.11	0.43	0.1	<0.2	<10	210	0.39	0.71	0.65	<0.01	32.7	3.9	18
N578154		1.28	0.003	0.09	0.69	0.2	<0.2	<10	130	0.50	0.26	1.22	0.01	41.9	6.7	31
N578155		2.21	0.002	0.17	1.38	0.5	<0.2	<10	50	0.74	0.53	4.11	0.02	104.5	14.9	223
N578156		1.49	0.001	0.08	0.83	0.2	<0.2	<10	50	0.16	0.05	1.46	0.01	65.0	7.9	128
N578157		2.10	0.168	0.35	0.73	0.2	0.2	<10	140	0.58	1.66	2.20	<0.01	56.8	8.2	23
N578158		1.92	0.112	0.26	0.57	0.3	<0.2	<10	130	0.45	2.26	0.76	0.02	32.6	5.7	18
N578159		3.16	0.025	0.18	0.49	0.1	<0.2	<10	220	0.37	0.77	0.79	0.01	33.0	4.6	18
N578160		<0.02	0.023	0.20	0.49	0.2	<0.2	<10	220	0.34	0.72	0.79	0.01	33.7	3.9	21
N578161		2.16	0.007	0.13	0.46	0.3	<0.2	<10	280	0.46	0.93	0.65	<0.01	33.8	3.9	17
N578162		2.02	0.014	0.13	0.44	0.1	<0.2	<10	230	0.42	1.28	0.62	<0.01	33.0	3.5	20
N578163		2.05	<0.001	0.08	0.56	0.2	<0.2	<10	140	0.42	0.17	0.57	0.02	47.5	4.1	23
N578164		3.14	0.028	0.14	0.45	0.4	<0.2	<10	240	0.40	0.58	0.61	0.01	34.6	3.8	19
N578165		3.13	0.004	0.11	0.53	0.2	<0.2	<10	220	0.41	0.42	0.59	0.02	45.4	4.3	20
N578166		3.08	<0.001	0.10	0.57	0.2	<0.2	<10	210	0.39	0.19	0.62	0.02	47.7	4.1	23
N578167		2.39	0.001	0.08	0.50	0.2	<0.2	<10	240	0.37	0.30	0.64	0.02	39.5	4.0	19
N578168		0.77	0.002	0.08	0.39	0.1	<0.2	<10	290	0.34	0.81	0.73	<0.01	30.5	3.7	16
N578169		0.78	0.003	0.52	0.39	<0.1	<0.2	<10	260	0.31	7.16	0.56	0.01	26.7	3.2	18
N578170		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.97	0.1	<1
N578171		0.88	0.346	10.20	0.28	0.3	<0.2	<10	180	0.26	189.5	0.39	0.35	21.7	2.5	17
N578172		3.12	0.001	0.10	0.48	0.1	<0.2	<10	280	0.39	0.73	0.59	0.01	39.9	3.8	19
N578173		3.13	0.002	0.06	0.55	0.1	<0.2	<10	220	0.40	3.22	0.57	0.01	42.2	3.7	21
N578174		3.37	0.003	0.38	0.47	0.2	<0.2	<10	240	0.33	20.7	0.61	0.01	36.3	3.7	19
N578175		3.01	0.001	0.07	0.51	0.1	<0.2	<10	200	0.40	0.80	0.62	0.01	42.2	3.8	22
N578176		3.09	0.002	0.09	0.47	0.2	<0.2	<10	350	0.36	0.88	0.68	<0.01	36.1	3.9	20
N578177		3.13	0.007	0.05	0.55	0.2	<0.2	<10	260	0.38	0.93	0.81	<0.01	37.8	4.0	18
N578178		0.99	0.088	0.17	0.41	0.1	<0.2	<10	100	0.35	1.36	0.71	<0.01	31.2	3.4	16
N578179		2.76	0.014	0.08	0.47	0.2	<0.2	<10	260	0.48	0.61	0.74	<0.01	34.7	3.9	22
N578180		0.07	2.39	4.70	1.64	18.4	2.4	<10	40	0.61	0.09	3.74	0.36	22.1	11.0	25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578141		1.00	49.0	1.83	5.65	0.17	0.40	<0.01	0.009	0.10	38.9	24.4	1.25	385	2.11	0.06
N578142		1.16	66.8	1.62	4.89	0.15	0.32	<0.01	0.006	0.15	33.6	21.4	1.15	306	5.88	0.06
N578143		3.67	50.8	2.53	5.65	0.19	0.59	<0.01	0.012	0.33	45.1	43.3	1.52	466	558	0.04
N578144		1.79	84.9	1.93	6.61	0.17	0.46	<0.01	0.008	0.16	44.0	29.8	1.43	338	12.05	0.06
N578145		0.87	88.2	2.42	5.86	0.11	0.62	<0.01	0.014	0.06	18.3	22.4	0.90	468	57.0	0.05
N578146		1.31	51.9	1.91	6.02	0.23	0.45	<0.01	0.010	0.14	60.8	26.8	1.27	348	1.69	0.06
N578147		0.52	53.7	1.86	3.61	0.09	0.53	<0.01	0.009	0.08	25.7	8.8	0.38	260	1.10	0.06
N578148		0.55	42.5	1.59	3.77	0.08	0.70	<0.01	0.006	0.08	19.2	11.5	0.42	227	7.39	0.06
N578149		0.21	44.0	1.71	2.71	0.08	0.58	<0.01	0.006	0.07	15.4	6.5	0.28	178	40.8	0.05
N578150		3.75	6720	6.59	3.31	0.10	<0.02	0.05	0.317	0.27	2.7	11.6	0.30	614	148.0	0.01
N578151		1.43	32.4	1.67	3.99	0.05	0.66	<0.01	0.007	0.13	20.1	13.7	0.48	245	20.8	0.06
N578152		0.32	17.9	1.41	2.65	<0.05	0.48	<0.01	<0.005	0.06	13.3	8.7	0.28	166	152.5	0.04
N578153		1.35	63.2	1.57	3.31	0.05	0.63	<0.01	0.006	0.14	16.9	13.3	0.38	194	37.9	0.05
N578154		2.41	48.1	2.38	5.50	0.06	0.93	<0.01	0.012	0.21	19.9	21.7	0.70	376	0.38	0.06
N578155		3.78	68.7	2.57	6.69	0.16	0.60	<0.01	0.015	0.40	49.9	41.2	1.81	490	3.47	0.06
N578156		0.91	31.5	1.32	3.59	0.10	0.32	<0.01	0.006	0.19	28.8	12.1	0.77	195	0.54	0.07
N578157		0.71	109.5	2.59	4.61	0.06	0.75	<0.01	0.014	0.12	28.1	19.1	0.78	448	93.1	0.05
N578158		0.59	79.7	1.71	3.98	<0.05	0.64	<0.01	0.008	0.10	16.2	12.8	0.50	235	1.22	0.05
N578159		0.54	71.0	1.56	3.63	<0.05	0.57	<0.01	0.008	0.10	16.6	13.5	0.43	219	27.6	0.05
N578160		0.54	67.5	1.58	3.56	<0.05	0.54	<0.01	0.008	0.09	16.9	13.5	0.43	222	25.6	0.05
N578161		3.21	73.1	1.57	3.13	<0.05	0.55	<0.01	0.007	0.24	17.1	15.4	0.38	225	77.1	0.06
N578162		1.50	50.0	1.49	3.13	<0.05	0.50	<0.01	0.007	0.15	16.9	11.7	0.35	215	96.6	0.06
N578163		3.84	55.9	1.65	3.85	0.06	0.76	0.01	0.010	0.25	26.5	14.7	0.46	309	0.35	0.07
N578164		0.72	74.6	1.54	3.49	0.05	0.59	<0.01	0.009	0.09	18.8	9.4	0.40	249	20.2	0.06
N578165		4.14	81.5	1.70	3.90	0.06	0.74	<0.01	0.011	0.29	25.3	16.6	0.46	290	5.46	0.07
N578166		4.87	57.5	1.70	3.86	0.06	0.75	<0.01	0.010	0.31	26.1	16.7	0.46	316	0.66	0.08
N578167		3.14	64.9	1.59	3.36	0.05	0.63	<0.01	0.010	0.23	21.6	14.7	0.44	283	3.48	0.06
N578168		1.58	42.9	1.54	2.62	<0.05	0.48	<0.01	0.008	0.13	16.3	11.5	0.33	208	1.68	0.05
N578169		1.74	46.4	1.47	2.56	<0.05	0.44	<0.01	0.007	0.15	14.5	11.0	0.34	186	1.22	0.05
N578170		<0.05	0.9	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
N578171		1.39	68.1	1.22	2.06	<0.05	0.34	<0.01	0.007	0.11	11.8	8.2	0.24	176	32.0	0.04
N578172		1.96	76.6	1.61	3.78	0.05	0.63	<0.01	0.009	0.16	21.7	13.7	0.43	246	0.91	0.06
N578173		2.00	43.5	1.65	4.10	0.06	0.65	<0.01	0.007	0.16	23.2	13.2	0.46	260	2.42	0.07
N578174		1.52	77.0	1.54	3.61	0.05	0.63	<0.01	0.008	0.13	19.3	11.1	0.42	242	9.63	0.06
N578175		2.01	66.6	1.67	3.89	0.06	0.68	<0.01	0.008	0.16	22.8	12.2	0.44	283	5.54	0.07
N578176		0.49	69.4	1.55	3.65	<0.05	0.63	<0.01	0.007	0.09	19.3	9.7	0.40	228	12.80	0.06
N578177		0.50	21.9	1.67	4.37	<0.05	0.60	<0.01	0.007	0.08	20.5	12.2	0.49	239	8.55	0.06
N578178		0.38	36.3	1.53	3.41	0.05	0.57	<0.01	0.006	0.07	16.6	9.0	0.37	190	122.5	0.06
N578179		1.54	46.8	1.67	3.39	0.05	0.75	<0.01	0.007	0.15	17.7	10.4	0.39	227	34.5	0.07
N578180		3.22	71.4	3.02	6.26	0.07	0.36	0.08	0.038	0.23	10.6	16.2	0.89	710	5.71	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578141		0.17	47.4	1660	16.5	7.9	0.001	0.17	0.07	4.5	0.4	0.3	109.5	<0.01	0.01	3.9
N578142		0.20	53.6	1450	1.9	11.7	0.004	0.14	0.08	2.8	0.4	0.3	107.5	<0.01	0.01	3.3
N578143		0.16	45.7	1700	11.3	42.1	0.421	0.54	0.07	6.8	0.7	0.3	112.5	<0.01	0.17	4.1
N578144		0.17	50.5	1540	2.3	14.6	0.007	0.15	0.05	3.9	0.6	0.3	103.5	<0.01	<0.01	4.0
N578145		0.28	15.4	850	22.3	5.1	0.038	0.50	0.07	2.6	0.5	0.5	79.3	<0.01	0.11	4.1
N578146		0.19	47.4	2180	4.2	11.0	0.001	0.15	0.06	3.6	0.5	0.4	140.0	<0.01	<0.01	6.7
N578147		0.37	7.2	550	11.2	3.9	0.001	0.19	0.05	1.4	0.3	0.3	49.6	<0.01	0.01	3.4
N578148		0.24	5.7	450	4.8	3.7	0.006	0.39	0.06	1.5	0.4	0.5	39.7	<0.01	0.08	4.5
N578149		0.19	6.3	460	6.9	2.7	0.031	1.15	0.05	1.2	0.5	<0.2	36.2	<0.01	0.29	3.6
N578150		0.08	15.0	460	104.0	13.2	0.214	4.94	2.41	1.3	8.3	1.8	37.2	<0.01	0.96	1.1
N578151		0.32	6.1	470	2.9	11.0	0.015	0.32	<0.05	1.7	0.4	0.3	36.9	<0.01	0.06	3.9
N578152		0.28	5.9	400	5.3	2.9	0.102	0.61	0.05	1.1	0.4	0.4	30.4	<0.01	0.34	2.8
N578153		0.26	5.6	440	3.1	12.9	0.026	0.71	<0.05	1.3	0.6	0.2	36.1	<0.01	0.09	3.8
N578154		0.47	10.4	740	3.0	24.9	<0.001	0.45	<0.05	2.3	0.5	0.4	53.8	<0.01	0.06	5.2
N578155		0.15	64.1	1650	2.2	43.3	0.003	0.79	0.05	6.4	0.7	0.5	117.0	<0.01	0.13	4.1
N578156		0.20	35.1	1250	1.3	9.4	<0.001	0.06	<0.05	2.6	0.4	0.2	72.9	<0.01	0.05	3.5
N578157		0.21	11.9	950	5.0	10.1	0.068	1.34	0.05	2.7	0.8	0.2	60.5	<0.01	0.69	5.2
N578158		0.20	8.2	520	4.6	5.7	0.001	0.42	0.06	1.4	0.5	0.5	33.6	<0.01	0.58	4.8
N578159		0.20	6.2	450	3.9	5.6	0.019	0.47	<0.05	1.3	0.4	0.2	35.6	<0.01	0.17	4.5
N578160		0.21	6.2	450	3.8	5.2	0.018	0.46	<0.05	1.4	0.2	0.2	34.6	<0.01	0.14	4.3
N578161		0.35	5.6	430	4.4	31.2	0.053	0.65	0.05	1.5	0.7	0.4	34.7	<0.01	0.09	3.6
N578162		0.31	5.2	410	4.4	16.2	0.067	0.47	<0.05	1.3	0.4	0.2	35.7	<0.01	0.13	3.3
N578163		0.84	9.4	470	9.2	35.3	0.001	0.15	<0.05	1.9	0.3	0.4	62.1	<0.01	<0.01	4.1
N578164		0.42	6.2	420	3.8	7.3	0.017	0.50	0.05	1.5	0.5	0.5	38.2	<0.01	0.08	3.6
N578165		0.69	7.3	480	10.0	43.0	0.005	0.32	<0.05	2.0	0.4	0.4	58.4	<0.01	0.03	4.5
N578166		0.68	6.1	470	12.7	46.3	0.001	0.17	<0.05	1.9	0.3	0.4	71.6	<0.01	<0.01	4.1
N578167		0.47	5.8	460	4.5	30.9	0.003	0.29	<0.05	1.7	0.2	0.5	47.7	<0.01	0.04	3.5
N578168		0.15	5.6	510	2.5	15.4	0.001	0.53	<0.05	1.2	0.3	<0.2	37.5	<0.01	0.10	2.6
N578169		0.21	4.6	390	6.2	17.1	0.001	0.54	<0.05	1.1	0.4	<0.2	34.4	<0.01	0.26	2.6
N578170		<0.05	0.6	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
N578171		0.23	4.0	280	323	13.8	0.024	0.44	0.13	0.9	1.7	0.4	24.3	<0.01	4.30	2.0
N578172		0.47	6.0	430	3.6	21.3	0.001	0.51	<0.05	1.6	0.4	0.2	40.5	<0.01	0.03	3.6
N578173		0.55	5.5	440	5.4	20.6	0.002	0.22	<0.05	1.7	0.5	0.3	42.5	<0.01	0.06	3.6
N578174		0.52	5.6	450	17.4	16.1	0.007	0.45	<0.05	1.6	0.4	0.4	41.3	<0.01	1.19	3.4
N578175		0.60	6.0	450	4.4	20.1	0.004	0.29	<0.05	1.6	0.4	0.3	45.6	<0.01	0.02	3.8
N578176		0.42	5.5	450	3.1	6.5	0.009	0.49	<0.05	1.6	0.4	0.2	43.1	<0.01	0.08	3.6
N578177		0.28	6.2	480	2.4	5.5	0.006	0.33	<0.05	1.6	0.2	0.5	41.3	<0.01	0.07	4.3
N578178		0.34	5.5	520	4.5	3.8	0.090	0.54	<0.05	1.4	0.5	0.2	32.4	<0.01	0.25	4.2
N578179		0.33	5.8	480	3.3	15.2	0.024	0.58	<0.05	1.6	0.6	0.2	45.4	<0.01	0.09	4.4
N578180		0.05	10.7	630	17.2	11.4	0.002	0.91	0.38	8.4	0.9	0.5	117.0	<0.01	2.46	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578141		0.175	0.06	0.72	49	0.34	7.79	51	12.3
N578142		0.172	0.09	0.60	41	0.28	6.36	43	10.9
N578143		0.158	0.34	1.11	55	0.57	9.09	48	20.8
N578144		0.174	0.12	0.81	49	0.32	7.77	46	15.5
N578145		0.089	0.04	2.12	46	0.35	5.08	66	17.2
N578146		0.192	0.08	1.01	52	0.39	9.42	48	13.8
N578147		0.058	0.03	1.68	37	0.24	4.05	31	14.8
N578148		0.042	0.03	2.42	27	0.35	4.63	29	18.5
N578149		0.020	0.02	1.76	14	0.35	3.85	20	15.5
N578150		0.012	0.34	0.15	17	2.83	2.72	818	<0.5
N578151		0.052	0.08	1.84	31	0.25	4.50	33	17.6
N578152		0.030	0.02	1.22	20	0.39	3.42	18	12.8
N578153		0.035	0.09	1.69	22	0.20	4.15	27	17.4
N578154		0.081	0.19	2.47	42	0.21	5.45	60	26.6
N578155		0.175	0.35	1.08	67	0.45	9.07	56	19.4
N578156		0.161	0.07	0.71	37	0.19	6.43	17	9.5
N578157		0.033	0.08	2.09	29	0.34	8.49	37	19.6
N578158		0.033	0.04	1.29	21	0.47	5.01	28	17.0
N578159		0.029	0.04	1.57	21	0.22	4.27	29	14.9
N578160		0.029	0.04	1.56	22	0.23	4.21	29	14.6
N578161		0.038	0.24	1.66	23	0.08	3.92	36	15.9
N578162		0.036	0.11	1.09	22	0.13	4.00	29	14.4
N578163		0.091	0.27	2.07	33	0.07	4.91	44	20.3
N578164		0.048	0.05	1.77	27	0.15	4.19	35	15.3
N578165		0.079	0.29	2.38	33	0.08	4.99	44	19.7
N578166		0.085	0.33	1.73	32	0.08	4.93	43	21.0
N578167		0.057	0.22	1.39	29	0.08	4.34	41	17.2
N578168		0.015	0.11	0.92	18	0.06	4.49	28	13.4
N578169		0.022	0.13	0.54	22	0.06	3.25	31	12.9
N578170		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8
N578171		0.022	0.16	1.13	15	0.07	2.42	22	9.2
N578172		0.044	0.15	1.43	27	0.10	4.30	38	17.9
N578173		0.057	0.14	1.77	31	0.17	4.56	37	18.8
N578174		0.049	0.11	1.83	28	0.15	4.45	35	17.4
N578175		0.065	0.13	1.67	30	0.12	4.67	40	18.4
N578176		0.040	0.04	1.47	26	0.14	4.43	30	17.5
N578177		0.037	0.04	1.52	29	0.27	4.41	30	15.7
N578178		0.036	0.03	1.40	22	0.22	4.78	22	14.8
N578179		0.033	0.11	3.05	26	0.13	4.90	31	19.5
N578180		0.051	0.14	0.34	68	0.35	7.95	84	12.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578181		1.04	0.129	0.40	0.40	0.3	<0.2	<10	370	0.43	1.31	0.87	<0.01	27.9	3.8	19
N578182		3.22	0.007	0.05	0.51	0.2	<0.2	<10	380	0.42	3.36	0.93	0.01	39.8	4.1	19
N578183		3.09	0.005	0.08	0.56	0.2	<0.2	<10	260	0.46	0.47	0.65	<0.01	43.0	4.1	23
N578184		3.15	0.001	0.12	0.54	0.2	<0.2	<10	230	0.45	1.24	0.70	<0.01	44.2	4.3	21
N578185		2.15	0.001	0.23	0.56	0.1	<0.2	<10	240	0.45	3.65	0.89	0.01	44.0	4.1	23
N578186		1.12	0.007	0.21	0.41	0.3	<0.2	<10	100	0.38	2.00	0.67	<0.01	33.1	5.0	15
N578187		3.23	0.008	0.07	0.55	0.3	<0.2	<10	420	0.41	1.74	0.85	<0.01	44.7	4.4	20
N578188		3.16	0.001	0.04	0.57	0.2	<0.2	<10	810	0.45	1.58	0.92	<0.01	45.2	4.1	22
N578189		2.18	0.045	0.06	0.53	0.2	<0.2	<10	160	0.49	0.51	0.75	<0.01	37.4	3.7	21
N578190		<0.02	0.025	0.05	0.52	0.2	<0.2	<10	160	0.50	0.48	0.74	<0.01	36.7	3.8	19
N578191		0.88	0.096	0.24	0.32	0.2	<0.2	<10	80	0.28	1.26	0.54	<0.01	15.30	2.8	19
N578192		2.08	0.007	0.09	0.58	0.4	<0.2	<10	60	0.46	0.46	0.99	<0.01	29.0	4.9	17
N578193		2.09	0.057	0.13	0.71	0.2	<0.2	<10	30	0.40	2.10	0.50	<0.01	34.3	4.3	20
N578194		1.07	0.332	0.43	0.83	0.1	0.3	<10	20	0.39	3.09	0.19	<0.01	18.20	6.4	19
N578195		3.07	0.003	0.04	0.83	0.2	<0.2	<10	20	0.49	0.50	0.18	<0.01	21.2	6.2	18
N578196		2.98	0.046	0.30	0.59	0.1	<0.2	<10	40	0.45	25.5	0.51	<0.01	30.1	4.4	19
N578197		3.25	0.009	0.08	0.43	0.2	<0.2	<10	70	0.34	1.49	0.62	0.01	31.4	3.2	19
N578198		1.91	0.010	0.09	0.56	0.2	<0.2	<10	60	0.31	0.42	0.85	<0.01	34.6	3.7	21
N578199		2.96	0.029	0.09	0.52	0.2	<0.2	<10	40	0.26	6.09	0.74	<0.01	27.3	3.2	19
N578200		2.81	0.015	0.17	0.73	<0.1	<0.2	<10	10	0.25	1.07	0.20	<0.01	5.42	5.5	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578181		0.83	16.4	1.51	2.67	<0.05	0.62	<0.01	0.006	0.10	14.4	8.6	0.36	203	152.5	0.05
N578182		1.34	17.8	1.70	3.54	0.05	0.73	<0.01	0.010	0.13	20.7	10.3	0.45	270	1.36	0.06
N578183		3.90	24.2	1.74	3.66	0.05	0.76	<0.01	0.009	0.26	22.7	13.7	0.46	312	33.3	0.08
N578184		2.58	22.3	1.70	3.69	0.05	0.75	<0.01	0.009	0.18	23.7	11.6	0.46	319	26.9	0.07
N578185		1.35	9.6	1.77	3.82	0.06	0.68	<0.01	0.013	0.16	23.6	11.4	0.49	317	12.60	0.07
N578186		0.34	26.0	1.76	3.08	0.05	0.96	<0.01	0.007	0.07	18.3	7.8	0.38	189	14.25	0.07
N578187		1.32	18.3	1.70	3.97	0.06	0.65	<0.01	0.009	0.14	24.8	11.7	0.49	293	21.7	0.07
N578188		0.52	18.5	1.73	4.11	0.05	0.74	<0.01	0.009	0.09	23.9	8.8	0.48	260	23.9	0.07
N578189		0.56	27.8	1.62	4.11	0.05	0.73	<0.01	0.008	0.09	19.6	9.2	0.46	210	41.3	0.07
N578190		0.56	30.2	1.54	4.06	0.05	0.72	<0.01	0.007	0.08	19.5	9.1	0.46	205	39.8	0.06
N578191		0.34	28.4	1.28	2.26	<0.05	0.40	<0.01	0.005	0.06	7.7	5.5	0.28	132	195.0	0.05
N578192		0.59	41.4	1.54	4.38	0.05	0.58	<0.01	0.006	0.07	15.1	10.2	0.54	197	5.47	0.05
N578193		0.40	11.6	1.63	5.16	0.05	0.67	<0.01	0.006	0.06	18.3	10.4	0.69	215	38.5	0.07
N578194		0.35	3.5	1.70	5.77	<0.05	0.63	<0.01	0.006	0.03	9.5	14.7	0.96	202	509	0.06
N578195		0.42	7.0	1.64	5.81	0.05	0.87	<0.01	0.008	0.04	11.3	14.9	0.93	200	51.6	0.08
N578196		0.43	36.6	1.54	4.30	<0.05	0.89	<0.01	0.008	0.07	17.6	9.5	0.56	200	103.0	0.07
N578197		0.43	25.4	1.33	3.43	0.05	0.85	<0.01	0.008	0.07	18.1	5.2	0.36	181	18.40	0.06
N578198		0.49	19.4	1.34	4.42	0.05	0.88	<0.01	0.010	0.06	19.7	6.9	0.48	201	35.8	0.06
N578199		0.50	16.2	1.23	3.96	0.14	0.82	<0.01	0.010	0.06	14.6	6.7	0.44	172	11.60	0.07
N578200		0.22	10.8	1.60	4.88	0.11	0.73	<0.01	0.006	0.01	2.4	13.0	0.83	192	129.0	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578181		0.22	5.5	500	5.9	8.5	0.092	0.54	0.05	1.3	0.5	0.4	40.8	<0.01	0.33	3.9
N578182		0.44	6.3	500	5.4	13.9	0.001	0.33	<0.05	1.8	0.3	0.3	47.6	<0.01	0.09	4.5
N578183		0.59	6.0	490	5.6	35.9	0.020	0.25	<0.05	1.9	0.2	0.3	54.4	<0.01	0.03	4.3
N578184		0.76	6.4	480	10.3	23.4	0.021	0.25	<0.05	2.0	0.3	0.6	61.5	<0.01	0.05	4.3
N578185		0.55	6.6	490	6.9	15.2	0.008	0.13	<0.05	1.9	0.2	0.4	67.9	<0.01	0.47	4.3
N578186		0.30	5.8	460	3.4	4.1	0.009	1.08	<0.05	1.4	0.6	0.2	41.6	<0.01	0.12	5.5
N578187		0.57	6.5	490	5.6	13.4	0.016	0.26	<0.05	1.9	0.4	0.6	63.2	<0.01	0.09	3.9
N578188		0.49	6.6	490	3.9	4.4	0.017	0.23	<0.05	1.9	0.3	0.4	64.2	<0.01	0.03	4.5
N578189		0.36	5.9	460	3.2	4.4	0.031	0.28	<0.05	1.7	0.5	0.3	39.1	<0.01	0.03	5.1
N578190		0.34	5.9	460	2.9	4.1	0.028	0.27	<0.05	1.7	0.3	0.5	37.8	<0.01	0.02	5.0
N578191		0.15	4.3	350	7.1	2.9	0.148	0.47	<0.05	0.9	0.4	<0.2	20.3	<0.01	0.35	2.9
N578192		0.15	6.1	450	3.1	3.1	0.005	0.43	0.05	1.3	0.3	0.5	24.8	<0.01	0.09	4.5
N578193		0.23	6.5	440	3.2	2.8	0.024	0.11	<0.05	1.6	0.3	0.3	17.1	<0.01	0.29	3.7
N578194		0.16	8.9	390	7.9	1.6	0.363	0.33	<0.05	1.6	0.4	0.3	11.4	<0.01	1.16	3.3
N578195		0.15	10.2	380	6.3	2.1	0.038	0.23	<0.05	1.7	<0.2	0.5	11.1	<0.01	0.05	5.5
N578196		0.29	6.5	400	18.9	3.0	0.076	0.17	<0.05	1.4	0.4	0.3	26.2	<0.01	0.86	5.8
N578197		0.42	4.4	370	7.6	2.8	0.013	0.17	<0.05	1.2	0.2	0.3	36.8	<0.01	0.56	5.2
N578198		0.37	5.9	390	2.4	2.7	0.026	0.10	<0.05	1.5	<0.2	0.6	41.9	<0.01	0.04	5.4
N578199		0.40	6.1	380	3.4	2.9	0.009	0.08	0.06	1.4	0.4	0.4	45.4	<0.01	3.60	4.9
N578200		0.19	13.3	420	4.1	0.8	0.093	0.24	<0.05	1.3	0.2	0.3	9.2	<0.01	0.17	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578181		0.021	0.07	2.42	18	0.19	4.87	25	16.3
N578182		0.049	0.10	1.78	28	0.21	4.89	35	18.9
N578183		0.071	0.27	1.87	32	0.09	5.23	42	19.9
N578184		0.078	0.17	1.66	32	0.09	4.93	42	19.0
N578185		0.070	0.11	1.78	30	0.15	4.75	41	17.8
N578186		0.029	0.03	1.59	19	0.22	4.85	25	35.2
N578187		0.074	0.10	1.53	31	0.18	4.73	38	17.7
N578188		0.065	0.03	1.45	30	0.31	4.85	33	19.1
N578189		0.050	0.04	2.37	30	0.34	4.74	27	18.9
N578190		0.049	0.04	2.21	30	0.35	4.64	27	18.0
N578191		0.017	0.05	1.28	14	0.17	2.97	14	10.6
N578192		0.027	0.05	1.50	23	0.30	3.72	26	15.0
N578193		0.051	0.06	1.11	23	0.33	3.83	30	19.1
N578194		0.036	0.05	1.90	23	0.33	2.92	31	18.9
N578195		0.035	0.03	3.25	23	0.31	3.10	32	23.6
N578196		0.050	0.08	3.51	22	0.35	3.74	29	24.0
N578197		0.054	0.03	2.77	19	0.32	3.50	23	21.9
N578198		0.058	0.03	1.98	21	0.38	3.62	26	23.5
N578199		0.045	0.03	3.65	20	0.35	3.24	21	20.1
N578200		0.026	0.04	1.39	21	0.29	1.70	28	19.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
This copy reported on
3-NOV-2015
Account: OBMICO

CERTIFICATE SD15149028

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578101		3.21	0.001	0.31	1.16	0.2	<0.2	<10	100	0.12	0.05	0.75	0.01	25.1	13.4	193
N578102		3.46	<0.001	0.04	1.01	0.2	<0.2	<10	70	0.10	0.09	0.92	0.02	43.7	12.8	164
N578103		3.59	0.001	0.07	0.78	0.3	<0.2	<10	50	0.09	0.19	1.07	0.01	51.2	11.6	126
N578104		3.34	0.001	0.09	1.08	0.2	<0.2	<10	110	0.10	0.06	0.76	0.04	35.9	14.2	176
N578105		3.42	0.001	0.08	0.79	0.3	<0.2	<10	40	0.13	0.09	1.01	0.01	43.1	12.0	126
N578106		3.66	0.001	0.07	1.04	0.3	<0.2	<10	40	0.15	0.10	1.86	0.02	75.6	13.3	147
N578107		3.53	0.001	0.05	1.10	0.2	<0.2	<10	100	0.10	0.04	1.10	0.01	66.0	13.4	165
N578108		2.43	0.001	0.05	1.09	0.2	<0.2	<10	140	0.10	0.04	0.69	<0.01	49.3	12.3	187
N578109		3.65	0.001	0.09	0.84	0.4	<0.2	<10	40	0.18	0.14	2.20	0.01	105.0	12.1	222
N578110		0.12	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.00	0.1	<1
N578111		3.34	0.001	0.10	0.74	0.2	<0.2	<10	60	0.12	0.05	1.49	0.06	109.5	8.2	186
N578112		3.52	0.002	0.07	0.69	0.3	<0.2	<10	40	0.11	0.06	1.51	0.01	103.0	8.9	169
N578113		3.42	0.001	0.05	0.62	0.3	<0.2	<10	30	0.11	0.03	1.50	0.02	103.5	7.3	161
N578114		1.97	0.001	0.02	0.67	0.3	<0.2	<10	20	0.12	0.02	1.57	0.01	108.5	7.7	155
N578115		1.92	0.009	0.15	1.16	0.3	<0.2	<10	30	0.67	0.62	4.44	<0.01	103.0	19.2	274
N578116		3.69	0.001	0.04	0.70	0.2	<0.2	<10	40	0.14	0.03	1.54	0.02	110.0	8.8	167
N578117		3.60	<0.001	0.03	0.75	0.2	<0.2	<10	60	0.12	0.03	1.54	0.01	104.5	8.6	202
N578118		2.52	0.001	0.07	1.36	0.5	<0.2	<10	270	0.45	1.69	2.08	0.01	102.0	18.5	293
N578119		3.79	<0.001	0.03	1.15	0.3	<0.2	<10	300	0.12	0.03	1.01	<0.01	104.5	12.9	242
N578120		0.07	9.15	9.49	1.50	11.2	9.1	<10	30	0.53	0.06	3.62	0.27	19.85	10.9	17
N578121		2.32	<0.001	0.04	1.05	0.3	<0.2	<10	80	0.19	0.07	1.37	0.01	105.0	15.3	287
N578122		1.15	<0.001	0.08	0.58	0.3	<0.2	<10	40	0.19	0.04	0.89	0.02	66.1	7.5	85
N578123		3.25	<0.001	0.02	1.09	0.3	<0.2	<10	20	0.24	0.06	1.57	0.01	103.0	14.1	272
N578124		3.54	0.001	0.01	0.82	0.3	<0.2	<10	20	0.16	0.06	1.24	0.01	104.5	12.5	208
N578125		2.76	0.011	0.02	1.14	0.2	<0.2	<10	30	0.24	1.67	1.53	0.01	109.5	19.1	253
N578126		3.47	0.002	0.16	1.68	0.4	<0.2	<10	140	0.54	0.18	4.26	0.05	99.6	26.0	285
N578127		2.32	<0.001	0.01	1.01	0.3	<0.2	<10	30	0.22	0.05	1.42	0.01	95.2	11.8	224
N578128		3.54	0.001	0.05	0.81	0.3	<0.2	<10	30	0.17	0.07	1.82	0.01	161.0	11.2	98
N578129		3.61	0.001	0.03	0.91	0.4	<0.2	<10	30	0.19	0.07	2.11	0.01	120.5	11.7	84
N578130		<0.02	0.002	0.03	0.95	0.3	<0.2	<10	30	0.19	0.07	2.15	0.01	119.0	11.3	88
N578131		3.47	0.001	0.03	1.03	0.1	<0.2	<10	90	0.28	0.09	1.51	0.01	72.1	12.9	154
N578132		1.83	0.005	0.15	0.61	0.1	<0.2	<10	100	0.43	0.13	1.04	0.02	41.4	6.1	32
N578133		1.51	0.043	0.53	0.48	0.2	<0.2	<10	90	0.35	0.97	1.13	<0.01	34.6	5.5	22
N578134		1.36	0.016	0.99	1.43	0.2	<0.2	<10	30	0.80	2.51	2.78	0.01	51.7	17.7	140
N578135		2.87	0.023	0.28	0.48	0.2	<0.2	<10	60	0.37	0.37	0.99	0.01	35.9	5.0	26
N578136		3.55	0.001	0.20	1.08	0.3	<0.2	<10	50	0.25	0.60	1.77	<0.01	66.2	12.3	182
N578137		3.51	0.001	0.12	1.06	0.4	<0.2	<10	40	0.20	0.44	1.63	<0.01	84.9	11.0	179
N578138		3.53	0.001	0.03	0.88	0.5	<0.2	<10	30	0.17	0.06	1.49	0.03	75.8	8.4	132
N578139		2.41	0.002	0.27	0.65	0.4	<0.2	<10	60	0.49	0.38	1.25	0.01	55.2	6.5	47
N578140		0.10	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.00	0.1	<1

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578101		1.13	47.0	1.42	3.39	0.13	0.13	<0.01	<0.005	0.33	11.9	21.6	0.94	187	1.46	0.08
N578102		1.32	41.7	1.38	3.43	0.13	0.16	<0.01	<0.005	0.28	20.1	19.3	0.87	184	1.46	0.08
N578103		1.01	61.0	1.20	3.04	0.15	0.23	<0.01	<0.005	0.18	23.0	12.1	0.65	155	5.79	0.07
N578104		1.90	71.7	1.59	3.96	0.13	0.20	0.01	0.005	0.38	16.3	24.3	1.00	203	1.01	0.07
N578105		0.67	52.8	1.25	3.43	0.13	0.22	<0.01	<0.005	0.13	19.2	14.9	0.73	169	3.27	0.07
N578106		0.94	64.5	1.48	4.00	0.17	0.26	0.01	0.005	0.16	32.8	16.8	0.93	232	3.00	0.06
N578107		1.41	50.3	1.55	3.52	0.17	0.21	0.01	0.005	0.31	29.1	24.7	1.02	210	1.10	0.07
N578108		1.71	58.7	1.63	4.02	0.15	0.22	0.01	<0.005	0.39	22.1	29.2	1.08	218	0.57	0.06
N578109		0.90	71.8	1.34	4.22	0.23	0.26	<0.01	0.006	0.09	45.8	15.2	0.88	225	1.26	0.09
N578110		<0.05	0.7	0.02	<0.05	0.07	0.02	0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
N578111		0.69	54.5	1.10	2.75	0.21	0.20	0.01	0.006	0.11	47.2	10.2	0.65	148	0.79	0.09
N578112		0.66	58.2	1.02	2.68	0.22	0.20	0.01	0.005	0.08	44.8	9.8	0.62	137	0.94	0.08
N578113		0.64	55.3	1.00	2.62	0.23	0.20	<0.01	0.006	0.06	45.4	9.1	0.64	140	2.66	0.08
N578114		0.57	59.9	1.03	3.20	0.22	0.21	<0.01	0.006	0.05	45.7	9.9	0.70	147	0.22	0.08
N578115		5.64	52.3	2.25	5.53	0.24	0.36	0.01	0.015	0.40	43.5	38.8	1.57	406	82.6	0.06
N578116		1.15	64.5	1.14	3.09	0.22	0.20	<0.01	0.007	0.09	46.3	9.0	0.71	157	0.48	0.10
N578117		0.98	42.4	1.10	3.23	0.22	0.20	<0.01	0.007	0.11	45.1	12.8	0.78	181	0.22	0.11
N578118		5.58	81.4	1.93	6.54	0.23	0.33	<0.01	0.009	0.41	43.8	45.4	1.64	299	3.27	0.06
N578119		2.67	36.6	1.42	3.88	0.21	0.19	0.01	0.005	0.32	46.4	27.7	1.23	170	0.19	0.07
N578120		2.44	64.1	2.60	6.38	0.17	0.60	0.17	0.025	0.11	8.9	23.6	0.94	735	4.67	0.06
N578121		3.55	62.4	1.57	4.49	0.22	0.30	0.01	0.007	0.40	47.1	27.7	1.26	248	0.23	0.09
N578122		0.57	29.3	1.50	4.37	0.15	0.55	0.01	0.006	0.14	35.5	11.1	0.56	210	0.22	0.06
N578123		2.80	34.6	1.67	5.10	0.22	0.26	<0.01	0.008	0.19	44.7	28.8	1.40	302	1.36	0.10
N578124		1.60	45.6	1.25	3.54	0.21	0.24	<0.01	0.006	0.11	46.0	16.7	0.97	201	0.80	0.10
N578125		3.00	34.3	1.73	4.75	0.22	0.26	<0.01	0.007	0.18	46.6	26.3	1.38	254	0.92	0.08
N578126		2.34	25.8	3.17	5.92	0.23	0.36	<0.01	0.019	0.23	42.3	38.8	3.09	595	0.31	0.05
N578127		1.63	21.8	1.51	4.59	0.21	0.27	<0.01	0.008	0.10	40.7	26.9	1.36	281	1.06	0.07
N578128		0.51	108.5	1.31	3.65	0.27	0.38	<0.01	0.011	0.07	72.2	8.1	0.64	180	1.34	0.06
N578129		0.79	70.2	1.23	4.61	0.26	0.37	<0.01	0.007	0.08	53.9	11.9	0.77	198	3.21	0.04
N578130		0.83	63.5	1.26	4.65	0.25	0.38	<0.01	0.009	0.09	53.8	12.3	0.81	203	2.90	0.04
N578131		1.91	62.4	1.61	4.51	0.17	0.41	<0.01	0.008	0.27	33.0	27.5	1.18	282	1.43	0.07
N578132		1.06	14.6	1.70	4.57	0.13	0.71	<0.01	0.010	0.12	23.4	14.7	0.55	258	4.17	0.06
N578133		0.37	32.4	1.58	3.62	0.12	0.55	<0.01	0.008	0.07	17.9	8.6	0.44	229	38.1	0.05
N578134		0.52	69.1	2.86	7.92	0.14	0.65	<0.01	0.016	0.08	25.5	31.1	1.69	589	4.37	0.04
N578135		0.40	13.8	1.49	3.64	0.13	0.65	<0.01	0.008	0.08	18.8	9.6	0.46	218	4.21	0.05
N578136		1.64	46.9	1.77	5.23	0.16	0.36	<0.01	0.008	0.18	29.4	26.3	1.26	382	225	0.08
N578137		1.31	44.6	1.66	5.50	0.17	0.34	<0.01	0.008	0.13	37.2	23.5	1.18	339	87.0	0.07
N578138		0.66	56.8	1.24	3.99	0.15	0.32	<0.01	0.006	0.10	33.7	14.5	0.78	224	0.91	0.07
N578139		1.17	31.4	2.45	5.41	0.12	1.01	<0.01	0.012	0.12	27.0	15.5	0.71	325	2.01	0.06
N578140		<0.05	0.9	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578101		0.09	74.2	650	1.1	12.6	0.001	0.11	<0.05	1.6	0.2	<0.2	51.2	<0.01	0.03	1.6
N578102		0.09	65.9	980	1.1	11.5	0.001	0.13	<0.05	1.8	0.3	0.3	48.9	<0.01	0.02	2.3
N578103		0.15	50.4	1050	4.4	8.2	0.002	0.19	<0.05	1.9	0.3	0.2	48.6	<0.01	0.01	2.7
N578104		0.10	69.8	850	11.7	17.9	0.001	0.18	<0.05	1.8	0.3	0.2	36.3	<0.01	0.04	2.1
N578105		0.20	48.8	950	3.1	7.1	0.001	0.25	<0.05	1.7	0.2	0.3	59.7	<0.01	0.02	2.3
N578106		0.16	53.9	1520	2.7	7.6	0.002	0.19	<0.05	2.5	0.4	0.2	78.6	<0.01	0.03	3.8
N578107		0.10	59.7	1430	1.7	12.1	0.001	0.10	<0.05	2.1	0.3	<0.2	48.6	<0.01	0.02	3.4
N578108		0.08	60.2	1020	1.2	16.7	<0.001	0.05	<0.05	1.8	0.3	0.3	27.4	<0.01	<0.01	2.6
N578109		0.20	54.5	2280	3.4	5.8	0.001	0.15	<0.05	3.7	0.5	0.2	95.9	<0.01	<0.01	4.2
N578110		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
N578111		0.26	41.9	2470	2.8	4.7	<0.001	0.04	<0.05	2.8	0.3	0.2	110.5	<0.01	0.01	4.2
N578112		0.24	42.2	2260	1.9	3.6	<0.001	0.06	<0.05	2.6	0.6	0.3	109.5	<0.01	<0.01	4.1
N578113		0.23	38.3	2160	1.4	4.6	0.002	0.02	<0.05	2.7	0.3	0.2	94.0	<0.01	<0.01	4.1
N578114		0.27	38.7	2280	1.5	4.0	<0.001	0.06	<0.05	2.6	0.6	0.2	115.0	<0.01	0.01	4.3
N578115		0.08	92.7	2030	2.8	50.2	0.056	0.30	0.05	8.9	0.5	0.3	125.0	<0.01	0.10	3.6
N578116		0.21	43.7	2220	1.9	8.2	<0.001	0.06	<0.05	3.2	0.4	0.2	106.5	<0.01	0.01	4.2
N578117		0.11	45.3	2250	1.2	5.8	<0.001	0.01	<0.05	3.1	0.4	<0.2	50.2	<0.01	0.01	4.2
N578118		0.08	84.1	2200	3.7	26.7	0.002	0.33	<0.05	3.2	0.6	0.3	110.0	<0.01	0.01	4.0
N578119		0.06	64.9	2310	3.3	9.0	<0.001	0.02	<0.05	2.5	0.3	<0.2	40.0	<0.01	0.02	4.5
N578120		0.12	10.5	560	15.3	5.7	0.002	0.39	0.36	8.7	0.6	0.5	102.0	<0.01	4.18	1.6
N578121		0.08	75.1	2180	4.9	26.2	<0.001	0.13	<0.05	3.0	0.4	0.2	42.2	<0.01	0.01	4.3
N578122		0.36	21.9	1120	12.6	9.2	<0.001	0.07	<0.05	1.2	0.3	0.5	54.7	<0.01	0.01	4.8
N578123		0.07	72.5	2170	1.3	18.4	0.001	0.11	<0.05	3.7	0.3	0.2	39.8	<0.01	0.01	4.0
N578124		0.10	60.1	2220	1.3	12.1	<0.001	0.07	<0.05	3.0	0.4	<0.2	37.6	<0.01	0.01	4.2
N578125		0.07	86.1	2240	1.4	15.9	0.001	0.18	<0.05	3.3	0.3	<0.2	53.3	<0.01	0.01	4.4
N578126		0.05	118.5	2140	3.0	21.4	<0.001	0.23	0.06	10.2	0.5	0.2	239	<0.01	0.40	3.8
N578127		0.08	57.9	1990	1.2	8.4	0.001	0.04	<0.05	3.1	0.4	0.2	45.6	<0.01	<0.01	3.9
N578128		0.51	27.0	2420	2.5	4.7	0.001	0.17	<0.05	3.3	0.5	0.3	124.0	<0.01	0.01	8.5
N578129		0.38	30.5	1950	2.6	6.5	0.002	0.16	0.05	2.6	0.4	0.4	140.5	<0.01	0.02	6.5
N578130		0.35	30.7	1960	2.5	6.8	0.002	0.16	<0.05	2.6	0.5	0.2	141.5	<0.01	0.01	6.3
N578131		0.14	56.1	1300	2.2	26.0	0.001	0.14	<0.05	3.3	0.3	0.2	60.2	<0.01	0.01	4.0
N578132		0.65	11.4	860	6.2	11.4	0.003	0.11	<0.05	1.8	0.3	0.6	72.8	<0.01	0.02	4.4
N578133		0.42	8.3	570	7.9	3.8	0.025	0.35	<0.05	1.7	0.4	0.3	45.9	<0.01	0.34	3.7
N578134		0.11	59.9	1020	12.7	6.4	0.003	0.64	<0.05	5.0	0.4	0.3	76.0	<0.01	0.71	4.4
N578135		0.42	10.2	470	9.8	4.2	0.003	0.30	0.05	1.8	0.3	0.5	39.8	<0.01	0.09	4.4
N578136		0.13	54.5	1380	32.0	13.6	0.158	0.26	<0.05	3.7	0.3	0.2	68.1	<0.01	0.03	3.4
N578137		0.17	48.4	1680	8.5	10.3	0.053	0.22	0.07	3.2	0.4	0.2	83.9	<0.01	<0.01	3.9
N578138		0.26	33.3	1480	12.7	6.1	<0.001	0.07	0.10	2.5	0.3	0.4	100.5	<0.01	0.01	3.4
N578139		0.76	11.5	940	7.1	11.8	0.002	0.32	0.06	2.5	0.3	0.5	50.3	<0.01	0.04	5.2
N578140		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578101		0.145	0.08	0.26	30	1.12	3.07	24	3.7
N578102		0.135	0.08	0.36	30	0.24	3.52	25	5.2
N578103		0.138	0.06	0.54	28	0.73	4.28	21	7.4
N578104		0.150	0.14	0.51	34	0.26	3.39	37	7.3
N578105		0.134	0.05	0.56	27	0.26	3.88	25	7.7
N578106		0.150	0.05	0.62	35	0.46	5.68	24	8.3
N578107		0.154	0.09	0.50	35	0.27	4.52	27	7.7
N578108		0.153	0.10	0.41	42	0.11	3.83	31	7.8
N578109		0.155	0.05	0.76	37	0.22	8.37	22	8.1
N578110		<0.005	<0.02	0.07	<1	<0.05	0.57	<2	0.7
N578111		0.144	0.04	0.71	28	0.27	7.87	16	5.7
N578112		0.133	0.02	0.73	25	0.22	7.60	12	6.4
N578113		0.134	0.03	0.74	26	0.13	8.05	10	6.3
N578114		0.140	0.03	0.77	28	0.09	8.65	12	6.8
N578115		0.128	0.40	0.88	59	0.22	9.19	29	13.0
N578116		0.139	0.06	0.79	29	0.13	8.13	13	6.5
N578117		0.108	0.04	0.71	29	0.08	6.65	12	7.7
N578118		0.141	0.19	0.76	52	0.18	6.79	39	13.2
N578119		0.093	0.05	0.74	29	0.06	4.07	20	8.4
N578120		0.123	0.08	0.43	68	0.44	7.67	58	20.5
N578121		0.122	0.20	0.81	38	0.14	6.00	30	13.7
N578122		0.111	0.07	1.03	28	0.49	4.57	31	16.2
N578123		0.113	0.14	0.72	40	0.15	6.22	32	12.1
N578124		0.098	0.10	0.76	28	0.09	5.36	18	10.5
N578125		0.100	0.12	0.79	38	0.10	5.61	23	12.1
N578126		0.090	0.17	0.69	58	0.13	8.78	44	13.6
N578127		0.111	0.07	0.73	32	0.18	5.91	33	11.4
N578128		0.185	0.04	1.18	36	0.30	10.20	18	11.3
N578129		0.164	0.06	0.95	37	0.66	7.22	23	11.3
N578130		0.166	0.06	0.96	38	0.86	7.05	25	11.9
N578131		0.154	0.21	0.80	36	0.32	6.66	38	13.3
N578132		0.115	0.08	1.53	28	0.96	4.14	44	20.0
N578133		0.071	0.03	1.29	23	2.80	3.78	31	15.8
N578134		0.125	0.05	1.52	60	2.16	6.59	95	19.4
N578135		0.062	0.03	1.68	26	1.61	4.00	32	17.0
N578136		0.162	0.10	0.61	44	0.47	6.54	53	11.3
N578137		0.171	0.08	0.65	42	0.36	7.01	50	11.8
N578138		0.165	0.04	0.61	32	0.25	6.43	33	9.7
N578139		0.142	0.09	2.44	47	0.41	6.39	50	27.6
N578140		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578141		3.52	0.001	0.05	1.17	0.4	<0.2	<10	30	0.31	0.17	2.47	0.01	86.0	11.1	189
N578142		3.11	0.001	0.02	1.15	0.5	<0.2	<10	40	0.19	0.10	1.60	0.01	75.1	11.4	200
N578143		1.64	0.011	0.32	1.28	0.4	<0.2	<10	30	0.55	2.43	4.09	<0.01	99.5	14.5	148
N578144		2.12	0.002	0.03	1.25	0.4	<0.2	<10	40	0.32	0.16	1.84	0.01	94.4	12.4	170
N578145		1.40	0.038	0.25	0.79	0.5	<0.2	<10	30	0.50	0.71	2.91	0.02	39.7	8.2	47
N578146		1.22	0.001	0.02	1.22	0.4	<0.2	<10	40	0.40	0.08	2.43	0.01	133.5	13.0	178
N578147		2.25	0.017	0.08	0.43	0.3	<0.2	<10	60	0.29	0.30	1.24	0.01	44.7	4.1	26
N578148		3.23	0.005	0.14	0.46	0.3	<0.2	<10	80	0.35	0.52	0.88	<0.01	35.4	4.0	17
N578149		0.99	0.017	0.34	0.32	0.2	<0.2	<10	80	0.26	1.70	0.92	<0.01	29.0	4.4	16
N578150		0.07	0.969	5.86	1.05	43.9	0.7	<10	40	0.24	1.14	0.41	5.01	5.72	14.0	19
N578151		2.97	0.010	0.06	0.53	0.1	<0.2	<10	110	0.41	0.50	0.76	0.01	38.4	4.1	21
N578152		1.16	0.078	0.16	0.32	0.3	<0.2	<10	80	0.25	1.73	0.79	<0.01	25.6	3.8	20
N578153		1.47	0.015	0.11	0.43	0.1	<0.2	<10	210	0.39	0.71	0.65	<0.01	32.7	3.9	18
N578154		1.28	0.003	0.09	0.69	0.2	<0.2	<10	130	0.50	0.26	1.22	0.01	41.9	6.7	31
N578155		2.21	0.002	0.17	1.38	0.5	<0.2	<10	50	0.74	0.53	4.11	0.02	104.5	14.9	223
N578156		1.49	0.001	0.08	0.83	0.2	<0.2	<10	50	0.16	0.05	1.46	0.01	65.0	7.9	128
N578157		2.10	0.168	0.35	0.73	0.2	0.2	<10	140	0.58	1.66	2.20	<0.01	56.8	8.2	23
N578158		1.92	0.112	0.26	0.57	0.3	<0.2	<10	130	0.45	2.26	0.76	0.02	32.6	5.7	18
N578159		3.16	0.025	0.18	0.49	0.1	<0.2	<10	220	0.37	0.77	0.79	0.01	33.0	4.6	18
N578160		<0.02	0.023	0.20	0.49	0.2	<0.2	<10	220	0.34	0.72	0.79	0.01	33.7	3.9	21
N578161		2.16	0.007	0.13	0.46	0.3	<0.2	<10	280	0.46	0.93	0.65	<0.01	33.8	3.9	17
N578162		2.02	0.014	0.13	0.44	0.1	<0.2	<10	230	0.42	1.28	0.62	<0.01	33.0	3.5	20
N578163		2.05	<0.001	0.08	0.56	0.2	<0.2	<10	140	0.42	0.17	0.57	0.02	47.5	4.1	23
N578164		3.14	0.028	0.14	0.45	0.4	<0.2	<10	240	0.40	0.58	0.61	0.01	34.6	3.8	19
N578165		3.13	0.004	0.11	0.53	0.2	<0.2	<10	220	0.41	0.42	0.59	0.02	45.4	4.3	20
N578166		3.08	<0.001	0.10	0.57	0.2	<0.2	<10	210	0.39	0.19	0.62	0.02	47.7	4.1	23
N578167		2.39	0.001	0.08	0.50	0.2	<0.2	<10	240	0.37	0.30	0.64	0.02	39.5	4.0	19
N578168		0.77	0.002	0.08	0.39	0.1	<0.2	<10	290	0.34	0.81	0.73	<0.01	30.5	3.7	16
N578169		0.78	0.003	0.52	0.39	<0.1	<0.2	<10	260	0.31	7.16	0.56	0.01	26.7	3.2	18
N578170		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.97	0.1	<1
N578171		0.88	0.346	10.20	0.28	0.3	<0.2	<10	180	0.26	189.5	0.39	0.35	21.7	2.5	17
N578172		3.12	0.001	0.10	0.48	0.1	<0.2	<10	280	0.39	0.73	0.59	0.01	39.9	3.8	19
N578173		3.13	0.002	0.06	0.55	0.1	<0.2	<10	220	0.40	3.22	0.57	0.01	42.2	3.7	21
N578174		3.37	0.003	0.38	0.47	0.2	<0.2	<10	240	0.33	20.7	0.61	0.01	36.3	3.7	19
N578175		3.01	0.001	0.07	0.51	0.1	<0.2	<10	200	0.40	0.80	0.62	0.01	42.2	3.8	22
N578176		3.09	0.002	0.09	0.47	0.2	<0.2	<10	350	0.36	0.88	0.68	<0.01	36.1	3.9	20
N578177		3.13	0.007	0.05	0.55	0.2	<0.2	<10	260	0.38	0.93	0.81	<0.01	37.8	4.0	18
N578178		0.99	0.088	0.17	0.41	0.1	<0.2	<10	100	0.35	1.36	0.71	<0.01	31.2	3.4	16
N578179		2.76	0.014	0.08	0.47	0.2	<0.2	<10	260	0.48	0.61	0.74	<0.01	34.7	3.9	22
N578180		0.07	2.39	4.70	1.64	18.4	2.4	<10	40	0.61	0.09	3.74	0.36	22.1	11.0	25

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578141		1.00	49.0	1.83	5.65	0.17	0.40	<0.01	0.009	0.10	38.9	24.4	1.25	385	2.11	0.06
N578142		1.16	66.8	1.62	4.89	0.15	0.32	<0.01	0.006	0.15	33.6	21.4	1.15	306	5.88	0.06
N578143		3.67	50.8	2.53	5.65	0.19	0.59	<0.01	0.012	0.33	45.1	43.3	1.52	466	558	0.04
N578144		1.79	84.9	1.93	6.61	0.17	0.46	<0.01	0.008	0.16	44.0	29.8	1.43	338	12.05	0.06
N578145		0.87	88.2	2.42	5.86	0.11	0.62	<0.01	0.014	0.06	18.3	22.4	0.90	468	57.0	0.05
N578146		1.31	51.9	1.91	6.02	0.23	0.45	<0.01	0.010	0.14	60.8	26.8	1.27	348	1.69	0.06
N578147		0.52	53.7	1.86	3.61	0.09	0.53	<0.01	0.009	0.08	25.7	8.8	0.38	260	1.10	0.06
N578148		0.55	42.5	1.59	3.77	0.08	0.70	<0.01	0.006	0.08	19.2	11.5	0.42	227	7.39	0.06
N578149		0.21	44.0	1.71	2.71	0.08	0.58	<0.01	0.006	0.07	15.4	6.5	0.28	178	40.8	0.05
N578150		3.75	6720	6.59	3.31	0.10	<0.02	0.05	0.317	0.27	2.7	11.6	0.30	614	148.0	0.01
N578151		1.43	32.4	1.67	3.99	0.05	0.66	<0.01	0.007	0.13	20.1	13.7	0.48	245	20.8	0.06
N578152		0.32	17.9	1.41	2.65	<0.05	0.48	<0.01	<0.005	0.06	13.3	8.7	0.28	166	152.5	0.04
N578153		1.35	63.2	1.57	3.31	0.05	0.63	<0.01	0.006	0.14	16.9	13.3	0.38	194	37.9	0.05
N578154		2.41	48.1	2.38	5.50	0.06	0.93	<0.01	0.012	0.21	19.9	21.7	0.70	376	0.38	0.06
N578155		3.78	68.7	2.57	6.69	0.16	0.60	<0.01	0.015	0.40	49.9	41.2	1.81	490	3.47	0.06
N578156		0.91	31.5	1.32	3.59	0.10	0.32	<0.01	0.006	0.19	28.8	12.1	0.77	195	0.54	0.07
N578157		0.71	109.5	2.59	4.61	0.06	0.75	<0.01	0.014	0.12	28.1	19.1	0.78	448	93.1	0.05
N578158		0.59	79.7	1.71	3.98	<0.05	0.64	<0.01	0.008	0.10	16.2	12.8	0.50	235	1.22	0.05
N578159		0.54	71.0	1.56	3.63	<0.05	0.57	<0.01	0.008	0.10	16.6	13.5	0.43	219	27.6	0.05
N578160		0.54	67.5	1.58	3.56	<0.05	0.54	<0.01	0.008	0.09	16.9	13.5	0.43	222	25.6	0.05
N578161		3.21	73.1	1.57	3.13	<0.05	0.55	<0.01	0.007	0.24	17.1	15.4	0.38	225	77.1	0.06
N578162		1.50	50.0	1.49	3.13	<0.05	0.50	<0.01	0.007	0.15	16.9	11.7	0.35	215	96.6	0.06
N578163		3.84	55.9	1.65	3.85	0.06	0.76	0.01	0.010	0.25	26.5	14.7	0.46	309	0.35	0.07
N578164		0.72	74.6	1.54	3.49	0.05	0.59	<0.01	0.009	0.09	18.8	9.4	0.40	249	20.2	0.06
N578165		4.14	81.5	1.70	3.90	0.06	0.74	<0.01	0.011	0.29	25.3	16.6	0.46	290	5.46	0.07
N578166		4.87	57.5	1.70	3.86	0.06	0.75	<0.01	0.010	0.31	26.1	16.7	0.46	316	0.66	0.08
N578167		3.14	64.9	1.59	3.36	0.05	0.63	<0.01	0.010	0.23	21.6	14.7	0.44	283	3.48	0.06
N578168		1.58	42.9	1.54	2.62	<0.05	0.48	<0.01	0.008	0.13	16.3	11.5	0.33	208	1.68	0.05
N578169		1.74	46.4	1.47	2.56	<0.05	0.44	<0.01	0.007	0.15	14.5	11.0	0.34	186	1.22	0.05
N578170		<0.05	0.9	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
N578171		1.39	68.1	1.22	2.06	<0.05	0.34	<0.01	0.007	0.11	11.8	8.2	0.24	176	32.0	0.04
N578172		1.96	76.6	1.61	3.78	0.05	0.63	<0.01	0.009	0.16	21.7	13.7	0.43	246	0.91	0.06
N578173		2.00	43.5	1.65	4.10	0.06	0.65	<0.01	0.007	0.16	23.2	13.2	0.46	260	2.42	0.07
N578174		1.52	77.0	1.54	3.61	0.05	0.63	<0.01	0.008	0.13	19.3	11.1	0.42	242	9.63	0.06
N578175		2.01	66.6	1.67	3.89	0.06	0.68	<0.01	0.008	0.16	22.8	12.2	0.44	283	5.54	0.07
N578176		0.49	69.4	1.55	3.65	<0.05	0.63	<0.01	0.007	0.09	19.3	9.7	0.40	228	12.80	0.06
N578177		0.50	21.9	1.67	4.37	<0.05	0.60	<0.01	0.007	0.08	20.5	12.2	0.49	239	8.55	0.06
N578178		0.38	36.3	1.53	3.41	0.05	0.57	<0.01	0.006	0.07	16.6	9.0	0.37	190	122.5	0.06
N578179		1.54	46.8	1.67	3.39	0.05	0.75	<0.01	0.007	0.15	17.7	10.4	0.39	227	34.5	0.07
N578180		3.22	71.4	3.02	6.26	0.07	0.36	0.08	0.038	0.23	10.6	16.2	0.89	710	5.71	0.07

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578141		0.17	47.4	1660	16.5	7.9	0.001	0.17	0.07	4.5	0.4	0.3	109.5	<0.01	0.01	3.9
N578142		0.20	53.6	1450	1.9	11.7	0.004	0.14	0.08	2.8	0.4	0.3	107.5	<0.01	0.01	3.3
N578143		0.16	45.7	1700	11.3	42.1	0.421	0.54	0.07	6.8	0.7	0.3	112.5	<0.01	0.17	4.1
N578144		0.17	50.5	1540	2.3	14.6	0.007	0.15	0.05	3.9	0.6	0.3	103.5	<0.01	<0.01	4.0
N578145		0.28	15.4	850	22.3	5.1	0.038	0.50	0.07	2.6	0.5	0.5	79.3	<0.01	0.11	4.1
N578146		0.19	47.4	2180	4.2	11.0	0.001	0.15	0.06	3.6	0.5	0.4	140.0	<0.01	<0.01	6.7
N578147		0.37	7.2	550	11.2	3.9	0.001	0.19	0.05	1.4	0.3	0.3	49.6	<0.01	0.01	3.4
N578148		0.24	5.7	450	4.8	3.7	0.006	0.39	0.06	1.5	0.4	0.5	39.7	<0.01	0.08	4.5
N578149		0.19	6.3	460	6.9	2.7	0.031	1.15	0.05	1.2	0.5	<0.2	36.2	<0.01	0.29	3.6
N578150		0.08	15.0	460	104.0	13.2	0.214	4.94	2.41	1.3	8.3	1.8	37.2	<0.01	0.96	1.1
N578151		0.32	6.1	470	2.9	11.0	0.015	0.32	<0.05	1.7	0.4	0.3	36.9	<0.01	0.06	3.9
N578152		0.28	5.9	400	5.3	2.9	0.102	0.61	0.05	1.1	0.4	0.4	30.4	<0.01	0.34	2.8
N578153		0.26	5.6	440	3.1	12.9	0.026	0.71	<0.05	1.3	0.6	0.2	36.1	<0.01	0.09	3.8
N578154		0.47	10.4	740	3.0	24.9	<0.001	0.45	<0.05	2.3	0.5	0.4	53.8	<0.01	0.06	5.2
N578155		0.15	64.1	1650	2.2	43.3	0.003	0.79	0.05	6.4	0.7	0.5	117.0	<0.01	0.13	4.1
N578156		0.20	35.1	1250	1.3	9.4	<0.001	0.06	<0.05	2.6	0.4	0.2	72.9	<0.01	0.05	3.5
N578157		0.21	11.9	950	5.0	10.1	0.068	1.34	0.05	2.7	0.8	0.2	60.5	<0.01	0.69	5.2
N578158		0.20	8.2	520	4.6	5.7	0.001	0.42	0.06	1.4	0.5	0.5	33.6	<0.01	0.58	4.8
N578159		0.20	6.2	450	3.9	5.6	0.019	0.47	<0.05	1.3	0.4	0.2	35.6	<0.01	0.17	4.5
N578160		0.21	6.2	450	3.8	5.2	0.018	0.46	<0.05	1.4	0.2	0.2	34.6	<0.01	0.14	4.3
N578161		0.35	5.6	430	4.4	31.2	0.053	0.65	0.05	1.5	0.7	0.4	34.7	<0.01	0.09	3.6
N578162		0.31	5.2	410	4.4	16.2	0.067	0.47	<0.05	1.3	0.4	0.2	35.7	<0.01	0.13	3.3
N578163		0.84	9.4	470	9.2	35.3	0.001	0.15	<0.05	1.9	0.3	0.4	62.1	<0.01	<0.01	4.1
N578164		0.42	6.2	420	3.8	7.3	0.017	0.50	0.05	1.5	0.5	0.5	38.2	<0.01	0.08	3.6
N578165		0.69	7.3	480	10.0	43.0	0.005	0.32	<0.05	2.0	0.4	0.4	58.4	<0.01	0.03	4.5
N578166		0.68	6.1	470	12.7	46.3	0.001	0.17	<0.05	1.9	0.3	0.4	71.6	<0.01	<0.01	4.1
N578167		0.47	5.8	460	4.5	30.9	0.003	0.29	<0.05	1.7	0.2	0.5	47.7	<0.01	0.04	3.5
N578168		0.15	5.6	510	2.5	15.4	0.001	0.53	<0.05	1.2	0.3	<0.2	37.5	<0.01	0.10	2.6
N578169		0.21	4.6	390	6.2	17.1	0.001	0.54	<0.05	1.1	0.4	<0.2	34.4	<0.01	0.26	2.6
N578170		<0.05	0.6	10	0.5	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
N578171		0.23	4.0	280	323	13.8	0.024	0.44	0.13	0.9	1.7	0.4	24.3	<0.01	4.30	2.0
N578172		0.47	6.0	430	3.6	21.3	0.001	0.51	<0.05	1.6	0.4	0.2	40.5	<0.01	0.03	3.6
N578173		0.55	5.5	440	5.4	20.6	0.002	0.22	<0.05	1.7	0.5	0.3	42.5	<0.01	0.06	3.6
N578174		0.52	5.6	450	17.4	16.1	0.007	0.45	<0.05	1.6	0.4	0.4	41.3	<0.01	1.19	3.4
N578175		0.60	6.0	450	4.4	20.1	0.004	0.29	<0.05	1.6	0.4	0.3	45.6	<0.01	0.02	3.8
N578176		0.42	5.5	450	3.1	6.5	0.009	0.49	<0.05	1.6	0.4	0.2	43.1	<0.01	0.08	3.6
N578177		0.28	6.2	480	2.4	5.5	0.006	0.33	<0.05	1.6	0.2	0.5	41.3	<0.01	0.07	4.3
N578178		0.34	5.5	520	4.5	3.8	0.090	0.54	<0.05	1.4	0.5	0.2	32.4	<0.01	0.25	4.2
N578179		0.33	5.8	480	3.3	15.2	0.024	0.58	<0.05	1.6	0.6	0.2	45.4	<0.01	0.09	4.4
N578180		0.05	10.7	630	17.2	11.4	0.002	0.91	0.38	8.4	0.9	0.5	117.0	<0.01	2.46	1.4

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578141		0.175	0.06	0.72	49	0.34	7.79	51	12.3
N578142		0.172	0.09	0.60	41	0.28	6.36	43	10.9
N578143		0.158	0.34	1.11	55	0.57	9.09	48	20.8
N578144		0.174	0.12	0.81	49	0.32	7.77	46	15.5
N578145		0.089	0.04	2.12	46	0.35	5.08	66	17.2
N578146		0.192	0.08	1.01	52	0.39	9.42	48	13.8
N578147		0.058	0.03	1.68	37	0.24	4.05	31	14.8
N578148		0.042	0.03	2.42	27	0.35	4.63	29	18.5
N578149		0.020	0.02	1.76	14	0.35	3.85	20	15.5
N578150		0.012	0.34	0.15	17	2.83	2.72	818	<0.5
N578151		0.052	0.08	1.84	31	0.25	4.50	33	17.6
N578152		0.030	0.02	1.22	20	0.39	3.42	18	12.8
N578153		0.035	0.09	1.69	22	0.20	4.15	27	17.4
N578154		0.081	0.19	2.47	42	0.21	5.45	60	26.6
N578155		0.175	0.35	1.08	67	0.45	9.07	56	19.4
N578156		0.161	0.07	0.71	37	0.19	6.43	17	9.5
N578157		0.033	0.08	2.09	29	0.34	8.49	37	19.6
N578158		0.033	0.04	1.29	21	0.47	5.01	28	17.0
N578159		0.029	0.04	1.57	21	0.22	4.27	29	14.9
N578160		0.029	0.04	1.56	22	0.23	4.21	29	14.6
N578161		0.038	0.24	1.66	23	0.08	3.92	36	15.9
N578162		0.036	0.11	1.09	22	0.13	4.00	29	14.4
N578163		0.091	0.27	2.07	33	0.07	4.91	44	20.3
N578164		0.048	0.05	1.77	27	0.15	4.19	35	15.3
N578165		0.079	0.29	2.38	33	0.08	4.99	44	19.7
N578166		0.085	0.33	1.73	32	0.08	4.93	43	21.0
N578167		0.057	0.22	1.39	29	0.08	4.34	41	17.2
N578168		0.015	0.11	0.92	18	0.06	4.49	28	13.4
N578169		0.022	0.13	0.54	22	0.06	3.25	31	12.9
N578170		<0.005	<0.02	0.08	<1	<0.05	0.62	<2	0.8
N578171		0.022	0.16	1.13	15	0.07	2.42	22	9.2
N578172		0.044	0.15	1.43	27	0.10	4.30	38	17.9
N578173		0.057	0.14	1.77	31	0.17	4.56	37	18.8
N578174		0.049	0.11	1.83	28	0.15	4.45	35	17.4
N578175		0.065	0.13	1.67	30	0.12	4.67	40	18.4
N578176		0.040	0.04	1.47	26	0.14	4.43	30	17.5
N578177		0.037	0.04	1.52	29	0.27	4.41	30	15.7
N578178		0.036	0.03	1.40	22	0.22	4.78	22	14.8
N578179		0.033	0.11	3.05	26	0.13	4.90	31	19.5
N578180		0.051	0.14	0.34	68	0.35	7.95	84	12.2

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
N578181		1.04	0.129	0.40	0.40	0.3	<0.2	<10	370	0.43	1.31	0.87	<0.01	27.9	3.8	19
N578182		3.22	0.007	0.05	0.51	0.2	<0.2	<10	380	0.42	3.36	0.93	0.01	39.8	4.1	19
N578183		3.09	0.005	0.08	0.56	0.2	<0.2	<10	260	0.46	0.47	0.65	<0.01	43.0	4.1	23
N578184		3.15	0.001	0.12	0.54	0.2	<0.2	<10	230	0.45	1.24	0.70	<0.01	44.2	4.3	21
N578185		2.15	0.001	0.23	0.56	0.1	<0.2	<10	240	0.45	3.65	0.89	0.01	44.0	4.1	23
N578186		1.12	0.007	0.21	0.41	0.3	<0.2	<10	100	0.38	2.00	0.67	<0.01	33.1	5.0	15
N578187		3.23	0.008	0.07	0.55	0.3	<0.2	<10	420	0.41	1.74	0.85	<0.01	44.7	4.4	20
N578188		3.16	0.001	0.04	0.57	0.2	<0.2	<10	810	0.45	1.58	0.92	<0.01	45.2	4.1	22
N578189		2.18	0.045	0.06	0.53	0.2	<0.2	<10	160	0.49	0.51	0.75	<0.01	37.4	3.7	21
N578190		<0.02	0.025	0.05	0.52	0.2	<0.2	<10	160	0.50	0.48	0.74	<0.01	36.7	3.8	19
N578191		0.88	0.096	0.24	0.32	0.2	<0.2	<10	80	0.28	1.26	0.54	<0.01	15.30	2.8	19
N578192		2.08	0.007	0.09	0.58	0.4	<0.2	<10	60	0.46	0.46	0.99	<0.01	29.0	4.9	17
N578193		2.09	0.057	0.13	0.71	0.2	<0.2	<10	30	0.40	2.10	0.50	<0.01	34.3	4.3	20
N578194		1.07	0.332	0.43	0.83	0.1	0.3	<10	20	0.39	3.09	0.19	<0.01	18.20	6.4	19
N578195		3.07	0.003	0.04	0.83	0.2	<0.2	<10	20	0.49	0.50	0.18	<0.01	21.2	6.2	18
N578196		2.98	0.046	0.30	0.59	0.1	<0.2	<10	40	0.45	25.5	0.51	<0.01	30.1	4.4	19
N578197		3.25	0.009	0.08	0.43	0.2	<0.2	<10	70	0.34	1.49	0.62	0.01	31.4	3.2	19
N578198		1.91	0.010	0.09	0.56	0.2	<0.2	<10	60	0.31	0.42	0.85	<0.01	34.6	3.7	21
N578199		2.96	0.029	0.09	0.52	0.2	<0.2	<10	40	0.26	6.09	0.74	<0.01	27.3	3.2	19
N578200		2.81	0.015	0.17	0.73	<0.1	<0.2	<10	10	0.25	1.07	0.20	<0.01	5.42	5.5	20

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
N578181		0.83	16.4	1.51	2.67	<0.05	0.62	<0.01	0.006	0.10	14.4	8.6	0.36	203	152.5	0.05
N578182		1.34	17.8	1.70	3.54	0.05	0.73	<0.01	0.010	0.13	20.7	10.3	0.45	270	1.36	0.06
N578183		3.90	24.2	1.74	3.66	0.05	0.76	<0.01	0.009	0.26	22.7	13.7	0.46	312	33.3	0.08
N578184		2.58	22.3	1.70	3.69	0.05	0.75	<0.01	0.009	0.18	23.7	11.6	0.46	319	26.9	0.07
N578185		1.35	9.6	1.77	3.82	0.06	0.68	<0.01	0.013	0.16	23.6	11.4	0.49	317	12.60	0.07
N578186		0.34	26.0	1.76	3.08	0.05	0.96	<0.01	0.007	0.07	18.3	7.8	0.38	189	14.25	0.07
N578187		1.32	18.3	1.70	3.97	0.06	0.65	<0.01	0.009	0.14	24.8	11.7	0.49	293	21.7	0.07
N578188		0.52	18.5	1.73	4.11	0.05	0.74	<0.01	0.009	0.09	23.9	8.8	0.48	260	23.9	0.07
N578189		0.56	27.8	1.62	4.11	0.05	0.73	<0.01	0.008	0.09	19.6	9.2	0.46	210	41.3	0.07
N578190		0.56	30.2	1.54	4.06	0.05	0.72	<0.01	0.007	0.08	19.5	9.1	0.46	205	39.8	0.06
N578191		0.34	28.4	1.28	2.26	<0.05	0.40	<0.01	0.005	0.06	7.7	5.5	0.28	132	195.0	0.05
N578192		0.59	41.4	1.54	4.38	0.05	0.58	<0.01	0.006	0.07	15.1	10.2	0.54	197	5.47	0.05
N578193		0.40	11.6	1.63	5.16	0.05	0.67	<0.01	0.006	0.06	18.3	10.4	0.69	215	38.5	0.07
N578194		0.35	3.5	1.70	5.77	<0.05	0.63	<0.01	0.006	0.03	9.5	14.7	0.96	202	509	0.06
N578195		0.42	7.0	1.64	5.81	0.05	0.87	<0.01	0.008	0.04	11.3	14.9	0.93	200	51.6	0.08
N578196		0.43	36.6	1.54	4.30	<0.05	0.89	<0.01	0.008	0.07	17.6	9.5	0.56	200	103.0	0.07
N578197		0.43	25.4	1.33	3.43	0.05	0.85	<0.01	0.008	0.07	18.1	5.2	0.36	181	18.40	0.06
N578198		0.49	19.4	1.34	4.42	0.05	0.88	<0.01	0.010	0.06	19.7	6.9	0.48	201	35.8	0.06
N578199		0.50	16.2	1.23	3.96	0.14	0.82	<0.01	0.010	0.06	14.6	6.7	0.44	172	11.60	0.07
N578200		0.22	10.8	1.60	4.88	0.11	0.73	<0.01	0.006	0.01	2.4	13.0	0.83	192	129.0	0.07

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
N578181		0.22	5.5	500	5.9	8.5	0.092	0.54	0.05	1.3	0.5	0.4	40.8	<0.01	0.33	3.9
N578182		0.44	6.3	500	5.4	13.9	0.001	0.33	<0.05	1.8	0.3	0.3	47.6	<0.01	0.09	4.5
N578183		0.59	6.0	490	5.6	35.9	0.020	0.25	<0.05	1.9	0.2	0.3	54.4	<0.01	0.03	4.3
N578184		0.76	6.4	480	10.3	23.4	0.021	0.25	<0.05	2.0	0.3	0.6	61.5	<0.01	0.05	4.3
N578185		0.55	6.6	490	6.9	15.2	0.008	0.13	<0.05	1.9	0.2	0.4	67.9	<0.01	0.47	4.3
N578186		0.30	5.8	460	3.4	4.1	0.009	1.08	<0.05	1.4	0.6	0.2	41.6	<0.01	0.12	5.5
N578187		0.57	6.5	490	5.6	13.4	0.016	0.26	<0.05	1.9	0.4	0.6	63.2	<0.01	0.09	3.9
N578188		0.49	6.6	490	3.9	4.4	0.017	0.23	<0.05	1.9	0.3	0.4	64.2	<0.01	0.03	4.5
N578189		0.36	5.9	460	3.2	4.4	0.031	0.28	<0.05	1.7	0.5	0.3	39.1	<0.01	0.03	5.1
N578190		0.34	5.9	460	2.9	4.1	0.028	0.27	<0.05	1.7	0.3	0.5	37.8	<0.01	0.02	5.0
N578191		0.15	4.3	350	7.1	2.9	0.148	0.47	<0.05	0.9	0.4	<0.2	20.3	<0.01	0.35	2.9
N578192		0.15	6.1	450	3.1	3.1	0.005	0.43	0.05	1.3	0.3	0.5	24.8	<0.01	0.09	4.5
N578193		0.23	6.5	440	3.2	2.8	0.024	0.11	<0.05	1.6	0.3	0.3	17.1	<0.01	0.29	3.7
N578194		0.16	8.9	390	7.9	1.6	0.363	0.33	<0.05	1.6	0.4	0.3	11.4	<0.01	1.16	3.3
N578195		0.15	10.2	380	6.3	2.1	0.038	0.23	<0.05	1.7	<0.2	0.5	11.1	<0.01	0.05	5.5
N578196		0.29	6.5	400	18.9	3.0	0.076	0.17	<0.05	1.4	0.4	0.3	26.2	<0.01	0.86	5.8
N578197		0.42	4.4	370	7.6	2.8	0.013	0.17	<0.05	1.2	0.2	0.3	36.8	<0.01	0.56	5.2
N578198		0.37	5.9	390	2.4	2.7	0.026	0.10	<0.05	1.5	<0.2	0.6	41.9	<0.01	0.04	5.4
N578199		0.40	6.1	380	3.4	2.9	0.009	0.08	0.06	1.4	0.4	0.4	45.4	<0.01	3.60	4.9
N578200		0.19	13.3	420	4.1	0.8	0.093	0.24	<0.05	1.3	0.2	0.3	9.2	<0.01	0.17	4.6

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
N578181		0.021	0.07	2.42	18	0.19	4.87	25	16.3
N578182		0.049	0.10	1.78	28	0.21	4.89	35	18.9
N578183		0.071	0.27	1.87	32	0.09	5.23	42	19.9
N578184		0.078	0.17	1.66	32	0.09	4.93	42	19.0
N578185		0.070	0.11	1.78	30	0.15	4.75	41	17.8
N578186		0.029	0.03	1.59	19	0.22	4.85	25	35.2
N578187		0.074	0.10	1.53	31	0.18	4.73	38	17.7
N578188		0.065	0.03	1.45	30	0.31	4.85	33	19.1
N578189		0.050	0.04	2.37	30	0.34	4.74	27	18.9
N578190		0.049	0.04	2.21	30	0.35	4.64	27	18.0
N578191		0.017	0.05	1.28	14	0.17	2.97	14	10.6
N578192		0.027	0.05	1.50	23	0.30	3.72	26	15.0
N578193		0.051	0.06	1.11	23	0.33	3.83	30	19.1
N578194		0.036	0.05	1.90	23	0.33	2.92	31	18.9
N578195		0.035	0.03	3.25	23	0.31	3.10	32	23.6
N578196		0.050	0.08	3.51	22	0.35	3.74	29	24.0
N578197		0.054	0.03	2.77	19	0.32	3.50	23	21.9
N578198		0.058	0.03	1.98	21	0.38	3.62	26	23.5
N578199		0.045	0.03	3.65	20	0.35	3.24	21	20.1
N578200		0.026	0.04	1.39	21	0.29	1.70	28	19.0

Comments: *** Corrected Copy for Au-ICP22 on samples N578117 - N578123 ***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 19-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149028

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

CERTIFICATE SD15149029

Project: Miller

This report is for 100 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333901		1.47	0.041	0.07	0.82	0.1	<0.2	<10	50	0.36	1.21	0.54	<0.01	10.05	5.8	22
R333902		2.08	0.036	0.09	0.91	0.1	<0.2	<10	50	0.40	3.26	0.79	<0.01	6.44	6.7	19
R333903		1.08	0.042	0.07	0.72	0.1	<0.2	<10	110	0.34	0.99	0.28	0.01	15.10	5.2	20
R333904		1.10	0.030	0.28	0.98	0.2	<0.2	<10	40	0.44	3.83	0.23	<0.01	5.41	6.4	24
R333905		2.34	0.019	0.05	0.64	0.2	<0.2	<10	530	0.34	0.75	0.26	0.01	9.87	4.2	22
R333906		2.06	0.097	0.18	0.81	<0.1	<0.2	<10	90	0.39	2.12	0.26	<0.01	9.21	5.7	23
R333907		2.80	0.013	0.06	0.50	0.1	<0.2	<10	70	0.30	0.69	0.51	<0.01	21.0	3.5	23
R333908		3.21	0.003	0.04	0.34	0.2	<0.2	<10	130	0.28	0.45	0.64	0.01	33.3	2.4	19
R333909		3.13	<0.001	0.04	0.30	0.1	<0.2	<10	80	0.19	0.10	0.50	0.01	33.0	2.4	19
R333910		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.98	0.1	<1
R333911		2.56	0.034	0.15	0.33	0.2	<0.2	<10	210	0.25	1.15	0.64	<0.01	28.7	2.5	21
R333912		3.11	0.002	0.04	0.33	<0.1	<0.2	<10	150	0.23	0.34	0.61	0.01	30.7	2.5	19
R333913		1.00	0.056	0.21	0.29	0.1	<0.2	<10	100	0.19	7.88	0.54	<0.01	27.3	2.4	17
R333914		3.10	0.013	0.05	0.31	0.2	<0.2	<10	90	0.18	0.58	0.56	0.01	32.9	2.3	19
R333915		1.08	0.108	0.36	0.30	0.1	<0.2	<10	100	0.24	17.70	0.58	<0.01	25.5	2.3	20
R333916		2.40	0.013	0.10	0.29	0.1	<0.2	<10	90	0.21	1.57	0.54	0.01	30.1	2.3	17
R333917		2.14	0.010	0.07	0.28	0.2	<0.2	<10	80	0.20	1.69	0.47	0.01	31.3	2.1	19
R333918		3.07	0.001	0.04	0.37	0.1	<0.2	<10	110	0.26	0.32	0.66	0.02	34.2	2.8	17
R333919		2.89	0.004	0.04	0.34	0.2	<0.2	<10	90	0.19	0.09	0.56	0.01	36.5	2.5	18
R333920		0.07	2.48	4.68	1.59	19.0	2.4	<10	40	0.59	0.09	3.88	0.36	21.9	10.9	25
R333921		3.17	0.076	0.07	0.35	0.2	<0.2	<10	130	0.26	0.43	0.76	0.01	32.0	2.8	22
R333922		1.05	0.176	0.11	0.35	<0.1	<0.2	<10	120	0.25	1.72	0.86	<0.01	31.7	3.0	18
R333923		3.12	0.130	0.08	0.37	0.1	<0.2	<10	100	0.32	0.79	0.88	<0.01	33.3	3.2	18
R333924		2.02	0.131	0.11	0.55	0.1	<0.2	<10	50	0.40	1.29	0.55	<0.01	30.9	4.6	23
R333925		2.82	0.039	0.03	0.87	0.1	<0.2	<10	20	0.64	0.26	0.15	0.03	21.3	7.2	23
R333926		2.27	0.049	0.02	0.69	0.1	<0.2	<10	30	0.50	0.17	0.23	<0.01	25.4	5.3	23
R333927		3.38	0.003	0.02	0.81	0.3	<0.2	<10	20	0.54	0.23	0.25	<0.01	24.9	6.7	23
R333928		1.97	0.014	0.09	1.92	0.1	<0.2	<10	10	0.65	1.20	0.26	<0.01	25.8	18.9	124
R333929		0.99	0.010	0.11	0.76	0.1	<0.2	<10	10	0.42	0.59	0.23	<0.01	23.5	6.2	27
R333930		<0.02	0.016	0.11	0.75	0.2	<0.2	<10	10	0.47	0.57	0.23	<0.01	24.4	6.5	22
R333931		2.34	0.082	0.30	0.73	0.1	0.4	<10	30	0.56	0.91	0.25	<0.01	27.5	6.1	22
R333932		2.81	0.075	0.12	0.67	<0.1	<0.2	<10	60	0.52	1.23	0.32	<0.01	28.3	5.3	23
R333933		2.58	0.465	0.27	0.53	0.2	0.2	<10	30	0.36	10.15	0.32	<0.01	22.3	5.6	17
R333934		1.24	0.005	0.05	1.83	0.2	<0.2	<10	30	0.72	1.01	0.41	0.02	17.40	17.8	156
R333935		2.68	0.092	0.06	0.63	0.2	<0.2	<10	30	0.46	1.04	0.26	<0.01	22.2	4.7	19
R333936		1.09	0.003	0.03	0.50	0.2	<0.2	<10	30	0.43	0.30	0.23	0.01	19.15	4.3	17
R333937		1.24	0.255	0.29	0.51	<0.1	0.5	<10	20	0.33	3.65	0.19	<0.01	13.30	4.0	18
R333938		2.71	0.009	0.03	0.59	0.2	<0.2	<10	50	0.40	0.13	0.40	<0.01	28.9	4.1	20
R333939		3.32	<0.001	0.02	0.47	0.2	<0.2	<10	70	0.30	0.07	0.48	0.01	30.5	3.6	16
R333940		0.12	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.02	0.1	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333901		0.30	15.0	1.85	5.55	0.11	0.99	<0.01	0.010	0.04	4.9	12.6	0.85	222	21.8	0.10
R333902		0.37	9.1	1.93	5.98	0.10	0.88	<0.01	0.009	0.03	3.1	15.6	1.03	227	45.3	0.07
R333903		0.37	18.5	1.71	4.50	0.11	0.73	<0.01	0.008	0.05	8.1	12.2	0.80	195	3.32	0.06
R333904		0.16	6.9	2.02	6.51	0.11	0.82	<0.01	0.007	0.03	2.4	15.5	1.10	256	178.5	0.10
R333905		0.36	12.7	1.40	4.33	0.12	0.74	<0.01	0.007	0.04	5.0	10.1	0.68	174	11.70	0.07
R333906		0.26	11.3	1.66	5.04	0.11	0.72	<0.01	0.007	0.03	4.4	14.0	0.91	215	96.3	0.07
R333907		0.34	11.0	1.40	3.43	0.11	0.77	<0.01	0.006	0.05	11.7	7.7	0.48	177	46.3	0.07
R333908		0.52	21.9	1.23	2.32	0.11	0.93	<0.01	0.007	0.10	18.2	4.8	0.24	163	2.97	0.08
R333909		0.47	15.6	1.19	2.28	0.12	0.95	<0.01	0.005	0.08	18.5	5.0	0.22	176	1.94	0.07
R333910		<0.05	0.8	0.02	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.13	<0.01
R333911		0.47	20.2	1.29	2.19	0.12	0.97	<0.01	0.007	0.09	16.4	4.8	0.24	189	171.5	0.07
R333912		0.48	42.5	1.21	2.25	0.11	1.04	<0.01	0.008	0.09	17.3	5.4	0.24	189	10.25	0.07
R333913		0.41	15.5	1.17	2.03	0.12	0.81	<0.01	0.006	0.09	15.7	4.9	0.22	175	298	0.06
R333914		0.43	10.9	1.20	2.21	0.12	0.93	<0.01	0.006	0.09	18.2	5.5	0.23	191	30.1	0.07
R333915		0.58	57.5	1.15	2.08	0.11	0.84	<0.01	0.009	0.09	14.4	5.5	0.24	181	409	0.06
R333916		0.46	13.2	1.13	2.13	0.12	0.92	<0.01	0.006	0.08	17.2	4.9	0.22	177	62.6	0.06
R333917		0.40	11.4	1.17	1.97	0.11	1.16	<0.01	0.006	0.09	17.6	4.3	0.19	174	15.70	0.07
R333918		0.49	23.1	1.27	2.60	0.11	0.99	<0.01	0.008	0.10	18.4	6.5	0.28	209	27.4	0.07
R333919		0.30	21.5	1.21	2.48	0.12	0.93	<0.01	0.007	0.09	20.0	4.8	0.23	175	1.77	0.08
R333920		3.17	69.5	3.05	6.64	0.13	0.39	0.08	0.039	0.23	9.7	16.5	0.91	690	6.05	0.07
R333921		0.35	19.9	1.41	2.39	0.11	0.97	<0.01	0.008	0.08	17.7	5.8	0.28	228	5.83	0.06
R333922		0.45	34.2	1.29	2.41	0.11	0.95	<0.01	0.011	0.10	17.3	5.9	0.29	247	325	0.06
R333923		0.31	29.1	1.32	2.80	0.12	0.99	<0.01	0.009	0.07	18.3	5.1	0.32	224	95.2	0.06
R333924		0.26	255	1.49	3.82	0.10	1.00	<0.01	0.008	0.06	16.1	7.7	0.56	182	161.0	0.07
R333925		0.41	17.5	1.52	5.98	0.11	1.00	<0.01	0.007	0.03	10.5	15.7	1.06	180	20.7	0.07
R333926		0.29	3.0	1.54	4.94	0.11	1.04	<0.01	0.006	0.04	13.4	11.4	0.78	163	12.75	0.08
R333927		0.31	24.8	1.50	5.63	0.12	0.92	<0.01	0.007	0.04	12.9	14.4	0.97	184	11.30	0.08
R333928		0.44	42.8	3.10	13.10	0.17	0.94	<0.01	0.010	0.02	12.1	33.0	2.62	339	70.4	0.06
R333929		0.12	185.0	1.77	5.43	0.12	0.64	<0.01	0.007	0.01	11.6	12.1	0.88	200	42.8	0.14
R333930		0.12	192.0	1.49	5.63	0.13	0.66	<0.01	0.008	0.01	12.1	12.5	0.89	173	44.0	0.12
R333931		0.31	13.5	1.51	5.26	0.11	0.68	<0.01	0.006	0.04	14.0	14.1	0.83	178	113.5	0.08
R333932		0.27	44.8	1.58	4.85	0.11	0.94	<0.01	0.007	0.05	14.3	11.3	0.73	172	227	0.08
R333933		0.17	280	1.66	3.75	0.10	0.99	<0.01	0.009	0.04	11.9	9.5	0.56	131	573	0.08
R333934		1.36	23.9	3.09	9.26	0.15	0.86	<0.01	0.017	0.03	9.6	29.8	2.62	301	3.16	0.04
R333935		0.29	13.4	1.50	4.32	0.12	0.68	<0.01	0.008	0.05	12.2	11.6	0.68	164	185.0	0.07
R333936		0.25	18.7	1.35	3.84	0.11	0.61	<0.01	0.007	0.03	10.7	9.2	0.54	144	42.1	0.06
R333937		0.17	27.2	1.30	3.73	0.10	0.51	<0.01	0.005	0.03	7.0	9.3	0.56	132	392	0.06
R333938		0.37	11.1	1.54	4.31	0.11	0.92	<0.01	0.007	0.07	16.3	9.6	0.58	186	14.45	0.08
R333939		0.37	16.6	1.37	3.60	0.11	0.92	<0.01	0.006	0.06	17.4	7.4	0.42	181	2.29	0.07
R333940		<0.05	0.8	0.02	<0.05	0.07	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.08	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333901		0.24	12.7	420	2.2	1.6	0.014	0.28	<0.05	2.0	0.2	0.3	21.9	<0.01	0.13	6.3
R333902		0.19	14.6	470	1.9	0.8	0.035	0.40	<0.05	1.8	0.2	0.3	15.3	<0.01	0.60	4.9
R333903		0.21	11.3	420	4.8	1.9	0.003	0.23	<0.05	1.5	<0.2	0.5	22.4	<0.01	0.10	4.5
R333904		0.26	15.2	560	3.2	0.5	0.110	0.21	<0.05	1.9	<0.2	0.3	10.9	<0.01	1.48	4.0
R333905		0.29	9.5	420	2.8	1.2	0.010	0.13	<0.05	1.4	<0.2	0.3	22.4	<0.01	0.19	4.4
R333906		0.19	12.5	420	2.9	1.2	0.066	0.13	<0.05	1.6	<0.2	0.5	14.5	<0.01	0.97	4.3
R333907		0.31	7.2	400	5.9	2.4	0.032	0.16	<0.05	1.2	0.2	0.3	28.6	<0.01	0.10	4.6
R333908		0.60	3.8	400	7.1	5.9	0.002	0.15	<0.05	0.9	<0.2	0.3	43.9	<0.01	0.03	5.1
R333909		0.87	3.8	390	9.8	6.4	0.002	0.06	<0.05	0.7	<0.2	0.5	51.7	<0.01	<0.01	5.2
R333910		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R333911		0.51	3.8	350	10.4	6.4	0.132	0.23	<0.05	0.9	0.2	0.2	38.6	<0.01	0.10	5.6
R333912		0.65	3.7	360	10.9	7.6	0.007	0.15	<0.05	0.8	0.2	0.3	49.6	<0.01	0.02	5.5
R333913		0.72	3.7	340	16.6	7.2	0.226	0.14	<0.05	0.8	0.2	0.5	44.4	<0.01	0.53	4.2
R333914		0.84	3.6	380	13.1	7.2	0.022	0.06	<0.05	0.7	<0.2	0.3	53.8	<0.01	0.10	5.1
R333915		0.55	3.8	310	19.5	7.7	0.307	0.12	<0.05	0.8	<0.2	0.3	41.5	<0.01	0.92	4.3
R333916		0.76	3.6	360	14.8	6.9	0.046	0.08	<0.05	0.7	<0.2	0.5	46.0	<0.01	0.09	4.8
R333917		0.77	3.5	320	14.6	6.3	0.012	0.07	<0.05	0.7	<0.2	0.3	44.4	<0.01	0.04	6.5
R333918		0.68	4.2	390	10.0	8.5	0.021	0.11	<0.05	1.0	<0.2	0.3	61.4	<0.01	0.02	5.2
R333919		0.92	3.7	420	10.5	5.4	0.001	0.04	<0.05	0.8	<0.2	0.5	67.5	<0.01	0.01	5.0
R333920		0.05	11.1	620	17.3	11.7	0.002	0.90	0.42	8.0	1.0	0.5	118.0	<0.01	2.47	1.4
R333921		0.63	4.5	380	9.9	5.9	0.004	0.17	<0.05	1.1	0.2	0.3	51.0	<0.01	0.10	5.2
R333922		0.51	4.5	360	10.1	7.3	0.239	0.25	<0.05	1.2	<0.2	0.2	50.8	<0.01	0.47	4.8
R333923		0.57	4.7	390	7.4	4.1	0.072	0.21	0.05	1.3	0.2	0.5	42.9	<0.01	0.34	4.9
R333924		0.26	5.5	420	13.0	2.6	0.096	0.31	<0.05	1.5	0.3	0.3	26.6	<0.01	0.42	5.2
R333925		0.13	8.6	380	4.0	1.7	0.014	0.15	<0.05	1.6	0.2	0.3	13.1	<0.01	0.04	5.8
R333926		0.21	6.5	400	2.5	2.3	0.009	0.10	<0.05	1.4	0.2	0.3	18.1	<0.01	0.02	5.3
R333927		0.17	10.4	380	4.2	2.1	0.007	0.07	<0.05	1.8	<0.2	0.5	19.0	<0.01	0.05	4.9
R333928		0.08	53.3	690	2.4	1.1	0.054	0.29	<0.05	5.4	0.3	0.3	15.1	<0.01	0.58	3.9
R333929		0.22	15.1	390	6.2	0.4	0.031	0.14	<0.05	1.9	<0.2	0.3	17.7	<0.01	0.05	3.2
R333930		0.23	15.4	390	5.4	0.4	0.032	0.14	<0.05	1.9	0.3	0.6	18.1	<0.01	0.06	3.3
R333931		0.17	7.7	430	3.8	2.2	0.081	0.20	<0.05	1.5	0.3	0.3	19.8	<0.01	0.19	3.7
R333932		0.21	6.2	380	8.4	2.3	0.164	0.25	<0.05	1.3	0.2	0.3	19.2	<0.01	0.27	5.1
R333933		0.24	5.9	460	29.0	1.9	0.404	0.78	<0.05	1.1	0.6	0.5	18.2	<0.01	4.41	5.4
R333934		0.07	39.2	720	6.7	2.0	0.002	0.32	0.05	7.8	0.3	0.4	20.7	<0.01	0.43	4.3
R333935		0.24	6.0	340	5.5	2.4	0.144	0.20	<0.05	1.3	0.3	0.3	20.3	<0.01	0.23	4.2
R333936		0.22	5.9	310	3.1	1.8	0.035	0.18	0.05	1.1	0.4	0.5	16.6	<0.01	0.03	3.6
R333937		0.17	4.3	260	10.3	1.3	0.270	0.21	<0.05	1.0	0.2	0.2	11.5	<0.01	0.96	2.8
R333938		0.30	5.4	390	2.4	3.1	0.011	0.06	<0.05	1.4	0.2	0.3	27.4	<0.01	0.02	5.4
R333939		0.46	4.7	390	5.2	3.0	0.002	0.08	<0.05	1.2	0.3	0.5	43.7	<0.01	<0.01	5.2
R333940		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333901		0.043	0.03	1.58	23	0.42	2.69	31	23.8
R333902		0.036	0.03	1.97	22	0.31	2.46	33	22.0
R333903		0.038	0.03	1.06	22	0.46	2.25	30	17.7
R333904		0.055	0.04	1.89	24	0.26	2.36	37	21.6
R333905		0.041	0.04	1.31	18	0.33	2.09	25	18.2
R333906		0.035	0.05	1.05	22	0.37	1.92	34	17.2
R333907		0.039	0.03	1.43	19	0.35	2.52	25	18.8
R333908		0.047	0.04	2.15	17	1.55	3.35	23	22.7
R333909		0.055	0.05	2.20	18	0.17	3.29	24	23.4
R333910		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8
R333911		0.030	0.05	3.17	14	0.38	3.14	24	22.0
R333912		0.036	0.05	2.34	15	0.16	3.24	25	24.2
R333913		0.041	0.06	1.97	15	0.15	2.99	22	20.0
R333914		0.054	0.05	2.13	17	0.17	3.24	27	22.0
R333915		0.037	0.07	2.05	14	0.23	2.73	23	18.2
R333916		0.045	0.05	2.39	15	0.17	2.99	24	21.5
R333917		0.046	0.04	2.38	14	0.20	3.04	46	26.9
R333918		0.054	0.06	2.27	18	0.19	3.62	29	23.2
R333919		0.065	0.03	2.01	18	0.18	3.69	25	22.7
R333920		0.044	0.15	0.35	68	0.42	7.87	83	12.4
R333921		0.046	0.04	2.15	18	0.34	3.35	27	22.5
R333922		0.033	0.06	2.41	17	0.39	3.28	27	23.2
R333923		0.043	0.03	1.89	19	0.62	3.66	25	24.7
R333924		0.035	0.04	2.46	20	0.44	4.07	26	23.8
R333925		0.023	<0.02	2.25	23	0.35	4.23	41	25.8
R333926		0.031	<0.02	2.59	21	0.48	3.71	24	25.1
R333927		0.031	<0.02	1.86	24	0.32	3.38	30	22.8
R333928		0.066	<0.02	3.06	72	0.40	3.57	65	29.5
R333929		0.045	0.02	1.09	24	0.26	2.40	26	17.1
R333930		0.044	0.02	1.10	25	0.26	2.44	27	17.4
R333931		0.032	0.05	1.92	23	0.33	3.65	28	18.1
R333932		0.030	0.04	2.19	21	0.33	3.79	23	23.4
R333933		0.019	0.05	1.93	16	0.25	4.00	25	24.4
R333934		0.069	<0.02	2.38	81	0.78	4.21	56	25.5
R333935		0.029	0.02	1.43	20	0.27	3.08	23	17.6
R333936		0.026	0.02	1.84	17	0.24	2.88	21	15.7
R333937		0.017	0.02	1.00	15	0.18	2.50	17	13.1
R333938		0.043	0.02	2.02	23	0.35	3.46	25	22.5
R333939		0.049	0.02	2.24	21	0.21	3.57	25	22.3
R333940		<0.005	<0.02	0.07	<1	<0.05	0.61	<2	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333941		2.52	0.030	0.05	0.54	<0.1	<0.2	<10	20	0.43	0.70	0.30	<0.01	22.5	3.9	15
R333942		1.80	0.001	0.04	0.43	0.2	<0.2	<10	40	0.43	0.40	0.48	<0.01	22.7	3.1	20
R333943		1.05	0.283	0.33	0.41	0.1	0.3	<10	40	0.39	41.1	0.45	<0.01	23.0	3.8	15
R333944		3.17	0.009	0.03	0.56	0.2	<0.2	<10	40	0.45	0.45	0.42	<0.01	30.4	3.8	17
R333945		3.25	0.002	0.02	0.67	0.1	<0.2	<10	40	0.53	0.47	0.30	<0.01	29.0	4.6	21
R333946		1.86	0.001	0.04	0.65	0.1	<0.2	<10	40	0.59	0.24	0.29	<0.01	23.8	4.9	21
R333947		2.23	<0.001	0.01	0.45	0.1	<0.2	<10	60	0.29	0.03	0.46	0.01	29.6	3.1	17
R333948		2.24	0.020	0.04	0.79	0.2	<0.2	<10	50	0.52	0.60	0.41	<0.01	27.1	6.1	29
R333949		1.18	0.003	0.02	0.46	0.2	<0.2	<10	20	0.33	0.28	0.46	<0.01	24.4	3.4	16
R333950		0.07	8.98	9.48	1.68	11.4	9.2	<10	30	0.57	0.07	3.90	0.29	20.5	10.5	18
R333951		1.61	0.009	0.07	3.14	0.2	<0.2	<10	30	1.48	0.20	0.40	<0.01	26.9	29.9	247
R333952		2.57	0.003	0.03	0.67	0.1	<0.2	<10	30	0.48	0.12	0.37	<0.01	29.2	5.0	18
R333953		1.18	0.261	0.30	0.77	0.1	0.4	<10	20	0.63	3.09	0.37	<0.01	19.00	6.0	17
R333954		3.24	0.043	0.09	0.73	<0.1	<0.2	<10	20	0.53	0.63	0.17	0.01	20.8	5.3	17
R333955		1.11	0.487	0.96	0.54	0.3	0.3	<10	50	0.44	4.41	0.14	<0.01	24.2	5.0	15
R333956		2.04	0.521	0.18	0.62	0.3	0.2	<10	50	0.48	16.05	0.31	<0.01	23.1	4.5	20
R333957		0.87	0.077	0.08	0.50	0.1	<0.2	<10	40	0.44	10.75	0.47	<0.01	13.30	4.5	14
R333958		2.93	0.011	0.03	0.58	0.3	<0.2	<10	50	0.38	3.75	0.35	0.01	25.9	4.2	18
R333959		3.39	0.023	0.11	0.64	0.2	<0.2	<10	80	0.37	0.61	0.39	<0.01	28.1	4.4	20
R333960		<0.02	0.049	0.09	0.61	0.3	<0.2	<10	70	0.39	0.64	0.40	<0.01	28.6	4.6	18
R333961		2.76	0.114	0.29	0.56	0.3	<0.2	<10	90	0.51	1.30	0.45	0.02	32.4	4.2	17
R333962		0.99	1.120	0.09	0.38	0.1	<0.2	<10	40	0.31	8.09	0.42	<0.01	15.20	2.8	18
R333963		1.88	0.033	0.07	0.52	0.3	<0.2	<10	40	0.45	1.80	0.55	0.01	26.0	3.8	18
R333964		2.36	0.316	0.52	0.72	0.4	<0.2	<10	70	0.52	2.21	0.64	<0.01	24.7	5.7	18
R333965		1.36	0.004	0.05	0.40	0.1	<0.2	<10	60	0.33	0.70	0.52	<0.01	24.3	2.6	18
R333966		3.15	<0.001	0.01	0.40	0.1	<0.2	<10	70	0.34	0.16	0.60	0.01	30.2	2.9	16
R333967		3.29	0.045	0.06	0.39	0.2	<0.2	<10	80	0.26	0.56	0.49	<0.01	31.5	2.9	17
R333968		2.04	0.026	0.05	0.40	0.1	<0.2	<10	120	0.27	0.48	0.69	0.01	27.1	3.1	19
R333969		3.46	0.009	0.03	0.33	0.2	<0.2	<10	70	0.25	0.41	0.51	<0.01	32.7	2.3	16
R333970		0.12	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	0.01	0.98	0.1	<1
R333971		3.03	0.002	0.06	0.33	0.2	<0.2	<10	70	0.24	2.62	0.54	0.01	33.0	2.5	18
R333972		0.96	0.539	0.40	0.31	0.1	<0.2	<10	20	0.22	3.61	0.57	<0.01	9.21	2.8	20
R333973		2.72	0.045	0.15	0.51	0.1	<0.2	<10	50	0.38	1.08	0.89	<0.01	32.2	3.7	16
R333974		1.21	0.116	0.11	0.41	0.2	<0.2	<10	40	0.33	1.64	0.72	<0.01	29.1	3.0	15
R333975		3.35	0.011	1.85	0.36	0.1	<0.2	<10	80	0.22	31.5	0.52	0.02	32.7	2.5	19
R333976		3.03	<0.001	0.02	0.35	0.2	<0.2	<10	70	0.26	0.12	0.53	0.01	33.9	2.4	16
R333977		3.25	0.137	0.08	0.45	0.2	<0.2	<10	60	0.35	0.96	0.55	<0.01	30.6	3.4	18
R333978		1.03	0.047	0.27	0.53	0.1	<0.2	<10	40	0.35	2.58	0.15	<0.01	19.75	3.9	19
R333979		1.50	0.007	0.07	0.62	0.1	<0.2	<10	20	0.39	0.41	0.20	<0.01	16.50	4.9	17
R333980		0.07	0.898	6.04	1.06	40.0	0.8	<10	40	0.20	1.19	0.41	5.07	5.51	13.9	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333941		0.30	26.0	1.38	4.05	0.10	1.13	<0.01	0.008	0.05	12.8	9.4	0.56	153	59.9	0.07
R333942		0.29	82.9	1.35	3.32	0.11	0.78	<0.01	0.005	0.06	12.6	7.1	0.40	152	28.8	0.07
R333943		0.28	118.5	1.30	3.22	0.10	1.03	<0.01	0.008	0.05	13.3	7.1	0.40	163	827	0.05
R333944		0.38	7.8	1.43	4.45	0.08	1.11	<0.01	0.006	0.07	17.0	9.5	0.51	189	57.2	0.07
R333945		0.40	16.4	1.57	5.46	0.08	0.84	<0.01	0.007	0.06	15.5	13.5	0.67	200	16.50	0.07
R333946		0.36	16.9	1.48	5.16	0.08	0.77	<0.01	0.006	0.05	12.8	13.2	0.66	180	3.80	0.06
R333947		0.32	12.3	1.28	3.40	0.08	0.91	<0.01	0.005	0.06	17.3	7.0	0.38	175	2.06	0.06
R333948		0.63	108.5	1.74	4.95	0.08	0.72	<0.01	0.009	0.06	14.6	14.5	0.87	219	11.55	0.06
R333949		0.30	14.6	1.12	3.34	0.08	0.71	<0.01	0.005	0.04	13.2	7.2	0.46	159	64.7	0.05
R333950		2.50	65.5	3.02	6.82	0.15	0.60	0.17	0.025	0.13	9.1	23.4	1.06	815	5.03	0.07
R333951		2.02	196.5	4.60	16.15	0.18	0.45	<0.01	0.023	0.01	12.2	53.8	4.53	488	0.67	0.05
R333952		0.42	39.2	1.45	4.99	0.08	0.80	<0.01	0.007	0.05	15.9	12.5	0.69	195	18.85	0.06
R333953		0.22	83.5	1.67	5.59	0.08	0.73	<0.01	0.006	0.04	9.7	14.5	0.80	182	399	0.07
R333954		0.22	102.5	1.36	5.07	0.07	0.92	<0.01	0.007	0.04	10.7	14.3	0.76	151	5.86	0.07
R333955		0.11	214	1.48	3.90	0.07	0.55	<0.01	0.011	0.03	12.3	12.9	0.56	119	618	0.05
R333956		0.18	170.0	1.43	4.48	0.08	0.78	<0.01	0.008	0.05	12.3	11.3	0.61	166	110.5	0.07
R333957		0.10	60.8	1.49	3.67	0.07	0.62	<0.01	0.005	0.05	6.8	8.0	0.49	132	15.60	0.05
R333958		0.27	38.7	1.47	4.27	0.08	0.79	<0.01	0.005	0.05	14.5	10.2	0.56	176	24.1	0.07
R333959		0.28	33.8	1.58	4.50	0.08	0.91	<0.01	0.007	0.06	15.7	10.9	0.59	187	94.2	0.08
R333960		0.28	35.8	1.53	4.54	0.08	0.92	<0.01	0.007	0.04	16.2	11.2	0.60	185	101.5	0.06
R333961		0.35	54.2	1.53	4.03	0.08	1.07	<0.01	0.009	0.07	17.8	8.7	0.49	180	139.5	0.07
R333962		0.18	188.5	1.16	2.80	0.06	0.52	<0.01	0.008	0.03	8.7	6.5	0.36	149	15.80	0.04
R333963		0.31	135.0	1.45	4.13	0.08	0.92	<0.01	0.010	0.06	14.4	10.5	0.48	178	30.0	0.06
R333964		0.32	28.4	1.62	5.56	0.08	0.91	<0.01	0.008	0.05	13.3	15.0	0.75	203	264	0.06
R333965		0.25	57.0	1.28	3.16	0.07	1.17	<0.01	0.007	0.06	14.2	6.3	0.33	164	56.4	0.05
R333966		0.40	33.3	1.30	3.02	0.09	1.19	<0.01	0.010	0.07	18.5	6.1	0.34	202	3.32	0.05
R333967		0.27	27.1	1.26	2.87	0.10	1.02	<0.01	0.011	0.07	18.9	5.2	0.30	166	76.6	0.06
R333968		0.27	20.2	1.42	2.92	0.09	0.82	<0.01	0.012	0.07	15.8	5.7	0.32	191	9.10	0.06
R333969		0.28	28.7	1.15	2.41	0.08	1.00	<0.01	0.010	0.07	19.2	4.6	0.23	156	40.6	0.07
R333970		<0.05	0.8	0.02	<0.05	0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.08	<0.01
R333971		0.27	13.4	1.17	2.47	0.08	0.87	<0.01	0.009	0.06	19.5	4.7	0.24	156	6.49	0.06
R333972		0.09	20.6	1.24	2.43	0.07	0.52	<0.01	0.008	0.05	5.2	4.8	0.26	132	458	0.05
R333973		0.17	19.0	1.33	4.32	0.10	0.84	<0.01	0.012	0.06	18.3	7.2	0.43	184	30.5	0.06
R333974		0.31	12.9	1.25	3.19	0.08	0.86	<0.01	0.010	0.06	16.8	5.7	0.35	186	168.0	0.05
R333975		0.40	19.5	1.28	2.58	0.10	0.89	<0.01	0.010	0.08	20.1	5.8	0.25	194	15.70	0.07
R333976		0.25	14.7	1.17	2.67	0.09	1.19	<0.01	0.010	0.08	20.3	5.2	0.25	181	0.98	0.07
R333977		0.37	18.3	1.34	3.35	0.08	0.91	<0.01	0.009	0.06	17.7	7.2	0.38	195	159.0	0.06
R333978		0.18	45.5	1.27	3.98	0.08	0.77	<0.01	0.006	0.02	11.5	9.2	0.51	154	186.0	0.07
R333979		0.26	23.3	1.32	4.80	0.07	0.60	<0.01	0.007	0.02	8.9	12.2	0.64	159	42.8	0.05
R333980		3.69	6970	6.70	3.15	0.09	<0.02	0.04	0.317	0.27	2.7	10.8	0.31	620	140.0	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333941		0.24	4.9	340	4.2	2.5	0.047	0.09	<0.05	1.3	0.2	0.3	18.2	<0.01	0.14	6.3
R333942		0.28	4.4	340	7.4	2.7	0.024	0.21	<0.05	1.2	<0.2	0.3	21.0	<0.01	0.02	4.2
R333943		0.32	4.4	310	41.7	2.4	0.665	0.31	0.05	1.2	0.6	0.5	20.9	<0.01	3.90	5.9
R333944		0.33	5.2	340	3.9	3.8	0.042	0.06	<0.05	1.5	0.2	0.3	26.9	<0.01	0.07	6.6
R333945		0.25	6.2	390	1.8	3.1	0.011	0.03	0.05	1.7	0.2	0.3	21.5	<0.01	<0.01	4.7
R333946		0.21	6.8	380	2.5	2.8	0.002	0.10	0.06	1.6	0.2	0.5	19.2	<0.01	0.09	4.1
R333947		0.44	4.4	370	5.0	2.7	0.002	0.01	<0.05	1.2	<0.2	0.3	35.8	<0.01	<0.01	5.2
R333948		0.16	8.6	430	2.5	3.5	0.009	0.20	0.07	2.1	0.3	0.3	21.9	<0.01	0.36	3.9
R333949		0.23	4.4	320	1.9	2.2	0.045	0.08	0.06	1.2	0.2	0.5	15.8	<0.01	0.03	4.0
R333950		0.11	10.3	620	14.7	5.8	0.002	0.43	0.38	8.5	0.7	0.5	109.0	<0.01	4.25	1.5
R333951		<0.05	60.5	1070	5.3	1.5	0.001	0.12	<0.05	13.3	0.4	0.3	21.6	<0.01	0.09	2.3
R333952		0.22	6.3	400	1.5	2.8	0.015	0.10	0.06	1.7	0.2	0.5	18.0	<0.01	0.01	4.2
R333953		0.18	5.4	370	9.8	2.4	0.287	0.31	0.06	1.4	0.4	0.2	14.6	<0.01	0.81	4.2
R333954		0.18	5.8	360	3.4	2.2	0.004	0.24	<0.05	1.5	0.2	0.3	12.4	<0.01	0.34	5.2
R333955		0.17	6.1	370	17.1	1.3	0.416	0.54	0.10	1.1	0.3	0.5	18.6	<0.01	1.73	3.3
R333956		0.24	5.0	340	8.3	2.2	0.077	0.29	0.07	1.4	0.4	0.3	17.3	<0.01	2.70	4.3
R333957		0.21	4.5	330	12.4	1.8	0.010	0.63	0.06	1.3	0.3	0.2	16.2	<0.01	2.00	3.2
R333958		0.29	5.1	380	6.9	2.3	0.019	0.16	0.06	1.2	0.2	0.5	29.2	<0.01	1.77	4.3
R333959		0.34	5.8	390	5.7	2.8	0.072	0.17	<0.05	1.4	<0.2	0.3	36.3	<0.01	0.13	4.9
R333960		0.33	6.0	400	6.8	2.3	0.079	0.17	<0.05	1.5	0.3	0.3	35.5	<0.01	0.13	5.1
R333961		0.36	5.2	410	21.3	3.1	0.108	0.21	0.08	1.3	0.3	0.6	29.7	<0.01	0.39	9.3
R333962		0.20	3.4	260	3.8	1.6	0.011	0.16	<0.05	0.9	0.3	0.2	16.3	<0.01	2.25	2.7
R333963		0.33	4.6	350	3.1	3.0	0.027	0.16	<0.05	1.3	0.2	0.3	23.1	<0.01	0.93	5.0
R333964		0.27	6.2	360	8.1	2.5	0.234	0.14	0.07	1.5	0.3	0.5	21.4	<0.01	0.61	5.2
R333965		0.36	3.8	290	4.2	3.0	0.051	0.06	<0.05	1.1	0.2	0.3	22.5	<0.01	0.28	8.2
R333966		0.47	5.0	360	5.7	4.5	0.003	0.07	0.07	1.2	<0.2	0.3	35.7	<0.01	0.01	7.4
R333967		0.65	4.2	390	8.0	2.9	0.059	0.09	0.08	1.0	0.2	0.5	45.6	<0.01	0.15	5.9
R333968		0.48	4.7	400	13.1	3.5	0.007	0.25	0.06	1.2	<0.2	0.3	40.7	<0.01	0.09	4.9
R333969		0.69	3.7	370	8.9	3.4	0.028	0.10	0.05	0.9	<0.2	0.3	39.5	<0.01	0.02	5.5
R333970		<0.05	0.4	10	0.5	0.1	<0.001	0.04	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R333971		0.64	4.0	380	12.2	2.9	0.005	0.09	0.06	0.8	<0.2	0.5	41.6	<0.01	0.13	5.1
R333972		0.28	4.0	270	11.5	1.7	0.341	0.42	0.06	0.8	0.5	0.2	15.1	<0.01	1.24	3.1
R333973		0.36	5.1	390	3.2	2.5	0.021	0.31	0.06	1.6	0.2	0.3	38.6	<0.01	0.35	5.0
R333974		0.41	4.4	360	5.5	2.9	0.128	0.14	0.07	1.2	<0.2	0.5	28.1	<0.01	0.35	5.7
R333975		0.75	4.4	380	80.9	5.3	0.012	0.09	<0.05	0.9	0.4	0.3	51.8	<0.01	3.83	5.1
R333976		0.71	4.0	360	11.9	3.5	0.001	0.06	<0.05	0.9	0.2	0.3	48.4	<0.01	0.01	6.4
R333977		0.47	5.0	400	5.5	2.9	0.125	0.12	0.05	1.2	<0.2	0.5	38.4	<0.01	0.19	5.5
R333978		0.24	5.9	310	4.7	1.3	0.150	0.10	<0.05	1.0	<0.2	0.2	16.7	<0.01	1.16	4.5
R333979		0.19	7.4	360	5.2	1.4	0.034	0.15	<0.05	1.3	<0.2	0.3	18.7	<0.01	0.09	3.8
R333980		0.08	15.9	470	106.5	13.2	0.196	5.06	2.72	1.3	8.1	1.8	36.2	<0.01	0.95	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333941		0.030	0.02	3.27	20	0.33	3.31	21	25.9
R333942		0.028	0.02	2.81	19	0.23	3.31	18	19.1
R333943		0.026	0.15	2.60	19	0.25	3.24	21	23.7
R333944		0.050	0.04	2.39	23	0.29	3.85	27	28.1
R333945		0.051	0.02	2.06	25	0.26	4.28	28	22.6
R333946		0.045	0.02	2.63	25	0.23	4.20	27	20.8
R333947		0.056	0.02	2.00	20	0.15	3.32	24	23.5
R333948		0.038	0.03	1.56	28	0.16	3.81	30	20.7
R333949		0.034	0.02	1.57	18	0.17	3.56	21	19.6
R333950		0.140	0.07	0.43	77	0.39	7.62	66	20.4
R333951		0.018	0.02	1.09	122	0.10	9.15	92	24.3
R333952		0.044	0.03	1.81	24	0.23	4.11	28	21.6
R333953		0.036	0.08	1.67	23	0.30	4.52	27	19.3
R333954		0.039	0.03	2.40	21	0.35	4.02	30	23.8
R333955		0.022	0.13	3.23	16	0.30	3.54	25	14.8
R333956		0.040	0.03	2.19	19	0.34	3.63	24	20.8
R333957		0.032	0.02	1.17	19	0.34	3.31	15	17.0
R333958		0.047	0.02	1.77	20	0.28	3.49	24	22.4
R333959		0.055	0.03	2.66	21	0.36	3.85	28	24.3
R333960		0.052	0.03	2.72	21	0.34	3.82	30	24.4
R333961		0.051	0.04	17.35	19	0.49	5.99	28	27.1
R333962		0.025	0.02	1.45	13	0.29	2.73	20	13.7
R333963		0.046	0.04	2.29	20	0.27	3.76	23	23.4
R333964		0.049	0.12	2.82	24	0.32	4.48	28	22.7
R333965		0.043	0.03	2.82	18	0.37	3.27	19	27.1
R333966		0.050	0.03	3.29	19	0.32	3.43	27	25.6
R333967		0.060	0.02	2.54	18	0.27	3.55	23	22.5
R333968		0.048	0.02	2.55	19	0.35	3.73	23	19.2
R333969		0.059	0.02	2.69	17	0.23	3.38	20	22.1
R333970		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R333971		0.056	0.02	2.14	17	0.37	3.35	21	20.5
R333972		0.022	0.07	2.24	11	0.57	2.41	15	11.8
R333973		0.046	0.04	1.71	21	1.61	3.57	26	19.3
R333974		0.043	0.02	2.04	17	0.95	3.36	23	19.2
R333975		0.063	0.05	2.32	19	0.24	3.34	25	19.7
R333976		0.062	0.02	3.32	18	0.23	3.43	24	25.7
R333977		0.056	0.03	1.96	21	0.32	3.52	27	20.9
R333978		0.033	0.03	1.27	15	0.37	2.16	19	18.3
R333979		0.034	0.02	1.36	21	0.27	2.39	24	14.5
R333980		0.012	0.34	0.15	17	2.14	2.76	828	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R333981		3.41	0.001	0.02	0.73	0.2	<0.2	<10	20	0.42	0.21	0.27	<0.01	21.3	5.3	20
R333982		2.06	0.065	0.08	0.64	0.2	<0.2	<10	30	0.38	0.65	0.27	<0.01	22.0	4.7	21
R333983		3.17	0.027	0.07	0.43	0.2	<0.2	<10	70	0.41	0.72	0.53	0.01	28.3	3.4	17
R333984		3.11	0.001	0.02	0.40	0.2	<0.2	<10	60	0.30	0.15	0.43	0.01	27.3	2.9	16
R333985		3.21	0.005	0.03	0.42	0.1	<0.2	<10	80	0.29	0.38	0.45	0.01	29.3	2.9	19
R333986		3.35	0.052	0.15	0.51	0.1	<0.2	<10	80	0.36	149.0	0.49	0.01	25.2	4.3	16
R333987		2.24	0.121	0.15	0.78	0.3	<0.2	<10	40	0.66	1.39	0.19	0.02	18.20	6.9	16
R333988		3.10	0.074	0.19	0.77	0.1	<0.2	<10	30	0.51	1.11	0.18	0.02	21.1	6.7	19
R333989		2.85	0.084	0.06	0.67	0.1	<0.2	<10	30	0.40	0.58	0.29	<0.01	24.6	5.3	17
R333990		<0.02	0.017	0.07	0.65	0.1	<0.2	<10	30	0.35	0.46	0.27	<0.01	22.7	5.3	17
R333991		2.29	0.022	0.12	0.75	0.2	<0.2	<10	20	0.39	0.54	0.19	<0.01	18.85	5.7	21
R333992		3.49	0.020	0.10	0.45	<0.1	<0.2	<10	60	0.32	20.7	0.38	<0.01	27.1	3.8	17
R333993		1.14	0.008	0.06	0.34	0.2	<0.2	<10	100	0.26	0.62	0.51	<0.01	29.5	2.8	16
R333994		1.00	<0.001	0.02	0.35	0.1	<0.2	<10	120	0.28	0.23	0.55	0.01	25.7	3.4	16
R333995		1.98	0.049	0.08	0.45	<0.1	<0.2	<10	80	0.35	6.71	0.62	<0.01	27.1	4.0	18
R333996		1.82	0.010	0.04	0.48	0.2	<0.2	<10	80	0.35	0.24	0.55	<0.01	34.3	4.1	17
R333997		3.15	<0.001	0.03	0.44	0.2	<0.2	<10	100	0.26	0.12	0.53	0.01	37.9	3.2	18
R333998		3.15	0.001	0.02	0.46	0.2	<0.2	<10	100	0.29	0.90	0.58	0.01	36.5	3.2	22
R333999		2.08	0.060	0.20	0.49	0.2	0.2	<10	80	0.34	2.59	0.66	0.01	29.2	4.7	16
R334000		0.96	0.060	0.13	0.39	0.2	<0.2	<10	100	0.33	1.17	0.61	<0.01	23.8	3.2	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R333981		0.39	7.8	1.48	5.03	0.08	0.73	<0.01	0.007	0.04	11.3	13.2	0.70	177	20.9	0.08
R333982		0.30	24.9	1.53	4.44	0.07	0.73	<0.01	0.008	0.04	12.1	11.2	0.63	173	67.4	0.07
R333983		0.33	55.1	1.30	3.11	0.07	1.07	<0.01	0.009	0.07	17.1	6.8	0.35	174	14.80	0.07
R333984		0.31	44.5	1.17	3.11	0.08	1.26	<0.01	0.009	0.06	16.4	6.1	0.34	168	8.05	0.06
R333985		0.29	35.1	1.33	2.94	0.09	0.96	<0.01	0.007	0.07	17.2	5.9	0.33	165	11.85	0.07
R333986		0.44	133.0	1.44	3.82	0.07	0.72	<0.01	0.010	0.06	14.3	8.5	0.47	174	90.8	0.06
R333987		0.19	170.5	1.68	5.72	0.07	0.72	<0.01	0.009	0.03	9.6	13.7	0.81	154	70.8	0.07
R333988		0.20	184.0	1.81	5.53	0.07	0.77	<0.01	0.009	0.03	10.9	13.0	0.78	179	50.7	0.08
R333989		0.29	30.2	1.40	4.80	0.08	0.82	<0.01	0.007	0.05	13.5	10.9	0.62	178	9.93	0.08
R333990		0.29	31.4	1.38	4.73	0.08	0.80	<0.01	0.007	0.03	12.6	11.2	0.65	172	8.48	0.05
R333991		0.32	15.4	1.61	5.32	0.06	0.66	<0.01	0.007	0.03	10.2	12.8	0.73	196	27.7	0.09
R333992		0.33	46.0	1.27	3.46	0.06	0.69	<0.01	0.007	0.04	15.8	7.3	0.40	162	180.5	0.05
R333993		0.47	19.2	1.19	2.50	0.06	0.91	<0.01	0.006	0.07	17.4	5.2	0.25	180	77.5	0.06
R333994		0.64	91.8	1.20	2.60	0.06	0.70	<0.01	0.010	0.07	15.5	6.7	0.31	175	3.35	0.04
R333995		0.51	31.2	1.37	3.47	0.06	0.71	<0.01	0.009	0.06	15.7	7.4	0.39	199	134.5	0.05
R333996		0.48	31.0	1.39	3.49	0.07	0.80	<0.01	0.009	0.08	19.3	7.4	0.39	213	27.3	0.06
R333997		0.38	16.7	1.35	3.30	0.08	0.85	<0.01	0.008	0.08	22.4	7.0	0.36	225	0.37	0.06
R333998		0.54	28.6	1.50	3.20	0.07	0.79	<0.01	0.009	0.11	20.5	7.1	0.34	238	1.38	0.08
R333999		0.33	114.0	1.58	3.85	0.08	0.71	<0.01	0.012	0.07	16.4	8.2	0.44	205	11.90	0.06
R334000		0.30	28.8	1.31	2.79	0.06	0.60	<0.01	0.009	0.06	13.7	5.8	0.32	196	90.0	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R333981		0.22	7.6	400	1.3	2.4	0.017	0.07	0.05	1.6	0.2	0.5	21.2	<0.01	0.01	5.0
R333982		0.21	5.8	390	4.7	2.2	0.052	0.19	<0.05	1.4	0.2	0.2	20.7	<0.01	0.14	4.1
R333983		0.44	4.5	360	11.2	3.7	0.012	0.22	<0.05	1.1	0.4	0.3	35.9	<0.01	0.09	6.0
R333984		0.46	4.1	320	7.2	3.6	0.005	0.07	<0.05	1.1	<0.2	0.4	32.7	<0.01	<0.01	7.8
R333985		0.49	4.3	370	7.1	3.5	0.009	0.14	<0.05	1.0	0.3	0.3	39.6	<0.01	0.02	5.6
R333986		0.31	5.1	420	100.0	4.4	0.069	0.36	<0.05	1.3	1.6	0.3	34.4	<0.01	6.11	4.6
R333987		0.22	6.8	420	6.2	1.5	0.057	0.45	0.21	1.6	0.4	0.5	17.5	<0.01	0.38	4.2
R333988		0.21	8.0	420	5.2	1.6	0.045	0.49	0.05	1.5	0.3	0.3	15.7	<0.01	0.39	4.7
R333989		0.27	6.5	370	5.0	2.4	0.009	0.13	<0.05	1.5	0.2	0.3	26.0	<0.01	0.14	5.7
R333990		0.23	6.7	370	4.3	1.7	0.009	0.14	<0.05	1.5	<0.2	0.4	22.0	<0.01	0.14	5.6
R333991		0.17	10.6	360	2.1	1.8	0.036	0.12	<0.05	2.3	0.3	0.3	21.5	<0.01	0.17	4.4
R333992		0.43	5.1	360	16.0	2.1	0.158	0.17	<0.05	1.1	0.3	0.3	36.4	<0.01	1.19	4.7
R333993		0.59	4.1	330	5.1	4.5	0.062	0.10	0.05	1.0	0.3	0.4	44.1	<0.01	0.04	5.6
R333994		0.37	4.5	320	3.7	6.8	0.002	0.14	<0.05	1.2	<0.2	0.2	34.0	<0.01	0.01	4.5
R333995		0.31	5.0	350	8.1	3.6	0.105	0.23	<0.05	1.4	0.3	0.3	37.7	<0.01	0.19	4.9
R333996		0.48	5.0	390	4.0	4.6	0.023	0.09	0.05	1.4	0.3	0.5	49.2	<0.01	0.05	5.1
R333997		0.68	4.8	420	7.0	4.1	<0.001	0.03	<0.05	1.2	0.2	0.4	65.8	<0.01	0.02	5.4
R333998		0.59	5.0	390	6.7	7.9	0.001	0.06	<0.05	1.2	0.2	0.3	56.7	<0.01	0.01	4.6
R333999		0.43	6.0	430	6.8	4.0	0.009	0.52	0.07	1.5	0.3	0.4	40.7	<0.01	0.64	4.7
R334000		0.44	4.6	350	3.7	2.8	0.068	0.26	0.06	1.2	0.2	0.2	37.3	<0.01	0.46	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R333981		0.043	0.02	1.41	24	0.39	3.14	26	17.4
R333982		0.036	0.02	2.03	21	0.31	3.26	25	17.6
R333983		0.047	0.03	2.88	18	0.37	3.47	25	24.2
R333984		0.047	0.03	3.19	16	0.42	3.03	22	27.4
R333985		0.053	0.03	2.17	18	0.36	3.31	21	20.1
R333986		0.041	0.05	2.67	21	0.41	3.46	27	17.0
R333987		0.040	0.03	1.75	23	0.51	4.69	36	17.4
R333988		0.039	0.03	1.69	23	0.46	3.70	34	18.7
R333989		0.048	0.02	2.86	23	0.40	3.42	28	19.9
R333990		0.041	<0.02	2.83	23	0.39	3.11	28	18.6
R333991		0.039	0.03	1.48	24	0.28	2.35	28	16.0
R333992		0.047	0.03	1.97	19	0.26	3.08	23	15.0
R333993		0.053	0.04	2.80	18	0.29	3.21	24	18.2
R333994		0.039	0.05	1.90	18	0.22	2.81	24	14.9
R333995		0.043	0.03	1.64	21	0.36	3.26	25	15.0
R333996		0.063	0.03	1.80	22	0.42	3.77	28	16.5
R333997		0.072	0.03	1.91	22	0.30	3.89	30	18.0
R333998		0.072	0.05	1.86	22	0.29	3.92	29	17.4
R333999		0.052	0.03	1.40	23	0.77	3.64	27	16.1
R334000		0.046	0.02	2.76	21	0.50	3.15	24	13.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149029

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

CERTIFICATE SD15149031

Project: Miller

This report is for 101 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335051		3.16	0.008		0.05	0.37	2.0	<0.2	<10	110	0.25	1.36	0.63	0.01	35.5	3.1
R335052		1.20	0.042		0.25	0.33	1.8	<0.2	<10	110	0.23	4.70	0.57	<0.01	29.6	2.7
R335053		2.99	0.008		0.13	0.37	0.6	<0.2	<10	170	0.27	2.00	0.68	0.02	32.4	2.8
R335054		2.58	0.003		0.04	0.42	0.4	<0.2	<10	130	0.31	0.29	0.71	0.01	34.0	3.5
R335055		1.74	0.004		0.08	0.48	0.3	<0.2	<10	150	0.34	2.53	0.69	0.01	38.7	3.7
R335056		2.15	0.006		0.07	0.45	0.2	<0.2	<10	150	0.31	0.62	0.73	0.02	34.6	3.5
R335057		0.72	3.48		3.37	0.02	0.8	6.3	<10	30	<0.05	56.0	0.10	<0.01	1.37	0.9
R335058		1.27	0.009		0.42	0.39	0.2	<0.2	<10	190	0.32	5.33	0.74	0.01	34.9	3.2
R335059		2.12	0.044		0.16	0.39	0.5	<0.2	<10	170	0.31	2.96	0.81	<0.01	31.5	3.1
R335060		<0.02	0.062		0.19	0.38	1.1	<0.2	<10	170	0.33	3.86	0.84	<0.01	32.7	3.5
R335061		2.05	0.040		1.00	0.36	0.2	<0.2	<10	200	0.28	19.20	0.78	0.02	31.2	3.1
R335062		1.86	<0.001		0.03	0.37	0.3	<0.2	<10	140	0.22	0.16	0.64	0.01	37.1	2.9
R335063		3.05	<0.001		0.13	0.41	0.3	<0.2	<10	210	0.30	1.67	0.64	0.01	33.9	3.3
R335064		3.27	<0.001		0.12	0.40	0.2	<0.2	<10	160	0.33	2.51	0.61	0.02	36.2	3.3
R335065		2.68	0.006		0.05	0.49	0.5	<0.2	<10	90	0.45	2.20	0.53	<0.01	31.4	3.6
R335066		1.58	0.036		0.05	0.59	0.4	<0.2	<10	50	0.45	0.48	0.28	<0.01	20.4	4.7
R335067		1.98	0.022		0.06	0.57	0.2	<0.2	<10	50	0.48	0.33	0.52	<0.01	27.2	4.4
R335068		1.69	<0.001		0.02	0.43	0.2	<0.2	<10	90	0.30	0.15	0.44	<0.01	29.0	3.3
R335069		0.87	0.207		0.19	0.38	0.3	0.2	<10	100	0.31	1.38	0.68	<0.01	30.0	3.0
R335070		0.12	<0.001		0.01	0.01	0.1	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.00	0.1
R335071		2.98	0.005		0.04	0.43	<0.1	<0.2	<10	140	0.31	0.16	0.77	0.02	37.4	3.4
R335072		1.30	0.175		1.03	0.46	0.2	0.4	<10	130	0.35	42.3	0.82	<0.01	36.1	3.7
R335073		3.43	0.012		0.05	0.44	0.2	<0.2	<10	150	0.32	0.62	0.79	0.02	35.4	3.7
R335074		1.56	0.048		0.10	0.37	0.1	<0.2	<10	130	0.27	0.69	0.80	<0.01	28.3	3.1
R335075		3.31	0.003		0.04	0.48	0.1	<0.2	<10	130	0.34	0.17	0.74	0.02	40.1	3.7
R335076		2.79	0.003		0.03	0.49	0.3	<0.2	<10	130	0.31	0.11	0.75	0.01	41.3	4.0
R335077		3.11	0.032		4.76	0.54	0.3	<0.2	<10	130	0.37	142.5	0.69	0.05	36.4	4.0
R335078		3.27	0.008		0.04	0.56	<0.1	<0.2	<10	150	0.45	0.71	0.59	0.01	34.7	4.0
R335079		2.14	0.164		0.19	0.47	0.3	<0.2	<10	190	0.34	8.38	0.93	<0.01	31.2	4.0
R335080		0.07	2.37		4.73	1.67	18.6	2.5	<10	40	0.60	0.11	4.00	0.37	21.6	11.0
R335081		2.66	0.004		0.08	0.53	0.2	<0.2	<10	180	0.35	2.20	0.74	<0.01	36.1	3.8
R335082		3.10	0.002		0.18	0.51	0.2	<0.2	<10	130	0.32	0.41	0.75	0.01	40.7	3.8
R335083		2.17	0.442		0.05	0.48	0.3	<0.2	<10	120	0.33	4.90	0.75	<0.01	32.8	3.7
R335084		3.14	0.778		0.26	0.47	0.1	0.4	<10	150	0.34	19.25	0.69	0.01	36.7	3.5
R335085		2.10	0.003		0.04	0.43	<0.1	<0.2	<10	150	0.27	0.36	0.63	0.01	35.1	3.3
R335086		2.00	0.001		0.03	0.44	0.3	<0.2	<10	130	0.22	0.06	0.62	0.01	39.8	3.5
R335087		2.20	0.019		0.05	0.42	0.1	<0.2	<10	170	0.25	0.28	0.78	0.01	38.1	3.3
R335088		2.09	0.140		1.46	0.44	0.1	<0.2	<10	210	0.34	103.0	1.03	0.01	38.7	3.7
R335089		2.06	>10.0	6.90	0.58	0.39	0.2	1.8	<10	130	0.29	8.27	0.79	<0.01	25.3	3.1
R335090		<0.02	1.575		0.34	0.38	0.2	0.6	<10	130	0.31	9.44	0.80	<0.01	25.3	3.0

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335051		18	0.41	19.2	1.39	2.56	0.12	0.80	<0.01	0.007	0.09	19.9	5.7	0.28	207	14.10
R335052		18	0.70	32.6	1.31	2.44	0.12	0.82	<0.01	0.007	0.09	18.1	6.4	0.28	202	332
R335053		17	0.65	30.6	1.41	2.50	0.11	0.88	<0.01	0.007	0.13	18.5	7.2	0.28	234	67.8
R335054		18	1.10	38.1	1.50	3.02	0.12	0.82	<0.01	0.008	0.16	19.1	10.0	0.37	250	8.71
R335055		21	1.36	14.2	1.70	3.35	0.12	0.87	<0.01	0.008	0.21	21.1	11.1	0.42	289	3.84
R335056		19	1.39	73.4	1.58	2.99	0.11	0.78	<0.01	0.014	0.20	18.9	10.6	0.37	261	47.5
R335057		21	<0.05	23.4	0.77	0.21	0.08	<0.02	<0.01	<0.005	0.01	0.8	0.4	0.01	83	656
R335058		21	0.85	25.6	1.41	2.88	0.11	0.74	<0.01	0.009	0.11	19.5	7.8	0.35	240	28.4
R335059		19	0.60	21.5	1.49	2.71	0.10	0.66	<0.01	0.008	0.11	16.6	6.3	0.31	217	222
R335060		18	0.66	25.1	1.46	2.76	0.11	0.67	<0.01	0.009	0.10	17.7	6.5	0.32	214	253
R335061		20	0.69	19.6	1.54	2.40	0.10	0.68	<0.01	0.009	0.11	16.9	6.6	0.30	222	80.5
R335062		17	1.03	16.1	1.40	2.67	0.12	0.77	<0.01	0.008	0.13	20.9	7.0	0.30	223	5.97
R335063		20	0.43	40.4	1.43	3.02	0.12	0.69	<0.01	0.010	0.09	18.8	6.5	0.35	215	30.7
R335064		21	1.93	31.0	1.49	2.96	0.12	0.83	<0.01	0.009	0.17	19.8	10.0	0.35	239	45.3
R335065		19	0.86	31.9	1.52	3.72	0.12	0.72	<0.01	0.007	0.09	17.3	9.2	0.46	196	74.0
R335066		19	0.30	59.5	1.45	4.44	0.11	0.51	<0.01	0.005	0.04	10.6	12.1	0.65	162	67.2
R335067		20	0.36	37.4	1.60	3.81	0.10	0.62	<0.01	0.007	0.06	14.4	9.5	0.57	191	48.0
R335068		20	0.29	51.0	1.32	3.07	0.11	0.61	<0.01	0.006	0.06	16.5	7.3	0.41	149	27.0
R335069		16	0.26	41.7	1.37	2.63	0.11	0.60	<0.01	0.006	0.07	16.5	5.4	0.33	178	183.5
R335070		<1	<0.05	0.8	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.22
R335071		21	0.73	23.6	1.51	2.95	0.12	0.75	<0.01	0.008	0.10	20.6	7.4	0.37	245	0.43
R335072		19	1.00	37.1	1.66	3.11	0.12	0.67	<0.01	0.009	0.14	19.8	8.0	0.40	260	174.5
R335073		20	1.09	27.8	1.51	3.00	0.12	0.68	<0.01	0.009	0.14	19.2	8.6	0.39	267	33.4
R335074		20	0.29	40.8	1.49	2.39	0.10	0.60	<0.01	0.009	0.08	15.3	5.6	0.31	213	66.9
R335075		20	1.56	21.5	1.61	3.27	0.11	0.74	<0.01	0.009	0.19	21.5	10.6	0.42	273	7.49
R335076		20	0.61	30.3	1.57	3.58	0.11	0.70	<0.01	0.009	0.10	22.5	9.2	0.44	268	4.49
R335077		22	0.48	46.3	1.67	3.97	0.12	0.65	<0.01	0.008	0.08	18.9	10.8	0.52	247	23.8
R335078		19	1.12	61.8	1.55	4.16	0.11	0.68	<0.01	0.008	0.12	17.1	12.4	0.53	213	29.4
R335079		18	1.03	41.7	1.58	3.44	0.11	0.67	<0.01	0.006	0.12	16.5	9.5	0.42	234	333
R335080		25	3.21	70.2	3.16	6.52	0.15	0.37	0.08	0.039	0.24	9.7	16.9	0.94	715	6.25
R335081		21	1.57	34.0	1.68	3.77	0.12	0.73	<0.01	0.007	0.16	18.3	10.9	0.46	256	45.8
R335082		23	0.78	10.6	1.62	3.63	0.11	0.73	<0.01	0.008	0.11	21.6	8.2	0.45	261	2.92
R335083		19	0.35	15.3	1.53	3.61	0.10	0.67	<0.01	0.007	0.07	17.0	7.5	0.43	232	13.30
R335084		21	1.65	24.1	1.63	3.41	0.12	0.72	<0.01	0.007	0.15	19.2	10.2	0.41	255	19.65
R335085		19	1.58	15.5	1.54	3.13	0.11	0.72	<0.01	0.007	0.14	18.1	9.3	0.37	258	2.47
R335086		19	2.02	9.4	1.51	3.21	0.11	0.78	<0.01	<0.005	0.17	21.9	10.0	0.36	265	0.32
R335087		20	1.28	11.2	1.57	2.80	0.11	0.70	<0.01	0.007	0.15	20.0	8.6	0.32	267	17.95
R335088		17	0.75	34.4	1.58	2.84	0.11	0.73	<0.01	0.008	0.11	19.9	7.8	0.37	278	99.9
R335089		20	0.38	25.5	1.38	2.94	0.09	0.60	<0.01	0.005	0.08	13.3	6.7	0.32	194	158.5
R335090		22	0.37	23.2	1.43	2.92	0.10	0.57	<0.01	0.008	0.08	13.2	6.6	0.32	200	180.0

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335051		0.07	0.70	4.5	400	8.8	5.8	0.012	0.08	0.53	1.0	<0.2	0.6	57.4	<0.01	0.07
R335052		0.06	0.70	4.0	350	17.8	8.5	0.271	0.14	0.08	1.0	0.2	0.3	51.3	<0.01	0.24
R335053		0.08	0.53	4.3	380	17.5	11.5	0.055	0.18	0.07	1.0	<0.2	0.3	59.1	<0.01	0.06
R335054		0.06	0.41	5.1	400	5.0	18.2	0.006	0.12	0.09	1.5	0.4	0.5	45.1	<0.01	0.02
R335055		0.07	0.46	5.4	410	9.1	24.4	0.004	0.05	<0.05	1.6	0.3	0.3	52.0	<0.01	0.01
R335056		0.07	0.46	5.2	390	6.4	23.3	0.038	0.15	<0.05	1.4	0.4	0.3	53.0	<0.01	0.03
R335057		0.01	<0.05	2.1	10	112.5	0.3	0.470	0.07	0.10	<0.1	0.6	0.6	4.3	<0.01	6.93
R335058		0.06	0.55	4.8	390	33.6	11.1	0.021	0.13	<0.05	1.3	0.2	0.3	43.9	<0.01	0.41
R335059		0.07	0.38	4.8	370	7.2	7.3	0.182	0.29	0.08	1.3	0.3	0.2	47.6	<0.01	0.61
R335060		0.06	0.42	4.9	390	7.7	7.5	0.201	0.34	0.07	1.4	0.3	0.5	47.4	<0.01	1.02
R335061		0.07	0.47	4.6	370	41.0	9.5	0.071	0.38	0.05	1.3	0.5	0.2	51.0	<0.01	0.49
R335062		0.07	0.81	4.4	410	11.2	12.8	0.004	0.09	<0.05	1.1	0.3	0.3	71.5	<0.01	0.01
R335063		0.07	0.67	5.3	420	9.4	6.0	0.028	0.19	0.07	1.2	0.4	0.6	56.6	<0.01	0.02
R335064		0.07	0.75	5.1	440	16.7	21.3	0.038	0.18	<0.05	1.3	0.4	0.3	63.4	<0.01	0.05
R335065		0.08	0.41	5.0	410	4.3	7.7	0.068	0.15	<0.05	1.4	0.3	0.3	44.2	<0.01	0.17
R335066		0.06	0.16	6.0	370	2.4	2.2	0.055	0.15	0.11	1.4	0.3	0.5	19.0	<0.01	0.11
R335067		0.08	0.25	6.1	430	4.0	2.7	0.042	0.09	0.05	1.5	0.2	0.3	37.2	<0.01	0.07
R335068		0.07	0.43	4.8	420	5.0	2.5	0.024	0.08	<0.05	1.1	<0.2	0.3	47.9	<0.01	<0.01
R335069		0.06	0.47	4.5	400	9.0	2.9	0.138	0.13	0.06	1.1	0.2	0.6	48.6	<0.01	0.51
R335070		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	0.2	<0.2	0.7	<0.01	<0.01
R335071		0.07	0.62	5.0	440	9.0	7.9	<0.001	0.10	<0.05	1.3	<0.2	0.5	64.4	<0.01	0.05
R335072		0.07	0.54	5.3	430	96.8	13.4	0.139	0.25	0.06	1.6	0.9	0.3	57.7	<0.01	2.58
R335073		0.07	0.59	5.3	430	9.1	14.3	0.024	0.15	0.07	1.5	0.3	0.6	61.3	<0.01	0.11
R335074		0.06	0.40	4.7	390	6.4	4.5	0.054	0.32	0.10	1.2	0.2	0.2	47.2	<0.01	0.24
R335075		0.07	0.65	5.4	460	8.8	21.3	0.006	0.10	<0.05	1.6	0.2	0.4	68.5	<0.01	0.02
R335076		0.07	0.62	5.7	460	6.9	7.8	0.003	0.07	0.05	1.6	0.3	0.6	68.1	<0.01	0.01
R335077		0.07	0.47	5.7	450	358	4.9	0.019	0.15	0.08	1.5	1.4	0.3	49.2	<0.01	5.29
R335078		0.08	0.28	5.4	430	2.8	11.8	0.025	0.21	<0.05	1.5	0.4	0.3	40.1	<0.01	0.05
R335079		0.06	0.38	5.5	450	11.5	11.8	0.262	0.37	0.06	1.6	0.4	0.4	49.0	<0.01	0.94
R335080		0.08	0.05	11.0	650	17.4	11.7	0.002	0.94	0.41	8.2	1.0	0.5	120.0	<0.01	2.33
R335081		0.08	0.42	5.6	440	6.4	17.8	0.040	0.21	<0.05	1.6	0.4	0.3	49.9	<0.01	0.19
R335082		0.07	0.61	6.1	480	5.3	8.3	0.002	0.04	<0.05	1.5	0.2	0.4	75.2	<0.01	0.02
R335083		0.07	0.50	5.3	430	6.5	4.0	0.009	0.12	0.05	1.5	0.2	0.6	59.7	<0.01	0.32
R335084		0.07	0.67	5.2	430	30.5	18.0	0.014	0.21	<0.05	1.6	0.3	0.3	54.6	<0.01	4.63
R335085		0.07	0.72	5.0	420	7.2	16.7	0.001	0.17	<0.05	1.4	0.2	0.3	63.7	<0.01	0.05
R335086		0.07	0.88	5.2	480	8.8	22.0	<0.001	0.05	<0.05	1.3	<0.2	0.6	84.3	<0.01	0.01
R335087		0.07	0.66	4.9	420	8.4	15.5	0.015	0.16	<0.05	1.2	0.2	0.3	77.6	<0.01	0.12
R335088		0.06	0.48	5.4	450	196.5	9.2	0.066	0.31	0.07	1.4	0.6	0.3	66.5	<0.01	2.13
R335089		0.06	0.42	4.9	370	7.5	4.6	0.122	0.36	0.06	1.2	0.4	0.5	34.5	<0.01	2.87
R335090		0.06	0.42	4.7	370	7.9	4.5	0.137	0.35	0.06	1.2	0.3	0.2	32.9	<0.01	3.36

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335051		5.1	0.057	0.04	2.06	20	0.28	3.64	26	17.9
R335052		5.4	0.047	0.07	2.62	19	0.28	3.07	26	16.8
R335053		6.4	0.047	0.08	2.27	19	0.21	3.53	29	18.9
R335054		5.5	0.038	0.13	1.70	21	0.31	3.77	34	17.9
R335055		5.4	0.054	0.18	1.71	24	0.29	4.16	40	19.5
R335056		4.9	0.050	0.17	2.12	21	0.18	3.62	36	18.0
R335057		<0.2	<0.005	0.03	0.33	<1	0.06	0.10	<2	<0.5
R335058		4.2	0.046	0.09	2.03	21	0.34	3.53	31	17.3
R335059		4.4	0.032	0.06	1.96	19	0.44	3.51	28	15.0
R335060		4.6	0.032	0.06	1.82	19	0.44	3.70	25	15.7
R335061		4.0	0.036	0.07	1.74	18	0.24	3.47	27	14.9
R335062		4.8	0.063	0.09	1.86	21	0.10	3.76	31	17.5
R335063		4.5	0.054	0.04	1.75	21	0.18	3.75	31	15.7
R335064		5.2	0.059	0.15	2.17	23	0.11	3.99	34	18.7
R335065		5.0	0.043	0.06	1.79	23	0.36	3.75	27	16.2
R335066		3.9	0.020	0.02	1.04	22	0.23	3.14	23	12.0
R335067		4.6	0.037	0.02	1.49	22	0.28	3.65	26	14.5
R335068		4.2	0.043	0.02	1.84	20	0.17	3.40	22	14.1
R335069		4.0	0.045	0.02	1.62	19	0.26	3.42	21	14.0
R335070		0.2	<0.005	<0.02	0.08	<1	<0.05	0.67	<2	0.8
R335071		4.5	0.060	0.05	1.84	23	0.24	4.03	31	16.5
R335072		4.5	0.056	0.11	1.91	25	0.26	4.03	33	15.1
R335073		4.2	0.056	0.10	1.68	23	0.20	3.94	34	15.6
R335074		3.9	0.034	0.03	1.49	17	0.34	3.58	23	14.1
R335075		4.6	0.074	0.16	1.81	26	0.15	4.37	40	16.9
R335076		4.5	0.068	0.05	1.49	25	0.20	4.33	36	16.2
R335077		4.3	0.054	0.07	1.55	26	0.31	4.31	34	15.7
R335078		4.4	0.038	0.08	1.34	25	0.28	4.02	32	15.6
R335079		4.1	0.031	0.09	1.59	22	0.28	4.26	30	16.4
R335080		1.4	0.046	0.14	0.35	71	0.33	7.61	87	11.8
R335081		4.5	0.045	0.12	2.03	25	0.27	4.27	34	17.2
R335082		4.4	0.071	0.06	1.56	27	0.23	4.36	34	17.4
R335083		4.3	0.049	0.02	1.74	24	0.30	4.19	29	15.8
R335084		4.1	0.060	0.13	1.69	26	0.32	4.08	32	16.8
R335085		4.1	0.061	0.12	1.44	24	0.19	3.96	35	16.4
R335086		4.5	0.078	0.15	1.50	25	0.12	4.21	38	17.7
R335087		4.7	0.053	0.10	1.65	21	0.16	3.92	34	15.6
R335088		4.8	0.041	0.08	1.87	21	0.43	4.09	35	16.5
R335089		3.8	0.032	0.04	1.32	19	1.65	3.47	21	13.5
R335090		3.9	0.032	0.04	1.33	19	1.56	3.41	21	13.2

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335091		2.07	0.519		0.12	0.45	0.1	<0.2	<10	120	0.34	10.10	0.77	0.01	32.3	4.0
R335092		2.09	0.071		0.15	0.45	0.2	<0.2	<10	170	0.37	0.95	0.84	<0.01	36.9	4.0
R335093		2.18	0.005		0.06	0.44	0.2	<0.2	<10	180	0.31	0.41	0.65	0.01	33.9	3.1
R335094		1.95	0.026		0.12	0.45	<0.1	<0.2	<10	120	0.35	0.68	0.70	<0.01	31.7	3.4
R335095		3.09	0.030		0.08	0.47	0.2	<0.2	<10	160	0.35	1.54	0.70	<0.01	36.5	3.6
R335096		3.03	0.010		0.06	0.46	0.1	<0.2	<10	140	0.35	0.43	0.78	0.01	31.8	3.5
R335097		3.06	0.003		0.07	0.49	0.1	<0.2	<10	150	0.33	0.48	0.69	0.01	39.8	3.6
R335098		3.21	0.002		0.06	0.48	0.2	<0.2	<10	110	0.32	0.45	0.63	0.01	38.0	3.6
R335099		3.00	<0.001		0.06	0.53	0.2	<0.2	<10	160	0.38	0.24	0.71	0.01	36.0	4.0
R335100		0.06	2.44		4.88	1.69	19.0	2.5	<10	40	0.63	0.10	4.02	0.37	21.9	11.1
R335151		1.19	0.008		0.12	0.39	0.1	<0.2	<10	90	0.30	0.75	0.56	<0.01	23.9	2.8
R335152		3.26	0.007		0.04	0.47	0.2	<0.2	<10	110	0.34	0.41	0.66	<0.01	31.7	3.5
R335153		2.09	0.006		0.12	0.40	0.1	<0.2	<10	110	0.35	0.99	0.68	<0.01	30.0	3.2
R335154		2.40	0.014		0.07	0.43	0.1	<0.2	<10	90	0.32	0.52	0.69	<0.01	33.8	3.1
R335155		3.22	0.038		0.10	0.45	0.2	<0.2	<10	70	0.41	0.92	0.81	<0.01	31.7	3.6
R335156		2.22	0.131		0.59	0.38	0.1	<0.2	<10	80	0.41	20.3	1.06	<0.01	26.9	4.2
R335157		2.12	0.048		0.37	0.40	0.1	<0.2	<10	150	0.36	16.75	0.73	<0.01	30.3	3.4
R335158		2.48	0.012		0.11	0.46	0.2	<0.2	<10	100	0.32	0.59	0.84	0.01	37.2	3.8
R335159		3.30	0.079		0.27	0.51	0.2	<0.2	<10	130	0.35	3.35	0.70	0.01	42.6	4.2
R335160		<0.02	0.222		0.30	0.51	0.1	<0.2	<10	130	0.37	4.06	0.70	0.01	42.1	4.1
R335161		1.52	0.022		1.35	0.45	0.3	<0.2	<10	130	0.36	29.0	0.63	0.01	36.6	4.4
R335162		2.08	0.091		1.29	0.62	0.2	<0.2	<10	120	0.48	4.97	1.30	0.01	49.6	6.5
R335163		3.35	<0.001		0.11	1.44	0.6	<0.2	<10	50	0.23	1.42	1.52	0.02	68.8	18.4
R335164		1.20	<0.001		0.04	1.89	0.3	<0.2	<10	140	0.26	0.23	0.94	<0.01	41.2	23.0
R335165		3.61	0.001		0.44	1.07	0.4	<0.2	<10	50	0.16	8.46	1.39	0.01	77.0	12.7
R335166		3.07	0.017		0.06	0.93	0.6	<0.2	<10	30	0.16	1.17	1.85	0.01	83.6	9.8
R335167		0.86	0.025		21.8	1.01	0.4	<0.2	<10	30	0.45	666	3.64	0.87	61.2	16.8
R335168		2.58	0.001		0.04	1.05	0.5	<0.2	<10	30	0.18	0.74	1.53	0.01	79.3	12.0
R335169		3.43	0.001		0.13	0.79	0.4	<0.2	<10	20	0.15	1.52	1.55	0.02	68.4	9.2
R335170		0.11	<0.001		0.01	0.01	0.3	<0.2	<10	<10	<0.05	0.12	0.01	<0.01	1.17	0.1
R335171		2.24	<0.001		0.12	0.66	0.4	<0.2	<10	10	0.13	0.85	1.71	0.05	65.5	9.8
R335172		2.57	<0.001		0.01	0.86	0.4	<0.2	<10	40	0.12	0.09	1.10	0.02	70.5	10.4
R335173		3.27	<0.001		0.02	1.10	0.5	<0.2	<10	60	0.15	0.08	1.27	0.05	79.7	12.7
R335174		3.77	<0.001		0.01	1.21	0.6	<0.2	<10	110	0.13	0.10	1.15	0.04	86.3	13.5
R335175		3.58	0.001		0.01	1.19	0.6	<0.2	<10	100	0.12	0.06	1.34	0.01	87.1	12.8
R335176		3.36	<0.001		0.05	0.93	0.5	<0.2	<10	60	0.16	0.08	1.37	0.01	83.6	10.0
R335177		1.32	0.011		6.32	1.26	0.5	<0.2	<10	20	0.54	18.15	5.10	<0.01	64.6	23.0
R335178		3.40	<0.001		0.04	1.12	0.6	<0.2	<10	30	0.19	0.95	1.55	0.01	80.7	13.4
R335179		1.75	0.003		0.04	0.69	0.2	<0.2	<10	70	0.31	0.14	1.15	0.01	50.0	6.2
R335180		0.06	9.36		9.21	1.68	11.3	9.0	<10	30	0.51	0.08	3.82	0.26	18.75	10.9

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335091		21	0.29	336	1.63	3.75	0.11	0.63	<0.01	0.018	0.08	16.7	7.7	0.38	201	17.45
R335092		18	0.87	27.7	1.62	3.46	0.11	0.76	<0.01	0.008	0.10	19.4	8.4	0.39	250	81.2
R335093		22	0.94	40.3	1.53	3.33	0.12	0.68	<0.01	0.008	0.11	17.5	8.7	0.37	222	15.10
R335094		18	0.31	37.8	1.46	3.72	0.10	0.70	<0.01	0.008	0.07	16.1	7.8	0.40	201	52.8
R335095		19	0.70	41.3	1.53	3.71	0.11	0.79	<0.01	0.008	0.10	18.6	9.2	0.40	219	34.5
R335096		22	0.90	126.5	1.55	3.65	0.11	0.78	<0.01	0.011	0.11	16.5	9.4	0.40	251	10.90
R335097		20	1.88	34.0	1.55	3.55	0.11	0.97	<0.01	0.008	0.20	21.4	12.8	0.40	273	40.1
R335098		18	1.02	70.1	1.47	3.66	0.11	0.91	<0.01	0.008	0.13	20.1	10.3	0.42	250	2.56
R335099		22	0.54	73.0	1.69	4.21	0.11	1.03	<0.01	0.009	0.11	18.8	9.4	0.44	266	0.25
R335100		25	3.28	70.9	3.18	6.68	0.13	0.39	0.08	0.038	0.25	10.0	17.6	0.94	715	6.06
R335151		19	0.28	52.9	1.28	3.17	0.10	0.70	<0.01	0.006	0.06	12.8	7.7	0.36	175	8.61
R335152		21	0.41	91.1	1.44	3.82	0.10	0.91	<0.01	0.009	0.09	16.2	9.0	0.42	200	4.98
R335153		21	0.57	91.1	1.51	3.25	0.11	0.90	<0.01	0.009	0.10	15.7	7.4	0.35	205	78.5
R335154		19	0.63	53.5	1.42	3.44	0.10	0.89	<0.01	0.008	0.09	17.6	8.5	0.38	209	40.0
R335155		18	0.32	49.9	1.45	3.51	0.12	0.84	<0.01	0.005	0.07	15.9	8.3	0.40	185	28.6
R335156		24	0.25	57.8	1.74	2.78	0.10	0.76	<0.01	0.006	0.08	13.3	6.0	0.29	209	27.8
R335157		19	0.61	56.2	1.47	2.99	0.11	0.82	<0.01	0.007	0.10	16.2	8.3	0.34	207	56.0
R335158		18	0.35	67.3	1.55	3.54	0.11	0.82	<0.01	0.009	0.08	19.8	8.6	0.43	221	7.03
R335159		23	1.65	61.3	1.83	3.87	0.12	1.02	<0.01	0.007	0.17	22.2	12.8	0.47	271	6.88
R335160		21	1.66	61.2	1.74	3.95	0.12	0.99	<0.01	0.009	0.17	21.9	13.0	0.47	261	8.97
R335161		22	2.14	86.3	1.76	3.66	0.11	0.79	<0.01	0.009	0.19	19.4	13.6	0.46	243	19.05
R335162		29	1.87	54.5	2.42	4.89	0.13	1.12	<0.01	0.010	0.19	26.2	14.2	0.63	341	97.7
R335163		139	2.96	70.6	2.35	6.62	0.15	0.35	<0.01	0.007	0.36	32.2	32.8	1.64	395	2.15
R335164		222	6.29	42.0	2.63	8.25	0.12	0.31	<0.01	0.006	0.67	20.0	54.8	2.27	518	4.50
R335165		103	2.16	63.5	1.75	4.76	0.16	0.29	<0.01	0.006	0.29	36.3	19.8	1.11	300	6.31
R335166		86	0.83	58.2	1.32	3.93	0.16	0.34	<0.01	0.006	0.14	39.6	11.0	0.78	210	1.52
R335167		137	4.00	75.9	2.51	5.77	0.17	0.38	<0.01	0.015	0.30	27.5	30.7	1.31	388	248
R335168		94	1.70	63.7	1.63	4.81	0.15	0.29	<0.01	0.007	0.18	36.5	17.3	0.98	252	16.30
R335169		87	0.68	48.8	1.34	3.86	0.14	0.27	<0.01	0.006	0.10	31.6	9.7	0.70	200	47.7
R335170		<1	<0.05	1.2	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	0.20
R335171		74	0.49	153.5	1.22	3.61	0.13	0.27	<0.01	<0.005	0.07	31.1	8.3	0.68	199	2.63
R335172		83	1.95	62.5	1.53	3.60	0.13	0.24	<0.01	0.007	0.23	32.9	14.2	0.83	212	0.53
R335173		99	1.59	65.2	1.74	4.43	0.16	0.25	<0.01	0.005	0.25	37.0	17.9	1.05	248	0.84
R335174		107	2.32	63.8	1.79	4.46	0.15	0.25	<0.01	0.005	0.39	40.0	22.2	1.13	240	0.99
R335175		115	1.91	66.8	1.69	4.21	0.14	0.26	<0.01	0.005	0.40	40.4	19.7	1.06	220	0.59
R335176		77	1.04	64.8	1.40	3.63	0.13	0.31	<0.01	0.005	0.21	38.5	11.5	0.79	190	0.70
R335177		138	4.04	67.3	3.43	8.56	0.14	0.50	<0.01	0.022	0.26	29.5	44.6	1.63	475	2880
R335178		88	0.97	70.2	1.79	4.81	0.14	0.30	<0.01	0.007	0.12	37.5	16.9	1.10	268	5.29
R335179		32	1.06	25.2	1.74	4.78	0.08	0.62	<0.01	0.008	0.14	26.0	12.9	0.64	256	5.09
R335180		18	2.35	63.4	2.91	6.79	0.11	0.61	0.17	0.023	0.12	8.5	21.4	1.05	800	5.03

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335091		0.06	0.44	5.6	390	5.7	3.9	0.014	0.49	0.05	1.5	0.5	0.3	33.1	<0.01	2.08
R335092		0.06	0.64	5.7	460	6.6	7.9	0.059	0.34	0.06	1.6	0.4	0.6	53.4	<0.01	0.17
R335093		0.07	0.59	4.8	390	3.2	8.9	0.010	0.24	<0.05	1.4	0.3	0.3	41.0	<0.01	0.04
R335094		0.06	0.44	5.0	410	3.1	3.7	0.038	0.25	<0.05	1.4	0.3	0.3	32.7	<0.01	0.12
R335095		0.07	0.52	5.1	420	4.2	7.5	0.028	0.23	0.05	1.5	0.4	0.5	46.4	<0.01	0.06
R335096		0.06	0.63	5.3	380	6.9	10.9	0.010	0.15	<0.05	1.4	0.4	0.3	57.9	<0.01	0.04
R335097		0.08	0.69	5.4	420	13.4	24.8	0.028	0.10	<0.05	1.6	0.2	0.3	73.3	<0.01	0.08
R335098		0.07	0.63	5.2	410	8.3	13.4	0.001	0.11	0.05	1.5	0.2	0.6	59.8	<0.01	0.08
R335099		0.08	0.57	5.7	420	7.8	8.3	<0.001	0.23	<0.05	1.5	0.3	0.3	65.1	<0.01	0.03
R335100		0.08	<0.05	11.1	650	17.6	12.0	0.002	0.95	0.41	8.3	1.2	0.5	122.0	<0.01	2.42
R335151		0.06	0.30	4.4	330	1.8	3.7	0.006	0.18	<0.05	1.2	0.2	0.2	25.8	<0.01	0.09
R335152		0.07	0.35	5.1	380	2.2	5.3	0.004	0.21	0.05	1.4	0.4	0.5	35.0	<0.01	0.02
R335153		0.07	0.50	4.9	360	6.8	7.1	0.073	0.32	<0.05	1.3	0.3	0.3	35.3	<0.01	0.07
R335154		0.07	0.46	4.9	370	3.8	6.9	0.030	0.21	<0.05	1.4	0.3	0.3	36.7	<0.01	0.05
R335155		0.06	0.36	5.0	400	3.0	3.8	0.021	0.33	0.07	1.3	0.3	0.5	29.0	<0.01	0.30
R335156		0.06	0.54	5.8	470	37.8	4.3	0.019	0.68	0.09	1.3	0.7	0.3	34.9	<0.01	1.78
R335157		0.06	0.59	5.1	400	41.6	8.7	0.036	0.33	0.08	1.3	0.5	0.3	55.7	<0.01	1.30
R335158		0.06	0.48	5.5	460	3.6	4.8	0.005	0.26	0.08	1.5	0.2	0.5	47.2	<0.01	0.24
R335159		0.07	0.76	6.1	550	10.3	20.4	0.005	0.15	<0.05	1.5	0.2	0.4	76.0	<0.01	0.16
R335160		0.08	0.81	5.9	540	10.7	21.1	0.006	0.15	<0.05	1.5	0.3	0.4	74.8	<0.01	0.19
R335161		0.06	0.68	5.9	500	69.6	25.2	0.012	0.30	0.06	1.5	0.5	0.6	50.5	<0.01	3.74
R335162		0.07	0.63	9.3	830	90.2	22.0	0.072	0.41	0.05	2.2	0.5	0.4	65.9	<0.01	0.61
R335163		0.07	0.09	60.2	1400	8.0	22.7	0.002	0.20	0.06	3.7	0.7	0.2	71.5	<0.01	0.01
R335164		0.06	<0.05	86.8	970	2.9	41.8	0.004	0.06	<0.05	4.0	0.3	0.2	41.7	<0.01	0.01
R335165		0.09	0.10	39.2	1600	38.4	17.6	0.007	0.09	0.05	3.7	0.5	0.2	65.0	<0.01	0.02
R335166		0.07	0.25	26.8	1710	5.5	8.3	<0.001	0.09	0.10	3.7	0.6	0.2	165.0	<0.01	<0.01
R335167		0.04	0.10	50.1	1180	894	33.2	0.267	0.77	0.07	7.9	3.5	0.4	67.2	<0.01	0.39
R335168		0.07	0.15	32.6	1630	5.2	9.5	0.016	0.13	0.05	3.4	0.7	0.2	101.5	<0.01	<0.01
R335169		0.07	0.25	25.3	1500	11.9	5.3	0.049	0.14	<0.05	3.3	0.4	0.2	89.4	<0.01	<0.01
R335170		<0.01	<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	0.2	<0.2	0.7	<0.01	<0.01
R335171		0.07	0.21	23.3	1390	26.1	3.9	0.002	0.14	0.05	2.8	0.6	0.3	67.2	<0.01	0.01
R335172		0.09	0.11	28.1	1470	5.5	14.0	<0.001	0.06	<0.05	3.2	0.5	0.2	53.5	<0.01	<0.01
R335173		0.09	0.12	34.8	1670	3.2	12.8	0.001	0.06	<0.05	3.6	0.5	0.2	73.5	<0.01	0.01
R335174		0.09	0.08	37.7	1760	2.7	17.2	0.001	0.06	<0.05	3.5	0.4	0.2	61.0	<0.01	<0.01
R335175		0.09	0.09	39.4	1760	1.7	15.6	<0.001	0.06	<0.05	3.5	0.3	0.2	68.6	<0.01	0.01
R335176		0.08	0.23	27.9	1650	2.0	10.7	<0.001	0.07	<0.05	3.3	0.5	0.2	76.5	<0.01	0.01
R335177		0.03	0.15	60.3	1210	67.5	33.2	2.53	1.28	0.05	11.6	1.6	0.5	59.7	<0.01	0.07
R335178		0.08	0.18	35.3	1680	2.6	7.5	0.004	0.18	<0.05	3.4	0.6	0.2	92.6	<0.01	<0.01
R335179		0.07	0.38	11.0	820	4.3	10.9	0.004	0.13	<0.05	2.4	0.5	0.4	71.0	<0.01	0.03
R335180		0.07	0.11	9.8	630	14.5	5.4	0.002	0.44	0.38	8.9	0.8	0.5	102.5	<0.01	4.39

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335091		4.1	0.040	0.03	1.45	23	0.91	3.82	24	14.9
R335092		4.6	0.050	0.06	2.02	24	0.42	4.26	32	18.7
R335093		4.2	0.043	0.06	1.57	23	0.37	3.78	27	16.2
R335094		4.5	0.041	0.03	1.45	24	0.45	3.81	26	16.4
R335095		5.1	0.048	0.05	2.22	24	0.45	4.08	30	17.7
R335096		4.9	0.053	0.07	1.70	23	0.41	3.88	34	17.8
R335097		5.8	0.070	0.17	2.11	25	0.14	4.14	38	21.5
R335098		5.9	0.063	0.09	2.47	25	0.23	4.10	33	20.7
R335099		6.7	0.063	0.05	2.93	27	0.22	4.30	34	22.6
R335100		1.5	0.047	0.14	0.36	71	0.35	7.91	87	12.3
R335151		4.9	0.024	0.02	1.90	20	0.27	3.34	21	15.7
R335152		5.8	0.039	0.03	2.34	24	0.29	3.98	24	20.4
R335153		5.4	0.037	0.05	2.30	21	0.25	3.56	23	19.2
R335154		6.0	0.045	0.04	2.46	22	0.34	3.76	25	19.4
R335155		6.0	0.030	0.03	2.48	22	0.63	3.94	21	18.0
R335156		4.8	0.043	0.03	2.06	22	0.94	4.25	21	17.4
R335157		5.5	0.044	0.07	2.70	20	0.39	3.58	29	17.5
R335158		5.3	0.046	0.03	2.19	23	0.38	3.95	31	19.3
R335159		5.6	0.085	0.15	2.30	28	0.22	4.31	40	22.2
R335160		5.6	0.082	0.15	2.22	28	0.20	4.25	42	21.6
R335161		4.6	0.071	0.20	2.07	27	0.24	3.52	37	17.4
R335162		7.1	0.105	0.16	3.17	38	0.51	5.16	51	22.4
R335163		3.9	0.174	0.18	0.67	59	0.42	6.46	58	10.7
R335164		2.6	0.183	0.33	0.42	71	0.25	4.42	72	11.1
R335165		4.1	0.164	0.12	0.61	50	0.27	6.88	67	9.0
R335166		4.4	0.164	0.06	0.68	40	0.34	7.33	24	9.4
R335167		3.0	0.139	0.38	2.62	67	0.54	7.27	46	12.3
R335168		4.2	0.163	0.08	0.64	46	0.29	6.79	33	8.0
R335169		3.8	0.159	0.05	0.60	40	0.28	6.75	26	6.9
R335170		0.2	<0.005	<0.02	0.07	<1	<0.05	0.63	<2	0.7
R335171		3.4	0.153	0.04	0.57	36	0.27	6.43	31	7.7
R335172		3.9	0.153	0.12	0.57	44	0.18	5.23	29	7.6
R335173		4.4	0.164	0.11	0.62	52	0.18	5.90	44	8.2
R335174		4.6	0.169	0.13	0.63	50	0.19	5.30	39	8.7
R335175		4.8	0.170	0.11	0.63	48	0.22	5.65	28	8.8
R335176		4.5	0.165	0.08	0.79	41	0.19	6.82	22	8.8
R335177		5.9	0.133	0.36	15.30	84	0.68	11.05	61	16.0
R335178		4.4	0.176	0.06	0.63	49	0.22	6.91	32	8.8
R335179		3.9	0.117	0.09	1.32	37	0.26	5.41	42	17.0
R335180		1.5	0.128	0.08	0.45	77	0.45	7.86	63	19.7

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	WEI-21	Au-ICP22	Au-GRA22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.001	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
R335181		2.01	0.091		1.01	0.63	0.5	<0.2	<10	40	0.34	1.11	1.79	0.01	32.2	6.4
R335182		2.22	0.002		0.12	2.05	0.4	<0.2	<10	20	0.42	0.78	2.44	0.01	74.8	24.2
R335183		3.60	<0.001		0.03	1.67	0.3	<0.2	<10	60	0.27	0.21	2.02	0.01	92.3	20.6
R335184		3.53	0.001		0.01	1.17	0.6	<0.2	<10	60	0.18	0.07	1.44	0.01	86.3	13.2
R335185		3.55	<0.001		0.02	1.02	1.5	<0.2	<10	30	0.19	0.15	1.62	0.01	81.2	11.9
R335186		3.39	<0.001		0.03	1.27	0.5	<0.2	<10	50	0.13	0.28	1.45	0.01	83.8	15.3
R335187		3.41	<0.001		0.03	1.36	0.6	<0.2	<10	60	0.17	0.10	1.76	0.02	81.7	16.0
R335188		3.20	0.001		0.07	2.86	0.6	<0.2	<10	190	0.63	0.46	3.97	0.04	76.0	29.5
R335189		3.55	0.016		1.25	1.37	0.4	<0.2	<10	70	0.27	0.21	2.35	0.03	48.4	16.7
R335190		<0.02	0.018		1.54	1.29	0.3	<0.2	<10	60	0.27	0.21	2.28	0.02	46.9	15.8
R335191		3.61	0.001		0.02	1.36	0.3	<0.2	<10	110	0.24	0.06	1.58	0.01	51.3	13.7
R335192		1.12	0.001		0.26	1.16	0.4	<0.2	<10	50	0.34	1.53	2.08	0.05	39.5	16.6
R335193		3.47	<0.001		0.05	1.11	0.3	<0.2	<10	90	0.12	0.23	1.40	0.01	49.2	12.6
R335194		3.38	<0.001		0.06	1.34	0.4	<0.2	<10	110	0.26	1.28	1.50	0.01	55.8	14.5
R335195		3.49	<0.001		0.04	1.10	0.3	<0.2	<10	90	0.11	0.05	1.41	0.01	47.9	11.3
R335196		3.23	<0.001		0.04	1.85	0.3	<0.2	<10	260	0.22	0.15	1.42	0.01	50.4	19.5
R335197		3.07	<0.001		0.03	1.73	0.3	<0.2	<10	180	0.33	0.51	1.90	0.01	49.6	19.8
R335198		3.46	0.002		0.05	1.09	0.4	<0.2	<10	70	0.10	0.21	1.16	0.02	51.6	13.5
R335199		3.85	<0.001		0.06	1.49	0.8	<0.2	<10	100	0.35	0.52	1.66	0.02	72.8	18.8
R335200		3.26	<0.001		0.08	1.70	0.6	<0.2	<10	190	0.32	0.11	1.44	0.01	58.6	20.6
P444951		2.64	<0.001		0.14	1.15	0.3	<0.2	<10	100	0.14	0.13	1.12	0.01	49.0	19.8

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
R335181		25	0.48	50.4	1.91	4.61	0.06	0.48	<0.01	0.011	0.07	16.6	13.3	0.71	293	49.5
R335182		201	0.95	50.7	3.72	11.75	0.15	0.46	<0.01	0.018	0.07	34.3	38.3	2.88	604	40.2
R335183		156	3.01	62.5	2.52	6.92	0.17	0.33	<0.01	0.008	0.29	42.3	37.9	1.94	429	2.53
R335184		101	1.74	60.8	1.80	4.81	0.15	0.27	<0.01	0.005	0.22	39.4	23.8	1.19	277	0.66
R335185		91	1.30	47.4	1.65	4.54	0.14	0.25	<0.01	0.006	0.14	38.3	18.0	0.99	256	1.43
R335186		104	2.90	57.9	1.88	4.59	0.14	0.26	<0.01	0.006	0.37	38.8	19.3	1.15	250	5.11
R335187		113	3.36	68.7	1.86	4.33	0.14	0.33	<0.01	<0.005	0.42	37.0	21.8	1.32	285	1.91
R335188		231	10.55	123.5	4.38	10.85	0.17	0.45	<0.01	0.022	0.89	34.7	60.7	3.42	728	23.7
R335189		172	2.52	65.3	2.05	4.72	0.09	0.25	<0.01	0.009	0.27	22.4	24.7	1.55	326	2.39
R335190		163	2.45	63.5	1.94	4.52	0.08	0.24	<0.01	0.010	0.25	21.9	24.2	1.47	315	2.33
R335191		175	2.69	59.1	1.78	4.57	0.11	0.31	<0.01	0.007	0.45	23.1	22.5	1.36	274	0.42
R335192		150	1.97	796	2.10	5.78	0.10	0.35	<0.01	0.051	0.20	18.1	23.2	1.57	262	8.08
R335193		137	1.76	59.9	1.53	3.72	0.09	0.20	<0.01	0.005	0.32	22.8	17.3	1.02	211	0.93
R335194		178	4.49	83.0	1.95	5.37	0.12	0.27	<0.01	0.007	0.56	25.7	27.9	1.34	281	1.32
R335195		144	1.29	53.1	1.47	3.71	0.10	0.19	<0.01	0.005	0.37	22.3	18.3	0.92	206	2.42
R335196		206	6.86	52.9	2.46	6.30	0.13	0.26	<0.01	0.006	1.02	23.9	45.5	1.88	330	4.40
R335197		202	8.70	50.8	2.47	6.55	0.13	0.30	<0.01	0.007	0.79	23.2	43.5	1.93	397	2.27
R335198		141	1.30	63.8	1.52	3.62	0.08	0.17	<0.01	<0.005	0.25	24.0	18.4	0.98	236	4.42
R335199		151	6.92	96.8	2.36	5.52	0.14	0.46	<0.01	0.009	0.75	31.0	35.3	1.56	346	6.14
R335200		209	6.70	90.9	2.49	5.75	0.13	0.44	<0.01	0.007	0.97	24.9	47.3	1.75	351	6.00
P444951		148	2.16	84.3	1.82	4.45	0.10	0.25	<0.01	<0.005	0.33	21.3	30.6	1.23	226	7.85

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
R335181		0.05	0.25	9.4	690	8.7	4.6	0.039	0.64	0.06	2.6	0.6	0.5	42.5	<0.01	0.68
R335182		0.05	0.07	73.1	1620	4.2	4.8	0.043	0.59	<0.05	8.7	0.6	0.4	63.8	<0.01	0.04
R335183		0.08	0.07	64.3	1790	1.8	18.4	0.002	0.22	<0.05	4.2	0.8	0.2	93.9	<0.01	0.02
R335184		0.08	0.09	38.2	1770	1.4	12.2	0.001	0.06	0.05	3.8	0.5	0.3	78.3	<0.01	0.01
R335185		0.08	0.12	30.6	1550	1.5	9.1	0.001	0.11	<0.05	3.7	0.5	0.2	99.2	<0.01	<0.01
R335186		0.09	0.10	41.2	1780	2.3	20.2	0.005	0.18	<0.05	3.7	0.6	0.2	96.3	<0.01	0.01
R335187		0.07	0.10	43.5	1690	1.7	26.0	0.001	0.15	<0.05	3.7	0.8	0.2	94.8	<0.01	0.01
R335188		0.03	0.06	95.2	1520	3.6	71.6	0.018	0.35	<0.05	13.5	0.5	0.3	120.0	<0.01	0.03
R335189		0.06	0.06	64.0	1110	1.7	18.3	0.002	0.28	<0.05	5.9	0.4	0.2	97.1	<0.01	0.90
R335190		0.06	0.06	62.1	1040	1.8	17.6	0.002	0.27	<0.05	5.8	0.5	0.2	92.8	<0.01	1.09
R335191		0.07	0.16	53.9	1280	1.3	28.8	<0.001	0.05	<0.05	3.6	0.5	0.2	117.5	<0.01	0.01
R335192		0.05	0.10	55.8	880	2.5	13.2	0.007	0.44	<0.05	3.2	0.9	0.4	87.6	<0.01	0.01
R335193		0.08	0.10	42.2	1150	1.2	13.1	0.001	0.10	<0.05	3.1	0.5	0.2	74.9	<0.01	0.01
R335194		0.09	0.08	54.3	1110	3.3	36.6	0.001	0.20	<0.05	4.3	0.5	0.2	73.2	<0.01	0.01
R335195		0.08	0.10	40.2	1100	1.0	13.5	0.002	0.05	<0.05	3.0	0.6	0.2	63.6	<0.01	0.01
R335196		0.10	0.05	72.9	1120	1.6	51.1	0.003	0.13	<0.05	4.1	0.4	0.2	53.1	<0.01	0.01
R335197		0.10	0.07	71.9	1070	1.4	55.2	0.002	0.27	<0.05	5.1	0.4	0.2	77.9	<0.01	0.01
R335198		0.08	0.12	45.7	1170	1.3	9.7	0.004	0.14	<0.05	3.0	0.5	0.2	76.4	<0.01	0.01
R335199		0.06	0.12	55.0	1610	2.6	44.1	0.006	0.22	<0.05	4.1	0.8	0.5	91.5	<0.01	0.01
R335200		0.07	0.11	73.4	1440	1.8	59.3	0.006	0.21	<0.05	3.9	0.8	0.3	75.3	<0.01	<0.01
P444951		0.08	0.09	72.1	1070	1.2	18.7	0.009	0.27	<0.05	3.2	0.6	0.2	58.4	<0.01	0.01

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R335181		2.6	0.075	0.04	1.27	31	0.51	4.39	46	14.0
R335182		3.7	0.202	0.04	0.93	102	0.56	8.65	94	14.9
R335183		4.6	0.185	0.13	0.64	64	0.30	6.85	56	11.3
R335184		4.5	0.170	0.09	0.62	52	0.24	6.45	33	8.2
R335185		4.1	0.158	0.07	0.67	47	0.27	6.36	32	7.9
R335186		4.4	0.174	0.18	0.59	51	0.24	5.95	29	8.2
R335187		4.2	0.173	0.21	0.64	51	0.23	5.41	31	12.4
R335188		3.7	0.190	0.59	0.57	116	0.81	8.09	96	16.5
R335189		2.6	0.150	0.15	0.60	53	0.18	5.21	33	7.5
R335190		2.5	0.139	0.14	0.58	50	0.19	5.08	32	7.4
R335191		2.6	0.199	0.21	0.50	51	0.19	7.10	27	9.2
R335192		2.5	0.159	0.11	5.70	47	0.57	5.40	36	12.0
R335193		2.7	0.173	0.08	0.43	44	0.18	5.61	23	5.7
R335194		2.8	0.182	0.27	0.45	60	0.17	6.19	31	7.9
R335195		2.6	0.173	0.08	0.41	45	0.18	5.27	20	4.8
R335196		2.8	0.204	0.36	0.42	71	0.19	4.88	40	9.3
R335197		2.7	0.201	0.40	0.42	72	0.20	6.00	41	9.3
R335198		2.8	0.162	0.07	0.41	41	0.18	5.02	24	4.9
R335199		4.1	0.207	0.27	0.75	67	0.25	9.49	39	17.4
R335200		3.0	0.215	0.40	0.62	72	0.16	8.61	36	16.6
P444951		2.7	0.177	0.15	0.42	51	0.30	4.48	27	7.8

Comments: Additional Au-ICP22 check assay for samples R335089 and R335090 are 3.41 ppm and 1.230 ppm, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 22-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15149031

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-GRA22	Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

CERTIFICATE SD15150471

Project: Miller

This report is for 189 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 2-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332158		1.94	0.003	0.15	1.41	0.7	<0.2	<10	<10	0.16	0.16	2.19	0.03	4.67	28.7	20
R332159		2.27	0.001	0.11	1.88	0.4	<0.2	<10	20	0.09	0.06	1.44	0.07	9.22	23.6	8
R332160		<0.02	0.001	0.10	1.93	0.6	<0.2	<10	20	0.13	0.04	1.47	0.06	9.02	23.4	7
R332161		4.04	0.001	0.21	1.69	0.2	<0.2	<10	30	0.10	0.09	1.30	0.04	9.25	35.6	8
R332162		3.79	0.002	0.13	1.36	0.2	<0.2	<10	20	0.11	0.23	1.45	0.04	7.39	25.3	5
R332163		3.71	<0.001	0.17	1.51	0.3	<0.2	<10	20	0.14	0.34	1.77	0.05	8.89	31.3	4
R332164		3.88	0.001	0.16	1.36	0.3	<0.2	<10	20	0.13	0.13	1.41	0.04	8.34	30.1	3
R332165		3.65	0.002	0.25	0.94	0.3	<0.2	<10	20	0.18	0.10	2.39	0.13	6.53	25.7	3
R332166		4.22	<0.001	0.16	1.01	0.3	<0.2	<10	40	0.11	0.08	1.42	0.08	7.32	25.9	7
R332167		3.85	<0.001	0.27	1.35	0.2	<0.2	<10	20	0.09	0.12	1.37	0.07	8.57	35.0	5
R332168		4.02	<0.001	0.20	1.28	0.2	<0.2	<10	50	0.14	0.09	2.90	0.13	7.12	29.6	5
R332169		3.57	0.001	0.21	1.78	0.2	<0.2	<10	30	0.14	0.14	1.64	0.07	7.97	33.5	12
R332170		0.10	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.93	0.1	<1
R332171		4.29	0.002	0.15	1.81	0.3	<0.2	<10	10	0.14	0.05	1.72	0.07	7.67	26.1	12
R332172		3.93	0.001	0.16	1.45	0.2	<0.2	<10	20	0.15	0.07	1.51	0.11	7.31	26.1	15
R332173		3.82	0.001	0.14	1.71	0.2	<0.2	<10	20	0.10	0.12	1.40	0.08	8.37	27.1	10
R332174		3.88	0.001	0.13	1.79	0.3	<0.2	<10	10	0.14	0.03	1.74	0.07	7.98	24.9	11
R332175		3.93	0.001	0.09	1.64	0.3	<0.2	<10	20	0.10	0.03	1.26	0.08	8.12	23.7	13
R332176		3.88	0.001	0.24	2.03	0.2	<0.2	<10	<10	0.15	0.11	1.67	0.12	9.25	29.9	9
R332177		3.95	0.001	0.09	1.17	0.1	<0.2	<10	10	0.08	0.04	1.93	0.08	5.67	20.5	14
R332178		3.90	0.001	0.11	1.71	0.2	<0.2	<10	40	0.09	0.05	2.38	0.09	5.02	25.7	18
R332179		3.64	0.001	0.11	2.12	0.2	<0.2	<10	30	0.12	0.03	2.61	0.11	5.38	25.4	18
R332180		0.07	0.980	6.12	1.10	38.9	1.1	<10	40	0.21	1.09	0.42	4.76	4.97	13.4	20
R332181		3.59	<0.001	0.28	2.11	0.3	<0.2	<10	50	0.25	0.53	2.96	0.11	4.99	44.6	19
R332182		4.01	<0.001	0.18	1.59	0.2	<0.2	<10	50	0.17	0.31	2.41	0.12	4.41	37.8	21
R332183		3.60	<0.001	0.12	1.32	0.2	<0.2	<10	40	0.08	0.05	2.55	0.07	4.55	26.6	19
R332184		4.25	<0.001	0.14	1.41	0.1	<0.2	<10	50	0.11	0.07	2.16	0.08	4.84	29.8	18
R332185		3.63	0.001	0.08	1.40	0.1	<0.2	<10	60	0.07	0.05	2.64	0.08	4.68	22.8	18
R332186		3.98	<0.001	0.17	1.25	0.3	<0.2	<10	10	0.12	0.08	2.59	0.08	5.05	24.5	16
R332187		3.53	<0.001	0.17	1.91	0.3	<0.2	<10	60	0.18	0.08	2.92	0.08	4.73	35.4	20
R332188		3.75	0.006	0.17	1.67	0.4	<0.2	<10	60	0.23	0.07	3.09	0.08	4.94	32.5	20
R332189		3.41	0.002	0.18	1.31	0.4	<0.2	<10	20	0.18	0.12	2.81	0.10	4.74	27.4	23
R332190		<0.02	0.002	0.17	1.31	0.3	<0.2	<10	20	0.17	0.11	2.73	0.10	4.83	27.9	23
R332191		3.88	0.002	0.38	1.91	0.4	<0.2	<10	10	0.10	0.13	1.57	1.53	6.58	50.7	15
R332192		3.84	0.001	0.17	1.02	0.2	<0.2	<10	20	0.19	0.08	1.63	0.07	17.10	27.5	59
R332193		3.74	0.001	0.20	1.44	0.8	<0.2	<10	30	0.11	0.06	1.80	0.10	5.24	34.9	25
R332194		3.80	0.002	0.22	1.21	0.6	<0.2	<10	10	0.11	0.07	1.66	0.12	3.54	32.3	17
R332195		3.67	0.002	0.18	1.43	0.8	<0.2	<10	10	0.12	0.11	2.26	0.06	4.52	31.2	15
R332196		3.48	0.001	0.15	1.58	0.8	<0.2	<10	10	0.11	0.06	1.80	0.05	4.58	28.2	13
R332197		4.49	0.001	0.12	1.84	1.3	<0.2	<10	10	0.11	0.03	1.74	0.06	5.08	24.5	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332158		1.85	170.0	5.16	6.32	0.12	0.15	0.03	0.025	0.06	1.7	10.0	0.84	531	0.75	0.10
R332159		1.17	142.5	5.64	7.61	0.11	0.11	0.03	0.027	0.08	3.2	9.9	0.80	423	3.39	0.19
R332160		1.25	139.5	5.76	7.87	0.11	0.11	0.02	0.026	0.08	3.1	9.8	0.83	439	3.05	0.19
R332161		2.91	235	6.04	8.33	0.12	0.13	0.03	0.026	0.14	3.2	9.5	0.79	400	7.56	0.19
R332162		2.28	146.5	6.65	8.02	0.12	0.13	0.04	0.022	0.12	2.5	11.4	0.87	463	8.15	0.13
R332163		2.95	99.9	7.40	9.11	0.13	0.16	0.04	0.026	0.15	3.1	14.9	1.01	574	17.80	0.14
R332164		1.48	78.3	7.45	7.90	0.15	0.14	0.04	0.028	0.10	2.8	10.5	0.79	557	15.85	0.16
R332165		1.93	269	7.39	6.35	0.22	0.26	0.03	0.020	0.14	2.4	9.4	0.57	490	0.71	0.09
R332166		2.81	156.0	8.39	7.57	0.16	0.26	0.02	0.025	0.22	2.5	9.9	0.68	501	0.56	0.12
R332167		2.96	151.5	7.73	7.88	0.15	0.14	0.01	0.029	0.18	3.0	7.3	0.83	534	9.29	0.17
R332168		9.03	150.5	8.14	7.93	0.20	0.19	0.01	0.022	0.40	2.5	18.9	0.83	545	1.74	0.10
R332169		8.96	215	7.75	8.91	0.14	0.13	0.01	0.026	0.36	2.8	22.5	1.03	522	7.93	0.18
R332170		<0.05	0.9	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R332171		1.32	194.0	6.56	7.96	0.12	0.13	0.01	0.026	0.09	2.6	10.5	0.82	486	3.70	0.21
R332172		2.35	195.0	6.60	7.22	0.13	0.13	<0.01	0.025	0.12	2.5	9.3	0.73	454	1.21	0.18
R332173		3.33	193.0	6.57	7.72	0.12	0.11	<0.01	0.024	0.14	2.9	13.6	0.90	463	3.98	0.17
R332174		1.07	203	6.05	7.64	0.16	0.12	<0.01	0.025	0.07	2.7	10.9	0.79	451	2.10	0.20
R332175		1.56	169.5	6.87	8.22	0.13	0.09	0.01	0.022	0.09	2.7	9.6	0.73	427	15.30	0.20
R332176		1.56	154.0	6.36	8.93	0.14	0.10	<0.01	0.028	0.07	3.2	11.7	1.07	497	6.77	0.22
R332177		0.41	173.5	3.22	4.65	0.09	0.13	<0.01	0.019	0.07	2.0	5.9	0.53	579	2.94	0.16
R332178		1.40	168.5	4.05	6.13	0.10	0.15	<0.01	0.024	0.31	1.9	11.9	0.63	741	2.67	0.17
R332179		0.86	174.0	3.91	6.21	0.08	0.14	<0.01	0.021	0.39	1.9	11.5	0.62	747	0.48	0.19
R332180		3.40	6860	6.67	3.04	0.05	<0.02	0.06	0.302	0.28	2.5	10.2	0.32	634	147.0	0.02
R332181		5.74	198.0	5.96	6.99	0.08	0.17	<0.01	0.021	0.59	1.9	21.6	0.93	975	44.7	0.08
R332182		2.79	181.0	4.72	5.84	0.10	0.17	<0.01	0.021	0.40	1.6	15.3	0.62	826	6.12	0.12
R332183		0.92	155.0	3.35	4.70	0.09	0.15	<0.01	0.017	0.21	1.7	7.0	0.46	674	15.40	0.13
R332184		1.53	164.5	3.70	5.20	0.12	0.16	<0.01	0.018	0.27	1.8	11.7	0.54	660	6.41	0.14
R332185		1.52	159.5	3.46	5.13	0.11	0.14	<0.01	0.017	0.25	1.6	8.9	0.52	654	1.72	0.15
R332186		1.01	170.5	3.38	4.92	0.11	0.12	<0.01	0.018	0.10	1.9	6.7	0.56	530	4.90	0.15
R332187		1.47	179.5	4.93	7.03	0.11	0.18	<0.01	0.022	0.27	1.7	14.5	0.78	907	4.77	0.13
R332188		2.72	175.5	5.08	6.55	0.09	0.17	<0.01	0.026	0.33	1.8	10.4	0.68	930	3.99	0.13
R332189		0.80	179.0	4.14	5.23	0.09	0.14	<0.01	0.023	0.09	1.7	5.1	0.61	755	2.24	0.14
R332190		0.73	174.0	4.06	5.31	0.09	0.16	<0.01	0.023	0.09	1.8	5.2	0.59	730	2.39	0.14
R332191		0.90	320	6.35	7.93	0.16	0.10	0.01	0.070	0.05	2.4	12.3	0.90	754	30.9	0.12
R332192		1.30	163.5	4.14	4.76	0.11	0.29	<0.01	0.014	0.10	8.3	5.9	0.60	386	3.30	0.15
R332193		1.02	203	5.93	6.24	0.16	0.15	<0.01	0.016	0.07	1.9	6.9	0.68	665	5.53	0.14
R332194		0.31	203	4.59	4.50	0.15	0.12	<0.01	0.013	0.03	1.3	3.7	0.47	534	8.12	0.13
R332195		0.33	192.5	4.44	5.08	0.17	0.15	<0.01	0.016	0.03	1.6	5.1	0.56	498	21.2	0.11
R332196		0.40	201	3.84	4.97	0.14	0.13	0.01	0.015	0.03	1.6	7.9	0.77	455	13.30	0.11
R332197		0.39	194.0	3.94	5.93	0.16	0.12	<0.01	0.017	0.03	1.7	9.6	0.79	345	10.85	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332158		0.13	19.3	410	1.4	7.0	0.003	0.40	<0.05	11.9	1.0	0.3	15.7	<0.01	0.06	0.2
R332159		0.08	9.9	610	7.5	6.0	0.003	0.35	<0.05	8.5	1.0	0.4	30.9	<0.01	0.03	0.2
R332160		0.07	9.8	610	1.0	6.2	0.004	0.33	<0.05	9.2	0.9	0.4	31.4	<0.01	0.02	0.2
R332161		0.06	9.8	650	1.4	11.5	0.008	0.73	<0.05	9.5	2.1	0.2	18.9	<0.01	0.07	0.2
R332162		0.08	9.7	610	4.2	8.7	0.010	0.56	<0.05	7.6	0.6	0.3	11.8	<0.01	0.03	0.2
R332163		0.09	8.3	660	1.8	13.4	0.010	0.83	<0.05	9.8	1.2	0.3	10.5	<0.01	0.05	0.2
R332164		0.12	3.7	670	1.7	7.2	0.016	0.57	<0.05	10.7	1.3	0.2	9.4	<0.01	0.04	0.2
R332165		0.41	5.1	540	3.6	15.2	0.002	0.42	<0.05	6.6	1.4	0.3	19.4	<0.01	0.01	0.2
R332166		0.27	6.2	630	1.7	22.5	0.001	0.25	<0.05	8.5	1.1	0.4	7.4	<0.01	0.01	0.2
R332167		0.10	9.3	650	2.3	20.2	0.009	0.64	<0.05	11.1	1.5	0.3	6.7	<0.01	0.03	0.2
R332168		0.21	11.4	530	3.3	54.1	0.002	0.42	<0.05	8.0	0.9	0.3	15.4	<0.01	0.01	0.2
R332169		0.09	17.2	570	1.6	39.2	0.006	0.51	<0.05	10.8	1.2	0.4	17.6	<0.01	0.03	0.2
R332170		<0.05	0.6	10	0.8	0.1	<0.001	0.05	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332171		0.12	13.2	560	1.2	5.4	0.004	0.31	<0.05	10.1	1.0	0.3	23.3	<0.01	0.01	0.2
R332172		0.13	13.7	570	2.8	9.7	0.002	0.33	<0.05	9.7	0.9	0.4	17.0	<0.01	0.03	0.2
R332173		0.10	13.8	620	0.9	11.7	0.005	0.37	<0.05	9.1	0.8	0.3	20.1	<0.01	0.01	0.2
R332174		0.12	13.0	570	0.7	4.3	0.004	0.28	<0.05	9.1	1.0	0.2	31.5	<0.01	0.02	0.2
R332175		0.10	11.1	600	1.5	6.2	0.020	0.19	<0.05	8.1	0.8	0.2	23.9	<0.01	0.02	0.2
R332176		0.08	13.1	610	2.7	6.8	0.008	0.36	<0.05	11.0	0.9	0.3	16.9	<0.01	0.03	0.3
R332177		0.16	16.6	400	0.5	2.9	0.004	0.21	<0.05	8.2	0.6	0.3	5.9	<0.01	0.03	0.2
R332178		0.13	21.7	400	1.6	15.3	0.002	0.18	<0.05	10.6	0.8	0.4	11.5	<0.01	0.03	<0.2
R332179		0.12	22.6	390	1.2	17.1	<0.001	0.15	<0.05	10.0	0.7	0.4	17.4	<0.01	0.02	0.2
R332180		0.08	15.1	480	109.0	12.5	0.206	5.14	2.48	1.2	7.6	1.6	36.2	<0.01	0.98	1.0
R332181		0.14	41.8	390	7.3	45.1	0.019	1.20	<0.05	11.3	1.5	0.3	15.6	<0.01	0.06	<0.2
R332182		0.20	29.4	390	7.6	24.5	0.005	0.79	<0.05	9.5	1.0	0.3	16.2	<0.01	0.03	<0.2
R332183		0.20	20.9	390	0.5	10.3	0.019	0.25	<0.05	8.0	0.6	0.4	12.0	<0.01	0.02	<0.2
R332184		0.13	23.8	390	0.6	14.2	0.007	0.35	<0.05	8.9	0.8	0.2	9.5	<0.01	0.03	<0.2
R332185		0.16	19.3	380	1.0	13.8	0.002	0.18	<0.05	8.5	0.7	0.3	10.4	<0.01	0.05	<0.2
R332186		0.19	20.2	390	0.8	5.4	0.003	0.31	<0.05	7.9	0.8	0.3	13.4	<0.01	0.04	0.2
R332187		0.19	29.6	380	1.2	15.6	0.005	0.43	<0.05	10.8	1.2	0.5	15.0	<0.01	0.05	<0.2
R332188		0.15	28.9	390	1.7	27.1	0.003	0.36	<0.05	12.3	0.8	0.6	16.1	<0.01	0.06	<0.2
R332189		0.21	24.1	380	1.0	6.1	0.003	0.30	<0.05	10.0	0.8	0.4	15.8	<0.01	0.04	<0.2
R332190		0.22	23.9	380	1.0	5.7	0.003	0.28	<0.05	10.4	0.5	0.3	15.3	<0.01	0.04	<0.2
R332191		0.08	35.6	370	3.0	3.9	0.037	1.17	<0.05	8.1	2.7	0.7	6.7	<0.01	0.19	0.2
R332192		0.28	38.1	520	1.5	8.0	0.003	0.32	<0.05	6.6	0.7	0.4	22.5	<0.01	0.02	0.9
R332193		0.16	33.3	410	1.4	7.6	0.006	0.37	<0.05	8.3	0.9	0.2	34.2	<0.01	0.03	0.2
R332194		0.23	26.5	370	1.7	1.9	0.008	0.42	<0.05	7.4	0.9	0.3	27.1	<0.01	0.04	<0.2
R332195		0.27	23.3	370	0.9	2.0	0.021	0.43	<0.05	7.1	0.9	0.3	37.3	<0.01	0.05	<0.2
R332196		0.19	20.6	380	0.8	2.4	0.016	0.36	<0.05	6.9	1.0	0.2	31.6	<0.01	0.04	<0.2
R332197		0.15	18.0	360	0.8	2.4	0.012	0.24	<0.05	6.5	0.9	0.3	46.6	<0.01	0.03	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332158		0.258	0.07	<0.05	162	0.64	8.37	48	3.0
R332159		0.178	0.06	<0.05	165	0.21	11.25	54	2.3
R332160		0.185	0.06	<0.05	170	0.21	11.35	55	2.1
R332161		0.189	0.11	<0.05	181	0.26	12.25	44	2.8
R332162		0.246	0.07	<0.05	223	0.35	10.65	50	2.7
R332163		0.263	0.11	<0.05	185	0.47	12.85	64	3.3
R332164		0.247	0.07	<0.05	159	0.40	13.05	56	3.0
R332165		0.395	0.13	<0.05	196	0.99	11.40	53	6.5
R332166		0.384	0.19	<0.05	216	0.58	12.25	62	6.9
R332167		0.248	0.27	<0.05	236	0.39	11.75	68	3.1
R332168		0.346	0.47	<0.05	257	0.91	10.45	73	4.7
R332169		0.268	0.33	<0.05	283	0.37	11.25	71	2.7
R332170		<0.005	<0.02	0.07	<1	<0.05	0.58	<2	0.7
R332171		0.241	0.05	<0.05	244	0.41	11.65	62	2.8
R332172		0.249	0.08	<0.05	239	0.30	11.40	62	2.8
R332173		0.216	0.09	<0.05	223	0.34	11.35	61	2.1
R332174		0.223	0.04	<0.05	227	0.37	11.15	53	2.3
R332175		0.192	0.06	<0.05	251	0.30	10.55	56	1.9
R332176		0.230	0.10	<0.05	213	1.22	11.85	75	2.0
R332177		0.270	0.02	<0.05	98	0.31	7.47	40	2.8
R332178		0.326	0.07	<0.05	125	0.36	8.27	49	3.7
R332179		0.320	0.07	<0.05	120	0.45	8.13	56	3.7
R332180		0.013	0.33	0.15	18	2.13	2.53	836	<0.5
R332181		0.344	0.39	<0.05	162	0.94	8.37	74	4.1
R332182		0.310	0.18	<0.05	135	0.73	7.32	62	3.9
R332183		0.293	0.07	<0.05	103	0.39	7.28	44	3.9
R332184		0.297	0.10	<0.05	117	0.33	7.48	53	3.5
R332185		0.288	0.09	<0.05	113	0.27	7.53	49	3.2
R332186		0.251	0.06	<0.05	104	0.44	6.66	43	2.7
R332187		0.337	0.11	<0.05	147	0.63	8.49	64	4.2
R332188		0.280	0.21	<0.05	151	0.97	8.01	62	3.8
R332189		0.255	0.07	<0.05	125	0.61	7.06	59	3.0
R332190		0.263	0.07	<0.05	123	0.62	7.42	59	3.2
R332191		0.170	0.08	<0.05	136	0.51	5.65	537	2.3
R332192		0.251	0.09	0.20	130	0.43	6.63	39	8.6
R332193		0.255	0.09	<0.05	173	0.42	6.70	54	3.8
R332194		0.228	0.09	<0.05	133	0.59	5.93	50	3.0
R332195		0.264	0.03	<0.05	125	1.04	6.27	43	3.8
R332196		0.265	0.03	<0.05	100	0.40	6.61	43	3.2
R332197		0.246	0.02	<0.05	114	0.67	6.70	42	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332198		3.87	<0.001	0.09	2.07	1.5	<0.2	<10	10	0.10	0.03	1.53	0.05	5.69	24.3	14
R332199		3.73	0.005	0.09	1.95	1.1	<0.2	<10	<10	0.12	0.01	1.37	0.04	5.16	24.7	29
R332200		2.76	0.001	0.04	2.37	0.8	<0.2	<10	<10	0.16	0.04	1.52	0.02	6.57	32.3	13
R332201		2.34	0.001	0.06	2.07	0.9	<0.2	<10	<10	0.18	0.23	4.29	0.03	7.55	36.7	16
R332202		1.75	0.001	0.03	1.89	0.8	<0.2	<10	<10	0.18	0.18	3.74	0.03	6.02	33.9	17
R332203		1.82	0.001	0.11	2.12	1.3	<0.2	<10	10	0.17	0.17	1.83	0.04	6.21	43.8	21
R332204		3.53	0.001	0.41	2.67	0.3	<0.2	<10	10	0.16	0.09	1.26	0.02	8.94	37.5	579
R332205		2.63	0.002	0.17	2.98	0.7	<0.2	<10	<10	0.14	0.12	3.17	0.10	7.98	41.3	20
R332206		2.64	0.001	0.14	1.50	0.5	<0.2	<10	<10	0.14	0.07	2.45	0.06	6.09	31.3	12
R332207		2.74	0.001	0.11	1.36	0.4	<0.2	<10	<10	0.16	0.05	2.19	0.08	6.71	29.2	15
R332208		0.80	<0.001	0.03	2.72	2.0	<0.2	<10	480	0.77	0.03	2.05	0.07	75.6	26.0	536
R332209		3.54	0.001	0.10	1.26	0.8	<0.2	<10	10	0.18	0.06	2.50	0.06	16.00	28.6	28
R332210		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.96	0.1	<1
R332211		3.98	0.052	0.18	1.36	0.8	<0.2	<10	<10	0.20	0.12	1.95	0.14	16.30	33.1	42
R332212		1.19	<0.001	0.03	2.64	0.2	<0.2	<10	10	0.20	0.02	1.20	0.01	6.58	30.6	598
R332213		2.68	0.001	0.07	1.21	0.8	<0.2	<10	<10	0.12	0.07	1.38	0.03	6.90	32.4	23
R332214		2.71	0.002	0.08	2.36	0.8	<0.2	<10	<10	0.16	0.04	1.82	0.04	5.85	32.9	14
R332215		2.75	0.002	0.09	2.73	0.7	<0.2	<10	<10	0.18	0.05	1.65	0.03	6.74	36.8	14
R332216		2.89	0.001	0.11	2.45	0.5	<0.2	<10	10	0.23	0.06	1.81	0.08	8.44	30.7	22
R332217		3.95	0.001	0.14	1.84	0.3	<0.2	<10	10	0.12	0.07	1.94	0.17	6.57	36.2	16
R332218		3.97	0.001	0.11	1.96	0.8	<0.2	<10	<10	0.14	0.06	3.47	0.11	6.03	38.0	13
R332219		3.92	0.001	0.10	1.49	0.4	<0.2	<10	<10	0.09	0.06	3.22	0.08	6.87	30.2	10
R332220		0.06	0.939	5.91	1.06	44.5	0.9	<10	40	0.20	1.14	0.42	4.82	5.36	13.6	20
R332221		3.91	0.002	0.13	2.09	0.4	<0.2	<10	<10	0.11	0.07	1.85	0.08	6.72	33.4	13
R332222		3.69	0.001	0.14	2.70	0.5	<0.2	<10	30	0.38	0.25	2.89	0.08	6.83	43.6	15
R332223		2.30	0.001	0.11	2.20	0.6	<0.2	<10	<10	0.11	0.06	1.70	0.08	5.90	34.7	15
R332224		2.40	0.001	0.11	2.77	0.6	<0.2	<10	<10	0.13	0.05	2.21	0.08	6.81	42.9	14
R332225		2.10	0.001	0.13	2.81	0.5	<0.2	<10	10	0.17	0.10	2.08	0.08	7.59	43.1	13
R332226		3.84	0.011	0.10	2.14	0.5	<0.2	<10	40	0.25	0.15	3.34	0.11	7.02	34.9	15
R332227		4.06	0.001	0.12	1.74	0.3	<0.2	<10	30	0.15	0.03	2.69	0.37	7.21	28.9	13
R332228		4.13	0.001	0.09	1.99	0.3	<0.2	<10	30	0.13	0.02	3.03	0.21	7.05	28.1	15
R332229		3.69	0.002	0.16	1.87	0.7	<0.2	<10	<10	0.13	0.05	2.95	0.34	6.92	34.0	12
R332230		<0.02	0.001	0.26	1.90	0.7	<0.2	<10	<10	0.13	0.07	2.94	0.35	6.77	35.1	12
R332231		4.04	0.001	0.09	1.52	0.3	<0.2	<10	<10	0.08	0.03	1.82	0.16	6.80	28.0	14
R332232		3.30	0.001	0.10	1.32	0.2	<0.2	<10	10	0.07	0.04	2.14	0.11	6.55	27.1	11
R332233		3.38	0.002	0.10	1.90	0.2	<0.2	<10	<10	0.08	0.07	3.11	0.14	7.75	30.2	13
R332234		2.65	0.003	0.08	1.63	0.2	<0.2	<10	10	0.09	0.04	2.51	0.09	7.06	26.7	13
R332235		4.03	0.001	0.10	2.33	0.6	<0.2	<10	10	0.14	0.07	2.02	0.09	5.68	38.3	13
R332236		3.67	0.012	0.10	2.54	1.2	<0.2	<10	10	0.26	0.09	3.39	0.11	7.70	39.3	16
R332237		4.16	0.001	0.09	2.16	0.5	<0.2	<10	10	0.14	0.03	2.06	0.11	14.85	34.1	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332198		0.56	189.5	4.59	6.97	0.15	0.10	0.01	0.018	0.03	1.9	12.0	0.90	305	7.36	0.19
R332199		0.28	180.5	4.53	6.46	0.15	0.10	<0.01	0.016	0.02	1.7	14.7	1.07	384	0.71	0.11
R332200		0.44	171.5	5.67	7.80	0.18	0.10	<0.01	0.017	0.03	2.2	23.1	1.55	521	5.88	0.09
R332201		1.20	188.0	6.77	9.43	0.19	0.10	<0.01	0.024	0.05	2.6	23.1	1.78	670	8.52	0.07
R332202		1.04	185.0	7.39	9.23	0.17	0.11	<0.01	0.023	0.03	2.0	22.1	1.62	642	4.08	0.07
R332203		0.63	199.5	8.15	10.40	0.18	0.15	<0.01	0.026	0.03	2.2	18.4	1.54	736	3.33	0.09
R332204		0.35	64.0	3.60	6.84	0.16	0.17	<0.01	0.013	0.04	3.6	8.1	4.45	448	1.39	0.09
R332205		0.95	212	9.32	13.00	0.19	0.12	<0.01	0.045	0.04	3.1	22.7	2.12	1310	0.88	0.12
R332206		0.24	189.0	4.52	6.36	0.17	0.15	<0.01	0.024	0.03	2.1	8.6	0.71	762	8.45	0.15
R332207		0.23	177.0	4.72	6.01	0.14	0.14	<0.01	0.021	0.04	2.3	6.6	0.66	619	2.05	0.17
R332208		4.54	60.9	3.67	6.51	0.23	0.45	<0.01	0.012	1.03	33.4	91.2	3.15	701	0.13	0.09
R332209		0.35	166.5	4.53	5.76	0.16	0.24	<0.01	0.020	0.05	6.6	8.0	0.70	598	2.89	0.13
R332210		<0.05	0.9	0.03	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R332211		0.45	172.0	5.39	6.30	0.17	0.19	<0.01	0.021	0.03	6.9	8.8	0.92	546	5.84	0.12
R332212		0.22	34.5	3.41	7.01	0.14	0.16	<0.01	0.012	0.03	2.4	21.1	3.81	554	5.24	0.08
R332213		0.29	172.5	6.59	6.21	0.14	0.16	<0.01	0.017	0.02	2.5	7.2	0.73	472	2.58	0.10
R332214		0.58	154.5	6.30	7.68	0.20	0.13	<0.01	0.016	0.02	2.0	15.4	1.23	555	2.68	0.08
R332215		0.85	159.5	7.01	8.96	0.18	0.10	<0.01	0.018	0.03	2.4	17.8	1.52	552	4.70	0.07
R332216		0.96	156.0	5.70	8.24	0.17	0.11	<0.01	0.018	0.05	3.0	13.8	1.07	470	5.91	0.17
R332217		0.39	179.5	5.55	7.79	0.16	0.15	<0.01	0.025	0.03	2.2	11.1	0.93	642	1.90	0.19
R332218		0.30	182.0	5.71	8.24	0.17	0.16	<0.01	0.024	0.02	2.1	11.5	0.88	841	2.44	0.16
R332219		0.19	174.5	4.50	6.40	0.13	0.11	<0.01	0.023	0.02	2.3	6.2	0.56	803	2.51	0.18
R332220		3.45	6750	6.74	3.00	0.11	<0.02	0.06	0.312	0.28	2.4	10.5	0.32	624	140.0	0.02
R332221		0.23	154.0	4.91	6.78	0.15	0.10	<0.01	0.018	0.03	2.4	14.1	1.18	533	2.56	0.15
R332222		11.75	171.5	7.74	11.10	0.18	0.10	<0.01	0.033	0.55	2.3	26.3	1.98	754	6.40	0.10
R332223		0.99	161.5	6.37	8.46	0.18	0.08	<0.01	0.016	0.04	2.0	13.7	1.15	470	4.40	0.17
R332224		0.80	146.0	7.50	10.60	0.18	0.08	<0.01	0.017	0.03	2.3	20.3	1.83	711	8.84	0.09
R332225		2.13	171.0	7.45	10.50	0.17	0.07	<0.01	0.024	0.11	2.6	20.8	1.86	752	5.16	0.10
R332226		4.06	148.5	6.22	8.84	0.16	0.10	<0.01	0.031	0.24	2.4	14.8	1.12	922	1.46	0.12
R332227		0.35	169.5	4.62	6.58	0.16	0.11	<0.01	0.025	0.11	2.5	7.8	0.74	665	3.78	0.20
R332228		0.64	155.0	4.97	7.69	0.16	0.10	<0.01	0.022	0.09	2.4	13.6	0.90	712	0.73	0.15
R332229		0.36	173.5	5.00	7.89	0.19	0.10	<0.01	0.022	0.03	2.4	11.9	0.98	657	1.05	0.12
R332230		0.35	170.0	5.07	7.79	0.18	0.09	<0.01	0.022	0.03	2.4	11.8	1.01	671	0.80	0.12
R332231		0.29	184.5	4.05	6.36	0.18	0.09	<0.01	0.020	0.02	2.4	7.9	0.74	535	0.59	0.14
R332232		0.32	173.5	3.97	5.81	0.17	0.08	<0.01	0.018	0.04	2.3	6.7	0.60	378	0.88	0.14
R332233		1.23	167.5	5.07	8.23	0.19	0.05	<0.01	0.024	0.06	2.7	12.5	1.03	483	28.8	0.15
R332234		0.39	164.0	3.97	6.39	0.16	0.06	<0.01	0.021	0.05	2.5	7.7	0.73	427	4.40	0.16
R332235		0.44	158.5	5.84	9.01	0.18	0.09	<0.01	0.021	0.04	1.9	15.0	1.27	618	1.11	0.12
R332236		0.97	168.5	6.38	10.55	0.19	0.09	<0.01	0.032	0.09	3.0	17.1	1.55	681	3.41	0.08
R332237		0.34	160.0	5.20	8.05	0.18	0.15	<0.01	0.020	0.04	6.4	14.4	1.20	645	1.81	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332198		0.09	19.0	380	0.5	3.1	0.009	0.23	<0.05	7.1	0.8	0.3	41.8	<0.01	0.02	0.2
R332199		0.11	31.1	370	0.5	1.5	0.001	0.14	<0.05	6.2	0.5	0.2	40.4	<0.01	0.01	<0.2
R332200		0.08	26.6	380	0.6	1.8	0.006	0.21	<0.05	6.8	0.8	0.2	37.1	<0.01	0.02	0.2
R332201		0.06	32.9	370	0.9	3.7	0.008	0.72	<0.05	10.5	0.9	0.3	45.7	<0.01	0.04	0.2
R332202		0.07	34.6	400	0.8	2.4	0.003	0.63	<0.05	9.0	0.8	0.3	45.9	<0.01	0.02	0.2
R332203		0.11	37.6	460	1.3	2.0	0.005	0.96	<0.05	9.1	1.4	0.4	27.8	<0.01	0.10	0.2
R332204		<0.05	435	820	0.5	1.1	0.001	0.19	<0.05	2.5	0.3	<0.2	45.4	<0.01	0.24	0.3
R332205		0.07	37.1	470	1.4	2.8	0.003	0.88	<0.05	14.4	1.2	0.5	22.0	<0.01	0.09	0.2
R332206		0.16	20.6	460	1.8	1.4	0.008	0.44	<0.05	9.3	0.9	0.4	21.4	<0.01	0.05	0.2
R332207		0.17	19.7	440	1.1	1.6	0.003	0.34	<0.05	8.9	0.9	0.4	18.3	<0.01	0.04	0.2
R332208		0.21	127.0	2380	1.2	94.0	0.001	0.04	<0.05	4.8	0.4	0.2	160.5	<0.01	0.01	2.8
R332209		0.26	20.1	660	1.3	2.7	0.004	0.38	<0.05	8.3	0.8	0.4	32.2	<0.01	0.05	1.0
R332210		<0.05	0.4	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R332211		0.15	32.6	670	4.6	2.2	0.007	0.60	<0.05	7.2	1.1	0.3	26.8	<0.01	0.05	0.9
R332212		<0.05	380	650	0.4	1.0	0.006	0.01	<0.05	2.2	0.2	<0.2	33.3	<0.01	0.02	0.3
R332213		0.21	27.3	470	0.8	1.4	0.003	0.28	<0.05	5.8	0.9	0.3	30.2	<0.01	0.02	0.2
R332214		0.14	24.0	410	0.4	2.5	0.004	0.20	<0.05	5.6	0.7	0.3	68.9	<0.01	0.03	<0.2
R332215		0.09	26.7	460	0.5	3.8	0.006	0.26	<0.05	6.7	0.6	0.3	69.8	<0.01	0.04	0.2
R332216		0.12	23.4	500	1.3	5.0	0.008	0.31	<0.05	7.6	0.6	0.3	75.1	<0.01	0.03	0.2
R332217		0.12	23.9	450	1.4	2.1	0.003	0.36	<0.05	10.3	0.8	0.4	15.1	<0.01	0.08	0.2
R332218		0.11	22.7	450	0.8	1.0	0.005	0.48	<0.05	10.7	1.1	0.3	16.6	<0.01	0.07	0.2
R332219		0.15	20.7	460	1.0	0.9	0.005	0.41	<0.05	9.6	0.8	0.4	13.9	<0.01	0.07	0.2
R332220		0.08	14.9	460	108.5	13.0	0.206	5.12	2.71	1.3	8.1	1.7	36.0	<0.01	1.10	1.0
R332221		0.12	23.0	430	1.8	1.5	0.003	0.49	<0.05	7.8	0.6	0.3	16.5	<0.01	0.08	0.2
R332222		0.08	30.5	420	2.0	56.4	0.006	0.87	<0.05	13.6	1.0	0.3	35.7	<0.01	0.07	0.2
R332223		0.09	23.6	410	1.2	4.3	0.006	0.33	<0.05	6.2	0.7	0.3	56.2	<0.01	0.03	0.2
R332224		0.09	32.5	420	0.7	3.2	0.012	0.29	<0.05	7.4	0.6	0.3	41.2	<0.01	0.04	0.2
R332225		0.08	33.2	450	1.1	9.1	0.008	0.41	<0.05	10.5	0.9	0.2	22.2	<0.01	0.04	0.2
R332226		0.10	24.9	440	1.0	22.1	0.002	0.55	<0.05	13.9	0.7	0.4	27.4	<0.01	0.09	0.2
R332227		0.14	19.9	460	4.9	4.2	0.007	0.33	<0.05	10.5	0.9	0.4	17.5	<0.01	0.04	0.2
R332228		0.09	19.7	440	4.9	5.2	0.004	0.15	<0.05	10.2	0.6	0.3	17.3	<0.01	0.02	0.2
R332229		0.08	23.7	440	11.5	1.3	0.004	0.22	<0.05	9.4	0.9	0.4	14.4	<0.01	0.04	0.2
R332230		0.08	22.1	440	9.9	1.3	0.004	0.23	<0.05	9.2	0.8	0.3	14.4	<0.01	0.08	0.2
R332231		0.09	18.4	460	2.2	1.1	0.002	0.21	<0.05	8.8	0.8	0.2	12.8	<0.01	0.03	0.2
R332232		0.09	16.6	430	0.8	2.2	0.004	0.29	<0.05	6.4	0.7	0.3	18.2	<0.01	0.03	0.2
R332233		0.05	18.5	430	0.8	6.3	0.032	0.24	<0.05	6.5	0.6	0.3	38.2	<0.01	0.04	0.2
R332234		0.07	17.1	420	0.6	2.9	0.008	0.22	<0.05	7.2	0.9	0.2	25.4	<0.01	0.04	0.2
R332235		0.06	23.8	440	2.1	2.2	0.002	0.43	<0.05	9.9	1.0	0.3	17.0	<0.01	0.07	0.2
R332236		0.06	25.0	470	1.4	7.1	0.003	0.43	<0.05	15.4	0.9	0.4	23.6	<0.01	0.09	0.3
R332237		0.10	26.1	630	1.1	1.5	0.003	0.25	<0.05	9.2	0.8	0.3	19.2	<0.01	0.03	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332198		0.207	0.03	<0.05	143	0.40	7.01	45	2.0
R332199		0.239	<0.02	<0.05	129	0.13	6.75	49	2.2
R332200		0.244	0.02	<0.05	139	0.25	6.95	66	2.0
R332201		0.262	0.03	<0.05	186	0.36	8.56	65	2.1
R332202		0.293	0.02	<0.05	209	0.30	9.52	63	2.5
R332203		0.308	0.02	<0.05	205	0.42	9.14	101	3.6
R332204		0.138	<0.02	0.06	73	0.13	4.62	37	7.4
R332205		0.291	0.08	<0.05	208	0.36	9.73	141	3.0
R332206		0.254	0.09	<0.05	131	0.24	8.65	51	3.6
R332207		0.260	0.04	<0.05	136	0.23	8.27	48	3.5
R332208		0.217	0.52	0.55	76	0.20	10.90	76	18.7
R332209		0.302	0.04	0.23	138	0.30	9.64	39	7.2
R332210		<0.005	<0.02	0.07	<1	<0.05	0.59	<2	0.7
R332211		0.261	0.06	0.16	157	0.37	8.31	52	6.0
R332212		0.135	<0.02	0.05	60	0.16	4.78	38	6.7
R332213		0.330	<0.02	<0.05	204	0.32	8.59	37	3.4
R332214		0.303	0.03	<0.05	165	1.26	7.71	59	2.5
R332215		0.281	0.04	<0.05	196	0.38	8.79	66	2.1
R332216		0.258	0.06	<0.05	181	0.51	8.21	54	2.8
R332217		0.253	0.05	<0.05	165	0.27	8.98	83	3.6
R332218		0.271	0.02	<0.05	152	0.31	8.71	73	3.4
R332219		0.230	0.04	<0.05	123	0.24	8.49	55	2.6
R332220		0.012	0.31	0.15	17	2.73	2.61	847	<0.5
R332221		0.229	0.03	<0.05	115	0.45	7.22	63	2.4
R332222		0.297	0.45	<0.05	214	0.68	9.36	78	2.6
R332223		0.201	0.07	<0.05	195	0.27	6.43	61	1.6
R332224		0.226	0.05	<0.05	201	0.23	7.42	87	1.5
R332225		0.235	0.09	<0.05	194	0.22	8.67	89	1.4
R332226		0.261	0.19	<0.05	173	0.36	8.90	81	2.5
R332227		0.265	0.06	<0.05	129	0.17	8.53	68	3.0
R332228		0.244	0.05	<0.05	143	0.13	7.71	85	2.6
R332229		0.244	0.03	<0.05	143	0.17	7.55	94	2.4
R332230		0.244	0.03	<0.05	145	0.16	7.52	94	2.6
R332231		0.213	<0.02	<0.05	116	0.16	7.41	62	2.4
R332232		0.164	0.03	<0.05	135	0.18	6.26	43	2.0
R332233		0.144	0.06	<0.05	172	3.24	6.95	58	1.2
R332234		0.159	0.04	<0.05	111	0.17	6.77	47	1.7
R332235		0.214	0.03	<0.05	158	0.27	7.58	72	2.4
R332236		0.229	0.07	0.05	198	0.65	8.35	87	2.4
R332237		0.268	0.02	0.12	142	0.20	8.05	80	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332238		3.66	0.002	0.11	1.98	0.5	<0.2	<10	10	0.17	0.06	2.54	0.09	7.87	35.6	12
R332239		3.95	0.004	0.26	3.04	0.6	<0.2	<10	30	0.18	0.04	2.56	1.63	7.70	41.5	16
R332240		0.12	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.90	0.1	<1
R332241		3.74	0.004	0.13	2.61	0.4	<0.2	<10	10	0.15	0.05	2.33	0.13	6.30	42.4	17
R332242		3.69	0.002	0.15	2.46	0.4	<0.2	<10	30	0.15	0.09	2.35	0.18	6.58	42.4	15
R332243		3.82	0.002	0.13	2.35	0.4	<0.2	<10	10	0.12	0.11	3.55	0.12	6.39	41.2	14
R332244		4.05	0.008	0.10	2.22	0.5	<0.2	<10	10	0.15	0.14	3.01	0.04	6.48	44.6	15
R332245		3.54	0.007	0.08	1.87	0.3	<0.2	<10	10	0.16	0.09	2.71	0.09	6.51	31.7	12
R332246		3.56	0.001	0.12	1.91	0.3	<0.2	<10	40	0.15	0.10	3.28	0.05	7.02	34.3	20
R332247		3.87	0.001	0.10	2.15	0.2	<0.2	<10	40	0.20	0.04	2.73	0.10	6.27	34.6	13
R332248		3.58	0.002	0.13	1.87	0.3	<0.2	<10	10	0.16	0.08	2.79	0.11	4.96	35.1	12
R332249		3.95	0.001	0.13	1.87	0.4	<0.2	<10	10	0.12	0.07	1.91	0.06	5.11	33.8	13
R332250		0.06	0.908	5.72	1.02	40.2	0.8	<10	40	0.22	1.10	0.41	4.74	5.08	13.9	20
R332251		3.61	0.001	0.21	2.04	0.3	<0.2	<10	10	0.13	0.13	2.65	0.11	5.94	38.3	15
R332252		4.01	0.001	0.16	1.97	0.1	<0.2	<10	40	0.15	0.08	2.47	0.07	8.19	41.2	18
R332253		3.75	0.001	0.17	2.21	0.2	<0.2	<10	80	0.14	0.06	2.30	0.08	6.79	43.9	17
R332254		3.79	<0.001	0.23	1.94	0.2	<0.2	<10	100	0.13	0.07	3.13	0.07	4.75	47.4	16
R332255		2.37	<0.001	0.23	1.89	0.3	<0.2	<10	110	0.16	0.11	2.73	0.07	5.38	46.0	17
R332256		2.52	0.001	0.18	1.69	0.3	<0.2	<10	150	0.15	0.07	2.18	0.04	13.10	40.1	28
R332257		2.16	<0.001	0.13	1.18	0.4	<0.2	<10	120	0.17	0.06	1.68	0.03	57.8	18.0	73
R332258		2.68	<0.001	0.06	1.27	0.2	<0.2	<10	160	0.16	0.04	1.32	0.02	58.4	14.0	85
R332259		2.34	<0.001	0.05	1.32	0.4	<0.2	<10	140	0.20	0.02	1.48	0.02	58.9	14.3	79
R332260		<0.02	<0.001	0.05	1.29	0.5	<0.2	<10	140	0.17	0.02	1.42	0.02	57.4	13.5	79
R332261		3.73	<0.001	0.04	1.39	0.4	<0.2	<10	180	0.24	0.02	1.29	0.02	58.5	13.6	77
R332262		2.98	0.001	0.04	1.76	0.4	<0.2	<10	160	0.34	0.03	2.66	0.03	55.3	17.0	85
R332263		3.47	0.004	0.05	1.86	0.4	<0.2	<10	440	0.38	0.03	2.60	0.04	56.0	17.9	92
R332264		3.32	<0.001	0.05	1.51	0.4	<0.2	<10	200	0.23	0.04	1.44	0.02	53.6	16.8	90
R332265		3.61	<0.001	0.06	1.53	0.4	<0.2	<10	150	0.37	0.05	2.12	0.12	52.3	14.7	86
R332266		2.12	0.011	0.08	0.48	0.1	<0.2	<10	160	0.42	0.10	1.76	0.06	25.6	5.1	15
R332267		3.12	<0.001	0.05	1.62	0.3	<0.2	<10	100	0.38	0.04	2.93	0.03	48.5	17.9	81
R332268		1.44	0.004	0.06	1.46	0.3	<0.2	<10	50	0.29	0.07	2.69	0.03	19.30	32.1	18
R332269		2.92	0.001	0.06	1.74	0.4	<0.2	<10	80	0.26	0.05	2.30	0.03	11.90	43.2	22
R332270		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.91	0.1	<1
R332271		2.61	0.001	0.03	1.87	0.2	<0.2	<10	60	0.26	0.03	2.48	0.02	56.5	19.8	103
R332272		2.43	0.004	0.04	1.74	0.3	<0.2	<10	40	0.36	0.07	4.96	0.03	48.6	17.0	95
R332273		3.32	<0.001	0.03	1.45	0.4	<0.2	<10	170	0.25	0.03	1.49	0.02	62.4	14.8	92
R332274		3.30	<0.001	0.11	1.40	0.3	<0.2	<10	220	0.25	0.04	1.10	0.01	50.8	14.7	87
R332275		3.61	<0.001	0.03	1.39	0.4	<0.2	<10	180	0.23	0.03	1.26	0.02	52.8	14.3	86
R332276		3.56	<0.001	0.04	1.30	0.3	<0.2	<10	150	0.19	0.02	1.21	0.02	56.8	13.2	84
R332277		2.45	<0.001	0.05	1.16	0.3	<0.2	<10	60	0.19	0.02	1.19	0.02	57.5	12.6	78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332238		0.28	146.0	5.20	7.64	0.21	0.13	<0.01	0.024	0.05	2.8	13.7	1.10	711	0.84	0.15
R332239		0.81	163.5	7.46	10.85	0.20	0.11	<0.01	0.031	0.09	2.9	18.5	1.53	1030	1.56	0.16
R332240		<0.05	0.8	0.03	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	<0.01
R332241		0.67	175.5	6.55	10.25	0.19	0.08	<0.01	0.022	0.06	2.2	17.1	1.34	757	0.87	0.12
R332242		0.75	168.5	6.35	9.63	0.18	0.09	<0.01	0.026	0.10	2.3	18.4	1.30	764	5.97	0.12
R332243		0.63	195.5	7.33	9.45	0.22	0.08	<0.01	0.024	0.05	2.2	11.7	1.19	1060	3.00	0.10
R332244		0.69	170.5	6.56	10.75	0.20	0.11	<0.01	0.022	0.03	2.2	15.5	1.34	816	4.05	0.09
R332245		0.62	168.0	5.44	8.53	0.17	0.10	<0.01	0.016	0.04	2.2	13.0	1.11	768	3.97	0.09
R332246		1.01	153.5	5.27	8.14	0.18	0.10	<0.01	0.022	0.12	2.4	12.4	0.92	711	4.04	0.16
R332247		1.01	147.5	5.42	7.83	0.19	0.12	<0.01	0.022	0.17	2.2	15.7	0.88	774	3.45	0.17
R332248		0.98	164.5	5.24	7.44	0.14	0.10	<0.01	0.019	0.06	1.8	12.5	1.03	594	8.78	0.14
R332249		0.64	161.5	5.31	7.63	0.16	0.09	<0.01	0.021	0.06	1.8	10.2	0.97	461	2.62	0.19
R332250		3.45	6650	6.64	2.92	0.10	<0.02	0.05	0.320	0.26	2.3	10.9	0.31	610	143.0	0.02
R332251		1.31	166.0	6.70	8.75	0.20	0.09	<0.01	0.027	0.08	2.1	15.2	1.01	790	17.30	0.13
R332252		1.71	170.0	5.79	9.25	0.17	0.11	<0.01	0.026	0.25	3.0	16.9	0.95	572	6.98	0.13
R332253		1.63	165.5	6.19	9.09	0.20	0.12	<0.01	0.024	0.46	2.4	15.3	0.93	676	11.20	0.15
R332254		2.82	200	6.97	8.33	0.19	0.11	<0.01	0.020	0.79	1.7	23.3	0.96	720	12.55	0.09
R332255		2.53	182.0	7.22	8.17	0.21	0.15	<0.01	0.020	0.56	1.9	21.5	0.99	844	57.5	0.10
R332256		2.49	155.0	6.67	8.44	0.20	0.18	<0.01	0.015	0.64	6.2	43.9	1.12	538	16.95	0.07
R332257		1.74	54.4	2.64	6.52	0.11	0.65	0.01	0.010	0.37	27.5	35.0	1.07	293	1.99	0.08
R332258		1.21	45.3	2.30	6.02	0.14	0.51	<0.01	0.010	0.30	27.9	28.2	1.19	263	2.03	0.09
R332259		0.83	44.8	2.18	6.14	0.14	0.63	<0.01	0.011	0.27	28.7	25.0	1.23	305	0.50	0.09
R332260		0.82	41.7	2.18	5.80	0.14	0.57	<0.01	0.010	0.28	27.3	23.6	1.21	304	0.49	0.08
R332261		0.81	45.8	2.19	5.85	0.14	0.49	<0.01	0.011	0.32	28.0	22.7	1.23	307	0.93	0.11
R332262		1.28	42.4	3.05	7.48	0.14	0.64	<0.01	0.018	0.31	26.0	30.2	1.88	510	0.33	0.06
R332263		1.79	43.3	3.21	8.20	0.16	0.79	<0.01	0.021	0.40	26.3	35.2	1.96	515	0.33	0.07
R332264		1.22	49.9	2.57	6.99	0.14	0.59	<0.01	0.010	0.35	25.0	29.7	1.48	364	0.43	0.07
R332265		2.83	54.3	2.62	7.36	0.15	0.80	<0.01	0.019	0.41	24.6	26.4	1.55	463	0.60	0.08
R332266		0.42	24.3	1.55	3.03	0.10	0.85	<0.01	0.007	0.11	13.0	6.8	0.36	289	0.18	0.06
R332267		2.72	52.2	3.24	8.01	0.16	0.86	<0.01	0.019	0.36	22.3	27.5	1.73	616	0.75	0.06
R332268		0.69	106.5	6.02	7.27	0.12	0.46	<0.01	0.019	0.14	10.1	19.5	1.38	670	0.83	0.04
R332269		1.37	162.5	7.52	7.84	0.15	0.15	<0.01	0.015	0.28	5.3	28.2	1.59	693	5.49	0.04
R332270		<0.05	0.8	0.02	<0.05	0.06	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	<0.05	<0.01
R332271		2.29	51.5	3.86	10.35	0.18	0.76	<0.01	0.019	0.26	26.2	33.0	2.00	545	1.84	0.07
R332272		1.75	49.9	3.49	9.31	0.18	0.67	<0.01	0.022	0.20	22.2	26.7	1.96	610	0.62	0.06
R332273		2.21	50.9	2.72	7.27	0.16	0.68	<0.01	0.010	0.46	29.4	29.8	1.50	331	0.33	0.07
R332274		2.13	53.0	2.47	6.70	0.14	0.79	<0.01	0.009	0.52	23.5	28.8	1.37	305	0.22	0.09
R332275		1.81	47.7	2.36	6.62	0.14	0.62	<0.01	0.010	0.46	24.5	29.1	1.38	314	0.54	0.07
R332276		1.02	44.7	2.35	6.25	0.14	0.61	<0.01	0.009	0.26	26.7	26.8	1.27	274	0.42	0.08
R332277		0.78	43.2	2.15	5.92	0.15	0.57	<0.01	0.006	0.12	26.7	18.0	1.14	301	0.28	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332238		0.11	23.2	460	4.0	1.5	0.003	0.40	<0.05	10.5	1.1	0.4	23.7	<0.01	0.04	0.2
R332239		0.07	30.0	460	32.1	5.1	0.002	0.38	<0.05	12.6	0.9	0.5	27.7	<0.01	0.06	0.2
R332240		<0.05	0.4	<10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332241		0.08	28.5	460	2.4	3.1	0.001	0.42	<0.05	11.5	0.7	0.3	21.2	<0.01	0.04	0.2
R332242		0.08	29.5	450	4.8	5.0	0.012	0.61	<0.05	11.6	1.0	0.4	22.7	<0.01	0.08	0.2
R332243		0.10	26.6	440	1.8	2.4	0.008	0.83	<0.05	9.5	1.3	0.3	24.2	<0.01	0.09	0.2
R332244		0.08	26.6	450	1.3	1.7	0.006	0.76	<0.05	9.5	1.1	0.3	23.0	<0.01	0.10	0.2
R332245		0.07	22.9	430	1.1	1.6	0.006	0.47	<0.05	6.9	0.7	0.3	22.1	<0.01	0.07	0.2
R332246		0.07	23.7	440	1.0	5.7	0.006	0.41	<0.05	10.3	0.7	0.4	27.4	<0.01	0.08	0.2
R332247		0.08	23.0	460	0.9	6.3	0.005	0.38	<0.05	9.6	0.6	0.3	29.8	<0.01	0.06	0.2
R332248		0.07	23.9	440	1.5	3.1	0.012	0.62	<0.05	7.6	0.8	0.2	30.7	<0.01	0.08	0.2
R332249		0.06	27.2	440	1.3	3.4	0.005	0.45	<0.05	7.5	0.7	0.3	24.0	<0.01	0.05	0.2
R332250		0.08	14.8	460	107.0	12.5	0.202	5.03	2.77	1.2	7.7	1.7	35.4	<0.01	0.97	1.0
R332251		0.08	28.9	400	1.7	6.0	0.023	0.82	<0.05	9.1	1.0	0.4	30.6	<0.01	0.09	0.2
R332252		0.09	27.7	450	1.4	12.9	0.011	0.65	<0.05	11.7	1.0	0.3	32.7	<0.01	0.07	0.3
R332253		0.11	27.3	450	1.2	19.0	0.018	0.63	<0.05	12.5	0.9	0.4	26.7	<0.01	0.06	0.2
R332254		0.09	33.1	380	1.5	33.0	0.024	0.97	<0.05	11.8	1.2	0.3	47.1	<0.01	0.04	0.2
R332255		0.16	30.2	410	1.8	26.4	0.074	0.98	<0.05	11.1	1.2	0.3	36.8	<0.01	0.05	0.2
R332256		0.14	31.7	520	1.9	29.1	0.018	0.86	<0.05	8.7	1.0	0.3	44.8	<0.01	0.03	0.4
R332257		0.15	32.3	1140	1.8	20.6	0.002	0.55	<0.05	3.4	0.7	0.4	58.6	<0.01	0.02	2.2
R332258		0.18	30.8	1210	1.8	14.4	0.002	0.23	<0.05	2.9	0.4	0.3	95.2	<0.01	0.01	2.4
R332259		0.21	31.4	1230	1.7	13.0	0.001	0.16	<0.05	3.2	0.3	0.4	104.0	<0.01	<0.01	2.5
R332260		0.20	29.6	1220	1.5	12.7	<0.001	0.17	<0.05	2.9	0.3	0.4	97.5	<0.01	0.01	2.4
R332261		0.21	31.5	1270	1.6	14.4	0.001	0.13	<0.05	3.5	0.4	0.3	113.0	<0.01	0.01	2.4
R332262		0.11	38.6	1190	2.0	16.7	0.001	0.15	<0.05	6.3	0.3	0.4	126.5	<0.01	0.01	2.2
R332263		0.14	40.3	1240	1.7	22.2	0.001	0.18	<0.05	7.1	0.5	0.5	125.5	<0.01	0.01	2.3
R332264		0.18	37.2	1240	1.5	18.1	0.001	0.26	<0.05	2.8	0.5	0.3	95.1	<0.01	0.01	2.3
R332265		0.16	33.7	1200	2.5	24.8	0.001	0.17	<0.05	5.0	0.3	0.4	113.5	<0.01	0.01	2.4
R332266		0.09	7.1	470	4.4	5.6	<0.001	0.39	<0.05	1.4	0.2	0.2	63.7	<0.01	0.09	3.8
R332267		0.15	35.3	1120	1.3	24.1	0.001	0.35	<0.05	6.6	0.5	0.4	75.7	<0.01	0.01	2.3
R332268		0.12	23.6	440	4.0	7.9	0.001	0.35	<0.05	7.7	0.6	0.3	53.1	<0.01	0.02	1.8
R332269		0.12	33.4	490	0.8	14.4	0.009	0.45	<0.05	5.4	1.0	0.3	61.5	<0.01	0.02	0.3
R332270		<0.05	0.3	10	0.4	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332271		0.12	42.3	1140	1.3	17.1	0.003	0.21	<0.05	6.8	0.5	0.3	61.5	<0.01	0.01	2.4
R332272		0.10	37.5	1130	1.5	14.5	0.001	0.33	<0.05	8.6	0.6	0.5	102.0	<0.01	0.01	2.1
R332273		0.13	33.8	1200	1.2	24.4	0.001	0.16	<0.05	2.8	0.4	0.4	71.0	<0.01	<0.01	2.4
R332274		0.16	33.8	1220	1.5	27.9	<0.001	0.26	<0.05	2.7	0.4	0.3	79.5	<0.01	0.01	2.4
R332275		0.15	32.8	1220	1.4	25.1	0.001	0.17	<0.05	2.8	0.3	0.4	85.6	<0.01	0.01	2.2
R332276		0.16	29.1	1280	1.4	14.0	<0.001	0.15	<0.05	2.5	0.3	0.4	85.0	<0.01	<0.01	2.3
R332277		0.17	27.3	1310	1.4	7.0	<0.001	0.16	<0.05	1.9	0.4	0.2	63.7	<0.01	<0.01	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332238		0.313	0.05	<0.05	144	0.18	8.58	56	3.5
R332239		0.277	0.43	<0.05	183	0.24	8.77	207	3.0
R332240		<0.005	<0.02	0.07	<1	<0.05	0.57	<2	0.7
R332241		0.265	0.04	<0.05	180	0.68	8.04	91	2.2
R332242		0.252	0.07	<0.05	179	0.41	7.85	114	2.5
R332243		0.211	0.04	<0.05	155	0.86	7.52	94	2.1
R332244		0.300	0.03	<0.05	171	0.52	9.43	61	2.9
R332245		0.295	0.03	<0.05	136	0.63	8.04	62	2.8
R332246		0.268	0.09	<0.05	149	0.39	8.37	50	2.7
R332247		0.323	0.07	<0.05	143	0.31	8.03	64	3.3
R332248		0.288	0.04	<0.05	142	0.37	7.29	61	3.1
R332249		0.214	0.04	<0.05	168	0.26	6.91	49	2.5
R332250		0.012	0.31	0.15	17	2.19	2.58	828	<0.5
R332251		0.204	0.09	<0.05	174	1.27	7.22	74	2.8
R332252		0.261	0.11	<0.05	203	0.65	8.31	63	3.2
R332253		0.301	0.15	<0.05	205	0.36	8.02	71	3.7
R332254		0.307	0.25	<0.05	211	0.46	7.26	81	3.4
R332255		0.362	0.20	<0.05	210	0.65	8.15	74	4.6
R332256		0.317	0.22	0.08	206	0.57	6.87	71	6.6
R332257		0.144	0.17	0.41	63	0.26	5.57	46	29.7
R332258		0.146	0.10	0.43	53	0.11	5.52	47	24.1
R332259		0.154	0.08	0.44	49	0.11	6.34	47	30.0
R332260		0.152	0.09	0.44	48	0.11	5.87	46	26.7
R332261		0.170	0.10	0.44	50	0.08	6.47	47	24.1
R332262		0.123	0.12	0.42	63	0.09	6.76	65	29.4
R332263		0.155	0.16	0.45	72	0.12	7.40	66	34.2
R332264		0.166	0.14	0.43	59	0.20	6.12	57	28.0
R332265		0.171	0.16	0.48	62	0.13	6.79	72	34.8
R332266		0.020	0.03	1.31	18	0.18	5.00	28	25.5
R332267		0.174	0.18	0.51	74	0.24	7.03	69	35.5
R332268		0.199	0.05	0.65	125	0.30	7.24	77	14.4
R332269		0.329	0.09	0.07	170	0.49	7.39	82	5.3
R332270		<0.005	<0.02	0.07	<1	<0.05	0.55	<2	0.7
R332271		0.167	0.13	0.46	91	0.23	6.97	78	32.5
R332272		0.123	0.11	0.50	87	0.33	6.78	78	28.9
R332273		0.148	0.18	0.45	64	0.16	5.70	55	29.8
R332274		0.178	0.19	0.49	61	0.21	5.92	52	35.0
R332275		0.166	0.16	0.44	57	0.18	5.52	51	27.4
R332276		0.137	0.10	0.46	54	0.11	5.18	45	27.2
R332277		0.130	0.05	0.48	45	0.14	5.16	43	25.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332278		2.32	0.003	0.11	1.91	0.4	<0.2	<10	20	0.37	0.26	4.75	0.06	10.30	46.7	24
R332279		2.24	0.035	0.36	0.47	0.3	<0.2	<10	130	0.37	0.41	1.60	0.01	31.4	5.5	18
R332280		0.06	2.37	4.73	1.56	18.6	2.5	<10	40	0.60	0.08	3.78	0.34	21.8	10.8	24
R332281		2.28	0.011	0.04	0.51	0.1	<0.2	<10	60	0.37	0.10	1.09	0.01	36.3	3.7	16
R332282		2.36	0.003	0.03	0.42	0.3	<0.2	<10	100	0.32	0.12	0.84	0.01	32.6	3.0	16
R332283		2.21	0.006	0.02	0.54	0.3	<0.2	<10	80	0.40	0.10	1.16	0.01	30.3	3.5	16
R332284		2.67	0.006	0.03	0.52	0.4	<0.2	<10	50	0.44	0.12	1.37	<0.01	49.9	3.0	16
R332285		2.20	0.005	0.07	0.37	0.2	<0.2	<10	230	0.48	0.36	1.35	<0.01	43.1	4.7	17
R332286		2.02	0.002	0.05	0.45	0.2	<0.2	<10	290	0.40	0.28	1.22	0.01	33.1	3.9	20
R332287		2.23	0.036	0.05	0.47	0.2	<0.2	<10	350	0.39	0.20	1.31	0.01	30.3	3.8	19
R332288		2.11	0.004	0.03	0.41	0.2	<0.2	<10	460	0.35	0.17	1.15	0.01	31.0	3.1	12
R332289		2.29	0.003	0.03	0.51	0.2	<0.2	<10	170	0.27	0.07	1.06	0.01	37.2	3.3	17
R332290		<0.02	0.001	0.02	0.50	0.1	<0.2	<10	160	0.23	0.07	1.04	0.01	37.7	3.2	16
R332291		2.27	0.016	0.04	0.37	0.2	<0.2	<10	290	0.31	0.30	1.24	0.01	25.3	3.8	14
R332292		2.26	<0.001	0.02	0.50	0.2	<0.2	<10	350	0.32	0.13	0.89	0.01	49.9	3.0	16
R332293		2.45	0.008	0.03	0.47	0.2	<0.2	<10	490	0.70	0.22	0.97	0.01	46.1	3.2	16
R332294		2.15	0.001	0.02	0.39	0.2	<0.2	<10	520	0.29	0.11	1.19	0.01	34.2	3.6	12
R332295		2.37	0.012	0.04	0.33	0.2	<0.2	<10	160	0.38	0.39	1.41	0.01	22.7	3.9	12
R332296		2.34	0.023	0.04	0.33	0.1	<0.2	<10	200	0.41	0.61	1.09	0.01	21.1	3.9	10
R332297		2.69	0.002	0.05	0.29	0.2	<0.2	<10	320	0.23	0.35	1.02	0.01	28.9	3.5	14
R332298		2.34	0.002	0.06	0.36	0.2	<0.2	<10	210	0.32	0.34	1.00	0.02	32.3	3.7	13
R332299		1.87	0.004	0.05	0.62	0.2	<0.2	<10	120	0.31	0.06	0.92	0.01	44.5	3.4	19
R332300		2.38	<0.001	0.07	0.56	0.4	<0.2	<10	250	0.38	0.39	0.93	0.02	43.7	3.8	18
R332301		2.37	<0.001	0.06	0.56	0.2	<0.2	<10	150	0.43	0.13	0.86	0.02	46.9	3.7	17
R332302		2.07	0.001	0.06	0.34	0.3	<0.2	<10	220	0.31	0.35	0.87	0.01	28.0	3.4	18
R332303		2.37	0.002	0.06	0.35	0.3	<0.2	<10	510	0.37	0.24	1.08	0.02	34.5	3.9	12
R332304		2.39	0.004	0.05	0.28	0.3	<0.2	<10	480	0.30	0.33	1.03	0.01	33.3	3.6	10
R332305		2.23	0.002	0.07	0.31	0.3	<0.2	<10	140	0.31	0.39	0.86	0.01	32.4	3.6	16
R332306		1.99	0.005	0.07	0.45	0.4	<0.2	<10	450	0.33	0.34	1.13	0.01	34.9	4.2	12
R332307		3.82	<0.001	0.24	1.10	0.2	<0.2	<10	20	0.14	0.08	2.89	0.14	7.75	42.6	19
R332308		4.27	<0.001	0.33	1.32	0.2	<0.2	<10	10	0.11	0.06	1.96	0.08	5.25	47.6	23
R332309		3.72	0.001	0.30	1.54	0.4	<0.2	<10	<10	0.13	0.06	2.16	0.06	7.26	38.6	20
R332310		0.10	<0.001	0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	0.10	1.02	0.1	<1
R332311		3.87	0.001	0.29	1.88	0.3	<0.2	<10	<10	0.12	0.06	2.45	0.08	7.39	45.8	17
R332312		3.82	<0.001	0.28	1.74	0.2	<0.2	<10	20	0.17	0.06	2.88	0.12	7.60	44.4	16
R332313		3.48	0.001	0.23	1.81	0.4	<0.2	<10	20	0.16	0.11	3.23	0.07	7.16	44.1	15
R332314		3.73	0.002	0.22	2.38	0.5	<0.2	<10	20	0.16	0.06	3.06	0.11	7.78	47.4	17
R332315		2.67	0.001	0.22	2.20	0.4	<0.2	<10	<10	0.10	0.05	2.32	0.07	6.05	39.7	18
R332316		2.52	0.001	0.17	2.46	0.5	<0.2	<10	<10	0.17	0.05	2.08	0.03	5.63	39.6	17
R332317		3.21	0.001	0.08	2.50	0.4	<0.2	<10	<10	0.16	0.01	1.61	0.02	5.54	34.7	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332278		2.66	178.5	9.30	11.60	0.18	0.22	<0.01	0.044	0.21	4.3	29.5	2.05	1280	1.19	0.05
R332279		0.75	24.5	1.77	3.15	0.11	1.18	<0.01	0.012	0.10	17.2	8.1	0.40	318	4.64	0.06
R332280		3.20	71.6	2.98	6.16	0.13	0.37	0.09	0.035	0.23	10.2	16.4	0.88	681	5.95	0.07
R332281		0.57	9.8	1.47	3.42	0.10	0.89	<0.01	0.009	0.11	19.6	8.0	0.38	254	0.33	0.07
R332282		0.59	8.4	1.32	3.00	0.10	0.90	<0.01	0.007	0.08	18.8	7.0	0.34	228	0.78	0.06
R332283		0.58	6.1	1.58	3.66	0.09	0.85	<0.01	0.009	0.08	16.2	8.0	0.45	248	1.33	0.07
R332284		0.52	56.8	1.51	3.73	0.10	1.05	<0.01	0.010	0.07	27.7	9.0	0.43	259	0.19	0.06
R332285		0.28	8.3	1.51	2.58	0.11	1.03	<0.01	0.006	0.04	23.2	6.0	0.28	239	2.22	0.08
R332286		0.57	5.4	1.52	2.95	0.09	1.15	<0.01	0.005	0.05	17.5	7.4	0.37	263	0.38	0.08
R332287		0.57	4.0	1.58	3.01	0.09	1.14	<0.01	0.005	0.06	15.8	7.7	0.35	251	0.11	0.08
R332288		0.63	8.3	1.31	2.49	0.09	1.24	<0.01	<0.005	0.06	16.6	6.2	0.29	223	1.10	0.07
R332289		0.68	14.4	1.49	3.36	0.09	1.10	<0.01	0.005	0.05	20.0	6.8	0.37	272	0.74	0.08
R332290		0.69	14.1	1.45	3.41	0.09	1.06	<0.01	0.006	0.05	20.2	7.1	0.38	272	0.54	0.08
R332291		0.39	8.3	1.50	2.32	0.08	1.06	<0.01	0.005	0.05	13.1	6.1	0.26	225	0.94	0.08
R332292		0.87	26.7	1.51	3.19	0.10	1.13	<0.01	0.007	0.09	27.4	7.5	0.37	257	0.19	0.07
R332293		0.92	38.0	1.48	3.05	0.11	1.15	<0.01	0.008	0.09	24.7	7.1	0.34	251	0.30	0.09
R332294		0.60	13.2	1.36	2.32	0.09	0.98	<0.01	0.006	0.06	18.4	5.4	0.30	239	0.15	0.08
R332295		0.39	11.5	1.48	1.93	0.08	0.96	<0.01	0.005	0.05	11.7	4.3	0.20	248	2.04	0.09
R332296		0.51	15.7	1.40	1.93	0.08	1.04	<0.01	0.006	0.07	11.0	5.0	0.22	219	0.49	0.08
R332297		0.67	24.8	1.32	1.46	0.08	1.11	<0.01	0.006	0.09	15.7	4.5	0.26	288	0.16	0.07
R332298		0.89	12.5	1.47	1.96	0.09	1.02	<0.01	0.007	0.13	17.6	6.1	0.33	309	0.11	0.08
R332299		2.57	13.3	1.56	3.88	0.10	1.24	<0.01	0.011	0.30	24.3	11.4	0.39	316	0.16	0.08
R332300		2.04	14.8	1.59	3.77	0.10	1.27	<0.01	0.010	0.24	24.1	9.5	0.39	308	0.24	0.07
R332301		2.33	12.2	1.40	3.98	0.15	1.26	<0.01	0.009	0.25	24.5	10.9	0.36	303	0.29	0.08
R332302		0.81	8.3	1.42	1.97	0.13	1.07	<0.01	<0.005	0.10	13.3	6.3	0.22	235	0.67	0.09
R332303		0.77	14.3	1.29	2.00	0.14	1.12	<0.01	0.007	0.12	16.5	5.5	0.27	288	0.22	0.09
R332304		0.55	8.5	1.22	1.54	0.13	1.19	<0.01	0.005	0.10	16.4	4.2	0.23	284	2.77	0.08
R332305		0.79	12.8	1.59	1.95	0.13	1.53	<0.01	0.007	0.09	15.8	6.2	0.22	247	1.44	0.10
R332306		0.96	63.9	1.42	2.75	0.15	1.37	<0.01	0.007	0.13	17.1	8.3	0.29	256	0.34	0.08
R332307		0.95	172.5	6.45	5.74	0.23	0.26	<0.01	0.019	0.18	3.2	11.8	0.62	512	2.01	0.13
R332308		0.92	182.5	6.62	7.18	0.23	0.16	<0.01	0.018	0.14	1.8	14.1	0.71	497	4.70	0.11
R332309		0.26	167.5	5.34	7.51	0.24	0.14	<0.01	0.024	0.04	2.5	7.2	0.69	662	5.01	0.18
R332310		<0.05	0.9	0.03	<0.05	0.09	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R332311		0.38	154.0	6.39	8.66	0.26	0.13	<0.01	0.023	0.05	2.6	11.5	0.90	801	6.75	0.16
R332312		0.70	154.5	6.61	7.85	0.24	0.18	<0.01	0.023	0.12	2.7	8.7	0.72	840	3.85	0.16
R332313		0.59	144.0	6.17	7.37	0.23	0.17	<0.01	0.022	0.11	2.5	8.3	0.81	842	14.25	0.16
R332314		0.98	177.5	7.42	9.74	0.27	0.15	<0.01	0.027	0.11	2.8	13.0	1.01	1120	6.45	0.16
R332315		0.44	197.5	5.77	8.15	0.22	0.13	<0.01	0.022	0.04	2.2	12.5	1.06	640	3.51	0.20
R332316		0.57	145.0	5.83	8.55	0.21	0.15	<0.01	0.018	0.05	2.0	12.0	1.03	476	4.76	0.20
R332317		0.37	116.5	6.32	8.50	0.21	0.15	<0.01	0.016	0.04	1.9	18.5	1.28	521	1.57	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332278		0.09	37.0	490	1.3	17.4	0.002	1.24	<0.05	17.0	1.4	0.4	86.6	<0.01	0.06	0.4
R332279		0.17	8.1	390	6.4	7.4	0.002	0.53	<0.05	2.4	0.4	0.3	48.6	<0.01	0.48	5.3
R332280		0.07	10.4	610	17.2	11.7	0.002	0.89	0.48	8.4	0.9	0.5	114.0	<0.01	2.50	1.3
R332281		0.24	5.0	410	5.7	6.1	<0.001	0.15	<0.05	1.4	0.2	0.2	41.6	<0.01	0.08	5.0
R332282		0.34	4.5	380	7.9	4.7	<0.001	0.12	<0.05	1.1	0.2	0.4	37.5	<0.01	0.04	5.0
R332283		0.13	5.2	440	4.2	4.4	0.001	0.12	<0.05	1.4	0.2	0.3	39.1	<0.01	0.03	4.6
R332284		0.13	5.2	400	2.7	4.1	<0.001	0.20	<0.05	1.3	0.2	0.2	34.0	<0.01	0.04	5.8
R332285		<0.05	6.5	450	1.4	3.1	0.001	0.91	<0.05	1.0	0.5	0.2	33.3	<0.01	0.10	4.4
R332286		0.08	6.3	440	1.5	3.8	<0.001	0.71	<0.05	1.3	0.5	0.3	40.3	<0.01	0.06	5.5
R332287		0.08	6.1	430	1.3	4.2	<0.001	0.61	<0.05	1.0	0.4	<0.2	45.0	<0.01	0.06	5.6
R332288		0.06	4.5	410	1.7	4.4	<0.001	0.45	<0.05	0.9	0.3	0.2	44.1	<0.01	0.04	5.9
R332289		0.14	5.0	370	1.7	3.9	<0.001	0.19	<0.05	1.2	0.3	0.3	50.5	<0.01	0.02	5.3
R332290		0.15	5.0	370	1.8	3.8	<0.001	0.19	<0.05	1.2	0.2	<0.2	50.3	<0.01	0.02	5.4
R332291		0.05	4.8	440	1.2	3.5	<0.001	0.80	<0.05	0.9	0.7	0.2	43.6	<0.01	0.12	5.3
R332292		0.28	5.0	470	3.2	7.3	<0.001	0.32	<0.05	1.1	0.3	0.3	48.3	<0.01	0.03	5.5
R332293		0.29	4.8	410	2.1	7.6	<0.001	0.49	<0.05	1.3	0.5	<0.2	64.8	<0.01	0.06	4.9
R332294		0.07	4.9	420	1.6	5.2	<0.001	0.56	<0.05	0.9	0.4	0.2	83.7	<0.01	0.02	5.3
R332295		<0.05	4.7	420	1.4	3.7	<0.001	0.93	<0.05	0.8	0.5	0.3	58.5	<0.01	0.10	5.5
R332296		0.05	4.4	410	1.9	5.2	<0.001	0.83	<0.05	0.8	0.6	<0.2	51.5	<0.01	0.18	5.6
R332297		0.08	4.1	380	3.1	7.1	<0.001	0.63	<0.05	0.9	0.3	0.2	183.5	<0.01	0.05	5.6
R332298		0.09	4.7	410	3.4	10.0	<0.001	0.79	<0.05	1.0	0.5	<0.2	147.5	<0.01	0.04	5.2
R332299		0.38	5.2	410	9.8	26.3	<0.001	0.09	<0.05	1.6	0.2	0.3	82.2	<0.01	0.01	5.8
R332300		0.35	5.3	410	7.1	20.5	<0.001	0.25	<0.05	1.5	0.3	0.5	80.3	<0.01	0.02	5.9
R332301		0.38	5.7	390	10.4	23.5	<0.001	0.16	<0.05	1.6	0.3	0.3	95.1	<0.01	0.02	6.2
R332302		0.08	4.8	320	2.7	9.3	<0.001	0.70	<0.05	0.8	0.5	<0.2	90.3	<0.01	0.04	4.9
R332303		0.07	4.9	410	2.7	9.3	<0.001	0.50	<0.05	1.0	0.4	0.3	102.5	<0.01	0.02	5.1
R332304		0.06	4.1	360	2.7	7.4	<0.001	0.55	<0.05	0.8	0.4	<0.2	140.5	<0.01	0.04	6.1
R332305		0.09	4.6	340	2.3	8.4	<0.001	0.92	<0.05	1.2	0.6	<0.2	84.5	<0.01	0.06	6.3
R332306		0.16	5.1	380	3.6	10.6	<0.001	0.52	<0.05	1.2	0.4	0.4	82.9	<0.01	0.05	6.1
R332307		0.42	25.9	420	3.6	11.6	0.004	1.20	<0.05	6.4	1.5	0.3	78.7	<0.01	0.03	0.6
R332308		0.27	28.9	460	3.3	9.6	0.010	1.02	<0.05	7.2	1.0	0.8	35.9	<0.01	0.02	0.2
R332309		0.17	27.3	450	1.8	1.8	0.009	0.66	<0.05	9.1	0.8	0.5	28.5	<0.01	0.06	0.2
R332310		<0.05	0.4	<10	0.4	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332311		0.12	27.0	460	1.2	2.1	0.013	0.74	<0.05	8.8	1.3	0.3	28.9	<0.01	0.05	0.2
R332312		0.24	29.5	420	1.6	6.3	0.007	0.96	<0.05	9.4	1.1	0.4	23.8	<0.01	0.06	0.2
R332313		0.19	35.2	410	2.1	4.7	0.017	0.87	<0.05	9.2	1.1	0.4	22.9	<0.01	0.07	0.2
R332314		0.16	36.2	400	1.6	4.8	0.012	0.97	<0.05	10.7	1.1	0.4	26.7	<0.01	0.10	0.2
R332315		0.09	33.0	410	1.0	2.2	0.008	0.62	<0.05	8.9	1.1	0.3	15.9	<0.01	0.08	0.2
R332316		0.12	32.4	390	1.2	4.3	0.011	0.52	<0.05	7.0	1.0	0.4	56.6	<0.01	0.04	0.2
R332317		0.12	30.9	380	0.6	3.0	0.004	0.16	<0.05	6.7	0.5	0.2	60.6	<0.01	0.01	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332278		0.299	0.15	0.11	250	0.42	10.15	95	6.9
R332279		0.039	0.05	1.97	27	0.18	4.73	24	34.0
R332280		0.056	0.13	0.32	67	0.58	7.72	84	12.8
R332281		0.040	0.04	1.78	19	0.09	4.26	29	24.3
R332282		0.047	0.03	1.72	18	0.10	3.51	30	25.2
R332283		0.027	0.03	1.61	20	0.08	4.07	33	24.8
R332284		0.024	0.03	2.23	17	0.14	4.87	24	29.9
R332285		0.006	0.02	1.53	13	0.07	5.62	11	32.9
R332286		0.016	0.03	1.92	19	0.07	4.60	21	33.7
R332287		0.015	0.03	1.94	18	0.09	4.78	18	31.7
R332288		0.010	0.03	2.18	14	0.07	4.46	19	33.6
R332289		0.029	0.02	1.84	23	0.08	4.24	29	30.4
R332290		0.029	0.02	1.91	22	0.08	4.32	29	30.1
R332291		0.006	0.02	1.97	13	0.08	4.44	13	29.8
R332292		0.044	0.05	2.00	19	0.07	4.45	28	35.1
R332293		0.044	0.04	1.77	21	0.07	6.35	25	33.1
R332294		0.009	0.04	1.67	14	<0.05	3.70	27	27.0
R332295		<0.005	0.02	1.72	9	0.07	4.13	14	28.4
R332296		0.007	0.04	2.11	8	0.05	4.02	14	30.7
R332297		0.011	0.05	2.12	9	0.06	3.03	23	31.6
R332298		0.015	0.06	2.01	13	0.05	3.12	33	29.4
R332299		0.077	0.18	2.12	23	<0.05	4.16	43	34.5
R332300		0.062	0.14	2.07	23	0.06	4.00	40	35.0
R332301		0.069	0.18	2.21	24	<0.05	3.96	41	34.1
R332302		0.013	0.07	1.85	10	0.06	3.35	23	31.0
R332303		0.013	0.07	1.97	11	0.06	3.44	24	33.3
R332304		0.008	0.05	2.18	8	0.05	3.37	19	34.5
R332305		0.014	0.06	2.35	13	0.07	4.28	19	50.9
R332306		0.021	0.08	2.26	13	0.06	4.55	21	42.3
R332307		0.300	0.11	0.18	159	0.40	7.76	52	7.8
R332308		0.253	0.11	<0.05	188	0.68	7.49	59	5.2
R332309		0.232	0.04	<0.05	158	1.63	8.42	51	4.3
R332310		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R332311		0.213	0.03	<0.05	165	1.63	7.81	71	3.6
R332312		0.308	0.08	<0.05	173	0.69	8.51	75	5.2
R332313		0.265	0.13	<0.05	149	0.52	7.88	60	4.4
R332314		0.299	0.05	<0.05	177	0.94	8.17	102	4.2
R332315		0.231	0.02	<0.05	145	0.36	7.09	65	3.4
R332316		0.244	0.03	<0.05	161	0.52	6.88	45	3.9
R332317		0.288	0.02	<0.05	163	0.27	7.19	56	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R332318		3.64	0.001	0.06	2.84	0.4	<0.2	<10	<10	0.13	0.03	1.88	0.02	6.15	38.3	21
R332319		3.86	0.001	0.10	1.94	0.6	<0.2	<10	<10	0.14	0.08	2.18	0.02	5.08	34.9	18
R332320		0.07	2.44	4.55	1.64	18.7	2.4	<10	40	0.60	0.08	3.79	0.37	21.2	10.8	25
R332321		3.86	0.001	0.08	1.96	0.4	<0.2	<10	<10	0.12	0.01	1.39	0.01	5.53	29.1	18
R332322		4.15	0.002	0.14	2.07	0.4	<0.2	<10	<10	0.13	0.02	1.47	0.02	5.03	35.0	20
R332323		3.73	0.001	0.09	1.84	0.3	<0.2	<10	10	0.10	0.02	1.62	0.02	5.13	34.1	18
R332324		3.63	0.002	0.16	1.92	0.2	<0.2	<10	10	0.14	0.04	1.59	0.03	5.71	38.0	15
R332325		4.03	0.002	0.17	2.50	0.2	<0.2	<10	<10	0.22	0.04	1.49	0.03	9.24	45.8	5
R332326		3.98	0.001	0.16	1.98	0.4	<0.2	<10	10	0.15	0.05	1.37	0.03	7.53	43.0	8
R332327		3.68	0.001	0.20	1.65	0.3	<0.2	<10	10	0.16	0.12	1.38	0.04	6.42	44.1	10
R332328		3.87	0.005	0.24	1.78	0.4	<0.2	<10	10	0.15	0.37	1.87	0.04	6.41	44.7	11
R332329		4.08	0.004	0.13	2.07	0.2	<0.2	<10	10	0.17	0.03	1.54	0.02	6.21	36.5	10
R332330		<0.02	0.004	0.14	2.00	0.1	<0.2	<10	10	0.14	0.03	1.49	0.03	6.16	35.6	9
R332331		3.80	0.001	0.14	1.89	0.3	<0.2	<10	20	0.15	0.13	1.38	0.03	6.39	37.2	10
R332332		3.71	0.001	0.17	1.98	0.4	<0.2	<10	10	0.16	0.41	1.78	0.05	6.56	46.3	8
R332333		3.91	0.002	0.15	1.89	0.3	<0.2	<10	10	0.12	0.05	1.78	0.05	6.93	39.5	11
R332334		3.83	0.001	0.09	1.44	0.2	<0.2	<10	10	0.16	0.06	2.38	0.04	6.87	37.4	10
R332335		4.04	0.002	0.12	1.88	0.2	<0.2	<10	10	0.18	0.14	1.71	0.04	6.68	38.4	11
R332336		3.87	0.002	0.09	2.64	0.2	<0.2	<10	10	0.14	0.05	1.48	0.04	6.73	43.9	7
R332337		2.51	0.003	0.08	1.47	0.4	<0.2	<10	10	0.15	0.05	4.86	0.05	6.59	36.0	5
R332338		3.92	0.001	0.15	1.31	0.3	<0.2	<10	10	0.12	0.23	1.13	0.04	6.63	41.8	5
R332339		3.57	<0.001	0.09	1.02	0.3	<0.2	<10	<10	0.11	0.10	1.27	0.03	6.81	36.2	7
R332340		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	0.87	0.1	<1
R332341		3.38	0.002	0.12	1.77	0.2	<0.2	<10	10	0.13	0.10	1.24	0.03	8.11	39.1	7
R332342		3.55	0.001	0.08	1.69	0.4	<0.2	<10	<10	0.12	0.10	1.83	0.02	6.94	39.1	6
R332343		2.75	0.002	0.09	1.60	0.4	<0.2	<10	<10	0.09	0.13	2.87	0.05	6.45	37.8	4
R332344		3.31	0.002	0.10	1.76	0.2	<0.2	<10	<10	0.13	0.11	1.67	0.03	7.85	37.5	7
R332345		2.75	0.005	0.11	1.95	0.2	<0.2	<10	<10	0.09	0.11	4.22	0.06	7.42	36.5	3
R332346		2.84	0.004	0.14	2.16	0.4	<0.2	<10	10	0.16	0.10	2.53	0.09	10.25	37.2	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R332318		0.96	110.5	7.52	9.66	0.21	0.12	<0.01	0.019	0.06	2.1	24.9	1.86	679	1.32	0.11
R332319		0.54	155.0	6.64	8.42	0.21	0.16	<0.01	0.018	0.04	1.7	17.1	1.28	501	1.12	0.12
R332320		3.15	69.2	3.01	6.55	0.18	0.38	0.09	0.039	0.23	9.4	16.4	0.88	702	6.05	0.07
R332321		0.44	89.4	6.26	8.20	0.20	0.13	<0.01	0.019	0.05	1.8	12.1	0.98	404	0.83	0.19
R332322		0.35	209	6.90	7.84	0.18	0.12	<0.01	0.018	0.06	1.7	11.4	1.02	421	1.46	0.20
R332323		0.37	121.0	7.12	8.11	0.20	0.13	<0.01	0.016	0.04	1.8	13.5	1.21	492	2.53	0.14
R332324		0.45	277	8.23	8.64	0.19	0.13	<0.01	0.021	0.05	1.9	13.3	1.29	542	1.80	0.15
R332325		0.36	245	9.68	11.35	0.24	0.11	<0.01	0.025	0.04	3.1	19.6	1.40	628	5.88	0.15
R332326		0.34	198.5	8.75	9.55	0.22	0.12	<0.01	0.022	0.04	2.6	14.1	1.19	523	7.20	0.17
R332327		0.42	211	8.43	8.47	0.23	0.16	<0.01	0.019	0.05	2.2	11.0	1.06	496	9.47	0.18
R332328		0.61	291	8.48	9.05	0.24	0.17	<0.01	0.021	0.05	2.2	12.0	1.06	506	16.40	0.18
R332329		0.39	258	7.92	9.21	0.22	0.12	<0.01	0.021	0.05	2.1	10.8	1.07	510	2.85	0.21
R332330		0.36	247	7.69	8.82	0.25	0.12	<0.01	0.020	0.05	2.1	10.4	1.03	491	2.90	0.20
R332331		0.58	149.0	7.79	9.03	0.25	0.13	<0.01	0.020	0.06	2.2	11.3	1.07	505	7.95	0.18
R332332		1.16	192.0	8.92	10.80	0.22	0.11	<0.01	0.022	0.05	2.1	15.6	1.38	582	19.90	0.13
R332333		0.62	252	8.72	10.10	0.20	0.12	<0.01	0.021	0.05	2.3	10.2	1.03	517	5.53	0.22
R332334		0.53	155.5	7.80	8.47	0.21	0.13	<0.01	0.017	0.03	2.4	9.7	0.81	471	0.82	0.14
R332335		4.11	187.5	8.40	9.32	0.21	0.14	<0.01	0.023	0.17	2.2	9.1	1.07	581	6.88	0.21
R332336		0.43	186.5	8.64	11.15	0.22	0.11	<0.01	0.020	0.04	2.2	15.5	1.48	601	10.55	0.18
R332337		0.22	243	6.00	7.66	0.15	0.19	<0.01	0.014	0.02	2.3	10.5	0.85	465	7.52	0.07
R332338		0.53	175.0	8.07	8.77	0.11	0.11	<0.01	0.015	0.03	2.2	9.5	0.89	399	2.18	0.11
R332339		0.34	68.7	7.42	7.01	0.11	0.13	<0.01	0.014	0.03	2.2	5.4	0.64	373	2.28	0.13
R332340		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.2	<0.01	<5	0.05	<0.01
R332341		0.44	171.0	7.59	8.83	0.13	0.09	<0.01	0.017	0.03	2.8	8.6	1.08	480	6.75	0.18
R332342		0.50	147.0	8.28	9.47	0.13	0.09	<0.01	0.018	0.02	2.3	9.7	1.06	472	10.30	0.14
R332343		0.39	190.5	7.15	8.63	0.13	0.11	<0.01	0.018	0.02	2.2	9.9	0.96	478	5.13	0.10
R332344		0.47	123.0	7.16	9.22	0.11	0.09	<0.01	0.024	0.02	2.6	8.5	0.96	423	5.17	0.17
R332345		1.92	127.0	7.47	10.65	0.12	0.06	<0.01	0.029	0.05	2.5	15.9	1.12	531	17.85	0.10
R332346		2.06	127.5	6.80	10.85	0.12	0.07	<0.01	0.035	0.08	3.5	13.5	0.96	530	4.04	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R332318		0.11	33.5	420	0.4	4.2	0.003	0.19	<0.05	7.5	0.7	0.4	37.5	<0.01	0.01	0.2
R332319		0.11	27.9	400	0.5	2.8	0.002	0.44	<0.05	6.0	0.7	0.3	34.0	<0.01	0.01	0.2
R332320		0.06	10.7	630	17.1	11.4	0.002	0.89	0.44	8.1	0.9	0.5	120.5	<0.01	2.37	1.5
R332321		0.09	23.4	410	0.4	4.3	0.001	0.16	<0.05	5.9	0.6	0.3	35.3	<0.01	0.01	0.2
R332322		0.12	24.3	430	0.5	4.5	0.002	0.35	<0.05	5.7	0.8	0.2	41.1	<0.01	0.02	0.2
R332323		0.14	24.0	440	0.5	2.8	0.005	0.39	<0.05	6.1	0.7	0.3	25.7	<0.01	0.02	0.2
R332324		0.14	22.2	470	0.5	3.2	0.003	0.54	<0.05	7.3	1.0	0.2	26.1	<0.01	0.02	0.2
R332325		0.16	12.0	640	0.6	3.1	0.011	0.47	<0.05	7.9	1.0	0.2	34.3	<0.01	0.02	0.3
R332326		0.14	16.6	570	0.8	2.7	0.014	0.70	<0.05	7.5	1.3	0.2	25.3	<0.01	0.05	0.3
R332327		0.21	21.0	520	1.1	3.0	0.016	1.09	<0.05	7.8	1.5	0.2	22.9	<0.01	0.05	0.2
R332328		0.19	22.4	510	1.4	3.4	0.031	1.48	<0.05	7.4	1.7	0.3	25.3	<0.01	0.04	0.2
R332329		0.13	18.7	500	0.6	3.1	0.005	0.39	<0.05	7.5	0.9	0.3	38.4	<0.01	0.03	0.2
R332330		0.12	18.1	500	0.6	3.0	0.005	0.40	<0.05	7.2	0.9	0.2	38.0	<0.01	0.02	0.2
R332331		0.15	18.9	510	1.1	3.6	0.015	0.53	<0.05	6.5	0.9	0.2	24.3	<0.01	0.03	0.2
R332332		0.10	22.3	510	1.5	3.8	0.036	1.11	<0.05	6.8	1.2	0.2	14.9	<0.01	0.04	0.2
R332333		0.10	18.6	540	0.9	3.2	0.011	0.44	<0.05	6.5	1.0	<0.2	23.7	<0.01	0.02	0.2
R332334		0.16	17.3	510	0.7	2.2	0.002	0.51	<0.05	6.3	1.1	0.2	21.4	<0.01	0.02	0.2
R332335		0.14	18.2	540	1.1	12.2	0.009	0.51	<0.05	8.8	1.0	0.3	24.0	<0.01	0.03	0.2
R332336		0.11	20.5	530	1.0	2.5	0.022	0.48	<0.05	7.3	1.1	0.2	32.4	<0.01	0.03	0.2
R332337		0.15	15.8	410	1.9	1.2	0.012	0.58	<0.05	5.0	0.9	0.2	44.0	<0.01	0.03	<0.2
R332338		0.09	18.4	520	2.0	2.1	0.004	1.11	<0.05	5.6	1.1	0.3	10.7	<0.01	0.08	0.2
R332339		0.17	17.1	540	1.7	1.6	0.005	0.70	<0.05	6.3	0.6	0.2	11.6	<0.01	0.04	0.2
R332340		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R332341		0.07	16.6	610	1.6	1.8	0.010	0.77	<0.05	7.2	0.7	<0.2	14.6	<0.01	0.07	0.2
R332342		0.08	15.9	550	1.1	1.6	0.016	0.66	<0.05	6.7	0.8	0.3	14.0	<0.01	0.08	0.2
R332343		0.09	14.9	510	1.5	1.2	0.011	0.87	<0.05	5.7	0.9	0.2	16.4	<0.01	0.08	0.2
R332344		0.07	13.7	570	2.4	1.9	0.007	0.72	<0.05	7.8	0.9	0.2	10.8	<0.01	0.10	0.2
R332345		0.05	10.0	550	3.0	12.0	0.028	0.66	<0.05	8.5	0.7	0.3	18.6	<0.01	0.08	<0.2
R332346		0.05	6.7	580	3.7	12.8	0.008	0.59	<0.05	10.0	0.9	0.3	15.6	<0.01	0.10	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R332318		0.315	0.03	<0.05	194	0.21	7.88	84	2.8
R332319		0.266	0.02	0.05	177	0.22	8.13	56	3.9
R332320		0.057	0.14	0.33	69	0.47	7.47	87	12.7
R332321		0.218	0.03	<0.05	182	0.21	7.76	41	3.2
R332322		0.228	0.03	<0.05	188	0.32	6.99	43	3.3
R332323		0.285	0.02	<0.05	198	0.38	7.34	47	3.3
R332324		0.303	0.02	<0.05	229	0.40	7.71	60	3.7
R332325		0.237	0.02	<0.05	225	0.28	9.82	87	2.7
R332326		0.255	0.02	<0.05	226	0.34	9.05	63	2.9
R332327		0.341	0.02	<0.05	234	0.35	9.20	51	3.9
R332328		0.333	0.04	<0.05	238	0.41	8.74	52	4.1
R332329		0.253	0.02	<0.05	241	0.44	7.97	48	3.0
R332330		0.241	0.03	<0.05	234	0.44	7.74	47	2.9
R332331		0.288	0.04	<0.05	232	0.31	8.77	46	3.1
R332332		0.247	0.04	<0.05	261	0.56	8.80	64	2.5
R332333		0.244	0.03	<0.05	275	0.38	9.24	54	2.9
R332334		0.280	0.02	<0.05	238	0.40	8.49	43	3.1
R332335		0.286	0.11	<0.05	254	0.35	9.52	55	3.2
R332336		0.246	0.02	<0.05	263	0.53	8.26	72	2.3
R332337		0.322	<0.02	<0.05	146	0.56	8.45	49	3.7
R332338		0.215	0.03	<0.05	240	0.34	7.87	46	2.3
R332339		0.289	0.02	<0.05	238	0.26	9.61	31	2.9
R332340		<0.005	<0.02	0.06	<1	<0.05	0.53	<2	0.7
R332341		0.190	0.03	<0.05	248	0.30	8.91	49	2.1
R332342		0.219	0.02	<0.05	277	0.35	8.90	50	1.9
R332343		0.213	<0.02	<0.05	206	0.43	7.94	49	2.2
R332344		0.214	0.02	<0.05	229	0.38	9.54	45	2.3
R332345		0.142	0.12	<0.05	211	2.91	8.10	67	1.7
R332346		0.157	0.13	<0.05	156	0.92	10.50	70	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 20-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150471

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

CERTIFICATE SD15150484

Project: Miller

This report is for 143 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 2-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331708		3.65	0.001	0.06	1.21	0.5	<0.2	<10	30	0.14	0.07	2.06	0.08	5.16	18.4	8
R331709		3.67	0.002	0.07	1.46	0.2	<0.2	<10	20	0.11	0.15	1.53	0.07	4.78	23.6	7
R331710		0.10	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	0.01	0.01	<0.01	1.09	0.1	<1
R331711		3.60	0.003	0.07	1.91	0.3	<0.2	<10	20	0.12	0.10	1.50	0.06	5.06	26.4	7
R331712		3.40	0.005	0.06	1.54	0.3	<0.2	<10	10	0.10	0.07	2.14	0.08	4.40	20.0	8
R331713		3.26	0.003	0.05	1.99	0.2	<0.2	<10	10	0.12	0.06	1.79	0.11	4.84	23.1	5
R331714		3.73	0.003	0.08	2.09	0.3	<0.2	<10	20	0.13	0.14	2.46	0.07	5.33	24.4	5
R331715		3.92	0.002	0.07	1.95	0.4	<0.2	10	10	0.15	0.12	2.87	0.06	6.12	22.7	5
R331716		2.51	0.003	0.08	2.90	0.8	<0.2	<10	20	0.24	0.48	4.81	0.04	5.46	35.1	3
R331717		2.80	0.001	0.11	2.52	0.5	<0.2	<10	10	0.27	0.27	4.27	0.11	5.54	29.0	2
R331718		2.41	0.021	0.21	2.01	1.7	<0.2	<10	10	0.20	0.78	4.05	3.59	5.71	31.9	3
R331719		3.68	0.004	0.08	1.65	0.2	<0.2	<10	10	0.15	0.06	1.62	0.08	7.22	18.9	3
R331720		0.07	2.36	4.51	1.57	16.8	2.3	<10	40	0.47	0.08	3.61	0.35	21.6	10.0	23
R331721		3.41	0.002	0.07	1.92	0.3	<0.2	<10	30	0.10	0.05	1.56	0.11	8.31	22.9	4
R331722		3.60	0.001	0.11	1.88	0.2	<0.2	<10	50	0.12	0.14	1.54	0.11	8.65	27.1	4
R331723		2.57	<0.001	0.10	2.17	0.2	<0.2	<10	80	0.16	0.26	1.97	0.12	9.83	35.3	4
R331724		1.12	<0.001	0.07	1.47	0.2	<0.2	<10	30	0.20	0.38	7.14	0.06	8.87	29.0	2
R331725		2.15	0.001	0.10	1.57	0.2	<0.2	<10	60	0.14	0.19	1.72	0.07	8.82	25.9	5
R331726		2.56	0.001	0.10	1.36	0.2	<0.2	<10	50	0.12	0.13	1.97	0.07	7.86	23.7	5
R331727		2.59	0.001	0.17	1.36	0.1	<0.2	<10	70	0.09	0.31	3.71	0.39	8.37	27.8	6
R331728		3.55	0.001	0.08	1.76	0.3	<0.2	<10	10	0.12	0.15	2.35	0.16	6.26	31.0	11
R331729		3.62	0.002	0.05	1.49	0.2	<0.2	<10	50	0.08	0.05	2.46	0.09	7.05	23.0	17
R331730		<0.02	0.002	0.05	1.48	0.3	<0.2	<10	50	0.10	0.06	2.39	0.10	7.51	23.3	15
R331731		3.66	0.003	0.05	1.30	0.1	<0.2	<10	10	0.09	0.04	2.41	0.07	6.89	16.6	13
R331732		3.84	0.003	0.05	1.25	0.2	<0.2	<10	30	0.09	0.04	2.66	0.12	6.11	19.4	19
R331733		3.64	0.003	0.06	1.40	0.2	<0.2	<10	20	0.09	0.04	1.86	0.10	6.86	20.7	17
R331734		3.56	0.004	0.07	1.35	0.4	<0.2	<10	10	0.11	0.09	1.75	0.11	6.58	23.6	17
R331735		3.39	0.003	0.05	1.36	0.2	<0.2	<10	10	0.08	0.05	2.04	0.08	6.70	21.6	16
R331736		3.69	0.001	0.09	1.77	0.1	<0.2	<10	20	0.10	0.14	2.14	0.07	6.31	19.9	13
R331737		3.80	0.003	0.11	2.04	0.4	<0.2	<10	20	0.20	0.26	2.54	0.06	5.38	22.7	21
R331738		3.41	0.001	0.09	2.60	0.3	<0.2	<10	10	0.16	0.20	3.93	0.08	6.29	25.2	9
R331739		3.05	0.002	0.13	2.54	0.2	<0.2	<10	10	0.20	0.43	3.43	0.12	6.45	25.6	11
R331740		0.11	<0.001	0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.96	0.1	<1
R331741		3.23	<0.001	0.12	2.94	0.2	<0.2	<10	10	0.13	0.39	1.74	0.10	7.15	32.9	10
R331742		3.82	0.005	0.06	1.35	0.2	<0.2	<10	<10	0.08	0.03	1.69	0.05	6.26	16.7	12
R331743		3.74	0.003	0.07	1.25	0.3	<0.2	<10	10	0.08	0.03	2.61	0.07	5.67	19.2	14
R331744		3.52	0.002	0.06	1.98	0.6	<0.2	<10	20	0.18	0.07	1.67	0.05	5.62	29.9	15
R331745		3.48	0.002	0.07	1.69	0.6	<0.2	<10	<10	0.08	0.06	3.02	0.04	6.17	23.7	9
R331746		2.96	0.001	0.08	1.06	0.2	<0.2	<10	<10	0.09	0.05	2.34	0.06	6.06	18.9	8
R331747		2.24	0.002	0.11	1.63	0.2	<0.2	<10	30	0.14	0.47	1.75	0.09	14.90	24.5	87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331708		0.84	103.0	3.54	5.23	0.25	0.12	<0.01	0.018	0.05	1.8	4.2	0.49	550	0.72	0.11
R331709		0.95	132.0	5.06	6.61	0.18	0.10	<0.01	0.028	0.06	1.6	6.6	0.65	606	0.31	0.14
R331710		<0.05	0.7	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	0.01
R331711		0.93	124.0	6.05	8.08	0.21	0.09	<0.01	0.025	0.06	1.7	11.6	0.85	763	1.58	0.14
R331712		0.56	113.5	5.32	6.71	0.17	0.08	<0.01	0.025	0.04	1.5	8.6	0.69	759	0.68	0.13
R331713		0.49	114.5	6.37	8.19	0.18	0.10	<0.01	0.026	0.04	1.6	12.3	0.84	878	0.38	0.15
R331714		0.86	129.0	7.43	9.35	0.17	0.09	<0.01	0.026	0.05	1.8	12.9	0.92	1060	1.27	0.15
R331715		0.38	102.5	6.33	7.99	0.19	0.09	<0.01	0.026	0.04	2.1	11.9	0.85	1130	0.85	0.16
R331716		1.24	124.0	12.35	14.10	0.25	0.08	<0.01	0.055	0.04	1.9	19.1	1.59	1920	5.39	0.07
R331717		1.41	157.0	11.05	10.75	0.27	0.08	<0.01	0.042	0.06	1.8	16.2	1.20	1750	8.24	0.11
R331718		1.59	280	9.53	9.13	0.28	0.09	<0.01	0.053	0.07	2.0	12.7	0.89	1260	77.9	0.11
R331719		0.84	102.0	5.01	6.98	0.17	0.09	<0.01	0.028	0.06	2.5	8.4	0.80	495	0.53	0.16
R331720		3.09	65.9	2.92	5.94	0.08	0.36	0.09	0.040	0.23	9.9	15.2	0.85	666	6.14	0.07
R331721		1.39	105.5	5.36	7.86	0.19	0.09	0.01	0.030	0.09	2.9	12.1	0.92	512	1.16	0.16
R331722		3.69	131.0	5.65	8.30	0.18	0.08	<0.01	0.034	0.20	3.0	12.6	0.97	508	3.13	0.17
R331723		9.86	135.0	6.93	9.79	0.18	0.08	<0.01	0.031	0.51	3.4	20.7	1.15	558	6.64	0.16
R331724		2.04	96.6	4.98	6.83	0.18	0.10	<0.01	0.023	0.12	3.2	9.7	0.75	623	8.39	0.14
R331725		3.40	153.0	5.31	7.01	0.18	0.09	<0.01	0.029	0.25	3.1	9.0	0.84	469	7.49	0.18
R331726		2.16	139.0	5.32	6.55	0.17	0.09	<0.01	0.027	0.13	2.8	7.4	0.67	454	6.85	0.16
R331727		3.14	128.5	4.78	5.99	0.16	0.09	<0.01	0.028	0.16	3.0	7.3	0.64	515	7.44	0.13
R331728		1.00	149.0	5.79	9.18	0.17	0.09	<0.01	0.029	0.04	2.1	12.9	0.86	688	4.39	0.12
R331729		1.31	124.5	5.77	7.69	0.18	0.06	<0.01	0.029	0.07	2.4	5.5	0.60	839	0.34	0.15
R331730		1.39	123.5	5.77	7.82	0.18	0.07	<0.01	0.030	0.07	2.5	5.4	0.60	841	0.36	0.16
R331731		0.52	118.0	4.76	5.91	0.15	0.07	<0.01	0.027	0.03	2.4	5.5	0.55	709	1.95	0.16
R331732		0.76	125.5	3.92	5.51	0.15	0.08	<0.01	0.028	0.05	2.1	5.5	0.50	599	0.29	0.15
R331733		0.95	125.0	4.71	6.33	0.14	0.07	<0.01	0.029	0.06	2.3	6.4	0.62	604	0.26	0.16
R331734		0.70	141.0	4.52	6.69	0.17	0.09	<0.01	0.033	0.05	2.2	6.1	0.66	629	0.33	0.17
R331735		0.36	137.0	4.18	5.79	0.15	0.09	<0.01	0.027	0.04	2.3	5.7	0.59	734	0.71	0.16
R331736		1.10	111.5	6.15	7.02	0.17	0.08	<0.01	0.027	0.06	2.1	8.3	0.76	1020	2.83	0.17
R331737		4.11	108.5	7.70	7.98	0.17	0.08	<0.01	0.026	0.12	1.8	11.2	0.94	1200	6.53	0.17
R331738		1.22	121.0	9.80	9.71	0.22	0.07	0.01	0.029	0.05	2.1	14.6	1.12	1510	1.29	0.17
R331739		2.50	91.7	8.77	8.63	0.19	0.08	<0.01	0.032	0.10	2.1	13.5	1.09	1420	33.5	0.20
R331740		<0.05	1.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.17	0.01
R331741		0.99	95.3	8.88	10.65	0.18	0.08	<0.01	0.031	0.04	2.3	18.8	1.13	1320	33.5	0.18
R331742		0.22	101.5	3.73	5.57	0.12	0.12	<0.01	0.023	0.02	2.2	6.7	0.52	600	0.40	0.16
R331743		0.61	127.5	3.80	5.30	0.12	0.09	<0.01	0.021	0.04	2.0	6.1	0.51	498	0.43	0.14
R331744		4.17	117.5	5.96	9.26	0.17	0.09	<0.01	0.023	0.14	1.9	18.1	1.12	625	0.57	0.13
R331745		0.35	148.5	4.88	7.49	0.13	0.10	<0.01	0.025	0.02	2.1	11.2	0.85	650	0.19	0.13
R331746		0.20	133.0	3.69	5.01	0.10	0.11	<0.01	0.023	0.03	2.2	3.3	0.47	533	0.50	0.16
R331747		13.80	156.5	4.26	7.71	0.14	0.18	<0.01	0.015	0.45	6.3	28.3	1.36	362	5.48	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331708		0.19	9.2	510	4.3	2.9	0.002	0.19	0.08	7.2	0.7	3.3	40.8	<0.01	0.05	0.2
R331709		0.12	10.7	540	0.4	3.3	0.002	0.28	<0.05	8.4	0.7	0.3	14.9	<0.01	0.05	0.2
R331710		<0.05	0.4	10	0.3	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331711		0.08	11.7	540	0.3	3.7	0.002	0.24	0.05	10.3	1.1	0.4	11.3	<0.01	0.05	0.2
R331712		0.08	8.4	480	0.2	2.1	0.002	0.20	<0.05	8.6	0.6	0.3	9.8	<0.01	0.04	0.2
R331713		0.07	10.0	530	0.3	1.5	0.002	0.19	<0.05	9.2	0.8	0.4	11.2	<0.01	0.05	0.2
R331714		0.07	10.3	530	0.3	2.7	0.002	0.33	<0.05	10.0	0.8	0.3	12.1	<0.01	0.06	0.2
R331715		0.09	9.4	530	0.3	1.0	0.002	0.19	0.05	10.1	0.6	0.4	12.3	<0.01	0.06	0.2
R331716		0.05	14.0	490	0.6	2.9	0.005	0.81	<0.05	19.4	1.0	0.4	22.1	<0.01	0.08	0.2
R331717		0.05	11.9	500	0.8	4.1	0.008	0.74	<0.05	12.5	0.9	0.4	14.3	<0.01	0.13	0.2
R331718		0.06	12.6	500	1.8	5.1	0.083	1.43	<0.05	10.9	2.2	0.5	18.4	<0.01	0.27	0.2
R331719		0.08	7.5	580	0.2	2.8	0.003	0.09	<0.05	8.4	0.7	0.4	14.1	<0.01	0.02	0.2
R331720		<0.05	9.9	620	17.3	11.1	0.002	0.85	0.42	7.6	1.0	0.5	113.5	<0.01	2.40	1.5
R331721		0.08	7.8	620	0.3	4.6	0.004	0.21	<0.05	9.5	0.9	0.3	18.9	<0.01	0.05	0.2
R331722		0.05	13.3	550	1.0	14.0	0.004	0.28	<0.05	11.1	0.9	0.4	12.5	<0.01	0.03	0.3
R331723		<0.05	18.6	630	1.4	41.2	0.006	0.55	<0.05	11.0	0.9	0.3	12.2	<0.01	0.09	0.3
R331724		0.06	13.8	570	1.4	7.8	0.008	0.73	<0.05	9.1	1.2	0.3	30.1	<0.01	0.07	0.2
R331725		0.05	12.5	600	0.7	15.5	0.008	0.40	<0.05	10.2	1.0	0.3	11.9	<0.01	0.05	0.3
R331726		0.07	13.5	550	0.6	8.1	0.007	0.27	<0.05	9.8	0.8	0.3	13.1	<0.01	0.05	0.2
R331727		0.12	13.3	560	3.1	10.6	0.006	0.45	<0.05	10.1	1.2	0.2	21.4	<0.01	0.07	0.2
R331728		0.09	13.8	570	0.6	2.8	0.005	0.34	<0.05	9.9	0.8	0.4	11.4	<0.01	0.05	0.2
R331729		0.06	10.9	490	0.4	4.2	0.003	0.25	<0.05	10.2	1.1	0.3	8.1	<0.01	0.04	0.2
R331730		0.06	11.4	500	0.4	4.5	0.002	0.25	<0.05	10.7	0.9	0.5	8.0	<0.01	0.06	0.3
R331731		0.06	8.2	490	0.2	1.8	0.003	0.15	<0.05	9.3	0.8	0.2	6.2	<0.01	0.04	0.2
R331732		0.07	9.8	500	0.2	2.9	0.001	0.17	<0.05	9.0	0.9	0.4	10.3	<0.01	0.05	0.2
R331733		0.06	10.2	480	0.3	3.3	0.002	0.18	<0.05	9.5	1.0	0.2	7.2	<0.01	0.03	0.2
R331734		0.06	11.0	510	0.4	2.5	0.002	0.25	<0.05	9.7	1.0	0.4	6.0	<0.01	0.04	0.2
R331735		0.10	9.3	490	0.2	1.2	0.001	0.17	<0.05	9.8	1.0	0.2	5.1	<0.01	0.06	0.2
R331736		0.07	9.8	450	0.7	3.9	0.003	0.29	<0.05	9.7	0.9	0.4	5.8	<0.01	0.05	0.2
R331737		0.05	10.9	430	1.0	15.2	0.006	0.56	<0.05	10.1	0.8	0.2	8.9	<0.01	0.07	0.2
R331738		0.05	11.6	450	0.9	3.4	0.003	0.40	<0.05	9.9	1.0	0.3	12.0	<0.01	0.07	0.2
R331739		0.05	12.2	490	3.3	10.5	0.027	0.70	<0.05	12.5	1.1	0.3	10.8	<0.01	0.10	0.2
R331740		<0.05	1.1	10	1.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331741		<0.05	16.3	530	2.5	2.9	0.031	0.77	<0.05	11.1	1.1	0.3	6.6	<0.01	0.10	0.2
R331742		0.08	8.4	510	0.5	1.2	<0.001	0.12	<0.05	9.2	0.6	0.3	6.2	<0.01	0.07	0.2
R331743		0.08	10.3	500	0.6	1.6	0.003	0.18	<0.05	8.0	1.0	0.3	14.4	<0.01	0.03	0.2
R331744		0.05	14.4	540	0.5	12.0	0.002	0.30	<0.05	8.6	1.0	0.5	10.0	<0.01	0.03	0.2
R331745		0.06	10.7	520	0.4	0.8	0.001	0.21	<0.05	9.0	0.8	0.8	9.7	<0.01	0.04	0.2
R331746		0.09	7.4	500	0.8	0.6	0.002	0.21	<0.05	7.6	0.8	0.2	5.9	<0.01	0.04	0.2
R331747		<0.05	38.0	550	1.3	41.7	0.005	0.43	<0.05	5.6	0.7	0.3	17.1	<0.01	0.04	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331708		0.206	0.04	<0.05	101	0.45	8.21	41	2.9
R331709		0.210	0.04	<0.05	139	0.36	9.02	57	2.0
R331710		<0.005	<0.02	0.08	<1	<0.05	0.66	<2	0.8
R331711		0.221	0.03	<0.05	157	0.32	9.41	70	1.7
R331712		0.197	0.02	<0.05	140	0.31	8.41	57	1.7
R331713		0.225	0.02	<0.05	156	0.30	8.86	72	1.8
R331714		0.231	0.02	<0.05	171	0.42	9.97	76	1.9
R331715		0.247	<0.02	<0.05	159	0.53	11.10	67	1.8
R331716		0.268	<0.02	<0.05	287	0.85	12.25	110	1.6
R331717		0.218	0.04	<0.05	193	0.66	9.40	102	1.7
R331718		0.190	0.06	0.05	158	0.53	8.79	198	2.5
R331719		0.205	0.02	<0.05	143	0.36	11.95	62	2.3
R331720		0.052	0.15	0.35	66	0.28	7.56	83	11.1
R331721		0.194	0.04	<0.05	127	0.33	13.00	75	2.1
R331722		0.213	0.13	<0.05	174	0.36	12.45	71	1.7
R331723		0.281	0.35	<0.05	213	0.41	12.95	79	2.0
R331724		0.199	0.08	<0.05	133	0.61	10.65	52	2.7
R331725		0.201	0.13	0.05	165	0.29	12.85	57	2.1
R331726		0.201	0.07	<0.05	193	0.40	12.25	52	2.0
R331727		0.202	0.20	<0.05	142	0.53	11.70	93	2.1
R331728		0.230	0.04	<0.05	174	0.36	10.25	109	2.0
R331729		0.160	0.07	<0.05	162	0.27	10.10	74	1.5
R331730		0.165	0.08	<0.05	163	0.29	10.70	75	1.5
R331731		0.166	0.03	<0.05	114	0.45	9.73	50	1.7
R331732		0.178	0.02	<0.05	119	0.50	9.38	54	2.1
R331733		0.166	0.03	<0.05	137	0.32	9.87	55	1.7
R331734		0.174	0.03	<0.05	133	0.30	10.30	56	2.0
R331735		0.202	0.02	<0.05	112	0.46	9.69	49	2.2
R331736		0.186	0.06	<0.05	117	0.41	8.87	52	1.9
R331737		0.183	0.16	<0.05	130	0.44	8.35	58	1.9
R331738		0.185	0.05	<0.05	129	1.99	8.91	72	1.7
R331739		0.193	0.13	<0.05	151	0.48	9.95	76	2.0
R331740		<0.005	<0.02	0.08	<1	<0.05	0.59	<2	0.7
R331741		0.177	0.05	<0.05	156	0.52	9.44	80	1.8
R331742		0.194	<0.02	<0.05	99	0.53	9.11	43	2.5
R331743		0.173	<0.02	<0.05	106	0.31	8.22	47	1.9
R331744		0.220	0.09	<0.05	164	0.18	10.55	71	1.6
R331745		0.215	<0.02	<0.05	131	0.41	9.44	64	2.4
R331746		0.191	0.05	<0.05	111	0.31	9.65	39	2.6
R331747		0.215	0.34	0.09	126	0.31	6.94	51	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331748		3.48	<0.001	0.03	1.33	0.1	<0.2	<10	10	0.06	0.04	0.82	0.01	35.7	14.3	247
R331749		3.62	<0.001	0.02	1.70	0.1	<0.2	<10	40	0.07	0.05	0.63	<0.01	32.6	17.4	287
R331750		0.07	0.954	6.18	1.01	38.3	0.8	<10	40	0.18	1.19	0.39	5.09	5.45	13.5	19
R331751		3.55	0.003	0.04	1.38	0.3	<0.2	<10	40	0.08	0.06	1.15	0.02	29.0	14.5	244
R331752		3.25	0.002	0.04	1.81	0.1	<0.2	<10	90	0.05	0.03	0.62	0.01	27.4	16.8	310
R331753		3.51	<0.001	0.03	1.87	<0.1	<0.2	<10	110	0.10	0.05	0.69	0.01	19.00	17.7	355
R331754		3.29	<0.001	0.02	1.85	0.2	<0.2	<10	60	0.06	0.01	1.15	0.01	18.95	17.4	330
R331755		3.24	<0.001	0.02	1.50	0.1	<0.2	<10	30	0.08	0.01	1.86	0.01	17.45	15.2	280
R331756		3.37	<0.001	0.02	1.69	0.2	<0.2	<10	40	0.08	3.03	1.23	0.01	18.80	18.2	319
R331757		3.31	<0.001	0.09	1.77	0.2	<0.2	<10	60	0.10	0.03	1.94	0.01	17.10	19.1	322
R331758		2.12	0.001	0.02	1.61	0.2	<0.2	<10	20	0.08	0.02	0.93	0.01	19.20	18.3	298
R331759		3.41	<0.001	0.02	1.92	0.1	<0.2	<10	10	0.12	0.09	1.56	0.01	24.9	22.5	360
R331760		<0.02	<0.001	0.02	2.03	0.1	<0.2	<10	10	0.12	0.08	1.69	<0.01	25.7	22.9	377
R331761		3.43	0.001	0.02	1.52	0.3	<0.2	<10	10	0.08	0.04	2.09	0.01	28.4	15.6	226
R331762		3.40	0.008	0.12	1.40	0.6	<0.2	<10	10	0.12	0.12	1.45	0.03	5.91	26.0	43
R331763		3.34	0.003	0.07	1.55	0.6	<0.2	<10	10	0.11	0.20	2.16	0.03	50.2	23.8	57
R331764		3.71	0.006	0.17	2.39	0.6	<0.2	<10	10	0.38	0.76	3.27	0.03	6.40	42.0	46
R331765		3.55	0.002	0.08	1.48	0.5	<0.2	<10	10	0.12	0.11	1.94	0.04	4.51	24.0	18
R331766		3.46	0.001	0.08	1.13	0.8	<0.2	<10	10	0.10	0.15	2.59	0.08	4.28	22.3	15
R331767		3.25	0.001	0.09	1.35	0.5	<0.2	<10	10	0.11	0.15	2.32	0.06	4.72	25.5	24
R331768		3.32	<0.001	0.09	1.23	0.2	<0.2	<10	10	0.06	0.22	2.95	0.09	4.52	26.2	25
R331769		1.47	<0.001	0.08	1.18	0.2	<0.2	<10	10	0.07	0.07	2.71	0.05	3.89	18.2	20
R331770		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R331771		3.64	0.003	0.09	1.46	0.2	<0.2	<10	10	0.10	0.17	1.29	0.03	8.50	27.4	3
R331772		3.75	0.001	0.08	1.19	0.3	<0.2	<10	10	0.14	0.28	1.54	0.03	6.58	27.4	5
R331773		3.84	0.001	0.10	1.20	0.2	<0.2	<10	10	0.09	0.17	2.39	0.05	6.84	29.6	18
R331774		3.75	0.004	0.14	1.21	0.1	<0.2	<10	10	0.07	0.19	1.14	0.05	5.25	27.6	13
R331775		3.90	0.005	0.29	1.17	0.3	<0.2	<10	10	0.09	2.18	1.26	0.13	6.01	26.6	20
R331776		3.85	0.005	0.11	1.50	0.4	<0.2	<10	10	0.07	0.14	1.52	0.03	5.87	28.2	22
R331777		3.81	0.005	0.06	1.30	0.2	<0.2	<10	10	0.08	0.09	1.36	0.03	5.58	21.8	26
R331778		3.66	0.004	0.08	1.24	0.1	<0.2	<10	<10	0.09	0.22	1.36	0.03	5.42	25.8	32
R331779		3.85	0.006	0.07	1.35	0.3	<0.2	<10	<10	0.10	0.09	1.22	0.03	5.48	23.3	30
R331780		0.07	0.912	5.65	1.01	38.3	0.6	<10	40	0.15	1.23	0.38	4.80	5.34	12.6	19
R331781		3.68	0.003	0.06	1.77	0.3	<0.2	<10	<10	0.10	0.10	1.20	0.03	5.88	26.5	38
R331782		3.79	0.004	0.06	1.68	0.3	<0.2	<10	<10	0.16	0.31	1.26	0.02	4.81	26.6	41
R331783		3.78	0.004	0.06	1.80	0.4	<0.2	<10	<10	0.08	0.09	1.21	0.03	4.80	25.4	39
R331784		3.75	0.001	0.04	1.76	0.3	<0.2	<10	<10	0.12	0.05	1.38	0.03	5.27	24.2	37
R331785		2.63	<0.001	0.04	1.80	0.1	<0.2	<10	10	0.09	0.01	1.25	0.04	4.91	21.9	38
R331786		2.79	0.001	0.06	1.66	0.2	<0.2	<10	<10	0.13	0.20	3.08	0.04	5.78	26.9	37
R331787		3.78	0.002	0.05	1.97	0.3	<0.2	<10	10	0.10	0.03	1.41	0.03	5.15	25.0	39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331748		3.27	26.1	1.91	5.62	0.10	0.23	<0.01	<0.005	0.09	16.4	22.9	1.42	232	2.95	0.08
R331749		10.70	11.0	2.17	5.69	0.08	0.25	<0.01	0.005	0.44	14.8	32.4	1.81	245	9.12	0.08
R331750		3.81	6740	6.49	2.92	0.05	<0.02	0.05	0.326	0.26	2.6	9.8	0.30	596	126.0	0.03
R331751		3.43	31.6	1.76	4.38	0.06	0.19	<0.01	0.006	0.27	13.3	22.2	1.31	205	3.35	0.09
R331752		4.04	31.3	2.03	5.43	0.06	0.19	<0.01	0.005	0.48	12.5	25.1	1.74	232	11.30	0.09
R331753		7.05	34.3	2.13	5.79	0.07	0.13	<0.01	0.005	0.61	8.3	33.1	1.89	264	0.75	0.08
R331754		1.54	32.9	2.12	5.57	0.06	0.10	<0.01	0.006	0.25	8.4	30.7	1.96	278	0.53	0.08
R331755		0.84	30.4	1.80	4.79	0.05	0.10	<0.01	0.005	0.12	7.8	28.4	1.63	276	2.90	0.06
R331756		1.17	39.0	2.01	5.26	0.05	0.11	<0.01	<0.005	0.18	8.2	31.8	1.88	272	2.20	0.07
R331757		1.85	58.3	2.16	5.31	0.05	0.13	<0.01	0.006	0.24	7.7	31.6	2.00	322	0.42	0.06
R331758		0.71	50.2	2.01	5.22	0.06	0.11	<0.01	0.006	0.07	8.5	29.6	1.81	278	1.59	0.06
R331759		0.76	19.7	2.59	6.93	0.07	0.19	<0.01	0.008	0.04	11.2	29.4	2.31	341	7.60	0.06
R331760		0.80	20.7	2.71	7.09	0.09	0.19	<0.01	0.009	0.04	11.4	30.6	2.45	355	7.02	0.06
R331761		0.48	28.1	2.32	5.57	0.08	0.20	<0.01	0.006	0.03	13.1	20.1	1.59	310	1.04	0.07
R331762		0.62	218	5.55	6.94	0.12	0.09	<0.01	0.019	0.05	2.2	9.8	0.90	381	0.47	0.14
R331763		1.01	109.5	4.45	7.80	0.16	0.44	<0.01	0.024	0.05	21.4	14.3	1.21	413	1.48	0.12
R331764		7.67	129.0	7.94	11.30	0.16	0.11	<0.01	0.047	0.25	2.3	21.4	1.87	634	3.61	0.09
R331765		0.41	109.0	3.76	5.63	0.14	0.13	<0.01	0.016	0.04	1.7	5.9	0.61	395	1.75	0.12
R331766		0.96	142.5	3.58	4.51	0.13	0.13	<0.01	0.016	0.05	1.5	4.5	0.46	410	1.64	0.11
R331767		0.56	126.0	3.94	5.71	0.17	0.15	<0.01	0.018	0.03	1.7	6.1	0.55	505	5.25	0.12
R331768		0.48	143.5	4.55	5.46	0.10	0.11	<0.01	0.018	0.03	1.6	5.6	0.51	663	1.02	0.13
R331769		0.30	119.0	3.57	4.78	0.08	0.12	<0.01	0.021	0.03	1.3	3.7	0.41	506	0.24	0.15
R331770		<0.05	0.8	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	0.01
R331771		2.12	108.5	6.35	7.73	0.14	0.12	<0.01	0.029	0.10	3.0	11.1	0.86	464	3.69	0.14
R331772		0.94	153.5	5.95	6.85	0.13	0.10	<0.01	0.024	0.06	2.3	9.5	0.75	417	19.65	0.13
R331773		1.12	176.0	5.99	6.78	0.10	0.08	<0.01	0.019	0.07	2.4	10.5	0.79	426	1.01	0.11
R331774		0.80	251	4.77	5.76	0.11	0.10	<0.01	0.019	0.05	1.8	8.5	0.69	360	0.68	0.14
R331775		0.84	190.0	4.31	5.48	0.12	0.10	<0.01	0.021	0.06	2.1	9.4	0.65	355	0.72	0.13
R331776		1.32	199.5	4.87	7.85	0.15	0.09	<0.01	0.023	0.06	2.1	12.8	0.81	408	2.98	0.12
R331777		0.53	173.5	4.22	6.44	0.13	0.10	<0.01	0.016	0.04	2.0	9.8	0.67	373	0.80	0.10
R331778		0.75	166.0	4.87	7.13	0.15	0.10	<0.01	0.020	0.04	2.0	9.1	0.69	374	25.6	0.11
R331779		0.49	165.0	4.45	6.41	0.15	0.09	<0.01	0.019	0.04	2.0	9.8	0.69	375	0.60	0.11
R331780		3.69	6680	6.18	3.07	0.05	<0.02	0.06	0.298	0.24	2.6	9.7	0.28	567	133.0	0.01
R331781		0.37	133.0	4.60	7.59	0.14	0.10	<0.01	0.020	0.03	2.2	15.3	0.92	428	19.90	0.11
R331782		0.37	111.5	4.69	7.31	0.13	0.09	<0.01	0.017	0.03	1.8	15.9	0.87	397	1.41	0.11
R331783		0.29	125.0	4.39	7.10	0.15	0.09	<0.01	0.017	0.04	1.8	13.5	0.81	412	12.80	0.13
R331784		0.28	126.5	4.39	7.38	0.15	0.08	<0.01	0.018	0.03	2.0	13.9	0.83	387	6.20	0.12
R331785		0.30	133.0	4.46	7.39	0.15	0.08	<0.01	0.021	0.03	1.8	12.5	0.80	378	0.29	0.16
R331786		0.56	115.0	5.04	7.50	0.18	0.10	<0.01	0.018	0.04	2.3	15.6	0.93	454	11.40	0.12
R331787		0.38	122.5	4.78	7.69	0.14	0.07	<0.01	0.017	0.04	1.9	11.5	0.82	399	3.11	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331748		0.05	84.5	760	0.7	9.9	0.003	0.01	<0.05	1.3	<0.2	<0.2	16.2	<0.01	0.01	1.5
R331749		<0.05	99.9	770	0.7	36.8	0.008	0.04	<0.05	2.3	0.3	0.2	14.4	<0.01	0.02	1.4
R331750		0.06	14.9	470	108.0	12.4	0.204	4.93	2.51	1.2	7.4	1.9	34.3	<0.01	1.03	1.2
R331751		0.05	84.9	770	0.7	15.5	0.004	0.08	<0.05	2.0	<0.2	<0.2	26.0	<0.01	0.02	1.3
R331752		<0.05	106.0	750	0.6	23.9	0.014	0.02	<0.05	1.7	0.2	0.2	28.5	<0.01	0.02	1.2
R331753		<0.05	116.5	600	0.6	27.8	<0.001	0.08	<0.05	1.6	<0.2	<0.2	34.0	<0.01	<0.01	0.9
R331754		<0.05	119.5	570	0.5	10.1	0.001	0.02	<0.05	1.8	0.3	0.2	36.5	<0.01	0.01	0.9
R331755		<0.05	103.0	540	0.5	5.0	0.004	0.04	<0.05	1.7	0.2	<0.2	44.4	<0.01	<0.01	0.8
R331756		<0.05	117.5	570	1.6	7.1	0.001	0.08	<0.05	1.9	<0.2	0.2	37.7	<0.01	0.01	0.9
R331757		<0.05	120.5	560	0.5	9.4	<0.001	0.09	<0.05	2.3	<0.2	<0.2	45.5	<0.01	0.17	0.9
R331758		<0.05	114.0	620	0.5	3.2	0.001	0.03	<0.05	1.4	<0.2	0.2	36.6	<0.01	<0.01	0.9
R331759		<0.05	125.5	700	0.6	2.4	0.008	0.10	<0.05	2.6	<0.2	0.2	44.2	<0.01	<0.01	1.1
R331760		<0.05	131.0	730	0.6	2.3	0.008	0.10	<0.05	2.7	<0.2	0.2	44.3	<0.01	0.01	1.1
R331761		0.05	79.0	710	0.6	2.2	0.001	0.05	<0.05	2.4	<0.2	<0.2	32.9	<0.01	0.02	1.1
R331762		0.05	19.5	450	0.7	2.2	0.001	0.25	<0.05	7.2	0.5	0.4	35.2	<0.01	0.05	<0.2
R331763		0.09	25.5	1180	1.1	3.1	0.002	0.40	<0.05	7.4	0.8	0.2	30.7	<0.01	0.06	2.6
R331764		<0.05	33.3	450	1.4	20.4	0.003	0.88	<0.05	18.6	1.0	0.4	33.2	<0.01	0.25	0.2
R331765		0.18	12.8	500	0.9	1.5	0.004	0.27	<0.05	7.6	0.7	0.2	55.5	<0.01	0.08	<0.2
R331766		0.20	12.6	440	0.9	2.9	0.002	0.42	<0.05	6.5	0.5	0.4	31.6	<0.01	0.10	<0.2
R331767		0.17	14.1	440	0.9	1.4	0.005	0.40	<0.05	7.5	0.7	0.2	30.6	<0.01	0.07	0.2
R331768		0.08	14.6	430	1.0	1.0	0.002	0.49	<0.05	7.6	0.9	0.4	7.7	<0.01	0.08	0.2
R331769		0.15	11.2	440	0.7	0.9	0.001	0.20	<0.05	7.6	0.4	0.2	10.9	<0.01	0.05	0.2
R331770		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	0.01	0.2
R331771		0.07	5.9	680	1.0	5.9	0.005	0.46	<0.05	8.5	0.7	0.3	8.1	<0.01	0.09	0.2
R331772		0.08	12.0	540	1.0	3.3	0.024	0.48	<0.05	7.4	0.8	0.2	12.0	<0.01	0.05	0.2
R331773		0.05	21.3	430	1.0	4.2	0.002	0.46	<0.05	7.0	0.7	0.3	11.6	<0.01	0.06	0.2
R331774		0.07	20.0	450	0.9	2.9	0.002	0.57	<0.05	7.8	0.7	0.2	12.4	<0.01	0.08	0.2
R331775		0.08	19.0	450	1.3	2.8	0.001	0.54	<0.05	7.1	0.7	0.3	12.6	<0.01	0.07	0.2
R331776		0.05	22.0	440	0.7	4.0	0.004	0.49	<0.05	8.5	1.1	0.2	9.6	<0.01	0.07	0.2
R331777		0.06	17.7	450	0.4	1.8	0.001	0.31	<0.05	6.0	0.8	0.3	14.1	<0.01	0.05	0.2
R331778		0.11	20.0	440	0.6	2.8	0.025	0.48	<0.05	7.1	1.3	0.2	16.2	<0.01	0.04	0.2
R331779		0.10	19.0	440	0.3	2.0	0.001	0.28	<0.05	6.5	0.8	0.3	14.4	<0.01	0.05	0.2
R331780		0.07	15.3	450	102.5	12.8	0.188	4.74	2.60	1.3	7.0	1.7	32.9	<0.01	1.00	1.1
R331781		0.08	22.7	460	0.5	1.7	0.019	0.30	<0.05	6.6	0.8	0.2	20.2	<0.01	0.05	0.2
R331782		0.07	22.8	410	0.4	2.3	0.002	0.30	<0.05	6.8	1.0	0.4	21.2	<0.01	0.03	0.2
R331783		0.08	23.1	430	0.4	2.5	0.014	0.29	<0.05	6.4	0.8	0.2	25.5	<0.01	0.05	0.2
R331784		0.08	20.9	440	0.3	1.7	0.007	0.18	<0.05	6.6	0.6	0.5	32.0	<0.01	0.02	0.2
R331785		0.05	20.0	410	0.2	1.8	0.002	0.11	<0.05	7.2	0.6	0.3	19.0	<0.01	0.01	0.2
R331786		0.09	22.8	430	0.5	2.6	0.011	0.42	<0.05	6.8	0.7	0.3	24.5	<0.01	0.02	<0.2
R331787		0.07	22.0	460	0.3	2.0	0.003	0.21	<0.05	6.8	0.8	<0.2	21.7	<0.01	0.02	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331748		0.084	0.09	0.18	33	0.13	3.51	26	10.1
R331749		0.100	0.30	0.19	43	0.18	3.45	31	10.5
R331750		0.011	0.34	0.17	17	2.49	2.69	787	<0.5
R331751		0.096	0.10	0.18	34	0.16	3.15	25	7.1
R331752		0.098	0.17	0.18	40	0.40	3.15	28	8.3
R331753		0.108	0.17	0.13	45	0.11	2.80	31	5.7
R331754		0.095	0.06	0.12	40	0.11	2.86	31	4.4
R331755		0.075	0.02	0.10	31	0.12	2.70	26	3.7
R331756		0.087	0.04	0.11	39	0.11	2.77	29	3.9
R331757		0.088	0.06	0.11	40	0.13	2.53	30	4.6
R331758		0.069	0.02	0.12	30	0.13	2.34	27	4.6
R331759		0.084	<0.02	0.14	47	0.27	3.05	39	7.8
R331760		0.087	<0.02	0.14	50	0.28	3.06	41	7.7
R331761		0.099	<0.02	0.13	49	0.24	3.54	34	7.8
R331762		0.200	<0.02	<0.05	208	0.45	8.08	47	1.9
R331763		0.157	0.02	0.34	133	0.47	7.87	50	18.1
R331764		0.214	0.18	<0.05	237	0.81	10.90	85	2.8
R331765		0.221	0.02	<0.05	95	0.84	7.55	40	3.4
R331766		0.227	0.03	<0.05	85	0.63	6.93	40	3.2
R331767		0.225	0.04	<0.05	96	0.62	7.39	42	3.3
R331768		0.199	0.02	<0.05	113	0.60	7.41	53	2.6
R331769		0.199	0.02	<0.05	99	0.80	6.64	43	3.0
R331770		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.8
R331771		0.194	0.09	<0.05	142	0.36	13.35	59	2.4
R331772		0.207	0.04	<0.05	202	0.32	9.34	50	2.1
R331773		0.206	0.05	<0.05	232	0.32	7.59	50	1.8
R331774		0.192	0.04	<0.05	182	0.25	9.22	41	2.0
R331775		0.184	0.03	<0.05	149	0.36	9.60	44	1.9
R331776		0.194	0.04	<0.05	176	0.33	9.73	46	1.9
R331777		0.173	<0.02	<0.05	135	0.24	8.58	41	1.7
R331778		0.193	0.03	<0.05	146	0.20	10.45	41	1.9
R331779		0.179	0.02	<0.05	136	0.26	9.82	39	1.8
R331780		0.012	0.33	0.15	17	2.45	2.50	782	<0.5
R331781		0.181	0.02	<0.05	121	0.29	9.84	50	2.2
R331782		0.194	<0.02	<0.05	125	0.35	8.97	50	1.6
R331783		0.172	0.02	<0.05	119	0.26	9.00	47	1.6
R331784		0.183	<0.02	<0.05	124	0.30	9.24	46	1.9
R331785		0.153	<0.02	<0.05	135	0.08	9.14	46	1.5
R331786		0.184	0.02	<0.05	132	0.30	9.35	50	1.9
R331787		0.143	0.02	<0.05	132	0.14	9.46	44	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331788		3.64	0.006	0.04	2.31	0.3	<0.2	<10	10	0.11	0.02	1.58	0.03	5.67	26.8	48
R331789		3.76	0.002	0.04	2.92	0.5	<0.2	<10	10	0.13	0.04	1.92	0.04	5.78	35.1	53
R331790		<0.02	0.001	0.04	2.89	0.4	<0.2	<10	10	0.11	0.04	1.97	0.04	5.77	35.1	53
R331791		3.57	0.002	0.04	2.74	0.5	<0.2	<10	10	0.11	0.04	2.37	0.04	5.96	33.8	52
R331792		3.71	0.002	0.07	2.04	0.3	<0.2	<10	10	0.11	0.12	1.61	0.05	5.63	32.2	45
R331793		3.48	0.002	0.06	2.01	0.5	<0.2	<10	10	0.10	0.11	1.75	0.03	5.22	31.5	46
R331794		3.60	0.001	0.13	2.36	0.6	<0.2	<10	10	0.11	0.28	2.87	0.04	5.73	39.3	46
R331795		3.56	0.005	0.06	3.67	0.6	<0.2	<10	10	0.28	0.25	5.44	0.08	6.87	45.8	66
R331796		3.34	0.299	0.07	3.76	0.6	<0.2	<10	10	0.30	0.10	5.83	0.05	6.44	43.6	49
R331797		3.54	0.001	0.03	2.69	0.2	<0.2	<10	10	0.17	0.07	1.48	0.02	6.43	36.0	52
R331798		3.65	0.003	0.04	2.60	0.2	<0.2	<10	10	0.17	0.17	1.49	0.03	6.60	34.8	51
R331799		3.59	0.001	0.02	2.31	0.4	<0.2	<10	10	0.17	0.07	1.45	0.02	6.64	32.2	46
R331800		3.52	0.001	0.06	2.06	0.3	<0.2	<10	10	0.17	0.12	1.79	0.03	6.81	33.9	42
R331801		2.88	0.002	0.05	2.77	0.2	<0.2	<10	20	0.37	0.15	1.51	0.03	10.55	43.1	53
R331802		2.98	0.001	0.08	2.41	0.5	<0.2	<10	10	0.21	0.19	1.27	0.02	7.93	38.8	39
R331803		1.82	0.001	0.07	2.57	0.5	<0.2	<10	240	0.53	0.65	4.05	0.10	7.98	43.8	39
R331804		2.60	0.061	0.25	1.55	1.3	<0.2	<10	290	0.46	0.22	5.62	0.03	26.6	20.3	157
R331805		3.10	1.080	0.56	0.55	0.5	1.6	<10	110	0.38	2.08	4.45	0.12	25.1	22.1	6
R331806		2.35	0.002	0.04	2.51	0.3	<0.2	<10	20	0.28	0.14	3.96	0.06	5.77	37.0	30
R331807		2.49	0.002	0.06	1.71	0.4	<0.2	<10	20	0.17	0.07	1.96	0.04	5.67	28.5	25
R331808		2.62	0.004	0.10	1.76	0.2	<0.2	<10	20	0.18	0.14	2.36	0.06	6.61	28.7	26
R331809		3.97	0.011	0.10	2.15	0.5	<0.2	<10	10	0.26	0.19	2.93	0.04	6.63	34.0	30
R331810		0.11	<0.001	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.14	0.1	<1
R331811		3.63	0.006	0.09	1.96	0.4	<0.2	<10	20	0.19	0.17	2.04	0.05	7.03	31.4	27
R331812		3.92	0.009	0.10	1.73	0.4	<0.2	<10	20	0.25	0.48	2.05	0.03	4.85	34.6	29
R331813		3.61	0.012	0.04	1.84	0.3	<0.2	<10	20	0.22	0.15	2.39	0.02	6.12	29.1	28
R331814		1.13	0.034	0.23	1.50	0.3	<0.2	<10	20	0.15	1.01	4.91	0.02	4.34	35.0	32
R331815		3.78	0.003	0.05	1.69	0.2	<0.2	<10	20	0.16	0.09	1.68	0.04	5.71	27.3	30
R331816		3.61	0.001	0.04	1.34	0.1	<0.2	<10	20	0.15	0.13	1.82	0.11	4.88	24.6	29
R331817		3.82	0.005	0.03	1.57	0.3	<0.2	<10	20	0.20	0.11	2.10	0.04	6.44	27.7	27
R331818		3.56	0.004	0.06	1.43	0.2	<0.2	<10	10	0.14	0.09	1.67	0.10	6.21	25.2	35
R331819		3.52	0.005	0.10	1.39	0.2	<0.2	<10	10	0.10	0.11	1.87	0.09	5.85	24.9	21
R331820		0.07	0.909	5.92	1.02	40.8	1.1	10	40	0.20	1.10	0.38	4.55	4.85	14.0	20
R331821		3.80	0.003	0.16	1.64	0.4	<0.2	<10	<10	0.18	1.58	1.87	0.06	6.41	31.1	30
R331822		3.50	0.011	0.11	1.75	0.4	<0.2	<10	10	0.27	0.33	2.97	0.05	5.72	34.8	28
R331823		3.55	0.004	0.07	1.66	0.3	<0.2	10	20	0.23	0.21	2.60	0.21	7.43	31.9	26
R331824		3.73	0.003	0.07	1.75	0.4	<0.2	<10	20	0.23	0.14	3.00	0.05	6.83	32.7	26
R331825		3.52	0.005	0.07	2.26	0.5	<0.2	<10	10	0.22	0.17	2.86	0.04	7.08	37.4	33
R331826		3.31	0.012	0.11	2.83	0.2	<0.2	<10	10	0.15	0.21	1.88	0.08	6.38	41.8	33
R331827		3.68	0.003	0.04	2.12	0.3	<0.2	<10	10	0.16	0.07	2.06	0.04	7.49	28.7	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331788		0.43	119.0	5.36	8.19	0.14	0.09	<0.01	0.021	0.04	2.2	19.8	1.07	484	0.94	0.17
R331789		0.44	122.0	7.08	10.40	0.15	0.10	<0.01	0.022	0.04	2.1	26.1	1.55	628	3.64	0.16
R331790		0.42	120.5	7.02	10.65	0.15	0.10	<0.01	0.023	0.04	2.1	27.3	1.54	620	4.62	0.15
R331791		0.44	122.5	6.81	10.55	0.17	0.10	<0.01	0.021	0.04	2.2	24.9	1.43	639	2.23	0.15
R331792		0.42	118.5	5.47	8.61	0.14	0.10	<0.01	0.018	0.04	2.1	16.5	1.04	484	1.42	0.16
R331793		0.38	110.5	5.76	8.67	0.13	0.09	<0.01	0.017	0.03	1.8	19.4	1.17	501	3.74	0.12
R331794		0.68	169.0	6.93	10.10	0.12	0.08	<0.01	0.018	0.03	2.1	23.4	1.63	683	7.94	0.07
R331795		1.84	132.0	10.15	14.80	0.13	0.06	<0.01	0.058	0.11	2.5	33.8	2.61	1160	4.63	0.03
R331796		1.68	106.5	9.86	13.15	0.08	0.04	<0.01	0.055	0.11	2.4	35.2	2.18	1100	2.72	0.02
R331797		0.57	116.5	6.67	9.81	0.15	0.11	<0.01	0.023	0.03	2.4	26.1	1.60	627	8.54	0.09
R331798		0.44	123.5	6.58	10.00	0.13	0.10	<0.01	0.020	0.03	2.5	29.4	1.52	605	1.63	0.10
R331799		0.40	115.5	6.05	9.70	0.14	0.10	0.01	0.020	0.03	2.5	25.9	1.37	560	2.94	0.08
R331800		0.62	101.0	6.20	9.00	0.16	0.12	<0.01	0.020	0.03	2.6	21.7	1.34	552	10.40	0.10
R331801		1.81	123.0	7.82	12.15	0.16	0.13	<0.01	0.030	0.05	3.9	33.8	1.94	666	3.70	0.05
R331802		0.99	117.5	7.38	11.30	0.16	0.11	<0.01	0.024	0.04	2.9	28.0	1.82	615	4.52	0.06
R331803		9.96	126.5	9.63	14.95	0.24	0.09	<0.01	0.069	0.40	2.9	25.5	2.51	948	1.56	0.04
R331804		2.46	39.9	3.90	4.85	0.05	0.47	<0.01	0.023	0.12	13.2	24.7	1.31	586	1.44	0.02
R331805		0.84	91.3	5.30	2.10	0.06	0.42	<0.01	0.036	0.15	12.1	7.1	1.22	1060	0.66	0.05
R331806		3.70	63.3	6.33	9.34	0.11	0.16	<0.01	0.030	0.16	2.1	16.5	1.25	1120	2.06	0.04
R331807		0.40	102.0	3.96	6.88	0.11	0.18	<0.01	0.022	0.07	2.1	13.3	0.79	650	0.68	0.07
R331808		0.47	147.0	4.15	6.15	0.11	0.18	<0.01	0.016	0.07	2.5	11.7	0.62	680	5.28	0.10
R331809		0.56	147.0	5.62	8.62	0.12	0.13	<0.01	0.025	0.06	2.4	17.7	0.91	820	1.65	0.09
R331810		<0.05	0.9	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.3	<0.01	<5	0.05	<0.01
R331811		0.57	151.5	4.69	6.99	0.13	0.16	<0.01	0.019	0.08	2.7	12.3	0.71	715	2.34	0.10
R331812		0.66	141.5	4.78	6.35	0.10	0.17	<0.01	0.017	0.07	1.8	10.6	0.71	682	2.92	0.09
R331813		0.37	101.0	4.99	7.04	0.13	0.17	<0.01	0.020	0.05	2.2	10.9	0.81	768	1.17	0.09
R331814		0.28	160.0	5.35	6.88	0.10	0.12	<0.01	0.016	0.03	1.5	9.9	0.77	800	0.41	0.09
R331815		0.74	79.1	5.13	6.86	0.09	0.15	<0.01	0.018	0.09	2.0	11.6	0.68	655	0.49	0.10
R331816		0.80	62.5	4.55	5.55	0.09	0.18	<0.01	0.018	0.09	1.8	9.3	0.56	540	0.55	0.08
R331817		0.58	81.3	4.43	6.49	0.10	0.20	<0.01	0.019	0.08	2.3	9.4	0.61	647	0.97	0.10
R331818		0.59	112.0	4.53	5.98	0.11	0.16	<0.01	0.017	0.08	2.1	9.8	0.56	599	0.75	0.11
R331819		0.27	152.0	3.86	5.34	0.13	0.14	<0.01	0.022	0.05	2.1	5.2	0.60	433	1.17	0.18
R331820		3.35	6680	6.48	2.88	0.05	<0.02	0.05	0.299	0.27	2.3	10.5	0.29	587	137.5	0.02
R331821		0.27	168.0	5.31	6.88	0.14	0.12	<0.01	0.024	0.04	2.3	10.5	0.97	525	1.27	0.17
R331822		0.66	160.5	5.82	7.45	0.13	0.15	<0.01	0.028	0.08	2.1	11.4	0.86	723	1.82	0.14
R331823		0.58	149.5	5.35	6.54	0.12	0.17	<0.01	0.024	0.08	2.6	10.3	0.76	747	0.45	0.13
R331824		0.33	161.0	5.46	6.70	0.14	0.18	<0.01	0.022	0.07	2.3	8.1	0.79	788	1.24	0.14
R331825		0.61	161.0	6.34	9.77	0.14	0.15	<0.01	0.026	0.06	2.4	18.1	1.20	817	4.10	0.12
R331826		0.42	193.0	7.18	12.00	0.18	0.12	<0.01	0.028	0.04	2.1	27.7	1.44	839	0.70	0.10
R331827		0.50	137.0	5.29	9.12	0.16	0.14	<0.01	0.023	0.03	2.7	18.9	1.03	681	0.29	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331788		0.08	24.6	460	0.3	2.4	0.002	0.18	<0.05	6.9	0.9	0.3	28.9	<0.01	0.02	0.2
R331789		0.06	31.7	510	0.3	2.5	0.005	0.21	<0.05	8.4	0.8	0.2	25.4	<0.01	0.02	0.2
R331790		0.06	31.9	490	0.3	2.4	0.004	0.21	<0.05	8.7	0.8	0.2	25.6	<0.01	0.03	0.2
R331791		0.06	29.3	480	0.3	1.9	0.003	0.24	<0.05	9.6	1.2	0.3	21.9	<0.01	0.03	0.2
R331792		0.07	27.0	470	0.5	2.4	0.003	0.49	<0.05	7.3	0.6	0.2	23.9	<0.01	0.07	0.2
R331793		0.06	26.5	460	0.4	1.7	0.004	0.49	<0.05	6.0	1.0	<0.2	20.4	<0.01	0.08	0.2
R331794		0.06	33.7	430	0.9	2.9	0.009	1.00	<0.05	7.9	1.7	0.2	26.6	<0.01	0.15	0.2
R331795		<0.05	42.8	440	0.7	10.5	0.005	0.54	<0.05	25.1	0.8	0.3	58.8	<0.01	0.06	0.2
R331796		<0.05	39.4	430	0.5	9.0	0.004	0.38	<0.05	22.8	0.9	0.2	54.4	<0.01	0.05	<0.2
R331797		0.06	33.6	480	0.5	2.6	0.008	0.26	<0.05	7.6	0.8	0.3	28.2	<0.01	0.03	0.2
R331798		0.06	31.8	490	0.4	1.9	0.004	0.32	<0.05	6.9	0.6	0.2	30.5	<0.01	0.02	0.2
R331799		0.08	30.4	460	0.3	1.7	0.003	0.23	<0.05	6.5	1.0	0.2	29.2	<0.01	0.02	0.2
R331800		0.06	31.1	480	0.6	2.0	0.008	0.34	<0.05	6.5	0.9	0.3	27.1	<0.01	0.05	0.2
R331801		0.05	45.4	490	0.6	3.3	0.005	0.29	<0.05	11.2	1.0	0.5	38.5	<0.01	0.04	0.2
R331802		0.06	33.5	490	0.8	3.2	0.003	0.55	<0.05	7.2	1.0	0.2	31.5	<0.01	0.08	0.2
R331803		<0.05	35.6	480	2.4	42.9	0.003	0.96	0.06	27.4	1.0	0.4	89.8	<0.01	0.06	0.2
R331804		<0.05	119.0	950	2.0	9.7	0.001	0.94	0.09	7.4	0.4	0.2	102.0	<0.01	0.40	1.5
R331805		<0.05	12.0	1310	6.6	10.0	<0.001	2.37	0.08	9.5	0.7	<0.2	314	<0.01	2.14	1.4
R331806		0.08	32.3	460	1.0	30.3	0.002	0.11	0.06	13.4	0.3	0.2	42.4	<0.01	0.02	<0.2
R331807		0.15	23.7	480	0.6	2.5	0.001	0.24	<0.05	8.4	0.5	0.3	20.3	<0.01	0.03	0.2
R331808		0.23	22.5	450	0.9	3.4	0.005	0.25	<0.05	9.6	0.9	0.2	29.0	0.01	0.03	0.2
R331809		0.14	28.7	470	0.7	3.0	0.002	0.37	<0.05	13.6	0.7	0.3	26.9	0.01	0.07	0.2
R331810		<0.05	0.4	10	0.3	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331811		0.22	24.7	490	0.8	3.7	0.002	0.32	<0.05	10.2	0.7	0.3	32.8	<0.01	0.05	0.2
R331812		0.20	25.9	480	1.8	3.2	0.003	0.57	<0.05	9.5	0.6	0.3	48.8	<0.01	0.06	0.2
R331813		0.16	23.7	470	0.8	1.9	0.001	0.22	<0.05	10.8	0.5	0.3	44.5	<0.01	0.04	0.2
R331814		0.10	24.9	440	1.4	1.2	0.001	0.89	<0.05	11.9	0.7	0.2	36.1	<0.01	0.31	<0.2
R331815		0.19	22.7	480	0.6	4.5	<0.001	0.08	<0.05	10.2	0.2	0.2	29.8	<0.01	0.01	0.2
R331816		0.23	19.5	460	0.8	4.7	0.001	0.19	<0.05	8.0	0.4	0.2	36.2	<0.01	0.01	<0.2
R331817		0.25	19.7	450	0.8	3.5	0.001	0.12	<0.05	10.0	0.6	0.2	60.1	<0.01	0.02	0.2
R331818		0.24	20.0	460	0.8	3.5	0.001	0.13	<0.05	9.2	0.5	0.2	28.8	<0.01	0.02	0.2
R331819		0.19	17.1	470	1.2	1.9	0.003	0.26	<0.05	9.4	0.8	0.2	26.5	<0.01	0.04	0.2
R331820		0.08	14.7	470	108.5	12.4	0.194	4.92	2.42	1.3	7.8	1.7	35.6	<0.01	1.00	1.0
R331821		0.08	22.1	490	2.0	1.6	0.002	0.49	<0.05	11.4	1.0	0.3	19.2	<0.01	0.53	0.2
R331822		0.17	23.6	490	1.0	3.7	0.002	0.67	<0.05	14.5	1.1	0.3	26.3	<0.01	0.08	0.2
R331823		0.18	23.7	520	4.4	3.5	0.001	0.53	<0.05	12.1	0.8	0.3	43.8	<0.01	0.05	0.2
R331824		0.18	22.9	520	1.1	1.9	0.002	0.57	<0.05	13.4	1.1	0.3	35.2	<0.01	0.06	0.2
R331825		0.15	26.0	540	1.3	3.0	0.002	0.60	<0.05	15.5	1.3	0.3	48.3	<0.01	0.09	0.2
R331826		0.12	29.5	510	1.6	1.8	0.001	0.47	<0.05	13.9	1.5	0.3	33.7	<0.01	0.11	0.2
R331827		0.16	22.1	530	0.7	1.7	0.001	0.25	<0.05	11.6	0.8	0.3	45.9	<0.01	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331788		0.187	<0.02	<0.05	144	0.15	9.83	59	1.8
R331789		0.218	<0.02	<0.05	184	1.57	10.65	77	1.9
R331790		0.219	<0.02	<0.05	182	1.60	10.90	76	2.0
R331791		0.226	<0.02	<0.05	178	0.29	11.45	78	1.9
R331792		0.184	0.02	<0.05	141	5.93	10.45	58	2.1
R331793		0.169	<0.02	<0.05	147	0.34	8.71	60	1.8
R331794		0.211	0.03	<0.05	166	0.45	8.56	81	1.9
R331795		0.124	0.09	<0.05	260	0.20	9.39	118	1.3
R331796		0.101	0.07	<0.05	202	0.23	8.81	106	1.1
R331797		0.208	0.02	<0.05	171	0.20	10.00	81	2.1
R331798		0.212	0.02	<0.05	165	0.16	10.20	80	2.3
R331799		0.200	<0.02	<0.05	150	0.21	10.05	70	2.1
R331800		0.192	0.02	<0.05	155	0.33	10.05	68	2.5
R331801		0.222	0.02	0.07	195	0.40	10.55	92	2.6
R331802		0.208	0.03	<0.05	190	0.26	10.35	82	2.2
R331803		0.149	0.38	<0.05	277	0.10	8.92	104	1.7
R331804		0.007	0.06	0.48	42	0.25	8.46	34	23.8
R331805		0.005	0.05	0.42	23	0.54	9.31	68	22.8
R331806		0.265	0.30	<0.05	163	0.59	7.96	106	4.6
R331807		0.314	0.02	<0.05	118	0.49	8.37	62	5.6
R331808		0.324	0.03	<0.05	122	0.65	7.57	57	5.2
R331809		0.330	0.02	<0.05	162	0.83	8.26	74	4.1
R331810		<0.005	<0.02	0.07	1	<0.05	0.66	<2	0.8
R331811		0.350	0.03	<0.05	137	0.64	8.37	62	5.0
R331812		0.315	0.02	<0.05	129	0.78	8.17	54	4.1
R331813		0.326	<0.02	<0.05	147	0.68	8.39	60	4.4
R331814		0.270	<0.02	<0.05	155	0.76	6.97	62	2.9
R331815		0.330	0.03	<0.05	176	0.48	8.19	61	4.3
R331816		0.307	0.03	<0.05	153	0.58	7.43	58	4.5
R331817		0.365	0.02	<0.05	153	0.66	9.12	50	5.3
R331818		0.320	0.02	<0.05	150	0.53	8.25	59	4.6
R331819		0.247	0.02	<0.05	113	0.35	8.05	44	3.9
R331820		0.012	0.29	0.18	17	2.81	2.48	788	<0.5
R331821		0.223	0.02	<0.05	145	0.33	8.39	58	2.4
R331822		0.312	0.03	<0.05	164	0.60	9.71	68	4.2
R331823		0.320	0.03	<0.05	155	0.52	10.10	81	4.8
R331824		0.321	0.02	<0.05	148	0.67	9.53	65	4.7
R331825		0.372	0.02	<0.05	190	0.89	10.55	82	4.1
R331826		0.350	<0.02	<0.05	204	0.63	9.81	102	3.1
R331827		0.347	<0.02	<0.05	162	0.56	10.15	70	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331828		3.43	0.004	0.04	1.50	0.3	<0.2	<10	10	0.17	0.07	2.16	0.04	7.45	24.7	23
R331829		3.44	0.003	0.04	1.85	0.4	<0.2	<10	10	0.14	0.06	2.11	0.05	7.61	28.6	26
R331830		<0.02	0.003	0.04	1.95	0.3	<0.2	<10	10	0.13	0.06	2.14	0.06	7.04	29.5	25
R331831		3.57	0.006	0.23	2.24	0.4	<0.2	<10	10	0.17	0.19	2.27	0.04	6.85	35.2	28
R331832		3.31	0.015	0.38	2.23	1.0	<0.2	10	10	0.23	0.24	3.70	0.05	8.02	38.1	33
R331833		2.28	0.001	0.03	2.16	0.4	<0.2	<10	10	0.21	0.03	2.00	0.03	8.02	27.0	27
R331834		1.35	0.002	0.05	2.35	0.6	<0.2	<10	10	0.20	0.03	2.17	0.08	9.03	32.8	31
R331835		2.49	0.001	0.05	2.14	0.5	<0.2	<10	10	0.14	0.06	2.15	0.23	6.69	34.6	31
R331836		2.29	0.003	0.18	1.33	0.6	<0.2	<10	<10	0.18	0.10	2.76	0.12	6.61	30.8	29
R331837		3.21	0.012	0.11	2.09	0.3	<0.2	<10	<10	0.16	0.08	3.12	0.12	6.36	31.1	21
R331838		3.73	0.007	0.09	1.88	0.2	<0.2	<10	10	0.15	0.04	2.11	0.28	9.73	23.2	4
R331839		1.84	0.002	0.35	2.07	0.1	<0.2	<10	10	0.18	0.18	1.23	1.71	7.12	30.3	5
R331840		0.10	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	0.91	0.1	<1
R331841		3.74	0.002	0.11	1.74	0.3	<0.2	<10	10	0.22	0.09	2.17	0.14	11.75	24.1	3
R331842		3.58	0.002	0.07	1.48	0.2	<0.2	<10	<10	0.12	0.03	1.70	0.07	9.41	21.0	6
R331843		3.68	0.002	0.07	1.46	0.2	<0.2	<10	<10	0.13	0.04	2.18	0.06	9.36	21.1	5
R331844		3.59	0.004	0.07	1.87	0.4	<0.2	10	<10	0.20	0.14	2.14	0.08	9.90	24.8	5
R331845		1.13	0.006	0.08	2.07	0.2	<0.2	10	<10	0.21	0.07	3.34	0.03	10.10	22.4	4
R331846		1.75	0.002	0.09	1.93	0.2	<0.2	<10	10	0.24	0.10	1.54	0.05	7.29	26.3	6
R331847		2.86	0.002	0.08	1.47	0.3	<0.2	<10	20	0.19	0.06	2.98	0.06	8.53	23.5	7
R331848		2.79	0.001	0.08	1.95	0.4	<0.2	<10	10	0.16	0.07	3.82	0.10	8.33	30.1	7
R331849		2.80	0.003	0.07	2.02	0.2	<0.2	<10	10	0.21	0.14	2.33	0.08	8.92	33.4	7
R331850		0.07	2.41	4.69	1.59	18.5	2.5	<10	40	0.59	0.09	3.62	0.36	22.2	10.8	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331828		0.21	148.5	4.12	7.07	0.14	0.17	<0.01	0.021	0.03	2.6	10.0	0.73	557	0.30	0.12
R331829		0.21	170.5	4.77	8.35	0.16	0.17	<0.01	0.022	0.03	2.6	14.1	0.92	648	0.27	0.10
R331830		0.22	172.5	4.99	8.40	0.17	0.17	<0.01	0.022	0.03	2.5	15.0	0.97	668	0.25	0.11
R331831		0.34	179.5	5.92	10.05	0.17	0.15	<0.01	0.024	0.03	2.3	18.3	1.21	767	0.29	0.08
R331832		0.39	178.0	6.14	11.00	0.18	0.19	<0.01	0.030	0.03	2.7	17.9	1.26	813	0.34	0.09
R331833		0.24	113.0	5.44	9.62	0.17	0.18	<0.01	0.021	0.02	2.8	21.7	1.11	727	0.47	0.07
R331834		0.27	219	5.79	10.05	0.18	0.19	<0.01	0.024	0.02	3.1	24.7	1.23	758	0.30	0.09
R331835		0.36	183.0	5.69	9.07	0.14	0.17	<0.01	0.021	0.02	2.3	22.9	1.08	809	0.37	0.10
R331836		0.33	171.0	5.19	7.01	0.13	0.19	<0.01	0.021	0.02	2.2	7.6	0.65	563	0.35	0.13
R331837		0.39	174.5	6.29	9.49	0.14	0.12	<0.01	0.024	0.03	2.1	15.3	1.10	820	0.30	0.15
R331838		0.23	174.0	5.01	8.49	0.16	0.15	<0.01	0.026	0.03	3.4	13.4	0.93	696	0.36	0.15
R331839		0.35	1560	6.37	10.40	0.12	0.18	<0.01	0.020	0.04	2.3	18.0	1.14	806	0.35	0.09
R331840		<0.05	1.5	0.03	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	<0.05	<0.01
R331841		0.24	132.0	4.88	7.87	0.14	0.16	<0.01	0.028	0.03	4.2	11.1	0.88	631	0.27	0.16
R331842		0.23	147.0	4.30	6.35	0.12	0.11	<0.01	0.023	0.02	3.3	8.1	0.69	561	0.30	0.16
R331843		0.24	150.5	4.31	6.41	0.13	0.13	<0.01	0.025	0.03	3.3	7.4	0.69	533	0.31	0.17
R331844		0.19	130.5	5.39	7.70	0.14	0.14	<0.01	0.025	0.02	3.7	13.0	0.94	580	0.41	0.14
R331845		0.13	249	5.31	7.94	0.15	0.13	<0.01	0.019	0.02	3.4	23.0	1.14	570	0.66	0.07
R331846		0.22	112.0	5.75	8.32	0.15	0.13	<0.01	0.027	0.03	2.4	15.7	1.06	608	0.51	0.17
R331847		0.18	156.5	4.71	6.65	0.13	0.12	<0.01	0.030	0.04	3.1	6.3	0.67	587	0.36	0.17
R331848		0.23	166.0	5.18	9.08	0.16	0.09	<0.01	0.023	0.02	2.9	13.9	0.92	774	0.76	0.12
R331849		0.26	161.5	5.52	10.30	0.18	0.13	<0.01	0.024	0.02	3.1	14.0	1.02	643	0.82	0.12
R331850		3.44	70.5	2.87	6.31	0.07	0.37	0.09	0.040	0.22	10.0	14.9	0.84	685	6.33	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331828		0.19	18.3	500	0.9	1.1	<0.001	0.31	<0.05	9.1	1.0	0.3	44.5	<0.01	0.03	0.2
R331829		0.16	19.8	500	1.0	1.1	<0.001	0.22	<0.05	10.6	1.0	0.3	51.6	<0.01	0.06	0.2
R331830		0.14	20.3	500	1.1	1.2	0.001	0.23	<0.05	10.8	0.8	0.3	50.2	<0.01	0.06	0.2
R331831		0.10	24.4	520	1.4	1.2	<0.001	0.44	<0.05	13.1	0.9	0.3	42.7	<0.01	0.19	0.2
R331832		0.13	26.7	530	2.4	1.1	0.002	0.56	0.05	15.6	1.2	0.4	58.3	<0.01	0.32	0.2
R331833		0.15	22.8	510	1.3	0.7	0.001	0.12	<0.05	8.9	0.6	0.3	75.1	<0.01	0.04	0.2
R331834		0.17	27.0	510	1.5	0.6	0.001	0.15	<0.05	10.3	0.9	0.3	77.9	<0.01	0.04	0.2
R331835		0.12	25.7	520	1.8	1.0	0.001	0.29	<0.05	10.2	0.9	0.3	35.7	<0.01	0.04	0.2
R331836		0.14	22.2	500	2.8	1.1	0.001	0.78	<0.05	9.7	2.6	0.3	41.3	<0.01	0.15	0.2
R331837		0.10	18.7	510	2.2	1.3	0.002	0.66	<0.05	11.2	1.8	0.3	24.1	<0.01	0.08	0.2
R331838		0.11	8.5	630	5.5	1.3	0.002	0.21	<0.05	10.4	1.0	0.4	28.5	<0.01	0.03	0.2
R331839		0.07	9.9	500	55.3	1.3	0.002	0.30	<0.05	6.8	0.9	0.4	17.3	<0.01	0.04	0.2
R331840		<0.05	0.4	10	0.5	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331841		0.08	9.4	630	11.4	1.3	0.002	0.19	<0.05	11.2	1.1	0.4	38.9	<0.01	0.03	0.2
R331842		0.07	8.1	600	1.1	1.0	0.002	0.17	<0.05	9.9	0.5	0.3	17.4	<0.01	0.03	0.2
R331843		0.11	8.1	580	0.7	1.1	0.001	0.15	<0.05	10.1	0.8	0.4	25.4	<0.01	0.03	0.2
R331844		0.10	8.8	610	2.4	0.6	0.002	0.53	<0.05	9.1	1.0	0.3	43.4	<0.01	0.04	0.2
R331845		0.09	8.1	480	2.8	0.4	0.002	0.13	<0.05	6.3	0.8	0.2	63.8	<0.01	0.04	0.2
R331846		0.06	11.6	590	1.9	1.3	0.001	0.12	<0.05	11.2	0.6	0.5	17.0	<0.01	0.03	0.2
R331847		0.13	9.5	600	0.8	1.3	0.002	0.21	<0.05	10.5	1.2	0.2	30.9	<0.01	0.03	0.2
R331848		0.09	12.9	570	1.5	0.9	0.003	0.29	<0.05	10.0	1.0	0.4	28.9	<0.01	0.03	0.2
R331849		0.12	13.1	570	0.9	0.8	0.003	0.33	<0.05	12.1	1.0	0.4	36.0	<0.01	0.03	0.2
R331850		<0.05	11.5	610	17.9	11.9	0.003	0.86	0.40	8.4	0.8	0.5	118.0	<0.01	2.45	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331828		0.343	<0.02	<0.05	133	0.35	10.20	54	4.2
R331829		0.362	<0.02	<0.05	140	0.40	10.25	69	4.2
R331830		0.363	<0.02	<0.05	145	0.39	9.99	72	4.3
R331831		0.339	<0.02	<0.05	166	0.45	9.32	84	3.6
R331832		0.467	<0.02	<0.05	196	0.95	11.30	88	4.0
R331833		0.415	<0.02	<0.05	153	0.61	9.73	80	4.1
R331834		0.448	<0.02	<0.05	157	0.66	11.10	93	4.6
R331835		0.370	<0.02	<0.05	160	0.47	9.32	106	3.9
R331836		0.311	<0.02	<0.05	160	0.46	10.40	59	4.1
R331837		0.252	<0.02	<0.05	166	0.40	9.66	82	2.5
R331838		0.355	<0.02	<0.05	146	0.40	11.30	96	3.4
R331839		0.408	<0.02	<0.05	126	0.43	10.30	279	4.0
R331840		<0.005	<0.02	0.06	<1	<0.05	0.56	<2	0.7
R331841		0.325	<0.02	<0.05	136	0.33	12.10	71	4.1
R331842		0.237	<0.02	<0.05	118	0.20	9.64	53	2.9
R331843		0.288	<0.02	<0.05	125	0.30	10.05	52	3.4
R331844		0.325	<0.02	<0.05	136	0.36	10.30	69	3.4
R331845		0.363	<0.02	<0.05	111	0.31	9.23	75	2.4
R331846		0.302	<0.02	<0.05	170	0.27	11.50	72	2.8
R331847		0.263	<0.02	<0.05	152	0.14	10.80	51	3.2
R331848		0.212	<0.02	<0.05	143	0.08	9.85	69	2.3
R331849		0.324	<0.02	<0.05	169	0.17	11.05	74	3.4
R331850		0.054	0.14	0.35	67	0.35	7.84	84	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 24-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150484

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

CERTIFICATE SD15150485

Project: Miller

This report is for 126 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 2-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-35ad	Pulv 1 kg split to 95%<106 um DUP
CRU-32	Fine Crushing 90% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-35a	Pulv 1 kg split to 95%<106 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331851		3.03	0.017	0.06	2.53	0.3	<0.2	<10	10	0.23	0.13	3.34	0.03	7.47	37.8	12
R331852		3.46	0.050	0.14	2.26	0.2	<0.2	<10	10	0.28	0.32	3.50	0.03	7.88	33.6	6
R331853		3.69	0.002	0.07	2.13	0.1	<0.2	<10	10	0.25	0.08	1.85	0.10	8.93	31.7	7
R331854		4.03	0.005	0.07	1.92	0.1	<0.2	<10	10	0.18	0.03	1.93	0.15	9.59	29.8	7
R331855		3.73	0.002	0.07	2.02	0.2	<0.2	<10	20	0.26	0.16	1.97	0.09	8.52	33.3	8
R331856		3.47	0.005	0.07	1.73	0.2	<0.2	<10	40	0.19	0.10	2.00	0.07	8.40	30.8	8
R331857		3.95	0.007	0.07	2.04	0.3	<0.2	<10	80	0.24	0.03	2.33	0.13	9.24	30.8	8
R331858		3.79	0.005	0.07	2.56	0.3	<0.2	<10	70	0.34	0.17	3.33	0.09	9.57	38.5	8
R331859		3.73	0.009	0.06	2.58	0.5	<0.2	<10	80	0.26	0.05	2.64	0.10	8.67	35.6	11
R331860		<0.02	0.004	0.07	2.66	0.3	<0.2	<10	90	0.32	0.05	2.61	0.12	8.67	36.9	10
R331861		3.61	0.004	0.08	1.97	0.2	<0.2	<10	70	0.19	0.04	1.77	0.19	9.19	31.0	12
R331862		3.73	0.003	0.07	2.11	0.8	<0.2	<10	20	0.18	0.12	2.35	0.11	8.72	30.9	10
R331863		3.68	0.004	0.06	2.00	0.6	<0.2	<10	10	0.21	0.07	1.86	0.05	8.43	32.5	12
R331864		3.57	0.002	0.07	3.08	0.9	<0.2	<10	10	0.20	0.10	3.13	0.05	8.18	45.9	13
R331865		2.07	0.002	0.16	1.61	0.6	<0.2	<10	10	0.28	0.54	2.39	0.10	10.15	37.0	11
R331866		1.87	0.001	0.07	0.84	0.2	<0.2	<10	40	0.39	0.22	1.61	0.07	54.8	7.2	23
R331867		2.20	<0.001	0.02	0.76	0.3	<0.2	<10	60	0.37	0.06	0.86	0.06	58.1	6.5	22
R331868		2.21	0.010	0.10	1.81	0.8	<0.2	<10	50	0.58	0.26	1.96	0.20	38.6	27.8	23
R331869		2.47	0.001	0.10	1.89	0.9	<0.2	<10	40	0.50	0.16	1.69	0.17	22.2	31.1	16
R331870		0.11	<0.001	0.03	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.15	0.1	<1
R331871		2.29	0.014	0.11	2.03	0.6	<0.2	<10	140	0.36	0.20	1.24	0.23	31.5	30.7	20
R331872		3.96	0.003	0.15	1.87	0.3	<0.2	<10	60	0.20	0.27	2.27	0.22	7.23	42.0	17
R331873		3.33	0.002	0.13	2.00	0.6	<0.2	<10	70	0.34	0.21	2.14	0.27	12.50	38.6	14
R331874		2.57	0.002	0.21	3.02	1.1	<0.2	<10	10	0.40	0.70	1.95	0.09	16.45	54.3	29
R331875		3.73	0.002	0.18	1.89	2.0	<0.2	<10	20	0.26	0.39	2.18	0.24	8.08	40.8	19
R331876		3.94	0.002	0.22	2.60	2.2	<0.2	<10	20	0.33	0.64	2.55	0.44	8.82	51.0	17
R331877		4.32	0.002	0.26	2.21	1.1	<0.2	<10	30	0.25	0.34	2.20	2.50	8.09	42.6	21
R331878		3.93	0.002	0.08	2.20	0.4	<0.2	<10	10	0.20	0.37	2.78	0.08	8.38	42.3	15
R331879		3.65	0.002	0.16	2.31	0.4	<0.2	<10	20	0.28	0.66	2.31	0.17	8.40	49.4	13
R331880		0.07	2.46	4.63	1.58	18.1	2.5	<10	40	0.58	0.09	3.52	0.38	22.8	10.7	23
R331881		3.85	0.003	0.19	2.02	0.6	<0.2	<10	20	0.14	0.49	1.95	0.07	7.74	48.2	21
R331882		3.71	0.004	0.12	2.15	0.4	<0.2	<10	10	0.18	0.29	1.97	0.08	7.77	48.7	22
R331883		3.47	0.002	0.10	2.33	0.6	<0.2	<10	30	0.22	0.29	2.29	0.15	7.60	46.0	27
R331884		4.20	0.002	0.13	2.10	0.4	<0.2	<10	20	0.16	0.32	1.67	0.09	7.41	46.4	20
R331885		2.15	0.001	0.13	1.68	0.4	<0.2	<10	10	0.17	0.24	1.78	0.08	7.21	39.9	15
R331886		1.94	0.003	0.06	1.53	0.4	<0.2	<10	<10	0.18	0.13	2.22	0.07	5.49	29.9	33
R331887		2.67	0.003	0.14	2.34	0.6	<0.2	<10	10	0.22	0.32	1.60	0.31	7.39	44.8	26
R331888		3.35	0.003	0.16	1.65	0.6	<0.2	<10	10	0.16	0.25	2.80	0.12	6.59	41.4	26
R331889		3.14	0.005	0.19	1.83	1.0	<0.2	<10	10	0.20	0.12	1.45	0.16	5.51	36.5	26
R331890		<0.02	0.017	0.18	1.83	1.0	<0.2	<10	10	0.17	0.11	1.47	0.17	5.64	36.1	27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331851		0.51	175.0	6.86	12.50	0.19	0.10	<0.01	0.039	0.03	2.7	21.5	1.37	835	0.39	0.08
R331852		0.52	155.0	6.70	10.45	0.14	0.12	<0.01	0.036	0.03	2.8	17.1	1.27	759	0.21	0.08
R331853		0.42	170.5	5.68	10.35	0.17	0.13	<0.01	0.027	0.02	3.2	15.5	1.12	622	0.21	0.10
R331854		0.28	162.0	5.30	9.60	0.19	0.12	<0.01	0.023	0.03	3.4	13.7	1.00	562	0.42	0.12
R331855		1.33	153.5	6.26	10.65	0.19	0.12	<0.01	0.027	0.06	2.9	19.9	1.18	631	1.49	0.13
R331856		0.82	165.0	5.16	9.05	0.17	0.12	<0.01	0.030	0.08	2.9	11.8	0.95	577	0.22	0.17
R331857		0.88	164.0	5.37	9.71	0.14	0.14	<0.01	0.029	0.14	3.1	20.4	1.05	686	0.29	0.14
R331858		0.92	146.0	6.82	10.40	0.12	0.16	<0.01	0.021	0.14	3.6	23.8	1.31	919	0.53	0.08
R331859		1.44	159.0	6.56	11.55	0.11	0.12	<0.01	0.030	0.24	3.0	23.5	1.27	827	0.52	0.12
R331860		1.52	161.0	6.64	11.60	0.12	0.12	<0.01	0.034	0.25	2.9	24.8	1.31	845	0.41	0.12
R331861		1.36	161.0	4.97	9.26	0.13	0.12	<0.01	0.030	0.21	3.2	20.5	0.99	582	0.33	0.14
R331862		0.41	156.5	5.81	10.35	0.20	0.15	<0.01	0.027	0.06	3.1	14.9	1.08	637	0.67	0.14
R331863		0.42	172.5	5.64	10.75	0.18	0.13	<0.01	0.024	0.04	2.9	15.2	1.07	643	0.32	0.14
R331864		0.82	164.0	8.43	16.45	0.23	0.14	<0.01	0.024	0.03	2.8	24.4	1.62	951	0.49	0.08
R331865		0.62	140.0	5.50	8.50	0.17	0.21	<0.01	0.018	0.05	4.0	11.1	0.88	691	0.61	0.11
R331866		0.45	16.8	1.99	5.56	0.08	0.66	0.01	0.014	0.09	25.9	7.8	0.58	328	0.12	0.10
R331867		0.98	11.3	1.76	5.32	0.08	0.60	<0.01	0.009	0.18	27.6	8.7	0.50	277	0.23	0.09
R331868		2.45	110.5	5.03	9.48	0.14	1.00	<0.01	0.018	0.14	18.2	22.2	1.04	729	1.58	0.10
R331869		1.12	127.0	5.04	9.12	0.16	0.53	<0.01	0.027	0.11	9.4	19.6	1.10	690	1.85	0.15
R331870		<0.05	0.7	0.03	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05	0.01
R331871		3.31	90.3	5.20	9.71	0.15	0.76	<0.01	0.028	0.36	14.1	26.2	1.14	613	0.62	0.12
R331872		1.42	156.0	5.57	8.30	0.16	0.18	<0.01	0.028	0.18	2.6	12.1	0.91	671	0.71	0.18
R331873		1.46	144.0	5.54	9.58	0.19	0.28	<0.01	0.032	0.14	4.8	15.9	1.04	708	1.02	0.16
R331874		1.83	143.5	8.57	14.20	0.18	0.31	<0.01	0.026	0.05	7.3	36.9	1.66	1220	1.02	0.06
R331875		0.95	142.5	5.56	9.35	0.17	0.21	<0.01	0.029	0.08	2.9	13.4	0.99	795	0.67	0.15
R331876		1.16	168.0	7.91	12.40	0.16	0.17	<0.01	0.036	0.07	3.0	24.4	1.53	1010	1.62	0.11
R331877		1.15	192.0	6.36	9.75	0.18	0.18	<0.01	0.031	0.14	2.7	13.2	0.98	880	0.78	0.17
R331878		0.81	155.0	7.16	10.15	0.18	0.14	<0.01	0.027	0.07	2.9	13.3	0.91	883	1.44	0.19
R331879		1.26	206	7.47	11.05	0.18	0.17	<0.01	0.033	0.05	2.9	18.5	1.08	909	2.63	0.16
R331880		3.38	70.6	2.86	6.41	0.07	0.34	0.10	0.033	0.23	10.0	15.4	0.84	686	6.18	0.07
R331881		0.82	168.5	6.25	9.04	0.18	0.20	<0.01	0.029	0.07	2.7	15.5	0.89	747	0.83	0.18
R331882		0.72	172.5	6.40	10.60	0.24	0.21	<0.01	0.034	0.06	2.8	13.8	0.96	701	0.84	0.21
R331883		0.74	171.0	6.27	10.55	0.25	0.17	<0.01	0.033	0.09	2.8	15.0	0.92	766	1.00	0.21
R331884		1.00	179.5	6.17	9.76	0.23	0.18	<0.01	0.029	0.09	2.6	19.4	0.96	642	1.71	0.18
R331885		0.36	161.5	5.10	7.70	0.21	0.18	<0.01	0.027	0.04	2.6	11.0	0.83	627	0.72	0.19
R331886		0.39	169.0	5.68	7.38	0.22	0.18	<0.01	0.026	0.05	2.0	6.0	0.75	626	0.58	0.20
R331887		0.94	152.0	6.90	11.40	0.20	0.14	<0.01	0.029	0.06	2.6	23.1	1.25	735	1.37	0.13
R331888		1.13	145.0	5.72	8.15	0.22	0.16	<0.01	0.027	0.07	2.3	6.7	0.74	641	1.99	0.19
R331889		1.04	152.5	6.49	10.00	0.22	0.17	<0.01	0.028	0.05	1.8	11.6	0.93	672	1.61	0.17
R331890		1.05	151.5	6.44	9.97	0.25	0.14	<0.01	0.030	0.05	1.9	11.3	0.93	676	1.69	0.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331851		0.09	16.1	580	0.8	2.3	0.002	0.40	<0.05	18.7	0.9	0.5	27.6	<0.01	0.07	0.2
R331852		0.07	14.1	530	1.0	2.1	0.002	0.87	<0.05	17.6	0.9	0.4	29.6	<0.01	0.20	0.2
R331853		0.10	13.5	580	1.2	1.1	0.003	0.23	<0.05	11.3	0.8	0.4	30.5	<0.01	0.04	0.2
R331854		0.11	12.1	600	1.0	1.0	0.002	0.21	<0.05	11.0	0.8	0.3	31.4	<0.01	0.04	0.2
R331855		0.09	14.1	590	1.0	3.9	0.003	0.37	<0.05	12.6	0.9	0.4	20.5	<0.01	0.03	0.2
R331856		0.07	12.7	580	0.8	3.5	0.002	0.35	<0.05	12.8	0.9	0.4	14.1	<0.01	0.04	0.2
R331857		0.09	14.2	590	1.1	6.4	0.001	0.17	<0.05	12.4	1.0	0.4	22.9	<0.01	0.02	0.2
R331858		0.11	17.9	570	1.0	5.2	0.001	0.53	<0.05	10.9	0.7	0.4	46.4	<0.01	0.04	0.2
R331859		0.11	18.5	600	0.6	11.1	0.003	0.26	<0.05	15.3	1.0	0.5	24.8	<0.01	0.04	0.2
R331860		0.11	18.7	600	0.5	11.3	0.003	0.26	<0.05	15.6	0.9	0.4	24.1	<0.01	0.03	0.2
R331861		0.09	14.7	590	0.5	11.3	0.001	0.19	<0.05	13.4	1.0	0.5	15.8	<0.01	0.02	0.2
R331862		0.12	14.0	560	0.6	1.8	0.002	0.38	<0.05	11.2	1.0	0.3	31.3	<0.01	0.05	0.2
R331863		0.12	15.1	590	0.6	1.4	0.001	0.27	<0.05	12.3	1.1	0.5	19.4	<0.01	0.04	0.2
R331864		0.10	20.8	580	0.7	1.3	0.002	0.46	<0.05	15.0	0.8	0.4	29.9	<0.01	0.07	0.2
R331865		0.12	20.4	570	3.8	1.9	0.001	1.40	<0.05	9.8	1.0	0.4	24.3	<0.01	0.25	0.4
R331866		0.40	10.9	820	10.2	4.6	<0.001	0.27	<0.05	3.4	0.5	0.4	93.8	<0.01	0.06	4.6
R331867		0.57	10.3	830	12.2	18.3	<0.001	0.07	<0.05	1.9	<0.2	0.8	77.3	<0.01	<0.01	5.3
R331868		0.23	21.3	750	7.8	11.8	0.003	0.66	<0.05	7.2	0.7	0.4	58.0	<0.01	0.09	3.1
R331869		0.14	18.0	660	5.1	5.3	0.002	0.47	<0.05	11.4	0.7	0.5	33.4	<0.01	0.10	1.5
R331870		<0.05	0.3	10	0.3	0.1	<0.001	0.03	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
R331871		0.15	19.5	710	12.3	24.5	0.002	0.65	<0.05	11.1	0.9	0.3	29.8	<0.01	0.10	2.3
R331872		0.12	30.0	550	17.7	8.9	0.003	1.17	0.06	13.2	1.0	0.4	19.4	<0.01	0.20	0.2
R331873		0.12	20.5	600	8.0	8.2	0.004	0.87	0.06	13.1	0.7	0.4	27.3	<0.01	0.14	0.6
R331874		0.09	42.0	640	5.4	2.3	0.004	0.91	<0.05	12.0	0.7	0.4	70.9	<0.01	0.23	0.7
R331875		0.10	29.3	600	14.9	3.2	0.002	0.97	0.07	12.7	1.1	0.4	28.8	<0.01	0.25	0.2
R331876		0.10	31.3	600	20.8	3.5	0.004	1.72	0.06	18.0	1.5	0.5	28.1	<0.01	0.39	0.2
R331877		0.10	29.8	560	175.5	5.5	0.002	1.01	0.11	14.3	1.0	0.3	24.9	<0.01	0.23	0.2
R331878		0.07	23.3	540	3.4	2.3	0.005	1.46	<0.05	12.9	1.4	0.5	27.9	<0.01	0.23	0.2
R331879		0.11	27.5	580	6.3	2.8	0.010	1.81	<0.05	14.3	1.7	0.4	25.4	<0.01	0.43	0.2
R331880		<0.05	11.3	620	17.6	11.7	0.002	0.87	0.40	8.5	0.9	0.5	116.0	<0.01	2.40	1.5
R331881		0.12	36.4	550	5.9	2.8	0.003	1.55	0.06	13.6	1.2	0.5	20.1	<0.01	0.34	0.2
R331882		0.09	37.3	560	4.7	3.3	0.003	1.22	<0.05	15.0	1.2	0.4	15.5	<0.01	0.20	0.2
R331883		0.08	33.6	550	2.8	3.6	0.004	1.05	<0.05	13.6	1.1	0.5	17.7	<0.01	0.23	0.2
R331884		0.08	30.3	560	4.3	4.9	0.004	1.36	<0.05	14.7	1.2	0.3	17.2	<0.01	0.30	0.2
R331885		0.08	23.9	530	4.0	1.7	0.002	1.07	<0.05	11.9	0.9	0.4	14.9	<0.01	0.23	0.2
R331886		0.12	21.0	500	2.3	1.7	0.001	0.37	<0.05	10.7	0.9	0.3	24.5	<0.01	0.04	0.2
R331887		0.07	29.9	560	25.0	3.0	0.006	1.03	0.05	13.6	1.2	0.4	17.5	<0.01	0.24	0.2
R331888		0.08	31.8	520	20.1	4.3	0.006	1.08	0.07	12.0	1.1	0.3	25.0	<0.01	0.19	0.2
R331889		0.07	27.9	540	9.8	3.6	0.008	0.50	0.06	11.8	0.7	0.4	18.3	<0.01	0.10	0.2
R331890		0.06	28.2	530	9.4	3.7	0.008	0.50	0.05	12.2	0.7	0.4	19.2	<0.01	0.09	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331851		0.309	0.02	<0.05	209	0.68	12.85	91	2.5
R331852		0.325	0.02	0.05	189	1.12	12.40	81	2.9
R331853		0.345	<0.02	<0.05	169	0.29	11.50	83	3.3
R331854		0.331	<0.02	<0.05	165	0.24	11.30	80	3.2
R331855		0.361	0.03	<0.05	192	0.28	11.60	83	3.2
R331856		0.328	0.03	<0.05	168	0.24	10.85	69	3.2
R331857		0.412	0.05	<0.05	174	0.46	11.45	82	3.4
R331858		0.436	0.04	<0.05	184	0.67	11.20	96	3.7
R331859		0.456	0.08	<0.05	208	0.67	11.90	91	3.5
R331860		0.468	0.08	<0.05	213	0.65	11.75	95	3.4
R331861		0.395	0.08	<0.05	172	0.20	10.50	82	3.3
R331862		0.397	0.02	<0.05	163	0.31	10.55	83	3.7
R331863		0.404	0.02	<0.05	177	0.28	11.55	75	3.5
R331864		0.478	0.02	<0.05	248	0.42	11.50	113	3.3
R331865		0.313	0.02	0.07	145	0.46	9.40	67	6.0
R331866		0.155	0.03	1.42	38	1.05	6.87	46	31.0
R331867		0.165	0.10	1.63	32	0.31	6.34	49	32.4
R331868		0.303	0.10	0.86	117	0.52	8.95	106	38.4
R331869		0.354	0.06	0.43	143	0.54	10.15	88	21.3
R331870		<0.005	<0.02	0.09	<1	<0.05	0.69	<2	0.8
R331871		0.322	0.25	0.63	145	0.38	10.80	116	31.2
R331872		0.336	0.42	<0.05	160	0.35	10.90	85	4.5
R331873		0.366	0.12	0.15	184	0.39	11.05	110	10.0
R331874		0.421	0.07	0.17	202	0.50	10.50	136	10.5
R331875		0.401	0.15	<0.05	167	0.59	11.55	118	5.6
R331876		0.369	0.12	<0.05	218	0.59	12.75	195	4.3
R331877		0.351	0.17	<0.05	171	0.44	11.25	740	4.8
R331878		0.263	0.04	<0.05	160	1.43	10.75	78	3.9
R331879		0.326	0.06	<0.05	175	0.49	12.30	97	4.5
R331880		0.055	0.15	0.35	66	0.38	7.68	83	11.4
R331881		0.345	0.05	<0.05	154	0.45	11.15	66	5.0
R331882		0.333	0.08	<0.05	175	0.34	12.50	74	4.8
R331883		0.307	0.07	<0.05	163	0.35	10.95	85	4.3
R331884		0.289	0.12	<0.05	171	0.36	10.60	74	4.5
R331885		0.281	0.03	<0.05	136	0.37	10.30	60	4.4
R331886		0.312	0.03	<0.05	181	0.25	10.00	50	4.5
R331887		0.332	0.05	<0.05	204	0.55	11.25	204	3.2
R331888		0.270	0.12	<0.05	175	0.37	10.35	74	3.8
R331889		0.302	0.07	<0.05	209	0.32	10.90	108	3.1
R331890		0.305	0.07	<0.05	208	0.32	11.00	108	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331891		1.48	0.003	0.45	1.93	0.7	<0.2	<10	10	0.15	0.25	1.97	0.14	7.90	41.8	19
R331892		2.09	0.002	0.30	2.00	0.7	<0.2	<10	10	0.19	0.19	2.37	0.13	8.60	38.3	20
R331893		1.34	<0.001	0.10	1.06	0.6	<0.2	<10	20	0.35	0.22	1.20	1.12	39.9	13.4	20
R331894		2.21	0.001	0.14	2.11	0.9	<0.2	<10	10	0.31	0.11	3.95	1.08	9.25	33.1	19
R331895		0.77	0.002	0.16	1.64	1.4	<0.2	<10	10	0.28	0.18	2.01	1.56	21.5	26.8	20
R331896		2.61	0.001	0.11	1.95	0.7	<0.2	<10	10	0.22	0.11	3.09	0.26	7.42	34.4	19
R331897		2.96	0.002	0.09	1.95	0.4	<0.2	<10	20	0.28	0.04	2.75	0.62	7.33	31.3	20
R331898		2.83	0.002	0.17	1.96	0.8	<0.2	<10	20	0.20	0.13	2.79	0.37	7.82	38.3	21
R331899		2.42	0.002	0.11	2.14	2.0	<0.2	<10	10	0.26	0.31	2.17	0.29	15.70	36.2	21
R331900		2.48	0.002	0.08	1.60	0.3	<0.2	<10	10	0.13	0.03	1.92	0.21	7.99	26.3	19
R331901		2.14	0.001	0.06	1.99	0.2	<0.2	<10	20	0.17	0.02	2.44	0.05	7.22	29.8	24
R331902		2.33	<0.001	0.08	1.76	0.3	<0.2	<10	30	0.20	0.21	3.56	0.08	7.78	29.2	19
R331903		3.99	<0.001	0.07	1.96	0.5	<0.2	<10	20	0.24	0.11	2.96	0.06	7.35	33.7	22
R331904		3.29	0.001	0.09	2.06	0.3	<0.2	<10	20	0.29	0.11	2.68	0.07	7.81	34.9	21
R331905		3.67	0.001	0.07	2.45	0.3	<0.2	<10	40	0.29	0.04	3.00	0.06	6.77	35.8	20
R331906		3.68	0.002	0.17	2.65	0.8	<0.2	10	30	0.42	0.28	3.16	0.03	8.37	44.3	24
R331907		3.81	0.003	0.11	2.23	0.8	<0.2	<10	20	0.28	0.08	2.54	0.11	9.74	41.2	21
R331908		3.79	0.001	0.07	1.80	0.4	<0.2	<10	10	0.24	0.05	2.78	0.09	9.37	27.6	18
R331909		3.69	0.003	0.11	1.95	0.5	<0.2	<10	10	0.22	0.07	2.63	0.04	9.48	29.9	16
R331910		0.11	<0.001	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.11	0.1	<1
R331911		3.45	0.003	0.13	1.99	0.7	<0.2	<10	10	0.23	0.35	3.91	0.06	9.40	35.1	21
R331912		2.24	0.005	0.07	1.71	0.5	<0.2	<10	10	0.17	0.04	2.59	0.15	9.25	25.9	15
R331913		2.28	0.004	0.15	1.98	0.9	<0.2	<10	<10	0.17	0.10	2.30	0.10	9.18	29.5	17
R331914		2.23	0.003	0.13	1.95	0.5	<0.2	<10	<10	0.17	0.08	1.56	0.20	7.47	31.0	30
R331915		2.09	0.001	0.10	2.49	0.4	<0.2	<10	10	0.27	0.16	2.83	0.16	8.52	34.0	31
R331916		3.14	0.002	0.05	2.84	0.1	<0.2	10	10	0.14	<0.01	1.93	0.06	15.45	20.4	8
R331917		3.58	0.003	0.05	3.15	0.2	<0.2	10	10	0.15	<0.01	2.06	0.05	14.10	21.2	9
R331918		3.03	0.001	0.07	2.52	0.3	<0.2	10	10	0.16	0.03	1.79	0.24	13.65	20.4	7
R331919		2.87	0.005	0.13	1.96	0.3	<0.2	<10	10	0.21	0.10	2.03	0.12	6.52	29.0	30
R331920		0.07	0.916	5.78	0.94	41.9	0.8	<10	40	0.18	1.20	0.38	4.68	4.68	13.4	19
R331921		3.03	0.001	0.05	1.22	0.2	<0.2	<10	<10	0.13	0.01	1.20	0.05	6.45	20.3	37
R331922		3.29	<0.001	0.05	1.56	0.3	<0.2	<10	10	0.13	0.02	1.27	0.03	4.86	24.7	37
R331923		3.60	0.001	0.05	1.93	0.4	<0.2	<10	<10	0.17	0.06	1.38	0.04	5.05	30.5	36
R331924		2.33	0.004	0.16	1.95	0.6	<0.2	<10	<10	0.17	0.06	1.34	0.10	4.91	30.4	35
R331925		2.22	0.001	0.12	1.18	0.6	<0.2	<10	10	0.14	0.04	1.70	0.11	5.40	23.2	34
R331926		2.42	0.001	0.18	2.49	0.4	<0.2	<10	10	0.21	0.08	1.76	0.03	6.86	35.2	37
R331927		2.63	0.001	0.04	2.31	0.5	<0.2	<10	<10	0.28	0.07	0.97	0.01	6.93	33.7	37
R331928		2.06	0.002	0.09	1.95	0.8	<0.2	<10	10	0.37	0.18	1.30	0.01	6.93	38.4	30
R331929		2.28	0.002	0.05	3.16	0.8	<0.2	<10	<10	0.31	0.23	0.77	0.01	6.50	51.0	30
R331930		<0.02	0.002	0.05	3.17	0.8	<0.2	<10	<10	0.36	0.24	0.78	0.01	6.83	52.4	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331891		0.55	168.5	6.49	9.48	0.27	0.18	<0.01	0.032	0.05	2.8	14.2	0.94	821	0.99	0.16
R331892		0.41	143.5	6.04	8.84	0.26	0.16	<0.01	0.036	0.06	3.1	9.3	0.76	895	0.74	0.21
R331893		0.33	25.8	2.91	6.63	0.18	1.19	<0.01	0.017	0.08	21.7	11.8	0.57	515	0.49	0.10
R331894		0.40	156.5	5.85	9.93	0.25	0.17	<0.01	0.034	0.07	3.8	12.1	0.93	1000	0.68	0.18
R331895		0.34	106.5	4.92	10.10	0.20	0.58	<0.01	0.023	0.05	10.6	16.3	0.84	746	1.05	0.11
R331896		0.35	162.0	5.67	9.49	0.23	0.17	<0.01	0.032	0.07	2.7	12.8	0.81	984	0.47	0.17
R331897		0.38	164.5	5.32	9.53	0.24	0.18	<0.01	0.033	0.11	2.7	11.4	0.80	839	0.58	0.19
R331898		0.47	182.0	5.79	9.25	0.25	0.16	<0.01	0.031	0.08	2.9	13.8	0.78	802	1.03	0.16
R331899		0.34	129.5	5.71	8.69	0.27	0.36	<0.01	0.024	0.05	7.4	18.1	0.89	729	1.12	0.09
R331900		0.29	158.0	4.48	7.83	0.26	0.15	<0.01	0.026	0.04	2.9	9.6	0.65	666	0.42	0.17
R331901		0.54	164.5	5.31	9.71	0.24	0.10	<0.01	0.028	0.06	2.5	17.8	0.81	706	0.52	0.13
R331902		1.04	158.5	5.21	8.60	0.22	0.11	<0.01	0.029	0.09	2.8	12.0	0.74	798	0.89	0.17
R331903		0.95	161.0	5.81	9.60	0.24	0.12	<0.01	0.028	0.07	2.6	15.6	0.83	850	1.00	0.14
R331904		0.45	151.5	5.80	9.16	0.25	0.15	<0.01	0.029	0.08	2.8	12.4	0.76	856	4.40	0.17
R331905		0.89	159.0	6.22	10.15	0.25	0.14	<0.01	0.033	0.13	2.3	18.1	0.94	1000	0.86	0.16
R331906		1.05	189.5	7.10	11.65	0.27	0.18	<0.01	0.035	0.11	3.5	22.9	1.22	1060	6.24	0.12
R331907		0.54	165.0	6.29	10.80	0.26	0.18	<0.01	0.029	0.09	3.3	14.3	1.02	973	2.05	0.13
R331908		0.32	144.5	5.01	8.14	0.24	0.15	<0.01	0.027	0.06	3.3	8.2	0.77	821	1.46	0.15
R331909		0.46	161.5	5.48	8.77	0.23	0.13	<0.01	0.028	0.05	3.4	10.5	0.87	823	2.36	0.15
R331910		<0.05	0.6	0.03	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R331911		0.77	163.5	6.36	10.15	0.22	0.14	<0.01	0.030	0.04	3.3	13.2	1.05	828	3.69	0.13
R331912		0.27	138.0	4.61	7.57	0.22	0.12	<0.01	0.026	0.04	3.4	8.1	0.83	620	0.34	0.15
R331913		0.34	221	5.18	8.49	0.21	0.09	<0.01	0.027	0.04	3.3	10.9	1.06	542	1.23	0.18
R331914		0.35	168.0	5.37	9.46	0.22	0.11	<0.01	0.029	0.03	2.6	9.5	1.20	475	0.94	0.17
R331915		1.19	124.5	6.82	11.55	0.28	0.10	<0.01	0.028	0.03	3.5	27.9	1.81	653	3.89	0.13
R331916		0.86	162.5	4.36	8.02	0.16	0.44	<0.01	0.028	0.04	6.5	3.0	0.80	473	0.43	0.48
R331917		1.09	151.0	4.42	8.14	0.16	0.47	<0.01	0.026	0.04	5.9	2.9	0.88	416	0.41	0.52
R331918		0.77	158.5	4.16	7.93	0.19	0.46	<0.01	0.029	0.04	5.8	3.6	0.89	416	0.49	0.41
R331919		0.80	202	6.70	11.30	0.24	0.13	<0.01	0.035	0.04	2.2	26.2	1.46	556	0.68	0.14
R331920		3.35	6660	6.28	2.90	0.12	<0.02	0.05	0.314	0.24	2.2	10.0	0.29	575	130.0	0.01
R331921		0.26	139.0	6.55	7.95	0.20	0.12	<0.01	0.019	0.02	2.3	6.6	0.85	427	0.40	0.12
R331922		0.46	141.5	7.13	8.44	0.21	0.08	<0.01	0.016	0.02	1.7	13.0	1.06	469	0.39	0.11
R331923		0.31	133.5	6.96	8.14	0.24	0.12	<0.01	0.014	0.02	1.8	19.6	1.19	560	1.59	0.04
R331924		0.36	160.5	7.46	8.89	0.23	0.11	<0.01	0.014	0.02	1.7	20.8	1.30	680	0.73	0.05
R331925		0.31	116.0	7.09	7.30	0.20	0.12	<0.01	0.016	0.02	1.9	11.8	0.77	588	0.76	0.08
R331926		0.55	115.5	8.92	12.50	0.24	0.09	<0.01	0.016	0.02	2.3	30.6	1.81	984	1.99	0.07
R331927		0.40	117.5	7.80	11.15	0.24	0.11	<0.01	0.015	0.02	2.6	23.9	1.60	834	0.35	0.05
R331928		0.36	267	6.97	10.75	0.30	0.16	<0.01	0.015	0.03	2.8	18.5	1.40	757	0.63	0.05
R331929		0.96	103.0	9.71	16.45	0.27	0.11	<0.01	0.021	0.01	2.7	33.1	2.43	1140	2.07	0.03
R331930		1.00	103.5	9.96	16.90	0.30	0.12	<0.01	0.024	0.01	2.8	33.2	2.44	1140	2.29	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331891		0.06	29.2	550	8.0	1.7	0.005	1.47	0.05	12.8	1.2	0.5	20.7	<0.01	0.29	0.2
R331892		0.07	25.6	590	11.8	1.8	0.005	1.05	0.07	14.6	1.2	0.3	22.5	<0.01	0.16	0.2
R331893		0.35	11.5	540	52.0	2.9	<0.001	0.12	0.05	5.3	0.3	0.6	58.4	<0.01	0.03	4.5
R331894		0.07	22.0	540	9.7	2.0	0.002	0.31	<0.05	15.0	0.9	0.4	48.0	<0.01	0.06	0.2
R331895		0.13	19.8	510	19.4	1.2	0.002	0.30	<0.05	8.4	0.7	0.3	36.9	<0.01	0.17	2.3
R331896		0.07	21.8	560	6.5	1.6	0.002	0.29	<0.05	13.4	1.0	0.4	31.2	<0.01	0.06	0.2
R331897		0.07	21.4	580	19.2	2.7	0.004	0.15	<0.05	14.0	0.6	0.3	31.2	<0.01	0.03	0.2
R331898		0.07	23.8	580	11.8	2.4	0.006	0.58	<0.05	13.1	0.9	0.4	31.2	<0.01	0.11	0.2
R331899		0.15	24.8	560	12.5	1.2	0.008	0.54	0.05	10.0	1.2	0.4	65.9	<0.01	0.16	1.1
R331900		0.10	17.7	570	4.0	1.4	0.003	0.19	<0.05	11.9	1.0	0.3	22.1	<0.01	0.02	0.2
R331901		0.09	21.3	550	0.8	2.6	0.002	0.15	<0.05	13.8	0.8	0.3	23.2	<0.01	0.02	0.2
R331902		0.08	20.5	540	1.4	4.5	0.001	0.25	<0.05	13.4	0.9	0.4	37.1	<0.01	0.01	0.2
R331903		0.10	22.9	560	1.6	3.1	0.002	0.37	<0.05	14.4	0.9	0.3	28.1	<0.01	0.03	0.2
R331904		0.13	24.7	550	1.9	2.0	0.006	0.40	<0.05	14.2	1.1	0.3	47.6	<0.01	0.05	0.2
R331905		0.10	25.9	560	1.2	4.4	0.001	0.18	<0.05	15.5	0.7	0.4	38.7	<0.01	0.03	0.2
R331906		0.12	30.5	560	4.0	3.5	0.003	0.55	<0.05	16.7	1.1	0.4	118.5	<0.01	0.05	0.2
R331907		0.08	28.9	580	3.2	2.2	0.006	0.27	<0.05	14.0	1.1	0.3	81.1	<0.01	0.04	0.2
R331908		0.09	20.2	570	3.1	1.4	0.003	0.18	<0.05	12.2	0.8	0.4	64.3	<0.01	0.03	0.2
R331909		0.07	18.5	550	2.1	1.6	0.003	0.30	<0.05	12.2	0.9	0.3	40.9	<0.01	0.04	0.2
R331910		<0.05	0.4	10	0.5	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
R331911		0.07	21.4	520	3.0	1.4	0.002	0.70	<0.05	15.2	1.1	0.4	43.2	<0.01	0.07	0.2
R331912		0.13	15.8	540	2.5	1.0	0.001	0.20	<0.05	11.3	0.8	0.4	48.9	<0.01	0.04	0.2
R331913		0.06	19.4	560	5.4	1.7	0.003	0.46	<0.05	11.9	1.4	0.3	29.9	<0.01	0.06	0.2
R331914		0.07	22.8	550	9.3	1.4	0.002	0.28	<0.05	11.2	1.0	0.3	22.2	<0.01	0.05	0.2
R331915		0.07	27.9	500	8.6	1.6	0.005	0.16	<0.05	10.6	0.6	0.3	89.8	<0.01	0.02	<0.2
R331916		0.23	40.1	540	1.6	2.2	0.001	0.05	<0.05	3.9	0.7	0.6	77.8	<0.01	0.02	0.5
R331917		0.21	46.2	500	0.6	1.9	0.001	0.05	<0.05	3.4	0.5	0.6	83.2	<0.01	0.01	0.5
R331918		0.12	38.6	520	25.8	2.0	0.001	0.04	<0.05	4.3	0.7	0.7	76.2	<0.01	0.02	0.4
R331919		<0.05	22.1	520	4.3	2.1	0.002	0.08	<0.05	11.5	0.7	0.5	26.5	<0.01	0.03	0.2
R331920		0.06	14.6	450	106.0	11.7	0.203	4.88	2.63	1.2	8.0	1.7	33.4	<0.01	0.94	1.0
R331921		0.08	16.7	530	3.9	1.4	0.001	0.03	<0.05	7.2	0.5	0.2	25.7	<0.01	0.01	<0.2
R331922		0.07	19.5	520	2.1	2.0	0.002	0.07	<0.05	6.4	0.5	0.2	31.7	<0.01	0.01	<0.2
R331923		0.11	23.2	510	1.7	1.3	0.003	0.05	<0.05	5.6	0.4	<0.2	64.6	<0.01	0.01	<0.2
R331924		0.07	24.9	530	2.8	1.2	0.005	0.05	<0.05	5.7	0.4	0.2	55.5	<0.01	0.05	<0.2
R331925		0.09	18.3	480	2.6	1.8	0.001	0.08	0.05	5.3	0.6	0.3	33.7	<0.01	0.04	<0.2
R331926		0.05	29.0	560	1.8	1.8	0.004	0.08	<0.05	6.7	0.5	0.2	42.4	<0.01	0.06	0.2
R331927		0.06	27.2	580	0.7	0.9	0.002	0.11	<0.05	4.9	0.7	0.2	64.8	<0.01	0.02	<0.2
R331928		0.08	19.9	600	2.1	1.3	0.002	0.24	0.05	6.7	0.9	0.3	50.0	<0.01	0.04	<0.2
R331929		<0.05	29.2	580	1.1	1.2	0.004	0.34	<0.05	10.2	1.0	0.2	54.7	<0.01	0.04	0.2
R331930		<0.05	28.8	590	1.3	1.2	0.005	0.35	<0.05	10.6	1.1	0.4	56.7	<0.01	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331891		0.294	0.08	<0.05	150	0.40	10.60	82	4.6
R331892		0.274	0.07	<0.05	151	0.37	11.05	71	4.2
R331893		0.194	0.04	1.51	69	0.26	6.67	188	45.0
R331894		0.332	0.05	<0.05	161	0.42	12.05	216	4.6
R331895		0.270	0.09	0.73	112	0.39	8.85	290	21.0
R331896		0.336	0.02	<0.05	149	0.25	11.20	102	4.0
R331897		0.318	0.04	<0.05	153	0.21	11.50	141	4.9
R331898		0.307	0.03	<0.05	154	0.29	11.10	111	4.4
R331899		0.353	0.02	0.28	122	0.48	9.45	98	11.0
R331900		0.278	0.02	<0.05	131	0.17	9.92	73	3.9
R331901		0.243	0.02	<0.05	156	0.16	10.15	67	2.1
R331902		0.257	0.04	<0.05	148	0.27	10.55	63	3.0
R331903		0.279	0.03	<0.05	162	0.24	10.35	72	3.1
R331904		0.311	0.02	<0.05	154	0.39	10.85	68	4.3
R331905		0.358	0.03	<0.05	167	0.37	11.35	78	3.6
R331906		0.464	0.04	<0.05	199	0.63	13.90	87	4.8
R331907		0.362	0.02	<0.05	161	0.48	12.50	92	4.6
R331908		0.342	0.02	<0.05	142	0.37	11.05	75	3.7
R331909		0.247	0.03	<0.05	134	0.28	10.45	71	3.0
R331910		<0.005	<0.02	0.08	<1	<0.05	0.61	<2	0.7
R331911		0.306	0.02	<0.05	183	0.56	12.30	81	3.4
R331912		0.273	<0.02	<0.05	127	0.36	10.65	85	3.1
R331913		0.234	0.02	<0.05	128	0.33	10.40	76	2.4
R331914		0.263	0.02	<0.05	151	0.35	10.65	84	2.3
R331915		0.315	0.02	<0.05	182	0.41	11.15	87	1.9
R331916		0.514	0.10	0.08	181	<0.05	13.90	59	17.3
R331917		0.499	0.11	0.09	188	<0.05	13.15	54	19.9
R331918		0.473	0.07	0.07	175	<0.05	13.30	88	19.8
R331919		0.294	0.02	<0.05	205	0.33	12.20	67	2.8
R331920		0.011	0.30	0.16	16	2.67	2.55	790	<0.5
R331921		0.277	<0.02	<0.05	200	0.20	10.10	46	2.2
R331922		0.252	<0.02	<0.05	205	0.30	8.22	57	1.6
R331923		0.290	<0.02	<0.05	176	0.37	8.25	75	2.4
R331924		0.271	<0.02	<0.05	187	0.55	8.79	104	2.2
R331925		0.256	<0.02	<0.05	195	0.19	8.46	74	2.4
R331926		0.283	<0.02	<0.05	225	0.23	10.30	107	1.6
R331927		0.319	<0.02	0.05	178	0.30	8.33	96	2.2
R331928		0.457	<0.02	<0.05	210	0.86	10.30	86	3.0
R331929		0.337	0.02	<0.05	230	0.74	9.99	137	2.5
R331930		0.337	0.02	<0.05	234	0.76	10.40	138	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331931		2.34	0.002	0.05	3.17	0.6	<0.2	<10	<10	0.33	0.19	0.71	0.01	5.88	52.6	53
R331932		3.14	0.006	0.18	2.38	2.8	<0.2	<10	10	0.34	0.63	1.54	0.05	6.80	49.3	15
R331933		2.63	0.002	0.06	2.36	0.8	<0.2	<10	10	0.32	0.16	0.95	0.01	4.60	39.4	47
R331934		2.90	0.002	0.07	2.56	1.6	<0.2	<10	10	0.38	0.34	1.14	0.02	4.67	51.4	46
R331935		2.42	0.001	0.07	4.25	0.5	<0.2	<10	10	0.53	0.22	0.70	0.01	6.72	51.8	43
R331936		3.86	0.001	0.04	4.17	0.5	<0.2	<10	<10	0.51	0.21	0.94	0.01	7.62	52.7	46
R331937		3.84	<0.001	0.05	3.61	0.4	<0.2	<10	10	0.36	0.11	1.06	0.01	7.16	48.6	50
R331938		3.95	<0.001	0.02	2.84	0.3	<0.2	<10	10	0.36	0.10	1.28	0.01	5.80	35.0	37
R331939		3.59	<0.001	0.11	3.33	0.3	<0.2	<10	<10	0.35	0.26	1.40	0.01	8.61	46.4	37
R331940		0.10	<0.001	<0.01	0.01	0.3	<0.2	<10	<10	<0.05	<0.01	0.01	<0.01	1.01	0.1	<1
R331941		3.69	0.006	0.11	2.25	0.6	<0.2	<10	<10	0.23	0.24	1.45	0.02	6.99	36.6	37
R331942		3.20	0.034	0.12	3.47	0.5	<0.2	<10	<10	0.28	0.23	5.41	0.05	6.46	48.0	36
R331943		3.38	0.003	0.09	2.64	0.6	<0.2	<10	<10	0.16	0.06	2.76	0.03	7.56	35.7	21
R331944		3.45	0.036	0.06	2.01	0.8	<0.2	<10	<10	0.15	0.09	3.28	0.09	8.59	29.4	17
R331945		2.43	0.001	0.05	2.26	0.3	<0.2	<10	<10	0.16	0.01	2.60	0.05	7.92	26.7	14
R331946		2.75	0.006	0.18	2.48	1.4	<0.2	<10	10	0.34	0.26	5.07	0.18	8.29	31.6	2
R331947		3.63	<0.001	0.08	1.30	0.5	<0.2	<10	40	0.20	0.19	1.05	0.09	34.8	11.8	20
R331948		3.78	<0.001	0.04	1.40	0.3	<0.2	<10	20	0.30	0.06	1.21	0.28	29.4	15.0	17
R331949		3.52	0.001	0.03	0.98	0.3	<0.2	<10	40	0.28	0.07	0.95	0.17	41.4	9.5	24
R331950		0.07	2.38	4.71	1.59	19.6	2.5	<10	40	0.59	0.08	3.67	0.35	21.7	11.1	24
R331951		3.53	0.001	0.07	1.58	0.6	<0.2	<10	50	0.35	0.07	1.30	0.26	21.8	21.0	11
R331952		3.66	0.001	0.07	1.34	0.5	<0.2	<10	80	0.27	0.10	1.36	0.21	32.0	16.4	23
R331953		3.70	<0.001	0.06	1.44	0.4	<0.2	<10	100	0.28	0.13	1.26	0.10	27.1	18.5	13
R331954		3.55	0.104	0.20	1.00	0.3	<0.2	<10	100	0.19	1.61	0.87	<0.01	38.9	9.1	24
R331955		3.72	0.044	0.15	1.85	0.6	<0.2	<10	50	0.46	1.13	2.81	0.03	26.3	23.4	13
R331956		3.77	0.011	0.12	1.37	0.5	<0.2	<10	40	0.26	0.39	1.27	0.08	27.6	18.1	16
R331957		3.69	<0.001	0.08	1.42	0.4	<0.2	<10	50	0.24	0.18	1.36	0.11	24.7	20.3	13
R331958		3.99	0.001	0.06	1.96	0.5	<0.2	<10	50	0.30	0.10	1.40	0.10	20.6	24.5	11
R331959		3.57	0.031	0.25	1.68	0.7	<0.2	<10	10	0.36	1.05	3.32	0.12	24.3	22.3	11
R331960		<0.02	0.029	0.25	1.68	0.9	<0.2	<10	10	0.36	1.02	3.11	0.11	24.0	22.2	12
R331961		3.76	0.002	0.07	1.57	0.7	<0.2	<10	30	0.27	0.07	1.36	0.34	23.6	19.2	14
R331962		3.91	0.002	0.08	1.73	0.3	<0.2	<10	20	0.21	0.07	1.47	0.11	17.95	22.3	11
R331963		3.82	0.002	0.07	1.77	0.4	<0.2	<10	30	0.26	0.07	1.63	0.08	17.30	23.8	6
R331964		3.80	0.004	0.11	1.73	0.8	<0.2	<10	20	0.31	0.11	2.70	0.31	19.40	23.6	8
R331965		3.55	0.001	0.06	1.55	0.3	<0.2	<10	50	0.20	0.07	1.52	0.19	22.9	18.3	17
R331966		3.79	0.001	0.34	1.71	0.3	<0.2	<10	30	0.28	2.25	2.65	0.45	19.60	25.6	11
R331967		4.14	0.001	0.11	1.71	0.5	<0.2	<10	20	0.28	0.13	2.03	0.17	15.80	27.9	7
R331968		3.86	0.001	0.14	1.69	0.5	<0.2	<10	60	0.26	0.15	1.18	0.13	23.4	26.3	11
R331969		3.79	<0.001	0.08	1.63	0.4	<0.2	<10	70	0.26	0.14	1.10	0.17	25.3	22.8	9
R331970		<0.02	0.001	0.08	1.64	0.3	<0.2	<10	80	0.31	0.13	1.12	0.18	25.6	22.9	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331931		0.98	120.0	10.25	15.95	0.24	0.10	<0.01	0.018	0.02	2.2	34.5	2.54	1080	2.54	0.04
R331932		0.59	169.0	8.03	12.35	0.34	0.16	<0.01	0.016	0.03	2.9	24.0	1.67	843	1.81	0.04
R331933		0.79	115.5	7.44	10.65	0.27	0.13	<0.01	0.014	0.02	2.6	23.5	1.63	827	0.60	0.03
R331934		1.13	160.5	7.99	12.30	0.28	0.16	<0.01	0.014	0.04	2.5	27.3	1.99	914	0.49	0.03
R331935		2.65	489	10.15	20.1	0.26	0.17	<0.01	0.025	0.04	2.9	56.9	3.97	1440	0.41	0.02
R331936		1.96	214	9.92	18.45	0.31	0.13	<0.01	0.024	0.03	3.1	56.3	3.66	1300	0.48	0.01
R331937		0.93	252	8.88	15.85	0.25	0.12	<0.01	0.014	0.03	2.8	45.3	2.80	1170	1.93	0.02
R331938		0.57	76.0	6.51	12.45	0.28	0.15	<0.01	0.014	0.04	2.8	31.5	1.96	905	0.46	0.02
R331939		0.51	113.0	7.96	14.75	0.29	0.15	<0.01	0.017	0.02	3.6	39.3	2.44	1090	0.96	0.02
R331940		<0.05	0.7	0.03	<0.05	0.08	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
R331941		0.35	117.0	6.76	9.35	0.23	0.13	<0.01	0.017	0.01	2.6	20.2	1.56	716	2.15	0.06
R331942		0.95	154.5	10.15	16.75	0.24	0.05	<0.01	0.075	0.06	2.2	33.8	2.33	1040	0.73	0.03
R331943		0.79	146.0	6.81	11.55	0.23	0.08	<0.01	0.032	0.04	2.6	27.3	1.61	679	0.48	0.09
R331944		0.42	125.0	5.71	9.04	0.20	0.08	<0.01	0.024	0.03	3.1	15.3	1.10	622	1.19	0.11
R331945		0.41	149.0	5.38	8.65	0.20	0.07	<0.01	0.017	0.03	2.9	21.3	1.20	597	0.32	0.11
R331946		0.99	96.6	11.05	13.40	0.27	0.11	<0.01	0.041	0.07	3.3	15.9	1.11	1460	2.27	0.04
R331947		0.59	25.9	3.52	6.65	0.14	0.79	<0.01	0.011	0.11	17.8	14.1	0.73	523	1.53	0.06
R331948		0.53	31.7	4.40	8.53	0.18	0.68	<0.01	0.015	0.07	14.9	17.0	0.79	580	0.67	0.08
R331949		0.71	12.9	2.67	6.31	0.15	1.08	<0.01	0.011	0.13	21.5	14.6	0.64	386	0.78	0.07
R331950		3.07	72.3	2.95	6.55	0.13	0.37	0.10	0.039	0.22	10.2	16.6	0.86	683	6.22	0.07
R331951		1.26	63.6	5.00	9.27	0.21	0.49	<0.01	0.021	0.15	10.6	19.2	0.91	563	0.50	0.09
R331952		1.25	55.7	3.72	7.39	0.19	0.82	<0.01	0.021	0.23	16.7	16.8	0.74	504	1.40	0.09
R331953		1.73	44.4	4.64	8.11	0.21	0.59	<0.01	0.021	0.31	13.3	13.5	0.71	521	0.49	0.12
R331954		1.20	15.1	2.25	5.05	0.07	0.93	<0.01	0.010	0.28	20.3	13.1	0.61	354	182.0	0.07
R331955		2.02	50.2	5.86	9.55	0.09	0.66	0.01	0.038	0.19	12.8	15.6	1.20	715	49.1	0.04
R331956		1.21	37.5	4.31	7.93	0.11	0.55	0.01	0.020	0.17	13.5	11.7	0.78	475	0.86	0.08
R331957		1.57	53.0	4.81	8.74	0.15	0.47	0.01	0.020	0.20	12.0	13.6	0.76	505	0.77	0.09
R331958		0.96	43.3	5.94	10.60	0.18	0.32	0.01	0.028	0.13	9.6	15.7	1.04	622	3.60	0.10
R331959		0.76	58.2	5.60	10.80	0.17	0.70	0.01	0.033	0.05	11.7	13.0	0.98	793	65.9	0.07
R331960		0.78	56.1	5.54	10.70	0.15	0.67	0.01	0.031	0.05	11.6	12.7	0.98	787	60.2	0.08
R331961		0.84	45.6	4.47	8.79	0.14	0.42	0.01	0.019	0.12	11.3	13.8	0.85	523	0.80	0.09
R331962		1.05	44.8	5.40	9.59	0.13	0.24	0.01	0.024	0.15	8.0	13.4	0.83	487	2.82	0.12
R331963		0.94	56.9	6.02	10.75	0.16	0.27	0.01	0.029	0.11	7.7	12.5	0.86	516	1.04	0.12
R331964		1.19	66.8	5.90	10.70	0.17	0.34	0.01	0.045	0.11	8.8	13.4	0.81	587	1.70	0.14
R331965		1.34	46.1	4.48	7.95	0.11	0.29	0.01	0.025	0.23	11.0	13.3	0.74	465	0.88	0.12
R331966		7.74	53.4	6.33	10.40	0.14	0.26	0.01	0.035	0.32	9.0	13.3	0.97	627	0.81	0.11
R331967		1.20	71.2	6.25	10.25	0.20	0.21	0.01	0.032	0.12	6.9	11.4	0.85	572	1.20	0.14
R331968		1.49	80.2	5.87	10.45	0.18	0.57	0.01	0.033	0.17	10.7	15.3	0.85	516	0.88	0.15
R331969		1.32	43.9	5.58	10.25	0.16	0.54	0.01	0.025	0.16	12.0	16.1	0.86	535	0.95	0.12
R331970		1.34	44.0	5.64	10.25	0.17	0.56	0.01	0.025	0.16	12.2	15.8	0.85	544	0.98	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331931		<0.05	42.6	500	1.4	1.5	0.004	0.32	<0.05	9.1	0.9	0.3	44.6	<0.01	0.04	0.2
R331932		0.09	16.6	750	6.1	1.4	0.004	0.85	0.05	5.4	1.4	0.2	80.4	<0.01	0.09	0.2
R331933		0.05	30.2	490	1.4	1.3	0.002	0.20	0.06	5.3	0.7	<0.2	112.5	<0.01	0.04	<0.2
R331934		0.05	36.0	500	8.8	2.0	0.002	0.50	0.06	5.6	1.1	0.3	112.0	<0.01	0.05	<0.2
R331935		<0.05	38.2	490	2.8	2.9	0.002	0.25	<0.05	5.5	0.9	0.3	81.0	<0.01	0.04	<0.2
R331936		<0.05	41.2	560	1.2	2.1	0.002	0.31	<0.05	7.0	0.7	0.3	131.0	<0.01	0.03	<0.2
R331937		0.05	41.3	570	1.3	1.7	0.004	0.14	<0.05	6.9	0.5	0.3	104.5	<0.01	0.02	<0.2
R331938		0.06	31.0	500	1.6	1.5	0.001	0.10	0.06	5.7	0.5	0.2	200	<0.01	0.01	<0.2
R331939		0.06	39.3	590	1.8	0.9	0.003	0.20	0.05	5.6	0.6	0.2	128.0	<0.01	0.02	<0.2
R331940		<0.05	0.4	10	0.2	0.1	<0.001	0.02	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	0.01	0.2
R331941		0.07	28.1	540	1.4	0.8	0.003	0.17	<0.05	6.7	0.6	0.3	44.0	<0.01	0.03	<0.2
R331942		<0.05	37.2	530	0.6	5.5	0.002	0.37	<0.05	28.4	0.7	0.3	53.5	<0.01	0.09	<0.2
R331943		0.05	22.6	540	0.7	3.0	0.003	0.22	<0.05	13.3	1.1	0.5	21.2	<0.01	0.06	0.2
R331944		<0.05	16.6	550	1.5	1.8	0.004	0.46	<0.05	11.2	1.1	0.3	32.3	<0.01	0.04	0.2
R331945		<0.05	17.6	540	1.6	1.5	0.002	0.12	<0.05	8.0	0.8	0.2	26.5	<0.01	0.02	0.2
R331946		0.10	2.5	760	5.7	5.6	0.004	1.40	<0.05	11.5	1.9	0.3	59.5	<0.01	0.17	0.2
R331947		0.19	8.8	600	14.8	7.3	0.001	0.47	<0.05	3.0	0.4	0.4	32.9	<0.01	0.07	3.0
R331948		0.11	9.4	590	24.5	3.7	0.001	0.22	<0.05	4.5	0.5	0.3	32.6	<0.01	0.03	2.5
R331949		0.23	9.4	560	27.6	8.7	0.001	0.15	<0.05	3.2	0.4	0.3	38.7	<0.01	0.02	3.8
R331950		0.05	10.8	620	17.9	11.6	0.003	0.90	0.43	8.6	0.9	0.5	116.0	<0.01	2.34	1.4
R331951		0.10	9.1	650	10.8	9.3	0.001	0.23	<0.05	6.6	0.6	0.4	31.5	<0.01	0.04	1.7
R331952		0.15	14.2	540	9.8	16.0	0.003	0.26	<0.05	4.7	0.6	0.3	38.0	<0.01	0.05	2.8
R331953		0.12	5.7	730	4.7	17.3	0.001	0.39	<0.05	6.2	0.7	0.3	25.6	<0.01	0.05	2.2
R331954		0.25	12.8	510	12.4	19.3	0.028	0.26	0.06	2.8	0.3	0.4	32.6	<0.01	0.44	3.8
R331955		0.13	12.9	610	4.0	16.7	0.027	0.70	0.06	11.8	0.9	0.4	64.8	<0.01	0.23	2.3
R331956		0.15	9.3	610	3.2	11.5	0.001	0.39	<0.05	5.9	0.5	0.3	37.8	<0.01	0.14	2.4
R331957		0.15	7.6	690	4.1	13.1	0.001	0.36	0.05	5.7	0.8	0.4	28.2	<0.01	0.05	2.1
R331958		0.11	8.8	730	3.8	8.4	0.005	0.31	<0.05	7.9	0.7	0.4	31.8	<0.01	0.04	1.4
R331959		0.19	8.8	630	29.1	3.3	0.015	0.77	0.05	9.4	0.9	0.5	82.1	<0.01	0.19	2.5
R331960		0.17	9.5	620	27.3	3.5	0.015	0.73	0.06	8.9	0.9	0.6	76.1	<0.01	0.17	2.5
R331961		0.11	8.5	650	27.1	7.5	0.001	0.32	<0.05	6.0	0.7	0.3	29.5	<0.01	0.05	1.9
R331962		0.09	6.9	720	5.7	9.5	0.005	0.30	<0.05	7.6	0.8	0.3	23.5	<0.01	0.04	1.2
R331963		0.10	5.4	770	3.0	7.2	0.002	0.36	<0.05	8.7	1.0	0.4	24.5	<0.01	0.05	1.0
R331964		0.09	6.2	770	4.6	7.2	0.004	0.52	<0.05	9.3	1.2	0.5	34.3	<0.01	0.09	1.2
R331965		0.11	8.7	660	7.3	14.0	0.001	0.29	<0.05	6.7	0.5	0.3	24.4	<0.01	0.05	1.7
R331966		0.12	7.3	720	10.0	30.5	0.001	0.82	<0.05	11.1	1.0	0.6	42.5	<0.01	0.08	1.1
R331967		0.12	7.0	780	6.1	7.6	0.002	0.44	<0.05	10.0	0.8	0.4	29.8	<0.01	0.06	0.8
R331968		0.12	10.3	750	9.9	10.9	0.002	0.62	<0.05	9.4	0.9	0.3	27.0	<0.01	0.08	1.8
R331969		0.13	5.8	730	11.0	11.3	0.002	0.37	<0.05	8.4	0.8	0.4	24.9	<0.01	0.04	2.0
R331970		0.14	5.7	720	10.8	11.5	0.001	0.37	<0.05	8.2	0.7	0.3	26.3	<0.01	0.05	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331931		0.298	<0.02	<0.05	229	0.43	8.13	139	2.2
R331932		0.329	0.02	<0.05	161	0.60	9.51	110	3.7
R331933		0.322	<0.02	<0.05	165	0.30	7.32	101	2.8
R331934		0.332	0.02	<0.05	172	0.38	8.09	119	3.5
R331935		0.293	0.02	<0.05	213	0.31	8.39	209	4.1
R331936		0.325	<0.02	<0.05	202	0.30	9.04	190	3.0
R331937		0.373	<0.02	<0.05	185	0.41	7.87	161	3.0
R331938		0.373	<0.02	<0.05	145	0.38	9.00	118	4.0
R331939		0.453	<0.02	<0.05	161	0.55	9.43	143	2.9
R331940		<0.005	<0.02	0.10	<1	<0.05	0.57	<2	0.7
R331941		0.288	<0.02	<0.05	179	0.25	8.58	86	2.6
R331942		0.143	0.05	<0.05	277	0.38	9.35	119	1.3
R331943		0.221	0.02	<0.05	183	0.27	10.00	80	1.8
R331944		0.197	0.02	<0.05	140	0.35	8.54	81	2.3
R331945		0.187	<0.02	<0.05	123	0.20	7.60	75	1.7
R331946		0.195	0.06	<0.05	69	0.65	11.70	140	2.4
R331947		0.150	0.05	0.70	33	0.25	5.93	79	28.1
R331948		0.207	0.04	0.62	69	0.29	7.05	133	24.0
R331949		0.167	0.06	1.11	37	0.23	6.14	89	37.4
R331950		0.053	0.13	0.34	67	0.44	7.91	83	12.2
R331951		0.277	0.09	0.47	91	0.37	9.46	149	17.2
R331952		0.208	0.12	0.79	58	0.26	6.78	128	28.3
R331953		0.238	0.14	0.57	67	0.30	9.42	89	20.1
R331954		0.117	0.14	1.04	28	0.21	5.28	50	30.7
R331955		0.175	0.15	0.66	81	0.46	11.30	94	23.9
R331956		0.181	0.10	0.54	59	0.35	9.05	76	17.7
R331957		0.215	0.12	0.49	66	0.35	9.58	91	15.5
R331958		0.228	0.08	0.31	80	0.45	11.15	104	10.2
R331959		0.240	0.03	0.56	73	0.61	12.40	113	23.5
R331960		0.231	0.03	0.53	70	0.59	11.65	113	22.0
R331961		0.183	0.10	0.42	53	0.36	9.17	169	13.7
R331962		0.188	0.09	0.18	74	0.51	11.55	79	6.9
R331963		0.205	0.07	0.21	82	0.45	13.40	73	7.9
R331964		0.218	0.12	0.26	71	0.43	14.35	143	10.1
R331965		0.166	0.13	0.26	56	0.37	9.62	85	8.9
R331966		0.221	0.27	0.19	82	0.59	12.90	182	7.5
R331967		0.247	0.09	0.14	98	1.21	13.15	102	6.2
R331968		0.221	0.12	0.49	87	0.55	12.20	82	18.3
R331969		0.230	0.10	0.51	77	0.43	12.10	92	18.3
R331970		0.241	0.10	0.51	78	0.41	12.35	94	19.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	WEI-21	Au-ICP22	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
R331971		3.51	<0.001	0.04	0.96	0.2	<0.2	<10	60	0.26	0.08	0.70	0.13	45.4	7.6	19
R331972		3.82	<0.001	0.05	1.02	0.4	<0.2	<10	150	0.22	0.10	0.90	0.19	42.6	11.6	19
R331973		2.56	0.001	0.07	1.70	0.5	<0.2	<10	60	0.31	0.19	2.01	0.13	29.5	20.7	9
R331974		2.76	<0.001	0.11	1.71	0.2	<0.2	<10	70	0.36	0.73	2.12	0.11	19.65	26.0	10
R331975		2.50	<0.001	0.09	1.32	0.2	<0.2	<10	60	0.23	0.16	2.13	0.07	18.65	21.6	9
R331976		3.05	0.002	0.07	1.28	0.2	<0.2	<10	40	0.17	0.11	1.46	0.08	12.50	26.8	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
R331971		0.71	7.4	2.43	6.62	0.08	1.45	0.01	0.009	0.10	23.3	13.8	0.52	355	0.30	0.08
R331972		2.04	28.0	2.53	5.67	0.09	1.11	0.02	0.014	0.28	21.6	11.7	0.51	350	1.09	0.09
R331973		1.46	50.9	4.96	9.40	0.14	0.59	0.01	0.027	0.18	14.7	13.4	0.77	620	0.74	0.10
R331974		2.21	76.6	5.76	9.01	0.21	0.37	0.01	0.031	0.22	8.9	11.1	0.76	632	0.92	0.16
R331975		1.26	71.7	6.30	7.90	0.18	0.37	0.02	0.028	0.20	8.8	5.7	0.51	525	0.89	0.16
R331976		0.89	65.5	6.96	10.15	0.18	0.14	0.01	0.034	0.08	4.6	4.6	0.55	454	0.72	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
R331971		0.28	7.0	490	14.8	7.0	<0.001	0.12	<0.05	3.2	0.3	0.2	31.3	<0.01	0.03	4.8
R331972		0.32	9.0	530	7.2	23.6	0.001	0.28	<0.05	3.6	0.5	0.4	34.8	<0.01	0.04	4.4
R331973		0.21	4.7	750	6.7	13.1	0.001	0.45	<0.05	9.2	0.7	0.3	34.7	<0.01	0.06	2.5
R331974		0.15	6.8	780	8.1	15.8	0.002	0.78	<0.05	10.1	0.8	0.5	30.4	<0.01	0.11	1.3
R331975		0.13	3.8	760	2.7	13.7	0.002	0.61	<0.05	8.9	1.0	0.5	25.7	<0.01	0.11	1.3
R331976		0.09	5.4	850	1.3	6.2	0.003	0.52	<0.05	10.4	1.0	0.3	14.8	<0.01	0.07	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
R331971		0.154	0.06	1.53	32	0.21	6.56	69	48.3
R331972		0.141	0.18	1.33	31	0.16	6.92	82	37.4
R331973		0.218	0.10	0.69	58	0.49	11.70	89	19.5
R331974		0.248	0.14	0.33	68	0.50	12.60	95	11.7
R331975		0.182	0.12	0.33	55	0.37	11.80	60	11.8
R331976		0.184	0.08	0.05	145	0.37	14.45	67	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15150485

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-32	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-35a	PUL-35ad	PUL-QC
SPL-21	SPL-21d	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP22	ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

CERTIFICATE SD15155614

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 11-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15143491 - Over Limit for > 10 ppm from Au-ICP22

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155614

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R332397		8.44	65.4	2.87	3.058	46.74	478.5	2.87	2.87

Comments: ORIGINAL WO# SD15143491 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155614

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

CERTIFICATE SD15155616

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 11-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15143485 - Over Limit for > 10 ppm from Au-ICP22

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155616

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R331594		40.5	585	11.80	20.655	35.33	670.2	11.15	12.45

Comments: ORIGINAL WO# SD15143485 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155616

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

CERTIFICATE SD15155617

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 11-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15143496 - Over Limit for > 10 ppm from Au-ICP22

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155617

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R335574		12.50	157.5	3.57	6.470	41.13	668.6	3.82	3.32

Comments: ORIGINAL WO# SD15143496 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 21-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15155617

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
FND-02 SCR-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 30-OCT-2015
Account: OBMICO

CERTIFICATE SD15156966

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 13-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15146181 - Over Limit for > 10 ppm from Au-ICP22

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 30-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15156966

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
P449785		20.8	193.5	12.70	5.826	30.13	644.3	12.55	12.85

Comments: ORIGINAL WO# SD15146181 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 30-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15156966

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-OCT-2015
Account: OBMICO

CERTIFICATE SD15158221

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 16-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15146184 - Over Limit for > 10 ppm from Au-ICP22

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15158221

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R335402		14.30	184.5	5.93	7.045	38.20	774.4	5.83	6.02

Comments: ORIGINAL WO# SD15146184 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 28-OCT-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15158221

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
FND-02 SCR-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA26 Au-AA26D Au-SCR24

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-NOV-2015
Account: OBMICO

CERTIFICATE SD15162411

Project: Miller

This report is for 1 Pulp sample submitted to our lab in Sudbury, ON, Canada on 22-OCT-2015.

The following have access to data associated with this certificate:

MICHAELA KUUSKMAN	JULIA SINGH	GERNOT WOBER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis
SCR-21	Screen to -100 to 106 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **OBAN MINING CORPORATION**
ATTN: JULIA SINGH
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ORIGINAL WO# SD15149031 - Over Limit for > 10 ppm from Au-ICP22

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-NOV-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15162411

Sample Description	Method Analyte Units LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
R335089		10.20	181.5	2.57	5.696	31.38	706.5	2.56	2.58

Comments: ORIGINAL WO# SD15149031 - Over Limit for > 10 ppm from Au-ICP22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **OBAN MINING CORPORATION**
150 YORK STREET
SUITE 410
TORONTO ON M5H 3S5

Finalized Date: 2-NOV-2015
Account: OBMICO

Project: Miller

CERTIFICATE OF ANALYSIS SD15162411

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:		
FND-02	SCR-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA26	Au-AA26D	Au-SCR24