

We are committed to providing [accessible customer service](#).  
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).  
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

**Assessment Report  
On the  
Wonderland North Property  
Kenora Mining Division  
Northwestern Ontario**

**Prepared for  
BESCO International Investment Co. Ltd.**

120-4611 Viking Way  
Richmond, British Columbia  
V6V 2K9

Prepared by:  
**D. Cullen, P.Geol. and J. Garry Clark, P.Geol.**  
**Clark Exploration Consulting**  
1000 Alloy Drive  
Thunder Bay, ON  
P7B 6A5

**October 15<sup>th</sup>, 2016**

## TABLE OF CONTENTS

|  |           |
|--|-----------|
| <b>1.0 Introduction .....</b>                      | <b>4</b>  |
| <b>2.0 Property Description and Location .....</b> | <b>5</b>  |
| <b>3.0 Regional and Property Geology .....</b>     | <b>9</b>  |
| <b>4.0 Exploration History .....</b>               | <b>10</b> |
| <b>5.0 2016 Program .....</b>                      | <b>11</b> |
| <b>6.0 Interpretation and Conclusions .....</b>    | <b>13</b> |
| <b>7.0 Recommendations .....</b>                   | <b>13</b> |
| <b>8.0 References.....</b>                         | <b>14</b> |
| <b>9.0 Certificate of qualifications .....</b>     | <b>15</b> |

## LIST OF TABLES

|   |   |
|---|---|
| Table 1. Wonderland North Property Claims ..... | 5 |
|---|---|

## TABLE OF FIGURES

|  |    |
|--|----|
| Figure 1. Location Map .....                     | 7  |
| Figure 2. Wonderland North Property Claims ..... | 8  |
| Figure 3. Regional Geology .....                 | 12 |

## APPENDICES

Appendix I: Daily Log

Appendix II: Wonderland North Cut Slab Descriptions and Locations

Appendix III: Property Compilation

Appendix IV: Photos

## **1.0 Introduction**

Clark Exploration Consulting of Thunder Bay, Ontario was contracted by Besco International Investment Co. Ltd. (“Besco”), to cut and extract small slab samples of the granitic rocks on their Wonderland North Property north of Kenora, Ontario. The work was carried out by Clark staff during August and September 2016, and consisted of locating granite outcrops that had been located and described the previous year, and cutting slab samples using a hand held rock saw.

## 2.0 Property Description and Location

The Wonderland North Property consists of four claims containing 57 units totalling 912 hectares; the claims are listed in Table 1 below. The Property is located in the Wonderland Lake Area of the Kenora Mining Division (Figures 1 and 2). The Property is approximately 45 km by road northeast of Kenora, Ontario, and access to the Property is via Highway 671 (Jones Road) for about 30 km north from Highway 17 to the Lount Lake Road, then northwest on the Lount Lake Rd for about 15 km. The Lount Lake Rd. crosses the Property.

**Table 1. Wonderland North Property Claims**

| <b>Claim No.</b> | <b>Township</b>      | <b>Date Recorded</b> | <b>Due Date</b> | <b>Work Required</b> | <b>Unit Size</b> |
|------------------|----------------------|----------------------|-----------------|----------------------|------------------|
| 3007877          | Wonderland Lake Area | May 30, 2005         | May 30, 2017    | \$3,600              | 9                |
| 4255051          | Wonderland Lake Area | Oct 19, 2010         | Oct 19, 2016    | \$6,400              | 16               |
| 4255052          | Wonderland Lake Area | Oct 25, 2013         | Oct 19, 2016    | \$6,400              | 16               |
| 4255055          | Wonderland Lake Area | Oct 25, 2013         | Oct 19, 2016    | \$6,400              | 16               |
| <b>Total</b>     |                      |                      |                 | <b>\$22,800</b>      | <b>57</b>        |

The Ontario Mining Act requires Exploration Permit or Plans for exploration on Crown Lands. The permit and plans are obtained from the MNDM. The processing periods are 50 days for a permit and 30 days for a plan while the documents are reviewed by the Ministry and presented to the Aboriginal communities whose traditional lands will be impacted by the work.

The government of Ontario requires expenditures of \$400 per year per unit for staked claims, prior to expiry, to keep the claims in good standing for the following year. The report must be submitted by the expiry date.

Kenora is a full service community of 15,000 people on the Trans-Canada Highway (Hwy 17) and has a long mining history, mainly in gold mining. Forestry is also an important part of the local economy, although this has decreased somewhat in recent years with the closing of a local mill. Tourism is the other main economic driver. The community is serviced by an airport with flights from Winnipeg and Thunder Bay, and rail service is provided through the community of Redditt, approximately 30 km to the north.


Topography is generally gentle with elevations ranging from 390 to 420 metres above sea level. A mixed forest of mostly spruce, balsam, poplar and birch

covers the claims, with swampy vegetation in low-lying areas and local areas of forest blow-down.


Temperatures range from highs of 35° C in summer to lows of -30° C in winter, with snow cover between November and May. The best season for exploration is between June and October, although in lake covered or swampy areas exploration activities such as geophysical surveys and diamond drilling might best be conducted after winter freeze up.

.

Figure 1. Location Map







Wonderland North Property



Tooth Lake

Wonderland Lake

Wonderland Creek

4255051

4255052

3007877

4255055

1246478

1178739

Property Boundary

Mining Claim

Topographic Contour

Road

Stream

Lake

Wetland

0 700 1,400 2,800

Meters  
NAD 83 UTM Zone 15  
1:30,000

### 3.0 Regional and Property Geology

The following summary of the regional and property geology is taken from Beard's 2007 report on the Property.

The rocks underlying the claim are Archean in age (2.6 to 2.9 billion years old). The Property lies within the Lount Lake Batholith, a large (over 2000 square kilometre) elliptical granitoid batholith that extends from near the Manitoba-Ontario border, eastward to Highway 105. This large batholith lies within the dominantly granitoid domain of the Winnipeg River Subprovince, which in turn lies within the central part of the western Superior Province of the Ontario Archean shield (Beakhouse 1991).

Farrow (1996) describes the Lount Lake Batholith as follows:

The Lount Lake batholith is an intrusive complex incorporating several rock types including gneiss, granodiorite, monzonite and inclusions of metasediments and mafic metavolcanics, and is the largest batholith in the Winnipeg River Subprovince (Breaks and Bond 1993), covering approximately 2500 square kilometres. The rocks are characteristic of the Southern Potassic Plutonic Suite described by Breaks et al.(1978), and are analogous to the granitic suite of Beakhouse (1991). The youngest and least fractured rocks belong to the late-phase, undeformed and unmetamorphosed potassium-enriched suite, which is subdivided into porphyritic granodiorite, younger porphyritic quartz monzonite and youngest massive, equigranular quartz monzonite (Breaks and Bond 1993). Because fracturing is an important criterion in quarry site selections, the most promising prospects generally occur in this younger potassic suite of intrusive rocks.

The Wonderland Lake granite deposit occurs in one of these younger intrusives. The stone is medium-grained to porphyritic and medium reddish brown in colour. It is very massive and un-fractured, and relatively consistent in colour and texture.

#### 4.0 Exploration History

Because the area has been known to be underlain by granitic rocks, the area has seen little exploration in the past, with all of the previous work in the government files being related to the potential for dimension/building stone.

1999: In the fall of 1999, Allan Minor conducted a sampling program which consisted of stripping, drilling and blasting of sample blocks on a claim that corresponds to the current claim 3007877. The claim at that time was held by Chinsiew Ee. The assessment report does not discuss the results of the sampling or where the blocks were later sent for study.

2006: Redditt Stones Inc. contracted R. Beard of Northwest Mineral Development services to conduct a program of bulk sampling and market testing to determine the marketability and quarry ability of the stone on claim 3007877. A sub-contractor from Kenora extracted the blocks using a percussion drill and explosives, and twenty blocks were then shipped by truck to Winnipeg, then by container to China. The blocks were slabbed and polished in Xiamen, China, and the resulting slabs provided to potential buyers for market assessment (Beard 2007).

The results of the test marketing was said to be positive, but it was noted that buyers would be more receptive once the quarry becomes established and it is demonstrated that large, regular-shaped blocks can be quarried on a consistent basis. Potential buyers noted that the colour would be well received in Oriental markets, especially China (Beard 2007).

During October of 2015 staff from Clark Exploration carried out a program of mapping additional granitic outcrops on the Wonderland North Property. The program was designed to evaluate as many outcrops as possible to provide Besco with a quick method of defining more potential areas on the Property for building stone testing. An excel spreadsheet was designed to list descriptive features of the outcrops, including colour, fractures per square metre, fracture angles where available, grain size, textures, degree of iron staining, sulphide contents, estimated outcrop dimensions, and additional comments. Each outcrop has been given a waypoint number and the corresponding UTM co-ordinates as determined by a hand held GPS unit. At least one photograph was taken at each waypoint location, with the GPS unit included in the photo in order to verify the locations. The information gathered during this program has been reported in detail in the report "Assessment Report on the Wonderland North Property, Kenora Mining Division, Northwestern Ontario" filed with the MNM in 2015.

The outcrop areas examined were generally accessible by existing bush roads and trails in order to reduce the costs of accessing the areas for future bulk sampling. During the work program some claim posts, line posts and claim lines

were also located and recorded on the GPS; these locations were found to correspond closely to the claim fabric as shown on the MNDM website.

## 5.0 2016 Program

The exploration program conducted in late summer 2016 consisted of visiting some of the locations of granite outcrop that had been examined and documented the previous year, and cutting slab samples from outcrops that were deemed suitable for marketing. The samples were cut using a portable hand-held rock saw, with samples usually ranging from 3-4 cm in thickness, 20-25 cm in length, and 10-15 cm in depth. Due to water not being readily available at most locations, the water used for cutting was carried to each site in 5 gallon jerry cans, and slowly poured over the saw blade while cutting. At each location two slabs were cut, at right angles to each other, in order to get a sample of the oriented phenocrysts (where applicable) both parallel to and cross-cutting the preferred orientation. Each sample site was photographed with the two slabs positioned next to the spot where they were cut from, along with the GPS to verify the location and date of the sampling (see photos in Appendix IV).

The work was carried out by Des Cullen, P.Geo., of Kaministiquia, Ontario and Craig Maitland of Thunder Bay, Ontario. Work commenced on August 20<sup>th</sup> and was carried out intermittently until September 15<sup>th</sup>. Three other Properties in the area were also examined in and around this time, and the exact days worked on each are broken down in Appendix I, "Daily Log". The time spent on each Property has been split up accordingly for the purpose of filing the assessment work. The workers commuted to and from the Property from Kenora.

409000 409500 410000 410500 411000 411500 412000 412500 413000 413500 414000 414500 415000 415500 416000 416500 417000 417500 418000 418500 419000

# Wonderland North Property



Toothpick Lake

15a

15

15a

15a

15

|  |  |
|--|--|
|  | <b>Property Boundary</b>                 |
|  | <b>Mining Claim</b>                      |
|  | <b>Occurrence</b>                        |
|  | Lake                                     |
|  | 15 Massive granodiorite to granite       |
|  | 15a Potassium feldspar megacrystic units |
|  | 12 Foliated tonalite suite               |

WONDERLAND LAKE

Wonderland Lake

Wonderland Creek

0 365 730 1,460

Meters  
NAD 83 UTM Zone 16  
1:30,000

409000 409500 410000 410500 411000 411500 412000 412500 413000 413500 414000 414500 415000 415500 416000 416500 417000 417500 418000 418500 419000

5552000  
5551500  
5551000  
5550500  
5550000  
5549500  
5549000  
5548500  
5548000  
5547500  
5547000  
5546500

5552000  
5551500  
5551000  
5550500  
5550000  
5549500  
5549000  
5548500  
5548000  
5547500  
5547000  
5546500

## **6.0 Interpretation and Conclusions**

The work program carried out in late summer 2016 has provided a number samples of granite porphyry outcrops with photographs for future reference by Besco. These samples can be further cut and polished in order to display them to potential customers or for possible marketing studies by Besco.

## **7.0 Recommendations**

It is recommended that Besco continue to further examine and analyse outcrops that it deems suitable for market either with more cutting as carried out in this program, or with a drill program, consisting of short, large diameter holes. The holes would only have to be to a depth suitable for quarrying, and the larger diameter core would provide them with large enough samples to allow cutting and polishing to show to potential customers, and also give an indication of the amount of fracturing present. A permit would be required from the MNDM for the drill program.

## 8.0 References

**Note:** Notations listed in the references below in the format “AFRI 52L08SW2002” refer to assessment files archived with the Ontario Ministry of Northern Development and Mines, Kenora Resident Geologist’s Office, Kenora, Ontario, and on the MNDM website ([www.geologyontario.mndm.gov.on.ca/](http://www.geologyontario.mndm.gov.on.ca/)).

Beakhouse, G.P. 1991. The Winnipeg River Subprovince, in *Geology of Ontario, Special Volume 4, Part 1*, p. 279-302.

Beard, R. 2007. Assessment Work Report for Industrial Minerals; Wonderland Lake Granite Dimension Stone Deposit, *for* Redditt Stones Inc. AFRI 20003555.

Breaks, F.W., Bond, W.D., and Stone, D. 1978. Preliminary geological synthesis of the English River Subprovince, Northwestern Ontario, and its bearing upon mineral exploration; Ontario Geological Survey, Misc. Paper MP 72, 55p. Accompanied by Map P.1971, Scale 1:253440.

Breaks, F.W. 1991. The English River Subprovince, *in* *Geology of Ontario, Special Volume 4, Part 1*, p. 239 – 278.

Breaks, F.W. and Bond, W.D. 1993. The English River Subprovince - An Archean Gneiss Belt: Geology, Geochemistry and Associated Mineralization; Ontario Geological Survey, Open File Report 5846, Volumes 1 and 2, 884p.

Cullen, D. And Clark, J.G. 2015. Assessment Report on the Wonderland North Property, Kenora Mining Division, Northwestern Ontario; *prepared for* BESCO International Investment Co. Ltd.

Farrow, D.G. 1996. Potential dimension stone quarry sites in the Kenora, Ignace and Rainy River areas of northwestern Ontario: Ontario Geological Survey, Open File Report 5949, 139p.

Minor, A. 2000. 1999 Work Report for Mining Claim K-1232672, Map G-2658, Kenora Division, Wonderland Lake. AFRI 52L01NE2001.

## 9.0 Certificate of qualifications

### Desmond Cullen

R.R. #2

Kaministiquia, Ontario

Canada, P0T 1X0

Telephone: 807-933-4689, Fax: 807-622-4156

Email: des.cullen@sympatico.ca

### CERTIFICATE OF QUALIFIED PERSON

I, Desmond Cullen, P.Geo. (#0164) do hereby certify that:

1. I am a consulting geologist with Clark Exploration of Thunder Bay, Ontario
2. I graduated with the degree of Honours Bachelor of Science (Geology) from Lakehead University, Thunder Bay, in 1988. I have been a consulting geologist since 1988 working extensively in Ontario and also internationally. I have participated in all aspects of gold and base metal exploration from prospecting to resource definition drilling.
3. "Technical Report" refers to the report titled "Assessment Report on the Wonderland North Property, Kenora Mining Division, Northwestern Ontario.", and dated effective October 15<sup>th</sup>, 2016.
4. I am a registered Professional Geoscientist with the Association of Professional Geoscientists of Ontario (#0164) and a member Ontario Prospectors Association.
5. I have worked as a Geologist for 26 years since my graduation from university.
6. I worked on the Wonderland North Property during the 2015 work program.
7. I am responsible for the preparation of the entire report.
8. I am independent of the party or parties (the "issuer") involved in the transaction for which the Technical Report is required, other than providing consulting services, and in the application of all of the tests in section 1.5 of NI 43-101.
9. I have had no prior involvement with the mineral Property that forms the subject of this Technical Report.



10. As of the date of this certificate, and to the best of my knowledge, information and belief, the Technical Report contains all scientific and technical information that is required to be disclosed to make the Technical Report not misleading.

Dated this 15<sup>th</sup> Day of October, 2016.

**SIGNED and SEALED**

“Desmond Cullen”

---

Desmond Cullen, P. Geo.

J. Garry Clark  
1000 Alloy Drive  
Thunder Bay, Ontario  
Canada, P7B 6A5  
Telephone: 807-622-3284, Fax: 807-622-4156  
Email: [gjclark@tbaytel.net](mailto:gjclark@tbaytel.net)

## **CERTIFICATE OF QUALIFIED PERSON**

I, J. Garry Clark, P. Geo. (#0245), do hereby certify that:

1. I am a consulting geologist with an office at 1000 Alloy Dr., Thunder Bay, Ontario.
2. I graduated with the degree of Honours Bachelor of Science (Geology) from Lakehead University, Thunder Bay, in 1983. I have been a consulting geologist since 1987 working extensively in Ontario and Quebec but also internationally. I have completed all aspects of gold and base metal exploration from prospecting to resource definition drilling.
3. "Technical Report" refers to the report titled " Assessment Report on the Wonderland North Property, Kenora Mining Division, Northwestern Ontario", and dated October 15<sup>th</sup>, 2016.
4. I am a registered Professional Geoscientist with the Association of Professional Geoscientists of Ontario (#0245) and a member Ontario Prospectors Association.
5. I have worked as a Geologist for 29 years since my graduation from university.
6. I am responsible for the entire Technical Report.
7. I am independent of the party or parties (the "issuer" and "vendor") involved in the transaction for which the Technical Report is required, other than providing consulting services, and in the application of all of the tests in section 1.5 of NI 43-101.
8. I have had no involvement with the mineral Property that forms the subject of this Technical Report.
9. As of the date of this certificate, and to the best of my knowledge, information and belief, the Technical Report contains all scientific and technical information that is required to be disclosed to make the Technical Report not misleading.

Dated this 15<sup>th</sup> Day of October, 2016.

SIGNED

“J. Garry Clark”

---

J. Garry Clark, P.Geol.

**Appendix I: Daily Log****Daily Logs – Kenora Project – Besco – August-September 2016**

| <b>Date</b> | <b>Work Performed</b>   | <b>Claims Worked On</b>  |
|-------------|---|--|
| August 20   | Drive to Kenora, check into accommodations  | Applied half day to Snook Lake and Wonderland South Properties |
| August 21   | Prospected, mapped and analysed granites on claim 3007282 (Kilgour Property)  | 3007282  |
| August 22   | Cut slab samples on claim 3007877 adjacent to site of previous Besco bulk sample for comparison with the other cut samples from this program (Wonderland North) | 3007877  |
| August 23   | Cut slab samples on claim 4255052 on Wonderland North   | 4255052  |
| August 24   | Cut slab samples on claims 3007879 and 4255060 on Wonderland South  | 3007879 and 4255060  |
| August 25   | Raining; brought company representative up to Wonderland North and South and gave tour of previous bulk sampling sites and current samples                      | 3007877, 4255052, 3007879 and 4255060                          |
| August 26   | Cut slab samples on claims 4255063 and 4255060 on Wonderland South  | 4255060 and 4255063  |
| August 27   | Cut slab samples on claim 4255060 on Wonderland South   | 4255060  |
| August 28   | Cut slab samples on claims 4267320 and 4255073 on Snook Lake Property   | 4267320 and 4255073  |
| August 29   | Cut slab samples on claim 4255073 on Snook Lake Property  | 4255073  |
| August 30   | Cut slab samples on claims 4255073 and 4267320 on Snook Lake Property   | 4267320 and 4255073  |
| August 31   | Cut slab samples on claim 4255052 on Wonderland North   | 4255052  |
| September 1 | Drive to Thunder Bay  | Applied to Wonderland North                                    |
| September 6 | Drive to Kenora   | Applied to Wonderland South                                    |
| September 7 | Cut slab samples on claim 4255052 on Wonderland North   | 4255052  |
| September 8 | Rain in morning; cut slab samples on claim 3007877 on Wonderland North, at east end of trail in north part of claim   | 3007877  |

| <b>Date</b>  | <b>Work Performed</b>   | <b>Claims Worked On</b> |
|--------------|---|-------------------------|
| September 9  | Cut slab samples on claims 4255075 and 4267320 on Snook Lake Property       | 4255075 and 4267320     |
| September 10 | Cut slab samples on claim 4255075 on Snook Lake Property                    | 4255075                 |
| September 11 | Cut slab samples on claim 4255075 on Snook Lake Property                    | 4255075                 |
| September 12 | Cut slab samples on claim 4255075 on Snook Lake Property                    | 4255075                 |
| September 13 | Cut slab samples on claims 4255060 and 4255064 on Wonderland South Property | 4255060 and 4255064     |
| September 14 | Cut slab samples on claim 4255055 on Wonderland North                       | 4255055                 |
| September 15 | Drive to Thunder Bay  | Applied to Snook Lake   |

**Appendix II: Wonderland North Cut Slab Descriptions and Locations**

BESCO - Wonderland North Property - Sept 2016 Cut Slab Descriptions and Locations

| Waypoint No. | Easting (NAD 83 Zone 15U) | Northing (NAD 83 Zone 15U) | Samples               | Photos (all prefixed "GEDCO") | Slab Description   |
|--------------|---------------------------|----------------------------|-----------------------|-------------------------------|--|
| WN-16-01     | 414618                    | 5548978                    | WN-16-01 and WN-16-02 | 418, 419                      | Samples are adjacent to previous bulk sample for comparison. ~50% reddish feldspar up to 3-4cm long by 1-2cm wide (lath shaped); ~30% quartz 2-5mm; ~20% mafics  |
| WN-16-03     | 414515                    | 5549036                    | WN-16-03 and WN-16-04 | 420, 421                      | 55-60% pink to grey feldspar up to 1cm x 2cm; 20-25% quartz; 15-20% mafics; trace pyrite - fine grained, irregular; weak to moderate iron staining along fractures and feldspar boundaries   |
| WN-16-05     | 414624                    | 5550035                    | WN-16-05 and WN-16-06 | 423                           | 45-50% buff-coloured feldspar up to 1cm - generally 2-5mm; 30-35% quartz 2-5mm; 15-20% mafics  |
| WN-16-07     | 414642                    | 5549988                    | WN-16-07 and WN-16-08 | 425, 427                      | 30-35% light buff feldspar phenocrysts up to 1cm; 40-50% quartz 3-5mm; 15-20% mafics   |
| WN-16-09     | 414734                    | 5550100                    | WN-16-09 and WN-16-10 | 450                           | Samples are somewhat gneissic with some bands/veins/patches of pink-buff potassic feldspar - some coarse crystals up to 10cm - up to 60-70% overall; up to 15-20% quartz 2-5mm; 10-15% mafics; rock composition varies depending on orientation of the cut |
| WN-16-11     | 414815                    | 5550126                    | WN-16-11 and WN-16-12 | 451                           | Samples are somewhat gneissic/porphyritic with occasional euhedral feldspar up to 4cm - ~40-45% buff-coloured feldspar overall often in bands/veins; ~35-40% grey to clear quartz up to 5mm; ~15-20% mafics - biotite and amphibole                        |
| WN-16-13     | 414741                    | 5550026                    | WN-16-13 and WN-16-14 | 453                           | Samples are locally gneissic, with ~55-60% buff feldspar occasionally occurring in veins/bands/patches; ~25-30% quartz 2-4mm; ~10-15% fine grained mafics  |
| WN-16-15     | 414922                    | 5550142                    | WN-16-15 and WN-16-16 | 454                           | Locally porphyritic and gneissic with ~45-50% buff feldspar phenocrysts up to 2cm and veins; ~30-35% grey to clear quartz 2-5mm; ~15-20% fine grained mafics   |
| WN-16-17     | 415127                    | 5549580                    | WN-16-17 and WN-16-18 | 455                           | Porphyritic granite, with ~50-55% subhedral buff feldspar generally ~1cm and up to 2cm; 30-35% grey to clear quartz 2-5mm; 10-15% mafics consisting of amphibole and biotite   |
| WN-16-19     | 414583                    | 5547960                    | WN-16-19 and WN-16-20 | 472                           | Samples are mainly massive, medium grained equigranular pink feldspar - 2-4mm, ~75-80%; ~20-25% translucent white quartz 2-5mm; 2-3% mafics  |
| WN-16-21     | 414650                    | 5547399                    | WN-16-21 and WN-16-22 | 473                           | Samples are weakly gneissic with occasional bands of feldspar; ~35-40% subhedral orange-pink feldspar, generally <1cm and occasionally >1cm; 35-40% grey-clear quartz 2-5mm; 20-25% mafics 2-3mm, mainly biotite   |

**Appendix III: Property Compilation**




# Wonderland North Property Field Map

0 0.5 1

Kilometers


1:5,000

NAD83, UTM Zone 15



## Legend

- Waypoint
- Track / Traverse
- Project Boundary
- Mining Claim
- Topographic Contour
- Road
- Stream
- Lake
- Wetland



**Appendix IV: Photos**

The following photos all correspond to the photos listed in the spreadsheet in Appendix II.

**GEDC0418**



**GEDC0419**



**GEDC0420**



**GEDC0421**



**GEDC0423**



**GEDC0425**






**GEDC0427**



**GEDC0450**



**GEDC0451**



**GEDC0453**



**GEDC0454**



**GEDC0455**



**GEDC0472**



**GEDC0473**

