ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

CERTIFICATE SD15055989

Project: 501

P.O. No.: 287191

This report is for 80 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 17-APR-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228252		3.59	0.006	0.015	0.014	0.27	6.17	0.8	270	0.55	0.07	5.76	0.17	28.5	84.2	606
R228253		1.16	0.074	0.015	0.040	0.95	5.61	0.4	320	0.52	0.04	4.88	0.17	39.3	112.5	587
R228254		1.35	0.005	0.010	0.012	0.13	6.37	<0.2	300	0.60	0.02	6.14	0.13	37.2	57.4	440
R228255		3.72	0.006	0.007	0.007	0.18	5.40	0.4	310	0.62	0.06	6.02	0.14	40.2	75.5	894
R228256		1.63	0.003	0.014	0.015	0.17	7.60	<0.2	400	0.73	0.04	6.21	0.14	41.8	62.1	284
R228257		3.69	0.003	0.011	0.007	0.15	5.48	<0.2	310	0.67	0.04	6.77	0.21	43.6	61.1	486
R228258		3.80	0.005	0.016	0.015	0.20	5.71	0.6	250	0.48	0.05	5.60	0.15	27.9	69.2	592
R228259		2.98	0.008	0.013	0.019	0.57	4.71	<0.2	320	0.65	0.09	6.10	0.18	54.0	84.3	485
R228260		0.03	0.117	0.303	5.05	0.16	5.19	<0.2	40	0.10	0.12	4.71	0.05	2.28	81.9	265
R228261		0.28	<0.001	<0.005	<0.001	0.01	0.35	<0.2	10	0.06	0.05	0.02	<0.02	8.62	0.6	57
R228262		3.69	0.004	0.012	0.017	0.42	4.84	<0.2	400	0.59	0.08	5.92	0.21	49.7	90.4	507
R228263		1.79	0.007	0.013	0.012	0.90	2.70	0.7	490	0.87	0.16	4.78	0.22	65.8	127.5	695
R228264		1.29	0.002	0.007	0.011	0.38	2.90	<0.2	1290	0.72	0.07	5.52	0.13	57.3	125.0	745
R228265		1.73	0.001	0.005	0.006	0.27	2.23	<0.2	720	0.81	0.08	7.89	0.14	75.8	110.0	668
R228266		3.56	0.004	0.010	0.010	0.30	5.04	0.9	260	0.51	0.04	4.86	0.43	31.4	82.5	691
R228267		3.67	0.007	0.011	0.008	0.18	5.36	0.4	260	0.48	0.04	5.14	0.25	32.6	75.0	618
R228268		3.46	0.007	0.008	0.012	0.16	5.90	0.3	300	0.55	0.04	4.46	0.17	42.5	81.1	589
R228270		3.80	0.002	0.007	0.010	0.10	6.34	<0.2	230	0.55	0.02	4.20	0.22	31.9	69.6	430
R228271		3.96	0.003	0.011	0.010	0.13	5.65	0.5	340	0.66	0.03	5.12	0.14	44.9	78.9	618
R228272		3.32	0.005	0.013	0.016	0.33	6.75	0.5	350	0.65	0.03	5.07	0.18	40.8	84.7	314
R228273		3.75	0.003	0.005	0.009	0.16	5.30	<0.2	290	0.56	0.04	5.56	0.14	41.3	68.0	527
R228274		3.92	0.003	0.015	0.019	0.23	4.24	0.8	270	0.56	0.06	6.41	0.17	39.2	70.6	776
R228275		3.81	0.003	0.008	0.007	0.17	5.21	0.5	280	0.59	0.05	4.76	0.22	38.4	79.2	536
R228276		3.60	0.003	0.012	0.012	0.16	6.97	<0.2	360	0.66	0.03	5.82	0.11	39.7	59.5	295
R228277		1.00	0.002	0.013	0.012	0.04	6.82	0.3	440	1.12	0.02	6.55	<0.02	32.1	34.9	90
R228278		1.06	0.003	0.013	0.012	0.11	7.14	0.2	410	0.81	0.03	5.71	0.03	36.1	49.1	86
R228279		0.92	0.001	0.005	0.005	0.03	7.14	<0.2	70	0.75	0.02	7.96	<0.02	94.9	10.6	52
R228280		0.05	0.153	0.286	5.07	0.16	5.41	0.7	40	0.11	0.12	4.75	0.08	2.57	81.9	260
R228281		0.34	<0.001	<0.005	<0.001	0.01	0.48	0.5	10	0.11	0.05	0.02	<0.02	8.12	0.5	28
R228282		1.07	0.004	0.014	0.010	0.15	4.11	0.6	320	0.70	0.21	4.51	0.32	44.6	71.7	1020
R228283		3.74	0.005	0.011	0.013	0.22	4.26	0.4	350	0.65	0.17	5.22	0.25	43.1	67.1	703
R228602		1.14	<0.001	<0.005	0.002	0.05	7.80	0.4	520	0.87	0.02	4.51	0.06	47.1	35.8	138
R228603		1.19	0.001	<0.005	0.002	0.10	7.93	0.5	470	0.70	0.04	4.68	0.06	39.9	37.2	200
R228604		1.64	0.002	0.005	0.004	0.12	8.42	<0.2	450	0.68	0.04	4.92	0.09	41.2	47.4	244
R228605		1.72	0.003	0.005	0.004	0.33	8.39	<0.2	570	0.76	0.07	4.60	0.11	59.6	71.8	249
R228606		0.98	0.002	0.006	0.006	0.11	8.10	0.9	480	0.68	0.04	4.55	0.12	51.6	50.9	235
R228607		3.64	0.002	0.006	0.009	0.20	8.49	0.3	380	0.57	0.06	5.05	0.13	29.7	58.7	277
R228608		3.69	0.001	<0.005	0.005	0.14	8.36	0.4	480	0.66	0.03	4.94	0.12	36.8	45.6	225
R228609		3.68	<0.001	<0.005	0.003	0.10	8.27	0.2	380	0.53	0.03	5.01	0.07	28.7	43.0	264
R228610		1.98	0.001	<0.005	0.003	0.10	8.46	0.3	420	0.62	0.03	5.22	0.10	35.8	41.5	238

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228252		0.81	343	8.75	15.00	0.08	1.3	0.061	0.43	12.6	8.2	7.98	1390	0.67	1.32	2.7
R228253		1.24	1505	9.60	13.55	0.09	1.7	0.053	0.72	17.6	11.9	6.99	1180	1.22	1.27	3.5
R228254		0.56	156.0	7.39	15.50	0.07	1.4	0.055	0.36	15.8	7.0	6.84	1290	0.41	1.53	2.6
R228255		0.64	279	8.67	14.10	0.10	2.0	0.067	0.47	17.3	8.7	8.67	1410	0.54	1.20	3.3
R228256		0.70	218	7.62	17.60	0.10	1.6	0.058	0.62	19.2	7.9	5.45	1230	0.62	1.86	3.3
R228257		0.89	155.0	7.53	15.20	0.09	1.9	0.073	0.61	17.6	10.7	6.83	1380	0.59	1.29	3.6
R228258		0.74	232	7.96	13.90	0.08	1.4	0.057	0.44	12.2	7.8	7.31	1400	0.45	1.33	2.4
R228259		0.92	756	8.76	13.35	0.10	2.4	0.065	0.47	24.4	16.2	7.86	1350	0.52	1.29	12.0
R228260		0.94	467	7.90	9.21	0.07	0.2	0.027	0.19	1.1	22.5	9.30	1440	0.53	0.55	0.2
R228261		<0.05	3.4	0.34	0.75	<0.05	1.1	<0.005	0.09	4.3	0.4	0.03	38	2.70	0.05	0.1
R228262		1.24	627	9.01	13.25	0.12	2.2	0.060	0.64	23.2	11.5	8.05	1320	0.70	1.21	7.4
R228263		0.87	1805	13.55	13.45	0.12	3.4	0.061	0.79	31.0	14.6	12.30	1560	0.44	0.51	22.8
R228264		0.95	1025	13.60	13.60	0.11	3.1	0.057	1.54	25.8	21.0	12.10	1540	0.29	0.34	25.3
R228265		0.56	878	11.40	11.80	0.14	3.6	0.069	0.91	30.2	20.0	10.75	1520	0.33	0.22	33.6
R228266		1.21	425	8.26	13.40	0.08	1.2	0.059	0.49	14.2	11.5	8.25	1320	0.39	1.15	1.9
R228267		1.15	260	8.00	13.95	0.07	1.0	0.066	0.47	14.2	9.0	7.94	1390	0.36	1.19	1.6
R228268		1.56	287	8.24	15.40	0.09	1.1	0.058	0.62	19.8	11.5	7.41	1260	0.34	1.36	1.6
R228270		1.18	276	7.66	16.25	0.08	1.2	0.059	0.64	15.7	9.6	5.81	1160	0.38	1.61	2.4
R228271		1.73	164.5	8.01	14.25	0.08	1.7	0.049	0.55	21.6	13.5	8.90	1380	0.49	1.31	3.4
R228272		1.19	421	8.10	17.10	0.09	1.3	0.060	0.69	20.1	11.2	5.62	1210	0.41	1.80	2.8
R228273		0.81	231	8.09	14.95	0.07	1.6	0.063	0.64	18.6	9.7	6.93	1380	0.43	1.42	3.0
R228274		0.85	307	7.62	12.20	0.08	1.8	0.067	0.69	17.3	11.0	8.58	1440	0.51	1.08	2.9
R228275		1.33	209	8.39	14.00	0.06	1.6	0.055	0.53	18.1	9.8	8.12	1390	0.46	1.27	2.8
R228276		1.10	223	7.49	17.65	0.10	1.6	0.057	0.74	17.5	9.0	5.33	1240	0.45	1.80	5.7
R228277		0.07	169.5	8.94	17.70	0.09	1.7	0.088	0.96	13.9	9.6	3.42	1300	0.48	2.20	4.1
R228278		0.41	169.5	9.80	17.95	0.10	2.1	0.078	0.80	15.2	15.3	3.24	1560	0.44	1.74	4.4
R228279		<0.05	157.0	6.06	24.6	0.10	1.2	0.062	0.27	49.5	9.8	1.38	775	0.68	0.49	3.3
R228280		0.99	472	7.93	9.83	0.07	0.2	0.025	0.19	1.2	23.3	9.33	1460	0.58	0.55	0.2
R228281		<0.05	2.0	0.26	1.00	0.06	1.0	<0.005	0.15	4.1	0.6	0.02	28	0.83	0.06	0.2
R228282		1.24	206	7.91	12.05	0.13	2.1	0.074	0.84	19.6	9.2	8.24	1420	0.59	1.03	3.8
R228283		1.01	340	7.50	12.15	0.11	2.3	0.071	0.80	18.8	9.6	7.51	1440	0.47	1.11	3.7
R228602		0.92	51.6	5.30	20.5	0.10	1.8	0.035	0.83	22.6	8.1	3.08	841	0.68	2.20	5.3
R228603		0.57	98.1	5.43	21.3	0.10	1.8	0.042	0.72	18.4	8.0	3.21	804	0.54	2.13	4.3
R228604		0.59	136.5	6.32	21.5	0.10	1.6	0.038	0.60	21.1	6.9	3.99	921	0.58	2.23	3.5
R228605		0.84	363	6.74	22.3	0.13	2.9	0.050	0.90	28.9	12.3	3.09	760	0.79	2.11	5.5
R228606		0.77	151.5	6.09	19.70	0.10	2.5	0.040	0.82	26.1	9.2	4.06	959	0.73	2.05	5.1
R228607		0.46	241	6.74	22.2	0.10	1.4	0.045	0.43	14.7	5.6	3.87	874	0.46	2.20	2.5
R228608		0.51	138.5	6.12	22.2	0.09	1.6	0.043	0.62	18.3	8.1	3.75	896	0.41	2.13	3.4
R228609		0.39	106.0	6.01	22.1	0.08	1.2	0.037	0.45	14.0	6.5	3.90	892	0.30	2.11	2.5
R228610		0.46	111.5	6.00	23.3	0.10	1.6	0.044	0.51	17.7	7.5	3.60	847	0.37	2.19	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R228252		455	460	4.8	16.3	0.003	0.58	0.05	31.6	1	0.6	375	0.16	0.06	1.8	0.327
R228253		1030	480	5.7	30.4	0.010	1.58	0.06	25.3	3	0.6	352	0.19	0.29	3.7	0.297
R228254		374	650	4.7	11.5	0.002	0.25	0.05	31.2	1	0.5	427	0.14	<0.05	2.0	0.299
R228255		552	520	5.7	18.7	0.004	0.45	0.06	34.1	1	0.7	333	0.20	<0.05	3.1	0.336
R228256		282	540	6.4	20.9	0.003	0.49	0.07	32.0	1	0.6	523	0.19	0.06	3.0	0.365
R228257		290	500	5.3	25.1	0.003	0.29	<0.05	39.2	1	0.8	328	0.22	<0.05	2.8	0.339
R228258		447	360	4.5	16.5	0.003	0.40	0.05	30.6	1	0.4	335	0.13	<0.05	1.9	0.286
R228259		655	550	10.2	21.1	0.002	0.36	0.05	29.5	2	0.9	285	0.94	0.07	3.4	0.993
R228260		736	20	4.3	8.4	<0.002	0.18	0.40	39.3	1	<0.2	82.9	<0.05	0.41	<0.2	0.101
R228261		4.3	20	0.6	3.0	<0.002	<0.01	0.08	0.3	<1	<0.2	3.9	<0.05	<0.05	1.1	0.007
R228262		719	510	7.6	28.4	0.002	0.52	0.05	29.6	1	0.7	334	0.55	0.07	3.5	0.683
R228263		1065	560	9.0	40.0	<0.002	0.30	0.06	20.6	2	1.9	249	1.71	0.13	5.2	2.41
R228264		1110	420	4.2	104.0	0.002	0.23	<0.05	25.6	1	1.8	228	1.87	0.05	2.9	3.19
R228265		922	500	5.7	55.3	0.002	0.24	<0.05	30.3	2	1.8	143.0	2.64	<0.05	3.3	2.52
R228266		489	530	10.2	21.3	0.002	0.59	0.13	28.1	1	0.4	334	0.12	0.10	1.9	0.250
R228267		431	610	5.7	20.8	<0.002	0.50	<0.05	29.1	1	0.5	326	0.09	0.08	1.7	0.217
R228268		468	990	6.4	31.3	0.002	0.52	<0.05	25.5	1	0.4	368	0.07	0.05	2.3	0.212
R228270		395	620	8.5	32.3	0.002	0.59	<0.05	24.4	1	0.5	415	0.15	<0.05	2.2	0.290
R228271		392	720	6.7	25.3	<0.002	0.29	<0.05	25.8	<1	0.6	336	0.20	<0.05	3.5	0.318
R228272		481	610	8.6	28.6	0.002	0.97	<0.05	29.4	1	0.4	455	0.14	0.10	2.8	0.356
R228273		362	460	6.7	25.3	<0.002	0.44	<0.05	32.5	1	0.6	342	0.16	0.05	3.1	0.385
R228274		687	440	5.8	24.5	<0.002	0.41	<0.05	35.0	1	0.7	250	0.17	0.06	3.2	0.301
R228275		377	530	7.0	24.4	0.002	0.41	<0.05	27.6	1	0.5	327	0.16	0.05	3.0	0.319
R228276		279	560	7.1	28.7	0.003	0.38	<0.05	31.9	1	0.6	425	0.32	<0.05	2.7	0.439
R228277		72.4	660	3.2	21.3	0.004	0.10	0.05	36.6	1	0.9	707	0.24	<0.05	2.4	0.605
R228278		73.2	710	4.3	36.5	0.002	0.15	<0.05	38.5	2	0.9	456	0.28	<0.05	2.4	0.637
R228279		31.6	530	5.4	6.2	0.002	0.03	<0.05	15.9	1	0.8	593	0.18	<0.05	13.0	0.327
R228280		740	30	4.0	8.4	<0.002	0.17	0.51	40.5	2	<0.2	85.0	<0.05	0.31	<0.2	0.101
R228281		3.3	30	0.6	4.1	<0.002	<0.01	0.07	0.3	1	<0.2	4.3	<0.05	<0.05	1.2	0.006
R228282		372	480	10.2	34.4	0.002	0.48	0.07	32.4	2	0.9	231	0.23	<0.05	3.9	0.286
R228283		399	510	10.7	27.5	0.002	0.51	0.06	33.7	2	0.9	250	0.23	0.05	3.4	0.328
R228602		65.4	560	8.6	13.5	<0.002	0.18	0.08	14.8	1	0.8	569	0.31	<0.05	4.9	0.345
R228603		100.5	520	7.5	8.8	<0.002	0.22	0.18	14.8	1	0.7	676	0.25	0.05	3.7	0.315
R228604		178.5	490	7.7	8.3	<0.002	0.34	0.08	16.9	1	0.6	752	0.20	<0.05	3.5	0.309
R228605		416	700	7.6	19.1	0.004	0.93	0.08	15.8	1	0.9	692	0.31	0.05	6.4	0.374
R228606		185.5	510	7.0	23.3	0.002	0.38	0.07	18.1	1	0.7	561	0.30	<0.05	6.1	0.286
R228607		308	400	13.5	5.8	0.003	0.63	0.05	17.0	2	0.5	760	0.15	0.05	2.3	0.308
R228608		172.0	470	6.8	8.7	0.003	0.33	0.06	17.8	1	0.6	750	0.20	<0.05	3.2	0.351
R228609		139.0	370	5.1	5.1	<0.002	0.23	<0.05	17.0	1	0.4	744	0.15	<0.05	2.1	0.299
R228610		138.5	420	5.9	6.1	<0.002	0.26	0.05	17.7	1	0.5	803	0.19	<0.05	3.1	0.341

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228252		0.11	0.3	163	0.2	10.8	114	43.5
R228253		0.26	0.5	134	0.2	10.7	121	60.1
R228254		0.08	0.3	167	0.2	11.8	112	49.9
R228255		0.13	0.6	153	0.2	14.4	122	62.9
R228256		0.13	0.4	178	0.1	12.6	102	52.1
R228257		0.15	0.5	167	0.2	21.1	114	62.9
R228258		0.11	0.3	150	0.1	11.7	115	44.3
R228259		0.27	0.5	197	0.2	13.9	98	77.3
R228260		0.09	<0.1	153	0.9	2.7	92	5.9
R228261		0.07	0.3	2	0.1	0.6	2	36.1
R228262		0.22	0.5	186	0.2	13.3	109	71.1
R228263		0.20	0.8	315	0.2	8.7	104	109.0
R228264		0.20	0.5	377	0.2	7.7	102	91.5
R228265		0.18	0.5	325	0.2	12.6	82	105.5
R228266		0.18	0.3	121	0.3	11.5	151	40.2
R228267		0.19	0.3	119	0.1	12.0	139	35.0
R228268		0.27	0.5	114	0.1	12.4	138	42.0
R228270		0.27	0.3	135	0.1	10.6	111	41.4
R228271		0.23	0.5	143	0.1	12.8	124	59.8
R228272		0.26	0.4	154	0.1	12.8	112	46.2
R228273		0.25	0.3	181	0.2	14.8	116	52.8
R228274		0.26	0.4	137	0.1	15.1	117	60.9
R228275		0.22	0.4	138	0.2	12.7	132	51.9
R228276		0.25	0.4	187	0.1	13.3	96	58.7
R228277		0.10	0.4	274	0.3	26.4	94	61.7
R228278		0.19	0.4	283	0.2	27.2	107	74.4
R228279		0.02	0.4	133	0.1	21.3	36	43.0
R228280		0.10	<0.1	149	2.1	2.9	95	7.4
R228281		0.11	0.3	2	0.1	0.7	<2	36.0
R228282		0.23	0.6	133	0.2	15.4	129	75.1
R228283		0.19	0.6	136	0.2	14.8	119	83.5
R228602		0.23	0.8	120	0.2	9.7	91	69.8
R228603		0.18	0.6	120	0.3	7.9	92	67.5
R228604		0.17	0.5	126	0.2	7.6	101	56.9
R228605		0.25	0.7	134	0.2	10.4	106	108.0
R228606		0.19	0.8	100	0.2	10.0	93	90.3
R228607		0.16	0.3	144	0.1	6.1	103	51.9
R228608		0.17	0.5	147	0.1	7.3	99	58.7
R228609		0.12	0.3	136	0.1	5.6	94	41.3
R228610		0.14	0.4	155	0.1	7.2	95	56.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228611		0.99	0.003	<0.005	0.005	0.10	8.56	0.6	470	0.73	0.04	4.94	0.08	46.0	53.2	231
R228612		1.02	0.003	0.013	0.017	0.25	7.48	<0.2	540	0.73	0.09	4.53	0.15	44.8	103.5	204
R228613		3.29	0.007	0.011	0.015	0.28	4.80	0.6	180	0.57	0.11	4.75	0.13	35.4	128.5	531
R228614		3.83	0.004	0.012	0.013	0.17	5.05	<0.2	330	0.56	0.07	5.11	0.15	37.7	79.9	503
R228615		3.59	0.005	0.007	0.013	0.12	5.36	<0.2	380	0.56	0.06	5.20	0.11	39.8	67.9	340
R228616		3.24	0.003	0.008	0.011	0.17	6.92	<0.2	400	0.49	0.06	4.37	0.14	33.1	74.9	421
R228617		3.60	0.005	0.016	0.016	0.22	5.97	0.5	300	0.51	0.04	5.09	0.17	29.6	89.4	499
R228618		3.07	0.006	0.016	0.021	0.28	5.13	0.2	320	0.73	0.07	5.35	0.20	43.0	113.5	529
R228619		3.29	0.002	0.014	0.014	0.11	3.67	<0.2	250	0.37	0.05	6.10	0.14	27.1	80.9	766
R228620		0.04	0.112	0.284	4.86	0.19	5.23	0.4	40	0.09	0.14	4.61	0.07	2.28	80.0	256
R228621		0.23	<0.001	<0.005	<0.001	0.02	0.86	<0.2	10	0.15	0.05	0.04	<0.02	12.60	0.8	23
R228622		3.59	0.013	0.017	0.017	0.60	5.44	<0.2	300	0.55	0.12	5.03	0.21	36.9	104.0	675
R228623		3.47	0.003	0.008	0.009	0.30	8.36	<0.2	420	0.60	0.04	5.07	0.17	33.4	59.9	286
R228624		1.51	0.002	0.005	0.004	0.13	7.72	<0.2	490	0.48	0.01	3.59	0.08	56.0	52.7	481
R228625		3.73	0.003	0.008	0.009	0.16	6.76	0.4	400	0.62	0.03	5.38	0.15	42.4	62.4	417
R228626		1.18	0.004	0.009	0.012	0.23	6.97	<0.2	420	0.64	0.02	4.65	0.11	42.3	71.2	333
R228627		3.50	0.006	0.010	0.012	0.20	5.55	<0.2	360	0.66	0.03	5.41	0.11	39.5	82.7	450
R228628		0.99	0.004	0.012	0.017	0.25	5.62	<0.2	320	0.57	0.03	5.64	0.20	34.0	96.1	607
R228629		2.18	0.004	0.010	0.013	0.17	5.75	<0.2	310	0.63	0.03	4.42	0.16	30.6	85.5	562
R228630		3.71	0.003	0.012	0.015	0.20	5.95	<0.2	260	0.62	0.05	5.76	0.12	32.2	93.6	475
R228631		3.85	0.002	0.010	0.013	0.22	5.39	<0.2	310	0.58	0.08	5.92	0.18	34.5	87.4	631
R228632		3.71	0.003	0.010	0.010	0.18	5.92	<0.2	320	0.61	0.05	4.96	0.17	35.9	80.8	463
R228633		1.15	0.002	0.007	0.010	0.22	6.46	0.5	310	0.75	0.05	5.46	0.15	42.3	89.8	549
R228634		0.87	0.014	0.022	0.039	1.15	5.13	0.3	250	0.45	0.12	3.77	0.18	26.0	337	589
R228635		2.96	0.005	0.012	0.016	0.30	5.89	<0.2	290	0.60	0.05	5.97	0.18	34.0	93.0	739
R228636		1.53	0.009	0.017	0.020	0.43	6.38	0.2	370	0.67	0.06	5.57	0.23	38.3	87.7	363
R228637		3.80	0.005	0.010	0.013	0.32	5.35	<0.2	290	0.57	0.06	5.27	0.18	32.7	97.9	691
R228638		3.02	0.007	0.012	0.018	0.46	5.18	<0.2	310	0.61	0.11	6.38	0.24	40.2	84.4	527
R228639		1.21	0.015	0.024	0.036	0.78	7.20	0.5	340	0.58	0.12	4.61	0.35	29.2	151.0	403
R228640		0.04	0.124	0.300	4.72	0.20	5.38	0.7	40	0.11	0.14	4.87	0.07	2.25	84.8	274
R228641		0.25	<0.001	<0.005	<0.001	0.01	0.34	<0.2	10	0.08	0.03	0.02	<0.02	8.37	0.7	30
R228642		3.60	0.003	0.011	0.014	0.20	6.55	<0.2	380	0.59	0.05	5.21	0.17	37.3	82.6	399
R228643		2.70	0.003	0.007	0.007	0.29	5.96	0.4	280	0.48	0.04	5.40	0.18	30.1	87.1	633
R228644		3.58	0.006	0.018	0.023	0.29	6.80	<0.2	290	0.48	0.03	5.64	0.18	29.6	98.4	432
R228645		3.68	0.001	0.006	0.007	0.18	4.65	<0.2	320	0.59	0.10	5.32	0.14	32.0	104.5	839
R228646		3.63	0.004	0.013	0.013	0.23	5.78	<0.2	360	0.56	0.05	5.96	0.16	42.0	71.8	337
R228647		3.76	0.006	0.019	0.021	0.36	6.60	<0.2	330	0.61	0.06	5.77	0.24	39.1	94.8	477
R228648		3.75	0.014	0.018	0.028	0.58	6.92	<0.2	330	0.63	0.08	5.22	0.23	36.1	120.5	426
R228649		3.89	0.003	0.009	0.010	0.27	5.38	0.3	300	0.57	0.06	6.38	0.20	36.9	72.3	376
R228651		0.03	0.120	0.325	5.21	0.21	5.49	<0.2	40	0.10	0.13	4.91	0.07	2.30	84.9	274

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228611		0.63	193.0	6.12	22.4	0.11	1.9	0.039	0.66	23.0	6.2	3.51	841	0.48	2.24	3.9
R228612		1.48	346	7.62	17.30	0.12	1.8	0.048	0.91	22.5	12.1	4.28	915	0.60	2.10	4.9
R228613		1.64	453	8.94	12.65	0.12	1.7	0.053	0.37	16.1	21.7	7.55	1320	0.62	1.12	3.6
R228614		1.35	287	7.48	12.55	0.09	2.0	0.048	0.54	16.5	17.6	6.93	1270	0.54	1.35	3.7
R228615		1.00	202	7.54	13.95	0.10	2.0	0.054	0.52	17.8	21.0	7.28	1400	0.36	1.53	3.4
R228616		1.31	313	7.82	15.80	0.08	1.3	0.048	0.67	15.6	11.7	6.20	1080	0.40	2.04	2.3
R228617		1.04	363	8.14	14.55	0.07	1.3	0.050	0.51	13.5	9.9	6.79	1260	0.40	1.55	2.4
R228618		1.13	483	9.96	14.00	0.10	2.1	0.056	0.51	19.5	12.4	8.24	1400	0.48	1.18	11.8
R228619		0.91	171.5	7.28	9.42	0.06	1.3	0.036	0.42	11.4	11.5	10.60	1200	0.39	0.79	2.4
R228620		0.92	465	7.79	9.05	0.05	0.2	0.027	0.19	1.1	21.5	9.12	1440	0.47	0.54	0.2
R228621		<0.05	6.1	0.30	1.73	<0.05	0.9	<0.005	0.20	6.7	0.7	0.05	34	0.82	0.15	0.2
R228622		0.99	621	8.96	14.40	0.07	1.5	0.064	0.59	16.8	9.0	7.47	1280	0.52	1.41	2.9
R228623		0.82	254	6.71	21.6	0.06	1.5	0.042	0.70	16.3	6.7	4.45	1040	0.44	2.02	2.9
R228624		1.02	140.5	6.88	18.95	0.11	1.8	0.039	0.83	29.4	8.5	5.03	964	0.47	2.00	2.6
R228625		0.85	183.0	7.39	17.20	0.06	1.7	0.050	0.68	21.4	7.3	6.09	1220	0.56	1.63	3.4
R228626		0.84	283	7.30	17.80	0.09	1.9	0.045	0.77	20.9	8.8	5.49	1090	0.44	1.85	3.2
R228627		0.89	318	8.49	14.70	0.06	2.0	0.055	0.69	18.4	11.3	7.12	1300	0.38	1.54	3.8
R228628		0.84	357	9.19	15.50	0.06	1.5	0.053	0.58	15.1	8.8	7.58	1480	0.31	1.41	2.7
R228629		0.90	357	8.19	15.35	<0.05	1.4	0.047	0.57	14.8	8.4	7.71	1260	0.31	1.48	2.9
R228630		0.72	268	8.24	15.40	0.08	1.5	0.042	0.45	15.1	8.7	7.32	1300	0.29	1.52	2.6
R228631		0.90	304	8.18	13.85	0.08	1.6	0.063	0.53	14.8	10.1	7.40	1300	0.35	1.36	2.6
R228632		1.00	289	8.33	14.75	0.07	2.0	0.049	0.57	16.8	9.8	7.48	1380	0.42	1.39	4.0
R228633		0.96	381	8.60	16.25	0.09	1.5	0.054	0.50	19.2	7.8	6.60	1330	0.86	1.59	3.5
R228634		1.03	1995	17.00	13.75	0.13	1.2	0.059	0.46	12.3	6.5	6.70	1230	0.55	1.22	2.4
R228635		0.82	380	8.87	15.55	0.07	1.6	0.057	0.45	14.7	8.5	8.26	1420	0.41	1.38	2.6
R228636		1.04	529	8.43	17.10	0.09	1.6	0.063	0.59	17.8	11.5	6.17	1320	0.41	1.66	3.2
R228637		0.84	378	9.74	14.70	0.07	1.5	0.072	0.44	14.6	8.5	8.53	1460	0.61	1.23	2.6
R228638		0.90	404	8.12	14.15	0.09	2.0	0.071	0.66	17.0	11.6	6.79	1430	0.43	1.34	3.1
R228639		0.74	941	10.60	18.05	0.08	1.2	0.052	0.58	14.2	7.6	5.53	1280	0.47	1.72	2.4
R228640		0.95	497	8.28	9.66	<0.05	0.2	0.025	0.20	1.0	24.1	9.58	1500	0.59	0.57	0.2
R228641		<0.05	3.4	0.36	0.81	<0.05	1.3	<0.005	0.09	4.3	0.6	0.03	39	0.24	0.04	0.1
R228642		0.83	363	8.20	16.55	0.09	1.6	0.058	0.67	16.8	8.0	6.50	1280	0.37	1.57	2.5
R228643		0.72	323	8.76	14.85	0.08	1.3	0.058	0.57	13.4	7.9	7.94	1400	0.38	1.35	1.9
R228644		0.72	411	8.69	16.40	0.09	1.3	0.051	0.57	13.3	7.5	5.84	1270	0.35	1.60	2.0
R228645		1.07	235	9.73	12.65	0.08	1.7	0.057	0.42	14.2	9.5	10.25	1480	0.39	0.87	2.8
R228646		0.87	261	7.91	15.20	0.11	2.1	0.063	0.82	18.5	10.3	6.48	1360	1.00	1.41	3.5
R228647		0.79	490	9.03	17.50	0.09	1.6	0.060	0.56	17.6	7.9	6.57	1340	0.43	1.58	2.7
R228648		0.87	784	10.15	18.55	0.09	1.5	0.059	0.53	17.3	7.1	6.21	1350	0.60	1.69	3.3
R228649		0.71	291	7.99	14.05	0.10	1.7	0.060	0.60	16.0	9.1	6.84	1320	0.46	1.22	3.0
R228651		0.95	502	8.36	9.92	0.06	0.2	0.024	0.20	1.1	24.0	9.74	1540	0.47	0.58	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R228611		229	590	7.2	9.9	0.003	0.56	0.05	17.2	1	0.6	732	0.21	<0.05	4.3	0.317
R228612		663	570	9.7	38.4	0.006	1.32	0.06	22.2	2	0.8	466	0.28	0.07	4.9	0.319
R228613		730	460	8.4	17.6	0.005	1.59	0.06	27.4	2	0.8	157.0	0.23	0.09	3.3	0.284
R228614		501	420	6.3	20.6	0.002	0.66	0.05	28.0	1	0.7	251	0.24	0.06	4.0	0.302
R228615		368	360	5.6	19.4	<0.002	0.52	0.05	28.0	1	0.6	281	0.20	0.05	3.8	0.293
R228616		429	310	5.6	24.1	0.002	0.72	0.05	24.3	1	0.4	474	0.14	0.06	2.8	0.266
R228617		514	320	6.7	18.4	0.004	0.98	<0.05	24.8	1	0.5	388	0.15	0.11	2.4	0.255
R228618		718	410	5.7	24.0	0.005	1.17	<0.05	27.3	2	0.7	341	0.90	0.12	3.2	0.504
R228619		446	290	4.4	21.1	0.002	0.38	<0.05	28.6	1	0.6	219	0.13	<0.05	2.5	0.217
R228620		726	20	5.0	8.0	<0.002	0.18	1.35	38.4	1	<0.2	81.1	<0.05	0.43	<0.2	0.098
R228621		6.9	30	3.7	5.9	0.002	<0.01	0.09	0.4	<1	<0.2	9.2	<0.05	<0.05	2.0	0.007
R228622		955	390	7.5	22.4	0.003	0.97	0.05	29.7	2	0.6	340	0.16	0.12	3.8	0.285
R228623		295	300	8.4	12.7	<0.002	0.51	<0.05	21.7	1	0.4	632	0.15	0.09	3.6	0.312
R228624		256	260	9.4	26.8	0.002	0.38	<0.05	25.7	1	0.2	580	0.11	0.05	8.3	0.271
R228625		320	320	7.4	22.8	<0.002	0.42	<0.05	30.7	1	0.4	501	0.19	0.11	4.8	0.304
R228626		369	360	8.1	29.6	0.003	0.62	<0.05	27.4	1	0.4	491	0.15	0.10	4.6	0.260
R228627		502	440	7.4	27.9	0.002	0.72	<0.05	29.9	2	0.7	383	0.21	0.10	4.1	0.385
R228628		589	340	5.3	22.2	0.003	0.79	<0.05	36.9	2	0.6	400	0.14	0.13	2.4	0.294
R228629		446	330	6.4	21.2	0.004	0.68	0.05	24.0	2	0.5	389	0.17	0.08	2.6	0.295
R228630		568	320	7.7	15.7	<0.002	0.69	<0.05	30.6	2	0.5	402	0.15	0.07	2.6	0.285
R228631		515	420	6.6	21.2	0.003	0.74	0.05	32.2	1	0.6	339	0.16	0.06	2.8	0.313
R228632		526	410	7.1	21.9	0.003	0.48	<0.05	28.8	2	0.6	360	0.24	0.05	3.9	0.342
R228633		492	630	6.8	17.2	0.008	0.80	0.05	33.7	2	0.5	453	0.18	0.05	3.2	0.327
R228634		2790	370	7.9	16.4	0.040	4.88	<0.05	26.2	6	0.5	322	0.13	0.15	2.2	0.259
R228635		600	430	6.7	16.4	0.003	0.73	0.05	33.7	2	0.6	352	0.15	0.09	2.3	0.310
R228636		509	550	10.5	20.7	0.003	1.03	0.05	32.7	3	0.6	457	0.17	0.16	2.7	0.363
R228637		701	440	6.4	16.1	0.003	0.91	<0.05	34.3	2	0.7	354	0.16	0.11	2.4	0.311
R228638		648	430	7.9	24.9	0.003	0.84	0.05	40.8	2	0.7	323	0.16	0.08	3.7	0.345
R228639		1070	400	8.6	19.2	0.010	2.02	<0.05	24.9	3	0.6	515	0.14	0.24	2.4	0.317
R228640		779	20	6.0	8.2	<0.002	0.19	0.54	40.3	2	<0.2	84.9	<0.05	0.48	<0.2	0.103
R228641		5.0	20	0.7	2.7	<0.002	0.01	0.09	0.4	<1	<0.2	4.4	<0.05	<0.05	1.3	0.006
R228642		487	430	7.3	24.7	0.005	0.79	<0.05	31.1	2	0.5	483	0.12	0.09	3.2	0.276
R228643		509	260	6.1	19.8	0.002	0.69	<0.05	29.4	2	0.4	393	0.09	<0.05	3.1	0.259
R228644		617	320	6.2	19.4	0.002	1.08	<0.05	29.4	2	0.3	391	0.09	0.07	3.0	0.283
R228645		629	470	5.9	19.2	0.002	0.69	<0.05	30.4	2	0.6	276	0.16	0.05	2.5	0.325
R228646		379	450	7.2	31.1	<0.002	0.55	0.05	36.8	2	0.6	340	0.18	0.08	4.5	0.326
R228647		600	750	7.7	19.4	0.003	1.03	0.05	34.0	2	0.6	443	0.15	0.17	2.6	0.320
R228648		870	500	8.3	17.8	0.005	1.54	0.05	29.0	2	0.7	508	0.21	0.17	2.7	0.368
R228649		348	450	7.0	21.1	0.003	0.53	0.05	40.6	2	0.6	331	0.17	0.07	3.1	0.339
R228651		799	20	4.3	8.2	<0.002	0.18	0.81	39.2	2	<0.2	85.6	<0.05	0.41	<0.2	0.104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228611		0.18	0.5	130	0.2	8.4	96	72.1
R228612		0.39	0.7	136	0.3	9.9	85	66.9
R228613		0.40	0.5	121	0.5	10.8	97	59.3
R228614		0.36	0.7	133	0.5	12.9	93	66.7
R228615		0.24	0.5	127	0.3	11.3	91	68.2
R228616		0.24	0.3	127	0.2	7.9	102	48.1
R228617		0.20	0.3	127	0.1	8.2	111	45.7
R228618		0.25	0.4	162	0.2	10.1	117	81.7
R228619		0.27	0.3	109	0.1	8.3	90	48.5
R228620		0.10	<0.1	146	4.2	2.7	93	5.5
R228621		0.23	0.3	2	0.1	0.8	3	29.5
R228622		0.30	0.4	132	0.3	9.9	111	55.5
R228623		0.16	0.4	137	0.5	7.1	112	54.7
R228624		0.21	0.5	145	0.1	7.5	118	60.4
R228625		0.17	0.5	147	0.1	11.0	113	55.1
R228626		0.19	0.4	121	0.1	10.6	99	69.5
R228627		0.19	0.6	154	0.2	11.6	104	71.3
R228628		0.17	0.3	147	0.2	12.2	126	49.2
R228629		0.17	0.3	117	0.1	9.7	113	51.8
R228630		0.12	0.3	132	0.2	9.9	94	53.5
R228631		0.20	0.4	156	0.4	11.8	110	54.3
R228632		0.16	0.5	146	0.2	10.4	120	71.6
R228633		0.13	0.5	172	0.5	11.9	111	49.8
R228634		0.20	0.3	129	0.1	8.2	118	39.4
R228635		0.15	0.3	154	0.2	12.5	124	54.0
R228636		0.15	0.3	159	0.1	12.0	119	59.0
R228637		0.13	0.4	150	0.2	11.7	137	51.3
R228638		0.18	0.4	161	0.2	15.8	106	69.1
R228639		0.17	0.3	153	0.2	8.1	138	38.2
R228640		0.11	<0.1	155	2.3	2.7	99	5.8
R228641		0.10	0.3	2	<0.1	0.8	3	49.2
R228642		0.17	0.3	139	0.1	10.6	109	57.0
R228643		0.16	0.3	130	0.1	9.4	125	47.8
R228644		0.14	0.3	156	0.1	9.7	103	43.2
R228645		0.15	0.4	127	0.3	11.7	136	57.2
R228646		0.19	0.5	153	0.2	15.0	107	72.4
R228647		0.15	0.3	157	0.2	12.9	118	55.4
R228648		0.16	0.4	152	0.2	10.6	125	48.5
R228649		0.14	0.4	173	0.1	13.8	105	55.9
R228651		0.09	<0.1	157	10.0	2.7	100	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-APR-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15055989

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23