ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

CERTIFICATE SD15024920

Project: 501

P.O. No.: 967210

This report is for 87 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 19-FEB-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448844		1.98	0.096	0.021	0.030	0.30	8.47	1.9	470	1.00	0.13	4.66	0.11	40.4	31.1	98
P448845		1.71	<0.001	<0.005	0.006	0.07	8.45	0.6	400	0.84	0.05	4.67	0.06	38.1	36.4	146
P448846		1.74	0.001	0.014	0.012	0.13	8.18	1.2	430	0.88	0.09	4.16	0.10	41.5	40.6	146
P448847		3.47	0.006	0.013	0.017	0.29	8.15	0.8	310	0.62	0.07	5.01	0.19	31.6	74.7	270
P448848		3.06	0.002	0.010	0.007	0.12	7.78	0.2	310	0.53	0.03	6.01	0.11	29.7	52.3	238
P448849		3.77	0.002	0.009	0.010	0.15	7.72	0.2	330	0.55	0.06	5.12	0.10	37.9	60.2	406
P448850		3.87	0.003	0.008	0.011	0.22	8.73	0.3	390	0.59	0.04	5.04	0.11	33.4	61.6	301
R228051		3.20	<0.001	<0.005	0.003	0.11	9.06	0.2	420	0.53	0.03	5.20	0.07	31.9	42.3	254
R228052		3.62	0.001	0.005	0.006	0.14	8.77	0.6	400	0.59	0.03	5.02	0.10	36.5	49.0	274
R228053		3.29	0.001	<0.005	0.005	0.14	9.25	0.3	390	0.68	0.03	5.33	0.07	35.8	52.1	288
R228054		3.23	0.001	0.006	0.006	0.12	8.59	0.3	390	0.68	0.04	4.95	0.10	35.5	54.6	284
R228055		3.45	0.001	0.005	0.005	0.15	8.07	0.4	400	0.71	0.05	4.84	0.08	43.3	53.0	250
R228056		1.38	0.002	0.010	0.011	0.21	7.46	0.3	350	0.61	0.06	4.56	0.15	33.3	84.5	480
R228057		0.96	0.007	0.021	0.022	0.32	7.89	0.3	370	0.54	0.06	4.70	0.15	33.3	188.5	245
R228058		3.59	0.002	0.012	0.009	0.10	8.23	0.2	360	0.56	0.03	5.29	0.11	31.8	60.3	248
R228059		2.94	0.002	0.008	0.009	0.15	7.03	<0.2	300	0.60	0.04	4.44	0.09	31.5	78.2	402
R228060		3.49	0.005	0.013	0.017	0.18	7.90	<0.2	320	0.63	0.05	5.35	0.10	32.1	77.5	291
R228061		3.64	0.004	0.018	0.017	0.16	7.57	<0.2	310	0.52	0.07	6.43	0.14	31.9	56.5	238
R228062		2.76	0.005	0.020	0.015	0.16	6.59	<0.2	260	0.42	0.04	6.46	0.12	27.1	67.5	248
R228063		5.50	0.003	0.011	0.014	0.15	8.11	<0.2	340	0.62	0.04	4.99	0.11	29.5	64.3	269
R228064		0.05	0.129	0.310	4.93	0.17	5.38	0.8	40	0.11	0.14	4.76	0.06	2.25	75.7	237
R228065		0.23	<0.001	<0.005	0.001	0.01	0.59	<0.2	10	0.10	0.03	0.03	<0.02	7.94	0.7	20
R228066		3.07	0.002	0.010	0.012	0.12	8.19	0.3	350	0.69	0.03	5.70	0.09	33.8	57.7	258
R228067		3.65	<0.001	<0.005	0.002	0.10	9.03	<0.2	370	0.62	0.02	4.81	0.06	30.9	40.4	217
R228068		3.60	0.002	0.005	0.007	0.15	8.88	<0.2	460	0.53	0.03	4.52	0.14	38.4	52.3	309
R228069		3.73	0.005	0.016	0.016	0.31	7.82	0.3	370	0.54	0.05	5.13	0.15	32.9	91.8	258
R228070		3.70	0.004	0.016	0.017	0.27	7.74	0.2	380	0.63	0.05	4.76	0.16	37.6	67.8	285
R228071		3.33	0.002	0.009	0.011	0.20	7.43	<0.2	370	0.68	0.06	4.73	0.18	39.9	61.1	345
R228072		0.90	0.005	0.016	0.022	0.40	7.50	0.2	310	0.57	0.04	5.29	0.11	34.0	117.0	254
R228073		1.79	0.003	0.011	0.015	0.27	6.65	<0.2	290	0.69	0.04	4.87	0.15	39.9	93.0	452
R228074		1.01	0.003	0.026	0.041	0.84	6.88	0.2	300	0.49	0.03	4.41	0.15	33.3	156.0	301
R228075		2.68	0.006	0.016	0.018	0.14	7.84	<0.2	360	0.58	0.03	5.15	0.10	34.1	64.5	278
R228076		3.12	0.003	0.018	0.021	0.26	7.38	0.6	260	0.61	0.05	4.05	0.11	38.6	158.0	355
R228077		4.02	<0.001	<0.005	0.003	0.10	7.96	<0.2	300	0.73	0.01	5.06	0.12	46.6	52.5	182
R228078		3.64	0.001	<0.005	0.004	0.10	8.34	<0.2	530	0.97	0.03	4.82	0.12	62.8	43.1	235
R228079		3.65	0.071	0.036	0.020	0.73	4.47	<0.2	220	0.44	0.55	6.18	0.26	27.3	95.2	671
R228080		3.70	0.036	0.024	0.017	0.52	5.80	0.3	310	0.56	0.30	5.13	0.21	35.9	95.5	585
R228081		3.41	0.007	0.026	0.032	0.26	7.59	0.9	280	0.46	0.04	6.35	0.14	28.7	85.5	220
R228082		3.84	0.004	0.035	0.037	0.09	7.27	0.5	140	0.27	0.03	7.94	0.09	10.65	49.0	130
R228083		3.80	0.001	0.010	0.008	0.12	7.62	<0.2	280	0.83	0.03	7.24	0.07	29.5	41.7	92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448844		1.24	315	5.08	19.70	0.06	2.3	0.042	1.11	18.9	14.2	2.86	836	0.90	2.24	5.6
P448845		1.80	105.0	5.22	19.60	0.05	2.0	0.033	0.91	18.9	12.0	3.14	803	0.68	2.15	4.5
P448846		1.44	133.5	5.45	18.75	0.05	2.3	0.042	1.06	20.7	18.8	3.63	899	0.62	2.21	5.0
P448847		1.21	354	7.03	20.4	0.05	1.1	0.047	0.56	16.8	16.1	4.38	913	0.59	1.84	2.8
P448848		0.93	148.5	6.84	19.70	0.05	1.1	0.042	0.42	15.5	8.8	4.80	1020	0.36	1.74	2.6
P448849		1.01	227	7.40	20.5	0.05	1.1	0.050	0.48	19.6	10.0	5.37	1040	0.36	1.77	3.1
P448850		0.71	322	7.23	23.7	0.06	1.0	0.042	0.44	18.5	7.2	4.04	846	0.33	2.05	2.8
R228051		0.48	111.0	6.13	24.3	<0.05	1.0	0.037	0.49	17.3	7.6	3.82	777	0.76	2.22	2.9
R228052		0.60	176.0	6.63	24.2	0.05	1.2	0.045	0.52	20.0	8.1	4.02	846	0.43	2.14	3.4
R228053		0.79	142.0	6.68	24.2	0.05	1.1	0.038	0.50	19.2	10.2	4.28	864	0.36	2.20	3.0
R228054		0.73	162.0	7.49	23.0	0.05	1.1	0.038	0.55	19.0	7.5	4.63	985	0.38	1.99	3.4
R228055		0.77	136.0	7.46	21.9	0.06	1.3	0.046	0.62	22.3	10.0	4.78	1050	0.45	1.93	4.1
R228056		0.64	282	9.01	20.6	0.05	1.1	0.052	0.48	17.8	6.7	5.83	1180	0.38	1.72	2.9
R228057		0.72	586	11.45	20.5	0.07	1.1	0.051	0.54	17.4	7.1	4.34	975	0.64	1.84	3.3
R228058		0.64	207	7.33	20.7	0.05	1.0	0.046	0.47	16.4	6.8	4.50	978	0.36	1.93	2.9
R228059		0.94	218	8.75	19.10	0.05	1.1	0.047	0.44	16.2	7.4	5.66	1160	0.38	1.56	3.0
R228060		0.67	297	8.02	20.0	0.06	1.1	0.051	0.42	16.5	5.8	4.77	1020	0.34	1.82	3.0
R228061		0.55	150.5	7.29	17.75	<0.05	1.2	0.054	0.47	15.2	6.5	5.08	1130	0.31	1.68	3.0
R228062		0.62	212	7.94	16.15	0.05	1.2	0.054	0.37	12.8	9.6	6.28	1200	0.30	1.49	2.3
R228063		0.73	298	7.56	20.0	<0.05	1.1	0.044	0.47	15.5	10.7	4.76	963	0.38	2.07	2.8
R228064		0.92	492	7.95	9.28	<0.05	0.2	0.026	0.19	1.0	20.1	9.18	1420	0.50	0.55	0.2
R228065		<0.05	5.1	0.32	1.18	<0.05	0.6	<0.005	0.18	3.9	0.5	0.04	34	0.21	0.07	0.1
R228066		0.86	177.0	7.65	20.6	0.05	1.3	0.045	0.55	17.4	10.1	5.03	1110	0.38	2.01	3.3
R228067		0.76	86.3	6.25	21.7	0.05	1.2	0.034	0.66	15.4	9.9	3.94	878	0.38	2.22	2.5
R228068		0.65	160.0	7.24	21.2	0.05	1.1	0.045	0.76	20.6	6.9	4.39	1060	0.50	2.18	2.9
R228069		0.63	532	8.76	20.1	0.06	1.1	0.058	0.57	16.6	6.1	4.72	1030	0.38	1.83	3.1
R228070		0.60	402	8.23	19.75	0.06	1.4	0.053	0.62	19.6	6.1	4.89	1050	0.45	1.81	3.6
R228071		0.68	284	7.86	20.3	0.06	1.3	0.053	0.56	20.5	6.3	5.06	1080	0.43	1.77	3.8
R228072		0.70	792	9.05	18.85	0.05	1.1	0.049	0.40	17.7	6.9	4.45	969	0.39	1.80	2.9
R228073		0.99	413	9.12	18.15	0.05	1.3	0.062	0.49	19.8	11.8	5.49	1160	0.41	1.64	3.3
R228074		0.82	1575	11.95	18.25	0.05	1.0	0.052	0.43	17.1	6.4	4.26	963	0.57	1.67	2.9
R228075		0.82	273	7.90	19.95	0.05	1.1	0.046	0.49	17.9	8.8	4.75	958	0.34	1.97	3.1
R228076		1.08	478	11.25	19.70	0.07	1.2	0.059	0.48	19.6	15.1	5.08	1110	3.59	1.92	3.1
R228077		0.92	129.5	8.56	21.8	0.07	1.5	0.064	0.47	22.2	8.3	3.90	1260	0.65	2.12	4.8
R228078		0.76	113.0	7.43	22.7	0.07	1.5	0.059	0.64	31.5	5.1	3.93	1160	0.56	2.31	5.8
R228079		0.80	1680	9.63	12.90	0.07	1.0	0.063	0.35	12.5	10.8	8.88	1400	0.54	0.96	2.7
R228080		0.83	1090	9.14	15.30	0.11	1.2	0.055	0.46	17.4	8.2	7.79	1300	0.90	1.44	2.8
R228081		0.52	368	7.85	16.90	0.09	1.2	0.050	0.45	14.3	6.3	4.93	1080	0.50	1.72	2.4
R228082		0.49	138.5	6.65	14.10	0.08	1.0	0.044	0.34	4.8	6.7	5.18	1180	0.31	1.43	1.6
R228083		0.47	114.0	6.36	17.60	0.09	1.7	0.057	0.66	14.4	7.3	4.17	944	0.43	1.78	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P448844		89.0	540	7.6	19.2	<0.002	0.17	0.13	13.5	1	1.1	491	0.38	0.10	4.6	0.288
P448845		113.0	450	6.7	25.0	<0.002	0.21	0.09	14.3	1	0.7	498	0.29	<0.05	4.5	0.241
P448846		136.0	470	8.6	43.2	0.002	0.24	0.10	18.4	1	0.8	450	0.33	<0.05	4.7	0.286
P448847		416	400	15.1	24.4	0.004	0.82	0.07	17.9	2	0.5	533	0.16	0.06	2.6	0.299
P448848		214	360	6.0	17.7	0.002	0.36	<0.05	23.6	1	0.5	542	0.15	<0.05	2.3	0.338
P448849		375	420	7.6	22.0	0.003	0.54	<0.05	21.0	1	0.5	595	0.16	0.07	3.8	0.352
P448850		336	420	7.4	13.9	0.004	0.70	<0.05	17.4	1	0.6	791	0.15	0.06	2.3	0.390
R228051		150.5	430	5.9	9.0	0.002	0.28	<0.05	15.7	<1	0.4	818	0.16	0.05	2.5	0.362
R228052		215	450	5.7	15.6	<0.002	0.35	<0.05	17.4	1	0.5	769	0.18	0.07	3.4	0.368
R228053		176.0	470	5.4	16.5	0.002	0.32	<0.05	18.8	1	0.5	759	0.17	0.07	3.1	0.367
R228054		216	500	6.5	16.8	<0.002	0.40	<0.05	20.4	1	0.5	710	0.19	<0.05	3.2	0.412
R228055		190.0	590	6.9	19.3	0.003	0.36	0.05	21.4	1	0.7	644	0.23	0.05	4.6	0.407
R228056		445	440	6.5	15.6	0.004	0.85	<0.05	23.1	1	0.6	593	0.17	0.06	2.7	0.380
R228057		1350	490	7.2	17.8	0.017	3.06	<0.05	19.5	3	0.6	597	0.19	0.13	3.1	0.345
R228058		309	450	5.8	13.3	0.004	0.60	<0.05	21.1	1	0.5	603	0.18	0.06	2.6	0.356
R228059		438	470	5.0	15.5	0.004	0.80	<0.05	21.0	1	0.5	517	0.17	0.07	2.5	0.394
R228060		409	450	6.0	12.7	0.006	0.87	<0.05	22.1	1	0.5	590	0.17	0.11	2.3	0.368
R228061		255	440	7.1	15.1	0.002	0.39	<0.05	28.7	1	0.6	478	0.18	<0.05	2.9	0.363
R228062		338	320	4.4	12.6	0.004	0.48	<0.05	31.2	<1	0.5	448	0.15	0.06	2.2	0.346
R228063		336	420	5.0	13.8	0.002	0.63	<0.05	21.8	1	0.5	595	0.17	0.07	2.2	0.379
R228064		756	10	5.9	7.4	<0.002	0.17	0.61	34.9	1	<0.2	77.2	<0.05	0.34	<0.2	0.101
R228065		4.7	10	0.6	4.5	<0.002	<0.01	0.06	0.3	<1	<0.2	5.4	<0.05	<0.05	1.0	0.006
R228066		251	450	5.4	16.0	<0.002	0.39	0.05	24.1	1	0.5	591	0.19	0.06	3.1	0.377
R228067		114.0	390	6.1	14.2	<0.002	0.24	<0.05	16.0	1	0.4	673	0.13	<0.05	3.0	0.286
R228068		246	470	7.5	19.6	0.002	0.46	<0.05	21.8	1	0.3	728	0.14	0.07	3.0	0.336
R228069		506	510	6.6	17.5	0.004	1.10	<0.05	23.1	2	0.6	551	0.18	0.09	2.7	0.385
R228070		369	550	6.8	19.1	<0.002	0.75	<0.05	21.8	1	0.5	583	0.20	0.12	3.7	0.430
R228071		281	570	6.9	17.1	0.002	0.49	<0.05	22.1	<1	0.6	576	0.21	0.08	3.3	0.401
R228072		721	450	6.2	12.9	0.013	1.64	<0.05	22.5	2	0.5	544	0.18	0.08	2.4	0.368
R228073		578	580	5.7	18.8	0.005	1.09	<0.05	23.1	1	0.6	472	0.20	0.08	3.6	0.389
R228074		1500	450	6.3	14.2	0.018	3.18	<0.05	19.8	3	0.5	528	0.17	0.11	2.7	0.373
R228075		334	490	6.4	15.4	0.003	0.79	<0.05	22.4	1	0.5	590	0.18	0.07	2.8	0.403
R228076		1035	740	11.9	17.1	0.012	2.28	0.06	25.0	3	0.4	539	0.17	0.14	3.4	0.404
R228077		190.0	1060	7.5	12.9	0.002	0.31	<0.05	29.8	1	0.5	544	0.27	<0.05	2.7	0.633
R228078		131.5	1100	8.1	14.3	<0.002	0.24	<0.05	26.8	1	0.6	761	0.29	0.07	4.7	0.503
R228079		959	380	4.5	12.6	0.002	0.85	<0.05	36.0	3	0.5	243	0.13	0.20	2.0	0.411
R228080		792	580	5.0	14.3	0.006	0.99	0.08	30.2	3	0.5	423	0.15	0.20	2.4	0.350
R228081		498	320	5.5	13.5	0.005	0.96	0.08	30.1	2	0.4	403	0.12	0.11	2.5	0.294
R228082		193.0	180	2.8	11.2	0.002	0.20	0.11	36.1	1	0.4	210	0.10	<0.05	1.0	0.298
R228083		180.5	440	5.4	18.5	0.002	0.25	0.13	35.0	1	0.5	407	0.17	<0.05	3.3	0.420

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448844		0.30	1.0	105	0.3	12.3	79	88.0
P448845		0.32	0.9	100	0.3	11.4	77	75.4
P448846		0.26	1.0	115	0.3	12.6	92	91.3
P448847		0.31	0.3	134	0.1	7.1	141	37.8
P448848		0.26	0.3	168	0.1	8.8	94	40.8
P448849		0.35	0.4	156	0.1	8.4	102	38.9
P448850		0.23	0.2	176	0.1	6.1	102	33.3
R228051		0.14	0.3	158	0.1	5.5	90	32.6
R228052		0.19	0.4	162	0.1	6.9	96	42.2
R228053		0.18	0.4	160	0.1	7.0	94	35.5
R228054		0.17	0.4	188	0.1	8.0	113	36.1
R228055		0.20	0.5	172	0.2	9.4	114	41.2
R228056		0.18	0.4	188	0.1	8.4	132	34.9
R228057		0.28	0.4	152	0.1	7.9	106	35.1
R228058		0.15	0.4	169	0.1	7.8	97	33.4
R228059		0.23	0.3	185	0.1	8.2	122	30.3
R228060		0.15	0.3	178	0.1	8.5	103	35.3
R228061		0.14	0.4	185	0.2	10.6	98	40.2
R228062		0.20	0.3	185	0.1	10.4	97	40.8
R228063		0.19	0.3	184	0.1	7.6	93	37.8
R228064		0.10	<0.1	153	2.3	2.6	93	6.1
R228065		0.14	0.2	3	<0.1	0.7	3	19.5
R228066		0.19	0.4	188	0.1	9.3	100	43.7
R228067		0.19	0.4	146	0.1	6.6	86	44.9
R228068		0.18	0.3	154	0.1	8.5	119	36.9
R228069		0.17	0.3	181	0.1	9.1	102	41.0
R228070		0.21	0.4	182	0.1	9.2	117	48.0
R228071		0.19	0.4	175	0.1	9.5	118	43.7
R228072		0.28	0.3	177	0.1	8.2	96	32.1
R228073		0.41	0.4	171	0.1	10.1	112	39.5
R228074		0.49	0.3	174	0.1	7.9	105	29.3
R228075		0.18	0.3	189	0.1	8.4	95	34.1
R228076		0.29	0.3	194	0.3	10.7	103	46.0
R228077		0.16	0.3	235	0.1	18.2	123	47.3
R228078		0.12	0.4	202	0.2	14.3	127	48.7
R228079		0.70	0.2	202	4.6	13.4	112	35.6
R228080		0.28	0.4	176	0.9	11.2	112	40.9
R228081		0.19	0.3	168	0.1	10.3	87	39.7
R228082		0.10	0.3	195	0.1	10.1	61	35.8
R228083		0.13	0.5	230	0.1	12.1	61	63.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228084		3.92	0.002	0.015	0.016	0.08	6.64	0.6	100	0.28	0.02	7.48	0.09	11.95	52.8	187
R228085		3.51	0.004	0.011	0.013	0.17	7.01	0.5	310	0.53	0.06	5.64	0.15	28.8	64.9	309
R228086		0.04	0.128	0.295	5.03	0.20	5.79	1.3	40	0.10	0.14	4.99	0.08	2.41	85.2	240
R228087		0.26	<0.001	<0.005	<0.001	0.01	0.26	<0.2	10	0.05	0.04	0.03	<0.02	8.35	0.5	21
R228088		3.73	<0.001	0.011	0.008	0.14	7.03	1.0	330	0.63	0.06	5.64	0.12	35.0	68.0	623
R228089		3.56	0.004	0.019	0.020	0.17	7.03	0.3	260	0.57	0.07	6.75	0.12	26.0	70.5	299
R228090		3.62	0.018	0.007	0.080	0.17	6.96	0.6	420	0.79	0.07	6.11	0.11	43.8	69.1	561
R228091		1.79	0.004	0.010	0.010	0.21	8.09	0.8	350	0.63	0.06	6.44	0.12	33.0	51.4	151
R228092		2.15	0.007	0.012	0.016	0.26	6.48	0.5	310	0.70	0.09	5.28	0.19	40.8	80.6	391
R228093		0.96	0.007	0.017	0.027	0.74	7.02	1.1	330	0.69	0.13	4.57	0.26	37.5	184.5	328
R228094		3.94	0.012	0.020	0.028	0.47	7.88	<0.2	400	0.75	0.10	4.89	0.32	37.0	90.0	260
R228095		3.69	0.008	0.021	0.030	0.47	6.63	0.4	500	0.70	0.12	5.05	0.35	39.1	107.0	371
R228096		3.68	0.002	0.009	0.012	0.26	6.20	<0.2	450	0.69	0.08	5.59	0.19	44.0	69.6	399
R228097		3.89	0.005	0.013	0.021	0.31	5.11	0.3	260	0.52	0.10	5.79	0.26	30.0	96.7	654
R228098		3.65	0.004	0.012	0.017	0.31	6.08	0.4	370	0.60	0.08	5.89	0.22	38.0	84.0	618
R228099		3.63	0.001	0.008	0.010	0.22	5.12	0.3	340	0.62	0.08	5.34	0.19	32.1	88.3	795
R228100		3.56	0.004	0.014	0.020	0.34	4.97	0.3	290	0.68	0.11	5.60	0.25	40.7	93.9	427
R228101		3.85	0.007	0.020	0.026	0.48	6.54	0.2	360	0.62	0.13	6.16	0.28	36.3	83.6	381
R228102		3.77	0.005	0.009	0.011	0.26	4.62	0.2	270	0.50	0.08	5.41	0.18	27.5	89.2	1000
R228103		3.91	0.002	0.012	0.011	0.15	4.21	0.2	260	0.62	0.05	6.59	0.18	36.7	74.1	932
R228104		3.37	0.003	0.008	0.012	0.27	5.26	0.3	330	0.60	0.09	4.04	0.21	36.2	99.5	425
R228105		3.70	0.002	0.014	0.016	0.16	5.76	0.3	250	0.52	0.07	6.92	0.16	28.8	64.5	356
R228106		3.17	0.001	0.014	0.019	0.36	6.08	<0.2	290	0.66	0.07	6.09	0.23	36.8	79.6	446
R228107		3.71	0.002	0.012	0.015	0.36	6.44	0.3	370	0.73	0.08	6.18	0.23	42.2	75.4	434
R228108		0.06	0.112	0.293	5.29	0.17	5.67	1.0	40	0.11	0.15	4.86	0.07	2.32	83.7	235
R228109		0.79	<0.001	<0.005	0.001	0.01	0.33	0.3	10	0.06	0.05	0.02	<0.02	9.04	0.5	25
R228110		3.88	0.002	0.009	0.013	0.23	5.94	<0.2	380	0.59	0.07	5.46	0.17	35.3	78.5	551
R228111		3.72	0.003	0.019	0.024	0.61	3.56	0.3	270	0.63	0.14	8.39	0.64	45.0	69.3	485
R228112		4.21	0.003	0.026	0.043	0.32	2.81	0.3	300	0.72	0.11	9.13	0.37	52.0	63.5	632
R228113		4.12	<0.001	0.019	0.027	0.06	2.70	<0.2	320	0.66	0.05	9.35	0.18	37.6	51.1	742
R228114		3.66	0.005	0.016	0.022	0.47	5.34	0.6	370	0.59	0.10	6.77	0.26	43.2	80.0	527
R228115		1.21	0.060	0.062	0.146	1.48	4.10	0.3	240	0.50	0.18	5.08	0.61	29.8	137.0	566
R228116		3.71	0.005	0.027	0.035	0.30	2.50	0.6	510	0.53	0.07	6.44	0.25	43.5	75.5	911
R228117		4.10	<0.001	0.024	0.029	0.15	2.74	0.8	290	0.61	0.08	6.97	0.29	54.8	64.3	999
R228118		4.22	0.003	0.077	0.085	0.31	2.98	1.0	310	0.60	0.11	7.28	0.35	48.7	78.7	1190
R228119		3.14	<0.001	0.072	0.077	0.18	2.54	<0.2	290	0.52	0.08	6.98	0.26	42.1	69.4	1380
R228120		3.63	0.002	0.064	0.070	0.11	2.62	0.6	210	0.51	0.04	6.55	0.19	40.5	64.4	1330
R228121		3.72	0.002	0.044	0.064	0.38	3.12	<0.2	170	0.48	0.03	6.25	0.20	38.8	77.6	877
R228122		3.26	<0.001	<0.005	0.003	0.14	7.91	0.3	690	0.87	0.01	3.48	0.13	74.2	34.0	208
R228123		1.01	0.001	<0.005	0.002	0.13	7.42	<0.2	730	1.10	0.01	3.42	0.10	97.6	28.1	164

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228084		0.44	99.3	7.11	13.90	0.08	1.0	0.045	0.22	5.7	5.3	6.39	1300	0.28	1.31	1.7
R228085		0.75	192.5	7.87	16.00	0.10	1.2	0.046	0.54	15.1	7.9	6.23	1230	0.37	1.55	2.9
R228086		1.04	502	8.52	9.90	0.07	0.2	0.026	0.20	1.1	21.7	9.95	1520	0.56	0.59	0.2
R228087		<0.05	5.1	0.25	0.59	0.05	0.8	<0.005	0.07	4.2	0.4	0.03	27	0.27	0.03	0.1
R228088		0.70	137.0	8.90	18.10	0.10	1.8	0.051	0.48	17.8	8.6	7.13	1340	0.43	1.36	4.8
R228089		0.70	213	8.56	15.65	0.08	1.2	0.050	0.34	12.4	7.1	6.89	1280	0.42	1.36	2.8
R228090		1.04	199.5	7.71	16.80	0.13	1.7	0.052	0.61	21.2	10.5	6.77	1180	0.49	1.57	4.0
R228091		0.70	146.0	6.83	17.95	0.10	1.4	0.047	0.59	16.6	6.4	4.82	1120	0.44	1.87	3.2
R228092		1.18	349	8.80	16.95	0.11	1.5	0.068	0.60	20.0	9.8	6.33	1290	0.42	1.60	3.5
R228093		1.12	1130	11.15	17.00	0.11	1.1	0.064	0.63	19.0	10.8	5.22	1100	0.61	1.77	3.7
R228094		0.86	668	8.53	19.40	0.10	1.0	0.063	0.63	19.4	7.6	4.78	1080	0.50	1.97	3.6
R228095		0.90	674	9.42	16.70	0.13	1.4	0.077	0.64	19.4	9.5	6.26	1260	0.40	1.59	3.7
R228096		0.93	235	8.31	15.70	0.12	1.4	0.063	0.65	21.1	8.3	7.00	1400	0.42	1.58	4.0
R228097		0.59	469	9.01	13.10	0.11	1.3	0.062	0.44	13.6	8.0	8.57	1400	0.33	1.25	2.3
R228098		0.93	421	9.32	16.20	0.12	1.4	0.066	0.57	17.9	8.0	7.35	1500	0.42	1.51	3.2
R228099		1.11	292	9.29	13.25	0.10	1.3	0.063	0.49	15.0	8.4	9.78	1460	0.36	1.17	2.7
R228100		1.22	418	9.83	13.90	0.12	1.9	0.072	0.52	18.8	10.1	8.45	1500	0.38	1.21	6.8
R228101		0.88	539	8.91	16.00	0.11	1.3	0.062	0.56	17.5	7.9	6.59	1360	0.51	1.69	3.7
R228102		1.18	324	9.56	12.85	0.09	1.4	0.062	0.39	13.0	9.3	9.44	1420	0.37	1.05	2.9
R228103		1.12	180.0	8.06	11.45	0.10	1.6	0.058	0.36	15.6	11.1	9.91	1350	0.33	1.01	2.8
R228104		1.19	400	9.31	13.60	0.11	1.4	0.051	0.56	17.4	10.4	10.25	1380	0.41	1.39	3.5
R228105		0.72	205	7.67	13.85	0.10	1.2	0.054	0.44	13.3	8.6	7.39	1340	0.28	1.36	2.3
R228106		0.87	412	8.35	15.30	0.11	1.3	0.065	0.48	16.6	11.7	6.86	1300	0.34	1.67	3.0
R228107		0.91	392	8.86	16.75	0.12	1.6	0.071	0.57	19.5	9.2	6.63	1420	0.50	1.57	4.2
R228108		0.99	485	8.32	9.69	0.05	0.3	0.025	0.19	1.1	20.8	9.71	1460	0.75	0.57	0.2
R228109		<0.05	4.2	0.25	0.74	<0.05	0.8	<0.005	0.09	4.5	0.4	0.02	26	0.27	0.04	0.1
R228110		0.89	348	8.78	15.35	0.10	1.5	0.068	0.45	16.8	7.6	7.81	1400	0.38	1.42	3.2
R228111		0.87	433	8.23	12.15	0.14	1.8	0.098	0.48	17.7	12.1	8.85	1740	0.35	0.97	2.8
R228112		1.04	398	7.50	10.75	0.15	2.1	0.087	0.55	19.0	13.8	9.67	1670	0.32	0.78	3.2
R228113		0.93	71.5	6.26	8.91	0.11	1.5	0.051	0.56	14.7	16.6	10.35	1390	0.20	0.78	2.5
R228114		0.89	616	9.01	14.70	0.10	1.8	0.081	0.63	19.3	8.3	7.23	1430	0.48	1.43	3.7
R228115		0.61	2780	11.30	11.50	0.12	1.4	0.088	0.45	13.8	6.5	9.77	1440	0.47	1.08	2.1
R228116		0.99	279	6.69	8.94	0.17	2.0	0.069	0.53	17.9	14.1	9.81	1540	0.55	0.84	3.2
R228117		1.06	132.5	7.42	10.85	0.18	2.2	0.094	0.65	22.1	14.2	9.27	1680	0.86	0.82	3.4
R228118		1.19	453	8.18	11.70	0.18	2.1	0.092	0.54	19.0	17.5	9.61	1720	0.37	0.84	3.1
R228119		1.06	172.0	7.54	10.55	0.18	1.7	0.073	0.48	16.3	17.1	10.80	1740	0.32	0.76	2.5
R228120		1.13	168.5	6.80	10.25	0.16	1.8	0.059	0.55	16.4	15.3	10.20	1520	0.35	0.75	2.7
R228121		0.90	692	7.20	10.75	0.16	2.1	0.081	0.39	15.9	11.5	7.58	1490	0.42	1.07	4.0
R228122		1.50	93.2	5.86	21.6	0.24	2.2	0.054	1.16	35.0	11.7	2.84	876	1.03	2.51	14.9
R228123		1.11	74.3	5.40	21.1	0.27	3.0	0.052	1.19	50.4	9.3	2.29	818	0.97	2.44	18.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R228084		195.5	220	2.6	6.7	<0.002	0.08	0.10	38.3	1	0.4	190.5	0.11	<0.05	1.0	0.320
R228085		364	380	7.3	17.3	0.002	0.49	0.10	28.6	1	0.6	394	0.17	0.07	2.6	0.332
R228086		786	30	5.0	8.3	<0.002	0.19	0.90	40.8	2	<0.2	90.7	<0.05	0.52	<0.2	0.108
R228087		3.8	20	0.7	1.8	<0.002	<0.01	0.12	0.3	<1	<0.2	5.2	<0.05	<0.05	1.0	0.005
R228088		407	430	6.0	16.6	0.003	0.34	0.08	25.7	1	0.7	417	0.32	0.07	3.2	0.486
R228089		364	380	5.4	10.7	0.003	0.52	0.08	37.4	1	0.5	318	0.16	0.08	2.0	0.415
R228090		400	620	7.6	23.6	0.003	0.55	0.10	26.7	1	0.7	437	0.22	0.05	3.3	0.362
R228091		201	410	7.1	20.4	0.002	0.29	0.10	28.5	1	0.6	457	0.19	0.05	2.8	0.338
R228092		421	560	8.5	25.1	0.004	0.74	0.09	29.5	2	0.7	409	0.20	0.09	3.7	0.341
R228093		1150	580	9.1	23.9	0.014	2.26	0.08	22.8	3	0.7	446	0.19	0.13	2.9	0.336
R228094		582	570	9.9	21.3	0.004	1.20	0.07	22.6	2	0.7	550	0.18	0.16	2.6	0.353
R228095		724	650	10.9	22.0	0.005	1.27	0.07	26.3	2	0.7	467	0.19	0.20	2.7	0.364
R228096		380	640	8.5	21.7	0.002	0.48	0.08	30.3	1	0.8	408	0.20	<0.05	3.1	0.363
R228097		818	370	7.6	14.3	0.003	0.85	0.07	28.3	2	0.6	324	0.12	0.11	2.1	0.281
R228098		513	500	8.1	20.1	0.004	0.75	0.06	33.2	2	0.7	399	0.18	0.11	2.9	0.356
R228099		540	520	6.9	20.5	0.002	0.57	0.07	27.6	1	0.7	330	0.15	0.11	2.3	0.321
R228100		641	520	7.9	20.1	0.004	0.78	0.07	30.7	2	0.9	305	0.48	0.11	3.2	0.474
R228101		557	530	9.6	20.2	0.003	0.86	0.08	32.7	2	0.7	411	0.20	0.14	2.9	0.374
R228102		575	420	6.2	15.8	0.003	0.47	0.06	30.8	1	0.7	270	0.16	0.05	1.8	0.355
R228103		529	470	4.5	14.4	0.002	0.26	0.07	33.7	1	1.0	219	0.15	<0.05	1.9	0.312
R228104		649	500	7.6	23.1	0.002	0.58	0.06	25.0	2	0.8	327	0.19	0.06	3.1	0.324
R228105		292	340	5.5	15.5	<0.002	0.25	0.08	35.8	1	0.6	293	0.13	<0.05	2.2	0.309
R228106		486	460	7.6	17.3	0.004	0.69	0.08	31.5	1	0.6	362	0.17	0.06	2.4	0.325
R228107		464	640	27.2	20.5	0.003	0.68	0.08	34.9	2	0.9	430	0.25	0.08	3.2	0.434
R228108		762	20	4.2	8.1	<0.002	0.19	0.55	40.1	2	<0.2	88.2	<0.05	0.44	<0.2	0.105
R228109		3.1	10	0.6	2.6	<0.002	<0.01	0.10	0.3	<1	<0.2	3.9	<0.05	<0.05	1.3	0.006
R228110		527	600	7.2	15.1	0.002	0.58	0.06	30.4	2	0.7	410	0.18	0.06	2.2	0.376
R228111		437	440	24.4	19.0	0.002	0.57	0.36	45.9	2	1.1	190.0	0.15	0.07	2.4	0.320
R228112		439	420	8.4	22.3	<0.002	0.51	0.07	44.5	2	1.4	133.5	0.17	0.05	2.4	0.277
R228113		263	340	6.8	21.7	<0.002	0.11	0.06	41.0	1	1.1	160.5	0.14	<0.05	1.4	0.230
R228114		513	550	9.9	22.9	0.003	0.79	0.07	36.9	2	0.9	313	0.20	0.12	3.3	0.399
R228115		1260	370	11.7	16.4	0.003	1.91	0.07	27.0	4	0.8	286	0.12	0.70	2.4	0.245
R228116		470	360	7.7	24.3	<0.002	0.28	0.05	29.5	1	1.0	172.0	0.18	<0.05	3.4	0.237
R228117		397	440	8.9	27.9	<0.002	0.14	<0.05	40.3	1	1.1	161.5	0.20	<0.05	4.5	0.294
R228118		615	480	9.4	25.5	<0.002	0.51	<0.05	39.0	2	1.2	213	0.18	0.05	2.6	0.285
R228119		563	430	5.6	23.4	<0.002	0.21	<0.05	31.1	2	0.9	188.5	0.14	<0.05	2.3	0.258
R228120		482	410	4.8	23.2	<0.002	0.17	<0.05	29.9	1	0.8	141.5	0.15	<0.05	3.2	0.248
R228121		587	370	5.7	18.0	0.002	0.86	<0.05	36.5	2	0.8	182.5	0.25	0.08	5.2	0.255
R228122		127.0	930	11.4	24.3	<0.002	0.30	<0.05	19.1	1	0.5	690	0.97	0.05	6.3	0.514
R228123		84.7	1020	11.4	46.7	0.002	0.21	<0.05	15.9	1	0.6	654	0.97	<0.05	11.2	0.504

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228084		0.08	0.3	205	0.1	10.6	73	36.2
R228085		0.16	0.4	166	0.1	9.8	102	39.4
R228086		0.11	<0.1	158	4.9	2.9	98	6.7
R228087		0.05	0.3	2	<0.1	1.0	15	29.2
R228088		0.29	0.4	166	0.2	10.4	133	57.6
R228089		0.14	0.4	221	0.1	11.6	89	38.7
R228090		0.20	0.6	156	0.2	13.5	101	58.2
R228091		0.18	0.5	174	0.2	11.5	91	49.6
R228092		0.25	0.5	151	0.2	13.5	116	51.9
R228093		0.29	0.4	136	0.2	11.0	109	34.6
R228094		0.21	0.4	140	0.1	10.2	107	37.2
R228095		0.21	0.4	150	0.2	12.0	120	46.7
R228096		0.18	0.4	163	0.2	14.3	145	46.6
R228097		0.16	0.3	130	0.1	13.4	124	40.6
R228098		0.18	0.4	168	0.1	14.1	126	43.9
R228099		0.25	0.4	138	0.2	11.5	131	45.6
R228100		0.26	0.4	163	0.2	14.0	122	62.6
R228101		0.19	0.4	182	0.2	12.6	114	46.1
R228102		0.15	0.3	160	0.2	12.8	136	46.9
R228103		0.15	0.4	147	0.1	13.4	120	55.2
R228104		0.35	0.5	141	0.2	11.7	121	48.4
R228105		0.13	0.3	167	0.1	12.1	101	39.4
R228106		0.21	0.4	159	0.1	13.1	116	42.7
R228107		0.18	0.6	195	0.1	14.6	119	48.5
R228108		0.10	<0.1	153	0.7	2.8	97	6.2
R228109		0.07	0.3	2	<0.1	0.7	<2	31.2
R228110		0.19	0.4	166	0.1	12.9	129	49.2
R228111		0.19	0.4	155	0.1	23.5	199	63.8
R228112		0.17	0.4	139	0.1	23.1	133	68.7
R228113		0.17	0.3	131	0.1	13.0	91	50.9
R228114		0.23	0.5	187	0.1	16.6	121	60.8
R228115		0.39	0.4	114	0.1	11.8	148	48.4
R228116		0.18	0.6	89	0.2	17.2	129	62.7
R228117		0.20	0.7	115	0.2	27.5	149	66.1
R228118		0.21	0.5	112	0.2	26.7	162	60.0
R228119		0.17	0.4	103	0.1	23.6	156	55.3
R228120		0.16	0.5	103	0.1	19.3	124	56.3
R228121		0.13	0.7	106	0.1	20.5	101	65.6
R228122		0.31	0.7	151	0.1	14.0	107	73.4
R228123		0.32	1.0	137	0.2	14.1	108	103.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
R228124		1.04	<0.001	<0.005	0.001	0.06	7.58	0.2	430	1.21	0.05	6.93	0.10	43.0	38.7	170
R228125		1.80	<0.001	<0.005	0.001	0.06	7.13	<0.2	480	1.16	0.03	5.21	0.13	60.9	39.1	51
R228126		1.06	<0.001	<0.005	0.001	0.04	7.43	<0.2	880	0.78	0.01	3.30	0.06	87.8	26.5	67
R228127		1.03	<0.001	<0.005	0.001	0.05	7.33	<0.2	430	1.29	0.05	3.62	0.05	56.4	36.9	121
R228128		0.98	<0.001	<0.005	0.001	0.05	6.44	0.4	280	1.09	0.04	5.57	0.16	49.7	49.5	23
R228129		0.06	0.125	0.343	5.29	0.17	5.16	0.6	40	0.10	0.14	4.64	0.07	2.63	82.3	259
R228130		0.53	<0.001	<0.005	0.001	0.01	0.34	0.3	10	0.05	0.03	0.03	<0.02	9.72	0.4	22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228124		0.61	35.9	7.09	21.2	0.21	2.5	0.083	0.78	18.5	10.9	3.54	1530	0.52	2.26	5.8
R228125		0.97	107.0	9.34	21.5	0.24	2.6	0.091	0.83	28.7	7.1	2.26	1460	0.73	2.20	12.1
R228126		0.70	35.9	5.51	19.75	0.26	2.7	0.054	1.24	43.9	6.8	1.67	831	0.76	2.21	6.9
R228127		1.51	19.0	7.11	21.7	0.22	2.9	0.058	0.61	26.1	14.0	2.87	1320	0.42	1.94	6.2
R228128		1.38	92.8	10.90	21.1	0.21	3.5	0.102	0.59	22.9	8.7	2.53	1820	0.83	1.96	10.3
R228129		1.05	488	7.65	10.05	0.16	0.2	0.024	0.19	1.2	21.9	9.01	1410	0.60	0.53	0.3
R228130		<0.05	3.7	0.24	0.86	0.14	0.7	<0.005	0.10	4.9	0.3	0.03	27	0.19	0.04	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
R228124		110.5	210	4.9	33.8	<0.002	0.17	0.05	28.8	1	1.5	454	0.35	<0.05	1.9	0.583
R228125		44.4	1230	6.1	28.0	0.002	0.13	0.07	30.1	2	1.3	428	0.70	<0.05	5.1	0.870
R228126		44.6	880	14.5	31.1	<0.002	0.11	<0.05	18.1	1	0.7	425	0.37	<0.05	12.7	0.487
R228127		62.8	1060	8.1	25.4	<0.002	0.41	<0.05	22.3	1	1.3	507	0.46	<0.05	3.6	0.507
R228128		44.0	980	7.0	29.8	0.002	0.12	0.07	36.4	2	1.6	193.0	0.65	<0.05	4.7	0.957
R228129		732	30	4.8	9.1	<0.002	0.17	0.49	38.3	2	<0.2	82.5	<0.05	0.33	<0.2	0.103
R228130		2.4	10	0.6	3.4	<0.002	<0.01	0.07	0.3	<1	<0.2	5.0	<0.05	<0.05	1.2	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228124		0.18	0.9	129	1.0	24.6	79	85.3
R228125		0.17	0.9	258	0.4	35.5	114	86.3
R228126		0.27	1.0	159	0.9	20.9	82	90.9
R228127		0.20	1.8	176	0.7	22.0	78	101.0
R228128		0.19	1.1	347	0.5	41.2	109	120.5
R228129		0.11	<0.1	144	1.3	3.2	90	6.4
R228130		0.08	0.3	2	0.1	0.7	<2	21.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15024920

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23