ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

CERTIFICATE SD15104021

Project: 501

P.O. No.: 264614

This report is for 44 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 16-JUL-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
R228744		3.83	0.009	0.021	0.025	<0.5	5.43	<5	160	<0.5	<2	6.06	<0.5	88	522	520
R228745		4.14	0.009	0.027	0.034	0.5	4.18	9	100	<0.5	<2	4.67	0.5	147	399	752
R228746		5.26	0.016	0.015	0.020	<0.5	3.65	13	70	0.6	<2	6.90	0.5	91	544	363
R228747		4.34	0.037	0.024	0.026	<0.5	5.38	<5	140	0.5	<2	4.66	0.5	94	612	613
R228748		3.22	0.008	0.023	0.024	<0.5	7.64	<5	230	0.5	<2	5.45	0.8	88	409	350
R228749		4.11	0.005	0.022	0.022	<0.5	6.65	<5	240	<0.5	<2	7.27	0.9	70	622	231
R228750		3.50	0.004	0.019	0.018	<0.5	7.47	<5	260	0.5	<2	6.58	0.6	66	389	161
S033351		3.34	0.001	0.008	0.007	<0.5	6.54	<5	300	0.7	<2	5.33	0.6	63	432	110
S033352		3.28	0.006	0.015	0.019	<0.5	5.78	<5	210	0.5	<2	5.36	0.7	79	479	305
S033353		3.71	0.002	0.006	0.008	<0.5	3.51	<5	240	0.5	<2	6.07	0.8	99	569	229
S033354		0.06	0.174	0.309	0.364	2.1	6.74	88	220	0.8	11	5.38	1.0	204	245	3740
S033355		0.29	<0.001	<0.005	<0.001	<0.5	0.30	<5	10	<0.5	<2	0.03	<0.5	2	17	6
S033356		3.19	0.005	0.020	0.021	<0.5	7.94	<5	340	<0.5	<2	6.30	0.9	62	303	194
S033357		2.99	0.007	0.024	0.024	<0.5	7.66	<5	110	<0.5	<2	7.70	0.8	62	81	259
S033358		3.72	0.004	0.012	0.012	<0.5	4.83	<5	110	<0.5	3	8.09	0.9	87	475	195
S033359		3.32	0.004	0.017	0.019	<0.5	7.31	<5	250	0.5	<2	6.47	0.8	68	294	295
S033360		3.26	0.006	0.024	0.028	<0.5	7.15	<5	250	0.5	<2	7.01	0.6	75	322	356
S033361		3.29	0.005	0.021	0.019	<0.5	7.75	<5	270	0.5	<2	6.92	0.7	70	251	308
S033362		3.35	0.009	0.016	0.022	<0.5	7.48	<5	280	0.5	<2	5.27	0.9	83	277	448
S033363		3.53	0.009	0.032	0.039	<0.5	6.87	<5	250	0.5	<2	5.43	0.8	141	348	422
S033364		3.39	0.005	0.023	0.028	<0.5	8.01	<5	300	0.5	<2	6.53	0.7	89	273	424
S033365		3.26	0.011	0.026	0.037	<0.5	7.35	<5	270	0.5	<2	5.71	0.9	120	282	748
S033366		3.38	0.006	0.029	0.028	<0.5	7.05	<5	250	<0.5	<2	6.36	0.6	106	298	521
S033367		3.39	0.005	0.024	0.025	<0.5	7.40	<5	310	0.5	<2	6.06	0.8	91	273	574
S033368		3.53	0.005	0.028	0.031	<0.5	7.03	<5	280	0.5	<2	6.03	0.8	94	279	437
S033369		3.71	0.006	0.025	0.028	<0.5	7.35	<5	320	0.5	<2	6.49	0.7	80	275	504
S033370		3.45	0.008	0.023	0.030	0.5	6.64	<5	380	0.7	<2	5.79	0.9	83	246	517
S033371		3.33	0.013	0.025	0.032	0.6	6.78	<5	390	0.6	<2	4.61	0.6	81	455	594
S033372		3.63	0.004	0.011	0.011	<0.5	5.10	<5	280	0.5	<2	4.53	0.9	95	325	290
S033373		3.49	0.011	0.015	0.023	<0.5	7.71	<5	590	0.8	<2	4.36	<0.5	47	128	429
S033374		0.06	0.175	0.317	0.362	2.3	6.46	94	210	0.8	11	5.15	1.1	195	238	3600
S033375		0.30	<0.001	<0.005	<0.001	<0.5	0.66	<5	10	<0.5	2	0.01	<0.5	<1	25	4
S033376		3.45	0.003	0.008	0.008	<0.5	7.56	<5	560	0.7	<2	3.99	<0.5	46	239	186
S033377		3.39	0.015	0.021	0.029	0.8	7.81	<5	520	0.7	<2	4.62	0.7	71	247	568
S033378		3.36	0.009	0.021	0.026	<0.5	6.67	<5	330	0.5	<2	4.89	0.9	74	451	477
S033379		3.64	0.007	0.022	0.022	<0.5	6.43	<5	400	0.6	<2	6.53	0.7	63	343	404
S033380		3.27	0.014	0.020	0.025	0.5	7.22	5	380	0.6	<2	4.47	0.5	89	307	548
S033381		3.83	0.024	0.057	0.079	0.5	4.90	<5	260	0.6	<2	5.43	1.0	95	491	560
S033382		3.57	0.010	0.028	0.028	<0.5	5.59	5	260	0.5	2	6.35	0.9	70	378	293
S033383		3.52	0.009	0.019	0.025	0.5	7.26	5	410	0.6	<2	5.08	<0.5	100	349	809

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1
R228744		8.61	20	0.36	10	7.26	1250	<1	1.10	596	290	6	0.88	8	32	279
R228745		10.15	10	0.21	10	10.10	1095	<1	0.57	1065	410	3	1.71	9	18	144
R228746		9.68	20	0.16	10	8.78	1640	<1	0.50	731	480	5	0.75	5	25	102
R228747		8.73	20	0.32	10	7.83	1220	<1	1.22	726	370	6	1.13	<5	23	152
R228748		8.91	20	0.40	10	6.56	1210	<1	1.62	509	400	<2	0.97	<5	28	418
R228749		8.27	20	0.42	10	6.82	1355	<1	1.38	385	420	4	0.42	<5	34	380
R228750		7.90	20	0.47	10	6.56	1290	<1	1.57	301	300	<2	0.48	<5	32	465
S033351		7.12	20	0.59	20	7.20	1200	<1	1.38	395	370	4	0.33	<5	22	464
S033352		8.72	20	0.45	10	7.09	1450	1	1.31	492	430	<2	0.64	<5	29	370
S033353		8.72	10	0.29	20	10.65	1235	<1	0.49	692	490	3	0.25	<5	29	141
S033354		11.50	20	0.69	20	4.43	1245	7	1.34	3230	1210	11	1.66	<5	29	346
S033355		0.25	<10	0.09	<10	0.03	26	<1	0.04	7	30	<2	0.01	<5	<1	5
S033356		7.70	20	0.47	10	6.18	1270	<1	1.75	301	360	5	0.29	<5	32	497
S033357		10.60	20	0.24	<10	4.35	1660	<1	1.62	104	140	<2	0.13	6	42	171
S033358		10.85	20	0.18	10	8.16	1615	<1	0.89	549	250	<2	0.31	<5	35	209
S033359		8.00	20	0.37	10	5.67	1235	<1	1.71	317	340	6	0.62	<5	32	423
S033360		7.90	20	0.40	10	5.99	1235	<1	1.61	443	360	<2	0.66	<5	32	400
S033361		8.00	20	0.41	10	5.53	1180	<1	1.75	344	340	5	0.59	<5	32	427
S033362		8.33	20	0.44	10	4.93	1050	<1	1.65	484	490	5	1.03	<5	22	476
S033363		10.25	20	0.40	10	5.29	1095	<1	1.55	1095	440	3	2.19	<5	25	418
S033364		8.85	20	0.43	10	5.27	1160	<1	1.82	548	410	4	1.00	<5	29	506
S033365		9.98	20	0.44	10	4.95	1095	<1	1.65	870	400	5	1.79	<5	26	465
S033366		8.67	20	0.42	10	5.35	1180	<1	1.74	646	340	6	1.30	<5	29	329
S033367		8.81	20	0.48	10	5.13	1125	<1	1.73	609	360	6	1.18	<5	28	469
S033368		8.87	20	0.48	10	5.58	1210	<1	1.57	606	330	6	1.20	<5	28	449
S033369		8.52	20	0.52	10	5.44	1275	<1	1.73	464	360	3	0.89	<5	30	470
S033370		8.64	20	0.52	20	5.07	1240	<1	1.63	518	630	12	1.01	<5	28	470
S033371		7.98	20	0.66	20	5.26	1040	<1	1.73	561	480	11	1.06	<5	21	459
S033372		8.75	10	0.43	10	8.76	1090	<1	1.15	496	450	<2	0.78	<5	22	296
S033373		5.56	20	1.18	20	2.70	735	1	2.30	300	720	11	0.63	<5	13	503
S033374		10.80	20	0.66	20	4.25	1195	7	1.28	3140	1120	10	1.53	<5	28	337
S033375		0.20	<10	0.19	<10	0.01	20	<1	0.07	7	10	<2	0.01	<5	<1	7
S033376		5.92	20	1.01	20	3.84	891	<1	2.19	191	720	7	0.38	<5	18	525
S033377		7.39	20	0.89	20	4.05	1060	<1	2.16	435	750	13	0.94	<5	21	611
S033378		8.14	20	0.59	20	5.68	1235	<1	1.50	448	470	10	0.82	<5	28	458
S033379		7.55	20	0.61	20	5.33	1075	<1	1.44	460	700	7	0.76	<5	26	554
S033380		7.73	20	0.61	20	5.02	1015	<1	1.77	548	550	11	1.16	<5	23	515
S033381		8.75	20	0.53	20	6.88	1290	<1	1.09	663	480	6	0.98	<5	31	281
S033382		7.95	20	0.48	10	6.73	1325	<1	1.20	361	380	6	0.49	<5	37	269
S033383		8.45	20	0.64	20	5.06	1050	<1	1.70	670	470	13	1.34	<5	25	483

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
R228744		<20	0.29	<10	<10	182	<10	105
R228745		<20	0.27	<10	<10	101	<10	109
R228746		<20	0.53	<10	<10	140	<10	107
R228747		<20	0.27	<10	<10	127	<10	107
R228748		<20	0.31	<10	<10	158	<10	109
R228749		<20	0.34	<10	<10	192	<10	103
R228750		<20	0.26	<10	<10	164	<10	104
S033351		<20	0.26	<10	<10	124	<10	99
S033352		<20	0.27	<10	<10	141	<10	120
S033353		<20	0.27	<10	<10	127	<10	111
S033354		<20	0.45	<10	<10	281	<10	104
S033355		<20	0.01	<10	<10	2	<10	5
S033356		<20	0.29	<10	<10	173	<10	99
S033357		<20	0.60	<10	<10	371	<10	103
S033358		<20	0.78	<10	<10	205	<10	116
S033359		<20	0.29	<10	<10	169	<10	92
S033360		<20	0.31	<10	<10	179	<10	83
S033361		<20	0.34	<10	<10	196	<10	88
S033362		<20	0.33	<10	<10	157	<10	99
S033363		<20	0.30	<10	<10	156	<10	94
S033364		<20	0.37	<10	<10	192	<10	99
S033365		<20	0.35	<10	<10	181	<10	100
S033366		<20	0.31	<10	<10	177	<10	86
S033367		<20	0.33	<10	<10	178	<10	92
S033368		<20	0.32	<10	<10	174	<10	101
S033369		<20	0.32	<10	<10	177	<10	97
S033370		<20	0.60	<10	<10	203	<10	119
S033371		<20	0.32	<10	<10	141	<10	102
S033372		<20	0.33	<10	<10	157	<10	115
S033373		<20	0.37	<10	<10	127	<10	68
S033374		<20	0.42	10	<10	267	<10	99
S033375		<20	0.01	<10	<10	2	<10	<2
S033376		<20	0.32	<10	<10	119	<10	73
S033377		<20	0.33	<10	<10	144	<10	111
S033378		<20	0.29	<10	<10	156	<10	114
S033379		<20	0.32	<10	<10	137	<10	89
S033380		<20	0.25	<10	<10	130	<10	95
S033381		<20	0.31	<10	<10	157	<10	108
S033382		<20	0.30	<10	<10	172	<10	109
S033383		<20	0.29	<10	<10	143	<10	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
S033384		3.46	0.005	0.011	0.012	<0.5	7.68	<5	390	0.6	<2	5.47	0.5	52	232	148
S033385		3.56	0.003	0.010	0.011	<0.5	7.34	<5	350	0.7	<2	5.75	0.6	50	270	127
S033396		0.05	0.171	0.317	0.358	2.1	6.35	87	210	0.7	11	5.06	1.1	191	232	3530
S033397		0.37	<0.001	<0.005	<0.001	<0.5	0.45	<5	10	<0.5	<2	0.02	<0.5	<1	23	3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
S033384		7.15	20	0.58	10	4.88	1185	1	1.75	166	550	10	0.30	<5	29	457
S033385		7.04	20	0.52	20	5.06	1255	<1	1.69	198	780	7	0.30	<5	28	524
S033396		10.65	20	0.65	20	4.17	1185	6	1.26	3100	1120	9	1.57	5	27	330
S033397		0.39	<10	0.11	<10	0.02	40	<1	0.07	4	20	<2	<0.01	<5	<1	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
S033384		<20	0.38	<10	<10	201	<10	98
S033385		<20	0.36	<10	<10	178	<10	113
S033396		<20	0.42	<10	<10	264	<10	98
S033397		<20	0.01	<10	<10	2	<10	<2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 30-JUL-2015
Account: RLH

Project: 501

CERTIFICATE OF ANALYSIS SD15104021

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	ME-ICP61	PGM-ICP23