ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

CERTIFICATE SD15104607

Project: 504

P.O. No.: 264618

This report is for 47 Rock samples submitted to our lab in Sudbury, ON, Canada on 17-JUL-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R228494		1.89	0.008	0.018	0.018	0.16	6.93	38.0	130	0.45	0.05	6.24	0.06	25.6	53.7	36
R228495		1.42	0.002	0.005	0.003	0.19	7.13	24.8	320	0.78	0.10	5.67	0.22	39.3	56.7	79
R228496		0.55	<0.001	<0.005	<0.001	0.13	7.43	2.9	520	1.25	0.12	4.39	0.07	68.2	44.4	10
R228498		2.56	<0.001	<0.005	<0.001	0.08	6.76	4.5	330	1.14	0.10	5.75	0.04	51.8	50.0	39
R228499		1.58	0.001	<0.005	<0.001	0.17	6.92	0.7	130	0.82	0.05	6.08	0.09	32.5	47.8	51
R228500		1.15	0.001	<0.005	<0.001	0.12	7.18	1.5	360	0.73	0.07	5.99	0.07	36.2	44.9	35
S035001		0.81	<0.001	<0.005	<0.001	0.14	7.49	1.2	220	0.58	0.07	6.46	0.14	30.4	42.6	106
S035002		0.87	0.001	<0.005	0.001	0.25	6.96	1.4	210	0.62	0.06	5.96	0.09	27.4	47.2	79
S035003		1.12	<0.001	<0.005	<0.001	0.19	7.68	1.0	480	0.79	0.05	5.64	0.11	45.6	48.0	9
S035004		0.82	0.004	0.014	0.015	0.13	6.78	1.3	410	0.79	0.08	5.66	0.16	36.0	48.6	20
S035005		1.45	<0.001	<0.005	<0.001	0.02	6.98	1.7	710	1.58	0.04	1.41	0.05	61.1	7.2	17
S035006		1.48	0.001	<0.005	<0.001	0.17	7.06	1.1	640	1.46	0.03	5.20	0.15	80.1	55.0	218
S035007		1.26	0.002	<0.005	<0.001	0.14	7.28	1.2	460	0.95	0.08	6.02	0.10	37.4	46.7	37
S035009		1.48	<0.001	<0.005	0.001	0.04	7.84	1.0	780	1.39	0.02	5.39	0.16	73.9	47.3	77
S035010		0.06	0.163	0.300	0.342	2.19	6.79	89.7	210	0.67	11.30	5.50	0.60	45.8	203	253
S035011		0.96	<0.001	<0.005	<0.001	0.02	0.25	0.6	10	0.06	0.05	0.01	<0.02	9.35	0.4	29
S035012		0.87	<0.001	<0.005	<0.001	0.09	6.61	1.4	140	1.02	0.06	5.57	0.13	46.8	44.7	24
S035013		0.60	0.001	<0.005	0.002	0.09	6.92	1.2	650	1.00	0.08	5.57	0.11	41.2	45.4	110
S035014		0.76	0.004	0.021	0.026	0.18	7.25	0.8	170	0.42	0.04	7.20	0.12	19.20	51.5	54
S035015		0.72	0.001	<0.005	<0.001	0.09	6.90	0.9	140	0.63	0.06	6.57	0.14	28.9	52.4	69
S035017		1.32	0.001	<0.005	<0.001	0.07	6.84	1.5	210	1.37	0.09	5.86	0.07	49.6	49.9	29
S035018		0.88	<0.001	0.009	0.005	0.04	4.14	2.2	50	0.16	0.06	7.72	0.06	6.41	54.8	1310
S035019		0.33	0.001	<0.005	<0.001	0.07	7.49	1.3	250	0.49	0.04	6.84	0.10	22.5	51.0	101
S035020		0.81	<0.001	<0.005	<0.001	0.09	7.09	1.4	250	0.72	0.06	6.34	0.11	30.9	42.9	108
S035021		0.98	0.002	0.006	0.006	0.11	7.17	1.2	330	1.13	0.06	6.19	0.08	32.5	48.0	112
S035022		0.90	<0.001	<0.005	<0.001	0.11	7.66	1.4	490	0.83	0.07	5.86	0.09	46.5	48.3	16
S035023		0.72	<0.001	<0.005	<0.001	0.10	6.94	0.6	240	0.80	0.05	6.08	0.14	35.9	44.4	85
S035024		0.71	0.003	0.014	0.012	0.20	7.40	1.4	180	0.46	0.05	6.84	0.09	22.9	49.2	64
S035025		1.33	0.003	0.011	0.011	0.12	7.13	1.2	260	0.58	0.04	6.65	0.10	26.9	48.9	76
S035026		1.43	0.003	0.015	0.016	0.15	6.99	1.0	220	0.56	0.05	6.47	0.09	26.7	50.2	69
S035027		1.23	<0.001	<0.005	<0.001	0.16	6.82	1.0	250	1.03	0.05	6.03	0.13	39.0	43.8	13
S035028		0.95	<0.001	<0.005	<0.001	0.07	8.18	0.7	470	0.73	0.07	6.04	0.16	31.5	40.4	104
S035029		1.09	0.006	0.016	0.018	0.16	6.99	1.1	170	0.62	0.05	6.84	0.11	26.9	51.9	74
S035030		0.05	0.173	0.312	0.354	2.18	6.71	88.8	210	0.72	11.30	5.41	0.60	45.3	202	258
S035031		0.97	<0.001	<0.005	<0.001	0.03	0.47	1.1	10	0.05	0.06	0.02	<0.02	9.41	0.5	36
S035032		1.16	0.005	0.014	0.016	0.21	6.85	0.7	210	0.57	0.06	6.26	0.38	28.0	52.9	73
S035033		1.10	0.003	0.015	0.011	0.19	7.96	0.7	220	0.40	0.05	6.98	0.13	19.05	55.0	174
S035034		2.23	<0.001	<0.005	<0.001	0.12	7.00	1.0	190	0.70	0.05	6.06	0.45	34.9	57.4	22
S035035		0.97	0.001	<0.005	<0.001	0.10	7.16	0.5	350	1.23	0.11	5.32	0.21	52.4	50.2	15
S035036		0.82	0.002	0.018	0.020	0.15	7.75	0.3	220	0.37	0.04	7.23	0.12	18.45	49.3	132

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R228494		0.68	197.0	10.80	16.60	0.08	2.7	0.081	0.24	11.6	8.8	3.29	2240	0.79	1.34	5.2
R228495		2.32	231	10.40	19.25	0.10	3.4	0.088	0.58	18.6	10.3	3.36	2000	0.85	2.35	8.0
R228496		2.61	67.8	8.73	22.1	0.14	3.8	0.062	1.55	33.3	18.7	1.90	1120	0.98	2.56	8.1
R228498		1.95	69.9	12.20	21.7	0.15	4.4	0.112	1.09	23.5	20.4	2.91	1840	1.47	1.82	23.6
R228499		2.36	81.6	10.70	17.70	0.11	2.2	0.081	1.01	15.7	13.3	3.23	1550	0.43	2.06	5.7
R228500		0.33	158.5	11.25	18.90	0.12	3.4	0.095	0.89	17.0	15.9	2.87	1700	0.74	1.90	7.3
S035001		0.94	110.5	9.77	18.85	0.10	2.8	0.078	0.66	14.1	9.4	3.19	1520	0.56	1.86	5.3
S035002		0.24	184.5	11.35	18.15	0.11	2.6	0.080	0.75	12.0	13.0	3.16	1910	0.54	1.91	6.6
S035003		1.27	119.5	8.88	20.4	0.10	3.2	0.062	1.13	22.0	11.0	2.95	1490	0.51	2.47	5.7
S035004		1.53	137.5	10.60	19.50	0.10	3.3	0.070	0.99	17.3	10.4	2.60	1420	0.60	2.20	5.0
S035005		0.35	1.7	2.92	17.05	0.17	5.2	0.035	1.81	30.1	4.6	0.77	579	0.49	4.03	10.8
S035006		2.23	236	10.10	21.3	0.17	5.2	0.080	1.36	37.3	14.4	3.53	1320	0.80	3.06	13.3
S035007		0.35	197.0	11.35	19.35	0.14	3.3	0.088	0.94	17.4	18.5	2.94	1720	0.66	1.90	7.4
S035009		1.26	77.3	11.60	24.1	0.17	6.5	0.103	1.18	33.6	8.8	2.94	1550	1.28	2.56	18.0
S035010		1.62	3670	11.35	16.15	0.16	2.1	0.092	0.69	22.6	13.7	4.48	1240	8.41	1.34	9.0
S035011		<0.05	6.6	0.31	0.62	0.05	1.0	<0.005	0.09	4.8	0.3	0.01	32	0.22	0.02	0.2
S035012		0.22	84.5	12.25	20.7	0.14	3.7	0.104	0.52	21.7	4.1	2.03	1900	0.89	2.14	9.0
S035013		0.56	102.5	11.55	19.50	0.12	4.3	0.101	1.55	19.0	18.0	3.51	1880	0.74	1.84	10.2
S035014		0.28	120.5	9.47	16.50	0.10	1.6	0.061	0.61	8.7	10.3	4.06	1620	0.36	1.53	3.4
S035015		0.49	184.5	12.40	19.35	0.10	2.8	0.095	0.44	13.0	8.6	3.21	1860	0.54	1.61	7.2
S035017		0.31	141.5	11.60	20.3	0.14	4.7	0.115	0.63	23.4	4.6	2.56	1700	0.88	2.78	9.9
S035018		0.70	19.5	6.66	8.24	0.05	0.7	0.033	0.24	2.8	6.1	9.95	1420	0.18	0.63	0.7
S035019		0.38	151.5	10.25	18.15	0.12	2.2	0.074	0.84	9.9	14.6	3.77	1850	0.41	1.67	4.4
S035020		0.64	99.9	10.85	19.10	0.11	3.3	0.088	0.68	14.6	9.6	3.24	1800	0.62	2.33	6.6
S035021		0.46	138.0	11.30	18.30	0.12	3.3	0.094	0.92	14.9	26.0	3.95	1860	0.51	1.79	6.6
S035022		0.66	97.1	8.50	20.3	0.13	3.1	0.059	0.88	22.5	13.7	3.21	1490	0.53	2.52	5.7
S035023		0.83	144.0	10.70	18.70	0.11	3.2	0.087	0.75	16.6	12.7	2.92	1660	0.67	1.84	6.6
S035024		1.13	129.0	8.97	17.60	0.11	2.2	0.060	0.56	10.5	18.9	4.00	1530	0.36	1.69	3.3
S035025		0.52	136.0	9.94	17.15	0.10	2.7	0.081	0.80	12.1	13.7	3.77	1670	0.46	1.81	4.8
S035026		0.24	151.5	11.15	17.60	0.11	2.3	0.085	0.62	12.1	16.7	3.52	2010	0.46	1.70	5.3
S035027		0.35	95.4	11.90	19.70	0.12	3.6	0.097	0.80	18.6	10.0	2.68	1750	0.72	2.49	8.5
S035028		0.34	77.0	8.93	19.60	0.11	2.0	0.072	1.31	14.8	10.5	3.13	1280	0.69	2.10	5.9
S035029		0.41	161.0	11.20	18.10	0.12	2.3	0.082	0.60	12.2	15.9	3.52	1720	0.54	1.62	5.5
S035030		1.65	3590	11.30	16.25	0.14	2.2	0.092	0.68	22.4	14.4	4.42	1220	8.19	1.33	9.1
S035031		<0.05	3.5	0.25	1.01	0.06	0.9	<0.005	0.13	4.7	0.5	0.01	25	0.26	0.06	0.2
S035032		0.27	169.5	10.90	18.50	0.08	2.4	0.089	0.71	12.6	10.3	3.38	1810	1.36	1.74	5.2
S035033		0.69	163.0	9.97	18.15	0.07	2.2	0.070	0.90	8.4	27.8	4.37	1930	0.43	1.56	4.0
S035034		0.27	145.0	11.30	20.6	0.08	2.9	0.099	0.55	16.0	13.5	2.98	1800	0.63	1.72	6.4
S035035		0.56	130.5	10.60	22.1	0.09	3.5	0.087	0.84	25.2	10.6	2.46	1450	0.84	2.01	7.4
S035036		0.11	98.8	8.21	16.50	0.07	0.9	0.054	0.55	8.3	9.2	4.75	1400	0.41	1.82	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R228494		45.4	570	13.3	17.8	0.002	0.11	0.74	39.8	2	0.9	188.5	0.36	<0.05	2.6	0.719
R228495		51.5	710	31.2	65.3	<0.002	0.17	0.56	37.3	2	1.3	265	0.56	<0.05	3.1	0.844
R228496		21.9	1080	12.7	94.5	<0.002	0.12	0.08	21.2	2	1.3	550	0.54	<0.05	7.1	0.773
R228498		51.3	1480	7.1	61.3	0.002	0.18	0.23	36.8	2	1.6	262	1.46	<0.05	4.1	1.670
R228499		71.3	660	21.9	96.2	0.002	0.07	0.06	37.1	2	1.0	340	0.40	<0.05	3.0	0.744
R228500		40.8	770	5.6	37.8	<0.002	0.11	0.08	36.9	2	1.3	317	0.48	<0.05	3.4	0.849
S035001		65.7	670	7.3	35.6	<0.002	0.09	<0.05	34.1	1	1.1	200	0.36	<0.05	3.1	0.747
S035002		51.7	690	6.1	35.3	0.002	0.13	0.06	40.1	2	1.1	197.0	0.44	<0.05	2.0	0.819
S035003		63.3	780	8.3	57.4	<0.002	0.10	<0.05	24.1	1	0.9	540	0.36	<0.05	4.2	0.682
S035004		57.1	580	12.3	48.2	<0.002	0.05	0.09	34.0	2	1.0	258	0.35	0.07	4.2	0.641
S035005		3.4	830	13.3	69.5	<0.002	<0.01	0.08	11.8	1	1.0	160.0	0.74	<0.05	12.4	0.458
S035006		175.5	1520	11.2	60.2	<0.002	0.06	<0.05	19.8	2	1.6	621	0.80	<0.05	4.0	1.140
S035007		44.8	780	6.5	49.6	0.002	0.11	0.07	39.4	2	1.3	343	0.49	<0.05	3.5	0.864
S035009		60.8	3300	7.4	33.2	<0.002	0.14	0.06	28.1	3	1.8	412	1.00	<0.05	2.9	1.905
S035010		3210	1170	9.4	32.6	0.078	1.64	1.19	28.2	11	1.7	350	0.81	2.88	4.6	0.449
S035011		4.8	20	0.8	2.9	<0.002	<0.01	0.07	0.2	<1	<0.2	3.7	<0.05	<0.05	1.2	0.008
S035012		23.6	1190	6.6	20.4	<0.002	0.12	0.07	35.5	2	1.5	209	0.57	<0.05	3.6	0.966
S035013		67.4	1700	8.5	95.6	0.002	0.08	0.08	42.9	2	1.5	318	0.70	0.06	4.1	1.195
S035014		73.2	410	6.1	35.7	0.002	0.06	0.05	42.0	2	0.7	196.5	0.24	0.05	1.5	0.507
S035015		55.3	740	6.7	26.4	0.003	0.11	0.07	41.6	2	1.1	164.0	0.48	0.05	2.2	0.987
S035017		35.4	1090	4.6	24.3	0.003	0.21	0.05	37.3	2	1.6	346	0.67	<0.05	4.5	1.060
S035018		337	120	2.0	10.1	<0.002	<0.01	0.61	40.1	1	0.3	88.9	0.06	<0.05	0.8	0.206
S035019		74.9	580	3.7	59.6	<0.002	0.12	<0.05	40.1	1	0.8	267	0.27	<0.05	1.5	0.696
S035020		50.2	830	8.3	40.5	0.003	0.05	0.07	40.7	2	1.1	219	0.43	<0.05	2.9	0.903
S035021		85.1	1400	4.5	68.1	<0.002	0.10	0.08	42.2	2	1.1	303	0.44	<0.05	2.6	1.025
S035022		57.8	840	10.1	42.0	<0.002	0.09	0.05	25.6	1	1.0	555	0.36	<0.05	3.8	0.623
S035023		44.5	820	5.4	40.4	<0.002	0.12	<0.05	37.8	2	1.2	196.0	0.43	<0.05	2.9	0.865
S035024		104.5	480	9.8	44.5	<0.002	0.15	0.07	36.2	1	0.7	283	0.21	<0.05	1.9	0.509
S035025		75.8	920	6.9	49.0	<0.002	0.13	0.05	39.5	2	0.9	233	0.32	<0.05	2.3	0.740
S035026		63.2	680	5.8	31.5	0.002	0.07	0.07	42.7	2	1.0	234	0.36	<0.05	2.3	0.757
S035027		45.7	770	7.0	27.2	<0.002	0.03	0.13	40.2	2	1.6	197.0	0.58	<0.05	4.4	0.957
S035028		78.4	650	7.0	52.2	<0.002	0.12	0.09	31.4	2	1.0	429	0.40	<0.05	2.9	0.750
S035029		64.5	640	4.8	38.4	0.002	0.09	0.07	43.2	2	1.0	200	0.40	<0.05	2.3	0.787
S035030		3200	1180	9.7	32.7	0.077	1.61	1.09	29.6	11	1.7	350	0.83	2.95	4.7	0.443
S035031		4.0	20	0.5	4.0	<0.002	<0.01	0.06	0.3	<1	<0.2	4.7	<0.05	<0.05	1.2	0.008
S035032		67.0	650	17.8	38.1	0.002	0.10	0.10	42.9	1	1.0	174.5	0.37	<0.05	2.2	0.764
S035033		111.0	460	13.1	78.5	0.002	0.12	0.10	40.8	1	0.7	316	0.27	<0.05	1.3	0.585
S035034		60.6	600	7.0	29.3	0.002	0.13	0.10	42.0	2	1.3	223	0.46	<0.05	3.2	0.805
S035035		45.8	930	9.9	42.0	0.002	0.14	0.09	32.6	1	1.3	362	0.53	<0.05	4.9	0.869
S035036		124.0	340	15.3	16.8	<0.002	0.06	<0.05	37.0	1	0.5	289	0.16	0.05	1.4	0.417

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R228494		0.14	0.6	341	0.2	28.6	224	97.1
R228495		0.54	0.8	330	0.3	34.9	228	134.5
R228496		0.66	1.7	268	0.4	20.5	121	153.5
R228498		0.48	1.1	428	0.5	35.3	132	170.5
R228499		0.73	0.7	334	0.4	30.5	150	82.1
R228500		0.20	0.9	352	0.3	33.5	140	131.0
S035001		0.23	0.8	297	0.2	27.9	133	108.5
S035002		0.18	0.5	337	0.2	31.2	159	102.5
S035003		0.37	0.7	247	0.2	17.9	123	126.0
S035004		0.33	1.0	334	0.3	23.6	142	125.5
S035005		0.20	2.9	105	0.7	20.1	32	216
S035006		0.48	0.8	217	0.2	24.9	175	215
S035007		0.23	0.9	359	0.3	34.2	144	132.0
S035009		0.18	0.8	253	0.3	40.4	165	281
S035010		0.31	1.5	283	1.0	16.3	107	85.5
S035011		0.07	0.3	1	<0.1	0.8	<2	38.2
S035012		0.07	0.9	293	0.3	41.2	159	148.5
S035013		0.36	1.0	356	0.3	42.5	176	188.5
S035014		0.16	0.4	280	0.1	21.6	121	63.5
S035015		0.13	0.5	390	0.2	33.4	147	108.0
S035017		0.16	1.1	386	0.3	41.6	135	188.0
S035018		0.07	0.2	265	0.3	7.9	71	25.1
S035019		0.29	0.4	315	0.2	26.3	126	85.1
S035020		0.19	0.7	355	0.2	31.5	136	128.5
S035021		0.34	0.6	374	0.2	35.1	153	136.0
S035022		0.27	0.8	236	0.3	17.6	108	128.0
S035023		0.28	0.7	338	0.3	32.4	139	128.0
S035024		0.35	0.4	272	0.1	18.1	127	80.3
S035025		0.27	0.5	320	0.2	26.7	129	105.0
S035026		0.14	0.6	341	0.2	29.4	162	83.5
S035027		0.12	1.2	402	0.4	39.9	153	143.5
S035028		0.23	0.5	284	0.2	27.0	91	77.4
S035029		0.18	0.6	343	0.2	30.0	143	87.1
S035030		0.29	1.5	278	1.2	16.3	106	86.8
S035031		0.12	0.3	2	<0.1	0.8	<2	34.2
S035032		0.14	0.6	340	0.2	29.0	287	94.6
S035033		0.35	0.3	277	0.2	23.1	143	83.9
S035034		0.13	0.9	373	0.3	33.1	305	111.5
S035035		0.20	1.2	336	0.4	28.6	170	132.0
S035036		0.06	0.2	244	0.1	15.3	108	32.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
S035037		1.64	0.001	<0.005	<0.001	0.05	7.27	1.0	950	2.07	0.76	4.47	0.02	93.4	72.3	12
S035038		1.15	<0.001	<0.005	<0.001	0.04	6.64	0.5	380	1.09	0.06	6.10	0.20	56.2	51.7	31
S035039		0.83	0.001	<0.005	0.001	0.07	6.73	0.9	480	0.77	0.05	5.49	0.13	38.8	41.3	74
S035040		1.19	0.004	0.020	0.025	0.16	6.90	0.2	180	0.39	0.04	6.61	0.07	21.3	51.5	51
S035041		0.59	0.003	0.014	0.005	0.08	7.51	0.9	1120	0.85	0.06	5.25	0.09	43.4	48.1	20
S035042		0.05	0.164	0.304	0.343	2.19	6.65	91.2	210	0.84	11.50	5.26	0.61	47.4	196.0	257
S035043		0.90	<0.001	<0.005	<0.001	0.02	0.47	0.2	10	0.08	0.07	0.02	<0.02	10.55	0.3	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
S035037		0.66	14.2	8.46	24.0	0.12	3.0	0.059	2.06	45.5	10.6	1.80	843	1.04	2.02	9.5
S035038		1.07	86.3	13.90	22.1	0.09	5.3	0.131	0.79	26.4	11.1	2.90	2040	1.00	1.79	12.1
S035039		0.63	114.5	11.15	19.65	0.09	3.1	0.124	1.38	17.6	11.2	3.14	2440	0.76	1.75	8.6
S035040		0.36	105.5	9.22	17.00	0.07	1.5	0.069	0.72	9.7	11.7	3.79	1610	0.32	1.46	3.4
S035041		0.59	131.5	8.83	22.0	0.09	2.9	0.062	1.33	21.0	8.0	3.14	1580	0.57	2.57	5.3
S035042		1.73	3600	11.00	17.00	0.10	2.2	0.105	0.68	23.9	13.4	4.33	1220	8.06	1.31	9.2
S035043		<0.05	2.0	0.24	0.99	0.05	1.0	<0.005	0.14	5.3	0.3	0.01	24	0.22	0.06	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
S035037		22.3	1430	8.8	83.6	0.002	0.62	0.07	22.5	1	1.3	684	0.61	0.13	8.2	0.953
S035038		48.5	2070	8.6	42.6	0.004	0.19	0.08	44.0	2	1.7	179.0	0.82	<0.05	4.6	1.605
S035039		58.2	1500	16.8	106.5	0.002	0.23	0.05	40.5	2	1.2	476	0.57	<0.05	2.6	1.190
S035040		65.8	410	5.3	47.4	<0.002	0.09	0.05	42.1	1	0.7	192.5	0.25	0.05	1.6	0.506
S035041		70.9	710	10.8	76.4	<0.002	0.07	0.11	28.8	1	0.9	539	0.37	0.05	3.3	0.669
S035042		3230	1130	9.6	35.9	0.081	1.61	1.20	29.7	11	1.8	348	0.90	3.19	4.7	0.438
S035043		2.6	20	0.7	4.6	<0.002	<0.01	0.10	0.3	<1	<0.2	4.9	<0.05	<0.05	1.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

Sample Description	Method Analyte Units LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S035037		0.47	1.7	272	0.6	23.7	80	137.0
S035038		0.19	1.0	441	0.3	51.1	180	234
S035039		0.41	0.6	370	0.3	33.9	221	134.0
S035040		0.21	0.4	271	0.1	21.4	105	57.5
S035041		0.28	0.8	275	0.2	17.3	101	121.5
S035042		0.31	1.5	275	1.2	16.1	104	93.3
S035043		0.12	0.3	2	0.1	1.1	<2	39.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 4-AUG-2015
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD15104607

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23