ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

CERTIFICATE SD14148646

Project: 504

P.O. No.: 967016

This report is for 38 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 24-SEP-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14148646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448160		1.20	0.003	0.021	0.024	0.33	6.47	0.6	70	1.33	0.04	4.72	0.02	23.4	47.7	16
P448161		1.51	0.002	<0.005	0.004	0.14	7.01	1.3	860	1.25	0.04	3.05	0.24	95.4	22.4	78
P448162		2.02	0.008	0.005	0.006	0.10	7.04	0.7	740	1.04	0.05	2.74	0.08	46.4	38.9	80
P448163		1.86	0.002	<0.005	0.004	0.09	7.14	1.0	1080	1.37	0.04	2.56	0.56	74.1	22.2	89
P448164		1.63	0.001	<0.005	0.004	0.10	6.88	1.4	440	1.54	0.03	1.89	1.86	62.8	24.4	101
P448165		1.80	0.001	<0.005	0.004	0.13	6.87	1.1	510	1.68	0.04	2.21	2.20	66.9	21.1	92
P448166		1.14	0.001	<0.005	0.004	0.16	6.72	1.2	850	1.69	0.05	2.46	3.24	73.5	18.4	89
P448167		1.29	0.001	0.005	0.005	0.06	6.83	1.4	570	1.51	0.05	2.33	0.08	54.2	18.0	95
P448168		0.98	0.003	<0.005	0.004	0.05	6.50	0.9	810	0.98	0.03	2.32	0.04	74.4	23.4	85
P448169		1.44	0.003	<0.005	0.004	0.03	6.65	1.6	1130	1.98	0.04	1.79	0.04	68.3	19.7	87
P448170		1.13	0.001	0.005	0.005	0.04	6.84	1.0	310	1.26	0.04	3.19	0.03	65.7	25.3	97
P448171		1.03	0.001	<0.005	0.004	0.06	6.64	0.3	180	1.19	0.02	1.89	<0.02	113.5	20.4	93
P448172		2.95	0.001	<0.005	0.004	0.04	5.15	0.6	610	0.62	0.02	2.63	0.02	54.2	10.7	83
P448173		1.69	<0.001	<0.005	0.003	0.02	7.25	0.4	310	1.64	0.03	2.76	0.03	82.7	19.4	82
P448174		1.60	0.001	0.005	0.004	0.04	7.05	0.6	620	1.46	0.03	1.74	0.03	69.3	12.8	84
P448175		3.58	0.001	<0.005	0.003	0.05	6.89	0.5	510	1.57	0.06	2.26	<0.02	70.7	23.2	76
P448176		2.79	0.001	<0.005	0.002	0.05	6.26	0.8	680	1.13	0.06	1.15	0.07	59.2	14.7	58
P448177		1.94	<0.001	<0.005	0.001	0.04	6.57	0.5	370	1.92	0.05	3.06	0.02	70.9	39.9	203
P448178		1.88	<0.001	<0.005	0.002	0.02	5.46	<0.2	240	2.01	0.02	4.43	<0.02	85.0	35.8	286
P448179		0.02	0.129	0.322	5.00	0.20	5.38	<0.2	40	0.08	0.16	4.80	0.07	2.56	80.8	240
P448180		0.36	0.001	<0.005	0.001	0.01	0.46	<0.2	10	0.08	0.03	0.08	<0.02	12.60	0.7	25
P448181		3.26	0.002	0.013	0.012	0.08	6.91	0.4	70	1.08	0.04	5.78	0.05	23.8	51.4	118
P448182		3.13	<0.001	<0.005	<0.001	0.10	6.82	0.6	570	1.31	0.07	4.61	0.04	64.5	45.1	11
P448183		3.50	<0.001	<0.005	0.001	0.10	6.56	0.7	690	1.65	0.03	4.53	0.04	89.4	50.4	48
P448184		1.43	0.001	<0.005	0.001	0.08	6.43	1.5	550	1.83	0.04	4.28	0.03	90.6	48.4	41
P448185		3.66	<0.001	<0.005	0.002	0.09	6.28	0.6	310	1.04	0.05	5.49	0.07	37.8	45.5	54
P448186		3.46	0.001	<0.005	0.001	0.08	6.34	0.6	170	0.83	0.04	6.94	0.06	41.8	48.4	52
P448187		3.00	<0.001	<0.005	0.001	0.04	6.67	0.2	870	0.95	0.02	2.61	0.15	78.3	5.9	10
P448188		3.22	0.001	0.010	0.008	0.03	7.10	0.5	290	0.98	0.03	5.56	0.03	44.5	32.1	77
P448189		1.82	0.001	<0.005	0.002	0.07	6.47	<0.2	320	0.84	0.03	5.78	0.06	37.7	51.1	69
P448190		1.33	<0.001	<0.005	0.002	0.06	6.27	0.6	270	0.87	0.03	5.51	0.06	37.7	47.1	56
P448191		3.48	0.001	<0.005	0.002	0.02	6.62	0.5	460	1.34	0.04	4.43	0.03	46.1	34.4	51
P448192		3.38	0.002	<0.005	0.001	0.11	7.33	0.8	490	1.49	0.08	3.10	<0.02	36.0	71.5	61
P448193		3.22	<0.001	0.007	0.006	0.06	7.38	0.2	510	1.67	0.03	4.07	0.02	52.1	29.4	63
P448194		3.51	<0.001	0.007	0.006	0.04	6.93	0.8	570	1.14	0.03	3.53	0.02	46.9	44.3	68
P448195		1.85	<0.001	0.006	0.005	0.02	7.91	0.4	810	1.11	0.03	3.54	0.02	60.1	30.4	72
P448196		<0.02	0.114	0.296	5.07	0.17	5.46	0.9	40	0.09	0.16	4.87	0.07	2.36	82.2	263
P448197		0.29	<0.001	<0.005	0.001	0.02	0.37	0.2	10	0.13	0.04	0.05	<0.02	13.55	0.5	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14148646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448160		0.07	228	9.86	17.90	0.07	2.3	0.054	0.19	11.4	26.8	3.46	1740	0.40	2.69	3.2
P448161		0.30	89.1	4.57	19.50	0.12	4.2	0.043	2.21	48.2	17.7	1.83	808	1.69	2.47	11.1
P448162		0.21	20.6	7.43	20.2	0.09	2.6	0.060	1.37	23.2	48.2	3.33	1140	1.17	2.12	5.9
P448163		0.33	42.1	5.17	18.50	0.12	4.0	0.043	2.10	37.1	20.1	2.11	931	2.11	2.71	8.6
P448164		0.26	39.1	5.02	17.45	0.10	4.3	0.034	0.84	33.0	14.7	2.36	813	3.13	4.12	8.0
P448165		0.27	30.3	5.10	17.20	0.11	4.1	0.035	1.04	34.4	16.6	2.51	1140	3.82	4.15	7.6
P448166		0.36	40.6	4.88	16.55	0.13	3.9	0.040	1.48	38.0	18.4	2.40	1340	3.01	3.45	7.3
P448167		0.20	179.0	4.47	17.10	0.11	3.8	0.021	1.21	27.3	22.2	2.36	624	3.26	3.57	7.4
P448168		0.27	429	5.24	16.35	0.13	3.9	0.035	2.24	39.2	12.6	2.16	767	1.25	2.32	7.3
P448169		0.34	51.2	5.07	16.75	0.11	3.9	0.033	1.67	34.5	11.9	2.33	1080	2.57	2.96	7.2
P448170		0.33	87.6	4.19	19.35	0.11	3.9	0.019	1.33	32.8	16.5	2.03	516	1.58	2.96	7.7
P448171		0.47	322	8.51	40.4	0.18	3.9	0.039	1.58	57.7	39.9	3.95	567	2.52	0.07	7.4
P448172		0.30	109.5	3.75	18.45	0.13	3.4	0.026	4.20	27.3	9.4	1.40	703	1.91	0.50	6.2
P448173		0.44	19.7	4.76	24.1	0.14	3.9	0.060	2.08	42.5	14.2	1.95	1020	1.66	3.19	8.6
P448174		0.24	229	4.08	17.60	0.11	4.1	0.041	2.09	34.0	12.2	1.80	943	1.63	3.63	9.8
P448175		0.25	27.0	4.28	18.05	0.12	4.2	0.037	2.21	35.5	13.5	1.93	924	2.30	3.32	9.2
P448176		0.28	59.7	2.94	16.00	0.11	3.4	0.026	2.27	30.0	13.0	1.33	539	0.75	2.73	7.0
P448177		0.19	436	4.70	16.90	0.12	3.8	0.044	0.74	35.1	6.7	2.49	515	1.55	4.56	53.5
P448178		0.40	114.0	6.40	16.00	0.13	3.6	0.053	0.45	43.1	18.4	3.93	643	1.22	2.75	17.4
P448179		0.99	470	7.74	9.58	0.05	0.2	0.026	0.19	1.2	21.1	9.48	1400	0.46	0.57	0.2
P448180		<0.05	2.6	0.34	1.04	<0.05	1.1	<0.005	0.12	6.1	0.6	0.07	39	0.17	0.07	0.3
P448181		0.29	259	9.83	18.15	0.09	2.3	0.095	0.23	11.1	13.3	3.75	1400	0.59	2.75	5.1
P448182		0.35	121.5	8.46	22.0	0.12	4.0	0.085	1.41	30.9	10.0	2.10	1170	1.47	2.66	7.0
P448183		0.40	230	9.32	20.3	0.15	5.3	0.086	1.19	43.7	8.4	2.62	1100	1.36	3.33	18.4
P448184		1.86	223	9.18	20.2	0.15	5.4	0.074	1.11	43.5	12.3	2.44	943	0.92	3.17	18.8
P448185		0.39	164.0	11.45	18.95	0.10	3.7	0.105	0.64	17.9	15.9	3.07	1610	0.74	1.80	8.1
P448186		0.24	164.5	10.75	21.4	0.11	3.7	0.121	0.52	19.6	10.3	2.86	1320	0.87	1.98	8.6
P448187		0.35	481	1.94	15.65	0.11	3.3	0.017	1.87	40.4	11.1	0.53	278	0.37	3.47	2.3
P448188		0.19	161.0	8.23	21.1	0.10	3.0	0.073	0.69	19.9	9.6	2.35	825	0.53	3.24	31.0
P448189		0.45	176.5	11.35	19.85	0.11	3.8	0.103	0.87	17.3	12.4	3.15	1710	0.65	2.18	7.8
P448190		0.41	190.0	11.60	19.05	0.09	3.6	0.104	0.84	18.2	11.1	3.00	1760	0.84	2.19	8.1
P448191		0.25	111.0	8.20	18.65	0.11	3.7	0.097	1.07	23.7	10.6	2.40	839	1.30	3.16	8.2
P448192		0.23	152.0	6.05	18.75	0.11	3.7	0.053	2.47	17.4	7.1	0.84	415	1.78	3.90	198.5
P448193		0.28	151.0	6.07	18.40	0.12	2.6	0.052	1.05	25.8	8.7	1.87	790	0.91	3.69	32.9
P448194		0.78	168.5	7.80	19.10	0.09	3.2	0.059	1.09	23.9	13.4	2.35	761	0.70	3.29	7.4
P448195		0.32	153.5	6.08	20.6	0.11	2.9	0.050	1.48	32.1	11.3	1.85	714	0.84	3.84	4.2
P448196		0.96	476	7.85	9.42	0.06	0.2	0.026	0.19	1.1	20.8	9.59	1400	0.54	0.58	0.2
P448197		<0.05	4.1	0.30	0.82	<0.05	1.8	<0.005	0.06	6.6	0.9	0.04	34	0.22	0.06	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14148646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P448160		76.3	470	13.0	5.8	0.004	0.18	0.39	39.7	1	0.8	320	0.22	0.06	2.0	0.544
P448161		46.2	710	22.1	81.7	0.002	0.11	0.25	13.6	1	1.4	409	0.76	<0.05	15.1	0.367
P448162		149.5	480	174.5	40.0	0.004	0.23	0.21	14.8	1	0.9	341	0.38	<0.05	6.0	0.276
P448163		60.4	770	12.8	79.7	0.004	0.12	0.20	14.2	2	1.1	426	0.56	<0.05	10.4	0.359
P448164		63.2	680	96.4	21.4	0.004	0.17	0.16	15.3	1	0.9	218	0.56	<0.05	9.0	0.369
P448165		66.5	690	788	25.5	0.003	0.14	0.19	15.1	1	1.0	206	0.53	<0.05	8.7	0.370
P448166		57.1	690	1525	39.6	0.004	0.15	0.18	14.4	1	1.0	259	0.52	<0.05	8.5	0.350
P448167		60.4	660	25.6	31.8	0.002	0.11	0.15	14.2	1	0.9	136.5	0.51	<0.05	8.3	0.360
P448168		58.2	680	12.5	60.6	0.002	0.12	0.10	13.9	1	1.2	136.5	0.50	<0.05	8.9	0.343
P448169		57.8	660	10.3	48.9	0.003	0.14	0.20	14.2	1	0.9	288	0.52	<0.05	8.8	0.337
P448170		82.9	770	6.5	42.7	0.002	0.18	0.13	14.5	1	0.9	124.5	0.53	<0.05	8.8	0.364
P448171		124.5	710	4.1	69.6	0.003	0.05	0.11	13.8	1	1.0	28.0	0.52	<0.05	9.6	0.348
P448172		48.6	570	5.0	116.0	0.003	0.06	0.11	12.6	1	1.2	66.2	0.42	<0.05	8.1	0.302
P448173		57.3	710	10.4	62.5	0.003	0.11	0.13	13.9	1	1.5	296	0.58	<0.05	11.5	0.362
P448174		52.5	700	11.1	63.2	<0.002	0.07	0.14	15.8	1	1.4	145.5	0.66	<0.05	11.4	0.362
P448175		50.3	710	6.6	66.8	0.003	0.11	0.14	14.8	1	1.2	158.0	0.65	<0.05	12.0	0.371
P448176		40.0	470	17.4	74.6	0.002	0.04	0.14	9.3	1	1.1	252	0.57	<0.05	10.5	0.243
P448177		152.0	550	3.5	21.2	0.002	0.10	0.10	11.0	1	1.0	252	0.60	<0.05	5.7	0.424
P448178		260	640	3.0	16.0	0.002	0.02	0.09	13.8	1	1.3	217	0.76	<0.05	5.7	0.493
P448179		724	20	4.2	8.4	0.003	0.18	1.04	39.4	1	<0.2	81.7	<0.05	0.52	<0.2	0.103
P448180		5.8	20	0.7	4.0	0.002	<0.01	0.11	0.4	<1	<0.2	7.9	<0.05	<0.05	1.1	0.013
P448181		62.5	530	4.3	8.5	0.004	0.19	0.13	40.9	2	0.9	729	0.36	0.05	1.7	0.692
P448182		35.7	1090	8.5	47.0	0.003	0.32	0.11	23.0	1	1.3	585	0.49	<0.05	5.6	0.846
P448183		103.0	1260	5.6	36.0	0.003	0.20	0.09	16.7	2	1.6	498	1.17	<0.05	3.7	1.040
P448184		95.7	1280	5.6	63.3	0.002	0.14	0.17	14.8	2	1.6	467	1.17	<0.05	3.8	1.035
P448185		53.4	1240	6.5	26.5	0.004	0.20	0.11	41.1	2	1.3	360	0.56	<0.05	3.1	1.150
P448186		53.3	1280	6.6	18.9	0.004	0.29	0.13	42.3	2	1.4	552	0.57	<0.05	3.3	1.195
P448187		8.3	300	14.4	59.2	<0.002	0.08	0.06	4.7	1	0.4	246	0.15	<0.05	14.3	0.182
P448188		40.8	830	5.3	25.1	<0.002	0.14	0.11	32.9	2	1.3	729	0.32	<0.05	3.3	0.657
P448189		57.9	1130	5.0	51.0	0.004	0.17	0.11	44.6	2	1.3	368	0.54	<0.05	3.0	1.160
P448190		52.3	1260	5.3	48.3	0.003	0.08	0.09	40.5	2	1.3	275	0.56	<0.05	3.1	1.175
P448191		38.3	1000	4.3	35.8	0.004	0.26	0.09	30.6	2	1.3	485	0.64	<0.05	5.6	0.855
P448192		38.8	470	5.7	56.8	0.002	0.81	0.08	22.4	1	1.8	299	0.54	<0.05	4.0	0.566
P448193		35.5	650	5.3	36.6	0.002	0.07	0.09	23.3	1	0.9	403	0.26	<0.05	4.2	0.464
P448194		39.7	720	3.2	44.3	0.002	0.16	0.11	27.8	1	0.9	372	0.32	<0.05	5.7	0.563
P448195		33.7	700	4.5	48.3	0.002	0.05	0.11	20.3	1	0.9	493	0.42	<0.05	6.7	0.407
P448196		725	20	3.8	8.4	0.002	0.18	0.49	40.1	2	<0.2	82.2	<0.05	0.37	<0.2	0.103
P448197		2.3	30	2.3	1.9	<0.002	<0.01	0.11	0.4	<1	<0.2	6.3	<0.05	<0.05	1.5	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14148646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448160		0.05	0.4	290	0.5	22.1	80	79.9
P448161		0.41	2.6	102	0.5	19.4	103	156.5
P448162		0.31	1.4	98	0.3	12.4	82	101.5
P448163		0.39	2.0	110	0.4	17.0	200	151.0
P448164		0.12	2.5	121	0.4	18.2	568	159.0
P448165		0.13	2.4	121	0.5	17.0	854	157.0
P448166		0.18	2.5	118	0.4	17.5	1280	156.0
P448167		0.17	2.4	116	0.5	16.2	60	151.5
P448168		0.29	2.1	109	0.4	16.5	89	153.0
P448169		0.24	2.3	112	0.4	16.9	126	147.0
P448170		0.21	2.0	112	0.4	15.0	38	150.0
P448171		0.30	2.7	125	0.4	18.5	93	156.5
P448172		0.54	2.3	95	0.3	13.1	42	137.5
P448173		0.33	2.7	135	0.4	18.4	104	148.0
P448174		0.30	2.9	112	0.4	18.0	92	153.0
P448175		0.37	2.3	107	0.5	16.7	103	162.5
P448176		0.40	2.8	68	0.4	14.0	112	126.5
P448177		0.14	0.7	87	0.3	12.6	47	138.0
P448178		0.10	1.8	109	0.4	17.2	56	139.0
P448179		0.09	<0.1	149	0.8	2.8	93	6.0
P448180		0.08	0.3	3	0.1	1.0	<2	42.2
P448181		0.05	0.4	299	0.5	27.2	124	84.3
P448182		0.24	1.5	271	0.6	20.7	91	155.5
P448183		0.21	0.5	165	0.4	27.4	85	205
P448184		0.57	0.5	160	0.5	26.6	79	211
P448185		0.14	0.7	386	0.3	38.8	113	143.0
P448186		0.09	0.8	401	0.4	43.3	94	149.0
P448187		0.29	1.1	52	0.1	7.5	41	124.5
P448188		0.12	1.2	247	0.4	26.3	59	114.0
P448189		0.21	0.7	403	0.3	38.7	96	137.5
P448190		0.20	0.7	402	0.3	38.8	100	145.0
P448191		0.15	1.6	293	0.6	32.4	58	135.5
P448192		0.32	0.4	127	0.3	9.1	38	101.0
P448193		0.15	0.7	183	0.2	18.9	44	104.5
P448194		0.28	0.9	222	0.2	20.4	49	124.0
P448195		0.22	1.0	169	0.1	18.8	45	110.5
P448196		0.09	<0.1	152	1.7	2.7	92	6.3
P448197		0.03	0.4	3	0.1	1.2	<2	67.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 3-OCT-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14148646

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23