



Date Submitted: 06-Jul-15
Invoice No.: A15-04928-1A2
Invoice Date: 27-Jul-15
Your Reference:

Paul Adams
20 Colinayre
Toronto ON M1T 3A9
Canada

ATTN: Paul Adams

CERTIFICATE OF ANALYSIS

1 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2 Au - Fire Assay AA

REPORT **A15-04928-1A2**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control



Results

Analyte Symbol	Au
Unit Symbol	ppb
Lower Limit	5
Method Code	FA-AA
NEDK01	< 5

QC

Analyte Symbol	Au
Unit Symbol	ppb
Lower Limit	5
Method Code	FA-AA
OxD108 Meas	418
OxD108 Cert	414
SG66 Meas	1080
SG66 Cert	1090
NEDK01 Orig	< 5
NEDK01 Dup	< 5
Method Blank	< 5