ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

QC CERTIFICATE SD16032427

Project: FEB 2016 SAMPLING

This report is for 1 Rock sample submitted to our lab in Sudbury, ON, Canada on 4-MAR-2016.

The following have access to data associated with this certificate:

TOM VANDRUNEN BEN VANDRUNEN	BEN VANDRUNEN	TOM VANDRUNEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
TOT-ICP06	Total Calculation for ICP06	ICP-AES
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
C-IR07	Total Carbon (Leco)	LECO
S-IR08	Total Sulphur (Leco)	LECO
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS

To: **HOLLANDIA**
ATTN: BEN VANDRUNEN
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01	ME-ICP06 Na2O % 0.01	ME-ICP06 K2O % 0.01	ME-ICP06 Cr2O3 % 0.01	ME-ICP06 TiO2 % 0.01	ME-ICP06 MnO % 0.01	ME-ICP06 P2O5 % 0.01	ME-ICP06 SrO % 0.01	ME-ICP06 BaO % 0.01	OA-GRA05 LOI % 0.01	C-IR07 C % 0.01
STANDARDS																
AMIS0167		91.4	2.42	3.37	0.13	0.24	0.09	0.49	0.06	0.15	0.02	0.03	<0.01	0.01		
Target Range - Lower Bound		89.6	2.29	3.28	0.10	0.21	0.06	0.45	0.03	0.12	<0.01	<0.01	<0.01	<0.01		
Upper Bound		93.3	2.55	3.62	0.16	0.27	0.12	0.55	0.08	0.18	0.04	0.05	0.02	0.02		
AMIS0185															21.1	
Target Range - Lower Bound															20.1	
Upper Bound															22.3	
DS-1																3.11
Target Range - Lower Bound																3.01
Upper Bound																3.25
DS-1																
Target Range - Lower Bound																
Upper Bound																
GBM908-10																
Target Range - Lower Bound																
Upper Bound																
GBM908-5																
Target Range - Lower Bound																
Upper Bound																
GS313-8																0.98
Target Range - Lower Bound																0.90
Upper Bound																0.98
GS313-8																
Target Range - Lower Bound																
Upper Bound																
MRGeo08																
Target Range - Lower Bound																
Upper Bound																
OREAS 146		20.2	3.03	28.7	17.75	7.11	0.32	1.31	0.03	1.45	2.51	0.55	0.39	1.56		
Target Range - Lower Bound		19.50	2.82	27.5	16.75	6.59	0.26	1.19	<0.01	1.35	2.30	0.49	0.33	1.39		
Upper Bound		20.7	3.12	29.1	17.85	7.15	0.34	1.37	0.05	1.53	2.56	0.59	0.41	1.59		
OREAS 91															3.27	
Target Range - Lower Bound															3.13	
Upper Bound															3.48	
OREAS-45d																
Target Range - Lower Bound																
Upper Bound																
SY-4		48.9	20.5	6.07	7.93	0.51	7.21	1.63	<0.01	0.28	0.11	0.13	0.15	0.04		
Target Range - Lower Bound		48.7	20.1	5.95	7.74	0.49	6.81	1.56	<0.01	0.25	0.08	0.10	0.11	<0.01		
Upper Bound		51.1	21.3	6.47	8.36	0.59	7.39	1.76	0.03	0.32	0.13	0.16	0.17	0.06		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	S-IR08 S % 0.01	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Ge ppm 5	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01
STANDARDS																
AMIS0167			82.6	44.5	400	1.07	6.03	3.35	0.66	3.0	4.67	<5	2.9	1.13	22.9	0.30
Target Range - Lower Bound																
Upper Bound																
AMIS0185																
Target Range - Lower Bound																
Upper Bound																
DS-1																
Target Range - Lower Bound																
Upper Bound																
DS-1		2.55														
Target Range - Lower Bound		2.51														
Upper Bound		2.71														
GBM908-10																
Target Range - Lower Bound																
Upper Bound																
GBM908-5																
Target Range - Lower Bound																
Upper Bound																
GS313-8																
Target Range - Lower Bound																
Upper Bound																
GS313-8		1.26														
Target Range - Lower Bound		1.19														
Upper Bound		1.29														
MRGeo08																
Target Range - Lower Bound																
Upper Bound																
OREAS 146			>10000	4770	180	0.49	220	86.3	120.0	31.1	328	5	4.3	34.7	2520	5.89
Target Range - Lower Bound			11450	4220	160	0.47	202	78.3	114.5	26.2	323	<5	4.0	33.1	2260	5.66
Upper Bound			>10000	5160	220	0.59	246	95.7	139.5	32.2	395	15	5.4	40.5	2760	6.94
OREAS 91																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d																
Target Range - Lower Bound																
Upper Bound																
SY-4			323	118.0	10	1.47	18.65	15.55	1.77	34.1	13.65	<5	12.0	4.18	55.1	2.01
Target Range - Lower Bound			306	109.5	<10	1.34	16.35	12.75	1.77	31.4	12.55	<5	9.8	3.86	51.7	1.88
Upper Bound			375	134.5	30	1.66	20.1	15.65	2.23	38.6	15.45	12	12.4	4.74	64.3	2.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5
STANDARDS																
AMIS0167		4.3	19.1	4.89	17.6	4.71	2	19.3	1.6	0.93	47.9	0.40	493	57	1	24.4
Target Range - Lower Bound																
Upper Bound																
AMIS0185																
Target Range - Lower Bound																
Upper Bound																
DS-1																
Target Range - Lower Bound																
Upper Bound																
DS-1																
Target Range - Lower Bound																
Upper Bound																
GBM908-10																
Target Range - Lower Bound																
Upper Bound																
GBM908-5																
Target Range - Lower Bound																
Upper Bound																
GS313-8																
Target Range - Lower Bound																
Upper Bound																
GS313-8																
Target Range - Lower Bound																
Upper Bound																
MRGeo08																
Target Range - Lower Bound																
Upper Bound																
OREAS 146		409	2400	558	26.6	446	45	3160	4.1	43.1	946	9.06	2.52	147	26	918
Target Range - Lower Bound		349	1965	493	23.7	397	40	2790	3.6	42.5	813	8.90	2.37	140	25	814
Upper Bound		427	2400	603	29.5	485	52	3410	4.6	51.9	993	10.90	3.01	182	33	996
OREAS 91																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d																
Target Range - Lower Bound																
Upper Bound																
SY-4		13.4	59.6	14.45	56.1	12.75	8	1225	0.7	2.66	0.99	2.09	0.70	5	<1	114.5
Target Range - Lower Bound		11.5	51.2	13.45	49.3	11.40	6	1070	0.7	2.33	1.11	2.06	0.66	<5	<1	106.5
Upper Bound		14.5	62.8	16.55	60.7	14.00	10	1310	1.1	2.87	1.47	2.54	0.94	18	3	131.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Yb ppm 0.03	ME-MS81 Zr ppm 2	ME-MS42 As ppm 0.1	ME-MS42 Bi ppm 0.01	ME-MS42 Hg ppm 0.005	ME-MS42 In ppm 0.005	ME-MS42 Re ppm 0.001	ME-MS42 Sb ppm 0.05	ME-MS42 Se ppm 0.2	ME-MS42 Te ppm 0.01	ME-MS42 Tl ppm 0.02	ME-4ACD81 Ag ppm 0.5	ME-4ACD81 Cd ppm 0.5	ME-4ACD81 Co ppm 1	ME-4ACD81 Cu ppm 1
STANDARDS																
AMIS0167		2.71	100													
Target Range - Lower Bound																
Upper Bound																
AMIS0185																
Target Range - Lower Bound																
Upper Bound																
DS-1																
Target Range - Lower Bound																
Upper Bound																
DS-1																
Target Range - Lower Bound																
Upper Bound																
GBM908-10													3.1	2.0	25	3690
Target Range - Lower Bound													1.9	0.6	22	3370
Upper Bound													4.2	2.8	30	3890
GBM908-5				6.2	0.69	0.028	0.011	<0.001	0.15	1.2	0.05	0.39				
Target Range - Lower Bound				5.7	0.78	0.017	<0.005	<0.001	<0.05	0.5	0.03	0.31				
Upper Bound				7.1	0.98	0.043	0.026	0.003	0.25	1.4	0.07	0.47				
GS313-8																
Target Range - Lower Bound																
Upper Bound																
GS313-8																
Target Range - Lower Bound																
Upper Bound																
MRGeo08													4.4	2.3	18	620
Target Range - Lower Bound													3.2	1.1	17	586
Upper Bound													5.7	3.4	23	676
OREAS 146		50.1	222													
Target Range - Lower Bound		48.1	204													
Upper Bound		58.9	254													
OREAS 91																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d				6.6	0.27	0.036	0.079	<0.001	0.38	1.3	0.04	0.13				
Target Range - Lower Bound				5.8	0.26	0.025	0.071	<0.001	0.22	0.7	0.02	0.07				
Upper Bound				7.3	0.34	0.053	0.099	0.003	0.49	1.7	0.06	0.17				
SY-4		14.65	618													
Target Range - Lower Bound		13.30	523													
Upper Bound		16.30	643													

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-4ACD81 Li ppm 10	ME-4ACD81 Mo ppm 1	ME-4ACD81 Ni ppm 1	ME-4ACD81 Pb ppm 2	ME-4ACD81 Sc ppm 1	ME-4ACD81 Zn ppm 2
STANDARDS							
AMIS0167							
Target Range - Lower Bound							
Upper Bound							
AMIS0185							
Target Range - Lower Bound							
Upper Bound							
DS-1							
Target Range - Lower Bound							
Upper Bound							
DS-1							
Target Range - Lower Bound							
Upper Bound							
GBM908-10		10	64	2340	2140	18	1090
Target Range - Lower Bound		<10	57	2030	1860	14	939
Upper Bound		30	71	2490	2280	20	1155
GBM908-5							
Target Range - Lower Bound							
Upper Bound							
GS313-8							
Target Range - Lower Bound							
Upper Bound							
GS313-8							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		30	14	703	1090	11	808
Target Range - Lower Bound		<10	12	621	969	10	722
Upper Bound		50	18	761	1190	15	886
OREAS 146							
Target Range - Lower Bound							
Upper Bound							
OREAS 91							
Target Range - Lower Bound							
Upper Bound							
OREAS-45d							
Target Range - Lower Bound							
Upper Bound							
SY-4							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01	ME-ICP06 Na2O % 0.01	ME-ICP06 K2O % 0.01	ME-ICP06 Cr2O3 % 0.01	ME-ICP06 TiO2 % 0.01	ME-ICP06 MnO % 0.01	ME-ICP06 P2O5 % 0.01	ME-ICP06 SrO % 0.01	ME-ICP06 BaO % 0.01	OA-GRA05 LOI % 0.01	C-IR07 C % 0.01
BLANKS																
BLANK																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Target Range - Lower Bound		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Upper Bound		0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		
BLANK															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
WPT 288		61.6	11.20	8.92	5.34	4.34	2.47	2.19	0.02	0.49	0.33	0.14	0.02	0.09		0.47
DUP		61.4	11.15	8.84	5.31	4.32	2.47	2.19	0.02	0.49	0.33	0.14	0.02	0.09		0.50
Target Range - Lower Bound		60.0	10.90	8.65	5.18	4.21	2.40	2.13	<0.01	0.47	0.31	0.13	<0.01	0.08		0.46
Upper Bound		63.0	11.45	9.11	5.47	4.45	2.54	2.25	0.03	0.51	0.35	0.15	0.03	0.10		0.51
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL															5.39	
DUP															5.34	
Target Range - Lower Bound															5.22	
Upper Bound															5.51	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	S-IR08 S % 0.01	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Ge ppm 5	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			<0.5	<0.5	<10	0.01	<0.05	<0.03	<0.03	0.1	<0.05	<5	<0.2	<0.01	<0.5	<0.01
Target Range - Lower Bound			<0.5	<0.5	<10	<0.01	<0.05	<0.03	<0.03	<0.1	<0.05		<0.2	<0.01	<0.5	<0.01
Upper Bound			1.0	1.0	20	0.02	0.10	0.06	0.06	0.2	0.10		0.4	0.02	1.0	0.02
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.01														
Target Range - Lower Bound		<0.01														
Upper Bound		0.02														
DUPLICATES																
WPT 288		0.55	751	52.9	130	0.46	3.21	1.75	0.91	14.1	3.41	<5	3.8	0.58	26.3	0.20
DUP		0.52	751	53.0	140	0.43	2.75	1.85	0.94	14.3	3.39	<5	3.7	0.54	26.5	0.23
Target Range - Lower Bound		0.51	713	49.8	120	0.41	2.78	1.68	0.85	13.4	3.18	<5	3.4	0.52	24.6	0.19
Upper Bound		0.56	789	56.1	150	0.48	3.18	1.92	1.00	15.0	3.62	10	4.1	0.60	28.2	0.24
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.2	<0.1	<0.03	<0.2	<0.03	<1	0.1	<0.1	<0.01	<0.05	0.01	<0.05	<5	<1	<0.5
Target Range - Lower Bound		<0.2	<0.1	<0.03	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1	<0.5
Upper Bound		0.4	0.2	0.06	0.4	0.06	2	0.2	0.2	0.02	0.10	0.02	0.10	10	2	1.0
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
WPT 288		8.6	24.1	5.99	65.4	4.25	1	168.5	0.4	0.48	7.40	0.23	3.71	130	1	16.4
DUP		8.3	24.1	5.92	65.3	4.27	1	170.0	0.4	0.48	7.33	0.23	3.65	131	1	16.2
Target Range - Lower Bound		7.8	22.8	5.63	61.9	4.02	<1	160.5	0.3	0.45	6.95	0.21	3.45	119	<1	15.0
Upper Bound		9.1	25.4	6.28	68.8	4.50	2	178.0	0.5	0.51	7.78	0.25	3.91	142	2	17.6
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Yb ppm 0.03	ME-MS81 Zr ppm 2	ME-MS42 As ppm 0.1	ME-MS42 Bi ppm 0.01	ME-MS42 Hg ppm 0.005	ME-MS42 In ppm 0.005	ME-MS42 Re ppm 0.001	ME-MS42 Sb ppm 0.05	ME-MS42 Se ppm 0.2	ME-MS42 Te ppm 0.01	ME-MS42 Tl ppm 0.02	ME-4ACD81 Ag ppm 0.5	ME-4ACD81 Cd ppm 0.5	ME-4ACD81 Co ppm 1	ME-4ACD81 Cu ppm 1
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK													<0.5	<0.5	1	<1
Target Range - Lower Bound													<0.5	<0.5	<1	<1
Upper Bound													1.0	1.0	2	2
BLANK				<0.1	<0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	<0.02				
Target Range - Lower Bound				<0.1	<0.01	<0.005	<0.005	<0.001	<0.05	<0.2	<0.01	<0.02				
Upper Bound				0.2	0.02	0.010	0.010	0.002	0.10	0.4	0.02	0.04				
BLANK		<0.03	<2													
Target Range - Lower Bound		<0.03	<2													
Upper Bound		0.06	4													
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
WPT 288		1.55	135													
DUP		1.50	137													
Target Range - Lower Bound		1.42	127													
Upper Bound		1.63	145													
ORIGINAL													<0.5	0.6	137	145
DUP													<0.5	0.6	144	154
Target Range - Lower Bound													<0.5	<0.5	132	143
Upper Bound													1.0	1.0	149	156
ORIGINAL				0.6	0.07	<0.005	0.021	0.001	<0.05	0.8	0.12	0.18				
DUP				0.8	0.07	<0.005	0.025	0.001	<0.05	0.8	0.09	0.19				
Target Range - Lower Bound				0.6	0.06	<0.005	0.017	<0.001	<0.05	0.6	0.09	0.15				
Upper Bound				0.8	0.08	0.010	0.029	0.002	0.10	1.0	0.12	0.22				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

Sample Description	Method / Analyte / Units / LOR	ME-4ACD81 Li ppm 10	ME-4ACD81 Mo ppm 1	ME-4ACD81 Ni ppm 1	ME-4ACD81 Pb ppm 2	ME-4ACD81 Sc ppm 1	ME-4ACD81 Zn ppm 2
BLANKS							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK		<10	<1	<1	<2	<1	<2
Target Range - Lower Bound			<1	<1	<2		<2
Upper Bound			2	2	4		4
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK							
Target Range - Lower Bound							
Upper Bound							
BLANK							
Target Range - Lower Bound							
Upper Bound							
DUPLICATES							
WPT 288							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL		<10	<1	1640	3	14	108
DUP		<10	<1	1725	<2	15	113
Target Range - Lower Bound		<10	<1	1595	<2	13	103
Upper Bound		20	2	1770	4	16	118
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **HOLLANDIA**
3733 REGIONAL RD. 15
CHELMSFORD ON P0M 1L0

Finalized Date: 16-MAR-2016
Account: HOLDIA

Project: FEB 2016 SAMPLING

QC CERTIFICATE OF ANALYSIS SD16032427

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	LOG-22	PUL-31	PUL-QC
	SPL-21	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	C-IR07	ME-4ACD81	ME-ICP06	ME-MS42
	ME-MS81	OA-GRA05	S-IR08	TOT-ICP06