

PHASE 1 DIAMOND DRILLING PROGRAM: MCCARTHY PROPERTY

MCCARTHY AND MACBETH TOWNSHIPS
SUDBURY MINING DIVISION, ONTARIO, CANADA



Canadian Continental
Exploration

CANADIAN CONTINENTAL EXPLORATION CORP.
RR#1
25 Valleycrest Dr.
Oro-Medonte, ON
L0L 2L0

February 27th, 2015

Prepared By:
Joerg Kleinboeck, P.Geol

TABLE OF CONTENTS

EXECUTIVE SUMMARY	2
1.0 INTRODUCTION	4
2.0 PROPERTY DETAILS	4
2.1 Location and Access.....	4
2.2 Topography and Vegetation.....	4
2.3 Claims.....	5
3.0 PREVIOUS WORK	6
5.0 PHASE 1 DIAMOND DRILLING PROGRAM	9
5.1 Methods	9
5.2 Diamond Drilling	10
5.3 Analytical Methods	11
6.0 RESULTS and CONCLUSIONS	14
7.0 RECOMMENDATIONS	14

LIST OF FIGURES

Figure 1: Location of the McCarthy Property, Ontario, Canada.	5
Figure 2: Tenure of the McCarthy Property.	7
Figure 3: Regional Geology (after MRD 216).....	8
Figure 4: Property Geology (after MRD 216).	9
Figure 5: Location of DDH MC-14-01.	12
Figure 6: Location of DDH MC-14-01 with Total Field Magnetics.....	13

LIST OF TABLES

Table 1: Diamond Drill Hole Details.	11
---	----

LIST OF APPENDICES

Appendix I Statement of Qualifications	
Appendix II List of Claims Comprising the McCarthy Property	
Appendix III Diamond Drill Log	
Appendix IV Cross Section	
Appendix V Assay Certificates	

MAPS (back pocket)

Map 1: Plan of Diamond Drill Hole Location	
--	--

EXECUTIVE SUMMARY

The author was contracted by Thomas J. Obradovich, President and CEO of Canadian Continental Exploration Corp. (CCE), to complete a technical report for assessment purposes on their recently completed Phase 1 diamond drilling program on the McCarthy Property (Property).

The Property is located approximately 55 km northeast of Sudbury, Ontario in McCarthy and MacBeth Townships. The property is bounded by UTM NAD83 coordinates 17 U 541075E to 546940E, and 5185890N to 5192610N. The Property consists of 14 contiguous staked mining claims containing 196 units (3136 Ha).

In 2014, CCE completed a single diamond drill hole totalling 966.00 m. The drilling was completed between October 14th and November 3rd, 2014.

Historical airborne geophysical surveys completed in 1972 by the GSC identified a large magnetic anomaly and a coincident smaller gravity anomaly located in the central portion of the Property. It was postulated by Meyn (1977) that the cause of the anomaly was due to a large, mafic, magnetic body at depth rather than iron formation.

In 1990, Teck Exploration Ltd. (Teck) staked claims that covered the McCarthy Property and completed an airborne EM and magnetic survey. The survey identified three magnetic anomalies which were referred to as ELMA, M2a, and M2b. The ELMA anomaly refers to the Emerald Lake magnetic anomaly, which is also known as the Temagami anomaly, a large, regional size magnetic and coinciding gravity anomaly. Magnetic anomalies M2a and M2b are situated south of the ELMA and are located in the central portion of the Property. Teck completed gravity surveys over the anomalies, with a single profile completed over M2a and M2b. Interpretation of the data at the time concluded that either the magnetic sources are either deep-seated, or that they may be located near the sub-surface and therefore do not represent a significant density contrast with respect to the country rock.

In 2014, CCE obtained the results from an airborne geophysical survey that was completed over several townships in 2008, covering the area of the McCarthy Property. A geophysical interpretation of this data as well as the historical gravity data collected by Teck was completed by CCE. Based upon the interpretation, a single drill hole was proposed that would intersect the source of the magnetic and gravity anomaly at a planned vertical depth of approximately 750 m. This drill hole was planned on what Teck referred to as anomaly M2b.

Drill hole MC-14-01 was drilled to a depth of 966.00 m. The casing was driven to a depth of 1.60 m. From 1.60 to 884.75 m, the geology was dominated by Huronian sediments that have been intruded by sills, dykes, and irregular bodies of Nipissing Diabase and Sudbury breccia. Sedimentary rocks of Huronian Supergroup included siltstones and sandstones of the Gowganda Formation conformably overlying sandstones and polymictic pebble to cobble conglomerates of the Mississagi and Pecors Formations. Significant gold mineralization was encountered within the conglomerates of the

Mississagi Formation which included 1.14 g/t over 0.38 m, and 7.46 g/t over 0.50 m. The Archean unconformity was intersected at 884.75 m which was marked by the presence of 3.55 m thick bed of exhalite/chert, followed by folded iron formation consisting of thinly laminated interbeds of chert and magnetite to 966.00 m.

The hole was terminated at 966.00 m as it was the opinion of CCE that the magnetic and gravity anomaly was explained by the thick sequence of iron formation.

1.0 INTRODUCTION

The McCarthy Property was acquired through optioning and staking claims in 2014 to investigate the cause of a large magnetic and coinciding gravity anomaly located in the central portion of the Property.

From October 14th through to November 3rd, 2014, CCE completed a total of 966.00 m of diamond drilling in 1 drill hole on the McCarthy Property.

The above mentioned diamond drilling program forms the basis of this report.

2.0 PROPERTY DETAILS

2.1 Location and Access

The Property is located approximately 55 km northeast of Sudbury, Ontario in McCarthy and MacBeth Townships (Figure 1). Seasonal access is provided by Highway 805 North to Wawiashkashi Lake, where a well maintained road branches off of Highway 805 towards the northwest (554766E/5185480N). A poorly maintained older logging road located 2 km west of Lower Goose Falls (541450E/5198560N) provides access to the Property.

A full range of services and supplies are provided in the city of Sudbury located 65 km to the southwest. Local accommodations can be found at lodges located along Highway 805.

2.2 Topography and Vegetation

The local terrain is typical of the Precambrian Shield, with low rolling hills and marshy areas. Vegetation on higher ground consists of a variety of hardwoods such as poplar and birch, with coniferous trees that include spruce and balsam, and pine. In the lower ground, typically more wet in character, black spruce, tamarack, alder swales, and cedar predominate. Water for exploration purposes is available from beaver ponds, streams, and lakes that are located on the Property. Snowfall generally begins in November and extends into April. Lakes are usually passable with adequate ice thickness from late December through to late March. Between 50 and 100 mm of monthly rainfall is normal from April to October. The mean temperature is 613°C in January and 19°C in July.




Figure 1: Location of the McCarthy Property, Ontario, Canada.

2.3 Claims

The Property is located approximately 55 km northeast of Sudbury, Ontario in McCarthy and MacBeth Townships. The property is bounded by UTM NAD83 coordinates 17 U 541075E to 546940E, and 5185890N to 5192610N. The Property consists of 14 contiguous staked mining claims containing 196 units totalling 3136 Ha (Figure 2). Claim details are provided in Appendix II.

CCE acquired the Property in 2014 through an option agreement with Larry N. Gervais, and through staking.

3.0 PREVIOUS WORK

1956-1957: Prospector Airways Co. Ltd. completed geological mapping, magnetics, and a self-potential survey, and 17 short drill holes totalling 826.7 ft over the Sirola Showing. The most significant intersection from the drilling program returned 0.66% Cu, 0.13% Ni over a core length of 17.2 ft.

1972: Geological Survey of Canada completed airborne geophysical surveys in the districts of Algoma, Sudbury, Timiskaming, Nipissing, Manitoulin, and Southern Ontario (P.800) covering McCarthy and MacBeth Townships.

1972: E. Eden and P. Hart completed trenching and one drill to a depth of 193 ft on the Sirola showing. No assays were reported.

1990-1993: Teck Exploration Ltd. completed airborne EM and magnetic surveys, geological mapping, line cutting, and gravity surveys over the claims that comprise parts the McCarthy Property.

4.0 GEOLOGY

4.1 Regional Geology

The Property is located in the southern part of the Cobalt Embayment which lies within the Southern Structural Province of the Canadian Shield. The regional geology can be summarized as consisting of early Precambrian metavolcanics and metasediments which are unconformably overlain by Middle Precambrian Huronian sedimentary rocks. Nipissing Diabase sills intrude the Huronian and older rocks. The youngest rocks in the area are late Precambrian diabase and olivine diabase dykes. The Middle and Late Precambrian rocks have been faulted and locally folded adjacent to the faults.

4.2 Property Geology

The Property geology is dominated by supracrustal rocks of the Gowganda Formation, that conformably overlie, where present, rocks of the Mississagi Formation, which unconformably overlie Early Precambrian rocks.

The Huronian sediments were subjected to gentle faulting and folding before being intruded by sills, dykes, and irregular bodies of Nipissing diabase. The Huronian and Nipissing diabase intrusives were then block faulted and locally folded in proximity to these faults.

Sudbury-type breccias formed during the Sudbury Event were intruded along the north-northwest trending faults.

Later west-northwest trending diabase and olivine diabase dykes of the Sudbury Swarm intrude all rock types. Two of these dykes cross the southern portion of the Property.




Figure 2: Tenure of the McCarthy Property.




Figure 3: Regional Geology (after MRD 216).




Figure 4: Property Geology (after MRD 216).

5.0 PHASE 1 DIAMOND DRILLING PROGRAM

5.1 Methods

In 1990, Teck Exploration Ltd. (Teckö) staked claims that covered the McCarthy Property and completed an airborne EM and magnetic survey. The survey identified three magnetic anomalies which were referred to as ELMA, M2a, and M2b. The ELMA anomaly refers to the Emerald Lake magnetic anomaly, which is also known as the Temagami anomaly, a large, regional size magnetic and coinciding gravity anomaly. Magnetic anomalies M2a and M2b are situated south of the ELMA and are located in the central portion of the Property (Figure 6). Teck completed gravity surveys over the anomalies, with a single profile completed over M2a and M2b. Interpretation of the data at the time concluded that either the magnetic sources are either deep-seated, or that they may be located near the sub-surface and therefore do not represent a significant density contrast with respect to the country rock.

In 2014, CCE obtained the results from an airborne geophysical survey that was completed over several townships in 2008, covering the area of the McCarthy Property. A geophysical interpretation of this data as well, as the historical gravity data collected by Teck, was completed by CCE. Based upon the interpretation, a single drill hole was proposed that would intersect the source of the magnetic and gravity anomaly at a planned vertical depth of approximately 750 m. This drill hole was planned on what Teck referred to as anomaly M2b.

From October 14th through to November 3rd, 2014, CCE completed a single drill hole to a depth of 966.00 m.

Drill core (NQ = 4.76cm diameter) was transported from the drill site by pickup truck to the core shack located in North Bay, Ontario. Prior to transportation, the core boxes were fitted with lids and fiber-taped closed. Once at the core shack, the core was unloaded and put into a metal rack for storage prior to logging. The logging data was directly entered into Geotic Log, a software program designed for core logging.

Once the core had been logged and sampled, metal tags were attached inscribed with the hole number, box number, and corresponding interval. The core was then cross piled and stored at Ginguro Exploration Inc.'s core shack and storage yard located in Sudbury, Ontario.

5.2 Diamond Drilling

Drill hole MC14-01 was drilled to a depth of 966.00 m. The casing was driven to a depth of 1.60 m. From 1.60 to 884.75 m, the geology was dominated by Huronian sediments that have been intruded by sills, dykes, and irregular bodies of Nipissing Diabase and Sudbury breccia. Sedimentary rocks of Huronian Supergroup included siltstones and sandstones of the Gowganda Formation conformably overlying sandstones and polymictic pebble to cobble conglomerates of the Mississagi and Pecors Formations. Significant gold mineralization was encountered within the conglomerates of the Mississagi Formation which included 1.14 g/t over 0.38 m, and 7.46 g/t over 0.50 m. The Archean unconformity was intersected at 884.20 m which was marked by the presence of 3.55 m thick bed of exhalite/chert, followed by folded iron formation consisting of thinly laminated interbeds of chert and magnetite to 966.00 m.

A drill log, section, and the assay certificates are provided in Appendices III, IV, and V respectively. Magnetic susceptibility measurements were taken at approximately 1 m intervals throughout the hole. The results of the magnetic susceptibility measurements are appended to the drill log.

Map 1, located in the back pocket, displays the diamond drill hole location and projected trace in relation to the claim fabric.

Table 1: Diamond Drill Hole Details.

DDH	Easting	Northing	Elevation (m)	AZ	DIP	LENGTH (m)
MC-14-01	543236	5189067	350	200	-85	966.00

Note: datum in NAD83, Z17N

5.3 Analytical Methods

A total of 55 samples, including 3 QA/QC samples were submitted for analysis. Samples were split and sampled using a table mounted diamond blade saw. Over the sample interval, one half of the core was placed into individual labelled plastic bags with a corresponding sample tag inserted. The bags were then stapled shut, and placed into rice bags. The samples were then delivered by a company representative to Agat Laboratories processing facility located in Sudbury, Ontario.

A quality assurance / quality control (QA/QC) program was implemented to analyze the integrity and reliability of the data. A QA/QC sample was inserted at approximately every 20th sample which consisted of either a certified standard or an analytical blank.




Figure 5: Location of DDH MC-14-01.




Figure 6: Location of DDH MC-14-01 with Total Field Magnetics.

6.0 RESULTS and CONCLUSIONS

The Phase 1 drilling program on the McCarthy Property targeted a large, deep-seated magnetic and gravity anomaly. A significant amount of iron formation was intersected from 887.75 to 966.00 m, and it is believed by CCE to be the cause for the magnetic and gravity anomalies.

The gold-bearing polymictic pebble to cobble conglomerates intersected in drill hole MC-14-01 is similar to the gold-bearing polymictic pebble to cobble conglomerates present on Ginguro Exploration Inc.'s Pardo project located 14 km to the east-southeast.

7.0 RECOMMENDATIONS

The following recommendations can be made on the basis of the Phase 1 diamond drill program completed on the McCarthy Project:

- 1) A compilation and interpretation of past geological work in McCarthy, MacBeth, and Sheppard Townships should be completed to determine the best approach for any further exploration, specifically for paleo-placer gold within the basal members of the Huronian Supergroup.

8.0 REFERENCES

Christopher, A., 1992. Assessment Report on the Exploration Program on the Emerald Lake Property, Sheppard and McCarthy Townships, Ontario. Prepared for Teck Exploration Ltd. 15 p.

<http://climate.weatheroffice.gc.ca>

http://www.mci.mndm.gov.on.ca/claims/clm_mdvcl.cfm

McGowan, P., 1993. Logistics and Interpretation Report on a Gravity Survey on the Emerald Lake Claims Property, Sheppard and McCarthy Townships, Ontario. Prepared for Teck Exploration Ltd. 15 p.

Ministry of Northern Development and Mines; Geology of Ontario, Assessment File Research Information (AFRI) found at www.geologyontario.mndm.gov.on.ca

Myen, H.D., 1977. Geology of Afton, Scholes, MacBeth, and Clement Townships, Districts of Sudbury and Nipissing. Ontario Geological Survey Report 170, 77 p.

Ontario Geological Survey, 2006. 1:250,000 Scale Bedrock Geology of Ontario; Ontario Geological Survey, Miscellaneous Release Data 126 revised.

Appendix I
Statement of Qualifications

Statement of Qualifications

I, Joerg Martin Kleinboeck of 147 Lakeside Drive, North Bay, Ontario, do hereby certify that:

I am a graduate of Laurentian University, Sudbury, Ontario with a B.Sc. Geology, 2000, and have been practising my profession as a geologist since.

I am a member with the Association of Professional Geoscientists of Ontario (#1411).

I am a member of the Prospectors & Developers Association of Canada (PDAC).

I have an active prospector's license for the province of Ontario (#1002600).

I hold no interests in the properties or securities of Canadian Continental Exploration Corp.



Joerg Martin Kleinboeck
February 27th, 2015
North Bay, Ontario

Appendix II

List of Claims comprising the McCarthy Property

Unpatented Claims (McCarthy Property)

Township	Claim Number	Recording Date	Claim Due Date	Work Required	Total Applied	Total Reserve	Claim Bank
MACBETH	4275981	2013-Dec-06	2015-Dec-06	\$5,600	\$0	\$0	\$0
MCCARTHY	4275979	2013-Dec-06	2015-Dec-06	\$6,400	\$0	\$0	\$0
MCCARTHY	4275980	2013-Dec-06	2015-Dec-06	\$6,400	\$0	\$0	\$0
MCCARTHY	4275982	2013-Dec-06	2015-Dec-06	\$6,400	\$0	\$0	\$0
MCCARTHY	4275983	2013-Dec-06	2015-Dec-06	\$6,400	\$0	\$0	\$0
MCCARTHY	4275984	2013-Dec-06	2015-Dec-06	\$6,400	\$0	\$0	\$0
MACBETH	4275798	2014-Jul-14	2016-Jul-14	\$6,000	\$0	\$0	\$0
MACBETH	4275799	2014-Jul-14	2016-Jul-14	\$4,800	\$0	\$0	\$0
MCCARTHY	4275792	2014-Jul-14	2016-Jul-14	\$3,200	\$0	\$0	\$0
MCCARTHY	4275793	2014-Jul-14	2016-Jul-14	\$6,400	\$0	\$0	\$0
MCCARTHY	4275794	2014-Jul-14	2016-Jul-14	\$6,400	\$0	\$0	\$0
MCCARTHY	4275795	2014-Jul-14	2016-Jul-14	\$6,400	\$0	\$0	\$0
MCCARTHY	4275796	2014-Jul-14	2016-Jul-14	\$1,600	\$0	\$0	\$0
MCCARTHY	4275797	2014-Jul-14	2016-Jul-14	\$6,000	\$0	\$0	\$0

Appendix III Drill Log

Canadian Continental Exploration Corp.

DDH: MC-14-01	Claims title: 4275984	Section:
	Township: McCarthy	Level: Surface
	Range:	Work place: North Bay, Ontario
Drilled by: Norex Drilling Ltd.	Lot:	
Described by: Joerg Kleinboeck	From: 14/10/2014	Description date: 10/11/2014
	To: 03/11/2014	

Collar

Azimuth: 200.00°				System 1
Dip: 85.00°		East	543,236	
Length: 966.00 m		North	5,189,067	
		Elevation	350	

Down hole survey

Type	Depth	Azimuth	Dip	Invalid	Description
Reflex	9.00	201.10°	-86.20°	No	58572
Reflex	48.00	206.30°	-86.00°	No	56643
Reflex	147.00	205.60°	-85.90°	No	57557
Reflex	201.00	207.00°	-85.90°	No	57552
Reflex	255.00	208.30°	-85.60°	No	57896
Reflex	300.00	209.00°	-86.00°	No	57652
Reflex	364.00	204.50°	-86.60°	No	57631
Reflex	400.00	203.30°	-86.70°	No	57296
Reflex	450.00	203.80°	-86.70°	No	57354
Reflex	499.00	202.10°	-86.70°	No	58593
Reflex	598.00	201.70°	-86.60°	No	59579
Reflex	699.00	195.00°	-85.70°	No	61576

Description

Casing driven to 3.00 m, left in hole.

Core size: NQ	Cemented: No	Stored: Yes
---------------	--------------	-------------

Canadian Continental Exploration Corp.

Down hole survey

Type	Depth	Azimuth	Dip	Invalid	Description
Reflex	753.00	196.60°	-84.70°	No	58759
Reflex	789.00	197.70°	-85.50°	No	57293
Reflex	852.00	192.20°	-85.60°	No	61788
Reflex	906.00	205.30°	-84.90°	No	51826
Reflex	951.00	202.00°	-84.00°	No	49197

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
0.00	1.60	OB Overburden Casing driven to 3.00m.					
1.60	50.85	NDIA; VARI Nipissing Diabase; vari-textured white to green fine to coarse grained subophitic gabbro with local very coarse grained sections (vari-textured). locally strongly magnetic due to 1-2% coarse grained interstitial magnetite. lower contact transitional but abrupt.					
1.60	50.85	Epi; Chl Epidote; Chlorite local pervasive patches of epidote, generally associated with very coarse grained sections and also pervasive about chlorite-filled joints.					
1.60	50.85	Py00.1; Mt00.5 Pyrite 0.1%; Magnetite 0.5% trace disseminated and fracture controlled pyrite throughout with local sections of 1-2% interstitial magnetite.					
50.85	99.00	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive grey to green medium grained massive gabbro. locally strongly magnetic due to 1% interstitial magnetite. lower contact transitional but abrupt.					
50.85	99.00	Py00.25; Mt00.5 Pyrite 0.25%; Magnetite 0.5% trace disseminated and fracture controlled pyrite throughout with local sections of 1% interstitial magnetite.					
65.40	66.00	FRC Fractured heavily fractured					
74.00	78.85	Kspar; Carb; Chl Potassium Feldspar; Carbonate; Chlorite weak pervasive kspar about chlorite +/- carbonate filled fractures.					
75.90	76.00	FRC Fractured heavily fractured.					
78.85	79.15	Sil; Carb; Kspar; Qtz Silicification; Carbonate; Potassium Feldspar; Quartz strong pervasive silicification about carb+kspar+quartz filled fault zone.					
78.85	79.15	FT Fault 30°					

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
99.00	108.50	partially rehealed with quartz, carbonate, and kspar. NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive dark grey medium grained massive hypersthene gabbro. non-magnetic. lower contact transitional but abrupt.					
99.00	108.50	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.					
108.50	118.00	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive grey medium grained massive gabbro. non-magnetic. lower contact transitional but abrupt.					
108.50	118.00	Chl; Carb Chlorite; Carbonate minor carbonate +/- chlorite filled fractures throughout.					
108.50	118.00	Py00.1 Pyrite 0.1% trace disseminated pyrite, generally unmineralized.					
118.00	151.10	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive dark grey medium grained massive hypersthene gabbro. non-magnetic. lower contact transitional but abrupt.					
118.00	151.10	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.					
151.10	155.00	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive grey medium grained massive gabbro. non-magnetic. lower contact transitional but abrupt over 0.50m.					
151.10	155.00	Carb; Qtz; Kspar; Chl Carbonate; Quartz; Potassium Feldspar; Chlorite local carbonate +/- quartz veinlets with pervasive kspar about. chlorite also occurs along fracture surfaces.					
155.00	273.00	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive dark grey medium grained massive hypersthene gabbro.					

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (g/t)	
		non-magnetic. lower contact transitional.						
155.00	273.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite. trace disseminated chalcopyrite associated with quartz vein from 160.70-162.00m.						
160.70	162.00	Qtz; Ser Quartz; Sericitization strongly bleached (sericitized?) section with minor quartz veining.						
183.95	184.00	Carb50 Carbonate 50 carbonate vein orientated at 50 deg TCA.						
234.30	234.90	FRC Fractured heavily fractured						
256.00	256.30	Ser; Carb; Chl Sericitization; Carbonate; Chlorite bleached section (sericitization?) with minor carb+chlorite filled fractures.						
273.00	283.50	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive white to green medium grained massive gabbro. non-magnetic. lower contact sharp @ 50 deg TCA.						
273.00	283.50	Chl Chlorite weak spotted chlorite near upper contact, also occurs along fracture surfaces.						
273.00	283.50	Py00.1 Pyrite 0.1% trace disseminated and fracture-controlled py, generally unmineralized.						
283.50	284.00	FZ Fault Zone 50° heavily fractured with local chloritic gouge. upper contact sharp @ 50 deg TCA, lower contact broken.						
284.00	291.42	FG-MG; MASS Fine to medium grained; Massive dark grey fine to medium grained massive hypersthene gabbro. weakly to locally moderately magnetic. lower contact sharp but irregular, generally @ 70 deg TCA.						

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
284.00	291.42	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.					
291.42	295.30	NDIA; FG; MASS Nipissing Diabase; Fine grained; Massive dark grey fine grained massive hypersthene gabbro. non-magnetic. lower contact transitional.					
291.42	295.30	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.					
295.30	307.60	NDIA; VARI Nipissing Diabase; vari-textured white to green medium grained massive gabbro with local pegmatitic sections. clinopyroxenes up to 1.5 cm in length within pegmatic sections. locally strongly magnetic. lower contact transitional but abrupt.					
295.30	307.60	Py00.1; Mt01 Pyrite 0.1%; Magnetite 1% local trace disseminated and fracture controlled pyrite. 1-2% disseminated and interstitial magnetite throughout.					
302.90	306.00	Chl; Carb; Kspar Chlorite; Carbonate; Potassium Feldspar chlorite occurs along fracture surfaces, local weak pervasive kspar about carbonate veinlets.					
302.90	306.00	FRC Fractured heavily fractured/faulted section.					
307.60	347.80	NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive dark grey medium grained massive hypersthene gabbro. moderately magnetic. lower contact transitional.					
307.60	347.80	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.					
347.80	350.80	NDIA; FG-MG; MASS Nipissing Diabase; Fine to medium grained; Massive white to green fine to medium grained massive gabbro. non-magnetic.					

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (g/t)	
		lower contact sharp @ 15 deg TCA.						
347.80	350.80	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.						
348.00	348.50	FRC Fractured heavily fractured.						
350.80	360.65	NDIA; FG-MG; MASS Nipissing Diabase; Fine to medium grained; Massive dark grey fine to medium grained massive hypersthene gabbro. moderately to strongly magnetic. lower contact broken.						
350.80	360.65	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, generally unmineralized.						
360.65	367.00	NDIA Nipissing Diabase Boundary Zone - mixed zone of Nipissing Diabase and Gowganda sediments. lower contact gradational.						
367.00	438.00	HUR_silt Siltstone Gowganda Formation - dark grey very fine to fine grained siltstone with lesser amounts of interbedded dark grey fine to medium grained sandstone. Bedding @ 80 deg TCA where evident ie.) 372 m. Siltstone units contains 5-10% clasts generally less than 5 cm in diameter, predominantly comprised of white to pink sub-rounded to rounded granitic clasts with lesser amounts of angular to subrounded metasedimentary and metavolcanic clasts. non-magnetic.						
367.00	438.00	Carb; Qtz Carbonate; Quartz local weak quartz+carbonate veinlets throughout.						
367.00	438.00	Py00.1 Pyrite 0.1% trace disseminated and fracture-controlled pyrite.						
433.10	434.40	FRC Fractured heavily fractured.						
438.00	457.30	HUR_silt Siltstone						

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (g/t)	
		Gowganda Formation - dark grey very fine grained siltstone with occasional rare clasts of granitic composition, generally <1 cm in diameter. lower contact sharp @ 70 deg TCA.						
441.35	442.15	FRC Fractured heavily fractured.						
457.30	461.85	SUD_bx; BX Sudbury Breccia; Brecciated dark grey to black aphanitic groundmass with 60% sub-rounded fragments of NDIA 1mm - 90 cm in size. non-magnetic. lower contact sharp @ 70 deg TCA.						
457.30	461.85	Py00.1 Pyrite 0.1% trace disseminated pyrite.						
461.85	482.40	NDIA; MG Nipissing Diabase; Medium Grained grey medium grained massive gabbro with minor sections <10 cm in width of Sudbury Breccia. non-magnetic. lower contact broken.						
461.85	482.40	Py00.1 Pyrite 0.1% trace disseminated + fracture controlled pyrite.						
467.00	471.30	FRC Fractured heavily fractured.						
482.40	501.50	SUD_bx; BX Sudbury Breccia; Brecciated as from 457.30 to 461.85 m, fragments are comprised of medium grained Nipissing Diabase and cream coloured Huronian quartzites. non-magnetic. lower contact sharp but irregular.						
482.40	501.50	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
489.20	490.20	FRC Fractured heavily fractured.						
500.80	501.00	FRC Fractured						

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
501.50	510.75	heavily fractured. NDIA; MG; MASS Nipissing Diabase; Medium Grained; Massive white to green medium grained massive gabbro. non-magnetic. lower contact sharp @ 30 deg TCA.					
501.50	510.75	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.					
510.75	527.45	SUD_bx; BX Sudbury Breccia; Brecciated Sudbury Breccia with 80% fragments of Nipissing Diabase <1mm to 2m in size. non-magnetic. lower contact sharp @ 55 deg TCA.					
510.75	527.45	Py00.1 Pyrite 0.1% trace disseminated + fracture controlled pyrite.					
527.45	598.50	HUR_sand; FG Sandstone; Fine grained Gowganda Formation - dark grey fine grained massive to locally bedded sandstone with occasional granitic pebbles. Minor Sudbury Breccia veinlets present near upper contact (527.45-532.00m). Bedding varies between 40-75 deg TCA with local cross-bedding developed. Non-magnetic. Lower contact sharp but irregular.					
527.45	598.50	Carb; Qtz Carbonate; Quartz minor weak quartz+carbonate veining throughout. minor hematite and chlorite associated with moderately fractured section from 558.00-583.00m.					
527.45	598.50	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.					
558.00	598.50	FRC Fractured moderately fractured with local hematite+chlorite along fracture surfaces.					
598.50	606.00	HUR_silt; VFG Siltstone; Very Fine Grained Gowganda Formation - dark grey very fine grained siltstone with lesser amounts of interbedded quartzite.					

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (g/t)	
		bedding well developed within quartzites at 40-60 deg TCA. lower contact sharp @ 80 deg TCA.						
598.50	606.00	Py00.1 Pyrite 0.1% trace disseminated, fracture controlled, and banded pyrite.						
606.00	663.70	NDIA; FG-MG; MASS Nipissing Diabase; Fine to medium grained; Massive white to green fine to medium grained massive gabbro. generally non-magnetic. lower contact sharp but irregular.						
606.00	616.50	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
606.90	607.20	FRC Fractured heavily fractured						
616.50	622.50	Py00.25; Po00.1; Cp00.1 Pyrite 0.25%; Pyrrhotite 0.1%; Chalcopyrite 0.1% trace to 0.25% disseminated and fracture controlled pyrite, pyrrhotite, and trace chalcopyrite.						
622.50	663.70	Py00.1 Pyrite 0.1% trace disseminated and fracture-controlled pyrite.						
645.80	646.20	NDIA; FG-MG Nipissing Diabase; Fine to medium grained dark grey fine to medium grained hypersthene gabbro. moderately magnetic due to 1% finely disseminated magnetite.						
663.70	768.10	HUR_silt; HUR_sand Siltstone; Sandstone Mississagi Formation - Interbedded black very fine grained speckled argillites, dark grey fine grained siltstones, and cream to greenish coloured, very fine grained quartzites containing occasional angular to rounded clasts comprised of metasediments, metavolcanics, and quartz pebbles. bedding locally developed, generally @ 40 deg TCA. lower contact gradational but abrupt.						
663.70	768.10	Qtz Quartz occasional quartz veining throughout ie.) 695.55-695.62m - 4 cm quartz vein @ 35 deg TCA, 705.15-705.90m - low angle quartz vein @ 0 deg TCA, 715.98-716.07m - quartz vein @ 25 deg TCA, contains 5% blebby remobilized pyrrhotite.						

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (g/t)	
663.70	768.10	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, trace disseminated pyrrhotite.						
683.00	683.70	FRC Fractured heavily fractured.						
768.10	770.70	HUR_cgl Conglomerate Mississagi Formation - clast-supported polymictic conglomerate. Pebbles comprised of generally sub-rounded to rounded metasediments, metavolcanics, and quartz and are typically <5 cm in diameter.						
768.10	770.70	Py01; Po00.5 Pyrite 1%; Pyrrhotite 0.5% finely disseminated and fractured controlled pyrite and pyrrhotite.	768.10	768.60	5157796	0.50	0.151	
			768.60	768.90	5157797	0.30	0.037	
			768.90	769.28	5157798	0.38	0.044	
			769.28	769.78	5157799	0.50	0.022	
			769.78	770.18	5157800	0.40	0.010	
			770.18	770.58	5157801	0.40	0.022	
			770.58	770.88	5157802	0.30	0.004	
770.70	775.65	HUR_sand Sandstone Mississagi Formation - grey fine grained massive sandstone with occasional angular to rounded clasts comprised of quartz, metasediments, and metavolcanics. Clasts are typically less than 4 cm in diameter. Non-magnetic.						
770.70	775.65	Py Pyrite trace disseminated and fracture-controlled pyrite, generally unmineralized.	775.60	775.80	5157803	0.20	0.001	
775.65	784.95	HUR_cgl Conglomerate Mississagi Formation. as from 768.10-770.70m.	775.80	776.20	5157804	0.40	0.008	
			776.20	776.60	5157805	0.40	0.025	
			776.60	776.90	5157806	0.30	0.051	
			776.90	777.50	5157807	0.60	0.201	
			777.50	778.00	5157808	0.50	0.202	
			778.00	778.50	5157809	0.50	7.460	
			778.50	779.00	5157827	0.50	0.022	
			779.00	779.50	5157828	0.50	0.183	
			779.50	779.80	5157829	0.30	0.061	

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
			779.80	780.10	5157830	0.30	0.072
			780.18	780.68	5157831	0.50	0.108
			780.68	781.18	5157833	0.50	0.064
			781.18	781.68	5157834	0.50	0.041
			781.68	782.18	5157835	0.50	0.015
			782.18	782.68	5157836	0.50	0.040
			782.68	783.08	5157837	0.40	0.124
			783.08	783.58	5157838	0.50	0.059
			783.58	783.88	5157839	0.30	0.007
			783.88	784.08	5157840	0.20	0.004
			784.08	784.33	5157841	0.25	0.024
			784.33	784.58	5157843	0.25	0.134
			784.58	784.90	5157844	0.32	0.008
			784.90	785.15	5157845	0.25	0.004
784.95	815.65	HUR_sand; FG; MASS Sandstone; Fine grained; Massive Mississagi Formation. as from 770.70-775.65m.	804.84	805.14	5157846	0.30	0.069
			805.58	805.98	5157847	0.40	0.010
			815.33	815.63	5157848	0.30	0.034
			815.63	816.07	5157849	0.44	0.039
815.65	821.85	HUR_cgl Conglomerate Mississagi Formation - clast-supported polymictic conglomerate with occasional interbedded grey fine grained sandstone. Pebbles comprised of generally sub-rounded to rounded metasediments, metavolcanics, and quartz and are typically <5 cm in diameter.					
815.65	821.85	Py01.5; Po00.5 Pyrite 1.5%; Pyrrhotite 0.5% 1-2% disseminated pyrite + pyrrhotite.	816.07	816.57	5157850	0.50	0.005
			816.57	816.82	5157851	0.25	0.020
			817.50	817.75	5157852	0.25	0.002
			817.75	818.00	5157853	0.25	0.001
			818.64	819.00	5157854	0.36	0.008
			819.00	819.38	5157855	0.38	1.140

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
			819.38	819.80	5157856	0.42	0.020
			819.80	820.10	5157857	0.30	0.007
			820.47	820.86	5157858	0.39	0.011
			820.86	821.27	5157859	0.41	0.016
			821.27	821.62	5158060	0.35	0.038
			821.62	822.00	5158061	0.38	0.018
821.85	830.00	HUR_sand Sandstone Pecors (Ramsey Lake?) Formation - dark grey fine grained sandstone with 10-15% angular to rounded clasts of quartz, chert, and argillite. lower contact sharp @ 80 deg TCA.					
821.85	830.00	Py00.5; Po00.25 Pyrite 0.5%; Pyrrhotite 0.25% 0.5-1% disseminated pyrite + pyrrhotite.					
830.00	839.40	HUR_sand Sandstone Pecors (Ramsey Lake?) Formation - grey fine grained sandstone with 5-10% angular to subrounded clasts comprised of argillite and chert. lower contact gradational.					
830.00	839.40	Py01 Pyrite 1% 1% disseminated + euhedral pyrite.					
839.40	849.93	HUR_qtz Quartzite Pecors (Ramsey Lake?) Formation - grey very fine grained quartzite. lower contact gradational.					
839.40	849.93	Py00.5 Pyrite 0.5% 0.5% disseminated pyrite.					
849.93	884.20	HUR_cgl Conglomerate Pecors (Ramsey Lake?) Formation - clast supported conglomerate. Angular to sub-rounded clasts are comprised of metasediments, iron formation, and metavolcanics. Clasts are generally <5 cm in size, locally up to 25 cm. Lower contact sharp but irregular.					
849.93	884.20	Py02; Po01 Pyrite 2%; Pyrrhotite 1%	849.93	850.65	5158062	0.72	0.003

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
>3% disseminated and fracture controlled pyrite + pyrrhotite.			854.85	855.60	5158063	0.75	0.002
			855.60	856.09	5158064	0.49	0.014
			856.09	856.60	5158065	0.51	0.006
			883.30	884.30	5158066	1.00	0.005
884.20	887.75	CHT Chert white very fine grained chert bed.					
884.20	887.75	Py00.5 Pyrite 0.5% trace to 0.5% disseminated pyrite + pyrrhotite.					
887.75	923.06	BIF Banded Iron Formation whtie to grey banded iron formation. bedding variable, generally at 0 deg TCA, locally folded and micro-faulted. magnetite content is <10%, increases towards lower contact. moderately to strongly magnetic. lower contact sharp @ 30 deg TCA.					
887.75	923.06	Po00.5; Py00.5 Pyrrhotite 0.5%; Pyrite 0.5% trace to 1% disseminated, fracture-controlled, and euhedral pyrite. 914.70-917.70m - 6% wispy, disseminated, and fracture controlled pyrrhotite, pyrite, and trace chalcopyrite associated with interbedded chert unit.					
923.06	932.55	MD Mafic Dyke grey fine grained mafic dyke. upper and lower contacts are chloritized. upper contact sharp @ 30 deg TCA, lower contact broken. non-magnetic.					
923.06	932.55	Carb; Qtz Carbonate; Quartz weak irregular quartz+carbonate veinlets orientated at various angles TCA, generally <3mm in thickness.					
923.06	932.55	Py00.5 Pyrite 0.5% 0.5% disseminated, fracture-controlled, and euhedral pyrite throughout, locally up to 1%.					
932.55	934.00	FZ Fault Zone heavily brecciated and rehealed fault zone. matrix is composed of calcite with 60-70% angular fragments of iron formation <2cm in size.					

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (g/t)
932.55	966.00	Py00.5 Pyrite 0.5% 0.5% disseminated, fracture-controlled, and banded pyrite.					
934.00	966.00	BIF Banded Iron Formation grey and white banded iron formation. bedding variable, generally @ 30 deg TCA with local folding and micro-faulting throughout. bedding ranges from 1 mm to 12 mm in thickness with magnetite making up 30% of the unit. minor quartz+carbonate veining throughout.					
966.00	End of DDH Number of samples: 52 Number of QAQC samples: 3 Total sampled length: 21.40						

Canadian Continental Exploration Corp.

QAQC

From	To	Sample number	Reference	Length	Au (g/t)
780.18	780.68	5157832	CDN GS-2Q	0.50	2.430
784.08	784.33	5157842	BLK-LorrainFm	0.25	0.001
883.30	884.30	5158067	BLK-LorrainFm	1.00	0.001

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
0.00	2.00	0.228		
2.00	3.00	0.808		
3.00	4.00	0.892		
4.00	5.00	0.559		
5.00	6.00	1.04		
6.00	7.00	1.95		
7.00	8.00	1.19		
8.00	9.00	1.49		
9.00	10.00	1.41		
10.00	11.00	6.57		
11.00	12.00	1.45		
12.00	13.00	4.05		
13.00	14.00	3.32		
14.00	15.00	0.691		
15.00	16.00	1.75		
16.00	17.00	1.55		
17.00	18.00	3.86		
18.00	19.00	1.7		
19.00	20.00	1.3		
20.00	21.00	1.02		
21.00	22.00	1.39		
22.00	23.00	1.27		
23.00	24.00	1.31		
24.00	25.00	1.34		
25.00	26.00	1.69		
26.00	27.00	1.52		
27.00	28.00	1.13		
28.00	29.00	1.08		
29.00	30.00	0.906		
30.00	31.00	1.07		
31.00	32.00	1.12		
32.00	33.00	1.52		
33.00	34.00	0.868		
34.00	35.00	0.957		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
35.00	36.00	0.887		
36.00	37.00	0.857		
37.00	38.00	0.835		
38.00	39.00	1.43		
39.00	40.00	1.39		
40.00	41.00	1.29		
41.00	42.00	1.23		
42.00	43.00	1.16		
43.00	44.00	1.35		
44.00	45.00	1.05		
45.00	46.00	1.04		
46.00	47.00	1.72		
47.00	48.00	1.42		
48.00	49.00	1.7		
49.00	50.00	1.24		
50.00	51.00	1.62		
51.00	52.00	1.29		
52.00	53.00	5.75		
53.00	54.00	10		
54.00	55.00	4		
55.00	56.00	5.14		
56.00	57.00	2.83		
57.00	58.00	7.13		
58.00	59.00	3.07		
59.00	60.00	8.19		
60.00	61.00	4.22		
61.00	62.00	9.83		
62.00	63.00	9.74		
63.00	64.00	11.2		
64.00	65.00	1.88		
65.00	66.00	1.68		
66.00	67.00	2.57		
67.00	68.00	1.1		
68.00	69.00	3.73		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
69.00	70.00	4.21		
70.00	71.00	11.9		
71.00	72.00	4.59		
72.00	73.00	2.43		
73.00	74.00	1.2		
74.00	75.00	0.947		
75.00	76.00	1.46		
76.00	77.00	2.12		
77.00	78.00	0.879		
78.00	79.00	0.331		
79.00	80.00	1.11		
80.00	81.00	1.82		
81.00	82.00	1.02		
82.00	83.00	1.46		
83.00	84.00	1.65		
84.00	85.00	1.94		
85.00	86.00	1.09		
86.00	87.00	1.45		
87.00	88.00	2.47		
88.00	89.00	2		
89.00	90.00	1.36		
90.00	91.00	1.68		
91.00	92.00	1.76		
92.00	93.00	1.09		
93.00	94.00	0.787		
94.00	95.00	0.522		
95.00	96.00	0.482		
96.00	97.00	0.901		
97.00	98.00	1.87		
98.00	99.00	10.1		
99.00	100.00	8.67		
100.00	101.00	3.42		
101.00	102.00	7.54		
102.00	103.00	3.46		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
103.00	104.00	1.69		
104.00	105.00	3.48		
105.00	106.00	8.5		
106.00	107.00	6.34		
107.00	108.00	3.82		
108.00	109.00	0.758		
109.00	110.00	0.754		
110.00	111.00	1.53		
111.00	112.00	1.62		
112.00	113.00	5.28		
113.00	114.00	1.06		
114.00	115.00	2.69		
115.00	116.00	0.975		
116.00	117.00	2.17		
117.00	118.00	2.46		
118.00	119.00	1.58		
119.00	120.00	5.66		
120.00	121.00	6.27		
121.00	122.00	7.03		
122.00	123.00	5.77		
123.00	124.00	6.34		
124.00	125.00	6.7		
125.00	126.00	3.02		
126.00	127.00	4.73		
127.00	128.00	3.58		
128.00	129.00	3.85		
129.00	130.00	3.37		
130.00	131.00	1.3		
131.00	132.00	3.49		
132.00	133.00	3.93		
133.00	134.00	1.92		
134.00	135.00	3.54		
135.00	136.00	2.54		
136.00	137.00	2.14		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
137.00	138.00	1.82		
138.00	139.00	3.05		
139.00	140.00	2.64		
140.00	141.00	3.38		
141.00	142.00	3.04		
142.00	143.00	3.52		
143.00	144.00	3.24		
144.00	145.00	2.38		
145.00	146.00	3.07		
146.00	147.00	2.42		
147.00	148.00	3.81		
148.00	149.00	2.02		
149.00	150.00	1.32		
150.00	151.00	0.692		
151.00	152.00	0.633		
152.00	153.00	0.49		
153.00	154.00	0.945		
154.00	155.00	3.21		
155.00	156.00	2.16		
156.00	157.00	2.36		
157.00	158.00	3.14		
158.00	159.00	1.12		
159.00	160.00	2.54		
160.00	161.00	1.18		
161.00	162.00	1.76		
162.00	163.00	1.69		
163.00	164.00	2.82		
164.00	165.00	2.15		
165.00	166.00	3.16		
166.00	167.00	2.78		
167.00	168.00	2.33		
168.00	169.00	2.81		
169.00	170.00	3.48		
170.00	171.00	2.42		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
171.00	172.00	2.99		
172.00	173.00	3.76		
173.00	174.00	4.15		
174.00	175.00	3.42		
175.00	176.00	3.48		
176.00	177.00	4.08		
177.00	178.00	2.97		
178.00	179.00	3.01		
179.00	180.00	3.06		
180.00	181.00	2.78		
181.00	182.00	2.23		
182.00	183.00	2.17		
183.00	184.00	1.71		
184.00	185.00	1.86		
185.00	186.00	3		
186.00	187.00	2.84		
187.00	188.00	2.31		
188.00	189.00	2.55		
189.00	190.00	2.82		
190.00	191.00	2.86		
191.00	192.00	2.82		
192.00	193.00	2.61		
193.00	194.00	3.4		
194.00	195.00	1.17		
195.00	196.00	1.54		
196.00	197.00	1.9		
197.00	198.00	1.98		
198.00	199.00	2.08		
199.00	200.00	2.09		
200.00	201.00	2.53		
201.00	202.00	2.4		
202.00	203.00	1.61		
203.00	204.00	2.29		
204.00	205.00	1.78		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
205.00	206.00	2.62		
206.00	207.00	1.31		
207.00	208.00	2.77		
208.00	209.00	2.17		
209.00	210.00	0.583		
210.00	211.00	2.13		
211.00	212.00	2.17		
212.00	213.00	1.42		
213.00	214.00	2.03		
214.00	215.00	2.18		
215.00	216.00	1.31		
216.00	217.00	2.22		
217.00	218.00	2.02		
218.00	219.00	1.72		
219.00	220.00	1.03		
220.00	221.00	2.19		
221.00	222.00	2.52		
222.00	223.00	2.11		
223.00	224.00	2.32		
224.00	225.00	3.02		
225.00	226.00	3		
226.00	227.00	3.91		
227.00	228.00	3.01		
228.00	229.00	2.95		
229.00	230.00	2.85		
230.00	231.00	2.06		
231.00	232.00	2.78		
232.00	233.00	2.24		
233.00	234.00	2.33		
234.00	235.00	2		
235.00	236.00	2.21		
236.00	237.00	2.01		
237.00	238.00	2		
238.00	239.00	2.52		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
239.00	240.00	2.17		
240.00	241.00	2.77		
241.00	242.00	2.55		
242.00	243.00	2.07		
243.00	244.00	2.29		
244.00	245.00	2.69		
245.00	246.00	2.71		
246.00	247.00	2.26		
247.00	248.00	2.54		
248.00	249.00	3.01		
249.00	250.00	2.72		
250.00	251.00	2.25		
251.00	252.00	2.93		
252.00	253.00	3.46		
253.00	254.00	3.02		
254.00	255.00	2.28		
255.00	256.00	0.789		
256.00	257.00	3.21		
257.00	258.00	1.64		
258.00	259.00	2.21		
259.00	260.00	2.17		
260.00	261.00	3.16		
261.00	262.00	3.2		
262.00	263.00	3.6		
263.00	264.00	1.56		
264.00	265.00	1.32		
265.00	266.00	4.51		
266.00	267.00	3.36		
267.00	268.00	4.58		
268.00	269.00	4.46		
269.00	270.00	1.06		
270.00	271.00	2.72		
271.00	272.00	4.35		
272.00	273.00	1.3		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
273.00	274.00	1.39		
274.00	275.00	0.75		
275.00	276.00	1.25		
276.00	277.00	1.42		
277.00	278.00	1.45		
278.00	279.00	1.01		
279.00	280.00	1.45		
280.00	281.00	1.22		
281.00	282.00	1.19		
282.00	283.00	3.32		
283.00	284.00	5.17		
284.00	285.00	5.98		
285.00	286.00	5.81		
286.00	287.00	6.93		
287.00	288.00	3.09		
288.00	289.00	8.14		
289.00	290.00	7.29		
290.00	291.00	6.31		
291.00	292.00	6.95		
292.00	293.00	0.812		
293.00	294.00	0.859		
294.00	295.00	1.43		
295.00	296.00	2.32		
296.00	297.00	10.5		
297.00	298.00	3.84		
298.00	299.00	7.24		
299.00	300.00	5.19		
300.00	301.00	5.89		
301.00	302.00	3.26		
302.00	303.00	1.27		
303.00	304.00	2.17		
304.00	305.00	0.558		
305.00	306.00	4.2		
306.00	307.00	1		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
307.00	308.00	4		
308.00	309.00	1.74		
309.00	310.00	5.37		
310.00	311.00	5.21		
311.00	312.00	4.31		
312.00	313.00	4.46		
313.00	314.00	4.37		
314.00	315.00	3.26		
315.00	316.00	4.19		
316.00	317.00	4.81		
317.00	318.00	4.15		
318.00	319.00	4.46		
319.00	320.00	3.83		
320.00	321.00	4.08		
321.00	322.00	3.82		
322.00	323.00	5.42		
323.00	324.00	4.74		
324.00	325.00	2.39		
325.00	326.00	3.42		
326.00	327.00	5.41		
327.00	328.00	5.21		
328.00	329.00	4.06		
329.00	330.00	9.09		
330.00	331.00	5.51		
331.00	332.00	6.9		
332.00	333.00	5.69		
333.00	334.00	9.05		
334.00	335.00	4.7		
335.00	336.00	6.28		
336.00	337.00	2.2		
337.00	338.00	9.99		
338.00	339.00	8.21		
339.00	340.00	7.68		
340.00	341.00	9.32		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
341.00	342.00	7.75		
342.00	343.00	4.81		
343.00	344.00	13.5		
344.00	345.00	2.32		
345.00	346.00	15.4		
346.00	347.00	14.3		
347.00	348.00	0.722		
348.00	349.00	0.718		
349.00	350.00	1.91		
350.00	351.00	9.61		
351.00	352.00	14.1		
352.00	353.00	17.2		
353.00	354.00	1.75		
354.00	355.00	5.7		
355.00	356.00	21.4		
356.00	357.00	1.82		
357.00	358.00	2.07		
358.00	359.00	26		
359.00	360.00	2.52		
360.00	361.00	0.94		
361.00	362.00	1.24		
362.00	363.00	0.635		
363.00	364.00	0.658		
364.00	365.00	1.25		
365.00	366.00	1.44		
366.00	367.00	0.712		
367.00	368.00	0.541		
368.00	369.00	0.42		
369.00	370.00	0.601		
370.00	371.00	0.672		
371.00	372.00	0.716		
372.00	373.00	0.633		
373.00	374.00	0.64		
374.00	375.00	0.67		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
375.00	376.00	0.551		
376.00	377.00	0.583		
377.00	378.00	0.669		
378.00	379.00	0.552		
379.00	380.00	0.533		
380.00	381.00	0.606		
381.00	382.00	0.549		
382.00	383.00	0.49		
383.00	384.00	0.922		
384.00	385.00	0.495		
385.00	386.00	0.603		
386.00	387.00	0.534		
387.00	388.00	0.561		
388.00	389.00	0.428		
389.00	390.00	0.464		
390.00	391.00	0.561		
391.00	392.00	0.501		
392.00	393.00	0.362		
393.00	394.00	0.51		
394.00	395.00	0.456		
395.00	396.00	0.499		
396.00	397.00	0.561		
397.00	398.00	0.455		
398.00	399.00	0.422		
399.00	400.00	0.326		
400.00	401.00	0.53		
401.00	402.00	0.385		
402.00	403.00	0.359		
403.00	404.00	0.464		
404.00	405.00	0.489		
405.00	406.00	0.43		
406.00	407.00	0.455		
407.00	408.00	0.485		
408.00	409.00	0.492		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
409.00	410.00	0.461		
410.00	411.00	0.514		
411.00	412.00	0.453		
412.00	413.00	0.661		
413.00	414.00	0.423		
414.00	415.00	0.499		
415.00	416.00	0.475		
416.00	417.00	0.419		
417.00	418.00	0.563		
418.00	419.00	0.527		
419.00	420.00	0.433		
420.00	421.00	0.351		
421.00	422.00	0.543		
422.00	423.00	0.417		
423.00	424.00	0.435		
424.00	425.00	0.501		
425.00	426.00	0.519		
426.00	427.00	0.441		
427.00	428.00	0.425		
428.00	429.00	0.605		
429.00	430.00	0.381		
430.00	431.00	0.404		
431.00	432.00	0.354		
432.00	433.00	0.524		
433.00	434.00	0.474		
434.00	435.00	0.439		
435.00	436.00	0.41		
436.00	437.00	0.414		
437.00	438.00	0.528		
438.00	439.00	0.652		
439.00	440.00	0.515		
440.00	441.00	0.604		
441.00	442.00	0.416		
442.00	443.00	0.337		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
443.00	444.00	0.531		
444.00	445.00	0.624		
445.00	446.00	0.537		
446.00	447.00	0.504		
447.00	448.00	0.559		
448.00	449.00	0.499		
449.00	450.00	0.571		
450.00	451.00	0.598		
451.00	452.00	0.441		
452.00	453.00	0.655		
453.00	454.00	0.553		
454.00	455.00	0.549		
455.00	456.00	0.485		
456.00	457.00	0.721		
457.00	458.00	0.458		
458.00	459.00	0.62		
459.00	460.00	0.688		
460.00	461.00	0.74		
461.00	462.00	0.844		
462.00	463.00	0.849		
463.00	464.00	0.875		
464.00	465.00	0.939		
465.00	466.00	0.971		
466.00	467.00	0.84		
467.00	468.00	1.05		
468.00	469.00	0.976		
469.00	470.00	1.08		
470.00	471.00	0.788		
471.00	472.00	0.758		
472.00	473.00	0.922		
473.00	474.00	0.8		
474.00	475.00	0.754		
475.00	476.00	0.846		
476.00	477.00	0.716		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
477.00	478.00	1.28		
478.00	479.00	0.972		
479.00	480.00	1.02		
480.00	481.00	1		
481.00	482.00	0.754		
482.00	483.00	0.876		
483.00	484.00	0.717		
484.00	485.00	0.794		
485.00	486.00	0.643		
486.00	487.00	0.633		
487.00	488.00	0.806		
488.00	489.00	0.82		
489.00	490.00	0.836		
490.00	491.00	0.72		
491.00	492.00	0.753		
492.00	493.00	0.766		
493.00	494.00	0.788		
494.00	495.00	0.834		
495.00	496.00	1.93		
496.00	497.00	0.918		
497.00	498.00	0.243		
498.00	499.00	0.084		
499.00	500.00	0.196		
500.00	501.00	0.646		
501.00	502.00	0.808		
502.00	503.00	0.909		
503.00	504.00	0.759		
504.00	505.00	0.861		
505.00	506.00	0.746		
506.00	507.00	0.662		
507.00	508.00	0.643		
508.00	509.00	0.782		
509.00	510.00	0.728		
510.00	511.00	0.689		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
511.00	512.00	0.852		
512.00	513.00	1.02		
513.00	514.00	0.757		
514.00	515.00	0.677		
515.00	516.00	0.888		
516.00	517.00	0.773		
517.00	518.00	0.942		
518.00	519.00	0.847		
519.00	520.00	1.1		
520.00	521.00	0.751		
521.00	522.00	0.974		
522.00	523.00	1.07		
523.00	524.00	0.937		
524.00	525.00	0.865		
525.00	526.00	0.827		
526.00	527.00	0.574		
527.00	528.00	0.296		
528.00	529.00	0.395		
529.00	530.00	0.11		
530.00	531.00	0.372		
531.00	532.00	0.142		
532.00	533.00	0.364		
533.00	534.00	0.56		
534.00	535.00	0.477		
535.00	536.00	0.568		
536.00	537.00	0.466		
537.00	538.00	0.528		
538.00	539.00	0.541		
539.00	540.00	0.559		
540.00	541.00	0.405		
541.00	542.00	0.391		
542.00	543.00	0.318		
543.00	544.00	0.507		
544.00	545.00	0.513		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
545.00	546.00	0.528		
546.00	547.00	0.463		
547.00	548.00	0.495		
548.00	549.00	0.539		
549.00	550.00	0.554		
550.00	551.00	0.477		
551.00	552.00	0.454		
552.00	553.00	0.479		
553.00	554.00	0.208		
554.00	555.00	0.677		
555.00	556.00	0.67		
556.00	557.00	0.203		
557.00	558.00	0.508		
558.00	559.00	0.608		
559.00	560.00	0.566		
560.00	561.00	0.755		
561.00	562.00	0.596		
562.00	563.00	0.508		
563.00	564.00	0.605		
564.00	565.00	0.523		
565.00	566.00	0.443		
566.00	567.00	0.556		
567.00	568.00	0.499		
568.00	569.00	0.51		
569.00	570.00	0.478		
570.00	571.00	0.412		
571.00	572.00	0.399		
572.00	573.00	0.64		
573.00	574.00	0.459		
574.00	575.00	0.433		
575.00	576.00	0.303		
576.00	577.00	0.311		
577.00	578.00	0.505		
578.00	579.00	0.369		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
579.00	580.00	0.695		
580.00	581.00	0.392		
581.00	582.00	0.389		
582.00	583.00	0.437		
583.00	584.00	0.584		
584.00	585.00	0.519		
585.00	586.00	0.541		
586.00	587.00	0.555		
587.00	588.00	0.527		
588.00	589.00	0.378		
589.00	590.00	0.416		
590.00	591.00	0.451		
591.00	592.00	0.499		
592.00	593.00	0.532		
593.00	594.00	0.467		
594.00	595.00	0.461		
595.00	596.00	0.42		
596.00	597.00	0.495		
597.00	598.00	0.385		
598.00	599.00	0.374		
599.00	600.00	0.54		
600.00	601.00	0.336		
601.00	602.00	0.298		
602.00	603.00	0.117		
603.00	604.00	0.273		
604.00	605.00	0.503		
605.00	606.00	0.842		
606.00	607.00	0.87		
607.00	608.00	0.879		
608.00	609.00	0.927		
609.00	610.00	0.996		
610.00	611.00	1.24		
611.00	612.00	1.07		
612.00	613.00	1.19		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
613.00	614.00	1.14		
614.00	615.00	0.998		
615.00	616.00	1.09		
616.00	617.00	1.47		
617.00	618.00	1.4		
618.00	619.00	0.934		
619.00	620.00	0.77		
620.00	621.00	0.918		
621.00	622.00	1.35		
622.00	623.00	0.793		
623.00	624.00	0.699		
624.00	625.00	0.914		
625.00	626.00	1.29		
626.00	627.00	0.699		
627.00	628.00	0.771		
628.00	629.00	0.73		
629.00	630.00	0.668		
630.00	631.00	0.835		
631.00	632.00	0.677		
632.00	633.00	0.78		
633.00	634.00	0.658		
634.00	635.00	0.463		
635.00	636.00	0.485		
636.00	637.00	0.755		
637.00	638.00	0.862		
638.00	639.00	1		
639.00	640.00	0.771		
640.00	641.00	0.71		
641.00	642.00	0.801		
642.00	643.00	0.861		
643.00	644.00	0.849		
644.00	645.00	0.816		
645.00	646.00	8.22		
646.00	647.00	0.833		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
647.00	648.00	0.652		
648.00	649.00	0.67		
649.00	650.00	0.861		
650.00	651.00	0.901		
651.00	652.00	0.909		
652.00	653.00	0.879		
653.00	654.00	1.57		
654.00	655.00	0.9		
655.00	656.00	0.81		
656.00	657.00	0.732		
657.00	658.00	0.864		
658.00	659.00	0.875		
659.00	660.00	0.828		
660.00	661.00	0.86		
661.00	662.00	0.704		
662.00	663.00	0.861		
663.00	664.00	0.701		
664.00	665.00	0.601		
665.00	666.00	0.377		
666.00	667.00	0.3		
667.00	668.00	0.328		
668.00	669.00	0.376		
669.00	670.00	0.342		
670.00	671.00	0.461		
671.00	672.00	0.395		
672.00	673.00	0.536		
673.00	674.00	0.603		
674.00	675.00	0.586		
675.00	676.00	0.308		
676.00	677.00	0.473		
677.00	678.00	0.531		
678.00	679.00	0.506		
679.00	680.00	0.561		
680.00	681.00	0.499		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
681.00	682.00	0.387		
682.00	683.00	0.33		
683.00	684.00	0.163		
684.00	685.00	10.2		
685.00	686.00	0.629		
686.00	687.00	0.395		
687.00	688.00	0.435		
688.00	689.00	0.422		
689.00	690.00	0.436		
690.00	691.00	0.334		
691.00	692.00	0.348		
692.00	693.00	0.445		
693.00	694.00	0.307		
694.00	695.00	0.311		
695.00	696.00	0.262		
696.00	697.00	0.427		
697.00	698.00	0.401		
698.00	699.00	0.431		
699.00	700.00	0.381		
700.00	701.00	0.271		
701.00	702.00	0.417		
702.00	703.00	0.517		
703.00	704.00	0.58		
704.00	705.00	0.391		
705.00	706.00	0.436		
706.00	707.00	0.501		
707.00	708.00	0.466		
708.00	709.00	0.482		
709.00	710.00	0.492		
710.00	711.00	0.4		
711.00	712.00	0.425		
712.00	713.00	0.453		
713.00	714.00	0.356		
714.00	715.00	0.406		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
715.00	716.00	0.103		
716.00	717.00	0.12		
717.00	718.00	0.279		
718.00	719.00	0.109		
719.00	720.00	0.086		
720.00	721.00	0.144		
721.00	722.00	0.17		
722.00	723.00	0.101		
723.00	724.00	0.118		
724.00	725.00	0.084		
725.00	726.00	0.353		
726.00	727.00	0.503		
727.00	728.00	0.693		
728.00	729.00	0.155		
729.00	730.00	0.136		
730.00	731.00	0.079		
731.00	732.00	0.101		
732.00	733.00	0.093		
733.00	734.00	0.099		
734.00	735.00	0.152		
735.00	736.00	0.761		
736.00	737.00	0.058		
737.00	738.00	0.305		
738.00	739.00	0.21		
739.00	740.00	0.129		
740.00	741.00	0.135		
741.00	742.00	0.12		
742.00	743.00	0.143		
743.00	744.00	0.15		
744.00	745.00	0		
745.00	746.00	0		
746.00	747.00	0		
747.00	748.00	0		
748.00	749.00	0		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
749.00	750.00	0.06		
750.00	751.00	0.083		
751.00	752.00	0.006		
752.00	753.00	0.073		
753.00	754.00	0.13		
754.00	755.00	0.42		
755.00	756.00	0.618		
756.00	757.00	0.115		
757.00	758.00	0.091		
758.00	759.00	0.116		
759.00	760.00	0.145		
760.00	761.00	0.131		
761.00	762.00	0.115		
762.00	763.00	0.125		
763.00	764.00	0.231		
764.00	765.00	0.085		
765.00	766.00	0.13		
766.00	767.00	0.562		
767.00	768.00	0.15		
768.00	769.00	0.314		
769.00	770.00	0.208		
770.00	771.00	0.198		
771.00	772.00	0.157		
772.00	773.00	0.167		
773.00	774.00	0.159		
774.00	775.00	0.157		
775.00	776.00	0.647		
776.00	777.00	0.531		
777.00	778.00	1.49		
778.00	779.00	0.587		
779.00	780.00	0.324		
780.00	781.00	0.932		
781.00	782.00	1.96		
782.00	783.00	0.92		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
783.00	784.00	0.272		
784.00	785.00	0.148		
785.00	786.00	0.224		
786.00	787.00	0.251		
787.00	788.00	0.033		
788.00	789.00	0.108		
789.00	790.00	0.021		
790.00	791.00	0.155		
791.00	792.00	0.115		
792.00	793.00	0.098		
793.00	794.00	0.123		
794.00	795.00	0.131		
795.00	796.00	0.144		
796.00	797.00	0.398		
797.00	798.00	0.031		
798.00	799.00	0.043		
799.00	800.00	0.487		
800.00	801.00	0.024		
801.00	802.00	0.36		
802.00	803.00	0.154		
803.00	804.00	0.074		
804.00	805.00	0.098		
805.00	806.00	0.151		
806.00	807.00	0.268		
807.00	808.00	0.104		
808.00	809.00	0.304		
809.00	810.00	0.336		
810.00	811.00	0.82		
811.00	812.00	0.705		
812.00	813.00	1.49		
813.00	814.00	0.115		
814.00	815.00	1.38		
815.00	816.00	0.589		
816.00	817.00	0.627		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
817.00	818.00	0.184		
818.00	819.00	0.495		
819.00	820.00	0.291		
820.00	821.00	0.266		
821.00	822.00	0.482		
822.00	823.00	0.575		
823.00	824.00	0.749		
824.00	825.00	0.477		
825.00	826.00	0.675		
826.00	827.00	1.14		
827.00	828.00	0.652		
828.00	829.00	0.662		
829.00	830.00	0.296		
830.00	831.00	0.435		
831.00	832.00	0.489		
832.00	833.00	1.06		
833.00	834.00	0.878		
834.00	835.00	0.804		
835.00	836.00	0.599		
836.00	837.00	0.692		
837.00	838.00	1.22		
838.00	839.00	1.16		
839.00	840.00	0.92		
840.00	841.00	1.07		
841.00	842.00	0.548		
842.00	843.00	0.633		
843.00	844.00	0.894		
844.00	845.00	0.501		
845.00	846.00	0.467		
846.00	847.00	0.12		
847.00	848.00	0.16		
848.00	849.00	0.164		
849.00	850.00	0.964		
850.00	851.00	1.06		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
851.00	852.00	0.987		
852.00	853.00	6.17		
853.00	854.00	1.04		
854.00	855.00	0.899		
855.00	856.00	0.759		
856.00	857.00	0.71		
857.00	858.00	1.14		
858.00	859.00	0.67		
859.00	860.00	0.701		
860.00	861.00	9.04		
861.00	862.00	0.885		
862.00	863.00	0.173		
863.00	864.00	0.174		
864.00	865.00	0.866		
865.00	866.00	0.984		
866.00	867.00	0.713		
867.00	868.00	0.715		
868.00	869.00	0.822		
869.00	870.00	0.692		
870.00	871.00	0.682		
871.00	872.00	0.926		
872.00	873.00	0.702		
873.00	874.00	0.859		
874.00	875.00	0.922		
875.00	876.00	0.849		
876.00	877.00	0.647		
877.00	878.00	1.3		
878.00	879.00	1.13		
879.00	880.00	0.772		
880.00	881.00	0.936		
881.00	882.00	0.96		
882.00	883.00	1.34		
883.00	884.00	1.39		
884.00	885.00	1.07		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
885.00	886.00	6.4		
886.00	887.00	1.12		
887.00	888.00	3.7		
888.00	889.00	52.8		
889.00	890.00	109		
890.00	891.00	16.6		
891.00	892.00	47.1		
892.00	893.00	77.6		
893.00	894.00	20.9		
894.00	895.00	16.3		
895.00	896.00	5.12		
896.00	897.00	75.6		
897.00	898.00	77.7		
898.00	899.00	34.4		
899.00	900.00	54.3		
900.00	901.00	7.5		
901.00	902.00	2.81		
902.00	903.00	49.2		
903.00	904.00	229		
904.00	905.00	86.7		
905.00	906.00	35.4		
906.00	907.00	52.3		
907.00	908.00	14.7		
908.00	909.00	89		
909.00	910.00	1.73		
910.00	911.00	1.53		
911.00	912.00	20.8		
912.00	913.00	9.71		
913.00	914.00	67.7		
914.00	915.00	19.5		
915.00	916.00	133		
916.00	917.00	22		
917.00	918.00	16.6		
918.00	919.00	57		

Canadian Continental Exploration Corp.

Magnetism



From	To	Magnetism	Title	Description
919.00	920.00	58		
920.00	921.00	83.2		
921.00	922.00	116		
922.00	923.00	198		
923.00	924.00	5.36		
924.00	925.00	2.64		
925.00	926.00	2.45		
926.00	927.00	1.66		
927.00	928.00	1.28		
928.00	929.00	1.09		
929.00	930.00	0.979		
930.00	931.00	0.953		
931.00	932.00	1.55		
932.00	933.00	4.08		
933.00	934.00	297		
934.00	935.00	1432		
935.00	936.00	880		
936.00	937.00	943		
937.00	938.00	564		
938.00	939.00	981		
939.00	940.00	1407		
940.00	941.00	2000		
941.00	942.00	1607		
942.00	943.00	1086		
943.00	944.00	1807		
944.00	945.00	1303		
945.00	946.00	1555		
946.00	947.00	1387		
947.00	948.00	1632		
948.00	949.00	2000		
949.00	950.00	1129		
950.00	951.00	843		
951.00	952.00	924		
952.00	953.00	2000		

Canadian Continental Exploration Corp.

Magnetism

From	To	Magnetism	Title	Description
953.00	954.00	862		
954.00	955.00	2000		
955.00	956.00	1948		
956.00	957.00	1772		
957.00	958.00	552		
958.00	959.00	2000		
959.00	960.00	1004		
960.00	961.00	988		
961.00	962.00	1476		
962.00	963.00	1870		
963.00	964.00	1019		
964.00	965.00	2000		
965.00	966.00	2000		


Appendix IV Cross Section




ROCK CODES	PAT	LABEL	DESCRIPTION
Title	NDIA	NDIA	Nipissing Diabase
	OB	OB	Overburden
	FZ	FZ	Fault Zone
	BIF	BIF	Banded Iron Formation
	MD	MD	Mafic Dyke
	CHT	CHT	Chert
	GOW_sand	GOW_sand	Gowganda Fm. - Sandstone
	GOW_silt	GOW_silt	Gowganda Fm. - Siltstone
	MIS_sand	MIS_sand	Mississagi Fm. - Sandstone
	MIS_cgl	MIS_cgl	Mississagi Fm. - Conglomerate
	PEC_cgl	PEC_cgl	Pecora Fm. - Conglomerate
	PEC_qtz	PEC_qtz	Pecora Fm. - Quartzite
	PEC_sand	PEC_sand	Pecora Fm. - Sandstone
	SUD_bx	SUD_bx	Sudbury Breccia

SECTION SPECS:
 REF. PT. E. N 543223 m 5189035 m
 EXTENTS 1031 m 1420 m
 SECTION TOP_BOT 403.3 m -1016 m
 TOLERANCE +/- 37.72 m

SCALE 1 : 2500



NAD83 / UTM zone 17N



Canadian Continental
Exploration Corp.
McCarthy Property
543223E SECTION

Appendix V
Assay Certificates



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO
101-957 CAMBRIAN HEIGHTS DR.
SUDBURY, ON P3C5S5
(705) 222-8800

ATTENTION TO: WINSTON WHYMARK

PROJECT:

AGAT WORK ORDER: 14U910139

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Nov 07, 2014

PAGES (INCLUDING COVER): 5

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 14U910139

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

DATE SAMPLED: Oct 31, 2014

DATE RECEIVED: Oct 31, 2014

DATE REPORTED: Nov 07, 2014

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5157852 (6022280)		0.60	0.002
E5157853 (6022281)		0.58	0.001

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Quality Assurance - Replicate
 AGAT WORK ORDER: 14U910139
 PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	Sample ID	REPLICATE #1			RPD										
		Original	Replicate	RPD											
Au	6022280	0.002	0.004	66.7%											



AGAT Laboratories

Quality Assurance - Certified Reference materials
 AGAT WORK ORDER: 14U910139
 PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	CRM #1 (ref.1P5K)				Expect	Actual	Recovery	Limits							
	Expect	Actual	Recovery	Limits											
Au	1.44	1.43	99%	90% - 110%											



Method Summary

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

AGAT WORK ORDER: 14U910139

PROJECT:

ATTENTION TO: WINSTON WHYMARK

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO
101-957 CAMBRIAN HEIGHTS DR.
SUDBURY, ON P3C5S5
(705) 222-8800

ATTENTION TO: Wesley Whymark

PROJECT: PARDO

AGAT WORK ORDER: 14U910212

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Lab Co-ordinator

DATE REPORTED: Nov 11, 2014

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 14U910212

PROJECT: PARDO

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: Wesley Whymark

(202-551) Mt.Logan/Ginguro Fire Assay (50g) - AAS

DATE SAMPLED: Oct 31, 2014

DATE RECEIVED: Oct 31, 2014

DATE REPORTED: Nov 11, 2014

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight	Average Gold	Au_1	Au_2
	Unit:	kg	ppm	ppm	ppm
	RDL:	0.01	0.002	0.002	0.002
E5157807 (6023112)		1.16	0.102	0.074	0.129
E5157808 (6023113)		1.16	0.112	0.099	0.125
E5157809 (6023114)		1.02	4.32	4.33	4.31
E5157827 (6023115)		1.24	0.015	0.017	0.013
E5157828 (6023116)		1.12	0.123	0.122	0.124

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 14U910212

PROJECT: PARDO

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: Wesley Whymark

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

DATE SAMPLED: Oct 31, 2014

DATE RECEIVED: Oct 31, 2014

DATE REPORTED: Nov 11, 2014

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg	Au ppm
E5157796 (6023099)		1.12	0.151
E5157797 (6023100)		0.72	0.037
E5157798 (6023101)		0.90	0.044
E5157799 (6023103)		1.18	0.022
E5157800 (6023104)		0.92	0.010
E5157801 (6023105)		0.88	0.022
E5157802 (6023106)		0.68	0.004
E5157803 (6023108)		0.44	0.001
E5157804 (6023109)		0.98	0.008
E5157805 (6023110)		0.98	0.025
E5157806 (6023111)		0.74	0.051
E5157807 (6023112)		1.16	0.201
E5157808 (6023113)		1.16	0.202
E5157809 (6023114)		1.02	7.46
E5157827 (6023115)		1.24	0.022
E5157828 (6023116)		1.12	0.183
E5157829 (6023117)		0.74	0.061
E5157830 (6023118)		1.14	0.072
E5157831 (6023119)		1.02	0.108
E5157832 (6023120)		0.04	2.43
E5157833 (6023121)		1.26	0.064
E5157834 (6023122)		1.10	0.041
E5157835 (6023123)		1.10	0.015
E5157836 (6023124)		1.12	0.040
E5157837 (6023125)		0.88	0.124
E5157838 (6023126)		1.20	0.059
E5157839 (6023127)		0.68	0.007
E5157840 (6023128)		0.50	0.004
E5157841 (6023129)		0.64	0.024
E5157842 (6023130)		0.32	0.001
E5157843 (6023131)		0.58	0.134

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 14U910212

PROJECT: PARDO

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: Wesley Whymark

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

DATE SAMPLED: Oct 31, 2014 DATE RECEIVED: Oct 31, 2014 DATE REPORTED: Nov 11, 2014 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5157844 (6023132)		0.78	0.008
E5157845 (6023133)		0.58	0.004
E5157846 (6023134)		0.74	0.069
E5157847 (6023135)		0.96	0.010
E5157848 (6023137)		0.76	0.034
E5157849 (6023138)		0.98	0.039
E5157850 (6023140)		1.22	0.005
E5157851 (6023142)		0.62	0.020

Comments: RDL - Reported Detection Limit

Certified By:



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: Wesley Whymark

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	REPLICATE #1				REPLICATE #2											
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD								
Au	6023099	0.151	0.116	26.2%	6023119	0.108	0.0841	24.9%								



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: Wesley Whymark

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	CRM #1 (ref.GSP7J)				CRM #2 (ref.GSP7J)				CRM #3 (ref.GS6D)							
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Au	0.722	0.677	94%	90% - 110%	0.722	0.731	101%	90% - 110%	6.09	6.52	107%	90% - 110%				



Method Summary

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

AGAT WORK ORDER: 14U910212

PROJECT: PARDO

ATTENTION TO: Wesley Whymark

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Average Gold	MIN-200-12004		CALC
Au_1	MIN-200-12019		AAS
Au_2	MIN-200-12019		AAS
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO
101-957 CAMBRIAN HEIGHTS DR.
SUDBURY, ON P3C5S5
(705) 222-8800

ATTENTION TO: WINSTON WHYMARK

PROJECT: PARDO

AGAT WORK ORDER: 14U914977

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Lab Co-ordinator

DATE REPORTED: Nov 17, 2014

PAGES (INCLUDING COVER): 5

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 14U914977

PROJECT: PARDO

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

DATE SAMPLED: Nov 12, 2014 DATE RECEIVED: Nov 12, 2014 DATE REPORTED: Nov 17, 2014 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5157854 (6066981)		0.82	0.008
E5157855 (6066982)		0.92	1.14
E5157856 (6066983)		0.90	0.020
E5157857 (6066984)		0.84	0.007
E5157858 (6066985)		0.90	0.011
E5157859 (6066986)		1.06	0.016
E5157860 (6066987)		0.72	0.038
E5157861 (6066988)		0.86	0.018
E5157862 (6066989)		1.74	0.003
E5157863 (6066990)		1.74	0.002
E5157864 (6066991)		1.04	0.014
E5157865 (6066992)		1.34	0.006
E5157866 (6066993)		2.24	0.005
E5157867 (6066994)		0.68	0.001

Comments: RDL - Reported Detection Limit

Certified By:



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	Sample ID	REPLICATE #1			RPD										
		Original	Replicate	RPD											
Au	6066981	0.008	0.004												



CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

ATTENTION TO: WINSTON WHYMARK

(202-552) Fire Assay - Trace Au, ICP-OES finish (50g charge) (ppm)

Parameter	CRM #1 (ref.GSP7J)													
	Expect	Actual	Recovery	Limits										
Au	0.722	0.783	108%	90% - 110%										



Method Summary

CLIENT NAME: MOUNT LOGAN RESOURCES LTD./GINGURO

AGAT WORK ORDER: 14U914977

PROJECT: PARDO


ATTENTION TO: WINSTON WHYMARK

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Maps



ROCK CODES	PAT	LABEL	DESCRIPTION
Title			
	NDIA	Nipissing Diabase	Nipissing Diabase
	OB	Overburden	Overburden
	FZ	Fault Zone	Fault Zone
	BIF	Banded Iron Formation	Banded Iron Formation
	MD	Mafic Dyke	Mafic Dyke
	CHT	Chert	Chert
	GOW_sand	Govganda Fm. - Sandstone	Govganda Fm. - Sandstone
	GOW_silt	Govganda Fm. - Siltstone	Govganda Fm. - Siltstone
	MIS_cgl	Mississagi Fm. - Conglomerate	Mississagi Fm. - Conglomerate
	MIS_sand	Mississagi Fm. - Sandstone	Mississagi Fm. - Sandstone
	PEC_cgl	Pecors Fm. - Conglomerate	Pecors Fm. - Conglomerate
	PEC_qtz	Pecors Fm. - Quartzite	Pecors Fm. - Quartzite
	PEC_sand	Pecors Fm. - Sandstone	Pecors Fm. - Sandstone
	SUD_bx	Sudbury Breccia	Sudbury Breccia

PLAN SPECS:
 REF. PT. E, N 543200 m 5189000 m
 EXTENTS 1410 m 1025 m

