ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 21-DEC-2010
This copy reported on 2-MAY-2011
Account: OSIHRG

CERTIFICATE TB10184042

Project: HAMMOND REEF

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-GRA22 Au Check ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1
J846000		0.08	1.065				4.49	6.30	20.9	480	0.79	1.91	2.35	1.91	20.8	14.9
J846001		3.01	0.384				0.16	5.49	1.2	340	0.86	0.08	2.26	0.07	30.0	6.2
J846002		3.14	0.080				0.06	6.89	0.4	500	1.14	0.07	1.20	0.04	34.7	5.1
J846003		3.22	0.995				0.37	7.31	<0.2	440	1.09	0.21	1.14	0.05	25.7	4.6
J846004		3.30	1.075				0.29	7.03	<0.2	420	0.95	0.18	1.47	0.08	29.3	5.3
J846005		3.18	0.401				0.14	7.55	<0.2	520	0.80	0.08	1.86	0.05	27.9	3.9
J846006		2.86	7.32	6.64	5.88		0.91	7.87	<0.2	550	0.93	0.22	2.06	0.05	40.5	9.2
J846007		3.04	2.27				0.54	7.43	<0.2	560	1.19	0.12	1.52	0.05	39.3	6.1
J846008		3.11	0.107				0.23	7.61	<0.2	520	1.02	0.04	1.98	0.04	23.9	4.3
J846009		3.07	0.256				0.18	6.82	<0.2	470	1.07	0.05	2.07	0.05	28.4	5.6
J846010		3.17	0.527				0.29	7.32	<0.2	530	1.36	0.08	2.07	0.07	28.0	8.4
J846011		3.19	0.504				0.77	7.77	<0.2	600	1.42	0.12	3.02	0.10	30.2	13.2
J846012		2.96	0.103				0.11	6.53	<0.2	460	0.78	0.04	2.17	0.05	12.85	5.2
J846013		2.91	0.008				0.02	7.01	<0.2	470	0.88	0.02	0.96	0.03	8.30	2.7
J846014		3.14	0.018				0.02	7.98	<0.2	670	1.24	0.02	1.00	0.02	34.0	2.2
J846015		0.12	2.45				7.85	6.92	55.0	610	0.96	3.36	1.55	1.05	57.5	15.8
J846016		3.14	0.117				0.13	6.93	1.1	830	1.22	0.04	2.75	0.03	43.8	1.7
J846017		3.21	0.061				0.02	5.70	<0.2	630	0.85	0.03	2.95	0.04	31.9	0.7
J846018		3.30	0.013				0.01	7.38	<0.2	630	1.24	0.01	2.28	0.04	20.9	0.6
J846019		3.24	<0.005				0.01	5.77	<0.2	450	1.11	0.01	1.76	0.03	19.40	0.5
J846019 CRD		<0.02	<0.005				0.01	6.39	<0.2	440	1.28	<0.01	1.75	0.02	22.2	0.5
J846020		3.22	0.006			0.006	0.01	7.27	<0.2	570	1.02	0.01	0.86	<0.02	32.5	1.2
J846021		3.32	0.017				0.03	7.32	<0.2	630	1.28	0.02	1.48	0.04	48.6	3.6
J846022		3.35	0.253				0.19	7.01	<0.2	550	1.10	0.08	1.05	0.03	51.0	3.4
J846023		3.51	0.272				0.10	7.00	<0.2	590	1.19	0.06	1.24	0.03	70.0	4.4
J846024		3.40	0.087				0.13	7.42	0.2	520	1.16	0.14	1.31	0.03	75.7	4.6
J846025		3.44	0.037				0.03	7.26	<0.2	500	1.15	0.04	1.04	0.03	56.6	3.2
J846026		3.46	0.122				0.14	6.44	<0.2	290	0.95	0.18	0.43	<0.02	38.6	3.4
J846027		3.55	0.620				0.42	7.30	0.3	470	1.22	0.37	1.12	0.03	54.2	4.8
J846028		3.35	5.22	5.37			1.40	7.43	0.4	550	1.26	0.54	2.42	0.06	45.6	12.4
J846029		3.32	0.477				0.09	7.21	<0.2	390	1.01	0.04	1.38	0.04	46.0	3.3
J846030		0.07	0.417				2.09	7.86	112.0	580	1.28	0.52	0.53	0.97	31.4	17.2
J846031		3.33	0.091				0.08	7.12	<0.2	390	1.03	0.24	2.02	0.06	45.3	4.7
J846032		3.29	0.026				0.09	7.19	<0.2	430	1.05	0.22	1.71	0.05	46.9	3.7
J846033		3.20	0.005				<0.01	6.66	<0.2	470	0.87	0.02	1.36	0.06	31.8	2.8
J846034		3.27	0.007				<0.01	6.99	<0.2	520	0.88	0.02	1.16	0.03	22.1	1.8
J846035		3.24	<0.005				<0.01	6.67	0.2	440	0.89	0.01	1.20	0.03	18.60	1.6
J846036		3.28	0.100				0.15	7.33	<0.2	510	1.16	0.12	1.98	0.06	32.6	6.6
J846037		3.44	0.038				0.05	7.07	<0.2	460	1.09	0.04	3.16	0.08	33.2	9.8
J846038		3.22	0.289				0.19	7.51	<0.2	500	1.17	0.25	2.05	0.07	49.7	7.0

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01
J846000		62	0.73	>10000	4.67	13.20	0.10	1.0	0.130	0.86	10.0	15.0	1.19	667	240	2.18
J846001		87	0.83	5.9	2.32	15.45	0.11	1.8	0.019	1.75	14.9	3.2	0.75	428	2.09	2.04
J846002		9	0.97	10.7	1.89	18.20	0.09	2.4	0.016	2.27	17.4	3.4	0.37	277	1.12	2.27
J846003		7	0.99	5.3	1.61	18.90	0.12	2.3	0.016	2.07	12.6	3.1	0.25	211	2.63	2.60
J846004		7	1.06	6.8	1.82	21.2	0.07	2.8	0.022	2.07	14.4	2.8	0.30	307	1.94	2.62
J846005		12	0.74	10.1	2.02	14.95	0.07	3.0	0.017	2.34	12.3	2.3	0.36	349	0.39	2.78
J846006		10	0.98	5.0	3.13	16.65	0.13	4.0	0.022	2.56	16.8	2.9	0.47	446	1.77	2.79
J846007		8	1.08	12.2	2.12	19.45	0.17	3.9	0.021	2.47	17.3	3.5	0.33	280	0.20	2.39
J846008		6	1.06	8.0	2.27	16.60	0.11	2.6	0.023	2.78	11.1	3.3	0.44	371	0.12	2.37
J846009		10	1.05	31.0	2.22	17.95	0.14	3.6	0.019	2.36	12.9	4.0	0.43	397	0.30	2.50
J846010		15	1.15	11.9	2.46	21.7	0.15	3.3	0.027	2.77	13.0	5.4	0.62	434	0.67	2.26
J846011		14	1.50	64.3	3.39	24.5	0.19	3.0	0.038	3.26	14.4	6.7	0.90	625	0.90	1.68
J846012		19	0.64	2.4	2.02	13.60	0.08	1.4	0.015	2.09	5.7	2.9	0.58	392	0.36	2.34
J846013		12	0.66	2.7	1.40	15.85	0.10	2.6	0.010	1.81	4.0	2.9	0.32	192	0.60	2.68
J846014		8	0.94	2.1	1.20	21.3	0.15	2.5	0.015	2.64	17.4	4.4	0.21	95	0.88	2.38
J846015		58	3.14	>10000	5.62	14.40	0.21	1.1	0.125	2.69	25.7	16.9	1.17	638	112.0	1.63
J846016		10	1.22	1.5	1.81	26.2	0.12	4.1	0.040	3.71	20.6	5.0	0.18	158	0.78	0.97
J846017		7	0.84	1.6	1.15	18.45	0.12	3.1	0.027	2.59	14.2	3.2	0.09	126	0.12	1.67
J846018		4	0.65	5.1	0.87	20.0	0.12	2.7	0.012	2.67	9.1	3.5	0.10	92	0.17	2.62
J846019		9	0.44	1.6	0.71	15.30	0.12	2.1	0.010	1.78	8.7	2.5	0.07	72	0.29	2.00
J846019 CRD		7	0.45	1.3	0.75	15.80	0.15	2.1	0.012	1.74	10.2	2.6	0.09	74	0.22	1.98
J846020		10	0.62	1.1	1.00	16.35	0.11	2.8	0.013	2.19	16.1	2.7	0.15	72	0.56	2.28
J846021		8	0.87	19.6	1.58	21.0	0.17	4.3	0.017	2.37	23.9	3.5	0.28	178	1.10	2.24
J846022		10	0.90	13.6	1.51	21.7	0.05	4.0	0.015	2.26	27.1	4.1	0.23	157	7.55	2.25
J846023		8	1.13	7.1	1.96	22.0	0.11	5.6	0.018	2.72	38.0	5.3	0.35	253	2.66	1.54
J846024		8	1.06	12.0	1.94	21.6	0.12	5.3	0.019	2.50	40.8	4.6	0.32	276	7.99	2.08
J846025		8	1.00	2.2	1.66	21.5	0.09	4.5	0.017	2.42	29.8	4.7	0.31	255	1.90	2.18
J846026		7	0.62	1.7	1.21	20.9	0.05	3.0	0.024	1.55	19.8	3.0	0.16	145	38.5	2.81
J846027		10	0.92	5.5	1.92	22.9	0.09	4.3	0.025	2.33	27.8	4.3	0.37	373	39.8	2.13
J846028		73	1.23	32.2	3.08	24.0	0.12	4.9	0.029	2.96	21.5	5.2	0.71	429	24.0	1.83
J846029		7	0.89	2.5	1.44	19.90	0.08	3.4	0.015	2.07	23.2	3.2	0.24	219	1.11	2.78
J846030		33	6.71	4920	4.72	18.15	0.16	0.8	0.063	5.00	17.0	14.5	0.75	499	284	1.06
J846031		8	1.04	6.3	2.03	19.70	0.13	4.3	0.019	2.26	23.5	3.2	0.35	380	2.82	2.39
J846032		12	1.04	3.3	1.83	19.80	0.10	4.3	0.018	2.24	24.0	3.2	0.31	354	0.98	2.50
J846033		7	0.78	0.6	1.56	16.35	0.06	3.7	0.013	1.93	16.0	2.5	0.28	300	0.25	2.26
J846034		6	0.69	0.9	0.99	16.60	<0.05	2.6	0.011	1.70	10.9	2.1	0.14	178	0.22	3.11
J846035		6	0.68	2.4	1.03	16.30	0.05	3.0	0.008	1.61	9.1	2.0	0.10	168	0.21	3.07
J846036		17	1.03	5.1	2.37	21.6	0.10	2.8	0.024	2.65	14.9	3.4	0.51	452	2.72	2.19
J846037		28	1.16	12.5	2.99	19.80	0.13	2.1	0.034	2.60	13.8	4.1	0.87	653	0.41	2.17
J846038		21	1.27	33.0	2.45	21.5	0.13	4.6	0.021	2.66	25.8	4.7	0.61	414	24.0	2.09

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
J846000		3.9	32.5	580	38.8	22.5	1.370	1.55	23.8	15.1	6	1.0	284	0.27	0.59	2.0
J846001		4.7	38.6	150	5.0	51.4	<0.002	0.09	0.12	4.7	1	1.0	138.5	0.51	0.88	3.8
J846002		4.5	10.1	260	4.2	60.0	0.003	0.11	0.12	3.7	1	1.0	109.0	0.33	0.10	4.6
J846003		5.2	4.3	340	8.1	64.1	<0.002	0.30	0.13	2.8	1	1.0	121.5	0.45	0.25	4.4
J846004		6.6	3.1	440	9.9	70.0	<0.002	0.24	0.11	3.3	1	1.2	135.0	0.45	0.20	4.6
J846005		5.5	3.5	700	4.9	45.3	<0.002	0.23	0.10	3.2	1	0.8	133.5	0.51	0.09	3.9
J846006		8.5	5.1	990	6.4	54.8	<0.002	0.93	0.15	5.3	1	1.1	144.5	0.79	0.49	3.6
J846007		5.9	4.8	510	5.9	64.7	<0.002	0.34	0.13	4.2	1	1.0	137.5	0.47	0.21	4.8
J846008		5.3	5.1	360	4.9	59.2	<0.002	0.10	0.12	4.3	1	1.1	143.0	0.41	0.05	3.5
J846009		6.2	6.9	330	5.6	56.1	<0.002	0.21	0.13	4.3	1	1.0	168.5	0.47	0.13	4.1
J846010		8.0	12.3	370	13.1	67.4	<0.002	0.23	0.15	6.8	1	1.4	149.0	0.69	0.21	4.2
J846011		8.6	16.6	540	6.9	84.5	<0.002	0.53	0.18	10.8	1	1.5	159.5	0.85	0.52	3.2
J846012		3.1	12.4	530	3.1	44.5	<0.002	0.15	0.08	4.4	1	0.6	122.0	0.30	0.10	1.3
J846013		2.0	7.9	160	3.7	50.3	<0.002	0.05	0.07	2.6	1	0.5	108.5	0.18	<0.05	1.5
J846014		2.8	4.4	260	4.4	68.9	<0.002	0.06	0.09	2.6	1	0.9	107.0	0.29	<0.05	5.8
J846015		6.8	31.7	930	65.0	81.0	0.127	2.55	7.06	16.2	7	2.6	260	0.26	0.97	4.5
J846016		6.6	4.5	510	6.1	87.8	<0.002	0.19	0.14	3.7	1	2.1	119.0	0.47	0.05	6.6
J846017		6.2	1.9	300	7.1	60.5	<0.002	0.15	0.11	3.0	1	1.6	147.5	0.46	<0.05	6.4
J846018		6.6	2.0	110	7.3	59.9	<0.002	0.03	0.07	2.1	1	1.0	171.5	1.18	<0.05	4.7
J846019		7.9	3.6	100	4.0	42.4	<0.002	<0.01	0.05	1.6	1	0.9	149.0	1.13	<0.05	3.4
J846019 CRD		8.2	1.8	100	4.0	45.6	<0.002	<0.01	0.05	1.7	1	0.9	151.5	1.18	<0.05	3.4
J846020		7.2	3.8	220	3.3	54.9	<0.002	0.04	0.07	2.4	1	1.2	106.5	0.65	<0.05	5.3
J846021		6.8	4.3	330	6.4	62.6	<0.002	0.09	0.10	3.4	1	1.2	110.5	0.50	<0.05	9.3
J846022		6.1	4.9	300	7.3	70.9	<0.002	0.17	0.11	3.1	1	1.1	100.0	0.56	0.13	9.5
J846023		6.1	6.4	420	5.1	85.6	<0.002	0.13	0.11	3.9	1	1.1	84.3	0.44	0.10	12.8
J846024		6.1	4.7	390	7.0	81.2	<0.002	0.19	0.10	3.8	1	1.1	106.5	0.40	0.13	13.5
J846025		5.6	5.8	380	4.4	80.2	<0.002	0.08	0.10	3.6	1	1.0	94.0	0.36	0.05	11.4
J846026		10.2	5.8	220	6.1	54.5	<0.002	0.24	0.07	2.9	1	2.4	60.6	1.12	0.19	6.5
J846027		9.9	7.1	350	7.5	78.7	<0.002	0.29	0.09	4.6	1	1.8	87.7	0.97	0.36	8.1
J846028		7.7	37.5	440	9.5	83.4	<0.002	0.95	0.13	6.1	2	1.4	131.0	0.56	0.98	7.0
J846029		4.6	3.1	290	4.7	60.8	<0.002	0.14	0.10	2.9	1	0.9	135.5	0.31	0.07	8.1
J846030		4.8	24.9	1140	39.7	106.5	0.614	2.61	6.79	12.2	8	2.9	262	0.31	1.01	2.5
J846031		7.1	4.8	400	8.7	67.4	<0.002	0.16	0.12	4.0	1	1.2	130.5	0.43	0.08	7.5
J846032		7.2	3.6	360	14.6	67.1	<0.002	0.07	0.10	3.9	1	1.3	127.5	0.54	<0.05	8.3
J846033		4.2	2.9	260	5.1	57.2	<0.002	0.03	0.09	2.6	1	0.8	95.8	0.32	<0.05	6.0
J846034		3.5	1.7	130	6.4	50.3	<0.002	0.02	0.09	1.9	1	0.7	144.0	0.26	<0.05	4.3
J846035		3.2	1.5	110	5.0	47.4	<0.002	0.04	0.08	1.8	1	0.6	147.5	0.27	<0.05	3.7
J846036		6.4	12.6	450	5.8	73.7	<0.002	0.18	0.12	5.7	1	1.3	129.0	0.40	0.12	4.8
J846037		6.5	24.4	650	5.1	67.1	<0.002	0.12	0.14	9.6	1	1.4	170.0	0.73	0.05	3.5
J846038		7.7	15.8	510	6.7	82.2	<0.002	0.30	0.14	5.1	2	1.2	139.0	0.55	0.18	8.1

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01
J846000		0.316	0.22	0.9	108	5.5	15.0	147	29.0	1.305						
J846001		0.124	0.20	0.6	32	5.1	4.0	50	58.4							
J846002		0.096	0.28	0.9	33	3.2	3.8	40	80.1							
J846003		0.114	0.26	1.0	29	3.2	4.5	34	74.6							
J846004		0.139	0.26	1.0	29	3.8	5.3	42	100.5							
J846005		0.157	0.20	0.8	34	3.1	4.7	44	112.0							
J846006		0.228	0.25	0.9	43	6.2	6.2	54	157.0							
J846007		0.141	0.30	1.1	35	4.8	6.1	42	119.0							
J846008		0.168	0.27	0.5	40	5.3	3.8	54	92.3							
J846009		0.153	0.27	0.8	36	4.0	4.8	49	123.5							
J846010		0.203	0.33	0.8	56	4.0	5.1	56	118.0							
J846011		0.266	0.41	1.2	75	4.2	6.2	73	109.5							
J846012		0.139	0.20	0.6	44	1.8	3.2	43	34.7							
J846013		0.062	0.21	0.8	29	1.0	2.5	29	57.2							
J846014		0.069	0.30	1.0	33	1.2	4.2	27	74.1							
J846015		0.321	0.79	1.2	153	11.0	15.2	175	33.6	2.18						
J846016		0.155	0.40	1.1	43	1.7	6.1	29	147.5							
J846017		0.091	0.29	1.5	23	1.0	5.9	12	95.0							
J846018		0.034	0.28	0.9	11	0.5	4.9	11	52.4							
J846019		0.029	0.17	0.6	6	0.3	4.8	6	42.8							
J846019 CRD		0.028	0.19	0.6	7	0.3	5.4	5	42.6							
J846020		0.059	0.21	0.9	21	0.6	4.4	15	68.0		0.33	1.2	74.50	13.35	1.31	1.11
J846021		0.115	0.31	1.2	27	1.3	6.0	30	157.0							
J846022		0.103	0.29	1.0	28	1.7	5.7	36	138.5							
J846023		0.139	0.38	1.4	32	2.0	7.2	47	200							
J846024		0.131	0.34	1.2	26	1.9	7.1	43	190.0							
J846025		0.116	0.33	1.0	27	1.7	5.7	41	154.5							
J846026		0.048	0.22	2.6	18	0.6	6.4	28	66.7							
J846027		0.125	0.33	1.3	31	1.3	6.4	38	135.0							
J846028		0.195	0.37	1.2	44	3.0	6.7	62	160.0							
J846029		0.094	0.26	1.0	21	2.1	5.1	32	111.5							
J846030		0.257	1.40	1.1	160	11.4	14.7	157	22.2							
J846031		0.152	0.31	0.7	25	2.9	5.8	48	167.0							
J846032		0.130	0.29	0.9	23	2.3	6.2	42	144.0							
J846033		0.084	0.24	0.8	18	2.2	4.7	32	109.0							
J846034		0.059	0.21	0.6	11	1.5	3.6	23	74.8							
J846035		0.052	0.20	0.7	11	1.3	3.5	22	84.6							
J846036		0.150	0.32	0.7	34	2.2	5.3	59	82.0							
J846037		0.201	0.32	0.9	57	3.6	6.5	69	57.9							
J846038		0.183	0.34	1.3	37	3.1	7.7	53	165.0							

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846000												
J846001												
J846002												
J846003												
J846004												
J846005												
J846006												
J846007												
J846008												
J846009												
J846010												
J846011												
J846012												
J846013												
J846014												
J846015												
J846016												
J846017												
J846018												
J846019												
J846019 CRD												
J846020		0.29	3.08	2.53	<0.01	0.09	<0.01	0.047	0.03	0.05	2.06	98.45
J846021												
J846022												
J846023												
J846024												
J846025												
J846026												
J846027												
J846028												
J846029												
J846030												
J846031												
J846032												
J846033												
J846034												
J846035												
J846036												
J846037												
J846038												

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-GRA22 Au Check ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1
J846039		3.24	0.611				0.28	7.40	<0.2	520	1.07	0.15	1.83	0.07	62.6	5.9
J846039 CRD		<0.02	0.591				0.31	7.02	<0.2	500	1.08	0.15	1.74	0.06	59.5	6.6
J846040		3.23	0.569			0.581	0.72	6.46	<0.2	410	0.97	0.24	1.25	0.05	59.1	5.3
J846041		3.36	0.280				0.22	7.15	<0.2	480	1.04	0.12	1.51	0.05	55.9	4.8
J846042		3.24	0.066				0.07	7.43	<0.2	490	1.01	0.06	1.38	0.06	57.1	3.9
J846043		3.24	0.088				0.17	7.29	<0.2	550	1.08	0.05	1.61	0.04	47.8	3.6
J846044		3.39	0.024				<0.01	7.13	<0.2	500	1.09	0.02	2.09	0.05	31.9	3.8
J846045		1.08	<0.005				<0.01	0.15	<5	10	<0.05	0.01	21.3	<0.02	2.55	1.1
J846046		3.40	0.270				0.42	7.40	<0.2	420	1.05	0.16	2.06	0.05	31.0	4.3
J846047		3.20	0.045				0.09	6.96	<0.2	470	0.99	0.04	1.75	0.04	41.4	3.4
J846048		3.22	0.449				0.50	7.00	<0.2	470	1.04	0.11	1.60	0.04	36.1	4.0
J846049		3.40	0.031				0.04	6.88	<0.2	430	1.01	0.03	1.84	0.06	35.6	4.3
J846050		3.30	0.226				0.25	7.30	<0.2	440	1.01	0.07	2.09	0.06	41.2	6.1
J846051		3.15	0.373				0.24	6.75	<0.2	420	1.04	0.06	2.02	0.05	34.9	5.6
J846052		3.46	0.046				0.15	5.54	<0.2	460	1.03	0.61	0.95	0.03	26.6	2.8
J846053		3.35	0.047				0.05	7.51	<0.2	450	1.01	0.07	0.87	0.03	27.8	2.9
J846054		3.39	0.188				0.22	7.17	<0.2	390	0.91	0.09	1.48	0.05	27.6	5.5
J846055		3.41	0.282				0.12	7.35	<0.2	460	0.96	0.08	1.73	0.06	45.3	5.0
J846056		3.07	0.465				0.09	7.65	<0.2	430	1.08	0.05	2.61	0.07	37.3	8.2
J846057		3.20	0.079				0.07	6.62	0.5	420	0.89	0.05	2.91	0.08	32.0	9.5
J846058		3.18	0.077				0.08	6.38	0.5	490	1.00	0.03	2.95	0.06	30.1	8.9
J846059		3.50	0.065				0.41	7.15	0.8	300	0.86	0.02	1.01	0.03	5.71	3.9
J846059 CRD		<0.02	0.065				0.11	7.35	0.3	300	0.84	0.02	1.08	0.02	5.23	3.7
J846060		0.07	1.025				3.96	6.53	19.6	490	0.71	1.71	2.36	2.00	21.3	14.3
J846061		3.38	0.205			0.228	0.37	6.50	1.8	400	1.09	0.02	2.54	0.06	38.5	7.8
J846062		3.35	0.150				0.58	8.09	0.8	530	1.16	0.02	1.60	0.04	60.7	5.7
J846063		3.34	0.445				1.09	5.33	<0.2	310	0.74	0.05	8.81	0.14	18.25	24.3
J846064		3.39	0.034				0.09	7.19	0.4	340	1.01	0.11	0.90	0.03	43.0	4.3
J846065		3.54	0.046				0.10	6.88	0.6	850	0.91	0.07	5.61	0.11	83.5	29.8
J846066		3.50	0.089				0.07	7.50	0.6	500	1.04	0.10	3.31	0.09	46.1	14.7
J846067		3.41	0.096				0.11	7.68	0.5	470	0.84	0.14	1.60	0.03	46.4	6.8
J846068		3.72	0.293				0.24	4.39	<5	330	0.70	0.22	10.95	0.34	31.9	56.4
J846069		3.65	0.670				0.31	6.35	1.3	480	0.84	0.17	6.54	0.18	34.6	30.3
J846070		3.49	0.052				0.12	5.90	0.9	400	0.71	0.04	7.02	0.20	31.6	33.8
J846071		3.45	0.210				0.14	6.26	0.7	460	0.82	0.06	6.56	0.24	29.7	25.9
J846072		3.69	0.152				0.29	6.11	<0.2	510	0.96	0.04	7.75	0.29	34.9	32.9
J846073		3.70	0.164				0.28	5.34	<0.2	430	0.85	0.03	7.78	0.22	33.7	35.1
J846074		3.18	<0.005				0.01	7.53	0.3	610	1.04	0.01	1.62	0.04	59.3	6.1
J846075		0.11	2.36				7.76	6.90	53.0	680	0.90	3.34	1.57	1.02	58.4	17.6
J846076		3.10	0.015				0.01	6.83	0.8	480	1.07	0.01	1.91	0.05	47.9	3.9

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01
J846039		32	1.15	18.9	2.18	21.1	0.13	4.6	0.021	2.55	32.9	4.5	0.62	335	5.63	2.10
J846039 CRD		31	1.14	16.5	2.09	20.6	0.12	4.4	0.022	2.51	31.1	4.5	0.60	322	5.63	2.05
J846040		9	0.90	15.2	1.84	18.20	0.09	4.3	0.018	2.01	31.0	3.0	0.28	243	2.23	2.13
J846041		10	1.01	12.2	1.84	20.1	0.10	4.7	0.019	2.27	29.6	3.0	0.32	310	1.89	2.37
J846042		8	0.90	8.3	1.67	19.25	0.10	4.2	0.018	2.16	29.7	2.8	0.30	291	0.93	2.69
J846043		6	1.01	7.7	1.67	19.85	0.09	4.0	0.019	2.41	24.6	3.4	0.30	294	4.70	2.52
J846044		6	1.08	8.8	1.73	19.45	0.08	3.3	0.021	2.23	15.4	3.0	0.31	375	0.56	2.52
J846045		4	0.10	0.3	0.08	0.61	0.14	0.1	<0.005	0.12	1.9	4.4	13.00	51	0.11	0.04
J846046		8	1.14	3.4	1.93	21.2	0.12	4.0	0.024	2.29	15.3	2.7	0.35	396	7.65	2.59
J846047		8	1.01	1.9	1.78	17.70	0.10	3.7	0.017	2.10	20.8	2.7	0.28	332	0.71	2.62
J846048		6	0.95	6.8	1.51	18.90	0.11	3.2	0.018	2.16	17.9	2.8	0.24	234	0.70	2.46
J846049		9	0.92	16.4	2.12	18.20	0.11	3.7	0.017	2.12	17.9	2.5	0.37	387	0.29	2.39
J846050		8	1.10	15.0	2.19	19.55	0.12	4.4	0.023	2.32	21.0	3.0	0.44	421	1.10	2.40
J846051		7	1.03	10.7	2.29	19.35	0.12	4.1	0.023	2.21	16.9	2.9	0.40	430	0.86	2.41
J846052		7	0.82	1.9	1.37	18.90	0.10	3.3	0.015	2.16	12.8	2.5	0.25	222	90.6	2.68
J846053		7	0.88	1.5	1.46	18.55	0.08	2.8	0.012	2.11	14.5	2.3	0.22	189	2.70	2.84
J846054		12	0.88	9.1	1.68	17.50	0.08	1.4	0.019	1.90	13.7	2.3	0.35	293	4.96	2.83
J846055		8	0.97	14.2	2.14	18.95	0.11	2.9	0.018	2.25	22.6	2.3	0.37	357	2.25	2.63
J846056		6	1.11	26.8	2.48	19.65	0.13	3.2	0.030	2.46	18.5	2.6	0.62	508	0.28	2.57
J846057		17	1.08	38.2	2.98	20.7	0.12	2.7	0.045	2.29	13.6	2.1	0.70	622	0.56	2.42
J846058		16	1.09	38.0	2.89	21.3	0.10	3.4	0.031	2.60	13.1	2.4	0.70	617	0.54	2.17
J846059		60	0.59	7.9	1.26	19.70	0.07	2.9	0.009	1.48	2.8	1.6	0.38	186	0.57	3.81
J846059 CRD		58	0.58	8.0	1.05	18.70	0.08	2.3	0.011	1.45	2.5	1.7	0.37	162	1.00	3.72
J846060		65	0.77	>10000	4.52	12.80	0.12	1.0	0.126	0.83	10.5	14.1	1.15	666	252	2.18
J846061		92	1.00	8.9	2.69	20.3	0.13	3.9	0.022	2.26	18.3	2.9	0.81	450	0.50	2.53
J846062		62	1.27	6.0	2.32	24.5	0.12	5.1	0.027	2.70	31.1	3.1	0.65	351	1.09	2.56
J846063		578	0.87	9.6	4.53	13.95	0.10	1.9	0.033	1.79	8.6	3.2	3.73	1160	3.26	1.49
J846064		18	0.66	5.7	1.54	22.0	0.08	3.8	0.033	1.52	21.1	1.6	0.33	301	12.05	3.54
J846065		358	1.16	27.3	4.50	15.30	0.16	2.7	0.035	2.05	40.0	25.5	3.90	896	2.09	1.21
J846066		64	1.15	19.7	3.47	19.30	0.12	3.3	0.035	2.40	21.9	3.2	1.21	685	0.26	2.57
J846067		19	0.88	6.1	2.26	17.30	0.09	3.5	0.019	2.10	23.2	2.1	0.55	366	3.03	3.06
J846068		708	0.87	83.2	7.44	13.90	0.18	2.5	0.051	1.62	14.0	15.0	5.68	1540	2.42	0.42
J846069		283	1.10	48.2	4.86	16.10	0.13	2.7	0.037	2.15	16.1	3.2	2.61	870	2.29	1.71
J846070		443	0.86	25.1	5.21	14.80	0.12	2.3	0.035	1.94	15.5	9.6	3.30	915	0.82	1.38
J846071		322	1.00	3.9	4.55	15.05	0.11	2.1	0.032	2.27	14.8	2.6	2.58	905	1.41	1.52
J846072		403	1.20	5.7	5.17	16.70	0.11	2.6	0.035	2.42	17.8	3.2	3.09	1040	1.78	1.22
J846073		392	0.98	3.7	4.83	13.20	0.10	2.3	0.031	2.11	16.8	2.8	3.13	931	3.06	1.06
J846074		10	1.31	13.0	2.33	18.50	0.08	4.8	0.018	2.74	32.7	2.4	0.49	305	0.28	2.20
J846075		59	3.27	>10000	5.66	15.15	0.18	1.2	0.115	2.71	27.5	16.8	1.18	645	118.5	1.64
J846076		7	1.04	14.2	1.89	18.00	0.12	4.0	0.018	2.22	24.8	2.1	0.34	271	0.23	2.73

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
J846039		7.0	24.5	380	5.4	77.4	<0.002	0.25	0.13	4.7	1	1.1	139.5	0.47	0.22	10.4
J846039 CRD		6.9	26.9	370	5.3	75.7	<0.002	0.26	0.13	4.6	1	1.1	137.5	0.47	0.23	10.0
J846040		6.1	4.9	340	6.6	62.9	<0.002	0.46	0.11	3.7	1	1.0	113.0	0.36	0.58	10.7
J846041		7.4	4.7	340	6.6	70.4	<0.002	0.22	0.11	3.8	1	1.3	124.5	0.53	0.20	10.7
J846042		6.2	4.6	320	6.6	67.1	<0.002	0.12	0.12	3.3	1	1.0	138.5	0.40	0.08	9.9
J846043		5.7	4.9	260	6.8	71.4	<0.002	0.07	0.11	3.1	1	1.0	148.0	0.39	0.11	8.6
J846044		7.0	3.5	410	5.5	66.2	<0.002	0.05	0.11	3.5	1	1.3	151.5	0.43	<0.05	5.0
J846045		0.3	<0.2	<10	1.1	2.9	<0.002	0.04	<0.05	0.4	1	<0.2	63.9	<0.05	<0.05	0.3
J846046		7.8	5.0	420	6.4	70.3	<0.002	0.16	0.12	3.7	1	1.5	161.0	0.50	0.36	5.3
J846047		5.8	5.2	240	5.7	62.2	<0.002	0.05	0.11	2.9	1	1.1	154.5	0.34	0.09	7.2
J846048		4.9	4.2	290	6.4	65.0	<0.002	0.19	0.10	2.9	1	1.0	146.0	0.31	0.33	6.3
J846049		6.5	4.9	360	5.3	62.2	<0.002	0.09	0.11	3.4	1	1.2	145.0	0.38	0.05	6.6
J846050		8.2	6.5	430	5.9	68.9	<0.002	0.27	0.12	4.4	2	1.4	141.0	0.47	0.19	7.3
J846051		7.7	6.2	400	5.7	60.4	<0.002	0.22	0.12	4.1	1	1.4	139.0	0.44	0.13	6.4
J846052		5.7	5.7	290	10.6	58.3	0.007	0.02	0.11	2.9	1	1.1	104.0	0.43	0.25	5.0
J846053		4.2	5.2	220	4.6	64.1	<0.002	0.06	0.10	2.7	1	0.9	104.5	0.38	0.07	5.4
J846054		4.0	10.8	340	6.9	56.5	<0.002	0.26	0.11	4.5	1	0.9	124.5	0.33	0.17	3.8
J846055		5.0	6.7	380	6.0	65.7	<0.002	0.18	0.12	4.1	1	1.1	125.5	0.31	0.08	7.6
J846056		6.2	12.6	300	5.2	71.1	<0.002	0.09	0.15	7.6	1	1.4	148.5	0.52	0.06	5.0
J846057		10.7	18.3	740	6.7	59.1	<0.002	0.13	0.19	10.0	1	1.9	151.0	1.39	0.05	3.6
J846058		8.1	16.8	540	4.1	59.1	<0.002	0.13	0.17	7.5	1	1.5	137.0	0.75	0.06	3.1
J846059		4.3	23.4	60	6.3	45.2	<0.002	0.05	0.09	3.2	1	0.6	121.5	0.69	0.33	4.8
J846059 CRD		4.6	22.9	60	6.8	44.8	<0.002	0.04	0.10	3.1	1	0.5	121.5	0.65	0.12	4.7
J846060		3.7	32.8	580	35.3	23.6	1.395	1.62	23.7	14.5	5	0.9	294	0.28	0.55	1.8
J846061		5.9	46.8	360	5.0	57.1	<0.002	0.07	0.14	4.7	1	1.3	147.0	0.51	0.11	6.4
J846062		5.9	31.1	300	4.3	74.6	<0.002	0.03	0.18	5.5	1	1.3	115.0	0.47	0.38	9.0
J846063		5.5	230	60	6.2	53.4	<0.002	0.09	0.14	14.1	1	1.3	365	0.82	4.62	2.6
J846064		13.0	13.5	230	5.4	51.6	<0.002	0.18	0.11	4.9	1	2.9	104.5	1.58	0.10	6.4
J846065		4.9	190.5	1170	6.4	71.7	<0.002	0.23	0.25	16.1	1	0.9	842	0.58	0.09	4.7
J846066		6.4	34.2	450	4.6	72.5	<0.002	0.32	0.21	11.3	1	1.4	212	0.58	0.10	5.2
J846067		4.1	16.6	290	3.8	62.3	<0.002	0.26	0.14	5.7	1	1.0	123.0	0.33	0.11	6.9
J846068		6.3	485	50	9.0	54.8	<0.002	0.46	0.33	21.8	1	0.8	644	0.40	3.66	1.7
J846069		5.5	179.5	30	6.1	72.5	<0.002	0.49	0.27	14.5	1	1.0	371	0.38	0.55	2.6
J846070		3.4	319	30	5.6	57.4	<0.002	0.13	0.21	13.5	1	0.8	394	0.24	1.22	3.1
J846071		3.8	213	60	4.8	61.7	<0.002	0.19	0.21	12.3	1	0.9	338	0.28	0.34	2.9
J846072		4.0	268	30	5.9	76.3	<0.002	0.11	0.22	14.3	1	1.0	391	0.30	0.46	3.7
J846073		3.4	307	20	4.6	64.2	<0.002	0.08	0.18	12.5	<1	0.7	391	0.23	0.40	3.3
J846074		5.1	9.6	550	4.1	72.1	<0.002	0.03	0.15	3.8	1	0.9	100.5	0.35	<0.05	8.9
J846075		6.7	36.4	920	61.5	77.9	0.137	2.47	7.08	16.7	7	2.7	266	0.27	0.97	4.3
J846076		5.2	4.5	370	4.2	63.3	<0.002	0.02	0.13	3.2	1	1.0	113.0	0.33	<0.05	9.3

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01
J846039		0.145	0.33	1.1	35	3.1	7.1	48	172.0							
J846039 CRD		0.142	0.31	0.9	33	3.1	6.8	47	164.0							
J846040		0.114	0.26	0.9	27	2.7	5.9	35	153.0		0.63	2.3	72.31	13.35	2.76	1.90
J846041		0.124	0.30	1.4	27	2.2	7.0	41	167.0							
J846042		0.112	0.28	1.0	21	2.1	6.2	40	147.0							
J846043		0.118	0.31	1.6	20	1.8	6.2	42	138.5							
J846044		0.131	0.30	0.8	22	2.2	6.5	50	111.0							
J846045		0.007	<0.02	0.1	1	<0.1	1.6	<2	2.1							
J846046		0.149	0.31	0.9	25	2.7	6.2	48	132.0							
J846047		0.115	0.26	0.7	19	2.5	5.3	41	127.5							
J846048		0.096	0.27	1.0	24	2.0	4.9	35	104.5							
J846049		0.126	0.27	0.8	23	3.0	5.1	48	138.5							
J846050		0.179	0.29	0.9	31	3.4	6.1	51	164.5							
J846051		0.167	0.27	0.7	31	3.2	5.3	48	152.5							
J846052		0.117	0.27	0.7	28	2.8	3.6	36	122.5							
J846053		0.088	0.26	1.0	23	1.8	3.9	32	95.8							
J846054		0.099	0.24	0.6	29	2.3	4.1	36	45.3							
J846055		0.123	0.28	1.0	29	2.5	5.1	45	93.3							
J846056		0.195	0.31	1.1	47	4.8	5.1	58	103.5							
J846057		0.230	0.29	0.8	49	7.5	7.5	60	102.5							
J846058		0.236	0.30	0.7	61	8.0	5.1	62	127.5							
J846059		0.053	0.18	4.5	21	1.6	7.7	25	60.7							
J846059 CRD		0.053	0.18	4.0	21	1.5	6.6	24	52.2							
J846060		0.326	0.20	0.9	104	5.5	15.4	151	29.8	1.275						
J846061		0.169	0.29	1.1	39	3.1	6.6	58	146.0		1.47	5.4	63.29	14.23	3.66	3.55
J846062		0.152	0.35	1.3	42	2.4	7.1	52	193.5							
J846063		0.158	0.21	1.3	67	1.8	7.1	92	47.9							
J846064		0.058	0.21	3.1	19	2.0	7.6	25	76.6							
J846065		0.215	0.29	0.9	90	3.6	9.4	107	105.5							
J846066		0.213	0.31	1.1	64	7.5	6.6	51	114.0							
J846067		0.127	0.23	0.9	37	3.7	5.3	40	127.5							
J846068		0.440	0.20	1.5	91	10.0	12.5	221	97.2							
J846069		0.325	0.26	1.1	77	10.2	8.7	90	98.6							
J846070		0.249	0.22	0.8	72	4.8	6.9	158	86.8							
J846071		0.278	0.25	0.9	76	4.7	6.3	92	75.5							
J846072		0.257	0.30	1.0	83	5.0	8.9	115	94.0							
J846073		0.235	0.22	0.8	69	5.8	8.4	111	87.1							
J846074		0.170	0.31	0.9	38	3.6	4.9	49	201							
J846075		0.326	0.77	1.3	151	11.8	16.0	177	38.8	2.17						
J846076		0.130	0.28	0.8	25	3.0	4.8	41	147.0							

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846039												
J846039 CRD												
J846040		0.57	3.22	2.61	<0.01	0.25	0.03	0.081	0.03	0.04	2.69	99.84
J846041												
J846042												
J846043												
J846044												
J846045												
J846046												
J846047												
J846048												
J846049												
J846050												
J846051												
J846052												
J846053												
J846054												
J846055												
J846056												
J846057												
J846058												
J846059												
J846059 CRD												
J846060												
J846061		1.48	3.52	2.78	0.01	0.37	0.05	0.081	0.03	0.04	6.10	99.19
J846062												
J846063												
J846064												
J846065												
J846066												
J846067												
J846068												
J846069												
J846070												
J846071												
J846072												
J846073												
J846074												
J846075												
J846076												

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-GRA22 Au Check ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1
J846077		3.26	0.352				0.11	6.88	0.7	510	0.85	0.10	2.65	0.09	39.7	9.1
J846078		3.27	<0.005				0.01	7.44	0.8	480	1.03	0.01	2.45	0.07	37.4	8.1
J846079		3.40	0.075				0.10	6.73	0.4	500	0.91	0.15	2.79	0.07	60.0	9.7
J846079 CRD		<0.02	0.048				0.11	7.49	<0.2	530	0.94	0.16	2.88	0.08	73.9	9.8
J846080		3.38	0.302			0.345	0.14	7.30	0.2	510	1.00	0.20	2.24	0.06	43.1	8.5
J846081		3.37	0.145				0.12	6.96	0.7	610	1.11	0.09	3.05	0.06	34.5	15.1
J846082		3.31	0.397				0.13	7.32	0.5	520	0.84	0.03	3.59	0.07	28.8	14.6
J846083		3.24	0.018				0.02	7.11	0.6	820	0.72	0.02	0.80	0.02	38.0	3.3
J846084		3.10	0.029				0.01	7.33	<0.2	650	0.81	0.03	1.66	0.03	29.8	5.8
J846085		3.40	<0.005				0.05	7.77	0.3	490	0.66	0.04	3.27	0.04	42.2	15.6
J846086		3.35	0.204				0.09	7.74	0.5	510	0.90	0.05	3.52	0.05	34.7	17.6
J846087		3.06	0.022				0.05	7.19	0.6	440	1.00	0.03	2.39	0.04	34.9	8.8
J846088		3.41	0.063				0.06	6.80	0.3	550	0.93	0.03	1.68	0.03	43.0	4.1
J846089		3.44	0.007				0.01	6.80	<0.2	650	0.82	0.01	1.76	0.02	47.9	3.1
J846090		0.07	0.417				2.10	7.94	108.0	630	1.23	0.51	0.54	0.99	32.7	19.2
J846091		4.35	0.015				0.01	6.64	0.9	470	1.03	0.02	1.74	0.03	34.9	5.1
J846092		2.94	<0.005				0.05	7.03	<0.2	230	0.88	0.04	6.43	0.07	46.2	18.9
J846093		2.87	<0.005				0.04	6.91	0.6	370	1.34	0.07	3.50	0.05	26.2	17.8
J846094		3.13	0.023				0.01	6.56	0.8	580	1.00	0.03	2.27	0.04	32.2	8.4
J846095		3.13	<0.005				0.01	7.06	<0.2	510	0.93	0.02	3.32	0.05	29.0	18.1

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01
J846077		17	0.93	27.3	2.87	16.35	0.08	3.4	0.029	2.28	17.3	1.9	0.58	472	0.61	2.55
J846078		20	0.93	3.7	2.26	18.00	0.09	3.8	0.026	2.22	17.7	1.9	0.67	419	0.16	2.83
J846079		20	0.90	40.8	3.03	17.00	0.11	3.5	0.029	2.30	25.7	2.6	0.73	527	0.16	2.44
J846079 CRD		19	1.03	38.4	2.96	17.95	0.12	3.7	0.029	2.41	33.1	2.8	0.79	523	0.12	2.52
J846080		18	1.00	24.5	2.73	17.45	0.10	3.4	0.025	2.20	19.6	3.3	0.60	449	0.26	2.61
J846081		113	1.31	40.5	3.25	20.1	0.12	3.5	0.028	2.81	15.4	5.5	1.12	509	0.39	1.57
J846082		26	1.27	56.0	3.91	20.0	0.11	2.9	0.034	2.58	12.8	13.5	1.03	647	0.10	1.59
J846083		7	0.84	2.8	1.67	16.85	0.08	3.0	0.008	2.06	19.1	4.0	0.23	147	0.18	2.34
J846084		12	1.00	10.8	2.11	14.70	0.07	2.5	0.014	2.28	14.9	6.3	0.50	327	0.15	2.27
J846085		22	1.16	75.0	4.03	16.95	0.11	2.4	0.029	2.19	21.6	24.1	1.16	620	0.13	2.07
J846086		21	1.06	48.5	4.20	19.85	0.12	2.6	0.038	2.02	16.4	26.4	1.22	715	0.11	2.22
J846087		16	0.98	42.5	2.57	17.90	0.11	2.6	0.022	1.87	17.7	13.0	0.61	498	0.19	2.48
J846088		10	0.87	31.2	1.42	16.45	0.09	3.6	0.014	1.68	22.8	5.3	0.27	259	0.13	2.99
J846089		7	0.87	5.6	1.82	15.55	0.10	4.8	0.012	1.83	26.2	5.0	0.28	290	0.31	2.72
J846090		35	7.00	4830	4.76	17.65	0.18	0.8	0.063	4.23	17.3	11.3	0.75	506	284	1.06
J846091		9	0.78	15.8	1.71	18.55	0.08	3.8	0.011	1.53	17.2	7.8	0.34	253	0.22	3.15
J846092		34	0.52	69.1	4.57	17.40	0.11	2.1	0.034	0.77	22.7	24.8	1.85	922	0.22	2.99
J846093		29	0.80	32.0	4.44	20.5	0.11	3.0	0.035	1.42	10.5	27.9	1.23	684	0.19	2.79
J846094		10	0.96	23.9	2.73	19.80	0.09	3.1	0.021	2.03	14.5	10.7	0.52	436	0.18	2.39
J846095		23	1.00	31.8	4.45	19.30	0.10	2.6	0.035	1.78	12.7	30.5	1.57	672	0.17	1.92

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2
J846077		6.7	11.2	620	4.9	54.2	<0.002	0.29	0.13	6.2	1	1.1	134.5	0.49	0.06	4.5
J846078		4.7	16.2	350	4.0	63.2	<0.002	0.03	0.12	8.1	1	1.1	142.0	0.44	<0.05	5.5
J846079		6.3	12.4	1110	5.8	52.3	<0.002	0.34	0.12	6.0	1	1.4	158.5	0.45	0.13	5.7
J846079 CRD		6.6	12.8	1160	7.0	63.7	<0.002	0.35	0.15	6.4	1	1.5	167.0	0.47	0.12	7.1
J846080		5.8	10.1	610	6.4	59.5	<0.002	0.41	0.13	5.9	1	1.4	129.5	0.44	0.17	5.0
J846081		5.7	80.1	480	5.5	69.9	<0.002	0.23	0.19	7.3	1	1.0	177.0	0.33	0.13	3.5
J846082		5.6	19.4	510	4.3	69.8	<0.002	0.20	0.20	12.0	1	1.2	192.5	0.43	<0.05	1.9
J846083		2.5	3.0	530	3.1	59.6	<0.002	0.04	0.12	2.1	1	0.6	106.5	0.14	<0.05	5.6
J846084		3.0	7.9	430	3.7	63.0	<0.002	0.05	0.13	4.5	1	0.7	155.0	0.21	<0.05	4.4
J846085		3.1	21.9	450	5.7	57.0	<0.002	0.09	0.20	11.3	1	0.8	238	0.28	<0.05	5.6
J846086		3.7	25.3	440	6.3	56.2	<0.002	0.11	0.19	13.2	1	1.1	252	0.38	<0.05	4.1
J846087		4.8	13.4	340	4.9	59.4	<0.002	0.06	0.13	7.0	1	1.1	230	0.47	<0.05	5.4
J846088		4.6	4.6	270	5.7	53.3	<0.002	0.08	0.10	3.3	1	0.7	209	0.54	<0.05	7.2
J846089		4.3	3.0	340	5.0	51.0	<0.002	0.02	0.09	2.9	1	0.8	208	0.20	<0.05	7.7
J846090		5.4	25.2	1160	41.0	114.5	0.672	2.57	7.34	12.7	9	2.9	271	0.35	1.02	2.4
J846091		4.3	4.6	280	7.1	48.3	<0.002	0.11	0.13	2.8	1	0.7	260	0.35	<0.05	9.0
J846092		5.7	34.3	690	9.5	28.4	<0.002	0.03	0.16	13.5	1	0.8	679	0.39	<0.05	1.7
J846093		6.9	22.1	470	6.6	44.1	<0.002	0.01	0.17	13.4	1	1.1	336	0.86	<0.05	2.1
J846094		7.2	7.7	380	4.3	61.0	<0.002	0.06	0.13	5.8	1	1.1	196.5	0.77	<0.05	4.5
J846095		4.7	26.8	540	5.1	52.3	<0.002	0.04	0.15	12.3	1	1.0	228	0.44	<0.05	1.6

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01
J846077		0.195	0.25	0.9	35	5.4	5.3	59	135.0							
J846078		0.146	0.25	1.3	39	4.5	5.4	52	135.5							
J846079		0.196	0.23	0.9	47	5.3	5.7	63	141.0							
J846079 CRD		0.206	0.28	1.1	49	5.5	6.5	65	147.0							
J846080		0.166	0.26	1.1	41	4.3	5.0	58	113.0		1.14	4.2	66.20	14.17	3.89	3.14
J846081		0.213	0.34	0.7	51	5.2	5.6	66	130.0							
J846082		0.257	0.33	0.7	84	3.2	5.6	79	114.0							
J846083		0.076	0.25	0.7	18	0.7	3.7	23	102.0							
J846084		0.133	0.26	0.7	38	1.3	3.4	31	86.8							
J846085		0.239	0.29	0.9	95	0.6	4.7	78	91.0							
J846086		0.232	0.30	1.0	103	1.2	5.5	87	103.0							
J846087		0.140	0.27	1.1	46	0.9	5.9	44	90.1							
J846088		0.087	0.23	1.6	18	0.7	5.6	21	119.5							
J846089		0.121	0.24	1.0	15	0.7	5.3	37	193.0							
J846090		0.259	1.39	1.2	160	13.3	15.6	155	26.8							
J846091		0.106	0.21	1.8	21	0.8	5.0	31	123.5							
J846092		0.228	0.13	0.5	124	0.3	12.1	81	87.1							
J846093		0.224	0.21	1.3	105	0.6	12.9	76	112.0							
J846094		0.159	0.30	1.3	43	0.6	6.2	38	112.0							
J846095		0.237	0.25	0.5	98	0.8	6.5	82	103.0							

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846077												
J846078												
J846079												
J846079 CRD												
J846080		1.10	3.62	2.63	<0.01	0.34	0.05	0.123	0.03	0.05	4.50	99.84
J846081												
J846082												
J846083												
J846084												
J846085												
J846086												
J846087												
J846088												
J846089												
J846090												
J846091												
J846092												
J846093												
J846094												
J846095												

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J846071 TO J846079.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 21-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184042

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.