ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178479

Project: HAMMOND REEF

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843116		3.22	0.022		0.09	6.41	<0.2	180	0.72	0.04	1.14	0.05	17.65	1.2	8	0.43
J843117		3.20	0.051		0.11	7.45	<0.2	390	1.07	0.13	1.39	0.05	27.3	2.8	11	0.95
J843118		3.19	0.010		0.04	6.41	<0.2	180	0.59	0.04	0.87	0.03	12.05	0.6	9	0.40
J843119		3.38	0.220		0.05	6.65	<0.2	210	0.91	0.04	1.90	0.09	18.55	3.1	13	0.71
J843120		3.34	0.048		0.02	6.55	<0.2	190	0.78	0.04	1.42	0.09	20.3	2.5	12	0.60
J843121		3.36	0.012		<0.01	6.45	0.6	280	0.73	0.04	2.44	0.06	46.1	8.8	17	0.78
J843122		3.44	0.011		0.09	6.78	<0.2	360	0.87	0.10	3.43	0.08	57.9	12.5	27	1.07
J843123		3.69	<0.005		0.03	6.27	<0.2	380	0.76	0.02	1.25	0.04	17.30	2.1	12	0.63
J843124		3.22	0.005		0.01	6.59	<0.2	460	0.86	0.01	2.80	0.08	46.1	7.7	19	0.90
J843125		3.12	0.013		<0.01	6.36	<0.2	340	0.80	0.01	1.88	0.06	52.1	4.7	9	0.72
J843126		3.03	0.019		<0.01	6.17	<0.2	280	0.67	0.02	2.12	0.07	31.4	3.9	9	0.59
J843127		3.45	0.016		0.03	6.42	<0.2	310	0.70	0.04	1.20	0.04	29.0	1.7	8	0.48
J843128		3.79	0.085		0.03	6.57	0.5	490	0.93	0.05	1.82	0.03	24.8	3.9	13	0.80
J843129		3.11	0.005		<0.01	6.80	<0.2	520	0.85	0.02	1.74	0.02	46.3	3.3	14	0.67
J843130		0.12	0.436		2.39	7.58	114.0	540	1.28	0.55	0.56	0.93	34.1	19.4	37	7.27
J843131		3.14	<0.005		<0.01	6.59	0.5	480	0.83	<0.01	1.93	0.03	23.5	2.5	7	0.64
J843132		3.11	<0.005		<0.01	6.30	<0.2	220	0.80	0.01	1.74	<0.02	14.85	2.1	8	0.49
J843133		3.19	<0.005		<0.01	6.00	<0.2	250	0.73	0.01	1.43	0.03	8.40	1.3	9	0.42
J843134		3.24	0.015		0.01	6.04	<0.2	370	0.70	0.03	1.98	0.03	11.15	2.3	9	0.57
J843135		3.32	0.034		<0.01	5.31	<0.2	180	0.78	0.02	2.26	0.02	10.50	1.5	9	0.50
J843135 CRD		<0.02	0.043		<0.01	5.42	0.4	190	0.83	0.01	2.29	0.02	11.55	1.8	12	0.50
J843136		3.10	0.005	<0.005	0.03	5.99	<0.2	190	0.88	0.01	3.95	0.04	37.1	16.1	381	0.51
J843137		3.31	0.007		0.03	6.25	<0.2	250	0.84	0.01	2.94	0.03	48.4	13.5	202	0.60
J843138		3.31	0.007		0.01	6.35	<0.2	290	0.81	0.02	2.16	0.02	27.7	5.0	26	0.53
J843139		3.44	0.025		0.02	7.03	<0.2	360	0.83	0.05	2.68	0.05	83.0	6.7	15	0.66
J843140		3.64	0.032		0.04	6.75	<0.2	480	0.85	0.04	2.75	0.05	72.2	6.2	12	0.71
J843141		3.35	0.012		0.02	6.56	<0.2	430	0.72	0.02	2.53	0.06	65.4	6.2	12	0.65
J843142		2.73	0.019		0.04	6.97	<0.2	420	0.78	0.02	2.69	0.06	54.1	7.3	15	0.75
J843143		3.34	0.021		0.02	7.10	<0.2	430	0.82	0.01	2.61	0.06	20.9	4.4	10	0.74
J843144		3.26	0.082		0.05	6.67	<0.2	310	0.87	0.02	2.59	0.08	32.4	5.7	9	0.69
J843145		0.98	<0.005		<0.01	0.15	<5	10	<0.05	0.01	20.8	<0.02	2.86	1.5	2	0.10
J843146		3.18	0.037		0.08	6.95	<0.2	390	0.84	0.03	3.39	0.14	31.6	10.7	9	0.99
J843147		4.17	0.041		0.03	6.83	<0.2	290	0.83	0.01	1.81	0.06	24.0	3.4	10	0.66
J843148		2.99	0.014		0.01	6.47	<0.2	470	0.82	0.01	1.65	0.05	31.7	2.5	8	0.65
J843149		3.16	0.013		<0.01	6.91	<0.2	520	1.05	0.01	1.85	0.05	38.6	2.8	9	0.76
J843150		3.30	0.040		0.03	6.80	<0.2	510	0.91	0.01	1.44	0.04	42.0	2.8	11	0.62
J843151		3.20	0.031		0.01	6.43	0.3	420	0.92	0.01	1.44	0.05	41.1	2.1	8	0.59
J843152		3.84	0.052		0.11	7.06	<0.2	430	1.07	0.05	3.75	0.08	77.0	16.3	30	1.19
J843153		3.57	0.026		0.07	6.55	<0.2	360	0.98	0.03	3.16	0.06	33.3	10.5	15	1.09
J843154		3.49	0.049		0.33	6.71	<0.2	350	0.99	0.06	2.85	0.06	41.6	9.9	20	1.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843116		4.3	0.78	20.1	0.17	2.2	0.008	1.18	9.2	0.8	0.07	125	1.29	3.62	3.4	1.5
J843117		2.7	1.29	27.2	0.19	3.1	0.016	2.31	15.2	1.5	0.20	170	20.2	3.07	5.7	4.1
J843118		1.4	0.62	20.2	0.16	1.5	<0.005	1.23	6.3	0.5	0.04	169	1.22	3.71	0.7	1.4
J843119		2.6	1.24	21.4	0.17	3.8	0.015	1.65	9.0	1.0	0.19	311	1.31	3.18	11.6	3.8
J843120		11.9	1.27	21.9	0.17	2.3	0.014	1.43	9.8	1.4	0.16	422	0.71	3.65	15.0	3.3
J843121		34.9	2.32	19.40	0.21	2.9	0.028	1.98	20.5	8.1	0.38	361	4.89	2.28	7.4	10.1
J843122		76.6	4.10	22.0	0.24	2.7	0.043	2.74	24.9	10.0	0.84	567	55.8	1.26	10.1	17.6
J843123		8.4	0.95	19.60	0.17	2.1	0.017	1.79	8.5	0.9	0.13	117	1.38	2.68	5.4	3.9
J843124		25.1	3.22	24.2	0.21	3.0	0.055	2.64	19.9	7.1	0.67	455	0.40	1.65	10.5	14.6
J843125		5.9	1.78	21.2	0.21	3.4	0.017	2.05	24.2	3.7	0.33	222	0.22	2.12	8.6	5.3
J843126		4.4	1.67	19.90	0.19	2.8	0.012	1.75	16.1	3.2	0.25	245	0.27	2.62	6.4	3.6
J843127		9.2	0.85	19.10	0.19	2.7	0.007	1.53	15.0	1.5	0.10	116	1.10	3.14	3.7	1.5
J843128		21.3	1.68	23.0	0.19	2.8	0.019	2.28	11.0	2.8	0.23	196	0.35	2.14	5.4	4.8
J843129		5.6	1.26	20.8	0.20	2.7	0.012	1.97	23.1	2.9	0.18	129	0.31	2.83	5.7	5.1
J843130		4430	4.79	19.25	0.25	0.7	0.061	5.50	19.4	12.1	0.75	493	273	1.06	5.9	23.7
J843131		5.6	1.11	18.55	0.13	2.7	0.008	1.91	10.8	2.4	0.16	116	0.25	3.06	5.1	1.7
J843132		2.5	0.83	20.5	0.17	2.8	0.006	1.39	7.2	1.4	0.12	88	14.85	3.27	7.1	1.7
J843133		1.1	0.79	19.60	0.17	2.3	0.005	1.26	4.3	0.9	0.07	89	0.28	3.22	4.4	1.9
J843134		3.8	1.07	16.10	0.08	2.2	0.011	1.66	5.3	2.6	0.17	131	0.27	2.64	4.5	2.8
J843135		1.9	0.81	12.65	0.10	1.0	0.011	1.46	4.7	1.6	0.10	109	0.25	2.42	4.0	0.8
J843135 CRD		2.3	0.77	12.75	0.10	1.1	0.010	1.47	5.2	1.6	0.10	106	0.25	2.44	4.1	0.8
J843136		1.5	2.54	13.00	0.16	2.2	0.015	1.31	16.3	23.8	2.01	403	0.36	1.79	3.7	108.0
J843137		16.6	2.96	16.05	0.16	3.5	0.028	1.51	23.0	27.5	1.53	394	0.41	2.11	5.4	65.9
J843138		1.8	1.56	15.35	0.12	2.0	0.022	1.41	12.4	9.3	0.34	207	0.21	2.83	3.0	7.9
J843139		0.2	2.66	17.90	0.24	5.5	0.027	1.88	41.1	18.6	0.50	249	0.10	2.27	8.8	6.2
J843140		4.7	2.55	17.30	0.23	4.8	0.028	1.96	35.3	16.7	0.44	274	0.18	2.00	6.5	5.4
J843141		4.4	2.40	15.50	0.21	4.3	0.024	1.84	31.8	15.0	0.42	308	0.13	2.11	5.4	5.4
J843142		16.5	2.90	17.50	0.23	4.0	0.032	2.02	25.6	19.3	0.52	351	0.64	2.19	5.9	7.3
J843143		10.0	1.76	16.45	0.17	3.0	0.014	2.03	10.1	7.1	0.29	258	0.66	2.72	4.1	3.6
J843144		9.3	2.14	15.75	0.17	4.4	0.019	1.92	14.2	6.1	0.37	368	0.17	2.52	4.1	4.4
J843145		0.5	0.09	0.70	0.47	0.1	<0.005	0.12	2.2	5.0	12.75	50	0.12	0.03	0.5	<0.2
J843146		19.0	3.66	17.85	0.12	3.9	0.043	2.49	12.7	8.5	0.83	723	0.25	1.89	5.9	8.7
J843147		4.4	1.41	16.85	0.18	2.6	0.015	1.68	11.2	1.5	0.25	313	0.20	3.23	6.9	3.6
J843148		2.8	1.24	15.45	0.18	2.0	0.010	1.83	15.4	1.4	0.20	249	0.14	2.96	3.6	1.9
J843149		1.6	1.40	16.75	0.19	3.3	0.015	2.05	18.3	1.7	0.24	283	0.22	2.94	5.9	2.6
J843150		7.4	1.21	15.65	0.19	3.1	0.010	1.67	20.2	1.3	0.17	199	0.52	3.33	4.6	2.5
J843151		6.2	1.08	14.60	0.19	3.2	0.009	1.56	19.8	1.2	0.16	188	0.34	3.25	4.5	1.7
J843152		43.4	4.91	18.40	0.31	3.1	0.055	2.48	30.9	13.5	1.15	715	0.57	1.82	9.5	20.7
J843153		17.6	3.26	16.60	0.22	2.5	0.030	2.34	13.2	3.9	0.82	549	0.67	2.45	4.3	14.3
J843154		20.3	3.18	15.90	0.22	2.7	0.027	2.24	17.5	1.9	0.78	497	2.51	2.62	3.9	19.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843116		110	7.0	37.6	<0.002	0.04	0.07	2.6	1	0.6	146.0	0.20	0.05	2.2	0.027	0.11
J843117		280	9.2	68.2	<0.002	0.07	0.11	3.9	1	1.3	130.0	0.51	0.09	4.2	0.099	0.27
J843118		120	7.3	40.5	<0.002	0.01	0.06	2.0	1	0.3	128.5	0.07	<0.05	1.4	0.007	0.13
J843119		190	8.2	56.2	<0.002	0.06	0.08	2.8	1	1.2	150.0	0.94	0.07	5.0	0.082	0.19
J843120		170	7.1	48.6	<0.002	0.06	0.09	3.6	1	1.2	148.0	0.94	0.06	5.0	0.073	0.16
J843121		670	5.6	49.8	0.002	0.10	0.13	6.2	1	1.1	112.5	0.42	<0.05	3.3	0.181	0.23
J843122		1100	5.6	52.4	0.008	0.06	0.18	9.7	1	1.6	134.0	0.51	0.06	2.8	0.292	0.32
J843123		110	5.0	45.0	<0.002	0.02	0.09	2.7	1	0.8	128.5	0.35	<0.05	3.3	0.055	0.20
J843124		880	4.9	53.8	<0.002	0.02	0.14	8.2	1	1.7	129.5	0.51	<0.05	2.7	0.261	0.31
J843125		340	5.6	54.3	<0.002	0.01	0.09	5.7	1	1.1	139.0	0.57	<0.05	9.4	0.114	0.24
J843126		470	5.2	52.7	<0.002	<0.01	0.08	3.7	1	0.9	130.0	0.37	<0.05	3.9	0.089	0.20
J843127		120	6.0	47.1	<0.002	0.01	0.08	2.1	1	0.6	125.0	0.26	<0.05	6.5	0.038	0.16
J843128		380	5.0	57.9	<0.002	0.06	0.10	3.9	1	0.9	115.0	0.36	<0.05	2.4	0.119	0.25
J843129		280	6.2	48.7	<0.002	0.02	0.09	2.9	1	0.9	127.0	0.38	<0.05	5.2	0.087	0.22
J843130		1130	37.1	166.0	0.706	2.55	7.84	12.6	9	3.2	260	0.37	0.99	2.4	0.253	1.45
J843131		150	5.9	40.8	<0.002	<0.01	0.13	2.2	1	0.8	158.0	0.34	<0.05	3.7	0.075	0.19
J843132		100	5.8	38.7	0.004	<0.01	0.09	1.9	1	0.7	189.0	0.32	<0.05	2.5	0.052	0.14
J843133		110	5.2	36.3	<0.002	<0.01	0.07	1.3	1	0.6	165.0	0.18	<0.05	1.4	0.029	0.13
J843134		190	5.4	34.4	<0.002	0.03	0.09	2.3	<1	0.8	156.5	0.28	<0.05	2.3	0.072	0.16
J843135		100	5.9	28.9	<0.002	0.01	0.09	1.7	<1	0.6	190.0	0.34	<0.05	2.3	0.045	0.14
J843135 CRD		100	5.8	29.5	<0.002	0.02	0.08	1.8	<1	0.7	191.5	0.33	<0.05	2.4	0.046	0.14
J843136		330	5.2	29.7	<0.002	<0.01	0.12	8.4	<1	0.6	211	0.19	<0.05	7.0	0.086	0.13
J843137		540	4.6	30.5	<0.002	0.01	0.16	8.2	<1	0.8	176.5	0.35	<0.05	4.5	0.176	0.17
J843138		220	4.9	30.8	<0.002	0.03	0.09	2.9	<1	0.7	178.5	0.17	<0.05	3.5	0.084	0.15
J843139		550	5.6	43.2	<0.002	0.09	0.12	5.6	<1	1.1	174.5	0.43	<0.05	9.5	0.209	0.21
J843140		500	5.2	44.4	<0.002	0.09	0.11	5.3	<1	1.0	160.5	0.26	<0.05	8.3	0.181	0.22
J843141		460	4.7	42.6	<0.002	0.04	0.11	4.6	<1	0.8	152.5	0.18	<0.05	7.6	0.176	0.21
J843142		580	5.0	44.5	<0.002	0.03	0.13	6.3	<1	1.0	178.0	0.22	<0.05	5.7	0.198	0.25
J843143		330	5.2	46.6	<0.002	0.03	0.09	2.7	<1	0.6	210	0.19	<0.05	2.7	0.126	0.24
J843144		320	5.0	41.7	<0.002	0.04	0.11	3.9	<1	0.8	172.5	0.24	<0.05	3.6	0.140	0.22
J843145		10	1.0	2.7	<0.002	0.04	<0.05	0.4	<1	<0.2	68.5	<0.05	<0.05	0.3	0.007	<0.02
J843146		530	4.5	49.6	<0.002	0.07	0.15	8.6	<1	1.5	148.5	0.51	<0.05	2.4	0.246	0.30
J843147		140	6.1	42.5	<0.002	0.07	0.08	3.6	<1	1.0	176.0	0.48	<0.05	6.0	0.076	0.19
J843148		280	4.7	41.6	<0.002	0.02	0.08	2.2	<1	0.7	136.0	0.24	<0.05	4.8	0.077	0.19
J843149		290	5.2	49.3	<0.002	0.03	0.09	2.5	<1	1.1	150.0	0.42	<0.05	6.5	0.104	0.24
J843150		190	6.3	42.5	<0.002	0.05	0.08	2.1	<1	0.8	158.5	0.35	<0.05	7.1	0.069	0.18
J843151		180	6.5	39.6	<0.002	0.04	0.08	1.9	<1	0.7	151.5	0.35	<0.05	6.8	0.065	0.16
J843152		1600	4.4	57.6	<0.002	0.15	0.23	10.6	1	1.8	208	0.46	0.05	3.6	0.325	0.29
J843153		650	4.7	47.2	<0.002	0.09	0.15	7.3	<1	1.0	228	0.26	<0.05	2.9	0.203	0.28
J843154		460	5.0	49.0	<0.002	0.16	0.12	7.0	<1	0.9	207	0.28	0.05	4.1	0.166	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843116		0.4	12	0.6	3.4	13	52.2									
J843117		0.6	35	1.8	3.8	30	109.5									
J843118		0.5	6	0.4	2.8	10	23.8									
J843119		1.2	14	1.5	3.6	26	91.4									
J843120		1.4	11	1.7	3.6	23	73.5									
J843121		0.7	37	2.6	8.4	40	107.0									
J843122		0.5	62	3.3	9.5	60	121.5									
J843123		0.7	11	1.0	3.9	8	55.4									
J843124		0.6	45	3.2	6.6	37	125.0									
J843125		0.8	20	1.5	7.3	17	108.0									
J843126		0.7	15	1.8	5.4	16	84.6									
J843127		1.4	6	0.9	6.0	7	61.5									
J843128		0.8	19	1.9	4.6	15	74.8									
J843129		0.9	13	1.6	5.1	11	86.8									
J843130		1.1	157	13.4	14.9	153	24.8									
J843131		0.5	11	0.7	3.6	7	76.5									
J843132		1.2	6	0.6	2.4	3	76.2									
J843133		0.4	4	0.5	1.7	2	62.4									
J843134		0.6	13	1.0	2.6	7	69.7									
J843135		0.7	10	0.5	2.9	<2	28.6									
J843135 CRD		0.7	10	0.6	3.0	<2	30.8									
J843136		0.7	42	0.6	5.4	35	74.3		2.17	8.0	NSS	NSS	NSS	NSS	NSS	NSS
J843137		0.5	46	1.1	5.4	38	148.0									
J843138		0.3	17	0.7	3.3	12	85.1									
J843139		0.8	29	3.8	7.2	34	240									
J843140		0.6	27	2.8	6.0	40	213									
J843141		0.4	26	2.7	5.3	54	201									
J843142		0.3	35	2.6	4.5	73	184.5									
J843143		0.3	19	1.8	2.8	33	111.5									
J843144		0.5	28	3.2	3.5	42	146.0									
J843145		0.1	1	<0.1	1.8	<2	2.4									
J843146		0.7	72	4.7	4.7	79	157.5									
J843147		0.9	14	1.6	3.9	24	89.5									
J843148		0.4	11	2.0	3.4	26	78.1									
J843149		0.9	15	1.8	4.2	30	128.0									
J843150		0.9	14	1.3	4.0	25	100.5									
J843151		0.8	13	1.3	4.2	22	98.0									
J843152		0.5	81	5.3	9.8	127	146.0									
J843153		0.4	60	2.9	3.9	74	97.8									
J843154		0.5	48	3.6	4.1	66	102.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843116										
J843117										
J843118										
J843119										
J843120										
J843121										
J843122										
J843123										
J843124										
J843125										
J843126										
J843127										
J843128										
J843129										
J843130										
J843131										
J843132										
J843133										
J843134										
J843135										
J843135 CRD										
J843136		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
J843137										
J843138										
J843139										
J843140										
J843141										
J843142										
J843143										
J843144										
J843145										
J843146										
J843147										
J843148										
J843149										
J843150										
J843151										
J843152										
J843153										
J843154										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843155		3.33	0.029		0.14	6.51	<0.2	370	1.08	0.07	2.51	0.03	44.0	10.1	44	1.05
J843155 CRD		<0.02	0.030		0.12	6.28	0.7	360	0.97	0.07	2.45	0.04	42.1	9.7	44	1.00
J843156		2.99	0.018	0.015	0.10	5.99	<0.2	360	1.10	0.02	4.10	0.08	34.4	13.9	155	0.98
J843157		3.37	0.027		0.03	6.79	<0.2	410	1.10	0.03	2.36	0.03	58.5	7.1	24	0.98
J843158		3.35	0.010		0.03	6.31	<0.2	360	0.89	0.02	3.34	0.03	58.7	15.4	203	0.88
J843159		3.55	<0.005		0.02	6.47	0.5	460	0.96	0.01	2.24	0.02	58.0	6.6	17	0.85
J843160		0.12	0.968		4.16	6.28	19.2	470	0.71	1.65	2.34	1.79	19.50	12.7	58	0.75
J843161		3.04	<0.005		0.06	6.78	<0.2	390	0.98	0.02	3.81	0.03	65.0	16.9	247	0.69
J843162		3.08	0.005		0.01	6.62	<0.2	380	1.16	0.01	2.22	0.02	54.0	9.2	81	0.59
J843163		3.05	0.011		0.04	6.90	<0.2	310	0.91	0.03	2.95	0.02	36.7	8.3	22	0.49
J843164		3.25	<0.005		0.03	7.13	<0.2	470	1.08	0.02	2.91	0.03	43.8	8.3	9	0.69
J843165		2.87	<0.005		0.04	7.19	<0.2	430	1.10	0.01	2.65	0.03	59.1	11.3	17	0.63
J843166		4.07	<0.005		0.04	6.41	<0.2	180	0.80	0.01	5.50	0.05	83.8	30.7	377	0.31
J843167		2.96	<0.005		0.05	6.52	<0.2	360	1.00	0.02	2.29	0.02	37.8	9.2	20	0.49
J843168		3.36	<0.005		0.04	7.22	0.3	310	0.71	0.02	5.08	0.05	77.4	25.7	227	0.50
J843169		3.38	<0.005		0.02	6.63	<0.2	380	0.80	0.04	2.10	0.02	47.6	6.8	14	0.52
J843170		3.22	0.005		0.03	6.83	<0.2	500	0.95	0.06	1.40	0.02	54.7	7.0	13	0.68
J843171		3.64	<0.005		0.05	6.86	<0.2	390	0.75	0.02	4.54	0.05	73.6	24.0	316	0.66
J843172		3.37	<0.005		0.04	6.67	<0.2	530	0.80	0.03	2.16	0.02	73.9	7.9	15	0.75
J843173		3.43	<0.005		0.04	6.67	<0.2	450	0.88	0.03	2.39	0.03	52.5	10.6	12	0.61
J843174		3.61	0.013		0.01	6.58	<0.2	460	0.81	0.01	2.49	0.04	53.3	10.5	14	0.67
J843175		0.12	2.34		7.56	6.41	52.7	640	0.83	3.40	1.59	0.95	52.9	17.8	56	3.12
J843176		3.01	0.027		0.04	7.07	1.1	460	0.86	0.03	2.96	0.04	52.0	8.8	15	0.76
J843176 CRD		<0.02	0.032		0.05	7.03	<0.2	490	0.99	0.03	3.01	0.04	56.7	9.4	16	0.74
J843177		3.14	0.074	0.020	0.09	7.28	<0.2	360	0.85	0.02	3.68	0.05	54.5	17.8	20	0.60
J843178		3.47	0.013		0.04	7.00	<0.2	420	0.92	0.04	2.69	0.04	51.2	11.2	14	0.58
J843179		2.43	0.015		0.03	7.09	<0.2	400	0.94	0.03	1.47	0.03	74.2	9.2	16	0.47
J843180		4.87	0.014		0.11	4.94	<0.2	890	0.80	0.13	7.34	0.09	251	44.8	462	0.11
J843181		2.69	<0.005		0.11	4.75	<0.2	380	0.67	0.10	7.56	0.10	240	45.3	578	0.11
J843182		4.28	0.095		0.05	6.67	<0.2	420	1.07	0.06	2.50	0.04	51.9	9.7	17	0.58
J843183		3.34	0.078		0.06	6.47	<0.2	370	0.76	0.05	3.00	0.05	43.5	10.1	17	0.64
J843184		3.51	0.041		0.08	6.54	<0.2	350	0.78	0.10	3.22	0.05	33.9	10.4	14	0.64
J843185		3.24	0.009		0.04	6.60	<0.2	310	0.70	0.05	2.87	0.05	37.9	9.7	11	0.56
J843186		3.50	0.023		0.04	6.87	<0.2	320	0.66	0.06	3.57	0.05	35.7	12.8	12	0.62
J843187		3.36	0.009		0.03	6.39	<0.2	330	0.85	0.03	2.78	0.06	29.5	11.6	17	0.59
J843188		3.46	0.006		0.04	6.52	<0.2	390	0.99	0.03	2.52	0.05	32.4	12.5	19	0.62
J843189		3.60	0.009		0.14	7.47	0.7	110	1.65	0.11	4.94	10.00	73.3	44.7	62	0.20
J843190		0.12	0.482		2.05	7.31	114.0	580	1.26	0.54	0.54	0.96	30.4	19.9	33	6.83
J843191		3.38	0.018		0.07	6.74	<0.2	320	0.84	0.02	3.44	0.09	27.4	14.6	14	0.48
J843192		3.43	<0.005		0.08	7.11	<0.2	370	0.87	0.05	3.37	0.08	46.1	13.5	10	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843155		22.0	2.86	16.45	0.20	3.0	0.024	2.21	18.6	1.9	0.77	404	15.85	2.46	5.0	19.0
J843155 CRD		19.3	2.82	15.95	0.21	3.0	0.024	2.15	17.7	1.8	0.74	397	17.10	2.41	4.8	18.0
J843156		36.1	3.30	16.05	0.15	2.9	0.031	1.99	15.2	2.4	1.41	605	0.46	2.67	4.9	64.6
J843157		26.7	2.42	16.30	0.24	4.6	0.020	2.15	28.3	2.4	0.51	322	4.00	2.54	5.5	11.6
J843158		10.5	3.14	14.95	0.22	4.2	0.027	2.07	29.5	13.9	1.45	467	6.26	1.94	5.0	91.5
J843159		15.4	2.38	15.10	0.22	5.0	0.025	2.17	28.2	8.0	0.62	336	0.40	2.00	5.2	8.4
J843160		>10000	4.43	10.75	0.13	0.9	0.121	0.81	9.6	14.0	1.12	647	233	2.08	3.7	28.3
J843161		13.1	3.50	14.90	0.19	4.2	0.030	1.72	32.0	24.4	2.17	557	1.84	1.95	4.9	82.2
J843162		8.1	2.32	15.40	0.17	4.2	0.024	1.46	23.8	15.3	0.98	344	1.33	2.82	4.8	30.6
J843163		25.4	2.58	15.45	0.17	2.9	0.033	1.21	16.1	24.1	0.72	329	2.46	2.98	5.3	10.0
J843164		23.8	2.71	16.75	0.21	2.5	0.035	1.64	18.6	22.5	0.66	381	0.31	2.50	5.1	6.6
J843165		28.7	3.21	16.80	0.22	3.3	0.032	1.48	28.1	31.4	0.95	385	0.22	2.50	5.5	13.6
J843166		0.8	4.86	14.95	0.22	3.7	0.038	0.70	38.1	52.1	4.23	1080	0.09	1.95	2.9	209
J843167		23.7	2.60	15.65	0.15	3.3	0.026	1.19	16.2	24.9	0.86	293	0.18	2.96	5.9	12.0
J843168		11.6	4.53	18.35	0.17	3.9	0.031	1.17	34.5	33.9	3.14	958	1.61	2.45	4.1	93.5
J843169		13.9	2.08	19.20	0.13	3.4	0.016	1.31	24.4	12.6	0.51	284	0.31	3.32	5.0	5.7
J843170		13.9	1.97	20.4	0.15	3.3	0.019	1.68	25.1	6.4	0.52	261	0.20	2.92	6.3	5.6
J843171		13.8	4.06	17.65	0.17	3.7	0.027	1.51	34.1	26.9	2.87	763	0.24	1.83	4.5	131.0
J843172		21.1	2.43	20.7	0.14	4.3	0.024	1.74	36.0	13.9	0.48	296	0.84	2.62	5.4	6.5
J843173		17.4	3.05	21.4	0.17	3.1	0.029	1.42	24.5	19.9	0.57	371	0.23	2.52	7.7	6.7
J843174		17.1	2.91	19.85	0.15	3.3	0.031	1.54	26.5	20.3	0.60	379	0.13	2.40	6.4	7.7
J843175		>10000	5.70	14.70	0.18	1.1	0.104	2.72	25.2	17.4	1.16	621	112.5	1.63	6.4	33.4
J843176		14.4	3.08	19.95	0.15	3.4	0.037	1.57	24.9	18.7	0.62	420	0.28	2.55	6.5	7.9
J843176 CRD		23.3	3.14	22.1	0.13	3.6	0.030	1.62	28.3	22.6	0.64	424	0.29	2.60	6.3	8.0
J843177		26.2	5.02	23.1	0.15	3.1	0.046	1.26	24.6	32.9	1.02	609	0.23	2.47	8.0	13.2
J843178		11.0	3.22	22.6	0.15	3.4	0.039	1.34	25.9	22.0	0.65	427	0.39	3.03	6.6	8.4
J843179		29.5	2.99	20.7	0.15	2.9	0.028	1.07	36.4	11.7	0.57	371	0.40	3.85	6.7	7.5
J843180		54.7	5.23	14.35	0.26	3.0	0.040	0.04	100.5	63.0	6.87	934	0.23	1.11	3.4	379
J843181		11.1	5.27	14.30	0.25	3.1	0.038	0.03	91.4	64.0	7.00	910	0.16	1.01	2.9	364
J843182		37.1	2.78	20.4	0.14	4.3	0.027	1.38	25.2	8.6	0.64	430	0.26	3.29	6.7	9.9
J843183		52.4	2.86	20.9	0.13	3.6	0.029	1.61	21.4	11.4	0.60	433	0.49	2.81	6.3	9.4
J843184		7.2	2.77	19.85	0.14	2.5	0.029	1.69	16.9	13.9	0.58	435	0.63	2.38	6.6	7.3
J843185		18.6	2.86	19.35	0.14	2.9	0.030	1.49	18.8	15.8	0.55	381	0.22	2.78	5.3	7.2
J843186		19.9	3.64	21.3	0.14	3.4	0.038	1.61	15.9	20.8	0.75	459	0.65	2.42	7.3	8.4
J843187		20.1	2.84	18.40	0.13	3.0	0.024	1.55	14.7	13.2	0.74	467	0.24	2.49	5.7	16.4
J843188		11.4	3.20	19.00	0.14	3.2	0.024	1.70	17.0	17.9	0.84	437	3.24	2.23	6.7	16.9
J843189		5.7	3.27	19.50	0.16	4.7	0.033	0.46	32.3	27.4	1.70	621	0.50	3.60	7.1	72.0
J843190		4360	4.75	18.35	0.18	0.8	0.052	5.35	16.8	12.4	0.74	478	255	1.06	4.9	23.7
J843191		20.6	3.46	19.90	0.14	3.0	0.035	1.32	12.2	24.1	0.88	559	0.28	2.78	5.6	17.3
J843192		73.0	4.09	22.3	0.14	3.4	0.046	1.50	20.7	26.1	0.79	552	1.19	2.39	7.7	8.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843155		640	4.9	50.6	0.002	0.12	0.15	5.5	<1	0.9	204	0.26	0.09	3.1	0.199	0.26
J843155 CRD		650	4.2	48.9	<0.002	0.11	0.15	5.2	<1	0.9	199.5	0.25	0.09	3.0	0.193	0.26
J843156		340	4.6	46.2	<0.002	0.07	0.18	8.2	<1	1.0	236	0.31	0.06	3.2	0.229	0.24
J843157		400	4.5	53.1	<0.002	0.06	0.12	4.1	<1	0.9	185.5	0.27	<0.05	8.8	0.171	0.26
J843158		390	4.4	45.6	<0.002	0.04	0.15	7.2	<1	0.9	188.0	0.24	<0.05	8.1	0.196	0.25
J843159		400	4.4	48.6	<0.002	0.03	0.12	4.7	<1	1.0	170.0	0.26	<0.05	8.9	0.156	0.26
J843160		560	34.8	21.2	1.295	1.59	23.9	12.2	5	0.9	277	0.25	0.59	2.0	0.308	0.18
J843161		640	5.0	43.5	0.002	0.05	0.14	9.7	<1	0.8	231	0.33	<0.05	7.7	0.168	0.21
J843162		490	4.3	35.5	<0.002	0.05	0.12	5.8	<1	0.8	210	0.36	<0.05	7.1	0.141	0.18
J843163		490	4.3	29.5	<0.002	0.02	0.15	6.8	<1	1.0	215	0.34	<0.05	4.0	0.183	0.15
J843164		570	4.6	41.1	<0.002	0.02	0.13	6.3	<1	1.1	227	0.29	<0.05	4.4	0.190	0.21
J843165		600	4.2	38.2	<0.002	0.02	0.19	6.8	<1	1.1	219	0.28	<0.05	6.2	0.236	0.20
J843166		1300	3.3	21.0	<0.002	0.17	0.14	14.7	<1	0.6	355	0.17	<0.05	4.0	0.184	0.09
J843167		460	4.4	26.6	<0.002	0.05	0.11	5.9	<1	1.1	237	0.42	<0.05	4.6	0.173	0.16
J843168		1110	4.3	39.2	<0.002	0.16	0.18	16.2	1	0.8	359	0.26	<0.05	4.2	0.249	0.18
J843169		450	4.7	41.0	<0.002	0.09	0.12	4.1	1	0.8	234	0.33	<0.05	4.7	0.150	0.22
J843170		490	4.4	46.4	<0.002	0.18	0.11	3.9	1	0.9	236	0.39	<0.05	5.8	0.151	0.30
J843171		890	5.2	49.9	<0.002	0.03	0.17	12.7	1	0.7	262	0.24	<0.05	4.9	0.233	0.25
J843172		490	6.2	44.0	<0.002	0.07	0.12	5.7	1	0.9	213	0.21	<0.05	9.7	0.176	0.31
J843173		710	4.0	48.2	<0.002	0.04	0.14	6.9	1	1.3	223	0.49	<0.05	3.4	0.226	0.24
J843174		600	3.7	47.3	<0.002	0.02	0.13	7.4	1	1.1	203	0.33	<0.05	4.7	0.220	0.24
J843175		890	58.9	70.4	0.119	2.42	6.33	15.9	6	2.6	253	0.25	0.83	4.0	0.316	0.79
J843176		630	4.6	41.0	<0.002	0.04	0.16	7.1	1	1.2	242	0.31	<0.05	4.9	0.222	0.23
J843176 CRD		640	4.7	47.6	<0.002	0.04	0.16	7.2	1	1.2	246	0.31	<0.05	5.1	0.238	0.25
J843177		1190	4.7	39.9	<0.002	0.05	0.19	12.9	1	1.4	267	0.43	<0.05	3.2	0.327	0.20
J843178		680	4.3	41.0	<0.002	0.08	0.13	7.7	1	1.4	241	0.31	<0.05	4.4	0.237	0.22
J843179		620	4.2	36.2	<0.002	0.08	0.14	7.1	1	1.2	239	0.31	<0.05	8.9	0.200	0.17
J843180		3790	7.7	1.4	<0.002	0.09	0.21	14.5	1	0.5	1400	0.17	<0.05	7.5	0.202	<0.02
J843181		3200	8.7	1.6	<0.002	0.09	0.21	18.3	1	0.4	1580	0.15	<0.05	6.9	0.173	<0.02
J843182		650	4.5	42.5	<0.002	0.14	0.15	5.9	1	1.1	232	0.33	<0.05	4.6	0.228	0.22
J843183		610	4.5	42.7	0.002	0.11	0.17	6.2	1	1.0	205	0.27	<0.05	3.8	0.234	0.25
J843184		620	5.1	45.5	<0.002	0.07	0.15	7.0	1	1.0	193.5	0.40	<0.05	3.0	0.247	0.25
J843185		600	4.7	37.1	<0.002	0.04	0.14	6.2	1	0.8	195.5	0.28	<0.05	3.3	0.236	0.22
J843186		910	4.4	40.2	<0.002	0.08	0.17	9.3	1	1.0	183.0	0.41	<0.05	2.1	0.291	0.24
J843187		340	5.1	42.2	<0.002	0.02	0.14	7.8	1	1.1	188.5	0.47	<0.05	3.8	0.201	0.23
J843188		390	4.1	40.4	<0.002	0.02	0.12	8.5	1	1.1	162.0	0.55	<0.05	4.0	0.250	0.25
J843189		1180	5.1	10.4	<0.002	0.15	0.31	12.6	1	1.3	473	0.48	0.09	6.5	0.337	0.07
J843190		1110	38.2	92.4	0.587	2.48	6.94	11.6	7	2.9	252	0.32	0.85	2.3	0.248	1.51
J843191		510	4.5	31.2	<0.002	0.03	0.16	9.5	1	1.1	208	0.41	<0.05	2.4	0.269	0.21
J843192		980	5.1	38.7	0.005	0.03	0.25	10.7	1	1.2	207	0.56	<0.05	3.8	0.299	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843155		0.4	47	3.7	4.0	61	131.5									
J843155 CRD		0.4	46	3.6	3.8	60	132.0									
J843156		0.4	67	7.9	4.9	82	120.5		2.43	8.9	55.89	13.38	4.83	5.84	2.51	3.60
J843157		0.7	30	2.4	4.7	40	185.5									
J843158		0.4	53	1.7	5.0	87	181.0									
J843159		0.7	29	0.6	4.7	38	211									
J843160		0.8	98	6.0	14.1	136	26.5	1.315								
J843161		2.3	59	0.5	7.2	88	177.0									
J843162		0.9	36	0.5	5.7	44	161.0									
J843163		0.6	44	0.7	4.8	54	116.0									
J843164		0.5	47	0.3	4.7	52	110.0									
J843165		0.6	59	0.5	4.8	67	142.5									
J843166		0.8	92	0.4	9.8	116	159.0									
J843167		0.6	46	0.6	4.7	57	127.0									
J843168		0.8	95	0.7	9.2	101	140.0									
J843169		0.5	28	0.4	4.2	37	117.0									
J843170		0.6	27	0.6	4.9	26	108.0									
J843171		0.7	70	0.4	7.5	113	139.0									
J843172		0.5	29	0.2	5.1	59	168.5									
J843173		0.5	47	0.5	5.9	74	108.5									
J843174		0.4	42	0.5	5.7	72	134.5									
J843175		1.1	150	10.6	14.3	161	34.0	2.19								
J843176		0.4	47	3.0	5.2	66	145.0									
J843176 CRD		0.4	51	2.9	5.5	68	138.0									
J843177		0.4	96	2.0	8.4	106	116.5		1.07	3.9	58.50	14.50	7.04	5.09	1.77	3.38
J843178		0.4	50	0.8	5.8	75	139.0									
J843179		0.6	43	0.7	5.4	43	110.0									
J843180		1.6	103	0.6	16.9	117	123.5									
J843181		1.7	101	0.4	17.1	124	120.0									
J843182		0.5	45	3.3	5.6	33	168.5									
J843183		0.4	46	2.8	4.4	54	139.0									
J843184		0.3	51	2.8	3.9	62	94.9									
J843185		0.3	51	2.1	3.8	67	111.0									
J843186		0.5	62	3.2	5.4	86	128.5									
J843187		0.8	53	1.3	4.7	56	96.3									
J843188		1.2	60	1.0	5.3	98	104.5									
J843189		1.1	89	1.1	9.7	1900	148.5									
J843190		1.1	157	11.9	14.5	152	23.5									
J843191		0.6	73	0.6	4.6	135	112.0									
J843192		0.6	73	0.2	7.2	92	121.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843155										
J843155 CRD										
J843156		2.34	0.02	0.47	0.08	0.073	0.03	0.03	9.50	98.59
J843157										
J843158										
J843159										
J843160										
J843161										
J843162										
J843163										
J843164										
J843165										
J843166										
J843167										
J843168										
J843169										
J843170										
J843171										
J843172										
J843173										
J843174										
J843175										
J843176										
J843176 CRD										
J843177		1.49	<0.01	0.78	0.08	0.251	0.03	0.03	5.69	98.63
J843178										
J843179										
J843180										
J843181										
J843182										
J843183										
J843184										
J843185										
J843186										
J843187										
J843188										
J843189										
J843190										
J843191										
J843192										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843193		3.32	<0.005		0.03	7.11	<0.2	390	0.84	0.02	2.34	0.05	43.3	12.2	11	0.57
J843194		3.37	<0.005		0.05	7.01	0.2	290	0.83	0.03	3.61	0.07	34.0	16.1	11	0.46
J843195		2.74	<0.005		0.05	7.48	<0.2	290	0.78	0.06	3.69	0.07	43.5	18.3	8	0.46
J843195 CRD		<0.02	<0.005		0.06	7.43	<0.2	290	0.75	0.08	3.67	0.07	44.2	18.1	8	0.45
J843196		3.71	<0.005	0.007	0.08	6.63	<0.2	320	0.84	0.05	3.51	0.07	35.6	12.3	15	0.50
J843197		2.74	0.011		0.14	6.33	<0.2	220	0.67	0.17	3.07	0.04	35.8	7.5	7	0.35
J843198		3.49	<0.005		0.04	7.58	<0.2	330	0.92	0.11	4.15	0.08	48.1	14.4	10	0.51
J843199		3.42	<0.005		0.08	7.34	<0.2	290	0.96	0.11	3.97	0.07	66.2	16.1	13	0.50
J843200		0.12	1.015		4.31	6.11	21.7	460	0.72	1.83	2.37	2.06	21.2	15.1	60	0.72
J843201		3.10	0.007		0.05	6.27	1.0	300	0.79	0.04	3.59	0.06	37.7	6.8	12	0.53
J843202		3.22	0.044		0.10	7.41	0.6	350	0.79	0.09	4.66	0.07	57.6	11.5	13	0.49
J843203		3.41	<0.005		0.04	7.30	1.1	360	0.79	0.05	2.25	0.03	31.6	6.5	10	0.49
J843204		3.07	<0.005		0.01	7.24	<0.2	390	0.79	0.05	2.62	0.03	35.8	5.8	8	0.43
J843205		2.93	<0.005		0.01	7.03	0.6	310	0.86	0.09	2.38	0.03	32.8	6.9	10	0.34
J843206		3.30	<0.005		0.03	7.21	0.4	290	0.78	0.08	2.77	0.02	29.2	6.9	11	0.40
J843207		3.12	<0.005		0.01	7.11	<0.2	220	0.70	0.03	2.86	0.03	29.5	6.9	11	0.35
J843208		2.70	<0.005		0.13	7.44	0.4	210	0.67	0.34	2.97	0.03	35.6	7.2	10	0.32
J843209		3.09	<0.005		0.05	7.32	0.7	250	0.70	0.06	2.80	0.04	33.1	6.8	10	0.39
J843210		3.26	<0.005		0.04	7.37	3.3	240	0.64	0.05	2.92	0.05	33.1	6.9	12	0.39
J843211		3.28	<0.005		0.05	7.23	7.6	240	0.68	0.09	2.81	0.06	32.5	8.7	10	0.36
J843212		3.72	<0.005		0.02	7.10	4.1	250	0.69	0.07	2.67	0.03	34.9	5.9	11	0.38
J843213		3.25	<0.005		0.03	7.31	3.5	300	0.82	0.04	2.77	0.04	34.8	5.6	9	0.44
J843214		2.93	<0.005		<0.01	6.78	3.3	270	0.72	0.03	2.77	0.05	32.7	6.3	14	0.42
J843215		0.12	2.53		8.54	6.89	59.3	630	1.06	3.35	1.65	1.03	63.3	17.6	62	3.61
J843216		3.18	<0.005		0.26	7.19	9.8	330	0.73	0.04	2.68	0.05	31.3	11.0	11	0.63
J843216 CRD		<0.02	<0.005		0.30	7.49	9.5	340	0.78	0.04	2.86	0.03	33.9	11.0	13	0.67
J843217		3.55	<0.005	<0.005	0.16	7.36	11.9	340	0.77	0.07	2.95	0.09	52.3	11.9	12	0.67
J843218		2.88	<0.005		0.05	7.36	10.2	410	0.82	0.03	2.90	0.05	40.0	9.4	16	0.69
J843219		3.48	<0.005		0.09	8.24	1.9	220	0.93	0.02	3.96	0.07	47.3	18.1	26	0.31
J843220		3.24	<0.005		0.12	7.74	5.7	320	0.85	0.03	3.19	0.05	39.1	12.7	15	0.46
J843221		3.32	<0.005		0.10	8.00	2.7	260	1.04	0.05	2.99	0.06	34.2	11.1	19	0.38
J843222		3.14	<0.005		0.02	6.59	<0.2	320	1.27	0.02	1.87	0.02	6.95	2.2	11	0.32
J843223		2.89	<0.005		0.01	7.00	<0.2	300	1.05	0.01	2.49	0.03	36.1	4.9	14	0.32
J843224		3.15	<0.005		0.04	7.68	<0.2	390	0.86	0.01	2.79	0.03	51.9	8.7	19	0.34
J843225		3.01	<0.005		0.14	7.67	3.4	360	0.96	0.02	3.28	0.05	78.0	11.3	24	0.35
J843226		3.24	<0.005		0.01	7.08	1.2	330	0.82	0.01	2.51	0.03	36.5	6.1	13	0.28
J843227		3.72	<0.005		0.02	7.50	1.9	700	1.27	0.03	2.42	0.04	32.7	8.5	18	0.37
J843228		3.37	<0.005		0.01	7.29	3.5	300	1.27	0.03	2.85	0.04	28.7	9.3	21	0.35
J843229		2.58	<0.005		0.08	7.83	5.1	260	0.93	0.07	4.11	0.06	36.8	19.5	32	0.40
J843230		0.11	0.410		2.33	7.78	122.5	610	1.45	0.50	0.57	0.88	35.6	19.2	33	7.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843193		13.0	3.32	21.8	0.14	3.0	0.026	1.49	21.5	23.0	0.74	403	0.27	2.71	6.9	11.4
J843194		21.6	4.29	20.6	0.14	3.8	0.043	1.20	14.8	28.1	0.91	642	0.12	2.51	6.4	12.6
J843195		11.1	5.00	23.9	0.16	4.6	0.056	1.18	17.5	34.3	1.04	650	0.10	2.62	8.0	9.8
J843195 CRD		8.4	5.00	23.2	0.16	4.6	0.058	1.17	17.6	33.6	1.05	650	0.09	2.60	8.5	9.8
J843196		7.4	3.07	18.60	0.13	3.0	0.026	1.38	18.1	24.7	0.80	511	1.80	2.44	5.8	15.3
J843197		20.0	2.19	17.75	0.15	2.5	0.020	0.95	18.4	15.4	0.41	395	71.3	3.20	6.3	3.1
J843198		9.8	4.31	22.4	0.16	2.3	0.042	1.29	19.1	29.6	0.87	687	5.54	2.84	9.2	7.9
J843199		23.8	4.99	21.9	0.16	1.8	0.044	1.17	26.5	33.3	1.02	722	15.10	2.29	8.8	10.7
J843200		>10000	4.53	14.40	0.14	1.0	0.122	0.84	10.3	16.3	1.13	638	234	2.10	3.6	32.3
J843201		19.5	2.42	17.35	0.12	2.3	0.022	1.28	15.9	13.9	0.42	493	0.25	2.51	6.6	4.3
J843202		15.2	3.94	17.85	0.15	2.1	0.046	1.16	24.9	26.5	0.74	672	0.17	2.45	7.5	6.0
J843203		12.4	2.42	17.50	0.14	2.4	0.021	1.31	14.4	16.9	0.42	301	0.69	2.82	5.7	1.9
J843204		11.7	2.62	16.25	0.17	2.3	0.020	1.19	17.2	17.6	0.45	349	0.12	2.64	5.8	1.9
J843205		3.2	2.38	16.15	0.16	2.2	0.023	0.93	16.1	14.7	0.39	303	0.29	2.75	6.1	2.0
J843206		10.1	2.60	16.75	0.16	2.0	0.021	1.07	14.1	15.5	0.46	355	20.2	2.76	6.0	2.1
J843207		12.2	2.67	16.40	0.17	2.1	0.021	0.91	14.1	15.3	0.47	369	0.19	2.83	5.7	2.2
J843208		13.4	2.65	17.20	0.18	2.3	0.023	0.85	16.9	14.5	0.48	373	0.17	2.90	6.0	2.1
J843209		16.4	2.64	17.45	0.18	2.3	0.022	1.09	15.6	14.4	0.48	383	0.14	2.80	6.3	2.6
J843210		15.0	2.68	17.75	0.18	2.2	0.023	1.01	15.6	13.3	0.48	393	0.17	2.94	6.2	2.9
J843211		18.0	2.55	16.95	0.18	2.1	0.022	0.94	15.6	12.2	0.47	378	0.14	2.86	6.6	2.0
J843212		12.0	2.44	17.35	0.16	2.3	0.021	1.00	16.7	11.5	0.43	341	56.3	2.76	6.0	2.0
J843213		14.0	2.53	17.85	0.17	2.4	0.021	1.14	16.7	11.6	0.45	341	0.28	2.69	6.1	2.2
J843214		5.6	2.18	16.05	0.17	2.1	0.017	1.08	15.3	9.9	0.42	332	0.21	2.77	4.7	3.7
J843215		>10000	5.84	14.75	0.21	1.1	0.117	2.85	29.1	19.5	1.20	656	121.5	1.67	7.1	37.8
J843216		105.5	2.88	16.70	0.16	1.9	0.024	1.49	13.9	14.5	0.61	425	1.48	2.67	4.8	5.8
J843216 CRD		96.4	3.11	17.60	0.19	2.0	0.024	1.55	15.0	15.3	0.64	460	1.79	2.84	4.9	6.0
J843217		29.4	3.58	17.50	0.21	2.0	0.032	1.51	23.9	18.8	0.81	533	0.12	2.51	6.4	10.5
J843218		14.5	2.97	17.40	0.19	2.9	0.026	1.68	17.8	15.8	0.66	456	0.17	2.61	6.6	11.6
J843219		30.7	4.46	20.7	0.23	3.3	0.045	0.57	21.8	19.0	1.26	710	0.16	2.68	8.7	27.6
J843220		45.1	3.61	18.70	0.17	2.4	0.037	0.95	17.9	15.9	0.83	535	0.20	2.74	7.9	12.3
J843221		45.2	3.41	17.95	0.16	2.5	0.029	0.95	16.5	14.1	0.83	538	0.13	3.05	7.5	14.4
J843222		6.7	1.05	15.50	0.09	1.4	0.008	1.05	3.6	3.7	0.10	140	0.14	3.21	3.0	1.9
J843223		4.1	1.97	17.50	0.17	2.3	0.017	0.90	16.8	7.7	0.32	275	0.11	2.97	5.4	3.0
J843224		10.5	3.41	18.30	0.20	2.5	0.038	0.90	25.3	12.3	0.65	477	0.14	2.68	8.1	8.6
J843225		68.4	3.61	20.1	0.25	4.0	0.050	0.86	38.5	12.5	0.72	532	0.15	2.65	10.3	10.3
J843226		3.0	2.36	16.80	0.15	2.5	0.022	0.87	17.3	9.1	0.40	356	0.14	2.83	6.6	2.8
J843227		10.6	2.22	17.85	0.16	3.8	0.033	1.78	14.8	10.3	0.47	391	0.12	2.81	7.9	8.0
J843228		3.1	2.74	17.65	0.19	3.7	0.041	0.84	13.5	11.6	0.66	464	0.14	2.72	7.5	14.0
J843229		27.6	4.38	19.30	0.19	2.6	0.043	0.85	16.8	17.6	1.27	753	0.23	2.81	6.8	29.4
J843230		4550	4.86	17.75	0.21	0.8	0.063	4.65	18.7	13.6	0.75	507	269	1.05	5.3	25.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843193		500	4.3	42.9	<0.002	0.02	0.18	8.3	1	1.1	209	0.37	<0.05	4.6	0.262	0.23
J843194		720	4.9	31.8	<0.002	0.02	0.20	11.4	1	1.1	211	0.44	<0.05	2.4	0.292	0.20
J843195		1270	4.7	31.6	<0.002	0.03	0.19	13.7	1	1.3	211	0.49	<0.05	2.1	0.326	0.19
J843195 CRD		1310	4.7	31.4	<0.002	0.02	0.20	13.6	1	1.3	210	0.50	<0.05	2.1	0.340	0.20
J843196		480	3.6	37.4	<0.002	0.01	0.17	8.4	1	0.8	191.5	0.46	<0.05	3.1	0.246	0.21
J843197		550	5.9	28.6	<0.002	0.06	0.12	3.9	1	0.8	205	0.40	0.05	2.4	0.194	0.16
J843198		1470	4.4	33.7	<0.002	0.03	0.18	8.8	1	1.1	259	0.47	<0.05	2.1	0.327	0.20
J843199		1790	4.0	33.2	<0.002	0.04	0.19	10.1	1	1.1	219	0.47	<0.05	2.6	0.324	0.19
J843200		560	37.8	24.1	1.275	1.57	22.4	14.0	5	1.0	271	0.25	0.50	1.9	0.324	0.24
J843201		660	3.6	27.3	<0.002	0.06	0.13	4.0	1	0.8	197.0	0.35	<0.05	3.5	0.183	0.19
J843202		1170	3.9	32.6	<0.002	0.06	0.14	7.7	1	1.0	223	0.45	<0.05	3.0	0.251	0.16
J843203		560	2.9	35.2	<0.002	0.03	0.10	4.2	<1	0.8	201	0.39	<0.05	2.3	0.204	0.18
J843204		570	2.9	31.8	<0.002	0.02	0.10	4.1	<1	0.7	207	0.40	<0.05	2.2	0.224	0.16
J843205		530	3.0	25.0	<0.002	0.01	0.12	4.1	<1	0.8	237	0.46	<0.05	2.1	0.221	0.13
J843206		590	3.0	27.1	<0.002	0.02	0.11	4.3	<1	0.7	226	0.42	<0.05	1.9	0.241	0.15
J843207		610	3.7	21.0	<0.002	0.01	0.15	4.5	<1	0.7	246	0.42	<0.05	1.8	0.245	0.13
J843208		630	4.2	21.8	<0.002	0.01	0.14	4.8	<1	0.7	258	0.41	0.24	2.2	0.252	0.11
J843209		630	4.9	26.5	<0.002	0.03	0.11	4.7	<1	0.7	227	0.40	<0.05	2.0	0.256	0.15
J843210		610	4.7	23.6	<0.002	0.01	0.12	4.5	<1	0.8	235	0.42	<0.05	2.1	0.253	0.14
J843211		600	6.1	22.9	<0.002	0.01	0.13	4.6	<1	0.8	240	0.47	0.05	1.9	0.254	0.13
J843212		560	5.9	24.5	<0.002	0.03	0.11	4.2	<1	0.8	236	0.40	<0.05	2.4	0.234	0.14
J843213		570	4.7	28.2	<0.002	0.01	0.11	4.7	<1	0.9	266	0.45	<0.05	2.5	0.243	0.16
J843214		490	3.7	27.0	<0.002	<0.01	0.10	3.7	<1	0.7	224	0.26	<0.05	2.8	0.201	0.15
J843215		930	66.5	90.2	0.146	2.53	7.45	16.7	8	3.1	261	0.26	1.03	4.6	0.315	0.72
J843216		630	2.9	38.7	<0.002	0.07	0.05	6.8	<1	0.8	157.0	0.25	<0.05	2.0	0.271	0.20
J843216 CRD		660	3.3	38.1	<0.002	0.06	0.05	7.0	<1	0.8	165.5	0.26	<0.05	2.3	0.283	0.20
J843217		700	7.0	42.0	<0.002	0.03	0.05	10.6	1	1.2	126.5	0.45	<0.05	4.1	0.317	0.20
J843218		570	3.3	42.3	<0.002	<0.01	0.05	6.6	<1	1.2	112.5	0.44	<0.05	3.4	0.259	0.23
J843219		620	5.6	16.7	<0.002	0.03	0.17	14.5	1	1.6	274	0.62	<0.05	3.5	0.368	0.10
J843220		700	5.6	27.4	<0.002	0.03	0.14	10.4	1	1.4	265	0.60	<0.05	2.9	0.335	0.15
J843221		480	9.8	27.8	<0.002	0.02	0.11	8.2	1	1.3	234	0.59	<0.05	4.2	0.287	0.13
J843222		30	4.8	26.3	<0.002	0.03	0.09	0.9	<1	0.9	187.0	0.24	<0.05	1.8	0.058	0.14
J843223		360	5.2	23.0	<0.002	0.02	0.08	2.7	<1	0.9	214	0.28	<0.05	4.3	0.158	0.13
J843224		530	4.7	24.7	<0.002	0.01	0.07	7.6	<1	1.5	212	0.39	<0.05	5.1	0.272	0.13
J843225		890	5.0	26.1	<0.002	0.03	0.13	10.1	1	1.6	242	0.51	<0.05	7.7	0.318	0.12
J843226		490	4.9	22.7	<0.002	0.01	0.09	5.7	<1	1.1	206	0.36	<0.05	4.0	0.196	0.11
J843227		350	10.6	36.9	<0.002	0.02	0.10	7.6	1	1.8	199.0	0.84	<0.05	6.0	0.160	0.18
J843228		370	6.6	24.0	<0.002	<0.01	0.10	8.5	1	1.7	213	0.67	<0.05	4.6	0.203	0.13
J843229		440	10.7	26.4	<0.002	0.01	0.13	14.5	1	1.6	231	0.52	<0.05	3.3	0.347	0.13
J843230		1170	39.6	143.5	0.685	2.58	8.00	12.0	9	3.4	259	0.31	1.04	2.6	0.244	1.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843193		0.5	56	0.1	4.4	69	109.5									
J843194		0.7	84	0.2	6.6	86	145.0									
J843195		0.7	88	0.4	9.0	107	192.5									
J843195 CRD		0.7	87	0.4	9.3	108	192.5									
J843196		0.6	63	1.5	4.5	64	105.5		1.13	4.1	61.80	14.31	4.38	4.92	1.44	3.36
J843197		0.5	38	1.3	4.0	41	91.6									
J843198		0.5	68	0.5	8.7	95	84.1									
J843199		0.4	78	0.9	11.9	116	61.6									
J843200		0.8	102	4.8	14.5	139	26.8	1.315								
J843201		0.4	27	1.7	5.8	46	84.1									
J843202		0.5	54	0.9	11.8	73	89.9									
J843203		0.3	32	0.2	5.0	34	106.5									
J843204		0.4	33	0.2	4.9	32	101.5									
J843205		0.6	30	0.2	4.6	27	96.6									
J843206		0.5	34	0.2	4.4	43	94.4									
J843207		0.5	36	0.3	4.5	56	93.4									
J843208		0.6	38	0.2	5.0	60	103.0									
J843209		0.6	37	0.2	5.1	63	104.5									
J843210		0.8	37	0.2	5.1	62	98.6									
J843211		0.6	36	0.3	5.7	61	92.8									
J843212		0.5	33	0.2	5.5	59	101.5									
J843213		0.4	35	0.2	5.9	54	103.5									
J843214		0.3	30	0.2	4.9	48	91.7									
J843215		1.2	153	11.3	15.3	166	39.4	2.19								
J843216		0.4	46	0.6	7.4	58	77.6									
J843216 CRD		0.3	48	0.7	7.5	61	82.8									
J843217		0.8	62	1.0	12.0	74	86.9		0.78	2.9	63.33	15.05	5.19	4.23	1.48	3.52
J843218		0.6	51	0.7	8.9	64	120.5									
J843219		0.9	95	0.1	16.6	83	165.5									
J843220		0.6	65	0.3	11.3	88	107.0									
J843221		1.5	65	0.2	13.2	79	97.5									
J843222		0.8	11	0.2	3.8	20	34.4									
J843223		0.5	23	0.1	7.1	44	94.2									
J843224		0.4	49	0.2	11.0	86	108.0									
J843225		0.6	53	1.4	18.0	69	177.5									
J843226		0.3	29	0.1	5.6	59	107.0									
J843227		1.4	33	0.1	15.4	68	146.5									
J843228		1.3	47	0.2	16.8	63	149.0									
J843229		0.8	100	0.2	13.5	82	125.0									
J843230		1.1	159	12.3	15.3	156	26.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843193										
J843194										
J843195										
J843195 CRD										
J843196		1.63	<0.01	0.44	0.06	0.105	0.03	0.03	5.68	98.18
J843197										
J843198										
J843199										
J843200										
J843201										
J843202										
J843203										
J843204										
J843205										
J843206										
J843207										
J843208										
J843209										
J843210										
J843211										
J843212										
J843213										
J843214										
J843215										
J843216										
J843216 CRD										
J843217		1.85	<0.01	0.56	0.07	0.155	0.02	0.03	4.50	99.99
J843218										
J843219										
J843220										
J843221										
J843222										
J843223										
J843224										
J843225										
J843226										
J843227										
J843228										
J843229										
J843230										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178479

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.