ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE TB10176556

Project: HAMMOND REEF

P.O. No.:

This report is for 122 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831357		3.35	0.006		<0.01	6.66	<0.2	400	1.07	0.01	1.73	0.03	53.5	2.9	6	0.56
J831358		3.16	<0.005		0.18	6.65	1.5	570	1.04	0.01	1.69	0.04	31.2	3.0	8	0.99
J831359		3.52	<0.005		0.07	7.34	2.9	580	1.15	0.04	1.91	0.04	36.3	4.8	10	0.98
J831360		0.07	0.957		4.80	6.61	20.2	480	0.61	1.81	2.39	2.01	19.95	13.8	59	0.77
J831361		3.35	<0.005		<0.01	6.83	2.2	530	1.16	0.02	1.76	0.11	34.3	4.6	14	0.54
J831362		3.48	<0.005		<0.01	6.46	1.6	700	0.99	0.02	1.49	0.04	37.0	4.4	11	0.47
J831363		3.52	<0.005		0.04	6.36	1.8	550	1.04	0.06	1.38	0.03	20.4	3.3	8	0.79
J831364		3.61	<0.005		0.18	6.89	1.1	530	1.11	0.13	1.60	0.05	31.6	3.8	10	1.11
J831365		3.47	<0.005		<0.01	6.40	2.4	390	1.09	0.02	1.63	0.03	25.3	5.1	14	0.90
J831366		3.60	<0.005		<0.01	6.68	1.2	400	1.07	0.03	1.76	0.08	33.3	5.2	15	0.53
J831367		3.57	<0.005		0.05	6.78	3.6	400	0.99	0.05	1.99	0.05	35.5	6.8	15	0.63
J831368		3.54	<0.005		0.01	7.12	8.1	370	1.08	0.03	2.95	0.06	33.5	12.6	20	0.88
J831369		3.54	<0.005		<0.01	6.50	4.0	410	0.97	0.02	2.15	0.04	37.5	6.7	12	0.88
J831370		3.38	<0.005		<0.01	6.93	2.6	500	1.03	0.01	1.98	0.11	45.3	5.3	12	0.54
J831371		3.24	<0.005		<0.01	7.24	5.9	410	0.98	0.07	2.56	0.06	62.5	8.5	14	0.61
J831372		3.42	<0.005		0.02	6.79	1.7	420	0.99	0.05	2.28	0.06	38.5	8.0	5	0.96
J831373		3.19	<0.005		0.08	7.14	9.7	320	0.83	0.05	3.31	0.04	33.9	17.5	24	0.82
J831374		3.14	<0.005		<0.01	7.16	1.3	410	0.85	0.02	2.12	0.04	48.2	6.6	5	0.98
J831375		0.12	2.33		8.28	6.57	53.2	640	0.71	3.23	1.53	0.82	51.5	17.6	57	2.99
J831376		3.65	<0.005		0.01	7.24	5.0	420	0.73	0.04	3.00	0.02	53.4	12.3	4	1.08
J831376 CRD		<0.02	<0.005		0.01	7.23	4.7	380	0.75	0.03	2.97	0.02	52.3	11.7	4	1.04
J831377		3.35	<0.005	<0.005	0.15	6.96	1.4	570	0.90	0.02	1.78	0.04	29.9	4.4	8	0.75
J831378		3.14	<0.005		<0.01	6.61	1.9	500	0.93	0.01	1.24	0.02	31.8	4.3	9	0.55
J831379		3.34	<0.005		0.09	6.82	3.1	350	1.02	0.03	1.91	0.03	34.3	6.5	12	0.70
J831380		3.39	<0.005		0.06	7.12	9.2	370	0.87	0.05	3.17	0.05	23.4	17.5	48	0.69
J831381		3.41	<0.005		<0.01	7.27	3.2	260	1.16	0.05	2.56	0.06	42.4	10.7	28	0.53
J831382		3.37	<0.005		0.03	7.17	4.5	460	1.12	0.05	2.72	0.05	23.8	12.2	41	0.56
J831383		3.22	<0.005		<0.01	6.83	2.9	530	1.13	0.02	1.70	0.03	26.0	5.4	17	0.78
J831384		3.45	<0.005		0.02	7.19	8.6	380	1.00	0.05	2.99	0.07	24.8	16.7	51	0.49
J831385		3.42	<0.005		<0.01	6.67	1.4	570	0.91	0.02	1.47	0.03	29.8	3.6	11	0.41
J831386		3.16	<0.005		<0.01	7.15	4.8	450	1.01	0.01	2.10	0.04	38.9	7.0	9	0.90
J831387		3.19	<0.005		<0.01	6.73	1.6	530	1.05	0.02	1.38	0.04	28.7	3.7	14	0.87
J831388		3.27	<0.005		<0.01	6.65	1.3	600	0.94	0.01	1.26	0.04	23.5	3.1	8	0.93
J831389		3.29	<0.005		<0.01	6.84	3.0	380	1.15	0.02	1.79	0.03	37.7	6.1	11	0.89
J831390		0.11	0.461		2.31	7.62	110.0	600	1.12	0.48	0.52	0.83	31.3	20.1	33	6.74
J831391		3.27	<0.005		<0.01	6.49	1.3	560	0.88	0.02	1.38	0.03	29.1	3.1	8	0.70
J831392		3.26	<0.005		<0.01	6.82	3.3	470	1.06	0.01	1.62	0.04	33.6	5.2	8	0.55
J831393		3.23	<0.005		<0.01	6.71	3.0	440	0.95	0.01	1.88	0.04	34.7	6.0	8	0.54
J831394		3.33	<0.005		<0.01	7.30	5.4	550	1.08	0.01	2.25	0.04	39.3	8.5	8	0.64
J831395		3.20	<0.005		0.07	6.66	1.5	610	0.94	<0.01	1.52	0.02	31.6	4.4	10	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831357		5.4	1.97	19.25	0.11	5.1	0.020	1.40	24.4	9.3	0.14	383	0.14	2.97	12.2	1.3
J831358		14.0	1.37	18.15	0.11	3.7	0.014	1.90	14.8	11.1	0.16	300	0.11	2.81	8.3	2.4
J831359		5.7	2.09	21.4	0.12	4.2	0.024	2.03	18.0	15.8	0.34	409	0.14	2.60	10.0	5.0
J831360		>10000	4.69	12.65	0.14	1.0	0.132	0.81	9.8	14.1	1.15	665	246	2.20	3.6	32.4
J831361		6.1	1.79	19.25	0.10	3.2	0.018	1.85	16.5	14.6	0.27	327	0.15	2.89	9.6	3.6
J831362		5.2	1.73	17.85	0.12	2.8	0.015	2.23	18.0	14.3	0.25	298	0.19	2.59	8.4	3.2
J831363		33.6	1.29	17.55	0.10	2.5	0.010	1.92	9.6	13.0	0.17	220	0.15	2.81	6.1	1.1
J831364		40.2	1.54	19.05	0.12	3.4	0.013	1.96	15.1	15.6	0.22	261	0.16	2.97	7.3	2.5
J831365		6.1	1.55	18.95	0.11	2.6	0.016	1.75	11.8	17.0	0.27	277	0.15	2.75	7.2	3.4
J831366		9.9	1.85	20.2	0.13	3.0	0.017	1.95	15.7	16.4	0.31	337	0.18	2.77	8.5	4.0
J831367		16.2	2.01	19.75	0.13	3.2	0.023	1.82	16.7	17.9	0.39	359	0.14	2.69	8.0	6.0
J831368		34.9	2.94	22.6	0.15	3.3	0.038	1.76	13.8	30.4	0.73	528	0.12	2.65	9.7	12.5
J831369		6.2	2.14	19.90	0.14	3.6	0.026	1.82	16.4	21.0	0.40	380	0.59	2.60	9.2	4.9
J831370		2.3	1.94	19.95	0.13	4.0	0.021	1.46	22.3	15.8	0.33	364	0.12	2.71	8.8	4.5
J831371		2.6	2.53	21.9	0.16	5.1	0.028	1.18	30.2	20.0	0.45	435	0.24	2.79	9.6	6.3
J831372		20.0	2.57	21.3	0.14	3.7	0.029	1.63	16.7	21.7	0.40	401	0.14	2.54	10.3	2.0
J831373		28.1	4.40	21.1	0.15	2.9	0.037	1.41	15.0	32.2	1.05	710	0.19	2.21	8.4	22.0
J831374		7.4	2.57	22.2	0.16	4.2	0.023	1.69	21.4	18.8	0.36	367	0.10	2.67	10.1	1.3
J831375		>10000	5.46	14.70	0.17	1.0	0.103	2.55	24.2	15.7	1.13	617	118.0	1.56	6.7	33.3
J831376		17.5	3.62	22.5	0.16	4.1	0.042	1.69	22.7	24.9	0.57	487	0.11	2.12	10.9	3.0
J831376 CRD		14.8	3.61	22.5	0.17	3.9	0.042	1.66	22.3	24.6	0.56	482	0.10	2.12	11.1	3.0
J831377		5.6	1.73	21.6	0.13	2.9	0.020	1.81	13.9	14.4	0.24	330	0.11	2.81	10.5	2.2
J831378		2.5	1.43	18.85	0.12	3.1	0.015	1.74	15.0	11.1	0.20	257	0.10	2.79	8.2	1.7
J831379		5.8	2.18	21.2	0.15	3.7	0.025	1.24	15.7	18.1	0.38	359	0.09	2.85	10.0	3.5
J831380		30.1	3.43	20.7	0.15	2.0	0.030	1.39	9.6	25.1	1.19	629	0.21	2.62	7.5	40.9
J831381		8.9	2.81	22.1	0.15	3.1	0.030	0.94	18.8	21.0	0.75	501	0.11	2.80	9.8	20.8
J831382		21.0	2.74	21.5	0.15	1.9	0.025	1.54	10.4	22.7	0.99	570	0.16	2.78	8.4	34.3
J831383		9.3	1.76	20.9	0.13	2.5	0.019	1.84	11.8	19.6	0.39	370	0.10	2.75	9.6	10.5
J831384		19.3	3.30	21.5	0.15	2.2	0.028	1.36	10.8	25.9	1.26	678	0.15	2.68	8.2	46.7
J831385		1.8	1.49	19.55	0.12	2.8	0.016	1.94	14.1	10.7	0.22	303	0.10	2.74	9.9	2.3
J831386		5.4	2.34	22.0	0.16	3.4	0.027	1.73	17.4	20.1	0.39	434	0.11	2.61	11.4	3.8
J831387		2.9	1.44	20.4	0.13	2.8	0.018	1.94	14.3	14.5	0.21	309	0.11	2.81	11.0	2.3
J831388		2.3	1.38	20.4	0.12	2.9	0.017	2.44	10.3	13.8	0.18	278	0.10	2.51	10.2	1.7
J831389		5.2	2.10	22.6	0.15	3.8	0.024	1.47	16.7	20.8	0.36	391	0.08	2.70	10.6	3.7
J831390		4620	4.71	18.55	0.19	0.7	0.055	4.38	16.6	11.5	0.73	483	266	1.02	5.3	23.9
J831391		3.0	1.30	18.80	0.13	2.6	0.015	2.02	14.0	12.5	0.18	290	0.23	2.66	9.0	1.8
J831392		5.2	1.84	21.0	0.14	3.3	0.021	1.80	15.6	12.8	0.26	340	0.12	2.78	9.7	2.6
J831393		4.1	1.95	20.9	0.16	3.2	0.022	1.69	15.1	14.5	0.28	366	0.10	2.68	9.5	2.3
J831394		5.0	2.55	23.3	0.17	3.4	0.028	1.45	17.2	18.2	0.38	434	0.11	2.84	10.7	3.5
J831395		0.9	1.56	20.6	0.14	2.9	0.017	1.88	14.8	13.5	0.23	314	0.13	2.74	8.5	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831357		190	8.4	41.3	<0.002	0.01	0.10	2.1	2	1.6	185.0	1.11	<0.05	5.7	0.094	0.21
J831358		170	7.7	60.7	<0.002	0.01	0.07	2.7	2	1.5	94.3	0.86	<0.05	5.7	0.087	0.31
J831359		310	16.0	65.0	<0.002	<0.01	0.13	4.0	2	2.0	141.0	1.17	<0.05	5.5	0.153	0.33
J831360		580	38.3	21.1	1.350	1.70	25.7	13.0	7	1.1	298	0.27	0.55	1.8	0.325	0.20
J831361		240	11.4	47.9	<0.002	<0.01	0.19	3.6	1	1.7	171.5	1.31	<0.05	5.1	0.129	0.26
J831362		240	10.2	50.5	<0.002	<0.01	0.15	3.2	1	1.3	160.5	0.95	<0.05	5.7	0.121	0.26
J831363		200	8.7	55.5	<0.002	0.01	0.08	2.6	1	1.0	137.0	0.66	<0.05	2.6	0.086	0.29
J831364		210	10.2	64.9	<0.002	0.01	0.09	2.9	1	1.2	118.0	0.81	<0.05	5.5	0.103	0.33
J831365		240	8.1	57.5	<0.002	<0.01	0.08	3.0	1	1.4	137.0	0.82	<0.05	4.0	0.117	0.29
J831366		330	9.4	53.5	<0.002	<0.01	0.14	3.4	1	1.5	176.0	0.87	<0.05	4.8	0.142	0.27
J831367		360	7.6	53.9	<0.002	<0.01	0.13	4.8	1	1.6	169.0	0.74	<0.05	4.9	0.163	0.28
J831368		620	5.4	57.9	<0.002	0.01	0.11	8.5	2	1.8	151.0	0.84	<0.05	3.6	0.268	0.35
J831369		430	5.7	61.3	<0.002	0.01	0.09	4.6	2	1.5	99.1	0.86	<0.05	4.7	0.180	0.34
J831370		350	8.9	47.5	<0.002	<0.01	0.21	4.0	1	1.5	195.0	0.86	<0.05	6.1	0.155	0.25
J831371		470	5.7	47.0	<0.002	0.01	0.22	5.5	1	1.7	215	0.74	<0.05	7.1	0.217	0.26
J831372		620	559	56.9	<0.002	0.10	0.09	5.4	1	1.4	148.5	0.67	<0.05	3.1	0.243	0.32
J831373		660	6.7	45.3	<0.002	0.04	0.09	11.9	2	1.3	141.5	0.66	<0.05	2.5	0.370	0.26
J831374		510	4.1	56.3	<0.002	0.04	0.10	4.7	2	1.4	138.0	0.80	<0.05	4.1	0.212	0.29
J831375		890	60.9	76.8	0.141	2.41	7.31	15.2	7	2.6	250	0.25	0.91	4.1	0.294	0.70
J831376		950	6.9	52.7	<0.002	0.02	0.16	7.7	2	1.5	186.5	0.54	<0.05	3.2	0.332	0.31
J831376 CRD		950	4.9	50.7	<0.002	0.02	0.17	7.6	2	1.5	194.0	0.54	<0.05	3.2	0.332	0.30
J831377		340	9.5	52.3	<0.002	0.01	0.12	3.7	1	1.4	123.0	1.18	<0.05	4.2	0.134	0.28
J831378		270	7.5	48.5	<0.002	0.01	0.10	3.1	1	1.2	157.0	0.79	<0.05	3.9	0.105	0.24
J831379		480	4.2	43.4	<0.002	0.02	0.11	4.9	1	1.5	169.0	1.05	<0.05	3.0	0.189	0.22
J831380		610	8.4	41.0	<0.002	0.01	0.19	10.8	1	1.4	231	0.84	<0.05	2.0	0.245	0.24
J831381		510	6.2	38.9	<0.002	0.01	0.20	8.2	1	1.9	235	0.92	<0.05	4.0	0.209	0.19
J831382		470	9.5	45.7	<0.002	0.01	0.19	8.3	1	1.6	227	1.00	<0.05	2.9	0.183	0.24
J831383		310	7.4	59.8	<0.002	0.01	0.13	4.4	1	1.6	161.0	0.93	<0.05	4.1	0.123	0.31
J831384		610	7.5	41.4	<0.002	<0.01	0.18	9.9	1	1.7	240	1.00	<0.05	2.1	0.237	0.22
J831385		260	9.3	48.6	<0.002	<0.01	0.15	2.9	1	1.5	176.5	1.22	<0.05	5.0	0.108	0.26
J831386		520	93.6	63.2	<0.002	0.01	0.15	5.1	2	1.8	150.0	1.04	<0.05	4.6	0.204	0.33
J831387		240	9.2	65.2	<0.002	0.01	0.07	3.9	1	1.5	115.0	1.12	<0.05	4.6	0.103	0.33
J831388		220	6.7	73.6	<0.002	0.02	0.08	3.3	1	1.4	103.5	1.09	<0.05	3.9	0.097	0.37
J831389		430	4.0	56.8	<0.002	<0.01	0.10	4.9	1	1.7	150.5	0.93	<0.05	3.4	0.181	0.28
J831390		1130	40.2	107.0	0.614	2.55	7.61	11.8	9	3.0	258	0.32	0.98	2.2	0.246	1.33
J831391		210	8.2	61.0	<0.002	0.01	0.09	3.4	1	1.3	117.5	0.75	<0.05	4.2	0.092	0.30
J831392		330	7.2	51.9	<0.002	0.01	0.21	3.9	1	1.4	169.5	0.79	<0.05	4.2	0.141	0.26
J831393		400	7.8	48.0	<0.002	0.01	0.16	4.2	2	1.5	170.5	1.00	<0.05	3.7	0.153	0.26
J831394		580	6.8	46.2	<0.002	0.01	0.20	5.5	1	1.8	188.0	1.01	<0.05	4.1	0.215	0.25
J831395		270	8.8	52.5	<0.002	<0.01	0.13	3.2	1	1.6	161.0	1.16	<0.05	4.8	0.117	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831357		1.3	5	0.1	13.2	50	182.5									
J831358		1.5	9	0.2	9.0	39	122.0									
J831359		1.9	21	0.3	13.7	65	140.5									
J831360		0.8	104	5.0	14.4	150	29.6	1.310								
J831361		1.7	17	0.1	16.1	62	102.0									
J831362		1.6	16	0.2	11.2	47	95.3									
J831363		1.3	11	0.2	7.1	27	75.6									
J831364		1.2	13	0.3	8.2	36	102.5									
J831365		2.0	17	0.2	8.0	41	83.5									
J831366		3.4	20	0.1	9.0	53	106.0									
J831367		1.9	25	0.1	11.2	55	119.5									
J831368		1.8	51	0.2	14.9	80	137.5									
J831369		1.2	29	0.2	12.8	56	137.0									
J831370		1.5	18	0.1	9.6	70	165.0									
J831371		1.2	26	0.1	10.4	82	225									
J831372		0.7	32	0.3	9.8	63	153.5									
J831373		0.7	105	0.6	12.5	92	119.0									
J831374		1.1	26	0.4	10.4	67	163.0									
J831375		1.1	145	10.7	14.1	170	34.2	2.24								
J831376		0.6	51	0.5	14.3	79	180.0									
J831376 CRD		0.5	51	0.5	14.5	76	177.0									
J831377		2.1	20	0.3	10.6	54	95.8		0.48	1.8	69.81	14.28	2.40	2.55	0.48	3.98
J831378		1.3	15	0.2	9.4	39	103.0									
J831379		1.0	29	0.2	9.5	58	147.0									
J831380		1.0	68	0.2	11.0	75	70.6									
J831381		1.1	45	0.1	14.8	71	119.0									
J831382		1.2	51	0.1	10.0	65	61.2									
J831383		1.5	22	0.4	8.7	53	83.9									
J831384		1.6	65	0.1	10.9	78	63.2									
J831385		1.6	14	0.1	10.7	47	94.5									
J831386		1.5	29	0.2	14.5	64	133.0									
J831387		2.7	14	0.2	11.2	43	94.3									
J831388		1.4	13	0.1	7.2	47	99.0									
J831389		1.1	27	0.2	10.4	64	140.0									
J831390		1.0	152	12.7	14.3	154	24.0									
J831391		1.3	11	0.2	8.2	43	88.6									
J831392		1.0	18	0.1	8.8	52	109.0									
J831393		1.9	22	0.2	12.0	59	116.5									
J831394		1.4	31	0.2	13.7	74	133.0									
J831395		1.8	16	0.5	12.0	51	103.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831357										
J831358										
J831359										
J831360										
J831361										
J831362										
J831363										
J831364										
J831365										
J831366										
J831367										
J831368										
J831369										
J831370										
J831371										
J831372										
J831373										
J831374										
J831375										
J831376										
J831376 CRD										
J831377		2.30	<0.01	0.21	0.04	0.072	0.03	0.05	1.86	98.06
J831378										
J831379										
J831380										
J831381										
J831382										
J831383										
J831384										
J831385										
J831386										
J831387										
J831388										
J831389										
J831390										
J831391										
J831392										
J831393										
J831394										
J831395										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831396		3.25	<0.005		<0.01	6.85	1.3	800	0.99	0.02	1.50	0.04	38.2	3.1	13	0.40
J831396 CRD		<0.02	<0.005		<0.01	6.81	0.7	820	0.94	0.01	1.52	0.02	36.6	2.8	12	0.40
J831397		3.20	<0.005	<0.005	<0.01	6.86	1.3	700	1.00	0.01	1.78	0.03	33.7	3.9	12	0.39
J831398		3.37	<0.005		<0.01	6.89	2.2	670	0.98	0.01	1.69	0.02	32.5	3.9	12	0.53
J831399		3.43	<0.005		<0.01	7.05	1.5	580	0.97	0.01	1.63	0.02	37.5	3.8	11	0.70
J831400		0.07	1.040		4.70	6.61	23.3	480	0.79	1.85	2.53	1.77	22.3	14.3	62	0.81
J831401		3.39	<0.005		0.05	6.88	3.5	370	0.97	0.06	2.59	0.03	41.8	7.3	5	0.90
J831402		3.32	<0.005		<0.01	7.10	2.1	340	0.92	0.02	2.68	0.03	46.0	7.8	8	0.92
J831403		3.62	<0.005		<0.01	7.23	3.1	310	0.97	0.03	2.73	0.03	45.7	7.4	10	0.67
J831404		3.28	<0.005		<0.01	6.91	3.5	330	1.13	0.06	2.83	0.03	36.9	6.4	8	0.65
J831405		3.42	<0.005		0.16	7.05	1.4	410	0.98	0.03	2.20	0.03	64.5	6.3	7	0.82
J831406		3.36	<0.005		0.10	7.31	2.2	290	0.97	0.01	2.42	0.02	73.1	6.7	7	0.49
J831407		3.49	<0.005		0.09	7.55	1.8	410	0.98	0.01	2.20	0.02	69.4	6.6	8	0.78
J831408		3.00	<0.005		0.07	6.90	0.9	450	1.19	0.01	1.74	0.03	54.1	5.7	10	0.78
J831409		3.49	<0.005		0.07	6.80	2.7	470	1.19	0.01	2.14	0.02	42.9	5.9	8	0.96
J831410		2.81	<0.005		0.07	6.93	3.5	410	1.15	0.01	2.25	0.03	68.4	6.4	8	0.99
J831411		3.29	<0.005		0.09	6.73	1.7	420	1.08	0.04	1.43	0.02	37.2	3.3	8	0.95
J831412		3.21	<0.005		0.05	6.48	1.2	430	0.94	0.02	1.43	0.04	22.1	2.4	9	0.69
J831413		3.23	<0.005		0.06	6.51	1.8	460	0.97	0.02	1.58	0.03	40.3	3.3	10	0.72
J831414		3.26	<0.005		0.08	7.18	3.8	390	1.47	0.03	1.70	0.04	18.70	4.8	17	0.83
J831415		0.12	2.55		8.24	6.69	52.8	640	0.86	3.42	1.62	1.02	53.6	17.4	55	3.21
J831416		3.30	<0.005		0.03	6.35	2.8	320	1.02	0.02	1.40	<0.02	33.6	3.1	11	0.57
J831416 CRD		<0.02	<0.005		0.05	6.61	3.5	330	1.00	0.01	1.42	0.03	33.2	3.8	10	0.65
J831417		3.46	<0.005	<0.005	0.07	6.68	4.0	430	1.03	0.02	1.55	0.03	30.3	4.2	12	0.84
J831418		3.24	<0.005		0.10	6.78	0.5	290	0.76	0.04	0.84	<0.02	6.16	1.1	9	0.46
J831419		3.54	<0.005		0.13	7.43	10.2	450	1.16	0.06	3.06	0.05	22.5	12.5	17	1.61
J831420		3.27	<0.005		0.09	7.22	4.2	440	0.88	0.04	2.45	0.04	32.9	8.4	14	1.02
J831421		3.34	<0.005		0.17	6.74	1.5	410	0.94	0.02	2.02	0.02	30.4	7.7	12	0.89
J831422		3.55	<0.005		0.03	6.32	1.0	420	1.01	0.01	1.46	0.04	43.7	3.3	9	0.83
J831423		3.32	<0.005		0.07	6.83	1.2	290	1.23	0.01	1.88	0.03	68.8	4.6	12	0.81
J831424		3.44	<0.005		0.06	6.27	3.7	310	1.19	0.01	2.56	0.02	46.7	5.1	13	0.72
J831425		3.01	<0.005		0.03	6.77	0.5	470	1.00	0.01	1.25	0.02	26.2	2.2	9	0.55
J831426		3.11	<0.005		0.03	6.67	0.2	270	0.90	0.02	0.79	<0.02	6.85	0.9	8	0.43
J831427		2.96	<0.005		0.09	6.47	3.7	230	0.60	0.03	3.59	0.03	4.56	23.6	112	0.66
J831428		3.13	<0.005		0.07	6.17	1.7	400	0.90	0.01	0.95	<0.02	7.76	1.9	10	0.50
J831429		3.17	<0.005		0.05	6.76	3.4	540	1.15	0.01	1.61	0.02	36.8	4.4	10	0.83
J831430		0.09	0.440		2.12	7.69	99.6	600	1.27	0.59	0.56	0.99	33.2	17.9	29	6.68
J831431		2.95	<0.005		0.02	6.84	1.7	440	1.16	0.01	1.50	0.02	25.1	2.4	6	0.67
J831432		2.93	<0.005		0.07	6.52	23.1	400	1.04	0.07	3.12	0.09	11.60	9.7	34	0.74
J831433		3.05	<0.005		0.11	6.95	35.4	350	0.91	0.19	3.75	0.13	16.35	17.4	57	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831396		4.2	1.57	21.5	0.07	3.0	0.020	2.41	17.8	8.4	0.20	293	0.15	2.90	8.5	3.3
J831396 CRD		2.4	1.52	20.0	0.08	2.9	0.020	2.39	17.3	8.1	0.20	290	0.13	2.81	8.2	2.6
J831397		<0.2	1.72	21.3	0.10	2.9	0.020	1.98	16.2	9.4	0.25	345	0.12	2.91	8.7	3.0
J831398		0.4	1.71	20.8	0.10	2.8	0.020	2.01	15.0	11.0	0.25	348	0.13	2.90	9.0	2.8
J831399		0.5	1.80	21.4	0.08	3.0	0.024	1.75	17.6	11.6	0.27	355	0.11	3.02	10.3	3.0
J831400		>10000	4.78	15.35	0.11	0.9	0.158	0.86	11.3	14.2	1.20	675	250	2.23	4.2	34.5
J831401		7.3	2.94	21.0	0.19	4.2	0.044	1.60	18.2	21.7	0.47	482	0.12	2.61	10.4	3.9
J831402		6.8	3.14	22.0	0.08	3.5	0.049	1.43	19.7	20.2	0.51	499	0.47	2.73	10.4	4.2
J831403		6.2	2.96	23.1	0.10	3.6	0.044	1.21	19.7	16.5	0.46	469	0.15	2.80	10.8	4.1
J831404		11.2	2.61	24.0	0.11	3.5	0.038	1.26	15.7	15.2	0.36	442	0.13	2.93	10.9	3.8
J831405		17.2	2.78	21.2	0.09	4.5	0.033	1.37	29.1	16.1	0.34	422	0.14	2.87	11.2	2.0
J831406		4.5	2.94	21.8	0.10	5.0	0.034	1.04	32.9	15.1	0.35	427	0.11	3.00	10.7	1.1
J831407		4.2	2.83	22.5	0.11	5.2	0.028	1.30	32.5	17.3	0.36	435	0.15	2.94	12.0	1.7
J831408		11.1	2.21	21.8	0.08	4.8	0.021	1.73	27.6	15.3	0.38	438	0.13	2.90	15.1	4.5
J831409		8.3	2.09	20.8	0.08	3.8	0.021	2.09	20.9	14.0	0.38	437	0.09	2.45	9.7	5.0
J831410		3.1	2.13	20.4	0.10	5.2	0.024	2.08	33.5	14.2	0.41	425	0.08	2.47	9.8	5.8
J831411		22.5	1.37	19.15	0.08	3.3	0.014	2.01	18.7	8.8	0.25	271	0.13	2.59	9.3	3.0
J831412		7.7	1.10	19.15	0.05	2.6	0.014	1.59	10.9	5.4	0.15	284	0.14	3.13	8.5	1.4
J831413		49.2	1.57	18.70	0.09	3.6	0.018	1.76	19.4	7.6	0.22	317	0.16	2.79	7.1	2.7
J831414		12.2	1.70	22.7	0.07	3.0	0.018	2.04	8.8	12.3	0.39	378	0.12	2.91	14.1	10.3
J831415		>10000	5.71	14.20	0.15	1.2	0.108	2.73	25.0	16.6	1.17	625	109.5	1.66	6.7	32.2
J831416		11.0	1.40	17.95	0.15	3.4	0.017	1.54	17.1	8.8	0.24	289	0.11	3.18	9.3	4.1
J831416 CRD		19.5	1.46	19.00	0.06	3.4	0.016	1.58	16.8	9.0	0.24	302	0.21	3.11	9.4	4.2
J831417		16.9	1.48	19.60	0.07	3.2	0.015	2.28	15.4	9.0	0.26	305	0.12	2.47	8.2	5.7
J831418		7.6	0.66	18.10	<0.05	1.8	<0.005	2.01	3.0	2.6	0.07	132	0.13	3.86	2.8	1.3
J831419		37.4	2.89	21.4	0.10	2.5	0.031	2.91	10.8	21.0	0.75	572	0.13	1.74	6.3	16.7
J831420		24.5	2.26	20.5	0.10	2.5	0.021	2.20	16.8	16.0	0.56	426	0.11	2.48	6.6	11.1
J831421		29.9	2.01	18.60	0.08	2.3	0.019	1.96	15.3	16.0	0.49	381	0.10	2.64	6.6	10.8
J831422		2.1	1.51	18.90	0.08	3.6	0.016	1.91	21.3	8.4	0.22	307	0.11	2.59	9.9	2.7
J831423		2.1	1.91	21.2	0.11	5.2	0.025	1.69	33.5	12.7	0.30	416	0.10	2.85	13.9	3.7
J831424		4.4	1.76	20.5	0.09	4.3	0.023	1.85	21.2	12.2	0.25	490	0.13	2.85	10.5	3.6
J831425		2.0	1.22	19.25	0.07	3.0	0.013	2.21	13.0	7.3	0.14	253	0.13	3.14	6.9	1.9
J831426		2.0	0.65	18.65	<0.05	1.9	0.005	1.29	3.4	2.0	0.07	121	0.13	3.91	3.5	1.3
J831427		42.3	3.58	14.65	0.10	0.8	0.023	1.64	2.0	29.1	1.93	675	0.10	1.81	1.7	65.4
J831428		59.5	0.75	17.70	0.05	2.3	<0.005	2.12	3.8	3.3	0.06	102	0.14	3.14	2.7	1.0
J831429		7.8	1.71	19.90	0.09	3.1	0.015	1.99	18.5	9.9	0.25	319	0.16	2.88	9.3	3.5
J831430		4520	4.69	17.95	0.08	0.7	0.056	5.48	15.9	11.2	0.76	494	267	1.04	5.0	23.6
J831431		11.6	1.27	18.75	<0.05	3.6	0.009	1.75	11.1	7.5	0.17	244	0.49	3.18	6.4	2.2
J831432		19.3	2.43	17.95	0.05	1.8	0.018	2.42	4.3	10.3	0.93	533	0.18	1.74	4.0	34.1
J831433		5.1	3.82	20.1	0.05	1.2	0.026	2.79	6.3	16.2	1.60	852	0.11	1.14	4.3	62.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831396		230	16.6	55.8	<0.002	0.01	0.20	2.5	1	1.6	167.0	0.78	<0.05	6.3	0.101	0.27
J831396 CRD		240	15.3	53.7	<0.002	0.01	0.19	2.4	1	1.6	162.0	0.74	<0.05	6.7	0.101	0.28
J831397		300	11.5	52.4	<0.002	<0.01	0.15	2.6	1	1.7	168.5	0.66	<0.05	5.8	0.123	0.22
J831398		310	9.6	56.1	<0.002	0.01	0.14	2.6	1	1.7	160.5	0.73	<0.05	4.9	0.121	0.26
J831399		320	9.4	55.1	<0.002	0.01	0.14	2.8	1	1.9	142.0	0.84	<0.05	5.7	0.131	0.24
J831400		580	45.8	26.8	1.345	1.64	28.3	13.3	6	1.2	291	0.26	0.63	2.2	0.328	0.19
J831401		700	6.1	54.8	<0.002	0.05	0.16	5.6	1	1.8	152.5	0.71	<0.05	3.4	0.265	0.30
J831402		740	4.3	50.2	<0.002	0.05	0.18	5.9	1	1.8	179.0	0.64	<0.05	3.6	0.273	0.24
J831403		690	5.6	42.5	<0.002	0.03	0.24	5.0	1	1.7	223	0.70	<0.05	3.8	0.251	0.22
J831404		540	10.2	44.2	<0.002	0.08	0.22	4.2	1	1.4	203	0.58	<0.05	3.7	0.204	0.23
J831405		470	5.3	50.9	<0.002	0.12	0.24	4.7	1	1.6	178.0	0.67	<0.05	5.4	0.201	0.29
J831406		460	5.2	36.0	<0.002	0.02	0.23	5.1	1	1.4	220	0.57	<0.05	5.3	0.208	0.21
J831407		480	6.1	50.5	<0.002	0.01	0.22	5.0	1	1.6	188.0	0.75	<0.05	5.9	0.203	0.28
J831408		390	10.2	59.7	<0.002	0.01	0.10	5.1	1	1.8	146.0	2.28	<0.05	9.9	0.147	0.30
J831409		350	7.0	63.0	<0.002	0.01	0.09	4.1	1	1.8	152.0	1.11	<0.05	6.4	0.143	0.33
J831410		400	9.0	68.0	<0.002	0.01	0.10	3.9	1	2.0	163.0	1.42	<0.05	12.1	0.168	0.36
J831411		210	8.9	65.1	<0.002	0.01	0.10	3.1	1	1.5	122.0	1.21	<0.05	6.9	0.088	0.32
J831412		150	8.7	48.9	<0.002	0.01	0.07	2.6	1	1.4	136.5	0.86	<0.05	4.2	0.070	0.23
J831413		210	7.2	51.5	<0.002	0.02	0.08	2.9	1	1.2	147.5	0.58	<0.05	6.5	0.099	0.24
J831414		470	14.0	58.6	<0.002	0.05	0.09	4.6	1	1.6	149.0	2.68	<0.05	6.7	0.113	0.28
J831415		880	63.8	73.5	0.131	2.40	7.88	15.0	6	2.7	253	0.29	0.95	4.4	0.307	0.76
J831416		180	6.9	46.9	<0.002	0.03	0.08	3.4	1	1.5	133.0	1.01	<0.05	5.5	0.094	0.20
J831416 CRD		180	8.6	45.9	<0.002	0.04	0.09	3.8	1	1.5	138.0	1.08	<0.05	5.9	0.094	0.22
J831417		220	10.4	64.6	<0.002	0.01	0.09	3.4	1	1.5	126.5	1.06	<0.05	5.6	0.091	0.30
J831418		40	17.5	44.1	<0.002	0.02	0.07	1.1	<1	0.4	104.5	0.56	<0.05	3.3	0.020	0.21
J831419		460	7.7	87.2	<0.002	0.04	0.17	8.2	1	1.4	151.0	0.64	<0.05	2.4	0.229	0.45
J831420		300	9.1	67.4	<0.002	0.04	0.12	5.8	1	1.2	179.5	0.64	<0.05	4.2	0.164	0.36
J831421		260	9.2	59.7	<0.002	0.03	0.10	6.0	1	1.2	153.0	0.55	<0.05	5.3	0.117	0.30
J831422		220	8.9	61.4	<0.002	<0.01	0.10	3.3	1	1.5	106.5	0.73	<0.05	6.4	0.106	0.32
J831423		320	10.4	62.5	<0.002	<0.01	0.15	5.1	1	2.1	123.5	0.95	<0.05	9.5	0.149	0.30
J831424		270	9.3	57.0	<0.002	<0.01	0.11	3.5	1	1.8	126.0	0.96	<0.05	7.1	0.125	0.30
J831425		150	14.6	52.6	<0.002	<0.01	0.09	2.4	1	1.1	127.0	0.65	<0.05	5.0	0.067	0.26
J831426		30	14.1	36.8	<0.002	<0.01	0.08	1.4	<1	0.6	97.1	0.46	<0.05	3.3	0.025	0.17
J831427		70	9.1	42.5	<0.002	0.04	0.15	18.0	1	0.4	136.5	0.19	<0.05	1.0	0.124	0.24
J831428		40	14.5	48.3	<0.002	0.02	0.08	1.1	<1	0.5	96.8	0.32	<0.05	2.2	0.028	0.24
J831429		210	11.7	60.5	<0.002	<0.01	0.09	3.4	1	1.5	128.5	1.20	<0.05	5.5	0.118	0.31
J831430		1140	39.5	160.5	0.597	2.55	7.14	11.8	8	2.9	255	0.32	1.00	2.4	0.246	1.34
J831431		150	10.2	64.6	<0.002	0.01	0.09	2.6	1	1.0	151.5	0.97	<0.05	5.0	0.081	0.24
J831432		340	6.4	56.1	<0.002	0.02	0.10	7.2	1	0.9	165.5	0.39	<0.05	0.8	0.131	0.30
J831433		490	12.5	64.0	<0.002	0.09	0.13	12.7	1	1.2	168.5	0.60	<0.05	1.3	0.145	0.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J831396		1.8	13	0.1	10.0	50	115.5									
J831396 CRD		2.4	13	0.1	9.7	48	112.5									
J831397		1.9	16	0.1	8.4	57	117.5		0.08	0.3	71.05	14.29	2.40	2.45	0.47	3.96
J831398		1.4	16	0.1	7.0	54	113.5									
J831399		2.1	17	0.1	7.7	54	124.0									
J831400		0.9	105	5.5	14.7	148	32.1	1.305								
J831401		0.7	41	0.1	13.1	79	158.0									
J831402		0.6	42	0.4	12.5	85	164.0									
J831403		0.8	38	0.2	12.7	78	164.5									
J831404		0.8	29	0.4	11.3	77	162.5									
J831405		1.2	19	0.4	13.0	77	190.0									
J831406		1.1	17	0.2	14.9	73	211									
J831407		1.0	20	0.1	12.9	68	203									
J831408		4.4	28	0.2	14.9	57	159.5									
J831409		1.7	26	0.3	8.3	50	144.5									
J831410		7.6	20	0.2	11.8	62	210									
J831411		2.6	12	0.2	8.6	34	114.5									
J831412		2.1	9	0.3	6.4	35	74.5									
J831413		1.6	14	0.3	6.4	39	122.5									
J831414		5.9	21	0.4	9.3	51	81.3									
J831415		1.2	147	12.2	13.4	165	37.8	2.21								
J831416		1.7	15	0.2	7.1	34	102.0									
J831416 CRD		2.2	15	0.2	7.3	34	106.5									
J831417		2.7	15	0.2	7.5	40	100.0		0.48	1.8	71.00	14.28	2.16	2.23	0.53	3.65
J831418		2.6	5	0.2	4.1	7	40.7									
J831419		1.4	54	0.7	6.7	75	95.0									
J831420		1.2	35	0.2	4.8	55	92.3									
J831421		8.1	34	0.1	6.9	44	75.4									
J831422		0.9	12	0.1	8.6	42	133.0									
J831423		1.8	14	0.1	12.6	59	200									
J831424		2.2	13	0.1	12.5	52	166.5									
J831425		1.7	7	0.1	7.0	31	92.4									
J831426		4.0	5	0.2	3.9	10	39.9									
J831427		2.2	94	0.4	3.0	58	22.2									
J831428		1.4	3	0.1	3.3	8	60.8									
J831429		2.0	16	0.2	7.2	40	97.6									
J831430		1.1	157	12.7	13.7	149	23.0									
J831431		2.1	13	0.1	7.2	32	97.8									
J831432		1.0	47	0.4	3.6	82	50.4									
J831433		2.4	78	0.4	5.6	123	29.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831396										
J831396 CRD										
J831397		2.35	<0.01	0.19	0.04	0.065	0.03	0.07	0.90	98.26
J831398										
J831399										
J831400										
J831401										
J831402										
J831403										
J831404										
J831405										
J831406										
J831407										
J831408										
J831409										
J831410										
J831411										
J831412										
J831413										
J831414										
J831415										
J831416										
J831416 CRD										
J831417		2.87	<0.01	0.13	0.04	0.052	0.03	0.04	2.78	99.79
J831418										
J831419										
J831420										
J831421										
J831422										
J831423										
J831424										
J831425										
J831426										
J831427										
J831428										
J831429										
J831430										
J831431										
J831432										
J831433										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831434		3.50	<0.005		0.24	6.52	49.6	540	1.03	0.05	3.05	0.20	12.35	12.7	42	0.78
J831435		3.29	<0.005		0.06	7.21	51.2	440	1.11	0.03	3.48	0.10	33.9	15.6	54	0.99
J831436		2.86	<0.005		0.10	6.85	13.8	520	1.13	0.02	1.94	0.02	29.7	5.8	15	0.73
J831436 CRD		<0.02	<0.005		0.07	6.08	11.5	460	1.07	0.02	1.72	0.02	25.2	4.9	14	0.66
J831437		3.14	<0.005	<0.005	0.08	6.74	6.8	580	1.52	0.04	1.90	0.06	34.9	4.4	6	0.68
J831438		3.04	<0.005		0.04	6.75	4.0	610	1.26	0.03	1.64	0.03	32.7	3.3	6	0.68
J831439		3.21	0.008		0.06	6.73	3.8	570	1.34	0.04	1.87	0.03	34.8	3.8	10	0.78
J831440		3.12	<0.005		0.05	6.57	3.7	530	1.19	0.07	2.06	0.03	37.5	4.0	10	0.76
J831441		3.19	<0.005		0.03	6.97	2.7	560	1.36	0.03	2.07	0.02	42.0	3.6	6	0.85
J831442		3.20	<0.005		0.03	6.78	2.3	500	1.32	0.03	1.87	0.03	36.9	4.0	6	0.80
J831443		3.13	<0.005		0.03	6.81	3.0	490	1.33	0.03	1.82	0.02	37.3	4.7	7	0.68
J831444		3.33	<0.005		0.06	7.44	3.6	410	1.42	0.02	1.88	0.06	44.5	5.9	11	0.49
J831445		1.04	<0.005		<0.01	0.15	<5	10	0.05	0.01	21.5	<0.02	2.86	1.0	<1	0.10
J831446		3.42	<0.005		0.06	6.45	1.2	300	1.16	0.05	1.97	0.04	33.1	4.8	8	0.45
J831447		3.38	<0.005		0.04	6.83	1.6	430	1.24	0.03	1.90	0.03	58.4	3.8	7	0.80
J831448		3.37	<0.005		0.05	7.01	0.4	690	1.06	0.01	1.00	0.02	15.15	1.2	5	0.55
J831449		3.14	<0.005		0.05	6.71	0.5	500	1.17	0.03	1.12	0.02	26.2	1.5	6	0.60
J831450		3.04	<0.005		0.02	7.40	2.0	530	1.41	0.02	1.76	0.04	56.6	3.7	7	0.61
J831451		3.15	<0.005		0.03	6.88	1.5	480	1.27	0.02	1.79	0.02	58.3	3.4	7	0.56
J831452		3.04	<0.005		0.05	7.69	5.6	420	1.38	0.05	2.20	0.03	59.1	8.2	22	0.76
J831453		3.93	<0.005		0.03	7.43	1.6	540	1.41	0.02	1.87	0.04	52.3	3.2	10	0.50
J831454		2.65	<0.005		0.20	8.30	7.6	150	1.01	0.05	4.63	0.06	49.8	20.5	58	0.50
J831455		3.15	<0.005		0.01	7.04	0.5	610	1.20	0.01	1.19	0.03	20.8	1.8	7	0.48
J831456		3.09	<0.005		0.01	6.61	0.4	430	1.04	0.01	0.90	0.02	10.75	1.1	6	0.54
J831456 CRD		<0.02	<0.005		0.01	6.40	0.6	450	1.02	0.01	0.90	<0.02	11.95	1.5	11	0.55
J831457		3.04	<0.005	<0.005	0.02	7.17	0.2	360	1.02	0.01	0.84	0.02	14.30	1.0	4	0.62
J831458		2.99	<0.005		0.01	6.59	<0.2	420	0.97	0.01	0.82	0.02	13.65	1.0	5	0.58
J831459		3.06	<0.005		<0.01	6.80	0.2	610	1.08	0.01	0.85	0.02	18.70	0.9	6	0.58
J831460		0.07	0.956		4.97	6.51	19.9	480	0.86	1.98	2.47	2.05	23.5	14.6	58	0.75
J831461		3.11	<0.005		0.02	6.19	<0.2	520	0.93	0.01	0.92	0.02	13.85	1.4	11	0.61
J831462		3.02	<0.005		0.01	6.65	0.9	710	1.02	0.01	0.99	0.02	19.95	1.6	6	0.50
J831463		3.08	<0.005		0.01	7.18	0.8	530	1.15	0.01	1.52	0.03	30.4	2.6	8	0.48
J831464		3.58	<0.005		0.04	6.51	0.5	580	1.03	0.01	1.18	0.02	18.35	2.1	10	0.46
J831465		2.81	<0.005		0.04	6.43	3.0	580	1.12	0.01	1.66	0.02	32.0	4.4	9	0.67
J831466		3.19	<0.005		0.05	6.80	2.5	640	1.11	<0.01	1.67	0.03	37.2	4.6	8	0.56
J831467		3.17	0.234		0.04	6.98	2.7	580	1.12	0.01	1.74	0.04	34.9	4.3	9	0.67
J831468		2.98	<0.005		0.03	6.61	1.8	610	1.01	0.01	1.65	0.06	42.6	4.0	9	0.60
J831469		3.57	0.033		0.09	7.35	8.3	400	0.84	0.07	2.86	0.05	35.4	14.5	24	0.42
J831470		3.38	<0.005		0.23	7.30	10.8	70	0.71	0.02	6.38	0.12	31.3	39.6	36	0.81
J831471		4.13	<0.005		0.25	7.40	5.0	100	0.80	0.02	6.51	0.13	31.5	41.7	41	1.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831434		77.9	2.48	18.75	0.05	2.1	0.021	2.38	4.7	8.1	0.93	574	0.11	2.26	5.5	40.5
J831435		20.5	3.53	21.0	0.08	1.9	0.035	2.76	14.4	16.8	1.43	665	0.10	1.46	9.1	54.1
J831436		24.6	1.59	17.60	<0.05	2.7	0.015	2.07	13.1	8.4	0.42	305	0.21	2.45	5.7	11.5
J831436 CRD		21.7	1.41	16.10	0.05	2.6	0.014	1.87	11.0	7.7	0.37	273	0.17	2.23	5.2	10.1
J831437		37.1	1.53	19.20	0.06	3.1	0.021	2.01	15.1	7.0	0.26	274	0.13	2.79	8.8	3.5
J831438		9.6	1.39	17.95	0.06	2.5	0.014	1.90	14.3	7.3	0.23	262	0.31	2.89	6.8	3.0
J831439		20.6	1.64	19.45	0.07	2.7	0.018	1.95	14.7	8.6	0.28	330	0.22	2.86	7.8	4.5
J831440		10.6	1.67	18.75	0.08	3.0	0.016	2.00	15.2	9.5	0.28	331	0.15	2.70	7.3	3.9
J831441		12.8	1.85	19.40	0.07	2.8	0.017	2.22	17.3	10.2	0.31	357	0.14	2.46	7.8	4.0
J831442		4.2	1.64	18.80	0.06	2.9	0.016	1.93	15.1	10.7	0.27	344	0.15	2.86	7.9	3.7
J831443		16.6	1.67	19.20	0.08	2.9	0.018	1.95	15.5	11.0	0.29	340	3.35	2.91	8.6	3.9
J831444		7.6	1.89	20.4	0.08	3.4	0.020	1.80	19.0	10.7	0.33	383	0.17	3.05	9.7	4.5
J831445		0.9	0.08	0.50	0.32	0.1	<0.005	0.12	1.9	4.4	13.15	49	0.13	0.02	0.4	0.4
J831446		13.9	1.85	19.50	0.08	3.5	0.020	1.50	14.6	9.8	0.32	373	0.16	2.99	10.1	4.6
J831447		7.5	1.56	19.10	0.10	2.8	0.016	1.87	25.0	12.5	0.35	329	0.18	3.03	8.5	3.3
J831448		7.1	0.80	17.45	0.05	2.4	0.005	3.82	6.6	4.4	0.08	136	0.20	2.82	2.3	0.8
J831449		12.6	0.91	16.50	0.07	3.1	0.009	2.28	11.5	7.1	0.12	159	0.15	3.23	3.8	1.5
J831450		6.5	1.68	19.95	0.11	3.2	0.018	2.04	23.9	12.2	0.28	324	0.14	3.14	8.5	3.3
J831451		7.1	1.63	18.85	0.13	2.8	0.018	1.87	24.4	11.2	0.27	321	0.18	2.97	8.0	3.4
J831452		19.5	2.38	20.2	0.15	2.7	0.021	1.68	23.9	19.4	0.63	441	0.18	3.11	8.4	17.3
J831453		4.6	1.56	19.60	0.11	3.2	0.016	2.10	21.8	10.0	0.25	298	0.15	3.19	7.3	3.4
J831454		62.3	4.87	19.90	0.15	0.9	0.048	0.94	16.8	20.3	1.92	945	0.19	2.83	8.9	58.0
J831455		3.9	1.14	19.95	0.11	2.8	0.011	3.48	9.0	5.4	0.14	223	0.16	2.76	5.8	1.8
J831456		3.8	0.80	16.60	0.06	2.7	0.006	3.48	4.5	4.8	0.09	149	0.12	2.64	2.9	1.1
J831456 CRD		4.5	0.83	17.25	0.07	2.8	0.007	3.66	5.2	5.0	0.09	152	0.13	2.72	3.0	1.1
J831457		4.8	0.76	19.65	0.07	3.2	0.005	4.49	6.2	3.6	0.07	129	0.12	2.74	3.6	0.8
J831458		5.4	0.78	18.35	0.07	2.7	0.006	4.11	5.9	2.5	0.05	126	0.14	2.51	2.9	0.8
J831459		1.7	0.87	18.75	0.09	2.6	0.008	4.19	8.0	2.9	0.06	137	0.12	2.42	3.7	0.9
J831460		>10000	4.56	13.60	0.10	1.0	0.129	0.86	10.6	13.3	1.18	669	249	2.21	3.8	32.9
J831461		1.4	1.04	18.50	0.19	3.1	0.009	3.55	6.6	4.2	0.08	171	0.15	2.46	5.4	1.0
J831462		4.1	0.94	17.45	0.07	2.8	0.007	3.67	8.4	3.4	0.08	172	0.20	2.57	3.9	1.1
J831463		3.4	1.47	20.2	0.09	3.5	0.017	2.75	13.1	8.1	0.19	306	0.14	2.85	8.6	2.2
J831464		4.7	1.15	18.65	0.08	3.0	0.012	2.84	8.7	9.2	0.13	209	0.11	2.81	7.1	2.1
J831465		3.4	1.55	19.35	0.10	3.0	0.017	2.03	15.5	16.0	0.23	326	0.10	2.73	9.5	2.7
J831466		2.3	1.68	20.1	0.11	3.1	0.019	2.07	18.1	14.9	0.25	351	0.12	2.86	10.4	2.9
J831467		2.2	1.71	20.6	0.11	3.3	0.019	1.91	16.9	16.7	0.28	345	0.14	3.11	10.5	3.0
J831468		2.8	1.67	19.30	0.10	3.3	0.017	1.80	20.3	17.9	0.26	318	0.12	3.12	8.4	2.8
J831469		36.5	3.63	19.70	0.14	2.9	0.031	1.30	16.2	26.5	1.06	649	0.14	3.48	6.7	23.7
J831470		95.6	10.95	23.2	0.23	2.9	0.100	0.09	13.2	14.5	2.59	1840	0.55	1.62	11.6	39.3
J831471		96.6	11.40	23.6	0.23	3.3	0.102	0.12	13.1	14.6	2.74	1860	0.62	1.67	11.6	42.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831434		320	8.5	55.9	<0.002	0.04	0.12	7.5	1	1.1	140.5	0.89	<0.05	1.9	0.119	0.30
J831435		620	7.2	65.7	<0.002	0.06	0.15	12.2	1	1.8	152.0	1.31	<0.05	3.7	0.178	0.39
J831436		250	5.0	70.2	<0.002	0.01	0.12	4.2	1	1.4	127.5	0.70	<0.05	4.4	0.098	0.27
J831436 CRD		230	4.3	62.3	<0.002	<0.01	0.10	3.8	1	1.3	116.0	0.65	<0.05	3.7	0.088	0.25
J831437		270	7.6	69.7	<0.002	0.03	0.09	3.0	1	2.0	141.5	1.12	<0.05	4.7	0.125	0.29
J831438		220	7.5	69.3	<0.002	0.01	0.09	2.4	1	1.5	149.0	0.85	<0.05	4.6	0.109	0.28
J831439		260	9.5	64.2	<0.002	0.01	0.09	2.8	1	1.7	146.0	1.01	<0.05	4.7	0.130	0.32
J831440		290	11.3	69.7	<0.002	0.01	0.08	2.7	1	1.4	147.5	0.97	<0.05	4.7	0.133	0.33
J831441		280	7.1	71.9	<0.002	0.02	0.07	3.6	1	1.5	142.0	1.11	<0.05	5.5	0.143	0.35
J831442		270	8.9	68.7	<0.002	0.01	0.08	4.1	1	1.6	128.5	1.01	<0.05	4.7	0.133	0.33
J831443		280	6.7	62.0	<0.002	0.01	0.09	3.5	1	1.8	132.0	1.10	<0.05	4.7	0.135	0.32
J831444		320	9.2	65.8	<0.002	<0.01	0.18	4.2	1	1.9	179.0	1.34	<0.05	5.8	0.146	0.27
J831445		10	1.1	3.0	<0.002	0.03	<0.05	0.3	1	<0.2	62.8	<0.05	<0.05	0.3	0.007	<0.02
J831446		290	9.0	42.1	<0.002	0.03	0.20	3.6	1	1.9	160.0	1.33	<0.05	4.6	0.145	0.24
J831447		280	8.1	69.9	<0.002	0.04	0.08	3.3	1	1.6	111.5	1.09	<0.05	6.6	0.126	0.32
J831448		60	11.5	81.6	<0.002	0.03	0.07	1.0	1	0.5	126.5	0.39	<0.05	5.1	0.032	0.40
J831449		100	10.8	63.1	<0.002	0.04	0.07	1.6	1	0.8	114.0	0.76	<0.05	4.6	0.049	0.30
J831450		260	8.1	69.5	<0.002	0.01	0.12	3.8	1	1.7	188.0	1.30	<0.05	6.6	0.130	0.29
J831451		250	7.4	67.8	<0.002	0.01	0.11	3.6	1	1.6	175.0	1.20	<0.05	6.7	0.121	0.27
J831452		420	6.6	74.1	<0.002	0.03	0.11	6.8	1	1.6	179.5	1.07	<0.05	6.2	0.188	0.29
J831453		260	10.4	68.7	<0.002	0.01	0.18	3.2	1	1.4	171.0	0.97	<0.05	6.4	0.113	0.29
J831454		1040	7.2	33.2	<0.002	0.02	0.21	16.5	1	1.7	319	0.91	<0.05	0.9	0.422	0.19
J831455		110	14.4	78.8	<0.002	0.01	0.08	2.3	1	1.3	115.5	0.65	<0.05	4.7	0.064	0.38
J831456		50	10.3	81.7	<0.002	0.01	0.06	1.4	1	0.6	79.4	0.32	<0.05	2.7	0.035	0.38
J831456 CRD		50	10.3	85.1	<0.002	0.02	0.06	1.4	1	0.7	80.4	0.35	<0.05	3.2	0.036	0.40
J831457		50	14.3	99.6	<0.002	0.02	0.06	1.7	1	0.6	72.4	0.34	<0.05	5.3	0.033	0.46
J831458		40	15.6	94.4	<0.002	0.02	<0.05	1.4	1	0.5	79.4	0.28	<0.05	3.5	0.027	0.39
J831459		40	13.7	92.8	<0.002	0.01	0.08	1.8	1	0.7	100.0	0.38	<0.05	3.4	0.032	0.39
J831460		590	37.3	27.5	1.435	1.65	25.3	15.3	6	1.1	284	0.28	0.55	2.0	0.325	0.21
J831461		60	13.4	76.6	<0.002	0.01	<0.05	1.9	1	0.7	93.0	0.55	<0.05	3.1	0.044	0.33
J831462		80	13.1	83.4	<0.002	0.01	0.08	1.7	1	0.8	107.5	0.38	<0.05	3.9	0.043	0.37
J831463		210	11.8	71.1	<0.002	0.01	0.14	3.3	1	1.5	136.5	0.68	<0.05	5.2	0.097	0.34
J831464		120	11.8	62.9	<0.002	0.03	0.21	2.6	1	1.1	111.5	0.55	<0.05	4.8	0.064	0.34
J831465		290	6.4	58.7	<0.002	0.02	0.19	3.1	1	1.6	96.7	0.94	<0.05	4.8	0.121	0.30
J831466		300	8.9	55.2	<0.002	0.01	0.20	3.6	1	1.8	141.5	1.09	<0.05	5.7	0.122	0.28
J831467		310	5.3	56.2	<0.002	0.01	0.20	4.0	1	1.8	135.0	0.97	<0.05	5.6	0.129	0.27
J831468		280	5.5	49.5	<0.002	0.01	0.18	3.5	1	1.6	121.0	0.81	<0.05	6.2	0.120	0.26
J831469		380	5.6	32.5	<0.002	0.01	0.19	11.0	1	1.5	111.0	0.71	<0.05	4.0	0.302	0.19
J831470		860	4.0	2.7	0.003	0.14	0.48	33.0	3	1.4	225	0.71	<0.05	1.3	1.370	0.03
J831471		840	3.0	3.6	0.004	0.17	0.62	34.6	3	1.3	250	0.71	<0.05	1.1	1.415	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831434		2.1	47	0.6	4.4	114	54.0									
J831435		1.5	71	0.9	6.6	81	56.6									
J831436		1.6	25	1.1	4.7	26	86.5									
J831436 CRD		1.1	22	1.1	4.1	23	81.5									
J831437		0.9	17	0.3	5.3	39	107.5		0.66	2.4	69.72	14.26	2.25	2.63	0.51	3.76
J831438		1.2	15	0.3	4.9	36	89.0									
J831439		1.1	18	0.3	5.9	49	102.5									
J831440		0.8	19	0.2	5.8	53	109.5									
J831441		1.8	20	0.2	7.4	51	98.5									
J831442		1.8	18	0.1	7.7	48	100.5									
J831443		1.2	19	0.1	8.4	52	101.5									
J831444		2.5	20	0.1	14.5	62	115.5									
J831445		0.1	2	<0.1	1.6	<2	2.3									
J831446		1.4	21	0.1	11.5	54	116.5									
J831447		2.5	17	0.2	11.5	46	92.7									
J831448		2.9	6	0.3	6.9	12	48.7									
J831449		2.6	8	0.2	7.8	20	68.2									
J831450		2.5	16	0.1	13.8	44	98.4									
J831451		2.1	16	0.1	13.0	42	89.4									
J831452		1.8	36	0.1	15.1	57	83.7									
J831453		2.8	15	0.1	10.3	39	100.5									
J831454		0.5	108	0.1	18.4	94	22.5									
J831455		3.0	8	<0.1	10.1	33	72.6									
J831456		1.5	6	0.1	5.9	14	62.3									
J831456 CRD		1.8	6	0.1	6.4	15	63.8									
J831457		3.2	4	0.1	9.1	18	67.4		0.09	0.3	74.13	14.16	1.01	1.06	0.15	3.63
J831458		2.5	3	<0.1	5.9	15	56.5									
J831459		2.0	4	<0.1	8.0	15	60.6									
J831460		0.8	103	6.1	14.7	152	27.8	1.315								
J831461		1.9	5	0.2	9.4	26	65.6									
J831462		1.1	5	<0.1	5.2	21	65.6									
J831463		1.9	12	0.1	8.7	47	114.5									
J831464		1.9	7	0.1	7.1	29	91.9									
J831465		0.9	14	0.2	7.5	42	116.0									
J831466		1.4	14	0.1	9.0	51	123.5									
J831467		1.7	16	0.3	9.0	46	129.0									
J831468		1.3	17	0.2	8.4	46	126.0									
J831469		1.1	84	0.1	11.0	72	118.0									
J831470		0.4	386	0.3	33.3	141	118.5									
J831471		0.4	407	0.3	33.8	148	135.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831434										
J831435										
J831436										
J831436 CRD										
J831437		2.36	<0.01	0.20	0.03	0.059	0.03	0.05	3.41	99.27
J831438										
J831439										
J831440										
J831441										
J831442										
J831443										
J831444										
J831445										
J831446										
J831447										
J831448										
J831449										
J831450										
J831451										
J831452										
J831453										
J831454										
J831455										
J831456										
J831456 CRD										
J831457		4.94	<0.01	0.03	0.01	0.017	0.02	0.03	0.57	99.76
J831458										
J831459										
J831460										
J831461										
J831462										
J831463										
J831464										
J831465										
J831466										
J831467										
J831468										
J831469										
J831470										
J831471										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831472		3.88	<0.005		0.26	7.58	4.2	70	0.72	0.02	6.25	0.12	31.2	41.6	48	1.05
J831473		5.40	<0.005		0.25	7.62	2.6	90	0.70	0.02	6.49	0.13	30.8	42.4	44	1.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J831472		100.5	11.45	23.9	0.23	3.2	0.104	0.09	13.0	14.4	2.79	1840	0.53	1.74	11.5	43.3
J831473		105.0	11.40	24.6	0.23	3.4	0.104	0.12	12.8	12.0	2.79	1880	0.60	1.74	11.6	44.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J831472		880	2.6	2.9	0.003	0.23	0.63	34.0	3	1.4	266	0.73	<0.05	1.1	1.420	<0.02
J831473		860	2.7	3.8	0.003	0.18	0.56	34.0	3	1.5	267	0.72	<0.05	1.1	1.410	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831472		0.4	411	0.3	33.2	146	130.0									
J831473		0.4	407	0.2	34.1	146	138.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
J831472										
J831473										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176556

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.