ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178472

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J835734		3.35	0.168			0.19	5.90	0.3	330	0.83	0.50	0.49	<0.02	38.7	1.6	9
J835735		3.36	0.528			0.20	6.76	<0.2	520	1.11	0.09	0.93	0.03	55.6	3.8	9
J835736		3.48	0.421			0.13	6.35	0.5	660	1.12	0.11	1.16	0.04	56.5	3.9	11
J835737		3.27	0.242			0.09	6.59	<0.2	420	0.96	0.11	0.87	0.02	50.7	1.9	8
J835738		3.35	0.134	0.102		0.09	6.58	<0.2	340	0.98	0.13	0.90	0.02	40.1	1.1	7
J835739		3.32	0.633	0.700		0.19	6.22	<0.2	360	0.91	0.12	0.52	0.02	44.1	1.1	11
J835740		3.25	0.368	0.336		0.07	6.19	0.4	330	0.90	0.09	0.37	<0.02	35.2	1.2	6
J835741		3.46	0.095			0.03	6.36	0.6	330	0.82	0.10	0.51	<0.02	17.75	0.8	7
J835742		3.52	0.060			0.01	6.10	0.7	350	0.86	0.07	0.27	0.02	3.21	0.8	9
J835743		3.28	0.519			0.08	6.78	0.3	440	0.99	0.06	0.35	<0.02	9.89	1.1	9
J835744		3.45	0.023			0.37	5.93	0.5	430	1.01	0.82	0.15	<0.02	11.70	1.1	8
J835745		1.02	<0.005			<0.01	0.13	<5	10	<0.05	0.01	21.2	<0.02	2.69	0.9	1
J835746		3.24	0.067			0.16	6.79	0.3	470	0.94	0.11	0.29	0.03	21.4	1.9	7
J835747		3.12	0.246			0.13	6.78	0.7	450	1.00	0.20	0.81	0.02	32.9	4.0	8
J835748		3.57	0.958			0.48	7.10	<0.2	540	1.15	0.18	1.41	0.03	55.3	6.5	9
J835749		3.41	4.48			1.38	6.88	<0.2	540	1.20	1.59	2.21	0.08	41.3	10.5	13
J835750		3.43	1.820			0.56	7.49	<0.2	490	1.23	0.13	1.92	0.06	76.3	7.3	14
J835751		3.26	1.210			0.39	7.17	0.2	490	1.13	0.11	1.93	0.10	66.8	6.7	12
J835752		3.46	0.746			0.32	6.90	<0.2	450	1.11	0.08	1.52	0.04	50.6	4.1	7
J835753		3.35	0.347			0.22	7.16	<0.2	460	1.16	0.07	1.03	0.05	40.7	3.5	8
J835753 CRD		<0.02	0.286			0.31	7.65	<0.2	500	1.32	0.07	1.09	0.03	43.1	3.8	8
J835754		3.40	0.551		0.572	0.49	6.56	<0.2	510	1.22	0.20	1.80	0.06	53.6	6.9	15
J835755		3.53	0.679			0.68	7.61	<0.2	590	1.44	0.16	1.65	0.05	76.6	7.7	12
J835756		3.58	0.326			0.57	7.31	<0.2	530	1.34	0.07	1.39	0.04	62.3	6.4	9
J835757		3.39	0.172			0.25	7.98	<0.2	710	1.31	<0.01	0.93	0.03	66.5	3.4	8
J835758		3.52	0.116			0.20	6.96	<0.2	470	1.03	0.01	1.41	0.03	46.6	3.4	16
J835759		3.57	0.523			0.29	6.62	0.6	510	1.06	0.07	1.72	0.04	53.6	4.9	16
J835760		0.07	0.989			5.37	6.61	21.9	480	0.74	1.83	2.59	2.27	23.4	15.6	57
J835761		3.38	0.392			0.51	6.60	0.3	500	1.14	0.07	1.61	0.03	93.0	5.0	7
J835762		3.30	0.081			0.12	7.01	0.2	530	1.20	0.02	1.23	0.03	58.2	3.0	10
J835763		3.51	0.117			0.24	6.69	<0.2	470	1.18	0.07	1.50	0.04	50.1	3.9	7
J835764		3.60	0.393			0.53	6.49	0.5	520	1.22	0.15	0.95	0.03	56.0	5.8	10
J835765		3.38	0.390			0.63	6.57	<0.2	490	1.05	0.07	1.56	0.03	34.4	5.9	13
J835766		3.48	0.183			0.39	6.80	<0.2	510	1.18	0.08	2.38	0.06	37.2	8.0	22
J835767		3.22	0.054			0.13	6.77	<0.2	510	1.24	0.03	1.66	0.04	60.3	2.8	8
J835768		3.35	0.050			0.13	6.65	0.4	400	1.06	0.03	1.21	0.02	56.1	3.1	10
J835769		3.38	0.377			0.61	6.36	<0.2	420	1.03	0.10	1.31	0.03	54.2	3.8	9
J835770		3.42	2.50			4.17	7.46	<0.2	560	1.35	0.25	1.33	0.05	68.5	7.4	11
J835771		3.32	0.121			0.27	7.18	<0.2	520	1.23	0.05	1.68	0.05	60.6	4.6	10
J835772		3.44	0.061			0.07	7.04	<0.2	560	1.26	0.04	1.60	0.05	52.9	4.0	8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J835734		0.55	4.6	0.94	17.25	0.06	2.6	0.026	1.45	19.6	1.9	0.10	111	51.1	3.02	10.9
J835735		0.95	26.5	1.57	19.60	0.13	4.0	0.016	2.36	28.2	2.9	0.24	176	6.27	2.19	5.4
J835736		0.97	35.0	1.73	19.65	0.10	4.2	0.015	2.47	29.4	4.2	0.28	241	2.31	1.65	4.6
J835737		0.70	14.6	1.08	19.05	0.09	3.8	0.020	1.68	25.5	2.5	0.13	184	10.35	3.18	11.6
J835738		0.55	6.1	0.98	19.20	0.10	3.2	0.021	1.33	19.8	1.9	0.08	191	6.26	3.90	12.6
J835739		0.59	5.3	0.95	18.90	0.10	3.0	0.026	1.48	21.7	1.9	0.09	118	14.55	3.19	15.0
J835740		0.50	2.0	0.88	17.50	0.06	2.7	0.020	1.50	17.9	1.8	0.09	88	7.62	3.25	11.7
J835741		0.49	1.6	0.71	16.55	0.07	2.7	0.009	1.49	8.7	1.5	0.08	84	14.95	3.74	4.8
J835742		0.50	2.3	0.80	15.30	0.05	3.2	<0.005	1.58	1.6	1.5	0.08	59	3.06	3.01	1.2
J835743		0.69	2.3	0.91	17.80	0.05	3.6	0.005	2.09	5.0	2.2	0.13	63	5.25	2.73	1.5
J835744		0.64	0.9	0.86	16.60	0.06	4.7	0.005	1.96	5.9	1.9	0.11	46	25.0	2.19	1.3
J835745		0.10	0.5	0.08	0.63	0.49	0.1	<0.005	0.12	2.1	5.2	12.95	47	0.35	0.01	0.4
J835746		0.79	8.5	1.05	17.55	0.14	4.2	0.009	2.06	10.5	1.9	0.15	63	23.1	2.28	1.5
J835747		0.92	10.8	1.40	16.60	0.17	3.2	0.010	2.06	16.1	4.2	0.27	134	16.35	2.25	2.3
J835748		1.35	29.9	2.20	19.90	0.22	3.4	0.025	2.83	26.9	3.9	0.48	334	7.13	1.56	4.8
J835749		1.44	17.3	2.85	20.8	0.21	3.2	0.031	3.08	18.9	4.1	0.66	488	16.75	1.15	5.7
J835750		1.40	35.4	2.55	21.8	0.25	4.1	0.028	2.81	36.3	4.9	0.51	435	6.34	1.86	5.9
J835751		1.34	23.7	2.46	20.5	0.25	3.9	0.029	2.79	31.3	4.7	0.50	442	5.20	1.78	6.3
J835752		1.16	11.3	1.80	19.05	0.21	2.7	0.017	2.45	24.9	3.2	0.29	280	3.20	2.13	4.6
J835753		1.11	4.2	1.51	19.20	0.19	4.1	0.016	2.43	20.9	3.5	0.26	193	11.05	2.27	4.2
J835753 CRD		1.20	5.7	1.66	20.2	0.17	4.3	0.017	2.58	22.1	3.8	0.27	197	12.30	2.41	4.5
J835754		1.31	18.8	2.33	20.0	0.19	3.6	0.026	2.82	25.3	4.6	0.47	379	11.75	1.43	4.7
J835755		1.59	12.0	2.50	23.2	0.23	4.4	0.025	3.28	37.4	5.0	0.47	318	5.38	1.56	5.4
J835756		1.38	10.3	2.03	21.5	0.24	3.7	0.023	2.74	30.6	4.6	0.38	268	5.04	1.88	4.6
J835757		1.32	10.1	1.66	21.9	0.25	4.8	0.019	2.78	34.1	4.4	0.30	183	0.58	2.35	4.0
J835758		0.95	20.5	1.47	16.65	0.21	3.3	0.015	1.99	23.2	3.4	0.25	226	0.54	2.71	3.1
J835759		1.07	7.0	1.90	18.45	0.11	2.8	0.018	2.44	23.8	4.1	0.49	327	7.23	2.22	3.4
J835760		0.84	>10000	4.64	14.85	0.16	1.0	0.137	0.90	10.6	16.7	1.24	694	249	2.35	4.4
J835761		1.16	21.2	1.95	20.1	0.17	4.6	0.020	2.54	43.1	4.6	0.35	304	1.09	2.20	5.0
J835762		1.12	3.3	1.65	20.7	0.12	4.3	0.019	2.77	26.6	5.0	0.33	239	1.01	2.33	5.8
J835763		1.09	5.6	1.56	18.90	0.11	3.5	0.018	2.52	23.1	4.9	0.33	251	3.76	2.31	4.9
J835764		1.15	7.2	1.99	19.55	0.13	3.6	0.018	2.78	26.4	5.6	0.37	213	2.86	1.50	4.4
J835765		0.99	10.0	1.94	17.40	0.11	2.1	0.017	2.46	16.0	4.6	0.46	335	2.13	2.22	5.0
J835766		1.23	24.6	2.56	19.20	0.14	2.7	0.026	2.73	16.4	6.0	0.76	538	0.71	2.09	5.1
J835767		1.09	11.1	1.54	19.10	0.13	4.5	0.017	2.36	27.1	5.5	0.34	243	0.57	2.74	4.7
J835768		0.82	7.1	1.32	16.90	0.11	3.1	0.013	1.84	25.2	4.2	0.27	207	1.08	3.37	3.9
J835769		0.92	13.2	1.40	17.60	0.14	3.8	0.016	2.08	24.5	4.4	0.25	196	2.35	2.68	4.5
J835770		1.29	20.7	2.21	22.1	0.16	4.5	0.021	2.91	31.8	6.1	0.37	251	2.00	2.19	5.4
J835771		1.19	12.6	1.87	20.7	0.14	4.2	0.020	2.69	27.9	5.7	0.42	315	1.27	2.55	5.0
J835772		1.15	5.0	1.70	19.60	0.14	3.8	0.017	2.76	24.3	5.1	0.34	286	0.64	2.35	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
J835734		1.5	100	7.9	39.4	<0.002	0.10	0.05	2.3	1	2.3	71.5	1.04	0.24	8.0	0.026
J835735		4.5	220	4.7	67.2	<0.002	0.11	0.09	3.5	1	1.0	69.1	0.41	0.13	10.6	0.078
J835736		5.2	260	4.6	69.7	<0.002	0.11	0.10	3.2	<1	0.8	61.3	0.16	0.12	10.4	0.076
J835737		1.8	170	6.0	45.6	<0.002	0.13	0.06	2.7	<1	1.8	90.6	0.75	0.10	10.7	0.047
J835738		1.2	80	6.7	39.5	<0.002	0.11	0.05	2.5	1	2.2	96.4	1.19	0.11	8.5	0.022
J835739		0.9	100	7.2	45.7	<0.002	0.12	0.05	2.7	1	2.8	69.8	1.39	0.11	10.3	0.028
J835740		1.4	110	6.2	39.9	<0.002	0.07	<0.05	1.8	<1	2.1	60.6	1.23	0.05	8.5	0.023
J835741		1.0	90	6.0	36.8	<0.002	0.04	0.05	1.0	<1	0.9	80.9	0.52	0.06	4.6	0.019
J835742		1.3	110	5.2	38.7	<0.002	0.03	0.06	0.4	<1	0.3	70.7	0.13	<0.05	1.3	0.017
J835743		1.5	150	5.3	50.8	<0.002	0.02	0.07	0.8	<1	0.4	64.4	0.13	<0.05	2.2	0.035
J835744		1.9	60	21.2	50.1	<0.002	0.02	0.08	0.9	<1	0.3	51.7	0.08	0.14	2.4	0.029
J835745		1.0	10	1.1	2.8	<0.002	0.04	<0.05	0.3	1	<0.2	64.8	<0.05	<0.05	0.3	0.006
J835746		2.7	100	6.7	61.6	<0.002	0.06	0.17	1.4	1	0.4	55.9	0.13	0.11	4.4	0.038
J835747		4.0	240	7.5	60.2	<0.002	0.19	0.18	2.3	1	0.6	74.7	0.17	0.18	6.1	0.068
J835748		8.9	450	4.2	75.9	<0.002	0.39	0.20	5.3	1	1.2	78.5	0.41	0.34	7.6	0.140
J835749		11.6	540	37.0	78.5	<0.002	0.46	0.20	7.1	1	1.4	96.3	0.44	0.57	4.2	0.183
J835750		10.0	480	4.1	76.8	<0.002	0.34	0.20	5.8	1	1.5	111.5	0.42	0.21	9.9	0.164
J835751		9.0	460	4.8	72.9	<0.002	0.32	0.20	5.8	1	1.4	107.5	0.49	0.21	9.0	0.168
J835752		3.4	390	4.2	65.3	<0.002	0.28	0.17	3.1	1	1.0	106.0	0.35	0.18	7.8	0.115
J835753		4.6	360	8.7	72.5	<0.002	0.20	0.14	3.0	1	1.3	93.4	0.35	0.16	7.5	0.090
J835753 CRD		5.2	370	8.4	69.2	<0.002	0.22	0.15	3.1	1	1.3	96.4	0.36	0.17	7.8	0.096
J835754		9.1	380	7.2	72.0	<0.002	0.45	0.15	5.8	1	1.3	99.2	0.34	0.40	8.1	0.138
J835755		9.8	490	5.7	88.6	<0.002	0.52	0.17	5.2	1	1.4	100.5	0.41	0.46	10.5	0.159
J835756		7.7	490	5.9	74.9	<0.002	0.41	0.16	4.5	1	1.3	95.2	0.35	0.42	8.7	0.124
J835757		5.7	290	5.4	78.8	<0.002	0.08	0.15	3.7	1	1.2	95.1	0.29	0.15	11.9	0.101
J835758		4.4	260	5.5	59.8	<0.002	0.19	0.10	2.9	1	0.9	125.0	0.20	0.13	8.4	0.086
J835759		10.6	340	5.4	66.5	<0.002	0.13	0.14	4.6	1	0.9	100.5	0.26	0.15	8.6	0.104
J835760		32.8	580	41.0	23.9	1.480	1.62	28.2	15.7	6	1.2	298	0.29	0.63	2.1	0.335
J835761		3.8	420	5.5	67.6	0.002	0.25	0.15	3.8	1	1.5	106.0	0.33	0.26	15.0	0.112
J835762		4.9	300	5.0	74.8	<0.002	0.09	0.13	3.7	1	1.5	79.8	0.46	0.08	11.6	0.110
J835763		5.2	310	7.7	67.2	<0.002	0.14	0.11	3.7	1	1.3	90.3	0.32	0.14	10.0	0.106
J835764		7.2	340	7.5	76.6	<0.002	0.41	0.13	3.9	1	1.2	52.6	0.28	0.35	9.7	0.103
J835765		9.3	390	4.9	63.4	<0.002	0.31	0.12	4.2	1	1.2	98.3	0.31	0.39	6.3	0.119
J835766		17.3	500	5.4	68.1	<0.002	0.28	0.13	7.2	1	1.4	121.0	0.34	0.25	4.6	0.165
J835767		4.9	340	4.8	65.5	<0.002	0.10	0.10	3.8	1	1.2	122.0	0.28	0.09	11.3	0.110
J835768		4.1	280	5.0	50.1	<0.002	0.09	0.08	2.9	1	1.0	123.5	0.26	0.09	11.9	0.077
J835769		4.4	290	6.4	58.2	<0.002	0.21	0.09	3.4	1	1.2	111.5	0.32	0.41	11.0	0.088
J835770		8.1	390	11.1	82.5	<0.002	0.55	0.12	4.6	1	1.5	81.8	0.34	2.10	13.2	0.114
J835771		6.5	420	5.9	71.0	<0.002	0.13	0.10	4.3	1	1.4	122.0	0.26	0.19	11.2	0.115
J835772		5.2	280	5.9	71.8	<0.002	0.05	0.11	3.8	1	1.2	106.5	0.34	0.06	10.6	0.105

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J835734		0.18	1.6	10	1.3	5.0	18	58.2								
J835735		0.27	1.3	22	4.2	6.3	28	128.0								
J835736		0.32	1.1	20	2.6	5.9	37	150.5								
J835737		0.19	1.7	9	1.6	7.0	23	106.5								
J835738		0.14	1.7	6	1.2	5.8	18	64.8								
J835739		0.18	2.1	7	1.6	5.9	18	67.0								
J835740		0.16	2.5	6	1.3	5.2	17	62.7								
J835741		0.16	1.8	10	1.0	4.0	16	60.8								
J835742		0.16	1.8	11	1.1	1.9	15	70.5								
J835743		0.22	1.6	17	1.5	2.4	20	87.5								
J835744		0.22	1.7	14	1.2	1.8	18	107.5								
J835745		<0.02	0.1	3	0.1	1.6	<2	2.9								
J835746		0.24	1.7	17	1.6	2.7	21	98.3								
J835747		0.23	1.5	20	2.2	4.0	29	97.3								
J835748		0.32	1.0	41	4.1	6.3	40	117.0								
J835749		0.36	0.7	52	5.1	5.3	51	110.0								
J835750		0.33	1.1	40	4.2	7.0	49	144.5								
J835751		0.34	1.1	39	4.0	6.5	56	136.0								
J835752		0.30	1.2	26	3.0	4.9	36	89.4								
J835753		0.29	1.0	28	2.4	4.7	37	138.0								
J835753 CRD		0.29	1.1	30	2.5	5.0	38	143.5								
J835754		0.34	0.8	40	3.9	5.4	52	129.5		0.82	3.0	69.06	13.06	3.30	2.54	0.86
J835755		0.38	1.0	44	5.0	6.2	52	153.0								
J835756		0.32	2.4	37	4.3	5.9	43	124.0								
J835757		0.33	1.5	29	3.6	6.1	40	168.0								
J835758		0.25	1.2	21	3.2	4.8	33	117.0								
J835759		0.28	0.8	33	3.0	5.6	38	101.5								
J835760		0.23	0.8	105	6.8	16.8	152	33.4	1.320							
J835761		0.30	0.8	27	3.1	7.8	38	181.5								
J835762		0.31	1.0	27	3.0	7.1	38	164.5								
J835763		0.28	0.9	26	3.4	6.2	37	138.0								
J835764		0.31	1.9	35	3.0	6.0	39	147.0								
J835765		0.26	0.6	30	2.5	4.7	38	75.3								
J835766		0.31	0.6	46	3.8	5.2	51	99.5								
J835767		0.28	0.9	29	2.8	6.5	36	177.5								
J835768		0.21	0.9	20	1.8	6.1	27	118.5								
J835769		0.25	0.9	23	2.5	5.8	28	146.0								
J835770		0.34	1.7	32	3.4	7.7	41	183.0								
J835771		0.29	1.6	32	2.7	6.9	42	180.5								
J835772		0.31	1.1	23	2.6	6.7	39	156.5								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835734											
J835735											
J835736											
J835737											
J835738											
J835739											
J835740											
J835741											
J835742											
J835743											
J835744											
J835745											
J835746											
J835747											
J835748											
J835749											
J835750											
J835751											
J835752											
J835753											
J835753 CRD											
J835754		1.98	3.34	<0.01	0.26	0.04	0.080	0.03	0.04	3.80	98.39
J835755											
J835756											
J835757											
J835758											
J835759											
J835760											
J835761											
J835762											
J835763											
J835764											
J835765											
J835766											
J835767											
J835768											
J835769											
J835770											
J835771											
J835772											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J835773		3.41	0.034			0.06	6.80	<0.2	440	1.05	0.02	1.65	0.04	39.7	3.2	12
J835773 CRD		<0.02	0.029			0.07	6.60	<0.2	420	0.95	0.03	1.64	0.03	34.6	3.0	11
J835774		3.53	0.506		0.485	0.74	6.54	<0.2	490	1.21	0.13	2.25	0.07	92.8	8.2	18
J835775		0.11	2.33			8.31	6.20	49.7	570	0.94	3.19	1.56	0.90	53.1	16.4	49
J835776		3.41	0.260			0.47	6.42	<0.2	490	0.87	0.16	2.20	0.07	51.6	7.8	26
J835777		3.21	0.576			1.30	6.91	<0.2	550	1.37	0.35	1.45	0.05	63.0	6.1	9
J835778		3.51	0.480			1.24	7.86	<0.2	580	1.48	0.21	1.69	0.03	77.1	6.8	8
J835779		3.47	0.409			0.98	7.02	0.2	510	1.39	0.14	1.58	0.04	52.4	7.7	9
J835780		3.11	0.421			1.15	6.63	<0.2	550	1.52	0.10	2.68	0.08	34.5	10.4	49
J835781		2.13	0.272			0.57	4.13	<0.2	200	0.66	0.14	0.47	0.02	24.8	3.4	16
J835782		2.38	0.006			0.01	6.95	<0.2	440	1.30	0.01	1.22	0.02	41.9	3.7	10
J835783		2.68	0.016			<0.01	7.39	<0.2	450	1.36	<0.01	1.34	0.03	40.7	4.2	11
J835784		3.48	0.009			0.01	6.80	<0.2	450	1.28	0.01	0.98	<0.02	34.0	2.6	8
J835785		3.16	<0.005			<0.01	6.31	<0.2	290	1.08	0.01	1.09	0.02	6.72	0.8	6
J835786		3.41	<0.005			<0.01	7.71	<0.2	440	1.29	<0.01	1.09	0.02	41.4	2.5	6
J835787		3.36	0.018			<0.01	8.33	<0.2	990	1.67	0.01	0.55	<0.02	62.5	2.1	9
J835788		3.41	0.348			0.32	7.85	<0.2	800	1.68	0.08	0.67	<0.02	48.8	5.6	9
J835789		3.28	0.047			0.11	7.38	<0.2	410	1.35	0.01	1.37	0.02	21.3	4.1	11
J835790		0.12	0.423			2.46	7.71	115.0	600	1.56	0.50	0.57	0.93	32.8	19.6	32
J835791		3.86	0.547			0.57	6.68	<0.2	410	1.20	0.12	3.08	0.04	56.4	10.5	12
J835792		2.39	0.044			0.02	8.06	0.3	550	1.78	0.11	5.33	0.03	83.9	17.7	60
J835793		3.88	0.079			0.09	8.22	<0.2	1010	2.58	0.12	1.96	<0.02	51.3	14.0	32
J835793 CRD		<0.02	0.082			0.08	7.77	<0.2	970	2.19	0.15	1.92	0.03	45.9	13.0	37
J835794		3.59	0.647		0.673	0.10	2.42	<5	40	0.22	0.04	22.4	0.08	12.10	49.8	916
J835795		3.39	2.42			0.26	2.65	<5	50	0.23	0.03	20.5	0.08	15.05	54.0	918
J835796		3.49	0.381			0.06	4.75	<5	20	0.30	0.03	13.55	0.04	57.7	52.8	708
J835797		3.48	1.995			0.33	2.54	<5	10	0.19	0.03	19.35	0.06	18.65	50.5	911
J835798		3.43	0.228			0.07	3.36	<5	10	0.30	0.06	12.00	0.04	33.1	54.7	888
J835799		3.44	0.450			0.05	2.89	<5	10	0.28	0.02	15.25	0.05	14.85	57.8	948
J835800		0.12	0.961			4.54	6.63	22.9	490	0.74	1.89	2.61	2.39	22.5	14.4	63
J835801		3.49	0.103			0.05	2.99	<5	20	0.22	0.03	11.95	0.06	17.00	72.4	972
J835802		3.63	0.049			0.05	3.10	<5	20	0.27	0.01	15.80	0.06	17.05	55.4	903
J835803		3.28	0.296			0.12	3.16	<5	20	0.22	0.02	13.85	0.07	18.55	53.8	753
J835804		3.42	0.024			0.06	3.08	<5	10	0.29	0.03	11.25	0.13	16.40	77.7	1040
J835805		3.31	0.175			1.49	3.15	<5	<10	0.28	0.07	10.40	0.22	20.0	72.1	1000
J835806		3.72	0.152			0.27	7.40	0.2	670	1.50	0.28	1.93	0.07	74.9	9.1	26
J835807		3.68	0.269			0.42	8.19	0.2	870	1.76	0.64	2.98	0.14	44.3	15.1	29
J835808		3.53	0.156			0.20	8.22	<0.2	810	1.62	0.75	1.96	0.13	59.6	9.1	12
J835809		3.32	0.070			0.08	6.65	0.3	660	1.26	0.10	2.02	0.03	29.9	5.6	6
J835810		4.05	0.053			0.05	6.90	<0.2	640	1.15	0.07	4.85	0.06	36.4	17.1	119

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J835773		0.94	20.7	1.47	17.40	0.12	3.2	0.017	2.13	18.3	4.4	0.31	293	0.37	3.11	4.4
J835773 CRD		0.90	18.6	1.47	16.45	0.12	2.9	0.017	2.03	16.4	4.0	0.30	292	0.34	3.00	4.1
J835774		1.19	17.9	2.76	20.1	0.20	4.0	0.028	2.79	41.6	6.6	0.58	488	1.02	1.82	7.1
J835775		3.12	>10000	5.32	13.95	0.24	1.0	0.100	2.66	22.6	18.5	1.16	612	111.0	1.62	6.4
J835776		1.34	15.0	2.63	18.55	0.18	4.3	0.031	2.57	23.4	4.7	0.58	457	3.57	2.04	6.6
J835777		1.25	24.2	2.04	20.7	0.15	4.3	0.024	2.85	29.1	5.9	0.44	288	10.80	1.99	5.2
J835778		1.33	47.0	2.29	24.1	0.18	4.8	0.026	2.85	33.1	6.6	0.42	290	12.60	2.90	5.1
J835779		1.13	42.7	2.16	21.7	0.16	3.5	0.022	2.59	23.5	5.9	0.52	304	1.74	2.58	5.3
J835780		1.32	37.2	3.04	24.1	0.17	3.5	0.041	2.94	14.3	7.6	0.95	633	0.42	2.50	5.5
J835781		0.49	19.9	1.03	10.70	0.09	1.6	0.008	1.07	12.2	2.8	0.21	108	0.91	1.99	2.5
J835782		1.22	7.5	1.62	19.45	0.12	3.0	0.014	2.64	20.8	6.0	0.44	155	0.37	2.21	3.5
J835783		1.32	4.7	1.64	20.7	0.13	3.7	0.016	2.72	21.3	6.6	0.51	173	0.30	2.70	3.4
J835784		1.14	2.3	1.38	18.95	0.13	3.1	0.015	2.50	17.8	5.6	0.32	105	0.18	2.29	3.0
J835785		0.54	3.3	0.69	14.85	0.07	2.4	0.006	1.54	3.0	2.2	0.09	53	0.12	3.39	1.6
J835786		1.00	3.0	1.22	18.95	0.14	3.0	0.011	2.34	19.8	5.1	0.34	118	0.12	3.51	4.1
J835787		1.54	0.5	1.57	25.3	0.16	4.2	0.020	3.77	28.9	6.3	0.31	53	0.15	1.83	5.1
J835788		1.54	15.6	2.02	27.5	0.18	3.2	0.027	3.65	22.3	5.9	0.37	105	0.36	1.52	3.4
J835789		0.98	9.2	1.53	18.40	0.14	1.4	0.014	2.26	9.4	4.7	0.41	189	0.39	3.25	2.9
J835790		7.12	4600	4.87	18.45	0.27	0.8	0.057	4.33	15.8	15.3	0.83	521	278	1.13	5.4
J835791		0.95	16.3	2.47	18.75	0.19	2.1	0.023	2.23	21.0	10.8	0.67	429	2.04	3.31	5.4
J835792		0.76	1.9	3.36	20.7	0.20	6.0	0.031	1.70	33.6	47.4	1.41	508	0.16	3.84	5.6
J835793		1.77	1.1	2.67	29.5	0.19	3.5	0.023	4.31	22.9	29.3	1.01	214	34.2	0.85	4.0
J835793 CRD		1.78	2.0	2.73	28.5	0.14	3.7	0.027	4.21	23.6	23.3	0.98	215	33.9	0.79	4.2
J835794		0.10	2.9	4.41	8.48	0.13	1.4	0.026	0.08	4.3	54.3	5.01	1940	3.12	<0.01	1.8
J835795		0.09	2.1	5.43	9.89	0.15	1.5	0.037	0.04	5.2	59.2	5.96	2010	3.17	<0.01	2.3
J835796		0.11	2.9	7.20	14.70	0.20	3.3	0.038	0.02	27.4	99.8	6.33	1500	0.85	<0.01	2.6
J835797		0.10	5.1	5.53	9.76	0.15	1.7	0.037	0.01	6.5	56.3	6.05	2130	1.10	<0.01	2.6
J835798		0.15	4.6	6.89	12.65	0.15	1.9	0.044	0.01	16.4	69.4	6.18	1230	1.27	<0.01	2.8
J835799		0.08	2.8	8.07	10.70	0.17	1.7	0.042	<0.01	4.6	55.2	7.44	1720	2.12	<0.01	3.0
J835800		0.81	>10000	4.90	14.15	0.13	1.0	0.142	0.90	11.0	14.8	1.24	693	249	2.29	3.6
J835801		0.08	4.8	7.79	11.10	0.17	1.6	0.032	0.01	6.4	51.7	7.84	1420	0.58	<0.01	2.7
J835802		0.08	8.5	7.40	11.10	0.19	1.8	0.040	<0.01	5.9	61.0	6.72	1680	0.54	<0.01	2.9
J835803		0.09	3.4	7.52	10.85	0.18	1.8	0.038	<0.01	7.7	63.9	6.32	1760	1.58	<0.01	2.4
J835804		0.08	14.1	8.18	10.65	0.22	1.7	0.047	<0.01	6.4	63.8	8.47	1520	0.75	<0.01	2.9
J835805		0.06	91.3	8.38	10.75	0.20	1.5	0.050	<0.01	7.8	56.4	8.10	1520	1.15	<0.01	2.3
J835806		1.42	4.9	2.88	27.0	0.15	4.9	0.025	3.01	39.5	15.6	0.87	345	49.0	1.88	5.5
J835807		1.97	6.5	4.22	34.7	0.15	3.7	0.038	4.31	21.5	20.5	1.13	580	112.0	1.27	5.0
J835808		1.87	4.0	3.03	31.4	0.16	4.0	0.040	3.91	31.2	13.0	0.71	374	168.0	1.47	5.1
J835809		1.43	2.9	2.07	21.7	0.12	3.4	0.024	3.07	14.3	9.1	0.45	233	9.03	1.30	5.2
J835810		1.45	10.8	3.90	19.15	0.15	1.8	0.031	3.13	17.7	24.2	1.78	795	1.12	0.89	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J835773		6.3	230	4.9	53.9	<0.002	0.03	0.08	3.9	1	1.1	133.0	0.31	<0.05	8.0	0.090
J835773 CRD		6.1	210	5.1	50.7	<0.002	0.03	0.08	3.7	1	1.1	128.0	0.29	0.06	7.4	0.086
J835774		11.7	460	7.9	67.8	<0.002	0.35	0.12	6.8	1	1.6	108.0	0.35	0.43	13.0	0.168
J835775		31.9	830	60.5	75.4	0.136	2.25	7.04	15.4	6	2.7	244	0.24	0.88	4.5	0.291
J835776		16.0	400	7.0	59.4	<0.002	0.24	0.11	6.8	1	1.6	126.0	0.43	0.39	7.1	0.153
J835777		8.5	370	11.6	78.7	<0.002	0.33	0.12	4.7	1	1.5	85.3	0.43	0.70	11.3	0.118
J835778		7.7	570	6.9	80.3	<0.002	0.50	0.12	5.2	1	1.6	130.5	0.28	0.81	11.1	0.130
J835779		12.4	470	5.6	72.1	<0.002	0.44	0.11	6.1	1	1.5	110.0	0.32	0.64	9.0	0.138
J835780		29.3	340	6.1	58.2	<0.002	0.38	0.13	11.3	1	1.8	140.5	0.38	0.65	5.7	0.161
J835781		9.4	260	10.7	30.3	<0.002	0.13	0.06	2.3	1	0.7	57.8	0.16	0.33	3.9	0.061
J835782		9.9	570	4.1	72.9	<0.002	0.01	0.10	3.9	1	1.0	111.5	0.25	<0.05	6.4	0.119
J835783		12.3	510	4.1	75.6	<0.002	0.01	0.11	3.7	1	1.0	128.0	0.30	<0.05	6.7	0.132
J835784		10.3	530	4.3	70.6	<0.002	0.04	0.11	3.2	1	1.0	115.5	0.25	<0.05	6.2	0.107
J835785		3.8	150	5.2	37.1	<0.002	0.03	0.06	1.1	1	0.5	195.5	0.14	<0.05	1.6	0.029
J835786		10.6	520	6.3	61.6	<0.002	<0.01	0.09	3.4	1	1.0	153.5	0.30	<0.05	10.6	0.087
J835787		16.5	450	4.2	107.5	<0.002	0.02	0.11	4.4	1	1.5	82.9	0.40	<0.05	13.0	0.119
J835788		20.2	470	3.7	106.0	<0.002	0.28	0.10	4.7	1	1.9	79.0	0.27	0.22	9.7	0.105
J835789		13.8	290	3.6	59.7	<0.002	0.03	0.08	3.8	1	0.8	174.0	0.26	0.07	3.5	0.075
J835790		25.7	1160	41.2	110.5	0.676	2.54	7.94	12.2	9	3.2	264	0.32	1.04	2.7	0.250
J835791		27.5	1890	4.9	44.7	<0.002	0.46	0.12	4.5	1	1.4	196.5	0.42	0.46	6.5	0.147
J835792		65.3	1600	7.7	34.5	<0.002	0.40	0.23	9.0	1	1.5	271	0.36	0.11	8.7	0.227
J835793		75.2	150	3.3	109.0	<0.002	0.30	0.14	5.4	1	1.5	72.5	0.30	0.27	8.0	0.139
J835793 CRD		75.0	140	3.2	101.5	<0.002	0.29	0.17	5.0	1	1.4	75.2	0.36	0.27	6.9	0.149
J835794		701	10	7.4	2.5	<0.002	0.20	0.11	18.2	1	0.3	776	0.10	7.22	0.5	0.151
J835795		697	10	5.7	1.0	<0.002	0.23	0.13	20.6	1	0.3	864	0.14	10.85	0.6	0.201
J835796		542	500	5.7	0.6	<0.002	0.27	0.14	20.8	1	0.4	512	0.18	7.60	3.7	0.190
J835797		600	60	7.0	0.2	<0.002	0.27	0.14	24.0	1	0.3	605	0.16	7.51	0.6	0.225
J835798		532	190	6.6	0.3	<0.002	0.26	0.16	29.7	1	0.4	364	0.18	0.42	0.8	0.304
J835799		687	50	4.4	0.1	<0.002	0.26	0.13	22.4	1	0.4	477	0.18	2.24	0.5	0.302
J835800		35.2	600	38.7	22.0	1.425	1.67	26.2	15.2	6	1.1	307	0.29	0.59	2.1	0.339
J835801		688	90	4.7	0.2	<0.002	0.22	0.17	23.2	1	0.4	432	0.16	0.19	0.6	0.271
J835802		615	30	6.7	0.1	<0.002	0.21	0.18	22.7	1	0.5	566	0.20	0.21	0.7	0.280
J835803		544	90	4.9	0.1	<0.002	0.28	0.13	20.1	1	0.4	506	0.16	0.40	1.0	0.232
J835804		839	170	3.5	0.1	<0.002	0.21	0.16	23.5	1	0.4	449	0.19	0.10	0.5	0.337
J835805		770	160	4.6	0.1	<0.002	0.14	0.13	23.5	1	0.4	496	0.15	1.02	0.5	0.280
J835806		36.1	170	5.2	79.8	<0.002	0.23	0.16	5.6	1	1.1	120.0	0.28	0.39	9.9	0.208
J835807		42.0	300	7.2	88.2	0.002	0.40	0.19	9.6	1	1.6	141.0	0.36	0.65	4.4	0.226
J835808		21.4	510	7.0	106.0	0.002	0.22	0.16	7.1	1	1.4	125.0	0.31	0.56	6.3	0.184
J835809		9.9	720	4.5	83.6	<0.002	0.19	0.14	5.2	1	1.0	119.0	0.37	0.09	2.4	0.174
J835810		64.9	420	4.0	72.2	<0.002	0.12	0.13	13.9	1	1.1	226	0.30	0.07	3.5	0.190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J835773		0.24	1.5	22	3.0	5.6	32	119.5								
J835773 CRD		0.23	1.0	20	2.9	4.9	31	109.0								
J835774		0.32	0.8	41	4.1	7.7	53	166.0		0.99	3.7	66.14	13.91	3.98	3.13	1.05
J835775		0.74	1.1	143	10.2	14.4	164	35.0	2.23							
J835776		0.30	1.3	44	4.0	7.2	49	148.0								
J835777		0.32	1.3	34	3.1	7.5	42	185.5								
J835778		0.33	1.0	43	4.5	8.6	43	190.0								
J835779		0.30	1.0	46	4.5	6.2	46	130.5								
J835780		0.33	1.2	60	7.6	5.6	69	121.5								
J835781		0.12	0.5	20	2.2	2.8	22	64.6								
J835782		0.28	0.7	34	3.2	4.7	33	133.5								
J835783		0.30	0.8	35	3.0	4.5	34	169.0								
J835784		0.27	0.7	30	2.0	3.9	26	132.0								
J835785		0.15	0.6	13	0.9	2.3	11	62.8								
J835786		0.24	1.0	26	2.1	5.6	24	112.5								
J835787		0.42	1.4	43	1.8	6.1	27	168.5								
J835788		0.41	1.1	59	1.7	5.1	31	117.0								
J835789		0.24	1.2	28	1.7	4.1	24	44.8								
J835790		1.44	1.2	162	12.3	15.7	156	27.4								
J835791		0.25	0.9	38	3.1	10.2	36	77.3								
J835792		0.20	1.8	68	0.9	10.5	73	221								
J835793		0.50	0.7	68	2.0	3.7	54	147.0								
J835793 CRD		0.47	0.7	69	2.2	3.5	56	142.0								
J835794		0.02	0.4	59	1.9	10.0	122	52.1		8.16	29.9	17.62	4.11	6.22	31.30	7.84
J835795		<0.02	0.5	70	2.4	10.9	102	58.6								
J835796		<0.02	1.1	93	2.4	10.3	129	113.0								
J835797		<0.02	0.4	88	2.2	11.3	95	61.1								
J835798		<0.02	0.6	137	3.8	10.7	110	68.9								
J835799		<0.02	0.5	108	3.2	11.3	108	61.8								
J835800		0.22	0.8	108	5.4	15.5	150	30.6	1.305							
J835801		<0.02	0.4	140	4.4	10.3	105	61.4								
J835802		<0.02	0.5	121	4.3	10.4	108	63.3								
J835803		<0.02	0.5	105	3.7	8.6	106	66.9								
J835804		<0.02	0.3	157	7.4	9.5	133	64.4								
J835805		<0.02	0.2	148	2.8	9.8	185	55.3								
J835806		0.35	1.0	65	2.9	5.2	60	197.5								
J835807		0.50	0.7	108	3.5	4.2	100	143.5								
J835808		0.47	0.7	76	2.5	5.3	72	156.5								
J835809		0.37	0.6	43	3.1	4.8	44	139.0								
J835810		0.37	0.6	72	2.7	5.4	94	64.4								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835773 J835773 CRD J835774 J835775 J835776		2.47	3.31	<0.01	0.34	0.06	0.100	0.02	0.05	4.56	99.12
J835777 J835778 J835779 J835780 J835781											
J835782 J835783 J835784 J835785 J835786											
J835787 J835788 J835789 J835790 J835791											
J835792 J835793 J835793 CRD J835794 J835795		<0.01	0.09	0.12	0.82	0.27	0.007	0.06	0.01	31.20	99.67
J835796 J835797 J835798 J835799 J835800											
J835801 J835802 J835803 J835804 J835805											
J835806 J835807 J835808 J835809 J835810											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J835811		4.61	0.734			0.13	7.42	0.2	810	1.48	0.18	2.25	0.03	66.0	7.9	11
J835812		2.15	0.005			0.02	7.24	<0.2	760	1.86	0.04	5.00	0.04	74.6	13.0	55
J835813		2.61	0.005			0.02	6.70	<0.2	1140	2.43	0.03	5.39	0.07	68.7	12.4	55
J835813 CRD		<0.02	<0.005			0.01	6.15	<0.2	1140	2.33	0.03	5.36	0.06	59.2	12.3	55
J835814		2.39	<0.005		<0.005	0.02	6.75	0.4	1370	2.22	0.03	5.61	0.09	71.7	10.9	49
J835815		0.12	2.35			7.55	6.62	55.1	630	0.87	3.44	1.69	1.00	57.2	15.7	56
J835816		2.28	0.094			0.17	6.85	0.3	720	1.31	0.05	1.95	0.03	45.2	6.5	10
J835817		2.69	0.375			0.64	7.11	0.4	570	1.28	0.14	2.21	0.06	54.4	6.4	6
J835818		3.45	0.493			0.60	6.97	<0.2	570	1.27	0.08	2.13	0.04	66.8	7.0	5
J835819		3.60	1.100			1.27	7.29	0.2	610	1.30	0.19	3.22	0.06	66.1	12.3	5
J835820		3.48	0.646			0.36	6.92	<0.2	590	1.23	0.08	2.69	0.05	58.7	7.7	5
J835821		3.34	0.790			0.78	6.82	0.3	550	1.20	0.10	1.63	0.04	64.4	6.2	6
J835822		3.20	0.173			0.15	7.55	<0.2	480	1.30	0.03	2.37	0.05	52.4	6.4	13
J835823		3.34	0.747			0.99	7.39	0.5	510	1.21	0.21	6.17	0.17	39.1	25.5	79
J835824		3.30	0.716			0.79	6.66	0.5	440	1.19	0.16	3.36	0.11	34.7	19.4	6
J835825		3.20	0.051			0.12	6.78	<0.2	380	1.02	0.04	1.76	0.09	69.3	4.4	5
J835826		3.32	0.058			0.13	7.44	<0.2	580	1.26	0.04	2.29	0.05	42.7	5.1	8
J835827		3.06	0.196			0.18	6.72	0.2	470	1.04	0.04	2.49	0.06	30.3	8.7	9
J835828		3.17	0.068			0.11	7.81	0.5	590	1.27	0.03	3.11	0.09	40.9	9.6	5
J835829		3.33	0.117			0.32	7.66	0.5	600	1.36	0.05	3.76	0.12	39.4	14.7	14
J835830		0.12	0.417			2.28	7.70	103.0	570	1.22	0.55	0.54	<0.02	34.3	19.0	36
J835831		3.28	0.018			0.07	6.74	0.5	470	1.13	0.02	3.10	0.08	41.2	7.5	13
J835832		3.40	0.101			0.11	7.36	1.1	520	1.18	0.05	2.56	0.09	37.1	9.8	16
J835833		3.16	0.028			0.08	7.10	0.3	490	1.15	0.02	2.67	0.06	63.7	6.3	11
J835833 CRD		<0.02	0.053			0.12	6.87	1.0	490	1.15	0.03	2.65	0.07	59.5	6.3	11
J835834		3.29	0.010		0.009	0.02	7.50	0.8	630	1.03	0.02	1.79	0.04	55.4	3.7	9
J835835		3.31	0.102			0.09	7.25	0.5	540	1.01	0.03	2.15	0.04	50.2	7.7	11
J835836		3.30	0.006			0.01	7.44	0.2	470	0.99	0.01	1.98	0.07	33.8	5.6	13
J835837		3.36	0.007			0.02	7.49	0.7	520	1.08	0.02	2.01	0.10	55.4	6.7	12
J835838		3.48	0.058			0.11	6.91	1.3	450	1.03	0.06	3.39	0.27	50.2	14.9	16
J835839		3.30	0.090			0.08	6.95	0.6	490	1.01	0.03	3.12	0.13	41.5	12.2	8
J835840		3.28	0.017			0.04	7.28	0.8	520	1.13	0.02	3.13	0.11	39.6	11.9	4
J835841		3.40	0.034			0.07	7.08	0.6	520	1.11	0.01	3.38	0.10	38.3	13.3	4
J835842		3.28	0.007			0.02	7.09	0.8	480	0.99	0.02	3.22	0.08	30.6	10.5	7
J835843		3.21	0.081			0.07	6.59	0.6	490	0.98	0.02	3.06	0.08	34.5	10.2	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J835811		1.67	6.1	2.54	23.6	0.15	4.9	0.027	3.87	34.9	12.2	0.56	263	2.07	0.90	6.0
J835812		1.08	4.9	3.15	20.8	0.18	6.1	0.033	2.28	35.4	20.5	1.53	652	0.32	3.18	6.0
J835813		1.53	32.1	2.83	21.0	0.16	6.4	0.034	3.43	32.1	13.1	1.55	578	0.08	1.93	4.5
J835813 CRD		1.49	30.6	2.81	20.8	0.16	6.2	0.037	3.47	27.5	12.9	1.51	576	0.08	1.89	4.3
J835814		1.46	15.2	2.79	19.70	0.16	6.2	0.035	3.47	33.5	11.8	1.58	609	0.06	1.81	3.9
J835815		3.24	>10000	5.82	14.15	0.19	1.1	0.116	2.79	28.0	16.1	1.20	634	112.5	1.69	5.9
J835816		1.72	54.1	2.05	23.9	0.14	3.3	0.023	3.21	23.4	7.6	0.48	265	0.49	1.52	6.1
J835817		1.57	49.8	2.63	21.9	0.14	3.9	0.033	2.94	27.5	8.5	0.56	406	7.54	1.99	6.1
J835818		1.52	10.2	2.91	22.2	0.17	4.2	0.026	2.97	33.0	7.1	0.53	399	0.73	1.74	6.5
J835819		1.82	45.4	3.90	23.9	0.19	5.3	0.051	3.49	29.9	7.3	0.74	531	1.24	1.28	8.2
J835820		1.67	38.0	3.49	21.8	0.17	4.9	0.039	3.36	27.1	6.1	0.65	493	0.57	1.28	6.9
J835821		1.36	5.1	2.24	20.7	0.16	4.0	0.021	2.90	33.7	5.2	0.42	262	0.94	1.81	4.1
J835822		1.30	9.0	2.25	21.2	0.15	4.4	0.020	2.68	27.2	5.0	0.51	355	0.43	2.88	4.6
J835823		1.60	57.9	5.68	20.3	0.18	1.8	0.042	3.22	18.3	8.3	2.26	1020	3.97	1.49	4.3
J835824		1.32	63.3	4.15	20.4	0.14	2.1	0.034	2.69	15.5	5.3	0.97	650	0.43	2.29	5.9
J835825		1.13	5.7	1.77	18.50	0.15	4.8	0.022	2.19	37.0	3.9	0.37	293	0.55	2.70	4.3
J835826		1.51	2.7	2.12	24.3	0.09	4.1	0.023	2.98	22.1	5.2	0.45	334	0.52	2.12	5.3
J835827		1.23	23.4	2.48	19.25	0.09	3.4	0.020	2.42	15.3	4.8	0.54	418	0.23	2.17	5.1
J835828		1.66	8.4	3.13	22.9	0.15	3.6	0.035	3.24	19.7	5.2	0.76	587	0.23	1.84	8.0
J835829		1.76	10.6	3.57	23.1	0.14	3.7	0.032	3.44	18.5	5.8	0.87	656	0.43	1.74	7.7
J835830		7.10	4500	4.73	17.65	0.20	0.9	0.060	5.18	18.6	11.6	0.73	506	269	1.02	5.8
J835831		1.31	13.9	2.45	19.70	0.14	3.3	0.030	2.54	19.6	4.7	0.60	517	0.73	2.35	6.9
J835832		1.30	10.4	2.75	21.5	0.15	3.2	0.029	2.70	18.7	4.4	0.60	507	0.57	2.08	9.1
J835833		1.23	2.4	2.28	21.4	0.17	4.2	0.025	2.55	33.5	5.5	0.48	438	0.99	2.41	7.5
J835833 CRD		1.17	2.3	2.33	20.9	0.15	4.4	0.023	2.50	30.7	5.5	0.46	443	0.82	2.33	7.1
J835834		1.16	3.1	1.81	19.45	0.15	3.5	0.020	2.46	28.7	3.9	0.31	294	0.32	2.35	5.8
J835835		1.33	12.6	2.58	19.20	0.16	4.1	0.025	2.66	25.1	4.7	0.45	419	0.20	2.10	7.5
J835836		1.19	3.0	1.99	19.00	0.14	2.5	0.033	2.57	16.5	3.6	0.42	361	0.13	2.55	5.5
J835837		1.15	3.6	2.32	19.50	0.15	4.1	0.020	2.52	28.1	3.4	0.48	407	0.13	2.48	7.2
J835838		1.17	7.3	3.33	19.25	0.15	3.4	0.024	2.50	25.3	4.5	0.88	607	0.17	2.18	6.6
J835839		1.25	47.9	3.28	18.60	0.15	3.4	0.028	2.71	20.3	4.6	0.85	610	0.33	1.76	6.5
J835840		1.44	11.3	3.31	19.35	0.14	3.2	0.033	2.89	19.1	4.7	0.83	573	0.34	1.76	6.8
J835841		1.37	21.1	3.43	18.90	0.15	3.1	0.032	2.80	18.1	3.9	0.86	602	0.26	1.86	6.3
J835842		1.08	8.2	3.15	18.50	0.13	2.7	0.030	2.43	14.6	3.9	0.76	555	0.21	2.37	6.8
J835843		0.94	14.9	3.04	19.05	0.11	3.1	0.022	2.45	14.4	4.8	0.73	511	0.06	2.43	6.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J835811		10.5	410	4.2	100.0	<0.002	0.25	0.13	6.0	1	1.3	127.5	0.40	0.12	10.2	0.178
J835812		68.4	1530	5.0	53.6	<0.002	0.17	0.22	7.9	1	1.5	737	0.43	<0.05	7.0	0.261
J835813		69.6	1550	4.3	75.1	<0.002	0.22	0.20	7.5	1	1.5	665	0.33	<0.05	6.0	0.206
J835813 CRD		68.9	1530	4.0	69.1	<0.002	0.22	0.17	6.6	1	1.5	664	0.32	<0.05	4.9	0.197
J835814		67.0	1510	4.8	74.3	<0.002	0.44	0.18	7.0	1	1.4	1315	0.30	<0.05	6.1	0.184
J835815		33.6	900	58.4	76.6	0.128	2.48	7.38	15.6	7	2.6	264	0.26	0.92	4.7	0.308
J835816		8.0	450	4.1	95.2	<0.002	0.12	0.16	4.8	1	1.0	142.5	0.36	0.11	6.7	0.178
J835817		6.1	680	4.6	79.1	<0.002	0.25	0.15	6.1	1	1.3	152.5	0.38	0.50	6.2	0.200
J835818		5.9	690	5.1	80.0	<0.002	0.26	0.16	4.9	1	1.2	148.0	0.37	0.43	7.5	0.212
J835819		9.2	1080	5.2	90.6	<0.002	0.63	0.17	8.9	1	1.4	158.5	0.51	0.97	3.0	0.256
J835820		6.7	850	4.2	82.7	<0.002	0.28	0.15	7.0	1	1.3	138.5	0.46	0.27	5.1	0.223
J835821		7.0	400	5.7	75.8	<0.002	0.32	0.13	4.0	1	1.0	123.0	0.26	0.59	9.8	0.152
J835822		12.4	480	5.6	67.1	<0.002	0.17	0.12	4.1	1	1.1	189.5	0.34	0.11	7.2	0.157
J835823		86.5	1120	7.4	77.7	<0.002	0.72	0.18	16.9	1	1.3	285	0.38	1.35	2.8	0.259
J835824		40.8	1070	5.4	59.1	<0.002	0.88	0.17	9.5	1	1.4	194.5	0.52	0.59	4.1	0.261
J835825		5.2	430	5.8	61.1	<0.002	0.06	0.11	3.0	1	1.0	145.5	0.32	0.09	10.1	0.131
J835826		8.0	620	6.0	74.8	<0.002	0.08	0.18	3.7	1	1.2	144.5	0.43	0.08	4.4	0.178
J835827		15.7	670	6.3	58.4	<0.002	0.28	0.16	4.5	1	1.1	158.5	0.37	0.12	3.9	0.190
J835828		11.3	490	6.9	87.0	<0.002	0.13	0.18	8.1	1	1.5	153.5	0.69	0.09	4.5	0.256
J835829		16.1	530	6.8	85.3	<0.002	0.27	0.17	9.1	1	1.3	172.0	0.65	0.20	3.8	0.260
J835830		24.3	1140	40.5	124.5	0.677	2.54	7.68	11.7	9	3.1	262	0.36	1.06	2.7	0.256
J835831		11.6	400	6.9	66.9	<0.002	0.04	0.16	7.5	1	1.3	181.0	0.58	0.06	5.8	0.186
J835832		10.7	400	5.7	77.5	<0.002	0.21	0.15	6.8	1	1.4	155.5	0.76	0.11	4.5	0.200
J835833		8.8	520	7.0	71.9	<0.002	0.15	0.14	5.0	1	1.4	162.0	0.55	0.06	9.6	0.180
J835833 CRD		8.8	520	5.9	67.2	<0.002	0.14	0.12	4.7	1	1.3	159.0	0.55	0.09	8.6	0.172
J835834		4.0	330	5.0	72.7	<0.002	0.09	0.13	3.5	1	1.1	142.5	0.36	<0.05	10.1	0.121
J835835		5.2	550	4.8	73.0	<0.002	0.21	0.14	4.5	1	1.3	144.0	0.37	0.07	6.8	0.198
J835836		7.8	370	5.6	69.0	<0.002	0.03	0.11	6.6	1	1.3	156.0	0.33	<0.05	5.1	0.130
J835837		6.5	520	5.8	68.9	<0.002	0.13	0.15	3.6	1	1.2	150.5	0.43	<0.05	7.9	0.179
J835838		21.5	590	7.9	61.9	<0.002	0.38	0.15	7.1	1	1.1	192.0	0.30	0.08	6.3	0.220
J835839		17.2	370	6.6	70.6	<0.002	0.12	0.15	8.0	1	1.4	179.0	0.55	<0.05	5.1	0.235
J835840		11.1	480	5.4	80.9	<0.002	0.08	0.17	9.5	1	1.4	167.0	0.61	<0.05	3.9	0.259
J835841		11.3	470	6.3	73.7	<0.002	0.10	0.17	9.8	1	1.2	176.5	0.52	<0.05	3.5	0.269
J835842		11.9	510	6.8	61.7	<0.002	0.04	0.16	7.9	1	1.3	200	0.55	<0.05	3.4	0.237
J835843		10.8	470	6.8	50.5	<0.002	0.03	0.19	6.9	1	1.3	193.0	0.41	<0.05	4.1	0.256

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J835811		0.46	1.2	43	1.8	5.6	55	199.0								
J835812		0.27	1.4	71	1.4	8.5	77	206								
J835813		0.41	1.5	71	1.5	7.6	47	214								
J835813 CRD		0.41	1.3	70	1.4	6.7	48	205								
J835814		0.38	1.5	69	1.6	7.6	47	206		2.25	8.2	51.70	15.06	3.81	7.47	2.67
J835815		0.75	1.2	154	10.7	14.4	165	37.6	2.23							
J835816		0.41	0.6	43	4.7	4.7	32	139.0								
J835817		0.35	0.7	47	4.6	6.5	56	158.0								
J835818		0.35	0.8	46	4.0	7.5	52	165.0								
J835819		0.41	0.6	62	7.0	9.0	67	210								
J835820		0.39	0.7	53	4.7	7.6	60	195.5								
J835821		0.33	0.8	42	4.0	5.4	47	156.5								
J835822		0.30	0.8	41	3.5	5.7	47	156.0								
J835823		0.35	2.7	128	4.7	8.0	98	53.7								
J835824		0.30	0.8	109	4.4	5.7	62	69.4								
J835825		0.25	0.9	31	2.9	6.7	43	182.5								
J835826		0.39	0.6	46	4.5	5.2	57	151.5								
J835827		0.32	1.5	52	4.4	4.7	53	110.5								
J835828		0.43	0.9	66	7.2	6.2	80	134.0								
J835829		0.42	1.0	74	6.9	6.4	75	139.0								
J835830		1.45	1.2	156	13.2	15.3	144	27.3								
J835831		0.34	1.0	51	5.7	7.6	54	113.0								
J835832		0.38	1.6	49	6.4	5.5	55	109.5								
J835833		0.36	0.9	39	4.0	6.9	48	151.5								
J835833 CRD		0.32	0.9	39	4.0	6.6	48	155.0								
J835834		0.31	0.7	26	3.4	5.8	38	134.5		0.62	2.3	69.01	14.65	2.53	2.40	0.61
J835835		0.32	0.6	34	5.1	6.0	57	161.0								
J835836		0.33	0.6	33	3.2	5.0	47	86.3								
J835837		0.33	1.0	36	4.8	6.8	51	156.0								
J835838		0.35	0.5	58	4.7	5.4	109	140.0								
J835839		0.37	1.1	61	4.4	6.8	75	122.5								
J835840		0.39	1.2	72	4.5	6.9	70	119.5								
J835841		0.37	0.8	74	6.6	6.4	71	120.0								
J835842		0.32	0.9	56	6.8	5.4	66	106.5								
J835843		0.28	0.8	55	6.8	4.5	69	126.0								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835811											
J835812											
J835813											
J835813 CRD											
J835814		2.29	3.92	0.01	0.58	0.08	0.307	0.11	0.15	9.99	98.15
J835815											
J835816											
J835817											
J835818											
J835819											
J835820											
J835821											
J835822											
J835823											
J835824											
J835825											
J835826											
J835827											
J835828											
J835829											
J835830											
J835831											
J835832											
J835833											
J835833 CRD											
J835834		3.31	2.98	<0.01	0.22	0.03	0.075	0.03	0.06	3.63	99.53
J835835											
J835836											
J835837											
J835838											
J835839											
J835840											
J835841											
J835842											
J835843											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178472

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.