ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE TB10180104

Project: HAMMOND REEF

P.O. No.:

This report is for 99 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J824757		3.48	<0.005		0.08	7.82	0.8	150	0.83	0.03	4.30	0.02	40.6	12.5	10	0.34
J824758		2.59	<0.005		0.15	6.90	0.4	530	1.02	0.03	2.30	0.02	59.7	8.0	13	0.86
J824759		2.93	0.016		0.12	6.97	0.6	530	1.23	0.06	2.65	0.02	62.7	10.9	17	1.25
J824760		0.12	0.972		4.74	6.33	21.3	470	0.74	1.82	2.48	2.11	21.0	15.3	62	0.80
J824761		3.23	0.006		0.10	6.96	<0.2	470	1.00	0.06	2.54	0.05	51.7	8.9	14	0.74
J824762		3.41	<0.005		0.06	7.17	<0.2	450	1.05	0.07	3.12	0.05	80.8	13.3	22	0.55
J824763		3.25	0.033		0.08	6.58	0.2	430	1.10	0.03	2.16	0.02	67.8	8.9	16	0.93
J824764		3.19	0.027		0.07	5.69	<0.2	320	0.91	0.05	1.65	0.02	44.6	5.3	8	0.81
J824765		3.32	0.116		0.21	6.35	<0.2	420	0.80	0.05	2.60	0.03	90.7	11.7	15	1.02
J824766		3.15	<0.005		0.05	6.94	<0.2	630	0.83	0.02	2.01	0.03	57.9	5.6	9	0.74
J824767		3.33	<0.005		0.04	7.30	0.2	700	1.07	0.04	1.98	0.04	42.2	5.9	8	0.54
J824768		3.67	<0.005		<0.01	6.71	0.8	530	0.93	0.02	2.01	0.03	47.4	5.6	10	0.53
J824769		3.31	<0.005		0.03	6.75	0.5	660	0.81	0.06	1.52	0.02	27.6	4.1	9	0.36
J824770		3.26	<0.005		0.16	7.14	0.6	620	0.81	0.13	3.26	0.06	114.0	21.3	23	0.35
J824771		3.18	<0.005		0.05	7.46	2.7	460	0.96	0.15	2.88	0.06	111.0	12.1	16	0.27
J824772		2.89	<0.005		0.02	6.93	0.3	550	0.87	0.04	2.36	0.07	67.0	8.4	12	0.25
J824773		4.08	<0.005		0.09	7.56	1.4	20	0.24	0.02	7.43	0.08	10.60	53.6	92	<0.05
J824774		3.83	<0.005		0.10	7.63	1.7	20	0.19	0.02	7.63	0.10	9.61	53.9	79	<0.05
J824775		0.12	2.37		9.32	6.68	52.4	650	0.89	3.68	1.68	1.04	58.5	17.5	56	3.32
J824776		3.52	0.007		0.06	7.76	0.9	30	0.17	0.01	7.47	0.08	7.33	46.3	85	0.05
J824776 CRD		<0.02	<0.005		0.06	7.80	1.1	30	0.14	0.02	7.71	0.07	8.77	52.8	88	<0.05
J824777		3.61	0.005	0.006	0.12	7.47	2.0	20	0.21	0.02	7.73	0.08	8.46	53.4	111	<0.05
J824778		3.60	0.005		0.06	7.15	1.6	20	0.15	0.01	7.52	0.07	8.78	52.0	103	<0.05
J824779		4.35	<0.005		0.09	7.56	3.3	20	0.19	0.02	7.61	0.07	10.75	51.2	102	0.05
J824780		3.58	0.006		0.14	7.00	1.6	20	0.27	0.03	7.32	0.08	9.19	48.8	84	0.05
J824781		2.14	0.014		0.07	5.26	0.7	170	0.75	0.05	1.66	0.04	38.9	8.5	24	0.18
J824782		4.38	<0.005		0.09	7.16	2.4	1020	1.06	0.07	5.91	0.06	122.0	40.3	205	0.09
J824783		2.42	<0.005		<0.01	7.60	2.8	450	1.01	0.05	3.79	0.05	56.2	24.1	126	0.29
J824784		3.26	0.005		0.02	7.68	2.1	360	1.11	0.04	5.55	0.07	132.0	42.9	215	0.12
J824785		4.13	0.008		0.08	7.57	3.5	220	1.01	0.07	5.00	0.07	53.5	37.9	144	0.17
J824786		2.65	0.193		1.03	7.22	1.1	310	1.10	0.09	2.83	0.03	27.4	13.1	23	0.52
J824787		2.64	0.006		<0.01	7.21	2.3	120	0.81	0.03	5.74	0.06	107.5	29.2	172	0.16
J824788		3.13	<0.005		0.06	6.50	0.3	310	1.07	0.01	1.78	0.02	46.2	4.2	15	0.44
J824789		3.34	<0.005		0.03	6.07	<0.2	370	1.11	0.01	1.67	<0.02	34.3	2.2	6	0.61
J824790		0.12	0.380		2.53	7.29	104.5	590	1.28	0.60	0.55	1.05	39.2	18.3	31	7.03
J824791		2.23	<0.005		<0.01	5.74	0.5	360	1.10	0.01	1.91	0.02	38.1	2.3	7	0.59
J824792		4.01	<0.005		0.12	6.91	2.1	70	0.44	0.05	6.79	0.06	51.3	41.4	118	0.07
J824793		4.29	<0.005		<0.01	6.35	<0.2	340	1.15	0.03	1.96	<0.02	42.6	5.4	9	0.47
J824794		3.49	<0.005		0.02	6.48	<0.2	420	1.19	0.01	1.90	0.02	35.7	4.8	6	0.54
J824795		3.41	<0.005		0.01	6.14	<0.2	400	1.17	0.02	2.39	0.03	45.2	4.9	5	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J824757		1.7	4.09	22.4	0.12	3.6	0.042	0.86	18.3	14.3	0.86	368	0.22	2.33	10.0	7.4
J824758		3.8	2.39	20.2	0.11	2.5	0.029	1.87	28.6	10.5	0.58	237	0.17	2.39	6.5	7.6
J824759		23.1	3.26	21.5	0.13	2.8	0.031	2.35	30.2	14.0	0.75	466	0.29	2.06	7.0	11.2
J824760		>10000	4.75	14.25	0.13	0.9	0.129	0.83	10.4	15.7	1.18	672	235	2.20	4.1	35.2
J824761		32.1	2.59	17.40	0.12	3.1	0.028	1.46	24.7	10.4	0.65	443	0.15	2.85	5.3	9.3
J824762		32.1	3.70	21.2	0.11	2.5	0.033	1.09	39.0	13.8	0.95	578	0.27	2.57	6.7	14.2
J824763		34.1	2.67	20.4	0.12	2.5	0.026	1.96	34.8	10.6	0.59	380	0.18	2.28	6.6	8.8
J824764		17.4	2.02	18.50	0.14	2.7	0.018	1.68	23.4	4.9	0.32	279	0.26	2.27	5.4	5.2
J824765		59.3	3.00	18.05	0.16	2.7	0.030	2.07	39.0	10.6	0.77	505	0.25	1.91	7.5	11.7
J824766		17.8	2.18	20.5	0.13	3.5	0.022	1.91	28.6	7.1	0.40	347	0.17	2.82	8.0	5.2
J824767		19.3	1.82	22.9	0.13	4.1	0.019	1.76	21.0	5.8	0.28	271	0.20	3.18	6.7	3.0
J824768		3.6	2.07	21.1	0.14	3.6	0.017	1.46	24.1	6.2	0.31	305	0.18	2.99	6.9	3.8
J824769		2.3	1.30	17.90	0.13	3.4	0.012	1.67	12.8	4.4	0.24	184	0.12	3.46	3.5	4.5
J824770		171.5	4.01	22.0	0.18	2.9	0.042	1.23	45.1	11.0	1.00	589	0.23	2.74	8.9	14.6
J824771		40.2	3.69	22.4	0.18	3.5	0.033	0.97	44.9	10.2	0.83	524	0.17	3.14	8.6	11.7
J824772		17.7	2.63	20.5	0.14	3.5	0.022	1.00	34.3	8.0	0.58	405	0.18	3.38	5.8	8.2
J824773		154.0	10.05	19.95	0.17	1.4	0.074	0.07	3.9	13.1	3.82	1740	0.23	1.08	2.6	80.6
J824774		164.5	10.15	20.0	0.17	1.4	0.077	0.06	3.2	12.9	3.76	1740	0.23	1.14	2.6	78.3
J824775		>10000	5.78	16.20	0.19	1.1	0.123	2.80	28.9	16.6	1.24	668	124.5	1.71	7.2	36.4
J824776		142.0	9.74	16.95	0.13	1.3	0.064	0.26	2.6	12.6	4.14	1600	0.18	1.17	2.0	77.4
J824776 CRD		158.5	9.64	18.85	0.14	1.2	0.070	0.06	3.0	14.5	4.14	1700	0.35	1.18	2.2	85.5
J824777		162.5	9.82	19.35	0.16	1.3	0.070	0.06	2.8	13.2	4.13	1700	0.23	1.01	2.3	89.1
J824778		161.0	9.64	18.95	0.16	1.3	0.072	0.06	3.0	11.6	3.93	1700	0.23	1.07	2.3	83.4
J824779		150.5	10.10	19.50	0.17	1.3	0.079	0.06	3.8	11.0	3.96	1760	0.22	1.01	2.4	82.2
J824780		138.5	9.36	18.75	0.16	1.1	0.068	0.06	3.3	15.0	3.61	1600	0.30	1.57	2.4	75.3
J824781		26.0	1.98	15.30	0.11	3.6	0.016	0.34	17.9	6.4	0.77	304	0.33	3.52	4.1	17.3
J824782		84.5	6.08	19.40	0.19	3.8	0.055	0.05	48.4	26.3	5.00	1040	0.18	2.08	5.5	187.0
J824783		31.4	4.22	21.1	0.17	2.6	0.038	0.54	23.5	12.8	2.84	607	0.27	3.30	7.1	136.0
J824784		54.1	6.07	19.15	0.24	4.0	0.061	0.06	54.7	27.1	5.46	1040	0.17	2.22	5.7	209
J824785		105.0	7.12	18.55	0.17	2.2	0.058	0.18	23.2	23.8	3.92	1000	1.18	2.51	4.3	102.0
J824786		25.0	3.38	19.70	0.14	2.9	0.036	0.92	11.4	11.8	1.11	485	0.93	4.23	9.3	20.9
J824787		50.1	5.05	16.75	0.22	3.5	0.042	0.21	45.6	31.0	3.47	900	0.36	2.45	4.9	73.9
J824788		38.4	1.12	15.35	0.13	4.1	0.011	0.97	22.8	4.6	0.36	197	0.24	4.05	2.8	6.6
J824789		8.5	0.73	15.85	0.12	3.9	0.009	1.35	14.6	2.1	0.14	121	0.22	3.22	3.7	1.3
J824790		4430	4.68	19.60	0.19	0.8	0.065	4.06	19.2	12.2	0.77	499	272	1.05	5.3	24.7
J824791		18.9	0.82	15.40	0.11	3.7	0.011	1.30	16.9	2.3	0.14	152	0.50	3.09	5.8	1.8
J824792		99.1	7.51	18.15	0.20	1.5	0.059	0.18	24.4	43.8	3.51	1220	0.99	1.81	2.9	103.5
J824793		9.8	1.66	17.45	0.12	3.1	0.018	1.11	19.3	6.6	0.35	185	0.28	3.29	6.1	4.8
J824794		4.8	1.40	18.25	0.12	3.5	0.014	1.26	15.4	5.3	0.31	182	0.19	3.20	5.4	3.1
J824795		4.5	1.58	18.15	0.13	4.0	0.014	1.50	24.7	5.7	0.33	199	0.21	2.77	6.6	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J824757		1110	4.4	25.7	<0.002	<0.01	0.12	8.9	1	1.3	298	0.89	<0.05	3.4	0.395	0.14
J824758		620	4.2	57.7	<0.002	0.01	0.09	6.1	1	1.3	183.5	0.52	<0.05	6.4	0.203	0.27
J824759		710	5.4	74.1	<0.002	0.10	0.08	7.8	1	1.2	160.5	0.71	<0.05	6.5	0.250	0.36
J824760		580	38.8	23.6	1.360	1.63	25.1	14.7	5	1.0	290	0.27	0.58	1.9	0.322	0.21
J824761		590	10.2	54.4	<0.002	0.07	0.08	6.6	1	1.0	238	0.65	<0.05	5.9	0.217	0.25
J824762		850	8.4	37.5	<0.002	0.10	0.12	9.9	1	1.1	438	0.86	<0.05	7.4	0.314	0.19
J824763		570	6.2	62.4	<0.002	0.12	0.09	6.4	1	1.1	156.5	0.81	<0.05	6.1	0.195	0.28
J824764		300	3.2	67.3	<0.002	0.07	0.08	3.7	1	1.0	133.5	0.48	<0.05	6.9	0.107	0.23
J824765		870	7.7	59.5	<0.002	0.22	0.10	8.8	1	1.1	157.5	0.84	0.11	9.5	0.271	0.29
J824766		430	6.9	65.7	<0.002	0.02	0.06	4.6	1	1.1	189.5	0.49	<0.05	8.2	0.168	0.26
J824767		300	13.8	61.1	<0.002	0.06	0.06	4.0	1	1.0	202	0.35	<0.05	7.8	0.138	0.24
J824768		330	7.3	53.3	<0.002	0.01	0.07	3.5	<1	1.1	209	0.36	<0.05	7.1	0.154	0.21
J824769		110	11.1	52.1	<0.002	0.01	<0.05	2.9	1	0.7	180.0	0.56	<0.05	6.1	0.080	0.18
J824770		1140	9.2	37.3	<0.002	0.20	0.07	10.6	1	1.8	412	0.95	<0.05	10.7	0.324	0.18
J824771		990	11.0	33.1	<0.002	0.09	0.11	8.3	1	1.4	407	0.90	<0.05	11.0	0.316	0.13
J824772		600	5.9	31.1	<0.002	0.05	0.08	5.7	1	1.0	301	0.72	<0.05	9.0	0.209	0.12
J824773		340	1.8	1.4	0.002	0.13	0.12	46.0	1	0.6	160.0	0.18	<0.05	0.3	0.654	<0.02
J824774		340	1.6	1.2	0.002	0.14	0.11	45.4	1	0.6	137.0	0.17	<0.05	0.3	0.658	<0.02
J824775		930	67.2	80.8	0.144	2.35	7.06	17.3	7	2.7	256	0.30	0.83	5.3	0.318	0.80
J824776		300	1.1	7.3	<0.002	0.17	0.14	38.0	1	0.5	127.5	0.12	<0.05	0.2	0.590	<0.02
J824776 CRD		300	1.3	1.4	0.002	0.16	0.14	45.9	1	0.5	130.5	0.15	<0.05	0.2	0.575	<0.02
J824777		290	1.1	1.1	0.002	0.18	0.17	45.8	1	0.5	143.5	0.15	<0.05	0.2	0.608	<0.02
J824778		300	1.3	1.0	0.002	0.22	0.25	41.9	1	0.6	158.5	0.15	<0.05	0.2	0.606	<0.02
J824779		330	2.2	0.8	0.002	0.13	0.40	44.9	1	0.6	249	0.17	<0.05	0.2	0.646	<0.02
J824780		300	2.3	1.4	0.002	0.17	0.14	41.0	1	0.5	213	0.16	<0.05	0.2	0.594	<0.02
J824781		310	5.2	12.2	<0.002	0.22	0.12	4.6	1	0.9	174.5	0.25	<0.05	7.4	0.131	0.04
J824782		1890	7.1	0.6	<0.002	0.12	0.96	22.2	1	1.1	597	0.35	<0.05	7.3	0.489	<0.02
J824783		1170	7.6	16.0	<0.002	0.07	1.28	10.9	1	0.9	638	0.59	<0.05	3.5	0.369	0.08
J824784		1880	6.1	1.6	<0.002	0.02	1.09	21.6	2	1.1	659	0.33	<0.05	7.3	0.498	<0.02
J824785		890	6.5	5.7	<0.002	0.05	0.72	27.5	1	0.9	467	0.27	<0.05	3.2	0.505	0.03
J824786		490	6.8	33.0	<0.002	0.05	0.20	8.3	1	1.6	215	0.66	0.07	3.0	0.317	0.13
J824787		1470	7.1	5.8	<0.002	0.01	0.66	19.1	1	1.0	434	0.32	<0.05	6.3	0.413	0.02
J824788		170	3.8	37.7	<0.002	0.01	0.16	2.7	1	0.6	212	0.16	<0.05	10.0	0.080	0.15
J824789		100	5.2	47.7	<0.002	0.01	0.10	1.7	<1	0.6	176.5	0.26	<0.05	10.4	0.053	0.20
J824790		1140	41.2	94.7	0.662	2.49	7.44	12.0	8	3.2	246	0.37	0.90	3.0	0.255	1.44
J824791		150	5.3	45.8	<0.002	0.01	0.11	2.0	<1	0.7	188.5	0.31	<0.05	8.4	0.070	0.20
J824792		510	8.5	4.9	<0.002	0.11	0.10	32.5	1	0.6	240	0.22	<0.05	2.7	0.478	0.02
J824793		300	4.9	37.3	<0.002	0.05	0.09	3.8	<1	1.1	193.5	0.59	<0.05	6.2	0.113	0.15
J824794		260	4.7	42.4	<0.002	0.02	0.11	2.9	<1	1.0	203	0.45	<0.05	5.9	0.100	0.18
J824795		340	6.0	52.9	<0.002	0.04	0.11	3.3	1	1.1	203	0.58	<0.05	7.2	0.111	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J824757		1.3	88	0.6	17.2	34	144.5									
J824758		0.8	40	3.1	9.3	25	94.4									
J824759		1.2	56	2.2	10.1	71	114.0									
J824760		0.8	102	5.4	15.6	142	27.5	1.280								
J824761		1.7	47	1.7	8.7	64	102.0									
J824762		1.3	69	0.9	11.2	83	103.5									
J824763		1.3	44	3.7	8.5	68	92.9									
J824764		1.0	24	1.9	8.2	37	92.8									
J824765		1.5	58	7.3	12.3	68	102.0									
J824766		0.9	26	1.0	9.6	50	120.0									
J824767		1.3	19	0.5	9.0	46	144.0									
J824768		0.8	21	0.3	7.4	47	129.5									
J824769		2.3	18	0.2	7.9	22	94.5									
J824770		0.8	75	0.2	18.0	65	104.5									
J824771		1.0	70	0.2	15.9	65	132.0									
J824772		1.0	44	0.1	10.7	48	114.0									
J824773		0.1	317	0.1	22.0	107	46.6									
J824774		0.1	321	0.1	22.1	105	47.8									
J824775		1.2	154	11.7	16.2	173	37.0	2.55								
J824776		<0.1	294	0.1	17.6	98	33.6									
J824776 CRD		0.1	295	0.1	19.8	94	41.8									
J824777		<0.1	324	0.1	19.8	94	41.7		0.08	0.3	47.55	13.94	14.18	10.69	6.59	1.25
J824778		<0.1	308	0.1	19.9	95	43.8									
J824779		0.1	320	0.2	21.6	104	41.3									
J824780		0.1	293	1.2	19.8	110	36.2									
J824781		1.5	35	1.6	8.3	26	105.5									
J824782		1.4	157	1.3	22.6	108	136.5									
J824783		1.4	87	1.0	11.5	70	98.3									
J824784		1.5	164	0.9	24.1	97	156.5									
J824785		1.1	205	1.7	18.8	98	77.6									
J824786		1.1	77	6.9	10.2	59	118.0									
J824787		1.6	133	1.4	22.4	94	132.5									
J824788		1.6	16	0.8	7.8	9	100.5									
J824789		2.0	6	0.4	7.9	2	95.3									
J824790		1.2	156	13.0	15.5	152	25.1									
J824791		1.1	7	0.4	7.0	2	98.3									
J824792		1.3	223	0.5	18.8	85	53.1									
J824793		1.1	21	0.3	7.2	12	87.9									
J824794		1.3	17	0.4	6.6	10	111.5									
J824795		1.6	16	0.6	10.6	15	124.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824757										
J824758										
J824759										
J824760										
J824761										
J824762										
J824763										
J824764										
J824765										
J824766										
J824767										
J824768										
J824769										
J824770										
J824771										
J824772										
J824773										
J824774										
J824775										
J824776										
J824776 CRD										
J824777		0.07	0.02	1.00	0.22	0.065	0.02	<0.01	2.64	98.24
J824778										
J824779										
J824780										
J824781										
J824782										
J824783										
J824784										
J824785										
J824786										
J824787										
J824788										
J824789										
J824790										
J824791										
J824792										
J824793										
J824794										
J824795										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J824796		3.26	0.009		0.03	5.90	<0.2	440	1.05	0.02	2.23	0.04	34.4	6.0	9	0.74
J824796 CRD		<0.02	0.007		0.02	6.18	<0.2	450	1.09	0.02	2.25	0.03	35.3	6.5	9	0.79
J824797		3.37	<0.005	0.005	0.01	6.25	<0.2	410	0.97	0.02	1.93	0.03	23.5	4.8	6	0.73
J824798		3.43	0.014		0.08	6.49	<0.2	420	1.07	0.07	2.93	0.05	35.0	14.0	31	0.74
J824799		3.37	0.010		0.05	6.57	<0.2	520	1.08	0.04	3.35	0.06	32.5	14.6	24	0.96
J824800		0.12	0.893		4.76	6.18	21.8	470	0.78	1.86	2.42	2.20	22.9	15.3	63	0.80
J824801		3.38	0.109		0.21	4.94	<0.2	300	1.17	0.09	2.58	0.04	42.1	8.9	12	0.87
J824802		3.16	0.013		0.05	3.59	<0.2	230	0.92	0.04	2.52	0.03	12.30	5.0	6	0.64
J824803		3.00	<0.005		0.06	4.54	<0.2	230	0.99	0.01	2.11	0.03	12.05	5.3	9	0.76
J824804		2.91	<0.005		0.05	5.82	<0.2	260	1.19	0.02	2.97	0.03	66.6	9.0	13	0.76
J824805		3.47	0.046		0.06	5.66	<0.2	340	1.04	0.02	3.45	0.05	62.3	9.7	60	0.83
J824806		3.26	0.076		0.08	6.17	<0.2	310	0.85	0.03	3.17	0.04	57.5	10.9	11	0.86
J824807		3.14	0.018		0.08	6.62	<0.2	210	0.79	0.03	3.08	0.04	59.4	8.9	10	0.70
J824808		3.40	<0.005		0.04	6.53	0.4	150	0.60	0.01	2.57	0.03	47.4	7.5	9	0.51
J824809		4.05	<0.005		0.03	6.68	0.6	210	0.86	0.01	3.23	0.03	55.2	8.4	12	0.76
J824810		3.27	<0.005		0.03	6.66	0.6	210	0.98	0.02	2.76	0.03	71.3	9.6	16	0.58
J824811		2.37	<0.005		0.03	6.47	0.3	160	0.97	0.05	3.39	0.03	58.3	8.3	16	0.56
J824812		3.26	0.005		0.04	6.70	0.6	240	0.85	0.02	3.37	0.03	46.0	10.1	11	0.68
J824813		3.34	0.033		0.17	6.73	0.4	230	0.78	0.02	3.38	0.03	35.1	13.5	7	0.59
J824814		3.25	0.353		0.62	6.84	<0.2	290	0.89	0.16	3.96	0.06	38.6	15.6	8	0.76
J824815		0.12	2.49		8.84	6.54	52.4	630	0.87	3.43	1.62	0.95	60.7	16.8	56	3.22
J824816		3.21	0.053		0.14	6.85	<0.2	240	1.03	0.11	3.74	0.05	44.1	13.4	7	0.80
J824816 CRD		<0.02	0.052		0.14	7.05	0.2	230	0.94	0.12	3.96	0.04	44.0	12.4	8	0.81
J824817		3.27	0.005	0.009	0.04	7.18	0.5	220	0.87	0.05	4.65	0.04	47.5	14.5	9	0.84
J824818		3.10	<0.005		0.05	7.09	0.3	160	0.91	0.04	4.28	0.03	39.1	10.5	12	0.84
J824819		3.25	0.012		0.07	6.87	0.8	240	0.99	0.05	3.31	0.04	40.9	11.2	8	0.74
J824820		3.16	0.006		0.05	7.03	0.2	200	1.02	0.06	3.84	0.04	56.7	10.8	17	0.60
J824821		3.22	0.013		0.06	7.25	0.5	260	0.90	0.05	3.80	0.04	38.7	13.9	5	0.69
J824822		3.28	0.287		0.08	7.27	0.9	220	0.94	0.09	3.64	0.04	48.2	13.5	8	0.47
J824823		3.33	<0.005		0.06	7.27	1.0	200	0.77	0.04	3.52	0.04	48.9	14.9	7	0.30
J824824		3.37	0.027		0.09	7.42	1.1	200	0.76	0.07	3.69	0.04	45.4	17.6	33	0.30
J824825		3.02	<0.005		0.10	7.70	0.9	250	0.76	0.13	3.57	0.04	39.6	15.9	7	0.37
J824826		3.21	<0.005		0.06	7.65	0.6	220	0.84	0.09	3.79	0.04	46.3	17.7	32	0.33
J824827		3.13	<0.005		0.06	6.90	0.7	260	0.82	0.03	2.91	0.03	41.3	9.8	6	0.37
J824828		3.10	0.006		0.04	6.20	0.7	270	0.93	0.01	2.57	0.03	53.6	5.1	8	0.54
J824829		3.47	0.070		0.07	6.63	0.8	390	1.03	0.03	2.15	0.02	48.6	6.6	12	0.79
J824830		0.12	0.415		2.28	7.23	102.0	560	1.24	0.54	0.54	0.81	33.5	17.8	33	6.68
J824831		3.09	0.009		0.05	6.10	0.7	350	1.02	0.01	2.21	0.03	47.5	5.5	8	0.74
J824832		3.08	0.035		0.11	6.15	0.6	410	1.26	0.02	2.43	0.04	53.2	5.5	8	0.76
J824833		2.23	0.141		0.12	6.36	1.4	380	1.10	0.05	3.09	0.06	63.0	17.2	100	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J824796		63.2	1.82	17.45	0.15	2.8	0.018	1.55	15.7	6.1	0.41	281	0.35	2.54	5.6	8.0
J824796 CRD		92.9	2.04	18.10	0.14	3.2	0.024	1.64	15.6	6.8	0.45	307	0.27	2.70	5.8	8.7
J824797		15.9	1.51	19.00	0.14	3.4	0.015	1.52	9.5	4.6	0.31	198	0.78	2.98	7.1	3.7
J824798		14.3	3.24	19.75	0.15	2.9	0.033	1.58	19.3	15.3	1.07	380	0.43	2.38	4.6	25.9
J824799		19.6	3.50	21.2	0.15	2.7	0.034	2.07	18.1	15.8	1.10	506	0.17	1.86	3.8	21.0
J824800		>10000	4.56	13.90	0.13	0.9	0.138	0.86	11.2	14.6	1.19	672	247	2.15	3.9	31.5
J824801		60.2	2.45	19.65	0.11	3.2	0.022	1.75	22.4	9.1	0.54	384	0.48	2.65	3.7	7.5
J824802		7.5	1.48	17.30	0.08	3.4	0.012	1.43	6.2	4.7	0.21	242	0.41	2.89	2.6	3.3
J824803		17.6	1.67	18.30	0.10	2.9	0.012	1.67	6.7	5.1	0.29	203	0.16	2.77	2.7	3.8
J824804		21.8	2.26	20.2	0.17	2.6	0.024	1.86	33.1	10.8	0.67	264	0.55	2.21	5.5	8.1
J824805		13.6	2.22	19.30	0.18	3.3	0.028	1.98	32.5	13.7	1.01	277	0.37	1.35	4.9	37.3
J824806		21.9	2.77	20.9	0.16	2.6	0.030	2.07	29.9	10.4	0.63	292	0.24	1.84	4.2	7.1
J824807		6.7	2.73	18.20	0.13	2.2	0.026	1.55	28.8	11.4	0.53	264	0.25	2.30	5.0	5.6
J824808		5.5	2.47	19.70	0.13	2.0	0.019	1.16	22.7	10.2	0.43	248	0.19	2.56	5.0	4.2
J824809		7.7	2.40	21.2	0.13	2.7	0.026	1.81	25.4	10.5	0.49	223	0.20	2.02	5.9	5.5
J824810		17.6	2.63	20.2	0.16	3.2	0.026	1.32	33.6	15.6	0.71	250	0.15	2.40	6.5	9.6
J824811		6.4	2.31	18.15	0.12	2.7	0.022	1.25	27.2	14.5	0.61	279	0.17	2.59	5.3	9.3
J824812		6.8	2.94	20.3	0.13	3.4	0.032	1.68	20.1	11.8	0.60	323	0.14	1.97	8.2	6.5
J824813		24.0	3.90	20.9	0.12	3.5	0.041	1.38	14.0	15.4	0.77	477	0.24	2.21	7.9	6.1
J824814		26.5	4.06	19.65	0.12	2.8	0.034	1.80	16.6	14.4	0.85	495	7.31	1.83	7.0	7.4
J824815		>10000	5.66	14.75	0.16	1.1	0.105	2.69	28.7	16.8	1.17	630	113.0	1.63	6.7	33.8
J824816		30.5	3.41	23.6	0.19	3.4	0.045	1.93	21.2	13.9	0.79	357	26.1	1.98	6.8	7.4
J824816 CRD		28.1	3.32	20.9	0.13	3.6	0.039	1.83	18.4	13.3	0.73	352	24.4	1.89	7.9	6.5
J824817		9.7	3.47	21.3	0.13	3.5	0.039	1.98	20.2	16.6	0.90	345	0.37	1.82	8.8	8.6
J824818		2.0	3.01	20.5	0.13	3.6	0.038	2.05	16.2	14.0	0.79	289	1.31	1.68	8.8	8.5
J824819		5.0	3.25	20.3	0.12	2.4	0.034	1.67	17.4	12.8	0.67	336	1.75	2.07	7.5	5.7
J824820		3.9	3.14	20.5	0.14	3.0	0.039	1.42	23.8	12.7	0.66	353	0.81	2.32	8.2	4.6
J824821		12.6	3.96	20.6	0.14	2.3	0.040	1.60	15.4	15.6	0.80	452	0.72	2.16	8.3	4.9
J824822		11.3	3.94	21.0	0.13	2.5	0.043	1.19	20.3	16.1	0.82	426	0.60	2.33	9.3	6.5
J824823		11.3	4.18	21.9	0.14	2.4	0.044	0.88	19.7	17.8	0.86	444	0.31	2.61	9.4	6.4
J824824		22.6	4.24	21.4	0.14	2.2	0.044	0.79	18.3	22.9	1.27	498	0.28	2.65	8.6	34.8
J824825		19.9	4.38	22.8	0.13	2.2	0.050	0.99	15.1	18.6	0.96	501	0.30	2.72	9.9	7.6
J824826		12.2	4.50	22.3	0.15	2.2	0.047	0.85	19.6	26.6	1.25	538	0.20	2.45	10.0	31.5
J824827		11.4	3.07	19.85	0.13	2.3	0.033	0.98	17.7	12.6	0.59	349	0.17	2.72	9.1	4.3
J824828		3.5	1.80	18.45	0.12	3.9	0.025	1.32	24.9	7.4	0.34	217	0.18	2.64	6.8	3.4
J824829		13.0	2.33	20.1	0.13	4.1	0.028	1.84	22.3	7.7	0.40	277	0.33	2.32	7.4	4.9
J824830		4250	4.64	16.70	0.18	0.8	0.051	3.81	18.3	11.2	0.72	476	255	1.03	4.9	22.2
J824831		17.9	2.00	18.80	0.13	4.0	0.029	1.71	21.2	6.2	0.34	281	0.44	2.33	6.0	3.6
J824832		18.8	2.10	18.30	0.14	3.8	0.031	1.76	23.7	6.3	0.36	319	0.32	2.22	6.9	3.7
J824833		41.5	3.57	20.5	0.16	3.8	0.035	1.54	25.9	26.0	1.52	482	0.30	1.81	6.3	89.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J824796		210	5.4	59.1	<0.002	0.04	0.12	5.0	<1	1.1	156.0	0.74	<0.05	5.3	0.123	0.23
J824796 CRD		230	5.5	60.0	<0.002	0.04	0.13	5.3	<1	1.2	161.5	0.76	<0.05	5.0	0.130	0.24
J824797		280	5.2	52.8	<0.002	0.03	0.10	3.9	1	1.0	178.0	0.56	<0.05	3.8	0.103	0.22
J824798		390	5.4	54.6	<0.002	0.02	0.17	10.8	1	1.3	172.5	0.51	<0.05	4.4	0.161	0.22
J824799		350	5.7	63.6	<0.002	<0.01	0.15	12.0	1	1.3	149.0	0.41	<0.05	3.9	0.154	0.30
J824800		580	39.8	26.2	1.440	1.62	27.5	15.6	6	1.1	269	0.29	0.58	2.0	0.331	0.22
J824801		550	4.6	49.8	<0.002	0.12	0.14	4.9	1	1.0	130.5	0.35	0.06	4.7	0.119	0.26
J824802		210	3.9	30.0	<0.002	0.06	0.08	1.8	1	0.7	150.0	0.26	<0.05	1.6	0.066	0.20
J824803		260	3.4	47.0	<0.002	<0.01	0.09	2.2	1	0.7	133.5	0.17	<0.05	1.5	0.078	0.24
J824804		690	5.9	57.9	<0.002	0.01	0.12	7.3	1	1.5	149.0	0.55	<0.05	6.6	0.121	0.25
J824805		560	5.0	66.4	<0.002	<0.01	0.11	7.0	1	1.3	139.5	0.36	<0.05	9.0	0.123	0.27
J824806		680	3.5	67.2	<0.002	0.08	0.13	6.4	1	1.0	161.5	0.32	<0.05	4.4	0.158	0.28
J824807		700	3.4	45.3	<0.002	0.07	0.11	5.1	<1	0.7	187.0	0.28	0.05	3.1	0.199	0.21
J824808		580	5.3	35.2	<0.002	<0.01	0.12	4.0	<1	0.6	239	0.27	<0.05	1.9	0.199	0.15
J824809		700	5.2	48.6	<0.002	<0.01	0.13	5.3	<1	1.0	208	0.40	<0.05	4.3	0.213	0.25
J824810		750	5.8	42.0	<0.002	0.01	0.14	6.8	<1	1.1	262	0.65	<0.05	6.6	0.231	0.20
J824811		610	5.4	34.9	<0.002	0.01	0.10	5.6	<1	0.9	263	0.51	<0.05	5.1	0.202	0.17
J824812		890	4.5	51.8	<0.002	<0.01	0.12	6.5	<1	1.2	190.0	0.62	<0.05	4.2	0.272	0.23
J824813		1160	3.8	39.4	<0.002	0.02	0.12	8.2	<1	1.0	176.0	0.55	0.07	2.1	0.316	0.21
J824814		1120	4.7	56.3	<0.002	0.43	0.12	8.5	<1	1.0	143.0	0.52	0.34	2.7	0.287	0.23
J824815		900	64.6	81.3	0.139	2.45	6.68	15.3	6	2.5	259	0.26	0.90	4.9	0.305	0.76
J824816		1130	4.1	62.4	0.003	0.05	0.11	9.8	1	1.4	163.0	0.51	0.05	3.3	0.267	0.27
J824816 CRD		1040	4.1	47.8	0.003	0.09	0.10	8.2	<1	1.2	185.5	0.56	0.07	3.3	0.296	0.25
J824817		1180	4.5	58.3	<0.002	<0.01	0.13	8.9	<1	1.2	181.0	0.60	<0.05	3.3	0.361	0.27
J824818		1130	4.4	54.5	<0.002	<0.01	0.11	7.5	<1	1.1	177.0	0.61	<0.05	3.1	0.333	0.28
J824819		970	4.4	49.5	<0.002	0.03	0.12	7.5	<1	1.1	170.0	0.51	<0.05	3.0	0.281	0.23
J824820		1000	5.0	45.1	<0.002	0.01	0.13	8.8	1	1.1	223	0.55	<0.05	4.6	0.313	0.21
J824821		1170	4.0	49.0	<0.002	0.04	0.12	9.4	<1	1.2	187.0	0.60	<0.05	2.6	0.344	0.22
J824822		1240	4.8	37.7	<0.002	0.02	0.16	9.6	<1	1.3	216	0.66	<0.05	3.5	0.377	0.17
J824823		1290	5.2	24.6	<0.002	0.01	0.22	9.6	<1	1.3	245	0.64	<0.05	2.7	0.389	0.13
J824824		1320	6.3	22.5	<0.002	0.05	0.27	10.7	<1	1.1	329	0.60	<0.05	2.6	0.364	0.12
J824825		1410	6.1	28.9	<0.002	0.01	0.32	10.4	1	1.2	331	0.65	<0.05	1.9	0.432	0.16
J824826		1310	5.9	26.0	<0.002	<0.01	0.19	11.1	1	1.0	281	0.82	<0.05	2.5	0.430	0.14
J824827		850	5.9	33.0	<0.002	<0.01	0.19	7.0	<1	1.1	260	0.76	<0.05	3.6	0.306	0.17
J824828		420	5.0	42.3	<0.002	<0.01	0.11	4.0	<1	1.0	208	0.30	<0.05	6.3	0.169	0.21
J824829		480	4.6	56.0	<0.002	0.05	0.12	5.3	<1	1.3	156.0	0.59	<0.05	3.5	0.190	0.27
J824830		1080	40.3	97.2	0.599	2.47	6.70	10.5	7	2.8	252	0.31	0.91	2.6	0.239	1.39
J824831		430	3.9	50.8	<0.002	0.01	0.12	4.6	<1	1.2	176.0	0.37	<0.05	4.6	0.159	0.26
J824832		440	4.6	60.2	<0.002	0.03	0.13	4.5	<1	1.4	182.5	0.45	<0.05	4.1	0.164	0.27
J824833		760	5.0	40.7	<0.002	0.02	0.18	8.8	<1	1.1	171.5	0.43	0.05	4.3	0.206	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J824796		1.3	31	1.1	8.1	33	82.6									
J824796 CRD		1.3	35	1.0	8.3	36	90.9									
J824797		1.1	19	0.9	6.0	20	98.9		0.56	2.1	70.12	13.74	2.08	2.70	0.57	4.18
J824798		1.0	73	0.8	9.0	40	97.9									
J824799		0.9	82	1.4	9.8	67	92.1									
J824800		0.8	106	6.2	15.8	153	26.0	1.285								
J824801		0.4	44	1.2	6.7	57	107.0									
J824802		0.3	24	1.2	3.4	32	103.5									
J824803		0.3	23	0.9	3.3	32	95.5									
J824804		0.9	46	1.0	7.5	40	85.5									
J824805		1.1	49	1.1	9.0	33	109.5									
J824806		0.5	49	1.3	6.9	42	98.7									
J824807		0.3	39	1.8	5.9	37	85.5									
J824808		0.2	32	0.9	4.4	58	81.4									
J824809		0.6	39	1.3	7.3	29	102.0									
J824810		1.0	52	0.9	9.4	35	108.5									
J824811		1.0	47	1.0	9.4	23	89.2									
J824812		0.9	61	0.8	11.8	40	134.0									
J824813		0.9	73	2.2	13.3	74	150.0									
J824814		1.3	70	6.4	11.0	60	107.0									
J824815		1.3	151	11.1	14.5	170	32.8	2.19								
J824816		1.3	72	1.4	15.4	48	134.0									
J824816 CRD		1.3	65	1.9	13.8	44	139.5									
J824817		1.0	74	2.6	12.7	35	140.0		1.18	4.3	58.50	14.93	4.86	6.37	1.59	2.48
J824818		0.9	71	1.1	13.2	25	144.5									
J824819		0.9	63	2.6	11.6	39	87.6									
J824820		1.2	59	1.5	15.0	40	98.3									
J824821		0.9	72	2.2	13.7	61	70.2									
J824822		1.6	78	1.7	14.7	58	81.3									
J824823		1.0	86	0.3	14.3	60	84.1									
J824824		0.7	90	0.6	14.3	68	72.4									
J824825		0.8	93	0.3	15.3	71	71.4									
J824826		1.2	91	0.3	17.4	77	66.8									
J824827		1.1	53	0.2	12.1	43	74.3									
J824828		1.0	28	0.6	9.1	23	151.5									
J824829		0.9	37	1.9	9.3	43	157.0									
J824830		1.2	150	12.0	13.3	144	21.1									
J824831		0.9	29	0.9	7.1	44	157.5									
J824832		0.8	31	0.9	7.0	41	143.0									
J824833		0.7	58	1.6	7.6	82	137.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824796 J824796 CRD J824797 J824798 J824799		1.86	<0.01	0.23	0.02	0.064	0.03	0.04	3.04	98.67
J824800 J824801 J824802 J824803 J824804										
J824805 J824806 J824807 J824808 J824809										
J824810 J824811 J824812 J824813 J824814										
J824815 J824816 J824816 CRD J824817 J824818		2.40	<0.01	0.70	0.04	0.242	0.03	0.02	6.35	98.51
J824819 J824820 J824821 J824822 J824823										
J824824 J824825 J824826 J824827 J824828										
J824829 J824830 J824831 J824832 J824833										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J824834		2.42	0.105		0.15	6.43	0.2	280	1.03	0.06	1.89	0.04	53.2	9.0	26	0.54
J824835		3.86	0.040		0.11	6.60	1.0	30	0.79	0.09	6.15	0.10	109.0	42.3	224	0.07
J824836		3.82	0.099		0.08	6.53	0.6	510	1.15	0.03	3.03	0.05	33.9	10.9	25	0.69
J824836 CRD		<0.02	0.130		0.11	6.53	0.5	520	1.11	0.03	2.91	0.04	34.4	11.4	26	0.70
J824837		3.12	0.008	0.010	0.06	6.16	0.2	470	0.90	0.01	1.29	0.02	28.1	2.1	9	0.53
J824838		3.13	0.023		0.08	6.26	0.5	440	1.14	0.04	2.66	0.05	28.4	10.2	20	0.96
J824839		2.91	0.010		0.08	6.94	0.5	490	1.14	0.02	1.87	0.03	46.4	5.8	14	0.87
J824840		3.07	<0.005		0.05	6.61	<0.2	560	1.19	0.01	2.25	0.04	37.5	5.3	11	0.81
J824841		3.18	0.005		0.12	6.91	0.5	390	1.53	0.02	2.11	0.05	31.2	7.2	16	0.80
J824842		3.07	0.070		0.22	6.49	0.5	370	1.22	0.02	1.94	0.05	33.7	7.1	16	0.73
J824843		3.43	<0.005		0.04	6.96	<0.2	360	0.91	0.01	1.52	0.02	36.0	2.9	11	0.61
J824844		3.17	0.008		0.05	7.04	0.3	530	1.22	0.01	1.79	0.02	51.7	5.9	16	0.84
J824845		1.01	<0.005		<0.01	0.14	<5	10	<0.05	0.01	21.2	<0.02	2.77	1.2	8	0.09
J824846		3.23	0.010		0.05	6.44	0.5	400	0.78	0.02	2.14	0.03	25.7	8.8	37	0.66
J824847		2.85	<0.005		0.07	7.08	0.3	520	1.07	0.02	2.75	0.04	55.9	12.4	24	0.82
J824848		3.74	0.010		0.05	6.89	0.3	590	1.00	0.01	1.87	0.03	42.6	6.5	14	0.73
J824849		3.43	0.034		0.09	7.13	0.4	500	1.04	0.03	2.75	0.05	62.1	10.2	20	0.67
J824850		3.21	<0.005		0.08	7.28	0.6	430	1.14	0.03	2.98	0.04	57.0	11.9	25	0.61
J824851		3.18	<0.005		0.07	7.28	0.4	420	1.14	0.03	2.92	0.04	62.6	11.6	22	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J824834		53.6	2.45	20.8	0.15	4.3	0.035	1.06	22.2	14.2	0.79	321	0.37	3.08	7.6	25.1
J824835		20.1	5.95	18.25	0.25	3.4	0.052	0.06	47.0	65.7	5.07	1000	0.13	1.16	2.9	204
J824836		33.6	2.84	19.15	0.10	3.4	0.030	1.51	14.8	14.2	0.77	450	0.60	2.53	5.7	18.4
J824836 CRD		31.9	2.95	18.90	0.11	3.2	0.029	1.54	15.1	14.9	0.81	452	1.03	2.38	5.8	19.0
J824837		5.8	1.03	15.95	0.06	3.0	0.010	1.32	12.4	1.7	0.14	152	0.23	3.16	5.4	2.0
J824838		12.8	2.81	17.95	0.12	3.0	0.033	2.16	12.7	6.2	0.73	557	0.18	1.91	6.1	15.7
J824839		15.7	1.96	20.2	0.12	3.7	0.022	2.17	20.8	2.8	0.42	361	0.20	2.39	8.6	7.7
J824840		11.6	2.01	19.20	0.12	3.2	0.020	2.20	16.1	2.5	0.41	408	0.19	2.17	7.2	6.5
J824841		38.2	2.14	23.9	0.11	2.3	0.024	1.83	12.9	2.1	0.55	523	0.26	3.27	15.5	11.5
J824842		33.8	2.10	21.1	0.12	4.3	0.024	1.80	13.9	2.5	0.47	492	0.19	2.92	13.5	10.5
J824843		4.4	1.34	17.30	0.08	2.7	0.011	1.40	16.2	1.4	0.23	264	0.19	3.62	3.9	4.2
J824844		10.3	2.14	19.20	0.11	3.2	0.021	1.98	24.2	3.1	0.46	403	0.22	2.79	5.7	8.0
J824845		1.0	0.08	0.54	0.16	0.1	<0.005	0.11	2.0	4.5	12.95	51	0.14	0.02	0.4	3.0
J824846		7.2	2.15	17.35	0.09	2.1	0.021	1.65	11.1	4.0	0.72	409	0.20	2.67	4.2	24.5
J824847		21.2	3.17	21.3	0.15	2.7	0.036	1.90	22.7	12.3	0.99	630	0.15	2.41	6.9	19.5
J824848		15.3	2.15	19.25	0.13	2.5	0.021	1.66	18.8	9.2	0.49	341	0.14	2.69	5.3	9.5
J824849		13.7	2.96	20.6	0.16	3.3	0.027	1.56	25.6	16.2	0.77	485	0.20	2.68	4.9	14.7
J824850		17.1	3.04	21.2	0.14	3.2	0.033	1.36	22.9	19.7	0.94	482	0.14	2.87	6.0	18.4
J824851		19.9	2.98	20.2	0.16	2.7	0.028	1.32	25.6	19.1	0.94	468	0.16	2.81	5.6	17.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J824834		520	4.7	37.5	<0.002	0.01	0.15	6.3	<1	1.4	188.0	0.58	0.05	3.4	0.181	0.16
J824835		1630	10.2	1.2	<0.002	<0.01	0.32	23.1	<1	0.6	397	0.19	<0.05	5.5	0.247	<0.02
J824836		300	5.7	47.8	<0.002	0.01	0.16	8.8	<1	1.3	208	0.61	<0.05	4.5	0.183	0.23
J824836 CRD		310	5.5	49.5	<0.002	0.01	0.16	9.3	<1	1.3	199.5	0.61	<0.05	4.4	0.194	0.23
J824837		120	4.7	43.4	<0.002	0.01	0.06	2.0	<1	0.8	160.0	0.54	<0.05	7.0	0.046	0.18
J824838		290	5.2	59.8	<0.002	0.04	0.13	8.5	<1	1.7	140.0	0.84	<0.05	4.1	0.182	0.31
J824839		370	6.0	60.4	<0.002	0.04	0.09	5.2	<1	1.4	152.5	0.68	<0.05	7.9	0.126	0.29
J824840		340	6.5	55.6	<0.002	0.02	0.07	4.5	<1	1.2	167.5	0.44	<0.05	5.6	0.117	0.29
J824841		550	9.2	53.0	<0.002	0.06	0.10	5.3	<1	1.2	169.0	8.50	<0.05	3.4	0.144	0.26
J824842		460	12.3	51.7	<0.002	0.11	0.09	5.8	<1	1.2	169.0	5.33	<0.05	4.9	0.124	0.24
J824843		190	4.9	47.7	<0.002	0.02	0.07	2.5	<1	0.7	181.0	0.28	<0.05	7.4	0.063	0.18
J824844		410	5.1	55.5	<0.002	0.03	0.09	5.1	<1	1.3	180.0	0.54	<0.05	7.3	0.122	0.27
J824845		10	1.0	2.6	<0.002	0.03	<0.05	0.3	<1	<0.2	66.0	<0.05	<0.05	0.2	0.007	<0.02
J824846		310	4.7	50.1	<0.002	0.04	0.10	5.6	<1	0.9	178.5	0.53	<0.05	3.5	0.127	0.22
J824847		850	6.5	52.7	<0.002	0.03	0.18	8.5	<1	1.5	221	0.66	<0.05	4.7	0.242	0.29
J824848		440	5.8	55.8	<0.002	0.01	0.10	4.5	<1	1.1	220	0.47	<0.05	5.7	0.138	0.25
J824849		680	6.3	46.6	<0.002	0.03	0.13	6.9	<1	1.0	251	0.40	<0.05	6.2	0.183	0.23
J824850		780	7.4	37.4	<0.002	<0.01	0.12	8.1	<1	1.3	345	0.73	<0.05	5.3	0.203	0.20
J824851		780	7.5	39.9	<0.002	<0.01	0.13	7.8	<1	1.2	336	0.72	<0.05	6.6	0.209	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J824834		0.8	37	1.5	8.4	41	164.5									
J824835		1.0	144	0.6	12.7	128	125.5									
J824836		1.2	55	1.6	7.2	48	110.5									
J824836 CRD		1.2	59	1.5	6.9	50	104.0									
J824837		1.3	10	0.8	4.8	13	82.2		0.41	1.5	72.97	13.73	1.49	1.90	0.29	4.66
J824838		1.4	58	1.9	5.3	51	98.6									
J824839		2.4	27	1.5	6.4	37	118.0									
J824840		1.6	25	1.2	5.5	41	109.0									
J824841		2.1	39	1.0	4.7	41	69.1									
J824842		2.3	33	1.5	5.2	44	83.8									
J824843		1.6	15	0.9	4.5	26	67.8									
J824844		1.5	29	1.4	6.0	41	104.5									
J824845		0.1	3	<0.1	1.6	<2	2.1									
J824846		1.4	40	1.1	3.9	33	59.9									
J824847		1.3	65	0.5	5.8	73	99.5									
J824848		1.0	33	0.4	5.0	52	83.6									
J824849		1.0	51	0.9	6.0	70	121.0									
J824850		0.9	62	0.8	8.6	62	113.5									
J824851		0.9	60	0.5	8.3	60	97.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824834										
J824835										
J824836										
J824836 CRD										
J824837		1.68	<0.01	0.08	0.01	0.033	0.03	0.05	2.20	99.12
J824838										
J824839										
J824840										
J824841										
J824842										
J824843										
J824844										
J824845										
J824846										
J824847										
J824848										
J824849										
J824850										
J824851										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180104

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.