ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
This copy reported on 2-MAY-2011
Account: OSIHRG

CERTIFICATE TB10187451

Project: HAMMOND REEF

P.O. No.:

This report is for 127 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J807852		3.25	0.026		0.08	6.93	<0.2	470	0.95	0.02	1.56	0.03	36.8	4.9	6	0.93
J807853		3.03	0.155		0.17	6.31	0.8	300	0.77	0.07	1.97	0.03	19.55	4.6	6	0.71
J807854		3.11	0.010		0.46	6.64	1.0	440	0.93	0.12	2.67	0.03	54.2	7.6	7	0.82
J807855		2.91	0.043		0.16	7.66	0.5	390	0.95	0.03	2.09	0.02	23.4	11.1	4	0.87
J807856		3.07	0.006		0.11	7.12	0.3	390	0.85	0.03	2.30	0.03	38.3	6.4	4	0.79
J807857		3.20	0.011		0.12	7.15	<0.2	410	0.93	0.02	2.38	0.02	20.4	6.3	8	0.85
J807858		3.05	0.007		0.13	7.17	<0.2	400	0.86	0.01	2.52	0.03	33.3	6.2	7	0.86
J807859		3.16	<0.005		0.05	7.21	0.5	350	0.82	0.01	1.53	0.02	16.85	3.1	5	0.71
J807860		0.07	0.947		4.74	6.37	21.3	470	0.67	1.86	2.40	2.05	17.90	14.1	58	0.73
J807861		3.23	<0.005		0.09	5.52	<0.2	360	0.67	0.01	4.15	0.04	13.70	3.4	5	0.67
J807862		3.19	<0.005		0.08	7.32	<0.2	540	0.89	0.01	1.84	<0.02	20.6	5.2	7	0.88
J807863		3.03	<0.005		0.06	6.81	0.3	390	0.91	0.03	1.41	0.02	36.4	4.2	6	0.67
J807864		3.18	<0.005		0.06	7.02	<0.2	690	0.83	0.02	1.76	0.02	20.1	3.8	7	0.77
J807865		3.05	<0.005		0.05	6.79	<0.2	660	0.95	0.02	1.76	0.02	21.9	4.1	4	0.82
J807866		3.37	<0.005		0.07	7.20	<0.2	550	0.96	0.02	2.18	0.02	44.4	7.0	7	0.77
J807867		2.97	<0.005		0.06	6.86	0.2	700	0.84	0.01	1.70	0.02	52.7	3.7	6	0.77
J807868		3.07	<0.005		0.08	6.67	<0.2	660	0.74	0.01	1.74	<0.02	55.5	3.7	7	0.61
J807869		3.09	<0.005		0.07	7.05	<0.2	470	0.88	0.01	1.81	<0.02	33.5	4.1	8	0.50
J807870		3.06	<0.005		0.04	7.10	0.8	410	1.06	0.04	2.16	0.03	66.3	8.0	16	0.59
J807871		3.05	<0.005		<0.01	6.86	0.3	640	0.92	<0.01	1.98	0.02	31.7	4.7	11	0.68
J807871 CRD		<0.02	<0.005		<0.01	6.81	0.2	640	0.86	<0.01	1.99	0.02	33.4	4.9	11	0.67
J807872		3.13	0.009	0.005	0.03	7.01	<0.2	440	1.01	0.01	2.60	0.06	66.2	9.6	14	0.85
J807873		3.23	0.048		0.21	6.88	<0.2	340	0.99	0.02	2.55	0.04	57.6	8.4	12	0.80
J807874		3.19	0.061		0.18	6.81	0.8	420	1.09	0.05	1.94	0.05	43.4	5.5	10	0.92
J807875		0.12	2.40		8.15	6.15	49.1	570	0.77	2.92	1.46	0.84	51.7	14.5	52	2.95
J807876		3.32	<0.005		0.09	7.16	1.1	390	1.14	0.01	2.83	0.05	73.7	11.1	17	0.87
J807877		3.01	<0.005		0.55	5.81	<0.2	340	0.64	0.16	0.92	0.02	24.4	0.8	9	0.40
J807878		2.92	0.008		0.03	6.75	<0.2	350	0.93	0.08	2.42	0.06	27.0	8.3	14	0.75
J807879		3.42	0.005		0.05	7.11	<0.2	430	0.90	0.05	2.88	0.05	57.5	9.8	15	0.87
J807880		3.58	0.034		0.12	7.41	<0.2	470	0.88	0.06	2.79	0.06	67.0	10.0	16	0.93
J807881		3.48	0.197		0.22	7.18	<0.2	390	0.90	0.07	3.04	0.11	58.4	9.7	17	0.96
J807882		3.45	0.986		0.56	7.42	<0.2	480	1.03	0.15	2.87	0.11	45.1	10.4	9	0.90
J807883		3.05	0.139		0.08	7.04	<0.2	390	0.82	0.03	1.76	0.04	26.2	2.4	6	0.61
J807884		3.37	1.625		1.05	6.79	<0.2	380	0.86	0.08	2.15	0.06	33.3	4.6	6	0.78
J807885		3.60	0.268		0.17	6.75	<0.2	420	0.90	0.09	1.60	0.04	44.5	3.2	6	0.79
J807886		3.52	1.350		1.14	6.97	<0.2	510	1.00	0.28	1.88	0.06	39.0	5.5	8	0.90
J807887		3.35	0.007		0.06	7.80	<0.2	400	1.06	0.02	4.57	0.05	39.0	2.7	8	1.17
J807888		3.09	<0.005		<0.01	6.20	<0.2	120	0.92	0.01	1.59	0.03	14.80	1.0	6	0.37
J807889		3.12	0.007		0.05	6.81	<0.2	130	0.78	0.01	2.06	0.04	41.6	4.3	11	0.52
J807890		0.07	0.417		2.10	7.60	103.5	590	1.20	0.53	0.56	0.99	30.9	17.1	34	6.92

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J807852		11.3	2.05	18.15	0.18	2.8	0.013	2.24	18.6	9.8	0.45	247	0.21	2.09	3.3	4.8
J807853		10.6	1.71	14.95	0.15	2.5	0.016	1.57	10.4	10.0	0.38	259	0.74	2.60	4.5	3.3
J807854		21.0	2.43	19.20	0.23	3.5	0.022	2.08	26.3	17.8	0.68	386	0.35	2.24	6.0	6.4
J807855		12.0	3.30	19.75	0.21	2.4	0.025	2.01	11.5	21.6	0.79	381	0.22	2.26	5.6	5.1
J807856		7.8	2.24	17.90	0.21	3.0	0.021	1.83	17.4	13.4	0.48	320	8.74	2.55	4.4	3.6
J807857		9.8	2.25	18.40	0.17	3.1	0.018	1.98	10.0	13.7	0.48	332	0.25	2.62	3.9	5.4
J807858		10.1	2.12	18.70	0.21	3.4	0.018	1.94	15.2	12.6	0.48	324	0.19	2.46	3.9	5.3
J807859		11.7	1.26	17.70	0.15	3.5	0.010	1.70	9.2	6.3	0.26	186	0.19	3.40	2.6	3.0
J807860		>10000	4.55	13.25	0.18	1.1	0.129	0.88	9.8	14.8	1.17	656	236	2.21	3.5	28.2
J807861		11.5	1.36	15.30	0.16	2.7	0.014	1.63	7.1	7.4	0.25	399	0.35	2.66	2.8	2.3
J807862		5.6	1.82	18.40	0.18	3.4	0.015	2.20	12.1	10.0	0.39	272	0.18	2.45	3.6	4.9
J807863		10.0	1.50	17.20	0.20	3.5	0.012	1.71	18.3	8.9	0.32	223	0.17	2.92	3.1	4.0
J807864		14.9	1.74	17.40	0.16	3.2	0.010	1.87	11.5	7.2	0.27	257	0.32	2.94	3.2	3.2
J807865		6.3	1.92	17.65	0.19	2.7	0.020	2.08	11.5	8.4	0.29	294	0.17	2.40	4.9	1.9
J807866		5.8	2.66	19.30	0.24	3.5	0.032	1.83	21.2	13.0	0.48	427	0.16	2.71	7.8	3.7
J807867		1.9	1.87	16.90	0.21	4.9	0.018	1.84	29.2	8.1	0.31	292	0.17	2.75	6.7	3.3
J807868		4.2	1.87	16.50	0.19	4.9	0.018	1.47	32.1	8.9	0.32	301	0.16	2.79	8.9	3.2
J807869		2.7	1.68	17.30	0.20	3.9	0.013	1.26	16.7	8.6	0.31	274	0.12	3.16	5.5	3.1
J807870		50.6	2.64	21.6	0.10	2.9	0.030	1.17	31.6	16.3	0.60	430	0.15	2.88	7.7	8.4
J807871		6.5	1.76	18.90	0.08	2.6	0.012	1.44	15.5	8.4	0.33	286	0.14	3.00	4.8	4.6
J807871 CRD		7.1	1.84	18.90	0.10	2.5	0.011	1.43	16.6	8.9	0.34	294	0.15	2.92	5.0	4.1
J807872		36.0	2.82	20.2	0.12	2.8	0.030	1.88	31.2	18.7	0.75	484	0.19	2.43	7.9	9.6
J807873		30.8	2.63	21.0	0.11	3.2	0.025	1.71	27.4	15.8	0.60	457	0.22	2.68	6.6	7.4
J807874		394	2.03	20.1	0.10	3.7	0.018	1.97	20.6	9.8	0.39	335	1.87	2.44	6.1	4.9
J807875		>10000	5.07	14.15	0.14	1.2	0.103	2.51	23.8	15.6	1.06	553	97.1	1.50	6.1	32.0
J807876		42.6	3.17	20.0	0.21	3.5	0.037	1.75	35.6	20.8	0.79	598	0.15	2.43	8.4	11.9
J807877		8.6	0.72	15.55	0.07	3.2	<0.005	1.19	12.0	0.8	0.05	113	0.43	3.34	1.8	1.7
J807878		10.8	2.33	19.00	0.11	3.3	0.023	1.67	12.8	13.8	0.60	453	0.33	2.71	5.9	12.7
J807879		31.0	3.06	18.05	0.18	2.3	0.030	1.64	27.3	17.5	0.82	539	0.16	2.55	5.8	11.1
J807880		27.1	3.21	18.55	0.21	2.7	0.029	1.89	32.4	16.9	0.84	518	1.94	2.39	5.6	10.4
J807881		36.8	3.25	18.05	0.19	2.5	0.030	2.28	28.0	13.3	0.79	518	0.31	1.85	5.9	10.7
J807882		25.8	3.15	19.15	0.19	3.1	0.032	2.82	20.6	8.1	0.66	492	0.41	1.38	6.6	7.5
J807883		7.1	1.51	16.25	0.13	3.0	0.012	2.06	13.3	3.9	0.21	236	0.24	2.36	4.5	2.8
J807884		8.7	2.03	16.85	0.14	3.7	0.019	2.26	16.7	4.0	0.29	317	0.28	2.06	5.3	3.6
J807885		9.9	1.70	16.60	0.14	3.5	0.019	2.24	23.0	3.0	0.24	244	0.43	2.04	5.5	3.2
J807886		18.9	2.37	18.55	0.17	2.9	0.025	2.64	17.8	3.6	0.42	335	2.11	1.50	5.8	4.4
J807887		4.1	1.73	23.0	0.18	3.5	0.029	3.43	17.8	4.7	0.22	261	0.23	1.73	7.9	2.9
J807888		2.4	0.77	20.6	0.10	1.8	0.022	1.04	6.4	2.6	0.07	129	0.21	3.58	20.8	1.2
J807889		5.9	1.87	19.95	0.16	1.9	0.022	1.20	19.6	15.3	0.34	210	0.33	2.82	11.6	4.7
J807890		4620	4.85	16.95	0.19	0.7	0.057	5.27	16.7	10.9	0.77	505	268	1.02	4.9	22.3

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J807852		380	3.2	60.6	<0.002	0.04	0.14	2.7	1	0.7	126.5	0.37	<0.05	5.7	0.160	0.30
J807853		410	4.7	39.6	<0.002	<0.01	0.12	3.8	1	0.7	97.6	0.76	0.11	4.1	0.126	0.21
J807854		680	4.6	41.1	<0.002	0.05	0.20	5.1	2	1.1	98.7	0.75	<0.05	6.0	0.174	0.27
J807855		1100	4.0	53.2	<0.002	<0.01	0.26	7.0	2	1.0	114.0	0.53	<0.05	3.2	0.302	0.31
J807856		530	3.4	50.5	<0.002	<0.01	0.15	4.9	1	0.9	143.0	0.41	<0.05	7.1	0.175	0.28
J807857		410	3.4	49.3	<0.002	<0.01	0.13	4.4	1	0.8	165.0	0.47	<0.05	5.4	0.178	0.30
J807858		380	3.4	52.4	<0.002	<0.01	0.10	4.1	1	1.0	154.5	0.60	<0.05	5.0	0.174	0.30
J807859		230	2.9	48.3	<0.002	<0.01	0.09	2.5	1	0.5	119.0	0.31	<0.05	5.8	0.099	0.24
J807860		570	34.1	21.3	1.370	1.61	23.0	13.5	6	1.0	284	0.27	0.59	2.1	0.327	0.21
J807861		220	3.2	34.2	<0.002	<0.01	0.12	2.1	1	0.6	149.0	0.32	<0.05	3.6	0.107	0.23
J807862		340	2.8	56.6	<0.002	<0.01	0.11	3.4	1	1.0	122.5	0.46	<0.05	4.2	0.150	0.30
J807863		280	4.5	47.3	<0.002	<0.01	0.08	2.8	1	0.6	137.5	0.41	<0.05	7.6	0.121	0.24
J807864		240	3.6	49.2	<0.002	<0.01	0.08	2.2	1	0.6	173.5	0.34	<0.05	3.9	0.114	0.27
J807865		380	3.3	56.0	<0.002	0.02	0.11	3.0	1	1.0	113.5	0.47	<0.05	3.8	0.139	0.30
J807866		610	5.3	49.7	<0.002	<0.01	0.09	5.5	2	1.5	166.5	0.75	<0.05	6.5	0.229	0.28
J807867		320	4.9	55.5	<0.002	<0.01	0.08	3.3	1	1.2	131.5	0.63	<0.05	10.5	0.139	0.28
J807868		320	6.7	43.3	<0.002	<0.01	0.10	3.4	1	1.1	185.0	0.49	<0.05	10.2	0.138	0.23
J807869		280	5.4	38.1	<0.002	<0.01	0.11	2.9	1	0.8	239	0.27	<0.05	5.8	0.136	0.21
J807870		690	14.8	43.8	<0.002	0.03	0.17	8.2	1	1.3	286	0.72	<0.05	7.6	0.217	0.18
J807871		310	6.5	48.7	<0.002	0.03	0.09	3.4	1	0.8	241	0.52	<0.05	4.0	0.135	0.19
J807871 CRD		310	6.7	49.6	<0.002	0.03	0.08	3.5	1	0.8	238	0.57	<0.05	4.1	0.136	0.20
J807872		690	8.1	59.1	<0.002	0.06	0.12	8.7	1	1.3	199.0	1.08	<0.05	7.7	0.231	0.23
J807873		620	6.1	53.5	<0.002	0.13	0.10	7.0	1	1.2	206	0.72	0.11	6.8	0.183	0.23
J807874		390	7.0	66.1	<0.002	0.08	0.21	4.9	1	1.2	173.5	0.62	<0.05	6.9	0.131	0.26
J807875		790	60.9	81.0	0.114	2.15	6.15	15.8	7	2.4	231	0.26	0.90	4.5	0.285	0.62
J807876		760	7.1	61.3	<0.002	0.06	0.20	8.4	1	1.7	251	0.85	<0.05	6.8	0.266	0.24
J807877		60	28.9	33.0	<0.002	0.02	0.06	1.1	1	0.5	118.5	0.07	0.25	6.9	0.025	0.11
J807878		270	7.9	51.6	<0.002	0.04	0.09	8.2	1	1.3	164.0	0.60	<0.05	4.4	0.166	0.20
J807879		710	5.8	45.4	<0.002	0.05	0.11	8.0	1	1.1	240	0.47	<0.05	6.5	0.239	0.25
J807880		710	7.4	52.9	<0.002	0.11	0.14	7.7	1	0.9	235	0.55	<0.05	7.3	0.217	0.27
J807881		760	6.8	56.0	<0.002	0.21	0.14	8.0	1	1.1	183.5	0.75	0.09	5.9	0.221	0.28
J807882		740	6.4	62.7	<0.002	0.42	0.15	7.0	1	1.1	112.0	0.56	0.11	4.7	0.221	0.32
J807883		190	7.5	46.8	<0.002	0.03	0.09	2.5	1	0.9	128.5	0.49	<0.05	5.6	0.076	0.21
J807884		360	6.8	50.5	<0.002	0.29	0.10	3.4	1	1.1	118.0	0.53	0.11	5.8	0.121	0.24
J807885		280	5.0	53.8	<0.002	0.18	0.10	3.0	1	1.2	93.3	0.44	0.08	6.7	0.095	0.25
J807886		510	5.7	63.7	<0.002	0.38	0.12	4.9	1	1.0	77.7	0.39	0.32	5.4	0.149	0.32
J807887		430	5.6	66.0	<0.002	0.02	0.12	3.9	1	1.3	176.5	0.35	<0.05	5.8	0.155	0.39
J807888		60	5.1	30.3	<0.002	<0.01	0.05	6.1	1	2.6	159.0	1.78	<0.05	6.6	0.023	0.12
J807889		410	4.3	32.8	<0.002	<0.01	0.12	5.3	1	1.6	148.0	0.90	<0.05	4.3	0.113	0.14
J807890		1140	38.3	93.9	0.556	2.49	6.84	11.6	8	2.7	261	0.32	0.91	2.6	0.252	1.29

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J807852		0.9	39	1.5	4.4	41	101.5									
J807853		0.9	33	1.0	7.2	33	63.0									
J807854		0.9	47	1.2	8.5	59	117.5									
J807855		0.8	70	1.2	8.1	75	60.0									
J807856		0.8	40	0.7	6.9	48	92.1									
J807857		0.7	38	0.7	5.5	50	113.5									
J807858		0.9	32	0.6	6.9	49	138.0									
J807859		1.3	19	0.7	5.5	27	111.0									
J807860		0.8	107	6.8	14.1	143	26.4	1.255								
J807861		0.7	20	0.8	5.3	33	95.3									
J807862		1.0	28	0.6	4.4	48	129.5									
J807863		1.1	22	0.3	5.5	43	114.5									
J807864		0.8	23	0.2	4.2	39	119.0									
J807865		1.0	28	0.9	7.0	45	71.3									
J807866		1.1	39	0.5	10.5	74	117.0									
J807867		1.7	15	0.4	8.0	49	189.5									
J807868		1.6	14	0.1	7.3	53	186.5									
J807869		0.9	19	0.1	4.7	43	138.5									
J807870		1.7	43	0.2	11.9	71	111.5									
J807871		1.7	24	0.7	6.3	40	105.5									
J807871 CRD		1.6	24	0.8	6.5	40	101.0									
J807872		1.8	57	2.0	10.2	69	117.5		0.77	2.8	63.02	15.56	4.43	4.00	1.50	3.55
J807873		1.4	43	2.2	9.4	61	130.5									
J807874		2.3	26	0.9	8.5	43	138.0									
J807875		1.3	138	9.9	13.9	155	42.6	2.10								
J807876		1.3	62	0.3	12.3	77	127.5									
J807877		2.4	4	0.7	3.7	13	90.3									
J807878		1.9	47	1.5	6.3	49	109.5									
J807879		0.6	60	0.7	8.8	69	95.0									
J807880		1.0	60	1.0	6.8	71	108.0									
J807881		1.1	60	4.9	7.8	76	101.5									
J807882		1.4	50	10.3	6.7	62	126.0									
J807883		1.3	13	2.5	5.8	34	101.0									
J807884		1.3	21	3.6	7.3	43	143.5									
J807885		1.3	17	2.8	7.2	34	127.5									
J807886		0.9	36	5.4	5.7	38	111.5									
J807887		0.8	28	1.3	5.5	23	137.0									
J807888		0.5	5	0.4	10.3	4	32.4									
J807889		0.3	21	0.4	5.4	22	57.3									
J807890		1.1	163	11.9	14.9	158	22.9									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J807852										
J807853										
J807854										
J807855										
J807856										
J807857										
J807858										
J807859										
J807860										
J807861										
J807862										
J807863										
J807864										
J807865										
J807866										
J807867										
J807868										
J807869										
J807870										
J807871										
J807871 CRD										
J807872		2.39	0.01	0.48	0.06	0.162	0.03	0.05	4.54	99.78
J807873										
J807874										
J807875										
J807876										
J807877										
J807878										
J807879										
J807880										
J807881										
J807882										
J807883										
J807884										
J807885										
J807886										
J807887										
J807888										
J807889										
J807890										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J807891		3.04	<0.005		0.02	6.73	<0.2	170	0.94	0.01	2.25	0.03	43.2	3.5	7	0.58
J807891 CRD		<0.02	<0.005		0.02	6.76	<0.2	180	0.98	0.01	2.22	0.03	45.8	3.7	7	0.59
J807892		3.30	<0.005	<0.005	0.03	6.13	<0.2	130	0.93	0.01	1.87	0.03	21.7	1.7	11	0.48
J807893		3.21	0.006		<0.01	6.78	<0.2	230	0.94	0.01	2.10	0.02	43.3	4.8	9	0.58
J807894		2.70	<0.005		<0.01	6.42	<0.2	210	1.08	0.01	2.04	<0.02	18.95	2.3	7	0.51
J807895		3.70	<0.005		0.01	6.46	<0.2	180	0.88	0.01	2.25	0.02	45.0	4.3	10	0.53
J807896		3.20	0.019		0.02	6.42	<0.2	280	0.74	0.01	2.87	0.03	38.8	4.1	9	0.71
J807897		3.30	0.010		0.04	6.82	<0.2	650	0.82	0.01	1.86	0.02	35.9	4.0	7	0.69
J807898		3.20	0.008		0.07	7.08	<0.2	540	0.99	0.03	1.68	0.03	37.6	4.0	8	0.76
J807899		3.17	0.006		0.02	6.95	<0.2	280	1.21	0.03	0.83	0.02	54.6	1.4	5	0.59
J807900		0.07	1.000		4.56	6.51	19.3	470	0.71	1.87	2.46	2.11	20.3	13.6	59	0.78
J807901		3.11	0.083		0.25	7.28	<0.2	380	1.08	0.07	2.43	0.05	45.6	6.8	6	1.02
J807902		3.29	0.008		0.05	7.83	<0.2	320	1.13	0.03	3.03	0.05	41.2	10.1	20	1.10
J807903		3.55	0.024		0.05	7.61	<0.2	340	1.01	0.04	2.77	0.04	42.6	12.1	7	1.10
J807904		4.14	0.396		0.14	5.47	<0.2	530	0.89	0.13	5.62	0.10	87.7	34.8	475	0.25
J807905		3.85	0.006		0.13	7.05	0.3	770	0.83	0.08	5.02	0.09	114.0	30.4	302	0.14
J807906		3.09	0.270		0.45	7.21	<0.2	770	1.26	0.13	2.01	0.03	57.2	4.5	13	1.16
J807907		2.28	0.192		0.19	6.78	<0.2	680	1.23	0.08	2.71	0.08	53.2	7.3	23	1.44
J807908		3.31	0.052		0.09	6.82	<0.2	450	0.92	0.02	1.49	0.03	47.7	3.1	5	1.12
J807909		3.39	0.182		0.22	6.76	<0.2	490	1.20	0.07	2.79	0.06	30.0	8.1	74	1.56
J807910		3.50	0.188		0.21	7.51	<0.2	550	1.26	0.05	2.35	0.06	48.7	7.8	10	1.34
J807911		3.20	0.282		0.63	7.03	<0.2	510	1.28	0.07	2.35	0.04	39.9	8.2	10	1.35
J807911 CRD		<0.02	0.261		0.41	7.15	<0.2	520	1.25	0.08	2.38	0.05	49.9	8.8	12	1.33
J807912		3.51	0.717	0.726	0.48	7.61	<0.2	590	1.30	0.12	2.47	0.04	22.3	8.9	7	1.49
J807913		3.25	0.224		0.36	6.93	<0.2	510	1.08	0.11	1.57	0.03	41.6	6.8	8	1.13
J807914		3.38	0.243		0.18	6.55	<0.2	550	1.20	0.06	2.57	0.05	38.9	9.6	9	1.27
J807915		0.11	2.29		8.53	6.62	45.3	640	0.80	3.11	1.60	0.99	54.0	17.0	58	3.31
J807916		3.66	0.380		0.39	6.27	<0.2	580	1.28	0.11	2.53	0.05	37.5	9.9	11	1.36
J807917		3.12	0.411		0.39	6.66	<0.2	520	1.17	0.09	2.93	0.08	38.0	10.8	9	1.35
J807918		3.80	0.252		0.23	6.78	0.2	460	0.94	0.07	1.88	0.06	35.3	5.4	11	1.13
J807919		3.55	0.143		0.17	5.85	0.5	190	0.53	0.10	0.61	<0.02	11.15	1.7	10	0.41
J807920		2.33	0.036		0.06	7.01	0.5	570	1.04	0.03	1.91	0.06	45.5	5.6	10	1.32
J807921		3.45	0.043		0.05	6.40	0.5	450	1.09	0.03	1.96	0.06	26.8	4.7	10	1.13
J807922		3.17	0.201		0.41	6.96	0.4	630	1.49	0.08	2.72	0.08	41.0	7.0	8	1.43
J807923		3.26	0.019		0.01	7.09	0.5	700	1.15	0.03	2.25	0.07	32.9	8.0	13	1.62
J807924		3.21	0.020		0.02	6.71	0.2	570	0.97	0.02	2.04	0.06	56.1	5.5	9	1.29
J807925		3.32	0.020		0.02	6.86	0.6	440	0.86	0.04	1.81	0.04	54.2	3.3	9	1.07
J807926		2.99	0.085		<0.01	7.22	0.3	500	0.90	0.03	1.78	0.06	64.8	4.3	7	1.07
J807927		3.30	0.181		0.08	6.70	0.6	510	0.91	0.04	1.92	0.05	37.9	5.9	11	1.12
J807928		3.16	0.119		0.08	6.93	0.4	500	0.97	0.04	2.27	0.06	41.2	5.5	10	1.21

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J807891		5.8	1.55	18.20	0.14	2.6	0.015	1.45	20.4	12.6	0.31	204	0.75	2.46	7.0	3.7
J807891 CRD		6.7	1.40	18.50	0.16	2.8	0.016	1.51	21.6	13.3	0.32	189	0.35	2.46	7.9	3.8
J807892		5.0	0.94	15.90	0.12	2.2	0.009	1.32	10.0	5.8	0.15	150	0.43	2.73	5.6	4.6
J807893		1.3	2.02	18.85	0.15	3.3	0.019	1.32	20.6	16.4	0.40	252	0.20	2.64	5.8	4.4
J807894		0.9	1.35	17.00	0.13	2.0	0.013	1.18	8.8	9.5	0.17	189	0.25	2.69	5.8	2.4
J807895		0.4	1.59	17.60	0.16	2.6	0.017	1.25	20.9	18.0	0.40	157	0.16	2.53	5.0	3.8
J807896		5.7	1.66	16.75	0.16	2.5	0.020	1.88	18.1	13.4	0.41	160	0.15	1.80	5.6	5.9
J807897		15.1	1.73	16.85	0.16	2.4	0.016	1.59	17.3	9.1	0.32	232	0.23	2.82	4.9	4.6
J807898		14.5	1.70	18.50	0.15	2.3	0.018	1.74	17.8	8.4	0.32	263	0.27	2.84	7.0	4.3
J807899		6.2	1.38	22.0	0.14	3.4	0.033	1.17	26.7	3.6	0.14	248	0.26	3.76	17.3	0.8
J807900		>10000	4.67	13.00	0.19	0.9	0.136	0.85	10.0	13.8	1.19	677	247	2.12	3.9	31.6
J807901		17.2	2.77	20.7	0.20	3.5	0.037	2.13	20.2	13.3	0.52	472	0.68	2.34	11.1	4.0
J807902		9.6	3.17	20.3	0.21	2.8	0.042	2.23	19.2	20.1	0.83	536	0.47	2.20	6.1	16.8
J807903		20.6	3.91	21.5	0.22	3.4	0.047	2.16	17.0	20.5	0.83	437	5.34	2.22	8.9	7.9
J807904		46.1	5.19	13.10	0.21	2.3	0.039	0.44	40.0	54.6	5.39	1020	0.37	1.62	2.9	267
J807905		116.5	5.14	15.35	0.22	2.8	0.038	0.16	53.0	59.0	4.40	945	0.47	3.24	3.0	161.0
J807906		28.0	1.90	19.70	0.17	4.4	0.022	2.35	29.1	3.9	0.49	354	0.50	2.43	7.0	8.1
J807907		8.6	2.85	20.4	0.20	3.7	0.028	2.79	26.8	4.0	1.03	665	0.90	1.44	6.4	11.9
J807908		5.9	1.55	17.60	0.16	2.7	0.014	2.16	25.4	2.6	0.36	287	0.74	2.28	3.6	3.7
J807909		17.4	2.53	19.95	0.17	2.5	0.028	2.77	14.5	4.4	0.92	501	0.78	1.61	5.9	36.5
J807910		20.5	2.71	21.8	0.20	2.1	0.027	2.84	24.1	3.0	0.77	590	0.42	2.22	5.7	9.9
J807911		27.2	2.56	21.7	0.20	2.1	0.027	2.82	19.4	2.8	0.68	528	0.22	2.00	7.0	8.5
J807911 CRD		25.2	2.56	21.7	0.19	2.4	0.028	2.87	24.7	2.9	0.70	528	0.23	1.99	6.9	8.7
J807912		23.2	2.94	23.7	0.19	2.1	0.041	3.20	9.4	2.8	0.63	560	0.48	1.87	12.9	6.1
J807913		12.3	2.03	21.8	0.13	2.3	0.022	2.52	20.5	3.2	0.42	347	0.41	2.32	5.1	7.5
J807914		16.8	2.72	22.3	0.16	1.8	0.028	2.80	18.4	3.6	0.68	594	0.29	2.04	6.5	9.8
J807915		>10000	5.72	14.75	0.21	1.1	0.108	2.74	25.2	17.2	1.17	629	114.0	1.60	7.2	33.1
J807916		32.9	2.70	24.2	0.16	2.2	0.037	3.07	17.2	4.3	0.61	598	0.37	1.91	9.9	10.3
J807917		23.1	2.73	22.5	0.15	1.9	0.026	2.87	18.2	4.0	0.65	562	0.43	2.27	5.3	10.2
J807918		16.1	1.98	19.30	0.07	2.2	0.023	2.40	17.3	3.2	0.44	384	0.22	2.33	5.7	7.5
J807919		2.1	1.00	14.25	<0.05	1.4	0.006	1.05	5.2	1.5	0.09	110	4.39	3.53	2.2	2.2
J807920		10.2	2.06	22.2	0.09	2.8	0.025	2.93	22.4	4.0	0.42	391	0.37	1.87	8.0	6.2
J807921		22.2	2.12	19.05	0.07	2.5	0.022	2.39	12.2	4.0	0.35	416	0.26	2.28	6.9	4.0
J807922		4.5	2.69	23.4	0.10	3.7	0.029	3.26	18.6	5.5	0.55	524	0.37	1.53	7.3	7.8
J807923		9.4	2.89	23.8	0.10	3.2	0.032	3.56	14.9	6.5	0.65	519	0.26	1.12	8.2	11.4
J807924		4.2	2.38	20.7	0.09	3.8	0.021	2.91	28.5	4.8	0.51	423	0.27	1.40	6.6	8.5
J807925		4.7	1.75	19.45	0.09	4.7	0.016	2.34	27.5	3.5	0.27	298	0.24	2.39	5.9	4.2
J807926		9.9	1.75	20.3	0.09	4.9	0.018	2.46	33.8	3.6	0.29	302	0.14	2.61	10.7	4.4
J807927		12.4	2.20	20.2	0.09	3.1	0.021	2.61	18.0	3.8	0.40	410	0.43	2.33	5.4	6.3
J807928		13.0	2.16	19.80	0.09	3.2	0.022	2.63	19.6	3.7	0.41	421	0.37	2.30	5.2	5.6

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J807891		350	4.5	39.7	<0.002	<0.01	0.10	3.7	1	1.0	155.5	0.55	<0.05	6.6	0.097	0.16
J807891 CRD		360	4.5	40.9	<0.002	<0.01	0.10	3.9	1	1.1	153.5	0.66	<0.05	6.8	0.108	0.16
J807892		120	4.4	34.2	<0.002	<0.01	0.06	2.5	1	0.8	156.0	0.59	<0.05	6.0	0.043	0.14
J807893		390	4.4	45.5	<0.002	<0.01	0.13	4.0	1	0.9	168.0	0.35	<0.05	6.4	0.115	0.20
J807894		180	4.7	38.9	<0.002	<0.01	0.09	2.6	1	1.0	189.5	0.54	<0.05	3.8	0.061	0.17
J807895		390	4.4	37.4	<0.002	<0.01	0.11	3.6	1	0.9	193.5	0.33	<0.05	5.7	0.105	0.17
J807896		420	4.2	42.3	<0.002	<0.01	0.10	4.2	1	0.9	149.5	0.36	<0.05	5.5	0.133	0.23
J807897		290	4.8	48.8	<0.002	0.01	0.11	3.4	1	0.7	172.0	0.30	<0.05	6.1	0.112	0.19
J807898		310	5.1	45.0	<0.002	0.01	0.10	4.2	1	1.2	155.0	0.62	<0.05	5.9	0.106	0.22
J807899		110	5.2	39.6	<0.002	0.03	0.06	2.8	1	3.3	153.0	1.54	<0.05	8.5	0.040	0.17
J807900		590	38.0	26.7	1.265	1.62	23.1	15.0	6	1.0	297	0.27	0.56	2.0	0.326	0.20
J807901		630	4.6	59.5	<0.002	0.05	0.15	6.8	1	1.8	135.5	0.79	0.17	5.3	0.193	0.31
J807902		420	4.5	61.7	<0.002	0.04	0.15	10.9	1	1.4	174.5	0.55	<0.05	5.9	0.178	0.32
J807903		1040	3.8	63.2	<0.002	0.12	0.23	9.4	1	1.3	162.0	0.58	<0.05	2.7	0.279	0.33
J807904		1310	9.0	14.4	<0.002	0.08	0.20	19.4	1	0.4	352	0.16	<0.05	3.3	0.159	0.06
J807905		1770	9.9	4.6	<0.002	0.05	0.18	17.5	1	0.3	371	0.15	<0.05	4.4	0.143	0.02
J807906		360	4.9	65.0	<0.002	0.15	0.16	4.1	1	1.2	128.0	0.49	0.19	10.2	0.130	0.28
J807907		380	8.1	67.6	<0.002	0.13	0.19	8.2	1	1.3	105.5	0.48	0.12	8.5	0.182	0.33
J807908		200	5.7	55.0	<0.002	0.01	0.12	2.5	1	0.7	94.2	0.25	<0.05	8.0	0.080	0.24
J807909		440	6.7	61.0	<0.002	0.12	0.19	6.7	1	1.2	137.5	0.45	0.14	4.2	0.167	0.32
J807910		560	4.6	69.1	<0.002	0.16	0.15	6.6	1	1.3	146.5	0.58	0.13	5.5	0.196	0.33
J807911		450	4.5	65.6	<0.002	0.15	0.15	6.3	1	1.6	137.0	0.63	0.34	5.3	0.208	0.33
J807911 CRD		460	4.7	67.4	<0.002	0.18	0.15	6.4	1	1.5	137.0	0.61	0.23	6.5	0.208	0.33
J807912		910	5.2	72.6	<0.002	0.26	0.18	7.9	1	2.2	127.5	1.63	0.19	2.8	0.274	0.37
J807913		420	8.9	75.7	<0.002	0.18	0.14	5.3	1	1.2	119.5	0.50	0.18	7.5	0.127	0.29
J807914		480	11.5	70.4	<0.002	0.17	0.18	6.9	1	1.4	139.0	0.76	0.07	4.7	0.200	0.33
J807915		890	62.5	82.7	0.134	2.31	8.07	15.9	7	2.9	259	0.30	0.83	4.6	0.309	0.74
J807916		520	7.4	67.1	<0.002	0.24	0.21	8.6	1	2.0	136.5	1.63	0.18	4.8	0.216	0.35
J807917		480	9.4	67.6	<0.002	0.20	0.19	6.1	1	1.4	177.0	0.42	0.15	3.8	0.209	0.33
J807918		420	4.9	65.5	<0.002	0.12	0.15	3.6	1	1.3	136.0	0.36	0.14	5.3	0.142	0.28
J807919		50	5.3	33.2	<0.002	0.15	0.08	1.3	1	0.6	93.9	0.37	0.11	5.3	0.022	0.12
J807920		510	4.3	79.4	<0.002	0.06	0.17	5.0	1	1.5	116.5	0.85	<0.05	5.3	0.174	0.35
J807921		470	4.4	71.8	<0.002	0.08	0.30	3.2	1	1.5	136.0	0.45	<0.05	4.3	0.157	0.29
J807922		440	6.7	90.0	<0.002	0.13	0.30	6.2	1	1.5	124.0	0.62	0.21	6.0	0.210	0.39
J807923		480	3.9	82.3	<0.002	0.04	0.25	7.1	1	1.7	97.7	0.68	<0.05	3.8	0.225	0.44
J807924		380	4.1	79.3	<0.002	0.03	0.18	4.6	1	1.0	99.9	0.45	<0.05	7.0	0.168	0.35
J807925		280	7.8	66.0	<0.002	0.03	0.14	2.9	1	0.9	124.5	0.62	<0.05	12.3	0.114	0.29
J807926		330	11.1	66.4	<0.002	0.04	0.14	3.3	1	1.1	130.5	1.68	<0.05	13.6	0.124	0.31
J807927		520	7.5	63.6	<0.002	0.08	0.15	4.2	1	1.1	123.5	0.49	0.05	5.9	0.151	0.32
J807928		440	7.0	68.0	<0.002	0.11	0.14	4.5	1	1.2	147.0	0.42	0.05	5.7	0.148	0.31

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J807891		0.4	19	0.7	8.0	16	76.3									
J807891 CRD		0.5	20	0.8	7.9	17	79.2									
J807892		0.4	9	0.6	7.0	6	55.4		0.57	2.1	73.11	13.57	1.31	2.65	0.33	4.00
J807893		0.7	24	0.4	7.4	37	117.0									
J807894		1.5	11	0.2	6.3	15	51.2									
J807895		0.5	22	0.3	6.2	20	89.9									
J807896		0.5	25	0.9	5.8	18	91.3									
J807897		0.8	21	0.6	4.6	32	83.1									
J807898		0.7	20	0.7	5.3	36	75.6									
J807899		1.4	3	0.4	7.8	25	80.9									
J807900		0.8	107	5.4	15.4	152	28.6	1.240								
J807901		1.1	38	1.7	7.8	58	126.5									
J807902		1.2	62	1.2	8.5	76	102.0									
J807903		1.0	61	2.0	8.4	69	146.0									
J807904		0.8	112	1.1	10.6	101	95.9									
J807905		0.9	118	0.6	11.9	94	123.0									
J807906		1.2	29	3.6	7.2	30	171.5									
J807907		1.2	55	4.7	6.9	54	155.0									
J807908		0.7	24	2.9	6.2	27	104.5									
J807909		0.7	49	4.2	6.4	46	98.1									
J807910		0.9	57	4.7	5.0	60	72.3									
J807911		0.9	53	4.4	4.9	57	74.9									
J807911 CRD		1.0	53	4.2	5.4	57	85.0									
J807912		1.0	57	9.1	8.8	64	81.4		1.18	4.3	60.99	15.80	4.11	3.41	1.19	2.67
J807913		1.0	36	3.7	5.8	42	71.1									
J807914		0.8	54	6.2	5.4	56	64.5									
J807915		1.2	148	12.4	15.8	170	35.1	2.30								
J807916		1.0	59	7.0	5.7	60	64.8									
J807917		0.9	56	6.8	4.8	62	63.0									
J807918		0.6	33	3.9	4.1	47	72.2									
J807919		1.4	11	0.9	4.2	13	33.1									
J807920		0.8	39	3.7	5.9	50	103.5									
J807921		0.8	26	3.2	4.7	48	95.2									
J807922		1.1	54	5.9	6.1	65	148.5									
J807923		0.9	60	4.7	5.6	63	122.0									
J807924		1.0	41	2.9	5.7	52	152.5									
J807925		3.1	25	3.0	7.5	41	159.5									
J807926		4.3	26	5.4	9.2	49	174.0									
J807927		1.0	38	4.2	5.0	49	113.0									
J807928		1.9	37	3.9	4.9	49	110.0									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J807891 J807891 CRD J807892 J807893 J807894		1.64	<0.01	0.09	0.02	0.033	0.03	<0.01	2.91	99.69
J807895 J807896 J807897 J807898 J807899										
J807900 J807901 J807902 J807903 J807904										
J807905 J807906 J807907 J807908 J807909										
J807910 J807911 J807911 CRD J807912 J807913		3.84	<0.01	0.53	0.07	0.190	0.03	0.06	5.28	98.17
J807914 J807915 J807916 J807917 J807918										
J807919 J807920 J807921 J807922 J807923										
J807924 J807925 J807926 J807927 J807928										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J807929		3.20	0.259		0.36	6.66	0.4	490	0.87	0.08	3.13	0.08	37.9	10.5	32	1.23
J807930		0.08	0.404		2.36	7.65	110.5	600	1.05	0.49	0.54	0.80	33.6	17.9	35	6.67
J807931		3.17	0.022		0.06	6.92	0.3	530	0.89	0.03	1.79	0.05	37.3	4.0	11	1.17
J807931 CRD		<0.02	0.023		0.02	7.24	0.3	540	0.93	0.03	1.86	0.06	41.5	3.9	7	1.19
J807932		3.49	0.708	0.692	0.87	7.13	0.5	630	1.04	0.30	1.62	0.05	42.4	7.1	8	1.30
J807933		3.53	0.317		0.71	6.20	0.2	480	0.88	0.27	2.58	0.05	40.5	6.4	8	1.12
J807934		3.52	0.037		0.04	6.93	0.3	560	1.10	0.03	2.57	0.06	24.3	10.0	12	1.61
J807935		3.34	0.028		0.02	6.64	0.3	470	0.78	0.04	1.80	0.03	36.4	3.3	9	0.88
J807936		3.31	0.047		0.01	6.75	0.5	530	0.94	0.04	2.46	0.06	33.1	6.9	6	1.28
J807937		3.46	0.225		0.16	7.09	0.5	530	1.01	0.07	3.43	0.08	32.3	12.2	3	1.76
J807938		3.42	2.05		1.33	6.99	0.4	510	0.92	0.36	3.04	0.07	38.3	12.9	7	1.43
J807939		3.37	0.396		0.40	6.79	0.3	580	1.01	0.14	2.94	0.07	49.3	10.8	17	1.56
J807940		3.26	1.145		0.72	6.89	0.4	610	1.05	0.26	2.98	0.07	39.8	11.4	22	1.58
J807941		3.27	2.63		1.56	8.07	0.3	730	1.34	0.43	2.60	0.07	60.2	16.1	14	1.69
J807942		3.03	0.285		0.11	6.42	<0.2	460	0.86	0.06	1.53	0.02	43.0	2.7	9	1.06
J807943		3.05	0.550		0.76	7.48	0.3	550	1.03	0.21	1.35	0.04	53.7	3.9	9	1.19
J807944		3.16	1.010		0.61	6.31	<0.2	480	1.01	0.12	2.73	0.07	71.4	7.1	15	1.07
J807945		1.03	<0.005		<0.01	0.14	<5	10	<0.05	0.01	19.95	<0.02	2.64	0.8	2	0.09
J807946		3.42	0.233		0.09	6.50	0.4	400	0.90	0.03	1.74	0.02	42.2	3.4	8	0.93
J807947		3.07	1.060		0.76	6.75	0.5	530	1.26	0.30	1.78	0.04	49.3	5.8	16	1.16
J807948		3.31	0.610		0.63	6.51	<0.2	630	1.37	0.54	2.74	0.05	43.9	10.6	17	1.56
J807949		3.33	0.338		0.40	7.36	0.3	720	1.56	0.20	3.24	0.10	39.4	16.3	21	1.83
J807950		3.38	2.21		0.96	6.96	<0.2	600	1.41	0.31	2.71	0.09	82.8	13.3	15	1.63
J807951		3.37	1.795		0.93	6.79	<0.2	560	1.39	0.19	2.54	0.09	72.6	12.2	14	1.56
J807951 CRD		<0.02	1.820		0.84	6.83	<0.2	570	1.45	0.19	2.57	0.08	73.8	12.3	12	1.57
J807952		3.61	0.107	0.089	0.11	7.07	<0.2	550	1.54	0.07	4.21	0.13	41.1	16.1	49	1.85
J807953		3.17	0.053		0.09	6.57	<0.2	490	1.33	0.05	3.50	0.08	38.7	9.0	9	1.42
J807954		3.52	0.012		0.04	6.36	<0.2	450	1.26	0.04	2.97	0.09	35.1	10.5	23	1.56
J807955		3.29	0.010		0.06	6.75	<0.2	420	1.17	0.11	3.72	0.12	28.5	15.4	47	1.69
J807956		3.57	0.696		0.64	7.13	<0.2	600	1.45	0.62	2.59	0.08	42.2	11.3	15	1.60
J807957		3.45	1.045		0.40	7.28	<0.2	630	1.30	0.36	2.05	0.06	52.0	10.4	10	1.41
J807958		3.51	0.036		0.06	7.02	<0.2	510	1.08	0.04	1.66	0.07	44.9	6.8	6	1.09
J807959		3.38	0.121		0.06	7.31	<0.2	600	1.31	0.12	1.61	0.07	49.9	7.2	7	1.35
J807960		0.07	0.937		4.73	6.02	20.9	460	0.82	2.08	2.33	2.40	23.5	14.8	58	0.86
J807961		3.60	0.097		0.25	6.52	<0.2	520	1.10	0.21	1.80	0.06	46.6	7.9	9	1.12
J807962		3.38	0.463		0.90	7.12	<0.2	640	1.40	0.31	2.16	0.08	50.7	11.9	12	1.48
J807963		3.23	0.040		0.17	6.29	<0.2	520	1.18	0.14	2.08	0.08	41.2	7.8	9	1.09
J807964		3.51	0.094		0.20	6.55	<0.2	550	1.18	0.09	3.44	0.15	29.0	11.9	8	1.34
J833992		3.32	<0.005		0.04	7.47	<0.2	330	0.96	0.06	3.25	0.04	30.4	15.1	5	0.84
J833993		3.30	<0.005		0.03	7.07	<0.2	420	1.27	0.03	2.54	0.05	71.1	11.8	15	0.82

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J807929		40.9	2.95	18.55	0.09	1.9	0.027	2.55	18.0	4.3	0.86	640	0.31	1.78	4.9	17.9
J807930		4650	4.81	17.45	0.15	0.7	0.061	5.31	17.5	11.2	0.75	499	273	1.07	4.8	24.5
J807931		9.3	1.85	19.95	0.08	2.8	0.019	2.57	18.1	3.2	0.32	336	0.55	2.23	6.1	3.0
J807931 CRD		7.9	2.00	20.3	0.08	2.7	0.016	2.61	20.6	3.4	0.33	352	0.36	2.24	6.2	3.1
J807932		1.2	2.31	22.7	0.09	3.2	0.020	2.98	20.5	4.4	0.39	298	2.67	1.75	6.1	5.6
J807933		12.3	2.44	18.85	0.10	3.6	0.022	2.32	18.9	3.8	0.44	453	1.03	2.19	6.1	6.6
J807934		28.1	2.96	19.90	0.09	2.6	0.032	3.23	11.0	5.5	0.76	599	0.12	1.74	6.4	12.3
J807935		11.4	1.53	16.50	0.08	3.0	0.011	1.96	17.8	2.7	0.25	280	0.21	2.86	3.9	3.7
J807936		20.6	2.33	19.35	0.09	3.1	0.022	2.64	15.1	3.9	0.49	455	0.23	2.22	6.3	6.5
J807937		60.3	3.54	19.55	0.12	3.0	0.033	3.46	14.4	5.1	0.88	610	0.16	1.39	6.8	12.0
J807938		21.0	3.13	19.60	0.11	2.4	0.031	2.91	18.5	4.2	0.68	564	0.52	1.60	6.1	10.6
J807939		26.1	3.15	20.8	0.10	2.3	0.031	3.32	22.7	4.7	0.71	566	0.19	1.67	5.4	11.5
J807940		15.5	3.23	22.2	0.11	2.6	0.029	3.22	18.6	5.3	0.76	592	0.50	1.55	5.7	14.9
J807941		24.6	3.41	26.7	0.13	3.5	0.035	3.68	27.9	5.9	0.65	548	2.14	2.02	10.1	17.2
J807942		0.9	1.56	19.00	0.08	3.0	0.015	2.14	21.8	3.2	0.25	230	1.15	2.30	3.6	4.2
J807943		2.0	1.79	21.7	0.10	4.3	0.017	2.48	28.2	3.7	0.27	215	1.01	2.84	5.8	4.5
J807944		26.7	2.36	18.90	0.13	2.8	0.025	2.36	31.7	3.7	0.54	552	0.21	2.61	5.5	10.5
J807945		0.6	0.08	0.31	0.05	0.1	<0.005	0.11	2.0	4.0	12.20	47	0.10	0.03	0.3	2.3
J807946		14.6	1.69	17.45	0.09	3.5	0.015	1.95	21.1	3.4	0.25	281	0.25	2.80	4.7	3.6
J807947		6.4	2.24	20.4	0.09	3.0	0.022	2.53	22.2	5.7	0.47	354	5.54	2.17	4.7	10.9
J807948		13.6	3.13	22.3	0.14	3.3	0.037	3.10	17.9	4.5	0.70	591	4.16	1.29	7.8	12.4
J807949		17.1	3.84	26.0	0.14	2.8	0.052	3.66	16.9	5.3	0.89	701	0.69	1.13	7.7	18.7
J807950		13.9	3.14	25.2	0.17	4.2	0.037	3.17	36.2	4.5	0.67	510	0.94	1.80	6.3	11.5
J807951		12.7	2.94	24.3	0.16	3.9	0.031	2.98	31.6	4.2	0.61	470	0.82	1.96	6.1	11.1
J807951 CRD		14.8	2.96	24.6	0.16	4.2	0.030	3.02	32.0	4.3	0.61	473	0.95	2.01	6.1	11.2
J807952		5.2	3.88	23.3	0.17	3.3	0.072	3.30	16.5	5.9	1.32	853	1.14	1.49	7.0	36.0
J807953		6.4	2.42	24.7	0.13	3.3	0.034	2.71	15.8	4.0	0.60	553	1.01	2.89	7.6	13.8
J807954		6.0	2.69	21.6	0.14	3.4	0.042	2.89	14.1	4.2	0.79	550	0.64	2.01	5.8	20.3
J807955		3.7	3.61	21.4	0.14	2.9	0.063	2.96	10.5	9.8	1.28	767	31.9	1.74	5.7	37.1
J807956		95.5	2.94	25.0	0.14	3.5	0.036	3.09	17.6	4.9	0.65	482	22.6	1.99	7.6	15.0
J807957		47.7	2.69	23.5	0.15	3.6	0.025	2.81	23.5	5.8	0.51	376	5.70	1.83	6.7	8.6
J807958		39.8	2.26	21.3	0.13	3.2	0.018	2.41	20.4	8.2	0.41	271	0.44	2.14	7.7	4.3
J807959		25.7	2.18	22.8	0.12	3.5	0.018	2.79	23.2	4.3	0.40	284	9.32	1.75	5.8	5.3
J807960		>10000	4.50	13.90	0.14	1.0	0.149	0.81	10.8	14.7	1.12	660	237	2.07	4.0	32.6
J807961		12.2	2.12	20.8	0.12	3.0	0.031	2.45	21.2	3.4	0.42	315	5.85	1.95	4.8	8.8
J807962		11.9	2.66	24.6	0.15	3.3	0.028	3.03	22.6	3.9	0.59	388	4.40	1.82	5.8	13.4
J807963		13.3	2.43	20.9	0.13	2.8	0.024	2.34	18.3	5.6	0.49	376	0.53	1.85	5.0	8.8
J807964		24.3	3.21	20.4	0.12	2.4	0.033	2.65	12.3	8.3	0.85	629	0.65	1.85	6.2	14.5
J833992		38.8	3.92	22.1	0.15	2.5	0.040	1.87	11.2	19.5	0.86	542	0.24	2.39	10.1	7.0
J833993		39.0	3.35	21.1	0.17	3.2	0.040	1.65	31.3	17.1	0.80	501	0.29	2.62	7.6	11.1

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J807929		390	7.6	69.3	<0.002	0.21	0.15	9.3	1	1.2	162.5	0.48	0.18	4.6	0.182	0.30
J807930		1150	39.2	118.5	0.634	2.44	7.46	11.3	8	3.0	268	0.33	0.88	2.6	0.247	1.38
J807931		400	4.1	70.3	<0.002	0.03	0.15	3.2	1	1.2	132.0	0.42	0.05	5.2	0.130	0.31
J807931 CRD		400	4.2	73.9	<0.002	0.03	0.14	3.4	1	1.1	132.5	0.43	<0.05	5.7	0.134	0.32
J807932		490	8.6	83.4	<0.002	0.47	0.15	4.3	1	1.0	103.0	0.48	0.53	5.6	0.157	0.35
J807933		450	7.9	59.4	<0.002	0.42	0.15	4.6	1	1.1	148.0	0.43	0.46	5.5	0.179	0.28
J807934		490	4.7	75.5	<0.002	0.07	0.18	7.7	1	1.4	141.5	0.56	<0.05	2.8	0.237	0.41
J807935		250	6.6	57.6	<0.002	0.04	0.11	2.4	1	0.8	158.0	0.29	<0.05	6.3	0.104	0.24
J807936		400	6.4	67.2	<0.002	0.05	0.15	5.2	1	1.1	143.5	0.45	<0.05	4.7	0.185	0.32
J807937		510	5.7	81.8	<0.002	0.15	0.18	10.2	1	1.4	144.0	0.56	0.10	3.0	0.285	0.43
J807938		490	15.9	79.3	<0.002	0.48	0.16	7.8	1	1.3	148.5	0.48	0.59	4.1	0.210	0.35
J807939		650	7.3	69.9	<0.002	0.20	0.18	6.9	1	1.2	156.0	0.40	0.17	5.6	0.241	0.42
J807940		590	8.7	75.4	<0.002	0.42	0.18	7.3	1	1.1	147.5	0.49	0.41	4.2	0.226	0.40
J807941		830	11.4	89.7	<0.002	0.80	0.20	8.8	1	2.4	152.0	1.47	0.69	6.2	0.238	0.45
J807942		390	4.4	63.4	<0.002	0.10	0.11	2.6	1	1.0	125.5	0.38	0.09	6.8	0.100	0.27
J807943		270	8.2	75.1	<0.002	0.25	0.12	3.0	1	1.1	139.5	0.82	0.46	10.0	0.106	0.31
J807944		840	8.1	57.9	<0.002	0.44	0.13	4.8	1	1.5	194.0	0.55	0.30	5.7	0.145	0.28
J807945		20	1.0	2.7	<0.002	0.02	<0.05	0.3	1	<0.2	64.2	<0.05	<0.05	0.3	0.006	<0.02
J807946		240	4.4	63.0	<0.002	0.12	0.10	2.5	1	1.2	149.5	0.49	0.06	7.6	0.091	0.25
J807947		520	6.6	78.1	<0.002	0.44	0.23	4.0	1	1.3	133.0	0.50	0.45	6.8	0.133	0.30
J807948		670	9.7	78.5	<0.002	0.40	0.17	7.9	1	1.6	116.5	0.65	0.46	4.6	0.226	0.37
J807949		500	11.2	95.5	<0.002	0.29	0.22	12.5	1	1.9	132.5	0.62	0.25	4.1	0.268	0.45
J807950		620	14.0	80.8	<0.002	0.44	0.18	7.7	1	1.4	143.5	0.37	0.46	8.8	0.229	0.39
J807951		600	10.8	74.1	<0.002	0.40	0.17	6.8	1	1.3	144.5	0.37	0.39	8.2	0.227	0.37
J807951 CRD		620	10.4	76.1	<0.002	0.40	0.17	6.9	1	1.3	147.5	0.36	0.38	8.1	0.224	0.39
J807952		350	10.5	89.4	<0.002	0.10	0.19	21.9	2	2.1	177.0	0.62	0.07	5.3	0.224	0.41
J807953		930	6.8	60.4	<0.002	0.14	0.15	7.0	1	1.4	190.0	0.56	0.08	4.3	0.214	0.34
J807954		380	6.7	69.4	<0.002	0.04	0.14	11.6	1	1.5	155.5	0.44	<0.05	5.1	0.173	0.39
J807955		290	7.4	75.1	0.002	<0.01	0.16	20.0	1	2.0	168.0	0.55	<0.05	4.0	0.196	0.39
J807956		640	6.6	78.0	<0.002	0.45	0.16	7.9	1	1.5	130.5	0.60	0.47	5.8	0.218	0.38
J807957		620	7.2	82.4	<0.002	0.32	0.16	6.1	1	1.2	109.5	0.48	0.29	5.3	0.207	0.35
J807958		680	5.0	70.0	<0.002	0.04	0.14	4.1	1	1.3	122.0	0.78	<0.05	3.5	0.200	0.30
J807959		610	6.6	85.6	<0.002	0.14	0.15	3.6	2	1.1	106.0	0.45	0.05	5.8	0.176	0.35
J807960		570	42.2	23.7	1.500	1.55	27.2	15.3	6	1.2	276	0.28	0.57	2.2	0.311	0.22
J807961		310	11.4	67.2	0.002	0.19	0.13	5.6	1	1.2	106.0	0.38	0.18	7.3	0.144	0.31
J807962		410	10.7	82.7	<0.002	0.28	0.18	7.3	1	1.3	128.5	0.43	0.56	6.4	0.214	0.41
J807963		440	6.8	62.9	<0.002	0.10	0.14	5.6	1	1.2	119.5	0.38	0.09	5.5	0.158	0.29
J807964		460	6.9	60.6	<0.002	0.09	0.16	10.0	1	1.5	178.0	0.51	0.10	3.2	0.242	0.34
J833992		1330	4.4	56.0	<0.002	0.01	0.17	10.6	2	1.4	182.0	0.83	<0.05	2.8	0.385	0.29
J833993		860	6.5	51.3	<0.002	0.02	0.16	9.4	2	1.3	233	0.89	<0.05	8.0	0.256	0.27

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J807929		1.8	59	4.4	5.1	60	61.4									
J807930		1.1	160	12.7	14.4	152	23.4									
J807931		0.5	28	3.7	4.4	44	105.5									
J807931 CRD		0.8	29	3.8	4.7	45	101.0									
J807932		1.1	42	4.6	4.9	48	123.5		0.69	2.5	68.70	14.75	3.39	2.36	0.79	2.51
J807933		0.7	40	5.1	5.9	46	137.0									
J807934		0.8	64	5.2	4.5	65	100.5									
J807935		0.5	19	2.5	4.1	31	110.0									
J807936		0.8	45	3.3	5.0	48	120.5									
J807937		0.9	80	4.9	5.8	71	122.5									
J807938		0.8	59	4.4	5.6	62	95.0									
J807939		0.5	64	4.9	4.3	69	97.1									
J807940		1.0	64	6.4	4.9	64	96.3									
J807941		1.2	70	7.3	6.5	64	113.0									
J807942		0.6	36	2.9	4.6	32	109.0									
J807943		1.8	35	3.6	6.0	38	157.5									
J807944		1.1	38	6.3	5.4	50	102.5									
J807945		0.1	1	0.1	1.6	<2	2.2									
J807946		0.9	20	3.0	5.2	30	124.5									
J807947		1.0	40	3.7	5.5	42	112.5									
J807948		1.4	55	6.3	7.0	63	113.5									
J807949		1.5	78	6.0	6.6	81	87.7									
J807950		0.9	61	6.4	6.6	64	140.5									
J807951		0.8	58	6.4	6.2	60	131.0									
J807951 CRD		0.8	58	6.3	6.3	60	142.0									
J807952		1.7	100	6.2	10.8	86	101.0		2.39	8.7	53.34	15.26	5.65	6.05	2.52	2.15
J807953		0.7	51	6.1	6.9	59	114.0									
J807954		1.3	60	3.9	7.0	59	105.0									
J807955		1.4	95	4.4	8.9	95	85.9									
J807956		1.0	61	6.9	6.1	53	120.0									
J807957		1.0	47	7.5	5.8	55	129.0									
J807958		0.6	33	6.8	6.4	65	121.0									
J807959		0.7	37	6.6	5.8	40	125.5									
J807960		0.9	101	5.8	16.4	137	28.4	1.255								
J807961		1.1	42	6.1	4.5	38	92.1									
J807962		0.9	62	8.6	4.9	49	109.0									
J807963		0.7	42	5.3	4.5	46	97.5									
J807964		1.0	70	6.9	5.0	58	82.5									
J833992		1.3	93	1.1	13.5	100	70.2									
J833993		1.2	64	0.7	11.1	81	111.0									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J807929										
J807930										
J807931										
J807931 CRD										
J807932		3.60	<0.01	0.34	0.04	0.107	0.03	0.07	3.32	100.00
J807933										
J807934										
J807935										
J807936										
J807937										
J807938										
J807939										
J807940										
J807941										
J807942										
J807943										
J807944										
J807945										
J807946										
J807947										
J807948										
J807949										
J807950										
J807951										
J807951 CRD										
J807952		4.00	0.01	0.46	0.11	0.077	0.03	0.06	9.84	99.56
J807953										
J807954										
J807955										
J807956										
J807957										
J807958										
J807959										
J807960										
J807961										
J807962										
J807963										
J807964										
J833992										
J833993										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833994		3.08	0.015		0.08	6.58	<0.2	430	1.04	0.04	2.06	0.03	57.3	6.6	9	0.78
J833995		2.86	0.041		0.01	6.32	<0.2	490	0.97	0.02	2.08	0.02	32.7	3.7	7	0.78
J833996		3.00	<0.005		0.01	6.92	<0.2	320	0.93	0.02	2.10	0.03	48.6	7.5	8	0.72
J833997		3.18	<0.005		0.02	6.58	<0.2	410	1.09	0.03	2.43	0.03	64.7	9.9	13	0.81
J833998		2.19	<0.005		0.04	6.99	<0.2	840	1.15	0.02	2.72	0.04	61.5	9.0	12	1.11
J833998 CRD		<0.02	<0.005		<0.01	6.89	<0.2	820	1.11	0.02	2.64	0.03	59.6	8.9	11	1.09
J833999		3.87	<0.005	<0.005	0.02	6.17	<0.2	570	1.03	0.02	1.02	<0.02	10.70	1.0	6	0.46

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833994		23.8	2.01	19.05	0.15	2.9	0.017	1.72	27.9	7.8	0.39	317	0.24	2.59	4.6	6.0
J833995		4.1	1.53	19.05	0.10	3.2	0.013	1.86	14.1	4.6	0.22	226	0.26	2.52	3.5	2.3
J833996		17.0	2.49	20.8	0.12	3.3	0.022	1.62	22.2	11.3	0.47	336	0.20	2.69	5.5	4.6
J833997		35.4	2.66	20.0	0.16	3.1	0.034	1.71	28.9	13.9	0.63	411	3.40	2.30	4.7	8.4
J833998		47.8	2.75	20.1	0.15	3.5	0.027	2.52	27.8	13.6	0.59	419	0.19	1.67	7.0	7.9
J833998 CRD		36.8	2.68	19.45	0.15	3.4	0.026	2.41	26.9	13.0	0.58	409	0.18	1.64	6.8	7.6
J833999		6.2	0.74	17.30	0.08	2.4	0.006	1.34	4.6	0.7	0.05	112	0.18	3.23	3.0	0.7

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833994		410	4.9	52.2	<0.002	0.04	0.13	3.8	1	0.9	192.0	0.42	0.05	6.8	0.135	0.25
J833995		280	4.1	53.1	<0.002	0.02	0.11	3.3	1	0.6	166.5	0.12	<0.05	4.2	0.095	0.26
J833996		530	3.9	54.7	<0.002	<0.01	0.13	4.7	1	1.1	187.5	0.40	<0.05	5.4	0.193	0.28
J833997		700	6.1	55.3	<0.002	0.03	0.14	7.9	2	1.2	197.0	0.40	<0.05	7.5	0.180	0.27
J833998		680	5.7	68.9	<0.002	0.05	0.17	6.4	1	1.2	158.0	0.98	<0.05	8.2	0.207	0.36
J833998 CRD		670	5.3	69.5	<0.002	0.04	0.16	6.4	2	1.1	155.5	0.90	<0.05	7.5	0.199	0.33
J833999		30	4.7	35.7	<0.002	0.03	0.05	0.7	1	0.4	160.5	0.43	<0.05	4.9	0.016	0.16

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833994		1.0	28	0.8	6.0	47	97.8									
J833995		1.0	15	0.7	4.1	37	97.6									
J833996		0.7	34	0.1	7.5	68	118.0									
J833997		1.2	47	0.2	8.5	71	106.0									
J833998		1.9	48	0.7	8.6	70	118.5									
J833998 CRD		1.9	46	0.7	8.6	67	118.0									
J833999		1.5	5	0.3	4.0	11	47.5		0.36	1.3	74.10	14.08	1.05	1.57	0.11	4.94

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 31-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10187451

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833994										
J833995										
J833996										
J833997										
J833998										
J833998 CRD										
J833999		1.71	<0.01	0.02	0.01	0.013	0.03	0.05	1.86	99.54

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J807871 TO J807880.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 31-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10187451

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.