ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
This copy reported on 27-MAY-2011
Account: OSIHRG

CERTIFICATE TB10178473

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J837666		2.49	<0.005		0.06	7.52	1.1	210	0.64	0.16	6.47	0.02	21.6	6.1	26	0.31
J837667		3.49	<0.005		0.03	7.20	1.7	350	0.76	0.09	5.99	0.02	25.8	6.7	42	0.42
J837668		3.12	<0.005		0.03	6.71	3.2	240	0.96	0.03	3.30	0.02	37.3	12.6	22	0.32
J837669		3.25	<0.005		0.02	6.95	1.5	260	1.11	0.01	2.23	0.04	53.3	6.4	12	0.36
J837670		3.57	<0.005		0.01	6.76	2.7	200	1.00	0.02	2.64	<0.02	43.0	5.2	11	0.32
J837671		3.22	<0.005		0.03	6.64	3.5	330	1.00	0.01	2.46	0.03	49.0	6.1	13	0.44
J837672		3.48	<0.005		0.04	7.01	2.6	280	1.10	0.01	2.04	0.04	57.1	5.3	12	0.37
J837673		3.61	<0.005		0.05	6.85	6.7	260	1.18	0.01	2.21	0.04	55.6	8.0	23	0.29
J837674		3.34	<0.005		0.02	6.70	2.9	320	1.11	0.07	2.02	0.02	12.80	7.2	29	0.29
J837675		0.12	2.48		8.20	6.54	51.5	640	0.96	3.10	1.62	1.03	55.3	16.2	55	3.06
J837676		3.41	<0.005		0.05	7.37	7.7	220	1.15	0.14	3.14	0.04	53.6	17.2	59	0.23
J837677		3.68	0.086		0.04	8.51	6.4	190	0.74	0.41	5.87	0.07	35.3	19.0	23	0.19
J837678		3.44	<0.005		0.04	6.63	2.6	370	1.04	0.03	2.33	0.02	46.8	6.3	8	0.38
J837679		3.42	<0.005		0.03	6.90	0.5	350	1.15	0.01	2.23	<0.02	59.1	4.5	8	0.43
J837680		3.27	<0.005		0.01	6.70	0.3	450	1.13	0.04	2.08	<0.02	53.6	5.9	25	0.44
J837681		3.53	0.005		0.11	7.04	0.6	470	1.07	0.02	2.17	<0.02	44.4	8.2	16	0.56
J837682		3.16	<0.005		0.03	7.02	1.0	500	1.18	0.03	2.00	0.03	43.4	7.6	11	0.53
J837683		3.19	<0.005		0.04	7.22	0.3	440	1.15	0.03	2.56	0.02	56.2	7.7	6	0.38
J837684		3.20	<0.005		0.02	7.02	0.2	300	0.99	0.01	2.38	0.02	76.6	6.6	8	0.33
J837685		3.33	<0.005		0.03	6.55	0.7	310	0.95	0.02	2.85	0.03	63.4	12.2	124	0.31
J837685 CRD		<0.02	0.005		0.03	6.45	0.5	320	1.00	0.02	2.87	0.03	62.6	12.4	120	0.32
J837686		3.17	<0.005	<0.005	0.05	6.92	0.9	300	1.02	0.01	2.53	0.02	62.5	7.9	7	0.30
J837687		3.08	<0.005		0.02	6.87	0.9	440	0.98	0.02	1.90	0.02	41.9	5.1	8	0.40
J837688		3.35	<0.005		0.04	6.71	1.0	340	1.02	0.03	2.10	0.03	51.8	7.0	6	0.31
J837689		3.49	<0.005		0.08	7.00	0.9	410	1.01	0.02	2.39	0.03	54.4	7.5	10	0.46
J837690		0.12	0.487		2.22	7.47	111.5	590	1.38	0.46	0.54	1.00	32.2	17.9	32	6.61
J837691		3.33	<0.005		0.05	6.85	0.4	330	1.17	0.03	2.36	0.02	43.6	7.5	11	0.42
J837692		3.50	<0.005		0.03	7.10	0.3	330	0.91	0.02	2.80	0.04	23.3	10.6	26	0.40
J837693		3.45	<0.005		0.05	6.55	0.5	220	0.76	0.05	3.51	0.04	36.5	12.8	38	0.28
J837694		3.84	<0.005		0.06	6.93	0.3	410	1.04	0.02	2.05	0.04	69.3	8.7	8	0.62
J837695		2.96	<0.005		0.04	6.91	0.3	300	0.97	0.01	2.36	0.02	68.0	7.7	10	0.51
J837696		3.48	<0.005		0.02	6.72	<0.2	510	0.92	0.01	2.21	0.02	41.8	6.4	8	0.59
J837697		3.59	0.041		0.05	6.89	0.5	490	0.90	0.03	2.50	0.03	41.3	10.1	30	0.66
J837698		2.35	0.070		0.21	5.62	3.6	210	0.47	0.11	6.64	0.09	28.3	50.7	252	0.37
J837699		3.58	0.081		0.20	5.84	0.6	380	0.75	0.04	2.16	0.04	36.3	10.0	34	0.54
J837700		0.07	0.923		3.84	5.59	18.1	400	0.69	1.60	2.04	1.89	18.30	12.0	50	0.60
J837701		3.30	<0.005		0.04	6.75	0.2	440	0.99	0.01	2.67	0.03	67.6	8.1	26	0.57
J837702		2.86	<0.005		0.03	6.66	<0.2	410	1.18	0.01	1.91	<0.02	60.3	6.0	9	0.66
J837703		3.09	<0.005		0.02	6.95	0.5	430	1.19	0.01	2.15	0.04	72.0	7.5	11	0.62
J837704		3.76	<0.005		0.03	6.88	1.9	310	1.17	0.01	2.03	0.02	65.9	6.5	18	0.48

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J837666		4.8	3.90	34.9	0.11	2.1	0.064	0.94	8.9	9.9	0.50	368	0.24	1.19	8.2	12.1
J837667		1.9	3.32	29.4	0.12	2.3	0.050	1.45	10.2	12.1	0.65	359	0.17	1.29	5.4	15.9
J837668		3.0	3.58	21.1	0.12	2.7	0.043	1.01	14.6	17.7	1.07	427	0.08	2.32	11.6	27.0
J837669		2.3	2.38	20.6	0.12	4.4	0.022	1.10	22.8	11.6	0.48	316	0.07	2.79	8.4	5.7
J837670		0.9	1.94	20.6	0.12	4.0	0.018	1.05	17.7	9.6	0.39	221	0.09	2.70	6.8	5.2
J837671		2.7	2.23	19.70	0.13	4.1	0.020	1.39	21.0	11.4	0.46	338	<0.05	2.57	7.8	5.8
J837672		5.5	2.20	21.3	0.14	4.5	0.016	1.09	24.9	9.4	0.46	360	0.07	3.10	7.1	5.7
J837673		4.9	2.18	21.7	0.13	3.8	0.029	0.97	24.4	11.0	0.59	398	0.14	2.99	7.0	12.6
J837674		5.8	2.16	19.80	0.09	1.6	0.026	0.97	5.2	10.0	0.57	342	0.12	2.93	6.4	16.0
J837675		>10000	5.64	15.15	0.21	1.0	0.108	2.69	24.1	15.8	1.20	625	115.0	1.61	6.6	32.4
J837676		14.0	4.15	23.4	0.15	2.9	0.045	0.73	22.4	15.9	1.47	629	0.19	2.72	10.8	35.1
J837677		3.7	5.65	25.6	0.16	1.1	0.050	0.66	13.4	19.2	1.67	789	0.28	2.30	8.4	28.8
J837678		3.8	1.87	18.85	0.11	3.7	0.016	1.28	20.3	8.8	0.42	289	0.17	3.14	5.8	5.7
J837679		4.1	1.94	20.7	0.13	4.3	0.013	1.35	26.4	8.9	0.35	258	0.11	2.96	5.3	3.9
J837680		3.4	2.12	19.20	0.14	3.2	0.019	1.43	23.9	11.7	0.53	295	1.55	2.90	5.6	8.7
J837681		6.2	2.73	21.2	0.14	2.7	0.022	1.67	18.9	13.1	0.66	347	0.18	2.59	5.6	11.6
J837682		12.1	2.44	21.1	0.13	3.1	0.017	1.63	17.9	11.4	0.54	273	0.12	2.75	6.0	7.3
J837683		3.2	2.94	21.7	0.16	3.7	0.024	1.32	23.0	13.0	0.58	336	0.08	2.70	8.4	3.8
J837684		3.2	2.55	21.1	0.15	4.5	0.020	1.06	34.2	10.5	0.47	303	0.09	2.89	5.8	4.6
J837685		10.9	2.87	19.55	0.15	4.1	0.021	0.95	27.4	18.8	1.46	413	0.21	2.62	6.1	67.1
J837685 CRD		8.2	2.80	20.2	0.12	4.4	0.020	0.96	26.3	18.7	1.44	407	0.21	2.68	6.1	66.3
J837686		9.7	2.95	21.8	0.13	4.3	0.030	0.97	25.1	10.5	0.51	395	0.10	2.80	8.8	3.6
J837687		4.9	1.82	18.85	0.12	2.1	0.012	1.27	17.6	7.4	0.38	276	0.13	3.16	6.0	2.9
J837688		12.8	2.74	20.0	0.15	3.2	0.023	0.99	21.0	9.7	0.47	399	0.17	2.78	8.7	3.1
J837689		16.5	2.61	21.7	0.15	2.8	0.030	1.34	23.0	10.1	0.54	415	0.13	2.81	11.3	3.6
J837690		4540	4.77	18.25	0.21	0.7	0.054	4.52	15.3	11.5	0.78	494	278	1.07	5.6	21.9
J837691		23.5	2.37	20.2	0.12	2.4	0.021	1.16	18.6	9.8	0.57	386	1.10	2.88	6.2	7.7
J837692		10.8	2.79	20.7	0.12	2.0	0.024	1.06	9.2	12.4	0.91	458	0.10	2.96	6.3	19.6
J837693		29.3	3.45	17.70	0.14	1.3	0.027	0.77	14.4	15.8	1.27	627	0.27	2.43	5.8	29.4
J837694		22.9	2.63	20.6	0.15	2.5	0.024	1.55	31.4	13.7	0.69	413	<0.05	2.50	7.4	7.8
J837695		16.1	2.66	21.7	0.15	2.4	0.020	1.36	29.7	12.0	0.56	429	0.35	2.62	10.6	5.6
J837696		7.1	2.10	20.2	0.12	2.2	0.020	1.64	17.4	9.9	0.42	316	0.10	2.65	6.9	3.2
J837697		25.8	2.31	19.45	0.13	3.1	0.021	1.84	18.9	8.9	0.68	407	0.72	2.23	5.8	18.9
J837698		74.0	7.87	17.50	0.18	1.6	0.054	1.10	12.0	41.6	4.00	1200	0.75	0.13	1.8	191.0
J837699		251	2.39	16.35	0.11	2.4	0.025	1.43	17.5	8.0	0.60	326	0.21	2.04	5.0	18.1
J837700		>10000	3.89	11.95	0.12	0.9	0.109	0.72	9.1	13.3	1.00	562	209	1.80	3.4	26.6
J837701		28.3	2.44	20.2	0.13	4.2	0.025	1.44	32.5	17.1	0.64	344	0.89	2.66	6.7	11.3
J837702		4.9	2.07	20.9	0.13	4.4	0.020	1.65	31.4	11.0	0.43	326	0.23	2.55	7.5	5.5
J837703		1.7	2.62	22.1	0.12	5.4	0.023	1.62	36.1	12.2	0.55	431	0.22	2.52	9.7	7.1
J837704		2.5	2.25	20.8	0.12	4.9	0.019	1.25	33.3	10.0	0.46	362	0.16	2.81	7.7	5.6

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J837666		450	5.3	21.3	<0.002	0.01	0.29	13.4	1	3.7	432	0.94	<0.05	3.1	0.260	0.16
J837667		260	3.3	35.4	<0.002	0.02	0.19	10.5	1	2.8	299	0.65	<0.05	3.2	0.170	0.21
J837668		560	4.0	26.8	<0.002	<0.01	0.13	10.7	1	2.7	236	0.72	<0.05	2.1	0.253	0.15
J837669		490	4.9	35.5	<0.002	0.01	0.14	4.5	1	1.3	237	0.48	<0.05	7.1	0.208	0.17
J837670		410	4.5	28.4	<0.002	0.01	0.13	3.9	1	1.2	232	0.44	<0.05	5.8	0.175	0.15
J837671		430	4.2	44.5	<0.002	0.02	0.12	4.6	1	1.3	164.0	0.52	<0.05	5.4	0.186	0.20
J837672		450	6.8	36.9	<0.002	0.01	0.23	3.6	1	1.4	229	0.35	<0.05	7.7	0.192	0.17
J837673		330	6.6	30.2	<0.002	0.01	0.18	7.4	1	1.7	245	0.49	<0.05	8.0	0.171	0.15
J837674		180	4.2	31.1	<0.002	0.01	0.15	7.2	1	1.5	221	0.41	<0.05	1.9	0.163	0.13
J837675		890	57.6	79.2	0.134	2.44	7.87	16.0	8	2.9	260	0.26	1.01	4.1	0.312	0.71
J837676		710	5.3	22.1	<0.002	0.01	0.20	15.0	1	2.3	273	0.83	<0.05	6.5	0.307	0.11
J837677		1180	4.7	13.9	<0.002	0.01	0.24	19.3	1	1.9	409	0.61	<0.05	1.0	0.550	0.10
J837678		310	5.0	38.8	<0.002	0.09	0.13	2.9	1	1.1	163.0	0.31	<0.05	7.5	0.165	0.18
J837679		320	5.1	45.1	<0.002	0.04	0.14	2.7	1	1.1	201	0.28	<0.05	8.2	0.151	0.20
J837680		370	2.3	50.5	<0.002	0.04	0.08	5.1	1	1.0	132.5	0.41	<0.05	6.9	0.184	0.22
J837681		560	2.4	53.6	<0.002	0.16	0.11	6.7	1	1.1	162.0	0.31	<0.05	3.8	0.237	0.26
J837682		510	3.5	56.2	<0.002	0.14	0.11	4.4	2	1.1	164.0	0.44	<0.05	4.9	0.223	0.25
J837683		750	2.9	47.3	<0.002	0.02	0.18	5.8	2	1.2	244	0.48	<0.05	4.2	0.287	0.19
J837684		520	4.3	35.3	<0.002	0.01	0.32	3.2	1	1.0	263	0.33	<0.05	8.0	0.237	0.16
J837685		640	5.8	29.7	<0.002	0.06	0.21	5.8	1	1.0	269	0.35	<0.05	6.5	0.238	0.15
J837685 CRD		640	6.1	28.1	<0.002	0.06	0.21	5.7	1	1.1	270	0.37	<0.05	6.4	0.237	0.15
J837686		680	4.4	32.5	<0.002	0.01	0.21	5.3	1	1.4	256	0.62	<0.05	5.2	0.267	0.16
J837687		470	2.8	44.8	<0.002	0.04	0.19	2.0	1	1.0	216	0.30	<0.05	6.6	0.188	0.19
J837688		590	3.7	35.7	<0.002	0.04	0.22	5.1	2	1.7	256	0.72	<0.05	5.6	0.230	0.15
J837689		730	4.1	43.1	<0.002	0.07	0.17	5.5	2	1.9	232	1.06	<0.05	5.5	0.268	0.20
J837690		1130	35.4	118.5	0.680	2.54	7.92	11.9	9	3.3	261	0.35	1.03	2.3	0.264	1.29
J837691		450	4.5	35.6	0.002	0.03	0.19	4.0	1	1.3	253	0.31	<0.05	6.1	0.221	0.17
J837692		520	5.2	32.2	<0.002	0.02	0.24	6.7	1	1.2	355	0.52	<0.05	2.0	0.269	0.17
J837693		720	5.7	23.8	<0.002	0.04	0.22	9.9	1	1.1	355	0.49	<0.05	1.1	0.286	0.12
J837694		640	4.3	54.9	<0.002	0.05	0.16	5.9	2	1.5	170.5	0.42	<0.05	7.5	0.233	0.26
J837695		710	5.2	43.6	<0.002	0.01	0.16	5.0	1	1.8	226	0.93	<0.05	7.1	0.258	0.22
J837696		550	4.5	49.3	<0.002	0.05	0.14	5.0	1	1.4	195.0	0.39	<0.05	5.4	0.167	0.24
J837697		380	5.2	58.2	<0.002	0.15	0.18	5.8	1	1.2	195.0	0.31	<0.05	6.5	0.165	0.30
J837698		330	8.0	34.4	0.002	0.28	0.29	24.8	1	0.6	255	0.10	<0.05	0.5	0.349	0.19
J837699		410	4.1	49.4	<0.002	0.19	0.17	4.8	1	1.1	157.0	0.28	<0.05	4.8	0.156	0.23
J837700		490	33.5	20.6	1.225	1.35	23.2	11.3	5	1.0	250	0.23	0.52	1.7	0.278	0.17
J837701		570	5.1	45.8	0.003	0.01	0.29	4.9	1	1.3	195.5	0.36	<0.05	9.5	0.180	0.25
J837702		390	4.8	59.3	<0.002	0.01	0.12	4.2	1	1.4	168.5	0.41	<0.05	9.8	0.161	0.29
J837703		530	6.0	57.7	<0.002	0.01	0.12	4.6	1	1.7	161.0	0.54	<0.05	10.8	0.231	0.27
J837704		470	6.7	47.2	<0.002	0.01	0.11	3.8	1	1.4	202	0.38	<0.05	9.8	0.198	0.22

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J837666		1.0	77	0.8	13.0	17	73.5									
J837667		1.3	67	1.6	11.7	27	82.2									
J837668		0.7	55	0.6	12.5	48	109.0									
J837669		0.9	28	0.4	8.8	58	182.5									
J837670		0.8	24	0.8	7.9	22	167.0									
J837671		0.8	26	0.6	9.5	54	173.0									
J837672		1.0	25	0.2	9.1	65	180.5									
J837673		1.3	30	0.2	14.4	64	152.0									
J837674		1.0	29	0.5	7.2	44	54.9									
J837675		1.2	149	11.7	13.3	174	35.8	2.26								
J837676		1.3	80	0.4	13.9	79	99.1									
J837677		0.7	128	7.0	14.5	80	32.7									
J837678		1.0	21	1.9	7.1	38	150.0									
J837679		1.0	20	2.2	7.7	34	176.5									
J837680		1.0	28	2.1	8.8	41	130.5									
J837681		0.6	40	1.9	8.8	52	117.5									
J837682		1.0	34	2.4	7.2	44	132.5									
J837683		0.9	37	0.9	10.9	52	163.5									
J837684		0.9	27	0.4	9.4	57	207									
J837685		0.9	39	0.5	8.9	66	186.5									
J837685 CRD		0.8	39	0.5	8.8	66	190.5									
J837686		0.8	37	0.2	12.6	69	188.5		0.10	0.4	67.04	14.95	4.34	3.67	0.92	3.90
J837687		0.6	23	0.7	5.7	43	92.5									
J837688		0.8	33	0.6	15.0	62	137.0									
J837689		0.6	38	1.0	16.2	64	122.0									
J837690		1.2	160	14.1	13.4	156	25.5									
J837691		0.6	38	0.6	6.6	57	91.3									
J837692		0.8	53	0.2	8.1	68	82.1									
J837693		0.7	61	0.3	10.3	73	50.1									
J837694		1.1	35	0.9	10.7	71	97.4									
J837695		0.8	36	0.3	14.9	76	103.0									
J837696		0.5	26	0.2	5.7	47	97.5									
J837697		0.8	37	2.1	5.0	34	141.5									
J837698		0.4	179	33.4	9.6	137	56.9									
J837699		1.0	40	8.6	4.6	37	96.7									
J837700		0.7	87	4.5	12.9	125	26.5	1.330								
J837701		0.7	35	0.7	7.3	52	168.0									
J837702		0.7	25	1.5	6.6	50	188.0									
J837703		0.8	29	0.4	10.0	83	221									
J837704		1.1	26	0.2	8.3	67	194.0									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J837666										
J837667										
J837668										
J837669										
J837670										
J837671										
J837672										
J837673										
J837674										
J837675										
J837676										
J837677										
J837678										
J837679										
J837680										
J837681										
J837682										
J837683										
J837684										
J837685										
J837685 CRD										
J837686		1.16	<0.01	0.45	0.05	0.143	0.04	0.02	1.58	98.26
J837687										
J837688										
J837689										
J837690										
J837691										
J837692										
J837693										
J837694										
J837695										
J837696										
J837697										
J837698										
J837699										
J837700										
J837701										
J837702										
J837703										
J837704										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J837705		3.30	<0.005		0.11	6.99	5.1	230	1.03	0.02	2.71	0.07	38.9	9.8	8	0.37
J837705 CRD		<0.02	<0.005		0.15	7.13	5.4	220	0.99	0.02	2.74	0.06	41.3	9.7	8	0.39
J837706		3.24	<0.005	<0.005	0.03	6.80	2.1	310	1.05	0.01	2.17	0.03	61.2	6.3	10	0.41
J837707		3.03	0.007		0.02	6.76	6.2	240	0.99	0.01	2.38	0.03	49.3	6.1	9	0.30
J837708		2.57	<0.005		0.01	6.58	4.3	340	1.04	0.01	1.99	0.03	61.5	5.6	11	0.46
J837709		3.65	<0.005		0.04	6.50	1.6	370	1.06	0.01	1.92	<0.02	44.9	3.4	9	0.28
J837710		2.90	<0.005		0.02	6.77	4.8	490	0.93	0.01	1.89	<0.02	38.1	6.5	10	0.45
J837711		3.10	<0.005		0.03	6.36	1.3	330	1.13	0.01	1.95	<0.02	37.8	4.4	9	0.33
J837712		3.50	<0.005		0.06	6.70	1.6	210	1.26	0.04	2.29	0.02	45.9	5.5	9	0.26
J837713		3.41	<0.005		0.02	6.48	0.4	430	1.24	0.01	1.67	<0.02	42.3	3.7	11	0.22
J837714		3.28	<0.005		0.04	6.62	0.3	360	1.24	0.01	1.90	0.02	61.0	5.8	10	0.22
J837715		0.12	2.45		7.73	6.45	48.0	620	0.93	3.22	1.61	0.98	57.2	15.4	52	2.91
J837716		3.29	<0.005		0.02	7.01	1.6	540	0.95	0.01	2.26	0.03	48.6	7.2	7	0.26
J837717		2.94	<0.005		0.02	6.62	2.2	460	1.19	0.01	2.11	0.04	58.1	6.4	12	0.25
J837718		3.68	<0.005		<0.01	6.78	4.9	220	0.96	0.02	3.13	<0.02	60.5	7.9	8	0.28
J837719		3.51	<0.005		0.04	6.76	3.5	250	0.78	0.04	2.95	0.02	63.0	8.9	7	0.34
J837720		3.60	<0.005		0.04	6.97	0.3	240	0.92	0.11	3.07	0.03	56.5	9.5	6	0.28
J837721		3.17	<0.005		0.05	7.13	1.1	260	0.93	0.13	2.85	0.03	59.0	9.3	7	0.33
J837722		3.24	<0.005		0.03	7.22	<0.2	240	0.92	0.02	2.97	0.02	67.4	9.3	6	0.23
J837723		3.18	<0.005		0.01	6.98	2.7	170	0.98	0.03	3.32	<0.02	57.0	9.4	8	0.26
J837724		3.51	<0.005		0.02	6.49	1.3	130	0.78	0.04	4.15	<0.02	57.6	6.9	8	0.20
J837725		3.22	<0.005		0.99	6.53	2.4	140	1.03	0.02	2.75	<0.02	53.1	8.4	9	0.20
J837725 CRD		<0.02	<0.005		0.01	6.62	1.8	140	1.14	0.02	2.72	<0.02	58.1	7.6	8	0.21
J837726		3.46	<0.005	<0.005	0.01	6.68	1.4	120	0.95	0.04	3.37	0.03	57.8	7.5	8	0.17
J837727		3.47	<0.005		0.01	6.79	0.6	80	1.26	0.02	2.83	0.02	53.6	6.0	10	0.17
J837728		3.57	<0.005		<0.01	6.58	0.9	160	1.06	0.01	2.45	<0.02	29.5	5.0	13	0.22
J837729		3.19	<0.005		0.05	6.73	1.6	90	1.37	0.01	2.82	0.02	46.3	7.8	23	0.20
J837730		0.12	0.465		2.16	7.27	106.5	580	1.40	0.56	0.53	1.04	33.9	17.2	33	6.63
J837731		3.50	<0.005		<0.01	6.51	1.2	150	1.37	0.01	3.11	0.02	41.2	5.7	14	0.35
J837732		3.33	<0.005		0.01	6.63	0.5	60	1.55	<0.01	2.74	<0.02	56.7	4.5	10	0.17
J837733		3.33	<0.005		0.01	6.74	<0.2	70	1.21	<0.01	2.29	<0.02	71.6	5.3	11	0.22
J837734		3.38	<0.005		0.05	5.08	<0.2	130	0.65	0.02	5.79	<0.02	29.6	0.6	14	0.21
J837735		3.27	<0.005		0.02	6.66	<0.2	160	1.12	<0.01	2.50	<0.02	48.2	4.7	11	0.47
J837736		3.33	0.008		0.05	6.54	<0.2	260	1.15	0.05	2.27	<0.02	56.8	3.9	9	0.53
J837737		3.51	<0.005		0.07	6.87	0.2	480	1.01	0.01	2.15	0.03	45.8	5.9	13	0.70
J837738		3.21	<0.005		0.03	6.82	1.2	310	1.12	<0.01	1.90	0.04	53.8	4.6	8	0.48
J837739		3.14	<0.005		0.02	6.55	0.9	280	1.01	<0.01	1.79	<0.02	38.6	3.8	9	0.31
J837740		3.25	<0.005		0.02	6.76	<0.2	240	1.56	<0.01	1.60	<0.02	54.5	2.1	8	0.36
J837741		2.40	<0.005		0.05	6.86	<0.2	220	1.38	<0.01	1.86	<0.02	72.9	4.1	8	0.43
J837742		4.20	<0.005		0.01	6.60	<0.2	340	0.98	<0.01	2.48	<0.02	65.4	4.8	19	0.78

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J837705		18.1	2.92	20.8	0.13	3.3	0.029	0.92	17.9	12.4	0.73	506	0.16	2.88	7.5	9.9
J837705 CRD		18.8	2.88	20.9	0.12	3.5	0.031	0.93	19.5	12.6	0.73	502	0.17	2.89	7.5	9.6
J837706		4.1	2.24	22.1	0.13	4.7	0.020	1.23	30.6	9.3	0.43	386	0.17	2.75	8.2	5.8
J837707		1.9	2.02	21.6	0.11	4.3	0.017	0.94	23.1	7.4	0.33	301	0.15	3.16	7.5	4.4
J837708		2.5	2.08	21.0	0.12	3.8	0.018	1.30	30.7	8.2	0.36	305	0.29	2.84	7.1	4.2
J837709		6.2	1.79	20.8	0.12	3.1	0.013	1.29	20.5	6.5	0.25	231	0.23	2.98	5.4	2.4
J837710		1.4	2.13	19.75	0.11	4.2	0.016	1.42	17.4	10.3	0.41	293	0.18	2.91	7.7	4.4
J837711		1.1	1.65	19.45	0.11	3.2	0.013	1.07	17.0	8.4	0.34	193	0.13	2.82	6.2	3.2
J837712		3.0	2.13	20.8	0.13	4.7	0.015	0.77	20.7	9.9	0.40	255	0.18	3.04	6.2	3.3
J837713		7.3	1.75	20.4	0.11	3.6	0.015	1.42	18.7	7.2	0.26	215	0.17	3.07	6.2	2.1
J837714		14.3	2.48	22.8	0.14	4.4	0.023	1.38	26.3	7.6	0.39	400	0.30	2.97	11.4	3.8
J837715		>10000	5.55	14.65	0.19	1.1	0.102	2.64	26.6	16.1	1.18	616	117.0	1.58	6.8	31.2
J837716		22.0	2.66	21.0	0.15	3.1	0.023	1.39	22.2	7.1	0.43	408	0.19	2.89	7.7	2.2
J837717		6.7	2.78	21.6	0.15	3.7	0.024	1.27	24.5	9.4	0.42	378	0.27	2.66	8.0	2.9
J837718		2.1	2.93	23.1	0.14	4.4	0.032	0.85	26.0	11.6	0.51	341	0.13	2.59	10.0	2.9
J837719		6.6	3.21	22.2	0.14	4.9	0.040	0.93	27.3	11.1	0.50	394	0.26	2.51	10.0	2.9
J837720		11.4	3.42	22.5	0.13	4.2	0.040	0.96	23.7	12.0	0.59	435	0.22	2.58	11.2	3.5
J837721		25.3	3.51	23.9	0.16	4.4	0.043	1.01	24.8	12.4	0.59	467	0.56	2.70	11.5	3.7
J837722		6.1	3.41	23.3	0.14	4.5	0.046	0.81	29.9	11.3	0.58	436	0.14	2.67	11.0	3.2
J837723		0.9	3.26	23.7	0.14	4.4	0.043	0.73	25.0	11.7	0.62	321	0.14	2.44	11.4	3.9
J837724		2.2	2.64	24.6	0.12	4.2	0.038	0.54	25.2	9.1	0.47	261	0.11	2.12	10.0	3.3
J837725		6.7	2.35	21.8	0.12	3.9	0.024	0.58	22.5	10.3	0.49	246	0.16	2.85	9.2	4.2
J837725 CRD		3.3	2.25	22.1	0.13	3.9	0.026	0.58	24.8	10.4	0.49	237	0.12	2.83	9.2	3.2
J837726		2.8	2.74	24.5	0.13	3.6	0.039	0.47	25.4	11.1	0.50	301	0.18	2.59	9.6	4.1
J837727		8.5	1.87	20.6	0.12	3.4	0.022	0.40	24.4	11.7	0.52	164	0.16	2.79	8.6	5.0
J837728		0.8	1.70	19.60	0.09	3.3	0.016	0.58	14.7	10.6	0.36	176	0.18	2.99	7.0	6.0
J837729		0.8	2.03	21.2	0.13	3.1	0.034	0.53	20.1	15.8	0.61	229	0.18	2.72	7.6	12.8
J837730		4470	4.68	18.45	0.20	0.8	0.056	3.78	17.5	12.5	0.76	483	261	1.05	5.6	22.1
J837731		4.1	1.91	23.0	0.12	4.3	0.023	1.10	18.5	17.2	0.46	163	0.77	2.71	11.8	5.8
J837732		1.2	1.42	20.9	0.16	2.8	0.015	0.39	24.4	11.5	0.35	100	0.27	3.14	10.6	3.8
J837733		1.1	1.43	18.20	0.20	3.0	0.012	0.54	31.3	13.3	0.43	95	0.20	2.81	9.7	5.5
J837734		1.1	1.80	28.0	0.17	2.3	0.034	0.72	11.7	2.2	0.05	120	0.42	1.53	11.9	1.1
J837735		1.0	1.45	18.90	0.16	3.5	0.015	1.18	21.1	9.2	0.33	125	1.53	2.56	9.8	4.6
J837736		2.6	1.46	19.60	0.16	3.0	0.020	1.39	24.5	7.1	0.27	165	0.24	2.53	8.9	3.3
J837737		23.2	2.15	19.75	0.16	2.6	0.018	1.57	19.7	9.7	0.42	350	0.14	2.58	7.2	7.8
J837738		4.4	1.79	19.80	0.16	3.9	0.013	1.30	23.5	7.5	0.31	300	2.70	2.82	7.4	4.6
J837739		1.9	1.52	17.35	0.13	2.7	0.010	1.14	17.3	6.3	0.25	240	25.3	2.81	5.7	3.6
J837740		48.0	0.96	19.60	0.15	3.1	0.017	0.87	25.0	4.4	0.17	112	2.13	3.37	11.1	1.9
J837741		1.9	1.44	20.3	0.15	3.7	0.015	1.04	33.2	6.9	0.29	140	0.22	2.97	11.6	3.5
J837742		2.6	1.33	17.10	0.16	3.9	0.015	1.88	29.3	9.8	0.41	113	1.76	2.11	5.9	9.1

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J837705		420	8.9	34.8	<0.002	0.01	0.10	6.9	1	1.6	212	0.56	<0.05	4.6	0.265	0.17
J837705 CRD		410	10.4	35.1	<0.002	0.01	0.10	7.0	1	1.7	215	0.58	<0.05	5.0	0.263	0.18
J837706		420	12.6	40.6	<0.002	0.01	0.12	3.8	1	1.5	218	0.42	<0.05	9.3	0.191	0.18
J837707		390	6.0	32.7	<0.002	<0.01	0.30	3.2	1	1.3	239	0.48	<0.05	7.8	0.176	0.15
J837708		420	6.9	44.7	<0.002	0.01	0.12	3.0	1	1.3	183.0	0.46	<0.05	9.5	0.162	0.22
J837709		280	6.2	33.6	<0.002	0.01	0.24	2.4	1	1.1	211	0.45	<0.05	7.0	0.102	0.15
J837710		380	11.5	43.0	<0.002	<0.01	0.11	3.7	1	1.3	163.0	0.38	<0.05	7.8	0.177	0.19
J837711		300	12.0	29.7	<0.002	<0.01	0.07	2.7	1	1.1	194.0	0.41	<0.05	6.5	0.126	0.14
J837712		330	18.7	21.1	<0.002	0.01	0.07	2.7	1	1.1	206	0.45	<0.05	6.5	0.137	0.11
J837713		270	7.8	33.6	<0.002	0.02	0.08	2.3	1	1.2	191.5	0.46	<0.05	6.9	0.115	0.15
J837714		470	7.9	33.7	<0.002	0.01	0.07	3.8	1	2.1	190.5	0.71	<0.05	9.1	0.170	0.15
J837715		880	56.6	75.9	0.138	2.34	7.39	14.0	7	2.6	253	0.26	0.91	4.3	0.303	0.69
J837716		550	9.5	36.0	<0.002	0.02	0.13	3.8	1	1.4	208	0.34	<0.05	7.1	0.204	0.18
J837717		550	6.6	34.5	<0.002	0.02	0.14	4.1	1	1.3	201	0.36	<0.05	5.7	0.204	0.16
J837718		690	4.5	25.9	<0.002	<0.01	0.11	5.1	1	1.5	226	0.48	<0.05	4.4	0.257	0.15
J837719		710	3.6	28.5	<0.002	0.01	0.09	5.3	1	1.4	206	0.53	<0.05	3.6	0.272	0.16
J837720		860	3.9	24.3	<0.002	0.03	0.06	6.1	1	1.4	206	0.66	<0.05	3.3	0.311	0.14
J837721		800	3.7	31.3	0.002	0.04	0.10	6.2	2	1.6	201	0.71	<0.05	3.3	0.298	0.15
J837722		770	4.0	24.7	<0.002	0.01	0.07	6.3	2	1.6	215	0.71	<0.05	3.6	0.291	0.12
J837723		800	3.3	17.7	<0.002	<0.01	0.09	6.0	1	1.6	234	0.74	<0.05	3.2	0.296	0.11
J837724		680	3.8	14.6	<0.002	<0.01	0.11	5.1	1	1.7	273	0.59	<0.05	4.0	0.259	0.09
J837725		650	4.8	14.1	<0.002	<0.01	0.11	4.5	1	1.3	225	0.56	<0.05	5.0	0.243	0.10
J837725 CRD		650	4.7	15.3	<0.002	<0.01	0.07	4.6	1	1.3	223	0.54	<0.05	5.4	0.242	0.09
J837726		680	5.0	11.6	<0.002	0.01	0.08	5.2	1	1.7	254	0.65	<0.05	4.7	0.262	0.07
J837727		510	5.0	9.9	<0.002	<0.01	0.05	4.3	1	1.5	244	0.54	<0.05	7.1	0.199	0.05
J837728		270	5.6	15.3	<0.002	<0.01	0.06	3.5	1	1.1	232	0.44	<0.05	5.7	0.138	0.09
J837729		280	5.9	13.1	<0.002	<0.01	0.05	7.2	1	1.6	219	0.65	<0.05	7.0	0.161	0.08
J837730		1130	41.8	98.6	0.624	2.48	7.96	10.6	9	3.2	255	0.36	1.08	2.5	0.255	1.35
J837731		440	5.7	26.1	0.002	<0.01	0.05	5.0	1	1.6	198.0	1.21	<0.05	6.4	0.185	0.15
J837732		320	5.9	8.0	<0.002	<0.01	0.06	4.1	1	1.4	211	1.12	<0.05	10.4	0.128	0.05
J837733		410	5.2	13.8	<0.002	<0.01	<0.05	3.7	1	1.0	196.0	0.77	<0.05	11.4	0.160	0.07
J837734		260	5.2	12.7	<0.002	0.01	0.17	1.9	1	2.3	358	1.04	<0.05	4.8	0.107	0.09
J837735		360	5.0	31.6	<0.002	<0.01	<0.05	2.6	1	1.4	170.0	0.74	<0.05	7.7	0.137	0.15
J837736		320	6.8	34.8	<0.002	<0.01	<0.05	2.4	1	1.6	145.5	0.74	<0.05	9.2	0.117	0.18
J837737		310	8.3	48.2	<0.002	0.01	0.06	4.0	1	1.3	167.5	0.44	<0.05	8.2	0.162	0.24
J837738		290	10.4	38.6	<0.002	<0.01	0.08	2.7	1	1.2	189.5	0.54	<0.05	9.8	0.145	0.18
J837739		220	7.1	31.1	0.007	0.01	0.07	2.1	1	0.9	188.0	0.48	<0.05	7.8	0.111	0.13
J837740		160	7.1	31.0	0.005	0.01	0.16	2.1	1	1.9	174.5	0.90	<0.05	9.1	0.062	0.12
J837741		270	5.8	33.4	<0.002	<0.01	0.07	2.6	1	1.7	193.5	0.78	<0.05	11.5	0.112	0.14
J837742		340	3.7	46.0	<0.002	<0.01	<0.05	2.7	1	0.9	158.5	0.38	<0.05	11.6	0.148	0.24

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J837705		0.9	57	0.1	9.3	78	132.0									
J837705 CRD		1.0	57	0.1	9.4	79	134.0									
J837706		0.7	24	0.1	8.3	65	198.0		0.06	0.2	69.82	15.41	3.42	3.27	0.82	4.02
J837707		1.1	22	0.1	7.6	35	175.5									
J837708		1.1	21	0.3	8.9	46	141.0									
J837709		1.7	19	0.1	11.3	28	95.4									
J837710		0.8	23	0.3	8.1	27	150.0									
J837711		0.9	16	0.1	6.6	18	120.5									
J837712		0.9	23	0.1	8.6	37	139.0									
J837713		0.9	17	0.1	9.8	27	104.0									
J837714		1.2	25	0.1	14.2	58	139.0									
J837715		1.1	147	10.9	13.9	168	37.7	2.24								
J837716		0.7	28	0.1	10.1	67	117.0									
J837717		0.9	28	0.1	9.2	64	145.5									
J837718		0.7	35	0.2	10.9	39	175.0									
J837719		0.6	35	0.4	13.6	57	211									
J837720		0.7	49	0.1	14.4	71	170.0									
J837721		0.7	44	0.3	15.9	79	185.5									
J837722		0.9	40	0.1	15.8	67	183.5									
J837723		0.7	43	0.2	14.6	34	177.0									
J837724		0.8	41	0.1	12.8	19	165.5									
J837725		0.6	33	10.8	9.8	27	154.0									
J837725 CRD		0.7	33	0.1	10.3	28	154.5									
J837726		0.6	41	0.1	10.8	36	145.5		<0.05	<0.2	68.01	15.48	4.15	5.03	0.96	3.73
J837727		0.7	28	0.2	10.0	10	133.0									
J837728		0.7	20	0.2	6.1	15	135.0									
J837729		2.4	38	0.3	13.3	19	101.0									
J837730		1.2	158	13.2	14.1	149	26.1									
J837731		1.1	28	0.6	12.1	11	151.0									
J837732		1.4	20	0.2	15.5	3	94.2									
J837733		1.0	19	0.1	11.1	4	115.5									
J837734		0.9	19	0.3	8.9	<2	81.4									
J837735		0.9	16	1.0	8.6	8	134.5									
J837736		1.3	14	0.6	11.4	13	112.0									
J837737		0.8	20	0.5	7.0	52	94.9									
J837738		1.4	14	0.1	8.3	50	152.5									
J837739		1.4	12	0.1	6.3	28	97.1									
J837740		1.5	5	0.2	11.8	9	91.5									
J837741		1.2	11	0.3	11.6	12	136.0									
J837742		0.9	22	0.8	10.2	8	159.5									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J837705										
J837705 CRD										
J837706		1.52	<0.01	0.32	0.05	0.095	0.04	0.03	1.28	100.10
J837707										
J837708										
J837709										
J837710										
J837711										
J837712										
J837713										
J837714										
J837715										
J837716										
J837717										
J837718										
J837719										
J837720										
J837721										
J837722										
J837723										
J837724										
J837725										
J837725 CRD										
J837726		0.57	<0.01	0.43	0.04	0.147	0.04	0.01	1.21	99.81
J837727										
J837728										
J837729										
J837730										
J837731										
J837732										
J837733										
J837734										
J837735										
J837736										
J837737										
J837738										
J837739										
J837740										
J837741										
J837742										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J837743		3.17	<0.005		0.01	6.78	<0.2	440	1.03	<0.01	1.56	<0.02	50.5	3.4	9	0.61
J837744		3.22	<0.005		0.11	6.58	0.3	180	0.60	0.04	5.07	0.04	64.1	23.2	382	0.24
J837745		1.00	<0.005		<0.01	0.13	10	10	<0.05	<0.01	19.35	<0.02	2.72	0.8	4	0.09
J837746		3.40	<0.005		0.08	7.13	0.2	210	0.76	0.02	4.22	0.03	72.1	23.9	352	0.33
J837746 CRD		<0.02	<0.005		0.07	7.21	0.4	210	0.74	0.01	4.30	0.03	72.5	23.0	345	0.33
J837747		3.23	<0.005	<0.005	0.09	7.36	<0.2	360	0.92	<0.01	2.84	0.04	46.6	10.2	7	0.64
J837748		3.28	<0.005		0.07	7.57	0.5	250	0.79	0.10	3.76	0.06	38.3	15.7	7	0.42
J837749		3.33	<0.005		0.17	7.58	1.4	230	0.85	0.01	3.61	0.08	39.2	15.8	7	0.42
J837750		3.24	<0.005		0.12	7.14	0.8	400	0.96	0.01	2.25	0.05	46.8	9.6	9	0.54
J837751		3.23	<0.005		0.09	7.10	0.5	390	0.97	0.01	2.16	0.07	41.3	9.0	6	0.51
J837752		2.69	<0.005		0.04	7.19	2.1	250	1.13	0.01	2.18	0.04	62.9	6.5	10	0.41
J837753		3.02	<0.005		0.03	7.12	2.2	260	1.18	<0.01	2.31	0.07	63.6	7.5	14	0.45
J837754		3.50	<0.005		0.04	7.44	2.7	360	1.15	0.01	2.59	0.11	49.7	8.8	25	0.39
J837755		3.13	<0.005		0.03	6.72	3.1	270	1.03	<0.01	2.38	0.04	39.5	6.6	20	0.37
J837756		3.52	<0.005		0.03	7.31	3.9	170	1.21	0.03	3.85	0.07	28.2	11.7	46	0.29
J837757		3.31	<0.005		0.03	7.00	2.8	300	0.93	<0.01	2.69	0.03	42.4	6.7	14	0.49
J837758		3.24	<0.005		0.03	7.47	2.0	300	0.94	<0.01	2.28	0.04	30.1	5.2	10	0.46
J837759		3.51	<0.005		0.03	6.94	1.7	480	0.96	<0.01	1.76	0.02	33.6	5.4	11	0.46
J837760		0.07	0.973		4.67	6.17	18.4	460	0.67	1.89	2.37	2.08	20.6	14.7	60	0.75
J837761		2.96	<0.005		0.05	7.54	3.2	220	1.25	0.01	1.71	<0.02	67.1	8.7	22	0.39
J837762		3.49	<0.005		0.07	7.08	3.3	160	1.12	0.28	2.17	0.03	21.5	16.0	66	0.30
J837763		3.25	<0.005		0.07	7.64	5.7	280	1.07	0.01	2.19	<0.02	83.8	14.1	70	0.36
J837764		3.25	<0.005		0.04	6.82	2.2	260	0.98	0.18	2.63	0.02	22.5	7.8	62	0.36
J837765		3.12	<0.005		0.02	6.67	1.9	440	0.85	0.01	2.69	0.02	43.0	7.2	54	0.40
J837765 CRD		<0.02	<0.005		0.01	7.18	1.8	490	0.90	0.03	3.04	0.03	43.7	8.0	61	0.41
J837766		3.68	<0.005	<0.005	0.02	6.55	1.0	630	1.07	0.03	1.76	<0.02	27.8	2.3	9	0.46
J837767		3.18	<0.005		0.01	7.32	2.5	500	1.75	0.01	2.02	<0.02	37.5	3.4	7	0.42
J837768		3.35	<0.005		0.03	6.98	2.3	420	0.86	0.02	2.85	0.03	54.1	6.1	11	0.37
J837769		3.07	<0.005		0.03	6.94	2.4	320	1.16	0.01	2.09	0.03	43.5	6.1	13	0.39
J837770		3.36	<0.005		0.01	6.92	1.6	220	1.20	0.07	2.45	<0.02	45.8	7.1	9	0.32
J837771		2.87	<0.005		0.03	7.50	1.0	200	0.94	0.07	3.57	0.03	35.2	14.6	6	0.35
J837772		3.71	<0.005		0.03	7.54	0.3	290	0.86	0.17	3.75	0.03	32.9	14.7	5	0.71
J837773		2.31	0.129		0.30	6.16	<0.2	210	0.60	0.24	5.04	0.07	18.90	31.8	55	0.52
J837774		4.63	0.028		0.05	6.54	<0.2	510	0.96	0.05	1.67	0.02	27.8	4.1	8	0.83
J837775		0.12	2.55		7.86	6.46	50.3	620	0.86	3.43	1.57	0.93	57.8	15.8	54	3.05

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J837743		5.3	1.20	17.05	0.14	3.1	0.009	1.52	23.5	7.6	0.25	111	0.21	2.99	6.4	4.0
J837744		34.5	3.65	15.60	0.19	2.4	0.025	0.45	29.2	16.5	2.98	620	0.44	1.96	4.2	93.3
J837745		0.8	0.09	0.51	0.40	0.1	<0.005	0.12	1.9	4.7	12.40	39	0.14	0.03	0.3	1.6
J837746		17.6	4.09	18.05	0.18	3.4	0.034	0.70	32.7	24.1	3.11	650	0.71	2.36	5.6	78.9
J837746 CRD		19.1	4.11	17.65	0.17	3.4	0.026	0.72	32.1	23.3	3.08	658	0.74	2.35	5.5	77.5
J837747		29.7	2.99	19.60	0.17	3.2	0.028	1.48	19.8	14.3	0.75	436	0.19	2.56	7.3	12.0
J837748		15.6	3.98	20.8	0.16	2.8	0.035	0.89	16.3	16.6	1.24	564	0.33	2.47	7.7	20.0
J837749		62.0	3.91	20.9	0.17	2.7	0.036	0.86	16.9	15.1	1.14	611	0.25	2.72	7.8	17.1
J837750		32.7	2.76	19.75	0.17	2.6	0.031	1.30	21.8	13.8	0.75	482	0.20	2.94	8.2	12.2
J837751		28.2	2.70	19.30	0.17	2.8	0.031	1.29	18.7	13.8	0.74	467	0.11	2.88	8.1	11.4
J837752		5.3	1.94	20.2	0.20	3.6	0.016	0.93	29.5	11.4	0.50	312	0.18	3.00	5.4	7.3
J837753		4.5	2.29	20.5	0.17	4.0	0.027	0.97	28.8	12.9	0.62	384	1.17	3.01	6.7	10.3
J837754		4.2	2.77	21.0	0.18	3.0	0.044	1.02	21.8	13.0	0.74	491	0.23	2.97	7.5	17.4
J837755		2.0	2.02	21.0	0.15	2.7	0.030	0.91	17.5	9.9	0.51	282	0.20	2.88	8.7	13.0
J837756		1.9	4.01	24.9	0.17	4.1	0.142	0.66	11.7	16.5	1.09	644	0.11	2.46	8.6	29.6
J837757		3.7	2.09	20.3	0.15	3.4	0.029	1.07	19.6	10.4	0.48	271	0.24	2.78	6.6	8.0
J837758		3.3	1.86	19.85	0.15	3.2	0.016	1.11	14.9	9.4	0.41	294	0.14	3.10	7.0	6.9
J837759		3.8	1.76	18.20	0.14	2.9	0.018	1.53	16.3	11.3	0.45	298	0.19	2.92	7.1	7.4
J837760		>10000	4.54	13.55	0.16	0.9	0.125	0.84	9.4	14.7	1.14	637	240	2.12	4.0	33.4
J837761		13.8	2.73	21.5	0.18	3.0	0.026	0.77	25.6	18.2	0.79	459	0.92	3.37	10.5	14.6
J837762		13.6	3.55	20.7	0.17	2.7	0.068	0.59	10.3	30.9	1.46	534	0.70	2.55	7.8	37.5
J837763		6.5	3.78	21.8	0.20	2.3	0.045	0.74	31.4	23.6	1.33	550	0.60	3.15	15.1	36.8
J837764		2.8	2.45	19.05	0.17	2.1	0.050	0.83	9.3	13.1	0.75	376	0.19	2.63	6.6	27.1
J837765		1.8	2.13	17.80	0.16	2.1	0.032	0.95	18.9	11.1	0.68	334	0.18	2.49	6.0	22.4
J837765 CRD		1.5	2.30	19.15	0.14	2.9	0.034	1.05	25.0	12.2	0.76	384	0.17	2.80	6.4	25.7
J837766		2.2	0.89	16.70	0.09	1.5	0.008	1.22	13.1	5.1	0.17	120	0.16	3.06	4.0	2.8
J837767		1.2	1.22	23.0	0.11	3.7	0.013	1.14	17.2	7.8	0.26	176	0.13	3.64	6.0	2.8
J837768		4.2	2.31	21.9	0.12	4.8	0.025	1.11	26.0	10.9	0.43	311	0.32	2.59	6.0	5.2
J837769		1.3	2.08	20.7	0.12	4.8	0.018	0.95	19.2	13.2	0.44	306	0.12	2.82	7.6	5.3
J837770		2.4	1.98	20.6	0.12	3.2	0.023	0.80	18.9	13.7	0.52	246	0.12	2.88	6.9	6.9
J837771		8.0	3.73	21.6	0.14	3.2	0.030	0.82	13.8	22.6	1.15	487	0.13	2.38	7.3	15.9
J837772		10.3	3.74	23.6	0.14	3.2	0.037	1.62	14.2	22.7	1.14	443	0.12	2.03	7.4	16.0
J837773		94.9	6.31	16.20	0.15	1.4	0.045	1.03	9.5	36.4	2.37	1030	0.96	0.90	2.8	45.9
J837774		3.1	1.35	17.00	0.10	3.0	0.011	1.82	14.6	5.9	0.29	211	0.20	2.49	5.1	4.5
J837775		>10000	5.47	14.75	0.22	1.1	0.101	2.61	26.3	17.0	1.18	610	109.5	1.58	6.3	30.9

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J837743		230	3.6	42.6	<0.002	0.04	0.08	2.2	1	0.8	197.0	0.62	<0.05	10.5	0.106	0.19
J837744		720	6.3	15.1	<0.002	0.12	0.20	14.4	1	0.8	473	0.25	<0.05	6.1	0.236	0.05
J837745		20	1.0	3.3	<0.002	0.03	<0.05	0.3	1	<0.2	61.4	<0.05	<0.05	0.3	0.006	<0.02
J837746		780	7.0	22.0	<0.002	0.12	0.09	13.8	1	1.1	224	0.39	<0.05	8.0	0.267	0.10
J837746 CRD		780	6.6	23.5	<0.002	0.11	0.09	13.6	1	1.1	221	0.38	<0.05	8.5	0.264	0.09
J837747		420	5.4	41.4	<0.002	0.01	0.07	7.4	1	1.5	182.0	0.62	<0.05	6.7	0.266	0.21
J837748		490	9.0	32.6	<0.002	0.01	0.13	11.6	1	1.5	227	0.68	<0.05	3.4	0.355	0.17
J837749		490	8.0	30.4	<0.002	0.04	0.15	11.3	1	1.4	218	0.71	<0.05	3.5	0.356	0.16
J837750		380	5.4	34.5	<0.002	0.01	0.08	7.1	1	1.7	180.5	0.71	<0.05	7.9	0.237	0.18
J837751		370	6.9	33.8	<0.002	0.01	0.07	7.8	1	1.6	179.0	0.68	<0.05	7.5	0.231	0.18
J837752		320	8.6	34.2	<0.002	0.01	0.11	2.6	1	1.1	200	0.37	<0.05	10.5	0.161	0.15
J837753		410	8.0	29.6	<0.002	<0.01	0.10	4.5	1	1.4	210	0.38	<0.05	10.2	0.208	0.15
J837754		420	7.9	30.6	<0.002	<0.01	0.10	8.5	1	1.9	207	0.45	<0.05	8.3	0.207	0.14
J837755		290	5.8	28.8	<0.002	<0.01	0.09	6.0	1	1.8	197.0	0.66	<0.05	5.9	0.142	0.14
J837756		530	8.3	16.6	<0.002	<0.01	0.12	41.1	1	4.2	258	0.53	<0.05	5.4	0.166	0.09
J837757		450	6.7	34.2	<0.002	<0.01	0.10	5.5	1	1.3	225	0.34	<0.05	6.6	0.192	0.18
J837758		340	6.0	35.3	<0.002	<0.01	0.14	3.2	1	1.3	216	0.42	<0.05	5.8	0.163	0.17
J837759		290	6.2	37.0	<0.002	<0.01	0.09	3.5	1	1.3	184.5	0.42	<0.05	6.3	0.138	0.17
J837760		570	37.0	23.8	1.425	1.55	26.5	13.5	6	1.0	272	0.30	0.57	2.0	0.325	0.19
J837761		480	6.1	24.5	0.002	<0.01	0.18	6.1	1	1.8	192.0	0.63	<0.05	19.0	0.195	0.11
J837762		370	6.4	16.8	<0.002	<0.01	0.20	14.0	1	2.4	193.5	0.44	<0.05	5.3	0.172	0.08
J837763		670	5.5	20.6	<0.002	<0.01	0.13	13.2	1	2.4	204	0.65	<0.05	25.3	0.331	0.10
J837764		250	5.2	26.5	<0.002	<0.01	0.15	11.4	1	2.0	213	0.35	<0.05	4.5	0.139	0.13
J837765		260	5.0	24.8	<0.002	<0.01	0.09	7.3	1	1.5	190.0	0.54	<0.05	7.8	0.125	0.11
J837765 CRD		280	6.3	23.5	<0.002	<0.01	0.07	8.2	1	1.5	211	0.67	<0.05	9.5	0.136	0.14
J837766		140	5.6	31.0	<0.002	<0.01	0.08	1.8	1	0.7	171.5	0.40	<0.05	7.3	0.063	0.15
J837767		230	6.6	32.4	<0.002	<0.01	0.11	2.6	1	1.1	190.0	0.78	<0.05	7.4	0.098	0.15
J837768		470	6.2	30.4	<0.002	<0.01	0.15	4.1	1	1.4	249	0.38	<0.05	7.3	0.210	0.17
J837769		410	5.4	27.9	<0.002	<0.01	0.09	4.0	1	1.4	221	0.46	<0.05	7.2	0.180	0.14
J837770		370	4.0	20.8	<0.002	<0.01	0.10	5.2	1	1.4	243	0.45	<0.05	7.8	0.177	0.11
J837771		500	4.3	19.2	<0.002	<0.01	0.11	10.9	1	1.4	256	0.62	<0.05	2.9	0.343	0.12
J837772		500	4.1	42.2	<0.002	0.02	0.09	11.2	1	1.7	187.0	0.60	<0.05	2.7	0.345	0.26
J837773		290	3.7	33.2	<0.002	0.22	0.12	23.5	1	0.7	178.0	0.20	0.21	1.1	0.330	0.13
J837774		270	4.3	51.3	<0.002	0.02	0.05	2.8	1	1.1	136.0	0.33	<0.05	5.4	0.104	0.24
J837775		880	57.9	72.1	0.126	2.43	7.83	14.4	7	2.8	256	0.25	1.06	4.4	0.301	0.70

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J837743		1.7	13	1.0	9.6	6	117.5									
J837744		0.8	81	1.0	9.1	63	98.5									
J837745		0.1	1	<0.1	1.5	<2	2.3									
J837746		1.0	80	1.3	11.5	69	144.0									
J837746 CRD		0.9	80	1.3	11.5	69	145.5									
J837747		2.9	58	0.5	10.6	53	136.0		0.42	1.5	65.32	15.48	4.30	4.04	1.38	3.68
J837748		1.0	94	0.1	12.4	61	118.0									
J837749		1.0	92	0.1	12.4	74	116.5									
J837750		1.2	51	0.3	12.0	57	103.0									
J837751		1.1	49	0.2	12.1	65	107.5									
J837752		1.1	23	0.2	8.9	45	146.5									
J837753		1.0	34	0.2	11.2	55	172.5									
J837754		0.9	39	0.3	14.8	76	128.5									
J837755		1.2	29	0.2	14.4	28	106.5									
J837756		2.0	61	0.2	43.7	55	161.0									
J837757		0.7	29	0.2	8.4	36	152.5									
J837758		0.6	21	0.2	5.6	40	148.5									
J837759		0.6	19	0.2	6.2	36	128.0									
J837760		0.8	103	8.7	14.5	139	27.6	1.300								
J837761		0.9	30	0.3	11.2	46	130.5									
J837762		0.7	50	0.4	19.4	80	113.5									
J837763		0.7	51	0.5	14.6	53	99.6									
J837764		0.5	37	0.4	14.9	35	84.5									
J837765		1.5	32	0.3	10.7	29	80.6									
J837765 CRD		1.5	36	0.2	12.3	34	92.0									
J837766		0.5	9	0.2	6.2	9	49.5		0.24	0.9	73.51	14.27	1.30	2.56	0.35	4.51
J837767		3.4	14	0.2	13.5	17	112.5									
J837768		0.8	29	0.1	6.9	43	192.0									
J837769		0.6	24	0.1	7.0	42	189.5									
J837770		0.6	32	0.1	9.0	25	119.0									
J837771		0.7	90	0.1	12.2	49	126.5									
J837772		0.7	93	0.7	11.6	45	126.0									
J837773		0.3	175	2.4	7.3	98	52.0									
J837774		0.7	18	1.1	5.3	32	119.5									
J837775		1.2	147	10.4	13.6	166	34.0	2.25								

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J837743										
J837744										
J837745										
J837746										
J837746 CRD										
J837747		1.81	<0.01	0.45	0.06	0.089	0.03	0.04	3.03	99.71
J837748										
J837749										
J837750										
J837751										
J837752										
J837753										
J837754										
J837755										
J837756										
J837757										
J837758										
J837759										
J837760										
J837761										
J837762										
J837763										
J837764										
J837765										
J837765 CRD										
J837766		1.55	<0.01	0.10	0.01	0.036	0.03	0.07	1.67	99.97
J837767										
J837768										
J837769										
J837770										
J837771										
J837772										
J837773										
J837774										
J837775										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J837696 TO J837704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178473

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.