ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE TB10194581

Project: HAMMOND REEF

P.O. No.:

This report is for 114 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860000		0.12	1.005		4.35	5.88	20.4	450	0.69	1.69	2.25	1.93	21.7	13.1	57	0.69
J860001		2.89	0.455		0.17	3.32	0.8	190	0.62	0.03	7.01	0.17	18.35	57.1	786	0.79
J860002		3.61	0.103		0.04	7.12	3.9	380	0.89	0.01	1.08	0.04	31.0	5.2	17	0.98
J860003		2.34	0.336		0.10	6.37	1.2	370	0.85	0.03	4.44	0.12	20.7	16.5	69	1.08
J860004		3.28	0.358		0.28	4.29	4.2	250	0.69	0.07	7.80	0.19	15.85	57.4	625	1.04
J860005		2.76	0.875		0.27	6.12	9.4	350	0.85	0.04	2.35	0.07	13.00	12.2	86	1.01
J860006		2.42	1.240		0.51	3.67	10.7	240	0.74	0.11	9.79	0.29	20.8	68.3	928	0.94
J860007		2.58	0.544		1.54	2.91	2.1	180	0.66	0.04	8.68	0.21	19.40	66.2	828	0.73
J860008		3.27	0.039		0.13	3.05	2.0	40	0.36	0.03	7.58	0.20	19.50	65.5	1060	0.20
J860009		3.18	0.202		0.18	2.33	19.9	30	0.23	0.04	9.56	0.17	15.60	53.1	1020	0.16
J860010		3.43	0.073		0.15	2.74	144.5	10	0.21	0.01	6.54	0.11	17.85	82.3	1400	0.08
J860011		3.42	0.112		0.14	2.30	136.5	<10	0.22	0.01	6.22	0.12	16.95	84.8	1510	0.07
J860012		3.33	0.142		0.17	2.67	80.2	<10	0.24	0.01	4.41	0.12	18.80	80.4	1390	0.07
J860013		3.16	0.499		0.85	2.65	84.8	<10	0.23	0.02	5.12	0.14	18.20	80.0	1390	0.05
J860014		3.42	0.186		0.15	3.21	83.4	<10	0.30	0.03	6.29	0.17	22.4	80.3	1150	<0.05
J860015		0.12	2.32		7.88	6.55	52.0	650	0.85	3.47	1.61	1.01	62.4	15.9	59	3.26
J860016		3.16	0.031		0.30	5.38	17.9	40	0.42	0.03	4.44	0.11	36.9	60.1	734	0.15
J860017		3.48	0.055		0.18	3.83	20.6	<10	0.30	0.02	6.27	0.11	23.6	67.0	1090	0.06
J860018		3.06	0.021		0.28	4.91	8.9	50	0.41	0.04	7.32	0.12	25.9	63.6	794	0.23
J860019		3.12	0.025		0.05	7.45	0.7	390	0.98	0.02	1.15	0.03	46.6	4.8	16	0.89
J860019 CRD		<0.02	0.033		0.05	7.12	1.1	410	1.06	0.04	1.10	0.02	56.0	4.7	14	0.88
J860020		2.90	0.024	0.015	0.04	6.82	0.9	440	0.70	0.04	0.66	0.03	52.8	3.2	10	0.70
J860021		3.30	0.007		0.05	6.95	0.7	570	0.61	0.08	0.32	<0.02	28.7	3.1	8	0.70
J860022		2.94	<0.005		0.01	6.98	0.5	360	0.76	0.02	1.18	0.02	31.6	3.5	7	0.66
J860023		3.29	0.006		0.07	6.35	0.2	440	0.65	0.07	1.48	0.04	42.1	3.9	9	0.65
J860024		3.23	0.007		0.02	6.78	0.4	410	0.76	0.02	1.37	0.03	45.6	3.5	13	0.80
J860025		3.00	0.023		0.03	6.10	0.7	370	0.58	0.03	0.81	0.02	68.6	1.6	7	0.49
J860026		3.37	0.011		0.01	6.86	<0.2	340	0.67	0.02	1.24	0.03	47.6	5.0	9	0.72
J860027		3.02	0.010		0.10	6.88	0.6	480	0.70	0.28	1.39	0.03	22.1	5.4	10	0.68
J860028		2.94	0.012		0.06	5.96	1.3	380	0.43	0.13	0.86	0.02	24.8	1.4	8	0.42
J860029		2.95	<0.005		0.04	6.17	0.8	400	0.47	0.03	1.45	0.03	44.9	2.5	8	0.64
J860030		0.12	0.430		2.18	6.97	110.5	550	1.13	0.63	0.51	0.99	29.7	18.4	34	7.25
J860031		3.29	<0.005		0.02	6.50	0.8	440	0.60	0.04	1.77	0.04	26.7	4.8	10	0.92
J860032		3.26	0.006		0.10	6.12	1.1	330	0.48	0.02	2.56	0.05	5.30	12.7	58	0.73
J860033		3.23	<0.005		0.07	5.98	1.3	440	0.47	0.10	0.67	0.02	10.25	0.9	8	0.43
J860034		2.13	<0.005		0.07	6.27	1.6	290	0.46	0.05	0.85	0.03	12.50	0.7	9	0.48
J860035		2.57	0.007		0.09	6.27	1.6	360	0.53	0.08	0.92	0.02	29.1	3.7	10	0.69
J860036		2.29	0.013		0.11	7.64	3.6	320	0.51	0.02	8.98	0.14	20.6	45.4	170	0.86
J860037		2.65	<0.005		0.04	6.64	1.6	520	0.86	0.04	1.62	0.04	49.9	6.4	12	0.96
J860038		2.82	<0.005		0.05	7.20	0.9	510	0.79	0.01	2.02	0.04	51.1	7.1	10	1.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860000		>10000	4.33	13.00	0.13	0.9	0.122	0.82	9.0	14.0	1.11	626	235	2.08	3.9	29.8
J860001		115.0	7.40	10.15	0.11	1.3	0.041	1.49	7.8	10.9	5.82	1260	1.49	0.23	3.8	499
J860002		7.4	1.61	19.70	0.10	3.2	0.011	2.51	15.6	3.8	0.67	187	1.66	2.42	2.6	32.9
J860003		55.0	3.54	16.20	0.14	2.0	0.023	2.80	9.6	3.9	2.04	645	3.06	1.19	2.2	68.9
J860004		164.5	7.33	12.10	0.19	1.1	0.047	2.30	5.3	6.5	5.21	1340	2.75	0.04	3.1	389
J860005		87.6	2.82	16.45	0.09	1.5	0.019	2.63	5.1	4.8	1.36	493	2.72	1.42	1.1	61.2
J860006		160.5	7.31	13.55	0.20	1.7	0.049	1.98	7.2	4.6	5.22	1420	5.73	0.03	4.9	390
J860007		116.0	7.49	10.25	0.17	1.4	0.047	1.49	6.5	8.2	6.01	1420	2.30	0.03	4.5	457
J860008		95.9	8.13	10.35	0.19	1.3	0.045	0.30	6.4	44.8	7.31	1420	1.27	0.02	3.8	639
J860009		51.2	6.23	9.30	0.17	1.1	0.031	0.23	5.2	35.4	6.30	1520	2.32	0.01	2.1	623
J860010		108.5	8.45	11.95	0.22	1.5	0.043	0.03	6.0	52.6	9.29	1430	0.53	0.01	2.4	919
J860011		109.0	8.42	8.74	0.23	1.4	0.041	<0.01	5.9	42.9	9.42	1440	0.45	<0.01	2.1	987
J860012		112.5	8.76	9.79	0.22	1.5	0.041	<0.01	6.1	44.0	9.90	1320	0.48	<0.01	2.0	924
J860013		116.5	8.65	10.20	0.21	1.4	0.044	<0.01	6.1	46.0	9.50	1380	0.42	0.01	2.2	902
J860014		121.0	8.50	13.05	0.23	1.5	0.049	<0.01	7.6	63.1	8.53	1490	0.62	<0.01	3.4	806
J860015		>10000	5.70	15.10	0.18	1.1	0.115	2.69	23.7	17.7	1.17	636	118.0	1.63	7.1	32.9
J860016		117.5	7.02	15.95	0.14	2.4	0.042	0.21	19.4	70.4	5.94	1080	0.45	1.11	5.2	501
J860017		104.0	7.63	11.40	0.18	1.5	0.042	0.02	8.5	79.2	7.89	1360	0.42	0.02	5.3	572
J860018		104.5	7.95	14.70	0.20	1.6	0.044	0.43	9.3	89.7	6.82	1440	0.84	0.04	6.1	464
J860019		5.9	1.50	20.1	0.08	3.1	0.013	2.38	19.3	5.7	0.62	216	5.84	2.38	3.1	26.8
J860019 CRD		6.8	1.66	19.60	0.10	3.2	0.015	2.50	22.9	5.6	0.65	232	5.84	2.32	2.8	25.4
J860020		11.3	1.17	16.30	0.09	2.4	0.011	1.99	21.4	3.1	0.34	159	0.63	2.57	2.5	9.5
J860021		6.3	1.11	16.40	0.07	2.6	0.007	2.05	12.6	2.1	0.20	95	0.58	2.51	1.7	8.8
J860022		9.9	1.39	16.10	0.09	3.5	0.012	1.88	14.7	1.8	0.37	240	0.27	2.63	3.0	5.1
J860023		12.7	1.55	17.00	0.12	3.5	0.011	1.85	18.4	2.4	0.33	271	0.22	2.69	3.4	4.4
J860024		13.5	1.51	18.15	0.11	3.4	0.015	2.11	19.2	2.1	0.42	279	1.55	2.39	4.1	7.8
J860025		4.6	0.84	14.10	0.11	2.7	0.006	1.32	30.0	1.2	0.12	114	0.22	3.11	1.1	1.7
J860026		6.9	1.54	17.60	0.12	3.4	0.014	1.84	20.6	3.1	0.39	274	1.55	3.09	2.9	6.8
J860027		13.2	1.48	17.40	0.10	2.2	0.013	1.93	9.0	3.0	0.29	227	0.19	2.73	2.3	5.3
J860028		3.9	0.67	15.00	0.08	2.5	<0.005	1.14	11.7	1.0	0.07	83	0.14	3.35	0.8	1.5
J860029		7.9	1.11	17.75	0.11	2.9	0.009	1.48	23.6	2.9	0.18	177	0.16	3.17	1.7	2.9
J860030		4450	4.62	18.55	0.17	0.9	0.075	4.35	16.0	11.8	0.76	481	267	1.01	5.6	23.1
J860031		9.8	1.56	20.0	0.09	3.7	0.016	2.14	14.0	7.4	0.36	255	0.45	2.55	3.8	5.3
J860032		42.9	2.53	16.65	0.11	1.9	0.019	1.61	2.3	14.9	0.98	436	0.26	2.35	1.2	33.1
J860033		5.7	0.62	15.75	0.08	2.7	<0.005	1.24	4.6	0.8	0.06	77	0.21	3.30	0.9	1.9
J860034		2.6	0.72	15.75	0.09	2.5	<0.005	1.04	5.7	0.7	0.05	117	0.29	3.84	1.2	1.1
J860035		27.8	1.02	16.45	0.13	2.8	0.010	1.51	12.9	5.3	0.23	165	0.72	2.91	1.8	4.7
J860036		54.4	7.69	19.40	0.17	1.5	0.063	1.53	9.4	111.0	4.07	1500	0.87	0.05	2.7	123.0
J860037		24.7	1.99	22.3	0.13	4.1	0.018	2.01	28.6	20.2	0.51	291	3.54	2.28	4.7	8.6
J860038		36.3	2.22	22.5	0.12	4.6	0.016	2.32	28.3	14.9	0.49	282	0.21	2.44	4.3	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J860000		550	37.1	23.3	1.405	1.51	24.1	13.0	5	1.0	263	0.26	0.52	2.5	0.312	0.20
J860001		140	8.0	46.5	<0.002	0.21	0.33	21.3	1	0.5	475	0.24	0.06	1.0	0.378	0.21
J860002		70	2.1	72.9	<0.002	0.05	0.25	2.8	1	0.4	75.0	0.19	<0.05	4.4	0.134	0.31
J860003		20	3.8	74.2	<0.002	0.17	0.19	12.1	1	0.4	217	0.18	0.05	2.9	0.158	0.33
J860004		140	5.9	72.7	<0.002	0.41	0.29	25.1	1	0.5	384	0.17	0.11	0.5	0.333	0.27
J860005		<10	2.6	67.1	<0.002	0.08	0.31	10.2	1	0.4	121.5	0.12	<0.05	2.4	0.136	0.32
J860006		10	7.9	69.4	<0.002	1.13	0.45	31.3	2	0.7	545	0.24	0.18	0.7	0.457	0.26
J860007		90	5.5	54.0	<0.002	0.29	0.39	25.5	1	0.6	509	0.25	0.10	0.6	0.441	0.19
J860008		160	5.0	11.5	<0.002	0.11	0.30	21.7	1	0.5	494	0.21	<0.05	0.6	0.383	0.04
J860009		30	4.7	8.7	<0.002	0.08	0.17	14.8	1	0.3	594	0.11	0.06	0.5	0.192	0.03
J860010		200	2.7	1.4	<0.002	0.10	0.13	19.9	1	0.2	437	0.13	<0.05	0.5	0.225	<0.02
J860011		150	2.7	0.2	<0.002	0.15	0.14	17.7	1	0.2	407	0.12	<0.05	0.5	0.183	<0.02
J860012		300	2.2	0.1	<0.002	0.22	0.13	18.9	1	0.2	364	0.11	<0.05	0.5	0.179	<0.02
J860013		290	3.1	0.1	<0.002	0.33	0.13	19.1	1	0.2	413	0.12	<0.05	0.5	0.201	<0.02
J860014		270	3.5	0.2	0.002	0.12	0.21	22.4	1	0.3	445	0.19	<0.05	0.6	0.316	<0.02
J860015		890	62.3	78.8	0.145	2.34	8.28	15.0	7	2.9	256	0.27	0.88	4.6	0.313	0.75
J860016		380	5.3	7.1	<0.002	0.18	0.28	19.6	1	0.5	329	0.40	<0.05	4.1	0.382	0.03
J860017		330	3.3	0.7	<0.002	0.28	0.25	25.0	1	0.4	434	0.30	<0.05	0.9	0.335	<0.02
J860018		320	6.7	16.1	<0.002	0.12	0.31	25.8	1	0.4	509	0.36	<0.05	0.9	0.423	0.07
J860019		60	4.1	75.4	<0.002	0.06	0.16	3.3	1	0.6	132.0	0.21	<0.05	7.8	0.108	0.32
J860019 CRD		90	3.7	75.9	<0.002	0.06	0.16	3.3	1	0.6	128.0	0.19	<0.05	9.3	0.106	0.33
J860020		190	5.0	68.1	<0.002	0.07	0.12	2.5	1	0.5	108.0	0.23	<0.05	9.5	0.077	0.24
J860021		90	4.4	68.7	<0.002	0.08	0.12	1.2	1	0.4	90.7	0.34	0.05	5.8	0.046	0.25
J860022		300	4.3	63.2	<0.002	0.03	0.15	2.4	1	0.5	156.5	0.36	<0.05	5.4	0.105	0.27
J860023		360	8.7	59.7	<0.002	0.06	0.11	2.5	1	0.5	197.0	0.53	<0.05	6.7	0.117	0.25
J860024		360	6.3	63.6	<0.002	0.03	0.13	3.3	1	0.6	151.5	0.78	<0.05	7.8	0.127	0.29
J860025		70	5.8	46.5	<0.002	0.06	0.07	1.0	1	0.3	159.0	0.19	<0.05	8.7	0.038	0.17
J860026		390	4.0	59.0	<0.002	0.08	0.12	4.0	1	0.5	145.0	0.17	<0.05	6.6	0.109	0.27
J860027		210	5.8	65.4	<0.002	0.20	0.09	3.2	1	0.5	207	0.18	0.11	3.7	0.085	0.26
J860028		60	5.6	41.5	<0.002	0.06	0.13	0.8	1	0.2	133.0	0.11	<0.05	5.5	0.032	0.15
J860029		160	5.9	55.0	<0.002	0.03	0.11	1.6	1	0.3	219	0.15	<0.05	9.1	0.082	0.21
J860030		1090	41.2	116.0	0.609	2.43	7.53	11.4	9	3.0	247	0.39	0.92	2.5	0.251	1.34
J860031		380	5.0	61.2	<0.002	0.04	0.18	3.2	1	0.6	190.5	0.31	<0.05	4.4	0.154	0.30
J860032		100	5.9	50.1	<0.002	0.09	0.17	9.8	1	0.3	233	0.11	<0.05	1.3	0.126	0.23
J860033		20	9.0	44.0	<0.002	0.05	0.08	0.8	1	0.2	158.0	0.15	<0.05	3.6	0.021	0.15
J860034		20	8.3	40.7	<0.002	0.02	0.07	1.0	1	0.2	152.0	0.35	<0.05	4.4	0.023	0.14
J860035		150	8.3	58.3	<0.002	0.16	0.16	2.4	1	0.4	97.8	0.34	0.05	7.1	0.054	0.21
J860036		220	8.4	51.2	0.002	0.27	0.39	39.6	1	0.6	452	0.19	<0.05	2.5	0.474	0.22
J860037		490	5.8	67.2	<0.002	0.06	0.20	4.9	1	0.6	158.0	0.53	<0.05	9.0	0.161	0.31
J860038		470	7.0	70.8	<0.002	0.03	0.18	4.0	1	0.6	224	0.52	<0.05	9.0	0.191	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860000		0.9	101	4.9	14.0	139	28.6	1.265
J860001		0.6	139	4.8	8.2	93	54.7	
J860002		1.1	59	1.7	2.3	31	139.5	
J860003		0.8	107	2.6	4.4	52	84.8	
J860004		0.4	165	4.6	7.8	88	44.3	
J860005		0.8	91	2.0	2.7	40	35.4	
J860006		1.4	179	5.7	9.5	83	68.2	
J860007		0.6	152	4.2	8.2	88	56.7	
J860008		0.5	154	3.7	7.7	110	55.3	
J860009		0.6	87	6.3	7.5	102	44.2	
J860010		0.2	132	6.0	7.9	116	61.5	
J860011		0.2	120	5.9	7.4	101	54.9	
J860012		0.1	146	3.9	5.9	88	56.1	
J860013		0.1	153	5.4	6.8	87	54.6	
J860014		0.2	159	5.9	6.5	95	62.1	
J860015		1.2	149	11.6	14.6	171	39.3	2.17
J860016		2.8	158	8.4	6.4	87	96.6	
J860017		0.2	172	2.2	5.9	71	61.2	
J860018		0.3	201	5.4	6.8	104	64.9	
J860019		1.2	58	2.2	2.5	24	86.3	
J860019 CRD		1.4	60	2.1	2.6	26	87.0	
J860020		1.9	29	1.0	2.5	23	60.4	
J860021		2.5	25	0.8	2.7	17	66.3	
J860022		2.2	23	1.2	3.5	28	126.0	
J860023		1.6	22	0.9	4.4	29	128.5	
J860024		2.0	29	3.2	4.1	32	121.0	
J860025		1.6	9	0.8	2.4	13	73.5	
J860026		1.0	28	1.0	3.3	37	120.5	
J860027		1.2	27	0.8	2.4	25	64.6	
J860028		0.7	7	0.7	1.7	9	56.2	
J860029		0.5	12	0.8	2.4	23	84.2	
J860030		1.2	158	13.1	14.8	147	26.0	
J860031		1.1	26	1.1	3.3	39	138.0	
J860032		1.1	68	1.3	2.6	35	49.7	
J860033		2.6	6	0.5	1.4	6	53.5	
J860034		3.8	6	0.9	2.0	5	50.7	
J860035		6.6	21	1.2	2.9	10	63.6	
J860036		0.6	240	5.4	7.5	131	46.4	
J860037		1.5	34	1.9	5.0	36	149.0	
J860038		1.8	32	1.1	4.6	48	178.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860039		2.97	<0.005		0.11	6.93	1.1	520	0.76	0.07	1.97	0.05	72.3	7.6	8	0.97
J860039 CRD		<0.02	0.011		0.05	6.73	0.8	500	0.75	0.05	2.04	0.05	49.2	7.5	9	0.98
J860040		3.08	<0.005	<0.005	0.08	6.97	1.0	510	0.69	0.08	2.26	0.04	46.5	8.2	19	1.02
J860041		3.35	<0.005		0.04	7.15	1.5	590	0.79	0.07	2.00	0.05	43.6	6.3	9	0.86
J860042		3.10	<0.005		0.04	6.99	0.8	470	0.78	0.03	2.10	0.04	46.0	6.1	8	0.74
J860043		3.01	<0.005		0.08	7.33	1.2	370	0.74	0.13	2.14	0.04	40.1	6.0	9	0.76
J860044		3.40	<0.005		0.13	7.66	1.1	430	0.78	0.32	3.43	0.10	36.6	11.7	18	1.11
J860045		1.00	<0.005		<0.01	0.18	<5	10	<0.05	<0.01	19.80	0.02	3.03	0.8	1	0.11
J860046		3.29	<0.005		0.26	7.86	1.5	360	0.95	0.56	4.09	0.13	36.4	15.9	21	0.88
J860047		3.02	<0.005		0.08	7.08	0.8	390	0.91	0.13	1.87	0.05	33.7	5.6	10	1.23
J860048		3.78	0.035		0.12	6.64	1.3	360	0.64	0.20	1.08	0.04	32.1	5.5	10	0.82
J860049		3.71	0.007		0.15	6.58	1.1	440	0.73	0.03	1.11	0.03	47.7	2.8	9	1.01
J860050		3.25	0.010		0.22	6.51	1.3	350	0.49	0.30	0.98	0.04	17.70	3.6	7	0.61
J860051		3.16	0.006		0.12	6.27	1.4	340	0.51	0.16	0.94	0.04	27.2	2.6	9	0.63
J860052		3.49	<0.005		0.02	5.98	1.3	310	0.43	0.01	0.83	0.02	19.10	0.9	9	0.52
J860053		3.47	<0.005		0.05	7.57	1.5	470	0.94	0.02	3.28	0.06	29.0	14.1	20	1.65
J860054		3.61	<0.005		0.13	6.49	1.2	320	0.75	0.27	3.62	0.08	28.5	13.7	22	1.32
J860055		3.67	<0.005		0.16	7.76	0.9	350	0.85	0.54	3.68	0.09	32.6	18.5	24	1.44
J860056		3.12	<0.005		0.13	7.82	1.5	430	0.86	0.36	4.10	0.11	35.4	17.4	25	1.46
J860057		3.55	<0.005		0.22	7.08	1.3	400	0.74	0.44	3.69	0.11	25.0	13.1	19	1.14
J860058		3.63	0.006		0.26	8.41	1.5	520	0.90	0.53	4.35	0.10	29.5	17.2	24	1.48
J860059		3.73	<0.005		0.11	7.44	1.3	370	0.92	0.23	3.28	0.07	30.2	16.4	21	1.41
J860059 CRD		<0.02	<0.005		0.09	7.86	1.3	390	0.88	0.12	3.42	0.07	33.2	15.8	21	1.46
J860060		0.12	1.005		5.22	6.30	24.8	470	0.76	2.04	2.43	2.28	24.5	16.1	59	0.87
J860061		3.22	<0.005	0.017	0.08	7.23	0.9	390	0.94	0.08	3.08	0.08	32.6	11.1	18	1.32
J860062		3.37	<0.005		0.05	7.24	0.5	380	0.91	0.07	2.80	0.08	34.9	9.4	16	1.28
J860063		3.09	<0.005		0.03	6.28	<0.2	360	0.89	0.04	1.35	0.03	33.1	2.7	6	1.10
J860064		3.20	<0.005		0.03	6.60	0.4	450	0.88	0.05	1.21	0.03	40.0	3.9	8	1.26
J860065		2.84	<0.005		0.05	6.40	0.3	450	0.91	0.07	1.76	0.03	30.6	6.1	10	1.20
J860066		3.22	<0.005		0.03	6.19	<0.2	320	0.82	0.06	0.64	0.03	13.45	2.3	6	0.89
J860067		3.25	<0.005		0.05	6.96	0.2	350	1.07	0.08	2.68	0.05	19.70	8.6	13	1.29
J860068		3.35	<0.005		0.09	7.59	0.4	450	0.96	0.42	3.83	0.09	32.7	16.5	22	1.68
J860069		3.35	<0.005		0.09	8.07	0.3	290	0.78	0.22	3.89	0.07	46.3	18.3	24	1.11
J860070		3.12	<0.005		0.09	6.53	0.7	440	0.72	0.08	1.93	0.03	32.2	7.4	13	1.05
J860071		3.05	<0.005		0.06	6.36	1.2	480	0.77	0.10	1.51	0.02	16.55	2.8	9	0.80
J860072		3.02	<0.005		0.05	6.49	0.5	410	0.50	0.06	0.96	0.02	15.75	1.2	7	0.49
J860073		3.11	<0.005		0.03	6.20	1.6	360	0.46	0.03	1.08	0.04	27.1	1.9	9	0.86
J860074		3.15	<0.005		0.07	6.68	2.7	440	0.84	0.12	1.71	0.05	23.0	3.9	7	0.88
J860075		0.12	2.43		7.73	6.47	53.7	630	0.87	3.65	1.61	1.06	55.3	18.3	55	3.22
J860076		3.28	0.014		0.03	6.31	4.9	420	0.81	0.02	1.73	0.05	34.7	4.2	9	0.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860039		22.1	2.11	22.0	0.14	4.6	0.016	2.18	36.1	17.6	0.54	299	0.88	2.43	4.4	7.1
J860039 CRD		19.6	2.30	22.1	0.13	4.8	0.015	2.12	27.6	18.9	0.56	329	0.70	2.32	4.3	7.4
J860040		23.1	2.07	22.3	0.12	4.6	0.016	1.94	26.2	20.4	0.59	286	0.31	2.53	4.4	19.1
J860041		33.7	1.93	22.7	0.12	4.0	0.015	1.78	23.9	14.7	0.41	243	0.20	3.03	5.1	5.6
J860042		26.1	1.81	21.4	0.12	4.4	0.014	1.44	25.3	15.5	0.41	241	0.14	3.26	5.7	4.7
J860043		10.9	1.95	21.5	0.12	4.3	0.016	1.53	22.4	15.7	0.43	268	0.17	3.00	4.6	5.4
J860044		31.6	3.12	26.1	0.15	3.8	0.030	2.12	16.9	33.4	0.96	534	0.13	2.64	4.8	17.5
J860045		1.1	0.09	0.50	0.21	0.1	<0.005	0.12	2.1	4.9	12.70	48	0.12	0.05	0.4	1.6
J860046		28.5	3.78	27.4	0.18	2.9	0.034	1.97	15.4	43.4	1.19	729	0.21	3.15	5.8	24.3
J860047		10.8	1.87	22.0	0.13	4.6	0.016	2.30	15.9	12.7	0.43	300	0.18	2.51	4.8	5.8
J860048		11.4	1.28	17.95	0.12	3.0	0.009	1.45	16.1	6.8	0.22	190	0.12	3.33	3.7	3.6
J860049		6.6	1.32	19.35	0.13	4.0	0.010	1.90	24.7	6.6	0.24	190	0.22	2.66	3.3	3.3
J860050		20.9	1.07	15.50	0.10	2.9	0.005	1.28	8.0	4.0	0.15	142	0.22	3.58	2.1	2.1
J860051		15.7	1.08	16.65	0.11	3.3	0.006	1.27	12.5	4.0	0.15	151	0.25	3.50	2.0	2.3
J860052		2.4	0.64	15.15	0.10	2.4	<0.005	1.07	8.2	1.2	0.06	107	0.17	3.66	1.1	0.9
J860053		20.9	3.23	25.9	0.17	2.3	0.048	2.56	10.1	31.9	1.07	714	0.12	2.27	8.6	21.9
J860054		34.1	3.35	21.5	0.16	2.0	0.035	2.01	10.0	37.3	1.12	615	0.24	1.80	5.5	21.4
J860055		33.6	4.07	27.0	0.17	2.3	0.047	2.23	11.4	49.6	1.39	695	0.20	2.45	7.0	26.9
J860056		22.9	4.53	29.4	0.18	2.4	0.046	2.54	11.3	55.6	1.49	843	0.14	1.99	6.4	25.9
J860057		13.5	3.18	24.3	0.14	2.5	0.032	2.21	8.4	37.6	1.04	667	0.11	2.26	5.0	20.5
J860058		31.8	4.11	29.8	0.16	2.3	0.048	2.88	10.2	45.3	1.23	797	0.14	2.37	8.0	24.8
J860059		34.9	3.60	26.1	0.15	2.6	0.045	2.30	10.8	42.6	1.14	716	0.13	2.48	8.2	23.2
J860059 CRD		35.1	3.71	27.2	0.15	2.4	0.043	2.43	12.3	42.5	1.16	741	0.18	2.63	7.5	22.5
J860060		>10000	4.62	15.85	0.14	1.1	0.151	0.85	11.4	16.7	1.22	674	244	2.16	4.3	36.2
J860061		17.4	2.67	24.8	0.13	3.1	0.033	2.49	12.8	28.3	0.81	605	0.68	2.39	7.1	16.4
J860062		9.6	2.59	21.1	0.06	2.9	0.025	2.43	15.8	23.3	0.73	540	0.20	2.62	6.5	14.9
J860063		3.3	1.18	17.75	0.05	2.8	0.010	2.27	17.6	5.6	0.24	206	0.30	2.12	2.2	3.6
J860064		2.4	1.50	17.85	0.06	3.0	0.012	2.47	21.4	8.3	0.32	218	0.87	2.02	3.8	5.9
J860065		3.5	1.88	18.40	0.07	2.9	0.018	2.46	15.3	15.5	0.51	345	1.83	1.87	5.2	7.4
J860066		2.3	1.01	16.25	<0.05	3.0	0.006	1.92	6.8	4.0	0.18	117	0.19	2.59	2.0	1.8
J860067		5.4	2.28	19.45	0.08	2.7	0.020	2.53	7.9	18.8	0.67	444	0.61	2.31	5.4	11.7
J860068		16.5	3.85	24.2	0.11	1.9	0.043	3.07	12.4	33.3	1.20	766	0.15	1.76	7.0	24.7
J860069		57.3	4.49	23.9	0.09	2.5	0.044	1.91	18.5	39.3	1.49	789	0.16	3.27	7.8	26.7
J860070		29.1	1.85	17.00	0.08	2.4	0.019	1.89	15.4	13.5	0.47	335	0.15	3.00	3.3	9.0
J860071		10.2	1.06	17.10	<0.05	3.4	0.008	1.78	8.5	5.8	0.19	194	0.17	3.10	3.4	2.5
J860072		10.9	0.72	16.15	<0.05	2.6	<0.005	1.83	7.5	2.4	0.07	109	0.21	3.66	1.8	1.3
J860073		8.3	0.92	16.45	0.06	3.1	0.010	3.20	12.6	4.3	0.14	200	0.15	2.58	3.2	2.1
J860074		5.0	1.41	19.40	0.07	3.4	0.017	1.98	11.5	7.4	0.25	342	0.14	3.13	5.5	3.3
J860075		>10000	5.64	14.40	0.12	1.0	0.111	2.77	26.1	16.7	1.17	619	113.5	1.69	7.1	36.2
J860076		17.3	1.48	19.10	0.06	3.5	0.016	1.99	17.8	6.4	0.27	373	0.20	2.90	6.7	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J860039		580	12.4	65.8	<0.002	0.07	0.16	3.8	1	0.6	184.5	0.52	<0.05	16.8	0.180	0.32
J860039 CRD		580	7.6	64.8	<0.002	0.07	0.16	3.8	1	0.6	185.5	0.45	<0.05	8.7	0.176	0.31
J860040		420	14.0	66.6	<0.002	0.04	0.14	3.8	1	0.6	219	0.49	<0.05	8.2	0.165	0.35
J860041		390	12.9	62.5	<0.002	0.04	0.12	3.3	1	0.6	248	0.62	<0.05	8.9	0.169	0.32
J860042		390	8.8	54.1	<0.002	0.01	0.12	3.3	1	0.6	269	0.93	<0.05	8.0	0.191	0.27
J860043		410	8.6	53.3	<0.002	0.04	0.17	3.6	1	0.6	311	0.50	0.05	7.2	0.180	0.27
J860044		830	10.2	65.3	<0.002	0.08	0.17	9.3	1	0.8	272	0.49	<0.05	4.4	0.291	0.39
J860045		10	1.0	3.2	<0.002	0.03	<0.05	0.4	1	<0.2	64.2	<0.05	<0.05	0.3	0.008	0.02
J860046		950	14.4	57.5	<0.002	0.41	0.20	11.1	1	1.0	339	1.08	0.08	5.2	0.302	0.30
J860047		360	7.0	77.2	<0.002	0.11	0.16	4.1	1	0.7	222	0.61	<0.05	5.7	0.159	0.40
J860048		160	9.0	49.9	<0.002	0.19	0.12	2.4	1	0.5	179.0	0.60	0.11	8.4	0.080	0.24
J860049		260	10.9	65.5	<0.002	0.06	0.11	2.4	1	0.5	157.0	0.65	<0.05	10.7	0.094	0.29
J860050		110	22.0	51.0	<0.002	0.27	0.13	1.6	1	0.3	164.0	0.26	0.10	4.5	0.069	0.18
J860051		110	14.4	54.0	<0.002	0.14	0.10	1.7	1	0.3	164.5	0.23	<0.05	5.9	0.065	0.18
J860052		20	6.3	42.8	<0.002	0.02	0.08	0.9	1	0.2	188.5	0.23	<0.05	5.9	0.025	0.15
J860053		810	7.8	83.4	<0.002	0.12	0.22	14.1	1	1.4	249	0.75	<0.05	3.8	0.268	0.45
J860054		800	9.4	65.3	<0.002	0.10	0.22	11.2	1	1.0	247	0.83	<0.05	2.8	0.268	0.36
J860055		1000	11.0	62.9	<0.002	0.14	0.20	13.3	1	1.2	304	1.08	<0.05	3.3	0.329	0.41
J860056		1060	10.2	65.3	<0.002	0.12	0.28	14.0	1	1.2	260	0.87	<0.05	2.8	0.334	0.43
J860057		790	13.0	59.1	<0.002	0.15	0.22	10.6	1	0.9	277	0.64	<0.05	3.0	0.257	0.33
J860058		980	17.2	65.3	<0.002	0.34	0.45	14.4	1	1.4	327	1.02	0.10	3.0	0.327	0.41
J860059		980	9.4	65.0	<0.002	0.14	0.30	12.0	1	1.3	264	0.64	<0.05	3.5	0.299	0.40
J860059 CRD		970	9.4	66.9	<0.002	0.13	0.28	12.3	1	1.3	279	0.60	<0.05	3.8	0.293	0.41
J860060		580	42.3	28.3	1.375	1.61	27.0	16.5	6	1.1	292	0.32	0.59	2.4	0.318	0.22
J860061		750	10.0	70.0	0.004	0.10	0.30	9.5	1	1.1	269	0.85	<0.05	4.7	0.235	0.38
J860062		630	13.6	72.9	<0.002	0.04	0.26	7.4	1	0.9	248	1.13	<0.05	6.4	0.220	0.39
J860063		300	7.0	76.5	<0.002	0.01	0.17	2.1	1	0.4	176.5	0.30	<0.05	6.3	0.068	0.34
J860064		410	8.0	86.0	<0.002	0.02	0.21	3.0	1	0.6	148.0	0.59	<0.05	6.9	0.110	0.37
J860065		760	7.1	79.8	<0.002	0.04	0.23	4.2	1	0.8	155.5	0.70	<0.05	3.8	0.148	0.35
J860066		200	4.6	65.3	<0.002	0.02	0.15	1.7	1	0.4	134.0	0.25	<0.05	3.2	0.061	0.28
J860067		490	6.0	74.7	<0.002	0.05	0.16	5.8	1	0.9	282	0.45	<0.05	2.9	0.169	0.40
J860068		940	9.4	79.6	<0.002	0.11	0.25	11.1	1	1.3	326	0.54	<0.05	3.5	0.276	0.55
J860069		1160	12.2	43.4	<0.002	0.08	0.30	11.1	1	1.3	359	0.63	<0.05	5.5	0.319	0.37
J860070		390	10.6	67.6	<0.002	0.13	0.15	5.2	1	0.6	251	0.32	<0.05	4.8	0.125	0.33
J860071		180	9.9	56.8	<0.002	0.02	0.11	1.9	1	0.5	239	0.47	<0.05	2.8	0.084	0.25
J860072		60	10.4	50.7	<0.002	0.04	0.07	0.8	1	0.3	204	0.43	<0.05	4.1	0.034	0.20
J860073		130	18.1	77.6	<0.002	0.01	0.09	2.6	1	0.4	159.5	0.19	<0.05	14.3	0.074	0.35
J860074		250	34.9	61.8	<0.002	0.01	0.11	3.9	1	0.7	242	0.21	<0.05	4.4	0.115	0.28
J860075		880	64.6	78.3	0.127	2.44	7.31	16.3	7	2.7	258	0.27	0.97	4.7	0.309	0.77
J860076		260	10.1	62.5	<0.002	0.02	0.15	4.6	1	0.8	218	0.29	<0.05	7.2	0.129	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860039		3.2	33	2.0	5.4	52	174.0	
J860039 CRD		1.7	32	1.8	4.7	55	179.5	
J860040		2.5	30	1.0	4.9	46	168.5	
J860041		4.2	27	0.7	6.0	49	149.5	
J860042		1.2	28	0.4	8.5	50	161.0	
J860043		0.9	30	0.5	7.0	46	164.5	
J860044		1.4	63	1.0	10.7	77	136.0	
J860045		0.1	1	0.2	1.8	<2	3.3	
J860046		3.2	66	1.8	13.9	99	89.0	
J860047		1.5	29	1.2	6.7	38	150.5	
J860048		2.9	14	1.3	5.0	26	67.4	
J860049		1.6	14	2.1	8.8	31	115.0	
J860050		1.4	10	0.7	3.7	17	70.2	
J860051		1.9	9	0.7	4.5	18	74.7	
J860052		2.3	5	0.5	3.2	8	45.6	
J860053		2.2	75	1.6	15.0	72	70.9	
J860054		2.1	79	1.0	13.2	70	63.7	
J860055		2.5	96	0.5	15.8	96	72.4	
J860056		2.1	100	0.9	11.1	120	77.6	
J860057		2.4	63	1.2	8.2	78	75.2	
J860058		3.0	91	2.0	10.5	96	72.2	
J860059		1.5	76	1.1	8.6	100	84.0	
J860059 CRD		1.7	79	1.0	8.7	101	75.2	
J860060		0.9	108	6.6	17.1	144	32.2	1.265
J860061		2.7	54	1.2	7.0	71	93.0	
J860062		6.7	47	1.2	8.0	64	103.0	
J860063		2.4	19	0.7	4.5	21	79.7	
J860064		2.5	26	1.5	7.7	28	94.3	
J860065		1.7	31	2.5	7.2	45	105.5	
J860066		2.1	13	0.9	3.1	17	69.5	
J860067		1.4	49	0.4	5.5	53	78.0	
J860068		1.7	84	0.6	7.5	98	67.8	
J860069		1.2	97	0.1	9.2	106	96.0	
J860070		1.2	35	0.3	4.2	34	66.7	
J860071		1.5	13	0.3	4.6	23	92.6	
J860072		1.6	7	0.3	3.2	10	47.1	
J860073		2.1	10	0.3	3.2	25	79.1	
J860074		1.1	17	0.5	3.6	38	106.5	
J860075		1.2	150	10.8	15.7	160	34.5	2.20
J860076		1.0	17	2.2	4.4	45	121.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J860077		2.91	<0.005		0.03	6.24	3.4	370	0.74	0.02	1.57	0.04	20.1	3.4	13	0.85
J860078		3.21	<0.005		0.11	6.33	4.3	490	0.70	0.08	1.73	0.03	38.0	4.4	11	0.97
J860079		2.98	0.016		0.04	6.08	2.1	530	0.63	0.03	1.12	<0.02	4.54	1.1	6	0.53
J860079 CRD		<0.02	0.016		0.03	5.91	3.1	520	0.61	0.03	1.07	0.02	3.37	1.4	6	0.51
J860080		3.12	0.013	0.023	0.04	5.77	6.6	680	0.61	0.02	1.10	<0.02	9.87	1.4	7	0.69
J860081		2.72	0.033		0.08	6.07	102.0	900	0.53	0.02	0.93	0.03	17.45	1.9	7	0.81
J860082		3.17	0.015		0.06	6.11	15.5	780	0.49	0.03	0.70	<0.02	15.05	0.8	8	0.93
J860083		3.23	<0.005		0.03	6.55	2.6	600	0.73	0.03	1.30	0.02	19.40	2.4	9	0.89
J860084		3.02	<0.005		0.03	6.56	3.6	670	0.63	0.02	1.28	0.02	33.7	2.5	9	0.86
J860085		3.03	0.041		0.07	6.25	3.5	520	0.81	0.07	1.28	0.03	32.4	2.9	9	0.73
J860086		3.01	<0.005		0.14	6.92	1.0	300	0.97	0.03	2.17	0.03	29.9	9.3	14	0.94
J860087		3.17	<0.005		0.03	6.60	0.6	450	0.81	0.01	1.69	0.03	24.7	4.8	5	0.81
J860088		3.24	0.005		0.03	6.67	0.3	430	0.85	0.02	1.84	0.03	18.70	5.3	4	0.83
J860089		2.51	0.019		0.03	6.82	0.9	460	0.86	0.02	1.81	0.03	16.60	5.3	5	0.92
J860090		0.12	0.439		1.98	7.37	105.0	550	1.20	0.52	0.52	1.03	32.7	19.0	32	6.86
J860091		2.38	<0.005		0.09	6.59	1.8	240	0.59	0.03	4.60	0.07	23.5	22.4	15	0.58
J860092		3.26	<0.005		0.14	7.31	0.8	420	1.03	0.21	3.43	0.06	37.9	12.7	17	0.90
J860093		3.72	<0.005		0.11	7.78	0.5	230	1.02	0.06	4.17	0.07	31.2	19.9	27	0.38
J860094		3.91	<0.005		0.11	7.59	1.0	300	0.97	0.04	3.33	0.05	30.9	14.2	21	0.54
J860095		2.76	0.051		0.04	6.78	1.5	470	0.80	0.01	2.07	0.03	18.60	5.8	8	0.79
J860096		2.39	<0.005		0.03	7.41	3.0	360	0.90	0.02	1.92	0.04	22.1	6.0	6	0.57
J860097		3.44	<0.005		0.05	7.13	4.3	360	0.86	0.01	1.97	0.04	17.05	5.4	8	0.53
J860098		3.35	<0.005		0.03	7.13	0.4	450	0.88	0.01	1.97	0.02	18.45	4.8	5	0.69
J860099		3.51	<0.005		0.04	6.82	<0.2	430	0.83	0.01	1.95	0.03	16.10	4.8	5	0.82
J860099 CRD		<0.02	0.005		0.06	7.23	<0.2	430	0.86	0.01	2.01	0.02	15.15	4.8	5	0.84
J860100		0.12	1.005		4.69	6.15	19.0	460	0.65	1.77	2.41	2.09	22.7	13.4	61	0.81
J860101		3.32	0.009	0.007	0.08	7.06	0.9	470	0.89	0.03	1.79	0.02	15.90	5.5	5	0.99
J860102		3.13	<0.005		0.09	6.77	3.4	450	0.83	0.03	1.85	0.04	14.25	4.9	5	0.78
J860103		3.40	<0.005		0.04	7.05	4.6	370	0.92	0.03	2.00	0.03	19.25	4.6	8	0.54
J860104		3.65	<0.005		0.06	7.18	44.0	410	0.85	0.01	1.97	0.05	18.25	5.6	25	0.75
J860105		3.41	<0.005		0.06	7.11	5.1	360	0.86	0.01	1.88	0.05	22.3	4.7	7	0.60
J860106		3.43	<0.005		0.05	6.87	3.7	460	0.89	0.02	1.98	0.03	15.55	4.7	6	0.79
J860107		3.45	<0.005		0.05	7.29	3.8	430	0.97	0.03	1.95	0.03	18.80	4.7	6	0.77
J860108		3.25	<0.005		0.05	7.21	8.3	420	0.90	0.06	1.91	0.05	19.40	4.8	8	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J860077		5.7	1.25	18.05	0.06	3.0	0.009	1.91	10.3	6.1	0.19	224	0.22	3.02	4.3	2.8
J860078		16.7	1.49	16.60	0.07	3.3	0.014	2.26	20.6	7.9	0.29	264	0.14	2.12	4.8	4.3
J860079		7.5	0.77	14.75	<0.05	2.2	<0.005	1.83	2.4	2.4	0.06	119	2.86	3.05	0.8	1.1
J860079 CRD		8.2	0.65	14.75	<0.05	2.7	<0.005	1.82	1.7	2.3	0.06	108	3.77	3.04	0.8	0.8
J860080		10.5	0.69	13.85	0.05	2.8	<0.005	2.61	4.9	2.4	0.06	108	0.21	2.41	0.9	0.7
J860081		12.2	0.67	14.60	<0.05	2.9	<0.005	3.46	8.3	2.6	0.06	96	0.18	2.46	0.9	1.3
J860082		7.6	0.68	13.85	0.05	3.1	<0.005	3.10	7.7	2.0	0.06	98	0.28	2.74	1.1	1.2
J860083		5.2	0.96	16.45	0.06	2.9	0.007	2.42	9.7	4.1	0.16	169	0.16	2.90	3.0	1.9
J860084		3.9	1.19	16.60	0.07	3.2	0.008	2.66	17.8	4.0	0.17	196	0.21	2.93	2.4	2.5
J860085		20.1	1.06	15.80	0.08	2.8	0.009	1.77	16.5	4.9	0.19	190	0.19	3.06	2.3	2.7
J860086		53.2	2.41	21.2	0.10	2.4	0.037	1.64	13.4	24.6	0.66	564	0.17	3.14	8.9	12.8
J860087		3.3	1.54	18.65	0.08	2.8	0.013	1.76	12.6	11.8	0.29	264	0.27	2.96	3.5	3.3
J860088		4.3	1.65	19.40	0.08	2.8	0.013	1.81	9.2	12.0	0.29	278	0.14	3.09	3.4	2.3
J860089		3.5	1.58	19.95	0.08	2.7	0.015	2.08	8.1	10.4	0.30	259	0.10	2.84	3.5	2.7
J860090		4290	4.42	17.00	0.12	0.7	0.056	5.03	18.0	11.7	0.71	459	255	1.04	5.5	24.6
J860091		40.9	6.36	18.75	0.11	2.9	0.058	1.20	11.7	50.6	1.26	1040	0.68	1.59	3.3	13.6
J860092		21.3	3.27	22.2	0.12	3.0	0.044	1.74	16.7	36.0	0.95	685	0.66	3.07	9.7	17.1
J860093		58.6	4.53	22.9	0.12	2.0	0.048	0.85	10.4	43.3	1.58	764	0.26	3.29	8.3	29.4
J860094		71.4	3.69	22.0	0.12	2.1	0.044	1.08	12.0	35.3	1.09	668	0.23	3.21	7.8	20.0
J860095		9.7	1.85	19.65	0.10	2.7	0.016	1.67	9.5	15.6	0.35	311	0.16	3.05	4.0	3.4
J860096		9.0	1.86	20.8	0.09	3.2	0.014	1.16	11.1	16.1	0.33	302	0.25	3.80	5.0	3.1
J860097		10.3	1.90	21.4	0.13	3.2	0.016	1.10	7.9	14.4	0.35	310	0.16	3.56	4.6	3.2
J860098		5.9	1.90	20.3	0.14	3.2	0.016	1.43	8.3	14.7	0.36	291	0.12	3.34	3.8	3.0
J860099		8.4	1.89	20.0	0.13	3.1	0.017	1.68	7.5	15.2	0.34	294	0.15	3.30	3.7	3.3
J860099 CRD		9.9	1.89	20.5	0.14	3.1	0.018	1.65	6.7	15.5	0.35	290	0.11	3.30	3.7	3.1
J860100		>10000	4.73	13.70	0.19	0.9	0.136	0.84	10.8	15.1	1.16	664	237	2.15	4.2	32.6
J860101		37.0	1.92	21.0	0.13	3.0	0.017	2.04	7.4	16.0	0.37	284	0.32	2.94	3.7	3.3
J860102		17.7	1.72	19.85	0.12	2.9	0.015	1.53	6.3	13.0	0.31	267	0.40	2.98	4.2	3.0
J860103		7.2	1.92	21.3	0.14	3.0	0.018	1.19	9.2	12.8	0.33	309	0.25	3.46	4.7	3.0
J860104		12.7	1.80	20.9	0.12	3.4	0.017	1.38	8.4	13.1	0.34	292	0.23	3.44	4.2	3.1
J860105		12.8	1.88	20.5	0.14	3.1	0.016	1.16	11.3	12.3	0.33	290	0.19	3.56	3.8	2.9
J860106		11.8	1.81	20.5	0.12	3.2	0.016	1.67	6.8	13.4	0.33	286	0.91	3.14	3.8	2.9
J860107		11.2	1.87	21.6	0.13	3.2	0.017	1.43	8.5	13.6	0.34	295	0.20	3.37	4.8	2.9
J860108		7.9	1.77	21.4	0.14	3.0	0.017	1.47	9.0	11.9	0.32	298	0.21	3.48	5.7	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J860077		190	11.0	61.4	<0.002	0.01	0.12	2.5	1	0.5	198.0	0.67	<0.05	3.6	0.099	0.28
J860078		300	9.6	72.2	<0.002	0.06	0.14	3.8	1	0.7	177.5	0.51	<0.05	5.6	0.117	0.32
J860079		10	9.8	49.3	<0.002	0.04	0.07	0.7	1	0.2	194.5	0.12	<0.05	1.7	0.022	0.21
J860079 CRD		10	10.2	46.8	<0.002	0.04	0.07	0.6	1	0.2	193.0	0.11	<0.05	1.4	0.021	0.20
J860080		20	8.7	64.8	<0.002	0.05	0.07	0.8	1	0.2	172.0	0.10	<0.05	2.6	0.027	0.28
J860081		30	11.3	80.1	<0.002	0.05	0.11	0.9	1	0.2	186.0	0.09	0.14	3.8	0.034	0.33
J860082		20	11.2	72.9	<0.002	0.03	0.07	0.8	1	0.2	155.5	0.24	<0.05	4.2	0.023	0.31
J860083		150	9.4	66.7	<0.002	0.01	0.10	1.7	1	0.4	212	0.56	<0.05	3.9	0.079	0.28
J860084		160	10.8	70.8	<0.002	0.01	0.12	2.0	1	0.4	219	0.35	<0.05	6.4	0.084	0.30
J860085		190	11.6	52.5	<0.002	0.02	0.13	2.3	1	0.4	229	0.35	<0.05	6.2	0.074	0.23
J860086		610	8.1	52.0	<0.002	0.05	0.17	8.2	1	1.2	264	0.69	<0.05	4.7	0.182	0.29
J860087		270	5.3	55.6	<0.002	0.01	0.17	3.2	1	0.5	246	0.27	<0.05	3.7	0.113	0.25
J860088		300	5.8	53.6	<0.002	0.02	0.20	3.2	1	0.5	267	0.21	<0.05	2.7	0.129	0.26
J860089		300	4.6	58.7	<0.002	0.03	0.17	3.1	1	0.6	254	0.27	<0.05	2.2	0.134	0.29
J860090		1040	40.9	125.0	0.625	2.35	7.28	11.6	8	3.0	255	0.34	0.92	2.6	0.250	1.39
J860091		630	3.9	39.4	0.002	0.10	0.50	22.7	1	0.7	338	0.21	<0.05	2.2	0.506	0.17
J860092		770	11.1	44.8	<0.002	0.05	0.22	9.9	1	1.4	347	1.46	<0.05	4.0	0.241	0.27
J860093		1160	10.3	17.9	<0.002	0.10	0.39	12.4	1	1.3	885	0.85	<0.05	1.9	0.400	0.17
J860094		860	8.3	33.1	<0.002	0.06	0.31	10.7	1	1.3	558	0.66	<0.05	2.9	0.303	0.21
J860095		340	8.6	56.3	<0.002	0.04	0.15	3.3	1	0.6	231	0.28	<0.05	2.3	0.152	0.28
J860096		290	9.8	48.2	<0.002	<0.01	0.19	3.4	1	0.6	333	0.59	<0.05	3.2	0.149	0.22
J860097		320	10.3	43.8	<0.002	0.01	0.26	3.4	1	0.5	367	0.37	<0.05	2.7	0.152	0.21
J860098		330	8.1	52.3	<0.002	0.01	0.17	3.4	1	0.6	333	0.43	<0.05	2.4	0.152	0.25
J860099		340	4.7	60.9	<0.002	0.02	0.11	3.5	1	0.6	248	0.36	<0.05	2.2	0.155	0.30
J860099 CRD		350	5.0	62.7	<0.002	0.01	0.11	3.6	1	0.6	252	0.39	<0.05	2.2	0.154	0.29
J860100		570	38.2	23.1	1.445	1.53	25.7	14.6	6	1.1	269	0.30	0.55	2.0	0.322	0.20
J860101		350	4.3	78.1	<0.002	0.01	0.12	3.6	1	0.6	219	0.32	<0.05	2.3	0.152	0.34
J860102		290	10.2	59.5	<0.002	0.01	0.14	3.0	1	0.6	267	0.42	<0.05	2.7	0.133	0.28
J860103		310	10.4	47.1	<0.002	<0.01	0.25	3.5	1	0.7	366	0.46	<0.05	2.9	0.145	0.22
J860104		320	8.7	54.1	<0.002	0.01	0.18	3.4	1	0.6	317	0.40	<0.05	2.9	0.145	0.25
J860105		310	8.6	47.6	<0.002	<0.01	0.20	3.3	1	0.6	353	0.39	<0.05	2.7	0.140	0.23
J860106		310	7.1	59.0	<0.002	0.01	0.13	3.2	1	0.6	271	0.35	<0.05	2.2	0.141	0.29
J860107		320	9.5	57.0	<0.002	0.01	0.18	3.5	1	0.7	335	0.51	<0.05	3.1	0.145	0.27
J860108		330	11.5	60.8	<0.002	<0.01	0.25	3.6	1	0.7	319	0.72	<0.05	4.1	0.138	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J860077		1.9	14	0.8	4.8	30	87.9	
J860078		1.9	24	0.8	5.4	32	123.0	
J860079		2.0	5	0.9	1.3	9	36.6	
J860079 CRD		1.8	5	0.8	1.2	9	49.3	
J860080		1.2	7	0.8	1.5	11	58.4	
J860081		1.2	7	0.7	1.7	13	66.3	
J860082		2.5	6	0.8	2.5	7	60.3	
J860083		2.2	12	0.6	3.6	22	84.6	
J860084		1.7	13	0.5	4.0	26	93.4	
J860085		2.0	13	1.6	3.5	27	84.8	
J860086		1.7	41	0.1	9.1	71	77.1	
J860087		0.9	20	0.6	3.3	41	89.9	
J860088		0.6	21	0.2	3.1	45	95.4	
J860089		0.7	23	0.5	3.2	39	96.9	
J860090		1.2	150	12.1	15.2	144	22.9	
J860091		0.5	183	0.8	7.0	93	103.5	
J860092		1.4	67	0.2	13.4	77	118.0	
J860093		1.5	111	0.1	16.6	89	70.4	
J860094		1.2	81	0.3	14.9	88	70.3	
J860095		0.5	24	2.4	4.1	49	103.0	
J860096		1.0	24	0.2	6.1	47	107.0	
J860097		1.4	24	0.3	4.0	52	105.5	
J860098		1.1	24	0.4	4.8	50	104.0	
J860099		0.5	24	0.5	4.4	45	104.0	
J860099 CRD		0.7	24	0.4	4.4	45	107.5	
J860100		0.8	101	5.1	15.6	146	29.4	1.265
J860101		0.6	25	1.0	4.4	44	105.0	
J860102		2.2	21	0.5	4.0	42	94.4	
J860103		1.2	22	0.2	4.7	48	101.5	
J860104		1.1	23	0.3	4.2	51	110.0	
J860105		0.9	22	0.4	4.1	47	98.6	
J860106		0.7	23	0.4	3.8	47	102.0	
J860107		1.9	23	0.3	4.7	47	104.0	
J860108		3.4	21	0.4	5.5	49	102.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194581

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.