ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186711

Project: HAMMOND REEF

P.O. No.:

This report is for 122 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843582		3.63	0.078		0.27	6.81	<0.2	520	1.00	0.05	2.95	0.08	21.9	8.8	20	1.22
J843583		3.50	0.053		0.09	6.87	<0.2	460	0.93	0.06	2.32	0.05	25.9	5.4	13	0.95
J843584		3.36	0.856		0.89	6.32	<0.2	370	0.70	3.06	1.25	<0.02	15.75	5.2	7	0.57
J843585		3.48	0.106		0.21	7.25	<0.2	510	0.83	0.10	2.47	0.05	13.85	6.2	12	0.98
J843586		3.64	0.256		0.51	6.42	0.2	350	0.83	0.12	2.56	0.06	16.55	7.6	10	0.83
J843587		3.18	0.061		0.13	7.01	<0.2	360	0.81	0.04	2.08	0.04	13.20	4.2	7	0.76
J843588		3.53	0.064		0.20	7.36	<0.2	410	0.97	0.05	2.49	0.05	16.30	6.1	8	1.07
J843589		3.54	0.009		<0.01	7.00	<0.2	460	0.96	0.02	3.00	0.05	27.0	6.3	7	1.24
J843590		0.07	0.411		2.41	8.24	124.5	610	1.27	0.47	0.59	1.04	37.2	18.6	36	7.30
J843591		3.48	<0.005		0.06	7.21	<0.2	420	0.95	0.01	2.45	0.04	31.0	5.9	9	1.11
J843592		3.74	0.129		0.37	6.81	<0.2	370	0.96	0.06	2.57	0.06	25.1	5.3	10	0.87
J843593		3.48	0.146		0.46	6.73	<0.2	360	1.01	0.09	2.49	0.04	36.6	7.8	13	1.04
J843594		3.30	0.021		0.06	7.07	<0.2	360	0.96	0.02	2.72	0.05	55.5	5.5	9	1.08
J843595		3.58	0.009		<0.01	6.71	<0.2	420	0.85	0.02	3.01	0.03	40.7	9.4	14	1.13
J843596		3.55	0.020		0.01	6.92	<0.2	430	0.85	0.01	2.67	0.05	57.4	8.5	13	1.01
J843597		3.17	0.030		0.08	6.79	<0.2	530	1.04	0.03	2.86	0.07	33.7	8.5	17	1.15
J843598		3.12	0.018		<0.01	7.01	<0.2	580	1.05	0.01	0.88	0.03	43.0	0.9	8	0.62
J843599		3.17	0.070		0.02	6.88	<0.2	510	0.86	0.02	1.84	0.06	58.5	6.4	10	0.80
J843600		0.07	0.985		5.12	6.82	24.3	490	0.73	1.58	2.52	2.32	23.1	15.0	63	0.80
J843601		3.35	0.028		0.06	6.69	<0.2	430	0.94	0.02	3.67	0.12	36.8	15.5	20	1.23
J843601 CRD		<0.02	0.026		0.05	7.01	<0.2	420	1.02	0.01	3.64	0.10	41.1	15.1	20	1.23
J843602		3.31	0.022	0.024	0.05	6.70	<0.2	420	0.95	0.02	3.36	0.10	34.4	12.6	14	0.99
J843603		3.31	0.052		0.03	6.92	<0.2	420	0.93	0.01	2.74	0.08	24.3	9.6	14	1.02
J843604		3.23	0.033		0.03	6.75	<0.2	410	0.90	0.02	3.50	0.07	49.7	13.7	17	1.14
J843605		3.20	0.037		0.07	6.91	<0.2	480	0.97	0.02	2.69	0.07	57.3	8.1	11	1.11
J843606		3.25	0.011		0.01	7.53	<0.2	520	0.99	0.02	2.99	0.06	53.6	10.0	13	1.27
J843607		3.16	0.005		<0.01	6.96	<0.2	510	0.94	0.01	3.11	0.08	47.0	9.7	14	1.31
J843608		3.17	0.029		0.05	6.49	<0.2	410	0.83	0.03	2.50	0.06	43.8	9.0	35	0.85
J843609		3.08	0.016		0.04	6.58	<0.2	400	0.85	0.02	2.54	0.06	37.3	6.1	7	0.92
J843610		3.29	0.043		0.13	6.88	0.5	610	0.95	0.08	2.41	0.09	49.9	8.1	9	1.15
J843611		2.90	0.067		0.08	6.32	<0.2	370	0.72	0.04	2.03	0.06	45.7	5.2	8	0.75
J843612		3.20	0.061		0.03	6.61	0.2	380	0.90	0.03	1.61	0.06	62.6	4.2	4	0.77
J843613		3.10	0.039		0.07	6.77	0.3	460	0.99	0.03	2.50	0.09	32.1	9.3	5	1.02
J843614		3.09	0.773		0.20	6.22	0.3	330	0.57	0.08	2.10	0.07	24.4	6.1	11	0.42
J843615		0.07	2.17		8.88	7.06	59.2	670	0.77	3.36	1.73	1.14	54.6	16.9	55	3.17
J843616		2.89	0.720		0.12	6.95	0.5	270	0.57	0.09	3.02	0.10	37.0	8.2	17	0.38
J843617		3.23	0.162		0.07	7.45	0.5	400	0.86	0.07	3.39	0.08	57.9	15.7	72	0.52
J843618		3.46	<0.005		0.04	6.81	0.4	410	0.84	0.04	2.80	0.11	54.3	13.1	124	0.46
J843619		3.23	<0.005		0.05	7.63	0.3	320	0.86	0.04	4.20	0.33	60.0	20.5	212	0.31
J843620		3.00	<0.005		0.02	6.84	0.3	500	0.92	0.02	2.66	0.06	30.4	10.1	14	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843582		26.5	2.80	19.15	0.13	1.6	0.026	2.97	9.4	2.2	0.65	465	1.59	1.56	4.6	14.6
J843583		13.6	1.89	19.80	0.11	2.0	0.016	2.35	12.1	1.7	0.40	281	2.62	2.49	4.3	9.2
J843584		8.3	1.32	16.55	0.07	1.4	0.010	1.49	7.7	1.1	0.20	144	416	2.99	3.0	5.2
J843585		7.3	2.18	20.2	0.09	2.6	0.021	2.36	5.7	1.8	0.48	342	2.58	2.56	6.1	9.5
J843586		9.2	2.04	20.0	0.10	3.9	0.016	2.02	7.2	1.5	0.41	314	1.39	2.66	7.5	6.0
J843587		9.2	1.49	19.15	0.08	2.1	0.013	1.90	6.1	1.4	0.27	220	2.69	3.32	4.2	4.5
J843588		5.1	2.08	21.1	0.11	2.8	0.020	2.37	7.1	1.8	0.43	269	0.91	2.94	7.7	6.6
J843589		12.7	2.52	19.75	0.12	2.6	0.025	2.96	11.0	2.0	0.51	305	0.19	1.97	6.1	6.3
J843590		4560	5.00	18.20	0.19	0.9	0.055	5.61	18.2	12.6	0.80	524	280	1.15	6.2	25.3
J843591		6.0	2.26	19.00	0.11	2.8	0.017	2.68	14.5	2.0	0.45	218	0.46	2.13	4.5	8.0
J843592		8.3	1.80	18.00	0.13	2.2	0.016	1.97	11.3	1.5	0.35	237	0.18	2.74	3.7	7.9
J843593		8.2	2.25	19.05	0.14	3.3	0.020	2.45	16.5	1.8	0.40	217	6.22	2.00	4.7	11.2
J843594		4.6	1.92	19.65	0.13	4.1	0.017	2.73	26.0	1.8	0.40	207	0.98	2.03	5.4	5.1
J843595		7.8	2.97	18.95	0.13	3.1	0.032	2.71	18.6	2.8	0.59	407	0.21	1.83	5.6	9.3
J843596		9.4	3.08	17.95	0.16	3.5	0.032	2.33	26.1	2.6	0.60	427	0.21	2.12	6.2	8.1
J843597		13.5	3.06	18.80	0.14	2.7	0.030	2.62	14.0	1.8	0.61	521	0.15	2.06	8.1	9.4
J843598		2.1	1.00	18.10	0.07	2.4	0.011	1.74	20.1	1.0	0.09	142	0.35	3.27	8.9	2.5
J843599		10.7	2.22	17.60	0.11	3.3	0.022	1.85	27.1	2.1	0.41	364	0.64	2.99	8.2	6.1
J843600		>10000	4.77	13.55	0.13	1.0	0.135	0.90	10.4	15.0	1.20	684	242	2.26	4.1	34.3
J843601		65.2	4.53	19.20	0.14	2.9	0.043	2.59	13.9	2.5	0.95	710	0.50	1.99	6.6	14.0
J843601 CRD		58.8	4.56	18.75	0.15	3.0	0.040	2.59	16.7	2.6	0.96	703	0.26	1.95	7.0	13.7
J843602		36.6	3.66	19.65	0.13	2.6	0.033	2.24	14.3	2.0	0.83	584	1.75	2.83	6.3	11.3
J843603		27.1	2.83	19.75	0.12	2.1	0.026	2.35	10.0	2.1	0.67	436	0.23	2.58	5.0	13.0
J843604		19.7	3.60	18.05	0.14	3.7	0.032	2.51	21.7	3.1	0.89	534	0.37	2.18	7.0	15.9
J843605		11.4	2.72	20.1	0.15	4.7	0.028	2.60	26.4	2.1	0.50	373	1.41	2.26	6.9	7.3
J843606		30.1	3.17	20.1	0.15	4.3	0.034	2.92	24.1	2.2	0.68	427	0.58	2.10	7.0	9.9
J843607		11.2	3.26	19.45	0.13	4.0	0.033	2.81	21.2	2.6	0.70	464	0.13	1.90	7.2	10.6
J843608		5.1	2.50	17.20	0.13	3.0	0.026	1.97	19.5	2.3	0.61	385	6.52	2.76	7.3	19.8
J843609		16.4	2.36	16.65	0.11	3.4	0.017	2.08	17.0	1.6	0.45	354	0.33	2.77	5.4	6.2
J843610		9.6	2.66	20.6	0.10	4.4	0.032	2.62	22.3	2.1	0.50	403	1.72	2.12	7.6	9.6
J843611		4.9	1.78	17.90	0.10	4.3	0.026	1.62	21.2	1.4	0.28	286	1.65	3.31	6.5	4.9
J843612		19.8	1.54	19.35	0.11	3.8	0.021	1.69	31.0	1.6	0.24	220	0.32	3.07	7.0	4.1
J843613		25.8	2.67	20.7	0.14	3.4	0.030	2.07	14.3	3.3	0.60	411	0.22	2.78	7.6	12.9
J843614		8.7	1.96	17.10	0.10	3.2	0.026	0.79	10.7	4.4	0.33	303	1.96	4.37	6.2	7.7
J843615		>10000	5.95	14.40	0.16	1.1	0.124	2.82	25.8	17.2	1.22	661	115.5	1.70	6.7	34.7
J843616		20.0	2.95	19.50	0.12	3.9	0.028	0.82	16.8	11.0	0.55	396	8.54	4.45	6.6	10.0
J843617		31.6	3.51	19.55	0.13	3.6	0.031	1.32	27.5	32.8	1.51	530	0.72	2.72	5.5	36.4
J843618		38.6	3.16	18.90	0.13	3.3	0.030	1.19	25.2	31.6	1.33	486	0.35	2.53	5.1	48.6
J843619		37.5	3.94	19.65	0.14	3.9	0.037	0.83	29.1	41.3	2.04	656	0.15	2.71	6.1	98.2
J843620		13.6	2.97	19.15	0.12	3.0	0.026	1.34	13.9	20.6	0.68	403	1.90	2.62	5.1	14.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843582		430	5.5	61.1	<0.002	0.20	0.11	9.7	1	1.0	139.0	0.45	0.17	2.3	0.158	0.30
J843583		360	5.9	54.8	<0.002	0.15	0.08	6.6	1	0.8	148.0	0.41	0.11	3.2	0.124	0.26
J843584		230	28.7	40.5	0.007	0.38	0.09	3.0	1	0.6	131.0	0.19	2.31	2.0	0.062	0.17
J843585		370	5.5	55.6	<0.002	0.28	0.11	6.3	1	1.2	141.5	0.47	0.22	1.7	0.143	0.25
J843586		480	8.1	47.0	<0.002	0.48	0.10	5.2	1	1.1	170.0	0.38	0.50	1.9	0.152	0.23
J843587		260	5.5	44.9	<0.002	0.19	0.07	3.2	1	0.8	188.0	0.22	0.14	1.9	0.088	0.21
J843588		380	6.0	58.2	<0.002	0.17	0.12	5.3	1	1.2	183.5	0.69	0.19	2.8	0.148	0.27
J843589		630	4.5	61.7	<0.002	0.07	0.14	6.1	1	1.1	158.0	0.34	<0.05	2.3	0.207	0.34
J843590		1140	44.2	148.0	0.662	2.62	7.58	13.4	9	3.1	269	0.40	1.01	2.7	0.275	1.41
J843591		400	4.5	63.2	<0.002	0.01	0.14	6.0	1	1.0	164.0	0.21	<0.05	3.0	0.132	0.30
J843592		260	5.8	50.2	<0.002	0.23	0.09	3.9	1	0.9	186.0	0.24	0.34	2.9	0.102	0.21
J843593		380	5.9	58.8	0.002	0.42	0.12	5.2	1	1.1	150.5	0.24	0.49	4.2	0.126	0.26
J843594		400	6.7	63.8	<0.002	0.10	0.12	4.6	1	0.8	154.5	0.21	0.07	6.5	0.162	0.30
J843595		620	4.7	57.4	<0.002	0.05	0.15	7.6	1	1.1	168.0	0.25	<0.05	4.4	0.210	0.32
J843596		620	4.9	58.6	<0.002	0.05	0.13	8.3	1	1.2	179.5	0.31	<0.05	6.0	0.220	0.30
J843597		550	4.9	60.1	<0.002	0.12	0.11	8.1	1	1.3	151.0	0.63	0.07	3.6	0.210	0.31
J843598		70	6.1	49.0	<0.002	0.01	0.05	2.6	1	1.3	134.5	0.78	<0.05	9.3	0.030	0.20
J843599		370	6.5	50.7	<0.002	0.11	0.09	6.0	1	1.4	151.5	0.68	<0.05	9.5	0.128	0.23
J843600		590	41.9	23.8	1.320	1.64	24.3	16.6	6	1.0	297	0.29	0.57	2.1	0.337	0.20
J843601		860	4.8	60.2	0.003	0.09	0.16	12.5	1	1.3	208	0.45	<0.05	1.3	0.240	0.31
J843601 CRD		850	5.0	63.0	<0.002	0.10	0.14	13.0	1	1.3	203	0.48	<0.05	1.6	0.257	0.33
J843602		610	6.0	49.6	<0.002	0.09	0.13	9.5	1	1.1	211	0.45	<0.05	2.7	0.259	0.30
J843603		550	4.6	55.7	<0.002	0.09	0.12	7.5	1	1.0	208	0.42	<0.05	2.1	0.212	0.31
J843604		670	5.5	55.0	<0.002	0.09	0.18	9.5	1	1.1	209	0.50	<0.05	4.4	0.298	0.32
J843605		530	6.2	61.0	<0.002	0.11	0.13	6.2	1	1.1	178.0	0.38	0.06	7.9	0.211	0.33
J843606		700	5.5	68.5	<0.002	0.08	0.14	7.7	1	1.1	202	0.38	<0.05	5.6	0.270	0.39
J843607		700	4.9	62.0	<0.002	0.03	0.14	7.8	1	1.2	193.5	0.39	<0.05	4.6	0.270	0.37
J843608		390	5.8	45.8	<0.002	0.12	0.10	6.3	1	1.3	200	0.54	0.05	5.5	0.148	0.25
J843609		450	5.1	48.4	<0.002	0.06	0.11	4.0	1	0.8	212	0.34	<0.05	5.0	0.166	0.26
J843610		420	6.6	63.4	<0.002	0.21	0.16	5.8	2	1.4	164.5	0.59	0.14	7.6	0.186	0.36
J843611		300	5.6	41.3	<0.002	0.12	0.11	3.8	2	1.1	207	0.47	0.09	7.3	0.120	0.22
J843612		260	4.9	52.0	<0.002	0.10	0.10	3.2	2	1.2	187.0	0.53	0.05	9.4	0.098	0.23
J843613		440	4.5	52.2	<0.002	0.11	0.14	7.5	2	1.4	208	0.65	0.06	4.2	0.194	0.28
J843614		440	3.3	18.4	<0.002	0.28	0.13	5.4	2	1.1	145.0	0.53	0.15	2.8	0.153	0.11
J843615		950	65.7	82.0	0.127	2.56	7.18	17.1	7	2.8	273	0.27	0.93	5.3	0.331	0.81
J843616		610	3.9	17.6	<0.002	0.26	0.16	5.7	2	1.0	194.5	0.44	0.14	4.1	0.217	0.12
J843617		920	5.1	36.6	<0.002	0.14	0.19	10.6	2	1.0	282	0.36	<0.05	5.6	0.253	0.19
J843618		650	6.9	30.2	<0.002	0.05	0.14	8.4	2	0.9	228	0.27	<0.05	6.4	0.179	0.19
J843619		910	5.8	23.9	<0.002	0.04	0.19	13.7	2	1.0	299	0.39	<0.05	5.5	0.257	0.12
J843620		430	4.3	31.2	<0.002	0.01	0.15	8.3	2	1.0	252	0.40	<0.05	3.5	0.186	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J843582		0.4	44	2.5	3.8	49	60.0									
J843583		0.6	34	2.0	3.8	30	66.1									
J843584		0.4	21	1.3	2.5	17	44.2									
J843585		0.6	35	2.1	3.5	31	86.1									
J843586		0.4	31	3.5	4.1	27	138.5									
J843587		0.3	24	2.1	3.1	21	64.2									
J843588		0.6	30	2.8	4.0	29	96.4									
J843589		0.3	39	2.4	4.2	38	99.5									
J843590		1.3	163	14.1	15.9	153	28.4									
J843591		0.3	29	3.5	3.8	32	97.0									
J843592		0.4	26	2.3	3.5	25	76.3									
J843593		0.5	33	2.3	4.2	30	111.5									
J843594		0.5	30	2.5	4.6	28	162.5									
J843595		0.4	43	2.1	4.7	59	130.5									
J843596		0.5	44	2.1	5.7	58	142.0									
J843597		0.9	51	2.6	5.4	53	100.0									
J843598		1.6	7	0.6	5.3	20	63.4									
J843599		1.2	32	2.5	6.8	53	105.0									
J843600		0.9	106	5.9	16.1	150	32.5	1.285								
J843601		0.4	82	3.7	6.3	90	118.5									
J843601 CRD		0.5	81	3.9	6.9	89	121.0									
J843602		0.5	72	3.9	4.5	72	98.8		1.75	6.4	59.63	14.41	5.12	4.60	1.52	3.72
J843603		0.5	54	3.0	3.7	59	81.3									
J843604		0.7	65	5.0	5.7	81	144.5									
J843605		1.5	39	3.0	5.6	55	192.5									
J843606		0.6	49	3.3	5.7	70	180.5									
J843607		0.5	48	2.9	5.5	72	177.5									
J843608		0.7	34	2.1	4.9	54	102.5									
J843609		0.5	32	2.3	4.2	42	134.5									
J843610		1.2	39	2.7	5.3	52	158.5									
J843611		0.7	22	2.3	4.9	30	142.0									
J843612		1.2	23	1.8	5.8	25	109.5									
J843613		0.9	51	3.0	5.2	50	111.0									
J843614		0.7	27	5.3	3.9	28	99.4									
J843615		1.4	156	11.0	15.3	181	34.9	2.16								
J843616		0.6	41	6.8	4.4	48	139.0									
J843617		0.9	69	1.8	7.5	78	129.5									
J843618		0.5	52	0.4	6.4	113	121.5									
J843619		0.9	75	0.4	9.3	194	134.5									
J843620		0.7	51	0.1	6.2	46	108.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843582										
J843583										
J843584										
J843585										
J843586										
J843587										
J843588										
J843589										
J843590										
J843591										
J843592										
J843593										
J843594										
J843595										
J843596										
J843597										
J843598										
J843599										
J843600										
J843601										
J843601 CRD										
J843602		2.65	<0.01	0.49	0.07	0.132	0.03	0.04	7.07	99.48
J843603										
J843604										
J843605										
J843606										
J843607										
J843608										
J843609										
J843610										
J843611										
J843612										
J843613										
J843614										
J843615										
J843616										
J843617										
J843618										
J843619										
J843620										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843621		3.20	<0.005		0.02	7.12	0.6	460	0.88	0.02	2.79	0.05	33.9	9.3	11	0.51
J843621 CRD		<0.02	<0.005		0.03	7.18	<0.2	450	0.86	0.02	2.73	0.05	36.4	9.3	11	0.53
J843622		3.33	<0.005	<0.005	0.05	7.20	0.3	410	0.85	0.02	2.70	0.03	33.3	11.3	10	0.53
J843623		3.24	<0.005		0.03	7.16	<0.2	330	0.85	0.03	2.86	0.04	31.6	12.3	20	0.45
J843624		3.57	<0.005		0.02	6.99	0.4	350	0.82	0.02	2.52	0.02	33.0	9.8	8	0.44
J843625		3.44	<0.005		0.04	7.49	<0.2	290	0.77	0.02	2.69	0.03	43.3	9.9	12	0.34
J843626		3.18	<0.005		0.01	7.24	<0.2	360	0.79	0.02	2.21	0.02	50.3	8.6	11	0.45
J843627		3.28	<0.005		0.01	7.01	0.4	330	0.84	0.02	2.33	0.02	38.3	8.4	8	0.40
J843628		3.20	<0.005		0.04	7.04	0.6	340	0.82	0.02	3.10	0.03	40.5	10.8	15	0.46
J843629		3.29	<0.005		0.02	7.53	<0.2	280	0.84	0.02	3.13	0.03	37.3	14.4	22	0.38
J843630		0.07	0.414		2.16	7.67	118.0	600	1.11	0.51	0.55	1.15	31.7	19.2	33	6.78
J843631		3.12	<0.005		0.06	7.55	0.5	370	0.83	0.03	2.65	0.02	45.1	10.9	7	0.51
J843632		3.33	<0.005		0.09	7.74	0.2	380	0.77	0.06	3.30	0.03	31.3	16.4	8	0.52
J843633		3.65	<0.005		0.12	8.00	0.2	300	0.85	0.06	3.67	0.03	31.2	16.9	10	0.47
J843634		3.18	<0.005		0.04	7.23	<0.2	310	0.72	0.03	3.84	0.02	24.5	11.1	10	0.51
J843635		3.36	0.005		0.09	7.01	0.4	440	0.75	0.09	4.09	0.03	24.1	10.0	20	0.63
J843636		3.21	<0.005		0.02	7.10	0.4	450	0.78	0.04	3.34	0.02	35.3	10.3	13	0.64
J843637		2.50	<0.005		0.03	7.24	<0.2	510	0.93	0.05	2.46	0.03	33.9	7.8	8	0.65
J843638		3.88	<0.005		0.01	6.75	<0.2	530	0.85	0.03	1.28	0.02	15.30	4.0	3	0.56
J843639		4.11	0.007		0.04	7.15	<0.2	430	0.86	0.04	4.13	0.04	41.0	11.4	13	0.62
J843640		3.49	0.026		0.06	7.38	0.5	300	0.82	0.04	3.32	0.04	69.9	16.8	95	0.44
J843641		3.55	0.010		0.04	7.05	0.9	450	0.94	0.04	2.20	0.03	55.6	5.9	7	0.58
J843641 CRD		<0.02	<0.005		0.04	6.92	0.8	470	1.01	0.04	2.19	0.03	52.7	5.6	7	0.59
J843642		3.45	<0.005	<0.005	<0.01	7.16	<0.2	470	0.95	0.01	2.24	0.02	67.4	7.4	12	0.57
J843643		2.95	<0.005		0.01	6.84	<0.2	400	0.91	0.01	2.02	0.02	26.7	6.2	18	0.52
J843644		3.74	<0.005		0.04	7.43	0.4	430	0.88	0.02	1.96	0.02	36.9	5.8	7	0.53
J843645		1.01	<0.005		<0.01	0.14	<5	10	0.05	0.01	20.7	<0.02	3.23	0.7	2	0.10
J843646		4.16	<0.005		0.04	7.68	<0.2	430	0.82	0.02	2.69	0.03	30.1	9.1	6	0.57
J843647		3.62	<0.005		0.04	6.95	<0.2	440	0.89	0.01	2.10	0.02	23.3	4.2	8	0.54
J843648		3.63	<0.005		0.01	7.02	<0.2	340	0.83	0.02	2.00	0.02	26.6	6.3	19	0.43
J843649		3.72	<0.005		0.01	7.10	<0.2	370	0.95	0.01	2.05	0.02	21.4	5.6	8	0.52
J843650		2.66	<0.005		0.11	7.61	<0.2	360	0.80	0.07	2.50	0.03	39.6	9.9	6	0.51
J843651		3.82	<0.005		0.13	7.46	<0.2	350	0.79	0.07	2.39	0.04	36.6	10.9	7	0.50
J843652		3.89	<0.005		0.05	7.26	0.6	420	0.78	0.02	2.08	0.03	46.5	5.9	5	0.59
J843653		3.64	<0.005		0.04	7.34	<0.2	330	0.82	0.01	2.14	0.03	48.9	6.0	9	0.51
J843654		3.47	<0.005		0.03	7.14	<0.2	320	0.68	0.02	2.20	0.04	55.9	5.9	3	0.53
J843655		4.16	<0.005		0.03	7.54	<0.2	280	0.72	0.07	2.64	0.05	48.6	8.5	5	0.53
J843656		3.05	<0.005		0.09	7.73	<0.2	290	0.86	0.13	3.67	0.06	33.5	12.2	7	0.63
J843657		2.91	<0.005		<0.01	7.67	<0.2	400	1.24	0.08	2.59	0.03	34.3	3.9	14	0.66
J843658		2.96	<0.005		0.06	7.40	<0.2	280	0.94	0.08	3.38	0.05	32.8	14.8	21	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843621		12.5	2.90	20.8	0.12	3.4	0.034	1.51	14.7	19.7	0.62	415	0.20	2.80	5.4	10.7
J843621 CRD		10.3	2.84	21.1	0.13	3.4	0.033	1.50	16.1	19.8	0.61	404	0.21	2.79	5.7	10.6
J843622		34.3	3.23	21.3	0.13	2.8	0.037	1.48	14.2	21.7	0.67	437	0.13	2.71	6.3	10.2
J843623		27.3	3.32	19.70	0.12	3.0	0.036	1.18	14.3	24.7	0.85	495	0.13	2.91	4.9	21.0
J843624		18.5	2.78	19.10	0.12	2.9	0.026	1.13	14.9	19.5	0.62	399	3.31	2.96	5.2	10.2
J843625		13.5	3.05	20.5	0.14	3.0	0.028	0.87	20.7	20.0	0.63	404	5.02	3.01	6.0	10.9
J843626		3.6	2.78	20.8	0.14	3.6	0.031	1.13	24.2	17.1	0.53	337	0.16	2.75	6.3	8.0
J843627		2.2	2.72	20.4	0.13	3.3	0.026	1.01	18.4	16.7	0.52	322	0.16	2.98	6.4	7.9
J843628		15.4	3.07	20.0	0.14	3.3	0.030	1.22	17.9	23.2	0.73	460	0.89	2.82	6.0	19.2
J843629		21.5	3.70	20.5	0.15	2.5	0.037	0.89	17.6	29.7	1.03	540	0.12	2.87	4.8	33.2
J843630		4520	4.82	17.75	0.18	0.8	0.063	5.34	16.5	11.6	0.75	502	256	1.08	5.2	24.9
J843631		76.0	3.04	19.75	0.15	2.7	0.025	1.17	21.1	19.9	0.69	429	1.02	2.81	4.3	9.2
J843632		65.4	4.50	21.6	0.17	3.0	0.050	1.21	12.7	29.6	1.06	580	0.24	2.54	6.6	17.4
J843633		81.8	4.90	22.6	0.18	2.3	0.058	1.13	11.3	29.5	1.01	614	0.16	2.58	7.3	12.2
J843634		17.8	3.60	19.25	0.14	1.8	0.028	1.31	10.4	21.4	0.76	536	0.15	2.56	5.7	11.5
J843635		38.2	3.41	21.8	0.13	2.4	0.043	1.79	10.6	18.5	0.68	495	0.49	1.72	6.1	16.2
J843636		12.1	3.05	19.35	0.14	2.8	0.034	1.81	16.6	17.8	0.67	430	1.67	1.85	6.0	12.0
J843637		23.1	2.54	20.7	0.13	3.0	0.029	1.76	15.5	14.5	0.52	329	14.40	2.47	7.8	6.7
J843638		10.7	1.35	17.10	0.08	1.3	0.014	1.51	7.2	6.6	0.24	172	25.1	2.81	5.1	4.6
J843639		20.2	3.34	21.2	0.16	3.2	0.038	1.70	17.5	20.8	0.73	552	1.73	2.42	7.6	14.2
J843640		19.3	3.83	20.7	0.17	2.4	0.043	1.13	31.4	32.7	1.40	566	0.43	2.65	9.3	56.4
J843641		26.2	2.28	20.0	0.14	3.2	0.022	1.57	27.1	11.1	0.43	333	0.12	2.66	4.1	6.3
J843641 CRD		22.9	2.40	20.7	0.14	3.3	0.021	1.61	25.5	11.3	0.43	349	0.13	2.74	4.4	7.2
J843642		2.3	2.65	20.7	0.15	3.8	0.021	1.46	32.5	13.5	0.54	372	0.12	2.75	5.6	11.3
J843643		3.6	2.14	20.6	0.11	2.1	0.016	1.47	12.2	10.8	0.45	321	0.15	2.88	4.2	16.2
J843644		12.1	2.27	19.55	0.16	2.7	0.016	1.42	16.3	10.8	0.42	306	0.21	2.96	3.8	4.5
J843645		0.8	0.08	0.34	0.07	<0.1	<0.005	0.11	2.3	4.1	13.05	51	0.11	0.04	0.4	2.7
J843646		15.6	3.37	21.4	0.20	3.7	0.035	1.46	12.3	17.2	0.72	474	0.14	2.82	6.2	9.5
J843647		9.7	1.78	18.40	0.15	2.4	0.014	1.52	9.5	7.2	0.29	298	0.16	2.82	3.1	2.9
J843648		3.4	2.29	18.10	0.16	1.7	0.018	1.17	10.8	12.5	0.50	325	0.19	3.05	3.2	15.9
J843649		6.6	2.25	19.30	0.18	1.9	0.019	1.39	9.1	12.6	0.50	318	0.21	2.95	4.1	9.4
J843650		43.6	3.07	20.4	0.21	3.3	0.034	1.37	15.8	17.5	0.65	402	0.13	3.10	6.1	7.0
J843651		42.5	3.30	20.6	0.21	3.5	0.037	1.36	14.3	19.2	0.72	410	0.12	3.06	6.2	7.5
J843652		8.3	2.38	19.00	0.18	3.0	0.020	1.65	19.1	10.6	0.41	300	0.14	2.65	3.3	3.1
J843653		14.9	2.54	20.7	0.19	3.2	0.032	1.35	20.1	10.9	0.39	308	0.19	3.05	3.6	4.8
J843654		21.9	2.40	20.2	0.19	2.9	0.024	1.41	23.5	10.2	0.38	326	0.09	2.72	2.6	2.6
J843655		19.8	3.13	22.5	0.20	3.2	0.035	1.26	19.0	14.9	0.56	440	0.14	3.20	4.3	4.4
J843656		40.9	4.24	22.9	0.22	2.8	0.057	1.52	11.3	19.6	0.86	655	0.14	2.53	6.9	7.4
J843657		1.7	2.18	22.9	0.17	4.1	0.036	1.70	14.2	9.3	0.38	346	0.15	3.01	7.3	8.4
J843658		28.7	4.41	21.2	0.21	2.7	0.051	1.25	11.8	23.2	1.06	683	0.10	2.82	5.7	19.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843621		560	4.9	35.6	<0.002	0.01	0.13	6.7	2	1.1	236	0.34	<0.05	4.4	0.178	0.24
J843621 CRD		570	4.6	37.8	<0.002	0.01	0.14	6.6	2	1.1	237	0.36	<0.05	4.5	0.186	0.24
J843622		780	3.7	37.1	<0.002	0.02	0.17	8.2	2	1.1	225	0.43	<0.05	3.7	0.219	0.24
J843623		420	3.7	28.9	<0.002	<0.01	0.12	9.4	2	1.1	245	0.44	<0.05	3.8	0.156	0.19
J843624		450	3.8	30.7	<0.002	0.01	0.11	6.8	2	1.0	233	0.37	<0.05	3.6	0.173	0.19
J843625		480	4.9	28.0	<0.002	0.01	0.15	7.1	2	1.0	251	0.37	<0.05	4.9	0.200	0.15
J843626		510	4.4	37.3	<0.002	0.01	0.13	6.2	2	1.1	245	0.36	<0.05	5.6	0.173	0.20
J843627		500	4.9	29.0	<0.002	<0.01	0.13	6.0	2	1.0	246	0.39	<0.05	5.0	0.176	0.18
J843628		560	4.7	31.0	<0.002	0.01	0.17	7.6	2	1.0	235	0.59	<0.05	4.8	0.207	0.21
J843629		650	4.5	28.9	<0.002	0.01	0.14	12.7	2	1.0	270	0.36	<0.05	4.1	0.181	0.15
J843630		1140	40.2	141.5	0.560	2.60	7.34	12.2	9	3.0	266	0.33	0.96	2.9	0.255	1.43
J843631		670	4.1	40.9	<0.002	0.03	0.15	7.2	2	0.8	247	0.24	<0.05	5.0	0.179	0.20
J843632		940	4.4	31.2	<0.002	0.03	0.14	13.2	2	1.4	248	0.52	<0.05	2.8	0.255	0.21
J843633		1420	4.5	31.3	<0.002	0.03	0.20	13.0	2	1.2	289	0.46	<0.05	1.5	0.299	0.19
J843634		770	3.8	34.4	<0.002	<0.01	0.13	9.7	2	1.0	255	0.53	<0.05	2.8	0.252	0.22
J843635		540	4.2	48.9	<0.002	0.10	0.12	8.6	2	1.4	186.5	0.41	<0.05	2.8	0.212	0.30
J843636		480	3.6	55.2	<0.002	0.04	0.11	8.0	2	1.2	174.5	0.42	<0.05	4.1	0.244	0.29
J843637		540	4.3	56.2	<0.002	0.02	0.10	6.3	2	1.2	179.5	0.58	<0.05	4.1	0.204	0.29
J843638		230	2.4	54.2	0.002	0.01	0.06	4.2	2	0.6	137.0	0.68	<0.05	2.3	0.079	0.23
J843639		710	4.9	41.5	<0.002	0.01	0.18	9.0	2	1.3	216	0.48	<0.05	4.3	0.268	0.28
J843640		1200	4.0	35.8	<0.002	0.05	0.24	10.5	2	1.3	217	0.54	<0.05	4.5	0.318	0.18
J843641		410	5.3	48.8	<0.002	0.08	0.12	4.7	2	0.8	238	0.24	<0.05	9.2	0.136	0.25
J843641 CRD		410	5.7	44.7	<0.002	0.07	0.13	4.6	2	0.8	242	0.25	<0.05	8.3	0.140	0.25
J843642		470	5.5	44.2	<0.002	<0.01	0.14	5.4	2	0.9	236	0.29	<0.05	9.9	0.152	0.23
J843643		340	4.4	40.3	<0.002	<0.01	0.10	5.0	2	0.8	238	0.36	<0.05	2.8	0.122	0.23
J843644		380	5.5	38.7	<0.002	0.02	0.20	4.1	2	0.8	250	0.28	<0.05	4.8	0.100	0.23
J843645		<10	1.7	2.5	<0.002	0.03	<0.05	0.3	1	<0.2	66.9	<0.05	<0.05	0.4	0.007	<0.02
J843646		510	5.5	37.8	<0.002	0.02	0.16	8.1	2	1.2	241	0.49	<0.05	3.3	0.208	0.21
J843647		280	4.4	40.9	<0.002	0.02	0.11	2.9	2	0.6	247	0.19	<0.05	2.7	0.093	0.23
J843648		350	3.6	33.8	<0.002	0.01	0.10	5.9	2	0.8	232	0.25	<0.05	2.1	0.102	0.19
J843649		320	3.8	42.8	<0.002	0.01	0.10	4.9	2	0.8	218	0.21	<0.05	2.5	0.126	0.22
J843650		780	4.6	39.6	<0.002	0.01	0.16	8.1	2	1.0	213	0.34	<0.05	5.1	0.229	0.21
J843651		830	4.7	37.1	<0.002	0.01	0.16	8.4	2	1.0	215	0.35	<0.05	3.6	0.241	0.21
J843652		560	4.0	46.5	<0.002	0.02	0.10	5.5	2	0.6	213	0.16	<0.05	3.6	0.144	0.24
J843653		560	4.0	36.6	<0.002	0.01	0.10	4.8	2	0.7	244	0.17	<0.05	3.4	0.109	0.21
J843654		550	4.0	38.6	<0.002	0.01	0.08	3.8	2	0.6	225	0.15	<0.05	3.9	0.077	0.23
J843655		820	5.2	36.5	<0.002	0.02	0.13	6.7	2	0.8	255	0.28	<0.05	3.2	0.148	0.21
J843656		1190	6.1	37.7	<0.002	0.05	0.15	11.3	2	1.3	230	0.63	<0.05	2.8	0.213	0.24
J843657		510	5.8	47.2	<0.002	0.01	0.12	5.9	2	1.3	226	0.60	<0.05	4.4	0.138	0.26
J843658		850	4.4	31.0	<0.002	0.04	0.14	13.0	2	1.4	220	0.49	<0.05	1.8	0.218	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843621		0.5	46	0.1	7.0	46	125.5									
J843621 CRD		0.5	46	0.1	7.3	45	126.5									
J843622		0.7	59	0.2	9.1	53	97.9		0.66	2.4	63.62	15.20	4.57	3.73	1.22	3.65
J843623		0.7	62	0.1	8.8	60	106.0									
J843624		0.5	47	0.1	8.8	46	106.0									
J843625		0.6	45	0.1	10.2	49	111.0									
J843626		0.8	38	0.1	9.9	45	125.0									
J843627		0.5	38	0.1	6.8	40	129.5									
J843628		0.6	47	0.2	8.9	49	126.0									
J843629		0.5	57	0.1	10.8	68	93.6									
J843630		1.3	160	12.2	15.3	154	24.1									
J843631		0.6	45	0.1	8.0	45	100.5									
J843632		0.8	85	0.1	16.0	73	116.5									
J843633		0.6	83	0.2	17.8	69	85.3									
J843634		0.6	53	0.2	7.4	45	62.6									
J843635		0.9	60	0.7	6.0	42	84.4									
J843636		0.6	50	0.9	5.6	41	107.5									
J843637		0.7	38	0.4	5.7	37	112.5									
J843638		0.6	19	0.2	3.2	16	35.5									
J843639		0.7	60	0.4	6.6	58	121.5									
J843640		0.8	67	0.8	9.2	90	88.6									
J843641		1.0	28	0.2	6.4	42	116.0									
J843641 CRD		0.8	29	0.2	6.1	45	121.0									
J843642		0.9	30	0.2	7.8	61	132.5		0.54	2.0	67.00	14.42	3.66	2.97	0.97	3.74
J843643		0.6	31	0.1	5.4	47	55.2									
J843644		0.7	28	0.2	5.8	46	82.6									
J843645		0.1	1	<0.1	1.7	<2	2.0									
J843646		1.1	51	0.2	8.5	81	125.5									
J843647		0.5	20	0.1	4.7	35	71.6									
J843648		0.4	30	0.1	5.4	53	42.9									
J843649		0.5	27	0.1	4.5	48	63.2									
J843650		1.0	48	0.2	8.5	77	124.0									
J843651		0.8	52	0.2	8.4	86	137.0									
J843652		0.4	30	0.1	6.0	61	118.5									
J843653		0.5	28	0.1	7.4	73	126.0									
J843654		0.5	27	<0.1	6.7	68	114.5									
J843655		0.9	46	0.1	9.1	83	127.0									
J843656		1.2	74	0.1	15.3	95	109.5									
J843657		1.4	35	0.2	9.7	31	103.5									
J843658		0.7	82	0.3	10.5	90	102.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843621 J843621 CRD J843622 J843623 J843624		1.75	<0.01	0.46	0.05	0.157	0.03	0.04	4.15	98.63
J843625 J843626 J843627 J843628 J843629										
J843630 J843631 J843632 J843633 J843634										
J843635 J843636 J843637 J843638 J843639										
J843640 J843641 J843641 CRD J843642 J843643		1.72	<0.01	0.33	0.04	0.096	0.03	0.04	3.52	98.54
J843644 J843645 J843646 J843647 J843648										
J843649 J843650 J843651 J843652 J843653										
J843654 J843655 J843656 J843657 J843658										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843659		2.84	<0.005		0.02	7.56	<0.2	390	1.03	0.03	2.37	0.03	37.4	7.3	9	0.80
J843660		0.07	0.935		5.08	6.75	21.1	510	0.77	1.96	2.54	2.23	22.1	14.8	63	0.79
J843661		3.11	0.005		0.03	7.38	<0.2	410	0.98	0.10	2.71	0.03	32.7	7.3	22	0.74
J843661 CRD		<0.02	<0.005		0.02	7.16	<0.2	400	0.88	0.11	2.65	0.03	35.1	7.3	21	0.73
J843662		2.65	<0.005	<0.005	0.07	7.60	<0.2	330	0.90	0.04	3.14	0.04	38.0	12.3	8	0.73
J843663		3.24	0.043		0.05	7.30	<0.2	420	0.86	0.06	3.20	0.04	53.0	8.6	9	0.88
J843664		1.85	0.029		0.05	7.14	0.7	390	0.82	0.07	1.92	0.02	40.3	6.7	6	0.72
J843665		3.28	0.053		0.06	7.55	<0.2	390	0.83	0.05	2.57	0.03	26.0	13.3	10	0.77
J843666		3.60	0.034		0.06	7.33	0.4	400	0.89	0.15	2.80	0.03	48.4	7.7	9	0.70
J843667		3.62	0.007		0.02	7.51	0.4	440	0.81	0.03	2.12	0.02	54.5	4.9	6	0.61
J843668		3.45	<0.005		<0.01	7.63	<0.2	410	0.78	0.02	2.33	0.02	64.8	6.9	8	0.49
J843669		3.33	<0.005		0.02	7.43	<0.2	420	0.67	0.02	2.18	0.02	74.0	7.2	7	0.39
J843670		4.19	0.005		0.10	7.89	1.6	340	0.84	0.12	2.92	0.05	52.1	14.9	15	0.51
J843671		3.38	<0.005		0.12	7.40	0.7	420	1.44	0.17	2.76	0.05	85.5	10.8	15	0.57
J843672		3.86	<0.005		0.08	7.31	<0.2	500	1.03	0.04	2.19	0.03	53.6	6.1	11	0.32
J843673		3.64	<0.005		<0.01	7.15	<0.2	410	0.84	0.01	2.03	0.02	54.8	3.9	8	0.39
J843674		3.69	<0.005		0.03	7.19	<0.2	390	0.91	0.01	2.18	0.03	33.7	4.1	7	0.43
J843675		0.07	2.52		7.94	6.87	50.0	660	0.81	3.44	1.67	0.97	52.1	15.1	56	3.04
J843676		3.58	<0.005		0.05	7.11	1.0	390	0.93	0.02	2.00	0.04	36.1	3.0	7	0.43
J843677		3.33	<0.005		0.04	7.65	2.7	440	0.84	0.01	2.53	0.02	65.8	6.4	10	0.50
J843678		3.45	<0.005		0.02	7.95	1.7	460	0.81	0.01	2.90	0.04	65.9	8.8	12	0.42
J843679		3.72	<0.005		0.11	7.18	1.6	450	0.83	<0.01	2.30	0.03	84.4	7.5	10	0.51
J843680		3.57	<0.005		0.03	7.21	2.7	440	0.86	<0.01	2.60	0.03	56.7	7.4	12	0.46
J843681		3.53	<0.005		0.01	7.12	1.9	420	1.10	0.01	2.33	0.03	46.0	5.5	10	0.40
J843681 CRD		<0.02	<0.005		0.01	6.98	1.9	370	1.13	0.02	2.27	0.03	41.8	5.2	10	0.40
J843682		3.48	<0.005	<0.005	<0.01	6.86	1.6	300	1.02	<0.01	2.10	0.02	36.3	3.8	6	0.37
J843683		3.82	<0.005		0.01	7.20	6.0	440	0.94	0.05	2.03	0.04	59.5	7.8	12	0.50
J843684		3.31	0.019		0.06	7.18	0.8	370	1.04	<0.01	2.41	0.05	68.8	5.9	12	0.48
J843685		3.33	<0.005		0.01	7.17	0.8	350	1.04	<0.01	2.46	0.04	64.9	8.1	14	0.38
J843686		3.66	<0.005		<0.01	7.32	1.9	480	1.04	<0.01	2.25	0.03	65.9	5.7	20	0.49
J843687		3.55	<0.005		0.02	7.32	1.7	380	1.01	<0.01	2.79	0.05	62.3	10.2	10	0.38
J843688		3.12	<0.005		0.03	7.34	4.1	300	0.97	<0.01	3.41	0.05	48.7	14.0	14	0.42
J843689		3.55	<0.005		0.03	7.56	2.0	290	1.02	<0.01	3.44	0.06	44.3	15.2	17	0.35
J843690		0.07	0.403		2.11	7.78	108.5	640	1.38	0.53	0.56	1.05	32.6	18.0	34	7.40
J843691		3.06	<0.005		<0.01	7.17	1.0	370	0.93	<0.01	2.48	0.05	58.2	7.2	13	0.46
J843692		3.18	<0.005		<0.01	7.03	0.6	420	0.94	<0.01	1.90	0.03	45.5	5.7	11	0.68
J843693		3.32	<0.005		<0.01	7.07	<0.2	350	0.98	<0.01	1.95	0.02	54.1	6.0	13	0.53
J843694		3.58	<0.005		0.04	7.45	0.6	200	0.98	<0.01	3.42	0.07	56.6	14.3	18	0.30
J843695		3.78	<0.005		0.03	7.85	0.3	240	0.90	<0.01	3.96	0.06	34.6	18.8	34	0.43
J843696		3.53	<0.005		<0.01	7.70	<0.2	300	1.19	<0.01	3.73	0.07	39.7	16.9	52	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843659		26.1	2.51	20.9	0.19	2.8	0.022	1.82	16.1	12.2	0.55	375	0.85	2.67	5.0	10.0
J843660		>10000	4.86	14.00	0.20	1.0	0.156	0.91	9.7	16.2	1.23	709	264	2.32	4.0	34.5
J843661		11.3	2.97	21.0	0.17	2.3	0.032	1.72	13.4	16.5	0.73	442	4.19	2.61	4.4	22.4
J843661 CRD		8.0	2.94	20.7	0.18	2.1	0.030	1.70	14.5	15.9	0.72	437	4.15	2.52	4.9	22.4
J843662		49.1	3.46	19.45	0.20	3.1	0.032	1.62	15.7	19.7	0.90	560	1.07	2.86	4.2	17.3
J843663		13.9	3.46	21.1	0.21	2.9	0.034	2.04	22.0	16.7	0.70	516	0.14	2.14	5.5	10.4
J843664		39.8	2.05	17.95	0.17	2.3	0.016	1.68	17.8	8.4	0.36	286	0.19	2.83	4.4	5.2
J843665		46.5	4.01	19.35	0.20	2.5	0.030	1.74	10.5	21.4	0.94	509	0.13	2.44	6.3	17.6
J843666		45.5	2.85	20.5	0.20	3.2	0.044	1.77	19.5	13.9	0.55	415	0.14	2.79	12.2	7.0
J843667		1.3	2.26	18.95	0.18	3.8	0.021	1.65	24.9	9.9	0.41	298	0.13	2.94	3.8	4.8
J843668		5.6	2.58	19.60	0.18	4.4	0.016	1.22	29.7	11.5	0.45	322	0.20	3.04	5.7	5.8
J843669		12.5	2.90	20.3	0.23	3.9	0.017	0.87	32.5	13.0	0.45	332	0.18	3.07	5.7	3.6
J843670		51.2	4.32	21.0	0.23	2.7	0.043	1.05	21.2	20.0	0.95	624	0.16	2.83	8.8	16.4
J843671		76.4	3.43	20.1	0.25	2.5	0.036	1.20	29.6	14.6	0.76	568	0.26	3.06	10.7	13.7
J843672		53.1	2.30	18.35	0.20	2.4	0.018	0.89	18.7	8.6	0.43	350	0.30	3.50	5.0	8.3
J843673		2.1	2.08	18.10	0.17	3.4	0.011	0.97	24.3	7.4	0.27	253	0.17	3.21	3.4	3.1
J843674		19.1	2.15	18.75	0.17	3.0	0.012	1.02	14.7	7.8	0.28	284	0.16	3.13	5.0	3.8
J843675		>10000	5.75	13.70	0.22	1.2	0.120	2.64	21.5	16.3	1.17	644	112.0	1.58	6.3	33.0
J843676		14.5	1.63	18.05	0.14	3.1	0.012	1.08	15.7	6.7	0.23	235	0.34	3.04	4.8	3.2
J843677		4.2	2.65	20.7	0.21	3.3	0.033	1.22	28.9	10.2	0.45	407	0.18	3.05	7.5	6.2
J843678		9.5	3.45	22.2	0.22	3.1	0.052	0.97	29.6	11.7	0.60	529	0.18	2.95	8.9	7.6
J843679		33.5	2.73	18.75	0.20	3.4	0.023	1.06	38.8	10.7	0.48	386	0.11	2.71	7.1	6.0
J843680		8.6	2.89	19.10	0.18	3.0	0.033	1.01	25.8	11.5	0.50	434	0.13	2.84	7.2	6.4
J843681		7.1	2.21	19.35	0.18	2.5	0.027	0.93	21.0	9.0	0.35	304	0.15	2.97	5.0	4.4
J843681 CRD		7.4	2.23	18.20	0.17	2.4	0.026	0.90	18.7	8.7	0.34	304	0.13	2.89	4.9	4.4
J843682		1.4	1.34	17.00	0.14	3.0	0.009	0.86	16.5	6.0	0.20	177	0.18	2.90	3.8	2.1
J843683		8.0	2.41	18.65	0.13	2.4	0.016	1.10	30.9	10.2	0.45	339	0.19	3.06	6.7	6.7
J843684		22.6	2.52	20.3	0.18	4.6	0.017	0.97	34.6	10.1	0.41	343	0.18	2.98	6.3	6.0
J843685		9.0	3.06	20.0	0.17	3.9	0.030	0.82	31.2	11.7	0.58	470	0.15	2.81	7.7	8.3
J843686		10.9	2.34	19.60	0.16	4.0	0.016	1.19	32.3	9.9	0.43	344	0.17	3.09	6.2	8.7
J843687		16.4	3.27	20.4	0.18	3.3	0.030	0.94	28.9	12.0	0.63	495	0.25	2.89	7.7	7.4
J843688		25.9	4.36	21.1	0.18	4.0	0.042	0.83	21.4	16.1	0.90	693	0.15	2.73	9.8	11.5
J843689		21.4	4.54	21.7	0.18	3.5	0.049	0.66	19.8	13.9	0.97	739	0.15	2.67	9.9	13.2
J843690		4790	4.90	18.45	0.20	0.8	0.061	4.32	17.5	12.6	0.77	512	285	1.06	5.0	24.1
J843691		5.0	2.68	20.4	0.16	2.9	0.027	1.08	28.5	10.7	0.51	392	0.63	2.80	6.4	6.0
J843692		6.2	2.24	19.75	0.13	2.5	0.016	1.52	22.3	9.2	0.39	348	0.24	2.85	7.4	4.8
J843693		7.1	2.34	19.95	0.15	3.0	0.019	1.26	26.5	9.1	0.41	351	0.17	2.90	7.5	4.8
J843694		38.3	3.87	20.4	0.19	3.1	0.049	0.73	27.9	10.2	1.11	657	0.22	2.87	6.5	24.9
J843695		20.6	4.39	20.4	0.19	2.8	0.038	0.75	16.4	15.9	1.39	739	0.21	2.60	6.6	33.4
J843696		12.1	4.27	20.7	0.19	3.8	0.044	0.88	18.2	18.4	1.35	745	0.17	2.47	10.3	38.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843659		390	4.1	53.9	<0.002	0.02	0.12	7.2	2	0.9	209	0.39	<0.05	3.9	0.154	0.28
J843660		620	41.1	22.1	1.335	1.72	25.1	16.6	6	1.1	310	0.29	0.55	2.2	0.343	0.22
J843661		420	3.7	43.1	<0.002	0.02	0.12	8.2	2	1.2	206	0.31	<0.05	2.8	0.143	0.24
J843661 CRD		430	3.7	43.9	<0.002	0.02	0.10	8.3	2	1.2	200	0.34	<0.05	3.1	0.158	0.24
J843662		430	4.5	37.8	<0.002	0.04	0.15	10.2	2	0.9	219	0.34	<0.05	3.6	0.186	0.23
J843663		600	3.6	52.1	<0.002	0.08	0.13	6.6	2	1.2	191.5	0.30	<0.05	6.0	0.201	0.30
J843664		410	3.8	46.8	<0.002	0.11	0.12	2.9	2	0.9	174.5	0.22	<0.05	4.7	0.135	0.25
J843665		500	3.9	47.0	<0.002	0.06	0.26	11.2	2	1.2	157.5	0.57	<0.05	2.5	0.251	0.29
J843666		680	4.7	47.3	<0.002	0.07	0.17	8.0	2	1.5	184.0	0.62	<0.05	4.1	0.233	0.30
J843667		530	3.6	47.1	<0.002	0.02	0.10	3.8	2	0.6	186.0	0.19	<0.05	5.8	0.161	0.25
J843668		540	5.8	35.3	<0.002	0.02	0.13	3.7	2	0.7	260	0.29	<0.05	7.7	0.229	0.19
J843669		760	6.7	26.1	<0.002	0.02	0.13	3.7	2	0.8	286	0.23	<0.05	5.2	0.249	0.14
J843670		740	7.6	30.9	<0.002	0.18	0.11	11.3	2	1.6	287	0.51	<0.05	3.9	0.363	0.18
J843671		2400	5.5	36.9	<0.002	0.24	0.09	7.6	2	1.5	339	1.11	<0.05	3.4	0.413	0.19
J843672		1380	6.2	23.5	<0.002	0.09	0.11	4.4	2	0.8	331	0.50	<0.05	3.1	0.233	0.12
J843673		340	5.4	26.6	<0.002	<0.01	0.10	2.6	2	0.6	276	0.18	<0.05	5.5	0.135	0.14
J843674		270	6.2	27.7	<0.002	0.02	0.08	2.4	2	0.8	247	0.29	<0.05	4.1	0.135	0.15
J843675		900	59.7	73.2	0.112	2.29	6.91	16.5	7	2.5	258	0.25	0.84	4.5	0.316	0.76
J843676		210	6.8	30.1	<0.002	0.02	0.06	2.6	2	0.7	217	0.30	<0.05	5.1	0.105	0.16
J843677		480	6.2	34.6	<0.002	<0.01	0.08	6.1	2	1.3	232	0.42	<0.05	7.0	0.205	0.20
J843678		650	6.4	27.1	<0.002	0.01	0.11	10.6	2	1.7	270	0.43	<0.05	6.3	0.256	0.16
J843679		490	6.4	33.4	<0.002	0.04	0.07	4.8	2	1.0	192.5	0.39	<0.05	10.0	0.217	0.19
J843680		520	4.9	28.3	<0.002	0.01	0.08	5.8	1	1.2	220	0.40	<0.05	6.1	0.223	0.16
J843681		340	6.9	27.0	<0.002	0.01	0.08	6.0	1	1.0	243	0.26	<0.05	5.7	0.150	0.15
J843681 CRD		340	7.0	25.2	<0.002	0.01	0.07	5.7	1	0.9	238	0.27	<0.05	5.3	0.147	0.16
J843682		180	4.6	25.0	<0.002	0.01	0.07	1.8	1	0.5	223	0.22	<0.05	4.7	0.101	0.14
J843683		450	6.0	39.3	<0.002	0.01	0.15	3.3	1	0.9	261	0.36	<0.05	7.1	0.195	0.17
J843684		410	8.4	34.3	<0.002	0.02	0.13	2.9	1	0.8	282	0.33	<0.05	9.5	0.200	0.17
J843685		510	5.9	27.3	<0.002	0.01	0.08	6.6	1	1.3	253	0.49	<0.05	7.5	0.248	0.13
J843686		430	4.9	36.7	<0.002	0.01	0.11	2.5	1	0.8	247	0.35	<0.05	9.1	0.215	0.18
J843687		530	5.4	27.7	<0.002	0.03	0.14	6.6	1	1.2	251	0.55	<0.05	6.5	0.288	0.15
J843688		750	4.8	27.9	<0.002	0.04	0.17	11.0	2	1.6	248	0.66	<0.05	3.0	0.349	0.14
J843689		800	5.0	21.1	<0.002	0.02	0.09	12.3	1	1.8	271	0.69	<0.05	3.1	0.376	0.11
J843690		1170	40.4	113.0	0.611	2.63	7.17	11.6	8	2.8	270	0.35	1.05	2.6	0.265	1.40
J843691		540	4.8	36.9	<0.002	0.01	0.12	7.6	1	1.1	285	0.35	<0.05	6.6	0.233	0.17
J843692		430	5.3	53.2	<0.002	0.04	0.07	5.1	1	1.0	186.0	0.50	<0.05	5.9	0.186	0.24
J843693		430	5.4	42.9	<0.002	0.03	0.08	4.7	1	1.1	232	0.49	<0.05	8.2	0.186	0.19
J843694		560	5.6	22.7	<0.002	0.03	0.15	14.4	1	1.3	287	0.49	<0.05	5.6	0.286	0.11
J843695		420	5.8	28.6	<0.002	0.04	0.14	14.6	2	1.3	292	0.67	<0.05	3.4	0.370	0.13
J843696		630	5.2	35.7	<0.002	0.01	0.08	13.2	2	2.1	218	0.98	<0.05	3.6	0.365	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843659		0.7	36	0.4	5.8	47	93.3									
J843660		0.8	110	7.5	15.4	153	28.5	1.295								
J843661		0.7	46	0.4	6.3	56	72.9									
J843661 CRD		0.8	46	0.5	6.6	55	70.1									
J843662		0.6	71	0.3	6.4	63	110.5		0.82	3.0	62.74	15.13	4.73	4.25	1.55	3.77
J843663		0.5	51	0.9	6.2	56	116.0									
J843664		0.5	25	1.3	4.2	27	79.6									
J843665		0.8	75	2.2	6.3	65	88.2									
J843666		0.8	44	1.0	8.2	40	126.0									
J843667		0.4	26	0.3	5.3	36	157.5									
J843668		0.6	29	0.1	5.8	60	183.5									
J843669		0.4	37	0.1	6.4	71	163.0									
J843670		0.6	80	0.3	12.1	103	107.0									
J843671		1.5	60	0.2	17.2	77	85.8									
J843672		1.4	35	0.1	11.5	48	70.4									
J843673		0.8	19	0.1	5.6	44	128.5									
J843674		0.6	18	0.1	4.8	47	93.0									
J843675		1.2	148	10.0	14.1	175	36.8	2.17								
J843676		0.6	15	0.2	5.1	37	100.5									
J843677		0.7	33	0.1	8.5	68	127.5									
J843678		0.5	45	<0.1	11.0	84	123.5									
J843679		0.7	32	0.1	8.0	67	119.5									
J843680		0.5	35	0.1	7.6	67	109.0									
J843681		0.6	26	0.1	7.0	43	86.8									
J843681 CRD		0.6	26	0.1	6.7	45	82.7									
J843682		0.6	13	0.2	3.7	27	93.1		0.13	0.5	73.20	13.85	1.88	2.91	0.40	4.08
J843683		0.4	31	0.2	5.3	62	95.7									
J843684		0.7	28	0.1	6.8	66	173.5									
J843685		0.7	45	0.1	10.6	76	152.5									
J843686		0.5	27	0.1	6.3	55	150.5									
J843687		0.6	56	0.1	10.9	71	126.0									
J843688		0.6	81	0.2	18.9	97	156.0									
J843689		0.7	87	0.1	18.6	105	134.0									
J843690		1.2	169	11.7	15.1	161	24.5									
J843691		1.4	39	0.1	7.3	70	113.0									
J843692		0.7	28	0.3	10.4	57	94.0									
J843693		1.3	31	0.1	11.2	60	97.6									
J843694		0.9	85	0.1	18.3	76	96.9									
J843695		1.0	109	0.3	14.9	81	96.2									
J843696		1.3	91	0.2	19.0	93	138.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843659										
J843660										
J843661										
J843661 CRD										
J843662		1.84	<0.01	0.44	0.07	0.088	0.03	0.03	4.66	99.33
J843663										
J843664										
J843665										
J843666										
J843667										
J843668										
J843669										
J843670										
J843671										
J843672										
J843673										
J843674										
J843675										
J843676										
J843677										
J843678										
J843679										
J843680										
J843681										
J843681 CRD										
J843682		1.03	<0.01	0.14	0.02	0.043	0.03	0.02	1.21	98.81
J843683										
J843684										
J843685										
J843686										
J843687										
J843688										
J843689										
J843690										
J843691										
J843692										
J843693										
J843694										
J843695										
J843696										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843697		3.84	<0.005		0.01	7.04	<0.2	370	1.05	<0.01	2.62	0.04	23.3	9.4	20	0.82
J843698		3.42	<0.005		0.04	7.61	<0.2	380	0.78	<0.01	3.49	0.03	38.3	14.0	19	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 27-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J843697		7.1	2.84	19.30	0.16	3.1	0.026	1.60	10.5	14.0	0.67	443	0.15	2.42	5.5	15.8
J843698		32.8	3.70	19.40	0.19	3.2	0.032	1.42	20.6	17.5	0.98	575	0.16	2.63	5.0	20.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J843697		320	3.2	55.7	<0.002	0.01	0.05	6.7	1	1.1	182.5	0.44	<0.05	2.8	0.224	0.26
J843698		420	4.6	52.5	<0.002	0.04	0.09	11.3	1	0.9	223	0.45	<0.05	4.7	0.328	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J843697		0.7	53	0.3	8.6	67	90.9									
J843698		1.6	81	0.2	11.7	66	120.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
J843697										
J843698										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 27-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186711

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.