ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186714

Project: HAMMOND REEF

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831684		3.57	0.036		0.03	7.38	0.4	310	0.87	0.01	3.55	0.07	45.2	15.8	40	0.83
J831685		3.45	0.018		0.03	7.97	<0.2	300	0.75	0.02	4.58	0.07	41.2	23.3	27	0.81
J831686		3.44	0.011		<0.01	6.76	0.3	430	0.93	0.01	2.02	0.03	30.9	4.2	6	0.81
J831687		3.43	0.032		<0.01	6.74	0.2	390	0.78	0.01	2.44	0.03	45.0	6.9	8	0.84
J831688		3.29	0.067		0.01	6.94	<0.2	440	0.84	0.01	2.42	0.04	45.0	7.1	7	0.83
J831689		3.58	0.018		0.06	6.88	0.3	530	0.97	0.01	2.10	0.04	54.7	5.2	8	0.87
J831690		0.07	0.409		2.27	7.80	112.0	550	1.28	0.49	0.56	0.85	32.2	19.5	29	6.73
J831691		3.33	0.047		<0.01	6.53	0.6	410	0.98	0.01	1.75	0.02	58.2	5.3	8	0.78
J831692		3.34	0.093		<0.01	6.64	0.5	530	0.87	0.01	2.06	0.04	58.3	5.2	11	0.87
J831693		3.81	0.011		<0.01	6.84	0.4	540	0.94	0.01	1.87	0.04	52.5	5.3	9	0.84
J831694		3.56	0.005		<0.01	6.68	<0.2	760	0.92	0.01	2.21	0.05	26.8	5.7	10	0.78
J831695		3.55	0.030		0.02	7.28	<0.2	630	0.99	0.01	2.45	0.06	42.1	9.6	12	0.98
J831696		3.29	0.039		0.14	7.43	0.4	430	0.96	0.02	3.64	0.09	33.0	16.0	18	1.14
J831697		3.52	0.009		0.03	6.81	0.2	570	0.89	0.01	2.74	0.07	43.5	10.4	9	0.95
J831698		3.35	0.202		0.12	6.99	0.2	530	1.02	0.02	2.26	0.06	70.4	6.3	8	1.00
J831699		3.59	0.011		<0.01	7.06	<0.2	500	0.99	0.01	2.01	0.05	60.8	5.3	9	1.00
J831700		0.07	0.921		5.09	6.64	22.8	480	0.77	1.68	2.43	2.34	23.0	15.8	62	0.85
J831701		3.28	0.090		0.12	6.59	<0.2	450	0.98	0.01	1.83	0.06	38.7	4.9	9	0.96
J831702		3.53	0.132		0.09	6.74	<0.2	430	1.09	0.01	2.34	0.08	43.4	7.6	10	0.91
J831703		3.58	0.142		0.08	6.90	<0.2	520	1.13	0.01	1.88	0.06	71.3	6.5	11	1.01
J831703 CRD		<0.02	0.090		0.02	7.32	<0.2	550	1.04	0.01	2.01	0.07	73.9	6.8	11	1.05
J831704		3.39	0.663	0.692	0.40	7.22	0.4	580	0.99	0.02	2.27	0.08	58.2	7.2	9	1.05
J831705		3.37	0.044		0.08	7.10	0.4	450	0.86	0.01	2.26	0.06	46.8	7.1	8	0.94
J831706		3.59	0.108		0.04	6.90	<0.2	450	0.92	0.01	2.57	0.06	44.7	8.7	10	0.97
J831707		3.33	0.145		0.07	7.48	<0.2	400	1.04	0.02	2.67	0.06	53.5	12.6	4	1.09
J831708		3.44	0.310		0.12	6.74	<0.2	560	1.10	0.02	1.93	0.04	57.6	7.6	15	0.95
J831709		3.16	0.206		0.22	6.59	<0.2	530	0.98	0.03	2.41	0.05	48.8	10.0	24	0.95
J831710		3.26	0.011		<0.01	5.18	0.3	470	1.07	<0.01	1.21	0.03	29.1	2.6	6	0.65
J831711		3.54	0.198		0.15	6.47	<0.2	500	1.19	0.02	1.89	0.04	28.2	6.0	6	1.02
J831712		3.16	0.458		0.23	7.03	<0.2	470	1.11	0.04	3.82	0.09	34.0	11.6	14	1.19
J831713		3.20	0.072		0.02	6.73	0.4	390	1.14	0.05	2.67	0.08	47.1	10.8	27	0.93
J831714		3.38	0.014		0.04	7.15	<0.2	320	0.85	0.03	3.94	0.09	54.1	17.2	40	0.83
J831715		0.07	2.25		9.11	6.83	49.8	670	0.92	3.14	1.68	1.13	59.8	17.9	57	3.61
J831716		3.26	<0.005		0.02	6.57	<0.2	570	0.87	0.02	2.50	0.06	31.7	13.9	37	0.93
J831717		3.64	0.006		0.06	6.55	<0.2	640	0.93	0.02	2.48	0.06	32.3	11.3	27	0.85
J831718		3.61	0.265		0.25	6.93	<0.2	550	0.87	0.05	2.98	0.06	104.0	14.4	24	0.80
J831719		3.35	0.005		0.04	6.58	<0.2	350	0.84	0.01	2.36	0.04	43.5	10.0	23	0.72
J831720		3.52	0.018		0.06	7.30	0.3	550	1.05	0.03	2.86	0.06	63.4	11.0	6	1.06
J831721		3.38	0.038		<0.01	6.74	0.2	510	0.95	0.01	2.22	0.04	53.0	7.0	6	0.90
J831722		3.48	<0.005		<0.01	6.55	0.5	430	0.93	0.01	2.16	0.04	54.4	6.0	16	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831684		45.1	3.69	21.3	0.24	1.5	0.032	1.57	18.8	21.2	1.16	648	0.19	2.44	6.3	38.7
J831685		42.8	4.80	20.9	0.22	2.3	0.039	1.33	19.4	27.9	1.45	780	0.14	2.45	4.0	36.8
J831686		9.5	1.74	19.50	0.18	3.0	0.015	1.79	13.9	5.9	0.27	261	0.11	2.67	4.4	2.5
J831687		18.8	2.40	19.70	0.22	3.1	0.022	1.81	19.7	8.9	0.39	349	0.11	2.34	5.0	3.4
J831688		6.2	2.45	20.4	0.18	3.4	0.024	1.86	20.2	9.2	0.41	380	0.14	2.37	6.2	3.8
J831689		3.4	2.14	20.5	0.24	3.7	0.022	1.82	24.2	8.0	0.33	324	0.31	2.63	5.8	2.9
J831690		4500	4.73	18.90	0.24	0.8	0.057	5.39	16.2	12.2	0.74	501	264	1.04	5.1	25.7
J831691		4.4	1.94	19.25	0.21	3.5	0.013	1.67	27.6	6.6	0.30	260	0.44	2.57	4.9	3.5
J831692		2.5	2.04	20.1	0.21	4.2	0.017	1.91	25.4	6.8	0.31	319	0.19	2.42	5.8	3.9
J831693		2.6	2.00	19.60	0.21	3.6	0.015	1.87	25.5	6.9	0.34	295	0.15	2.35	6.0	5.1
J831694		25.8	1.79	19.25	0.17	3.0	0.016	1.87	11.8	6.9	0.34	315	0.11	2.64	5.0	7.1
J831695		28.4	2.64	20.5	0.21	4.0	0.020	2.09	19.0	11.1	0.59	417	0.86	2.13	5.8	13.6
J831696		34.3	3.97	18.95	0.12	3.1	0.040	1.90	16.9	20.4	1.13	677	0.19	1.95	6.6	25.9
J831697		17.8	2.85	18.55	0.15	3.6	0.026	1.93	22.9	12.8	0.72	476	0.16	2.04	5.6	13.9
J831698		4.6	2.26	19.75	0.15	5.2	0.022	2.30	33.8	8.8	0.42	348	0.20	1.75	6.8	6.3
J831699		5.7	1.99	19.10	0.15	4.4	0.020	2.22	28.9	7.9	0.39	316	0.14	1.87	6.6	4.7
J831700		>10000	4.62	13.50	0.15	1.1	0.149	0.85	11.4	14.2	1.16	669	254	2.07	4.1	35.4
J831701		12.9	1.75	19.25	0.12	2.4	0.018	2.10	20.5	6.7	0.34	293	0.75	1.94	7.3	4.3
J831702		14.9	2.46	19.55	0.14	3.1	0.029	1.90	21.8	10.8	0.52	438	0.18	2.15	7.0	8.5
J831703		6.2	2.04	19.25	0.16	4.6	0.028	2.34	34.3	8.6	0.44	340	0.24	1.80	5.6	8.3
J831703 CRD		4.9	2.17	20.2	0.17	4.7	0.031	2.46	36.0	8.7	0.48	353	0.22	1.85	5.9	8.8
J831704		7.9	2.29	20.8	0.16	4.0	0.034	2.45	26.9	8.5	0.50	388	0.22	1.77	7.1	8.7
J831705		11.0	2.40	19.65	0.13	3.8	0.026	1.93	24.0	9.7	0.44	372	0.22	2.25	6.1	5.1
J831706		14.0	2.53	20.3	0.13	3.4	0.033	2.04	22.5	11.7	0.55	431	0.13	1.94	6.8	9.0
J831707		29.4	3.05	20.7	0.16	3.7	0.035	1.86	26.1	16.2	0.84	478	0.11	2.38	6.0	12.7
J831708		7.4	2.39	19.45	0.14	4.3	0.027	1.75	25.3	12.1	0.58	382	0.20	2.54	7.5	12.2
J831709		16.5	2.67	18.10	0.14	2.5	0.030	1.66	23.0	13.2	0.75	466	0.15	2.31	6.5	19.4
J831710		3.9	1.02	17.30	0.11	3.2	0.011	1.58	15.5	3.5	0.18	199	0.15	2.68	6.5	2.6
J831711		13.5	1.67	17.95	0.12	3.3	0.019	1.99	14.8	7.7	0.40	299	0.19	1.99	4.2	6.9
J831712		19.1	3.27	19.60	0.15	3.1	0.035	2.25	16.9	17.0	0.93	650	0.10	1.47	6.1	19.9
J831713		32.7	2.59	19.10	0.15	2.6	0.025	1.61	22.5	15.5	0.88	493	0.14	2.26	6.2	26.5
J831714		52.0	3.74	18.10	0.16	1.4	0.037	1.32	22.3	23.5	1.47	759	0.19	2.28	6.3	45.4
J831715		>10000	5.84	14.45	0.20	1.2	0.130	2.76	26.7	14.5	1.20	652	114.5	1.58	6.9	36.4
J831716		29.6	3.23	18.00	0.12	1.0	0.041	1.46	14.3	18.7	1.14	553	0.20	2.15	5.0	37.1
J831717		75.6	2.52	17.70	0.13	1.8	0.026	1.49	15.6	15.0	0.92	494	0.15	2.36	3.8	28.2
J831718		181.0	3.78	18.75	0.22	2.4	0.045	1.54	41.2	18.4	1.00	622	0.30	1.87	8.7	25.4
J831719		17.0	2.62	17.65	0.13	2.5	0.030	1.33	21.9	14.4	0.71	462	0.11	2.43	5.5	21.2
J831720		14.4	3.26	21.0	0.18	4.1	0.037	2.09	25.6	13.9	0.62	524	0.15	1.89	8.3	5.5
J831721		11.0	2.34	18.65	0.14	3.1	0.025	1.69	23.0	10.2	0.44	392	0.15	2.30	6.6	3.8
J831722		11.8	2.06	18.95	0.14	3.7	0.018	1.58	24.0	9.1	0.37	371	0.16	2.61	5.8	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831684		680	4.6	53.1	<0.002	0.04	0.17	11.1	2	1.1	222	0.46	<0.05	2.5	0.268	0.25
J831685		450	5.6	48.3	<0.002	0.04	0.22	17.3	2	0.9	245	0.31	<0.05	3.9	0.318	0.21
J831686		330	4.1	54.4	<0.002	0.02	0.10	2.7	2	0.7	178.5	0.30	<0.05	3.4	0.132	0.26
J831687		550	4.3	50.7	<0.002	0.04	0.13	4.0	2	0.9	178.5	0.31	<0.05	3.6	0.198	0.27
J831688		570	4.1	55.9	<0.002	0.05	0.13	5.6	2	1.0	166.0	0.34	<0.05	4.4	0.197	0.26
J831689		430	4.7	53.0	<0.002	0.03	0.12	4.8	2	0.9	175.0	0.30	<0.05	7.3	0.160	0.26
J831690		1120	41.3	140.5	0.591	2.46	6.99	11.6	9	2.8	265	0.33	0.97	2.7	0.251	1.46
J831691		360	4.3	54.4	<0.002	0.04	0.11	3.3	2	0.8	179.5	0.25	<0.05	6.9	0.139	0.25
J831692		400	5.3	51.1	<0.002	0.04	0.13	3.5	1	0.8	170.0	0.24	<0.05	7.7	0.163	0.27
J831693		370	4.6	58.0	<0.002	0.02	0.12	3.9	2	0.8	152.0	0.30	<0.05	7.0	0.151	0.24
J831694		260	5.5	46.6	<0.002	0.02	0.11	4.1	1	0.8	179.0	0.38	<0.05	4.1	0.132	0.24
J831695		370	5.0	62.7	<0.002	0.03	0.15	7.2	2	1.0	148.5	0.40	<0.05	6.1	0.190	0.29
J831696		460	6.1	53.0	<0.002	0.04	0.23	11.9	1	1.5	180.0	0.56	<0.05	3.0	0.278	0.28
J831697		370	5.8	53.3	<0.002	0.02	0.16	6.8	1	1.0	165.0	0.33	<0.05	6.4	0.208	0.27
J831698		420	5.2	65.9	<0.002	0.10	0.16	3.8	1	1.0	130.5	0.31	0.07	11.2	0.166	0.31
J831699		420	4.9	63.9	<0.002	0.02	0.14	3.6	1	1.0	139.0	0.30	<0.05	9.0	0.165	0.31
J831700		580	37.8	28.3	1.440	1.68	26.5	13.9	6	1.1	304	0.28	0.61	2.0	0.326	0.22
J831701		340	3.7	61.4	0.002	0.03	0.15	3.2	1	1.0	129.5	0.55	<0.05	4.8	0.144	0.29
J831702		390	4.8	51.4	<0.002	0.06	0.18	6.8	1	1.3	154.0	0.56	<0.05	6.3	0.181	0.27
J831703		380	5.1	67.4	<0.002	0.08	0.16	6.5	1	1.1	117.5	0.30	0.05	10.2	0.150	0.31
J831703 CRD		400	5.1	70.6	<0.002	0.08	0.16	6.8	1	1.2	119.0	0.30	<0.05	11.2	0.165	0.33
J831704		430	5.2	67.8	<0.002	0.11	0.17	5.9	2	1.3	134.5	0.40	0.15	8.4	0.186	0.34
J831705		550	4.7	56.6	<0.002	0.03	0.14	4.5	1	1.1	175.5	0.35	<0.05	4.1	0.193	0.27
J831706		560	5.3	57.9	<0.002	0.05	0.17	5.8	2	1.3	178.0	0.36	<0.05	5.1	0.212	0.30
J831707		430	5.6	62.1	<0.002	0.07	0.21	9.1	2	1.3	194.5	0.49	<0.05	6.4	0.228	0.27
J831708		440	5.3	49.5	<0.002	0.05	0.16	5.5	1	1.3	177.0	0.48	0.08	8.4	0.171	0.25
J831709		510	5.3	47.1	<0.002	0.09	0.15	7.1	1	1.2	168.5	0.39	0.05	5.6	0.189	0.24
J831710		150	4.8	41.0	<0.002	0.01	0.08	1.8	1	1.0	124.5	0.62	<0.05	6.6	0.067	0.21
J831711		230	4.4	60.5	<0.002	0.07	0.14	3.8	1	0.8	140.0	0.29	0.08	4.6	0.118	0.27
J831712		550	5.1	59.2	<0.002	0.10	0.19	9.3	1	1.4	178.5	0.51	0.13	3.5	0.228	0.31
J831713		660	5.3	47.6	<0.002	0.04	0.16	6.9	1	1.1	214	0.60	<0.05	5.7	0.170	0.22
J831714		1140	5.7	36.3	<0.002	0.02	0.20	10.6	1	1.3	313	0.54	<0.05	2.7	0.250	0.20
J831715		920	63.5	85.9	0.135	2.51	7.91	15.0	8	2.8	270	0.29	1.03	4.6	0.319	0.80
J831716		800	5.0	38.9	<0.002	0.01	0.15	9.0	1	1.6	193.0	0.38	<0.05	2.2	0.175	0.23
J831717		860	6.0	42.0	<0.002	0.02	0.14	7.1	1	1.0	234	0.39	<0.05	2.7	0.145	0.21
J831718		2380	4.6	46.9	<0.002	0.24	0.23	9.5	2	2.1	172.0	0.69	<0.05	5.3	0.333	0.22
J831719		500	5.0	39.8	<0.002	0.01	0.13	6.2	1	1.3	202	0.41	<0.05	4.9	0.166	0.20
J831720		820	3.8	57.2	<0.002	0.05	0.18	7.2	1	1.4	172.0	0.54	<0.05	4.7	0.253	0.31
J831721		540	3.7	50.6	<0.002	0.02	0.13	4.4	1	1.3	179.5	0.44	<0.05	6.0	0.186	0.25
J831722		390	3.6	45.9	<0.002	0.06	0.12	3.1	1	1.0	192.5	0.32	<0.05	7.4	0.152	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831684		0.8	66	2.0	8.7	81	47.5									
J831685		0.8	119	1.3	8.5	106	89.6									
J831686		0.7	18	1.6	5.1	36	100.0									
J831687		0.6	30	1.4	6.3	62	127.0									
J831688		0.9	29	2.3	6.8	62	140.0									
J831689		0.5	23	1.7	6.5	52	141.0									
J831690		1.2	157	11.6	14.4	149	23.8									
J831691		0.6	19	1.1	6.1	46	128.0									
J831692		0.6	21	1.9	6.3	51	166.0									
J831693		0.7	20	2.1	5.8	49	132.0									
J831694		0.9	26	1.9	4.4	40	95.1									
J831695		1.0	44	1.7	6.4	53	135.0									
J831696		0.7	85	1.6	7.1	91	109.5									
J831697		0.9	54	1.1	6.6	66	127.0									
J831698		0.9	24	2.1	7.0	52	186.0									
J831699		1.8	23	2.0	6.4	47	157.0									
J831700		0.8	103	5.5	16.4	148	31.8	1.310								
J831701		0.7	22	3.7	4.6	40	83.9									
J831702		1.1	44	2.9	6.9	59	98.9									
J831703		1.1	31	3.7	7.4	44	166.5									
J831703 CRD		1.2	33	4.0	7.8	46	169.0									
J831704		0.9	34	2.8	6.4	49	138.5		0.69	2.5	66.48	14.79	3.20	3.16	0.91	2.56
J831705		1.0	30	1.2	6.3	54	143.5									
J831706		0.6	38	1.0	6.2	63	125.0									
J831707		0.9	69	1.5	7.2	81	131.5									
J831708		1.0	33	1.1	7.9	63	136.0									
J831709		0.7	41	2.0	8.1	81	71.6									
J831710		0.9	10	0.8	5.2	21	92.2									
J831711		0.9	29	2.0	4.2	36	104.5									
J831712		0.8	66	4.0	6.1	80	104.0									
J831713		1.5	47	1.7	6.9	64	77.1									
J831714		0.7	77	1.6	7.0	105	41.7									
J831715		1.2	155	11.4	16.0	178	36.9	2.25								
J831716		0.5	58	1.3	6.3	86	23.8									
J831717		0.8	49	0.6	5.8	73	39.6									
J831718		1.1	67	2.3	11.3	97	78.6									
J831719		0.5	41	1.8	5.7	70	76.9									
J831720		0.6	56	3.7	9.1	78	147.5									
J831721		0.7	33	1.6	7.5	56	109.5									
J831722		0.5	24	1.2	7.0	52	132.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831684										
J831685										
J831686										
J831687										
J831688										
J831689										
J831690										
J831691										
J831692										
J831693										
J831694										
J831695										
J831696										
J831697										
J831698										
J831699										
J831700										
J831701										
J831702										
J831703										
J831703 CRD										
J831704		2.92	<0.01	0.34	0.04	0.092	0.03	0.06	4.02	98.60
J831705										
J831706										
J831707										
J831708										
J831709										
J831710										
J831711										
J831712										
J831713										
J831714										
J831715										
J831716										
J831717										
J831718										
J831719										
J831720										
J831721										
J831722										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831723		3.41	<0.005		<0.01	6.84	0.3	490	0.97	<0.01	1.74	0.03	60.1	4.5	8	0.87
J831723 CRD		<0.02	<0.005		<0.01	6.51	<0.2	470	0.93	0.01	1.61	0.03	53.0	4.2	8	0.85
J831724		3.49	<0.005	<0.005	<0.01	7.26	<0.2	470	0.96	0.01	2.43	0.05	55.2	10.0	10	0.92
J831725		3.72	<0.005		0.04	5.32	<0.2	370	0.78	0.01	2.46	0.05	25.8	10.6	11	0.69
J831726		3.44	0.009		0.07	7.37	0.4	500	0.91	0.01	2.77	0.05	43.0	10.7	9	1.05
J831727		4.05	<0.005		<0.01	6.90	<0.2	370	0.88	0.01	2.08	0.04	52.0	8.0	12	0.62
J831728		3.35	0.007		0.12	7.02	<0.2	20	0.51	0.02	5.63	0.11	27.1	45.9	157	0.10
J831729		3.70	0.018		0.14	7.11	0.7	70	0.56	0.03	4.76	0.11	23.8	38.4	141	0.15
J831730		0.07	0.420		2.18	7.71	113.0	600	1.36	0.55	0.57	1.00	33.7	18.5	35	7.27
J831731		3.54	0.016		0.02	7.04	0.6	410	0.97	0.01	1.68	0.03	34.2	6.0	14	0.63
J831732		3.19	0.026		0.07	7.48	0.4	440	0.90	0.01	2.76	0.05	68.2	11.4	22	0.73
J831733		3.14	0.008		0.02	7.06	0.9	270	0.86	0.02	2.54	0.05	44.7	10.9	15	0.43
J831734		4.05	<0.005		0.16	6.79	1.3	30	0.47	0.06	5.90	0.12	21.0	42.6	167	0.10
J831735		4.00	0.010		0.03	7.12	0.2	440	0.81	0.01	3.50	0.06	36.5	11.2	13	0.65
J831736		3.68	<0.005		0.04	7.36	0.7	450	0.81	0.03	3.44	0.07	44.5	13.4	24	0.69
J831737		3.65	<0.005		0.05	7.23	0.4	320	0.62	0.03	3.50	0.07	39.5	15.9	41	0.55
J831738		3.54	<0.005		0.02	7.80	0.6	360	0.71	0.03	3.67	0.06	65.9	12.8	7	0.70
J831739		3.61	<0.005		0.03	7.76	0.5	350	0.77	0.02	3.50	0.06	43.8	14.0	5	0.70
J831740		3.48	0.014		0.02	7.53	0.7	290	0.67	0.03	3.95	0.06	54.9	12.9	5	0.61
J831741		3.56	0.009		0.02	7.56	0.5	300	0.67	0.02	3.61	0.06	57.2	10.9	6	0.62
J831742		3.60	<0.005		<0.01	7.62	1.0	290	0.68	0.02	3.22	0.05	58.0	10.5	6	0.62
J831743		3.59	<0.005		0.01	7.60	0.4	320	0.67	0.02	3.40	0.05	43.4	12.2	3	0.59
J831743 CRD		<0.02	<0.005		<0.01	7.61	0.7	330	0.71	0.02	3.40	0.05	41.8	12.1	5	0.59
J831744		3.26	0.026	0.038	0.12	6.99	0.4	410	0.73	0.07	2.43	0.04	33.6	6.6	4	0.62
J831745		1.03	<0.005		<0.01	0.15	<5	10	0.05	0.01	21.2	<0.02	2.69	0.9	2	0.09
J831746		3.61	<0.005		0.03	7.76	0.8	300	0.69	0.02	3.27	0.06	27.4	13.0	17	0.61
J831747		3.45	<0.005		0.01	6.95	0.2	340	0.73	0.01	2.43	0.04	30.5	5.5	11	0.60
J831748		2.57	0.006		0.05	7.15	0.6	290	0.64	0.01	2.70	0.05	34.7	9.6	28	0.51
J831749		4.26	<0.005		<0.01	7.30	0.7	340	0.81	0.01	2.53	0.05	54.8	9.6	23	0.61
J831750		3.56	<0.005		<0.01	6.82	0.2	380	0.70	0.02	2.44	0.04	77.7	5.8	8	0.62
J831751		3.08	<0.005		<0.01	6.96	0.9	390	0.72	0.02	2.32	0.05	92.0	5.6	7	0.68
J831752		3.37	<0.005		0.01	7.15	<0.2	360	0.71	0.01	2.71	0.06	87.7	9.4	25	0.68
J831753		3.16	0.022		0.05	6.86	0.8	660	0.65	0.02	4.96	0.09	92.0	24.0	231	0.60
J831754		4.05	0.039		0.02	6.84	0.9	500	0.76	0.02	3.37	0.09	31.8	13.0	19	0.86
J831755		3.65	0.012		<0.01	7.27	0.8	470	0.80	0.02	2.83	0.07	57.6	9.1	11	0.80
J831756		3.35	0.019		<0.01	7.21	0.4	510	0.73	0.01	2.19	0.06	44.3	7.2	9	0.79
J831757		3.15	0.292		0.13	6.88	0.7	430	0.68	0.08	2.24	0.04	39.5	8.7	11	0.72
J831758		4.11	0.034		<0.01	6.82	0.5	440	0.84	0.04	1.30	0.04	47.4	4.5	9	0.81
J831759		3.56	0.041		0.03	6.66	0.3	350	0.78	0.05	1.63	0.03	26.4	8.7	28	0.76
J831760		0.07	1.000		4.57	6.43	23.1	470	0.62	1.82	2.43	2.09	21.1	13.8	59	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831723		2.6	2.14	19.35	0.14	4.0	0.020	1.56	28.2	6.3	0.30	298	0.14	2.74	5.5	4.1
J831723 CRD		2.5	2.04	18.05	0.13	3.9	0.023	1.50	24.6	6.1	0.28	279	0.16	2.66	5.0	4.0
J831724		22.5	2.96	20.4	0.16	3.9	0.025	1.65	25.6	15.3	0.70	456	0.11	2.51	7.3	9.4
J831725		30.2	2.75	18.50	0.13	2.7	0.027	1.43	13.7	16.8	0.71	429	0.11	2.65	4.3	12.8
J831726		35.1	2.84	20.3	0.15	2.4	0.030	1.69	22.3	16.0	0.73	458	0.11	2.73	5.8	12.0
J831727		20.0	2.36	19.80	0.14	3.5	0.023	1.12	24.5	13.0	0.57	352	0.12	3.38	7.3	8.7
J831728		73.2	8.16	18.85	0.21	1.8	0.075	0.05	13.1	51.0	3.76	1160	0.39	0.79	3.2	151.5
J831729		46.2	6.84	17.75	0.14	1.7	0.061	0.15	11.7	40.7	2.93	956	0.34	1.48	3.2	124.0
J831730		4580	4.86	18.75	0.15	0.8	0.060	5.29	18.6	13.7	0.78	514	272	1.07	5.0	26.6
J831731		38.9	1.89	18.55	0.15	2.2	0.016	1.20	17.5	10.3	0.47	290	0.42	3.49	5.5	9.2
J831732		51.7	3.17	20.4	0.19	2.8	0.026	1.40	35.0	19.1	0.89	507	0.17	3.12	6.3	19.0
J831733		35.1	2.88	18.95	0.18	3.1	0.028	0.83	23.1	18.1	0.81	462	0.12	3.67	10.0	17.8
J831734		75.4	8.43	19.95	0.12	1.7	0.069	0.06	10.6	67.9	3.95	1240	0.34	0.95	1.7	155.5
J831735		20.2	3.38	18.50	0.15	2.6	0.028	1.36	18.4	18.5	0.93	571	0.25	2.69	5.1	16.4
J831736		20.4	3.75	19.95	0.18	3.3	0.035	1.57	21.7	22.3	1.04	591	0.13	2.39	6.2	24.8
J831737		31.1	3.96	18.30	0.17	2.7	0.033	1.20	20.3	25.7	1.26	592	0.14	2.47	4.7	39.0
J831738		31.9	4.42	22.5	0.22	4.2	0.057	1.60	29.2	21.3	0.84	565	0.40	2.38	8.4	7.3
J831739		34.0	4.05	22.8	0.14	3.4	0.043	1.68	20.3	26.2	0.98	549	1.44	2.31	6.5	13.1
J831740		30.1	4.18	20.7	0.19	3.9	0.046	1.49	24.7	23.6	0.92	616	0.08	2.40	8.0	9.7
J831741		18.8	3.95	21.5	0.20	4.1	0.049	1.47	25.2	19.5	0.74	544	0.12	2.50	7.9	6.4
J831742		18.9	3.73	21.1	0.21	4.0	0.043	1.46	26.4	18.9	0.71	498	0.19	2.60	8.2	6.0
J831743		11.2	3.49	20.2	0.20	3.3	0.035	1.40	21.5	21.6	0.90	562	0.08	2.81	6.8	12.6
J831743 CRD		11.9	3.53	20.1	0.18	3.4	0.035	1.42	20.4	22.0	0.90	565	0.09	2.87	7.0	12.5
J831744		10.8	2.15	18.60	0.20	3.0	0.021	1.66	16.9	12.5	0.48	375	0.15	2.56	5.5	6.0
J831745		1.5	0.09	0.66	0.55	0.1	<0.005	0.11	2.1	4.4	13.35	51	0.11	0.04	0.4	0.5
J831746		35.8	3.75	20.7	0.20	2.0	0.034	1.41	12.7	26.9	1.01	543	0.22	2.88	5.2	20.7
J831747		24.3	1.90	17.20	0.24	2.8	0.017	1.53	15.3	10.8	0.47	314	0.12	2.76	3.9	9.5
J831748		34.9	2.83	17.85	0.20	2.1	0.022	1.34	17.0	19.7	0.83	416	0.10	2.78	4.4	28.9
J831749		16.4	3.04	19.60	0.21	3.0	0.027	1.50	27.2	20.6	0.84	438	0.09	2.68	6.7	22.6
J831750		11.4	2.24	18.60	0.25	4.9	0.021	1.63	40.0	10.6	0.44	358	0.14	2.58	7.3	5.1
J831751		9.1	2.21	18.75	0.26	5.3	0.021	1.64	48.4	11.1	0.42	347	0.18	2.58	7.1	4.9
J831752		15.6	2.96	18.65	0.25	3.6	0.026	1.67	44.5	12.9	0.81	462	0.08	2.43	5.9	19.9
J831753		35.2	4.28	16.85	0.26	1.5	0.034	1.27	41.1	25.1	3.36	864	0.15	2.07	4.9	180.5
J831754		29.3	3.68	19.10	0.17	2.8	0.032	2.15	15.8	8.0	1.06	692	0.10	2.35	4.8	20.3
J831755		13.7	3.30	20.7	0.23	3.8	0.034	2.07	27.2	7.8	0.67	554	0.09	2.28	8.4	7.5
J831756		16.3	2.59	18.40	0.22	3.4	0.024	2.05	21.7	5.5	0.54	370	0.23	2.47	5.6	8.0
J831757		22.8	2.55	16.95	0.22	3.3	0.025	1.85	18.9	3.5	0.65	449	0.53	2.85	6.8	9.0
J831758		10.4	1.52	17.60	0.20	3.8	0.015	1.83	25.3	2.3	0.37	285	0.23	2.91	7.7	4.6
J831759		16.0	1.86	16.55	0.20	2.3	0.019	1.77	13.7	3.6	0.68	350	0.80	2.87	4.9	20.8
J831760		>10000	4.62	13.40	0.17	1.0	0.131	0.85	11.1	12.5	1.17	680	237	2.20	3.7	33.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831723		350	4.1	51.4	<0.002	<0.01	0.12	3.0	1	1.2	167.5	0.41	<0.05	10.4	0.123	0.26
J831723 CRD		320	4.2	47.8	<0.002	<0.01	0.12	2.8	1	1.2	159.5	0.37	<0.05	9.4	0.114	0.25
J831724		570	4.9	53.3	<0.002	0.03	0.18	5.9	2	1.3	184.0	0.45	<0.05	7.2	0.237	0.26
J831725		560	3.9	39.0	<0.002	0.02	0.16	5.6	1	0.9	202	0.28	<0.05	2.5	0.247	0.24
J831726		580	4.3	55.7	<0.002	0.04	0.14	6.4	2	1.1	200	0.29	<0.05	6.0	0.239	0.27
J831727		520	5.3	35.7	<0.002	0.01	0.11	3.9	1	1.2	202	0.35	<0.05	7.9	0.217	0.17
J831728		320	5.7	2.0	<0.002	0.07	0.26	19.8	2	0.9	336	0.24	<0.05	2.8	0.678	<0.02
J831729		290	10.3	6.1	<0.002	0.21	0.27	15.6	2	0.8	330	0.23	<0.05	2.4	0.556	0.02
J831730		1140	44.0	121.5	0.591	2.51	7.17	11.9	8	2.8	265	0.34	1.00	2.7	0.244	1.51
J831731		430	4.4	42.6	<0.002	0.01	0.11	4.3	1	0.8	169.0	0.54	<0.05	4.8	0.161	0.19
J831732		600	4.9	47.7	<0.002	0.02	0.13	8.1	1	1.0	183.0	0.66	<0.05	8.3	0.259	0.22
J831733		370	6.2	29.2	<0.002	0.02	0.16	9.1	1	0.9	198.5	2.43	<0.05	6.4	0.210	0.13
J831734		300	6.5	2.4	<0.002	0.12	0.28	21.1	1	0.6	242	0.15	<0.05	2.0	0.447	<0.02
J831735		430	4.1	45.3	<0.002	<0.01	0.12	8.6	1	1.0	164.5	0.43	<0.05	3.4	0.213	0.23
J831736		450	4.7	48.2	<0.002	0.02	0.18	9.6	1	1.1	159.5	0.46	<0.05	4.9	0.266	0.26
J831737		390	4.2	41.2	<0.002	<0.01	0.20	9.8	1	0.8	164.0	0.35	<0.05	4.1	0.280	0.19
J831738		1200	4.4	50.9	<0.002	<0.01	0.23	9.9	1	1.1	182.5	0.42	<0.05	3.1	0.287	0.26
J831739		740	4.5	50.9	<0.002	<0.01	0.21	11.0	1	1.0	182.5	0.44	<0.05	3.1	0.283	0.28
J831740		940	4.7	44.4	<0.002	0.04	0.20	9.8	1	1.1	188.0	0.51	<0.05	3.2	0.297	0.24
J831741		1020	4.7	44.8	<0.002	<0.01	0.21	8.5	1	1.0	196.5	0.44	<0.05	3.1	0.251	0.24
J831742		930	4.9	46.8	<0.002	<0.01	0.20	7.9	1	1.0	189.0	0.53	<0.05	4.0	0.250	0.24
J831743		510	4.9	43.9	<0.002	<0.01	0.22	9.7	1	1.3	181.0	0.52	<0.05	4.7	0.285	0.22
J831743 CRD		510	5.3	42.1	<0.002	<0.01	0.21	9.6	1	1.3	184.0	0.60	<0.05	4.7	0.289	0.24
J831744		320	4.9	51.4	<0.002	<0.01	0.14	5.2	1	1.0	163.5	0.45	0.06	5.4	0.175	0.27
J831745		10	1.1	3.1	<0.002	<0.01	<0.05	0.3	1	<0.2	68.7	<0.05	<0.05	0.3	0.007	0.02
J831746		730	5.0	41.7	<0.002	<0.01	0.21	9.5	1	1.1	207	0.46	<0.05	2.5	0.260	0.23
J831747		340	5.0	46.4	<0.002	<0.01	0.13	4.2	1	0.8	182.0	0.28	<0.05	4.3	0.142	0.25
J831748		660	4.8	38.7	<0.002	<0.01	0.14	6.5	1	0.9	188.5	0.40	<0.05	3.2	0.170	0.21
J831749		620	5.1	44.2	<0.002	<0.01	0.17	7.6	1	1.1	181.5	0.57	<0.05	6.0	0.204	0.23
J831750		410	6.0	48.8	<0.002	<0.01	0.13	4.0	1	0.9	179.5	0.38	<0.05	11.0	0.167	0.26
J831751		390	6.9	53.0	<0.002	<0.01	0.13	4.0	1	0.9	178.0	0.35	<0.05	12.2	0.161	0.28
J831752		540	5.5	52.0	<0.002	<0.01	0.17	7.1	1	1.0	184.5	0.27	<0.05	9.1	0.204	0.27
J831753		1470	7.1	45.5	<0.002	0.01	0.22	12.7	1	0.9	345	0.36	<0.05	2.5	0.208	0.20
J831754		390	5.0	50.6	<0.002	0.03	0.19	9.5	1	1.1	160.5	0.44	<0.05	4.3	0.247	0.31
J831755		720	6.4	59.7	<0.002	<0.01	0.15	7.2	1	1.4	153.5	0.68	<0.05	5.4	0.255	0.30
J831756		470	3.7	58.7	<0.002	<0.01	0.12	5.4	1	0.9	134.0	0.33	<0.05	5.6	0.171	0.29
J831757		620	3.1	53.2	<0.002	0.12	0.15	5.5	1	1.0	118.5	0.65	0.09	4.9	0.199	0.29
J831758		260	3.9	61.6	<0.002	0.06	0.13	3.3	1	1.0	113.5	0.57	<0.05	8.3	0.090	0.28
J831759		350	2.9	55.3	<0.002	0.02	0.13	5.1	1	1.0	108.5	0.44	<0.05	3.5	0.121	0.27
J831760		580	40.0	25.0	1.270	1.58	23.5	13.4	5	0.9	291	0.29	0.60	2.0	0.316	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831723		9.0	24	1.2	9.6	41	131.0									
J831723 CRD		11.0	23	1.1	9.1	37	127.0									
J831724		0.9	46	2.5	9.4	78	136.5		0.62	2.3	65.08	14.78	4.23	3.56	1.24	3.61
J831725		0.5	61	2.0	6.9	66	99.1									
J831726		0.4	51	3.2	8.5	64	93.7									
J831727		1.1	36	1.0	9.2	50	128.0									
J831728		0.5	177	0.6	19.7	139	50.0									
J831729		0.5	144	0.8	16.2	113	50.9									
J831730		1.3	158	12.1	15.5	155	24.5									
J831731		0.9	29	1.1	6.8	34	73.2									
J831732		0.9	60	1.7	9.8	68	103.5									
J831733		1.8	57	1.9	12.3	49	101.5									
J831734		0.5	178	0.5	12.1	144	51.1									
J831735		0.8	60	0.9	6.2	53	97.6									
J831736		0.9	69	2.6	6.4	66	119.0									
J831737		0.7	77	1.3	6.7	76	95.7									
J831738		0.4	65	1.4	12.0	71	177.0									
J831739		0.6	80	1.0	7.6	73	141.5									
J831740		0.6	68	2.0	8.3	78	154.5									
J831741		0.9	55	0.8	9.6	74	162.0									
J831742		0.5	51	0.5	9.5	70	150.5									
J831743		0.9	74	2.1	6.7	83	122.5									
J831743 CRD		0.9	74	2.1	6.6	83	122.5									
J831744		0.8	41	1.7	4.6	45	92.6		0.67	2.5	67.05	14.26	2.92	3.44	0.86	3.47
J831745		0.1	1	0.1	1.7	<2	2.4									
J831746		0.8	70	1.6	5.2	96	72.7									
J831747		0.6	31	0.9	3.5	43	77.6									
J831748		0.7	45	0.6	4.0	71	57.7									
J831749		0.9	48	1.0	5.4	74	97.2									
J831750		1.0	22	1.5	6.8	51	187.0									
J831751		1.1	21	1.3	7.2	48	192.0									
J831752		0.8	43	1.7	6.1	65	130.0									
J831753		0.8	76	2.7	9.5	120	48.4									
J831754		0.9	80	4.5	4.4	66	93.0									
J831755		0.9	51	4.3	6.7	69	139.0									
J831756		0.7	36	2.8	4.8	58	113.5									
J831757		1.1	39	7.9	5.2	48	116.0									
J831758		1.7	18	2.0	6.3	27	119.0									
J831759		0.9	33	2.7	4.3	36	62.8									
J831760		0.8	102	5.2	14.9	138	26.9	1.370								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831723 J831723 CRD J831724 J831725 J831726		1.95	<0.01	0.43	0.06	0.116	0.03	0.04	4.17	99.30
J831727 J831728 J831729 J831730 J831731										
J831732 J831733 J831734 J831735 J831736										
J831737 J831738 J831739 J831740 J831741										
J831742 J831743 J831743 CRD J831744 J831745		1.97	<0.01	0.31	0.04	0.071	0.03	0.03	4.09	98.54
J831746 J831747 J831748 J831749 J831750										
J831751 J831752 J831753 J831754 J831755										
J831756 J831757 J831758 J831759 J831760										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831761		2.82	0.013		0.20	7.11	0.9	280	0.60	0.41	5.35	0.13	10.95	31.3	133	0.95
J831762		2.91	0.072		0.03	6.43	0.5	260	0.63	0.10	1.98	0.04	34.6	5.6	11	0.64
J831763		3.86	0.007		0.28	7.27	<0.2	370	0.64	0.60	4.72	0.11	20.3	23.0	109	1.01
J831763 CRD		<0.02	0.009		0.29	7.13	<0.2	370	0.64	0.64	4.68	0.11	22.1	23.0	106	1.01
J831764		4.32	0.005	<0.005	0.18	6.58	0.6	310	0.71	0.13	6.80	0.15	5.51	43.2	160	1.15
J831765		3.54	<0.005		<0.01	6.30	0.2	330	0.92	0.02	2.02	0.03	35.6	5.1	10	0.88
J831766		3.53	0.014		0.11	6.28	<0.2	370	1.00	0.17	2.12	0.04	45.9	7.0	6	0.94
J831767		3.71	<0.005		<0.01	6.31	0.5	340	0.98	0.03	2.42	0.04	43.3	6.6	4	0.91
J831768		3.43	<0.005		0.01	6.40	0.6	310	0.92	0.05	2.21	0.05	43.8	7.3	4	0.84
J831769		3.53	<0.005		0.01	6.50	<0.2	290	0.93	0.01	2.15	0.04	43.2	6.9	4	0.78
J831770		3.53	<0.005		0.03	6.22	<0.2	350	1.15	0.03	2.04	0.04	46.9	6.1	4	0.98
J831771		2.63	<0.005		0.03	6.22	<0.2	400	1.01	0.03	2.01	0.02	39.5	5.2	4	0.96
J831772		4.28	<0.005		0.01	6.20	1.0	420	1.07	0.04	1.80	0.05	39.8	5.2	9	0.92
J831773		3.32	<0.005		0.08	5.87	1.0	530	1.05	0.02	2.15	0.08	35.0	3.5	7	0.89
J831774		3.68	<0.005		0.04	6.11	0.8	620	1.06	0.01	1.58	0.05	34.3	3.1	6	0.94
J831775		0.07	2.33		8.92	6.40	53.4	610	0.88	3.37	1.60	1.01	51.4	17.0	56	3.06
J831776		2.61	<0.005		<0.01	6.18	0.4	570	0.97	0.01	1.52	0.04	39.4	2.5	9	0.82
J831777		2.43	<0.005		<0.01	6.12	0.2	560	0.92	0.01	1.50	0.02	68.2	2.9	7	0.81
J831778		2.60	<0.005		<0.01	6.16	0.8	550	0.97	0.01	1.68	0.04	51.0	3.0	5	0.85
J831779		2.85	<0.005		<0.01	6.28	2.2	520	1.13	0.01	1.80	0.06	34.0	4.4	6	0.99
J831780		3.43	<0.005		<0.01	5.99	1.3	460	0.94	0.01	1.60	0.04	34.7	3.7	6	0.80
J831781		3.31	<0.005		0.08	6.01	1.9	550	0.93	0.02	1.72	0.03	39.2	4.9	7	0.97
J831782		3.19	<0.005		0.11	6.31	1.7	520	0.86	0.01	2.08	0.04	52.8	7.2	10	1.06
J831783		3.30	<0.005		0.09	6.25	1.8	510	0.86	0.03	2.42	0.03	55.8	6.8	8	1.13
J831783 CRD		<0.02	<0.005		0.05	6.44	1.3	530	0.93	0.03	2.56	0.02	52.3	7.3	9	1.16
J831784		3.34	<0.005	<0.005	0.03	6.78	1.6	460	0.95	0.01	1.89	0.03	16.70	5.4	9	1.08
J831785		3.27	<0.005		0.08	6.78	<0.2	410	0.76	0.02	3.92	0.05	15.90	12.5	17	1.42
J831786		3.24	<0.005		0.05	6.45	1.3	390	0.92	0.04	3.67	0.07	15.20	19.3	48	1.05
J831787		3.19	<0.005		0.08	6.19	<0.2	360	0.84	0.02	2.49	0.04	15.95	11.7	28	0.91
J831788		3.55	<0.005		0.07	6.75	0.3	320	0.79	0.03	5.06	0.06	22.3	25.2	46	1.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831761		69.5	5.73	15.10	0.15	1.3	0.037	1.98	5.3	23.3	2.97	1020	7.66	1.49	2.7	88.1
J831762		14.2	1.87	16.05	0.20	3.1	0.022	1.45	18.2	5.7	0.48	322	2.51	2.83	6.8	6.9
J831763		30.8	4.70	17.20	0.16	1.8	0.041	2.24	11.0	18.5	2.31	843	10.40	1.33	3.7	62.5
J831763 CRD		33.2	4.67	17.20	0.15	1.8	0.040	2.27	11.7	17.9	2.27	840	21.0	1.33	3.8	61.3
J831764		112.5	6.75	15.15	0.09	0.5	0.046	2.22	2.1	41.4	3.82	1340	2.19	0.48	1.3	109.5
J831765		9.6	1.73	19.65	0.14	3.3	0.023	1.65	18.2	10.2	0.36	270	0.26	2.80	7.4	4.7
J831766		26.1	2.22	20.8	0.15	3.8	0.031	1.79	21.3	11.2	0.37	344	0.10	2.36	9.8	3.0
J831767		16.9	2.28	21.3	0.16	4.1	0.030	1.78	19.9	12.2	0.37	378	0.09	2.42	10.2	2.5
J831768		11.6	2.36	21.0	0.17	4.3	0.032	1.59	20.0	12.4	0.40	357	0.08	2.73	9.5	2.8
J831769		14.0	2.40	20.6	0.16	4.2	0.033	1.45	19.6	12.6	0.40	342	0.06	3.06	9.8	2.6
J831770		16.8	2.19	20.2	0.17	4.1	0.033	1.84	21.0	9.2	0.36	365	0.06	2.42	9.5	2.3
J831771		8.2	1.99	20.3	0.15	3.7	0.025	2.02	18.1	7.1	0.32	369	0.09	2.32	8.4	2.1
J831772		7.1	1.67	20.0	0.16	3.6	0.023	1.88	19.6	3.8	0.35	338	0.07	2.76	7.8	4.0
J831773		1.8	1.28	17.65	0.15	3.3	0.023	1.95	17.2	3.6	0.15	266	0.19	2.55	8.2	2.6
J831774		2.6	1.33	18.65	0.14	3.3	0.020	1.91	17.1	4.0	0.15	219	0.19	2.66	8.7	1.8
J831775		>10000	5.51	15.60	0.17	1.0	0.113	2.67	23.8	16.7	1.14	593	112.5	1.61	6.6	33.2
J831776		7.7	1.28	17.85	0.13	3.4	0.018	1.73	19.4	3.5	0.15	258	0.18	2.81	7.0	1.6
J831777		4.6	1.58	18.60	0.16	4.9	0.022	1.72	32.7	5.6	0.18	272	0.10	2.77	7.6	1.5
J831778		3.2	1.58	18.10	0.16	3.5	0.021	1.83	24.5	5.0	0.20	305	0.10	2.63	8.1	2.1
J831779		3.8	1.65	19.70	0.14	2.8	0.021	2.12	16.6	4.7	0.25	358	0.17	2.42	9.7	2.3
J831780		1.8	1.47	17.85	0.14	2.9	0.021	1.69	17.0	5.4	0.21	310	0.10	2.74	7.9	2.3
J831781		26.1	1.73	17.40	0.14	3.4	0.022	1.94	18.8	6.6	0.31	367	0.12	2.45	7.4	4.6
J831782		29.8	2.41	18.20	0.15	3.9	0.027	1.87	24.8	10.5	0.48	426	0.10	2.51	7.9	8.4
J831783		27.9	2.21	19.25	0.18	3.8	0.024	2.19	25.9	10.6	0.44	390	0.08	2.30	7.6	6.5
J831783 CRD		25.3	2.33	19.35	0.18	3.6	0.026	2.31	24.3	10.8	0.48	405	0.08	2.28	7.6	7.1
J831784		13.9	1.62	18.65	0.14	2.5	0.016	2.13	7.8	8.0	0.38	279	0.08	2.66	5.1	5.8
J831785		28.8	3.23	19.95	0.14	2.4	0.031	2.68	6.8	19.5	0.88	596	0.09	1.74	4.2	15.7
J831786		8.9	3.52	18.80	0.14	0.9	0.035	2.27	6.7	18.8	1.50	838	0.10	1.83	7.2	51.0
J831787		10.2	2.17	16.30	0.13	1.5	0.019	1.89	7.6	11.9	0.85	472	0.11	2.43	6.4	29.8
J831788		37.0	4.37	16.60	0.14	1.2	0.038	2.07	10.2	29.7	1.88	967	0.09	1.63	3.8	58.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J831761		170	8.3	70.6	<0.002	<0.01	0.22	25.7	1	0.6	172.0	0.27	0.05	1.4	0.239	0.31
J831762		330	5.1	46.9	<0.002	0.05	0.12	4.1	1	1.3	129.0	0.78	<0.05	5.1	0.119	0.23
J831763		230	11.1	73.7	<0.002	<0.01	0.20	19.6	1	0.9	158.5	0.43	<0.05	2.9	0.208	0.36
J831763 CRD		240	10.4	70.1	<0.002	0.01	0.20	19.3	1	0.8	156.5	0.45	<0.05	3.0	0.198	0.35
J831764		140	4.4	78.8	<0.002	0.04	0.27	38.6	1	0.4	177.0	0.08	<0.05	0.2	0.278	0.31
J831765		310	5.6	50.0	<0.002	0.01	0.15	4.1	1	1.4	151.0	0.85	<0.05	5.7	0.147	0.26
J831766		390	9.2	57.2	<0.002	0.15	0.17	4.7	1	2.0	122.0	0.98	<0.05	5.1	0.172	0.28
J831767		400	5.3	55.2	<0.002	0.03	0.14	5.1	1	1.8	121.0	0.82	<0.05	4.4	0.181	0.28
J831768		440	7.3	47.4	<0.002	0.04	0.17	5.2	1	1.8	122.0	0.71	<0.05	4.2	0.196	0.24
J831769		450	5.1	42.3	<0.002	0.01	0.17	5.1	1	2.0	135.0	0.94	<0.05	4.3	0.193	0.22
J831770		410	5.9	54.7	<0.002	0.05	0.15	4.9	1	1.9	130.0	0.86	<0.05	4.7	0.185	0.30
J831771		360	5.9	56.2	<0.002	0.01	0.12	4.3	1	1.6	120.0	0.81	<0.05	4.7	0.153	0.32
J831772		340	10.7	54.1	<0.002	<0.01	0.14	3.6	1	1.4	123.5	1.06	<0.05	6.3	0.156	0.30
J831773		270	20.2	54.1	<0.002	0.17	0.16	2.2	1	1.6	80.1	0.86	<0.05	5.7	0.121	0.39
J831774		220	14.2	56.7	<0.002	0.19	0.19	3.2	1	1.4	71.9	1.06	<0.05	5.9	0.092	0.40
J831775		860	63.3	80.6	0.116	2.30	6.93	16.2	6	2.5	249	0.26	0.84	4.6	0.307	0.74
J831776		220	10.0	50.8	<0.002	0.01	0.12	2.7	1	1.3	109.0	0.67	<0.05	5.9	0.084	0.25
J831777		240	12.5	48.0	<0.002	0.01	0.12	3.2	1	1.4	111.0	0.57	<0.05	9.8	0.094	0.24
J831778		230	9.7	50.1	<0.002	0.01	0.11	3.3	1	1.6	134.5	0.77	<0.05	7.8	0.101	0.27
J831779		290	9.9	60.7	<0.002	0.01	0.11	4.0	1	1.9	124.0	0.97	<0.05	4.8	0.129	0.34
J831780		260	11.3	48.1	<0.002	0.01	0.11	3.0	1	1.4	113.0	0.68	<0.05	5.7	0.108	0.25
J831781		250	10.0	54.4	<0.002	<0.01	0.10	4.4	1	1.5	125.0	0.63	<0.05	6.3	0.125	0.30
J831782		280	8.3	54.2	<0.002	0.01	0.11	6.5	1	1.4	149.0	0.68	<0.05	7.7	0.159	0.31
J831783		350	9.6	59.0	<0.002	0.02	0.12	5.6	1	1.2	140.0	0.69	<0.05	7.6	0.167	0.35
J831783 CRD		380	9.8	61.9	<0.002	0.01	0.13	6.1	1	1.2	141.5	0.70	<0.05	7.0	0.185	0.36
J831784		210	8.5	61.8	<0.002	0.01	0.11	4.4	1	1.0	127.5	0.63	<0.05	2.7	0.119	0.34
J831785		560	8.9	62.8	<0.002	0.02	0.15	9.5	1	0.9	188.0	0.38	<0.05	0.8	0.259	0.42
J831786		260	16.1	53.0	<0.002	<0.01	0.12	16.5	1	1.3	153.5	0.93	<0.05	2.1	0.135	0.34
J831787		200	7.0	48.6	<0.002	<0.01	0.12	8.7	1	0.9	145.0	0.99	<0.05	3.1	0.094	0.30
J831788		370	5.6	48.3	<0.002	<0.01	0.14	20.6	1	0.9	191.5	0.55	<0.05	1.9	0.198	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831761		0.6	154	3.4	5.0	107	35.9									
J831762		1.2	29	2.3	5.3	29	104.0									
J831763		1.0	143	1.8	5.1	73	59.1									
J831763 CRD		1.8	146	1.8	5.0	73	59.1									
J831764		0.1	197	2.0	5.7	93	13.8		3.29	12.1	39.30	12.18	9.96	9.77	6.27	0.59
J831765		1.6	28	1.5	5.7	40	119.0									
J831766		1.2	28	2.9	7.8	59	149.5									
J831767		1.1	32	4.4	8.6	65	160.5									
J831768		1.0	34	1.5	8.7	67	171.0									
J831769		3.2	34	0.9	8.9	71	175.0									
J831770		1.4	32	1.2	9.0	60	161.0									
J831771		1.4	27	1.3	7.7	56	135.0									
J831772		1.7	25	0.8	5.8	43	122.5									
J831773		1.1	17	0.5	6.3	42	106.5									
J831774		1.7	11	0.4	6.8	41	95.3									
J831775		1.1	142	9.7	15.6	158	32.5	2.16								
J831776		1.6	9	0.2	6.2	35	111.5									
J831777		1.6	13	0.2	8.7	45	167.5									
J831778		1.8	13	0.3	7.4	49	120.0									
J831779		1.2	16	0.3	6.0	54	95.9									
J831780		1.2	13	0.2	5.5	46	98.2									
J831781		1.5	23	0.3	6.8	45	112.5									
J831782		1.9	39	0.2	8.5	64	136.5									
J831783		1.2	34	0.2	7.3	51	134.5									
J831783 CRD		1.1	37	0.2	7.0	55	131.0									
J831784		1.1	26	0.1	3.9	35	73.9		0.18	0.7	68.50	14.64	2.28	2.69	0.72	3.73
J831785		0.5	65	0.3	4.6	73	105.0									
J831786		1.2	64	0.2	4.9	70	25.0									
J831787		1.5	36	0.1	4.2	37	37.2									
J831788		1.2	92	0.2	6.1	79	41.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831761										
J831762										
J831763										
J831763 CRD										
J831764		2.60	0.03	0.57	0.19	0.038	0.02	0.03	16.95	98.50
J831765										
J831766										
J831767										
J831768										
J831769										
J831770										
J831771										
J831772										
J831773										
J831774										
J831775										
J831776										
J831777										
J831778										
J831779										
J831780										
J831781										
J831782										
J831783										
J831783 CRD										
J831784		2.61	<0.01	0.22	0.03	0.054	0.03	0.04	3.56	99.10
J831785										
J831786										
J831787										
J831788										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 23-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186714

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.