ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE TB10184040

Project: HAMMOND REEF

P.O. No.:

This report is for 156 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J850000		0.07	0.981		4.35	6.48	19.9	470	0.70	1.71	2.44	2.06	19.75	13.1	59	0.82
J850001		3.56	0.100		0.10	7.19	0.5	260	1.07	0.17	3.15	0.03	30.2	8.4	7	1.05
J850002		3.51	0.010		0.45	7.41	0.9	180	0.53	0.09	3.62	0.05	33.4	10.4	12	0.60
J850003		3.17	0.355		0.18	7.44	0.4	230	0.73	0.50	4.18	0.08	35.8	17.9	49	0.82
J850004		3.42	0.376		0.15	7.53	<0.2	200	0.73	0.19	3.94	0.07	37.8	15.8	43	0.79
J850005		3.29	0.069		0.03	7.41	0.2	220	0.63	0.09	3.01	0.04	31.6	8.2	6	0.64
J850006		3.38	0.119		0.08	7.32	0.5	230	0.63	0.05	3.08	0.04	36.8	9.3	6	0.79
J850007		3.50	0.302		0.25	7.51	<0.2	210	0.80	0.04	4.06	0.06	37.0	15.8	29	0.83
J850008		3.54	0.129		0.06	7.32	0.3	240	0.57	0.04	3.09	0.05	40.3	8.1	9	0.79
J850009		3.62	0.136		0.11	7.84	0.7	260	0.81	0.10	3.71	0.06	31.2	15.9	18	0.83
J850010		3.52	2.62		0.66	7.37	0.5	340	0.89	0.33	2.78	0.05	42.6	10.7	11	1.21
J850011		3.51	0.638		0.31	7.43	<0.2	250	0.86	0.09	3.30	0.07	44.7	13.7	14	0.83
J850012		3.45	0.455		0.27	7.34	0.7	300	0.85	0.07	2.98	0.05	53.9	11.2	8	0.97
J850013		3.35	0.263		0.28	7.01	<0.2	390	0.85	0.08	2.13	0.03	67.7	6.3	8	1.07
J850014		3.37	0.194		0.03	6.89	0.9	460	0.74	0.07	1.94	0.03	53.4	5.0	5	0.91
J850015		0.15	2.40		7.97	6.76	54.0	600	0.76	3.20	1.64	0.98	54.2	15.4	58	3.10
J850016		3.10	0.250		0.16	7.37	0.7	340	0.66	0.17	2.28	0.03	88.9	7.2	9	0.71
J850017		3.47	0.264		0.09	7.30	0.6	360	0.70	0.06	2.38	0.03	93.4	7.2	8	0.81
J850018		3.26	0.056		0.01	7.15	<0.2	420	0.80	0.04	2.57	0.03	56.7	5.9	8	0.80
J850019		3.28	0.013		0.01	7.30	<0.2	190	0.75	0.03	2.73	0.02	42.6	7.1	7	0.55
J850019 CRD		<0.02	0.051		<0.01	7.38	0.5	170	1.06	0.04	2.77	0.04	48.7	7.4	8	0.60
J850020		3.44	0.006	0.008	<0.01	7.14	<0.2	120	0.73	0.05	3.78	0.04	35.6	8.1	8	0.52
J850021		3.40	<0.005		<0.01	7.04	<0.2	100	0.62	0.04	3.47	0.03	39.7	8.9	9	0.23
J850022		3.19	0.122		0.02	7.31	0.3	80	0.76	0.03	3.39	0.03	46.2	8.2	10	0.32
J850023		3.41	0.160		0.01	7.72	<0.2	180	0.94	0.04	3.55	0.03	53.0	13.1	16	0.68
J850024		3.28	<0.005		<0.01	7.26	<0.2	80	1.44	0.03	3.76	0.02	34.3	4.5	7	0.43
J850025		3.21	0.005		<0.01	7.98	0.5	80	0.80	0.03	4.26	0.02	51.4	11.6	25	0.45
J850026		3.16	<0.005		<0.01	7.70	1.6	40	0.85	0.05	3.90	0.02	53.3	9.4	12	0.26
J850027		3.57	<0.005		<0.01	8.19	0.8	30	1.01	0.15	4.55	0.04	41.3	13.6	22	0.24
J850028		3.83	<0.005		<0.01	8.12	1.3	80	0.95	0.05	4.38	0.03	59.3	12.1	22	0.39
J850029		3.41	0.082		0.02	7.83	1.1	140	0.80	0.06	5.17	0.03	62.7	7.2	14	0.76
J850030		0.07	0.410		2.26	7.88	115.0	580	1.44	0.54	0.60	1.09	36.2	18.4	35	7.53
J850031		3.14	0.011		<0.01	7.72	2.2	100	0.86	0.04	3.86	0.04	46.9	10.3	28	0.44
J850032		3.44	0.064		0.01	8.03	3.0	70	0.90	0.04	4.05	0.04	41.7	16.0	28	0.21
J850033		3.43	0.108		0.05	7.94	2.1	140	0.89	0.07	3.89	0.04	47.3	13.5	22	0.35
J850034		3.22	<0.005		0.02	7.62	3.6	260	0.80	0.02	2.73	0.07	65.5	6.5	12	0.45
J850035		3.35	0.007		0.05	7.69	6.2	160	0.86	0.04	3.75	0.06	42.3	15.8	32	0.37
J850036		3.20	<0.005		0.03	7.87	3.1	400	0.90	0.03	2.70	0.07	33.3	9.3	22	0.44
J850037		3.34	<0.005		0.08	8.22	5.4	160	0.75	0.09	3.71	0.10	47.8	14.0	20	0.33
J850038		3.37	<0.005		0.05	8.04	4.3	190	0.75	0.04	3.63	0.06	41.4	13.6	18	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J850000		>10000	4.62	13.05	0.18	1.0	0.133	0.84	9.9	15.5	1.16	675	242	2.19	3.7	31.5
J850001		20.1	3.20	20.8	0.22	2.8	0.026	1.67	14.4	11.7	0.58	434	77.0	2.45	7.5	4.5
J850002		24.9	3.55	20.7	0.22	2.8	0.033	1.09	15.1	13.5	0.73	518	39.5	2.65	8.4	10.8
J850003		31.9	4.57	22.1	0.20	1.3	0.042	1.34	13.4	23.4	1.65	762	10.75	2.49	6.9	48.8
J850004		36.1	4.34	20.1	0.23	1.3	0.041	1.15	16.5	23.4	1.47	726	0.96	2.67	6.4	41.9
J850005		18.7	3.10	21.0	0.23	2.8	0.021	1.22	15.1	12.0	0.53	393	2.18	2.59	8.3	4.1
J850006		26.6	3.27	20.7	0.26	2.5	0.031	1.36	17.0	16.3	0.61	410	0.82	2.81	7.5	4.4
J850007		37.2	4.30	20.6	0.24	2.6	0.043	1.33	16.6	29.5	1.28	681	0.37	2.48	7.0	30.4
J850008		12.3	2.90	21.1	0.25	3.4	0.026	1.53	18.2	14.5	0.55	396	0.20	2.63	6.1	5.5
J850009		31.9	4.54	23.8	0.25	2.3	0.049	1.46	14.5	26.2	1.17	696	0.21	2.65	7.8	21.1
J850010		31.3	3.40	21.4	0.26	3.5	0.025	2.07	19.6	16.6	0.68	414	18.40	2.11	5.1	10.8
J850011		34.3	4.18	20.5	0.26	3.7	0.039	1.38	19.5	21.8	1.02	587	0.48	2.34	8.4	17.1
J850012		31.4	3.50	22.0	0.27	3.6	0.033	1.72	24.2	16.5	0.81	495	0.54	2.60	7.8	13.2
J850013		53.4	2.52	20.8	0.27	4.6	0.021	1.77	34.1	8.5	0.39	337	4.77	2.55	6.6	5.5
J850014		5.7	2.05	19.90	0.27	3.8	0.019	1.67	26.2	7.1	0.34	307	1.74	2.71	7.7	4.4
J850015		>10000	5.78	14.65	0.26	1.1	0.114	2.82	24.8	16.1	1.19	653	108.0	1.67	6.6	35.1
J850016		13.6	2.82	21.5	0.28	4.8	0.022	1.42	46.4	11.4	0.47	391	15.25	2.75	8.4	5.6
J850017		4.4	2.82	21.7	0.31	5.4	0.023	1.53	47.3	12.5	0.53	386	2.44	2.62	8.3	7.0
J850018		1.3	2.25	20.5	0.27	4.5	0.023	1.53	26.6	10.4	0.41	273	0.94	2.61	7.0	6.6
J850019		4.1	2.30	20.5	0.26	2.7	0.021	1.23	19.8	12.8	0.50	223	0.21	2.69	7.1	4.4
J850019 CRD		2.8	2.36	19.40	0.13	2.7	0.027	1.17	24.5	15.5	0.52	230	0.14	2.66	7.3	4.8
J850020		1.7	2.77	19.75	0.14	2.3	0.027	1.14	17.4	18.7	0.59	280	0.27	2.38	7.1	5.0
J850021		5.8	3.12	20.0	0.15	2.5	0.030	0.52	19.7	18.2	0.59	324	0.19	2.66	8.1	4.4
J850022		2.2	2.56	19.75	0.17	2.6	0.023	0.59	23.0	17.1	0.57	248	0.97	2.76	5.7	5.1
J850023		4.9	3.69	19.70	0.20	3.7	0.030	1.34	26.1	25.3	0.99	374	0.14	2.45	7.2	15.9
J850024		0.6	1.87	20.2	0.19	2.1	0.024	0.84	17.0	11.7	0.36	193	0.08	2.74	10.1	3.8
J850025		0.9	3.59	21.8	0.22	2.9	0.034	0.87	25.6	26.8	1.08	345	0.12	2.15	8.0	20.3
J850026		1.7	2.99	20.0	0.20	3.6	0.029	0.38	26.9	20.1	0.83	296	0.13	2.80	7.4	11.8
J850027		2.9	3.97	20.0	0.17	3.0	0.041	0.31	20.5	25.6	1.26	472	0.11	2.53	8.2	23.9
J850028		1.7	3.82	20.5	0.20	3.5	0.044	0.60	29.7	27.4	1.26	440	0.10	2.42	8.1	19.1
J850029		2.6	2.99	21.7	0.23	3.6	0.045	1.49	32.0	14.8	0.71	321	0.95	1.77	6.6	13.4
J850030		4670	5.02	17.40	0.22	0.9	0.063	5.26	19.8	12.8	0.81	527	275	1.13	5.2	24.9
J850031		5.2	3.10	19.95	0.19	2.7	0.036	0.91	23.3	16.3	1.00	360	0.47	2.30	6.2	20.7
J850032		4.7	4.18	20.2	0.18	2.5	0.037	0.41	20.1	15.2	1.29	549	0.52	2.68	5.7	27.8
J850033		5.4	3.75	19.50	0.16	3.3	0.033	0.67	23.7	13.0	1.09	483	0.19	2.72	6.2	20.8
J850034		13.0	2.68	18.90	0.20	4.7	0.023	0.97	32.3	7.1	0.48	364	0.16	2.95	7.4	6.9
J850035		23.5	4.20	19.25	0.19	2.1	0.040	0.77	19.0	10.8	1.30	619	0.17	2.71	6.3	31.1
J850036		17.4	3.05	18.10	0.20	2.6	0.028	2.05	15.6	7.7	0.75	451	0.15	2.67	5.3	15.5
J850037		30.5	4.04	21.3	0.22	2.9	0.041	0.77	23.3	10.3	1.03	545	0.57	2.96	6.5	17.9
J850038		30.3	4.15	20.2	0.18	3.1	0.037	0.82	20.2	11.0	1.00	552	0.28	2.93	6.1	16.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J850000		570	37.7	23.3	1.305	1.59	24.7	13.6	5	1.0	291	0.26	0.63	2.0	0.318	0.21
J850001		840	4.1	47.7	0.002	0.14	0.08	5.8	1	1.0	196.0	0.42	0.08	1.4	0.289	0.23
J850002		900	4.3	30.4	<0.002	0.04	0.12	8.3	1	1.2	273	0.47	<0.05	1.3	0.329	0.16
J850003		1060	6.5	34.2	<0.002	0.12	0.09	13.5	1	1.6	268	0.44	0.18	0.8	0.364	0.19
J850004		960	5.9	37.5	<0.002	0.10	0.08	12.7	1	1.4	232	0.57	0.07	1.8	0.315	0.17
J850005		740	5.7	35.8	<0.002	0.07	0.11	5.6	1	1.0	251	0.51	<0.05	2.3	0.272	0.17
J850006		880	4.0	40.8	<0.002	0.12	0.10	6.9	1	1.0	204	0.41	0.05	1.5	0.305	0.19
J850007		630	6.3	39.2	<0.002	0.11	0.13	13.5	1	1.2	173.0	0.49	0.07	2.4	0.327	0.19
J850008		710	4.7	42.5	<0.002	0.11	0.11	6.3	1	0.8	218	0.34	<0.05	3.2	0.258	0.23
J850009		580	7.8	38.7	<0.002	0.14	0.12	15.5	1	1.4	242	0.47	0.07	3.3	0.337	0.20
J850010		550	5.0	59.9	<0.002	0.40	0.11	7.0	1	0.8	139.0	0.35	0.51	4.8	0.239	0.26
J850011		720	8.2	42.6	<0.002	0.09	0.13	10.9	1	1.3	249	0.66	0.12	4.4	0.395	0.20
J850012		610	5.5	48.5	<0.002	0.24	0.11	9.9	1	1.2	197.0	0.51	0.20	6.1	0.286	0.22
J850013		390	7.0	52.3	<0.002	0.18	0.09	4.3	1	1.0	185.5	0.42	0.22	10.4	0.177	0.24
J850014		320	5.8	49.8	<0.002	0.16	0.08	4.3	1	1.1	164.0	0.43	<0.05	9.0	0.160	0.22
J850015		900	59.3	79.4	0.119	2.43	7.19	15.3	7	2.6	261	0.26	1.03	4.4	0.308	0.74
J850016		440	7.3	51.3	<0.002	0.15	0.12	5.3	1	1.3	206	0.37	0.16	12.3	0.216	0.22
J850017		500	6.5	50.6	<0.002	0.11	0.09	5.1	1	1.2	203	0.36	0.08	12.8	0.232	0.21
J850018		380	5.1	48.3	<0.002	0.03	0.07	5.1	1	1.1	187.0	0.43	<0.05	9.2	0.167	0.22
J850019		580	4.2	32.7	<0.002	0.02	0.11	5.6	1	1.0	237	0.41	<0.05	4.0	0.235	0.17
J850019 CRD		590	5.0	34.9	<0.002	0.02	0.14	5.8	1	1.0	238	0.43	<0.05	4.6	0.238	0.18
J850020		800	3.3	27.2	<0.002	0.01	0.11	6.0	1	0.8	245	0.37	<0.05	2.0	0.290	0.15
J850021		830	3.6	10.3	<0.002	<0.01	0.13	6.3	1	0.9	271	0.40	<0.05	1.9	0.300	0.07
J850022		680	3.6	12.0	<0.002	0.02	0.11	4.1	1	0.6	268	0.30	<0.05	3.3	0.248	0.07
J850023		630	3.2	36.2	<0.002	0.05	0.08	8.6	1	1.4	178.5	0.45	<0.05	6.8	0.309	0.19
J850024		510	3.9	19.1	<0.002	0.01	0.09	4.2	1	0.8	258	1.13	<0.05	2.7	0.180	0.10
J850025		880	3.3	21.6	<0.002	0.01	0.13	9.9	2	1.0	286	0.38	<0.05	3.8	0.317	0.12
J850026		590	3.3	8.8	<0.002	<0.01	0.20	7.4	1	1.0	285	0.44	<0.05	5.4	0.278	0.05
J850027		490	4.2	6.1	<0.002	0.01	0.14	12.5	2	1.5	293	0.67	<0.05	4.1	0.314	0.04
J850028		700	2.9	13.5	<0.002	0.03	0.12	13.0	1	1.3	284	0.52	<0.05	5.3	0.342	0.09
J850029		620	3.8	39.8	<0.002	0.07	0.12	7.1	1	1.3	236	0.39	<0.05	6.9	0.282	0.19
J850030		1180	44.2	118.0	0.629	2.63	7.53	12.4	10	3.1	270	0.34	1.13	2.7	0.252	1.46
J850031		810	4.0	21.7	<0.002	0.01	0.11	8.8	1	1.0	284	0.36	<0.05	3.3	0.299	0.11
J850032		550	5.0	8.1	<0.002	0.02	0.16	12.6	1	1.0	292	0.46	<0.05	3.5	0.319	0.05
J850033		560	5.3	17.0	<0.002	0.05	0.16	10.7	1	1.0	275	0.46	0.08	4.7	0.289	0.10
J850034		520	5.5	31.6	<0.002	0.01	0.15	5.3	1	1.0	230	0.41	<0.05	8.7	0.217	0.17
J850035		820	4.3	17.8	<0.002	0.02	0.08	11.5	1	1.2	259	0.44	<0.05	2.1	0.341	0.11
J850036		360	8.4	44.0	<0.002	0.02	0.08	7.1	1	1.0	213	0.50	<0.05	4.7	0.229	0.22
J850037		600	4.6	23.1	<0.002	0.03	0.14	10.8	1	1.1	273	0.45	<0.05	4.5	0.336	0.12
J850038		670	6.7	22.0	<0.002	0.03	0.13	10.3	1	0.9	261	0.42	<0.05	3.2	0.353	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J850000		1.1	106	5.2	14.3	144	28.1	1.330								
J850001		0.2	49	2.8	7.3	69	126.0									
J850002		0.2	57	0.7	10.9	75	121.0									
J850003		0.4	98	1.5	15.1	105	37.3									
J850004		0.5	83	3.1	14.5	103	41.3									
J850005		0.3	43	1.0	7.9	69	116.5									
J850006		0.2	51	2.4	7.0	76	108.5									
J850007		0.6	93	3.5	12.8	97	102.0									
J850008		0.4	43	2.0	7.1	66	137.0									
J850009		0.5	90	2.8	15.6	110	87.6									
J850010		0.7	55	3.5	7.5	71	126.0									
J850011		0.9	82	1.9	14.0	89	137.0									
J850012		0.7	63	6.2	12.0	81	133.0									
J850013		1.0	28	3.3	10.0	56	159.0									
J850014		0.7	21	3.1	7.5	52	150.5									
J850015		1.3	153	10.3	14.7	169	32.6	2.25								
J850016		0.7	29	1.0	8.4	68	204									
J850017		0.7	33	1.5	9.6	74	226									
J850018		0.8	25	1.0	10.3	37	172.0									
J850019		0.3	33	0.4	6.5	28	99.3									
J850019 CRD		0.3	34	0.4	7.1	27	105.5									
J850020		0.2	45	0.6	5.9	26	99.3		0.54	2.0	65.06	15.24	3.94	5.32	1.09	3.25
J850021		0.2	46	0.2	7.5	35	108.0									
J850022		0.3	37	0.4	5.7	24	109.5									
J850023		0.7	70	1.6	10.5	41	137.5									
J850024		1.1	32	0.5	9.9	12	75.5									
J850025		0.4	62	0.6	11.2	30	107.5									
J850026		0.6	55	0.3	9.8	20	134.0									
J850027		0.8	90	0.3	14.7	33	96.5									
J850028		0.8	83	1.4	14.9	28	126.5									
J850029		0.9	62	1.6	10.5	17	130.5									
J850030		1.2	163	12.4	15.8	158	24.9									
J850031		0.4	58	0.7	10.0	32	103.5									
J850032		1.0	91	0.6	11.4	51	80.3									
J850033		0.8	76	0.5	11.4	48	123.0									
J850034		0.8	30	0.3	8.7	73	180.5									
J850035		0.6	84	0.2	13.2	96	68.9									
J850036		1.2	54	0.1	10.1	65	84.1									
J850037		0.5	79	0.1	10.9	105	105.0									
J850038		0.5	80	0.1	9.2	92	113.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J850000										
J850001										
J850002										
J850003										
J850004										
J850005										
J850006										
J850007										
J850008										
J850009										
J850010										
J850011										
J850012										
J850013										
J850014										
J850015										
J850016										
J850017										
J850018										
J850019										
J850019 CRD										
J850020		1.40	<0.01	0.56	0.03	0.167	0.04	0.01	3.39	99.50
J850021										
J850022										
J850023										
J850024										
J850025										
J850026										
J850027										
J850028										
J850029										
J850030										
J850031										
J850032										
J850033										
J850034										
J850035										
J850036										
J850037										
J850038										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J850039		3.76	<0.005		0.03	8.23	2.1	190	0.66	0.04	3.73	0.07	41.2	13.3	18	0.32
J850039 CRD		<0.02	<0.005		0.04	7.95	3.1	190	0.72	0.04	3.73	0.08	39.5	13.8	19	0.32
J850040		3.76	0.006	0.005	0.01	7.29	2.9	400	0.95	0.02	2.56	0.03	55.6	5.1	11	0.48
J850041		3.42	<0.005		<0.01	7.73	4.0	130	0.67	0.01	3.58	0.04	33.4	10.2	12	0.23
J850042		3.99	<0.005		0.04	7.58	5.9	150	0.67	0.05	3.51	0.04	32.2	8.2	11	0.26
J850043		3.44	0.012		0.01	7.29	5.5	260	0.76	0.02	2.73	0.02	31.8	5.8	7	0.45
J850044		3.51	<0.005		<0.01	7.03	6.1	400	0.83	0.01	2.17	<0.02	35.3	5.7	10	0.49
J850045		1.03	<0.005		<0.01	0.15	<5	<10	0.06	0.01	21.8	<0.02	3.10	0.9	2	0.10
J850046		3.86	0.022		<0.01	7.58	1.5	810	0.96	0.02	2.93	0.02	42.8	4.4	8	0.66
J850047		3.53	0.115		0.04	7.28	0.4	460	1.12	0.02	2.42	0.02	25.6	3.1	6	0.85
J850048		3.34	0.012		<0.01	7.10	0.5	260	1.07	0.01	2.00	0.02	25.9	2.5	7	0.61
J850049		3.57	0.029		<0.01	7.53	0.4	350	0.95	0.02	2.36	0.02	47.1	8.4	11	0.64
J850050		3.02	0.572		0.09	7.38	0.9	360	1.32	0.03	2.34	0.03	34.5	8.0	9	0.84
J850051		3.53	0.514		0.21	7.51	0.4	390	1.22	0.03	2.46	0.03	39.0	9.4	9	0.95
J850052		3.54	0.066		0.10	7.37	<0.2	310	1.11	0.04	3.52	0.04	29.2	12.2	22	0.74
J850053		3.52	0.189		0.03	7.45	0.4	300	1.04	0.03	2.85	0.03	53.1	9.5	32	0.75
J850054		3.44	0.264		0.10	7.30	0.2	340	1.17	0.07	3.21	0.04	39.5	10.0	9	1.11
J850055		3.24	0.113		0.02	6.93	<0.2	210	1.05	0.04	4.20	0.04	29.8	19.8	76	0.97
J850056		3.29	0.015		<0.01	6.94	<0.2	220	1.04	0.03	3.77	0.03	38.3	11.9	7	1.06
J850057		3.23	<0.005		<0.01	6.80	<0.2	300	0.93	0.02	3.27	0.02	38.6	6.7	7	1.23
J850058		3.34	0.082		0.03	6.25	<0.2	240	0.87	0.04	3.80	0.02	54.3	4.4	4	1.25
J850059		3.57	0.008		0.02	6.91	<0.2	210	0.85	0.01	3.76	0.02	43.5	6.1	9	1.15
J850059 CRD		<0.02	0.008		0.01	6.85	0.3	210	0.88	0.01	3.72	0.03	40.7	6.4	10	1.19
J850060		0.07	0.877		4.72	6.60	21.1	450	0.82	1.96	2.54	2.19	23.6	15.0	61	0.83
J850061		3.43	0.121	0.126	0.07	6.84	<0.2	240	0.71	0.05	3.27	0.05	39.7	9.4	9	0.86
J850062		2.92	0.365		0.05	7.01	0.5	260	0.77	0.04	2.89	0.05	39.8	8.6	7	0.90
J850063		3.77	1.175		0.06	6.89	<0.2	330	0.88	0.05	2.57	0.05	42.3	6.3	8	1.01
J850064		3.22	0.124		0.02	7.17	<0.2	330	0.96	0.02	2.64	0.05	50.3	7.2	9	1.11
J850065		3.42	0.606		0.15	7.14	0.5	380	1.08	0.05	2.42	0.05	46.6	6.3	8	1.33
J850066		3.65	1.390		1.62	7.42	0.5	450	1.14	0.28	2.92	0.07	53.8	8.0	6	1.41
J850067		3.73	1.515		0.41	6.97	0.8	370	1.06	0.17	2.31	0.07	33.2	7.6	9	1.20
J850068		3.23	1.830		0.94	7.06	0.3	400	1.16	0.21	3.01	0.08	33.2	7.7	7	1.45
J850069		3.35	1.545		0.30	6.74	0.7	440	1.27	0.17	2.30	0.08	31.6	8.1	6	1.46
J850070		3.71	2.55		0.62	6.98	0.7	440	1.21	0.09	2.22	0.07	35.3	7.4	7	1.40
J850071		3.55	0.766		0.26	7.31	0.8	440	1.30	0.10	2.92	0.08	71.3	12.6	23	1.54
J850072		3.42	1.255		0.34	6.50	0.5	350	1.05	0.07	2.71	0.08	77.1	11.4	19	1.24
J850073		3.52	0.547		0.17	6.36	0.4	350	1.00	0.06	2.83	0.09	64.0	10.0	21	1.12
J850074		3.43	0.796		0.18	6.62	0.2	420	1.01	0.08	2.39	0.07	76.2	8.5	13	1.15
J850075		0.12	2.26		8.11	6.82	50.2	640	0.96	3.67	1.70	1.05	61.2	16.4	60	3.52
J850076		3.53	0.736		0.39	5.22	0.7	380	0.86	0.18	7.79	0.42	46.8	35.7	469	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J850039		19.6	4.00	20.3	0.19	2.6	0.038	0.75	20.2	9.2	0.99	548	0.20	3.06	6.8	14.8
J850039 CRD		22.9	4.16	20.7	0.18	2.9	0.039	0.74	18.7	9.6	0.99	567	0.33	3.01	6.7	15.5
J850040		11.1	1.85	18.10	0.22	3.3	0.017	1.07	25.9	6.6	0.33	215	0.41	3.34	6.8	3.5
J850041		10.7	3.36	20.2	0.19	3.2	0.029	0.55	15.8	8.6	0.68	361	0.16	2.89	7.1	7.2
J850042		12.5	3.22	19.25	0.20	2.9	0.030	0.65	14.8	9.6	0.62	360	0.66	2.99	6.8	5.4
J850043		6.0	2.22	17.90	0.21	2.8	0.018	0.96	15.5	7.4	0.38	232	0.17	3.15	4.7	3.1
J850044		2.8	2.10	17.40	0.20	3.0	0.013	1.07	17.4	7.7	0.40	224	0.12	2.99	5.4	4.8
J850045		0.7	0.09	0.67	0.45	0.1	<0.005	0.11	2.3	5.0	13.90	49	0.11	0.02	0.4	2.0
J850046		1.2	1.62	19.20	0.33	3.4	0.021	1.58	21.1	5.4	0.30	182	0.18	3.03	8.2	3.6
J850047		5.3	1.28	18.15	0.30	2.2	0.013	1.77	11.8	5.2	0.23	195	0.53	3.26	5.0	2.7
J850048		2.5	1.25	17.50	0.28	2.5	0.014	1.25	12.2	4.4	0.19	190	0.16	3.40	4.6	2.5
J850049		11.9	2.67	19.10	0.20	3.6	0.015	1.24	22.6	13.4	0.61	364	0.11	3.01	7.2	8.4
J850050		22.9	2.52	19.65	0.21	2.5	0.026	1.58	16.1	13.9	0.55	400	0.21	3.00	7.9	8.2
J850051		29.4	3.00	19.30	0.22	2.4	0.027	1.72	18.1	17.2	0.70	437	0.28	2.74	6.3	8.8
J850052		46.5	3.90	19.45	0.18	2.2	0.057	1.44	12.6	26.2	1.02	694	0.17	2.74	5.7	24.5
J850053		5.6	3.01	20.7	0.20	2.7	0.033	1.62	25.0	23.0	0.94	447	0.23	2.81	6.5	25.9
J850054		10.5	2.89	20.5	0.14	2.7	0.036	2.45	19.8	19.2	0.87	360	0.38	1.61	5.7	19.2
J850055		2.9	4.57	17.20	0.16	1.3	0.050	1.93	13.7	29.8	2.13	596	0.19	1.06	5.1	86.3
J850056		1.7	3.22	20.1	0.18	2.1	0.033	2.11	18.9	22.1	1.12	284	0.26	1.41	5.4	16.7
J850057		0.8	2.01	16.60	0.22	2.6	0.020	2.52	19.5	5.3	0.67	208	0.34	1.26	4.6	9.7
J850058		0.9	1.81	16.65	0.22	2.8	0.024	2.72	26.0	6.3	0.36	165	1.22	0.62	5.7	6.9
J850059		2.2	2.13	19.05	0.23	4.1	0.023	2.50	21.5	9.5	0.48	221	2.53	1.52	3.3	7.1
J850059 CRD		2.5	2.14	20.1	0.21	4.2	0.023	2.54	19.8	9.8	0.48	222	2.87	1.56	3.7	7.2
J850060		>10000	4.79	13.45	0.18	1.1	0.150	0.86	11.4	15.7	1.23	700	248	2.25	3.9	36.3
J850061		26.9	2.99	19.10	0.14	1.9	0.032	1.75	18.7	17.9	0.59	353	0.40	2.28	4.4	6.4
J850062		35.5	2.91	19.70	0.19	3.0	0.041	1.88	19.4	15.5	0.57	362	0.81	2.29	4.8	5.2
J850063		3.2	2.29	19.15	0.20	4.1	0.024	2.25	20.6	10.0	0.53	297	5.87	2.20	3.0	8.5
J850064		3.1	2.50	19.10	0.21	4.6	0.026	2.33	25.3	12.2	0.58	267	0.58	2.10	3.7	8.5
J850065		3.7	2.22	19.20	0.21	4.3	0.021	2.54	24.1	6.7	0.52	258	2.75	2.05	4.2	8.3
J850066		18.4	2.85	22.4	0.23	3.6	0.025	2.85	25.9	4.4	0.58	378	16.65	2.00	5.1	6.3
J850067		16.2	2.63	20.3	0.20	3.8	0.027	2.39	15.5	7.7	0.52	301	9.69	2.16	4.3	5.8
J850068		18.9	2.68	22.2	0.23	3.2	0.023	2.74	15.7	5.5	0.51	349	7.51	1.97	5.2	6.1
J850069		25.9	2.60	21.2	0.21	3.2	0.024	3.11	14.3	4.8	0.57	319	17.50	1.20	3.9	11.7
J850070		10.1	2.68	20.5	0.24	3.3	0.022	2.92	16.6	2.9	0.64	362	3.97	1.51	4.3	11.3
J850071		47.1	3.41	20.9	0.26	4.0	0.032	2.96	33.7	5.8	1.03	536	1.41	1.67	6.4	22.4
J850072		29.6	3.18	18.15	0.24	3.9	0.033	2.38	36.4	5.2	0.82	463	0.66	1.84	5.6	19.0
J850073		27.1	2.77	17.05	0.22	3.2	0.026	2.19	30.4	3.7	0.82	470	0.28	2.09	4.1	22.4
J850074		13.3	2.78	19.10	0.23	4.5	0.020	2.26	35.6	4.9	0.74	399	1.77	2.20	3.9	17.8
J850075		>10000	6.04	14.10	0.22	1.2	0.119	2.79	28.9	18.1	1.28	681	116.5	1.73	6.3	36.0
J850076		27.4	5.95	15.50	0.18	2.8	0.033	1.98	23.4	15.9	3.83	1250	7.89	0.61	5.6	279

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J850039		720	4.8	18.4	<0.002	0.02	0.11	9.5	1	1.0	274	0.41	<0.05	3.5	0.368	0.12
J850039 CRD		720	4.3	17.6	<0.002	0.02	0.12	9.7	1	1.0	268	0.42	<0.05	3.3	0.365	0.10
J850040		430	6.7	29.3	<0.002	0.06	0.10	3.8	1	0.8	211	0.55	<0.05	7.7	0.167	0.16
J850041		810	3.6	12.5	<0.002	0.01	0.10	6.4	1	0.8	274	0.43	<0.05	2.3	0.321	0.09
J850042		850	4.0	16.2	<0.002	<0.01	0.16	6.0	1	0.9	272	0.46	<0.05	1.5	0.311	0.10
J850043		450	4.0	27.0	<0.002	0.01	0.15	3.3	1	0.6	238	0.29	<0.05	2.9	0.186	0.14
J850044		410	4.7	30.4	<0.002	0.01	0.12	2.2	1	0.7	214	0.25	<0.05	4.0	0.183	0.15
J850045		10	1.2	2.6	<0.002	0.04	<0.05	0.3	1	<0.2	67.9	<0.05	<0.05	0.3	0.008	0.02
J850046		370	10.2	40.6	<0.002	<0.01	0.11	3.6	1	1.2	200	0.70	<0.05	6.9	0.157	0.20
J850047		220	4.5	48.8	<0.002	0.05	0.06	2.5	1	0.8	162.0	0.38	<0.05	3.8	0.103	0.24
J850048		210	4.6	37.8	<0.002	0.03	0.15	2.0	1	0.7	211	0.32	<0.05	3.9	0.087	0.18
J850049		590	4.8	39.3	<0.002	0.02	0.18	3.3	1	0.8	232	0.34	<0.05	5.6	0.243	0.20
J850050		600	4.0	48.7	<0.002	0.14	0.10	5.8	1	1.1	159.0	0.65	0.05	3.4	0.185	0.23
J850051		790	4.1	52.0	<0.002	0.13	0.11	7.9	1	1.5	156.5	0.46	0.05	3.8	0.230	0.25
J850052		560	4.9	36.7	<0.002	0.11	0.14	14.0	1	1.6	200	0.40	<0.05	2.8	0.223	0.21
J850053		570	4.2	38.6	<0.002	0.04	0.17	8.4	1	1.2	196.5	0.42	<0.05	5.4	0.202	0.21
J850054		490	4.6	55.7	<0.002	0.10	0.19	8.1	1	1.1	138.5	0.33	<0.05	3.7	0.199	0.28
J850055		410	3.5	51.2	<0.002	0.01	0.16	15.7	1	1.5	136.5	0.41	<0.05	1.8	0.174	0.21
J850056		780	4.5	50.2	<0.002	0.01	0.23	8.0	1	1.2	176.5	0.27	<0.05	3.9	0.250	0.25
J850057		520	4.0	63.8	<0.002	0.01	0.17	4.3	1	0.8	154.5	0.25	<0.05	4.6	0.186	0.29
J850058		470	4.3	69.0	<0.002	0.04	0.16	4.0	1	1.0	149.0	0.37	<0.05	6.8	0.155	0.32
J850059		410	4.3	58.8	<0.002	<0.01	0.13	4.7	1	0.6	178.5	0.13	<0.05	5.3	0.146	0.28
J850059 CRD		400	4.4	58.7	<0.002	<0.01	0.14	4.7	1	0.7	182.0	0.14	<0.05	5.1	0.156	0.29
J850060		590	40.0	24.8	1.375	1.68	24.3	15.1	6	1.0	299	0.29	0.61	2.2	0.329	0.22
J850061		840	6.8	44.5	<0.002	0.13	0.15	6.3	1	0.7	192.0	0.23	0.05	2.2	0.203	0.22
J850062		850	4.4	52.2	<0.002	0.14	0.16	6.6	1	0.8	177.5	0.22	0.05	2.0	0.206	0.24
J850063		450	3.9	55.3	<0.002	0.07	0.12	5.6	1	0.5	137.5	0.13	0.07	4.9	0.153	0.28
J850064		490	5.0	59.9	<0.002	0.05	0.13	5.7	1	0.6	141.0	0.13	<0.05	6.1	0.180	0.29
J850065		410	6.0	72.6	<0.002	0.07	0.12	5.0	1	0.5	142.5	0.12	0.11	6.5	0.162	0.31
J850066		750	5.2	73.9	<0.002	0.53	0.14	5.5	1	0.7	153.0	0.24	1.27	4.0	0.204	0.35
J850067		660	5.7	64.7	<0.002	0.29	0.13	5.9	1	0.7	139.5	0.29	0.29	4.6	0.175	0.30
J850068		830	5.4	72.2	<0.002	0.35	0.14	5.2	1	0.7	164.5	0.29	0.55	1.8	0.209	0.34
J850069		680	4.2	74.1	<0.002	0.16	0.13	5.2	1	0.6	107.5	0.22	0.20	1.5	0.187	0.39
J850070		500	3.5	78.9	<0.002	0.22	0.13	5.0	1	0.7	109.5	0.25	0.22	2.3	0.187	0.35
J850071		720	6.5	74.3	<0.002	0.28	0.15	9.0	1	1.1	132.5	0.46	0.16	8.7	0.244	0.35
J850072		460	6.0	59.1	<0.002	0.41	0.15	6.6	1	0.9	132.0	0.32	0.18	7.6	0.226	0.28
J850073		440	5.6	55.7	<0.002	0.30	0.13	6.4	1	0.8	137.0	0.28	0.13	6.5	0.175	0.25
J850074		270	6.2	57.8	<0.002	0.37	0.13	5.6	1	0.7	132.5	0.19	0.14	9.0	0.175	0.26
J850075		940	64.2	84.7	0.132	2.53	6.81	16.5	8	2.6	267	0.27	1.01	5.1	0.321	0.83
J850076		170	5.7	57.5	<0.002	0.38	0.22	16.8	1	0.7	290	0.36	0.49	5.1	0.402	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J850039		0.4	77	0.2	8.7	89	100.5									
J850039 CRD		0.4	78	0.2	8.5	92	107.0									
J850040		0.9	24	0.4	9.6	28	107.0		0.29	1.1	70.55	14.51	2.44	3.34	0.57	4.31
J850041		0.3	51	0.1	7.1	54	126.0									
J850042		0.3	48	0.2	7.0	49	118.5									
J850043		0.8	27	0.4	5.0	31	95.3									
J850044		0.6	23	0.4	4.6	30	98.7									
J850045		0.1	3	0.1	1.7	<2	2.8									
J850046		0.8	20	0.5	9.2	13	118.0									
J850047		0.8	17	1.7	5.9	17	63.5									
J850048		0.5	14	1.1	5.3	18	74.7									
J850049		0.6	36	0.8	6.1	52	122.5									
J850050		0.8	35	3.6	7.0	48	80.4									
J850051		0.7	44	3.1	8.2	63	82.8									
J850052		0.5	63	1.7	6.9	86	76.0									
J850053		0.5	43	1.5	4.8	62	92.5									
J850054		0.9	53	3.7	6.0	38	90.9									
J850055		0.7	67	2.4	6.0	46	35.8									
J850056		0.6	77	1.3	4.7	26	63.9									
J850057		0.7	35	1.1	4.1	8	85.6									
J850058		0.7	31	0.8	4.9	9	99.2									
J850059		0.5	32	0.8	4.3	19	149.0									
J850059 CRD		0.5	33	0.8	4.3	20	156.0									
J850060		0.9	107	8.4	16.6	147	29.5	1.275								
J850061		0.2	47	1.3	3.5	65	83.8		1.02	3.8	62.59	14.88	4.27	4.60	1.08	3.16
J850062		0.2	45	1.7	3.9	68	121.0									
J850063		0.4	36	1.4	3.8	48	152.5									
J850064		0.4	35	1.9	4.5	63	167.5									
J850065		0.4	33	1.9	4.9	55	161.5									
J850066		0.4	48	4.8	4.4	57	141.0									
J850067		2.9	43	5.2	5.9	67	112.5									
J850068		0.3	49	7.7	3.7	60	130.5									
J850069		0.3	53	7.6	3.0	56	129.0									
J850070		0.4	49	6.9	3.4	46	123.0									
J850071		1.1	64	5.0	7.3	73	138.5									
J850072		0.7	56	7.5	5.4	60	137.0									
J850073		0.8	49	4.4	5.8	46	102.0									
J850074		0.7	42	5.1	5.0	54	152.0									
J850075		1.3	159	11.0	15.6	179	34.2	2.13								
J850076		1.0	97	9.9	8.8	148	102.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J850039										
J850039 CRD										
J850040		1.25	<0.01	0.29	0.02	0.087	0.03	0.03	1.73	99.16
J850041										
J850042										
J850043										
J850044										
J850045										
J850046										
J850047										
J850048										
J850049										
J850050										
J850051										
J850052										
J850053										
J850054										
J850055										
J850056										
J850057										
J850058										
J850059										
J850059 CRD										
J850060										
J850061		2.19	0.01	0.55	0.04	0.175	0.03	0.02	5.03	98.62
J850062										
J850063										
J850064										
J850065										
J850066										
J850067										
J850068										
J850069										
J850070										
J850071										
J850072										
J850073										
J850074										
J850075										
J850076										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J850077		3.97	3.00		0.46	5.60	0.5	400	0.91	0.20	8.28	0.44	51.7	38.4	504	1.08
J850078		4.17	1.340		1.91	3.44	12	80	0.35	0.22	10.95	0.18	22.9	71.2	862	0.29
J850079		2.92	0.157		0.04	7.88	0.2	570	1.19	0.02	2.57	0.06	48.9	17.1	57	1.25
J850079 CRD		<0.02	0.167		0.04	7.68	<0.2	570	1.14	0.02	2.56	0.06	43.7	16.1	57	1.17
J850080		3.86	0.395	0.478	0.16	6.46	<0.2	460	0.90	0.05	2.21	0.06	37.9	10.6	65	0.95
J850081		3.24	0.668		0.26	6.12	1.2	330	0.71	0.09	5.85	0.16	44.5	36.9	418	0.78
J850082		3.67	1.645		0.34	6.86	0.8	500	1.00	0.14	1.24	0.04	60.9	5.6	9	1.21
J850083		3.87	0.367		0.04	6.65	0.5	400	1.06	0.06	1.97	0.04	67.0	4.8	7	1.08
J850084		3.45	1.045		0.35	6.80	0.5	410	1.00	0.10	2.18	0.05	68.3	5.6	7	1.13
J850085		3.69	0.137		0.01	7.16	<0.2	410	0.99	0.03	2.19	0.05	67.5	4.6	7	1.03
J850086		3.75	0.524		0.14	7.23	<0.2	540	0.90	0.06	2.03	0.04	66.7	6.9	12	1.02
J850087		3.98	0.420		0.05	6.90	0.8	560	1.03	0.05	1.57	0.03	47.3	4.3	8	1.00
J850088		3.96	0.888		0.23	6.55	<0.2	530	1.16	0.07	2.97	0.07	55.9	15.6	64	1.05
J850089		3.41	0.097		0.06	7.08	<0.2	480	1.15	0.02	2.64	0.05	36.2	14.2	42	1.01
J850090		0.07	0.418		2.19	7.64	102.0	580	1.27	0.47	0.57	1.07	32.0	19.9	36	6.60
J850091		3.58	0.171		0.33	6.03	<0.2	420	0.88	0.10	4.00	0.09	20.5	19.1	203	0.61
J850092		4.57	0.152		0.22	5.75	<0.2	420	0.74	0.10	5.69	0.13	67.5	37.3	211	0.43
J850093		3.51	1.760		0.39	6.94	0.2	470	1.15	0.23	1.40	0.04	33.4	8.9	8	1.02
J850094		3.90	0.298		0.04	7.10	<0.2	530	1.18	0.05	2.15	0.05	46.3	7.1	10	1.23
J850095		3.85	0.212		0.04	6.62	<0.2	440	1.01	0.04	2.03	0.07	65.2	7.8	8	1.13
J850096		3.78	0.057		0.02	6.41	<0.2	390	0.88	0.02	1.67	0.04	45.4	4.1	7	0.96
J850097		3.36	0.387		0.10	6.24	<0.2	360	0.95	0.03	1.60	0.03	46.6	5.5	8	1.02
J850098		3.56	0.256		0.10	6.64	0.2	270	0.84	0.10	0.76	0.04	27.8	4.0	7	0.66
J850099		3.60	0.097		0.04	6.96	<0.2	450	1.07	0.05	2.15	0.06	54.9	8.8	14	1.09
J850099 CRD		<0.02	0.101		0.02	6.70	<0.2	440	1.13	0.04	2.10	0.05	52.1	8.9	12	1.10
J850100		0.07	0.907		4.45	6.08	19.6	460	0.73	1.66	2.37	2.08	20.5	16.0	61	0.72
J850101		3.56	0.043	0.045	0.02	6.79	<0.2	440	1.08	0.02	1.61	0.05	53.9	6.5	8	1.07
J850102		3.62	0.049		0.01	6.63	<0.2	370	1.00	0.02	2.03	0.06	44.1	8.1	8	1.01
J850103		3.78	0.009		<0.01	6.28	<0.2	320	0.89	0.01	1.57	0.04	27.3	3.6	7	0.86
J850104		3.79	0.048		0.02	6.43	<0.2	340	0.95	0.02	1.86	0.05	36.2	5.7	6	0.95
J850105		3.45	0.048		0.02	6.24	<0.2	390	0.94	0.01	2.19	0.06	35.7	6.7	8	0.97
J850106		3.81	0.123		0.05	6.80	<0.2	460	1.06	0.04	2.33	0.07	41.9	9.1	12	1.06
J850107		4.19	0.033		0.03	6.49	<0.2	430	0.96	0.02	2.32	0.08	44.1	7.7	12	1.02
J850108		4.04	0.856		0.25	6.61	<0.2	510	1.15	0.20	2.40	0.08	57.4	9.3	13	1.25
J850109		3.84	0.035		0.01	6.79	0.3	420	1.02	0.02	1.29	0.05	46.1	4.0	5	0.94
J850110		3.79	0.331		0.23	6.97	<0.2	400	1.08	0.02	3.58	0.10	38.2	15.9	10	1.24
J850111		3.70	0.197		0.19	6.42	<0.2	330	0.99	0.03	2.25	0.06	27.9	7.8	6	1.03
J850112		3.91	0.236		0.09	6.53	<0.2	370	1.07	0.03	3.10	0.10	40.7	12.4	33	1.12
J850113		3.91	0.582		0.20	6.90	<0.2	460	1.11	0.06	3.80	0.16	70.3	13.7	20	1.29
J850114		3.81	0.234		0.06	6.19	<0.2	320	0.88	0.04	1.87	0.08	20.4	6.2	6	0.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J850077		30.2	6.33	16.60	0.18	3.0	0.038	2.13	25.8	16.5	4.09	1320	8.36	0.65	5.8	306
J850078		90.9	7.80	11.45	0.12	1.8	0.046	0.50	9.7	43.7	7.26	1600	6.10	0.02	2.8	636
J850079		29.4	3.52	21.7	0.16	3.8	0.025	2.66	23.1	18.3	1.78	401	0.49	2.18	5.1	84.5
J850079 CRD		25.1	3.41	21.1	0.19	3.4	0.025	2.62	20.3	17.5	1.74	389	0.71	2.17	4.4	81.6
J850080		42.6	2.79	18.20	0.18	2.7	0.024	2.11	17.9	8.8	1.02	434	1.11	2.07	5.0	46.4
J850081		38.4	5.17	16.70	0.17	2.9	0.033	1.53	22.6	24.9	3.62	936	2.83	1.49	4.9	329
J850082		7.0	2.15	19.30	0.17	3.9	0.022	2.16	30.6	3.2	0.40	290	2.27	2.28	7.6	10.1
J850083		4.9	2.09	18.35	0.22	4.5	0.020	1.99	32.6	4.9	0.37	352	0.19	2.44	6.4	5.8
J850084		20.7	2.32	18.50	0.21	5.0	0.022	2.17	32.7	5.2	0.39	357	1.23	2.49	8.0	6.8
J850085		17.8	2.27	17.45	0.21	5.1	0.021	1.98	33.3	5.3	0.44	378	0.22	2.76	7.6	5.7
J850086		13.3	2.77	18.35	0.26	4.5	0.029	1.93	33.0	8.1	0.58	422	0.89	2.63	7.7	8.7
J850087		40.7	1.89	16.40	0.21	3.2	0.016	1.91	23.5	3.4	0.35	281	0.27	2.64	5.2	4.7
J850088		70.5	3.59	19.75	0.13	4.0	0.032	2.13	23.4	13.6	1.03	607	0.49	1.99	7.7	40.8
J850089		10.7	3.20	18.05	0.09	3.0	0.031	1.93	17.0	19.2	1.15	503	0.47	2.34	5.7	40.0
J850090		4400	4.78	17.20	0.16	0.8	0.056	4.78	16.1	11.8	0.77	503	263	1.06	5.2	23.8
J850091		49.6	3.46	16.10	0.07	2.1	0.023	1.27	9.3	15.3	1.84	723	2.71	2.38	7.7	120.0
J850092		28.9	5.22	14.80	0.15	2.8	0.040	0.86	30.4	51.4	4.42	1060	0.98	1.38	3.0	236
J850093		12.4	2.25	19.80	0.07	4.3	0.021	2.07	16.1	7.3	0.45	292	11.70	2.64	6.0	8.4
J850094		6.3	2.39	19.95	0.11	3.7	0.028	2.50	21.4	4.7	0.48	418	0.81	2.21	7.4	6.7
J850095		7.7	2.74	19.35	0.14	5.3	0.023	2.33	30.3	3.9	0.47	392	0.26	1.93	8.1	5.8
J850096		5.7	1.57	17.85	0.08	4.3	0.013	2.08	22.5	2.4	0.30	239	0.59	2.32	4.2	4.1
J850097		6.0	1.76	17.00	0.08	4.3	0.012	2.13	22.9	2.1	0.31	263	0.43	2.21	4.4	4.6
J850098		10.0	1.15	18.05	<0.05	2.1	0.008	1.66	12.4	1.2	0.16	128	10.75	3.05	4.3	3.4
J850099		12.8	2.82	20.4	0.09	3.1	0.019	2.55	25.6	3.8	0.56	440	1.85	1.75	7.0	10.3
J850099 CRD		10.2	2.63	20.1	0.11	3.2	0.019	2.52	23.9	3.9	0.54	418	1.62	1.74	6.8	8.9
J850100		>10000	4.67	12.90	0.11	1.0	0.127	0.85	9.6	14.6	1.15	658	238	2.19	3.9	31.9
J850101		10.8	2.04	20.5	0.10	3.8	0.016	2.55	26.1	2.5	0.39	292	0.98	1.82	4.1	5.9
J850102		22.0	2.02	18.10	0.09	3.2	0.018	2.13	20.4	3.4	0.44	347	0.17	2.45	5.1	7.2
J850103		8.9	1.39	16.60	0.06	3.0	0.010	1.87	13.0	1.5	0.23	204	0.27	2.60	3.6	3.1
J850104		28.0	1.88	18.05	0.11	5.0	0.015	1.99	16.5	4.0	0.34	280	0.15	2.50	5.1	4.2
J850105		8.9	2.13	18.30	0.10	3.9	0.018	2.16	16.0	3.1	0.39	319	0.18	2.30	5.0	6.4
J850106		16.7	2.51	19.75	0.13	3.4	0.025	2.45	18.5	3.3	0.51	322	2.87	2.08	5.7	9.1
J850107		4.9	2.43	18.45	0.11	3.4	0.025	2.20	19.4	3.2	0.46	337	0.29	2.31	5.4	7.5
J850108		5.4	2.77	19.90	0.11	3.6	0.028	2.72	25.8	3.1	0.59	392	2.67	1.46	6.6	9.7
J850109		2.9	1.59	18.95	0.08	3.4	0.012	2.29	21.0	1.6	0.28	220	0.42	2.29	3.8	4.0
J850110		35.0	4.05	20.0	0.15	1.3	0.046	2.60	14.8	8.1	1.01	749	0.13	1.96	7.2	16.8
J850111		25.1	2.38	18.55	0.09	2.6	0.024	2.16	11.9	3.7	0.43	397	0.21	2.23	6.4	5.8
J850112		19.0	3.22	18.95	0.14	3.0	0.031	2.36	15.9	4.8	0.88	502	1.20	1.79	7.7	29.2
J850113		21.5	4.01	20.4	0.16	3.6	0.043	2.62	29.4	3.7	0.92	679	0.65	1.67	10.6	15.2
J850114		31.7	2.14	17.40	0.09	1.5	0.019	1.98	8.2	3.3	0.39	395	0.15	2.28	8.1	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J850077		180	6.0	61.3	<0.002	0.42	0.23	17.7	1	0.7	311	0.37	0.59	5.5	0.425	0.24
J850078		40	4.4	15.9	<0.002	0.61	0.23	23.1	1	0.4	360	0.16	3.95	0.8	0.286	0.06
J850079		330	3.6	62.5	<0.002	0.11	0.14	5.9	1	0.9	141.5	0.39	0.08	6.8	0.151	0.33
J850079 CRD		310	3.7	53.6	<0.002	0.11	0.14	5.4	1	0.9	138.0	0.32	0.07	6.0	0.138	0.32
J850080		320	3.2	52.3	<0.002	0.17	0.13	5.5	1	0.9	118.0	0.55	0.11	4.7	0.163	0.26
J850081		170	4.9	48.3	<0.002	0.21	0.20	12.3	1	0.8	271	0.33	0.43	5.5	0.271	0.20
J850082		410	4.7	69.6	<0.002	0.37	0.11	3.7	1	1.3	118.0	0.65	0.21	8.0	0.124	0.30
J850083		370	5.5	60.1	<0.002	0.21	0.11	3.7	1	1.2	165.0	0.42	0.07	10.2	0.135	0.27
J850084		430	5.2	61.7	<0.002	0.26	0.13	4.0	1	1.2	149.5	0.50	0.14	9.9	0.160	0.28
J850085		440	5.6	58.5	<0.002	0.12	0.12	4.0	1	1.2	166.0	0.47	0.05	11.3	0.151	0.29
J850086		560	4.9	60.1	<0.002	0.17	0.15	5.2	1	1.4	169.5	0.45	0.07	9.3	0.178	0.27
J850087		380	4.1	58.6	<0.002	0.18	0.10	3.5	1	0.9	139.5	0.33	<0.05	7.6	0.116	0.26
J850088		790	4.7	57.2	<0.002	0.30	0.18	9.1	1	1.2	160.5	0.40	0.12	5.3	0.206	0.28
J850089		390	4.6	60.2	<0.002	0.03	0.16	9.6	1	1.2	166.5	0.48	<0.05	4.6	0.186	0.24
J850090		1110	37.5	108.0	0.583	2.45	6.61	12.0	8	2.9	254	0.33	0.91	2.3	0.251	1.37
J850091		140	10.2	42.5	<0.002	0.14	0.16	9.2	1	0.9	209	0.66	0.18	4.2	0.150	0.16
J850092		940	9.3	28.0	<0.002	0.01	0.17	16.7	1	0.6	312	0.22	0.11	4.2	0.157	0.11
J850093		400	6.0	61.3	<0.002	0.35	0.12	4.9	1	1.0	132.5	0.38	0.24	5.8	0.132	0.25
J850094		450	5.0	66.3	<0.002	0.15	0.12	7.3	1	1.3	141.0	0.50	0.05	8.7	0.147	0.33
J850095		510	4.9	64.3	<0.002	0.15	0.14	4.9	1	1.3	133.5	0.34	<0.05	9.4	0.191	0.30
J850096		340	4.6	55.7	<0.002	0.07	0.10	3.0	1	0.8	130.0	0.20	<0.05	7.8	0.105	0.27
J850097		340	4.2	58.3	<0.002	0.08	0.10	3.2	1	0.9	118.0	0.18	0.06	6.8	0.111	0.25
J850098		160	8.0	51.1	<0.002	0.24	0.07	2.3	1	0.9	109.0	0.41	0.10	7.0	0.055	0.20
J850099		520	4.0	66.6	<0.002	0.17	0.13	4.9	1	1.4	105.5	0.24	0.06	6.2	0.166	0.33
J850099 CRD		520	3.9	65.2	<0.002	0.16	0.14	4.8	1	1.5	106.5	0.24	0.05	6.0	0.161	0.31
J850100		560	36.9	24.5	1.330	1.55	22.7	14.7	6	1.0	272	0.28	0.54	1.9	0.317	0.21
J850101		360	4.4	66.8	<0.002	0.02	0.13	3.5	1	1.4	100.5	0.18	<0.05	7.4	0.109	0.32
J850102		370	6.2	55.8	<0.002	0.05	0.11	4.8	1	1.4	155.0	0.33	<0.05	5.8	0.155	0.27
J850103		280	5.3	50.6	<0.002	0.03	0.08	2.4	1	0.6	147.5	0.14	<0.05	5.6	0.093	0.23
J850104		390	5.9	50.5	<0.002	0.08	0.10	3.3	1	0.7	151.5	0.22	<0.05	5.9	0.128	0.25
J850105		390	5.7	49.0	<0.002	0.03	0.12	3.4	1	0.8	149.5	0.26	<0.05	4.7	0.155	0.27
J850106		550	9.1	55.7	<0.002	0.11	0.14	5.4	1	1.0	132.5	0.34	<0.05	4.9	0.193	0.32
J850107		500	12.6	50.3	<0.002	0.05	0.13	5.0	1	1.0	140.0	0.32	<0.05	5.7	0.170	0.29
J850108		580	58.2	64.5	<0.002	0.14	0.15	6.0	1	1.1	106.0	0.30	0.14	6.2	0.210	0.35
J850109		260	5.7	64.9	<0.002	0.02	0.09	2.3	1	0.7	109.0	0.21	<0.05	7.8	0.087	0.28
J850110		900	5.6	58.2	<0.002	0.12	0.17	13.4	1	1.5	161.0	0.48	<0.05	2.2	0.263	0.34
J850111		420	6.6	54.5	<0.002	0.12	0.12	5.2	1	1.1	151.5	0.43	<0.05	4.0	0.154	0.28
J850112		750	5.5	57.6	<0.002	0.15	0.24	7.7	1	1.2	168.0	0.42	0.05	2.6	0.226	0.32
J850113		920	5.6	72.2	<0.002	0.24	0.18	10.3	2	1.5	151.5	0.59	0.11	5.0	0.283	0.34
J850114		480	5.7	49.8	<0.002	0.13	0.11	6.2	1	0.9	116.0	0.81	<0.05	2.5	0.152	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J850077		1.0	104	10.2	9.5	157	109.5									
J850078		0.6	114	5.4	10.2	184	61.8									
J850079		0.9	59	2.4	5.4	85	109.5									
J850079 CRD		0.7	58	2.1	4.8	84	99.6									
J850080		0.7	51	2.0	4.2	49	87.5		1.16	4.3	65.46	14.05	3.97	3.11	1.76	2.91
J850081		0.8	90	3.9	7.5	122	100.5									
J850082		1.2	26	2.2	6.6	38	129.5									
J850083		1.3	22	2.8	6.7	51	166.0									
J850084		0.9	28	4.8	7.0	54	185.0									
J850085		6.2	23	3.7	6.8	48	189.0									
J850086		1.0	31	2.4	7.3	55	168.5									
J850087		0.6	21	2.0	4.9	27	118.5									
J850088		0.6	54	3.9	6.5	69	176.0									
J850089		1.0	63	2.9	5.4	73	111.5									
J850090		1.1	158	12.4	13.9	147	24.6									
J850091		1.2	52	1.7	6.7	47	58.1									
J850092		0.9	107	1.2	9.3	109	110.5									
J850093		1.6	30	2.1	5.7	32	166.5									
J850094		1.1	31	2.3	5.7	47	157.5									
J850095		0.8	28	2.5	5.8	49	228									
J850096		0.7	18	1.8	4.0	32	170.0									
J850097		0.8	20	1.8	4.0	34	160.5									
J850098		1.5	13	1.0	4.4	19	63.0									
J850099		0.4	34	2.0	4.4	60	138.5									
J850099 CRD		0.4	33	1.9	4.3	59	142.0									
J850100		0.8	105	6.2	14.4	146	29.3	1.300								
J850101		0.6	27	1.5	3.9	41	140.5		0.81	3.0	68.71	13.99	2.73	2.22	0.73	2.46
J850102		0.7	31	2.3	4.0	44	120.0									
J850103		0.5	15	1.9	3.0	25	105.0									
J850104		0.7	20	2.3	4.0	47	170.0									
J850105		0.6	27	3.1	3.6	44	157.5									
J850106		1.0	38	3.8	4.5	52	147.0									
J850107		1.1	32	4.1	4.7	51	141.5									
J850108		0.6	41	5.5	5.0	56	156.0									
J850109		0.8	21	1.6	4.0	27	100.0									
J850110		0.9	70	4.5	7.5	89	40.0									
J850111		2.5	30	2.4	4.6	44	91.2									
J850112		0.7	47	3.3	6.2	66	116.0									
J850113		1.3	55	7.0	10.1	76	138.5									
J850114		1.2	28	2.7	8.3	48	44.6									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J850077										
J850078										
J850079										
J850079 CRD										
J850080		2.63	0.01	0.35	0.05	0.073	0.03	0.05	5.27	99.72
J850081										
J850082										
J850083										
J850084										
J850085										
J850086										
J850087										
J850088										
J850089										
J850090										
J850091										
J850092										
J850093										
J850094										
J850095										
J850096										
J850097										
J850098										
J850099										
J850099 CRD										
J850100										
J850101		3.04	<0.01	0.29	0.03	0.077	0.03	0.04	3.93	98.28
J850102										
J850103										
J850104										
J850105										
J850106										
J850107										
J850108										
J850109										
J850110										
J850111										
J850112										
J850113										
J850114										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J850115		0.12	2.50		8.07	6.70	46.3	640	0.93	3.22	1.70	1.04	55.7	18.1	58	3.14
J850116		3.77	0.418		0.16	6.42	<0.2	330	1.02	0.03	1.68	0.07	30.9	5.7	9	1.01
J850117		3.82	0.470		0.17	6.59	<0.2	430	1.17	0.03	2.34	0.11	53.1	10.2	19	1.34
J850118		4.05	1.095		0.70	6.50	<0.2	470	1.24	0.24	2.37	1.56	47.0	9.8	17	1.30
J850119		3.77	0.212		0.12	6.54	<0.2	460	1.10	0.04	2.64	0.14	43.1	10.4	20	1.27
J850119 CRD		<0.02	0.280		0.12	6.32	<0.2	440	1.16	0.04	2.51	0.15	46.8	10.0	20	1.23
J850120		3.85	0.173	0.184	0.08	7.09	<0.2	450	1.23	0.05	3.39	0.16	35.0	13.4	33	1.41
J850121		3.61	0.139		0.05	6.45	<0.2	370	1.02	0.03	2.00	0.09	38.4	6.9	11	0.96
J850122		3.95	0.026		0.82	6.82	1.7	470	1.02	0.25	4.71	0.20	33.2	32.9	295	1.28
J850123		3.75	0.187		0.04	7.46	<0.2	430	1.06	0.02	3.70	0.15	31.4	18.3	21	1.41
J850124		3.81	0.106		0.12	6.38	0.5	310	0.92	0.02	0.85	0.07	42.0	3.0	5	0.69
J850125		3.58	0.083		0.15	6.27	0.7	270	0.85	0.32	0.65	0.05	37.9	1.6	6	0.56
J850126		3.56	0.149		0.05	6.54	<0.2	410	0.99	0.02	1.75	0.06	53.4	3.9	6	0.94
J850127		3.52	0.676		0.13	6.70	0.3	400	1.05	0.08	2.43	0.08	59.6	8.3	12	1.28
J850128		3.91	0.430		0.25	6.63	0.9	380	0.97	0.06	2.50	0.17	61.6	8.4	10	1.29
J850129		4.15	0.078		0.20	6.56	<0.2	330	0.95	0.02	3.49	0.19	25.4	13.6	33	1.18
J850130		0.07	0.372		2.34	7.35	112.0	550	1.27	0.51	0.55	1.04	35.3	18.5	33	6.99
J850131		3.69	0.203		0.39	6.61	1.1	370	1.08	0.08	3.22	0.19	33.1	13.8	44	1.21
J850132		4.19	0.266		0.15	6.95	0.5	400	1.08	0.05	3.85	0.21	35.9	13.7	45	1.33
J850133		3.46	0.061		0.03	6.52	0.7	290	0.99	0.03	1.77	0.07	30.5	3.6	6	0.92
J850134		3.65	0.022		0.02	6.81	0.3	290	1.00	0.01	2.36	0.07	37.2	8.7	13	1.08
J850135		3.32	0.057		0.04	6.91	1.1	310	1.01	0.03	2.61	0.06	34.9	11.7	15	1.13
J850136		3.34	0.257		0.10	6.50	0.2	390	1.11	0.07	2.68	0.10	37.1	12.6	22	1.25
J850137		3.99	0.354		0.18	6.85	1.1	420	1.12	0.05	2.05	0.13	50.8	7.1	14	1.24
J850138		3.39	0.796		0.23	6.04	<0.2	400	0.98	0.08	1.99	0.09	37.7	8.0	48	1.06
J850139		3.35	1.110		0.16	6.10	0.4	400	0.99	0.08	2.12	0.09	46.3	8.0	11	1.15
J850139 CRD		<0.02	0.837		0.42	5.96	1.3	390	1.00	0.07	2.06	0.10	46.7	7.6	11	1.10
J850140		3.62	0.718	0.646	0.24	6.96	<0.2	440	1.11	0.05	3.74	0.11	34.5	13.1	31	1.58
J850141		3.45	0.615		0.21	6.34	0.2	360	0.92	0.10	2.29	0.07	37.7	7.5	9	1.22
J850142		3.36	0.457		0.19	5.76	0.9	360	0.77	0.06	1.24	0.05	36.2	3.8	9	0.93
J850143		3.70	0.135		0.10	6.18	0.8	420	1.07	0.04	2.81	0.10	26.1	9.5	15	1.18
J850144		3.32	0.028		0.04	6.53	<0.2	310	0.95	0.03	2.84	0.07	39.4	11.0	9	1.29
J850145		1.05	<0.005		<0.01	0.13	<5	<10	0.05	0.01	20.8	<0.02	3.08	0.8	3	0.09
J850146		3.43	<0.005		0.05	6.79	0.2	310	1.05	0.02	3.35	0.09	38.0	13.8	26	1.37
J850147		3.33	0.585		0.30	6.17	0.8	330	0.90	0.08	2.60	0.08	33.6	8.2	8	1.12
J850148		3.19	0.252		0.26	7.30	<0.2	390	1.11	0.10	2.61	0.08	28.2	7.7	30	1.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J850115		>10000	5.85	14.10	0.16	1.1	0.106	2.76	24.6	17.4	1.20	653	104.5	1.68	6.5	33.7
J850116		11.4	1.89	17.30	0.06	2.8	0.014	2.11	14.3	2.1	0.33	282	0.26	2.27	5.2	5.4
J850117		34.0	2.80	19.60	0.12	3.3	0.028	2.58	23.7	3.2	0.63	458	2.58	1.72	5.9	10.3
J850118		24.9	2.78	20.1	0.12	3.4	0.026	2.90	20.0	2.6	0.59	461	0.22	1.33	7.4	10.8
J850119		21.0	2.77	19.20	0.09	3.0	0.027	2.69	18.7	2.8	0.67	507	3.46	1.61	6.1	12.9
J850119 CRD		20.0	2.77	18.60	0.12	2.8	0.022	2.57	20.8	2.7	0.64	492	3.13	1.58	5.6	12.6
J850120		14.2	3.29	20.4	0.11	3.9	0.065	2.92	14.6	4.4	0.97	750	0.12	1.65	7.4	22.9
J850121		21.9	2.22	18.15	0.11	3.2	0.018	2.13	17.7	3.7	0.43	384	0.40	2.33	5.9	7.0
J850122		140.5	5.51	20.2	0.17	2.5	0.044	2.40	14.7	22.7	3.11	851	1.78	0.96	6.3	190.0
J850123		47.2	4.22	20.3	0.15	3.0	0.036	2.69	13.8	13.2	1.15	755	0.15	2.18	4.6	25.5
J850124		9.7	1.17	17.55	0.08	3.1	0.019	1.52	19.3	1.7	0.21	182	2.25	3.07	8.1	4.4
J850125		41.8	0.85	17.35	0.13	2.5	0.013	1.31	17.8	1.1	0.08	114	21.0	3.40	6.3	2.8
J850126		6.9	1.80	18.15	0.17	3.4	0.017	2.02	25.5	6.0	0.31	305	0.46	2.36	6.1	4.0
J850127		13.9	2.88	19.40	0.21	3.9	0.030	2.39	26.5	6.8	0.51	415	4.53	1.81	6.2	7.4
J850128		17.9	2.86	19.65	0.21	3.9	0.029	2.38	27.4	7.4	0.52	395	1.60	1.83	6.2	6.5
J850129		41.5	3.54	18.35	0.17	1.4	0.031	2.26	10.2	13.0	1.19	729	0.65	2.05	4.9	34.2
J850130		4450	4.79	17.30	0.23	0.8	0.063	5.04	17.6	12.0	0.77	502	263	1.08	5.0	23.5
J850131		39.1	3.31	19.05	0.17	2.2	0.039	2.47	14.0	11.5	1.24	671	6.39	1.76	5.6	42.5
J850132		19.1	3.69	19.15	0.19	1.3	0.042	2.62	15.0	8.0	1.30	794	0.61	1.72	6.6	38.9
J850133		12.8	1.56	17.20	0.18	3.1	0.015	1.80	14.0	4.2	0.28	261	0.18	2.63	5.0	4.5
J850134		38.8	2.80	17.65	0.18	3.2	0.025	1.90	17.4	18.2	0.67	440	0.16	2.33	5.6	11.8
J850135		29.4	3.12	18.50	0.21	2.8	0.028	1.97	16.3	20.3	0.86	506	0.12	2.23	5.2	18.7
J850136		26.8	3.14	19.80	0.21	3.1	0.033	2.29	15.8	14.1	0.91	566	6.89	2.00	7.1	23.4
J850137		16.3	2.36	20.8	0.23	3.5	0.028	2.38	23.3	3.7	0.60	420	2.24	2.13	10.3	12.9
J850138		9.3	2.11	17.45	0.20	2.8	0.018	2.06	17.5	2.9	0.54	382	1.25	2.13	5.8	25.6
J850139		6.2	2.32	17.45	0.22	2.9	0.022	2.19	21.0	4.4	0.54	403	1.63	1.87	6.8	9.6
J850139 CRD		6.1	2.35	17.90	0.23	2.8	0.024	2.18	21.2	4.1	0.53	400	1.69	1.76	7.0	9.5
J850140		19.8	3.67	18.95	0.21	2.7	0.033	2.91	15.8	5.7	1.13	741	1.26	1.54	5.7	24.2
J850141		31.5	2.74	16.40	0.19	2.2	0.023	2.25	17.0	4.3	0.59	478	2.18	1.72	7.5	8.9
J850142		4.8	1.53	15.90	0.19	2.6	0.013	1.93	17.0	2.4	0.29	212	0.42	1.70	3.6	3.7
J850143		7.8	2.86	19.25	0.20	2.5	0.029	2.66	11.2	5.7	0.75	511	0.80	1.37	5.6	16.0
J850144		40.7	3.19	17.30	0.24	1.5	0.052	2.29	14.8	14.2	1.00	531	0.30	1.74	8.2	14.5
J850145		0.9	0.08	0.45	0.14	0.1	<0.005	0.11	2.1	4.7	13.30	47	0.11	0.01	0.3	2.0
J850146		26.0	3.48	18.20	0.16	2.9	0.035	2.34	16.9	15.8	1.14	620	0.20	1.81	5.1	28.2
J850147		19.5	2.63	16.15	0.18	1.6	0.033	2.15	14.5	6.5	0.68	453	2.01	1.69	5.9	9.8
J850148		4.9	2.54	19.65	0.22	2.5	0.034	2.57	12.0	6.2	0.95	570	13.95	2.39	7.8	25.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J850115		900	61.2	79.1	0.116	2.32	6.30	16.3	7	2.7	252	0.26	0.95	4.6	0.319	0.78
J850116		280	5.7	57.4	<0.002	0.13	0.11	3.2	1	0.8	133.0	0.36	0.06	4.5	0.122	0.26
J850117		660	5.3	63.9	<0.002	0.20	0.15	6.7	1	1.0	119.5	0.45	0.07	6.0	0.205	0.33
J850118		590	49.9	64.2	<0.002	0.17	0.14	6.3	1	1.3	114.5	0.61	0.32	5.5	0.208	0.35
J850119		630	5.8	60.0	<0.002	0.17	0.15	6.7	1	1.0	126.0	0.58	0.09	4.9	0.208	0.33
J850119 CRD		640	5.7	60.5	<0.002	0.17	0.15	6.6	1	1.0	121.0	0.53	0.08	5.2	0.191	0.31
J850120		460	9.1	66.0	<0.002	0.07	0.19	12.6	1	2.1	151.5	0.71	0.05	6.5	0.200	0.37
J850121		370	5.8	53.7	<0.002	0.09	0.10	4.2	1	1.0	131.0	0.42	<0.05	5.3	0.140	0.27
J850122		110	5.7	70.4	<0.002	1.00	0.25	17.2	1	1.2	193.5	0.55	0.74	3.7	0.399	0.28
J850123		380	5.8	65.0	<0.002	0.07	0.19	13.3	1	1.3	185.5	0.37	<0.05	3.6	0.309	0.36
J850124		130	10.2	47.6	<0.002	0.07	0.30	3.1	1	1.7	94.7	0.86	<0.05	7.3	0.053	0.23
J850125		120	15.2	45.7	0.002	0.05	0.15	1.6	1	1.4	109.0	0.71	0.08	5.8	0.020	0.18
J850126		320	6.5	56.4	<0.002	0.06	0.18	3.2	1	1.1	133.0	0.38	<0.05	8.4	0.123	0.25
J850127		640	6.3	68.8	<0.002	0.27	0.18	5.0	1	1.0	137.0	0.27	0.11	5.6	0.206	0.29
J850128		680	7.9	68.9	<0.002	0.24	0.28	5.4	1	1.0	143.5	0.27	0.09	5.0	0.211	0.31
J850129		700	7.3	55.0	<0.002	0.06	0.31	9.9	1	1.3	177.0	0.36	<0.05	1.7	0.215	0.29
J850130		1120	46.5	99.4	0.590	2.52	7.98	11.7	9	3.0	254	0.37	1.04	2.7	0.241	1.37
J850131		630	26.0	59.5	<0.002	0.11	0.43	9.5	1	1.5	158.5	0.53	0.10	3.5	0.193	0.33
J850132		710	13.1	70.4	<0.002	0.14	0.25	12.0	1	1.6	171.0	0.48	0.10	3.7	0.218	0.33
J850133		210	7.5	53.9	<0.002	0.09	0.11	2.7	1	0.9	175.0	0.32	<0.05	5.7	0.097	0.24
J850134		360	7.6	55.1	<0.002	0.02	0.15	6.8	1	1.1	169.5	0.59	<0.05	5.0	0.187	0.26
J850135		330	7.5	58.0	<0.002	0.03	0.17	9.7	1	1.1	172.5	0.51	<0.05	4.9	0.198	0.26
J850136		290	8.2	59.2	<0.002	0.09	0.19	9.7	1	1.6	160.0	0.83	0.09	4.8	0.201	0.31
J850137		250	7.8	68.4	<0.002	0.10	0.22	6.5	1	1.9	119.0	1.01	0.07	8.0	0.161	0.30
J850138		310	8.4	56.0	<0.002	0.26	0.18	4.3	1	1.1	128.5	0.46	0.50	5.7	0.133	0.27
J850139		470	9.5	64.4	<0.002	0.17	0.24	6.1	1	1.2	130.0	0.56	0.11	5.9	0.194	0.27
J850139 CRD		470	14.2	65.3	<0.002	0.15	0.27	5.9	1	1.2	126.5	0.56	0.11	6.3	0.198	0.29
J850140		420	6.4	75.2	<0.002	0.14	0.20	10.7	1	1.3	157.0	0.53	0.15	3.9	0.252	0.36
J850141		580	6.1	67.5	<0.002	0.25	0.17	7.9	1	1.1	129.5	1.13	0.15	4.1	0.222	0.28
J850142		250	5.2	57.9	<0.002	0.12	0.10	3.0	1	0.8	91.3	0.19	0.11	5.8	0.095	0.23
J850143		330	5.4	59.2	<0.002	0.07	0.17	7.1	1	1.0	118.5	0.54	0.06	2.9	0.193	0.33
J850144		950	8.5	60.5	<0.002	0.07	0.23	15.4	1	1.5	155.0	0.89	<0.05	1.7	0.300	0.31
J850145		10	1.4	2.6	<0.002	0.03	<0.05	0.3	1	<0.2	66.1	<0.05	<0.05	0.3	0.007	0.02
J850146		460	6.8	65.1	<0.002	0.03	0.21	11.4	1	1.2	181.5	0.57	<0.05	4.0	0.215	0.31
J850147		610	5.4	60.5	<0.002	0.24	0.22	7.3	1	1.1	134.0	0.51	0.11	2.1	0.240	0.28
J850148		370	7.2	64.8	<0.002	0.07	0.21	7.6	1	1.4	176.0	0.76	0.17	3.9	0.153	0.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J850115		1.3	153	11.2	14.0	176	37.7	2.15								
J850116		0.7	24	2.3	3.5	38	96.3									
J850117		0.6	47	3.8	4.9	64	138.0									
J850118		0.7	48	4.6	5.0	165	139.0									
J850119		0.7	49	4.8	4.3	63	119.5									
J850119 CRD		0.7	48	4.3	4.4	60	113.5									
J850120		3.8	65	3.1	7.2	84	131.5		1.91	7.0	57.46	15.40	4.59	4.83	1.81	2.27
J850121		0.6	30	2.4	4.3	50	125.0									
J850122		1.2	125	10.1	8.1	109	78.9									
J850123		1.1	110	2.6	5.6	148	102.0									
J850124		1.6	17	1.1	5.3	52	76.0									
J850125		1.6	8	0.6	6.6	32	66.9									
J850126		0.6	18	2.0	5.2	71	139.5									
J850127		0.4	36	4.0	5.7	78	155.0									
J850128		0.4	37	3.7	5.4	87	154.5									
J850129		0.4	68	2.3	4.4	108	50.2									
J850130		1.2	155	13.1	15.2	158	24.8									
J850131		0.8	65	3.1	5.5	103	70.5									
J850132		0.7	65	3.6	6.0	94	39.0									
J850133		1.0	17	1.7	4.2	36	92.0									
J850134		1.2	50	1.6	5.5	68	106.5									
J850135		1.1	66	2.0	5.4	83	99.7									
J850136		1.3	72	2.2	5.8	98	98.5									
J850137		1.4	42	3.6	6.8	60	109.0									
J850138		0.8	28	2.7	4.6	49	94.5									
J850139		1.3	37	3.5	5.3	56	109.5									
J850139 CRD		0.8	37	3.6	5.5	57	107.0									
J850140		0.9	74	4.3	5.5	76	101.0		1.95	7.1	59.40	14.08	5.09	5.11	1.94	2.08
J850141		1.2	40	4.9	6.5	52	80.1									
J850142		0.7	23	2.2	3.6	30	81.6									
J850143		1.0	54	5.1	4.1	56	92.0									
J850144		1.5	72	4.5	11.1	73	52.5									
J850145		0.1	3	0.1	1.7	<2	2.0									
J850146		1.2	75	2.3	6.1	83	106.0									
J850147		0.9	44	8.0	6.2	59	63.3									
J850148		1.1	37	2.7	6.1	76	78.3									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J850115										
J850116										
J850117										
J850118										
J850119										
J850119 CRD										
J850120		3.64	<0.01	0.44	0.09	0.102	0.03	0.05	8.10	98.81
J850121										
J850122										
J850123										
J850124										
J850125										
J850126										
J850127										
J850128										
J850129										
J850130										
J850131										
J850132										
J850133										
J850134										
J850135										
J850136										
J850137										
J850138										
J850139										
J850139 CRD										
J850140		3.46	<0.01	0.50	0.09	0.090	0.02	0.05	7.97	99.88
J850141										
J850142										
J850143										
J850144										
J850145										
J850146										
J850147										
J850148										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184040

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.