ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186639

Project: HAMMOND REEF

P.O. No.:

This report is for 122 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843348		3.26	0.061		0.07	6.24	0.3	820	0.64	0.02	1.58	0.02	27.7	2.6	7	0.70
J843349		3.18	<0.005		0.03	6.45	<0.2	780	0.71	0.01	2.03	0.02	28.9	4.4	10	0.70
J843350		3.28	<0.005		0.05	7.18	0.7	450	0.64	0.04	3.63	0.04	96.7	13.8	21	0.45
J843351		3.53	<0.005		0.03	7.01	0.3	430	0.47	0.02	3.49	0.03	87.0	11.9	22	0.35
J843352		3.24	<0.005		0.03	6.82	0.6	350	0.67	0.02	2.97	0.03	79.5	11.9	48	0.35
J843353		3.17	0.055		0.12	6.89	0.3	370	0.74	0.06	3.19	0.03	40.5	17.5	177	0.43
J843354		2.94	<0.005		0.01	6.94	0.3	530	0.65	0.01	2.32	0.03	39.4	8.0	24	0.46
J843355		3.41	0.006		<0.01	6.60	<0.2	560	0.71	<0.01	2.44	0.02	44.3	6.1	10	0.61
J843356		3.18	0.073		0.16	6.50	0.8	430	0.73	0.02	1.76	0.02	34.2	4.2	11	0.68
J843357		3.22	0.083		0.07	6.69	0.5	590	0.73	0.07	2.26	<0.02	42.9	6.8	17	0.74
J843358		3.64	0.084		0.13	6.47	1.3	430	0.60	0.05	2.29	0.02	88.4	7.8	12	0.66
J843359		3.45	0.008		<0.01	6.95	1.0	420	0.70	0.01	2.11	0.02	60.8	5.1	12	0.50
J843360		0.07	1.000		3.46	6.19	15.7	440	0.48	1.48	2.32	1.65	17.85	11.0	57	0.61
J843361		3.33	<0.005		<0.01	6.86	0.6	340	0.72	0.01	2.06	0.02	66.1	5.7	9	0.58
J843362		3.50	0.018		<0.01	6.65	<0.2	290	0.73	<0.01	2.01	0.02	32.1	4.6	6	0.67
J843363		3.24	0.005		<0.01	6.66	<0.2	270	0.69	0.02	1.96	0.02	30.2	4.1	7	0.64
J843364		3.48	0.016		<0.01	6.38	<0.2	290	0.77	0.02	1.54	<0.02	33.4	2.8	6	0.56
J843365		3.36	0.057		0.01	6.57	<0.2	540	0.89	0.06	1.95	<0.02	70.5	4.1	7	0.96
J843366		3.28	0.170		0.22	6.15	<0.2	530	0.75	0.14	2.58	0.02	64.0	4.5	7	0.96
J843367		3.42	0.301		0.29	6.47	<0.2	420	0.72	0.27	1.78	0.04	44.0	4.5	8	0.76
J843367 CRD		<0.02	0.374		0.21	6.51	0.2	430	0.83	0.26	1.82	0.02	50.7	5.2	9	0.81
J843368		3.49	0.296	0.296	0.40	6.89	<0.2	420	0.97	0.07	2.34	0.04	41.6	5.9	7	1.12
J843369		3.34	0.172		0.48	6.76	<0.2	580	1.20	0.81	1.72	0.02	56.6	7.7	11	0.93
J843370		3.54	0.057		0.05	6.47	<0.2	430	1.07	0.06	2.48	0.04	60.0	9.1	15	0.89
J843371		3.21	0.032		0.04	6.68	<0.2	580	1.10	0.05	1.92	0.03	50.4	6.2	11	0.82
J843372		3.39	0.055		0.08	6.80	<0.2	500	1.02	0.06	1.84	0.03	91.1	5.7	6	0.81
J843373		3.18	0.056		0.08	6.69	<0.2	430	0.90	0.04	1.84	0.02	85.1	6.3	6	0.90
J843374		3.36	0.006		0.01	7.05	<0.2	390	0.86	0.03	2.82	0.03	68.4	10.3	12	1.02
J843375		0.12	2.31		8.44	6.54	52.6	590	0.81	3.17	1.57	0.93	58.3	16.8	56	3.24
J843376		3.63	0.089		0.21	7.85	<0.2	490	0.93	0.18	3.13	0.06	60.7	15.5	15	1.12
J843377		3.45	0.177		0.26	6.88	<0.2	410	1.10	0.28	1.89	0.02	51.9	8.6	9	0.87
J843378		3.27	0.009		<0.01	6.77	<0.2	290	1.08	0.09	1.09	<0.02	40.8	2.9	8	0.51
J843379		3.35	0.048		0.09	6.56	<0.2	350	1.23	0.22	1.88	0.02	74.8	9.1	19	0.65
J843380		3.65	0.011		<0.01	6.65	<0.2	360	1.05	0.03	3.35	0.02	33.8	9.3	24	0.96
J843381		3.27	0.009		<0.01	6.52	<0.2	330	1.00	0.02	3.31	0.02	28.5	7.6	9	0.96
J843382		3.42	0.053		0.02	6.75	<0.2	390	1.10	0.04	2.25	0.03	25.8	11.7	10	0.98
J843383		3.49	0.091		0.18	6.07	<0.2	330	0.99	0.19	1.02	<0.02	35.5	3.8	10	0.85
J843384		3.24	0.016		0.66	6.41	<0.2	240	1.06	0.34	3.60	0.02	57.8	5.3	19	0.92
J843385		3.37	0.065		<0.01	6.19	<0.2	220	0.96	0.05	3.51	0.02	32.2	1.4	8	0.85
J843386		3.15	0.062		0.18	6.17	<0.2	420	1.00	0.16	1.05	<0.02	29.6	4.0	26	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843348		10.1	1.36	13.15	0.12	2.8	0.010	1.93	15.1	3.3	0.25	212	0.33	2.62	2.5	3.2
J843349		18.1	1.71	14.15	0.13	2.7	0.012	1.72	14.1	6.6	0.37	290	0.22	2.75	3.3	4.3
J843350		55.6	3.83	16.85	0.20	2.0	0.038	1.04	45.1	15.5	1.29	637	0.28	2.63	4.1	16.9
J843351		45.0	3.77	14.20	0.18	1.5	0.031	1.00	40.9	11.4	1.27	616	0.18	2.57	3.3	14.4
J843352		33.4	3.22	16.10	0.18	2.7	0.030	0.85	36.4	14.0	1.31	508	0.19	2.92	4.2	32.4
J843353		35.8	3.26	15.15	0.17	2.3	0.029	0.98	19.9	17.4	2.66	572	0.85	2.63	4.4	134.5
J843354		35.3	2.56	15.60	0.14	2.2	0.021	1.44	18.9	11.5	0.70	457	0.15	2.87	4.7	10.8
J843355		9.1	2.47	15.70	0.14	2.9	0.019	1.42	21.9	9.7	0.52	397	0.14	2.75	4.6	6.9
J843356		8.5	1.83	15.20	0.14	2.6	0.014	1.93	17.3	5.9	0.38	297	0.25	2.82	4.6	5.7
J843357		8.2	2.58	14.95	0.14	2.5	0.021	1.84	22.0	10.5	0.60	407	0.88	2.50	5.2	10.8
J843358		30.8	2.62	14.80	0.17	2.1	0.023	1.43	46.4	10.6	0.65	433	0.76	2.42	4.0	6.2
J843359		21.4	2.33	15.80	0.15	2.6	0.016	1.24	31.3	8.4	0.46	360	0.14	2.87	5.3	4.3
J843360		>10000	4.39	10.20	0.15	0.9	0.110	0.77	9.0	9.7	1.09	629	231	2.05	3.1	26.2
J843361		17.7	2.32	16.40	0.16	2.9	0.022	1.37	34.1	10.2	0.48	336	0.24	2.65	5.6	4.2
J843362		5.5	2.15	17.50	0.13	3.9	0.017	1.68	14.8	8.1	0.33	293	0.18	2.68	5.6	2.3
J843363		3.0	1.96	17.15	0.13	3.7	0.014	1.60	14.4	6.8	0.32	203	0.24	2.81	5.4	1.9
J843364		9.4	1.48	16.70	0.14	3.1	0.011	1.53	16.3	4.3	0.22	180	0.45	3.11	10.3	1.8
J843365		3.5	2.01	17.50	0.16	4.3	0.020	2.49	36.5	5.7	0.38	255	1.55	1.70	6.3	4.3
J843366		5.7	1.90	17.15	0.17	3.5	0.031	2.49	32.4	4.3	0.32	220	0.29	1.59	4.4	3.7
J843367		7.9	1.99	15.75	0.13	2.9	0.016	1.87	22.2	4.6	0.38	237	7.68	2.55	6.7	3.7
J843367 CRD		10.9	2.11	16.70	0.14	3.1	0.017	1.94	26.3	4.9	0.39	254	7.99	2.63	7.3	4.0
J843368		21.5	2.18	22.2	0.12	4.2	0.020	2.19	20.7	7.6	0.45	308	2.06	2.45	5.5	4.6
J843369		19.2	2.08	23.9	0.14	3.7	0.018	2.23	27.9	6.7	0.54	346	49.8	2.52	6.4	10.8
J843370		46.2	2.38	21.7	0.14	3.1	0.030	1.93	26.6	13.0	0.62	566	0.41	2.45	9.7	14.0
J843371		38.9	2.00	19.80	0.12	3.0	0.016	1.88	26.0	9.9	0.42	420	0.38	2.54	4.1	9.4
J843372		11.3	2.29	21.2	0.17	5.2	0.016	1.90	48.2	10.2	0.41	312	0.55	2.40	5.6	3.8
J843373		6.7	2.32	20.9	0.16	4.8	0.016	1.84	44.8	10.8	0.40	300	0.17	2.32	5.3	4.4
J843374		22.2	3.17	21.4	0.16	4.2	0.036	1.90	33.2	19.7	0.72	419	0.23	2.21	5.4	11.6
J843375		>10000	5.57	15.00	0.19	1.1	0.113	2.63	28.1	16.0	1.17	612	107.5	1.60	6.5	30.1
J843376		41.2	4.13	22.1	0.18	2.9	0.038	2.27	27.6	25.5	1.09	548	0.87	2.01	6.7	16.3
J843377		30.1	2.40	22.7	0.13	4.0	0.020	1.85	26.1	11.9	0.56	318	0.36	2.72	8.0	11.0
J843378		3.6	1.02	20.0	0.09	3.3	<0.005	1.16	21.6	4.1	0.20	97	1.04	3.74	6.4	3.6
J843379		3.0	2.02	22.0	0.14	2.6	0.019	1.46	36.4	11.5	0.56	131	3.80	2.97	9.7	17.4
J843380		15.9	2.68	23.4	0.14	1.5	0.040	2.06	14.8	16.8	0.73	180	3.01	1.88	7.9	21.0
J843381		1.5	2.31	22.5	0.13	2.9	0.030	2.13	13.0	13.4	0.56	147	0.21	1.66	6.4	11.5
J843382		14.0	2.51	22.2	0.14	2.6	0.017	2.01	11.5	9.6	0.80	182	0.25	2.22	4.7	16.4
J843383		10.6	1.26	18.25	0.11	3.0	0.012	1.71	19.4	1.7	0.31	100	0.19	2.24	3.0	9.1
J843384		6.7	2.04	23.6	0.16	3.4	0.051	1.95	23.8	10.4	0.44	142	3.31	2.02	14.4	13.0
J843385		6.2	1.62	23.2	0.12	2.4	0.040	2.07	14.7	1.7	0.12	119	8.16	1.68	5.5	3.6
J843386		2.8	1.12	18.95	0.11	2.5	0.012	1.62	13.9	4.2	0.36	116	8.04	2.48	4.6	24.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843348		280	3.8	46.5	<0.002	0.03	0.07	1.7	1	0.5	147.5	0.25	<0.05	4.3	0.091	0.25
J843349		320	4.4	41.2	<0.002	0.01	0.09	3.0	1	0.8	208	0.20	<0.05	4.1	0.131	0.24
J843350		1160	9.3	30.5	0.002	0.12	0.16	9.8	1	1.1	621	0.24	<0.05	5.8	0.338	0.17
J843351		1140	6.6	23.9	<0.002	0.13	0.13	8.0	1	0.9	624	0.21	<0.05	5.9	0.334	0.14
J843352		950	6.9	23.6	<0.002	0.11	0.16	6.8	1	0.9	516	0.30	<0.05	7.2	0.272	0.14
J843353		440	6.6	25.4	0.002	0.09	0.13	9.1	1	1.0	236	0.37	0.06	4.8	0.223	0.13
J843354		430	6.2	29.4	0.002	0.03	0.11	5.3	1	1.1	317	0.31	<0.05	3.8	0.207	0.18
J843355		510	4.9	32.4	<0.002	0.01	0.10	3.9	1	1.0	260	0.23	<0.05	5.2	0.159	0.20
J843356		330	5.8	43.0	<0.002	0.10	0.06	2.7	1	0.9	137.0	0.29	0.10	7.0	0.134	0.24
J843357		450	5.0	43.4	<0.002	0.07	0.07	4.4	1	1.0	151.5	0.42	0.10	5.6	0.185	0.26
J843358		470	6.6	38.4	<0.002	0.14	0.09	5.1	1	0.9	280	0.43	0.07	6.8	0.224	0.26
J843359		400	6.4	33.6	<0.002	0.03	0.11	3.4	1	0.9	301	0.49	<0.05	6.4	0.181	0.21
J843360		540	35.8	18.3	1.205	1.53	21.8	10.8	6	0.8	276	0.23	0.48	1.7	0.306	0.19
J843361		460	5.7	38.8	<0.002	0.02	0.14	4.0	1	1.0	252	0.33	<0.05	6.4	0.200	0.23
J843362		560	4.2	44.7	0.002	0.01	0.09	3.0	1	1.0	138.5	0.28	<0.05	2.4	0.178	0.28
J843363		510	4.3	39.9	<0.002	0.01	0.08	2.8	1	1.5	148.5	0.35	<0.05	3.7	0.160	0.24
J843364		300	4.3	37.3	<0.002	0.04	0.07	3.4	1	1.5	140.0	0.70	<0.05	5.1	0.100	0.20
J843365		440	5.5	58.7	0.002	0.07	0.10	3.3	1	1.3	123.0	0.36	<0.05	10.8	0.163	0.32
J843366		410	4.6	50.3	<0.002	0.09	0.11	3.0	1	1.4	154.0	0.19	0.08	8.7	0.153	0.28
J843367		500	4.7	40.7	<0.002	0.24	0.08	2.9	1	1.1	146.0	0.41	0.29	5.4	0.153	0.22
J843367 CRD		520	4.6	43.9	0.002	0.26	0.10	3.2	1	1.1	154.0	0.44	0.24	5.6	0.159	0.22
J843368		600	4.8	57.3	<0.002	0.16	0.12	4.3	1	1.1	180.0	0.30	0.29	4.0	0.180	0.26
J843369		510	11.2	56.8	<0.002	0.23	0.12	4.4	1	1.3	158.0	0.42	0.39	9.1	0.158	0.26
J843370		510	8.3	46.7	<0.002	0.10	0.11	6.4	1	1.9	193.5	0.79	<0.05	8.9	0.176	0.25
J843371		310	5.5	54.6	<0.002	0.06	0.08	4.8	1	1.1	186.0	0.30	<0.05	6.8	0.123	0.25
J843372		420	4.8	60.4	<0.002	0.06	0.10	4.2	1	0.9	173.5	0.37	0.07	8.7	0.168	0.27
J843373		410	4.6	60.2	<0.002	0.03	0.10	4.4	1	1.0	181.0	0.26	0.09	7.7	0.161	0.26
J843374		610	5.4	60.2	<0.002	0.02	0.16	7.8	1	1.6	193.5	0.45	<0.05	6.2	0.228	0.28
J843375		860	58.9	78.2	0.134	2.39	7.60	14.8	7	2.7	257	0.27	1.03	4.4	0.306	0.71
J843376		860	7.0	74.9	<0.002	0.16	0.20	12.6	1	1.4	169.0	0.65	0.12	4.4	0.299	0.28
J843377		390	7.2	55.6	<0.002	0.19	0.12	6.5	1	1.4	146.5	0.63	0.19	9.6	0.171	0.24
J843378		180	6.4	34.9	<0.002	0.05	0.06	3.1	1	0.7	141.5	0.52	<0.05	9.0	0.062	0.14
J843379		520	11.9	39.7	<0.002	0.10	0.09	4.9	1	1.9	180.5	0.76	0.12	16.0	0.131	0.17
J843380		630	7.3	47.7	<0.002	0.01	0.12	9.0	1	2.2	201	0.55	<0.05	4.7	0.176	0.22
J843381		420	7.6	50.3	<0.002	<0.01	0.16	6.7	1	1.7	193.0	0.49	<0.05	3.7	0.188	0.23
J843382		610	6.8	54.7	<0.002	0.07	0.13	7.8	1	1.0	179.5	0.48	<0.05	4.9	0.168	0.23
J843383		300	6.1	54.8	<0.002	0.11	0.08	3.0	1	0.8	142.0	0.17	0.14	5.6	0.076	0.20
J843384		1700	9.3	51.1	<0.002	0.02	0.26	6.7	1	2.2	220	1.08	0.39	4.8	0.430	0.23
J843385		570	6.1	59.5	<0.002	0.05	0.13	2.5	1	1.6	219	0.55	<0.05	4.0	0.145	0.23
J843386		440	4.4	48.2	<0.002	0.06	0.09	3.1	1	0.9	119.5	0.39	0.13	4.4	0.125	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J843348		0.7	19	0.6	3.5	20	95.1									
J843349		0.6	26	0.6	4.1	35	93.7									
J843350		0.5	91	0.3	10.6	86	80.0									
J843351		0.4	90	0.2	8.5	83	60.4									
J843352		0.8	73	0.5	8.4	66	101.5									
J843353		0.6	73	0.6	8.0	65	79.7									
J843354		0.7	49	0.5	6.5	57	74.9									
J843355		0.6	31	0.7	7.3	61	110.0									
J843356		0.8	24	0.9	8.7	40	83.0									
J843357		0.9	40	1.0	7.0	61	86.1									
J843358		0.7	49	0.7	7.8	61	81.2									
J843359		1.2	36	0.4	5.8	52	92.4									
J843360		0.7	97	4.8	11.9	136	26.2	1.315								
J843361		0.6	35	0.2	6.2	51	112.0									
J843362		0.5	25	0.8	5.7	52	157.0									
J843363		0.6	23	0.7	6.1	25	146.5									
J843364		0.7	16	1.2	5.8	22	99.1									
J843365		1.1	27	1.7	6.7	30	177.5									
J843366		0.7	30	1.3	4.5	20	144.0									
J843367		0.6	30	1.7	4.1	29	111.5									
J843367 CRD		0.5	31	1.8	4.4	29	118.0									
J843368		0.5	37	1.6	4.8	40	156.5		0.76	2.8	66.75	14.25	3.02	3.22	0.81	3.31
J843369		0.8	42	1.8	5.9	36	128.5									
J843370		1.0	45	1.3	8.5	58	90.9									
J843371		0.8	29	0.9	5.8	44	94.7									
J843372		1.4	26	1.5	7.7	48	203									
J843373		1.0	26	1.2	6.5	43	192.0									
J843374		1.1	57	1.1	7.4	50	160.0									
J843375		1.1	146	10.9	15.1	164	36.5	2.14								
J843376		1.2	92	3.2	8.8	77	110.5									
J843377		1.5	44	2.4	8.3	44	129.5									
J843378		1.2	12	1.2	6.4	12	96.4									
J843379		1.3	35	1.7	9.1	21	68.8									
J843380		1.8	50	2.4	7.4	18	44.1									
J843381		1.4	51	1.5	6.2	11	91.1									
J843382		1.1	60	2.2	6.4	40	68.9									
J843383		0.7	29	1.7	3.9	12	95.8									
J843384		1.6	48	2.1	11.4	14	119.0									
J843385		1.5	33	2.1	7.0	3	70.4									
J843386		1.1	33	1.8	4.6	12	75.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843348										
J843349										
J843350										
J843351										
J843352										
J843353										
J843354										
J843355										
J843356										
J843357										
J843358										
J843359										
J843360										
J843361										
J843362										
J843363										
J843364										
J843365										
J843366										
J843367										
J843367 CRD										
J843368		2.61	<0.01	0.41	0.04	0.126	0.03	0.04	3.93	98.55
J843369										
J843370										
J843371										
J843372										
J843373										
J843374										
J843375										
J843376										
J843377										
J843378										
J843379										
J843380										
J843381										
J843382										
J843383										
J843384										
J843385										
J843386										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843387		3.26	0.096		0.02	6.52	<0.2	370	1.00	0.14	1.33	0.02	38.9	5.6	11	0.81
J843387 CRD		<0.02	0.059		<0.01	6.48	<0.2	370	1.09	0.14	1.28	<0.02	40.3	5.5	9	0.84
J843388		2.94	0.249	0.283	0.06	6.73	<0.2	410	1.17	0.18	0.83	<0.02	64.0	3.1	8	0.79
J843389		3.71	0.421		0.13	6.74	<0.2	410	1.06	0.09	1.02	0.03	38.5	5.7	15	1.22
J843390		0.07	0.405		2.42	7.42	105.5	590	1.29	0.50	0.56	0.92	32.5	17.4	31	6.53
J843391		2.97	0.746		2.12	4.52	5.3	80	0.33	0.19	7.03	0.16	25.4	66.4	670	0.38
J843392		3.05	0.103		1.90	6.41	2.2	320	0.70	0.09	3.30	0.15	46.0	21.4	89	0.66
J843393		2.40	0.055		0.18	6.84	3.1	400	0.65	0.12	4.64	0.05	35.6	27.5	80	0.72
J843394		1.81	0.006		0.15	6.78	0.2	280	0.57	0.04	6.39	0.07	10.75	43.1	98	0.60
J843395		3.59	0.096		0.09	6.69	<0.2	360	0.71	0.07	2.38	0.03	46.1	9.6	11	0.58
J843396		4.94	0.005		0.12	4.10	1.2	40	0.24	0.02	8.08	0.10	32.5	70.6	887	0.08
J843397		3.59	0.045		0.13	6.90	0.3	320	0.64	0.07	3.16	0.04	77.5	12.9	26	0.46
J843398		3.51	<0.005		0.06	6.89	0.4	380	0.76	0.02	3.27	0.05	46.9	14.2	31	0.60
J843399		2.71	0.062		0.07	6.93	0.2	330	0.78	0.01	3.21	0.03	29.8	14.8	26	0.58
J843400		0.07	1.030		4.92	6.49	20.1	470	0.70	1.65	2.44	2.00	18.70	13.3	59	0.74
J843401		3.13	0.006		0.01	6.93	<0.2	360	0.81	0.02	2.23	0.04	33.8	5.5	5	0.66
J843402		3.42	0.005		0.05	6.56	0.5	410	0.91	0.01	2.23	0.03	57.1	5.1	11	0.66
J843403		3.02	0.053		0.06	7.07	0.6	500	0.94	<0.01	2.33	0.03	51.2	9.0	9	0.73
J843404		3.55	0.006		<0.01	7.18	0.3	530	0.91	<0.01	2.67	0.03	62.3	8.2	11	0.81
J843405		2.86	0.045		<0.01	7.23	<0.2	550	0.96	<0.01	2.80	0.04	70.9	7.7	12	0.76
J843406		3.32	0.023		0.01	6.84	0.3	530	1.04	<0.01	2.90	0.03	61.5	6.8	10	0.78
J843407		2.83	0.363		0.04	7.15	0.4	630	1.04	<0.01	2.48	0.03	75.9	7.1	11	0.80
J843407 CRD		<0.02	0.430		0.02	6.98	0.4	540	1.11	<0.01	2.41	0.03	77.2	7.3	10	0.81
J843408		2.52	0.012	0.012	<0.01	6.67	0.3	500	0.98	<0.01	2.55	0.03	68.8	7.3	9	0.75
J843409		3.36	0.054		0.04	7.98	<0.2	400	0.92	<0.01	3.97	0.05	27.0	19.1	16	0.69
J843410		2.85	0.027		0.02	7.47	0.3	540	1.11	<0.01	2.94	0.04	37.1	11.5	10	0.75
J843411		3.06	0.031		0.01	6.90	<0.2	560	0.83	0.01	3.00	0.03	73.1	5.4	10	0.83
J843412		2.95	0.040		<0.01	7.19	<0.2	630	0.95	0.01	2.75	0.04	58.6	5.0	10	0.85
J843413		3.04	0.036		0.03	6.80	<0.2	600	0.89	0.03	3.34	0.04	63.2	8.0	9	0.78
J843414		3.16	0.047		0.02	6.83	<0.2	700	1.04	0.02	3.78	0.06	45.8	9.0	9	1.04
J843415		0.12	2.47		7.88	6.80	46.8	620	0.71	3.31	1.73	1.06	53.0	15.6	59	3.62
J843416		3.55	0.161		0.08	7.23	<0.2	660	1.55	0.02	3.82	0.06	67.7	9.6	23	0.88
J843417		3.27	0.101		0.02	6.06	<0.2	360	0.89	0.03	1.79	0.03	13.60	3.8	10	0.72
J843418		3.25	<0.005		<0.01	6.61	<0.2	300	0.90	0.02	2.20	0.04	9.30	3.0	7	0.82
J843419		3.23	0.107		0.68	7.09	<0.2	420	0.77	0.09	2.80	0.05	46.5	8.5	27	1.01
J843420		2.91	0.018		0.03	7.17	<0.2	440	0.72	0.02	2.83	0.06	43.7	6.8	9	1.15
J843421		3.01	0.080		0.02	6.79	<0.2	370	0.84	0.04	2.96	0.05	34.0	8.7	31	1.00
J843422		2.96	0.033		0.04	7.12	0.2	380	0.76	0.04	2.63	0.06	36.3	6.0	7	1.04
J843423		2.98	0.033		0.04	6.94	<0.2	340	0.78	0.03	2.91	0.05	31.2	8.4	17	1.01
J843424		3.26	0.088		0.18	7.20	<0.2	370	0.89	0.08	2.80	0.05	29.4	10.0	17	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843387		4.8	1.61	20.9	0.10	3.5	0.011	1.76	21.6	4.2	0.39	218	3.37	3.04	6.5	8.9
J843387 CRD		4.2	1.50	21.5	0.11	3.4	0.010	1.72	22.3	4.3	0.38	203	3.35	2.99	6.3	8.8
J843388		10.5	1.27	23.1	0.13	3.5	0.023	1.93	34.4	1.7	0.20	72	3.09	2.48	4.2	8.8
J843389		19.6	1.74	23.5	0.13	2.3	0.027	2.32	19.7	4.8	0.46	118	0.40	1.63	5.1	19.7
J843390		4320	4.74	18.60	0.26	0.8	0.054	5.36	15.7	12.7	0.75	491	262	1.01	5.2	23.0
J843391		40.7	7.61	16.00	0.22	2.1	0.037	0.56	10.0	54.0	5.29	1180	4.40	0.08	3.1	470
J843392		24.4	2.85	17.60	0.18	3.4	0.023	1.81	23.6	11.8	1.55	585	2.73	1.69	4.7	73.1
J843393		32.5	4.18	19.40	0.20	2.6	0.030	2.05	15.8	6.0	1.68	776	0.63	1.96	4.1	60.7
J843394		104.0	8.31	16.70	0.21	0.9	0.052	1.63	5.1	38.3	3.52	1410	0.71	0.42	1.9	82.9
J843395		34.4	2.65	18.10	0.23	3.3	0.022	1.76	22.5	6.1	0.89	523	0.49	2.36	5.4	11.3
J843396		62.7	7.43	14.05	0.23	1.8	0.039	0.18	12.1	42.1	7.05	1080	0.49	0.17	4.5	698
J843397		58.9	3.87	18.75	0.28	3.6	0.036	1.36	36.3	11.4	1.29	640	0.97	2.75	7.7	20.0
J843398		36.6	3.47	18.20	0.24	2.5	0.027	1.74	23.7	11.7	1.33	584	0.47	2.06	3.7	34.4
J843399		29.8	3.49	19.55	0.25	2.1	0.033	1.59	12.5	14.5	1.03	624	1.03	2.80	4.8	21.2
J843400		>10000	4.62	13.65	0.19	0.9	0.119	0.86	9.3	14.6	1.16	656	235	2.10	3.6	31.4
J843401		2.9	1.96	19.75	0.14	3.2	0.017	1.56	16.9	9.0	0.34	299	0.21	2.91	4.9	4.6
J843402		6.8	2.01	20.3	0.24	4.0	0.018	1.78	27.2	9.3	0.35	317	0.38	2.62	5.1	4.0
J843403		24.0	2.44	20.3	0.13	4.0	0.024	1.93	27.3	13.5	0.61	352	0.25	2.43	5.0	6.3
J843404		5.0	2.51	21.3	0.16	4.8	0.029	1.96	31.5	15.2	0.57	326	15.25	2.46	5.0	6.8
J843405		7.3	2.69	21.7	0.18	5.0	0.035	1.81	35.1	17.1	0.56	341	0.26	2.53	5.5	7.1
J843406		2.0	2.15	20.8	0.16	4.6	0.023	1.78	29.5	12.9	0.44	334	0.60	2.73	5.2	5.9
J843407		3.5	2.55	21.1	0.17	4.6	0.022	1.79	37.2	15.5	0.52	337	0.20	2.56	6.2	6.7
J843407 CRD		3.1	2.49	21.6	0.16	4.7	0.026	1.81	37.2	15.6	0.52	329	0.15	2.57	6.1	6.6
J843408		2.2	2.40	20.8	0.16	4.5	0.020	1.73	32.3	15.2	0.49	354	0.17	2.58	5.0	6.6
J843409		10.3	3.65	22.4	0.17	2.0	0.032	1.52	11.8	29.1	1.06	559	0.14	3.07	3.5	16.3
J843410		8.2	2.91	22.6	0.14	2.7	0.030	1.83	17.5	20.9	0.73	411	0.40	2.81	5.1	11.9
J843411		1.8	2.47	19.65	0.22	4.3	0.033	1.75	37.7	12.9	0.58	371	0.52	2.63	5.4	6.6
J843412		1.9	2.33	21.1	0.25	4.1	0.026	1.92	34.2	11.9	0.58	347	0.17	2.50	5.1	7.2
J843413		3.4	2.83	20.0	0.23	3.4	0.039	1.71	36.5	16.6	0.78	439	0.24	2.58	5.6	10.6
J843414		4.2	3.02	21.9	0.22	3.8	0.039	2.22	24.1	17.8	0.87	495	0.16	2.04	7.7	12.7
J843415		>10000	5.79	15.10	0.25	1.0	0.125	2.84	29.6	16.2	1.24	636	122.0	1.72	6.7	34.6
J843416		2.7	2.62	21.7	0.16	5.1	0.031	2.12	32.2	19.0	0.70	452	3.93	2.22	6.7	23.9
J843417		11.5	1.26	15.85	0.17	2.1	0.010	1.72	7.3	3.4	0.19	194	0.79	2.44	3.3	2.8
J843418		17.7	1.12	18.70	0.18	2.5	0.011	1.92	4.8	3.6	0.18	191	0.19	2.86	3.1	2.7
J843419		8.2	2.92	21.4	0.22	4.0	0.034	2.03	26.3	12.3	0.64	374	0.30	2.52	5.8	10.5
J843420		5.4	2.40	20.1	0.19	4.2	0.028	2.18	25.8	10.0	0.55	305	0.38	2.54	3.9	6.8
J843421		12.7	2.72	21.1	0.19	3.4	0.023	1.84	18.7	12.0	0.66	380	0.52	2.85	5.2	16.8
J843422		21.1	2.26	21.3	0.20	3.2	0.020	2.02	21.2	6.9	0.40	323	0.27	3.11	4.9	3.7
J843423		11.4	2.84	19.55	0.20	2.7	0.026	1.78	15.6	11.3	0.61	387	0.48	2.66	5.3	8.8
J843424		6.4	3.00	22.9	0.19	2.6	0.029	1.95	14.2	11.9	0.64	394	0.13	2.86	6.1	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843387		340	4.5	50.2	<0.002	0.11	0.09	3.1	1	1.1	141.0	0.47	0.08	5.9	0.124	0.19
J843387 CRD		320	4.3	50.8	<0.002	0.10	0.09	3.3	1	1.1	140.0	0.44	0.09	6.0	0.121	0.20
J843388		160	4.3	59.1	<0.002	0.29	0.07	2.9	1	1.0	124.5	0.41	0.09	9.6	0.067	0.23
J843389		390	2.8	70.0	<0.002	0.20	0.12	7.1	1	1.2	91.4	0.39	0.12	5.7	0.128	0.29
J843390		1100	36.7	142.5	0.649	2.45	6.73	13.1	8	2.8	255	0.37	0.77	2.4	0.258	1.22
J843391		300	4.9	14.3	<0.002	0.25	0.21	25.1	3	0.6	133.0	0.21	0.24	1.4	0.262	0.06
J843392		420	4.8	42.4	<0.002	0.15	0.18	9.3	2	1.1	110.5	0.35	0.12	6.8	0.203	0.19
J843393		410	3.1	50.9	<0.002	0.69	0.14	15.2	1	1.5	174.5	0.33	0.11	4.3	0.227	0.22
J843394		300	2.8	40.2	0.002	0.06	0.21	37.9	2	0.7	133.5	0.13	<0.05	0.6	0.451	0.18
J843395		470	3.1	43.2	<0.002	0.20	0.12	7.1	1	1.0	136.5	0.43	<0.05	6.2	0.190	0.20
J843396		410	2.8	4.8	<0.002	0.04	0.22	23.9	1	0.6	318	0.28	<0.05	1.1	0.388	0.02
J843397		1050	3.6	35.7	<0.002	0.15	0.15	10.3	1	1.2	167.5	0.46	<0.05	5.8	0.297	0.16
J843398		640	3.8	46.3	<0.002	0.03	0.14	12.2	1	1.1	193.5	0.26	<0.05	3.4	0.231	0.22
J843399		730	3.9	37.3	<0.002	0.02	0.15	11.0	1	1.5	211	0.36	<0.05	2.2	0.239	0.21
J843400		570	35.9	20.5	1.310	1.61	23.2	15.5	6	1.0	287	0.27	0.46	1.9	0.333	0.19
J843401		380	6.1	48.6	<0.002	0.01	0.10	3.5	1	0.8	255	0.25	<0.05	5.6	0.125	0.22
J843402		390	4.4	42.7	0.002	0.01	0.09	4.0	1	0.9	210	0.32	<0.05	7.9	0.141	0.24
J843403		500	4.3	64.0	<0.002	0.04	0.10	4.5	1	1.1	164.0	0.29	<0.05	6.5	0.169	0.26
J843404		570	5.1	65.0	0.004	0.01	0.12	5.7	1	1.0	211	0.24	<0.05	7.1	0.179	0.28
J843405		520	6.2	63.7	<0.002	0.02	0.12	6.2	1	1.0	213	0.23	<0.05	7.3	0.176	0.28
J843406		490	6.0	59.9	<0.002	0.06	0.10	5.9	1	0.8	207	0.23	<0.05	6.3	0.148	0.27
J843407		550	6.2	64.2	<0.002	0.07	0.10	5.8	1	0.9	201	0.25	0.05	9.1	0.172	0.26
J843407 CRD		540	6.3	64.1	<0.002	0.07	0.10	5.8	1	0.9	199.5	0.25	0.05	9.1	0.168	0.26
J843408		540	5.1	55.3	<0.002	0.02	0.09	4.3	1	0.7	185.0	0.21	<0.05	7.6	0.147	0.25
J843409		910	4.8	52.2	<0.002	0.10	0.13	11.4	1	1.2	245	0.26	<0.05	1.3	0.226	0.22
J843410		580	5.1	54.6	<0.002	0.04	0.12	7.7	1	1.2	200	0.33	<0.05	2.9	0.200	0.25
J843411		550	5.5	59.1	<0.002	0.03	0.12	6.4	1	0.9	191.0	0.18	<0.05	8.0	0.170	0.26
J843412		500	5.0	66.1	<0.002	0.03	0.13	6.0	1	0.8	183.0	0.19	<0.05	6.9	0.178	0.30
J843413		530	5.9	51.5	<0.002	0.11	0.16	7.7	1	1.1	200	0.31	<0.05	4.0	0.202	0.26
J843414		590	5.5	59.1	<0.002	0.08	0.15	9.6	1	1.4	199.5	0.42	<0.05	4.0	0.276	0.33
J843415		900	62.6	77.8	0.140	2.29	7.29	17.1	7	2.8	264	0.25	0.92	5.0	0.323	0.79
J843416		780	7.1	65.7	<0.002	0.16	0.15	6.7	1	1.2	199.0	0.31	0.10	7.3	0.222	0.28
J843417		170	4.7	53.6	<0.002	0.09	0.06	1.6	1	0.7	183.0	0.16	<0.05	2.6	0.076	0.22
J843418		130	5.4	50.4	<0.002	0.01	0.06	1.6	1	0.6	243	0.17	<0.05	1.7	0.068	0.26
J843419		520	5.8	46.8	<0.002	0.08	0.12	6.3	1	1.2	200	0.26	0.05	6.8	0.219	0.29
J843420		570	6.0	52.8	<0.002	0.04	0.13	5.0	1	0.9	218	0.18	<0.05	6.6	0.194	0.29
J843421		490	6.3	51.6	<0.002	0.07	0.11	6.3	1	0.8	252	0.27	<0.05	4.2	0.190	0.24
J843422		560	5.7	51.3	<0.002	0.11	0.09	3.9	1	0.8	270	0.19	<0.05	4.1	0.160	0.26
J843423		600	6.1	56.3	<0.002	0.09	0.10	6.9	1	1.0	258	0.30	<0.05	2.3	0.196	0.22
J843424		670	5.7	57.5	<0.002	0.09	0.10	6.8	1	1.1	251	0.27	0.17	2.0	0.215	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J843387		0.7	27	1.6	5.0	29	135.0									
J843387 CRD		0.7	27	1.5	4.8	29	135.0									
J843388		1.1	41	0.8	4.9	10	112.5		0.28	1.0	74.00	14.18	1.85	1.21	0.38	3.67
J843389		0.7	52	1.8	4.4	20	76.7									
J843390		1.1	155	13.9	13.6	149	22.7									
J843391		0.4	152	5.6	7.3	232	85.9									
J843392		0.7	64	3.5	7.2	54	138.5									
J843393		0.6	83	3.2	5.8	43	99.4									
J843394		0.1	235	3.7	5.0	144	28.7									
J843395		0.8	49	2.6	4.3	28	123.0									
J843396		0.2	155	5.7	6.9	157	71.1									
J843397		0.7	61	4.1	6.4	68	151.0									
J843398		0.5	60	1.6	5.4	68	98.5									
J843399		0.4	56	7.3	4.1	82	82.3									
J843400		0.7	103	5.2	13.5	147	24.4	1.275								
J843401		0.4	22	1.5	4.0	43	107.5									
J843402		0.5	22	1.1	4.4	45	157.5									
J843403		0.5	28	1.5	4.7	55	181.5									
J843404		0.5	29	2.1	6.1	60	213									
J843405		0.6	29	1.3	7.3	56	220									
J843406		0.4	26	1.8	6.6	43	201									
J843407		0.4	28	2.0	6.7	47	201									
J843407 CRD		0.4	29	2.0	6.9	48	205									
J843408		0.3	29	1.5	5.5	45	194.0		0.74	2.7	66.17	14.28	3.40	3.59	0.92	3.48
J843409		0.4	68	2.7	5.7	73	85.0									
J843410		0.5	53	2.0	4.9	56	114.0									
J843411		0.4	30	2.0	8.8	44	195.5									
J843412		0.5	30	1.8	8.5	39	188.0									
J843413		0.6	49	1.2	9.4	49	134.0									
J843414		0.5	62	3.3	7.4	55	174.0									
J843415		1.2	152	10.5	16.5	174	36.7	2.15								
J843416		0.8	38	2.8	8.5	50	216									
J843417		0.7	12	1.5	2.9	16	56.2									
J843418		0.4	12	0.3	2.2	23	67.9									
J843419		0.5	45	3.9	5.8	74	182.5									
J843420		0.5	34	3.4	4.6	63	192.5									
J843421		0.5	41	4.3	4.4	63	144.0									
J843422		0.4	29	2.8	4.0	51	146.0									
J843423		0.4	45	4.0	5.1	77	115.0									
J843424		0.3	50	4.0	5.3	75	116.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843387 J843387 CRD J843388 J843389 J843390		2.44	0.01	0.14	0.01	0.041	0.03	0.04	1.96	99.96
J843391 J843392 J843393 J843394 J843395										
J843396 J843397 J843398 J843399 J843400										
J843401 J843402 J843403 J843404 J843405										
J843406 J843407 J843407 CRD J843408 J843409		2.08	<0.01	0.37	0.04	0.113	0.03	0.05	4.16	98.68
J843410 J843411 J843412 J843413 J843414										
J843415 J843416 J843417 J843418 J843419										
J843420 J843421 J843422 J843423 J843424										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843425		3.26	0.007		0.05	7.37	<0.2	370	0.89	0.04	3.35	0.07	44.9	15.3	17	1.05
J843426		3.04	0.421		0.36	8.10	<0.2	620	0.99	0.21	3.44	0.09	37.0	10.6	9	1.42
J843427		3.04	0.033		0.05	7.23	<0.2	410	0.97	0.05	2.38	0.05	31.5	4.5	6	1.00
J843427 CRD		<0.02	0.031		0.09	7.22	<0.2	400	0.86	0.04	2.37	0.05	31.0	3.8	7	1.03
J843428		3.28	0.031	0.032	0.06	7.00	<0.2	450	0.80	0.05	2.26	0.04	62.7	5.6	12	1.04
J843429		3.42	0.072		0.10	6.44	0.2	390	0.83	0.10	2.18	0.05	61.8	5.4	10	1.03
J843430		0.07	0.424		2.19	7.51	99.1	590	1.19	0.52	0.57	1.01	32.1	17.9	34	7.38
J843431		3.28	0.011		0.02	7.14	<0.2	400	0.74	0.03	2.38	0.04	62.0	5.5	10	0.95
J843432		3.22	0.009		0.04	6.90	<0.2	500	0.83	0.03	1.87	0.04	38.1	3.6	7	0.98
J843433		3.20	0.015		0.02	6.63	<0.2	450	0.80	0.02	2.09	0.04	50.6	5.5	9	0.98
J843434		3.33	0.008		0.01	6.88	<0.2	490	0.69	0.02	2.92	0.05	68.5	7.7	11	1.02
J843435		3.21	0.005		<0.01	7.21	<0.2	550	0.92	0.01	2.69	0.05	72.6	6.0	11	1.24
J843436		3.54	0.014		0.03	6.89	0.2	480	0.86	0.04	2.61	0.05	60.1	6.6	9	0.98
J843437		3.10	0.005		0.01	7.09	0.4	480	0.70	0.02	2.41	0.04	69.7	6.4	12	0.89
J843438		2.95	0.010		0.02	6.74	<0.2	500	0.70	0.01	2.74	0.05	70.0	6.1	11	0.92
J843439		3.21	0.056		0.07	6.82	<0.2	540	0.87	0.04	2.37	0.04	69.7	6.0	10	1.02
J843440		3.70	0.045		0.07	6.74	<0.2	530	0.90	0.11	2.28	0.05	74.4	6.2	12	0.94
J843441		2.38	<0.005		0.04	7.24	<0.2	570	0.92	0.02	2.39	0.05	80.1	7.9	13	0.87
J843442		2.81	<0.005		0.15	7.14	0.5	230	0.74	0.06	3.97	0.06	91.5	21.9	30	0.27
J843443		3.96	0.007		0.06	7.03	0.2	540	0.88	0.04	2.23	0.05	71.5	6.5	11	0.91
J843444		3.30	<0.005		0.02	6.93	<0.2	480	0.82	0.03	2.26	<0.02	68.0	6.3	10	0.90
J843445		0.99	<0.005		<0.01	0.14	<5	10	<0.05	0.01	20.7	<0.02	2.83	1.0	2	0.11
J843446		3.09	0.007		0.03	6.74	0.2	480	0.89	0.01	2.06	0.04	61.3	5.0	9	1.02
J843447		3.56	0.009		0.04	7.17	0.2	360	1.00	0.02	2.88	0.07	56.1	13.0	13	1.01
J843447 CRD		<0.02	0.011		0.04	6.81	<0.2	340	0.92	0.03	2.72	0.08	48.5	12.5	12	0.98
J843448		3.25	0.085	0.084	0.20	6.93	<0.2	250	0.94	0.07	3.86	0.12	46.1	15.5	21	0.82
J843449		3.22	<0.005		0.05	6.98	<0.2	280	0.92	0.03	3.70	0.11	43.2	15.7	21	0.94
J843450		3.21	0.022		0.09	7.05	0.2	370	0.91	0.03	3.92	0.13	47.2	14.3	26	1.16
J843451		3.19	0.059		0.34	6.95	<0.2	380	0.97	0.04	3.86	0.13	48.7	14.1	23	1.09
J843452		3.63	0.517		1.08	7.24	0.3	340	0.93	0.48	3.66	0.12	55.5	19.1	24	1.06
J843453		3.28	0.180		0.50	6.75	<0.2	360	0.82	0.14	3.19	0.09	38.1	10.7	16	1.01
J843454		2.98	0.118		0.47	7.20	<0.2	410	1.03	0.13	2.03	0.06	50.5	5.1	6	0.99
J843455		3.09	0.062		0.08	6.68	<0.2	310	0.95	0.03	1.62	0.04	37.1	3.2	9	0.81
J843456		2.70	0.010		0.01	6.87	<0.2	310	0.91	0.03	2.40	0.05	29.1	4.9	9	0.83
J843457		3.08	0.009		0.06	7.18	<0.2	420	0.90	0.02	2.20	0.05	31.0	4.9	9	0.94
J843458		3.23	<0.005		<0.01	7.03	<0.2	470	0.76	0.01	2.09	0.03	33.5	5.5	10	0.83
J843459		2.57	0.015		0.03	6.98	<0.2	390	0.82	0.02	2.31	0.04	31.1	5.0	9	0.82
J843460		0.07	0.969		4.64	6.04	19.7	460	0.69	1.84	2.29	2.04	21.3	13.5	63	0.78
J843461		3.87	<0.005		0.01	7.03	0.5	390	0.86	0.01	2.28	0.05	32.6	12.6	18	0.84
J843462		3.43	0.007		0.05	6.98	0.2	340	0.81	0.03	2.91	0.06	33.0	15.3	37	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 29-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J843425		65.8	4.78	23.2	0.21	2.8	0.054	1.83	21.7	18.8	1.01	619	0.25	2.15	8.9	12.2
J843426		4.8	3.48	26.1	0.21	3.9	0.037	2.96	20.3	12.0	0.70	502	10.15	2.35	7.3	7.5
J843427		8.2	1.67	20.2	0.21	3.2	0.017	2.15	16.4	4.9	0.39	298	0.84	2.94	4.4	3.9
J843427 CRD		6.3	1.68	19.40	0.20	3.1	0.017	2.10	16.4	4.7	0.39	301	0.94	2.90	4.3	4.0
J843428		8.0	2.32	19.15	0.22	4.1	0.020	1.99	34.9	7.8	0.49	287	0.18	2.48	5.1	5.4
J843429		6.7	2.06	19.20	0.22	3.2	0.019	1.94	33.7	7.1	0.40	300	0.36	2.33	4.9	4.6
J843430		4540	4.73	18.70	0.24	0.7	0.062	4.71	19.1	11.1	0.78	484	263	1.07	5.5	24.7
J843431		8.1	2.26	19.55	0.23	3.7	0.020	1.81	34.4	8.1	0.43	317	2.01	2.73	4.7	5.2
J843432		7.3	1.71	19.10	0.18	2.5	0.018	1.86	22.0	4.4	0.28	229	0.18	2.90	4.7	3.4
J843433		9.8	2.27	19.15	0.21	3.9	0.026	1.83	28.9	8.0	0.43	286	1.00	2.52	6.1	5.5
J843434		3.7	2.68	19.30	0.22	4.4	0.033	1.95	36.2	9.1	0.51	367	0.18	2.41	5.5	6.8
J843435		4.3	2.76	20.6	0.24	4.6	0.031	2.35	38.5	8.4	0.54	341	0.18	2.20	5.6	7.1
J843436		14.7	2.48	21.1	0.20	3.6	0.024	1.96	34.1	8.2	0.47	335	31.8	2.64	5.8	6.4
J843437		5.0	2.52	18.70	0.13	4.4	0.027	1.85	32.9	10.9	0.47	322	0.45	2.49	5.4	6.6
J843438		3.2	2.56	17.05	0.12	4.9	0.030	1.84	32.6	10.7	0.45	367	0.27	2.33	5.1	6.8
J843439		5.6	2.44	17.75	0.12	4.7	0.030	2.00	33.3	10.8	0.45	336	0.17	2.05	5.3	6.3
J843440		24.3	2.50	18.40	0.12	4.8	0.036	1.79	34.6	11.3	0.47	354	2.58	2.21	8.4	6.4
J843441		25.7	2.71	18.55	0.12	4.9	0.039	1.66	37.0	16.0	0.67	379	1.04	2.49	5.4	9.0
J843442		41.2	4.39	18.15	0.17	5.3	0.037	0.54	41.2	46.5	2.28	738	0.96	2.71	5.9	29.5
J843443		30.7	2.47	18.35	0.13	5.0	0.031	1.72	33.4	12.0	0.50	361	0.25	2.48	5.5	7.2
J843444		8.2	2.54	17.05	0.12	4.7	0.030	1.81	32.7	10.3	0.46	371	163.5	2.32	5.5	6.5
J843445		1.0	0.08	0.33	<0.05	0.1	<0.005	0.11	2.0	4.2	12.75	48	0.37	0.03	0.4	1.6
J843446		4.3	2.32	18.00	0.11	4.5	0.027	1.97	29.4	8.9	0.42	333	0.43	2.20	5.2	5.5
J843447		49.9	4.14	19.70	0.13	3.7	0.040	1.70	23.8	19.1	0.88	601	0.11	2.38	6.7	10.7
J843447 CRD		43.9	3.96	19.15	0.12	3.5	0.041	1.61	20.4	18.0	0.80	581	0.12	2.32	6.6	10.4
J843448		33.5	4.67	18.00	0.15	2.8	0.043	1.32	20.0	22.1	1.09	800	0.13	2.58	7.1	14.8
J843449		40.1	4.76	18.80	0.14	2.7	0.046	1.52	18.0	22.1	1.05	772	0.27	2.29	7.2	15.0
J843450		52.9	4.76	19.95	0.16	3.2	0.050	2.02	19.9	17.8	0.96	772	0.41	2.08	8.3	15.0
J843451		54.8	4.58	19.70	0.16	3.2	0.048	1.94	20.9	16.5	0.90	736	0.60	2.14	8.4	14.4
J843452		23.7	4.98	19.55	0.16	3.2	0.045	1.84	25.6	17.6	0.96	715	0.26	2.41	9.1	16.1
J843453		26.7	3.54	18.95	0.12	2.9	0.038	1.92	16.7	13.8	0.73	532	0.36	2.36	6.7	9.3
J843454		8.3	1.80	19.40	0.11	3.5	0.024	1.86	25.7	5.4	0.32	287	2.74	3.20	7.1	4.7
J843455		4.2	1.32	16.60	0.09	3.5	0.016	1.48	18.7	4.9	0.26	238	0.25	3.28	6.3	5.6
J843456		4.3	1.77	17.80	0.10	3.5	0.019	1.63	15.1	8.8	0.42	343	0.19	3.07	5.3	7.5
J843457		4.2	1.67	18.45	0.10	3.7	0.019	1.99	16.0	8.9	0.39	288	0.57	2.61	4.3	7.5
J843458		8.8	1.85	17.75	0.10	3.8	0.015	1.66	18.0	10.3	0.42	253	0.15	2.66	3.7	8.3
J843459		7.4	1.65	17.75	0.09	4.0	0.015	1.65	16.4	9.6	0.38	269	0.21	3.07	4.7	7.8
J843460		>10000	4.38	12.35	0.14	1.0	0.133	0.80	10.1	14.7	1.12	637	226	2.14	4.0	33.7
J843461		17.3	2.43	18.05	0.10	3.3	0.022	1.65	16.7	15.8	0.68	359	0.25	2.66	6.0	17.3
J843462		12.6	3.83	18.40	0.14	3.0	0.037	1.30	14.2	27.3	1.19	585	0.30	2.57	5.7	33.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J843425		1160	4.8	59.6	<0.002	0.05	0.13	13.5	1	1.7	296	0.47	<0.05	2.1	0.291	0.26
J843426		760	5.6	70.2	<0.002	0.42	0.13	8.2	1	1.4	192.0	0.34	0.27	4.5	0.256	0.38
J843427		310	4.7	54.5	<0.002	0.10	0.08	2.6	1	0.8	211	0.17	0.05	5.6	0.125	0.25
J843427 CRD		300	4.6	54.5	<0.002	0.09	0.06	2.4	1	0.8	209	0.17	0.06	5.2	0.122	0.25
J843428		460	4.5	52.1	<0.002	0.06	0.09	3.2	1	0.9	197.5	0.16	0.06	9.0	0.158	0.25
J843429		370	4.8	50.7	<0.002	0.07	0.08	3.4	1	1.0	190.5	0.23	0.10	10.6	0.131	0.26
J843430		1120	44.0	114.0	0.614	2.45	7.00	13.0	9	3.0	259	0.31	0.95	2.7	0.251	1.38
J843431		450	5.7	59.8	<0.002	0.04	0.09	3.7	1	0.9	229	0.18	<0.05	9.0	0.141	0.26
J843432		320	6.2	53.7	<0.002	0.05	0.09	3.9	1	0.8	200	0.33	<0.05	6.7	0.113	0.25
J843433		440	5.7	49.0	<0.002	0.05	0.09	4.9	1	1.0	199.5	0.33	<0.05	8.4	0.155	0.26
J843434		530	6.7	55.0	<0.002	0.06	0.10	6.2	1	0.9	210	0.19	<0.05	8.6	0.180	0.27
J843435		540	5.8	63.1	<0.002	0.01	0.09	6.7	1	0.9	193.5	0.20	<0.05	9.6	0.183	0.32
J843436		530	5.6	51.8	0.003	0.09	0.09	5.3	1	1.0	213	0.24	<0.05	8.0	0.159	0.30
J843437		500	5.8	62.3	<0.002	0.03	0.10	5.1	1	0.9	230	0.20	<0.05	8.2	0.160	0.31
J843438		520	6.1	60.7	<0.002	0.02	0.10	5.0	1	1.0	197.0	0.19	<0.05	8.4	0.164	0.32
J843439		480	5.7	65.7	<0.002	0.04	0.10	4.9	1	1.1	169.5	0.23	<0.05	8.3	0.168	0.31
J843440		490	7.5	61.2	<0.002	0.07	0.10	5.5	1	1.5	183.0	0.39	<0.05	9.0	0.178	0.30
J843441		610	5.2	58.4	<0.002	0.01	0.10	6.1	1	1.2	258	0.20	<0.05	9.0	0.181	0.29
J843442		1440	8.2	17.4	<0.002	0.01	0.19	13.3	1	1.0	291	0.35	<0.05	5.9	0.372	0.08
J843443		530	7.1	58.8	<0.002	0.03	0.10	5.5	1	1.2	223	0.28	<0.05	8.8	0.161	0.29
J843444		500	6.1	58.9	0.015	0.04	0.09	5.1	1	1.2	195.0	0.28	<0.05	7.5	0.172	0.28
J843445		10	1.1	2.7	<0.002	0.03	<0.05	0.3	1	<0.2	64.9	<0.05	<0.05	0.3	0.007	<0.02
J843446		470	5.7	64.9	<0.002	0.01	0.09	5.1	1	1.0	166.0	0.23	<0.05	6.9	0.144	0.31
J843447		890	6.1	51.3	<0.002	0.05	0.09	10.6	1	1.5	215	0.37	<0.05	3.9	0.219	0.23
J843447 CRD		830	6.4	49.7	<0.002	0.04	0.09	10.2	1	1.5	206	0.36	<0.05	3.6	0.211	0.24
J843448		950	7.2	42.7	<0.002	0.13	0.09	12.2	1	1.4	227	0.50	0.10	1.7	0.255	0.18
J843449		990	6.6	45.3	<0.002	0.03	0.10	12.8	1	1.6	235	0.43	<0.05	1.6	0.254	0.20
J843450		1000	7.6	61.2	<0.002	0.05	0.12	12.7	1	1.8	218	0.51	<0.05	1.8	0.291	0.28
J843451		990	7.5	59.5	<0.002	0.07	0.12	12.3	1	1.6	216	0.50	0.05	1.9	0.291	0.26
J843452		960	14.9	59.6	<0.002	1.08	0.13	11.3	2	1.7	285	0.53	0.96	2.9	0.293	0.24
J843453		830	7.6	55.7	<0.002	0.25	0.11	8.0	1	1.5	254	0.39	0.27	1.9	0.245	0.25
J843454		410	6.1	60.1	<0.002	0.16	0.09	4.2	1	1.3	177.5	0.61	0.15	8.4	0.134	0.25
J843455		220	6.4	49.3	<0.002	0.08	0.07	3.3	1	1.5	172.0	0.72	0.08	7.5	0.098	0.21
J843456		320	7.0	53.9	<0.002	0.05	0.07	3.6	1	1.3	200	0.52	<0.05	5.4	0.137	0.24
J843457		340	6.1	65.7	<0.002	0.02	0.07	3.4	1	1.2	169.0	0.40	<0.05	5.7	0.145	0.30
J843458		370	6.2	57.5	<0.002	<0.01	0.07	3.1	1	1.1	236	0.39	<0.05	5.9	0.160	0.28
J843459		380	7.0	56.1	<0.002	0.02	0.09	3.0	1	1.1	194.0	0.40	<0.05	5.6	0.161	0.27
J843460		560	40.4	24.7	1.285	1.52	24.2	13.9	5	1.0	274	0.26	0.56	2.0	0.316	0.21
J843461		360	6.4	56.4	<0.002	0.01	0.13	6.0	1	1.7	177.0	0.49	<0.05	5.2	0.206	0.27
J843462		430	6.4	38.0	<0.002	<0.01	0.18	10.7	1	1.3	188.5	0.37	<0.05	3.9	0.268	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J843425		0.4	82	1.3	9.9	114	122.0									
J843426		0.5	58	4.7	5.9	81	176.5									
J843427		0.4	21	1.9	4.0	33	119.5									
J843427 CRD		0.4	20	1.8	3.8	33	113.0									
J843428		0.5	27	1.5	6.3	53	179.5		0.63	2.3	67.40	14.20	3.23	2.98	0.86	3.29
J843429		0.7	27	1.9	6.1	53	123.5									
J843430		1.2	157	12.1	17.0	149	25.5									
J843431		0.5	23	1.9	6.4	65	155.0									
J843432		1.3	19	2.7	6.5	36	101.5									
J843433		1.1	25	3.2	7.9	63	171.0									
J843434		0.4	30	2.2	9.5	70	201									
J843435		0.5	34	3.5	7.9	65	219									
J843436		0.5	29	2.0	6.4	56	155.0									
J843437		0.4	28	1.4	7.9	67	185.5									
J843438		0.4	29	2.0	8.1	63	203									
J843439		0.5	29	1.8	8.2	53	188.0									
J843440		0.7	33	2.0	9.8	53	197.0									
J843441		0.5	35	0.7	10.6	61	208									
J843442		1.3	103	1.0	13.5	148	188.0									
J843443		0.6	28	1.1	11.1	57	204									
J843444		0.7	27	1.7	11.4	62	196.0									
J843445		0.1	2	<0.1	1.7	<2	2.4									
J843446		0.4	26	2.0	7.1	51	183.5									
J843447		0.4	74	1.3	10.4	90	146.0									
J843447 CRD		0.5	71	1.3	9.6	86	138.5									
J843448		0.7	75	3.5	7.9	100	117.5		1.18	4.3	57.76	14.05	6.98	5.63	1.94	3.52
J843449		0.4	89	3.3	9.0	106	120.0									
J843450		0.9	81	6.7	8.9	96	131.0									
J843451		1.1	78	6.9	8.6	90	131.5									
J843452		0.7	72	10.3	7.6	94	130.5									
J843453		0.5	55	6.1	5.4	86	125.0									
J843454		0.8	29	3.7	5.5	35	125.0									
J843455		0.8	16	2.4	5.5	31	119.5									
J843456		1.1	21	2.5	7.5	53	142.5									
J843457		1.2	24	1.7	7.0	50	149.0									
J843458		1.1	23	1.0	6.4	54	156.5									
J843459		1.3	23	3.5	6.8	46	162.5									
J843460		0.8	101	5.3	15.1	138	29.0	1.260								
J843461		1.4	46	2.0	7.3	64	131.0									
J843462		0.5	84	1.6	8.7	86	113.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J843425										
J843426										
J843427										
J843427 CRD										
J843428		2.34	<0.01	0.35	0.03	0.098	0.03	0.04	3.65	98.50
J843429										
J843430										
J843431										
J843432										
J843433										
J843434										
J843435										
J843436										
J843437										
J843438										
J843439										
J843440										
J843441										
J843442										
J843443										
J843444										
J843445										
J843446										
J843447										
J843447 CRD										
J843448		1.64	<0.01	0.68	0.11	0.200	0.03	0.02	5.98	98.54
J843449										
J843450										
J843451										
J843452										
J843453										
J843454										
J843455										
J843456										
J843457										
J843458										
J843459										
J843460										
J843461										
J843462										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J843463		3.14	0.008		0.05	6.97	<0.2	410	0.85	0.06	3.01	0.06	40.0	13.0	19	0.87
J843464		3.40	0.078		0.07	6.41	<0.2	470	0.98	0.04	3.19	0.10	36.7	13.5	33	1.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J843463		32.9	3.13	18.55	0.14	3.3	0.029	1.53	17.8	22.2	0.92	500	0.16	2.65	5.5	19.4
J843464		47.0	3.12	18.10	0.13	2.9	0.032	2.20	16.1	20.8	0.90	499	2.14	1.41	5.2	19.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J843463		650	6.6	47.7	<0.002	0.01	0.16	10.2	1	1.1	196.5	0.42	<0.05	4.1	0.278	0.26
J843464		480	6.7	64.5	<0.002	0.11	0.11	9.0	1	1.1	139.5	0.36	<0.05	4.0	0.240	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J843463		0.8	59	2.2	8.1	66	127.5									
J843464		0.6	65	2.6	6.2	65	103.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
J843463										
J843464										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186639

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.