ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE TB10180659

Project: HAMMOND REEF

P.O. No.:

This report is for 147 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840528		3.23	<0.005		0.04	5.98	<0.2	160	0.20	0.05	6.29	<0.02	25.9	1.6	11	0.25
J840529		3.91	<0.005		0.05	6.62	<0.2	160	0.34	0.05	6.76	<0.02	28.7	2.6	11	0.35
J840530		0.07	0.430		2.21	7.59	108.5	580	1.18	0.49	0.53	1.11	28.6	17.5	32	6.64
J840531		3.17	<0.005		0.03	7.34	<0.2	210	0.85	0.02	3.47	0.02	37.3	8.7	16	0.41
J840532		3.39	<0.005		0.06	7.34	<0.2	90	0.65	0.05	4.27	0.02	50.3	12.7	63	0.27
J840533		3.75	<0.005		0.03	7.33	0.3	100	0.79	0.03	3.32	0.02	45.3	9.1	12	0.21
J840534		3.59	<0.005		0.06	6.98	<0.2	100	0.95	0.03	3.66	0.02	34.1	7.7	11	0.21
J840535		3.36	<0.005		0.04	6.93	<0.2	60	0.83	0.03	3.67	<0.02	24.4	4.4	12	0.24
J840536		3.03	<0.005		0.05	7.33	<0.2	110	0.91	0.02	3.03	0.02	41.0	8.6	14	0.25
J840537		3.54	<0.005		<0.01	6.93	<0.2	160	0.91	0.11	3.25	0.03	44.1	8.9	15	0.27
J840538		3.55	<0.005		<0.01	6.83	<0.2	160	0.83	0.06	4.24	0.03	45.4	10.0	13	0.23
J840539		3.32	0.007		<0.01	7.11	<0.2	210	1.05	0.02	2.99	0.04	39.1	10.6	18	0.30
J840540		3.18	<0.005		<0.01	7.08	<0.2	160	0.85	0.04	3.04	0.04	35.1	7.9	17	0.28
J840541		3.61	<0.005		0.02	7.39	<0.2	160	0.80	0.02	4.23	0.02	57.4	13.4	25	0.29
J840542		3.62	<0.005		0.04	6.77	<0.2	170	0.94	<0.01	3.03	0.02	42.8	12.0	21	0.33
J840543		3.66	<0.005		0.01	6.87	<0.2	210	0.98	0.02	3.05	0.02	59.3	10.7	19	0.36
J840544		3.47	0.439		0.06	6.85	<0.2	300	0.91	0.02	2.74	0.04	72.3	7.4	11	0.38
J840545		1.01	<0.005		<0.01	0.14	6	20	0.05	0.01	20.1	<0.02	3.12	0.9	1	0.09
J840546		3.47	0.023		0.01	7.17	<0.2	320	0.81	<0.01	2.56	0.04	55.4	6.8	10	0.34
J840547		3.60	0.051		0.02	7.14	<0.2	350	0.86	<0.01	2.82	0.05	40.6	9.5	20	0.49
J840547 CRD		<0.02	0.056		0.01	7.28	<0.2	370	0.89	<0.01	2.72	0.04	40.3	9.0	19	0.49
J840548		3.48	0.036	0.050	0.17	6.94	<0.2	320	1.07	<0.01	2.45	0.07	49.2	11.6	11	0.59
J840549		3.50	0.017		0.04	6.67	<0.2	290	1.10	<0.01	2.51	0.05	37.3	8.7	14	0.50
J840550		3.63	0.012		0.05	7.29	<0.2	320	1.15	<0.01	3.45	0.07	38.9	16.0	21	0.58
J840551		2.93	0.045		0.07	7.10	<0.2	430	1.15	<0.01	3.49	0.06	31.9	15.3	22	0.57
J840552		3.51	0.028		0.08	7.04	<0.2	290	0.90	0.03	3.52	0.07	44.4	15.8	27	0.42
J840553		3.74	<0.005		<0.01	6.93	0.2	330	0.89	0.03	2.89	0.05	48.4	10.3	10	0.40
J840554		3.35	<0.005		0.03	6.81	0.5	280	1.09	<0.01	2.27	0.03	53.1	5.6	12	0.49
J840555		3.56	0.005		0.02	6.88	1.7	300	1.06	0.03	2.66	0.03	34.6	9.4	8	0.63
J840556		3.27	<0.005		<0.01	6.69	1.5	250	1.06	<0.01	2.35	0.02	43.2	4.6	14	0.47
J840557		3.18	<0.005		<0.01	6.67	1.0	280	1.00	<0.01	2.18	0.02	28.9	4.1	14	0.37
J840558		3.57	<0.005		0.09	6.69	1.8	320	1.33	<0.01	1.71	0.03	38.3	6.0	16	0.55
J840559		3.47	0.006		0.02	6.72	1.8	330	1.07	<0.01	2.68	0.04	34.8	7.4	13	0.59
J840560		0.07	1.040		4.67	6.54	20.9	490	0.74	1.81	2.44	2.31	23.7	15.4	60	0.82
J840561		3.56	<0.005		0.04	7.37	<0.2	300	1.09	0.06	3.36	0.07	59.2	14.5	12	0.43
J840562		3.51	0.061		<0.01	6.62	<0.2	260	1.77	<0.01	1.17	0.02	30.5	2.4	6	0.39
J840563		3.52	0.140		0.03	7.05	3.4	360	1.25	<0.01	2.06	0.05	46.9	9.4	11	0.54
J840564		3.12	0.196		0.02	7.16	2.7	510	1.10	0.03	2.23	0.08	67.9	10.2	11	0.96
J840565		3.47	0.009		0.01	6.92	2.6	410	1.08	0.02	2.39	0.06	89.2	7.1	11	0.61
J840566		3.59	<0.005		0.01	7.00	3.4	320	1.20	<0.01	2.51	0.05	47.2	8.9	11	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840528		1.9	2.39	22.6	0.10	2.1	0.036	0.59	11.8	4.6	0.13	175	0.15	0.33	5.5	2.7
J840529		2.3	2.51	23.5	0.14	2.6	0.041	0.63	13.3	7.9	0.22	186	0.16	0.46	7.8	3.9
J840530		4320	4.69	17.80	0.15	0.7	0.054	4.11	14.6	10.5	0.74	481	259	1.05	5.4	23.0
J840531		3.4	2.49	19.55	0.13	3.0	0.020	0.86	16.7	23.9	0.85	192	0.48	1.95	8.4	11.7
J840532		3.5	3.15	20.4	0.19	2.9	0.031	0.38	22.5	27.9	1.30	246	0.22	1.98	7.5	48.1
J840533		2.7	2.47	21.0	0.15	3.5	0.028	0.37	20.4	22.0	0.84	200	0.16	2.57	8.6	9.2
J840534		3.5	2.16	20.7	0.17	3.2	0.026	0.37	16.3	24.6	0.65	181	0.18	2.28	10.3	7.1
J840535		2.2	1.93	19.45	0.13	2.0	0.022	0.20	11.5	12.1	0.37	154	0.20	2.52	8.1	7.4
J840536		1.1	2.19	19.85	0.14	2.6	0.025	0.39	19.3	24.8	0.76	170	0.18	2.66	8.1	10.7
J840537		2.1	2.27	20.2	0.09	2.8	0.027	0.51	20.8	22.6	0.65	170	0.21	2.40	8.7	10.8
J840538		1.7	2.53	20.9	0.11	3.0	0.032	0.56	20.5	24.0	0.76	214	0.22	2.25	7.9	9.6
J840539		2.2	2.49	19.80	0.11	3.2	0.028	0.72	18.2	25.2	0.76	214	0.22	2.45	8.0	9.8
J840540		1.8	2.29	19.75	0.10	2.9	0.030	0.58	16.2	17.5	0.56	191	0.19	2.23	6.2	9.5
J840541		10.4	3.64	22.4	0.14	2.6	0.042	0.58	27.1	21.2	0.95	334	0.23	1.86	7.6	18.6
J840542		35.2	2.92	20.7	0.11	2.6	0.038	0.50	19.4	20.5	0.84	327	0.18	2.70	7.3	16.3
J840543		19.2	2.85	19.95	0.13	3.3	0.029	0.62	26.7	17.5	0.72	325	0.18	2.72	6.4	13.1
J840544		3.2	2.38	19.90	0.13	5.2	0.023	0.89	33.6	10.7	0.48	296	1.14	3.06	6.3	8.0
J840545		0.8	0.08	0.42	0.28	0.1	<0.005	0.10	2.3	4.4	13.05	47	0.13	0.02	0.4	<0.2
J840546		5.9	2.36	20.3	0.15	3.9	0.019	0.88	26.1	10.4	0.48	300	0.15	2.96	6.2	5.8
J840547		7.5	2.94	21.3	0.14	2.7	0.035	1.06	18.0	13.0	0.67	460	0.17	2.80	7.6	12.2
J840547 CRD		11.3	2.80	21.0	0.14	2.6	0.032	1.08	18.3	12.5	0.63	434	0.17	2.85	7.5	11.0
J840548		146.0	3.32	19.70	0.14	3.8	0.032	1.04	21.6	12.5	0.63	495	0.16	2.82	9.2	9.0
J840549		62.2	2.49	19.85	0.12	3.1	0.021	0.99	15.9	8.5	0.60	402	0.16	2.97	7.6	11.0
J840550		23.6	3.82	22.1	0.15	3.1	0.036	1.05	16.3	13.7	1.06	631	0.32	3.05	10.2	19.9
J840551		18.5	3.76	22.0	0.14	2.7	0.035	1.06	12.7	13.6	1.04	637	0.29	3.04	10.3	21.1
J840552		37.0	3.66	19.05	0.14	2.2	0.031	0.78	18.7	10.7	1.15	627	6.18	2.69	8.3	27.2
J840553		5.9	2.93	20.1	0.14	3.6	0.027	0.88	21.2	9.5	0.69	466	0.23	2.85	7.7	10.5
J840554		19.4	1.91	18.90	0.13	3.5	0.015	1.18	22.2	6.7	0.37	259	0.21	2.84	6.6	8.1
J840555		15.3	2.69	19.85	0.12	3.2	0.026	1.40	14.9	10.7	0.64	322	0.53	2.35	6.7	8.3
J840556		1.6	1.51	18.00	0.10	3.3	0.013	1.00	19.5	5.5	0.33	185	2.63	2.75	4.8	6.5
J840557		4.7	1.63	18.40	0.10	2.4	0.015	0.90	12.7	5.0	0.30	248	0.17	3.02	6.1	6.5
J840558		69.0	1.66	20.0	0.10	2.3	0.015	1.33	17.2	6.3	0.37	333	0.17	3.13	13.3	10.8
J840559		17.7	2.27	18.85	0.13	2.6	0.020	1.23	15.3	8.0	0.54	394	0.20	2.87	6.4	10.6
J840560		>10000	4.62	14.00	0.14	0.9	0.139	0.85	11.2	13.8	1.16	661	237	2.23	4.4	33.0
J840561		24.5	4.30	21.4	0.14	3.7	0.044	0.92	25.3	9.1	0.91	719	0.25	2.65	10.8	12.8
J840562		11.3	1.32	22.0	0.08	2.8	0.015	2.11	13.9	3.3	0.16	333	0.39	3.61	20.0	2.0
J840563		17.1	2.82	21.5	0.15	4.7	0.040	1.30	20.4	8.3	0.57	459	0.37	2.94	13.7	7.5
J840564		14.8	2.82	21.5	0.15	4.7	0.032	1.68	30.4	9.8	0.61	431	0.43	2.66	9.5	8.0
J840565		15.4	2.41	20.5	0.15	5.4	0.026	1.19	39.8	7.8	0.55	392	0.16	2.85	8.3	7.3
J840566		4.4	2.56	20.3	0.14	2.9	0.026	0.97	21.4	9.3	0.63	422	0.23	2.99	7.4	12.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840528		460	3.1	10.3	<0.002	<0.01	0.26	3.4	2	1.6	427	0.29	<0.05	3.2	0.191	0.08
J840529		550	4.3	11.5	<0.002	<0.01	0.29	5.3	2	1.7	465	0.47	<0.05	2.5	0.232	0.08
J840530		1120	37.4	99.1	0.641	2.49	7.71	10.7	9	3.2	250	0.31	0.92	2.2	0.248	1.36
J840531		720	3.2	17.9	<0.002	0.01	0.26	6.8	2	1.1	292	0.44	<0.05	4.2	0.281	0.12
J840532		780	3.6	8.0	<0.002	0.01	0.20	8.8	2	1.4	302	0.48	<0.05	4.7	0.305	0.05
J840533		670	3.0	8.5	<0.002	0.02	0.15	6.5	2	1.3	294	0.39	<0.05	4.3	0.274	0.05
J840534		600	3.3	7.5	<0.002	<0.01	0.13	6.3	2	1.7	304	0.83	<0.05	3.6	0.251	0.05
J840535		350	3.4	3.6	<0.002	<0.01	0.21	5.4	2	1.4	268	0.79	<0.05	4.9	0.147	0.03
J840536		620	2.9	8.1	<0.002	<0.01	0.15	7.4	2	1.3	287	0.45	<0.05	5.3	0.242	0.05
J840537		600	5.0	13.7	<0.002	<0.01	0.24	8.5	1	1.3	276	0.63	<0.05	5.8	0.241	0.08
J840538		650	4.3	14.9	<0.002	0.01	0.22	7.0	1	1.4	274	0.45	<0.05	6.4	0.254	0.09
J840539		600	4.0	21.1	<0.002	0.01	0.17	7.2	1	1.4	246	0.61	<0.05	6.0	0.239	0.11
J840540		430	4.0	15.5	<0.002	<0.01	0.13	6.7	1	1.2	290	0.47	<0.05	4.6	0.199	0.09
J840541		690	3.8	16.8	<0.002	<0.01	0.12	10.1	1	1.7	314	0.70	<0.05	5.5	0.292	0.09
J840542		590	4.1	12.6	<0.002	0.02	0.12	8.3	1	1.5	262	0.53	<0.05	4.4	0.253	0.08
J840543		580	4.9	16.6	<0.002	0.01	0.13	9.3	1	1.2	254	0.49	<0.05	7.1	0.236	0.10
J840544		430	6.8	29.7	<0.002	0.16	0.15	6.5	1	1.1	208	0.40	0.09	10.6	0.201	0.15
J840545		20	1.1	2.8	<0.002	0.03	<0.05	0.3	1	<0.2	69.2	<0.05	<0.05	0.3	0.007	<0.02
J840546		450	5.9	32.4	<0.002	0.01	0.18	4.4	1	1.0	211	0.40	<0.05	7.2	0.220	0.15
J840547		530	5.9	37.4	<0.002	0.01	0.13	9.1	1	1.5	210	0.65	<0.05	4.9	0.229	0.18
J840547 CRD		540	5.7	38.7	<0.002	0.02	0.12	8.9	1	1.5	206	0.64	<0.05	4.7	0.225	0.19
J840548		600	5.3	41.0	<0.002	0.11	0.10	8.4	1	1.6	190.5	0.81	<0.05	4.7	0.250	0.18
J840549		490	5.1	34.1	<0.002	0.04	0.10	5.7	1	1.3	212	0.68	<0.05	3.7	0.200	0.16
J840550		660	7.7	36.2	<0.002	0.04	0.12	11.4	1	1.6	242	0.89	<0.05	3.7	0.385	0.18
J840551		670	8.2	32.3	<0.002	0.04	0.13	10.6	1	1.6	242	0.99	<0.05	2.8	0.377	0.19
J840552		690	6.5	28.2	<0.002	0.05	0.15	11.2	1	1.3	279	0.68	<0.05	3.3	0.353	0.14
J840553		560	6.2	32.7	<0.002	0.01	0.14	7.5	1	1.4	241	0.46	<0.05	6.6	0.284	0.16
J840554		880	5.0	41.2	<0.002	0.05	0.07	3.3	1	1.2	182.5	0.52	<0.05	5.8	0.162	0.19
J840555		300	5.7	46.8	<0.002	0.02	0.07	6.4	1	1.5	186.5	0.48	<0.05	5.6	0.219	0.24
J840556		250	5.4	34.9	<0.002	<0.01	0.10	3.4	1	0.9	211	0.36	<0.05	6.6	0.122	0.17
J840557		260	5.5	32.6	<0.002	0.01	0.17	3.3	1	1.1	194.0	0.38	<0.05	5.1	0.120	0.15
J840558		300	10.6	42.4	<0.002	0.05	0.06	4.4	1	1.3	112.0	2.21	<0.05	6.2	0.118	0.22
J840559		320	9.1	46.0	<0.002	0.03	0.09	4.9	1	1.2	183.5	0.47	<0.05	4.8	0.191	0.23
J840560		590	39.9	28.0	1.430	1.64	26.5	15.4	6	1.1	288	0.30	0.59	2.2	0.326	0.22
J840561		840	6.9	35.7	<0.002	0.03	0.05	11.9	1	2.1	188.0	0.80	<0.05	4.2	0.340	0.17
J840562		170	10.3	47.4	<0.002	0.05	0.07	4.1	1	2.1	81.1	2.30	<0.05	6.2	0.059	0.24
J840563		560	14.3	50.2	<0.002	0.04	0.09	9.2	1	2.4	142.5	1.04	<0.05	8.2	0.219	0.20
J840564		620	18.5	56.3	<0.002	0.05	0.11	8.6	1	1.9	145.0	0.60	0.07	10.3	0.250	0.30
J840565		480	17.6	46.8	<0.002	<0.01	0.11	6.2	1	1.6	181.5	0.41	<0.05	14.5	0.228	0.22
J840566		390	7.1	39.5	<0.002	<0.01	0.13	5.7	1	1.6	193.5	0.55	<0.05	6.4	0.224	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840528		0.4	43	0.3	7.1	<2	87.3									
J840529		0.5	49	0.4	10.1	2	108.5									
J840530		1.0	154	12.5	12.9	145	22.4									
J840531		0.4	43	1.0	10.0	9	145.0									
J840532		0.6	66	0.5	11.3	16	111.5									
J840533		0.5	44	0.5	11.2	11	153.0									
J840534		0.5	40	0.2	13.3	8	143.0									
J840535		1.0	34	0.2	17.4	4	67.0									
J840536		0.5	42	0.4	12.3	8	109.0									
J840537		0.7	41	2.3	14.7	10	110.5									
J840538		0.5	43	0.8	12.9	10	131.0									
J840539		0.5	41	1.1	13.2	10	132.0									
J840540		0.6	43	0.3	10.9	8	107.5									
J840541		0.5	72	0.4	12.3	21	108.0									
J840542		0.5	58	0.5	10.3	36	104.0									
J840543		0.6	46	0.3	10.2	36	134.0									
J840544		0.8	25	1.1	10.6	51	214									
J840545		0.1	<1	0.1	1.7	<2	2.8									
J840546		0.6	30	0.3	8.5	57	169.0									
J840547		0.9	48	0.6	15.2	68	112.0									
J840547 CRD		0.8	46	0.6	14.3	66	108.5									
J840548		1.0	52	0.6	16.3	68	148.0		0.05	0.2	66.55	14.58	4.82	3.53	1.18	3.90
J840549		0.8	42	0.6	11.0	57	119.5									
J840550		0.9	80	1.3	13.6	76	122.5									
J840551		0.9	80	1.4	12.2	76	110.0									
J840552		0.8	79	0.7	14.2	64	84.8									
J840553		0.8	49	0.2	11.8	63	148.0									
J840554		1.0	26	0.3	11.3	36	127.0									
J840555		0.9	50	0.3	9.1	23	120.0									
J840556		1.0	20	0.2	7.7	17	128.5									
J840557		0.9	19	0.2	8.7	30	91.4									
J840558		2.8	21	0.2	12.8	42	63.6									
J840559		1.0	37	0.3	8.4	52	96.5									
J840560		0.8	103	5.7	16.2	141	31.1	1.255								
J840561		0.9	71	0.1	22.5	98	155.5									
J840562		3.1	10	0.3	19.8	23	65.3									
J840563		2.0	41	0.4	25.9	53	156.0									
J840564		0.9	41	1.0	16.7	79	193.5									
J840565		1.0	33	0.5	14.3	54	226									
J840566		0.8	43	0.3	11.2	58	110.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840528										
J840529										
J840530										
J840531										
J840532										
J840533										
J840534										
J840535										
J840536										
J840537										
J840538										
J840539										
J840540										
J840541										
J840542										
J840543										
J840544										
J840545										
J840546										
J840547										
J840547 CRD										
J840548		1.28	<0.01	0.42	0.06	0.128	0.03	0.03	2.61	99.12
J840549										
J840550										
J840551										
J840552										
J840553										
J840554										
J840555										
J840556										
J840557										
J840558										
J840559										
J840560										
J840561										
J840562										
J840563										
J840564										
J840565										
J840566										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840567		2.80	<0.005		0.02	7.06	4.5	460	1.22	<0.01	2.30	0.05	58.2	8.6	12	0.61
J840567 CRD		<0.02	<0.005		0.04	7.25	5.6	440	1.20	<0.01	2.36	0.05	60.0	9.7	13	0.60
J840568		3.59	<0.005	<0.005	<0.01	7.09	2.7	340	1.04	0.03	2.47	0.04	49.9	7.5	11	0.44
J840569		3.35	<0.005		<0.01	7.31	5.0	280	0.95	<0.01	3.18	0.04	46.8	13.2	24	0.35
J840570		3.99	<0.005		<0.01	6.93	5.8	230	1.07	0.01	3.95	<0.02	36.6	9.5	21	0.33
J840571		3.56	<0.005		<0.01	7.58	9.5	220	0.73	0.04	3.96	0.02	32.4	11.1	28	0.29
J840572		3.74	<0.005		<0.01	7.52	6.1	400	0.92	0.03	2.99	0.02	30.2	10.2	18	0.38
J840573		3.41	<0.005		<0.01	7.58	6.1	250	0.82	0.02	3.14	0.09	47.8	9.8	40	0.26
J840574		3.50	<0.005		<0.01	7.83	4.6	190	1.10	0.03	3.65	0.07	46.6	12.9	74	0.20
J840575		0.12	2.46		8.52	6.96	54.8	670	0.85	3.41	1.68	1.05	59.9	17.8	59	3.50
J840576		3.53	<0.005		0.10	7.34	5.4	270	1.10	0.08	3.11	0.10	59.8	10.0	13	0.31
J840577		3.58	<0.005		<0.01	6.91	4.7	140	0.95	0.01	2.58	<0.02	44.1	6.6	11	0.33
J840578		3.75	<0.005		<0.01	7.33	1.0	100	0.91	0.01	3.29	0.02	66.9	6.3	13	0.37
J840579		3.69	<0.005		<0.01	7.16	<0.2	80	0.95	0.02	3.55	0.02	66.5	5.3	12	0.30
J840580		3.56	<0.005		<0.01	6.84	<0.2	100	0.99	0.02	3.19	0.02	57.1	5.8	11	0.29
J840581		3.59	<0.005		<0.01	6.32	<0.2	110	0.78	0.02	3.97	0.03	47.8	5.0	12	0.27
J840582		3.73	0.006		<0.01	6.90	<0.2	320	0.84	0.04	4.36	0.03	44.5	3.2	11	0.54
J840583		3.70	<0.005		<0.01	7.02	<0.2	230	1.01	0.02	4.08	0.03	97.4	15.0	118	0.34
J840584		3.53	<0.005		<0.01	7.09	<0.2	160	1.05	0.03	3.04	0.02	72.8	5.8	11	0.39
J840585		3.63	0.005		1.38	6.98	0.3	30	0.45	0.01	5.40	0.06	36.8	50.6	364	0.11
J840586		3.69	<0.005		<0.01	7.25	<0.2	80	0.83	0.01	3.34	0.02	63.3	9.7	47	0.37
J840587		3.80	<0.005		<0.01	7.00	0.5	60	0.95	0.02	2.96	0.02	75.6	5.9	14	0.31
J840587 CRD		<0.02	<0.005		<0.01	7.25	0.3	60	0.94	0.02	2.97	0.02	75.1	6.1	14	0.33
J840588		3.03	<0.005	<0.005	<0.01	7.52	0.2	50	0.70	0.04	4.27	0.03	51.8	8.9	22	0.20
J840589		3.42	<0.005		<0.01	7.63	0.4	50	0.53	0.03	4.59	<0.02	61.8	15.3	55	0.16
J840590		0.07	0.409		2.23	7.71	112.0	590	1.24	0.49	0.57	1.00	35.1	18.8	33	7.40
J840591		2.94	<0.005		<0.01	7.51	<0.2	70	1.03	0.06	3.50	0.04	40.0	9.6	13	0.19
J840592		3.10	<0.005		<0.01	6.87	0.8	70	1.02	0.01	2.71	0.02	25.5	4.4	10	0.22
J840593		3.37	<0.005		<0.01	7.11	0.6	200	0.87	0.01	2.56	0.02	42.1	5.1	10	0.30
J840594		2.88	<0.005		<0.01	6.82	0.4	230	0.85	0.01	2.35	0.02	38.5	3.7	9	0.34
J840595		3.16	<0.005		<0.01	7.08	0.4	170	0.85	0.01	2.77	0.03	34.9	7.5	9	0.31
J840596		3.18	<0.005		<0.01	7.84	0.5	170	0.83	0.04	3.87	0.05	43.8	13.8	10	0.20
J840597		2.86	<0.005		<0.01	6.82	0.2	150	0.74	0.03	4.39	0.03	46.8	7.7	9	0.39
J840598		2.83	<0.005		<0.01	7.29	<0.2	110	0.98	0.02	3.37	0.03	35.0	11.9	7	0.36
J840599		3.47	<0.005		0.01	7.03	<0.2	90	0.79	0.05	3.53	0.04	34.0	13.1	15	0.22
J840600		0.12	1.035		4.69	6.35	22.0	460	0.78	1.69	2.41	2.24	22.9	15.0	58	0.80
J840601		3.51	<0.005		<0.01	7.04	<0.2	100	1.13	0.09	3.15	0.02	36.6	7.7	7	0.36
J840602		3.01	<0.005		<0.01	7.43	<0.2	120	1.05	0.05	3.74	0.03	31.6	11.7	7	0.30
J840603		3.32	<0.005		<0.01	7.11	0.2	200	0.91	0.03	3.86	0.04	39.6	12.7	18	0.51
J840604		3.39	<0.005		<0.01	7.04	0.4	240	1.13	0.04	3.61	0.06	59.7	14.8	82	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840567		7.7	2.42	21.5	0.14	4.3	0.020	1.21	25.6	8.7	0.57	398	0.16	3.05	9.1	7.6
J840567 CRD		9.4	2.57	21.7	0.15	4.3	0.020	1.19	27.0	8.8	0.59	415	0.17	3.01	9.3	8.0
J840568		9.8	2.33	19.85	0.12	3.5	0.026	0.91	22.0	6.9	0.53	378	0.17	3.03	8.5	7.3
J840569		15.1	3.53	21.6	0.14	3.3	0.058	0.72	19.9	10.2	0.93	522	0.17	2.74	9.1	19.8
J840570		2.3	2.83	22.3	0.14	3.0	0.044	0.74	15.4	7.3	0.64	309	0.27	2.16	10.7	13.1
J840571		5.8	3.34	22.2	0.10	2.7	0.046	0.63	13.9	8.9	0.78	439	0.17	2.39	8.2	16.6
J840572		3.9	3.00	21.0	0.09	3.7	0.025	0.88	12.8	9.4	0.78	436	0.18	2.85	10.0	10.5
J840573		8.4	2.89	21.2	0.10	3.1	0.050	0.65	22.8	8.7	0.71	463	0.17	2.99	8.0	16.2
J840574		7.9	3.01	22.6	0.11	3.5	0.051	0.51	20.8	9.4	1.10	555	0.15	3.10	8.0	32.5
J840575		>10000	5.94	15.70	0.16	1.1	0.120	2.85	28.4	18.0	1.24	643	117.0	1.71	7.2	35.8
J840576		175.0	3.22	21.1	0.11	3.7	0.058	0.57	28.6	12.8	0.74	416	0.28	2.48	10.4	9.8
J840577		2.4	2.08	19.15	0.10	2.9	0.020	0.45	22.2	12.5	0.55	187	0.35	2.76	8.9	6.6
J840578		1.5	1.97	20.9	0.11	4.3	0.021	0.37	30.5	14.7	0.52	181	1.25	2.77	7.9	7.4
J840579		0.8	1.79	20.7	0.11	4.1	0.024	0.47	30.8	14.3	0.44	145	0.55	2.68	8.7	6.8
J840580		1.1	1.71	20.7	0.11	4.4	0.024	0.49	28.6	19.7	0.50	142	0.71	2.80	8.3	8.6
J840581		2.7	1.69	21.0	0.10	3.7	0.027	0.56	23.9	14.6	0.30	133	0.38	2.35	6.6	6.5
J840582		6.7	1.98	24.4	0.12	3.7	0.031	1.24	22.3	13.0	0.38	165	0.67	1.46	6.2	5.0
J840583		12.4	2.46	19.20	0.17	4.4	0.027	0.68	41.5	30.7	2.08	282	0.96	2.18	5.7	79.0
J840584		2.2	1.83	21.0	0.13	5.3	0.023	0.70	33.4	21.6	0.58	173	0.59	2.63	5.6	6.6
J840585		94.0	6.75	20.4	0.14	2.8	0.051	0.13	18.4	43.9	3.92	868	0.38	1.05	3.8	194.5
J840586		5.2	2.29	21.4	0.11	4.5	0.020	0.39	30.3	18.3	0.83	215	0.73	2.87	5.8	23.6
J840587		0.9	1.67	20.2	0.12	4.8	0.016	0.26	33.1	13.6	0.53	134	0.48	3.01	5.9	7.7
J840587 CRD		1.3	1.79	20.6	0.13	5.0	0.015	0.27	34.0	13.8	0.54	148	0.52	3.06	5.9	7.5
J840588		1.6	2.71	22.1	0.12	2.2	0.026	0.21	23.6	18.2	0.88	194	1.01	2.20	6.6	22.2
J840589		1.2	3.82	22.5	0.15	1.6	0.025	0.26	25.3	29.0	1.52	275	2.50	1.69	8.6	43.5
J840590		4340	4.83	18.50	0.19	0.8	0.058	5.45	18.2	12.2	0.78	489	254	1.10	5.5	23.5
J840591		6.9	2.64	20.4	0.12	2.9	0.027	0.23	18.3	16.1	0.75	258	1.17	2.75	10.6	11.1
J840592		1.9	1.45	19.30	0.10	3.2	0.012	0.27	11.5	7.7	0.28	147	0.17	3.12	4.4	3.4
J840593		4.2	1.74	19.60	0.12	3.0	0.013	0.61	20.5	7.9	0.36	172	0.17	3.12	4.9	4.5
J840594		1.9	1.30	19.20	0.10	2.9	0.010	0.61	18.1	6.3	0.25	155	0.14	3.18	3.3	2.6
J840595		9.8	2.02	19.60	0.11	3.3	0.016	0.50	16.9	11.6	0.53	268	0.19	3.08	4.5	8.2
J840596		21.2	3.45	21.7	0.12	3.1	0.034	0.39	21.1	19.0	1.03	492	0.19	2.87	6.8	18.0
J840597		9.2	2.42	21.7	0.13	3.3	0.034	0.74	23.1	18.7	0.68	257	0.46	2.03	6.7	11.4
J840598		9.3	2.77	19.90	0.12	2.9	0.028	0.53	16.7	24.8	0.95	307	0.25	2.74	7.4	14.4
J840599		9.5	3.02	20.6	0.13	2.7	0.038	0.32	15.3	28.4	1.09	304	0.20	2.46	8.3	20.2
J840600		>10000	4.55	14.15	0.15	1.0	0.138	0.84	10.6	15.5	1.15	640	232	2.14	4.2	33.3
J840601		12.4	2.06	20.4	0.11	3.0	0.031	0.49	18.1	18.9	0.60	221	0.53	2.94	7.5	9.0
J840602		13.5	3.15	21.9	0.11	3.2	0.041	0.60	14.5	24.9	0.92	367	0.19	2.67	9.8	12.3
J840603		2.1	3.44	20.5	0.13	1.4	0.042	0.98	16.9	26.5	1.05	419	0.18	2.47	6.3	15.1
J840604		17.9	2.84	19.85	0.15	3.1	0.040	0.95	27.9	28.6	1.56	422	0.22	2.92	7.5	52.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840567		570	8.4	45.0	<0.002	0.01	0.08	3.8	1	1.6	173.5	0.54	<0.05	8.7	0.257	0.22
J840567 CRD		580	9.7	46.2	<0.002	0.01	0.09	3.9	1	1.6	180.5	0.52	<0.05	8.7	0.261	0.22
J840568		510	8.8	39.2	<0.002	0.01	0.17	6.5	1	1.7	188.0	0.68	<0.05	7.2	0.227	0.17
J840569		740	6.4	25.1	<0.002	0.03	0.24	12.4	1	2.5	238	0.56	<0.05	5.9	0.295	0.14
J840570		600	6.0	22.9	<0.002	0.01	0.14	9.9	1	2.4	279	0.84	<0.05	4.5	0.240	0.14
J840571		660	4.0	20.5	<0.002	<0.01	0.18	8.8	1	2.0	246	0.49	<0.05	2.7	0.281	0.11
J840572		680	6.4	29.7	<0.002	<0.01	0.15	5.7	1	1.6	193.5	0.50	<0.05	3.2	0.288	0.14
J840573		490	7.5	25.0	<0.002	<0.01	0.18	11.1	1	2.0	213	0.41	<0.05	6.1	0.211	0.11
J840574		420	7.7	16.5	0.002	<0.01	0.17	14.3	1	1.8	222	0.69	<0.05	6.0	0.201	0.09
J840575		910	64.8	85.4	0.137	2.49	7.80	18.0	7	2.8	263	0.29	0.99	4.8	0.319	0.80
J840576		700	5.2	21.5	<0.002	0.03	0.12	13.6	2	2.3	217	0.61	<0.05	6.8	0.265	0.10
J840577		360	5.4	12.8	<0.002	<0.01	0.10	4.3	1	1.4	214	0.48	<0.05	7.4	0.178	0.06
J840578		370	6.2	8.7	<0.002	<0.01	0.13	4.1	1	1.2	276	0.40	<0.05	10.5	0.175	0.05
J840579		370	5.3	12.7	<0.002	<0.01	0.13	4.4	1	1.3	297	0.39	<0.05	10.5	0.177	0.07
J840580		360	5.5	12.1	<0.002	<0.01	0.13	5.6	1	1.2	317	0.33	<0.05	8.9	0.168	0.07
J840581		360	5.2	12.9	<0.002	0.05	0.20	4.1	1	1.2	304	0.25	<0.05	7.4	0.160	0.09
J840582		470	5.6	36.2	<0.002	0.02	0.22	4.1	1	1.3	357	0.33	<0.05	7.3	0.177	0.19
J840583		1120	4.7	23.7	<0.002	<0.01	0.20	7.7	1	1.0	282	0.34	<0.05	9.4	0.216	0.10
J840584		500	6.1	21.4	<0.002	0.02	0.23	5.1	1	1.3	341	0.28	<0.05	11.0	0.195	0.11
J840585		440	2.8	4.7	<0.002	0.01	0.17	26.4	1	0.8	165.5	0.20	<0.05	3.9	0.520	0.02
J840586		470	4.4	10.3	<0.002	<0.01	0.13	4.4	1	1.0	291	0.32	<0.05	9.3	0.225	0.06
J840587		440	5.2	5.5	<0.002	<0.01	0.10	2.0	1	0.9	276	0.33	<0.05	11.0	0.176	0.04
J840587 CRD		440	5.2	6.1	<0.002	<0.01	0.11	1.9	1	1.0	280	0.34	<0.05	11.1	0.179	0.04
J840588		660	4.4	3.8	<0.002	<0.01	0.13	6.7	1	1.4	314	0.43	<0.05	5.7	0.222	0.03
J840589		1310	3.6	4.5	<0.002	<0.01	0.14	13.4	1	1.3	302	0.67	<0.05	3.9	0.287	0.05
J840590		1120	40.8	155.5	0.631	2.54	7.85	12.7	10	3.0	261	0.35	0.95	2.5	0.253	1.40
J840591		580	4.6	5.5	0.002	0.01	0.10	7.6	1	1.7	254	0.99	<0.05	4.1	0.245	0.03
J840592		230	4.5	6.8	<0.002	<0.01	0.08	2.5	1	0.7	223	0.33	<0.05	4.1	0.113	0.04
J840593		290	6.2	20.7	<0.002	0.01	0.12	3.1	1	0.8	215	0.27	<0.05	6.8	0.157	0.11
J840594		210	5.9	19.3	<0.002	<0.01	0.12	1.3	1	0.6	209	0.18	<0.05	7.4	0.111	0.10
J840595		250	5.2	15.3	<0.002	<0.01	0.13	4.8	1	0.9	216	0.33	<0.05	5.5	0.179	0.09
J840596		420	5.2	10.7	<0.002	0.01	0.14	11.3	1	1.4	226	0.54	<0.05	5.1	0.300	0.06
J840597		430	5.2	23.8	<0.002	0.02	0.21	8.7	1	1.5	289	0.43	<0.05	7.0	0.249	0.12
J840598		370	4.9	16.1	<0.002	<0.01	0.12	9.9	1	1.4	259	0.61	<0.05	4.0	0.268	0.08
J840599		510	5.3	7.2	<0.002	<0.01	0.14	12.3	1	1.6	265	0.65	<0.05	3.6	0.288	0.05
J840600		560	40.0	28.5	1.420	1.58	25.8	16.2	6	1.1	279	0.28	0.56	1.9	0.313	0.22
J840601		370	4.4	11.9	0.002	0.01	0.14	8.0	1	1.6	272	0.65	<0.05	5.1	0.197	0.07
J840602		570	5.1	15.8	<0.002	0.01	0.15	12.2	1	1.9	297	0.99	<0.05	3.5	0.338	0.10
J840603		1000	4.1	31.3	<0.002	0.02	0.23	12.7	1	1.4	235	0.38	<0.05	3.1	0.283	0.15
J840604		590	5.7	36.1	<0.002	0.13	0.30	12.6	1	1.3	255	0.51	<0.05	7.0	0.191	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840567		1.9	35	0.4	10.5	56	175.5									
J840567 CRD		2.1	36	0.4	10.9	57	177.0									
J840568		0.9	34	0.2	14.7	53	142.5		0.17	0.6	68.10	14.86	3.36	3.52	1.03	4.11
J840569		0.5	58	0.2	22.8	67	143.0									
J840570		0.7	47	0.2	18.8	16	125.5									
J840571		0.4	54	0.1	16.1	36	106.5									
J840572		0.4	45	0.2	10.4	52	154.5									
J840573		0.7	44	0.1	17.5	61	116.0									
J840574		1.3	61	0.1	19.1	63	112.5									
J840575		1.2	154	12.0	16.0	179	36.7	2.09								
J840576		0.8	51	0.1	18.8	46	129.0									
J840577		0.6	25	0.1	6.1	12	95.2									
J840578		0.7	22	0.1	7.9	10	162.5									
J840579		0.8	23	0.1	7.9	6	152.5									
J840580		0.7	23	0.1	6.8	6	164.0									
J840581		0.5	27	0.2	5.7	4	137.5									
J840582		0.6	32	0.4	6.9	6	142.5									
J840583		0.9	45	0.4	11.8	29	168.0									
J840584		0.8	34	0.4	8.2	9	202									
J840585		0.5	181	0.5	15.0	62	102.0									
J840586		0.8	40	0.2	7.2	12	175.0									
J840587		0.7	24	0.1	7.9	7	184.0									
J840587 CRD		0.8	24	0.1	8.2	7	187.0									
J840588		0.8	45	0.1	12.1	10	67.1		0.09	0.3	66.27	15.62	3.97	6.12	1.66	3.02
J840589		0.7	61	0.2	16.1	24	45.6									
J840590		1.1	158	12.9	15.8	144	23.4									
J840591		1.0	46	0.1	15.3	18	97.5									
J840592		0.8	20	0.1	5.4	10	88.9									
J840593		0.6	21	0.1	5.4	24	102.5									
J840594		0.8	15	0.1	4.3	20	84.5									
J840595		0.8	37	0.1	7.4	31	105.5									
J840596		1.0	77	0.1	12.3	48	117.5									
J840597		0.8	53	0.4	11.5	22	118.5									
J840598		0.9	66	0.2	12.1	27	103.0									
J840599		0.8	69	0.2	15.2	24	91.2									
J840600		0.8	99	5.5	16.2	141	29.0	1.275								
J840601		0.7	42	0.1	10.3	16	103.5									
J840602		1.0	73	0.1	16.1	28	115.0									
J840603		0.5	70	0.4	16.5	32	45.5									
J840604		1.1	60	0.9	16.9	38	96.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840567										
J840567 CRD										
J840568		1.11	<0.01	0.39	0.05	0.106	0.03	0.03	1.72	98.42
J840569										
J840570										
J840571										
J840572										
J840573										
J840574										
J840575										
J840576										
J840577										
J840578										
J840579										
J840580										
J840581										
J840582										
J840583										
J840584										
J840585										
J840586										
J840587										
J840587 CRD										
J840588		0.27	0.01	0.40	0.02	0.149	0.04	<0.01	1.65	99.20
J840589										
J840590										
J840591										
J840592										
J840593										
J840594										
J840595										
J840596										
J840597										
J840598										
J840599										
J840600										
J840601										
J840602										
J840603										
J840604										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840605		3.23	0.018		0.10	7.23	0.3	310	1.07	0.06	3.61	0.05	43.8	15.8	37	0.68
J840606		3.19	0.334		0.16	7.14	<0.2	570	1.33	0.08	2.31	0.04	34.6	9.2	23	1.14
J840607		3.29	<0.005		<0.01	6.75	<0.2	530	1.04	<0.01	2.20	0.05	37.5	10.4	19	0.82
J840607 CRD		<0.02	0.006		<0.01	6.30	<0.2	500	0.98	<0.01	2.01	0.04	34.8	9.7	18	0.79
J840608		3.34	0.014	0.009	<0.01	6.75	<0.2	370	0.92	<0.01	2.60	0.05	67.1	9.5	6	0.74
J840609		3.05	0.030		0.03	6.97	<0.2	350	1.09	0.03	2.92	0.05	30.2	12.9	35	0.92
J840610		3.51	0.053		0.03	7.06	<0.2	390	1.09	0.06	3.38	0.07	34.4	11.8	29	1.12
J840611		3.16	0.037		0.01	7.24	1.6	410	0.95	<0.01	2.40	0.05	64.0	7.6	8	0.64
J840612		3.33	<0.005		<0.01	6.84	2.7	240	1.07	<0.01	2.11	0.03	28.7	4.4	8	0.31
J840613		3.21	0.006		<0.01	6.89	2.2	340	1.04	0.01	1.88	0.04	96.9	5.0	9	0.52
J840614		3.33	0.215		0.08	7.19	3.8	430	1.17	0.02	2.77	0.05	34.6	9.0	10	0.82
J840615		0.12	2.38		8.42	6.62	52.0	650	0.93	3.62	1.60	1.07	60.8	18.4	56	3.47
J840616		3.05	<0.005		0.01	7.10	1.8	400	0.90	0.01	2.22	0.03	46.2	6.9	13	0.56
J840617		3.25	<0.005		0.01	7.24	1.1	310	1.05	<0.01	2.45	0.04	48.4	8.4	13	0.44
J840618		3.18	0.012		<0.01	6.89	2.4	470	0.81	<0.01	2.37	0.04	56.1	7.6	12	0.81
J840619		3.21	0.104		0.03	6.78	<0.2	780	1.01	<0.01	1.89	0.04	48.5	4.6	5	0.97
J840620		3.14	0.131		0.10	6.97	<0.2	570	0.89	<0.01	2.27	0.03	50.6	6.8	9	1.12
J840621		3.45	0.477		0.19	6.89	<0.2	500	0.87	0.05	2.37	0.02	57.6	7.6	9	1.08
J840622		3.34	0.176		0.06	6.90	<0.2	480	0.80	<0.01	2.59	0.02	59.9	7.5	8	0.95
J840623		3.23	0.006		<0.01	7.26	<0.2	470	0.79	<0.01	2.58	0.02	63.6	8.6	9	0.79
J840624		3.31	0.070		0.10	7.30	0.9	200	0.72	0.03	5.05	0.03	91.2	31.5	157	0.39
J840625		3.30	0.062		<0.01	6.82	<0.2	420	1.01	<0.01	2.39	0.03	52.2	7.6	29	0.83
J840626		3.22	0.278		0.08	6.81	<0.2	510	0.99	<0.01	2.42	0.02	50.4	7.3	10	1.02
J840627		3.21	0.014		<0.01	6.86	<0.2	530	0.96	0.01	2.06	<0.02	53.4	7.8	19	0.71
J840627 CRD		<0.02	0.021		<0.01	6.86	<0.2	540	0.94	<0.01	2.26	0.02	51.4	7.7	20	0.70
J840628		3.24	0.012	0.017	<0.01	6.86	<0.2	510	0.98	<0.01	2.05	0.03	59.0	7.1	12	0.91
J840629		3.29	0.103		0.02	6.78	<0.2	290	0.97	<0.01	3.12	0.03	40.5	14.7	27	0.56
J840630		0.07	0.414		2.21	7.06	110.0	590	1.35	0.50	0.51	1.09	33.1	19.5	30	7.13
J840631		3.19	0.419		0.12	7.01	<0.2	360	1.30	0.01	1.88	0.02	42.5	4.7	7	0.84
J840632		3.21	0.144		0.09	6.90	<0.2	340	1.00	0.02	3.39	0.04	36.7	14.1	4	0.93
J840633		3.08	0.405		0.16	7.04	5.6	380	1.01	0.04	3.33	0.06	32.7	16.2	5	1.01
J840634		3.23	<0.005		0.03	7.46	<0.2	260	0.92	0.01	3.41	0.11	40.9	15.7	4	0.42
J840635		3.11	0.098		0.04	7.06	0.6	260	0.98	<0.01	3.29	0.10	33.1	15.0	4	0.59
J840636		3.08	<0.005		0.03	7.75	1.0	280	0.94	0.01	3.62	0.06	41.8	16.1	6	0.49
J840637		3.03	0.171		0.12	6.72	0.8	320	1.06	0.09	2.57	0.10	42.0	10.2	9	0.62
J840638		3.18	<0.005		<0.01	7.08	2.1	310	0.99	<0.01	2.82	0.05	33.3	9.9	12	0.49
J840639		3.04	0.296		0.11	7.02	2.5	340	1.04	0.15	3.01	0.03	39.4	11.9	14	0.78
J840640		2.89	0.124		0.08	7.04	2.3	380	1.04	0.01	2.59	0.04	40.7	10.7	16	0.90
J840641		2.93	<0.005		<0.01	6.87	3.3	320	1.05	<0.01	2.15	0.02	63.1	6.6	11	0.47
J840642		3.02	<0.005		0.01	7.26	6.1	380	0.96	<0.01	2.57	0.05	67.6	10.3	14	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840605		85.1	3.54	21.8	0.13	2.4	0.056	1.21	19.1	26.9	1.34	557	0.28	2.92	8.9	27.4
J840606		6.1	2.37	21.6	0.10	2.9	0.050	1.96	14.7	13.3	0.69	372	0.52	2.60	9.5	18.0
J840607		12.7	2.81	18.80	0.13	2.7	0.035	1.37	16.0	13.6	0.72	457	0.19	2.94	8.5	17.3
J840607 CRD		12.6	2.54	17.80	0.13	2.5	0.034	1.28	15.2	12.6	0.66	414	0.21	2.75	7.9	16.2
J840608		9.8	3.07	20.4	0.15	4.1	0.036	1.34	28.1	12.4	0.54	433	0.14	2.51	8.6	5.0
J840609		7.8	3.03	20.8	0.14	3.1	0.052	1.61	12.6	17.1	0.89	532	0.20	2.29	8.0	24.2
J840610		11.9	2.84	20.9	0.14	4.1	0.046	1.95	13.8	16.9	0.81	514	0.38	2.38	9.6	18.8
J840611		2.8	2.57	21.4	0.14	4.2	0.025	1.27	29.3	10.2	0.53	387	1.82	2.96	9.0	7.0
J840612		2.9	1.22	19.35	0.09	2.1	0.011	0.77	13.2	4.7	0.20	168	0.18	3.44	3.9	2.3
J840613		2.5	1.73	19.25	0.14	3.2	0.019	1.10	45.4	7.4	0.35	240	0.16	3.10	6.2	4.5
J840614		7.7	2.63	21.7	0.11	4.5	0.036	1.50	14.8	11.6	0.59	408	0.29	2.81	9.7	8.3
J840615		>10000	5.72	15.50	0.18	1.1	0.122	2.73	27.4	17.4	1.18	629	114.0	1.68	8.4	35.3
J840616		4.5	2.40	20.7	0.09	3.4	0.022	1.22	22.9	10.5	0.49	355	0.11	2.87	8.4	7.7
J840617		25.7	2.54	20.6	0.12	3.8	0.029	0.96	23.5	10.0	0.55	389	0.20	2.96	8.0	10.1
J840618		26.0	2.30	19.50	0.13	4.9	0.022	1.57	27.5	10.1	0.46	297	0.18	2.58	7.1	6.3
J840619		4.4	1.76	18.60	0.10	3.5	0.019	1.79	22.8	6.7	0.29	250	0.18	2.73	6.7	3.0
J840620		4.1	2.19	19.30	0.13	4.3	0.022	2.04	25.0	9.1	0.44	258	0.16	2.28	5.4	5.6
J840621		7.2	2.35	20.3	0.13	4.8	0.023	1.91	27.8	10.3	0.48	264	4.64	2.27	6.1	6.4
J840622		11.9	2.38	19.40	0.13	4.8	0.024	1.70	29.1	10.3	0.50	279	2.84	2.38	5.7	6.5
J840623		3.0	2.52	20.4	0.14	5.0	0.025	1.46	30.5	11.2	0.55	273	0.70	2.44	6.5	7.5
J840624		19.6	5.10	19.00	0.16	3.2	0.039	0.62	42.9	45.0	3.56	827	0.50	1.76	5.5	128.5
J840625		5.8	2.25	19.65	0.12	3.8	0.032	1.41	24.9	10.5	0.59	292	0.20	2.57	7.2	13.0
J840626		3.4	2.31	20.4	0.13	4.6	0.022	1.80	24.2	11.1	0.48	295	0.19	2.43	7.9	6.5
J840627		6.0	2.46	19.20	0.13	4.0	0.026	1.23	25.3	10.5	0.54	307	0.15	2.73	7.9	12.4
J840627 CRD		5.8	2.39	19.20	0.13	3.9	0.023	1.25	24.2	10.8	0.55	309	0.15	2.76	7.6	13.4
J840628		9.2	2.31	19.90	0.13	3.8	0.026	1.55	27.3	10.6	0.46	278	0.15	2.61	7.9	6.8
J840629		21.2	3.58	19.45	0.15	2.4	0.037	0.98	17.1	18.9	1.02	502	0.19	2.60	8.6	24.9
J840630		4290	4.62	17.85	0.17	0.8	0.062	3.91	16.9	12.2	0.73	472	266	1.07	5.4	23.5
J840631		9.3	1.57	19.15	0.10	4.2	0.013	1.53	19.6	8.1	0.31	179	1.69	3.07	5.2	4.9
J840632		27.3	3.36	21.2	0.15	3.1	0.031	1.57	16.7	18.3	0.87	489	2.05	2.50	7.8	14.4
J840633		26.9	3.68	20.4	0.14	3.1	0.039	1.61	13.9	20.1	1.02	553	3.52	2.36	8.2	17.9
J840634		33.0	3.70	20.3	0.15	3.0	0.035	0.85	18.4	15.7	1.07	589	0.28	2.72	8.0	15.5
J840635		31.4	3.62	20.2	0.14	3.0	0.036	1.07	14.0	17.3	1.02	590	0.23	2.77	7.6	14.9
J840636		28.0	3.72	21.0	0.14	3.1	0.039	1.03	19.0	15.2	1.10	601	0.22	2.71	8.4	18.9
J840637		19.6	2.75	19.50	0.13	3.2	0.031	1.13	18.7	13.1	0.71	430	0.43	2.70	7.2	11.5
J840638		9.3	2.67	20.1	0.12	3.9	0.031	1.06	14.1	12.1	0.66	408	0.21	2.86	8.5	11.2
J840639		12.2	3.14	21.0	0.13	3.1	0.036	1.36	17.0	15.6	0.80	500	14.05	2.60	8.1	15.4
J840640		22.6	2.81	19.90	0.12	3.1	0.028	1.47	18.9	14.5	0.73	448	0.76	2.59	6.6	15.6
J840641		7.5	2.04	18.65	0.12	3.1	0.014	0.99	31.3	9.7	0.43	295	0.28	3.04	6.3	6.9
J840642		10.0	2.87	20.6	0.14	4.3	0.024	1.16	33.2	12.2	0.64	406	0.45	2.76	8.9	11.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840605		690	10.2	40.7	<0.002	0.13	0.16	14.5	1	2.1	185.5	0.67	<0.05	5.6	0.233	0.19
J840606		290	6.2	55.1	<0.002	0.07	0.15	10.5	1	2.2	126.0	0.94	0.08	6.9	0.153	0.29
J840607		390	5.2	51.0	<0.002	0.02	0.14	8.6	1	1.7	199.0	0.82	<0.05	5.5	0.217	0.21
J840607 CRD		350	4.9	48.6	<0.002	0.02	0.12	8.0	1	1.6	184.0	0.75	<0.05	5.0	0.199	0.22
J840608		700	5.4	48.2	<0.002	0.01	0.18	7.4	1	1.4	226	0.36	<0.05	5.4	0.257	0.22
J840609		510	5.7	55.6	<0.002	0.04	0.11	12.1	1	2.0	189.0	0.66	<0.05	3.9	0.226	0.26
J840610		540	10.1	53.5	<0.002	0.03	0.09	10.9	1	1.8	149.5	1.20	<0.05	4.3	0.261	0.32
J840611		490	7.8	48.6	<0.002	0.01	0.20	4.1	1	1.3	211	0.61	<0.05	10.0	0.231	0.22
J840612		160	5.5	25.5	<0.002	<0.01	0.12	1.5	1	0.5	214	0.30	<0.05	5.6	0.087	0.12
J840613		390	6.8	44.7	<0.002	<0.01	0.11	2.7	1	1.0	192.0	0.48	<0.05	14.9	0.147	0.18
J840614		510	8.4	57.2	<0.002	0.03	0.12	7.8	1	1.4	185.5	0.99	0.05	4.8	0.239	0.25
J840615		900	66.3	82.5	0.141	2.43	7.71	16.6	7	2.8	259	0.31	0.99	4.6	0.313	0.75
J840616		410	7.3	37.4	<0.002	0.02	0.08	5.1	1	1.2	201	0.69	<0.05	7.6	0.192	0.21
J840617		360	7.4	35.0	<0.002	0.01	0.12	5.8	1	1.4	223	0.71	<0.05	7.0	0.206	0.16
J840618		490	6.4	46.3	<0.002	0.01	0.11	4.5	1	1.0	179.5	0.50	<0.05	8.0	0.221	0.27
J840619		370	8.4	52.2	<0.002	0.06	0.08	3.5	1	1.1	139.0	0.41	0.05	7.6	0.140	0.26
J840620		450	4.5	60.8	<0.002	0.08	0.10	4.4	1	0.9	171.5	0.27	<0.05	7.1	0.209	0.31
J840621		520	5.0	55.9	<0.002	0.08	0.11	4.8	1	0.9	180.5	0.30	0.14	7.7	0.229	0.30
J840622		520	5.3	49.7	<0.002	0.07	0.12	5.0	1	0.9	205	0.27	0.06	7.9	0.236	0.28
J840623		530	5.2	55.1	<0.002	0.01	0.16	5.6	1	1.0	245	0.35	<0.05	8.5	0.242	0.25
J840624		1290	7.5	26.3	<0.002	0.24	0.29	16.4	1	1.0	314	0.35	<0.05	7.2	0.376	0.10
J840625		420	6.3	54.2	<0.002	0.07	0.15	7.1	1	1.3	236	0.52	<0.05	7.5	0.181	0.24
J840626		490	6.1	53.5	<0.002	0.12	0.11	5.2	1	1.1	174.5	0.47	0.07	7.5	0.212	0.28
J840627		370	5.5	50.0	<0.002	0.04	0.14	5.2	1	1.4	204	0.44	<0.05	9.6	0.196	0.20
J840627 CRD		370	5.4	49.5	<0.002	0.04	0.14	5.2	1	1.3	205	0.44	<0.05	9.3	0.194	0.20
J840628		420	5.1	50.8	<0.002	0.07	0.13	4.8	1	1.4	175.0	0.45	<0.05	9.2	0.175	0.27
J840629		520	5.9	33.9	<0.002	0.01	0.12	11.2	1	1.6	234	0.70	<0.05	3.4	0.311	0.17
J840630		1100	42.6	102.0	0.688	2.44	7.78	11.6	9	3.0	244	0.36	0.93	2.4	0.241	1.37
J840631		290	7.5	54.4	<0.002	0.04	0.08	2.5	1	0.8	188.0	0.36	0.08	7.6	0.119	0.23
J840632		450	6.8	49.7	<0.002	0.06	0.12	9.9	1	1.3	191.0	0.66	0.06	3.0	0.303	0.26
J840633		480	11.2	53.9	<0.002	0.07	0.10	11.5	1	1.4	188.0	0.73	0.10	3.1	0.333	0.27
J840634		480	6.4	28.1	<0.002	0.03	0.08	11.5	1	1.3	233	0.68	<0.05	3.6	0.342	0.15
J840635		480	6.5	33.0	<0.002	0.06	0.13	10.8	1	1.3	228	0.60	<0.05	3.0	0.331	0.19
J840636		470	5.6	37.8	<0.002	0.02	0.08	12.3	1	1.5	211	0.73	<0.05	3.8	0.337	0.17
J840637		410	9.7	45.7	<0.002	0.04	0.09	7.5	1	1.4	176.5	0.50	0.06	5.3	0.238	0.20
J840638		470	5.6	38.1	<0.002	<0.01	0.12	7.5	1	1.4	215	0.76	<0.05	4.1	0.250	0.19
J840639		440	8.5	49.2	<0.002	0.08	0.11	9.4	1	1.5	195.5	0.72	0.13	5.1	0.271	0.22
J840640		300	7.1	56.5	<0.002	0.08	0.13	7.8	1	1.2	184.5	0.48	0.05	6.6	0.231	0.24
J840641		360	4.9	38.5	<0.002	0.01	0.20	2.7	1	0.8	211	0.39	<0.05	9.8	0.177	0.16
J840642		530	6.7	46.6	<0.002	0.02	0.18	5.8	1	1.2	217	0.51	<0.05	8.7	0.268	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840605		0.8	77	2.0	21.2	52	69.4									
J840606		1.2	49	1.8	17.2	44	97.3									
J840607		1.1	52	0.7	11.8	56	97.6									
J840607 CRD		1.1	47	0.7	11.5	51	90.9									
J840608		0.6	38	0.6	14.5	63	173.5		0.37	1.3	65.99	14.85	4.62	3.83	1.07	3.53
J840609		1.3	56	1.5	17.3	75	126.0									
J840610		1.9	53	2.0	20.3	65	175.0									
J840611		0.7	29	0.6	9.8	68	175.5									
J840612		1.0	10	0.1	5.5	21	57.8									
J840613		1.2	18	0.2	11.2	42	117.5									
J840614		1.6	39	0.8	21.5	66	210									
J840615		1.3	151	11.3	15.8	170	39.6	2.18								
J840616		1.0	29	0.3	9.4	67	138.0									
J840617		1.3	36	0.1	10.4	68	152.0									
J840618		1.3	29	0.8	7.8	59	223									
J840619		0.7	18	1.3	6.9	43	146.0									
J840620		0.7	28	1.6	5.6	57	199.5									
J840621		0.8	31	1.6	6.1	54	227									
J840622		0.7	31	1.1	6.1	55	228									
J840623		0.8	31	0.6	7.4	49	238									
J840624		1.3	109	2.0	17.0	134	137.5									
J840625		1.0	31	0.7	10.6	40	163.5									
J840626		0.9	31	1.2	7.4	45	213									
J840627		0.8	28	1.1	8.3	40	176.5									
J840627 CRD		0.7	29	1.3	8.2	40	173.5									
J840628		0.8	28	1.0	9.1	36	164.0		0.28	1.0	68.85	14.45	3.28	2.90	0.87	3.57
J840629		0.9	73	0.9	13.4	56	103.0									
J840630		1.2	153	12.7	14.8	145	26.5									
J840631		1.2	20	0.7	7.4	22	127.0									
J840632		0.8	75	2.3	10.5	57	125.5									
J840633		1.0	83	1.2	12.7	66	135.0									
J840634		1.0	85	0.2	13.2	70	130.5									
J840635		0.7	84	0.9	11.5	69	128.0									
J840636		1.1	84	0.3	13.9	65	132.0									
J840637		1.0	52	0.8	10.5	51	124.5									
J840638		1.1	45	0.3	15.0	50	172.0									
J840639		1.3	62	1.8	14.9	66	131.0									
J840640		0.9	56	1.4	11.1	55	97.2									
J840641		0.8	27	0.6	7.8	37	105.5									
J840642		1.0	43	0.5	11.1	66	159.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840605										
J840606										
J840607										
J840607 CRD										
J840608		1.67	<0.01	0.42	0.06	0.151	0.03	0.03	2.69	98.94
J840609										
J840610										
J840611										
J840612										
J840613										
J840614										
J840615										
J840616										
J840617										
J840618										
J840619										
J840620										
J840621										
J840622										
J840623										
J840624										
J840625										
J840626										
J840627										
J840627 CRD										
J840628		1.91	<0.01	0.29	0.03	0.089	0.03	0.04	2.11	98.42
J840629										
J840630										
J840631										
J840632										
J840633										
J840634										
J840635										
J840636										
J840637										
J840638										
J840639										
J840640										
J840641										
J840642										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840643		2.96	<0.005		0.03	7.24	0.5	320	0.90	<0.01	2.88	0.02	59.0	10.5	9	0.38
J840644		3.33	0.105		0.10	6.74	0.2	300	1.10	<0.01	3.24	0.05	21.7	11.7	60	0.53
J840645		0.98	<0.005		<0.01	0.14	5	20	0.05	<0.01	19.55	<0.02	2.63	0.9	1	0.10
J840646		2.89	0.051		0.05	7.63	<0.2	430	0.97	<0.01	2.99	0.06	33.5	9.6	39	1.08
J840647		2.91	0.011		0.04	6.97	<0.2	380	0.98	<0.01	3.33	0.05	27.0	11.3	43	1.25
J840647 CRD		<0.02	0.022		0.03	7.27	<0.2	390	1.12	0.01	3.39	0.05	32.9	12.8	44	1.39
J840648		3.60	0.077	0.090	0.11	7.22	<0.2	460	1.17	0.01	3.42	0.08	42.2	11.5	49	1.55
J840649		3.32	0.012		0.04	7.28	<0.2	360	1.17	<0.01	3.11	0.09	47.0	12.1	40	0.92
J840650		3.31	0.005		0.02	7.81	<0.2	310	1.19	<0.01	3.39	0.04	37.3	12.0	39	0.84
J840651		3.37	0.005		0.01	7.45	<0.2	320	1.09	<0.01	3.38	0.04	30.0	12.0	39	0.88
J840652		3.19	0.075		0.06	7.06	<0.2	460	1.05	<0.01	2.58	0.03	74.1	9.4	15	1.51
J840653		2.96	<0.005		0.01	7.47	<0.2	370	1.09	<0.01	2.97	0.04	55.7	10.3	46	1.01
J840654		3.45	<0.005		0.02	7.49	<0.2	310	1.13	0.02	3.15	0.03	33.3	10.9	40	0.73
J840655		3.50	0.067		0.10	7.34	<0.2	150	0.63	<0.01	5.65	0.05	29.0	36.4	235	0.42
J840656		3.46	0.013		0.15	7.07	<0.2	70	0.53	<0.01	5.94	0.06	19.35	58.3	495	0.18
J840657		3.51	<0.005		0.06	7.43	<0.2	260	0.98	<0.01	3.44	0.04	44.1	13.4	52	0.46
J840658		3.46	<0.005		0.09	7.79	<0.2	350	0.96	<0.01	3.40	0.04	39.0	13.7	34	0.72
J840659		3.33	0.046		0.05	7.25	<0.2	440	1.04	<0.01	2.55	0.03	51.8	8.5	13	1.07
J840660		0.07	1.020		5.07	6.56	20.4	490	0.76	1.80	2.45	2.07	22.0	15.2	60	0.82
J840661		3.51	0.248		0.27	7.73	2.2	500	1.25	0.01	2.98	0.05	47.0	12.2	25	1.48
J840662		3.58	0.027		0.03	7.51	<0.2	460	1.07	<0.01	2.67	0.04	52.0	9.7	15	0.56
J840663		3.42	0.492		0.18	7.17	0.7	590	1.03	<0.01	2.23	0.03	56.8	7.1	14	0.72
J840664		3.62	0.011		0.06	7.52	1.2	320	1.02	<0.01	3.03	0.05	49.9	14.8	26	0.48
J840665		3.33	<0.005		0.09	8.04	2.8	370	1.00	<0.01	3.61	0.05	36.5	18.1	26	0.50
J840666		3.76	<0.005		0.05	7.50	0.2	280	1.11	<0.01	3.19	0.08	41.0	13.6	11	0.44
J840667		3.62	0.017		0.02	7.31	0.9	610	0.96	<0.01	2.22	0.07	68.7	6.3	11	0.78
J840667 CRD		<0.02	0.011		0.01	7.19	1.3	570	0.97	<0.01	2.25	0.06	68.9	6.6	9	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840643		26.4	3.40	21.5	0.15	4.0	0.040	0.84	25.5	13.5	0.60	472	0.31	2.83	11.2	6.4
J840644		9.3	3.08	21.6	0.12	2.8	0.055	1.04	8.6	16.0	0.93	559	0.19	2.87	8.6	30.8
J840645		0.9	0.08	0.46	0.26	0.1	<0.005	0.10	1.9	5.1	12.75	46	0.16	0.02	0.4	0.4
J840646		6.1	2.72	20.9	0.14	2.8	0.042	1.73	15.2	15.3	0.83	494	0.19	2.82	6.4	23.2
J840647		4.7	2.84	20.3	0.12	3.4	0.043	2.15	11.2	18.4	0.96	508	0.33	2.23	6.9	27.2
J840647 CRD		5.3	2.87	22.7	0.12	3.7	0.046	2.22	13.9	22.3	0.98	515	0.35	2.30	7.6	30.3
J840648		5.8	3.27	23.4	0.13	2.7	0.047	2.48	18.8	21.1	0.90	538	0.39	1.75	8.8	30.8
J840649		6.4	3.02	22.6	0.12	4.2	0.040	1.56	19.9	17.9	0.87	484	0.18	2.66	9.5	22.2
J840650		6.6	2.92	22.3	0.12	3.5	0.042	1.41	16.4	18.3	0.96	499	0.21	2.78	8.5	26.2
J840651		6.2	2.82	22.1	0.12	3.4	0.044	1.53	12.3	18.6	0.92	486	0.19	2.79	8.6	25.8
J840652		19.2	2.73	21.7	0.16	4.6	0.027	2.27	33.6	14.3	0.62	387	0.18	2.14	8.6	10.7
J840653		14.5	2.96	21.2	0.14	3.3	0.046	1.62	26.0	16.3	0.84	484	0.18	2.50	8.3	22.2
J840654		4.0	2.86	22.3	0.13	3.3	0.044	1.27	14.8	15.4	0.87	511	0.19	2.82	8.5	25.9
J840655		57.5	5.43	19.90	0.13	2.2	0.050	0.57	13.1	29.1	2.81	921	0.29	2.47	6.1	129.0
J840656		108.0	8.09	19.50	0.12	1.8	0.062	0.20	8.0	26.5	4.83	1220	0.31	1.65	4.0	252
J840657		6.7	3.09	22.7	0.12	3.8	0.043	0.89	18.9	15.9	1.06	525	0.17	2.88	8.6	30.7
J840658		67.4	3.60	22.2	0.14	3.2	0.041	1.26	16.7	20.8	1.04	607	0.37	2.74	7.0	23.5
J840659		14.5	2.67	21.3	0.13	3.9	0.031	1.73	23.7	14.6	0.56	407	0.16	2.60	7.7	8.1
J840660		>10000	4.68	14.25	0.12	1.1	0.136	0.86	10.3	17.0	1.18	668	236	2.26	4.3	34.6
J840661		19.2	3.28	24.4	0.13	4.4	0.045	2.34	20.5	17.8	0.83	526	0.41	2.29	9.1	17.9
J840662		8.6	2.85	21.2	0.13	3.0	0.030	1.27	24.2	13.8	0.69	471	0.25	2.89	7.9	13.0
J840663		5.9	2.39	20.5	0.13	3.8	0.022	1.79	26.6	12.3	0.48	385	0.20	2.80	8.0	8.7
J840664		31.0	3.84	22.4	0.15	3.3	0.042	1.01	22.9	15.2	1.01	675	0.18	2.88	10.0	23.5
J840665		41.4	4.30	22.8	0.14	2.7	0.040	1.27	16.6	15.0	1.25	751	0.23	2.89	7.8	29.2
J840666		28.6	3.48	20.2	0.14	3.4	0.032	0.90	20.2	16.5	0.98	624	0.17	2.81	8.4	19.9
J840667		10.4	2.40	21.2	0.15	4.2	0.023	1.63	32.9	11.4	0.42	382	0.22	2.92	8.5	6.5
J840667 CRD		12.5	2.37	20.8	0.14	4.2	0.021	1.55	33.1	11.2	0.41	374	0.17	2.85	8.2	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840643		810	4.3	31.7	<0.002	0.03	0.22	8.1	1	1.6	235	0.76	<0.05	4.6	0.294	0.14
J840644		450	5.6	31.9	<0.002	0.08	0.16	13.5	1	2.0	218	0.68	<0.05	3.0	0.193	0.16
J840645		20	1.0	3.0	<0.002	0.03	<0.05	0.4	1	<0.2	69.5	<0.05	<0.05	0.2	0.007	<0.02
J840646		390	5.2	70.5	<0.002	0.04	0.11	9.5	1	1.5	177.0	0.42	<0.05	4.8	0.194	0.27
J840647		460	6.9	53.2	<0.002	0.01	0.09	11.8	1	1.6	134.0	0.86	<0.05	4.2	0.219	0.31
J840647 CRD		470	7.9	61.4	<0.002	0.01	0.11	13.6	1	1.7	144.0	0.93	<0.05	4.9	0.230	0.34
J840648		480	7.2	68.3	<0.002	0.05	0.12	11.9	1	1.8	115.0	0.98	<0.05	5.3	0.223	0.35
J840649		550	11.2	47.4	<0.002	0.02	0.15	10.4	1	1.6	186.5	0.92	<0.05	6.7	0.256	0.24
J840650		480	6.1	50.8	<0.002	0.01	0.18	12.7	1	1.6	208	1.08	<0.05	5.3	0.218	0.22
J840651		490	6.3	46.2	<0.002	0.02	0.16	12.1	1	1.6	201	1.10	<0.05	4.1	0.219	0.23
J840652		630	5.4	66.7	<0.002	0.09	0.15	6.4	1	1.3	128.5	0.51	<0.05	9.7	0.263	0.33
J840653		520	5.9	62.8	<0.002	0.02	0.15	11.9	1	1.6	202	0.80	<0.05	7.5	0.225	0.25
J840654		410	4.4	46.3	<0.002	<0.01	0.19	12.1	1	1.6	224	0.90	<0.05	5.0	0.202	0.20
J840655		470	5.9	24.5	<0.002	0.06	0.15	21.8	1	1.2	177.0	0.67	<0.05	3.4	0.424	0.09
J840656		440	3.2	8.6	<0.002	0.13	0.34	30.4	1	0.9	276	0.33	<0.05	1.1	0.626	0.03
J840657		550	5.7	29.5	<0.002	<0.01	0.19	13.1	1	1.7	246	0.99	<0.05	5.9	0.246	0.15
J840658		700	7.7	50.7	<0.002	0.03	0.15	12.8	1	1.7	241	0.74	<0.05	4.4	0.300	0.21
J840659		580	5.2	51.0	<0.002	0.05	0.11	6.4	1	1.3	176.0	0.48	<0.05	6.3	0.242	0.28
J840660		590	39.4	28.1	1.460	1.63	26.4	16.3	6	1.1	289	0.31	0.56	1.9	0.332	0.21
J840661		550	10.6	65.8	<0.002	0.17	0.13	11.9	1	1.8	137.5	0.77	0.08	6.7	0.274	0.33
J840662		470	7.4	45.0	<0.002	0.01	0.11	7.8	1	1.4	221	0.55	<0.05	7.5	0.244	0.20
J840663		420	7.8	58.5	<0.002	0.06	0.13	6.5	1	1.2	173.0	0.55	0.10	9.1	0.184	0.25
J840664		460	6.6	41.6	<0.002	0.03	0.10	12.6	1	1.9	195.5	0.79	<0.05	7.4	0.309	0.18
J840665		420	7.5	50.0	<0.002	0.04	0.20	15.8	1	1.6	220	0.74	<0.05	5.2	0.350	0.21
J840666		420	8.6	37.8	<0.002	0.01	0.11	12.3	1	1.5	208	0.86	<0.05	4.3	0.298	0.16
J840667		370	7.6	60.4	<0.002	0.03	0.13	5.1	1	1.4	190.5	0.46	<0.05	10.7	0.186	0.24
J840667 CRD		350	7.1	57.3	<0.002	0.04	0.13	5.1	1	1.3	190.5	0.43	<0.05	10.5	0.182	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840643		0.7	45	0.3	17.9	63	159.0									
J840644		0.8	57	0.7	23.3	68	103.5									
J840645		0.1	<1	0.1	1.7	<2	2.5									
J840646		0.9	48	1.1	14.8	61	103.5									
J840647		1.3	61	2.8	14.7	66	121.5									
J840647 CRD		1.8	63	3.2	17.1	69	132.0									
J840648		1.3	57	2.5	16.6	79	98.2		0.93	3.4	61.12	14.97	4.61	4.78	1.69	2.34
J840649		1.3	56	1.0	16.8	73	158.5									
J840650		2.3	60	1.1	19.4	67	132.0									
J840651		1.2	60	1.4	17.6	68	124.5									
J840652		0.8	41	4.4	12.0	62	186.0									
J840653		1.1	53	1.0	21.0	67	131.0									
J840654		1.3	60	0.8	20.3	59	121.0									
J840655		0.8	147	1.2	19.5	71	88.3									
J840656		0.2	227	0.5	17.6	89	61.2									
J840657		1.4	62	0.2	19.0	73	139.0									
J840658		1.9	74	0.7	17.5	80	119.5									
J840659		1.1	39	1.5	12.2	61	159.0									
J840660		0.8	105	5.6	16.1	142	33.1	1.255								
J840661		1.0	61	4.9	15.9	74	175.0									
J840662		0.9	49	0.6	10.3	69	115.5									
J840663		0.9	30	1.1	10.5	60	149.5									
J840664		1.3	75	1.5	15.1	84	120.0									
J840665		1.4	99	0.3	17.6	81	99.3									
J840666		1.1	75	0.2	14.2	73	123.5									
J840667		0.7	26	0.8	8.3	73	169.0									
J840667 CRD		0.7	27	0.8	8.3	65	169.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840643										
J840644										
J840645										
J840646										
J840647										
J840647 CRD										
J840648		2.95	<0.01	0.35	0.07	0.105	0.02	0.04	5.45	98.50
J840649										
J840650										
J840651										
J840652										
J840653										
J840654										
J840655										
J840656										
J840657										
J840658										
J840659										
J840660										
J840661										
J840662										
J840663										
J840664										
J840665										
J840666										
J840667										
J840667 CRD										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180659

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.