ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178821

Project: HAMMOND REEF

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
Au-GRA22d	Au 50g FA-GRAV finish - DUP	WST-SIM
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	Au-GRA22d Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01
J830550		3.12	<0.005					0.10	7.53	2.1	340	0.73	0.04	3.12	0.05	40.2
J830551		3.50	<0.005					0.11	8.09	2.9	340	0.79	0.02	3.27	0.05	42.3
J830552		3.14	<0.005					0.06	8.06	0.6	310	0.70	0.12	3.95	0.05	34.5
J830553		2.91	<0.005					0.01	6.54	0.3	400	1.10	0.01	0.92	0.03	27.1
J830554		3.26	<0.005					0.01	6.59	0.2	540	1.14	0.01	0.76	0.02	38.8
J830555		3.22	<0.005					<0.01	6.75	0.4	560	1.33	0.01	0.71	0.03	47.6
J830556		3.10	<0.005					<0.01	6.67	<0.2	590	1.31	0.01	0.75	<0.02	47.9
J830557		3.46	5.35		5.63			1.14	7.43	6.8	440	1.10	0.48	3.18	0.30	32.0
J830558		3.34	0.015					0.11	7.78	3.6	310	0.82	0.08	2.96	0.04	30.2
J830559		3.31	0.030					0.10	7.55	5.1	340	0.84	0.10	3.47	0.09	30.2
J830560		0.06	0.982					5.41	6.50	21.1	470	0.71	1.95	2.33	1.99	20.9
J830561		3.35	0.016					0.03	7.12	2.6	420	0.84	0.01	2.64	0.06	67.6
J830562		3.70	0.088					0.17	7.11	1.8	430	0.78	0.01	2.36	0.04	53.8
J830563		3.33	<0.005					0.01	7.40	3.8	400	0.75	0.01	2.41	0.05	54.5
J830564		3.19	<0.005					0.07	7.64	1.6	320	0.80	0.01	2.53	0.03	49.8
J830565		3.18	<0.005					0.02	7.36	2.7	280	0.86	0.01	2.23	0.03	47.5
J830566		3.32	0.005					0.01	6.78	1.2	270	0.98	0.01	2.28	<0.02	33.6
J830567		3.55	0.335					0.26	6.95	1.6	260	0.77	0.25	4.61	0.03	22.7
J830568		3.38	0.167					0.47	7.86	1.1	210	0.80	0.23	4.55	0.05	28.4
J830569		3.37	0.042					0.03	7.59	1.7	270	1.01	0.05	2.70	0.03	40.0
J830569 CRD		<0.02	0.041					0.07	7.56	1.2	260	0.99	0.05	2.62	0.04	37.0
J830570		3.76	6.69		8.93	6.25	7.14	3.03	7.38	2.1	270	0.84	0.17	3.96	0.04	27.7
J830571		3.19	0.044					0.06	8.21	2.1	220	0.91	0.08	3.63	0.05	30.7
J830572		3.42	0.214					0.10	7.94	3.3	240	0.73	0.04	4.86	0.04	28.0
J830573		3.10	<0.005					0.06	7.58	3.5	280	0.81	0.01	3.09	0.03	31.4
J830574		2.76	0.007					0.04	7.50	1.5	240	0.89	0.04	3.35	0.04	32.3
J830575		0.11	2.44					8.58	6.65	50.8	620	0.89	3.66	1.52	0.92	52.6
J830576		3.12	0.048					0.10	7.25	3.1	210	0.78	0.02	4.15	0.07	38.6
J830577		3.18	0.014					0.02	7.07	0.2	450	0.79	0.01	1.65	0.02	24.8
J830578		2.93	0.095					0.01	7.00	<0.2	410	0.88	0.01	1.98	0.02	20.9
J830579		3.62	0.008					0.07	7.14	7.0	210	0.73	0.03	3.38	0.03	24.0
J830580		3.30	2.37					0.07	6.10	<0.2	250	0.74	0.01	3.83	<0.02	20.9
J830581		3.21	<0.005					0.01	7.30	1.8	170	0.93	0.03	2.91	<0.02	24.1
J830582		3.80	<0.005					0.01	6.29	1.1	130	0.84	0.01	2.03	<0.02	16.65
J830583		3.13	<0.005					<0.01	6.41	1.4	710	0.70	0.01	1.87	<0.02	16.85
J830584		3.47	<0.005					0.01	6.54	0.2	400	0.78	0.01	2.77	<0.02	26.5
J830585		3.35	<0.005					0.02	6.31	0.2	250	0.71	0.02	3.85	<0.02	25.3
J830586		3.28	<0.005					0.04	7.00	1.7	140	0.97	0.05	2.97	<0.02	64.0
J830587		3.38	0.016					0.01	6.51	4.1	320	0.77	0.01	2.86	<0.02	29.3
J830588		2.99	<0.005					0.01	6.26	0.9	830	0.69	0.01	2.05	<0.02	33.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05
J830550		15.3	21	0.41	59.4	3.78	19.15	0.12	3.1	0.036	1.05	19.0	13.1	1.09	601	0.14
J830551		16.9	24	0.44	59.0	3.89	20.4	0.15	3.3	0.035	1.04	20.3	13.2	1.15	621	0.14
J830552		18.7	28	0.39	32.8	4.52	19.00	0.13	2.4	0.048	1.01	16.3	11.8	1.38	755	0.19
J830553		1.7	20	0.46	8.4	0.88	18.60	0.14	2.1	0.012	2.69	13.6	2.8	0.13	245	0.16
J830554		0.7	14	0.48	1.9	0.81	19.55	0.17	2.5	0.013	2.93	19.7	3.6	0.08	202	0.57
J830555		0.6	13	0.47	1.4	0.77	20.5	0.21	3.1	0.021	2.92	23.5	3.6	0.06	293	0.19
J830556		0.7	15	0.45	1.7	0.92	19.70	0.20	3.0	0.018	2.78	23.9	3.2	0.07	226	0.30
J830557		13.8	21	1.17	36.1	3.36	20.6	0.21	2.6	0.039	2.19	14.8	20.9	0.95	626	49.2
J830558		13.7	28	0.57	22.6	3.63	19.65	0.18	2.6	0.036	1.06	14.4	15.1	1.05	579	3.47
J830559		17.3	28	0.69	31.2	3.89	20.8	0.16	2.9	0.036	1.33	14.0	21.0	1.13	614	0.43
J830560		14.6	61	0.77	>10000	4.49	13.95	0.13	1.0	0.137	0.82	10.4	14.8	1.15	662	246
J830561		7.5	18	0.68	1.2	2.55	19.75	0.16	5.2	0.025	1.44	33.6	12.2	0.53	332	0.24
J830562		6.4	17	0.75	5.6	2.28	18.85	0.15	4.9	0.027	1.54	26.0	11.1	0.48	323	0.26
J830563		7.7	16	0.71	3.0	2.40	19.95	0.17	4.5	0.023	1.46	27.5	11.2	0.50	323	0.19
J830564		8.6	20	0.47	12.9	2.77	20.3	0.16	3.1	0.034	0.93	24.6	12.3	0.61	409	0.24
J830565		6.1	17	0.42	6.7	2.35	20.3	0.16	3.1	0.022	0.86	23.3	10.8	0.46	342	0.20
J830566		3.3	15	0.55	2.9	1.11	17.30	0.17	3.2	0.013	1.13	16.0	6.6	0.25	166	0.14
J830567		12.2	22	0.81	7.6	3.37	19.15	0.15	2.0	0.035	1.67	10.7	19.2	1.03	463	0.45
J830568		18.1	33	0.56	10.3	4.55	21.5	0.14	2.1	0.043	1.16	13.1	21.5	1.46	616	3.16
J830569		10.8	22	0.70	8.9	2.91	20.9	0.15	3.3	0.026	1.39	18.6	14.8	0.76	417	0.13
J830569 CRD		9.9	22	0.70	10.2	2.71	21.1	0.16	2.5	0.026	1.37	17.5	14.0	0.73	390	0.16
J830570		15.6	27	0.70	17.5	3.82	19.50	0.14	2.4	0.036	1.27	12.6	17.7	1.13	583	0.85
J830571		17.5	28	0.44	22.9	4.18	19.10	0.14	2.3	0.035	0.77	14.9	14.7	1.30	646	0.11
J830572		17.4	26	0.43	25.1	4.48	21.8	0.13	2.3	0.043	0.78	13.6	14.1	1.18	649	0.18
J830573		12.0	12	0.47	23.8	3.02	18.80	0.14	2.8	0.031	0.95	15.2	12.3	0.90	464	0.12
J830574		12.1	12	0.51	15.2	3.16	19.70	0.14	2.8	0.032	0.97	14.6	13.7	0.93	491	0.17
J830575		15.8	57	3.15	>10000	5.48	14.15	0.16	1.1	0.113	2.61	25.0	17.1	1.14	623	111.5
J830576		19.4	52	0.41	32.5	4.31	19.30	0.15	2.6	0.038	0.74	18.4	13.9	1.52	672	0.22
J830577		4.3	15	0.60	13.9	1.54	17.45	0.12	3.2	0.013	1.51	12.1	6.7	0.29	229	0.32
J830578		4.6	15	1.03	3.6	1.53	17.40	0.14	2.8	0.015	1.87	9.9	12.2	0.42	240	0.58
J830579		19.3	87	0.48	30.5	3.60	17.25	0.15	2.9	0.030	0.89	12.3	14.3	1.55	539	0.28
J830580		1.4	11	0.47	4.8	1.13	17.70	0.19	3.5	0.019	0.96	10.1	4.1	0.10	142	0.22
J830581		6.7	16	0.42	2.5	1.98	18.25	0.15	2.6	0.019	0.80	11.5	9.1	0.57	231	0.17
J830582		1.9	17	0.19	1.0	0.69	15.35	0.15	2.3	0.007	0.47	8.4	2.7	0.12	78	0.11
J830583		2.7	20	0.23	1.2	1.16	15.90	0.16	1.7	0.007	1.69	8.5	3.0	0.16	145	0.18
J830584		2.4	18	0.18	1.6	1.38	19.25	0.18	2.4	0.015	1.10	13.2	2.8	0.14	161	0.13
J830585		2.8	17	0.22	2.0	1.77	21.8	0.16	2.6	0.018	0.72	12.3	4.3	0.15	175	0.14
J830586		6.2	25	0.16	16.0	2.04	18.90	0.17	2.6	0.028	0.42	25.6	8.3	0.44	282	0.23
J830587		6.3	19	0.27	1.6	2.24	18.90	0.14	2.7	0.015	0.96	14.5	7.8	0.43	229	0.14
J830588		3.4	18	0.35	1.3	1.36	17.20	0.15	3.1	0.012	1.98	16.5	5.3	0.20	143	0.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05
J830550		2.56	5.5	24.1	410	6.1	28.4	<0.002	0.03	0.15	11.7	2	1.2	233	0.42	<0.05
J830551		2.58	5.4	23.1	410	6.1	34.2	<0.002	0.03	0.12	12.8	2	1.2	245	0.39	<0.05
J830552		2.37	5.0	27.5	440	5.4	25.0	<0.002	0.03	0.09	15.7	2	1.2	263	0.42	<0.05
J830553		2.88	10.1	2.9	110	11.8	69.0	<0.002	<0.01	<0.05	2.2	1	1.3	77.7	0.86	<0.05
J830554		2.87	10.1	1.3	120	12.7	70.5	<0.002	0.01	0.07	1.3	1	1.5	80.4	1.17	<0.05
J830555		2.81	11.9	0.9	100	12.2	75.9	<0.002	<0.01	<0.05	2.0	2	2.0	82.1	1.23	<0.05
J830556		2.97	11.5	1.1	110	12.0	65.4	<0.002	0.01	<0.05	1.8	2	1.9	88.5	1.24	<0.05
J830557		2.30	7.1	17.4	410	48.6	58.9	<0.002	0.35	0.10	11.3	2	1.3	100.5	0.85	0.50
J830558		2.50	6.1	21.0	350	7.8	31.8	<0.002	0.02	0.11	11.2	2	1.4	232	0.48	<0.05
J830559		2.33	5.6	25.4	440	15.1	33.4	<0.002	0.04	0.10	13.4	2	1.1	202	0.42	<0.05
J830560		2.19	3.8	32.3	590	41.2	21.7	1.295	1.62	24.8	14.8	6	1.0	295	0.25	0.60
J830561		2.70	7.2	8.7	410	5.3	40.5	<0.002	<0.01	0.14	5.3	1	1.2	196.5	0.39	<0.05
J830562		2.41	6.5	8.0	390	3.8	42.3	<0.002	0.03	0.11	5.3	2	1.2	160.0	0.33	0.10
J830563		2.65	6.3	7.9	420	5.6	40.5	<0.002	0.03	0.11	4.6	2	0.9	186.5	0.27	<0.05
J830564		2.82	6.5	8.8	520	6.1	29.2	<0.002	0.02	0.14	6.4	2	1.2	239	0.35	<0.05
J830565		3.00	6.5	4.8	500	6.2	23.3	<0.002	<0.01	0.15	5.2	2	1.1	229	0.30	<0.05
J830566		2.70	4.9	4.2	200	5.5	29.0	<0.002	0.01	0.08	2.9	2	0.7	204	0.41	<0.05
J830567		1.66	4.6	21.0	360	6.9	34.8	<0.002	0.07	0.08	12.4	2	1.1	153.0	0.38	0.11
J830568		1.83	6.1	31.9	440	6.7	23.4	<0.002	0.03	0.17	15.2	2	1.3	241	0.47	0.17
J830569		2.61	9.0	14.4	420	6.0	33.4	<0.002	0.04	0.11	7.8	2	1.5	186.5	0.55	<0.05
J830569 CRD		2.54	9.0	13.9	400	6.0	34.4	<0.002	0.04	0.10	7.6	2	1.5	180.5	0.52	<0.05
J830570		2.35	5.2	23.7	390	7.9	28.2	<0.002	0.14	0.17	12.1	2	1.2	215	0.38	0.18
J830571		2.48	5.2	26.3	410	6.4	20.8	<0.002	0.03	0.16	14.4	2	1.2	252	0.48	<0.05
J830572		1.82	5.9	26.2	410	5.9	17.9	<0.002	0.06	0.18	14.4	2	1.2	305	0.58	<0.05
J830573		2.72	6.0	14.2	400	5.0	26.1	<0.002	0.01	0.33	9.7	2	1.1	213	0.47	<0.05
J830574		2.71	7.0	15.3	450	4.7	23.4	<0.002	0.02	0.14	10.1	2	1.3	227	0.56	<0.05
J830575		1.59	6.0	31.3	880	64.2	75.3	0.119	2.29	7.05	16.3	7	2.6	257	0.25	0.93
J830576		2.35	7.0	46.0	440	7.1	20.5	<0.002	0.02	0.17	12.6	1	1.3	244	0.58	<0.05
J830577		3.15	4.0	4.8	210	4.7	35.9	<0.002	0.05	0.08	4.1	1	0.7	139.5	0.25	<0.05
J830578		2.72	4.8	7.4	240	3.8	49.2	<0.002	0.03	0.06	4.7	1	0.8	94.7	0.38	<0.05
J830579		2.65	3.0	63.8	240	6.5	23.8	<0.002	0.04	0.09	9.9	2	0.6	205	0.17	<0.05
J830580		2.61	3.1	2.2	160	3.0	22.3	<0.002	0.06	0.06	1.8	2	0.9	218	0.14	<0.05
J830581		2.69	6.1	10.3	300	4.8	22.1	<0.002	<0.01	0.09	6.4	2	1.2	250	0.41	<0.05
J830582		3.53	2.4	2.0	100	3.6	12.5	<0.002	<0.01	0.06	1.5	1	0.4	232	0.14	<0.05
J830583		2.68	2.9	3.1	110	5.6	30.4	<0.002	<0.01	0.06	1.8	1	0.6	192.0	0.18	<0.05
J830584		2.67	3.2	3.0	160	5.2	19.5	<0.002	<0.01	0.06	2.0	1	0.8	257	0.19	<0.05
J830585		2.62	3.8	3.1	200	4.7	14.7	<0.002	<0.01	0.12	1.9	1	1.0	296	0.22	<0.05
J830586		3.12	6.6	10.2	1470	5.1	9.5	<0.002	<0.01	0.07	4.6	1	1.6	256	0.57	<0.05
J830587		2.76	4.7	10.3	240	4.0	24.1	<0.002	<0.01	0.11	4.7	1	0.9	229	0.25	<0.05
J830588		2.46	3.7	2.9	180	5.2	45.9	<0.002	<0.01	0.10	2.0	1	0.7	203	0.16	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01
J830550		5.9	0.324	0.20	1.0	87	0.1	11.7	74	104.0						
J830551		6.2	0.344	0.23	1.0	91	0.1	12.7	74	114.5						
J830552		3.9	0.391	0.21	1.0	115	0.1	13.6	74	85.6						
J830553		4.1	0.043	0.34	1.6	7	0.1	12.3	19	48.9						
J830554		6.3	0.029	0.38	1.8	1	0.2	12.8	6	58.8						
J830555		7.2	0.026	0.37	2.2	1	0.1	15.5	5	70.9						
J830556		7.8	0.029	0.36	2.0	1	0.2	13.5	6	69.8						
J830557		4.1	0.307	0.36	1.4	78	2.1	13.3	124	81.7						
J830558		4.6	0.312	0.20	1.0	83	0.3	13.5	75	84.4						
J830559		3.7	0.343	0.24	0.9	92	1.1	12.3	94	110.5						
J830560		2.0	0.326	0.21	0.9	104	5.3	14.9	145	28.5	1.295					
J830561		8.0	0.202	0.25	0.6	29	0.5	10.4	60	213						
J830562		9.2	0.190	0.27	0.7	27	0.7	9.7	52	196.0						
J830563		7.8	0.199	0.24	0.6	28	0.5	7.6	62	170.0						
J830564		5.7	0.253	0.17	0.5	41	0.3	8.1	66	118.5						
J830565		6.5	0.199	0.15	0.5	27	0.3	6.4	56	119.0						
J830566		7.2	0.094	0.17	1.0	14	0.3	7.5	12	95.6						
J830567		2.9	0.293	0.23	1.0	87	1.3	10.8	33	64.7						
J830568		3.1	0.388	0.17	1.0	117	1.3	11.7	54	67.5						
J830569		7.2	0.264	0.21	1.9	52	0.8	9.3	46	90.2						
J830569 CRD		6.7	0.254	0.20	1.4	50	0.8	9.3	46	85.0						
J830570		3.4	0.321	0.19	0.8	90	1.7	10.2	57	78.6		0.71	2.6	59.48	15.61	5.75
J830571		3.9	0.359	0.12	1.1	101	0.5	12.3	60	71.3						
J830572		3.2	0.359	0.13	1.2	108	0.6	13.4	52	79.1						
J830573		3.4	0.282	0.16	0.8	68	0.4	9.9	46	101.0						
J830574		3.9	0.292	0.17	0.8	72	1.0	12.2	53	101.0						
J830575		4.5	0.314	0.77	1.2	148	11.2	13.9	172	34.0	2.17					
J830576		3.6	0.386	0.11	0.9	94	0.6	13.4	73	101.5						
J830577		3.5	0.123	0.18	1.3	24	0.6	5.5	23	95.9						
J830578		3.1	0.150	0.26	2.9	32	1.8	5.6	28	85.8						
J830579		3.1	0.314	0.12	0.9	78	0.9	9.3	52	82.5						
J830580		3.1	0.070	0.13	0.8	18	0.4	3.5	3	99.2						
J830581		3.4	0.202	0.14	0.9	40	0.2	7.3	16	85.2						
J830582		3.0	0.053	0.07	0.7	7	0.1	3.4	2	69.3						
J830583		3.1	0.069	0.17	0.6	16	0.1	3.0	10	48.3						
J830584		4.7	0.083	0.11	0.7	20	0.1	4.0	11	70.4						
J830585		4.1	0.089	0.08	0.6	16	0.1	4.0	8	89.5						
J830586		4.4	0.246	0.05	1.5	32	0.1	11.2	31	86.1						
J830587		4.5	0.153	0.12	0.7	35	0.2	5.1	20	86.1						
J830588		6.1	0.090	0.21	0.7	12	0.2	4.2	13	113.0						

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830550													
J830551													
J830552													
J830553													
J830554													
J830555													
J830556													
J830557													
J830558													
J830559													
J830560													
J830561													
J830562													
J830563													
J830564													
J830565													
J830566													
J830567													
J830568													
J830569													
J830569 CRD													
J830570		5.95	2.06	3.27	1.62	<0.01	0.55	0.08	0.087	0.03	0.02	4.34	98.85
J830571													
J830572													
J830573													
J830574													
J830575													
J830576													
J830577													
J830578													
J830579													
J830580													
J830581													
J830582													
J830583													
J830584													
J830585													
J830586													
J830587													
J830588													

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	Au-GRA22d Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01
J830589		3.40	0.619					0.15	6.91	0.4	710	0.91	0.06	1.76	<0.02	38.5
J830589 CRD		<0.02	0.671					0.09	6.81	<0.2	690	0.93	0.05	1.68	<0.02	32.8
J830590		0.12	0.403					2.25	7.53	112.5	580	1.28	0.51	0.56	1.05	33.4
J830591		3.20	0.039			0.013		0.05	6.70	0.3	300	1.10	0.01	2.19	0.02	21.3
J830592		3.49	<0.005					0.02	6.83	0.5	400	1.01	0.01	2.10	<0.02	30.3
J830593		3.47	0.014					0.04	6.83	2.5	290	0.92	0.01	2.55	0.03	42.5
J830594		3.45	0.016					0.02	6.85	1.9	300	0.95	0.01	2.33	0.02	27.3
J830595		3.31	0.017					0.03	7.16	1.7	400	0.82	0.02	3.19	0.05	49.2
J830596		3.63	0.014					0.03	7.76	2.3	380	0.98	0.01	2.73	0.04	73.8
J830597		3.38	0.007					0.03	7.23	1.2	370	0.95	0.01	2.45	0.04	68.4
J830598		3.18	0.010					<0.01	7.21	<0.2	370	0.79	0.01	2.44	0.04	65.2
J830599		2.89	0.782					0.16	7.48	0.5	540	1.17	0.07	1.00	0.11	46.7
J830600		0.07	0.973					4.80	6.61	22.2	480	0.77	1.89	2.51	2.21	22.8
J830601		2.95	1.135					0.20	7.50	<0.2	580	1.17	0.10	0.94	0.02	50.8
J830602		3.05	0.039					0.09	6.70	0.2	520	1.11	0.04	0.89	0.03	41.1
J830603		3.13	0.011					0.09	7.10	1.7	380	1.06	0.01	2.10	0.20	57.7
J830604		2.89	0.028					0.03	7.15	1.5	500	0.95	0.02	1.98	0.15	61.5
J830605		3.10	0.117					0.13	7.17	3.4	370	0.96	0.03	2.21	0.22	57.7
J830606		3.26	<0.005					0.11	7.66	2.1	280	0.65	0.06	4.16	0.07	28.5
J830607		3.24	<0.005					0.09	7.72	5.3	320	0.76	0.04	4.00	0.06	35.2
J830608		3.20	<0.005					0.09	7.32	2.0	310	0.81	0.02	2.77	0.04	44.5
J830609		2.99	0.009					0.01	6.64	0.9	960	0.79	0.01	1.66	0.02	40.7
J830609 CRD		<0.02	0.011					0.01	6.75	1.4	960	0.75	0.01	1.68	0.02	40.2
J830610		3.01	<0.005			<0.005		0.01	6.09	1.3	550	0.61	0.01	1.70	0.03	34.6
J830611		2.89	0.006					0.01	6.61	0.2	930	0.82	0.01	1.70	0.03	47.0
J830612		3.23	0.016					0.10	6.95	3.6	410	0.88	0.04	2.23	0.04	79.4
J830613		3.39	<0.005					0.02	6.53	0.6	290	0.98	0.01	1.88	0.02	26.0
J830614		3.04	0.087					0.02	6.54	3.8	280	1.10	0.03	1.97	0.03	27.7
J830615		0.12	2.46					7.03	6.50	46.8	620	0.73	3.08	1.59	0.93	52.8
J830616		3.21	<0.005					<0.01	6.69	<0.2	240	0.96	0.03	2.24	0.03	25.4
J830617		2.95	<0.005					0.03	7.18	<0.2	190	0.66	0.03	1.83	0.02	30.0
J830618		3.29	<0.005					0.01	7.14	<0.2	230	0.97	0.02	1.84	0.03	36.6
J830619		3.33	3.17					0.38	6.39	0.6	300	0.84	0.11	2.05	0.04	31.8
J830620		3.29	0.014					0.08	6.91	0.9	250	0.83	0.01	2.79	0.03	27.9
J830621		3.11	0.007					0.06	6.89	<0.2	360	0.84	<0.01	2.36	0.03	52.4
J830622		3.29	0.023					0.09	6.61	<0.2	280	0.80	<0.01	2.22	0.02	35.6
J830623		3.37	0.075					0.07	6.79	<0.2	310	0.90	0.01	2.50	0.04	40.4
J830624		3.20	0.075					0.15	6.52	<0.2	240	0.84	0.02	2.45	0.04	27.1
J830625		3.25	<0.005					0.04	6.72	1.3	230	0.83	<0.01	2.45	0.04	40.1
J830626		3.29	<0.005					0.03	6.67	1.0	180	0.80	<0.01	2.21	0.03	38.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05
J830589		4.3	10	0.94	1.9	1.51	19.85	0.17	3.8	0.012	1.94	19.4	11.3	0.21	143	1.54
J830589 CRD		3.8	10	0.89	1.8	1.42	18.45	0.15	3.6	0.013	1.90	16.4	11.7	0.21	132	1.56
J830590		18.9	33	7.05	4340	4.76	17.45	0.19	0.8	0.056	5.18	18.3	12.3	0.75	483	260
J830591		4.2	14	0.56	28.0	1.59	19.35	0.12	2.4	0.011	1.13	9.4	8.9	0.23	197	0.32
J830592		4.7	13	0.46	2.2	1.97	18.85	0.15	2.8	0.015	1.16	15.7	10.0	0.48	227	0.15
J830593		8.5	20	0.63	11.7	2.61	19.05	0.15	3.7	0.025	1.08	22.2	12.5	0.60	379	0.24
J830594		5.9	12	0.50	2.5	2.04	18.95	0.15	4.2	0.019	1.06	13.2	11.2	0.44	282	0.26
J830595		9.5	20	0.45	14.9	2.84	19.45	0.17	3.4	0.033	1.11	24.1	14.8	0.63	463	0.13
J830596		8.6	16	0.58	3.6	2.83	23.0	0.20	5.4	0.032	1.28	36.3	12.9	0.46	414	0.24
J830597		7.6	15	0.67	18.3	2.59	21.4	0.19	5.3	0.030	1.44	32.8	12.4	0.41	386	0.48
J830598		6.4	14	0.69	13.3	2.49	19.55	0.16	4.8	0.031	1.43	26.8	9.0	0.41	386	0.46
J830599		2.3	9	0.92	315	1.16	19.65	0.13	3.2	0.017	1.98	23.5	8.5	0.19	121	14.50
J830600		15.8	60	0.84	>10000	4.77	13.85	0.16	1.1	0.137	0.88	11.5	16.2	1.19	670	249
J830601		2.0	7	0.97	1.2	1.20	19.90	0.17	3.2	0.014	1.94	22.8	5.0	0.12	94	6.71
J830602		1.9	8	0.91	4.5	1.04	19.15	0.13	3.2	0.012	1.69	21.3	6.7	0.15	104	0.62
J830603		5.3	15	0.72	3.2	2.31	20.7	0.17	4.2	0.024	1.53	28.3	10.7	0.35	357	0.59
J830604		5.0	14	0.68	2.8	2.17	20.8	0.18	4.3	0.024	1.60	29.9	11.4	0.37	340	1.01
J830605		7.1	14	0.66	30.9	2.53	21.4	0.18	3.4	0.023	1.40	27.7	13.3	0.44	365	1.93
J830606		22.0	29	0.46	56.6	4.89	20.5	0.18	2.5	0.043	0.97	12.7	15.4	1.50	765	0.19
J830607		21.0	26	0.63	37.1	4.87	20.5	0.19	2.9	0.044	1.25	15.9	19.2	1.49	777	0.28
J830608		12.7	19	0.55	40.1	3.32	20.4	0.17	3.0	0.027	1.07	21.7	15.1	0.84	518	0.17
J830609		4.1	12	0.61	5.5	1.60	18.45	0.16	3.6	0.013	2.28	19.1	11.2	0.28	229	0.17
J830609 CRD		4.4	14	0.61	6.4	1.73	18.10	0.16	3.6	0.012	2.31	19.3	10.6	0.28	241	0.17
J830610		4.0	12	0.52	2.1	1.83	15.05	0.13	2.7	0.013	1.28	18.5	8.7	0.33	274	0.11
J830611		3.6	11	0.85	4.1	1.71	17.10	0.17	2.8	0.015	2.06	23.0	11.9	0.23	243	0.15
J830612		6.7	11	0.96	14.4	2.42	20.3	0.18	4.1	0.024	1.55	38.6	15.5	0.42	368	0.11
J830613		2.8	14	0.48	16.5	1.31	19.00	0.14	2.7	0.010	0.96	12.7	6.7	0.19	210	0.17
J830614		5.2	13	0.38	3.9	1.31	19.05	0.13	3.1	0.012	0.84	13.7	6.9	0.20	221	0.13
J830615		14.8	55	3.11	>10000	5.64	12.25	0.16	1.0	0.098	2.68	25.1	16.2	1.16	611	108.0
J830616		3.8	15	0.37	18.3	1.56	18.10	0.15	3.1	0.016	0.80	11.6	5.5	0.23	238	0.19
J830617		2.4	18	0.20	7.7	1.66	12.55	0.05	2.4	0.009	0.72	14.5	4.3	0.30	240	0.13
J830618		5.1	22	0.41	9.0	1.94	17.85	0.12	3.6	0.015	0.89	18.0	8.2	0.31	279	0.16
J830619		6.1	16	1.00	14.4	1.79	19.10	0.10	3.2	0.017	1.49	16.6	10.8	0.28	207	5.69
J830620		10.0	16	0.58	26.8	2.80	20.1	0.11	3.4	0.023	0.94	14.3	11.3	0.68	408	0.18
J830621		7.5	10	0.46	20.0	2.38	20.5	0.12	3.3	0.018	0.95	26.2	8.7	0.52	339	0.13
J830622		8.1	13	0.49	38.6	2.27	18.40	0.12	2.7	0.019	0.87	19.3	9.6	0.57	352	0.27
J830623		10.9	20	0.80	14.7	2.82	19.25	0.13	3.0	0.027	1.20	22.0	12.7	0.77	509	0.50
J830624		8.1	11	0.65	42.8	2.17	17.75	0.11	2.2	0.016	1.08	14.4	10.5	0.52	323	0.46
J830625		8.4	12	0.50	5.3	2.66	19.50	0.13	3.2	0.024	0.95	21.2	10.2	0.59	385	0.16
J830626		5.1	9	0.37	7.6	2.07	19.10	0.10	4.3	0.014	0.72	20.9	6.9	0.34	264	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05
J830589		2.92	3.8	4.0	210	4.9	60.1	<0.002	0.22	0.07	2.5	1	0.8	149.5	0.29	0.15
J830589 CRD		2.85	3.6	3.7	190	4.2	59.9	<0.002	0.22	0.06	2.5	1	0.8	142.0	0.27	0.14
J830590		1.07	5.0	24.1	1100	37.4	130.0	0.616	2.45	7.85	11.6	8	3.0	255	0.32	1.03
J830591		3.19	4.0	4.5	440	4.1	41.1	<0.002	0.04	0.09	2.4	1	0.7	192.0	0.35	<0.05
J830592		2.93	6.4	3.3	170	6.0	34.5	<0.002	0.02	0.07	3.3	1	0.9	194.0	0.56	<0.05
J830593		2.91	6.3	12.7	340	5.7	41.0	<0.002	0.02	0.12	5.9	1	1.4	197.0	0.39	<0.05
J830594		3.01	6.0	4.9	450	4.4	40.6	0.002	<0.01	0.12	4.2	1	1.0	196.0	0.37	<0.05
J830595		2.95	7.8	12.1	370	10.8	35.9	<0.002	<0.01	0.14	7.4	1	1.4	217	0.56	<0.05
J830596		3.00	9.5	6.2	460	7.3	44.7	<0.002	0.01	0.15	5.7	1	1.5	211	0.48	<0.05
J830597		2.72	9.1	5.2	440	7.7	49.3	<0.002	0.02	0.11	7.8	1	1.4	198.0	0.60	<0.05
J830598		2.64	8.4	4.5	440	7.6	47.4	<0.002	0.01	0.12	6.7	1	1.4	197.5	0.56	<0.05
J830599		4.08	8.2	2.1	130	8.7	58.2	0.055	0.21	0.64	3.1	1	1.3	106.0	0.81	0.06
J830600		2.26	4.1	34.9	590	39.2	26.3	1.425	1.64	28.3	15.3	5	1.1	300	0.28	0.64
J830601		3.81	9.0	1.4	90	7.7	57.6	<0.002	0.41	0.06	2.2	1	1.2	93.3	1.00	0.11
J830602		3.25	9.1	1.7	130	7.8	55.6	<0.002	0.03	0.09	2.6	1	1.2	93.7	0.71	<0.05
J830603		2.76	8.8	5.1	360	14.7	51.3	<0.002	0.01	0.11	5.0	1	1.7	170.5	0.64	<0.05
J830604		2.90	8.7	4.3	370	14.6	51.7	<0.002	0.02	0.10	4.8	1	1.5	184.5	0.54	<0.05
J830605		2.81	9.4	4.4	500	16.1	49.9	0.002	0.06	0.11	5.0	1	1.4	179.0	0.56	<0.05
J830606		2.48	5.5	35.3	460	5.5	23.1	<0.002	0.03	0.17	15.2	1	1.2	250	0.43	<0.05
J830607		2.50	6.2	33.8	450	5.2	46.7	<0.002	0.03	0.13	15.6	1	1.4	202	0.51	<0.05
J830608		2.82	8.0	18.8	370	6.6	35.2	<0.002	0.03	0.11	8.9	1	1.2	213	0.40	<0.05
J830609		2.69	6.3	4.0	250	6.8	53.0	<0.002	0.02	0.08	3.3	1	0.8	168.5	0.26	<0.05
J830609 CRD		2.68	6.3	4.2	260	6.8	54.0	<0.002	0.02	0.08	3.2	1	0.8	169.0	0.26	<0.05
J830610		2.50	4.9	4.4	330	10.3	38.8	<0.002	0.01	0.09	3.0	1	0.7	177.0	0.31	<0.05
J830611		2.68	5.0	2.5	290	6.0	56.0	<0.002	0.03	0.06	3.1	1	0.8	161.5	0.24	<0.05
J830612		2.95	8.6	4.9	470	6.4	56.0	<0.002	0.04	0.15	4.9	1	1.2	162.0	0.38	<0.05
J830613		3.32	4.2	2.7	240	5.2	34.4	<0.002	0.01	0.08	2.2	1	0.7	177.0	0.24	<0.05
J830614		3.35	5.3	2.9	170	9.0	27.1	<0.002	0.01	0.05	2.3	1	0.8	188.5	0.31	<0.05
J830615		1.63	5.8	29.9	890	53.7	75.1	0.119	2.37	7.04	13.8	6	2.5	253	0.22	0.96
J830616		3.25	5.1	3.1	190	6.8	29.6	<0.002	0.07	0.07	2.5	1	0.9	192.0	0.30	<0.05
J830617		3.34	3.4	2.2	280	5.1	14.9	<0.002	0.05	0.08	2.0	1	0.5	182.5	0.18	<0.05
J830618		3.20	4.8	4.9	270	4.9	28.7	<0.002	0.06	0.07	3.5	1	0.7	176.0	0.28	<0.05
J830619		2.66	4.6	5.0	260	5.4	45.8	<0.002	0.18	0.10	3.5	1	0.8	134.5	0.39	0.16
J830620		2.75	6.4	13.3	440	4.8	31.7	<0.002	0.03	0.08	7.2	1	0.9	207	0.42	<0.05
J830621		2.83	5.6	7.5	500	5.0	30.8	<0.002	0.02	0.06	4.8	1	0.7	248	0.37	<0.05
J830622		2.74	5.5	10.8	340	4.9	31.6	<0.002	0.04	0.05	5.0	1	0.8	211	0.35	<0.05
J830623		2.61	6.8	18.3	360	4.5	37.8	<0.002	0.05	0.05	7.8	1	1.2	145.0	0.64	<0.05
J830624		2.78	3.8	10.8	230	6.8	39.5	<0.002	0.04	0.09	5.1	1	0.6	164.0	0.27	<0.05
J830625		2.71	6.2	9.8	310	5.5	33.9	<0.002	0.01	0.07	6.5	1	1.1	186.5	0.48	<0.05
J830626		2.96	5.1	4.1	360	5.6	25.8	<0.002	0.01	0.07	2.4	1	0.8	192.5	0.24	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01
J830589		6.8	0.085	0.24	1.1	19	1.2	6.4	19	118.5						
J830589 CRD		6.2	0.084	0.23	0.9	19	1.3	6.0	19	115.5						
J830590		2.6	0.244	1.34	1.1	155	12.1	14.4	150	23.7						
J830591		2.6	0.118	0.17	0.9	18	0.6	5.7	25	78.1		0.26	1.0	71.20	13.99	2.19
J830592		4.5	0.123	0.16	0.9	17	0.2	4.9	33	94.5						
J830593		5.9	0.188	0.19	0.8	41	0.4	8.4	45	127.0						
J830594		3.8	0.181	0.19	0.9	25	0.2	9.5	34	162.5						
J830595		7.2	0.223	0.17	1.0	46	0.2	11.1	84	135.0						
J830596		11.1	0.220	0.25	0.9	26	0.3	10.0	69	223						
J830597		10.5	0.203	0.26	1.0	24	0.6	10.8	64	215						
J830598		10.4	0.199	0.26	1.1	24	0.8	10.2	62	201						
J830599		10.3	0.062	0.24	1.8	16	1.9	9.6	31	85.7						
J830600		2.2	0.325	0.22	0.8	105	5.6	15.7	144	31.2	1.330					
J830601		11.0	0.040	0.23	1.5	11	1.3	10.2	19	78.7						
J830602		11.4	0.051	0.23	1.5	8	1.2	9.8	22	94.6						
J830603		9.8	0.170	0.29	1.7	21	0.4	10.2	75	172.0						
J830604		11.2	0.171	0.29	1.3	20	0.5	10.3	72	179.5						
J830605		8.7	0.207	0.27	0.9	27	0.7	9.6	73	137.5						
J830606		2.4	0.416	0.18	0.9	119	0.2	12.4	80	96.4						
J830607		3.8	0.395	0.22	1.0	115	0.7	14.4	86	110.5						
J830608		5.4	0.265	0.18	0.7	61	0.6	8.2	70	111.0						
J830609		7.2	0.128	0.26	0.7	16	0.6	5.6	34	129.5						
J830609 CRD		7.2	0.130	0.26	0.7	15	0.6	5.6	34	129.0						
J830610		6.2	0.155	0.18	0.5	20	0.4	4.0	48	121.5		0.24	0.9	69.41	14.60	2.99
J830611		6.0	0.125	0.27	0.7	17	1.0	6.7	42	104.5						
J830612		8.7	0.196	0.27	0.9	28	3.2	9.5	57	166.0						
J830613		3.8	0.077	0.15	0.7	10	0.3	4.9	28	88.1						
J830614		5.2	0.091	0.12	0.7	11	0.3	5.0	34	95.0						
J830615		4.3	0.297	0.66	1.1	145	9.3	12.8	166	31.8	2.22					
J830616		4.2	0.102	0.13	0.7	14	0.2	5.6	35	97.4						
J830617		4.7	0.127	0.08	0.6	18	0.1	4.9	40	117.5						
J830618		4.7	0.131	0.16	0.7	22	0.2	6.7	46	113.0						
J830619		3.7	0.120	0.23	0.7	23	1.9	6.8	36	101.5						
J830620		3.2	0.258	0.16	0.8	49	0.5	8.2	62	130.0						
J830621		5.7	0.203	0.15	0.7	36	0.3	6.0	65	117.5						
J830622		4.3	0.184	0.14	0.7	39	0.2	5.3	54	86.3						
J830623		4.8	0.218	0.20	1.0	57	0.8	9.0	63	96.9						
J830624		3.5	0.161	0.18	0.7	41	0.7	5.2	49	69.4						
J830625		5.3	0.209	0.15	0.8	47	0.3	8.6	67	107.5						
J830626		5.5	0.159	0.12	0.7	19	0.1	5.7	51	148.5						

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830589 J830589 CRD J830590 J830591 J830592		2.99	0.45	4.24	1.31	<0.01	0.19	0.02	0.094	0.03	0.02	1.68	98.40
J830593 J830594 J830595 J830596 J830597													
J830598 J830599 J830600 J830601 J830602													
J830603 J830604 J830605 J830606 J830607													
J830608 J830609 J830609 CRD J830610 J830611		2.73	0.72	3.99	1.78	<0.01	0.29	0.04	0.083	0.03	0.06	1.99	98.71
J830612 J830613 J830614 J830615 J830616													
J830617 J830618 J830619 J830620 J830621													
J830622 J830623 J830624 J830625 J830626													

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	Au-GRA22d Au ppm 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01
J830627		3.32	<0.005					0.05	6.59	1.4	210	0.73	<0.01	2.22	0.02	36.2
J830628		3.21	0.026					0.07	6.98	2.7	240	0.75	<0.01	2.66	0.03	52.1
J830629		3.29	0.012					0.07	6.82	0.3	640	0.62	0.02	2.08	0.04	29.3
J830629 CRD		<0.02	0.020					0.04	6.72	0.5	640	0.70	0.03	2.07	0.03	25.3
J830630		0.11	0.449					2.44	7.35	98.9	590	1.15	0.47	0.54	1.01	32.0
J830631		3.32	0.429			0.401		0.17	6.96	0.6	290	0.64	0.16	2.92	0.11	30.7
J830632		3.31	0.486					0.12	6.90	0.2	240	0.64	0.08	3.12	0.11	30.7
J830633		3.50	0.711					0.37	6.90	4.8	210	0.59	0.11	3.08	0.04	36.9
J830634		3.32	0.114					0.07	7.10	<0.2	140	0.50	0.02	3.41	0.04	35.0
J830635		2.86	0.018	0.027				0.11	7.14	0.6	160	0.54	0.08	3.40	0.06	35.0
J830636		3.29	1.035	0.732				0.23	6.78	<0.2	340	0.84	0.69	2.55	0.05	49.3
J830637		3.48	0.161	0.165				0.11	7.02	<0.2	300	0.78	0.03	2.75	0.04	38.7
J830638		3.58	0.242					0.10	6.53	<0.2	240	0.69	0.04	2.79	0.04	37.5
J830639		3.20	0.559					0.15	6.81	<0.2	350	0.87	0.03	2.17	0.02	74.7
J830640		3.52	0.286					0.07	6.72	<0.2	320	0.91	0.02	2.15	0.03	60.5
J830641		3.79	1.885					1.25	6.94	0.2	250	0.75	0.16	4.34	0.12	50.1
J830642		3.44	0.088					0.07	6.45	<0.2	260	0.78	0.03	3.15	0.04	28.6
J830643		3.52	0.038					0.10	6.81	<0.2	260	0.77	0.01	3.39	0.05	31.8
J830644		3.65	<0.005					0.04	7.25	<0.2	400	0.69	<0.01	2.68	0.03	63.2
J830645		1.00	<0.005					<0.01	0.12	<5	10	0.05	<0.01	20.6	<0.02	2.50
J830646		3.59	0.312					0.15	7.03	<0.2	470	0.91	0.06	2.46	0.03	60.4
J830647		3.77	<0.005					0.07	6.95	0.2	280	0.61	0.17	3.14	0.05	53.3
J830648		3.61	<0.005					0.09	7.13	0.5	220	0.87	0.07	3.18	0.08	40.8
J830649		3.40	0.223					0.08	7.07	<0.2	360	0.99	0.08	2.35	0.04	25.8
J830649 CRD		<0.02	0.217					0.09	6.95	<0.2	360	0.98	0.08	2.34	0.04	26.1
J830650		3.57	0.101			0.113		0.06	6.32	<0.2	280	0.87	0.13	2.98	0.05	38.0
J830651		3.17	0.135					0.06	6.41	<0.2	300	0.96	0.10	2.99	0.05	42.6
J830652		3.31	0.027					0.06	6.98	0.5	290	0.89	0.03	2.84	0.06	46.9
J830653		3.51	0.017					0.07	7.51	3.5	250	0.85	0.13	3.67	0.14	40.1
J830654		3.23	0.029					0.06	7.21	1.1	270	0.85	0.04	3.18	0.07	40.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05
J830627		5.0	10	0.42	17.6	1.74	18.55	0.12	4.3	0.011	0.82	20.5	7.5	0.36	218	0.12
J830628		7.6	10	0.59	22.6	2.51	19.80	0.13	4.4	0.022	1.06	27.8	9.5	0.49	333	0.19
J830629		5.3	8	0.63	15.9	1.97	18.05	0.11	2.5	0.019	2.11	14.5	8.2	0.35	248	0.47
J830629 CRD		5.1	11	0.61	15.8	2.06	17.95	0.11	2.5	0.017	2.10	12.2	8.0	0.35	257	0.54
J830630		19.2	32	7.08	4360	4.77	17.30	0.21	0.7	0.060	4.38	18.6	10.5	0.75	492	260
J830631		8.2	13	0.85	19.4	2.99	19.45	0.14	3.1	0.028	1.66	15.7	13.3	0.58	337	16.80
J830632		9.0	9	0.92	20.5	3.05	19.70	0.14	2.7	0.032	1.58	15.0	13.3	0.58	370	5.79
J830633		11.1	10	0.78	24.0	3.08	20.3	0.14	2.7	0.027	1.35	18.3	11.6	0.56	362	2.60
J830634		9.7	10	0.59	22.1	3.19	19.25	0.13	2.2	0.025	1.04	17.7	11.3	0.61	351	0.33
J830635		9.6	12	0.66	18.2	3.30	19.75	0.13	2.1	0.027	1.07	17.5	12.1	0.59	370	34.9
J830636		7.7	9	1.08	12.6	2.63	19.95	0.15	3.8	0.025	1.67	25.5	10.9	0.47	353	84.8
J830637		8.3	9	0.92	19.3	2.87	19.50	0.14	3.0	0.029	1.39	19.8	10.5	0.49	409	67.2
J830638		7.8	10	0.73	20.1	2.68	19.10	0.13	3.3	0.028	1.11	19.0	9.5	0.46	346	3.14
J830639		6.0	10	1.09	5.0	2.27	18.95	0.15	4.9	0.019	1.62	37.2	8.7	0.40	285	0.45
J830640		6.9	12	1.06	4.6	2.50	19.15	0.13	3.9	0.027	1.39	29.0	9.5	0.49	393	0.61
J830641		24.2	20	0.93	258	4.84	19.40	0.19	1.5	0.047	1.13	25.6	21.5	1.60	827	0.71
J830642		14.0	47	0.87	36.3	3.52	16.95	0.13	0.8	0.031	1.11	13.5	19.3	1.22	663	0.34
J830643		12.8	40	0.68	21.4	3.41	18.10	0.13	1.7	0.035	0.93	14.8	17.1	1.09	592	1.38
J830644		7.3	13	0.80	3.3	2.52	19.40	0.14	4.6	0.022	1.23	33.3	9.0	0.50	327	0.16
J830645		1.1	<1	0.08	0.7	0.08	0.32	0.11	0.1	<0.005	0.10	2.0	3.9	12.55	45	0.13
J830646		7.7	9	1.52	7.0	2.52	20.2	0.14	4.7	0.023	2.08	31.1	9.8	0.52	320	2.34
J830647		10.3	17	0.57	11.0	3.02	20.0	0.14	3.6	0.029	0.89	28.6	10.6	0.80	452	1.64
J830648		12.9	23	0.50	45.4	3.13	19.55	0.15	2.0	0.025	0.77	20.8	8.5	1.16	548	0.25
J830649		9.2	10	1.22	3.4	2.45	19.95	0.13	2.2	0.029	1.67	12.5	10.4	0.65	399	0.80
J830649 CRD		9.3	11	1.25	3.6	2.59	20.9	0.13	2.3	0.026	1.70	12.5	10.6	0.66	413	0.95
J830650		13.1	20	1.02	7.3	3.13	18.95	0.14	1.8	0.028	1.42	18.5	17.1	1.04	568	0.22
J830651		12.6	10	1.11	17.7	3.05	17.75	0.14	1.9	0.026	1.47	20.5	15.5	0.93	542	0.21
J830652		12.5	29	0.81	16.9	3.67	19.65	0.15	3.4	0.039	1.16	23.2	14.8	0.84	564	0.16
J830653		17.3	10	0.64	24.7	4.91	21.9	0.11	2.7	0.052	0.91	16.8	20.4	1.05	748	0.17
J830654		15.1	6	0.66	22.5	3.93	20.8	0.12	2.9	0.044	0.99	18.4	19.1	0.97	620	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05
J830627		2.86	4.4	3.5	430	5.2	26.6	<0.002	0.01	0.08	2.2	<1	0.6	197.0	0.20	<0.05
J830628		2.74	6.3	5.1	540	4.8	36.6	<0.002	0.02	0.10	4.5	1	0.8	230	0.34	<0.05
J830629		2.57	5.1	3.3	430	7.6	46.8	<0.002	0.05	0.08	3.6	1	0.7	173.0	0.35	<0.05
J830629 CRD		2.56	5.0	3.6	430	7.5	45.3	<0.002	0.06	0.08	3.4	1	0.7	169.5	0.35	<0.05
J830630		1.05	5.2	24.1	1120	39.4	93.8	0.609	2.48	7.49	11.8	8	2.9	254	0.33	0.88
J830631		2.08	7.4	4.5	790	7.3	46.0	0.002	0.16	0.12	5.7	1	0.9	161.0	0.47	0.12
J830632		2.28	7.6	4.3	800	8.9	41.8	<0.002	0.09	0.07	6.0	1	0.9	197.0	0.45	<0.05
J830633		2.46	6.7	4.9	810	3.8	39.6	<0.002	0.13	0.10	5.6	1	0.8	202	0.46	0.07
J830634		2.34	6.0	4.6	850	3.8	30.0	<0.002	0.04	0.09	5.7	1	0.6	264	0.41	<0.05
J830635		2.46	6.7	4.7	860	4.1	32.1	<0.002	0.05	0.09	6.1	1	0.7	260	0.41	<0.05
J830636		2.38	7.5	4.9	630	15.9	49.1	<0.002	0.16	0.07	5.1	1	1.1	146.0	0.51	0.18
J830637		2.53	8.5	4.0	700	5.4	45.9	0.003	0.09	0.08	5.2	1	1.1	227	0.54	<0.05
J830638		2.50	8.4	4.9	680	5.4	35.4	<0.002	0.15	0.07	5.5	1	0.9	226	0.42	0.05
J830639		2.40	7.0	4.6	440	5.1	49.7	<0.002	0.10	0.07	3.9	1	0.9	169.5	0.35	0.05
J830640		2.58	7.9	7.7	510	5.5	43.1	<0.002	0.10	0.07	5.2	1	1.4	177.5	0.52	<0.05
J830641		2.14	6.7	38.3	1770	7.0	46.4	<0.002	0.45	0.10	15.4	1	1.7	234	0.42	0.09
J830642		2.30	4.7	38.6	650	4.4	43.8	<0.002	0.04	0.06	10.3	1	1.1	166.0	0.39	<0.05
J830643		2.43	5.2	32.6	620	6.3	30.8	<0.002	0.02	0.07	10.0	1	1.2	248	0.37	<0.05
J830644		2.51	5.6	6.9	530	6.1	45.2	<0.002	0.01	0.08	5.1	1	0.8	248	0.23	<0.05
J830645		0.03	0.4	3.4	10	1.0	2.5	<0.002	0.03	<0.05	0.3	1	<0.2	62.3	<0.05	<0.05
J830646		2.24	5.3	7.1	550	4.1	65.3	<0.002	0.15	0.09	4.6	1	0.8	145.5	0.23	0.08
J830647		2.50	5.4	22.3	860	7.0	30.8	<0.002	0.01	0.13	7.2	1	1.1	316	0.31	<0.05
J830648		2.90	4.7	37.5	950	7.5	28.4	<0.002	0.05	0.14	9.1	1	1.1	365	0.40	<0.05
J830649		2.44	4.5	12.0	450	3.9	53.1	<0.002	0.09	0.08	7.7	1	0.9	182.5	0.33	0.05
J830649 CRD		2.48	4.8	13.0	460	4.1	53.0	<0.002	0.09	0.09	7.7	1	1.0	183.0	0.35	0.06
J830650		2.28	5.1	25.4	1580	3.4	44.6	<0.002	0.05	0.08	8.6	1	1.3	140.5	0.44	<0.05
J830651		2.36	4.8	18.7	1640	3.6	47.9	<0.002	0.07	0.08	8.1	1	1.1	143.0	0.38	<0.05
J830652		2.41	9.1	21.8	650	9.3	44.1	<0.002	0.07	0.14	8.9	1	1.5	252	0.64	<0.05
J830653		2.40	10.1	19.2	860	13.1	28.3	<0.002	0.06	0.26	12.3	1	1.6	245	0.60	<0.05
J830654		2.50	8.7	13.9	650	6.6	32.3	<0.002	0.05	0.13	12.5	1	1.6	210	0.51	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01
J830627		4.8	0.148	0.13	0.7	16	0.2	4.5	42	133.0						
J830628		5.4	0.228	0.16	0.6	36	0.6	8.5	53	157.0						
J830629		3.5	0.176	0.24	0.5	27	0.5	5.8	45	91.5						
J830629 CRD		3.3	0.174	0.24	0.5	27	0.5	5.6	45	91.5						
J830630		2.5	0.246	1.36	1.1	159	12.6	15.2	149	22.9						
J830631		2.3	0.299	0.24	0.3	47	1.7	7.6	69	125.0		<0.05	<0.2	66.63	15.08	4.33
J830632		1.8	0.301	0.24	0.2	47	1.8	8.8	74	119.0						
J830633		2.3	0.296	0.19	0.2	48	5.1	6.4	62	113.0						
J830634		1.4	0.313	0.15	0.1	49	1.0	4.9	76	93.8						
J830635		1.3	0.319	0.16	0.2	50	1.0	5.6	78	86.6						
J830636		6.8	0.222	0.27	0.6	34	2.9	8.7	65	148.5						
J830637		3.5	0.275	0.23	0.4	41	1.7	8.6	65	118.0						
J830638		3.0	0.263	0.17	0.4	39	3.0	9.9	59	131.0						
J830639		8.9	0.197	0.25	0.7	25	2.1	8.7	51	181.5						
J830640		8.4	0.200	0.22	0.7	34	2.5	10.2	67	133.5						
J830641		4.1	0.332	0.17	0.8	97	3.5	14.8	101	48.9						
J830642		2.4	0.246	0.18	0.7	70	2.1	10.6	84	24.5						
J830643		2.3	0.269	0.16	0.5	64	1.5	12.9	85	57.4						
J830644		8.0	0.239	0.21	0.5	33	0.2	6.1	64	192.0						
J830645		0.2	0.006	<0.02	0.1	3	0.1	1.6	<2	2.0						
J830646		7.8	0.239	0.31	0.5	36	5.2	5.7	54	187.0						
J830647		6.0	0.247	0.16	0.6	49	0.3	7.9	81	136.5						
J830648		3.1	0.230	0.12	0.7	54	0.3	8.3	67	59.2						
J830649		2.0	0.215	0.27	0.4	43	3.3	8.6	61	73.2						
J830649 CRD		2.2	0.222	0.27	0.4	44	2.9	8.9	63	75.0						
J830650		4.0	0.237	0.22	0.6	61	3.3	9.1	81	57.7		0.69	2.5	63.89	14.02	4.70
J830651		4.4	0.230	0.23	0.6	59	2.9	9.3	73	63.6						
J830652		5.1	0.271	0.20	0.7	60	2.0	17.8	87	121.5						
J830653		2.4	0.391	0.18	0.6	100	2.0	17.4	105	116.5						
J830654		3.3	0.338	0.18	0.7	83	1.6	15.4	81	120.5						

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830627													
J830628													
J830629													
J830629 CRD													
J830630													
J830631		4.16	1.12	3.09	2.07	<0.01	0.55	0.04	0.174	0.03	0.03	2.82	100.10
J830632													
J830633													
J830634													
J830635													
J830636													
J830637													
J830638													
J830639													
J830640													
J830641													
J830642													
J830643													
J830644													
J830645													
J830646													
J830647													
J830648													
J830649													
J830649 CRD													
J830650		4.34	1.90	3.32	1.75	<0.01	0.40	0.08	0.334	0.03	0.03	4.23	99.02
J830651													
J830652													
J830653													
J830654													

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178821

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.