ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE TB10189374

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848110		3.22	0.514		0.11	6.82	<0.2	440	1.13	0.06	1.94	0.06	28.4	5.3	8	1.04
J848111		3.31	0.991		0.34	6.83	<0.2	400	1.06	0.06	3.00	0.08	46.2	9.8	28	1.04
J848112		3.46	0.166		<0.01	7.01	<0.2	410	1.09	0.02	2.40	0.07	45.3	10.3	14	1.14
J848113		3.37	0.720		0.49	6.52	0.3	440	1.02	0.01	1.80	0.05	42.8	6.7	11	1.14
J848114		3.51	1.045		0.26	6.78	<0.2	320	0.84	0.02	3.01	0.07	44.0	11.2	41	0.96
J848115		0.12	2.30		8.49	6.72	50.4	650	0.77	3.37	1.65	0.95	55.5	16.7	59	3.25
J848116		3.39	1.030		0.37	7.25	0.3	520	1.47	0.06	1.21	0.05	64.6	5.8	12	1.22
J848117		3.59	1.690		0.55	6.78	<0.2	410	1.05	0.05	1.72	0.05	56.9	5.6	10	1.15
J848118		3.31	2.51		0.82	5.56	<0.2	360	0.79	0.16	1.44	0.09	53.6	4.0	13	0.93
J848119		3.44	3.53		1.62	6.53	<0.2	480	1.02	0.15	1.93	0.06	41.8	7.7	12	1.24
J848120		3.20	0.958		0.31	6.56	<0.2	500	1.12	0.03	2.19	0.06	62.7	5.4	10	1.10
J848121		3.25	0.943		0.34	6.98	<0.2	600	1.14	0.03	2.27	0.06	71.3	5.6	9	1.25
J848122		3.22	2.01		0.50	6.04	<0.2	370	0.96	0.05	1.89	0.04	64.4	5.1	8	1.03
J848123		3.13	1.760		0.75	6.51	<0.2	440	0.97	0.04	1.79	0.05	59.2	5.5	9	1.04
J848124		3.12	1.265		0.19	6.30	<0.2	420	1.03	0.04	1.49	0.04	49.3	4.1	8	1.03
J848125		3.42	2.32		0.56	6.52	<0.2	370	0.97	0.05	2.52	0.08	45.9	10.5	34	1.09
J848126		3.35	3.42		1.43	6.53	<0.2	460	1.17	0.11	2.11	0.06	42.1	10.5	16	1.22
J848127		3.28	1.845		0.55	6.29	0.2	540	1.15	0.08	0.97	0.03	37.7	4.2	8	0.98
J848128		3.47	1.625		0.32	6.05	0.4	490	0.83	0.06	1.75	0.05	46.2	3.0	7	0.88
J848129		3.42	0.764		0.22	6.52	0.6	500	0.95	0.05	2.01	0.06	71.6	4.2	7	1.04
J848129 CRD		<0.02	0.749		0.26	6.52	0.4	510	0.97	0.05	2.04	0.06	66.6	4.4	8	1.03
J848130		0.07	0.418		2.21	7.65	115.0	610	1.22	0.55	0.57	1.10	35.4	19.0	34	7.49
J848131		3.62	0.655	0.598	0.16	6.44	0.6	500	0.97	0.04	1.99	0.05	52.8	3.6	9	0.97
J848132		3.38	0.867		0.30	6.65	0.6	520	0.94	0.07	1.96	0.05	54.5	4.9	9	1.05
J848133		3.37	0.400		0.18	6.46	0.7	470	0.94	0.05	2.26	0.06	53.8	5.4	8	1.07
J848134		3.56	1.215		0.61	6.80	0.6	550	0.93	0.09	2.17	0.07	44.0	6.4	10	1.19
J848135		3.46	1.670		0.53	6.49	0.6	510	0.96	0.08	1.93	0.06	40.3	5.9	8	1.12
J848136		3.45	1.465		0.44	7.22	0.8	550	1.06	0.07	2.36	0.06	55.6	6.6	12	1.12
J848137		3.45	0.577		0.15	6.62	0.5	460	1.00	0.05	2.11	0.05	63.1	5.0	8	1.10
J848138		3.62	0.214		0.09	6.77	0.5	670	0.75	0.04	2.52	0.05	36.4	6.5	8	1.07
J848139		3.32	0.033		0.03	6.67	0.5	500	0.80	0.03	2.21	0.03	68.0	5.5	9	0.95
J848140		3.38	0.101		0.06	6.91	0.7	430	0.85	0.03	1.99	0.03	76.4	5.2	9	0.94
J848141		4.04	0.064		0.04	6.83	0.6	470	0.87	0.03	2.25	0.04	68.4	5.2	9	0.98
J848142		3.01	<0.005		<0.01	6.85	<0.2	490	0.70	0.03	2.19	0.03	46.0	6.2	8	0.86
J848143		3.25	0.020		0.02	6.91	0.7	440	0.86	0.03	2.11	0.03	79.0	5.3	10	0.86
J848144		3.38	0.009		0.01	6.64	0.7	490	0.83	0.03	1.87	0.03	64.1	4.5	8	0.78
J848145		1.05	<0.005		0.02	0.12	<5	30	<0.05	0.03	19.90	<0.02	2.44	0.3	4	0.09
J848146		3.45	0.017		0.25	6.66	0.7	520	0.85	0.03	1.82	0.03	60.3	4.7	11	0.79
J848147		3.35	<0.005		0.05	6.82	0.9	410	0.74	0.04	3.10	0.06	38.3	11.3	22	0.78
J848148		3.15	0.023		0.06	7.35	2.4	490	0.83	0.01	2.93	0.07	34.1	9.8	19	0.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848110		3.9	1.83	20.7	0.20	3.0	0.022	2.13	13.6	5.9	0.37	312	3.38	2.17	6.2	5.2
J848111		17.2	2.89	20.9	0.20	3.3	0.035	2.10	23.0	14.3	0.79	520	1.01	1.90	7.6	18.0
J848112		23.2	2.95	21.0	0.22	2.9	0.035	2.04	22.8	13.9	0.73	454	0.18	2.00	7.6	14.2
J848113		25.7	1.95	19.25	0.17	3.5	0.022	2.06	20.4	7.7	0.42	299	0.15	2.14	5.9	6.5
J848114		23.6	3.29	18.55	0.18	2.0	0.026	1.67	18.7	16.5	0.96	560	0.14	2.24	5.7	29.1
J848115		>10000	5.70	15.15	0.18	1.2	0.110	2.73	26.8	15.7	1.17	630	112.5	1.68	6.9	36.1
J848116		39.5	1.84	20.2	0.08	4.4	0.018	2.63	30.8	4.4	0.34	217	0.95	1.95	5.6	6.9
J848117		13.7	2.25	20.5	0.18	4.3	0.021	2.15	28.6	6.3	0.38	316	0.29	2.03	6.5	5.1
J848118		12.5	1.63	16.20	0.14	3.8	0.015	1.83	28.2	3.9	0.25	230	1.92	1.56	5.0	4.2
J848119		14.2	2.45	20.8	0.15	3.6	0.028	2.40	20.1	7.0	0.41	320	1.23	1.55	6.7	4.5
J848120		10.9	2.24	19.55	0.17	5.0	0.019	2.24	30.8	8.6	0.43	328	0.45	1.81	6.3	5.2
J848121		12.9	2.16	20.2	0.20	5.1	0.016	2.47	36.2	6.4	0.37	302	6.79	1.85	6.0	5.1
J848122		7.0	2.00	17.60	0.18	4.7	0.015	1.86	33.4	5.8	0.32	258	0.89	1.97	6.1	4.5
J848123		8.7	2.14	18.95	0.15	4.7	0.016	2.10	30.1	6.0	0.35	282	0.86	1.98	6.0	4.9
J848124		7.3	1.68	18.60	0.14	3.7	0.013	1.91	25.5	4.8	0.28	233	0.33	2.24	5.5	3.6
J848125		14.8	3.05	18.30	0.16	3.2	0.024	1.92	23.5	12.8	0.85	493	0.39	1.68	4.8	21.1
J848126		29.7	2.74	20.3	0.18	2.8	0.027	2.29	20.8	9.6	0.61	383	0.24	1.58	6.6	12.9
J848127		12.5	1.52	18.90	0.14	2.9	0.013	2.42	19.3	3.4	0.24	162	6.46	1.35	4.9	3.7
J848128		4.2	1.50	16.30	0.10	2.9	0.017	2.01	22.7	3.1	0.24	238	0.19	1.87	4.4	2.4
J848129		3.9	2.00	18.75	0.12	4.4	0.018	2.12	35.4	5.6	0.33	296	0.18	1.94	6.0	3.8
J848129 CRD		4.4	2.09	18.50	0.11	4.4	0.018	2.16	31.5	5.8	0.34	307	0.17	1.99	6.1	4.1
J848130		4440	4.93	17.95	0.13	0.8	0.063	4.85	19.1	11.9	0.80	515	260	1.05	5.1	23.6
J848131		5.9	1.73	17.70	0.10	3.3	0.017	2.04	24.6	4.7	0.28	285	0.44	2.16	4.8	3.1
J848132		7.2	2.14	18.55	0.10	3.7	0.021	2.25	26.0	6.0	0.38	321	0.37	1.78	6.2	3.8
J848133		11.3	2.29	18.75	0.10	3.4	0.027	2.06	25.3	7.1	0.40	376	0.39	1.91	6.0	3.6
J848134		15.6	2.52	18.60	0.11	3.3	0.026	2.42	21.4	7.2	0.45	348	0.28	1.53	6.1	3.5
J848135		15.9	2.23	18.70	0.10	3.3	0.024	2.18	20.5	6.4	0.40	319	0.58	1.74	6.2	3.8
J848136		11.8	2.55	20.4	0.12	4.0	0.026	2.30	26.8	8.0	0.44	400	0.65	2.00	7.7	4.4
J848137		7.8	2.23	19.35	0.12	4.5	0.027	2.06	32.0	7.0	0.37	348	0.21	2.01	7.7	4.2
J848138		20.7	2.47	18.40	0.11	3.3	0.027	1.93	17.3	8.2	0.44	402	0.12	2.12	6.0	3.4
J848139		6.6	2.62	17.50	0.12	4.0	0.029	1.68	33.4	8.8	0.46	349	0.38	2.30	6.1	4.5
J848140		2.1	2.38	18.55	0.12	5.1	0.020	1.64	38.1	8.5	0.41	285	0.11	2.57	5.5	4.9
J848141		3.3	2.31	18.05	0.11	4.7	0.019	1.75	33.0	8.5	0.38	327	0.24	2.40	5.7	4.4
J848142		9.7	2.54	18.75	0.10	3.3	0.027	1.49	21.8	10.1	0.44	347	0.10	2.55	7.4	3.4
J848143		2.1	2.32	19.25	0.13	5.1	0.023	1.44	41.2	9.2	0.39	345	0.13	2.73	7.2	5.0
J848144		3.6	1.84	18.10	0.13	4.3	0.021	1.34	31.3	7.4	0.33	304	0.09	2.82	7.0	4.1
J848145		0.7	0.07	0.27	0.07	0.1	0.005	0.10	1.9	4.6	12.05	47	0.13	0.01	0.3	0.6
J848146		2.8	1.93	18.50	0.12	3.9	0.022	1.39	28.9	7.4	0.38	321	0.12	2.70	7.5	5.5
J848147		22.7	3.31	17.70	0.12	3.2	0.036	1.34	18.3	17.0	0.92	595	0.18	2.37	7.4	18.1
J848148		21.2	2.91	20.2	0.12	2.7	0.025	1.68	17.4	14.3	0.73	528	0.15	2.59	7.7	13.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848110		390	4.0	54.3	<0.002	0.12	0.14	4.7	1	1.0	133.0	0.50	0.10	3.4	0.143	0.27
J848111		600	5.4	44.4	<0.002	0.16	0.17	8.8	1	1.3	144.0	0.56	0.22	5.3	0.234	0.28
J848112		590	3.9	50.3	<0.002	0.08	0.18	9.0	1	1.4	127.5	0.55	<0.05	3.6	0.253	0.29
J848113		470	3.7	56.6	<0.002	0.12	0.16	3.8	1	0.9	112.5	0.25	0.07	4.1	0.173	0.26
J848114		670	5.1	52.8	<0.002	0.15	0.19	8.5	1	1.1	159.5	0.34	0.11	2.6	0.229	0.21
J848115		890	66.3	75.7	0.139	2.45	7.37	15.8	7	2.6	266	0.27	0.97	4.4	0.321	0.70
J848116		330	5.4	84.2	<0.002	0.31	0.16	4.1	1	1.2	92.9	0.45	0.20	9.0	0.144	0.28
J848117		450	4.9	77.8	<0.002	0.28	0.17	3.7	1	1.1	109.0	0.35	0.27	7.4	0.167	0.26
J848118		280	9.5	65.1	<0.002	0.22	0.13	2.6	1	0.9	82.8	0.32	0.48	8.5	0.112	0.21
J848119		520	6.3	62.3	<0.002	0.42	0.18	4.6	1	1.2	98.7	0.38	0.97	3.4	0.206	0.27
J848120		450	5.0	56.5	<0.002	0.16	0.17	4.2	1	0.9	125.5	0.24	0.18	9.5	0.171	0.26
J848121		390	5.9	64.6	<0.002	0.21	0.17	3.2	1	0.8	129.0	0.24	0.18	11.5	0.162	0.30
J848122		350	6.4	66.5	<0.002	0.32	0.15	4.0	1	0.7	125.5	0.33	0.26	10.6	0.136	0.22
J848123		360	6.1	57.3	<0.002	0.23	0.16	3.8	1	0.9	119.0	0.37	0.26	10.3	0.146	0.25
J848124		300	5.1	53.9	<0.002	0.26	0.13	2.7	1	1.0	113.0	0.37	0.14	7.7	0.120	0.22
J848125		340	5.5	70.3	<0.002	0.28	0.19	8.2	1	0.9	130.5	0.33	0.26	6.2	0.216	0.23
J848126		530	6.0	62.8	<0.002	0.54	0.21	6.0	1	1.1	113.5	0.44	0.68	4.4	0.245	0.27
J848127		280	5.1	80.5	<0.002	0.24	0.17	3.4	1	0.8	61.5	0.41	0.28	5.9	0.109	0.27
J848128		200	4.0	54.7	<0.002	0.19	0.13	2.5	<1	0.8	109.0	0.29	0.17	8.7	0.108	0.25
J848129		330	4.5	60.2	<0.002	0.17	0.16	3.0	<1	1.0	127.0	0.32	0.16	12.4	0.139	0.27
J848129 CRD		340	4.7	58.4	<0.002	0.18	0.16	3.0	<1	1.0	128.5	0.33	0.20	11.4	0.146	0.28
J848130		1180	39.7	122.0	0.631	2.59	7.77	11.8	8	3.2	265	0.32	1.02	2.6	0.245	1.48
J848131		250	4.4	56.6	0.002	0.12	0.16	2.7	<1	0.9	147.5	0.27	0.13	9.2	0.121	0.27
J848132		410	3.9	61.9	<0.002	0.17	0.18	3.7	<1	1.1	124.5	0.35	0.17	9.1	0.152	0.31
J848133		480	4.0	56.5	<0.002	0.12	0.20	4.8	<1	1.2	151.5	0.32	0.12	6.7	0.180	0.28
J848134		570	4.0	66.9	<0.002	0.32	0.20	5.9	<1	1.2	117.5	0.37	0.43	4.5	0.186	0.34
J848135		520	3.2	64.8	0.002	0.28	0.18	5.3	<1	1.2	114.0	0.33	0.32	5.0	0.171	0.30
J848136		500	4.0	66.3	0.002	0.24	0.19	6.4	<1	1.5	135.5	0.39	0.20	8.6	0.184	0.33
J848137		380	5.1	59.5	<0.002	0.13	0.19	4.7	<1	1.4	135.0	0.43	0.07	10.4	0.149	0.28
J848138		580	2.9	54.5	<0.002	0.08	0.30	5.1	<1	1.2	157.5	0.28	<0.05	4.2	0.185	0.30
J848139		460	4.7	46.5	0.002	0.02	0.15	5.6	<1	1.2	173.0	0.38	<0.05	11.1	0.172	0.25
J848140		400	5.3	47.4	0.002	0.04	0.15	3.3	<1	1.0	194.5	0.30	<0.05	13.3	0.164	0.26
J848141		390	4.1	48.9	0.002	0.06	0.15	4.2	<1	1.0	153.5	0.30	<0.05	10.7	0.170	0.27
J848142		610	4.7	43.0	<0.002	0.01	0.15	5.5	<1	1.2	232	0.38	<0.05	5.0	0.209	0.23
J848143		390	6.3	45.1	<0.002	0.02	0.17	4.3	<1	1.3	210	0.36	<0.05	13.3	0.170	0.24
J848144		310	5.5	43.3	0.002	0.02	0.15	3.6	<1	1.4	204	0.34	<0.05	10.9	0.146	0.24
J848145		10	<0.5	2.2	0.002	0.03	0.09	0.2	<1	0.2	65.4	<0.05	<0.05	0.3	0.006	0.02
J848146		320	7.5	43.9	<0.002	0.01	0.16	3.8	<1	1.4	212	0.49	<0.05	10.1	0.152	0.23
J848147		540	4.5	38.0	<0.002	0.02	0.17	9.2	1	1.5	171.0	0.54	<0.05	4.6	0.277	0.23
J848148		460	5.1	53.4	<0.002	0.03	0.20	7.0	1	1.5	151.5	0.60	<0.05	4.8	0.246	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J848110		0.8	26	3.0	5.5	31	94.9	
J848111		0.7	48	4.2	8.1	67	124.5	
J848112		0.5	54	5.4	7.8	66	109.5	
J848113		0.4	29	3.4	5.7	39	130.0	
J848114		0.4	56	3.1	6.5	88	66.5	
J848115		1.1	150	10.9	14.6	175	35.8	2.14
J848116		1.2	27	5.3	7.2	32	141.0	
J848117		0.7	29	4.1	6.9	41	156.0	
J848118		0.6	20	2.5	5.6	32	141.0	
J848119		0.5	38	4.0	5.3	45	131.0	
J848120		0.5	26	2.7	6.1	46	184.5	
J848121		0.7	23	2.3	6.4	42	192.5	
J848122		0.8	21	2.9	6.0	38	173.0	
J848123		1.0	23	2.7	6.9	45	170.5	
J848124		0.7	20	3.6	5.8	34	130.0	
J848125		0.7	62	4.1	5.6	75	114.0	
J848126		0.7	49	6.4	5.7	55	104.5	
J848127		1.2	23	3.4	5.8	26	89.0	
J848128		0.7	16	2.3	4.6	27	98.4	
J848129		0.9	21	2.3	6.7	42	170.0	
J848129 CRD		0.9	22	2.4	6.5	44	171.0	
J848130		1.2	160	11.9	15.2	153	26.6	
J848131		0.8	20	1.9	5.4	35	134.0	
J848132		0.6	23	2.5	6.0	46	144.0	
J848133		0.6	28	1.8	6.4	50	152.5	
J848134		1.8	34	3.2	5.8	55	141.5	
J848135		0.6	29	2.5	5.3	48	144.0	
J848136		0.7	29	3.1	7.2	58	158.5	
J848137		0.9	23	2.3	7.2	49	181.0	
J848138		0.4	30	1.6	5.9	58	146.0	
J848139		0.9	26	1.6	9.5	63	154.0	
J848140		0.9	24	1.9	8.3	60	205	
J848141		0.8	22	1.6	7.4	56	189.0	
J848142		0.7	30	2.4	6.5	68	139.0	
J848143		1.0	22	2.0	9.2	59	207	
J848144		0.7	18	1.2	7.6	48	165.0	
J848145		0.2	2	<0.1	1.5	<2	2.1	
J848146		0.7	21	0.9	9.3	49	146.5	
J848147		0.9	65	2.1	11.1	89	128.5	
J848148		0.8	51	4.2	8.6	76	94.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848149		3.58	<0.005		0.12	6.82	<0.2	560	0.86	0.01	2.23	0.04	46.1	7.9	22	0.78
J848149 CRD		<0.02	<0.005		0.06	6.58	<0.2	540	0.82	0.01	2.20	0.04	44.6	7.3	21	0.74
J848150		3.72	0.036	0.026	0.12	6.46	<0.2	310	0.88	0.02	2.85	0.06	35.7	12.1	34	0.66
J848151		3.12	0.009		0.07	6.55	<0.2	320	0.95	0.02	2.98	0.07	34.1	12.9	38	0.68
J848152		3.30	0.121		0.17	6.62	<0.2	410	0.79	0.02	2.35	0.04	50.4	7.3	15	0.80
J848153		3.23	0.026		0.05	6.73	<0.2	360	0.90	0.01	2.80	0.06	35.5	10.1	30	0.79
J848154		3.51	0.009		0.05	6.68	<0.2	420	0.90	<0.01	2.01	0.05	36.7	5.5	13	0.74
J848155		3.14	0.037		0.12	7.07	0.2	350	0.85	0.02	3.46	0.08	47.7	15.3	12	0.83
J848156		3.24	0.177		0.22	7.53	<0.2	370	0.84	0.02	3.81	0.09	44.8	18.0	16	0.90
J848157		3.60	<0.005		0.08	7.72	<0.2	320	0.81	0.02	4.02	0.08	36.1	19.1	21	0.80
J848158		3.52	<0.005		0.51	7.42	<0.2	340	0.97	0.05	3.57	0.06	43.8	14.0	24	0.85
J848159		3.35	<0.005		0.11	7.32	<0.2	360	0.86	0.03	3.29	0.06	37.9	16.0	42	0.71
J848160		0.07	0.990		4.77	6.62	25.0	480	0.69	2.02	2.48	2.34	25.4	15.0	63	0.81
J848161		3.13	<0.005		0.03	6.55	0.4	490	0.74	0.01	2.32	0.04	34.7	6.6	13	0.84
J848162		3.05	0.007		0.04	6.90	<0.2	430	0.81	0.01	2.78	0.05	67.3	9.2	14	0.74
J848163		3.00	0.008		0.02	7.21	<0.2	440	0.79	<0.01	2.93	0.04	52.9	10.3	15	0.76
J848164		3.13	<0.005		0.01	7.43	0.2	450	0.89	0.01	2.42	0.04	52.6	8.8	16	0.73
J848165		3.08	0.005		0.02	7.13	<0.2	450	0.80	<0.01	2.05	0.04	54.2	5.4	12	0.73
J848166		3.23	<0.005		0.10	7.96	<0.2	480	0.99	0.02	3.32	0.05	49.5	12.1	15	0.79
J848167		2.98	<0.005		0.16	7.23	1.2	290	0.92	0.02	3.38	0.06	60.0	14.5	23	0.38
J848168		2.94	<0.005		0.02	6.77	<0.2	510	0.80	<0.01	2.03	0.03	61.0	5.7	9	0.59
J848169		3.10	<0.005		0.01	6.78	<0.2	510	0.68	<0.01	2.32	0.04	89.3	6.0	9	0.64
J848169 CRD		<0.02	<0.005		<0.01	6.20	<0.2	500	0.63	<0.01	2.28	0.04	79.8	5.7	9	0.55
J848170		3.06	0.042	0.023	0.01	6.83	<0.2	560	0.77	0.01	1.81	0.04	66.3	5.0	8	0.71
J848171		3.12	0.020		0.01	6.22	<0.2	450	0.71	0.01	1.57	0.03	55.7	3.4	7	0.62
J848172		3.17	0.118		0.04	6.76	<0.2	460	0.76	0.03	1.96	0.05	72.6	5.6	8	0.69
J848173		3.05	0.013		0.01	6.60	<0.2	430	0.84	0.01	1.90	0.03	76.4	5.4	8	0.74
J848174		3.05	0.005		0.11	6.99	0.6	280	0.60	0.03	3.34	0.04	44.8	19.4	59	0.52
J848175		0.12	2.47		8.65	6.72	65.6	640	0.91	4.04	1.64	1.01	60.5	18.2	58	3.60
J848176		3.05	0.028		0.03	6.89	0.9	360	0.62	0.01	2.54	0.03	34.1	10.4	20	0.81
J848177		3.12	0.008		0.03	7.40	<0.2	490	0.95	0.01	2.03	0.04	32.5	7.4	14	0.97
J848178		3.11	0.044		0.25	7.63	<0.2	310	0.79	0.04	4.36	0.06	41.8	19.1	13	0.74
J848179		3.16	<0.005		0.09	7.67	<0.2	240	0.69	0.04	4.44	0.08	39.9	20.1	17	0.56
J848180		2.79	<0.005		0.14	6.86	<0.2	360	0.93	0.02	2.19	0.04	33.7	8.7	14	0.73
J848181		3.12	0.024		0.07	7.21	<0.2	390	0.82	0.02	3.67	0.07	42.5	16.0	14	1.00
J848182		3.33	<0.005		0.04	7.54	1.9	470	1.00	0.07	3.60	0.13	40.6	13.7	4	1.06
J848183		3.43	0.007		0.03	7.38	<0.2	430	0.86	0.02	3.08	0.06	42.0	12.6	10	0.76
J848184		4.19	0.046		0.09	7.24	<0.2	110	0.45	0.05	5.30	0.08	44.4	38.4	136	0.15
J848185		3.06	0.266		0.06	6.77	<0.2	380	0.99	0.02	1.52	0.02	103.5	6.6	7	0.67
J848186		2.80	0.019		0.07	7.18	<0.2	70	0.47	0.07	5.16	0.07	34.4	49.9	195	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848149		29.6	2.20	18.60	0.15	2.0	0.024	1.40	22.7	11.0	0.59	405	0.14	2.76	5.9	16.1
J848149 CRD		30.4	2.12	17.45	0.16	1.8	0.021	1.35	22.2	11.0	0.59	393	0.13	2.64	5.7	15.3
J848150		33.2	2.73	18.25	0.16	1.3	0.027	1.11	15.2	16.7	0.93	499	0.13	2.29	5.8	28.9
J848151		34.4	2.92	18.50	0.15	1.3	0.028	1.15	13.6	18.0	1.00	532	0.18	2.43	6.1	30.8
J848152		14.2	2.35	18.20	0.14	2.6	0.026	1.60	25.5	10.6	0.53	427	0.11	2.35	6.3	9.9
J848153		32.8	2.46	18.70	0.16	1.6	0.025	1.39	15.7	15.6	0.78	489	0.61	2.51	4.8	23.3
J848154		15.5	1.62	18.40	0.15	1.9	0.018	1.54	18.2	8.1	0.39	318	0.13	2.71	4.9	9.7
J848155		42.2	3.69	19.75	0.18	2.8	0.040	1.35	23.1	21.2	0.99	617	0.16	2.43	9.9	16.4
J848156		42.5	4.34	21.9	0.19	2.6	0.042	1.44	21.9	24.7	1.18	696	0.24	2.43	10.2	21.3
J848157		28.2	4.55	21.0	0.18	2.6	0.045	1.31	17.6	26.5	1.31	728	0.19	2.43	8.5	27.0
J848158		32.0	3.34	20.6	0.18	2.2	0.035	1.37	23.5	19.6	0.95	578	3.53	2.57	7.5	24.6
J848159		41.0	3.42	21.1	0.18	2.2	0.036	1.30	16.0	22.4	1.17	597	0.14	2.67	6.3	37.6
J848160		>10000	4.70	14.55	0.16	0.9	0.150	0.82	12.1	13.8	1.16	673	244	2.18	3.7	32.3
J848161		8.0	1.97	20.7	0.16	4.0	0.024	1.60	15.2	9.8	0.48	328	0.10	2.52	5.6	9.8
J848162		18.9	2.74	20.3	0.17	4.4	0.034	1.39	29.0	14.4	0.64	434	0.17	2.56	7.0	9.9
J848163		8.9	2.87	22.3	0.18	3.5	0.041	1.59	27.4	16.2	0.68	513	0.15	2.64	7.7	12.3
J848164		8.4	2.52	21.7	0.19	2.7	0.022	1.36	27.7	13.1	0.60	410	0.12	2.75	8.0	11.4
J848165		4.4	2.28	19.85	0.17	3.0	0.020	1.47	29.6	10.1	0.41	371	0.13	2.75	7.0	5.3
J848166		53.9	3.08	23.3	0.20	2.8	0.029	1.57	25.3	16.1	0.80	534	0.15	3.06	7.5	15.1
J848167		43.4	3.77	24.0	0.18	2.6	0.040	0.68	30.7	19.3	0.96	609	0.15	2.67	10.9	17.6
J848168		2.3	2.16	20.7	0.17	4.2	0.020	1.13	29.4	9.7	0.37	339	0.12	2.84	7.5	4.1
J848169		1.9	2.33	19.85	0.19	4.9	0.018	1.29	42.0	11.0	0.40	357	0.13	2.80	7.4	4.6
J848169 CRD		4.1	2.28	18.70	0.18	4.6	0.018	1.26	37.4	10.3	0.38	352	0.15	2.80	7.0	4.2
J848170		2.0	1.96	19.20	0.19	4.1	0.015	1.86	36.2	8.0	0.36	294	0.11	2.23	5.8	3.8
J848171		3.2	1.67	17.20	0.16	3.2	0.015	1.65	30.8	6.2	0.30	259	0.13	1.94	5.0	3.0
J848172		6.0	2.09	19.55	0.19	4.5	0.016	1.60	34.2	8.1	0.33	302	0.09	2.50	6.0	3.6
J848173		5.1	1.96	19.60	0.20	4.1	0.019	1.49	36.9	9.1	0.36	292	0.11	2.48	7.3	4.3
J848174		32.2	4.37	18.95	0.17	2.7	0.035	0.89	23.7	26.9	1.46	670	0.14	2.55	4.4	44.2
J848175		>10000	5.80	16.60	0.21	1.0	0.132	2.70	30.3	16.2	1.17	639	116.0	1.64	6.7	33.5
J848176		6.4	2.80	20.8	0.19	3.0	0.023	1.43	16.9	16.8	0.75	486	0.10	2.79	6.6	18.1
J848177		21.2	2.04	20.8	0.17	2.7	0.019	1.74	14.8	8.9	0.49	356	0.21	3.05	5.3	9.9
J848178		65.1	4.42	19.60	0.19	1.1	0.040	1.14	17.7	25.3	1.47	763	0.15	2.74	5.0	26.0
J848179		56.5	4.53	20.3	0.20	1.1	0.043	0.89	16.3	24.5	1.55	754	0.16	2.66	5.7	29.8
J848180		28.3	2.29	19.60	0.17	2.3	0.024	1.16	14.4	13.2	0.69	379	0.13	3.16	4.8	14.2
J848181		42.7	3.93	20.6	0.18	2.3	0.042	1.53	19.2	22.1	1.18	661	0.13	2.33	7.1	25.7
J848182		21.8	3.32	19.20	0.15	3.1	0.041	1.89	18.8	20.0	0.87	591	0.13	2.40	6.9	19.3
J848183		27.1	3.18	18.00	0.16	3.3	0.031	1.41	19.7	20.7	0.93	530	0.14	2.89	5.1	17.9
J848184		61.6	7.16	18.35	0.15	2.6	0.058	0.25	22.4	60.0	3.11	1020	0.39	1.58	2.1	123.5
J848185		15.8	2.27	18.95	0.17	5.5	0.020	1.15	41.5	10.3	0.42	264	0.09	3.38	4.3	4.0
J848186		47.5	8.79	19.65	0.19	2.0	0.067	0.26	14.5	83.5	4.04	1000	0.43	0.83	1.7	167.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848149		410	5.1	50.5	<0.002	0.01	0.12	5.5	1	1.3	191.5	0.53	<0.05	6.2	0.161	0.23
J848149 CRD		430	4.9	50.1	<0.002	0.01	0.11	5.4	1	1.2	183.5	0.50	<0.05	6.0	0.156	0.21
J848150		580	7.4	42.2	<0.002	0.02	0.15	8.2	1	1.2	217	0.65	<0.05	2.6	0.205	0.18
J848151		600	8.3	37.4	<0.002	0.02	0.15	8.3	1	1.3	228	0.69	<0.05	2.0	0.217	0.18
J848152		440	4.8	52.6	<0.002	0.06	0.12	4.9	1	1.4	131.0	0.56	<0.05	6.6	0.172	0.24
J848153		450	4.1	48.4	<0.002	0.03	0.13	7.1	1	1.1	154.5	0.48	<0.05	3.0	0.170	0.21
J848154		300	3.7	53.8	<0.002	0.02	0.11	3.6	1	1.1	137.5	0.44	<0.05	5.9	0.115	0.22
J848155		840	4.1	46.4	<0.002	0.05	0.19	10.0	1	1.4	153.0	0.94	<0.05	4.3	0.410	0.20
J848156		870	4.1	46.2	<0.002	0.06	0.22	10.8	1	1.6	163.0	0.70	<0.05	4.1	0.488	0.22
J848157		720	3.9	44.2	<0.002	0.02	0.16	13.8	1	1.5	173.0	0.77	<0.05	2.9	0.453	0.21
J848158		380	7.5	49.9	<0.002	0.02	0.13	10.3	1	1.3	177.0	0.93	<0.05	5.1	0.263	0.23
J848159		550	4.3	41.3	<0.002	0.03	0.10	10.3	1	1.5	164.5	0.53	<0.05	3.9	0.253	0.20
J848160		590	41.6	26.5	1.455	1.63	28.5	14.3	6	1.2	302	0.31	0.54	2.2	0.324	0.21
J848161		310	4.5	43.0	<0.002	<0.01	0.09	6.7	1	0.9	167.0	0.36	<0.05	5.8	0.168	0.26
J848162		570	6.1	46.5	<0.002	0.01	0.13	6.8	1	1.4	217	0.54	<0.05	7.9	0.247	0.23
J848163		550	6.3	49.3	<0.002	0.01	0.11	8.0	1	1.8	138.0	0.57	<0.05	6.6	0.227	0.23
J848164		440	7.2	51.5	<0.002	0.01	0.13	6.8	1	1.3	244	0.51	<0.05	7.6	0.196	0.22
J848165		390	3.7	54.4	<0.002	0.01	0.09	4.1	1	1.4	135.0	0.47	<0.05	7.9	0.173	0.22
J848166		440	15.9	54.0	<0.002	0.04	0.15	7.9	1	1.4	253	0.69	<0.05	6.1	0.252	0.27
J848167		740	25.7	24.0	<0.002	0.05	0.30	9.3	1	1.6	413	1.16	<0.05	6.5	0.313	0.11
J848168		410	13.8	42.9	<0.002	<0.01	0.18	3.7	1	1.4	238	0.44	<0.05	8.9	0.177	0.19
J848169		450	7.0	50.3	<0.002	<0.01	0.12	4.0	1	1.1	180.5	0.34	<0.05	13.2	0.190	0.22
J848169 CRD		440	6.8	40.6	<0.002	<0.01	0.12	3.5	1	1.0	173.0	0.31	<0.05	11.7	0.191	0.21
J848170		390	5.3	46.3	<0.002	0.03	0.10	3.1	1	1.0	118.0	0.32	<0.05	10.9	0.157	0.26
J848171		310	4.7	46.4	<0.002	0.02	0.09	2.9	1	1.0	84.9	0.33	<0.05	9.6	0.112	0.21
J848172		390	6.3	51.3	<0.002	0.07	0.11	3.6	1	0.9	128.5	0.35	<0.05	12.1	0.153	0.25
J848173		370	4.4	54.5	<0.002	0.02	0.10	3.5	1	1.2	133.5	0.57	<0.05	11.7	0.162	0.23
J848174		370	11.3	29.3	<0.002	0.04	0.15	11.0	1	1.1	183.0	0.36	<0.05	5.5	0.343	0.14
J848175		900	67.6	76.3	0.151	2.50	8.30	15.8	8	3.1	267	0.29	0.95	5.2	0.302	0.82
J848176		290	2.4	38.6	<0.002	0.01	0.09	10.1	1	1.2	116.5	0.49	<0.05	5.6	0.226	0.22
J848177		220	4.1	55.5	<0.002	0.02	0.11	4.8	1	1.3	132.0	0.50	<0.05	6.2	0.151	0.25
J848178		1070	5.9	34.4	<0.002	0.10	0.11	13.6	1	1.6	216	0.36	<0.05	1.9	0.321	0.16
J848179		1130	14.4	27.3	<0.002	0.11	0.19	14.6	1	1.7	392	0.51	<0.05	1.1	0.335	0.13
J848180		470	6.0	42.2	<0.002	0.05	0.12	6.4	1	1.3	144.0	0.50	<0.05	4.2	0.177	0.17
J848181		1010	5.7	50.2	<0.002	0.06	0.12	11.8	1	1.9	163.0	0.66	<0.05	2.8	0.318	0.25
J848182		450	11.6	48.3	<0.002	0.02	0.31	9.2	1	1.5	143.5	0.56	<0.05	4.0	0.257	0.31
J848183		420	4.8	50.2	<0.002	0.03	0.22	9.1	1	1.1	160.0	0.41	<0.05	4.5	0.210	0.22
J848184		350	6.1	10.2	<0.002	0.08	0.28	17.1	1	0.6	252	0.14	<0.05	4.1	0.318	0.04
J848185		410	3.9	46.7	<0.002	0.10	0.17	3.8	1	0.9	174.0	0.22	<0.05	12.7	0.113	0.20
J848186		320	3.6	11.2	<0.002	0.07	0.30	21.9	1	0.6	177.0	0.12	<0.05	2.6	0.373	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J848149		0.7	34	0.7	9.3	56	61.9	
J848149 CRD		1.7	33	0.8	9.2	54	56.3	
J848150		1.0	49	1.2	11.1	74	41.0	
J848151		0.7	54	1.1	10.5	81	46.6	
J848152		0.7	32	2.3	7.6	59	102.0	
J848153		0.7	43	1.7	9.5	69	44.9	
J848154		0.5	22	2.1	6.9	32	55.0	
J848155		0.7	74	4.0	14.9	76	106.5	
J848156		0.6	92	3.3	13.9	81	105.0	
J848157		0.7	106	2.6	14.3	87	100.5	
J848158		0.9	74	1.6	12.6	61	83.6	
J848159		0.5	74	1.2	11.9	76	70.3	
J848160		0.9	102	5.3	15.9	144	30.2	1.270
J848161		0.8	27	0.5	9.0	40	145.5	
J848162		0.9	43	1.5	14.2	68	184.5	
J848163		0.8	46	3.2	15.4	78	140.5	
J848164		0.7	34	0.7	8.0	69	108.5	
J848165		0.7	23	1.3	7.5	51	114.0	
J848166		0.7	60	2.1	10.1	73	101.0	
J848167		1.8	73	0.3	11.4	97	102.5	
J848168		0.7	23	0.1	7.4	62	164.5	
J848169		0.9	21	0.3	7.8	65	205	
J848169 CRD		0.9	21	0.4	6.9	67	196.0	
J848170		0.8	19	1.3	7.1	48	167.0	
J848171		0.7	16	0.9	7.0	37	124.5	
J848172		1.2	19	0.8	7.8	48	174.0	
J848173		1.9	19	0.7	8.5	43	163.0	
J848174		0.8	92	1.4	11.7	101	96.3	
J848175		1.2	150	11.6	15.8	172	36.3	2.18
J848176		1.0	53	2.0	8.5	54	87.3	
J848177		1.1	36	2.1	9.3	38	75.6	
J848178		0.4	96	2.0	16.1	84	36.1	
J848179		0.6	97	0.8	18.0	75	34.0	
J848180		1.3	43	1.4	14.0	39	70.3	
J848181		0.7	80	1.5	15.7	80	77.0	
J848182		0.8	68	2.7	8.7	66	119.5	
J848183		0.8	64	1.4	7.2	56	124.0	
J848184		0.7	145	0.7	11.2	139	93.4	
J848185		1.2	23	1.0	10.1	28	191.0	
J848186		0.5	182	0.8	8.6	173	63.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848187		2.91	0.006		0.07	6.79	0.3	130	0.57	0.03	5.31	0.08	77.1	37.9	274	0.18
J848188		3.00	0.011		0.02	6.93	<0.2	380	0.72	0.03	2.68	0.06	52.8	17.7	52	0.61
J848189		3.57	0.009		0.19	5.89	4.8	190	0.46	0.08	5.46	0.09	37.2	49.5	481	0.43
J848189 CRD		<0.02	0.010		0.06	5.52	4.3	180	0.45	0.08	5.08	0.07	32.0	44.9	463	0.38
J848190		0.12	0.409		1.96	7.75	116.5	600	1.16	0.50	0.58	0.55	37.6	19.6	37	6.89
J848191		4.58	0.040	0.059	0.11	6.33	1.2	310	0.58	0.12	5.18	0.11	33.2	19.3	49	0.72
J848192		3.74	<0.005		0.02	6.68	<0.2	530	0.91	0.02	1.56	0.03	21.0	2.5	8	0.67
J848193		3.55	<0.005		0.01	6.74	<0.2	590	0.96	0.02	1.51	0.03	26.4	2.6	12	0.74
J848194		3.80	<0.005		0.26	6.88	<0.2	510	0.94	0.01	1.39	0.02	28.7	2.7	12	0.65
J848195		3.61	<0.005		0.16	8.17	3.0	110	0.66	0.05	5.56	0.05	43.1	37.8	122	0.21
J848196		4.41	<0.005		0.24	7.63	6.9	80	0.59	0.05	5.61	0.05	36.1	44.2	150	0.13
J848197		2.65	<0.005		0.06	8.51	0.4	270	0.80	0.02	3.47	0.02	56.8	14.1	27	0.40
J848198		3.54	<0.005		2.67	8.30	5.1	240	0.88	0.04	3.79	0.05	47.8	14.1	25	0.57
J848199		3.36	<0.005		0.05	7.14	3.5	560	1.04	0.02	1.74	0.06	43.1	5.2	14	0.43
J848200		0.07	0.877		4.62	6.69	23.1	490	0.73	1.78	2.52	1.77	26.3	15.8	63	0.79
J848201		3.27	<0.005		0.03	6.80	2.5	520	1.17	0.01	1.29	0.03	29.4	2.4	11	0.54
J848202		3.57	<0.005		0.02	7.76	20.3	420	0.83	0.05	3.36	0.05	40.2	12.6	20	0.73
J848203		3.39	<0.005		0.02	8.25	17.2	380	0.81	0.19	3.93	0.07	59.5	12.3	22	0.66
J848204		3.22	<0.005		0.06	7.90	18.5	370	0.76	0.02	3.69	0.08	55.6	15.1	23	0.57
J848205		3.15	<0.005		0.05	7.99	15.6	360	0.73	0.06	3.65	0.06	50.0	14.2	24	0.61
J848206		2.96	<0.005		0.05	7.59	11.2	340	0.74	0.04	3.61	0.05	48.1	12.2	28	0.70
J848207		3.03	<0.005		0.02	7.50	9.6	340	0.84	0.02	2.91	0.05	41.5	11.4	21	0.51
J848208		3.13	<0.005		0.02	7.49	6.5	270	0.84	0.03	3.23	0.06	50.7	12.1	21	0.49
J848209		3.12	<0.005		0.04	7.56	6.8	330	0.75	0.01	3.21	0.05	64.3	10.9	24	0.56
J848209 CRD		<0.02	<0.005		0.02	7.63	8.3	320	0.76	0.01	3.20	0.05	60.5	11.7	23	0.50
J848210		2.95	<0.005	<0.005	0.05	6.86	9.0	470	0.73	0.07	3.00	0.02	37.3	9.5	17	0.84
J848211		3.32	<0.005		0.04	7.43	12.1	380	0.73	0.07	3.55	0.04	43.1	12.0	22	0.67
J848212		3.79	<0.005		0.04	7.87	14.6	260	0.78	0.03	3.67	0.05	52.2	13.9	24	0.47
J848213		3.67	<0.005		0.01	7.28	6.8	400	0.96	0.02	2.40	0.06	51.6	6.6	15	0.44
J848214		3.21	<0.005		0.01	7.13	4.6	390	0.89	0.03	2.26	0.06	51.3	5.5	15	0.53
J848215		0.12	2.30		7.54	6.52	56.4	640	0.82	3.17	1.59	0.75	59.3	17.5	56	3.10
J848216		3.80	<0.005		0.05	7.61	11.1	430	0.88	0.02	3.19	0.05	50.8	10.4	27	0.62
J848217		3.72	0.008		0.06	7.75	11.7	330	1.00	0.04	3.02	0.06	47.9	10.0	24	0.62
J848218		2.99	<0.005		0.08	7.39	12.0	320	0.90	0.03	3.54	0.05	41.3	11.6	23	0.64
J848219		2.93	<0.005		0.05	6.91	9.3	330	0.98	0.02	2.38	0.03	45.8	7.8	15	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848187		48.0	6.03	16.75	0.19	2.9	0.050	0.32	34.3	61.5	3.86	961	0.40	1.84	3.2	167.5
J848188		30.1	3.66	19.10	0.19	3.7	0.037	1.43	25.0	25.3	1.37	501	0.18	2.25	5.5	43.0
J848189		62.0	6.36	16.25	0.14	2.3	0.047	0.94	15.5	41.2	4.02	1100	0.38	0.90	3.1	341
J848189 CRD		55.8	6.04	14.80	0.13	2.3	0.044	0.88	13.1	39.3	3.78	1020	0.42	0.81	2.6	322
J848190		4450	4.86	16.85	0.18	0.7	0.059	5.35	17.3	11.8	0.76	503	264	1.01	4.8	25.9
J848191		18.6	3.68	17.65	0.17	2.4	0.040	1.54	17.5	17.9	1.54	917	0.95	1.57	5.3	37.3
J848192		13.4	0.99	17.75	0.11	2.1	0.012	1.62	8.8	1.7	0.13	224	0.25	3.20	6.0	2.2
J848193		6.9	1.31	19.15	0.12	2.8	0.014	1.70	10.3	2.4	0.16	277	0.19	3.06	9.0	2.8
J848194		10.4	1.35	17.95	0.11	3.0	0.018	1.42	11.6	3.4	0.19	246	0.21	3.48	8.7	2.9
J848195		71.5	7.25	20.5	0.21	1.1	0.066	0.34	16.2	27.6	3.02	1160	0.25	2.00	5.0	109.5
J848196		79.4	7.58	19.85	0.17	1.2	0.067	0.18	14.3	32.7	3.43	1150	0.28	1.57	4.1	133.0
J848197		24.6	3.75	22.3	0.18	3.7	0.048	0.77	26.8	19.0	0.93	511	0.18	3.11	9.1	16.1
J848198		18.9	3.65	22.5	0.18	4.1	0.052	0.80	21.7	18.8	0.86	510	0.36	2.77	10.0	23.5
J848199		10.7	1.80	20.2	0.16	3.2	0.025	1.95	18.0	8.5	0.28	338	0.20	3.02	8.8	5.0
J848200		>10000	4.76	13.75	0.17	1.1	0.149	0.83	11.0	15.1	1.18	681	247	2.20	4.1	35.3
J848201		1.7	1.26	22.8	0.13	3.0	0.018	2.39	15.4	5.8	0.22	229	0.13	3.14	9.4	2.3
J848202		9.1	3.11	20.3	0.19	3.7	0.037	1.40	18.4	14.4	0.66	483	0.31	2.59	9.2	10.7
J848203		10.7	3.77	22.6	0.20	4.7	0.050	1.22	26.6	17.9	0.83	541	0.62	2.60	11.2	12.7
J848204		19.3	3.65	21.7	0.19	4.7	0.045	1.18	25.7	18.1	0.80	479	0.18	2.57	9.5	12.2
J848205		15.2	3.55	22.3	0.16	4.7	0.043	1.09	22.4	17.2	0.77	444	0.90	2.54	9.9	12.0
J848206		17.2	3.45	20.7	0.15	4.4	0.040	1.14	21.7	18.6	0.80	476	1.13	2.84	8.0	15.6
J848207		14.1	2.93	19.50	0.17	4.1	0.036	1.34	18.2	14.0	0.63	400	0.26	2.56	8.7	10.1
J848208		15.8	3.32	21.3	0.17	4.8	0.038	1.00	23.1	17.0	0.72	518	0.17	2.51	10.8	11.5
J848209		16.5	3.28	21.1	0.17	4.4	0.044	1.07	28.6	18.1	0.75	472	0.21	2.57	9.1	12.7
J848209 CRD		16.6	3.26	20.2	0.17	4.0	0.042	1.02	28.5	16.1	0.73	474	0.27	2.48	8.3	11.7
J848210		14.7	2.72	18.90	0.14	3.5	0.073	2.04	16.6	17.3	0.62	410	0.16	2.08	7.0	10.0
J848211		13.1	3.39	19.55	0.17	3.9	0.046	1.60	19.5	20.3	0.78	452	0.28	2.30	8.7	12.5
J848212		18.6	3.56	21.5	0.17	3.9	0.047	0.90	22.5	19.5	0.87	475	0.22	2.58	10.2	14.0
J848213		14.9	2.33	19.80	0.17	3.9	0.029	1.27	24.6	12.2	0.44	367	0.09	2.85	9.0	6.8
J848214		10.9	2.24	18.35	0.18	4.4	0.028	1.27	25.1	11.5	0.42	369	0.13	2.94	8.7	6.0
J848215		>10000	5.60	14.20	0.21	1.5	0.119	2.59	27.6	15.4	1.14	617	108.5	1.56	6.3	34.2
J848216		15.4	3.25	20.6	0.19	3.3	0.041	1.32	23.9	23.4	0.76	457	0.18	2.55	8.3	14.2
J848217		17.8	3.11	20.9	0.20	3.4	0.042	1.13	22.2	23.0	0.73	412	0.21	2.75	8.8	11.6
J848218		18.3	3.52	21.1	0.17	4.2	0.050	1.07	18.0	24.2	0.82	498	0.22	2.46	9.5	12.9
J848219		19.4	2.53	19.80	0.19	4.0	0.030	1.26	21.2	18.5	0.55	390	0.11	2.71	7.7	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848187		950	4.1	13.1	<0.002	0.03	0.23	17.4	1	0.6	232	0.18	<0.05	3.2	0.240	0.04
J848188		540	4.0	47.8	<0.002	0.06	0.26	9.8	1	1.2	139.5	0.41	<0.05	6.0	0.220	0.24
J848189		410	2.7	38.0	0.002	0.17	0.23	16.1	1	0.6	184.5	0.23	<0.05	2.0	0.227	0.15
J848189 CRD		390	2.5	34.3	<0.002	0.15	0.19	14.9	1	0.6	166.0	0.20	<0.05	1.8	0.201	0.14
J848190		1150	41.9	153.5	0.687	2.52	8.16	11.2	9	3.0	263	0.30	0.94	2.5	0.238	1.50
J848191		360	5.5	48.1	<0.002	0.25	0.18	14.3	1	1.0	222	0.41	<0.05	3.3	0.180	0.26
J848192		100	5.4	57.6	<0.002	0.05	0.09	2.2	1	1.1	175.5	0.82	<0.05	2.9	0.051	0.28
J848193		170	10.0	51.0	<0.002	<0.01	0.09	2.8	1	1.6	151.5	0.98	<0.05	4.3	0.075	0.29
J848194		190	10.3	43.8	<0.002	0.01	0.52	2.7	1	1.5	132.5	0.89	<0.05	4.8	0.082	0.26
J848195		800	9.0	17.6	<0.002	0.08	0.44	20.1	1	1.3	388	0.40	<0.05	1.7	0.578	0.06
J848196		560	7.3	9.0	<0.002	0.14	0.37	20.2	1	1.2	391	0.39	<0.05	1.9	0.630	0.03
J848197		880	4.9	32.2	<0.002	0.03	0.53	9.6	1	1.8	306	0.67	<0.05	4.4	0.354	0.14
J848198		860	16.7	39.0	<0.002	<0.01	0.57	10.0	1	1.9	272	0.72	<0.05	4.0	0.358	0.21
J848199		310	12.1	60.1	<0.002	0.01	0.26	3.7	1	1.8	168.0	1.02	<0.05	5.5	0.133	0.27
J848200		590	43.5	28.7	1.545	1.65	28.7	14.6	6	1.1	305	0.29	0.61	2.1	0.326	0.24
J848201		210	7.8	54.6	<0.002	<0.01	0.15	4.1	1	1.5	120.0	1.58	<0.05	6.2	0.094	0.33
J848202		690	6.9	60.3	<0.002	<0.01	0.49	7.3	1	1.5	209	0.79	<0.05	3.8	0.291	0.29
J848203		870	7.2	48.9	<0.002	<0.01	0.51	8.4	1	1.8	251	0.73	<0.05	4.4	0.369	0.28
J848204		850	5.2	43.2	<0.002	<0.01	0.45	8.4	1	1.4	231	0.69	<0.05	4.0	0.354	0.26
J848205		850	6.0	42.4	<0.002	<0.01	0.46	8.4	1	1.4	250	0.76	<0.05	3.8	0.349	0.25
J848206		800	5.1	48.3	<0.002	0.02	0.34	8.0	1	1.3	198.5	0.55	<0.05	3.5	0.315	0.27
J848207		650	7.3	48.8	<0.002	<0.01	0.37	6.9	1	1.5	211	0.67	<0.05	2.9	0.270	0.23
J848208		730	6.9	41.0	<0.002	0.01	0.37	8.2	1	1.5	223	1.16	<0.05	4.0	0.310	0.21
J848209		700	5.7	43.2	<0.002	0.01	0.33	8.0	1	1.4	217	0.77	<0.05	5.3	0.291	0.23
J848209 CRD		670	4.9	40.7	<0.002	0.01	0.32	7.6	1	1.3	218	0.71	<0.05	4.9	0.281	0.22
J848210		590	5.1	53.9	<0.002	0.01	0.10	6.4	1	1.1	97.1	0.50	<0.05	2.9	0.249	0.37
J848211		820	5.4	50.9	<0.002	0.01	0.18	8.0	1	1.3	149.5	0.57	<0.05	3.0	0.328	0.30
J848212		860	7.0	34.9	<0.002	<0.01	0.41	9.5	1	1.5	254	0.74	<0.05	3.5	0.363	0.20
J848213		430	8.3	46.4	<0.002	0.01	0.29	5.1	1	1.7	191.5	0.95	<0.05	5.9	0.191	0.23
J848214		400	8.1	52.1	<0.002	0.01	0.30	4.5	1	1.9	174.5	0.85	<0.05	6.6	0.177	0.23
J848215		870	63.4	77.6	0.140	2.38	7.97	15.3	7	2.7	254	0.26	0.93	4.9	0.296	0.81
J848216		720	6.9	38.0	<0.002	<0.01	0.34	8.0	1	1.5	205	0.70	<0.05	4.6	0.307	0.27
J848217		710	8.3	48.5	<0.002	0.01	0.47	7.8	2	1.5	234	0.86	<0.05	4.5	0.293	0.24
J848218		850	6.9	47.6	<0.002	<0.01	0.41	8.8	1	1.7	221	0.73	<0.05	3.8	0.357	0.25
J848219		550	8.9	42.1	<0.002	<0.01	0.21	5.2	1	1.5	155.5	0.80	<0.05	4.9	0.238	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J848187		0.7	118	0.8	8.9	116	120.0	
J848188		0.8	69	2.1	6.2	66	134.5	
J848189		0.6	116	1.2	8.1	112	90.2	
J848189 CRD		0.6	111	0.9	7.7	108	86.3	
J848190		1.3	156	13.2	15.3	149	26.3	
J848191		0.9	64	0.6	9.9	52	87.4	
J848192		1.5	9	0.2	4.3	14	69.9	
J848193		1.9	10	0.2	6.5	28	79.4	
J848194		1.4	10	2.3	7.4	28	85.9	
J848195		0.9	155	0.4	21.4	124	32.5	
J848196		0.7	167	0.4	20.3	134	37.8	
J848197		0.9	64	0.3	18.7	80	156.0	
J848198		1.0	62	0.3	18.9	81	187.5	
J848199		1.7	19	0.1	11.2	49	107.5	
J848200		0.9	104	6.1	16.9	151	39.8	1.255
J848201		2.3	12	0.2	12.6	27	83.6	
J848202		1.2	48	0.2	15.2	69	151.5	
J848203		1.0	62	0.3	18.2	91	204	
J848204		1.0	57	0.2	17.1	97	202	
J848205		1.0	56	0.1	17.1	79	200	
J848206		1.2	53	0.2	15.5	79	191.5	
J848207		1.4	44	0.1	15.4	67	168.0	
J848208		2.0	50	0.1	20.3	74	195.0	
J848209		3.9	52	0.1	17.4	77	178.5	
J848209 CRD		1.0	50	0.1	16.5	77	165.0	
J848210		0.9	44	0.2	12.8	64	154.5	
J848211		1.2	58	0.3	15.1	74	173.0	
J848212		1.2	64	0.1	18.0	79	163.5	
J848213		1.6	31	0.1	14.8	60	143.5	
J848214		1.9	27	0.1	13.9	66	166.5	
J848215		1.4	144	11.2	16.0	166	48.4	2.15
J848216		1.4	55	0.1	14.8	73	135.0	
J848217		1.8	52	0.2	15.9	70	137.0	
J848218		1.0	58	0.2	19.4	78	188.5	
J848219		1.8	35	0.2	16.9	63	150.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 5-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189374

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.