ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE TB10176554

Project: HAMMOND REEF

P.O. No.:

This report is for 193 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J823816		2.44	0.008			<0.01	7.56	<0.2	550	1.01	0.01	2.42	0.03	84.1	6.9	11
J823817		2.15	<0.005			<0.01	8.05	0.2	450	0.99	0.01	2.50	0.02	78.4	9.4	14
J823818		2.19	0.024			<0.01	8.26	0.2	540	1.07	0.02	2.08	0.03	47.6	9.5	12
J823819		4.38	<0.005			0.12	8.84	0.7	360	1.05	0.04	3.28	0.08	65.7	17.1	47
J823820		2.51	<0.005			0.18	7.29	2.7	10	0.43	0.02	6.49	0.09	17.50	71.6	595
J823821		2.24	<0.005			0.06	8.40	2.1	270	1.25	0.05	3.69	<0.02	42.8	18.7	53
J823822		2.38	<0.005			0.09	8.96	1.4	230	1.10	0.02	4.99	0.09	38.2	24.2	70
J823823		3.31	<0.005			0.05	8.71	1.1	310	1.02	0.09	3.80	0.08	40.8	16.2	49
J823824		3.24	<0.005			0.11	8.02	4.8	220	0.86	0.02	4.15	0.09	34.3	19.8	68
J823825		3.23	<0.005			0.03	8.88	5.8	360	0.95	0.17	4.13	0.08	53.2	16.7	59
J823826		3.15	<0.005			<0.01	7.54	1.8	400	0.96	0.01	2.59	0.02	61.8	7.5	14
J823827		3.07	<0.005			<0.01	7.80	0.7	390	1.01	0.05	2.84	0.03	51.2	7.8	17
J823828		3.24	<0.005			<0.01	7.42	1.0	360	0.80	<0.01	2.53	0.02	92.1	6.1	13
J823829		3.25	0.116			0.17	7.63	3.4	370	0.82	0.03	2.63	0.03	64.8	6.7	11
J823830		0.11	0.418			2.39	8.02	107.0	620	1.25	0.54	0.58	0.86	36.2	18.4	34
J823831		3.22	<0.005			<0.01	7.53	4.7	300	0.69	0.01	2.99	0.04	49.2	8.5	11
J823832		3.36	<0.005			0.02	7.24	2.7	310	0.79	0.02	2.53	0.03	51.6	6.9	8
J823833		3.14	<0.005			0.01	7.44	2.1	390	0.89	0.02	2.74	0.02	65.0	8.0	10
J823834		3.28	<0.005			0.02	7.34	0.8	310	1.04	0.02	2.36	0.04	58.3	6.8	8
J823835		3.33	<0.005			0.01	7.28	5.4	220	0.70	0.01	2.31	0.02	63.6	9.4	9
J823835 CRD		<0.02	<0.005			0.01	7.46	4.1	220	0.65	0.02	2.38	0.02	60.9	8.3	9
J823836		3.33	<0.005		<0.005	0.02	7.36	0.7	400	0.97	0.01	2.04	<0.02	59.5	6.5	11
J823837		3.21	<0.005			0.01	7.84	4.3	360	1.10	0.03	2.11	0.02	53.9	8.4	12
J823838		3.28	<0.005			0.03	7.20	0.8	370	1.23	0.02	2.18	0.02	48.0	5.9	7
J823839		3.25	<0.005			0.01	7.56	2.8	390	1.02	0.02	2.38	0.02	59.2	8.1	9
J823840		3.24	<0.005			0.08	7.76	0.9	310	0.82	0.03	3.35	0.03	72.6	12.3	8
J823841		3.14	<0.005			0.08	7.82	0.5	260	0.78	0.03	3.62	0.03	75.0	12.3	7
J823842		2.89	0.065			0.12	7.02	1.2	350	0.96	0.09	2.22	0.03	41.9	7.5	13
J823843		3.54	0.138			0.16	7.28	<0.2	320	0.95	0.04	3.11	0.04	51.3	12.0	33
J823844		3.36	0.100			0.13	7.82	1.4	220	0.65	0.05	4.33	0.07	54.0	20.8	63
J823845		1.04	<0.005			<0.01	0.14	8	10	<0.05	0.01	21.6	<0.02	2.72	0.7	1
J823846		3.38	<0.005			0.05	6.80	0.5	380	0.65	0.11	2.87	0.05	61.4	11.8	33
J823847		3.29	0.013			0.06	7.37	2.6	400	0.96	0.08	2.52	0.02	59.1	7.0	8
J823848		3.29	<0.005			0.07	7.56	3.6	360	0.89	0.03	2.73	0.03	46.0	9.6	18
J823849		3.71	<0.005			0.02	7.64	0.7	440	0.91	0.01	2.98	0.04	48.3	10.7	27
J823850		3.47	<0.005			0.05	7.70	1.3	400	0.98	0.02	3.02	0.03	36.4	12.5	16
J823851		3.06	<0.005			0.05	7.73	2.0	420	0.95	0.01	3.14	0.04	35.8	13.1	15
J823852		3.43	<0.005			0.06	7.85	1.7	350	0.98	0.02	3.05	0.03	27.8	11.6	17
J823853		3.26	0.026			0.06	7.56	0.2	350	1.30	0.02	2.10	0.02	37.3	7.3	12
J823854		3.83	0.085			0.05	7.18	0.9	680	0.86	0.02	1.99	0.03	51.2	5.3	8

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J823816		0.94	6.2	2.26	22.6	0.11	5.5	0.014	2.12	40.6	10.8	0.54	333	0.15	2.77	5.8
J823817		0.63	0.6	2.84	24.1	0.13	4.7	0.014	1.48	37.6	12.8	0.73	377	0.18	3.40	9.5
J823818		0.94	3.3	2.78	23.9	0.10	3.5	0.016	2.07	24.4	13.5	0.74	405	0.13	3.31	8.8
J823819		0.46	108.0	4.07	23.9	0.13	3.1	0.030	1.14	32.2	13.1	1.45	649	5.30	3.51	6.9
J823820		0.13	144.0	10.00	20.1	0.15	1.6	0.064	0.03	6.9	18.5	6.12	1500	0.36	1.67	3.2
J823821		0.40	74.3	4.33	22.4	0.10	1.7	0.042	0.95	18.9	13.5	1.68	758	112.5	3.27	11.9
J823822		0.37	58.4	5.45	23.7	0.13	0.8	0.046	1.10	17.4	12.4	2.15	955	0.42	3.10	7.7
J823823		0.37	27.1	4.08	23.3	0.10	2.0	0.045	1.07	19.0	12.9	1.45	678	0.45	2.96	8.2
J823824		0.36	32.3	4.79	20.3	0.12	1.2	0.052	1.16	14.5	15.3	2.02	902	0.16	2.57	7.0
J823825		0.40	19.7	4.90	26.5	0.14	2.4	0.057	1.29	24.3	16.7	1.61	844	0.17	2.91	10.4
J823826		0.38	0.8	2.81	22.3	0.10	4.0	0.017	1.17	30.2	11.8	0.53	342	0.14	3.01	7.8
J823827		0.36	5.5	2.76	22.9	0.09	3.9	0.031	1.08	24.8	10.9	0.52	363	0.17	3.08	8.2
J823828		0.41	0.6	2.61	21.9	0.14	6.2	0.020	1.02	46.0	11.7	0.45	313	0.13	3.13	8.7
J823829		0.62	21.2	2.57	22.5	0.11	4.4	0.020	1.29	31.5	13.3	0.44	290	0.18	3.05	7.1
J823830		6.99	4670	5.01	18.45	0.16	0.8	0.060	5.51	19.9	11.6	0.79	524	262	1.15	5.2
J823831		0.40	17.6	2.91	23.5	0.09	4.1	0.037	0.99	23.3	12.2	0.50	339	0.39	3.08	7.9
J823832		0.37	12.6	2.53	21.6	0.14	3.8	0.016	0.87	23.3	12.3	0.43	286	0.20	2.95	6.4
J823833		0.51	7.2	2.69	22.6	0.15	4.3	0.021	1.08	30.4	14.9	0.48	335	0.16	2.82	7.7
J823834		0.43	9.4	2.59	22.7	0.15	4.3	0.021	0.93	26.6	12.9	0.45	322	0.14	2.96	8.0
J823835		0.41	3.6	2.57	22.8	0.16	4.1	0.015	0.81	29.1	12.8	0.45	312	0.13	3.15	6.9
J823835 CRD		0.39	4.0	2.61	21.9	0.16	4.0	0.015	0.83	28.2	12.6	0.46	319	0.15	3.24	6.7
J823836		0.54	1.3	2.36	20.9	0.16	3.7	0.012	1.09	27.6	14.4	0.49	304	0.12	2.92	6.7
J823837		0.55	5.4	2.16	23.3	0.14	3.6	0.016	1.09	24.8	13.1	0.44	306	0.16	3.68	10.2
J823838		0.58	5.3	2.07	20.8	0.15	3.2	0.012	1.35	21.0	13.5	0.39	316	0.24	3.23	8.7
J823839		0.48	4.3	2.48	21.7	0.15	3.5	0.014	1.10	26.7	13.5	0.47	340	0.14	2.97	6.4
J823840		0.45	13.7	3.98	23.6	0.19	4.0	0.040	0.92	30.5	17.6	0.76	520	0.13	2.79	11.2
J823841		0.41	16.3	4.22	23.4	0.18	4.3	0.048	0.83	31.8	16.5	0.77	524	0.12	2.70	11.5
J823842		0.80	16.0	2.19	20.3	0.13	2.2	0.013	1.39	20.5	18.6	0.57	320	8.48	2.68	5.0
J823843		0.80	17.8	2.82	19.65	0.16	1.7	0.023	1.47	23.4	21.0	0.98	496	0.19	2.62	4.7
J823844		0.58	41.8	4.74	19.75	0.16	0.8	0.037	1.07	22.1	20.3	1.88	854	1.97	2.58	5.8
J823845		0.09	0.9	0.08	0.40	0.14	0.1	<0.005	0.11	2.0	4.7	13.45	51	0.12	0.04	0.3
J823846		0.43	18.7	3.04	19.35	0.10	2.5	0.022	0.97	27.8	11.6	0.98	475	0.14	2.34	5.5
J823847		0.77	4.5	2.46	22.6	0.15	4.3	0.021	1.44	27.9	15.9	0.58	361	18.45	2.89	6.0
J823848		0.42	23.2	2.85	21.4	0.14	3.0	0.021	1.03	22.2	13.9	0.68	419	0.14	2.87	7.1
J823849		0.39	1.8	3.07	21.7	0.13	3.7	0.026	1.10	22.4	13.0	0.81	502	0.26	2.92	7.1
J823850		0.41	15.1	3.44	21.8	0.16	3.4	0.031	1.11	16.7	14.5	0.88	545	0.18	2.94	8.4
J823851		0.42	14.8	3.54	21.9	0.16	3.5	0.034	1.11	16.0	14.6	0.90	564	0.16	2.92	9.0
J823852		0.44	14.2	3.39	23.0	0.14	3.1	0.041	1.06	12.1	16.4	0.82	547	0.16	3.00	10.4
J823853		0.51	3.8	2.39	23.6	0.14	3.4	0.027	1.26	17.1	13.5	0.49	423	0.46	3.29	12.7
J823854		0.73	4.8	2.06	20.7	0.13	3.2	0.020	1.68	22.9	10.6	0.35	323	0.28	2.81	8.0

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J823816		8.5	510	4.5	75.0	<0.002	0.02	0.11	3.6	1	0.9	182.5	0.31	<0.05	11.5	0.162
J823817		10.3	610	5.4	50.1	<0.002	<0.01	0.16	2.8	1	1.2	245	0.51	<0.05	9.9	0.279
J823818		10.6	510	4.8	72.3	<0.002	0.01	0.13	2.8	1	1.2	190.5	0.47	<0.05	6.1	0.260
J823819		52.5	650	5.7	39.5	<0.002	0.07	0.19	9.6	2	1.4	322	0.43	<0.05	6.9	0.301
J823820		313	480	3.9	0.6	<0.002	0.20	0.30	34.7	2	0.9	267	0.19	<0.05	0.3	0.764
J823821		51.9	840	4.8	29.0	0.002	0.04	0.18	13.3	2	1.8	338	2.57	<0.05	3.3	0.354
J823822		71.1	980	4.1	32.4	<0.002	0.06	0.12	18.0	2	1.5	339	0.97	<0.05	1.5	0.391
J823823		48.5	620	4.6	34.3	<0.002	0.02	0.21	14.7	2	1.7	300	0.62	<0.05	2.9	0.293
J823824		64.6	900	3.8	42.4	<0.002	0.02	0.23	16.6	2	1.8	255	0.64	<0.05	1.2	0.336
J823825		47.0	1030	6.5	40.8	<0.002	0.02	0.21	17.6	2	2.4	308	0.86	<0.05	5.5	0.352
J823826		6.3	540	5.3	41.5	<0.002	0.01	0.11	3.7	1	1.0	233	0.33	<0.05	7.8	0.241
J823827		8.2	460	5.4	36.0	<0.002	0.02	0.06	7.8	2	1.2	242	0.37	<0.05	6.3	0.228
J823828		5.4	450	5.7	38.3	<0.002	0.01	0.10	4.7	1	1.0	237	0.33	<0.05	12.9	0.215
J823829		3.9	580	6.2	51.2	<0.002	0.05	0.12	4.2	1	0.9	227	0.35	0.09	6.6	0.231
J823830		26.0	1160	41.7	154.5	0.633	2.66	7.35	11.9	11	3.3	275	0.34	1.02	2.8	0.255
J823831		4.5	750	4.8	33.1	<0.002	0.01	0.24	7.9	2	1.0	267	0.47	<0.05	3.8	0.289
J823832		3.1	630	4.3	30.6	<0.002	0.01	0.14	4.4	1	0.7	235	0.38	<0.05	3.9	0.239
J823833		4.5	580	4.8	39.3	<0.002	0.02	0.07	5.5	2	0.9	230	0.34	<0.05	6.3	0.243
J823834		3.4	660	4.0	34.0	<0.002	0.01	0.07	5.4	1	0.9	226	0.55	<0.05	5.1	0.250
J823835		4.4	530	3.3	34.8	<0.002	0.02	0.19	4.5	1	0.8	210	0.23	<0.05	7.5	0.234
J823835 CRD		4.2	540	3.2	32.8	<0.002	0.02	0.19	4.3	1	0.8	215	0.23	<0.05	7.1	0.238
J823836		4.9	480	4.4	39.3	<0.002	0.01	0.08	2.3	1	0.8	210	0.28	<0.05	6.6	0.217
J823837		6.0	490	4.3	42.4	<0.002	0.02	0.09	3.2	1	1.3	196.0	0.68	<0.05	6.5	0.208
J823838		2.9	580	2.5	49.0	<0.002	0.08	0.06	2.2	1	1.0	133.0	0.34	<0.05	4.3	0.195
J823839		3.9	550	4.3	40.9	<0.002	0.01	0.14	3.5	2	1.0	226	0.33	<0.05	6.3	0.227
J823840		5.4	990	4.2	31.6	<0.002	0.02	0.15	8.4	2	1.5	251	0.59	<0.05	4.1	0.365
J823841		4.5	1010	3.7	26.3	<0.002	0.02	0.10	9.5	2	1.4	257	0.59	<0.05	3.4	0.383
J823842		10.4	320	5.6	56.8	<0.002	0.04	0.10	3.3	2	0.8	190.0	0.28	0.07	4.7	0.194
J823843		27.9	550	5.2	52.5	<0.002	0.09	0.09	7.7	1	1.1	206	0.31	0.11	3.9	0.224
J823844		56.9	1000	5.9	34.6	<0.002	0.09	0.11	15.5	1	1.6	262	0.34	<0.05	1.5	0.354
J823845		<0.2	10	1.3	2.3	<0.002	0.03	0.05	0.3	2	<0.2	64.8	<0.05	<0.05	0.2	0.007
J823846		25.1	630	4.5	33.1	<0.002	0.02	0.09	8.1	1	1.2	241	0.30	<0.05	5.3	0.261
J823847		6.6	530	4.9	56.2	<0.002	0.02	0.10	6.6	1	1.3	177.0	0.36	0.05	8.1	0.184
J823848		12.6	590	5.4	37.3	<0.002	0.01	0.14	5.0	1	1.4	243	0.35	<0.05	4.8	0.254
J823849		17.0	580	5.3	34.7	<0.002	<0.01	0.06	5.9	1	1.6	247	0.32	<0.05	5.1	0.255
J823850		13.5	630	5.6	36.1	<0.002	0.02	0.11	8.9	1	1.7	240	0.68	<0.05	3.8	0.321
J823851		14.0	650	5.3	34.3	<0.002	0.01	0.14	9.5	1	1.9	245	0.76	<0.05	3.7	0.333
J823852		12.0	720	4.0	37.0	<0.002	0.01	0.11	9.5	1	2.0	242	0.67	<0.05	3.0	0.319
J823853		6.7	490	6.9	43.9	<0.002	0.03	0.06	7.5	2	1.9	169.0	1.08	<0.05	5.5	0.196
J823854		3.2	440	6.3	57.3	<0.002	0.03	0.08	5.7	1	1.4	192.0	0.52	<0.05	5.9	0.164

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J823816		0.37	1.4	30	0.4	8.4	51	206								
J823817		0.26	0.9	39	0.1	7.8	75	176.5								
J823818		0.35	0.6	38	1.2	5.9	68	127.5								
J823819		0.19	0.8	72	0.2	11.9	80	115.0								
J823820		<0.02	0.1	281	0.3	17.9	109	51.2								
J823821		0.16	1.2	92	0.1	14.5	91	51.2								
J823822		0.17	0.8	123	0.1	15.7	97	17.2								
J823823		0.17	0.6	68	0.2	15.4	93	60.0								
J823824		0.18	0.6	95	0.6	17.0	104	33.9								
J823825		0.20	1.1	82	0.3	20.5	111	70.8								
J823826		0.21	0.6	34	0.1	6.4	78	158.0								
J823827		0.18	0.9	32	0.1	9.0	74	139.5								
J823828		0.19	1.0	24	0.2	10.1	72	250								
J823829		0.24	0.8	29	0.4	7.5	74	177.0								
J823830		1.40	1.3	162	12.7	15.5	158	24.4								
J823831		0.18	0.6	38	0.2	10.3	97	163.5								
J823832		0.16	0.7	32	0.2	6.8	79	148.0								
J823833		0.20	0.6	32	0.1	7.3	71	165.5								
J823834		0.17	0.6	33	0.1	7.0	85	162.5								
J823835		0.16	0.6	33	0.3	6.7	41	162.5								
J823835 CRD		0.15	0.6	34	0.3	6.4	43	159.0								
J823836		0.19	0.7	30	0.2	6.1	59	145.5		0.12	0.5	69.39	15.01	3.28	2.84	0.86
J823837		0.21	1.3	27	0.3	10.6	47	125.0								
J823838		0.22	0.9	25	1.1	9.0	44	119.0								
J823839		0.18	0.7	33	0.3	7.6	58	134.0								
J823840		0.17	0.6	56	0.3	18.2	85	164.5								
J823841		0.14	0.6	55	0.3	20.8	82	173.5								
J823842		0.26	0.5	33	1.2	4.9	55	72.8								
J823843		0.21	0.7	53	0.9	9.6	65	43.6								
J823844		0.16	0.4	102	1.2	17.3	90	18.7								
J823845		<0.02	0.1	1	<0.1	1.7	<2	1.9								
J823846		0.17	0.6	55	0.2	11.6	64	90.8								
J823847		0.29	0.9	33	0.5	8.9	54	168.0								
J823848		0.18	0.5	44	0.2	8.3	71	116.5								
J823849		0.17	0.5	45	0.1	9.5	72	137.0								
J823850		0.19	0.9	64	0.2	12.6	77	126.5								
J823851		0.20	1.0	68	0.2	14.0	77	128.5								
J823852		0.19	0.4	58	0.2	16.0	84	124.5								
J823853		0.20	1.4	32	0.3	14.3	65	115.0								
J823854		0.25	0.8	23	1.0	8.7	58	119.0								

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method Analyte Units LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J823816											
J823817											
J823818											
J823819											
J823820											
J823821											
J823822											
J823823											
J823824											
J823825											
J823826											
J823827											
J823828											
J823829											
J823830											
J823831											
J823832											
J823833											
J823834											
J823835											
J823835 CRD											
J823836		4.12	1.33	<0.01	0.35	0.04	0.101	0.04	0.03	1.56	98.95
J823837											
J823838											
J823839											
J823840											
J823841											
J823842											
J823843											
J823844											
J823845											
J823846											
J823847											
J823848											
J823849											
J823850											
J823851											
J823852											
J823853											
J823854											

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J823855		3.93	0.007			0.04	7.71	<0.2	460	0.87	0.01	2.48	0.03	40.7	9.4	13
J823855 CRD		<0.02	0.005			0.03	7.45	<0.2	460	0.83	0.01	2.43	0.02	40.8	8.3	13
J823856		3.65	1.095		0.922	0.26	8.17	<0.2	450	0.88	0.08	2.55	0.04	84.5	8.7	9
J823857		3.57	0.134			0.06	7.32	<0.2	440	0.84	0.03	2.31	0.06	55.5	8.0	11
J823858		3.41	0.022			0.03	6.75	<0.2	410	0.80	0.03	3.08	0.09	22.4	7.8	32
J823859		3.31	3.38			0.27	7.48	<0.2	350	0.87	0.25	4.66	0.11	31.3	17.5	53
J823860		0.07	1.015			4.76	6.27	20.4	480	0.58	1.82	2.42	1.98	22.0	14.9	62
J823861		3.42	0.243			0.05	6.83	<0.2	450	0.88	0.03	2.52	0.04	29.3	7.7	14
J823862		3.50	0.094			0.04	7.27	0.2	410	0.95	0.04	2.83	0.04	50.8	12.6	34
J823863		3.37	0.389			0.35	7.20	<0.2	240	0.87	0.12	5.24	0.07	31.4	23.1	88
J823864		3.54	1.625			0.99	5.68	0.6	360	0.77	0.50	2.11	0.05	36.8	8.7	21
J823865		2.82	0.039			0.10	7.94	1.6	310	0.72	0.04	3.42	0.07	73.8	11.9	7
J823866		3.46	0.084			0.19	7.50	0.4	330	0.73	0.08	3.11	0.04	65.6	10.2	7
J823867		3.25	0.005			0.02	6.89	2.4	330	0.80	0.01	2.51	0.02	50.3	7.6	13
J823868		3.23	0.160			0.17	7.28	1.2	460	0.99	0.06	2.37	0.02	52.4	8.0	13
J823869		3.00	0.072			0.04	6.87	0.3	390	0.88	0.01	2.28	0.02	48.5	7.4	15
J823870		3.22	<0.005			0.03	6.72	0.8	480	0.78	0.01	2.18	0.03	39.9	7.0	13
J823871		3.29	0.020			0.03	6.65	<0.2	390	0.89	0.02	2.34	0.02	42.0	7.2	14
J823872		3.27	0.005			0.08	6.83	2.3	450	0.88	0.01	2.31	0.02	42.7	7.3	14
J823873		3.28	<0.005			0.27	7.35	0.9	430	0.92	0.01	2.82	0.04	32.7	10.6	20
J823874		3.47	<0.005			0.04	7.16	1.1	320	0.99	0.02	3.20	0.05	36.5	13.7	43
J823875		0.12	2.42			8.49	6.59	49.6	620	0.82	3.21	1.57	0.97	55.1	16.5	59
J823876		3.27	<0.005			0.11	6.98	1.0	320	0.88	0.01	2.86	0.04	40.7	11.3	18
J823876 CRD		<0.02	<0.005			0.10	7.04	1.1	320	0.89	0.01	2.82	0.04	43.0	10.9	17
J823877		3.45	0.005		0.006	0.07	7.19	0.4	250	0.91	0.01	3.11	0.04	40.8	13.0	49
J823878		3.37	<0.005			0.08	7.02	<0.2	250	0.95	0.01	2.75	0.04	34.3	9.9	28
J823879		2.60	0.320			0.42	6.20	<0.2	360	0.96	0.03	2.12	0.04	35.8	5.7	8
J823880		1.74	4.51			1.40	6.03	0.3	390	0.97	0.09	0.98	0.02	14.75	4.8	9
J823881		2.72	0.184			0.11	7.15	0.4	350	1.36	0.04	1.83	0.04	15.10	6.2	16
J823882		3.65	0.005			0.16	6.64	2.8	10	0.39	0.01	6.80	0.09	13.90	64.3	593
J823883		3.57	<0.005			0.07	6.86	0.8	290	1.05	0.03	2.17	0.03	29.3	8.2	20
J823884		2.85	<0.005			0.04	7.50	5.1	280	0.95	0.20	3.37	0.05	16.15	11.3	17
J823885		2.79	<0.005			0.02	6.60	1.7	430	0.96	0.01	1.83	0.02	36.2	4.3	8
J823886		2.97	<0.005			0.01	5.88	3.3	300	0.76	0.01	2.37	<0.02	13.80	3.3	7
J823887		3.01	<0.005			0.02	6.99	1.1	340	1.01	0.01	2.26	0.02	42.2	6.9	14
J823888		3.40	<0.005			0.04	6.96	0.5	360	0.97	0.01	2.45	0.02	49.9	8.1	10
J823889		2.95	0.012			0.08	7.25	3.1	260	0.73	0.09	3.35	0.06	56.7	12.5	6
J823890		0.12	0.430			2.29	7.11	107.0	590	1.17	0.57	0.52	1.05	29.1	18.1	35
J823891		2.96	<0.005			0.13	7.25	4.5	360	0.88	0.01	3.09	0.07	42.0	12.4	31
J823892		2.99	<0.005			0.01	6.73	0.7	360	0.87	0.01	2.38	0.03	42.3	6.7	13

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J823855		0.80	12.8	2.79	22.7	0.15	3.3	0.022	1.28	17.9	15.8	0.59	405	0.13	2.96	8.1
J823855 CRD		0.77	10.6	2.74	20.8	0.12	3.2	0.021	1.24	18.1	15.6	0.58	399	0.13	2.86	7.7
J823856		1.09	15.9	2.79	22.6	0.15	4.2	0.021	1.98	41.6	15.1	0.56	364	1.27	3.03	6.8
J823857		1.06	3.1	2.46	22.1	0.12	4.1	0.014	2.11	26.4	13.3	0.52	310	1.88	2.39	6.1
J823858		0.70	5.0	2.39	18.30	0.12	2.0	0.018	1.63	10.5	12.8	0.72	442	0.57	2.40	4.9
J823859		0.93	34.0	4.19	21.8	0.13	1.3	0.039	1.81	13.9	24.8	1.42	768	16.40	2.08	6.5
J823860		0.78	>10000	4.66	13.85	0.14	1.0	0.122	0.81	10.6	13.9	1.18	666	254	2.11	3.9
J823861		1.29	21.6	2.57	19.00	0.12	2.4	0.025	1.99	13.2	13.6	0.62	405	0.59	2.36	5.1
J823862		1.40	10.8	3.01	21.1	0.13	3.0	0.030	1.98	24.2	19.5	1.04	487	0.26	2.18	7.6
J823863		0.95	8.1	4.25	18.50	0.12	1.5	0.031	1.46	14.0	32.7	2.43	896	8.68	1.75	5.2
J823864		1.19	18.3	2.51	17.05	0.13	2.1	0.025	1.87	18.2	13.4	0.66	397	28.1	1.43	4.8
J823865		0.57	21.2	4.22	23.3	0.16	5.2	0.050	0.94	31.7	13.7	0.74	556	0.40	2.57	11.9
J823866		0.59	19.6	3.72	22.4	0.13	4.6	0.049	0.98	31.7	14.1	0.63	472	4.43	2.62	10.7
J823867		0.51	1.7	2.40	20.8	0.11	3.9	0.022	0.94	26.8	11.2	0.46	308	0.16	2.78	6.6
J823868		0.86	3.7	2.41	21.3	0.12	3.9	0.024	1.51	27.5	15.7	0.50	313	0.73	2.72	6.6
J823869		0.65	2.7	2.38	20.3	0.12	3.6	0.024	1.15	25.5	12.6	0.49	318	0.19	2.67	6.6
J823870		0.66	1.7	2.33	19.95	0.11	3.5	0.024	1.21	21.4	13.4	0.48	325	0.11	2.72	6.6
J823871		0.84	2.3	2.36	19.45	0.11	3.6	0.019	1.32	21.4	14.9	0.47	334	0.17	2.65	6.6
J823872		0.57	2.8	2.29	20.8	0.11	3.7	0.018	1.19	22.1	12.6	0.47	332	0.15	2.78	7.1
J823873		0.36	78.9	2.79	19.75	0.13	2.7	0.029	1.09	16.8	11.0	0.78	469	0.13	2.88	6.3
J823874		0.41	9.2	3.39	19.90	0.13	1.8	0.037	0.98	16.9	13.2	1.14	605	0.27	2.52	8.3
J823875		3.06	>10000	5.58	14.20	0.17	1.3	0.108	2.68	27.5	16.0	1.21	632	120.0	1.62	6.3
J823876		0.52	40.5	2.86	19.40	0.12	3.1	0.024	0.99	20.8	13.5	0.83	475	0.23	2.70	6.1
J823876 CRD		0.53	37.9	2.74	19.45	0.12	3.3	0.025	0.99	21.9	13.2	0.80	455	0.20	2.68	6.1
J823877		0.45	23.5	3.29	19.55	0.13	1.9	0.034	0.87	21.4	14.3	1.13	593	0.19	2.57	6.5
J823878		0.39	42.1	2.62	19.55	0.11	1.9	0.025	0.81	18.8	9.5	0.80	459	0.16	2.81	5.0
J823879		1.13	72.1	1.78	18.00	0.12	2.2	0.012	1.92	18.6	11.9	0.37	336	0.45	2.08	5.1
J823880		1.00	14.1	1.36	18.70	0.10	2.0	0.008	1.88	8.3	8.5	0.22	153	4.01	2.01	5.3
J823881		1.01	14.9	1.94	23.7	0.09	1.7	0.017	1.71	7.7	13.2	0.44	315	1.15	3.30	10.1
J823882		0.07	137.0	8.97	18.65	0.15	1.8	0.060	0.04	5.9	21.5	5.60	1420	0.33	1.17	3.0
J823883		0.52	18.7	2.29	20.9	0.11	2.5	0.022	1.56	15.0	10.4	0.57	377	0.28	2.72	8.9
J823884		0.35	12.0	2.42	22.4	0.10	3.1	0.037	1.03	7.2	11.0	0.73	396	0.15	3.09	4.6
J823885		0.31	7.7	1.48	19.30	0.10	3.7	0.010	1.13	19.1	6.9	0.26	199	0.18	3.06	4.6
J823886		0.34	1.7	0.97	20.3	0.09	2.7	0.007	0.96	7.0	4.2	0.08	131	0.13	2.95	2.8
J823887		0.51	3.3	2.30	20.9	0.12	3.7	0.022	1.02	22.2	11.4	0.45	317	0.54	2.81	6.3
J823888		0.69	7.5	2.71	21.4	0.12	4.1	0.022	1.11	24.2	13.5	0.49	353	0.23	2.73	7.7
J823889		0.65	23.9	4.09	22.9	0.16	5.2	0.054	1.05	25.3	17.9	0.72	541	0.23	2.55	12.5
J823890		6.31	4460	4.72	17.80	0.17	0.8	0.059	3.57	17.0	11.2	0.75	484	279	0.99	5.0
J823891		0.40	35.2	3.63	21.8	0.13	2.5	0.043	1.01	21.1	14.5	0.89	477	0.45	2.58	8.0
J823892		0.36	2.5	2.22	20.1	0.12	3.7	0.014	0.98	22.5	10.4	0.45	254	0.17	2.75	5.8

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J823855		8.5	620	6.9	46.5	<0.002	0.02	0.09	7.8	1	1.4	230	0.42	<0.05	5.0	0.239
J823855 CRD		8.0	590	7.0	43.9	<0.002	0.02	0.09	7.4	1	1.2	224	0.42	<0.05	5.1	0.234
J823856		7.2	730	7.2	65.2	<0.002	0.39	0.11	3.5	1	1.2	145.5	0.36	0.19	8.6	0.220
J823857		5.7	550	4.3	64.2	<0.002	0.10	0.10	3.2	1	1.0	151.5	0.32	<0.05	6.2	0.216
J823858		21.1	430	4.7	49.6	<0.002	0.05	0.09	5.5	1	1.0	162.5	0.30	<0.05	2.6	0.156
J823859		45.2	680	6.3	54.8	<0.002	0.27	0.12	12.3	1	1.6	198.5	0.41	0.19	1.5	0.270
J823860		33.2	580	36.7	23.9	1.465	1.65	23.6	14.7	6	1.1	286	0.27	0.64	1.8	0.317
J823861		11.7	530	3.0	56.9	<0.002	0.05	0.09	6.3	1	1.0	156.0	0.29	<0.05	3.1	0.209
J823862		33.4	570	3.2	71.6	<0.002	0.08	0.09	7.6	2	1.6	166.0	0.60	<0.05	5.3	0.214
J823863		97.3	490	4.9	50.7	<0.002	0.14	0.10	15.4	1	1.3	215	0.57	0.25	2.0	0.206
J823864		16.7	440	10.5	67.3	<0.002	0.37	0.09	7.0	1	1.2	78.7	0.29	0.68	3.9	0.183
J823865		4.0	990	6.6	33.1	<0.002	0.02	0.06	9.4	2	1.4	240	0.61	<0.05	3.2	0.378
J823866		4.8	860	6.7	31.6	<0.002	0.12	0.13	7.4	2	1.4	243	0.56	0.09	4.3	0.335
J823867		5.4	460	5.5	32.6	<0.002	0.01	0.10	3.4	1	0.9	235	0.26	<0.05	6.2	0.222
J823868		5.8	480	5.4	55.9	<0.002	0.07	0.08	4.8	1	0.9	193.5	0.29	0.09	6.5	0.222
J823869		5.6	480	4.9	36.3	<0.002	0.05	0.07	4.9	1	1.0	192.5	0.27	<0.05	5.9	0.220
J823870		5.1	470	5.1	40.8	<0.002	0.02	0.06	4.7	1	1.0	204	0.27	<0.05	5.3	0.213
J823871		5.6	470	5.5	46.4	<0.002	0.03	0.06	5.3	1	1.0	190.5	0.29	<0.05	4.9	0.212
J823872		5.6	460	5.3	39.1	<0.002	0.01	0.06	4.9	1	1.0	205	0.32	<0.05	5.2	0.209
J823873		19.3	380	5.7	28.5	<0.002	0.02	<0.05	8.1	1	1.3	224	0.54	<0.05	3.2	0.223
J823874		37.1	670	5.8	27.5	<0.002	0.01	0.07	10.0	1	1.5	244	0.62	<0.05	1.8	0.283
J823875		33.9	910	60.2	82.0	0.147	2.48	7.38	15.2	7	2.7	259	0.26	0.99	4.3	0.307
J823876		19.9	390	5.4	31.7	<0.002	0.02	0.07	7.8	1	1.2	211	0.53	<0.05	4.0	0.236
J823876 CRD		19.0	380	5.7	34.6	<0.002	0.02	0.07	7.7	1	1.2	210	0.55	<0.05	4.4	0.231
J823877		38.6	550	5.0	27.6	<0.002	0.02	0.08	9.7	1	1.5	259	0.42	<0.05	3.2	0.245
J823878		23.4	420	5.0	24.3	<0.002	0.02	0.08	6.3	1	1.1	260	0.36	<0.05	2.9	0.206
J823879		5.7	380	4.3	61.4	<0.002	0.17	0.07	3.0	1	0.8	122.0	0.43	0.05	4.2	0.148
J823880		4.0	70	3.5	62.5	<0.002	0.32	0.07	1.9	1	0.7	77.6	0.28	0.41	2.5	0.124
J823881		9.5	240	3.5	53.6	<0.002	0.14	0.07	3.9	1	1.3	99.7	1.18	0.07	2.5	0.159
J823882		283	460	3.7	0.5	0.002	0.17	0.28	29.3	2	0.8	352	0.18	<0.05	0.2	0.718
J823883		14.8	360	6.4	47.1	<0.002	0.02	0.07	5.8	1	1.3	183.5	1.19	<0.05	3.3	0.182
J823884		14.2	470	5.6	28.0	<0.002	<0.01	0.09	10.1	2	1.1	223	0.43	<0.05	1.7	0.173
J823885		4.0	250	5.1	32.0	<0.002	<0.01	0.07	1.8	1	0.6	182.0	0.27	<0.05	4.8	0.120
J823886		1.7	150	3.8	30.2	<0.002	<0.01	0.09	1.0	1	0.5	198.0	0.14	<0.05	1.8	0.081
J823887		6.5	440	5.5	37.8	<0.002	<0.01	0.05	5.7	1	1.0	213	0.30	<0.05	5.2	0.190
J823888		4.9	570	4.2	39.1	<0.002	0.01	0.06	4.7	1	1.0	206	0.34	<0.05	5.0	0.247
J823889		5.2	990	4.5	36.7	<0.002	0.02	0.12	9.3	2	1.5	245	0.72	<0.05	2.7	0.380
J823890		23.9	1110	40.5	83.3	0.705	2.50	7.87	11.1	9	3.1	245	0.33	1.01	2.2	0.243
J823891		24.0	670	6.5	33.0	<0.002	0.01	0.21	10.3	1	1.6	234	0.50	<0.05	3.3	0.276
J823892		6.9	410	5.3	31.3	<0.002	<0.01	0.07	3.2	1	0.7	207	0.30	<0.05	5.9	0.189

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J823855		0.23	0.5	42	3.4	8.6	76	133.5								
J823855 CRD		0.22	0.5	41	3.5	8.1	74	126.0								
J823856		0.27	0.7	40	7.7	8.0	66	168.5		0.70	2.6	61.67	16.79	3.89	3.56	0.97
J823857		0.28	0.5	37	5.2	5.6	63	166.0								
J823858		0.20	0.7	37	3.7	5.9	45	58.5								
J823859		0.24	0.5	74	6.4	8.7	83	39.9								
J823860		0.20	0.9	105	5.5	16.1	146	28.7	1.315							
J823861		0.29	0.4	40	1.4	5.7	63	93.4								
J823862		0.31	0.6	43	1.6	8.3	74	113.0								
J823863		0.18	2.3	71	2.7	12.0	97	34.2								
J823864		0.24	0.8	44	3.8	7.9	52	79.6								
J823865		0.16	0.7	54	0.3	22.0	87	211								
J823866		0.18	0.8	47	0.9	16.9	85	187.5								
J823867		0.16	0.3	33	0.4	4.6	67	151.5								
J823868		0.27	0.4	36	1.3	5.8	66	155.5								
J823869		0.20	0.4	36	1.0	5.8	70	149.5								
J823870		0.25	0.4	34	0.6	5.7	65	146.0								
J823871		0.25	0.4	34	0.9	4.9	68	144.5								
J823872		0.23	0.4	33	0.6	5.6	62	147.5								
J823873		0.18	0.9	53	0.3	10.3	62	88.6								
J823874		0.17	0.8	63	0.2	16.4	77	61.2								
J823875		0.77	1.3	158	11.4	15.2	171	39.1	2.26							
J823876		0.20	1.0	57	0.2	10.7	61	104.5								
J823876 CRD		0.18	1.0	53	0.3	11.0	57	106.5								
J823877		0.15	0.6	58	0.3	12.3	73	55.4		0.15	0.6	65.58	14.74	4.64	4.45	1.91
J823878		0.13	0.7	45	0.1	8.2	58	51.4								
J823879		0.28	0.9	28	1.9	5.9	39	73.3								
J823880		0.25	1.9	23	1.5	2.2	22	44.0								
J823881		0.24	0.9	30	1.0	5.1	38	46.1								
J823882		<0.02	0.1	273	0.2	16.8	103	58.2								
J823883		0.24	1.1	38	0.1	9.9	51	78.9								
J823884		0.18	1.5	55	0.1	16.8	51	88.6								
J823885		0.17	1.3	15	0.1	4.4	28	117.5								
J823886		0.16	0.6	11	0.1	2.0	8	84.0								
J823887		0.21	0.6	27	0.1	6.8	57	149.0								
J823888		0.24	0.6	33	0.7	7.6	64	162.5								
J823889		0.22	0.7	57	0.6	20.6	84	204								
J823890		1.37	1.1	159	12.7	14.6	151	23.2								
J823891		0.19	0.6	63	0.2	14.0	95	92.1								
J823892		0.18	0.8	29	0.1	5.8	62	139.0								

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J823855											
J823855 CRD											
J823856		4.35	2.46	<0.01	0.41	0.04	0.149	0.03	0.04	3.76	98.12
J823857											
J823858											
J823859											
J823860											
J823861											
J823862											
J823863											
J823864											
J823865											
J823866											
J823867											
J823868											
J823869											
J823870											
J823871											
J823872											
J823873											
J823874											
J823875											
J823876											
J823876 CRD											
J823877		3.60	1.08	0.01	0.41	0.07	0.115	0.04	0.02	1.81	98.48
J823878											
J823879											
J823880											
J823881											
J823882											
J823883											
J823884											
J823885											
J823886											
J823887											
J823888											
J823889											
J823890											
J823891											
J823892											

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J823893		3.12	<0.005			0.05	7.39	6.7	270	0.87	0.01	2.83	0.08	45.9	11.8	21
J823894		3.18	<0.005			0.03	6.41	3.0	330	1.05	0.01	1.81	0.04	47.9	5.4	8
J823895		2.87	<0.005			0.06	6.38	2.5	340	1.23	0.02	1.57	0.07	39.7	4.8	10
J823895 CRD		<0.02	<0.005			0.03	6.24	1.7	330	1.21	0.02	1.59	0.09	40.7	4.2	7
J823896		3.13	0.025		0.022	0.08	6.37	1.1	310	0.83	0.17	2.42	0.04	38.9	6.7	14
J823897		2.87	0.040			0.11	6.95	0.4	340	0.82	0.03	2.56	0.05	41.1	9.6	17
J823898		2.98	<0.005			0.05	7.07	1.7	310	0.86	0.02	2.81	0.06	50.5	12.9	35
J823899		3.03	1.545			0.26	6.11	0.5	360	0.79	0.28	2.11	0.04	38.0	6.8	14
J823900		0.07	0.968			4.95	6.78	21.6	510	0.60	1.68	2.50	2.08	23.3	16.9	59
J823901		2.77	0.231			0.05	7.40	0.6	320	0.79	<0.01	2.74	0.06	52.4	8.4	15
J823902		2.89	0.005			0.23	7.55	0.6	250	0.92	0.01	2.98	0.07	33.3	9.6	39
J823903		2.88	0.011			<0.01	7.05	1.6	330	0.85	0.02	2.54	0.05	42.9	9.7	16
J823904		3.32	0.055			0.07	7.58	1.0	360	0.83	0.02	2.95	0.05	66.6	11.2	11
J823905		2.99	<0.005			<0.01	7.56	<0.2	400	0.78	0.02	2.66	0.03	57.1	7.4	10
J823906		2.94	<0.005			<0.01	7.60	0.2	380	0.85	0.02	2.87	0.06	59.8	7.8	18
J823907		3.02	<0.005			<0.01	7.51	0.5	370	0.80	0.01	2.57	0.03	78.2	5.9	13
J823908		2.89	0.200			0.05	7.73	1.7	340	0.76	0.03	2.30	0.04	85.7	6.1	9
J823909		2.80	<0.005			<0.01	7.78	0.2	270	0.86	0.01	2.61	0.03	91.8	7.4	12
J823910		3.04	<0.005			<0.01	7.83	<0.2	360	0.83	0.01	2.72	0.04	72.1	8.7	14
J823911		3.02	0.419			0.36	7.91	0.2	430	0.80	0.15	3.02	0.04	59.6	9.2	11
J823912		3.03	0.018			<0.01	7.97	0.5	360	0.85	0.02	2.76	0.03	92.7	9.8	15
J823913		3.07	0.273			0.02	8.03	<0.2	400	0.94	0.02	2.99	0.03	78.8	10.4	10
J823914		2.95	0.398			0.03	7.76	<0.2	430	0.73	0.04	2.74	0.03	70.8	9.3	7
J823915		0.12	2.32			8.61	7.33	49.0	680	0.75	3.02	1.67	0.88	60.3	16.6	57
J823916		2.83	0.298			0.08	7.00	<0.2	390	0.77	0.01	2.40	0.02	49.7	6.0	9
J823916 CRD		<0.02	0.134			0.06	7.71	<0.2	430	0.76	0.04	2.43	<0.02	59.4	6.6	8
J823917		3.01	0.150		0.139	0.01	7.68	<0.2	420	0.73	0.03	2.31	0.02	52.9	6.3	7
J823918		3.11	0.291			0.21	7.67	<0.2	490	0.73	1.01	2.46	<0.02	51.3	6.8	10
J823919		2.84	0.379			0.21	7.95	0.3	460	0.76	0.05	2.49	0.03	60.9	7.3	7
J823920		2.78	0.395			0.13	8.04	0.8	440	0.70	0.02	2.55	0.04	56.0	7.5	10
J823921		2.99	<0.005			<0.01	8.76	0.8	270	1.17	0.02	3.96	0.09	42.8	13.9	87
J823922		2.93	<0.005			<0.01	8.37	2.0	250	1.04	0.02	3.33	0.05	30.4	11.7	75
J823923		3.01	<0.005			<0.01	8.52	<0.2	390	0.84	0.01	2.81	0.03	75.4	8.0	15
J823924		2.99	0.005			0.08	7.89	<0.2	380	0.77	0.01	2.59	0.05	79.3	7.0	10
J823925		3.04	<0.005			<0.01	8.19	<0.2	340	0.80	<0.01	2.71	0.03	105.0	6.9	12
J823926		3.08	<0.005			<0.01	7.72	<0.2	320	0.91	0.01	2.18	0.02	79.3	5.8	9
J823927		2.81	<0.005			0.08	7.30	0.7	310	0.80	0.01	2.66	0.04	48.3	8.9	15
J823928		3.07	0.345			0.15	8.32	<0.2	340	0.82	0.12	3.43	0.04	72.1	11.3	6
J823929		2.99	0.058			<0.01	8.03	<0.2	320	0.81	0.09	3.01	0.04	72.2	10.4	7
J823930		0.12	0.466			2.28	8.03	106.0	620	1.17	0.45	0.57	0.78	35.4	18.0	31

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J823893		0.44	7.4	3.58	22.4	0.13	3.1	0.033	0.98	24.9	16.3	0.83	458	0.15	2.89	7.6
J823894		0.60	6.7	2.02	20.6	0.12	4.1	0.016	1.80	24.1	11.5	0.34	322	0.16	2.52	10.8
J823895		0.68	3.4	1.70	20.8	0.12	3.7	0.017	2.23	20.7	9.7	0.28	373	0.20	2.63	11.2
J823895 CRD		0.65	3.3	1.72	18.95	0.11	3.6	0.017	2.11	21.0	9.9	0.28	369	0.30	2.59	10.6
J823896		0.60	6.5	2.31	19.20	0.11	2.2	0.016	1.11	20.3	12.9	0.48	301	25.1	2.51	5.8
J823897		0.70	18.7	2.95	20.7	0.14	2.8	0.024	1.21	22.1	15.0	0.66	388	0.24	2.51	6.4
J823898		0.63	14.8	3.28	20.5	0.14	2.9	0.027	1.29	26.6	14.2	0.92	474	0.23	2.38	6.3
J823899		0.87	11.0	2.37	19.20	0.13	2.7	0.025	1.74	19.4	12.7	0.49	347	3.08	1.96	6.6
J823900		0.74	>10000	4.92	14.45	0.12	1.1	0.137	0.86	10.2	14.7	1.20	704	258	2.28	4.0
J823901		0.79	14.9	2.75	21.8	0.12	3.1	0.083	1.31	24.3	15.6	0.55	408	0.33	2.63	9.0
J823902		0.38	95.0	2.48	21.2	0.12	2.8	0.031	0.90	12.9	12.6	0.73	448	0.29	2.94	6.5
J823903		0.58	5.7	2.67	21.1	0.13	3.4	0.027	1.17	18.0	17.4	0.58	415	0.22	2.84	7.3
J823904		0.65	47.6	3.54	22.6	0.15	5.2	0.042	1.17	26.6	17.1	0.66	518	0.16	2.65	8.7
J823905		0.51	15.8	2.78	20.4	0.15	3.7	0.035	1.13	23.7	13.6	0.51	409	0.20	2.84	7.2
J823906		0.32	4.0	2.89	21.6	0.14	4.1	0.039	0.97	25.5	12.0	0.56	435	0.15	2.79	7.1
J823907		0.44	2.3	2.54	19.70	0.14	5.7	0.022	1.10	34.5	11.5	0.42	342	0.12	2.85	6.1
J823908		0.69	3.7	2.30	20.3	0.17	5.5	0.018	1.36	38.1	13.8	0.44	301	2.74	2.91	6.8
J823909		0.43	1.2	2.57	20.9	0.18	5.6	0.017	0.91	39.9	11.9	0.48	341	0.14	2.96	7.1
J823910		0.74	6.3	3.18	20.9	0.16	3.5	0.033	1.23	29.9	16.0	0.63	442	0.13	2.73	7.7
J823911		1.01	8.2	3.27	21.6	0.19	4.3	0.040	1.80	24.2	16.5	0.61	460	10.60	2.30	9.4
J823912		0.83	12.2	3.70	21.4	0.19	4.7	0.036	1.40	37.3	16.9	0.69	520	0.23	2.63	10.5
J823913		1.00	4.1	3.92	21.1	0.15	4.7	0.047	1.64	30.6	19.1	0.65	516	0.52	2.57	10.4
J823914		1.08	17.6	3.43	21.1	0.17	4.7	0.041	1.88	29.2	16.6	0.59	440	0.27	2.45	8.5
J823915		3.08	>10000	5.96	14.45	0.18	1.3	0.111	2.89	25.7	13.9	1.22	679	121.5	1.75	6.6
J823916		1.07	3.3	2.24	19.90	0.10	4.0	0.050	1.90	24.1	14.6	0.44	284	1.48	2.36	5.5
J823916 CRD		1.10	15.2	2.34	20.2	0.13	4.5	0.019	2.01	27.9	14.7	0.48	290	1.57	2.53	5.6
J823917		1.02	2.2	2.22	20.1	0.14	4.2	0.018	2.01	24.6	13.1	0.45	276	0.98	2.63	5.6
J823918		1.02	2.0	2.36	20.1	0.13	4.4	0.020	2.23	24.0	13.2	0.47	286	146.5	2.29	5.7
J823919		1.26	5.5	2.44	20.4	0.15	5.0	0.020	2.16	28.4	16.0	0.48	304	0.71	2.62	6.5
J823920		0.67	2.3	2.45	20.4	0.14	4.6	0.018	1.42	26.1	12.1	0.49	308	0.62	2.86	6.3
J823921		0.28	11.4	3.14	23.1	0.14	3.3	0.047	0.94	18.2	11.8	1.21	661	0.28	3.16	10.7
J823922		0.26	5.2	2.97	22.2	0.13	2.3	0.048	0.93	12.5	11.6	1.03	594	0.15	3.02	8.2
J823923		0.35	1.8	2.60	21.3	0.16	5.7	0.024	1.12	32.8	12.9	0.59	386	0.11	3.03	7.8
J823924		0.36	119.5	2.18	20.3	0.16	5.3	0.023	1.15	35.7	12.1	0.43	301	0.11	2.98	6.1
J823925		0.46	1.3	2.56	21.0	0.18	5.8	0.022	1.08	47.2	13.5	0.49	356	0.15	2.96	7.0
J823926		0.45	2.1	2.16	20.2	0.17	5.1	0.016	1.69	35.2	12.5	0.40	298	0.12	2.92	6.7
J823927		0.49	59.8	2.89	19.60	0.17	3.6	0.029	1.00	19.9	12.5	0.53	407	0.15	2.54	8.2
J823928		0.95	5.0	4.30	22.8	0.19	5.7	0.053	1.46	28.7	18.4	0.70	571	7.66	2.50	13.6
J823929		0.68	8.9	3.72	21.2	0.18	5.4	0.038	1.18	29.7	16.7	0.63	489	6.03	2.61	10.6
J823930		6.57	4780	4.94	17.10	0.20	0.8	0.059	5.30	17.5	10.3	0.76	512	284	1.05	5.0

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J823893		15.7	500	5.5	36.3	<0.002	0.01	0.16	7.7	1	1.4	220	0.56	<0.05	5.5	0.290
J823894		3.8	380	6.5	64.0	<0.002	0.01	0.08	2.1	1	1.3	149.0	1.11	<0.05	6.9	0.163
J823895		3.4	310	8.6	72.3	<0.002	0.01	0.06	3.0	1	1.3	111.0	1.08	<0.05	6.2	0.128
J823895 CRD		3.4	320	8.4	70.3	<0.002	0.01	0.05	3.0	1	1.2	115.0	1.04	<0.05	6.1	0.130
J823896		6.6	430	7.1	39.8	<0.002	0.03	0.08	3.0	1	0.8	184.5	0.31	0.06	3.9	0.213
J823897		10.1	540	5.1	47.3	<0.002	0.04	0.08	6.4	1	1.2	201	0.41	<0.05	3.7	0.241
J823898		25.5	500	5.8	41.4	<0.002	0.03	0.08	6.8	1	1.1	229	0.44	<0.05	4.9	0.277
J823899		6.8	500	5.4	50.7	<0.002	0.08	0.07	4.8	1	1.2	108.0	0.48	0.17	4.2	0.209
J823900		33.9	620	41.7	27.7	1.525	1.72	29.8	16.4	8	1.2	303	0.39	0.65	2.0	0.343
J823901		5.3	600	7.0	42.0	<0.002	0.07	0.09	5.9	1	1.6	230	0.67	<0.05	4.6	0.261
J823902		21.1	670	6.0	27.0	<0.002	0.02	0.09	8.8	2	1.3	224	0.48	<0.05	3.1	0.192
J823903		9.0	580	5.9	36.8	<0.002	0.04	0.08	5.9	2	1.2	196.0	0.37	<0.05	4.3	0.250
J823904		7.1	870	5.8	44.2	<0.002	0.10	0.08	9.8	2	1.8	220	0.36	0.06	5.4	0.294
J823905		5.6	620	5.1	40.8	<0.002	0.02	0.06	8.4	2	1.4	206	0.40	<0.05	5.5	0.228
J823906		10.7	590	7.4	30.0	<0.002	0.01	0.08	11.1	2	1.4	233	0.32	<0.05	6.5	0.211
J823907		5.7	440	5.9	38.8	<0.002	0.01	0.08	4.6	2	1.1	223	0.32	<0.05	9.4	0.199
J823908		5.9	450	5.9	55.9	<0.002	0.08	0.10	3.5	2	0.9	197.0	0.39	0.07	10.1	0.196
J823909		7.2	510	8.7	33.2	<0.002	0.01	0.10	4.7	2	0.9	250	0.34	<0.05	10.1	0.223
J823910		10.3	680	5.5	46.9	<0.002	0.02	0.08	8.8	2	1.4	240	0.46	<0.05	6.7	0.250
J823911		7.8	780	7.6	65.4	<0.002	0.25	0.10	7.8	2	1.4	180.5	0.59	0.34	4.6	0.280
J823912		12.0	1410	5.0	52.9	<0.002	0.04	0.08	9.3	2	1.5	225	0.65	<0.05	6.8	0.322
J823913		6.6	930	5.5	59.9	<0.002	0.13	0.09	9.8	2	1.7	220	0.56	0.05	4.8	0.319
J823914		5.9	790	4.5	58.8	<0.002	0.19	0.08	7.7	2	1.5	166.5	0.44	0.07	5.9	0.285
J823915		33.7	970	66.2	83.4	0.143	2.60	8.25	17.4	9	2.9	280	0.28	1.09	4.5	0.334
J823916		4.9	480	4.2	55.8	<0.002	0.09	0.07	2.9	1	0.9	156.0	0.32	0.07	7.3	0.208
J823916 CRD		5.5	540	4.5	64.6	<0.002	0.09	0.08	3.9	2	1.0	176.5	0.33	0.10	8.1	0.225
J823917		5.1	500	4.2	63.2	<0.002	0.10	0.07	4.1	2	1.0	162.5	0.35	<0.05	7.5	0.213
J823918		5.3	510	20.1	68.8	<0.002	0.14	0.10	4.1	2	1.0	139.0	0.33	0.45	7.5	0.225
J823919		5.7	530	3.8	75.0	<0.002	0.14	0.09	6.1	2	1.0	153.0	0.37	0.10	8.2	0.231
J823920		5.6	530	11.3	51.0	<0.002	0.04	0.08	5.3	2	1.0	233	0.36	0.05	7.6	0.235
J823921		42.9	390	8.7	24.7	<0.002	<0.01	0.13	15.5	2	2.1	240	1.73	<0.05	5.7	0.214
J823922		35.3	300	6.2	30.2	<0.002	<0.01	0.08	14.6	2	1.8	229	0.73	<0.05	4.4	0.175
J823923		9.4	530	6.6	40.2	<0.002	<0.01	<0.05	7.7	2	1.1	239	0.46	<0.05	9.0	0.227
J823924		6.1	480	6.4	42.7	<0.002	0.03	<0.05	5.8	2	0.9	232	0.30	<0.05	9.5	0.191
J823925		6.5	530	6.6	44.1	<0.002	<0.01	<0.05	6.1	2	1.1	228	0.32	<0.05	11.6	0.230
J823926		4.9	420	8.1	58.1	<0.002	0.01	<0.05	3.4	2	0.9	196.0	0.40	<0.05	9.5	0.193
J823927		10.7	580	4.7	38.2	<0.002	0.07	0.06	6.5	2	1.2	223	0.47	<0.05	3.3	0.230
J823928		5.5	1040	6.0	56.7	<0.002	0.23	0.07	9.8	3	1.9	208	0.81	0.23	3.7	0.353
J823929		5.8	880	5.7	49.6	<0.002	0.08	0.10	9.1	2	1.5	243	0.64	0.08	4.7	0.308
J823930		22.7	1190	41.8	139.5	0.677	2.62	8.51	12.7	11	3.2	268	0.34	1.12	2.4	0.260

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J823893		0.21	0.7	64	0.4	9.8	107	117.5								
J823894		0.32	1.4	22	0.3	10.1	49	145.0								
J823895		0.36	1.4	18	0.3	10.9	56	122.5								
J823895 CRD		0.32	1.3	19	0.3	10.6	67	122.0								
J823896		0.21	0.4	33	0.5	4.9	61	87.1		0.30	1.1	69.36	14.68	3.43	3.65	0.93
J823897		0.24	0.6	48	1.2	8.3	73	108.0								
J823898		0.22	0.8	54	0.4	8.6	79	104.5								
J823899		0.25	0.5	38	1.8	10.7	53	106.5								
J823900		0.23	0.8	109	21.2	15.6	155	32.1	1.305							
J823901		0.21	0.5	40	1.2	14.7	67	117.0								
J823902		0.14	0.9	48	0.3	16.3	63	86.2								
J823903		0.21	0.6	40	0.8	9.5	64	128.0								
J823904		0.21	0.5	48	0.7	16.4	83	198.5								
J823905		0.20	0.6	36	0.4	11.9	62	139.5								
J823906		0.16	0.5	34	0.1	12.3	81	156.0								
J823907		0.19	1.4	23	0.2	9.5	58	215								
J823908		0.25	0.9	24	0.8	9.0	52	215								
J823909		0.15	0.8	26	0.2	8.4	68	221								
J823910		0.22	0.6	39	0.5	11.9	74	126.0								
J823911		0.30	0.7	43	1.2	16.1	62	161.5								
J823912		0.24	0.8	45	1.1	19.2	83	175.0								
J823913		0.27	0.6	49	1.8	20.3	81	186.5								
J823914		0.29	0.6	45	2.7	13.4	76	181.5								
J823915		0.77	1.2	163	12.3	14.5	182	41.0	2.16							
J823916		0.27	0.5	28	2.6	4.8	59	168.0								
J823916 CRD		0.32	0.7	31	3.0	5.4	58	186.5								
J823917		0.30	0.6	30	1.8	6.1	50	179.0		0.53	2.0	67.45	15.00	2.99	3.19	0.81
J823918		0.34	0.6	32	1.8	5.8	60	183.5								
J823919		0.34	0.6	32	5.2	6.2	63	199.5								
J823920		0.24	0.8	31	0.7	5.9	79	194.5								
J823921		0.14	2.2	69	0.1	25.5	99	106.5								
J823922		0.14	0.8	56	0.2	22.5	82	73.7								
J823923		0.19	1.1	33	0.1	11.7	73	196.0								
J823924		0.21	0.9	23	<0.1	8.9	58	206								
J823925		0.21	0.8	28	<0.1	11.0	66	226								
J823926		0.26	0.9	23	0.1	9.5	51	192.0								
J823927		0.18	0.4	35	0.4	13.7	60	125.5								
J823928		0.24	0.7	57	1.9	25.3	83	220								
J823929		0.22	0.6	48	0.8	18.5	77	197.5								
J823930		1.37	1.1	161	13.2	14.1	158	24.7								

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J823893											
J823894											
J823895											
J823895 CRD											
J823896		3.89	1.49	<0.01	0.38	0.04	0.096	0.04	0.03	2.10	100.10
J823897											
J823898											
J823899											
J823900											
J823901											
J823902											
J823903											
J823904											
J823905											
J823906											
J823907											
J823908											
J823909											
J823910											
J823911											
J823912											
J823913											
J823914											
J823915											
J823916											
J823916 CRD											
J823917		3.55	2.37	<0.01	0.37	0.03	0.101	0.03	0.04	3.27	99.20
J823918											
J823919											
J823920											
J823921											
J823922											
J823923											
J823924											
J823925											
J823926											
J823927											
J823928											
J823929											
J823930											

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J823931		3.05	0.010			<0.01	8.46	<0.2	390	0.83	0.01	2.88	0.04	75.9	9.9	16
J823932		2.91	0.014			<0.01	8.08	<0.2	460	0.88	0.01	2.78	0.05	55.7	9.4	20
J823933		2.78	0.006			0.03	8.07	<0.2	370	1.01	0.01	2.76	0.03	75.8	10.2	15
J823934		2.86	0.048			0.05	7.63	<0.2	330	0.85	0.19	2.50	0.02	63.2	7.7	12
J823935		2.91	2.36			0.47	7.41	0.9	390	0.96	0.17	2.04	0.04	59.4	6.5	16
J823935 CRD		<0.02	2.04			0.40	6.88	0.5	370	0.98	0.12	1.92	0.04	57.7	6.5	13
J823936		3.52	0.044		0.047	0.02	7.18	<0.2	460	0.92	0.02	1.84	0.02	45.3	3.7	9
J823937		3.40	0.413			0.24	7.59	<0.2	450	1.09	0.07	2.21	0.02	58.4	5.3	9
J823938		3.44	0.127			0.17	7.21	1.3	350	1.06	0.26	2.01	0.03	44.2	5.8	11
J823939		3.58	0.007			0.04	7.60	2.7	290	0.82	0.02	2.93	0.06	45.4	8.0	11
J823940		3.46	0.005			0.03	7.31	0.3	260	0.70	0.01	2.87	0.03	45.0	7.6	11
J823941		3.45	<0.005			0.03	7.50	0.9	470	0.71	0.01	2.49	0.03	38.5	6.3	11
J823942		3.41	<0.005			0.01	7.72	2.2	360	0.96	0.01	2.53	0.04	52.8	7.5	14
J823943		3.61	<0.005			0.11	8.32	3.1	350	0.91	0.02	3.51	0.05	39.2	14.0	6
J823944		3.44	<0.005			0.08	7.78	1.2	310	0.94	0.02	3.27	0.05	39.3	12.1	20
J823945		1.04	<0.005			<0.01	0.15	<5	10	<0.05	0.01	21.3	<0.02	2.62	0.8	2
J823946		3.51	<0.005			0.02	7.86	1.5	330	0.84	0.01	2.77	0.03	46.3	6.6	18
J823947		3.34	<0.005			0.01	7.74	5.7	360	0.80	<0.01	2.56	0.04	59.1	7.2	11
J823948		3.55	<0.005			0.06	7.67	6.4	430	0.70	<0.01	2.59	0.03	60.4	7.5	13
J823949		3.77	0.307			0.13	7.49	4.8	510	0.89	0.04	2.44	0.05	59.6	8.2	11
J823950		3.43	0.206			0.07	7.50	1.5	500	0.88	0.03	2.38	0.06	59.2	7.5	10
J823951		3.29	0.272			0.07	7.46	1.3	480	0.93	0.02	2.50	0.06	58.9	7.0	11
J823952		3.20	0.159			0.11	7.38	0.3	380	1.02	0.03	2.86	0.04	46.5	10.9	16
J823953		3.64	0.183			0.14	7.15	0.8	320	0.80	0.05	3.08	0.03	46.1	19.9	72
J823954		3.59	1.455			0.58	6.72	0.3	400	1.05	0.21	2.36	0.04	55.0	6.8	14
J823955		3.36	1.710			1.10	6.91	0.3	560	1.31	0.84	1.88	0.02	51.7	6.5	10
J823955 CRD		<0.02	1.195			0.84	7.06	0.8	550	1.36	0.72	1.93	0.03	57.1	6.5	10
J823956		3.61	0.146		0.181	0.08	7.34	<0.2	430	1.23	0.03	2.16	0.03	48.7	5.7	10
J823957		3.58	0.015			0.01	7.79	0.6	440	0.89	0.02	2.54	0.03	61.2	7.6	11
J823958		3.45	0.051			0.06	7.24	0.5	450	1.09	0.03	2.54	0.04	67.3	6.3	9
J823959		3.56	0.203			0.14	7.58	<0.2	400	1.11	0.04	2.60	0.04	57.2	9.0	18
J823960		0.07	1.050			4.36	5.75	17.3	420	0.70	1.46	2.18	1.79	19.25	12.6	53
J823961		3.40	0.049			0.15	7.52	0.2	360	1.22	0.04	2.61	0.03	72.5	10.5	22
J823962		3.70	0.455			0.27	7.54	0.4	350	1.53	0.09	2.18	0.04	41.6	7.2	13
J823963		3.44	2.49			0.91	6.32	<0.2	390	1.16	0.26	1.38	<0.02	39.0	3.7	9
J823964		3.46	0.127			0.09	6.63	<0.2	370	1.10	0.04	2.06	0.02	17.20	4.5	10
J823965		3.56	0.214			0.20	6.52	<0.2	340	0.94	0.06	2.24	0.03	15.35	6.5	12
J823966		3.48	0.045			0.06	7.51	0.6	360	0.96	0.04	2.96	0.04	42.8	11.4	23
J823967		3.56	1.090			0.13	7.20	0.2	420	1.00	0.07	2.33	0.03	61.8	6.8	9
J823968		3.41	0.299			0.10	7.39	0.5	440	0.96	0.05	2.45	0.03	62.5	7.6	11

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J823931		0.47	14.0	2.97	21.3	0.17	4.1	0.024	1.14	33.4	15.3	0.69	436	0.27	2.94	7.4
J823932		0.56	32.0	2.80	20.8	0.16	3.0	0.030	1.42	23.7	13.2	0.67	433	0.15	2.95	6.5
J823933		0.74	43.2	3.09	21.3	0.17	3.7	0.029	1.25	33.1	17.1	0.69	450	0.14	2.85	7.0
J823934		0.62	11.7	2.41	20.6	0.16	3.3	0.024	1.13	26.7	12.4	0.51	363	24.2	2.99	6.4
J823935		1.02	12.2	2.44	20.1	0.14	3.5	0.021	1.67	29.8	13.9	0.46	363	5.73	2.79	6.8
J823935 CRD		0.91	7.8	2.27	20.3	0.16	3.2	0.020	1.57	28.1	12.9	0.43	344	5.91	2.60	6.8
J823936		0.80	4.4	1.50	18.15	0.14	2.8	0.010	1.64	21.7	8.8	0.26	223	0.17	2.94	4.4
J823937		1.28	3.0	1.86	21.1	0.16	4.2	0.010	2.38	29.7	11.3	0.35	238	2.04	2.32	4.1
J823938		0.67	10.6	2.13	20.5	0.15	2.9	0.023	1.38	22.8	9.7	0.35	306	30.9	2.90	8.5
J823939		0.48	12.7	2.83	21.7	0.15	2.8	0.038	1.08	22.4	12.1	0.51	420	0.29	2.80	8.8
J823940		0.33	7.1	2.75	19.80	0.14	2.5	0.031	0.83	23.0	11.4	0.50	370	0.27	2.71	7.0
J823941		0.46	14.1	2.27	20.4	0.14	2.6	0.019	1.54	19.7	11.0	0.40	305	0.16	2.80	5.3
J823942		0.36	8.5	2.39	21.5	0.16	3.4	0.020	1.08	26.3	12.1	0.51	350	0.17	3.14	6.6
J823943		0.42	37.9	3.68	20.3	0.17	3.5	0.033	1.03	19.2	16.1	1.01	596	0.13	2.89	9.1
J823944		0.27	27.5	3.05	19.35	0.14	2.6	0.024	0.94	19.1	10.9	0.86	512	0.15	2.99	5.9
J823945		0.08	0.9	0.09	0.40	0.15	0.1	<0.005	0.11	2.0	4.4	12.95	51	0.11	0.04	0.3
J823946		0.38	2.8	2.26	20.3	0.15	3.7	0.016	0.98	23.2	9.7	0.54	337	0.15	3.07	5.6
J823947		0.55	2.5	2.49	20.6	0.16	4.6	0.018	1.18	30.7	12.8	0.53	327	0.14	3.04	6.4
J823948		0.59	2.5	2.54	20.9	0.17	4.9	0.021	1.30	31.9	12.7	0.52	313	0.12	2.74	6.2
J823949		1.24	3.2	2.45	20.2	0.15	5.0	0.020	2.19	32.1	13.3	0.49	321	0.42	2.35	6.1
J823950		1.28	11.1	2.47	20.3	0.18	5.1	0.022	2.26	31.9	13.0	0.50	315	0.16	2.20	5.9
J823951		1.22	12.8	2.49	19.65	0.17	4.9	0.020	2.20	32.0	13.0	0.50	326	0.18	2.21	5.9
J823952		0.94	60.4	3.01	19.70	0.16	3.6	0.028	1.60	22.6	15.9	0.84	482	0.14	2.47	7.0
J823953		0.68	36.6	4.18	18.90	0.17	3.1	0.032	1.12	23.8	24.6	1.49	592	0.26	2.66	5.1
J823954		1.20	86.3	2.28	18.55	0.16	3.7	0.022	2.01	28.6	9.3	0.46	351	5.36	2.21	6.2
J823955		1.50	10.0	2.20	22.1	0.17	4.3	0.021	2.73	27.9	7.9	0.41	278	51.8	1.48	5.4
J823955 CRD		1.48	17.0	2.22	22.0	0.16	4.4	0.019	2.67	31.1	7.9	0.41	286	43.3	1.57	5.7
J823956		1.22	6.5	2.09	21.8	0.16	4.7	0.022	2.25	25.1	9.4	0.42	347	0.28	2.56	9.7
J823957		1.06	2.9	2.58	21.3	0.18	5.0	0.024	1.87	32.7	13.0	0.52	339	0.14	2.47	5.4
J823958		0.99	7.2	2.12	21.1	0.18	4.3	0.021	1.79	34.4	9.7	0.40	364	0.41	2.71	7.3
J823959		1.05	70.8	2.77	21.9	0.15	3.6	0.025	1.77	28.3	14.7	0.64	461	1.19	2.51	7.3
J823960		0.61	>10000	4.15	11.45	0.15	0.9	0.109	0.76	9.8	13.6	1.04	602	216	1.95	3.4
J823961		0.89	53.2	2.88	21.0	0.17	3.9	0.026	1.34	36.2	18.5	0.75	487	0.17	2.80	6.9
J823962		0.95	13.6	2.25	21.1	0.14	3.2	0.025	1.64	20.7	12.3	0.54	410	5.86	2.94	7.8
J823963		1.06	4.1	1.57	18.10	0.15	3.1	0.013	1.95	20.7	5.2	0.27	214	12.85	2.02	5.4
J823964		0.95	18.9	1.71	17.35	0.12	2.7	0.013	1.79	8.9	7.5	0.34	275	2.89	2.48	3.7
J823965		0.80	53.9	1.87	17.20	0.12	1.6	0.014	1.58	7.4	10.5	0.47	339	3.12	2.59	4.2
J823966		0.97	22.6	3.25	20.1	0.17	2.5	0.035	1.77	20.3	20.6	0.91	527	0.39	2.24	6.3
J823967		1.03	4.7	2.22	19.85	0.17	4.3	0.015	2.11	31.8	10.2	0.44	303	1.80	2.42	4.5
J823968		1.08	4.5	2.46	19.55	0.16	4.9	0.016	2.09	34.0	11.5	0.50	305	1.51	2.20	4.8

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J823931		13.2	670	5.4	42.5	<0.002	0.02	0.05	7.0	2	1.2	247	0.45	<0.05	6.7	0.267
J823932		15.1	590	6.0	47.1	<0.002	0.02	0.06	9.1	2	1.3	236	0.39	<0.05	5.4	0.234
J823933		10.5	690	5.9	49.6	<0.002	0.05	0.07	8.8	2	1.3	241	0.49	<0.05	7.0	0.263
J823934		8.1	520	8.8	39.7	<0.002	0.02	0.07	9.2	2	1.1	241	0.43	0.14	7.0	0.206
J823935		10.0	520	9.5	57.7	<0.002	0.22	0.09	4.9	2	1.1	164.5	0.42	0.29	8.0	0.187
J823935 CRD		7.3	480	7.0	52.6	<0.002	0.21	0.06	4.8	1	1.1	150.5	0.41	0.25	7.7	0.177
J823936		2.3	310	7.0	51.6	<0.002	0.04	0.07	2.1	1	0.6	192.5	0.26	<0.05	7.6	0.120
J823937		4.7	360	4.6	78.7	<0.002	0.13	0.07	2.9	2	0.6	150.0	0.22	0.16	9.3	0.159
J823938		3.0	420	7.2	48.3	<0.002	0.17	0.11	4.3	1	1.2	177.5	0.63	0.22	5.2	0.173
J823939		3.5	680	6.0	35.1	<0.002	0.02	0.09	6.0	2	1.4	248	0.44	<0.05	3.1	0.271
J823940		3.6	650	4.9	26.2	<0.002	0.01	0.07	5.9	1	1.1	240	0.35	<0.05	3.0	0.261
J823941		3.3	500	4.9	44.9	<0.002	0.02	0.06	4.1	1	0.8	219	0.28	<0.05	3.7	0.195
J823942		8.1	390	6.7	34.3	<0.002	0.01	0.06	4.1	1	1.0	225	0.55	<0.05	7.5	0.198
J823943		14.0	540	7.6	31.8	<0.002	0.02	0.07	10.7	2	1.5	220	0.83	<0.05	4.0	0.358
J823944		18.0	520	181.5	26.3	<0.002	0.01	0.07	7.8	2	1.2	238	0.47	<0.05	3.8	0.250
J823945		<0.2	10	1.4	2.4	<0.002	0.03	<0.05	0.3	1	<0.2	62.1	<0.05	<0.05	0.2	0.007
J823946		10.7	380	7.6	32.5	<0.002	<0.01	0.08	4.0	2	0.9	236	0.42	<0.05	6.9	0.180
J823947		6.3	440	4.8	46.4	<0.002	<0.01	0.11	4.3	1	0.9	210	0.32	<0.05	9.4	0.211
J823948		7.0	480	5.8	49.2	<0.002	<0.01	0.11	4.4	1	0.9	239	0.31	<0.05	9.0	0.227
J823949		6.4	500	10.3	76.6	<0.002	0.19	0.07	4.3	2	0.9	123.5	0.38	0.05	8.8	0.221
J823950		6.5	510	5.7	76.9	<0.002	0.13	0.07	5.0	2	0.9	141.0	0.37	0.05	8.6	0.228
J823951		6.1	520	5.0	72.4	<0.002	0.13	0.07	4.8	1	0.9	138.5	0.35	0.05	8.3	0.229
J823952		16.1	590	10.1	51.8	<0.002	0.07	0.11	7.9	1	1.4	224	0.52	<0.05	5.3	0.244
J823953		53.5	330	6.8	34.8	<0.002	0.21	0.08	9.2	2	0.9	143.0	0.32	0.06	7.3	0.348
J823954		7.2	500	5.7	63.3	<0.002	0.33	0.10	5.2	1	1.0	91.3	0.44	0.26	7.6	0.193
J823955		5.7	410	7.8	75.2	<0.002	0.46	0.13	4.4	2	1.0	68.8	0.30	0.77	7.7	0.181
J823955 CRD		5.5	420	7.6	76.0	<0.002	0.44	0.14	4.7	2	1.0	73.1	0.29	0.72	8.1	0.186
J823956		5.3	430	4.9	75.5	<0.002	0.07	0.07	4.6	1	1.2	115.5	0.88	<0.05	7.9	0.187
J823957		6.5	540	7.8	62.9	<0.002	0.03	0.11	5.6	2	1.1	271	0.24	<0.05	8.4	0.234
J823958		4.5	420	8.1	58.3	<0.002	0.07	0.10	4.6	2	1.4	240	0.49	<0.05	10.3	0.185
J823959		9.6	630	9.8	56.7	0.006	0.10	0.14	5.5	2	1.3	281	0.69	0.06	6.6	0.242
J823960		27.4	510	33.6	21.1	1.320	1.40	20.8	12.2	5	0.9	256	0.24	0.48	1.7	0.288
J823961		11.6	750	11.4	46.5	<0.002	0.12	0.09	7.5	2	1.2	270	0.55	0.09	8.6	0.252
J823962		11.4	420	7.5	56.1	<0.002	0.15	0.08	6.3	2	1.4	201	0.92	0.19	7.7	0.155
J823963		3.0	230	6.3	66.1	<0.002	0.25	0.06	2.8	1	0.9	103.0	0.35	0.47	7.2	0.103
J823964		4.8	260	4.4	54.8	<0.002	0.09	0.06	2.5	1	0.7	182.0	0.31	0.07	2.3	0.120
J823965		8.4	340	4.6	45.2	<0.002	0.11	0.07	3.2	1	0.8	158.0	0.48	0.07	1.5	0.149
J823966		21.4	550	4.8	55.1	<0.002	0.06	0.09	9.8	2	1.3	169.0	0.49	<0.05	4.3	0.236
J823967		5.4	470	4.5	64.3	<0.002	0.26	0.08	3.5	1	0.7	129.5	0.30	0.10	8.8	0.186
J823968		6.2	510	5.8	68.5	<0.002	0.17	0.09	4.6	2	0.8	177.5	0.31	0.10	8.4	0.216

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J823931		0.19	0.8	41	0.3	10.7	80	153.0								
J823932		0.22	0.5	40	0.6	10.0	76	112.5								
J823933		0.22	0.7	47	1.2	11.1	74	131.5								
J823934		0.20	0.5	32	0.6	9.9	64	121.5								
J823935		0.24	0.8	31	3.9	10.6	60	131.0								
J823935 CRD		0.22	0.7	29	3.6	10.3	55	129.0								
J823936		0.22	0.6	16	1.5	6.2	35	108.5		0.25	0.9	71.57	14.27	1.98	2.49	0.48
J823937		0.33	0.8	23	2.0	5.8	35	161.0								
J823938		0.21	1.1	26	0.7	11.6	44	104.5								
J823939		0.19	0.7	39	0.6	11.1	75	118.0								
J823940		0.14	0.5	38	0.3	9.6	67	109.0								
J823941		0.21	0.6	29	0.4	6.8	52	106.0								
J823942		0.18	1.1	35	0.2	10.3	59	123.5								
J823943		0.20	1.6	81	0.1	15.2	80	130.5								
J823944		0.14	0.9	58	0.1	11.4	66	83.7								
J823945		<0.02	0.1	2	<0.1	1.8	<2	2.2								
J823946		0.16	1.2	30	0.1	8.6	58	124.5								
J823947		0.23	0.6	29	0.3	6.9	70	191.5								
J823948		0.24	0.9	31	0.3	7.5	64	213								
J823949		0.34	0.8	32	4.2	6.9	60	220								
J823950		0.33	0.7	33	4.5	7.1	61	224								
J823951		0.30	0.6	33	4.0	6.9	68	220								
J823952		0.24	1.0	51	2.8	12.0	73	140.5								
J823953		0.15	0.7	79	3.8	11.2	77	118.5								
J823954		0.24	0.7	37	11.1	8.6	49	155.0								
J823955		0.31	0.8	41	6.3	7.1	44	185.5								
J823955 CRD		0.31	0.8	41	6.8	7.5	45	190.5								
J823956		0.32	1.2	26	2.1	9.2	57	193.5		0.56	2.1	68.02	14.80	2.82	2.92	0.77
J823957		0.29	0.6	32	1.8	6.7	72	226								
J823958		0.26	0.9	25	2.7	10.9	58	183.0								
J823959		0.24	0.9	44	3.1	11.2	70	152.5								
J823960		0.17	0.8	92	4.8	14.9	126	26.7	1.295							
J823961		0.20	1.2	51	2.3	11.3	75	145.0								
J823962		0.23	1.3	37	1.7	12.3	52	103.5								
J823963		0.25	0.9	22	1.7	6.4	27	117.5								
J823964		0.22	0.7	27	0.8	5.1	29	83.7								
J823965		0.19	0.8	33	1.4	6.3	36	51.2								
J823966		0.22	0.8	58	2.1	16.1	77	93.0								
J823967		0.23	0.7	30	3.8	7.3	51	187.5								
J823968		0.25	0.6	33	3.1	7.1	62	218								

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method Analyte Units LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J823931											
J823932											
J823933											
J823934											
J823935											
J823935 CRD											
J823936		4.04	1.93	<0.01	0.32	0.02	0.065	0.03	0.04	1.78	99.01
J823937											
J823938											
J823939											
J823940											
J823941											
J823942											
J823943											
J823944											
J823945											
J823946											
J823947											
J823948											
J823949											
J823950											
J823951											
J823952											
J823953											
J823954											
J823955											
J823955 CRD											
J823956		3.52	2.60	<0.01	0.40	0.04	0.092	0.03	0.04	3.29	99.34
J823957											
J823958											
J823959											
J823960											
J823961											
J823962											
J823963											
J823964											
J823965											
J823966											
J823967											
J823968											

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J823969		3.36	0.443			0.22	7.45	0.4	480	1.00	0.06	2.76	0.05	56.8	7.8	11
J823970		3.52	7.06	4.75		0.44	7.52	0.6	450	0.99	0.04	2.32	0.04	59.3	7.6	11
J823971		3.59	0.042			<0.01	7.87	0.4	380	0.99	0.03	3.08	0.05	65.9	11.0	9
J823972		3.57	0.028			0.02	7.37	0.5	360	1.05	0.02	2.74	0.04	59.1	10.2	8
J823973		3.47	0.018			0.01	7.58	0.3	360	0.97	0.03	2.88	0.04	58.2	10.2	12
J823974		3.45	0.053			0.03	7.36	0.3	430	0.99	0.03	2.42	0.02	52.8	8.6	8
J823975		0.12	2.54			9.07	6.97	58.0	690	0.94	3.57	1.61	1.04	57.0	17.7	59
J823976		3.40	0.059			0.05	7.46	0.3	360	1.03	0.04	2.28	0.03	46.0	6.9	7
J823976 CRD		<0.02	0.074			0.06	7.46	0.3	370	1.15	0.04	2.29	0.03	47.3	7.1	7
J823977		3.45	0.505		0.518	0.54	7.24	0.4	400	1.07	0.11	2.03	0.03	44.2	5.9	6
J823978		3.35	1.710			2.04	6.14	0.9	360	0.84	0.92	2.52	0.07	30.9	12.2	39
J823979		3.75	0.098			0.19	7.79	0.2	340	1.02	0.05	4.32	0.09	62.3	19.1	24
J823980		3.60	0.045			0.10	7.04	<0.2	420	1.08	0.03	2.31	0.04	39.3	9.3	9
J823981		3.34	0.787			0.46	6.82	<0.2	380	1.05	0.07	2.41	0.03	48.1	7.9	5
J823982		3.47	<0.005			0.04	6.92	0.3	340	1.12	0.04	2.30	0.03	70.3	8.8	6
J823983		3.72	<0.005			0.03	7.03	<0.2	320	1.05	0.03	2.55	0.03	62.2	9.6	6
J823984		3.35	0.890			1.89	7.28	<0.2	410	1.10	0.18	2.78	0.04	68.0	9.6	5
J823985		3.47	0.016			0.05	7.02	0.2	450	1.05	0.04	2.26	0.03	53.3	8.3	6
J823986		3.20	<0.005			0.06	7.15	0.7	350	1.17	0.06	2.77	0.06	37.2	11.3	11
J823987		3.23	0.013			0.07	7.32	<0.2	470	0.93	0.05	3.45	0.05	40.2	15.3	13
J823988		3.42	0.153			0.19	6.87	0.4	750	0.97	0.05	2.27	0.03	36.3	10.8	8
J823989		3.10	<0.005			0.01	6.38	<0.2	850	0.93	0.02	1.49	0.03	40.3	2.5	4
J823990		0.12	0.388			2.40	7.31	113.5	580	1.40	0.53	0.54	1.07	33.8	17.8	30
J823991		3.06	0.243			0.13	6.50	0.2	690	1.03	0.05	1.80	0.03	43.5	3.3	3
J823992		3.19	0.115			0.10	7.37	<0.2	680	1.26	0.03	2.19	0.03	26.6	3.2	3
J823993		3.09	0.252			0.15	6.86	<0.2	660	1.00	0.03	1.64	0.03	26.4	2.9	3
J823994		3.29	0.121			0.04	6.91	0.2	520	1.03	0.04	2.26	0.03	39.3	6.6	13
J823995		3.23	0.006			0.04	6.97	<0.2	270	0.91	0.05	3.26	0.04	50.4	12.9	35
J823995 CRD		<0.02	0.010			0.08	7.42	<0.2	280	0.85	0.04	3.34	0.05	60.8	13.1	36
J823996		3.07	0.031		0.032	0.04	6.48	<0.2	410	0.77	0.05	2.18	0.04	81.3	5.5	5
J823997		3.22	0.012			0.04	7.00	<0.2	430	0.89	0.03	2.78	0.04	54.9	8.4	11
J823998		3.26	0.130			0.11	6.86	<0.2	360	0.94	0.05	2.66	0.04	43.5	7.7	6
J823999		3.22	0.592			0.16	6.85	<0.2	390	1.03	0.08	2.45	0.03	43.7	8.3	6

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J823969		1.34	20.6	2.48	21.8	0.14	4.4	0.020	2.27	28.5	11.3	0.52	360	4.74	2.18	5.6
J823970		1.21	13.3	2.56	22.1	0.16	3.9	0.024	1.98	27.5	12.1	0.48	363	0.38	2.44	7.5
J823971		1.12	7.2	3.69	23.7	0.20	3.8	0.045	1.68	29.0	17.5	0.65	564	0.17	2.56	10.7
J823972		1.02	21.0	3.28	23.2	0.18	3.6	0.039	1.59	24.3	15.5	0.57	477	0.15	2.36	9.8
J823973		0.98	9.1	3.44	23.5	0.17	3.6	0.039	1.55	24.7	16.7	0.63	497	0.12	2.45	9.3
J823974		0.97	4.1	2.81	21.9	0.16	3.7	0.029	1.62	23.0	13.6	0.52	431	0.26	2.66	7.8
J823975		3.38	>10000	5.65	15.50	0.22	1.0	0.108	2.87	26.0	15.1	1.20	675	129.0	1.74	6.8
J823976		1.05	6.7	2.18	21.9	0.13	3.6	0.018	1.81	21.5	10.2	0.45	365	0.20	2.79	8.3
J823976 CRD		1.08	3.0	2.21	22.6	0.14	3.9	0.021	1.85	21.7	10.3	0.45	369	0.17	2.87	8.3
J823977		1.17	6.1	2.01	21.3	0.16	3.5	0.016	1.98	20.9	8.8	0.43	332	1.34	2.51	7.0
J823978		0.85	14.5	2.99	18.50	0.10	2.3	0.025	1.61	14.9	18.1	0.95	468	115.5	1.82	5.0
J823979		1.08	60.2	4.98	21.0	0.19	2.4	0.052	1.62	25.6	32.8	1.59	897	0.63	2.34	8.0
J823980		1.12	23.8	3.02	20.4	0.12	3.2	0.027	1.73	18.1	14.7	0.64	489	0.60	2.55	6.7
J823981		1.01	24.3	2.79	20.2	0.17	4.2	0.024	1.72	22.2	11.4	0.48	439	1.39	2.58	6.6
J823982		0.87	11.3	3.19	21.6	0.21	5.3	0.029	1.41	31.2	13.2	0.50	437	0.12	2.72	10.3
J823983		0.84	7.7	3.44	21.1	0.15	5.2	0.042	1.32	26.6	15.8	0.57	510	0.10	2.71	11.2
J823984		1.20	23.5	3.43	21.6	0.20	5.1	0.038	2.05	29.6	12.8	0.57	505	0.07	2.29	10.3
J823985		1.04	18.2	3.07	19.45	0.20	4.2	0.028	1.70	23.1	13.7	0.56	460	0.13	2.52	8.8
J823986		0.73	34.1	3.50	19.80	0.16	3.2	0.032	1.14	17.3	17.6	0.75	645	1.50	2.84	8.0
J823987		1.02	39.4	4.60	19.95	0.15	3.0	0.041	1.45	18.3	24.5	1.03	766	0.29	2.36	7.7
J823988		1.29	18.0	3.39	19.15	0.16	3.5	0.035	1.99	17.0	16.8	0.70	501	0.10	2.07	6.1
J823989		1.02	14.9	1.45	16.90	0.16	3.8	0.008	1.66	19.0	2.6	0.16	216	0.35	2.87	2.6
J823990		6.93	4410	4.71	17.40	0.22	0.9	0.052	5.48	17.9	12.2	0.74	473	257	1.05	5.6
J823991		1.11	10.7	1.61	17.40	0.16	3.2	0.012	2.07	20.1	3.2	0.18	244	0.57	2.45	2.8
J823992		1.23	15.0	1.87	21.4	0.17	3.7	0.010	2.29	12.2	2.7	0.16	269	0.22	3.02	3.6
J823993		0.92	9.6	1.52	18.20	0.15	2.4	0.012	1.83	12.3	4.7	0.24	239	0.33	3.07	2.9
J823994		1.03	19.8	2.09	17.55	0.14	2.4	0.020	1.92	18.3	11.7	0.51	365	0.16	2.57	4.8
J823995		0.69	28.3	3.58	17.90	0.18	2.4	0.031	1.23	22.1	26.9	1.13	631	0.11	2.68	5.2
J823995 CRD		0.75	26.5	3.69	18.35	0.18	2.4	0.031	1.25	27.7	27.0	1.19	645	0.12	2.74	5.0
J823996		0.89	6.4	2.14	17.55	0.18	5.1	0.022	1.65	40.8	11.5	0.42	338	0.12	2.39	5.3
J823997		1.01	12.3	2.67	19.60	0.16	4.6	0.024	1.95	27.4	16.8	0.56	408	0.13	2.22	7.6
J823998		1.00	24.6	2.52	19.20	0.16	3.4	0.028	1.89	21.6	14.8	0.52	375	0.09	2.38	5.8
J823999		0.99	7.7	2.43	19.40	0.19	3.1	0.037	1.77	21.7	12.5	0.44	381	0.17	2.55	7.6

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J823969		7.0	540	5.6	64.4	<0.002	0.15	0.23	4.7	1	1.0	149.0	0.34	0.15	7.4	0.231
J823970		6.0	570	5.0	62.3	<0.002	0.11	0.16	5.4	2	1.2	143.5	0.39	0.07	7.3	0.228
J823971		6.4	840	5.2	54.7	<0.002	0.09	0.15	8.5	2	1.9	180.5	0.59	<0.05	3.9	0.315
J823972		6.3	760	7.0	48.0	<0.002	0.03	0.19	8.1	2	1.6	215	0.50	<0.05	4.1	0.276
J823973		6.8	800	7.2	46.2	<0.002	0.01	0.16	6.8	2	1.6	235	0.43	<0.05	4.1	0.297
J823974		6.0	590	6.4	48.3	<0.002	0.07	0.15	5.4	1	1.4	206	0.35	<0.05	6.1	0.236
J823975		36.1	930	65.5	78.4	0.149	2.68	8.07	16.6	8	3.0	272	0.26	1.24	4.6	0.328
J823976		6.0	400	8.5	52.1	<0.002	0.11	0.12	4.9	1	1.2	210	0.26	0.08	7.8	0.182
J823976 CRD		6.2	390	8.0	51.5	<0.002	0.13	0.12	5.0	1	1.2	214	0.27	0.10	7.4	0.183
J823977		5.6	360	6.5	61.8	<0.002	0.17	0.11	4.7	2	1.2	153.5	0.34	0.34	7.9	0.158
J823978		29.4	330	24.0	42.8	<0.002	0.27	0.16	7.0	1	1.1	99.6	0.43	1.09	4.5	0.220
J823979		39.3	1500	7.3	42.8	<0.002	0.18	0.18	16.1	1	2.4	191.0	0.74	0.08	4.1	0.355
J823980		8.5	430	5.0	52.9	<0.002	0.05	0.11	7.2	1	1.6	153.5	0.50	0.06	4.9	0.232
J823981		5.4	450	3.7	54.9	<0.002	0.25	0.11	5.6	1	1.4	131.5	0.39	0.25	5.4	0.187
J823982		3.7	670	5.7	46.8	<0.002	0.03	0.12	7.9	2	1.5	203	0.58	<0.05	4.8	0.272
J823983		4.6	780	6.2	40.7	<0.002	<0.01	0.12	7.6	1	1.9	214	0.67	<0.05	3.9	0.282
J823984		4.9	770	4.9	61.9	<0.002	0.39	0.13	7.8	2	1.8	145.0	0.59	1.15	4.1	0.278
J823985		5.6	620	4.8	51.0	<0.002	0.02	0.10	6.7	1	1.6	164.0	0.54	<0.05	5.0	0.248
J823986		12.0	500	8.3	32.9	0.003	0.02	0.22	9.6	1	1.6	256	0.93	<0.05	4.0	0.298
J823987		15.9	610	7.1	41.6	<0.002	0.05	0.13	13.2	2	1.6	217	0.69	<0.05	3.3	0.404
J823988		10.3	420	3.9	59.6	<0.002	0.09	0.11	9.0	1	1.5	138.0	0.45	<0.05	5.1	0.274
J823989		2.0	150	3.7	50.4	<0.002	0.02	0.08	2.0	1	0.6	173.5	0.16	<0.05	8.0	0.068
J823990		22.8	1110	39.5	127.5	0.650	2.52	7.81	11.5	8	3.1	251	0.35	1.10	2.6	0.258
J823991		2.1	220	3.1	56.6	<0.002	0.12	0.08	1.8	1	0.7	127.5	0.18	0.05	7.4	0.071
J823992		1.6	230	4.0	61.7	<0.002	0.13	0.08	1.7	1	0.8	169.0	0.31	<0.05	4.9	0.072
J823993		2.9	210	3.5	52.8	<0.002	0.16	0.08	2.1	1	0.8	142.0	0.21	0.06	4.6	0.086
J823994		12.2	380	4.9	52.9	<0.002	0.08	0.11	4.8	1	1.0	161.0	0.40	<0.05	5.8	0.141
J823995		31.0	750	7.0	29.8	<0.002	0.02	0.18	10.1	1	1.2	233	0.44	<0.05	4.3	0.208
J823995 CRD		31.5	770	7.1	35.9	<0.002	0.01	0.17	10.9	1	1.2	240	0.46	<0.05	5.4	0.209
J823996		5.4	430	6.8	51.1	<0.002	0.04	0.17	3.9	1	1.0	171.5	0.26	<0.05	10.9	0.159
J823997		6.6	580	5.7	57.1	<0.002	0.05	0.15	4.9	1	1.1	169.0	0.36	<0.05	6.1	0.235
J823998		5.8	540	6.4	53.0	<0.002	0.08	0.15	6.0	1	1.0	181.0	0.32	0.05	4.2	0.214
J823999		3.6	540	7.7	55.1	<0.002	0.22	0.17	5.5	1	1.4	184.0	0.71	0.08	3.8	0.197

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01
J823969		0.31	0.5	34	4.9	6.1	72	215								
J823970		0.28	0.6	37	2.7	9.6	69	180.5								
J823971		0.27	0.6	52	2.4	18.8	93	168.0								
J823972		0.26	0.5	44	1.1	16.3	77	156.5								
J823973		0.25	0.5	47	1.1	14.3	86	162.0								
J823974		0.25	0.5	37	1.3	9.8	75	162.5								
J823975		0.81	1.2	161	12.0	14.6	178	33.4	2.04							
J823976		0.25	0.6	28	2.0	5.3	63	166.0								
J823976 CRD		0.26	0.6	28	2.1	5.4	63	174.5								
J823977		0.28	1.0	26	1.7	6.1	47	155.0	0.003	0.53	2.0	68.81	14.02	2.73	2.80	0.76
J823978		0.19	1.1	61	2.6	7.5	69	77.1								
J823979		0.21	1.1	100	2.4	19.0	116	80.9								
J823980		0.22	0.9	50	1.7	10.3	63	110.0								
J823981		0.20	0.7	37	2.0	10.4	60	147.5								
J823982		0.20	0.9	44	1.0	15.4	78	211								
J823983		0.19	0.8	43	0.8	18.7	86	199.0								
J823984		0.26	0.8	46	5.7	17.9	83	200								
J823985		0.23	0.7	41	1.0	14.0	76	156.5								
J823986		0.17	1.4	65	0.3	15.1	76	112.0								
J823987		0.19	0.8	90	1.1	17.2	104	119.0								
J823988		0.25	0.9	56	1.8	11.1	76	124.5								
J823989		0.21	1.2	10	0.5	6.1	20	110.0								
J823990		1.30	1.1	157	13.1	14.3	146	25.5								
J823991		0.23	0.5	20	1.7	5.1	22	109.0								
J823992		0.25	1.0	21	1.6	5.1	19	114.5								
J823993		0.21	0.6	20	1.6	3.8	25	73.8								
J823994		0.23	0.7	33	1.1	4.7	50	86.1								
J823995		0.16	0.5	63	0.5	6.6	108	88.3								
J823995 CRD		0.17	0.6	64	0.5	7.0	110	88.9								
J823996		0.22	0.8	25	1.1	6.7	53	209		0.70	2.6	66.64	14.28	3.16	3.32	0.81
J823997		0.24	0.5	37	1.6	6.0	69	188.5								
J823998		0.25	0.5	38	2.4	4.9	63	142.0								
J823999		0.23	0.4	34	4.0	6.9	56	129.0								

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J823969											
J823970											
J823971											
J823972											
J823973											
J823974											
J823975											
J823976											
J823976 CRD											
J823977		3.34	2.27	<0.01	0.31	0.03	0.078	0.03	0.03	3.19	98.40
J823978											
J823979											
J823980											
J823981											
J823982											
J823983											
J823984											
J823985											
J823986											
J823987											
J823988											
J823989											
J823990											
J823991											
J823992											
J823993											
J823994											
J823995											
J823995 CRD											
J823996		3.45	2.08	<0.01	0.33	0.04	0.100	0.03	0.04	3.90	98.18
J823997											
J823998											
J823999											

Comments: Additional Au-Gra22 result for sample J823970 reports 2.67 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176554

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.