ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186637

Project: HAMMOND REEF

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198753		3.23	<0.005		0.03	6.71	0.9	490	0.80	0.03	1.08	0.02	26.3	1.1	5	0.56
I198754		3.21	<0.005		0.02	6.40	<0.2	490	0.83	0.01	0.71	0.02	28.7	1.1	7	0.59
I198755		3.14	<0.005		0.03	6.47	<0.2	510	0.97	0.02	0.70	<0.02	45.1	1.4	6	0.71
I198756		3.29	<0.005		0.03	6.49	<0.2	520	0.83	0.01	0.87	0.02	38.8	1.1	7	0.76
I198757		2.52	<0.005		0.04	6.45	<0.2	610	0.96	0.01	0.75	<0.02	43.8	1.2	6	0.73
I198758		1.92	<0.005		0.12	6.74	0.3	730	0.88	0.02	0.89	<0.02	35.1	1.2	5	0.66
I198759		3.34	<0.005		0.05	6.60	0.5	390	1.26	0.01	1.06	<0.02	48.6	1.6	6	0.57
I198760		0.07	0.964		4.91	6.62	21.5	480	0.75	1.82	2.51	2.13	25.4	14.3	59	0.81
I198761		3.35	<0.005		0.04	6.69	0.6	440	1.16	0.01	1.40	0.02	47.0	2.7	8	0.82
I198762		3.06	0.009		0.02	6.16	0.6	650	0.95	0.01	0.84	<0.02	48.7	1.5	6	0.60
I198763		3.26	<0.005		0.03	6.16	0.8	450	0.93	0.02	1.02	<0.02	32.7	2.3	7	0.72
I198764		3.53	<0.005		0.02	6.76	0.8	660	1.18	0.01	1.15	0.02	45.8	2.2	7	0.88
I198765		3.67	<0.005		0.04	6.37	<0.2	410	0.70	0.02	0.78	0.04	33.5	1.2	7	0.65
I198766		3.17	<0.005		0.01	5.77	<0.2	430	0.71	0.04	1.38	<0.02	39.3	1.4	8	0.55
I198767		3.08	<0.005		0.02	6.24	<0.2	580	0.94	0.01	0.98	<0.02	47.2	1.3	6	0.76
I198768		3.09	<0.005		0.02	6.54	0.5	590	0.84	0.01	0.83	<0.02	45.8	1.4	8	0.63
I198769		3.53	<0.005		0.01	6.54	0.4	610	0.74	0.01	0.74	<0.02	47.8	1.5	6	0.59
I198770		3.48	<0.005		0.02	6.35	0.4	490	0.71	0.02	1.26	<0.02	42.8	2.0	7	0.54
I198771		3.34	<0.005		0.02	6.39	<0.2	430	0.72	0.01	0.86	<0.02	41.5	1.4	7	0.54
I198772		3.16	<0.005		0.01	5.58	<0.2	320	0.78	0.01	0.77	<0.02	29.1	1.5	9	0.47
I198772 CRD		<0.02	<0.005		0.01	5.38	0.3	330	0.77	0.01	0.78	<0.02	24.2	1.5	6	0.45
I198773		3.21	<0.005	0.006	0.01	6.95	0.2	560	1.09	0.01	1.63	<0.02	24.3	1.5	6	0.71
I198774		3.17	<0.005		0.01	6.73	<0.2	550	1.06	0.01	1.51	0.02	18.60	3.0	8	0.78
I198775		0.07	2.31		8.00	7.08	52.4	680	0.97	3.52	1.71	1.02	64.3	16.4	56	3.38
I198776		3.25	<0.005		0.02	6.78	0.4	430	0.88	0.01	1.06	<0.02	24.7	2.9	8	0.53
I198777		3.20	<0.005		0.02	6.78	1.9	410	1.08	0.01	1.50	<0.02	17.30	4.3	11	0.71
I198778		3.23	<0.005		0.02	6.90	<0.2	310	0.84	0.01	1.20	<0.02	19.90	3.3	8	0.57
I198779		3.22	<0.005		0.03	6.42	0.2	400	1.00	0.02	1.55	<0.02	23.5	3.4	7	0.74
I198780		3.52	<0.005		0.03	6.53	<0.2	420	0.68	0.02	1.15	<0.02	43.1	2.0	9	0.58
I198781		4.33	<0.005		0.02	6.53	0.2	520	0.79	0.02	0.81	<0.02	42.1	1.5	8	0.74
I198782		4.10	<0.005		0.01	6.10	0.2	340	0.70	0.02	1.07	<0.02	33.5	1.7	6	0.55
I198783		2.30	<0.005		0.01	6.91	<0.2	440	1.06	0.02	1.49	<0.02	44.3	4.2	8	0.92
I198784		2.47	0.005		0.02	6.80	0.2	420	1.05	0.07	1.93	<0.02	45.7	4.4	7	0.88
I198785		3.41	<0.005		0.03	6.83	<0.2	410	1.00	0.01	2.06	0.02	62.4	5.9	6	1.05
I198786		3.15	<0.005		0.02	7.01	0.2	360	0.99	0.02	2.07	0.03	62.0	6.4	7	0.94
I198787		2.95	<0.005		0.02	7.06	<0.2	330	1.02	0.02	1.82	<0.02	66.5	5.6	6	0.86
I198788		2.78	<0.005		<0.01	6.83	1.9	280	1.10	0.02	1.76	0.03	56.7	4.8	7	0.79
I198789		3.77	<0.005		<0.01	5.67	0.9	190	0.83	0.01	2.02	<0.02	41.7	4.2	6	0.54
I198790		0.07	0.423		1.98	7.44	109.0	610	1.32	0.49	0.55	1.05	33.9	17.0	32	6.84
I198791		3.49	0.005		<0.01	5.59	1.6	200	0.80	0.02	2.28	<0.02	27.8	2.7	5	0.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198753		4.6	0.72	16.15	<0.05	2.7	0.009	3.00	12.2	1.9	0.09	204	0.23	3.07	4.3	2.5
I198754		4.6	0.74	16.15	0.06	2.4	0.009	3.28	13.8	1.7	0.10	169	0.16	2.84	4.8	1.1
I198755		1.1	0.85	17.05	0.09	2.7	0.011	2.70	21.1	2.1	0.12	196	0.35	2.77	6.0	1.0
I198756		2.8	0.76	15.90	0.07	3.4	0.007	2.87	18.1	2.1	0.10	220	0.29	2.89	4.0	0.7
I198757		3.2	0.85	16.70	0.08	2.7	0.008	3.06	20.8	2.2	0.10	183	0.18	2.87	5.3	0.9
I198758		23.4	0.72	16.40	0.07	3.2	0.006	3.27	17.2	2.6	0.09	174	0.13	2.96	3.0	0.7
I198759		11.1	0.89	17.25	0.08	2.9	0.009	1.51	24.3	3.1	0.13	193	0.16	3.58	3.8	1.4
I198760		>10000	4.75	12.75	0.14	1.1	0.129	0.83	12.9	14.9	1.20	695	241	2.24	3.9	33.8
I198761		19.0	1.16	18.55	0.07	2.6	0.015	1.94	24.4	3.8	0.24	321	0.40	2.98	8.3	3.2
I198762		4.8	0.86	15.60	0.08	2.6	0.009	2.84	23.8	2.5	0.11	203	0.57	2.89	4.7	1.4
I198763		5.4	0.89	15.85	0.05	2.6	0.011	1.91	16.3	2.7	0.12	255	0.18	3.51	4.9	1.7
I198764		2.8	1.15	17.15	0.08	2.8	0.014	3.13	24.6	3.9	0.18	329	0.30	2.71	6.7	1.8
I198765		1.8	0.73	15.60	0.06	2.2	0.011	2.21	16.2	2.4	0.11	164	0.12	3.38	4.7	1.1
I198766		2.7	0.93	14.30	0.07	2.2	0.009	1.89	19.1	2.1	0.13	258	0.13	2.84	4.3	1.4
I198767		5.9	0.81	16.50	0.08	2.3	0.010	2.72	22.5	2.4	0.11	194	0.13	2.94	5.7	1.0
I198768		2.5	0.91	15.70	0.08	2.6	0.008	2.92	22.0	1.9	0.14	190	0.17	2.97	4.7	1.2
I198769		1.3	0.83	15.10	0.07	2.6	0.009	2.86	23.5	2.0	0.16	175	0.13	2.91	4.1	1.4
I198770		1.9	1.02	15.40	0.08	2.2	0.009	2.16	21.2	1.9	0.18	237	0.17	3.19	4.3	1.5
I198771		1.8	0.87	14.95	0.06	2.0	0.010	1.72	20.2	1.6	0.14	173	0.12	3.39	4.3	1.6
I198772		2.2	0.80	14.30	0.05	2.9	0.007	1.50	14.2	1.5	0.12	177	0.19	3.64	4.0	2.3
I198772 CRD		1.9	0.70	14.20	0.05	2.5	0.006	1.51	11.2	1.5	0.11	181	0.14	3.67	4.1	1.6
I198773		2.5	1.10	18.20	0.06	2.8	0.011	1.75	13.3	2.3	0.16	238	0.12	3.46	4.3	1.5
I198774		2.0	1.25	17.80	0.06	2.8	0.015	1.94	10.0	2.5	0.27	367	0.12	3.34	6.7	3.8
I198775		>10000	6.00	13.85	0.21	1.1	0.110	2.84	30.8	16.7	1.25	676	115.5	1.75	6.7	34.6
I198776		10.1	1.19	15.65	0.05	3.5	0.011	1.31	12.5	2.0	0.29	286	0.20	3.75	4.5	3.0
I198777		5.9	1.57	18.35	0.07	2.5	0.019	1.73	8.6	2.7	0.43	389	0.20	3.19	7.9	6.2
I198778		3.0	1.32	17.50	0.07	3.0	0.011	1.42	9.9	2.9	0.29	267	0.16	3.70	5.5	3.3
I198779		12.6	1.36	16.70	0.07	3.9	0.011	1.69	12.6	2.2	0.25	269	0.17	3.01	4.1	2.7
I198780		5.0	1.03	14.50	0.08	2.7	0.008	1.40	21.9	1.4	0.16	201	0.22	3.31	3.0	1.7
I198781		4.2	0.87	16.50	0.06	2.1	0.009	1.87	20.4	1.8	0.14	131	0.24	2.72	2.4	1.3
I198782		3.9	0.88	14.15	0.07	2.4	0.010	1.42	16.2	1.4	0.18	173	0.13	3.03	2.3	1.7
I198783		3.7	1.63	17.40	0.09	3.5	0.014	2.06	25.7	2.2	0.38	301	0.19	2.68	5.2	3.1
I198784		7.9	1.84	18.75	0.10	3.5	0.015	2.14	25.6	2.7	0.39	344	0.08	2.73	4.6	3.3
I198785		8.5	2.01	18.90	0.12	4.5	0.014	2.31	35.1	2.7	0.50	371	0.07	2.60	3.9	4.4
I198786		10.9	2.20	18.70	0.13	4.8	0.014	2.12	34.0	3.9	0.55	414	0.09	2.85	3.9	4.8
I198787		4.3	1.98	18.20	0.10	4.3	0.016	2.14	37.6	3.4	0.53	391	0.14	2.67	5.1	4.2
I198788		4.4	1.79	17.75	0.12	4.4	0.018	1.81	33.7	2.7	0.45	425	0.09	2.82	5.2	5.6
I198789		1.8	1.81	15.20	0.09	3.6	0.016	1.29	24.0	4.2	0.42	407	0.06	2.74	4.0	4.3
I198790		4330	4.69	16.25	0.19	0.7	0.061	5.14	19.0	12.1	0.74	494	255	0.99	4.7	21.9
I198791		5.1	1.49	16.50	0.10	2.8	0.015	1.26	15.3	4.0	0.28	343	0.51	2.88	3.2	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198753		50	12.7	88.5	<0.002	0.01	0.11	2.0	1	0.5	141.0	0.24	<0.05	9.3	0.042	0.33
I198754		70	15.5	94.4	<0.002	0.01	0.07	2.6	1	0.5	123.0	0.37	<0.05	9.3	0.045	0.34
I198755		100	20.3	92.9	<0.002	0.01	0.10	3.4	2	0.7	108.5	0.51	<0.05	12.3	0.056	0.33
I198756		70	21.4	91.3	<0.002	0.01	0.08	2.0	1	0.5	124.5	0.46	<0.05	10.2	0.045	0.33
I198757		80	15.8	96.7	<0.002	0.01	0.07	2.1	2	0.5	132.5	0.32	<0.05	11.9	0.052	0.33
I198758		70	24.0	98.3	<0.002	0.03	0.07	1.5	2	0.4	158.0	0.21	<0.05	11.5	0.034	0.36
I198759		50	8.7	61.1	<0.002	0.02	0.09	1.9	1	0.5	188.5	0.27	<0.05	12.0	0.045	0.22
I198760		590	40.1	28.2	1.280	1.59	24.2	15.1	6	1.0	289	0.27	0.66	2.3	0.324	0.22
I198761		200	11.3	80.6	0.002	0.01	0.14	3.1	2	1.0	189.5	0.69	<0.05	9.5	0.086	0.28
I198762		80	15.8	90.0	<0.002	<0.01	0.07	2.1	2	0.6	153.5	0.33	<0.05	11.6	0.055	0.35
I198763		100	14.5	61.0	<0.002	0.02	0.11	2.3	2	0.7	126.0	0.42	<0.05	9.1	0.063	0.26
I198764		150	13.0	107.5	<0.002	<0.01	0.07	3.2	2	0.8	163.5	0.70	<0.05	8.0	0.081	0.37
I198765		60	25.9	69.7	<0.002	0.01	0.08	1.6	2	0.5	101.0	0.54	<0.05	8.2	0.049	0.26
I198766		60	15.5	64.2	<0.002	0.01	0.07	1.7	2	0.6	122.5	0.40	<0.05	9.0	0.045	0.22
I198767		60	12.8	83.1	<0.002	0.01	0.07	1.8	2	0.7	127.0	0.76	<0.05	10.4	0.050	0.30
I198768		60	8.5	87.7	<0.002	0.01	0.07	1.5	2	0.6	129.5	0.41	<0.05	11.6	0.055	0.29
I198769		80	11.9	85.4	<0.002	0.01	0.08	1.6	2	0.6	127.5	0.35	<0.05	11.6	0.056	0.29
I198770		90	8.4	66.6	<0.002	0.01	0.09	1.8	2	0.6	111.0	0.36	<0.05	9.2	0.059	0.23
I198771		70	7.6	56.9	<0.002	<0.01	0.09	1.6	1	0.6	118.5	0.32	<0.05	10.0	0.054	0.20
I198772		50	7.3	43.7	<0.002	<0.01	0.09	1.9	1	0.7	108.0	0.37	<0.05	7.4	0.050	0.17
I198772 CRD		50	8.8	37.0	<0.002	<0.01	0.08	1.8	2	0.7	103.0	0.37	<0.05	5.7	0.051	0.17
I198773		170	7.1	63.4	<0.002	0.02	0.09	2.4	1	0.7	174.5	0.32	<0.05	4.6	0.059	0.23
I198774		310	5.1	60.5	<0.002	<0.01	0.13	3.5	2	0.9	156.5	0.41	<0.05	3.4	0.101	0.24
I198775		930	65.5	87.9	0.122	2.45	7.00	16.3	7	2.7	266	0.27	1.10	5.1	0.322	0.80
I198776		400	8.4	49.8	<0.002	<0.01	0.09	3.2	1	0.7	169.0	0.27	<0.05	5.7	0.075	0.16
I198777		320	6.8	62.2	<0.002	0.01	0.12	4.4	1	1.1	164.0	0.43	<0.05	4.4	0.126	0.22
I198778		210	5.3	55.8	<0.002	0.01	0.11	3.2	1	0.8	133.0	0.38	<0.05	3.9	0.091	0.18
I198779		220	9.9	59.9	<0.002	0.05	0.12	2.6	1	0.7	170.5	0.36	<0.05	5.7	0.096	0.23
I198780		120	12.7	52.1	<0.002	0.03	0.11	2.1	1	0.5	137.0	0.22	<0.05	9.9	0.067	0.18
I198781		70	7.8	65.4	<0.002	0.02	0.12	2.2	1	0.5	94.1	0.15	<0.05	10.1	0.057	0.23
I198782		80	6.9	49.8	<0.002	0.01	0.10	1.8	2	0.5	97.7	0.22	<0.05	7.4	0.052	0.18
I198783		290	5.0	72.9	<0.002	<0.01	0.12	3.0	1	0.7	145.5	0.47	<0.05	6.5	0.128	0.28
I198784		370	6.3	66.1	<0.002	0.03	0.14	2.8	1	0.7	169.5	0.46	<0.05	6.7	0.150	0.27
I198785		460	4.3	69.1	<0.002	<0.01	0.16	3.3	1	0.7	159.0	0.25	<0.05	8.1	0.182	0.30
I198786		470	5.6	64.1	<0.002	0.01	0.17	3.4	1	0.7	155.0	0.26	<0.05	7.5	0.183	0.29
I198787		430	5.0	70.3	<0.002	<0.01	0.18	3.6	1	0.9	152.5	0.65	<0.05	8.3	0.167	0.29
I198788		390	6.9	64.7	<0.002	<0.01	0.23	3.3	1	0.9	181.0	0.69	<0.05	11.3	0.156	0.27
I198789		340	4.2	38.3	<0.002	<0.01	0.20	3.1	1	0.7	146.5	0.54	<0.05	6.9	0.129	0.17
I198790		1110	39.0	119.0	0.541	2.46	7.22	10.5	8	2.8	257	0.30	1.05	2.9	0.238	1.35
I198791		180	7.0	36.9	<0.002	0.02	0.19	2.1	1	0.7	136.0	0.41	<0.05	6.5	0.080	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198753		4.3	6	0.4	6.2	16	54.6									
I198754		5.6	7	0.1	5.1	16	46.5									
I198755		5.9	8	0.2	6.9	17	63.2									
I198756		5.9	7	0.2	5.1	17	64.1									
I198757		3.9	7	0.2	6.6	13	59.6									
I198758		6.4	8	0.7	4.7	11	58.4									
I198759		5.3	10	0.2	4.2	14	58.5									
I198760		0.9	107	5.1	15.5	144	33.0	1.290								
I198761		3.9	16	0.2	6.5	27	59.5									
I198762		2.8	8	0.1	4.2	15	59.0									
I198763		1.6	10	0.1	3.6	20	67.8									
I198764		1.9	12	0.1	5.0	31	80.6									
I198765		1.5	7	0.5	3.2	28	52.6									
I198766		2.3	10	0.1	4.2	13	53.5									
I198767		2.0	9	0.1	5.3	14	54.4									
I198768		2.6	8	0.1	4.3	11	62.2									
I198769		2.1	8	0.2	3.9	12	62.0									
I198770		2.1	10	0.1	4.8	14	56.8									
I198771		2.2	10	0.2	3.8	11	51.5									
I198772		1.4	8	0.1	3.3	12	63.0									
I198772 CRD		1.4	8	0.1	2.8	11	55.4									
I198773		3.2	12	0.2	4.5	18	75.1		0.53	1.9	71.38	14.50	1.50	2.27	0.29	4.73
I198774		1.3	18	0.1	5.6	28	85.2									
I198775		1.4	157	11.3	14.6	169	36.3	2.18								
I198776		2.7	14	0.1	7.9	22	84.9									
I198777		3.1	23	0.2	5.9	28	58.3									
I198778		2.0	15	0.1	4.5	26	74.3									
I198779		2.1	16	0.1	4.3	28	113.5									
I198780		2.2	10	0.1	3.8	18	78.0									
I198781		2.5	10	0.1	2.7	16	51.9									
I198782		2.5	10	0.1	2.9	11	61.7									
I198783		2.0	20	0.2	4.6	30	141.5									
I198784		1.5	24	0.2	4.4	35	152.5									
I198785		1.0	27	0.2	4.0	44	199.5									
I198786		1.1	27	0.2	4.1	49	207									
I198787		2.2	26	0.2	5.4	34	180.5									
I198788		6.6	23	0.2	5.9	28	164.5									
I198789		1.3	23	0.2	4.5	29	135.0									
I198790		1.2	154	10.8	14.3	155	22.1									
I198791		3.6	22	0.2	3.8	22	90.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198753										
I198754										
I198755										
I198756										
I198757										
I198758										
I198759										
I198760										
I198761										
I198762										
I198763										
I198764										
I198765										
I198766										
I198767										
I198768										
I198769										
I198770										
I198771										
I198772										
I198772 CRD										
I198773		2.11	<0.01	0.09	0.03	0.040	0.03	0.05	2.74	99.76
I198774										
I198775										
I198776										
I198777										
I198778										
I198779										
I198780										
I198781										
I198782										
I198783										
I198784										
I198785										
I198786										
I198787										
I198788										
I198789										
I198790										
I198791										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198792		3.30	0.006		<0.01	5.86	<0.2	250	0.80	0.01	3.58	0.02	38.8	2.2	5	0.67
I198792 CRD		<0.02	0.012		<0.01	5.89	0.4	260	0.77	0.01	3.57	<0.02	37.4	2.3	4	0.67
I198793		3.36	0.006	0.007	<0.01	6.77	1.3	300	1.07	0.03	1.97	0.02	47.3	5.6	6	0.87
I198794		4.05	<0.005		<0.01	6.09	0.3	200	0.90	0.01	1.60	<0.02	63.6	3.2	6	0.62
I198795		2.09	<0.005		<0.01	6.33	<0.2	180	0.74	0.02	2.33	0.02	34.5	1.6	7	0.64
I198796		3.37	<0.005		<0.01	6.99	<0.2	230	0.94	0.02	1.82	0.02	48.7	4.9	6	0.71
I198797		3.36	<0.005		<0.01	7.18	0.3	370	1.02	0.02	1.49	0.02	40.4	4.2	7	0.83
I198798		3.27	<0.005		<0.01	7.36	1.4	350	0.91	0.02	2.03	0.03	26.6	7.2	6	0.87
I198799		3.05	0.017		<0.01	7.18	0.6	410	0.84	0.03	2.89	0.03	32.3	6.8	4	1.05
I198800		0.07	0.916		4.42	6.06	23.4	490	0.72	1.89	2.36	2.15	22.4	14.3	62	0.78
I198801		3.93	<0.005		0.03	7.24	<0.2	530	0.81	0.07	3.46	0.03	18.85	11.7	12	1.08
I198802		2.67	0.005		0.19	6.16	0.9	270	0.43	0.48	5.17	0.05	6.15	38.8	144	0.65
I198803		3.06	<0.005		0.03	5.88	0.6	360	0.57	0.05	3.13	0.04	29.6	3.5	4	0.80
I198804		2.93	<0.005		0.01	6.22	<0.2	220	0.56	0.01	3.60	0.04	40.5	1.9	3	0.42
I198805		2.36	<0.005		0.04	5.46	0.5	390	0.54	0.02	4.15	0.04	29.8	1.7	2	0.76
I198806		4.18	<0.005		0.16	4.79	<0.2	150	0.22	0.42	4.64	0.06	3.90	28.7	116	0.40
I198807		2.71	<0.005		0.11	7.08	0.6	150	0.31	0.22	6.02	0.05	5.51	40.7	152	0.46
I198808		2.80	<0.005		0.14	7.89	0.2	110	0.27	0.16	6.57	0.07	6.19	46.4	183	0.37
I198809		2.79	<0.005		0.15	7.40	0.8	160	0.41	0.25	5.55	0.04	6.10	38.5	162	0.55
I198810		2.19	<0.005		0.02	6.39	0.5	370	0.68	0.03	1.07	<0.02	37.7	1.7	5	0.55
I198811		2.44	<0.005		0.01	6.70	0.9	370	0.79	0.04	1.05	0.02	33.0	1.5	6	0.57
I198812		2.94	<0.005		0.02	8.01	1.4	370	1.21	0.12	2.09	0.03	65.2	8.8	11	0.70
I198812 CRD		<0.02	<0.005		0.02	7.92	1.8	380	1.24	0.13	2.08	0.03	64.1	8.4	10	0.72
I198813		2.59	<0.005	<0.005	0.07	7.69	<0.2	140	0.45	0.37	6.76	0.08	7.06	43.8	194	0.30
I198814		3.64	<0.005		0.01	7.01	0.9	320	0.93	0.05	1.73	0.03	55.5	5.7	6	0.57
I198815		0.11	2.42		7.64	6.66	49.9	660	0.85	3.43	1.59	0.97	57.3	15.7	57	3.27
I198816		3.01	<0.005		<0.01	7.25	<0.2	370	0.85	0.04	2.02	0.03	47.0	5.7	10	0.65
I198817		3.29	<0.005		<0.01	6.86	<0.2	370	0.87	0.03	1.90	0.02	55.7	5.7	8	0.74
I198818		3.50	<0.005		<0.01	7.95	0.7	370	0.96	0.08	3.37	0.04	46.3	14.7	19	0.87
I198819		3.08	<0.005		<0.01	6.32	1.6	290	0.79	0.04	1.59	0.02	78.5	4.4	7	0.63
I198820		3.00	<0.005		0.01	7.29	1.6	340	0.95	0.07	1.89	0.02	49.6	9.0	16	0.74
I198821		3.26	<0.005		0.01	6.88	0.9	380	0.92	0.05	2.43	0.02	43.5	7.7	16	0.84
I198822		3.12	<0.005		0.02	7.23	0.4	290	0.99	0.04	1.26	0.03	49.9	8.2	15	0.67
I198823		3.26	<0.005		0.02	6.76	0.3	270	0.95	0.04	1.70	<0.02	65.5	5.6	8	0.52
I198824		3.19	<0.005		0.01	6.82	<0.2	290	1.10	0.05	1.42	0.02	80.3	4.3	7	0.60
I198825		3.23	<0.005		0.05	7.09	0.5	370	1.37	0.11	3.10	0.04	27.1	13.8	18	0.80
I198826		3.02	<0.005		0.03	6.56	0.3	440	1.01	0.11	2.01	0.03	28.1	5.6	11	0.76
I198827		2.90	<0.005		0.04	6.39	0.2	410	0.85	0.08	1.16	<0.02	35.2	3.9	7	0.60
I198828		3.07	<0.005		0.02	6.92	<0.2	360	0.96	0.05	1.33	<0.02	32.5	4.7	8	0.75
I198829		3.09	<0.005		0.07	7.17	<0.2	290	1.12	0.10	2.16	0.02	26.4	10.5	17	0.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198792		3.5	1.73	19.45	0.15	3.3	0.020	1.61	21.8	6.7	0.28	423	0.07	2.49	3.7	2.7
I198792 CRD		3.7	1.82	20.4	0.16	3.4	0.020	1.63	20.8	6.9	0.28	431	0.08	2.49	3.7	2.7
I198793		2.3	2.05	19.00	0.16	4.4	0.015	2.01	27.8	5.1	0.49	431	0.07	2.56	4.0	5.2
I198794		2.8	1.38	13.25	0.17	3.2	0.011	1.43	34.4	3.0	0.31	339	0.10	2.87	2.8	4.0
I198795		1.7	1.79	19.10	0.13	3.2	0.017	1.49	18.8	2.6	0.15	341	0.06	3.18	3.7	2.7
I198796		1.5	1.89	17.50	0.06	3.9	0.014	1.60	29.0	8.7	0.47	425	0.07	3.23	3.7	4.8
I198797		3.5	1.68	17.55	0.13	3.1	0.014	1.79	23.0	9.2	0.40	321	0.08	2.85	4.0	4.8
I198798		12.7	2.29	17.30	0.15	2.9	0.017	1.77	14.4	15.8	0.56	413	0.09	3.06	2.5	5.1
I198799		16.6	2.29	16.65	0.15	2.5	0.018	2.11	17.0	14.7	0.55	531	0.23	2.42	2.5	4.5
I198800		>10000	4.54	13.25	0.17	1.0	0.142	0.85	11.4	15.8	1.15	670	242	2.12	3.8	33.9
I198801		21.0	2.82	18.90	0.07	1.8	0.024	2.40	9.2	16.2	0.81	657	0.21	1.90	1.9	10.2
I198802		260	6.71	12.30	0.09	0.3	0.049	1.11	2.7	75.9	3.23	1140	0.83	0.11	0.9	96.8
I198803		11.1	1.37	13.95	0.11	2.8	0.011	1.63	14.0	6.7	0.32	470	0.19	2.55	2.7	3.2
I198804		9.7	0.67	9.64	0.18	3.5	0.007	0.93	17.9	3.3	0.12	411	0.12	5.19	1.4	3.7
I198805		3.3	0.87	12.10	0.17	2.4	0.011	1.83	13.7	3.2	0.18	507	0.12	2.59	1.9	2.8
I198806		171.5	5.19	8.49	0.08	0.2	0.034	0.76	1.6	55.5	2.58	938	0.30	0.12	0.7	73.7
I198807		97.6	7.63	14.10	0.08	0.4	0.046	0.81	2.1	86.2	4.02	1560	0.19	0.67	1.0	109.0
I198808		175.5	8.32	13.50	0.09	0.3	0.050	0.54	2.4	93.9	4.56	1720	0.22	1.11	1.1	125.0
I198809		145.0	7.64	17.45	0.06	0.6	0.048	0.87	2.5	78.6	3.64	1660	0.24	0.97	1.0	102.5
I198810		29.0	0.83	13.85	0.09	2.0	0.008	1.07	17.8	3.1	0.16	185	0.18	3.63	1.7	2.4
I198811		10.6	0.79	14.50	0.10	2.1	0.006	1.14	16.0	2.3	0.13	169	2.69	3.82	2.0	1.9
I198812		54.8	2.52	21.2	0.15	5.2	0.027	1.41	37.7	17.9	0.72	471	0.14	3.97	7.4	7.4
I198812 CRD		48.4	2.47	21.1	0.16	5.2	0.028	1.44	37.6	17.8	0.70	465	0.19	3.82	7.6	7.3
I198813		109.5	8.18	17.35	0.11	0.5	0.048	0.70	3.2	97.8	3.96	1620	0.31	1.14	0.9	125.5
I198814		11.7	1.91	18.70	0.13	4.1	0.022	1.15	32.1	11.5	0.44	367	0.13	3.66	6.9	4.4
I198815		>10000	5.69	13.45	0.19	1.1	0.112	2.73	28.8	18.2	1.16	645	98.4	1.58	6.0	32.7
I198816		23.8	1.80	18.80	0.06	4.4	0.018	1.35	25.4	9.4	0.42	394	0.10	3.79	5.0	5.3
I198817		13.4	2.09	17.50	0.12	4.2	0.019	1.43	32.0	12.3	0.49	413	0.14	3.13	4.6	6.1
I198818		42.6	3.71	20.4	0.16	2.9	0.031	1.59	21.2	29.1	1.15	658	0.16	2.95	4.9	20.2
I198819		21.5	1.74	15.60	0.16	3.0	0.013	1.28	42.1	11.0	0.42	347	0.12	2.74	4.2	4.8
I198820		10.8	2.52	17.55	0.17	2.2	0.024	1.51	24.9	20.0	0.76	492	0.12	2.83	4.1	11.8
I198821		12.2	2.33	16.95	0.17	2.3	0.022	1.72	21.0	16.4	0.66	544	0.14	2.54	4.2	10.7
I198822		8.0	2.16	19.05	0.12	2.5	0.022	1.28	25.1	15.0	0.62	375	0.11	3.45	4.0	11.1
I198823		5.9	1.77	19.10	0.13	3.0	0.018	1.06	31.3	10.6	0.45	390	0.11	4.13	6.0	4.5
I198824		7.6	1.41	19.85	0.13	3.2	0.015	1.26	39.4	7.8	0.35	307	0.08	3.72	4.7	2.9
I198825		30.1	3.18	23.6	0.15	2.9	0.032	1.65	10.0	23.6	0.98	668	0.23	3.10	11.1	19.0
I198826		30.0	1.73	17.90	0.10	2.5	0.014	1.56	13.0	9.3	0.45	349	0.11	3.19	4.8	7.7
I198827		27.2	1.14	16.20	0.08	4.0	0.007	1.27	17.3	4.5	0.21	199	0.18	3.70	2.9	2.3
I198828		11.9	1.46	18.40	0.08	3.5	0.012	1.56	17.5	8.4	0.39	273	0.09	3.38	4.6	4.6
I198829		10.1	2.71	21.8	0.13	2.1	0.027	1.48	12.1	18.5	0.80	510	0.11	3.24	8.3	15.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198792		280	5.3	45.3	<0.002	0.02	0.25	2.7	1	0.7	127.0	0.36	<0.05	7.4	0.112	0.22
I198792 CRD		280	4.8	45.5	<0.002	0.02	0.26	2.7	1	0.7	127.0	0.35	<0.05	7.2	0.111	0.22
I198793		430	5.1	63.0	<0.002	0.04	0.26	3.1	1	0.7	174.0	0.31	<0.05	8.3	0.172	0.28
I198794		260	4.7	47.4	<0.002	<0.01	0.18	2.2	1	0.7	149.0	0.23	<0.05	16.9	0.104	0.20
I198795		290	3.9	45.2	<0.002	<0.01	0.21	2.7	1	0.7	152.5	0.29	<0.05	9.1	0.108	0.20
I198796		370	4.9	52.8	<0.002	<0.01	0.27	2.9	1	0.7	184.0	0.40	<0.05	8.2	0.138	0.22
I198797		340	5.4	60.8	<0.002	0.01	0.20	2.9	1	0.8	177.0	0.30	<0.05	7.0	0.133	0.24
I198798		400	5.1	56.5	<0.002	0.01	0.28	4.9	1	0.6	207	0.16	<0.05	3.8	0.191	0.25
I198799		370	5.1	69.6	<0.002	0.01	0.24	4.2	1	0.6	213	0.27	<0.05	4.9	0.159	0.31
I198800		580	41.0	24.6	1.290	1.57	24.1	13.8	6	1.1	279	0.26	0.70	2.2	0.319	0.22
I198801		400	5.0	66.2	<0.002	0.11	0.25	6.1	1	0.7	191.5	0.18	<0.05	2.2	0.194	0.36
I198802		170	6.3	40.1	<0.002	0.14	0.18	31.7	1	0.7	154.0	0.06	0.14	0.2	0.217	0.17
I198803		130	6.0	51.3	<0.002	0.06	0.13	2.2	1	0.6	201	0.27	<0.05	8.3	0.090	0.25
I198804		130	7.9	23.3	<0.002	0.01	0.12	1.8	1	0.5	307	0.21	<0.05	8.2	0.076	0.14
I198805		110	5.5	52.0	<0.002	0.02	0.13	1.7	1	0.5	233	0.17	<0.05	8.3	0.063	0.27
I198806		130	3.5	27.4	<0.002	0.12	0.13	22.2	1	0.3	133.0	0.05	0.11	0.2	0.182	0.11
I198807		190	4.0	23.1	<0.002	0.08	0.16	34.8	1	0.4	186.0	0.07	0.09	0.2	0.238	0.11
I198808		210	5.3	16.6	<0.002	0.05	0.22	39.9	1	0.4	228	0.07	0.10	0.2	0.258	0.08
I198809		180	4.1	27.5	<0.002	0.16	0.18	33.1	1	0.4	183.0	0.06	0.08	0.4	0.216	0.12
I198810		40	7.6	40.4	<0.002	0.04	0.09	1.4	1	0.4	170.5	0.18	<0.05	13.8	0.043	0.16
I198811		40	8.6	42.4	<0.002	0.04	0.09	1.7	1	0.5	179.0	0.20	<0.05	14.4	0.051	0.17
I198812		540	7.8	46.5	<0.002	0.21	0.18	5.6	1	1.1	278	0.61	<0.05	11.2	0.186	0.22
I198812 CRD		530	7.8	48.1	<0.002	0.19	0.18	5.6	1	1.1	270	0.65	<0.05	11.0	0.191	0.20
I198813		220	4.2	13.8	<0.002	0.08	0.14	35.4	1	0.4	196.0	0.06	0.16	0.3	0.183	0.11
I198814		390	7.9	41.5	<0.002	0.06	0.12	4.7	1	0.9	215	0.51	<0.05	9.9	0.139	0.18
I198815		890	63.9	82.1	0.110	2.29	6.74	15.0	7	2.5	259	0.25	0.99	5.2	0.305	0.76
I198816		420	8.1	43.5	<0.002	0.11	0.13	3.8	1	0.7	240	0.52	<0.05	8.9	0.148	0.21
I198817		460	6.2	51.7	<0.002	0.04	0.13	4.5	1	0.7	204	0.32	<0.05	9.7	0.143	0.24
I198818		900	5.8	51.1	<0.002	0.14	0.13	9.5	1	0.8	266	0.43	<0.05	5.9	0.250	0.26
I198819		370	5.7	48.0	<0.002	0.05	0.10	3.2	1	0.6	180.0	0.39	<0.05	13.0	0.120	0.21
I198820		470	5.0	54.1	<0.002	0.03	0.12	6.1	1	0.7	214	0.40	<0.05	7.8	0.146	0.26
I198821		450	5.2	56.0	<0.002	0.02	0.13	5.7	1	0.7	205	0.43	<0.05	6.2	0.163	0.27
I198822		430	5.9	53.1	<0.002	0.01	0.17	6.2	1	0.8	204	0.29	<0.05	5.6	0.137	0.22
I198823		390	7.7	47.9	<0.002	0.02	0.12	5.0	1	0.8	206	0.60	<0.05	11.6	0.149	0.17
I198824		340	6.3	50.4	<0.002	0.02	0.10	4.2	1	0.6	226	0.55	<0.05	13.6	0.102	0.22
I198825		780	6.5	48.3	<0.002	0.12	0.22	8.8	1	1.6	242	1.26	<0.05	2.9	0.249	0.28
I198826		340	6.5	52.9	<0.002	0.15	0.14	4.2	1	0.7	198.0	0.46	<0.05	4.2	0.133	0.24
I198827		180	9.6	46.0	<0.002	0.15	0.10	2.6	1	0.3	172.0	0.34	<0.05	8.1	0.078	0.19
I198828		310	5.4	62.0	<0.002	0.03	0.11	3.3	1	0.6	177.5	0.56	<0.05	5.5	0.125	0.26
I198829		670	5.0	52.5	<0.002	0.04	0.10	8.4	1	1.0	184.5	0.75	<0.05	4.4	0.222	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198792		2.6	27	0.3	4.2	31	122.0									
I198792 CRD		2.7	27	0.3	4.2	31	127.0									
I198793		1.9	29	0.3	4.1	33	168.5		0.92	3.4	66.72	14.75	2.90	2.86	0.93	3.77
I198794		1.4	18	0.3	3.9	19	105.0									
I198795		2.0	34	0.1	3.5	11	113.0									
I198796		1.5	26	0.1	4.0	35	142.0									
I198797		2.0	25	0.2	3.7	33	112.0									
I198798		0.7	45	0.1	2.9	51	106.0									
I198799		1.6	41	0.3	3.7	47	91.2									
I198800		0.9	105	4.7	15.4	141	26.9	1.265								
I198801		0.8	65	0.3	2.7	52	73.0									
I198802		0.1	191	0.3	2.5	142	9.7									
I198803		1.8	24	0.1	3.0	18	72.9									
I198804		1.5	14	0.5	3.1	8	85.0									
I198805		1.5	21	1.1	3.2	6	62.4									
I198806		0.1	150	0.7	2.4	77	7.2									
I198807		0.1	222	0.8	3.5	118	12.2									
I198808		<0.1	240	0.3	4.5	120	10.4									
I198809		0.2	211	0.3	4.5	130	16.0									
I198810		2.9	10	0.1	3.0	10	47.8									
I198811		2.9	9	0.1	2.9	9	46.6									
I198812		1.5	42	0.2	7.1	42	208									
I198812 CRD		1.7	42	0.3	7.0	42	202									
I198813		0.1	244	0.1	5.4	133	12.1		1.83	6.7	43.00	14.67	11.74	9.54	6.63	1.56
I198814		1.6	27	0.2	6.7	35	156.0									
I198815		1.3	152	9.7	14.2	162	31.9	2.17								
I198816		1.9	27	0.2	6.4	37	183.5									
I198817		1.9	33	0.1	7.4	42	164.5									
I198818		1.4	83	0.2	10.4	82	102.0									
I198819		1.3	23	12.7	7.5	33	96.9									
I198820		1.6	44	0.4	8.2	57	76.9									
I198821		1.6	45	0.6	7.3	47	78.6									
I198822		1.3	37	0.2	5.7	51	90.3									
I198823		1.7	25	0.1	9.1	40	91.7									
I198824		3.0	22	0.1	9.0	28	99.8									
I198825		1.7	72	0.1	10.6	65	101.0									
I198826		1.6	32	0.1	5.9	31	76.1									
I198827		1.9	13	0.1	4.7	14	108.5									
I198828		1.5	23	0.1	5.3	29	118.5									
I198829		1.7	54	0.3	10.3	58	70.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198792 I198792 CRD I198793 I198794 I198795		2.45	<0.01	0.32	0.05	0.096	0.03	0.02	4.48	99.38
I198796 I198797 I198798 I198799 I198800										
I198801 I198802 I198803 I198804 I198805										
I198806 I198807 I198808 I198809 I198810										
I198811 I198812 I198812 CRD I198813 I198814		0.81	0.04	0.69	0.21	0.051	0.02	0.01	11.10	100.05
I198815 I198816 I198817 I198818 I198819										
I198820 I198821 I198822 I198823 I198824										
I198825 I198826 I198827 I198828 I198829										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198830		0.12	0.424		2.24	8.17	99.4	610	1.45	0.54	0.61	1.07	38.7	19.1	36	7.43
I198831		3.46	<0.005		0.02	6.64	<0.2	230	1.09	0.09	2.66	0.03	24.7	8.4	13	0.70
I198832		3.16	<0.005		0.06	8.13	<0.2	290	1.26	0.57	4.07	0.04	33.0	15.0	17	0.86
I198832 CRD		<0.02	<0.005		0.06	8.34	<0.2	290	1.27	0.63	4.00	0.05	32.4	14.9	16	0.89
I198833		3.16	<0.005	<0.005	0.05	8.34	0.4	360	1.12	0.82	3.87	0.05	46.4	15.3	19	0.92
I198834		3.03	<0.005		0.05	7.33	<0.2	390	1.02	0.66	3.04	0.04	63.2	13.0	16	1.13
I198835		3.01	<0.005		0.06	8.14	0.5	430	1.20	0.28	2.90	0.03	49.2	13.5	18	0.99
I198836		2.99	<0.005		0.06	6.76	0.4	370	1.00	0.10	2.09	0.03	72.2	8.5	12	0.77
I198837		3.07	<0.005		0.08	7.10	<0.2	340	0.83	0.28	1.99	0.03	63.4	10.2	18	0.64
I198838		2.63	<0.005		0.05	7.68	<0.2	400	0.94	0.58	3.01	0.05	45.1	15.8	23	0.78
I198839		2.65	<0.005		0.05	6.96	0.4	310	0.73	0.44	4.45	0.06	22.3	8.9	11	0.57
I198840		2.64	<0.005		0.06	7.60	1.1	520	1.11	0.97	4.29	0.06	32.0	14.0	18	0.85
I198841		2.86	<0.005		0.13	8.53	0.7	540	1.03	0.87	3.87	0.06	33.4	17.0	21	0.77
I198842		2.72	<0.005		0.08	8.03	0.5	680	1.06	0.58	3.31	0.04	40.6	14.1	15	0.93
I198843		3.90	<0.005		0.25	7.51	0.3	120	0.24	0.83	7.72	0.11	11.75	48.6	80	0.40
I198844		3.40	<0.005		0.25	7.05	1.1	90	0.23	0.62	7.15	0.09	10.65	48.6	77	0.30
I198845		1.07	<0.005		<0.01	0.21	5	10	<0.05	0.01	19.75	<0.02	2.98	1.5	3	0.11
I198846		3.51	<0.005		0.21	7.08	0.2	130	0.17	0.52	6.90	0.09	10.20	46.7	75	0.31
I198847		4.00	<0.005		0.13	7.42	<0.2	300	0.14	0.21	7.63	0.08	6.48	43.9	145	0.50
I198848		3.87	<0.005		0.27	6.77	<0.2	550	0.37	0.85	5.39	0.05	5.45	48.1	200	0.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198830		4700	5.02	18.30	0.21	0.9	0.059	5.44	21.0	12.4	0.79	518	276	1.09	5.7	25.7
I198831		9.9	2.36	20.6	0.08	2.6	0.023	1.33	11.6	15.9	0.69	525	0.40	3.56	6.4	11.3
I198832		3.1	3.29	26.3	0.14	3.0	0.035	1.79	15.0	26.7	1.27	799	0.20	4.28	11.6	22.0
I198832 CRD		2.4	3.35	26.6	0.14	3.2	0.037	1.80	14.8	26.2	1.28	783	0.16	4.25	11.9	20.9
I198833		2.2	3.26	27.4	0.13	3.7	0.035	1.98	21.6	26.3	1.20	698	0.16	4.24	9.5	19.6
I198834		1.8	2.42	23.6	0.14	3.2	0.038	2.17	29.0	21.9	0.96	510	0.16	4.52	6.5	15.8
I198835		6.0	2.82	23.4	0.14	3.2	0.030	2.01	22.8	21.6	1.03	533	0.16	4.13	7.6	17.5
I198836		36.4	2.19	18.30	0.12	3.0	0.018	1.46	35.8	13.5	0.68	404	0.22	3.19	6.9	10.4
I198837		8.3	2.61	17.95	0.12	2.3	0.025	1.18	30.4	16.9	0.82	452	0.16	3.60	4.4	13.5
I198838		6.3	3.35	22.3	0.15	3.0	0.039	1.37	21.0	23.7	1.21	614	0.16	3.99	7.8	21.1
I198839		0.4	1.84	17.20	0.10	2.4	0.023	1.12	9.8	12.4	0.61	593	0.07	4.48	5.7	11.2
I198840		1.0	2.86	21.5	0.12	2.9	0.039	1.59	14.8	18.4	1.03	593	0.13	4.08	7.7	17.9
I198841		7.4	3.39	23.4	0.14	3.4	0.044	1.48	15.1	22.1	1.22	640	0.48	4.39	5.8	20.8
I198842		1.3	2.77	20.7	0.11	3.2	0.037	1.69	19.6	17.7	1.09	508	0.16	4.02	5.8	18.0
I198843		141.0	10.05	19.90	0.22	0.6	0.072	0.42	4.7	52.9	3.95	1760	1.89	0.42	3.5	68.3
I198844		235	9.85	16.25	0.23	0.6	0.060	0.26	4.1	45.8	3.76	1740	2.12	0.76	3.2	64.5
I198845		1.6	0.16	0.56	0.09	0.1	<0.005	0.12	2.2	4.6	12.60	61	0.12	0.04	0.4	1.7
I198846		170.5	9.72	15.85	0.19	0.6	0.065	0.29	4.0	41.3	3.73	1640	3.12	0.49	3.1	63.8
I198847		117.5	8.20	14.15	0.14	0.4	0.048	0.71	2.5	48.7	4.28	1530	0.80	1.02	1.8	109.0
I198848		16.8	8.66	21.7	0.44	0.7	0.063	1.56	2.2	54.0	4.20	1450	0.19	0.29	2.2	131.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198830		1180	40.8	173.5	0.619	2.53	7.31	13.0	9	3.0	266	0.38	1.09	2.7	0.268	1.46
I198831		550	4.0	35.5	<0.002	0.03	0.12	5.5	2	0.8	160.5	0.72	<0.05	4.7	0.204	0.24
I198832		890	5.9	36.0	<0.002	<0.01	0.12	8.7	2	1.2	268	1.49	<0.05	5.4	0.347	0.32
I198832 CRD		910	5.7	40.5	<0.002	<0.01	0.12	9.0	2	1.2	268	1.50	<0.05	5.3	0.351	0.33
I198833		910	7.4	49.2	<0.002	<0.01	0.15	7.7	2	1.1	282	1.09	<0.05	5.6	0.321	0.36
I198834		550	6.5	42.1	<0.002	<0.01	0.14	4.5	2	0.9	253	0.50	<0.05	7.1	0.263	0.42
I198835		720	6.6	54.8	<0.002	<0.01	0.14	6.7	2	0.8	237	0.81	<0.05	6.0	0.288	0.36
I198836		510	7.9	60.9	<0.002	0.05	0.10	5.0	2	0.7	201	0.77	<0.05	9.3	0.210	0.27
I198837		510	4.7	52.8	<0.002	0.02	0.11	7.4	2	0.7	183.5	0.36	<0.05	8.2	0.219	0.22
I198838		880	6.1	43.7	<0.002	0.01	0.14	9.4	2	1.0	233	0.75	<0.05	4.8	0.323	0.28
I198839		470	4.6	32.2	<0.002	<0.01	0.12	4.7	2	0.6	210	0.61	<0.05	4.1	0.181	0.21
I198840		820	6.1	47.0	<0.002	<0.01	0.17	7.4	2	0.9	282	0.70	<0.05	5.2	0.295	0.32
I198841		630	5.6	55.5	<0.002	<0.01	0.17	9.7	2	1.1	271	0.58	<0.05	6.2	0.291	0.29
I198842		720	5.0	63.6	<0.002	<0.01	0.16	6.9	2	0.8	245	0.57	<0.05	6.5	0.245	0.34
I198843		290	8.5	20.2	<0.002	0.07	0.17	41.3	2	0.8	246	0.19	0.10	0.3	0.569	0.08
I198844		290	4.5	14.0	<0.002	0.15	0.17	41.0	2	0.6	267	0.20	0.21	0.3	0.502	0.06
I198845		10	1.2	3.9	<0.002	0.03	<0.05	0.6	1	<0.2	65.9	<0.05	<0.05	0.2	0.011	0.02
I198846		320	3.9	14.9	0.002	0.16	0.19	37.7	2	0.5	280	0.20	0.08	0.3	0.490	0.06
I198847		210	1.7	37.1	<0.002	0.08	0.11	34.3	1	0.4	136.0	0.11	<0.05	0.2	0.385	0.14
I198848		220	1.8	41.7	<0.002	0.01	0.20	21.2	1	0.7	84.3	0.12	0.11	0.2	0.419	0.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198830		1.2	164	12.7	14.1	157	27.9									
I198831		1.7	45	0.1	8.0	43	87.7									
I198832		1.1	90	0.2	13.9	63	96.1									
I198832 CRD		1.1	89	0.2	14.4	63	103.5									
I198833		1.7	89	0.2	10.1	65	119.0		0.68	2.5	50.47	21.37	4.98	5.40	2.16	5.49
I198834		1.4	71	0.3	7.3	52	116.5									
I198835		1.6	67	0.4	8.6	56	114.0									
I198836		3.4	37	0.2	8.3	45	105.0									
I198837		1.8	53	0.6	7.1	46	85.8									
I198838		1.8	79	0.6	9.0	59	101.0									
I198839		1.0	49	0.6	6.4	32	67.2									
I198840		2.1	82	0.4	8.9	48	91.7									
I198841		2.6	92	0.9	9.5	52	102.5									
I198842		3.1	72	0.4	8.6	45	108.5									
I198843		1.0	273	0.4	18.6	122	18.5									
I198844		0.1	270	0.3	17.9	109	16.3									
I198845		<0.1	3	<0.1	1.7	<2	2.6									
I198846		<0.1	270	0.7	18.3	98	14.6									
I198847		<0.1	229	0.4	13.2	93	13.5									
I198848		0.7	256	0.8	10.4	140	20.6									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198830										
I198831										
I198832										
I198832 CRD										
I198833		2.47	<0.01	0.55	0.09	0.206	0.03	0.04	4.91	98.17
I198834										
I198835										
I198836										
I198837										
I198838										
I198839										
I198840										
I198841										
I198842										
I198843										
I198844										
I198845										
I198846										
I198847										
I198848										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186637

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.