ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE TB10183959

Project: HAMMOND REEF

P.O. No.:

This report is for 174 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830834		3.18	0.017		0.13	7.17	3.1	420	0.71	0.06	2.37	0.03	48.3	7.0	9	0.42
J830835		2.91	<0.005		0.11	6.85	0.9	380	0.70	0.23	2.45	0.07	56.4	7.5	9	0.32
J830836		3.05	<0.005		0.06	7.19	<0.2	390	0.73	0.01	2.65	0.04	69.8	8.2	11	0.38
J830837		3.23	0.005		0.01	7.09	1.0	390	0.69	0.01	2.61	0.03	61.4	7.7	11	0.45
J830838		3.10	<0.005		0.03	7.35	1.3	430	0.73	0.01	2.78	0.04	60.1	7.9	10	0.54
J830839		3.32	<0.005		<0.01	7.58	0.4	370	0.80	0.01	2.84	0.03	65.7	8.5	10	0.40
J830840		3.25	<0.005		<0.01	7.41	<0.2	440	0.78	0.01	2.85	0.02	64.3	8.3	10	0.32
J830841		3.04	<0.005		<0.01	7.42	0.7	450	0.88	0.01	2.67	0.02	61.2	7.8	10	0.33
J830842		3.72	<0.005		<0.01	7.37	2.4	280	0.84	0.01	3.27	0.02	74.7	9.9	9	0.27
J830843		3.47	<0.005		<0.01	7.03	2.8	330	1.00	0.07	3.30	0.04	69.3	10.2	7	0.51
J830844		3.34	<0.005		0.02	7.27	1.7	370	0.96	0.02	2.77	0.04	48.3	7.1	8	0.60
J830845		1.02	<0.005		<0.01	0.17	<5	10	<0.05	0.01	21.4	<0.02	2.93	1.7	<1	0.09
J830846		3.26	<0.005		0.03	7.14	0.8	260	0.87	0.02	3.10	0.05	48.1	11.3	17	0.34
J830847		3.23	0.098		0.03	7.22	<0.2	270	0.92	0.02	3.22	0.04	45.0	11.1	8	0.31
J830848		3.21	<0.005		0.01	6.78	0.9	270	0.81	0.01	2.57	<0.02	72.8	7.3	12	0.27
J830849		3.49	<0.005		0.04	7.47	1.2	380	0.90	0.01	2.72	0.02	67.9	9.6	16	0.38
J830850		3.48	<0.005		0.07	7.15	<0.2	420	0.77	0.01	2.79	0.04	61.8	10.4	16	0.33
J830851		3.37	<0.005		0.05	7.41	0.2	420	0.87	0.01	2.85	0.03	66.9	10.8	15	0.33
J830852		3.47	<0.005		<0.01	6.95	1.8	310	0.79	0.01	2.45	0.02	59.7	7.4	8	0.32
J830853		3.02	0.015		0.02	7.10	2.3	430	0.92	0.02	2.46	0.05	65.5	8.4	7	0.80
J830853 CRD		<0.02	0.012		0.02	6.65	1.5	420	0.83	0.02	2.42	0.04	55.3	7.1	9	0.79
J830854		3.23	0.005	0.009	0.07	7.61	1.5	500	1.09	0.04	2.68	0.03	53.4	8.5	15	1.25
J830855		3.39	<0.005		0.06	7.73	0.5	250	1.07	0.03	3.62	0.06	39.5	18.2	52	0.43
J830856		3.08	0.033		0.09	6.70	1.1	200	1.12	0.01	2.81	<0.02	25.0	10.7	27	0.64
J830857		3.01	<0.005		0.13	7.44	3.6	260	1.62	0.01	2.96	0.02	23.9	19.6	55	0.57
J830858		2.96	<0.005		0.05	6.59	<0.2	360	2.06	0.01	0.66	0.02	37.9	0.9	7	0.64
J830859		2.78	<0.005		0.05	6.92	0.2	350	1.87	0.01	0.66	0.07	42.6	1.4	7	0.71
J830860		0.07	0.935		4.90	6.43	21.0	480	0.79	1.86	2.33	2.02	23.7	15.2	64	0.82
J830861		3.22	<0.005		0.11	6.77	2.2	230	1.19	0.07	2.52	0.09	29.4	9.2	30	0.53
J830862		3.07	<0.005		0.04	7.49	2.7	260	0.95	0.01	2.48	0.03	59.1	7.6	13	0.52
J830863		3.38	0.008		0.06	7.46	3.8	250	0.90	0.04	2.66	0.04	53.3	9.6	17	0.48
J830864		3.28	<0.005		0.06	7.72	3.4	260	0.95	0.03	3.38	0.02	63.6	11.3	27	0.47
J830865		3.44	<0.005		0.08	7.59	1.0	320	1.13	0.02	2.89	0.05	51.1	12.0	38	0.34
J830866		3.26	<0.005		0.04	7.50	0.7	250	1.04	0.01	2.26	0.02	50.2	6.6	13	0.35
J830867		3.22	0.065		0.04	7.15	0.9	390	0.95	0.06	1.83	0.03	33.4	5.2	11	0.69
J830868		3.34	<0.005		0.02	6.61	0.3	1220	0.81	0.01	1.08	0.02	21.9	1.8	7	0.57
J830869		2.05	<0.005		0.04	6.76	0.6	1400	0.72	0.02	1.03	0.03	17.00	1.9	7	0.47
J830870		3.89	<0.005		0.16	7.66	7.0	40	0.52	0.14	5.77	0.06	57.7	45.9	162	0.11
J830871		3.33	0.007		0.07	6.78	1.4	1180	0.75	0.05	1.20	0.07	30.5	3.5	9	0.49
J830872		3.38	<0.005		0.05	7.48	2.9	290	1.22	0.08	2.59	0.06	41.6	9.2	49	0.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830834		10.2	2.61	19.90	0.16	4.3	0.021	1.16	24.8	10.3	0.53	317	0.21	2.83	5.7	6.3
J830835		45.2	2.45	19.75	0.17	4.6	0.020	0.99	29.4	9.6	0.47	300	0.15	2.78	6.2	5.6
J830836		34.7	2.78	20.9	0.21	5.5	0.024	0.91	38.3	11.7	0.56	321	0.16	2.78	6.3	7.4
J830837		4.1	2.63	19.90	0.17	5.3	0.019	1.05	33.6	10.9	0.53	300	0.12	2.77	5.9	6.5
J830838		19.4	2.71	20.7	0.18	5.4	0.019	1.27	32.8	11.2	0.53	311	0.16	2.87	6.5	6.3
J830839		3.4	2.85	21.0	0.19	5.8	0.020	1.04	35.8	11.4	0.59	339	0.11	2.95	7.2	7.0
J830840		3.4	2.74	21.0	0.20	5.4	0.020	1.09	34.5	9.8	0.54	327	0.13	2.85	7.1	6.7
J830841		3.1	2.65	20.9	0.19	5.5	0.020	1.21	33.2	10.5	0.52	330	0.13	2.89	7.2	6.2
J830842		3.4	3.18	22.5	0.22	4.9	0.035	0.84	36.8	10.4	0.60	335	0.14	2.76	9.1	5.8
J830843		9.2	2.98	21.0	0.21	4.6	0.036	1.41	34.1	13.1	0.67	330	0.22	2.41	11.9	5.5
J830844		5.5	2.52	21.1	0.17	5.2	0.025	1.50	24.5	11.2	0.54	250	0.15	2.48	7.0	6.7
J830845		1.0	0.09	0.63	0.12	0.1	<0.005	0.11	2.3	4.8	13.40	49	0.11	0.04	0.4	<0.2
J830846		12.9	3.40	19.55	0.13	3.9	0.038	0.80	23.6	13.8	0.86	461	0.16	2.70	7.0	13.1
J830847		9.1	3.32	20.1	0.14	3.9	0.028	0.83	22.2	12.7	0.88	420	0.17	2.90	7.0	12.4
J830848		4.9	2.61	18.70	0.18	3.9	0.024	0.78	37.7	10.1	0.53	286	0.15	2.84	5.9	6.4
J830849		22.6	3.03	21.3	0.19	4.2	0.022	1.15	34.1	11.9	0.71	368	0.13	3.21	7.0	9.1
J830850		32.5	3.23	21.5	0.23	4.0	0.026	1.10	30.4	9.7	0.72	421	0.16	2.85	7.0	9.1
J830851		37.6	3.43	21.0	0.19	4.3	0.024	1.12	33.6	10.4	0.76	446	0.18	2.89	7.2	9.4
J830852		2.1	2.42	19.55	0.19	4.5	0.015	0.94	30.9	8.8	0.45	296	0.17	3.03	5.6	4.7
J830853		3.7	2.54	20.4	0.17	5.7	0.016	2.25	35.0	13.8	0.55	355	0.34	2.53	7.7	6.9
J830853 CRD		3.2	2.49	18.65	0.17	5.5	0.016	2.08	29.0	13.3	0.52	350	0.32	2.42	7.0	6.5
J830854		4.3	2.44	21.0	0.16	4.6	0.025	2.65	29.1	14.0	0.59	404	0.29	1.73	6.7	10.1
J830855		4.2	3.69	22.0	0.15	3.1	0.062	1.11	17.8	16.1	1.32	690	0.22	2.56	7.8	35.2
J830856		7.8	2.64	20.2	0.13	1.9	0.039	1.41	11.1	15.7	0.74	566	0.45	2.41	13.7	18.2
J830857		25.2	4.42	22.2	0.15	2.0	0.038	1.97	10.9	23.3	1.36	954	2.47	2.28	12.6	32.4
J830858		1.5	0.87	22.6	0.12	2.6	0.029	2.85	19.5	3.9	0.07	351	0.42	2.87	17.0	1.0
J830859		3.6	1.29	24.2	0.15	2.9	0.029	2.80	22.4	5.3	0.10	415	0.70	3.06	19.9	1.6
J830860		>10000	4.49	13.25	0.18	1.0	0.129	0.82	11.9	15.2	1.16	663	251	2.10	3.9	32.1
J830861		32.1	2.42	19.90	0.11	1.7	0.026	1.41	12.8	11.9	0.80	523	0.13	2.78	8.4	28.5
J830862		5.2	2.52	20.6	0.14	5.1	0.017	1.12	30.8	11.0	0.54	403	0.25	2.90	7.5	6.7
J830863		10.9	2.83	21.5	0.17	4.0	0.039	1.06	27.8	11.9	0.68	471	0.20	2.79	8.4	10.6
J830864		11.8	3.14	20.3	0.17	3.2	0.029	1.11	32.0	13.2	0.91	534	0.18	2.74	7.8	20.1
J830865		19.4	3.07	19.55	0.19	2.0	0.026	1.16	25.4	9.5	1.01	589	0.15	2.72	7.0	26.2
J830866		4.5	2.23	20.7	0.14	2.5	0.016	0.98	29.3	8.2	0.40	359	0.17	3.06	5.7	4.6
J830867		7.5	1.74	18.40	0.13	1.8	0.012	1.39	18.8	9.5	0.33	304	7.70	3.14	4.8	4.0
J830868		4.1	0.97	15.45	0.11	1.8	0.005	3.31	11.8	3.1	0.10	140	0.30	2.44	1.8	1.3
J830869		6.2	0.85	15.65	0.11	2.1	<0.005	3.28	8.3	2.9	0.10	125	0.24	2.68	1.8	1.8
J830870		70.5	8.59	21.2	0.26	1.9	0.083	0.11	25.1	30.6	3.91	1390	0.47	0.90	6.2	153.5
J830871		28.8	1.15	16.10	0.13	1.9	0.009	2.80	13.0	5.9	0.21	187	0.27	2.75	3.3	4.5
J830872		3.9	2.51	20.3	0.13	3.7	0.033	0.93	20.0	12.9	0.79	515	5.08	2.94	10.1	22.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830834		520	6.1	46.1	<0.002	0.01	0.42	4.8	1	0.9	223	0.35	0.07	7.4	0.234	0.24
J830835		470	5.5	35.9	<0.002	0.01	0.14	4.1	1	1.0	215	0.37	<0.05	8.1	0.214	0.19
J830836		550	8.4	32.8	<0.002	0.01	0.12	5.1	1	0.9	238	0.32	<0.05	9.3	0.248	0.18
J830837		510	6.0	41.9	<0.002	<0.01	0.13	4.6	1	0.8	227	0.30	<0.05	8.4	0.244	0.23
J830838		510	6.1	52.0	<0.002	0.01	0.15	4.8	1	0.9	231	0.32	<0.05	8.7	0.241	0.27
J830839		560	6.8	41.4	<0.002	<0.01	0.11	5.4	1	0.9	235	0.34	<0.05	8.9	0.257	0.21
J830840		520	6.3	37.3	<0.002	0.01	<0.05	4.8	1	0.9	228	0.38	<0.05	8.8	0.245	0.21
J830841		510	6.9	40.6	<0.002	<0.01	0.09	4.5	1	0.9	222	0.45	<0.05	8.5	0.236	0.22
J830842		730	4.7	33.0	<0.002	<0.01	0.10	7.0	1	1.3	240	0.45	<0.05	7.6	0.285	0.17
J830843		930	5.1	44.9	<0.002	0.03	0.07	7.6	1	1.5	191.5	0.77	<0.05	3.9	0.326	0.25
J830844		580	7.6	50.6	<0.002	<0.01	0.08	4.7	1	1.0	211	0.43	<0.05	8.1	0.252	0.25
J830845		<10	1.1	2.8	<0.002	0.04	<0.05	0.4	<1	<0.2	67.8	<0.05	<0.05	0.2	0.007	<0.02
J830846		430	6.5	29.0	<0.002	0.01	0.11	9.7	1	1.5	233	0.57	<0.05	5.6	0.280	0.16
J830847		450	7.0	26.4	<0.002	<0.01	0.10	8.4	1	1.3	231	0.53	<0.05	5.3	0.284	0.16
J830848		490	7.1	27.4	<0.002	0.02	0.10	6.6	1	1.0	230	0.33	<0.05	8.4	0.216	0.12
J830849		630	6.1	46.5	<0.002	0.01	0.08	5.9	1	1.1	245	0.38	<0.05	7.7	0.271	0.23
J830850		690	6.2	36.4	<0.002	0.02	0.06	5.5	1	1.1	245	0.36	<0.05	6.6	0.284	0.22
J830851		710	6.3	37.5	<0.002	0.02	0.05	5.8	1	1.1	252	0.42	<0.05	7.4	0.295	0.22
J830852		450	6.3	32.8	<0.002	<0.01	0.10	3.9	1	0.8	229	0.32	<0.05	8.1	0.206	0.18
J830853		520	5.0	70.2	<0.002	0.03	0.07	4.3	1	1.0	135.0	0.42	<0.05	9.2	0.237	0.36
J830853 CRD		530	5.5	61.2	<0.002	0.03	0.07	4.0	1	1.0	126.0	0.39	<0.05	8.0	0.224	0.37
J830854		500	5.1	81.9	<0.002	0.04	0.10	5.7	2	1.2	112.0	0.47	<0.05	8.3	0.232	0.48
J830855		430	6.5	31.3	<0.002	<0.01	0.17	16.3	2	2.0	232	0.94	<0.05	4.9	0.258	0.22
J830856		200	4.5	57.7	<0.002	0.05	0.07	9.2	2	2.6	87.8	1.34	<0.05	3.8	0.123	0.26
J830857		200	9.1	52.4	<0.002	0.05	0.06	16.6	1	2.2	89.9	1.36	<0.05	3.3	0.277	0.32
J830858		130	9.9	87.5	<0.002	<0.01	<0.05	2.4	1	3.1	55.1	1.80	<0.05	5.9	0.026	0.44
J830859		120	10.7	90.5	<0.002	0.04	<0.05	2.7	1	3.4	50.7	1.79	<0.05	6.6	0.040	0.46
J830860		610	36.3	24.6	1.445	1.65	25.5	14.0	6	1.1	289	0.30	0.63	2.0	0.329	0.21
J830861		470	7.3	57.8	<0.002	0.03	0.19	6.5	1	1.5	185.5	0.77	<0.05	2.6	0.174	0.26
J830862		560	5.9	46.1	<0.002	0.01	0.23	3.8	1	1.2	245	0.34	<0.05	8.5	0.246	0.24
J830863		630	5.4	40.6	<0.002	0.01	0.18	9.6	2	1.8	242	0.48	<0.05	6.6	0.255	0.22
J830864		740	5.4	41.0	<0.002	0.01	0.13	7.8	2	1.6	231	0.49	<0.05	6.8	0.284	0.20
J830865		700	6.3	34.7	<0.002	0.01	0.10	8.2	2	1.7	253	0.57	<0.05	4.5	0.254	0.18
J830866		340	6.3	32.3	<0.002	0.01	0.08	2.9	1	1.2	228	0.28	<0.05	6.6	0.168	0.17
J830867		230	5.8	50.1	<0.002	0.04	0.10	2.8	1	1.0	163.5	0.28	<0.05	5.3	0.131	0.22
J830868		80	8.7	59.6	<0.002	0.01	0.10	1.1	1	0.5	150.0	0.18	<0.05	3.2	0.041	0.34
J830869		90	5.9	66.9	<0.002	0.01	0.10	1.0	1	0.4	136.5	0.18	<0.05	3.6	0.040	0.33
J830870		1360	6.0	4.0	<0.002	0.14	0.23	21.4	2	1.9	427	0.42	<0.05	2.5	0.795	0.02
J830871		560	12.1	57.8	<0.002	0.05	0.10	1.9	1	0.7	136.5	0.27	<0.05	4.0	0.097	0.28
J830872		540	6.9	31.3	<0.002	<0.01	0.14	8.5	2	1.8	200	1.45	<0.05	6.6	0.198	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J830834		0.7	33	0.6	6.1	57	188.5									
J830835		0.7	26	0.2	6.6	61	202									
J830836		0.8	33	0.1	7.1	70	239									
J830837		0.7	32	0.2	6.2	66	236									
J830838		0.7	32	0.3	6.1	67	241									
J830839		0.7	34	0.1	7.1	65	253									
J830840		1.0	32	0.1	6.9	61	237									
J830841		1.2	31	0.1	7.9	62	234									
J830842		0.8	42	0.2	12.8	40	203									
J830843		0.8	45	0.9	17.2	37	186.0									
J830844		0.7	35	0.5	7.9	29	223									
J830845		0.1	3	<0.1	1.6	<2	2.7									
J830846		1.1	65	0.2	13.2	55	148.0									
J830847		1.0	61	0.1	9.9	45	159.5									
J830848		0.7	32	0.1	7.7	36	152.5									
J830849		0.7	48	0.1	7.4	65	165.0									
J830850		0.8	51	0.1	7.6	78	168.5									
J830851		0.9	53	0.1	8.1	79	173.5									
J830852		1.0	29	0.1	6.1	54	193.5									
J830853		0.8	35	1.0	8.5	54	244									
J830853 CRD		0.7	33	0.9	7.4	49	227									
J830854		0.8	39	1.0	9.3	50	185.0		0.80	3.0	64.59	14.95	3.47	3.81	1.06	2.45
J830855		1.6	95	0.2	26.0	87	87.6									
J830856		2.2	52	0.8	23.9	53	35.7									
J830857		2.6	126	1.7	15.2	94	43.0									
J830858		2.6	1	0.2	14.4	23	50.6									
J830859		2.7	3	0.3	14.1	55	58.4									
J830860		0.8	105	8.8	15.3	149	26.2	1.260								
J830861		1.0	39	0.1	10.2	57	39.5									
J830862		0.6	35	0.1	6.7	66	206									
J830863		0.6	41	0.3	13.0	65	160.0									
J830864		1.1	50	2.0	11.5	66	115.5									
J830865		0.8	53	0.1	11.5	79	60.9									
J830866		0.5	25	0.1	5.7	58	88.6									
J830867		0.6	21	0.6	4.9	46	59.9									
J830868		1.0	8	0.2	3.6	15	42.2									
J830869		0.8	8	0.2	4.0	11	53.4									
J830870		0.8	192	0.6	22.8	152	53.8									
J830871		0.8	16	0.2	6.1	28	46.5									
J830872		2.0	42	0.2	18.5	65	121.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830834										
J830835										
J830836										
J830837										
J830838										
J830839										
J830840										
J830841										
J830842										
J830843										
J830844										
J830845										
J830846										
J830847										
J830848										
J830849										
J830850										
J830851										
J830852										
J830853										
J830853 CRD										
J830854		3.16	<0.01	0.35	0.05	0.100	0.02	0.04	4.53	98.58
J830855										
J830856										
J830857										
J830858										
J830859										
J830860										
J830861										
J830862										
J830863										
J830864										
J830865										
J830866										
J830867										
J830868										
J830869										
J830870										
J830871										
J830872										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830873		3.41	<0.005		0.10	7.45	6.2	210	1.07	0.08	3.45	0.07	40.3	12.7	92	0.41
J830873 CRD		<0.02	<0.005		0.07	7.10	4.4	200	1.09	0.08	3.34	0.08	38.9	11.9	96	0.40
J830874		3.29	0.029	0.034	0.04	6.93	0.6	800	0.98	0.02	1.59	0.05	32.6	3.5	9	0.69
J830875		0.12	2.35		8.63	6.80	55.3	670	0.93	3.65	1.57	0.97	57.1	17.1	59	3.46
J830876		2.96	<0.005		0.01	6.51	0.5	1380	0.76	0.01	1.34	0.06	21.8	2.3	7	0.50
J830877		3.12	<0.005		0.05	7.34	0.6	220	0.92	0.02	2.73	0.02	32.3	8.5	9	0.33
J830878		3.45	<0.005		0.07	7.68	1.5	280	0.90	0.02	3.32	0.05	43.6	14.6	6	0.53
J830879		3.30	<0.005		0.07	7.42	0.6	690	0.80	0.02	2.67	0.04	32.4	10.3	6	0.38
J830880		3.20	<0.005		0.16	7.15	0.5	650	0.89	0.03	2.34	0.03	64.6	7.9	22	0.31
J830881		3.35	<0.005		0.14	7.54	5.1	560	1.26	0.02	2.68	0.04	87.1	10.6	26	0.44
J830882		3.38	0.187		0.09	7.38	1.9	370	0.94	0.03	3.01	0.07	38.6	10.0	65	0.43
J830883		3.31	0.099		0.08	7.40	2.1	530	1.06	0.06	1.93	0.02	43.3	5.2	13	0.70
J830884		3.38	0.222		0.08	7.32	0.6	700	1.10	0.10	1.99	0.03	44.3	4.9	9	1.03
J830885		3.30	0.036		0.06	7.07	<0.2	680	0.96	0.04	1.72	0.03	48.8	5.0	9	0.74
J830886		3.23	0.006		0.06	7.86	<0.2	560	1.21	0.02	2.50	0.02	53.9	9.2	11	0.70
J830887		3.23	0.067		0.18	6.93	0.5	440	0.90	0.04	2.02	0.02	53.8	5.0	8	0.61
J830888		3.11	0.267		0.34	7.00	<0.2	300	1.01	0.28	2.73	0.03	43.3	10.1	14	0.83
J830889		3.27	1.420		0.40	7.04	0.3	330	0.92	0.09	4.02	0.06	29.7	16.4	23	0.77
J830890		0.12	0.418		2.47	7.35	105.0	590	1.19	0.48	0.51	1.08	33.0	18.2	33	7.11
J830891		3.42	1.475		0.08	6.68	<0.2	300	1.01	0.05	2.78	0.03	47.1	10.1	16	1.04
J830892		3.33	0.018		0.01	6.39	<0.2	220	1.02	0.04	3.39	0.03	41.7	5.2	10	0.86
J830893		3.21	0.140		0.26	6.60	<0.2	320	1.02	0.12	2.32	0.02	34.5	9.2	12	0.76
J830893 CRD		<0.02	0.165		0.24	6.84	0.2	270	1.01	0.13	2.34	0.03	36.7	9.2	13	0.73
J830894		3.17	0.014	0.013	0.03	7.31	<0.2	150	1.06	0.02	3.26	<0.02	35.5	11.5	14	0.38
J830895		3.45	0.009		0.03	7.55	0.5	100	1.02	0.06	3.58	0.04	35.2	11.0	31	0.28
J830896		3.58	0.024		0.03	7.49	<0.2	60	0.94	0.15	5.83	0.03	41.2	6.4	32	0.17
J830897		3.56	0.006		0.03	7.20	<0.2	60	0.98	0.05	4.80	0.03	31.0	8.7	32	0.21
J830898		3.30	<0.005		0.01	7.52	0.6	70	1.20	0.07	3.65	0.03	33.5	9.5	24	0.19
J830899		3.16	0.025		0.02	6.66	<0.2	90	0.93	0.05	3.92	<0.02	23.6	4.4	16	0.33
J830900		0.07	0.939		4.73	6.31	21.7	480	0.72	1.77	2.42	2.56	22.4	14.4	61	0.79
J830901		3.37	0.044		0.02	7.72	<0.2	70	0.96	0.11	5.07	0.05	32.5	8.2	19	0.26
J830902		3.48	0.027		0.09	6.60	<0.2	90	1.05	0.04	4.00	0.02	24.3	5.8	17	0.32
J830903		3.34	<0.005		<0.01	8.03	<0.2	40	1.20	0.02	4.30	0.02	43.1	13.2	28	0.12
J830904		3.41	<0.005		0.01	7.99	0.2	30	0.77	0.10	5.86	0.06	42.8	12.7	35	0.06
J830905		3.16	0.085		0.19	6.13	<0.2	150	0.85	0.07	3.37	0.03	31.4	8.5	23	0.45
J830906		3.56	<0.005		0.05	7.53	3.3	50	0.72	0.06	6.77	0.07	31.1	22.1	27	0.13
J830907		3.10	0.021		0.08	7.71	<0.2	90	0.76	0.12	5.67	0.06	31.4	18.8	39	0.21
J830908		3.22	0.005		0.01	6.56	0.6	150	1.08	0.02	2.58	<0.02	37.7	5.6	14	0.41
J830909		3.36	0.112		0.19	6.64	0.3	350	1.08	0.06	2.39	<0.02	36.1	4.6	11	0.58
J830910		3.24	0.198		0.21	6.31	2.6	180	0.85	0.28	2.75	0.03	61.6	7.9	19	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830873		5.9	3.04	21.1	0.16	3.2	0.055	0.87	18.9	15.1	1.13	737	0.16	2.80	9.2	38.6
J830873 CRD		5.6	3.04	19.90	0.14	3.3	0.053	0.83	18.2	14.9	1.10	727	0.22	2.66	9.0	37.7
J830874		11.8	1.47	18.15	0.13	2.5	0.013	1.91	16.9	7.9	0.23	248	0.19	2.76	5.4	2.5
J830875		>10000	5.53	14.10	0.21	1.1	0.108	2.76	27.8	17.2	1.16	648	121.0	1.61	6.6	32.3
J830876		4.7	1.22	17.65	0.09	3.5	0.010	2.70	10.6	5.9	0.16	169	0.15	2.63	2.7	2.1
J830877		12.2	2.40	19.25	0.12	3.0	0.019	0.78	16.5	8.4	0.59	361	0.17	3.00	6.0	8.1
J830878		24.5	3.60	20.5	0.15	2.9	0.032	1.05	21.3	13.5	1.03	533	0.15	2.65	8.9	14.3
J830879		17.8	2.74	18.60	0.14	2.4	0.024	1.63	16.2	8.3	0.69	420	0.17	2.66	5.9	9.1
J830880		82.0	2.59	18.90	0.15	2.5	0.027	1.25	32.1	9.7	0.61	446	0.14	2.75	6.1	9.7
J830881		63.8	2.79	20.9	0.18	3.2	0.037	1.09	43.3	12.6	0.78	467	0.14	2.68	7.5	12.1
J830882		6.6	2.69	19.20	0.15	3.4	0.037	0.90	19.1	9.8	0.84	532	0.16	2.79	7.2	22.8
J830883		3.1	1.85	18.90	0.13	3.7	0.018	1.38	22.4	8.3	0.37	283	0.79	2.83	6.1	5.4
J830884		4.8	1.84	19.45	0.16	3.5	0.014	2.02	23.2	7.7	0.33	255	5.54	2.40	4.7	4.5
J830885		5.8	1.83	18.15	0.15	2.8	0.015	1.32	27.3	7.4	0.34	271	2.02	2.75	5.0	3.7
J830886		10.1	3.34	21.9	0.16	3.0	0.029	1.35	28.7	14.2	0.66	488	0.19	2.72	8.0	8.6
J830887		4.0	1.85	18.05	0.16	3.7	0.016	1.27	28.8	8.2	0.32	223	0.58	2.59	5.2	3.6
J830888		5.2	2.61	18.80	0.15	2.2	0.025	1.67	21.8	18.2	0.74	348	13.55	2.05	6.0	11.7
J830889		21.3	4.23	20.8	0.14	2.8	0.048	1.52	13.1	26.4	1.20	713	1.07	2.25	5.7	23.4
J830890		4350	4.68	18.05	0.17	0.8	0.061	4.95	17.8	11.8	0.76	487	257	1.05	4.8	22.6
J830891		4.7	2.62	18.40	0.15	2.9	0.025	2.22	23.6	16.9	0.73	282	1.13	1.49	5.9	13.6
J830892		3.1	2.12	20.0	0.13	3.9	0.026	1.85	21.0	10.2	0.42	225	0.43	1.91	6.6	5.2
J830893		3.8	2.52	18.30	0.14	2.9	0.024	1.52	17.9	15.9	0.64	318	1.85	2.28	5.6	9.9
J830893 CRD		4.2	2.66	19.30	0.16	2.8	0.023	1.54	19.3	15.3	0.64	328	2.05	2.29	5.8	10.1
J830894		2.7	3.28	20.4	0.15	2.9	0.034	0.84	17.5	21.7	0.82	374	0.17	2.50	7.4	13.7
J830895		1.6	3.14	23.4	0.16	2.4	0.053	0.57	16.8	19.3	0.89	388	0.17	2.77	8.4	22.6
J830896		1.2	2.81	24.6	0.16	2.1	0.051	0.33	19.6	10.5	0.78	268	0.23	1.93	7.2	19.4
J830897		3.4	2.66	19.90	0.16	2.0	0.044	0.40	12.0	16.8	1.15	326	0.20	2.37	7.0	23.9
J830898		1.4	2.60	20.2	0.15	2.0	0.046	0.32	14.7	16.5	0.93	330	0.17	2.89	9.2	19.4
J830899		1.3	1.91	20.6	0.13	2.4	0.036	0.59	10.1	8.3	0.37	219	0.27	2.61	5.0	8.4
J830900		>10000	4.71	14.25	0.15	1.0	0.145	0.88	10.9	14.8	1.17	665	237	2.22	3.9	32.2
J830901		2.1	3.03	22.6	0.13	2.4	0.047	0.52	13.1	16.5	0.85	341	0.28	2.35	7.1	15.0
J830902		1.8	2.30	22.7	0.15	3.1	0.046	0.62	10.1	11.9	0.59	235	0.26	2.28	9.3	10.8
J830903		1.2	3.45	24.0	0.18	2.0	0.046	0.17	18.9	18.3	1.27	425	0.17	2.73	14.1	27.7
J830904		1.7	3.93	21.4	0.17	1.4	0.045	0.10	18.6	13.4	1.41	484	0.23	2.21	6.7	34.3
J830905		4.1	2.13	15.80	0.16	1.4	0.024	0.97	13.7	15.3	0.93	247	0.62	2.02	5.1	20.9
J830906		4.1	5.27	18.65	0.16	1.2	0.043	0.24	13.6	19.0	2.25	735	0.20	2.00	5.2	43.6
J830907		2.6	4.34	19.80	0.13	1.8	0.045	0.54	13.8	15.5	2.16	628	0.57	1.89	5.6	55.3
J830908		1.4	1.78	20.0	0.15	3.5	0.017	0.88	18.6	10.6	0.44	188	0.23	2.87	6.4	7.0
J830909		3.8	1.55	18.40	0.14	2.5	0.015	1.28	18.5	7.4	0.29	174	0.31	2.73	4.7	4.9
J830910		30.6	2.59	16.60	0.17	1.3	0.021	0.83	29.9	12.3	0.62	368	25.1	2.21	4.9	12.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830873		340	11.2	26.6	<0.002	<0.01	0.13	13.3	2	2.4	194.0	1.21	<0.05	5.4	0.182	0.15
J830873 CRD		340	11.1	26.4	<0.002	<0.01	0.13	12.9	2	2.3	185.5	1.26	<0.05	4.8	0.176	0.14
J830874		290	6.3	54.7	<0.002	0.05	0.09	2.4	1	0.9	172.0	0.39	<0.05	5.0	0.098	0.25
J830875		960	59.4	70.6	0.149	2.53	7.91	14.7	7	2.7	267	0.28	0.99	4.6	0.321	0.77
J830876		130	7.4	63.0	<0.002	0.02	0.05	1.6	1	0.6	163.0	0.17	<0.05	3.9	0.068	0.25
J830877		370	5.1	25.3	<0.002	0.01	0.11	5.4	1	1.0	203	0.47	<0.05	4.2	0.228	0.14
J830878		580	4.6	34.8	<0.002	0.03	0.11	10.0	2	1.4	217	0.70	<0.05	3.9	0.362	0.21
J830879		430	5.7	38.3	<0.002	0.02	0.08	7.0	2	1.0	203	0.44	<0.05	3.4	0.260	0.20
J830880		520	6.3	32.0	<0.002	0.06	0.14	8.2	1	1.4	257	0.37	<0.05	8.2	0.212	0.16
J830881		810	8.8	33.7	<0.002	0.03	0.12	7.9	2	1.6	277	0.66	<0.05	8.3	0.261	0.16
J830882		420	6.6	25.8	<0.002	0.02	0.12	9.2	2	1.5	202	0.87	<0.05	4.9	0.188	0.13
J830883		350	7.5	45.0	<0.002	0.04	0.11	4.4	2	1.0	193.5	0.52	<0.05	7.2	0.148	0.19
J830884		310	5.8	67.0	<0.002	0.06	0.08	3.0	1	0.9	138.0	0.22	0.06	7.8	0.142	0.28
J830885		400	5.8	46.7	<0.002	0.04	0.10	3.2	2	1.0	185.0	0.24	<0.05	7.5	0.145	0.19
J830886		420	6.1	45.3	<0.002	0.01	0.12	7.1	2	1.7	241	0.56	<0.05	7.6	0.258	0.20
J830887		310	8.4	39.3	<0.002	0.09	0.08	3.2	2	1.0	180.0	0.27	0.09	8.9	0.137	0.18
J830888		590	7.8	47.8	<0.002	0.10	0.09	6.6	2	1.3	158.5	0.32	0.23	6.0	0.227	0.23
J830889		400	11.1	35.0	<0.002	0.10	0.17	13.1	2	1.4	193.0	0.57	0.18	3.5	0.335	0.22
J830890		1080	44.1	94.9	0.691	2.43	7.31	11.5	9	3.0	242	0.36	0.95	2.6	0.243	1.47
J830891		400	5.1	58.3	0.002	0.25	0.13	8.8	2	1.1	103.5	0.51	0.09	8.0	0.232	0.26
J830892		470	5.5	45.1	<0.002	0.04	0.11	4.8	1	1.4	185.0	0.31	<0.05	7.1	0.196	0.23
J830893		350	6.1	42.6	<0.002	0.08	0.09	6.9	2	1.3	138.5	0.47	0.13	5.6	0.203	0.21
J830893 CRD		350	6.1	44.3	<0.002	0.08	0.07	6.9	2	1.4	141.5	0.45	0.14	5.8	0.202	0.22
J830894		360	5.4	20.3	<0.002	0.02	0.12	9.5	2	1.8	244	0.58	<0.05	5.5	0.253	0.11
J830895		390	6.2	11.0	<0.002	<0.01	0.14	12.2	2	2.2	263	0.79	<0.05	4.8	0.211	0.07
J830896		530	5.3	4.0	<0.002	<0.01	0.16	12.1	2	2.2	350	0.63	<0.05	4.5	0.247	0.04
J830897		620	5.3	5.5	<0.002	<0.01	0.15	12.8	2	1.8	305	0.94	<0.05	2.5	0.278	0.05
J830898		580	5.0	5.0	<0.002	<0.01	0.13	11.7	2	2.0	291	1.19	<0.05	3.4	0.256	0.04
J830899		360	4.1	9.7	<0.002	0.03	0.09	5.8	2	1.7	280	0.35	<0.05	3.5	0.161	0.06
J830900		560	41.7	23.2	1.465	1.53	26.8	14.5	6	1.1	274	0.30	0.57	2.1	0.326	0.23
J830901		800	4.8	9.6	<0.002	<0.01	0.20	9.4	2	2.5	345	0.73	<0.05	1.6	0.329	0.07
J830902		660	5.7	9.6	<0.002	0.01	0.13	6.7	2	2.5	283	1.51	<0.05	3.4	0.251	0.07
J830903		1130	6.0	2.0	<0.002	<0.01	0.18	15.3	2	2.6	325	1.04	<0.05	2.4	0.324	<0.02
J830904		960	5.5	0.9	<0.002	<0.01	0.42	14.7	2	1.8	407	0.64	<0.05	1.4	0.353	<0.02
J830905		680	4.7	22.9	<0.002	0.02	0.17	8.5	2	1.3	186.0	0.41	0.11	2.4	0.228	0.12
J830906		710	6.1	5.3	<0.002	0.01	0.37	21.7	2	1.3	374	0.49	<0.05	1.4	0.388	0.03
J830907		600	6.6	6.1	<0.002	0.07	0.44	17.1	1	1.6	369	0.56	<0.05	2.6	0.305	0.07
J830908		700	5.2	18.8	<0.002	0.01	0.09	4.0	2	1.1	217	0.38	<0.05	6.4	0.152	0.11
J830909		250	6.4	30.6	<0.002	0.13	0.07	2.8	1	0.9	182.5	0.31	0.15	5.9	0.107	0.16
J830910		480	6.1	21.5	0.002	0.07	0.12	7.5	2	0.9	246	0.43	0.19	3.8	0.224	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830873		2.2	57	0.3	23.9	83	104.5									
J830873 CRD		2.4	56	0.3	23.5	84	104.5									
J830874		0.7	15	0.7	6.1	46	71.8		0.20	0.7	71.00	14.37	2.20	2.35	0.46	4.08
J830875		1.1	153	11.9	14.2	176	31.8	2.22								
J830876		0.8	11	0.5	4.3	40	97.7									
J830877		1.0	49	0.2	8.6	37	91.7									
J830878		0.8	86	0.7	12.2	66	103.5									
J830879		0.8	59	0.1	9.4	50	84.8									
J830880		0.5	43	0.2	10.0	57	86.4									
J830881		1.2	52	0.4	12.3	54	111.5									
J830882		1.7	43	0.3	19.9	57	120.0									
J830883		1.4	24	0.5	13.3	42	124.0									
J830884		0.9	20	0.9	6.9	34	121.5									
J830885		0.6	22	0.7	7.0	44	90.7									
J830886		0.6	51	0.4	10.0	72	95.4									
J830887		0.7	23	0.7	6.6	22	114.5									
J830888		0.5	48	1.0	8.9	35	71.4									
J830889		1.2	98	2.1	11.8	77	106.0									
J830890		1.2	152	13.6	14.2	147	24.1									
J830891		1.2	64	2.4	9.2	28	97.5									
J830892		0.4	34	1.1	5.3	19	146.0									
J830893		0.6	45	1.0	7.8	32	101.0									
J830893 CRD		0.6	45	1.0	8.2	32	104.5									
J830894		0.7	64	0.6	9.2	29	104.5		0.27	1.0	65.75	15.25	4.50	4.57	1.43	3.32
J830895		1.1	56	0.3	14.4	26	80.7									
J830896		0.7	72	0.6	16.4	11	68.6									
J830897		0.8	71	0.6	18.1	18	61.6									
J830898		1.7	52	0.4	17.4	19	65.7									
J830899		0.6	37	0.4	7.7	8	80.5									
J830900		0.8	102	5.6	14.7	144	30.6	1.305								
J830901		1.0	68	0.6	14.9	20	92.6									
J830902		0.7	52	0.5	10.8	11	111.5									
J830903		0.8	72	0.2	21.7	26	62.7									
J830904		0.7	94	0.2	19.5	28	42.2									
J830905		0.5	55	1.1	10.0	17	45.6									
J830906		0.6	151	0.5	13.5	48	32.2									
J830907		0.8	110	0.3	11.6	41	60.8									
J830908		0.6	21	0.5	9.0	14	115.5									
J830909		0.6	20	0.5	4.6	12	77.0									
J830910		0.5	39	0.6	13.1	33	44.2									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830873 J830873 CRD J830874 J830875 J830876		2.39	<0.01	0.14	0.03	0.061	0.03	0.08	1.35	98.54
J830877 J830878 J830879 J830880 J830881										
J830882 J830883 J830884 J830885 J830886										
J830887 J830888 J830889 J830890 J830891										
J830892 J830893 J830893 CRD J830894 J830895		0.98	<0.01	0.42	0.05	0.081	0.04	0.01	2.31	98.71
J830896 J830897 J830898 J830899 J830900										
J830901 J830902 J830903 J830904 J830905										
J830906 J830907 J830908 J830909 J830910										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830911		3.19	0.007		0.01	7.25	1.5	280	1.10	0.02	2.54	<0.02	54.8	4.9	12	0.57
J830912		3.35	0.012		0.05	7.19	1.5	320	1.07	0.06	2.47	0.04	37.9	8.1	17	0.61
J830913		3.15	0.122		0.17	7.38	0.2	300	1.20	0.04	2.87	0.05	37.9	10.6	19	0.70
J830913 CRD		<0.02	0.076		0.22	7.29	2.1	300	1.27	0.04	2.86	0.04	35.8	11.7	20	0.69
J830914		3.22	<0.005	<0.005	0.03	7.30	5.0	290	1.35	0.06	2.72	0.04	29.7	9.1	27	0.45
J830915		0.12	2.43		7.90	6.47	49.8	650	0.97	3.30	1.55	0.99	56.8	16.1	55	3.37
J830916		3.19	0.021		0.04	7.91	7.8	190	1.18	0.07	3.87	0.08	35.1	14.4	38	0.38
J830917		3.27	0.007		0.01	7.73	6.9	280	1.47	0.04	2.92	0.06	30.8	11.8	37	0.54
J830918		3.31	<0.005		<0.01	7.58	11.5	290	1.42	0.03	2.75	0.04	27.7	14.9	26	0.46
J830919		3.24	<0.005		0.04	7.25	1.2	420	1.00	0.01	2.20	0.04	51.9	5.9	10	0.59
J830920		3.56	0.071		0.11	7.04	0.4	620	1.14	0.05	2.62	0.04	32.2	8.3	14	1.07
J830921		3.03	<0.005		0.02	6.90	0.7	720	0.99	0.01	1.73	0.02	28.9	4.0	7	0.88
J830922		3.24	<0.005		0.01	6.28	<0.2	580	0.83	0.01	1.40	<0.02	11.65	1.6	7	0.52
J830923		3.27	0.011		0.08	6.41	<0.2	770	0.71	0.05	1.68	<0.02	15.25	2.5	10	0.75
J830924		3.32	0.034		0.03	6.80	0.3	540	1.00	0.04	1.81	0.02	21.9	4.0	9	0.82
J830925		3.39	0.024		0.06	6.64	0.7	390	0.72	0.12	2.77	0.03	35.6	8.7	13	0.64
J830926		3.21	<0.005		0.07	7.26	0.7	200	0.55	0.08	3.44	0.04	62.8	13.3	16	0.31
J830927		3.45	0.093		0.08	6.94	0.4	380	0.89	0.05	2.62	0.04	31.3	11.5	21	0.83
J830928		3.11	0.229		0.39	6.74	0.2	650	0.86	0.50	2.23	0.06	25.5	8.4	10	1.00
J830929		3.29	<0.005		0.02	6.58	0.8	780	0.67	0.01	1.53	0.03	35.5	3.4	10	0.68
J830930		0.12	0.377		2.14	7.32	93.6	580	1.03	0.55	0.53	0.95	32.3	18.8	32	6.80
J830931		3.36	0.065		0.11	6.83	2.4	640	0.90	0.02	2.04	0.04	59.9	6.1	12	0.77
J830932		3.12	0.156		0.10	6.98	4.5	620	1.02	0.04	2.47	0.04	62.0	7.3	12	0.76
J830933		3.27	0.086		0.07	7.11	1.4	650	1.30	0.02	2.05	0.03	66.9	5.7	11	0.69
J830933 CRD		<0.02	0.061		0.09	7.19	2.2	660	1.24	0.02	2.11	0.03	64.5	6.0	13	0.69
J830934		3.09	0.578	0.628	0.70	6.86	1.1	590	1.13	0.21	1.94	0.03	63.4	5.9	11	1.24
J830935		3.00	0.022		0.07	7.65	1.6	320	0.92	0.04	3.10	0.04	39.4	12.6	10	0.56
J830936		3.22	<0.005		0.03	6.81	0.5	840	0.67	0.01	1.71	0.02	36.6	3.7	10	0.48
J830937		2.99	0.194		0.09	6.91	0.8	500	1.02	0.05	2.57	0.03	30.8	9.8	20	1.21
J830938		3.24	0.026		0.06	6.99	<0.2	230	0.76	0.02	2.89	0.03	28.6	10.0	24	0.45
J830939		2.96	<0.005		0.10	7.34	1.4	220	0.71	0.03	3.82	0.04	25.2	19.4	62	0.27
J830940		3.26	<0.005		0.05	7.12	0.7	310	0.90	0.04	2.73	0.03	35.7	10.0	18	0.43
J830941		3.25	0.257		0.42	6.92	0.3	350	0.86	0.17	3.01	0.03	26.0	11.5	16	0.57
J830942		3.23	0.016		0.12	7.17	0.4	240	0.70	0.17	3.49	0.05	32.5	11.8	14	0.50
J830943		3.10	0.226		0.11	6.94	0.3	430	0.74	0.13	2.50	0.02	53.8	9.3	13	1.26
J830944		3.10	<0.005		0.03	7.51	0.4	350	0.64	0.02	2.93	0.02	55.9	10.0	15	0.54
J830945		1.01	<0.005		<0.01	0.14	<5	10	<0.05	0.01	21.3	<0.02	2.84	1.2	3	0.09
J830946		3.20	<0.005		0.08	7.40	1.0	350	0.60	0.01	3.00	0.02	53.4	10.4	17	0.43
J830947		3.28	0.007		0.08	7.10	0.5	390	0.63	0.01	3.08	0.03	50.1	9.9	17	0.64
J830948		3.26	0.068		0.06	7.05	0.5	380	1.00	0.03	1.61	0.02	34.7	4.1	9	0.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830911		2.8	2.12	20.7	0.15	4.5	0.025	1.17	27.2	9.4	0.41	279	0.28	2.95	6.1	6.0
J830912		22.9	2.80	21.2	0.18	3.0	0.026	1.11	18.5	12.0	0.61	447	9.68	2.97	7.0	12.7
J830913		26.2	3.05	19.95	0.15	2.5	0.032	1.62	17.9	14.4	0.80	561	0.24	2.68	8.8	17.5
J830913 CRD		25.6	3.12	21.1	0.16	2.3	0.033	1.62	16.5	14.6	0.80	567	0.21	2.68	9.4	19.0
J830914		7.5	2.63	21.9	0.18	2.8	0.063	1.36	12.5	11.8	0.77	562	0.21	2.91	9.3	18.2
J830915		>10000	5.62	14.10	0.17	1.1	0.111	2.73	27.8	17.4	1.18	627	115.0	1.67	6.2	31.1
J830916		10.0	3.53	24.2	0.17	3.4	0.079	0.95	13.7	13.9	1.12	780	0.22	2.92	9.5	29.7
J830917		3.6	3.24	22.8	0.16	2.5	0.076	1.17	11.8	15.2	1.02	676	0.14	2.90	10.0	26.2
J830918		7.7	2.68	23.2	0.16	2.5	0.044	1.06	11.5	11.1	0.74	525	0.13	3.21	11.5	18.3
J830919		17.9	2.37	21.5	0.20	3.2	0.020	1.23	25.1	8.7	0.43	346	0.16	3.05	6.0	6.4
J830920		25.4	2.58	19.70	0.15	3.2	0.035	2.28	14.3	12.9	0.61	435	0.40	2.11	6.2	11.2
J830921		12.7	1.60	18.15	0.12	2.8	0.014	1.80	13.3	6.2	0.29	248	0.21	2.86	3.8	4.3
J830922		2.9	0.92	14.65	0.09	2.9	0.005	1.15	5.6	3.2	0.12	145	0.13	3.59	1.6	1.6
J830923		1.6	1.17	14.00	0.08	2.4	0.007	1.65	6.6	4.2	0.18	163	2.79	2.84	2.0	5.9
J830924		4.0	1.48	17.15	0.09	2.8	0.010	1.77	9.6	6.5	0.27	227	0.43	2.81	4.0	4.6
J830925		16.3	2.93	16.65	0.14	1.8	0.029	1.42	14.4	11.8	0.61	398	2.59	2.28	6.2	9.7
J830926		24.0	4.15	17.95	0.18	1.8	0.042	0.68	26.1	13.9	1.07	606	0.28	2.37	7.6	16.0
J830927		13.9	3.29	18.55	0.14	1.7	0.037	1.68	11.7	16.9	0.87	609	0.97	2.40	8.6	18.0
J830928		19.5	2.28	17.65	0.13	2.6	0.023	2.34	10.4	12.4	0.54	381	12.60	2.15	5.1	9.0
J830929		9.8	1.59	14.90	0.11	3.3	0.009	1.46	17.5	5.7	0.23	219	0.20	3.02	3.0	3.0
J830930		4430	4.67	15.75	0.18	0.8	0.058	4.95	15.9	12.1	0.73	490	266	1.01	4.8	21.8
J830931		3.5	2.20	18.80	0.13	4.7	0.018	1.56	27.9	10.1	0.44	341	0.66	2.77	5.5	6.6
J830932		1.8	2.19	17.60	0.14	4.6	0.017	1.38	29.9	9.5	0.43	361	0.19	3.02	5.7	5.4
J830933		2.8	2.02	17.75	0.13	4.6	0.016	1.40	32.8	9.0	0.40	329	0.23	2.92	6.2	4.6
J830933 CRD		3.3	2.17	19.15	0.14	4.6	0.015	1.43	32.1	9.2	0.42	347	0.39	2.98	6.8	5.2
J830934		5.6	2.13	18.15	0.15	4.5	0.017	2.03	31.8	10.7	0.39	313	10.85	2.45	6.7	5.1
J830935		18.4	3.26	18.30	0.15	3.0	0.028	1.10	18.1	12.4	0.88	530	0.16	2.80	6.5	13.8
J830936		4.6	1.64	16.10	0.12	3.6	0.010	1.57	16.9	5.8	0.26	231	0.25	3.03	2.7	3.4
J830937		7.7	2.71	19.25	0.15	1.6	0.024	2.18	12.4	14.4	0.73	495	0.21	2.31	6.3	16.5
J830938		9.6	2.83	16.70	0.14	1.3	0.024	0.87	11.8	10.9	0.76	491	0.15	2.71	4.7	18.2
J830939		37.6	4.32	18.50	0.18	2.3	0.034	0.60	10.4	11.4	1.48	621	0.19	2.50	3.5	51.4
J830940		16.1	3.01	18.90	0.16	1.4	0.032	0.82	14.7	10.9	0.74	474	0.13	2.58	7.1	15.0
J830941		20.0	3.61	18.00	0.17	1.7	0.032	1.07	10.1	16.3	0.91	568	3.37	2.56	7.6	14.7
J830942		46.4	3.71	17.45	0.15	1.7	0.032	1.02	13.5	15.7	0.87	546	0.26	2.48	6.2	12.0
J830943		7.4	3.03	18.40	0.15	4.4	0.029	2.18	23.6	13.7	0.59	387	7.78	2.16	6.5	7.2
J830944		8.2	3.28	19.00	0.17	4.5	0.030	1.22	25.1	15.4	0.64	409	1.98	2.52	6.6	7.6
J830945		0.7	0.09	0.41	0.28	0.1	<0.005	0.11	2.1	4.6	13.05	52	0.14	0.04	0.3	<0.2
J830946		11.0	3.33	19.70	0.14	4.3	0.031	1.01	24.5	16.7	0.67	419	0.13	2.61	6.7	7.6
J830947		16.0	3.28	19.30	0.15	4.5	0.034	1.55	21.8	15.3	0.66	429	0.24	2.27	6.7	7.9
J830948		5.7	1.85	19.40	0.12	3.1	0.020	1.77	15.3	6.8	0.28	331	2.68	3.04	9.5	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830911		360	6.7	32.4	<0.002	0.01	0.18	4.0	2	1.3	229	0.40	<0.05	9.1	0.159	0.19
J830912		570	7.8	35.8	<0.002	0.03	0.12	6.1	1	1.5	195.5	0.55	<0.05	4.7	0.204	0.20
J830913		650	8.3	44.8	<0.002	0.10	0.12	8.9	2	1.7	191.5	1.05	0.12	3.7	0.251	0.24
J830913 CRD		620	8.3	44.5	<0.002	0.11	0.12	9.0	2	1.7	189.5	1.09	0.11	3.5	0.251	0.23
J830914		310	10.0	34.9	<0.002	0.01	0.15	12.0	2	2.6	174.5	1.19	<0.05	5.0	0.153	0.21
J830915		860	64.3	72.0	0.146	2.26	7.70	15.9	8	2.6	241	0.29	0.92	4.8	0.307	0.80
J830916		400	10.7	25.9	<0.002	0.01	0.16	15.1	2	2.9	218	1.51	<0.05	5.3	0.220	0.18
J830917		320	9.3	34.6	<0.002	<0.01	0.16	14.8	3	3.0	194.0	1.50	<0.05	5.7	0.187	0.22
J830918		570	6.4	32.4	<0.002	<0.01	0.15	12.4	2	2.1	220	1.22	<0.05	4.1	0.188	0.18
J830919		500	7.3	40.5	<0.002	0.01	0.13	4.5	2	1.2	226	0.34	<0.05	6.5	0.193	0.22
J830920		440	10.9	62.9	<0.002	0.04	0.10	8.2	2	1.5	111.0	0.65	0.05	4.3	0.228	0.35
J830921		220	5.6	51.3	<0.002	0.01	0.07	3.1	1	0.8	173.5	0.24	<0.05	5.3	0.108	0.25
J830922		70	7.1	30.8	<0.002	<0.01	0.06	1.2	1	0.4	221	0.14	<0.05	2.5	0.045	0.15
J830923		150	6.1	42.7	<0.002	0.01	0.07	1.7	1	0.4	195.0	0.15	<0.05	3.1	0.065	0.21
J830924		140	6.0	48.3	<0.002	0.01	0.06	2.6	1	0.7	160.5	0.29	<0.05	4.4	0.100	0.22
J830925		560	6.3	42.6	<0.002	0.04	0.11	8.1	1	1.1	248	0.50	<0.05	3.0	0.282	0.20
J830926		910	6.2	21.4	<0.002	0.02	0.20	13.6	1	1.4	388	0.50	<0.05	4.5	0.412	0.12
J830927		680	4.6	47.7	<0.002	0.03	0.11	10.0	1	1.7	208	0.71	<0.05	2.6	0.285	0.26
J830928		380	21.6	64.6	<0.002	0.15	0.09	6.7	1	1.0	108.5	0.39	0.16	3.3	0.196	0.30
J830929		220	5.9	40.7	<0.002	0.01	0.09	2.2	1	0.6	197.5	0.17	<0.05	6.0	0.104	0.20
J830930		1120	37.8	108.5	0.638	2.46	6.48	11.4	8	2.6	255	0.33	0.91	2.6	0.246	1.41
J830931		410	7.4	44.1	<0.002	0.03	0.12	4.1	1	1.0	236	0.32	0.07	9.9	0.185	0.25
J830932		450	23.4	41.6	<0.002	0.01	0.14	3.6	1	1.0	265	0.36	<0.05	9.1	0.194	0.22
J830933		440	8.3	41.3	<0.002	0.02	0.10	3.7	1	0.9	290	0.52	0.05	10.2	0.179	0.19
J830933 CRD		460	8.4	41.3	<0.002	0.02	0.11	3.8	1	1.0	294	0.58	0.05	9.8	0.189	0.21
J830934		440	11.5	61.8	<0.002	0.22	0.08	3.6	1	1.0	162.5	0.71	0.42	9.8	0.178	0.30
J830935		440	6.7	33.4	<0.002	0.02	0.09	9.1	1	1.2	237	0.52	<0.05	4.7	0.276	0.18
J830936		240	6.2	37.9	<0.002	0.01	0.06	2.5	1	0.6	216	0.13	<0.05	6.1	0.110	0.16
J830937		540	5.2	59.1	<0.002	0.07	0.09	7.3	1	1.1	182.5	0.46	0.05	2.9	0.219	0.30
J830938		520	4.0	27.8	<0.002	0.05	0.14	7.7	1	0.9	326	0.43	<0.05	1.2	0.251	0.14
J830939		470	4.1	17.3	<0.002	0.06	0.16	11.5	1	0.7	396	0.23	<0.05	1.8	0.347	0.09
J830940		570	4.4	28.8	<0.002	0.02	0.07	9.5	1	1.2	295	0.83	<0.05	2.9	0.265	0.14
J830941		830	5.3	35.1	<0.002	0.09	0.09	11.7	1	1.2	267	0.85	0.18	2.1	0.381	0.18
J830942		900	4.8	31.2	<0.002	0.11	0.11	10.6	1	1.1	315	0.49	<0.05	3.2	0.391	0.16
J830943		660	3.9	63.8	<0.002	0.21	0.08	6.3	1	1.0	123.5	0.26	0.08	5.9	0.273	0.33
J830944		690	3.9	40.8	<0.002	0.02	0.11	6.7	1	1.1	238	0.26	<0.05	5.6	0.294	0.22
J830945		10	0.9	2.6	<0.002	0.03	<0.05	0.3	1	<0.2	66.8	<0.05	<0.05	0.3	0.007	<0.02
J830946		700	4.0	31.2	<0.002	<0.01	0.12	6.1	1	1.0	258	0.26	<0.05	5.3	0.298	0.19
J830947		680	3.4	42.5	<0.002	0.01	0.12	6.5	1	1.0	207	0.24	<0.05	5.2	0.290	0.27
J830948		330	4.7	53.3	<0.002	0.08	0.05	3.5	1	1.5	127.5	0.88	<0.05	4.9	0.118	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830911		0.9	22	0.4	7.8	32	158.5									
J830912		0.6	38	0.6	9.5	62	100.5									
J830913		1.2	55	1.1	14.1	60	80.2									
J830913 CRD		1.2	55	1.2	14.1	59	79.5									
J830914		2.3	51	0.5	20.8	64	78.8		0.23	0.8	65.99	15.53	3.72	3.90	1.37	3.95
J830915		1.3	144	11.6	14.3	163	37.3	2.18								
J830916		3.8	77	0.3	29.0	88	97.7									
J830917		3.4	68	0.4	39.2	85	69.2									
J830918		1.4	46	0.2	23.9	72	83.8									
J830919		0.6	26	0.2	7.1	47	108.0									
J830920		1.1	44	1.6	10.1	59	102.0									
J830921		0.7	20	0.5	4.1	31	85.2									
J830922		0.8	8	0.2	2.7	13	77.3									
J830923		0.6	14	0.4	2.7	12	65.4									
J830924		0.7	19	0.8	4.0	24	76.9									
J830925		0.7	47	1.3	11.9	37	53.3									
J830926		0.6	72	0.2	18.2	55	58.4									
J830927		0.8	55	0.8	13.4	72	51.9									
J830928		1.6	41	2.2	8.3	44	78.3									
J830929		0.7	15	0.6	3.7	29	110.0									
J830930		1.1	153	12.4	13.4	147	23.0									
J830931		0.8	27	0.7	5.9	53	166.5									
J830932		0.8	26	0.6	5.1	48	176.0									
J830933		0.9	25	0.4	5.4	47	177.5									
J830933 CRD		0.9	26	0.5	5.7	52	184.0									
J830934		0.7	26	2.2	5.1	47	170.5		0.46	1.7	69.17	13.94	2.85	2.67	0.73	3.43
J830935		1.0	64	0.4	9.1	60	111.5									
J830936		0.9	16	0.3	4.3	31	116.5									
J830937		0.5	48	1.9	7.0	59	52.7									
J830938		0.5	48	0.3	9.6	49	31.6									
J830939		0.5	81	0.2	11.6	61	55.9									
J830940		0.8	48	0.1	10.9	59	43.8									
J830941		1.0	65	1.1	10.5	70	55.6									
J830942		0.5	65	1.5	10.0	67	54.1									
J830943		0.4	42	3.0	8.0	64	177.5									
J830944		0.4	42	0.3	8.6	72	180.0									
J830945		0.1	2	<0.1	1.6	<2	2.3									
J830946		0.4	44	0.1	8.7	75	186.5									
J830947		0.4	44	0.3	8.7	73	190.0									
J830948		1.2	18	0.8	8.3	36	101.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830911										
J830912										
J830913										
J830913 CRD										
J830914		1.58	<0.01	0.24	0.07	0.068	0.03	0.02	1.91	98.38
J830915										
J830916										
J830917										
J830918										
J830919										
J830920										
J830921										
J830922										
J830923										
J830924										
J830925										
J830926										
J830927										
J830928										
J830929										
J830930										
J830931										
J830932										
J830933										
J830933 CRD										
J830934		2.40	<0.01	0.30	0.03	0.090	0.03	0.06	2.56	98.26
J830935										
J830936										
J830937										
J830938										
J830939										
J830940										
J830941										
J830942										
J830943										
J830944										
J830945										
J830946										
J830947										
J830948										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830949		3.08	0.019		0.02	6.83	<0.2	460	1.12	0.02	1.04	0.03	46.2	1.5	4	0.97
J830950		3.27	0.026		0.03	6.55	<0.2	440	1.06	0.03	1.00	0.04	46.4	1.1	5	0.82
J830951		3.32	0.050		0.07	6.64	0.2	430	1.11	0.03	0.89	0.04	42.3	1.3	7	0.79
J830952		3.33	0.008		<0.01	6.77	<0.2	470	1.19	0.02	0.90	0.05	50.1	1.1	7	0.74
J830953		3.03	0.010		0.03	6.85	0.8	550	1.37	0.02	1.43	<0.02	43.9	3.4	7	1.03
J830953 CRD		<0.02	0.009		0.11	6.74	<0.2	550	1.37	0.02	1.43	0.02	45.7	3.4	7	1.04
J830954		3.40	<0.005	<0.005	0.05	7.38	0.6	320	0.80	0.01	2.64	0.03	64.7	7.4	11	0.70
J830955		3.13	<0.005		0.03	7.05	1.4	320	0.85	0.01	2.33	0.02	65.9	6.9	14	0.58
J830956		3.26	0.039		0.07	7.15	1.5	400	0.92	0.04	2.67	0.04	57.4	8.8	30	0.97
J830957		2.99	<0.005		0.06	7.51	1.7	230	0.93	0.01	3.54	0.07	42.9	12.9	69	0.32
J830958		3.40	<0.005		0.07	7.24	1.4	260	0.92	0.04	2.99	0.07	45.9	12.3	12	0.35
J830959		3.10	<0.005		0.14	8.08	1.8	270	1.07	0.05	4.09	0.15	35.3	24.1	10	0.38
J830960		0.08	0.918		4.78	6.33	17.1	470	0.71	1.72	2.43	2.32	19.30	14.3	57	0.72
J830961		3.16	<0.005		0.07	7.01	<0.2	190	1.08	0.15	2.25	0.17	71.1	5.4	7	0.30
J830962		3.25	<0.005		0.09	8.73	0.8	110	0.79	0.16	6.58	0.09	38.9	34.1	23	0.24
J830963		3.41	<0.005		0.10	8.60	0.6	160	0.70	1.31	6.23	0.17	38.5	29.3	18	0.32
J830964		3.36	0.010		0.09	9.01	0.7	180	1.00	0.48	5.98	0.12	41.5	26.9	42	0.41
J830965		3.38	0.058		0.19	7.86	1.4	180	0.95	0.13	5.70	0.08	29.7	36.5	103	0.45
J830966		3.43	0.008		0.12	9.33	0.7	160	0.77	0.16	6.43	0.13	47.8	31.8	28	0.32
J830967		3.43	<0.005		0.06	7.48	0.9	220	0.95	0.15	4.69	0.08	33.7	23.9	23	0.27
J830968		3.30	<0.005		0.06	7.53	0.6	230	0.85	0.04	3.46	0.05	34.8	14.4	24	0.39
J830969		3.26	0.047		0.08	6.85	0.2	260	0.99	0.09	3.72	0.04	26.3	15.0	12	0.62
J830970		3.14	0.366		0.22	6.94	<0.2	300	0.87	0.08	2.69	0.02	24.1	8.1	11	0.57
J830971		3.27	<0.005		0.04	7.33	<0.2	390	0.88	0.04	2.52	0.03	79.2	7.3	9	0.54
J830972		2.91	0.005		0.09	6.75	0.2	190	0.67	0.03	3.87	0.06	126.5	22.9	301	0.33
J830973		3.38	1.305		0.15	6.47	0.2	150	0.85	0.04	2.76	0.05	92.4	14.0	136	0.43
J830973 CRD		<0.02	1.520		0.20	6.70	0.2	150	0.82	0.05	2.77	0.05	100.0	13.8	128	0.43
J830974		2.76	0.210	0.283	0.06	6.91	<0.2	380	0.94	0.03	2.07	0.05	47.2	6.8	11	0.84
J830975		0.12	2.35		8.44	6.79	42.8	660	0.89	3.40	1.65	1.03	58.1	17.5	55	3.19
J830976		3.24	2.22		0.91	7.17	1.0	410	1.16	0.26	2.60	0.05	51.8	8.8	13	0.98
J830977		3.19	0.178		0.13	7.47	<0.2	380	0.81	0.07	2.62	0.04	46.9	7.6	8	0.70
J830978		3.11	0.053		0.06	7.07	0.5	310	0.89	0.03	2.77	0.02	39.1	7.9	12	0.59
J830979		3.48	0.006		0.07	7.65	0.7	220	0.78	0.05	3.20	0.03	38.5	10.7	14	0.33
J830980		3.19	<0.005		0.05	7.20	2.9	240	0.79	0.03	2.91	0.02	50.1	7.7	13	0.32
J830981		3.29	<0.005		0.08	7.45	3.9	250	0.72	0.02	3.14	0.04	31.7	12.1	17	0.38
J830982		3.30	<0.005		0.08	7.69	3.9	170	0.71	0.07	3.65	0.03	29.5	17.6	26	0.23
J830983		3.50	<0.005		0.06	7.73	1.2	240	0.74	0.02	3.67	0.05	24.6	17.1	25	0.30
J830984		3.25	<0.005		0.05	6.83	1.2	250	0.79	0.02	3.00	0.05	44.9	12.9	16	0.36
J830985		3.22	<0.005		0.04	6.74	0.4	230	0.85	0.01	2.30	0.02	56.3	5.3	8	0.37
J830986		3.23	1.500		0.81	6.42	3.0	400	0.99	0.82	1.67	0.03	34.6	8.2	21	0.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830949		1.7	1.16	21.1	0.12	2.8	0.028	1.90	20.8	3.6	0.13	303	0.56	3.16	12.6	1.5
J830950		4.2	1.09	19.75	0.11	3.0	0.025	1.74	21.1	3.0	0.09	312	5.02	3.22	12.9	0.8
J830951		4.8	1.13	20.1	0.13	3.1	0.024	1.69	19.6	3.0	0.09	275	1.40	3.35	12.9	1.6
J830952		2.3	1.16	20.4	0.13	3.1	0.028	2.01	23.4	3.4	0.09	309	0.45	3.29	14.2	0.7
J830953		3.8	1.61	19.65	0.15	3.5	0.017	2.20	19.8	5.8	0.21	323	0.68	2.78	9.1	2.8
J830953 CRD		3.5	1.59	18.85	0.15	3.5	0.018	2.17	20.8	5.8	0.21	315	0.68	2.73	9.0	2.6
J830954		14.5	2.86	19.05	0.19	3.8	0.025	1.41	29.3	11.9	0.50	414	0.12	2.54	6.6	4.5
J830955		4.4	2.50	19.70	0.19	3.7	0.017	1.19	29.7	11.1	0.47	313	0.12	2.81	6.0	5.9
J830956		8.3	2.76	19.55	0.19	3.8	0.027	1.79	24.2	14.8	0.68	414	1.89	2.50	6.5	11.3
J830957		10.0	3.22	21.3	0.12	3.4	0.044	0.74	18.4	13.1	1.08	576	0.14	2.76	7.3	28.2
J830958		34.0	3.39	21.2	0.15	2.6	0.024	0.84	20.8	10.9	0.79	448	0.21	2.79	5.9	15.3
J830959		142.0	5.13	24.3	0.16	2.3	0.044	0.98	14.6	17.5	1.70	789	0.22	2.62	11.1	36.5
J830960		>10000	4.59	13.15	0.10	0.8	0.123	0.84	9.4	14.8	1.15	658	236	2.07	3.6	32.6
J830961		35.5	2.15	21.4	0.15	4.7	0.026	0.68	29.8	7.0	0.28	232	0.13	3.24	3.2	4.1
J830962		34.7	6.28	22.3	0.12	1.1	0.054	0.70	13.9	14.5	2.77	923	0.49	2.34	6.0	77.9
J830963		52.0	6.73	25.0	0.12	1.0	0.053	0.88	13.3	13.2	2.35	943	15.85	2.24	7.4	48.2
J830964		18.5	6.02	24.1	0.14	0.8	0.064	0.96	15.1	14.0	2.57	988	2.04	2.62	7.3	76.1
J830965		78.6	7.14	22.4	0.13	1.8	0.060	0.70	12.6	23.9	3.11	1020	2.35	1.81	5.5	112.0
J830966		82.2	6.43	22.4	0.16	0.9	0.056	0.85	18.1	13.0	2.55	991	3.30	2.65	7.6	59.3
J830967		24.9	4.84	21.3	0.11	1.1	0.042	0.95	12.1	9.1	1.84	751	2.70	2.43	8.7	53.5
J830968		16.1	3.77	19.50	0.12	2.4	0.032	0.82	15.9	12.5	1.10	621	0.45	2.66	7.3	23.5
J830969		11.5	3.83	19.15	0.12	1.5	0.031	1.26	10.4	18.1	1.16	575	0.68	2.62	6.1	20.2
J830970		9.5	2.66	18.45	0.11	3.5	0.019	1.24	10.9	11.5	0.60	295	0.19	2.80	4.7	10.9
J830971		5.6	2.62	20.6	0.18	4.6	0.018	1.22	39.3	9.7	0.49	268	0.19	2.68	6.7	7.5
J830972		5.3	3.69	18.45	0.23	4.1	0.021	0.73	58.1	22.7	3.16	469	0.19	2.01	5.9	189.5
J830973		34.3	2.74	18.40	0.17	3.9	0.019	0.69	41.4	15.6	1.66	356	0.37	3.37	5.5	95.4
J830973 CRD		27.6	2.70	17.60	0.18	3.8	0.018	0.67	47.1	15.7	1.63	350	0.49	3.31	5.2	91.7
J830974		5.6	2.35	19.10	0.13	3.6	0.016	1.52	22.4	10.2	0.48	246	0.50	2.89	5.3	8.5
J830975		>10000	5.84	15.45	0.18	1.0	0.111	2.76	26.8	17.2	1.20	645	121.0	1.61	6.6	36.3
J830976		5.7	2.69	21.6	0.17	4.1	0.034	1.93	24.5	13.2	0.62	264	4.19	2.72	6.4	9.1
J830977		4.0	2.50	19.95	0.12	4.1	0.023	1.52	22.2	11.0	0.54	262	1.59	2.54	5.5	8.6
J830978		9.2	2.19	19.55	0.12	3.0	0.019	1.35	17.8	11.2	0.51	236	0.25	2.50	4.9	8.7
J830979		24.7	3.38	19.65	0.15	2.3	0.026	0.81	18.0	17.9	0.78	378	0.35	2.61	6.1	11.4
J830980		4.4	2.51	19.70	0.14	2.7	0.017	0.83	23.3	11.5	0.51	280	0.21	2.87	5.7	7.9
J830981		12.7	3.26	19.60	0.12	2.4	0.031	0.91	14.1	15.5	0.84	433	0.18	2.76	6.0	17.3
J830982		17.4	4.36	20.4	0.15	2.1	0.040	0.55	13.4	16.6	1.28	597	0.13	2.53	6.2	29.8
J830983		31.1	4.18	19.25	0.13	2.4	0.034	0.72	11.5	14.5	1.27	633	0.13	2.69	4.7	27.7
J830984		32.3	3.10	18.55	0.13	3.0	0.022	0.79	20.6	13.1	0.80	434	0.17	2.64	4.1	17.5
J830985		5.8	2.26	19.90	0.14	3.5	0.012	0.83	27.2	8.9	0.36	194	0.14	2.74	3.5	4.3
J830986		3.8	2.24	18.65	0.11	1.8	0.023	1.64	15.6	11.4	0.51	203	47.4	2.27	8.5	18.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830949		160	5.2	61.8	<0.002	0.03	0.06	2.1	1	2.4	97.6	1.14	<0.05	6.8	0.038	0.28
J830950		120	7.6	55.8	<0.002	0.11	0.05	2.4	1	2.4	103.0	1.06	<0.05	7.1	0.037	0.26
J830951		110	8.1	54.8	<0.002	0.13	0.05	2.2	1	2.3	107.5	1.07	0.05	6.5	0.036	0.25
J830952		120	8.0	64.1	<0.002	0.04	<0.05	2.3	1	2.5	108.0	1.34	<0.05	7.3	0.039	0.31
J830953		270	5.6	74.4	<0.002	0.05	0.05	3.3	1	1.4	107.5	0.77	<0.05	6.1	0.106	0.35
J830953 CRD		280	6.7	74.6	<0.002	0.05	0.06	3.2	1	1.4	106.5	0.73	0.05	6.2	0.105	0.36
J830954		580	5.7	46.9	<0.002	0.01	0.11	5.4	1	1.0	204	0.44	<0.05	7.2	0.239	0.26
J830955		500	5.4	42.2	<0.002	0.01	0.11	3.2	1	0.9	214	0.32	<0.05	8.3	0.197	0.23
J830956		510	3.4	57.0	<0.002	0.07	0.10	6.5	1	1.1	167.0	0.45	<0.05	7.0	0.211	0.31
J830957		540	6.4	21.2	<0.002	<0.01	0.15	12.2	2	1.5	232	0.90	<0.05	4.8	0.230	0.13
J830958		690	4.3	26.1	<0.002	0.05	0.10	7.5	2	1.0	252	0.35	<0.05	4.9	0.257	0.15
J830959		1110	6.1	20.3	<0.002	0.13	0.09	16.3	2	1.7	289	0.84	<0.05	4.1	0.395	0.18
J830960		570	37.2	23.2	1.250	1.59	22.6	14.9	6	0.9	284	0.25	0.54	1.9	0.319	0.21
J830961		300	5.9	25.2	<0.002	0.07	0.11	1.6	1	0.5	244	0.17	<0.05	8.4	0.132	0.11
J830962		1440	3.9	11.8	<0.002	0.12	0.11	22.4	2	1.3	412	0.88	<0.05	0.9	0.432	0.11
J830963		2150	4.2	12.4	0.002	0.07	0.09	19.9	2	1.5	405	0.53	<0.05	0.8	0.602	0.16
J830964		1330	4.2	21.1	<0.002	0.04	0.19	24.2	2	2.0	375	0.86	<0.05	1.0	0.440	0.15
J830965		810	3.6	25.5	<0.002	0.23	0.09	23.0	2	1.4	266	0.53	0.07	2.1	0.563	0.10
J830966		1710	4.4	16.5	<0.002	0.23	0.12	23.5	2	1.5	405	0.72	<0.05	1.4	0.557	0.12
J830967		1070	5.8	15.6	<0.002	0.09	0.08	16.8	2	1.5	305	1.00	<0.05	3.9	0.347	0.14
J830968		470	4.9	26.9	<0.002	0.02	0.13	11.9	2	1.3	285	0.65	<0.05	3.3	0.294	0.15
J830969		770	3.7	37.1	<0.002	0.03	0.08	11.2	2	0.9	222	0.52	<0.05	1.8	0.313	0.20
J830970		470	3.2	35.8	<0.002	0.06	0.07	5.5	1	0.6	210	0.24	0.12	3.3	0.208	0.19
J830971		500	4.8	43.0	<0.002	0.01	0.12	4.6	2	0.8	257	0.25	<0.05	11.2	0.218	0.22
J830972		2500	6.0	22.2	<0.002	0.07	0.08	8.0	2	0.9	205	0.27	<0.05	7.8	0.287	0.11
J830973		1110	4.9	21.8	<0.002	0.17	0.06	5.9	1	0.6	172.5	0.18	0.07	9.1	0.209	0.10
J830973 CRD		1080	5.0	23.2	<0.002	0.16	0.06	6.1	2	0.6	177.0	0.17	0.07	9.7	0.203	0.09
J830974		410	4.4	44.9	<0.002	0.07	0.05	3.5	1	0.6	177.5	0.21	0.05	8.1	0.185	0.25
J830975		920	64.0	78.9	0.149	2.41	7.41	17.3	8	2.6	259	0.26	0.96	4.6	0.316	0.81
J830976		510	6.4	57.1	<0.002	0.37	0.09	6.0	1	1.1	173.0	0.56	0.49	8.4	0.195	0.30
J830977		450	4.0	48.0	<0.002	0.04	0.12	5.0	1	0.9	231	0.26	0.06	6.1	0.214	0.25
J830978		400	3.7	37.5	<0.002	0.01	0.08	4.9	1	0.8	218	0.30	<0.05	5.0	0.195	0.20
J830979		800	4.3	23.9	<0.002	0.03	0.10	8.8	2	0.9	258	0.34	<0.05	3.3	0.344	0.12
J830980		520	5.2	23.1	<0.002	<0.01	0.13	3.9	2	0.8	249	0.31	<0.05	5.6	0.229	0.13
J830981		540	4.8	27.8	<0.002	<0.01	0.09	9.3	2	1.0	218	0.40	<0.05	2.7	0.272	0.14
J830982		450	5.0	13.3	<0.002	0.01	0.12	13.9	2	1.4	274	0.54	<0.05	2.9	0.351	0.09
J830983		380	4.3	18.7	<0.002	0.02	0.10	12.6	2	0.9	251	0.42	<0.05	2.7	0.341	0.12
J830984		280	4.6	21.6	<0.002	0.03	0.11	8.2	2	0.7	240	0.31	<0.05	5.2	0.246	0.13
J830985		360	4.2	24.6	<0.002	0.01	0.07	1.8	1	0.6	232	0.15	<0.05	6.4	0.155	0.13
J830986		360	7.6	48.0	<0.002	0.27	0.06	5.6	2	1.6	127.0	0.66	0.60	5.5	0.135	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830949		1.4	8	1.2	8.7	32	68.0									
J830950		1.6	6	0.9	11.5	28	69.1									
J830951		1.6	4	0.8	10.8	29	70.5									
J830952		1.8	3	0.5	10.7	36	73.8									
J830953		1.1	13	0.7	8.8	29	117.0									
J830953 CRD		1.1	13	0.7	8.7	31	115.5									
J830954		0.7	33	0.2	7.6	66	150.0		0.30	1.1	67.49	15.14	3.93	3.64	0.94	3.53
J830955		0.9	29	0.1	6.9	53	138.0									
J830956		0.8	42	0.7	10.9	57	137.5									
J830957		2.4	59	0.2	19.5	73	127.5									
J830958		0.7	54	0.1	7.8	74	101.5									
J830959		1.2	122	0.1	13.0	119	79.5									
J830960		0.9	99	5.0	14.1	150	27.9	1.310								
J830961		1.0	22	0.1	6.7	44	144.5									
J830962		0.7	159	0.2	19.4	109	24.8									
J830963		0.4	162	0.1	17.2	108	24.1									
J830964		0.6	129	0.3	23.3	103	19.2									
J830965		0.8	162	1.0	23.3	112	42.3									
J830966		0.7	153	0.4	21.2	104	21.6									
J830967		1.1	106	0.1	18.0	81	24.6									
J830968		1.0	79	0.1	12.2	67	92.9									
J830969		0.6	89	0.7	11.5	57	40.5									
J830970		0.7	43	0.7	5.8	39	106.0									
J830971		0.9	26	0.1	6.7	52	201									
J830972		1.0	59	9.5	15.9	90	163.5									
J830973		0.9	40	1.6	8.9	59	164.0									
J830973 CRD		1.1	40	1.6	9.3	57	160.5									
J830974		0.9	26	0.8	5.1	47	155.5		0.51	1.9	68.10	14.68	3.38	2.94	0.89	4.22
J830975		1.4	153	11.9	14.6	176	36.0	2.18								
J830976		1.5	38	1.4	14.1	45	144.5									
J830977		0.5	32	0.8	7.1	51	190.0									
J830978		0.8	29	0.6	6.8	37	130.0									
J830979		0.6	51	0.7	8.3	61	93.0									
J830980		0.5	35	0.1	6.2	41	115.5									
J830981		0.6	62	0.3	9.2	62	104.5									
J830982		0.8	98	0.2	12.6	70	77.4									
J830983		0.8	99	0.2	10.4	63	83.2									
J830984		0.8	66	0.3	8.4	52	102.5									
J830985		0.6	23	0.3	4.6	37	126.0									
J830986		1.2	30	0.6	9.5	24	46.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830949										
J830950										
J830951										
J830952										
J830953										
J830953 CRD										
J830954		1.68	<0.01	0.40	0.05	0.122	0.03	0.03	2.25	99.23
J830955										
J830956										
J830957										
J830958										
J830959										
J830960										
J830961										
J830962										
J830963										
J830964										
J830965										
J830966										
J830967										
J830968										
J830969										
J830970										
J830971										
J830972										
J830973										
J830973 CRD										
J830974		1.88	<0.01	0.32	0.03	0.089	0.03	0.03	3.00	99.59
J830975										
J830976										
J830977										
J830978										
J830979										
J830980										
J830981										
J830982										
J830983										
J830984										
J830985										
J830986										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830987		3.25	0.035		0.12	6.54	<0.2	550	1.07	0.04	1.56	0.02	42.3	1.9	4	0.69
J830988		3.29	0.008		0.02	6.46	0.6	860	0.98	0.01	0.79	0.03	38.2	0.8	4	0.46
J830989		3.25	<0.005		0.06	6.85	1.3	600	1.05	0.01	1.37	0.02	39.7	3.7	7	0.55
J830990		0.11	0.421		2.31	7.77	96.0	610	1.34	0.52	0.57	1.07	33.5	19.3	32	7.02
J830991		3.29	<0.005		0.02	7.03	3.1	200	0.90	0.01	2.76	0.03	36.5	9.8	31	0.34
J830992		3.17	0.161		0.07	6.97	3.2	260	0.99	0.03	3.41	0.13	55.1	16.2	42	0.81
J830993		3.23	0.071		0.10	6.74	2.8	310	0.87	0.05	3.06	0.05	45.7	11.4	8	0.75
J830993 CRD		<0.02	0.035		0.09	7.20	2.8	310	0.90	0.04	3.17	0.05	47.9	11.4	9	0.79
J830994		3.19	0.007	0.007	0.07	6.86	2.8	250	0.86	0.04	3.25	0.04	50.9	12.9	6	0.53
J830995		3.51	0.250		0.13	6.68	5.6	260	0.92	0.06	2.85	0.05	37.7	12.3	25	0.56
J830996		3.54	1.065		0.11	7.35	<0.2	350	0.96	0.22	3.19	0.04	57.4	10.6	22	1.03
J830997		3.38	0.097		0.11	6.84	<0.2	250	0.89	0.05	2.90	0.03	33.9	9.8	23	0.68
J830998		3.11	0.006		0.07	7.46	0.3	190	0.71	0.03	3.25	0.04	59.7	9.6	10	0.57
J830999		3.13	0.699		0.14	6.87	<0.2	270	0.71	0.21	3.08	0.06	39.8	9.6	9	1.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830987		2.4	1.01	17.55	0.09	2.3	0.014	1.81	19.0	6.5	0.16	184	6.38	2.75	7.1	3.0
J830988		2.3	0.98	17.90	0.08	2.4	0.018	2.84	17.7	3.3	0.08	208	1.54	2.76	11.0	1.1
J830989		7.8	1.71	18.15	0.10	2.3	0.018	2.11	18.7	7.6	0.31	257	0.29	2.73	8.8	5.4
J830990		4600	4.89	18.45	0.19	0.7	0.058	5.45	17.4	12.2	0.77	504	278	1.04	5.1	25.5
J830991		6.5	3.04	20.4	0.15	2.1	0.025	0.80	16.6	16.0	0.86	352	0.16	2.87	6.2	21.3
J830992		10.3	3.85	19.90	0.14	1.9	0.035	1.45	22.9	18.3	1.41	548	0.31	2.14	7.8	42.7
J830993		36.4	2.89	20.0	0.10	3.5	0.026	1.31	18.6	14.6	0.73	413	0.39	2.78	7.7	11.5
J830993 CRD		40.0	2.98	20.6	0.13	3.6	0.025	1.33	20.4	15.0	0.75	424	0.21	2.81	7.5	11.6
J830994		22.8	3.22	20.0	0.13	3.2	0.029	0.95	22.0	15.8	0.95	481	0.11	2.62	6.5	14.5
J830995		20.5	2.76	19.35	0.11	2.5	0.030	1.03	15.1	12.7	0.80	428	0.27	3.00	6.5	22.7
J830996		16.3	3.25	20.9	0.14	2.9	0.028	1.67	24.8	13.9	0.75	431	18.65	2.31	7.0	17.2
J830997		25.0	2.99	20.8	0.12	2.8	0.029	1.17	13.9	15.5	0.66	430	2.00	2.66	6.7	15.1
J830998		19.4	3.10	21.1	0.12	3.3	0.028	1.04	26.7	13.3	0.60	406	0.35	2.50	8.4	5.1
J830999		17.7	2.97	20.6	0.14	2.9	0.027	1.71	16.7	12.5	0.56	399	10.45	2.29	7.7	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830987		120	6.9	48.3	<0.002	0.03	0.05	1.9	1	1.3	133.5	0.54	0.05	9.4	0.052	0.24
J830988		70	11.9	63.1	<0.002	<0.01	<0.05	2.2	1	1.7	104.5	0.81	<0.05	7.4	0.031	0.29
J830989		170	8.1	52.8	<0.002	<0.01	0.05	3.6	2	1.4	115.0	0.57	<0.05	7.2	0.109	0.27
J830990		1170	42.3	122.0	0.702	2.64	7.36	12.6	9	2.9	264	0.32	0.96	2.5	0.253	1.47
J830991		600	4.3	24.2	<0.002	<0.01	0.12	6.2	1	1.3	251	0.36	<0.05	4.0	0.230	0.12
J830992		1030	7.2	52.6	<0.002	0.09	0.09	12.7	1	1.6	181.0	0.76	<0.05	3.9	0.316	0.21
J830993		490	7.0	44.5	<0.002	0.12	0.08	8.2	1	1.1	192.0	0.44	0.08	4.9	0.270	0.21
J830993 CRD		510	7.8	47.1	<0.002	0.11	0.09	8.1	2	1.1	195.5	0.46	0.06	4.9	0.271	0.21
J830994		470	7.3	35.8	<0.002	0.02	0.09	10.3	1	1.2	205	0.50	<0.05	4.4	0.296	0.15
J830995		430	8.8	32.8	<0.002	0.06	0.08	8.7	1	1.1	182.0	0.89	<0.05	5.0	0.211	0.15
J830996		820	5.4	52.8	<0.002	0.15	0.13	7.7	1	1.1	220	0.49	0.17	5.1	0.252	0.24
J830997		530	4.3	36.3	<0.002	0.06	0.13	5.9	1	1.2	217	0.48	<0.05	2.7	0.242	0.19
J830998		850	5.2	36.5	<0.002	0.02	0.12	6.6	2	1.1	271	0.43	<0.05	3.9	0.304	0.16
J830999		800	4.2	48.3	<0.002	0.21	0.10	6.1	1	1.0	175.5	0.38	0.12	1.7	0.284	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830987		1.4	8	0.6	9.6	16	64.8									
J830988		1.5	2	0.2	9.1	23	66.0									
J830989		1.4	21	0.4	9.6	35	73.5									
J830990		1.2	160	13.1	14.9	154	24.9									
J830991		0.7	45	0.3	9.1	47	58.4									
J830992		0.9	80	1.7	13.5	57	57.8									
J830993		0.8	56	2.8	9.2	50	126.5									
J830993 CRD		0.8	55	3.0	9.3	51	131.5									
J830994		0.9	74	0.9	11.9	55	117.0		0.34	1.2	62.58	15.72	4.91	4.94	1.70	3.71
J830995		1.9	51	1.0	13.8	49	71.3									
J830996		0.6	48	2.9	10.5	62	103.5									
J830997		0.5	41	1.6	8.1	68	89.8									
J830998		0.3	46	0.5	9.1	68	138.0									
J830999		0.2	46	3.4	7.4	63	127.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 20-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10183959

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830987										
J830988										
J830989										
J830990										
J830991										
J830992										
J830993										
J830993 CRD										
J830994		1.18	<0.01	0.54	0.06	0.104	0.03	0.02	2.71	98.20
J830995										
J830996										
J830997										
J830998										
J830999										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 20-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10183959

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.