ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178471

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835624		3.15	<0.005		0.01	6.80	<0.2	450	0.87	0.10	1.40	0.03	49.2	1.6	3	0.60
J835625		3.19	0.006		0.06	6.94	<0.2	430	0.93	0.17	1.38	0.03	50.7	1.4	4	0.55
J835626		3.25	0.114		0.01	7.34	<0.2	420	0.93	0.08	2.11	0.03	58.5	4.7	9	0.71
J835627		3.36	0.014		0.03	7.51	<0.2	420	1.00	0.04	3.06	0.05	59.7	9.6	12	1.19
J835628		3.02	<0.005		0.01	7.42	<0.2	310	0.91	0.01	2.49	0.04	46.9	7.5	17	0.91
J835629		3.25	0.214		0.14	7.76	<0.2	480	0.97	0.07	2.81	0.04	48.9	9.2	3	1.22
J835630		0.12	0.418		2.17	8.00	109.5	620	1.18	0.56	0.56	0.96	34.3	17.6	29	7.15
J835631		3.22	0.453		0.54	7.03	<0.2	470	1.08	0.19	3.01	0.05	47.7	11.8	7	1.09
J835632		3.32	0.016		0.05	6.72	0.2	250	0.88	0.04	3.22	0.04	50.5	11.5	8	0.84
J835633		3.50	0.005		0.02	6.89	<0.2	300	0.93	0.03	2.78	0.03	37.3	10.0	6	0.94
J835634		3.42	0.036		0.05	6.87	<0.2	350	1.06	0.03	2.85	0.05	37.3	9.9	6	1.04
J835635		3.53	0.071		0.11	7.28	<0.2	440	1.18	0.05	2.70	0.04	43.5	12.2	7	1.30
J835636		3.28	0.078		0.14	7.91	<0.2	200	0.85	0.10	2.75	0.04	41.1	7.5	4	0.50
J835637		3.40	0.114		0.38	8.24	0.6	380	1.10	0.08	3.38	0.07	50.8	10.4	6	1.04
J835638		3.73	0.541		1.11	7.70	<0.2	500	1.26	0.25	3.97	0.07	45.9	19.2	11	1.42
J835639		3.34	0.658		0.35	7.43	0.8	580	1.21	0.15	3.31	0.05	46.6	14.4	9	1.51
J835640		3.43	0.084		0.13	6.80	0.6	490	1.02	0.03	2.95	0.03	40.8	11.7	17	1.17
J835641		3.33	0.043		0.10	7.16	0.8	500	0.96	0.03	2.54	0.04	45.8	10.2	7	1.11
J835642		3.89	<0.005		0.03	6.86	0.2	480	1.05	0.01	1.73	0.02	53.9	5.6	9	0.89
J835643		2.36	<0.005		0.08	7.42	0.6	30	0.30	0.02	6.96	0.07	8.17	47.7	89	0.08
J835643 CRD		<0.02	<0.005		0.08	7.68	0.5	30	0.30	0.03	7.18	0.07	8.30	47.3	89	0.07
J835644		2.72	<0.005	<0.005	0.12	7.30	0.5	80	0.27	0.05	7.43	0.07	9.42	45.1	79	0.07
J835645		1.01	<0.005		<0.01	0.16	5	10	<0.05	0.01	21.7	<0.02	2.47	1.2	2	0.09
J835646		3.14	0.010		0.04	7.27	0.3	550	1.01	0.01	0.88	<0.02	44.9	1.5	5	0.70
J835647		3.87	<0.005		0.02	6.91	<0.2	520	0.70	0.01	1.22	<0.02	22.8	3.1	13	0.54
J835648		2.31	<0.005		0.08	8.32	0.6	10	0.32	0.05	6.51	0.07	11.00	51.3	94	0.07
J835649		3.05	<0.005		0.13	7.87	<0.2	10	0.23	0.01	6.79	0.09	9.11	49.8	79	<0.05
J835650		3.71	<0.005		0.15	7.70	1.1	10	0.20	0.03	6.71	0.07	8.39	49.6	93	0.05
J835651		3.44	<0.005		0.18	7.49	1.3	<10	0.26	0.18	6.64	0.09	7.31	49.7	93	<0.05
J835652		3.62	0.006		0.28	7.40	0.9	<10	0.27	0.05	6.48	0.09	8.39	49.5	102	<0.05
J835653		3.52	0.017		0.13	7.22	0.6	<10	0.30	0.03	6.75	0.09	9.12	45.6	88	0.06
J835654		4.77	0.051		0.06	6.63	0.5	430	1.04	0.04	1.77	0.02	35.3	7.6	37	0.57
J835655		2.36	0.005		0.06	7.28	<0.2	480	0.94	0.03	2.89	0.03	48.6	11.8	24	0.79
J835656		3.57	0.025		0.13	6.68	0.3	440	0.98	0.02	2.30	0.05	28.7	8.6	20	0.50
J835657		3.44	0.022		0.08	7.50	<0.2	480	1.05	0.03	3.13	0.05	47.4	12.5	25	0.77
J835658		3.41	0.044		0.07	6.83	<0.2	370	1.10	0.02	2.37	0.03	39.4	6.3	14	0.74
J835659		3.23	0.035		0.06	6.76	<0.2	410	1.02	0.12	2.32	0.02	28.3	4.9	9	0.73
J835660		0.07	0.959		4.67	6.62	22.4	450	0.75	1.80	2.57	2.27	19.95	14.4	63	0.75
J835661		3.33	<0.005		0.02	6.80	<0.2	560	0.95	0.03	1.45	0.02	14.50	2.1	7	0.62
J835662		3.44	<0.005		0.01	6.52	<0.2	470	0.72	0.01	1.13	<0.02	16.45	0.7	8	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835624		12.9	1.05	19.60	0.09	3.4	0.024	1.63	25.2	2.2	0.13	167	17.30	2.93	11.5	1.1
J835625		10.8	0.99	18.85	0.09	3.3	0.021	1.47	26.1	2.1	0.12	165	28.9	3.28	9.9	1.3
J835626		3.2	1.83	19.50	0.11	2.9	0.029	1.60	30.7	6.1	0.38	290	0.57	3.16	10.4	5.0
J835627		4.2	2.98	20.4	0.14	2.3	0.042	2.58	30.4	9.8	0.79	444	0.35	1.92	5.0	11.6
J835628		5.9	2.55	18.95	0.13	2.5	0.030	1.94	24.5	10.7	0.59	348	0.16	2.47	3.8	14.1
J835629		7.0	3.19	22.2	0.14	4.5	0.035	2.68	23.8	10.1	0.61	375	0.30	1.96	6.4	5.5
J835630		4900	4.86	17.45	0.19	0.6	0.060	5.49	18.1	11.8	0.76	514	276	1.05	4.6	23.7
J835631		31.4	3.67	21.6	0.13	6.2	0.041	2.51	24.0	11.6	0.70	423	0.29	1.80	8.3	8.7
J835632		20.4	3.74	20.7	0.12	5.5	0.041	1.89	23.8	15.6	0.66	483	0.43	2.26	8.2	5.2
J835633		22.4	3.46	20.5	0.12	4.5	0.036	2.05	16.2	12.1	0.60	441	0.16	2.06	9.1	5.5
J835634		24.7	3.34	21.3	0.13	4.7	0.041	2.33	17.6	10.7	0.60	444	0.13	2.06	8.8	5.6
J835635		48.6	3.70	22.3	0.14	5.0	0.042	2.75	20.7	11.4	0.69	443	0.15	1.82	8.0	8.2
J835636		10.8	1.95	21.4	0.12	3.5	0.024	1.09	21.8	6.5	0.41	441	0.42	5.65	11.2	6.5
J835637		74.7	3.18	25.6	0.17	4.4	0.040	2.28	25.4	8.7	0.68	572	1.00	4.21	14.5	6.5
J835638		38.0	4.16	25.4	0.17	4.6	0.048	3.02	22.3	9.9	0.92	665	1.06	2.70	10.5	13.7
J835639		51.4	3.99	25.2	0.15	4.0	0.048	3.03	23.5	11.9	0.88	547	1.42	1.99	9.3	15.4
J835640		22.6	3.55	21.9	0.15	3.2	0.036	2.64	21.6	12.3	0.80	491	0.46	1.79	6.6	14.7
J835641		15.8	3.42	21.7	0.14	4.2	0.033	2.46	18.0	10.7	0.67	480	0.98	1.93	9.3	7.5
J835642		11.2	1.80	18.40	0.12	3.0	0.016	2.10	30.6	5.2	0.38	287	0.39	2.58	5.5	5.3
J835643		153.0	9.68	16.55	0.15	0.6	0.066	0.10	3.0	40.1	3.73	1640	0.28	0.96	2.3	79.4
J835643 CRD		146.0	9.93	16.90	0.16	0.7	0.067	0.10	3.1	40.3	3.85	1680	0.18	0.99	2.4	80.5
J835644		136.5	9.42	16.20	0.15	0.8	0.062	0.08	3.6	38.7	3.60	1760	0.25	0.89	2.4	73.7
J835645		1.8	0.13	0.38	0.05	<0.1	<0.005	0.11	1.9	4.6	13.20	59	0.13	0.01	0.3	2.8
J835646		8.1	1.29	19.95	0.09	3.3	0.019	1.53	24.3	1.8	0.20	163	0.41	3.77	8.9	2.7
J835647		21.9	1.47	16.25	0.09	2.2	0.016	1.23	11.0	3.3	0.31	232	0.26	3.70	4.8	4.5
J835648		54.0	10.90	19.40	0.17	0.7	0.072	0.04	4.2	35.8	4.16	1920	0.32	0.05	2.4	86.6
J835649		139.5	10.70	17.75	0.16	0.9	0.076	0.03	3.5	23.1	3.92	1780	0.18	0.05	2.3	75.3
J835650		138.5	10.10	17.40	0.15	0.9	0.067	0.03	3.1	19.5	3.99	1670	0.16	0.13	2.1	79.0
J835651		143.5	9.60	16.70	0.15	0.9	0.062	0.02	2.8	19.9	3.73	1630	0.18	0.12	2.0	76.0
J835652		527	9.35	16.80	0.16	1.0	0.068	0.03	3.2	21.8	3.71	1550	0.22	0.10	2.1	76.3
J835653		125.5	9.10	15.90	0.15	1.0	0.059	0.08	3.8	33.0	3.56	1560	0.60	0.64	2.1	69.7
J835654		14.9	2.16	17.35	0.13	3.1	0.011	1.40	15.8	10.2	0.59	342	1.01	3.16	5.5	22.6
J835655		37.4	3.10	19.40	0.19	2.0	0.024	1.77	21.5	14.9	0.87	559	0.20	2.53	6.3	15.6
J835656		32.4	2.09	17.50	0.14	1.8	0.020	1.18	12.3	9.3	0.58	444	0.24	3.26	7.3	10.9
J835657		37.6	3.33	19.60	0.18	2.1	0.027	1.76	20.5	15.2	1.00	612	0.18	2.59	6.1	16.0
J835658		16.9	1.93	17.70	0.15	1.9	0.013	1.70	17.7	8.4	0.49	356	0.23	2.92	4.1	6.7
J835659		26.9	1.68	16.75	0.15	2.9	0.012	1.75	12.6	6.6	0.38	281	0.24	2.92	2.9	5.1
J835660		>10000	4.85	13.70	0.17	1.1	0.127	0.88	9.7	15.8	1.21	696	253	2.30	4.0	33.1
J835661		19.4	1.12	16.40	0.11	2.9	<0.005	1.65	6.6	2.7	0.15	151	1.30	3.25	1.9	1.5
J835662		4.3	0.68	14.95	0.09	3.5	<0.005	1.18	8.3	0.8	0.06	102	0.33	3.93	0.7	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835624		110	4.6	64.8	0.005	0.03	<0.05	1.9	1	2.4	133.0	0.70	<0.05	8.1	0.040	0.25
J835625		100	5.7	58.4	0.011	0.03	<0.05	1.9	1	1.9	169.5	0.65	<0.05	7.6	0.037	0.22
J835626		340	5.0	64.0	<0.002	0.08	<0.05	5.8	1	2.0	209	0.73	<0.05	8.2	0.086	0.23
J835627		720	4.1	75.1	<0.002	0.04	<0.05	10.2	1	1.4	185.5	0.46	<0.05	8.0	0.159	0.35
J835628		430	4.3	79.7	<0.002	0.02	<0.05	6.9	1	1.0	219	0.25	<0.05	7.1	0.131	0.28
J835629		830	4.1	80.8	<0.002	0.16	<0.05	6.1	1	1.2	165.5	0.43	0.09	5.2	0.197	0.37
J835630		1190	40.6	153.5	0.643	2.68	7.19	10.9	8	2.9	274	0.30	0.86	2.8	0.242	1.49
J835631		880	5.8	72.0	<0.002	0.23	0.14	8.0	1	1.0	147.0	0.68	0.33	3.8	0.258	0.36
J835632		930	4.4	48.5	<0.002	0.06	0.11	7.8	1	1.0	153.0	0.72	<0.05	3.8	0.255	0.29
J835633		880	3.9	57.9	<0.002	0.05	0.10	7.8	1	1.1	139.5	0.67	<0.05	2.9	0.232	0.30
J835634		880	3.9	63.8	<0.002	0.06	0.10	7.5	1	1.2	143.0	0.83	<0.05	3.3	0.222	0.36
J835635		1000	3.9	78.3	<0.002	0.14	0.12	8.4	1	1.1	133.5	0.71	0.07	3.3	0.233	0.40
J835636		490	4.9	27.4	<0.002	0.21	0.09	4.7	1	1.0	196.0	1.12	0.11	5.1	0.139	0.15
J835637		1130	6.0	60.5	<0.002	0.24	0.16	7.2	1	1.4	193.0	1.17	0.23	4.9	0.331	0.32
J835638		1170	6.9	77.8	<0.002	0.61	0.15	10.1	1	1.3	195.5	0.88	0.70	3.5	0.316	0.41
J835639		1040	4.9	76.4	<0.002	0.15	0.16	10.1	1	1.3	118.5	1.23	0.31	4.6	0.286	0.39
J835640		690	3.0	68.0	<0.002	0.01	0.10	8.4	1	1.1	101.0	0.45	<0.05	4.6	0.231	0.36
J835641		850	4.0	68.9	<0.002	<0.01	0.09	6.8	1	1.3	114.5	0.80	<0.05	6.1	0.282	0.36
J835642		320	2.5	59.7	<0.002	<0.01	0.08	2.9	1	0.7	116.0	0.38	<0.05	6.7	0.139	0.30
J835643		340	4.8	3.9	0.002	0.11	0.12	38.6	2	0.5	191.0	0.15	<0.05	0.2	0.592	<0.02
J835643 CRD		350	4.7	3.7	<0.002	0.11	0.12	39.2	2	0.5	200	0.15	<0.05	0.2	0.616	<0.02
J835644		330	5.1	3.2	0.002	0.13	0.14	36.3	1	0.5	179.0	0.15	<0.05	0.3	0.576	<0.02
J835645		<10	1.0	3.0	<0.002	0.04	<0.05	0.5	1	<0.2	61.4	<0.05	<0.05	0.2	0.009	<0.02
J835646		180	2.4	69.6	<0.002	0.03	<0.05	2.7	1	1.5	93.1	0.75	<0.05	9.7	0.070	0.22
J835647		180	2.4	53.2	<0.002	0.01	<0.05	3.1	1	0.9	103.0	0.24	<0.05	4.8	0.084	0.16
J835648		380	11.3	0.7	<0.002	<0.01	0.33	42.0	1	0.6	466	0.16	<0.05	0.2	0.650	<0.02
J835649		360	7.6	0.5	0.002	0.01	0.34	40.0	2	0.5	383	0.16	<0.05	0.2	0.686	<0.02
J835650		300	8.6	0.5	0.002	<0.01	0.43	40.8	2	0.5	346	0.14	<0.05	0.2	0.617	<0.02
J835651		290	7.7	0.4	0.002	0.01	0.67	38.9	2	0.6	335	0.15	<0.05	0.2	0.605	<0.02
J835652		300	5.4	0.4	<0.002	0.01	0.48	38.6	2	0.7	282	0.16	0.05	0.2	0.563	<0.02
J835653		300	5.5	1.3	0.002	0.04	0.29	36.2	2	0.6	214	0.15	<0.05	0.2	0.553	<0.02
J835654		200	3.7	33.0	<0.002	0.02	0.13	4.5	1	1.1	140.0	0.40	0.05	5.6	0.116	0.17
J835655		690	4.6	44.9	<0.002	0.07	0.19	7.8	1	1.6	190.5	0.59	<0.05	4.8	0.219	0.23
J835656		450	5.4	29.3	<0.002	0.07	0.13	5.6	1	1.7	254	0.89	0.05	3.2	0.169	0.16
J835657		750	6.5	41.0	<0.002	0.11	0.17	8.8	1	1.3	292	0.67	0.05	4.2	0.278	0.22
J835658		430	4.8	42.3	<0.002	0.11	0.13	3.6	1	1.0	210	0.34	0.07	5.2	0.132	0.21
J835659		330	4.6	42.4	<0.002	0.08	0.13	3.5	1	0.6	198.5	0.26	0.06	3.1	0.110	0.20
J835660		600	37.7	23.7	1.535	1.67	27.0	14.0	6	1.2	294	0.29	0.69	1.9	0.334	0.21
J835661		170	3.0	38.9	0.004	0.03	0.18	0.9	1	0.8	183.0	0.16	<0.05	3.0	0.054	0.19
J835662		50	3.5	27.5	<0.002	<0.01	0.09	0.5	1	0.2	200	0.10	<0.05	3.9	0.016	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835624		1.1	3	0.3	6.0	11	76.2									
J835625		1.0	5	0.9	6.0	13	75.9									
J835626		0.9	24	1.3	6.9	32	74.3									
J835627		0.7	58	1.3	5.4	56	73.2									
J835628		0.6	38	1.8	4.8	56	75.1									
J835629		0.9	49	2.8	6.9	58	170.0									
J835630		1.1	160	11.8	14.4	159	21.7									
J835631		1.5	54	4.4	8.4	66	245									
J835632		1.2	57	1.6	11.2	85	219									
J835633		1.1	52	2.4	10.2	80	174.0									
J835634		1.4	53	2.7	9.5	80	180.5									
J835635		1.3	59	4.1	9.4	84	196.5									
J835636		1.2	25	4.8	7.3	47	106.0									
J835637		1.0	47	9.7	8.8	78	154.5									
J835638		0.8	68	7.6	8.2	90	172.0									
J835639		1.1	70	7.7	9.9	92	150.5									
J835640		0.8	66	3.6	9.8	87	115.0									
J835641		1.2	52	2.5	13.5	78	163.5									
J835642		0.9	27	1.1	6.3	27	87.1									
J835643		0.1	303	0.7	18.6	137	21.5									
J835643 CRD		0.1	311	0.7	19.1	141	23.5									
J835644		0.1	290	0.8	18.5	132	23.8		1.56	5.7	45.36	12.58	13.35	10.16	5.63	1.12
J835645		0.1	3	<0.1	1.5	2	1.9									
J835646		2.0	13	0.8	13.2	12	86.8									
J835647		0.8	16	0.7	5.8	19	64.9									
J835648		0.4	337	0.8	20.7	159	25.9									
J835649		0.1	324	0.4	20.3	121	28.0									
J835650		0.1	334	0.5	18.7	112	30.7									
J835651		0.1	325	0.4	17.8	105	25.6									
J835652		0.1	290	1.0	18.6	99	28.7									
J835653		0.3	277	1.3	17.2	117	29.7									
J835654		0.9	33	1.3	7.0	38	88.5									
J835655		0.7	63	1.8	7.9	83	62.1									
J835656		1.4	41	0.8	12.9	46	53.4									
J835657		0.7	76	1.4	10.6	71	69.3									
J835658		0.8	34	2.6	5.8	37	57.5									
J835659		0.9	28	2.6	4.4	28	72.3									
J835660		0.9	108	5.7	15.0	152	28.0	1.275								
J835661		0.8	12	1.2	3.7	17	79.2									
J835662		1.1	7	0.4	3.8	8	71.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835624										
J835625										
J835626										
J835627										
J835628										
J835629										
J835630										
J835631										
J835632										
J835633										
J835634										
J835635										
J835636										
J835637										
J835638										
J835639										
J835640										
J835641										
J835642										
J835643										
J835643 CRD										
J835644		0.09	0.02	0.96	0.22	0.064	0.02	<0.01	9.28	98.85
J835645										
J835646										
J835647										
J835648										
J835649										
J835650										
J835651										
J835652										
J835653										
J835654										
J835655										
J835656										
J835657										
J835658										
J835659										
J835660										
J835661										
J835662										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835663		3.41	<0.005		0.03	6.79	0.3	520	0.87	0.07	1.11	<0.02	22.0	1.0	9	0.42
J835663 CRD		<0.02	<0.005		0.04	6.73	<0.2	510	0.84	0.08	1.11	<0.02	26.0	0.9	9	0.41
J835664		3.29	<0.005	0.005	0.08	7.64	0.5	550	1.14	0.02	2.10	0.04	46.6	6.4	13	0.71
J835665		3.13	<0.005		0.02	7.25	0.6	620	0.90	0.08	2.12	0.05	37.2	5.4	18	0.52
J835666		3.41	<0.005		0.08	7.52	0.7	400	1.10	0.14	3.60	0.04	34.6	12.5	30	0.66
J835667		3.29	<0.005		0.07	7.25	0.3	440	1.15	0.06	3.50	0.04	31.2	11.0	28	0.72
J835668		3.31	<0.005		0.03	7.50	0.2	440	1.24	0.05	3.14	0.05	28.9	11.7	34	0.80
J835669		2.96	0.011		<0.01	6.86	0.2	390	1.23	0.01	1.77	0.02	25.2	2.5	11	0.54
J835670		3.36	0.026		0.05	7.40	<0.2	540	1.22	0.02	2.57	0.03	65.9	7.8	10	1.13
J835671		3.26	<0.005		0.02	6.71	<0.2	440	1.06	<0.01	2.02	0.02	30.2	3.3	10	0.74
J835672		3.32	0.005		0.03	7.39	<0.2	470	1.11	0.01	1.79	0.04	68.2	5.0	8	0.85
J835673		3.21	0.006		0.05	6.91	<0.2	380	1.06	0.01	2.16	0.02	64.8	5.8	9	0.87
J835674		3.30	<0.005		0.03	7.18	<0.2	380	1.03	0.01	2.36	0.02	33.4	6.5	8	0.90
J835675		0.11	2.35		8.58	6.77	53.6	600	0.92	3.46	1.63	1.09	55.8	17.2	56	3.29
J835676		3.37	0.082		0.08	7.41	1.0	370	1.12	0.06	1.49	0.04	55.2	3.8	11	0.72
J835677		3.44	0.122		0.17	6.52	0.3	250	1.09	0.09	0.92	0.02	52.6	1.5	7	0.44
J835678		3.20	0.015		0.03	6.54	0.2	370	1.28	0.02	1.55	0.02	53.0	1.3	8	0.44
J835679		3.31	0.105		0.04	6.51	<0.2	340	1.28	0.03	0.89	<0.02	53.3	1.0	7	0.51
J835680		3.28	0.005		0.02	6.60	<0.2	290	1.44	0.03	0.93	0.03	54.7	0.9	7	0.45
J835681		3.57	0.051		0.07	6.44	<0.2	390	1.14	0.02	1.56	0.02	68.0	3.4	9	0.78
J835682		3.21	<0.005		0.02	6.69	<0.2	290	1.19	<0.01	1.80	0.03	60.3	4.0	9	0.77
J835683		3.53	0.006		0.05	7.05	<0.2	330	1.01	<0.01	2.32	0.02	84.3	8.2	15	0.64
J835683 CRD		<0.02	0.007		0.09	7.33	<0.2	330	1.09	0.01	2.41	0.03	97.5	8.9	15	0.69
J835684		3.37	0.042	0.034	0.17	7.27	0.2	430	1.11	0.03	2.69	0.02	41.5	8.8	11	0.71
J835685		3.45	0.034		0.12	6.94	<0.2	540	1.10	0.01	2.33	0.02	48.3	7.7	13	0.75
J835686		3.38	<0.005		0.01	6.25	<0.2	190	0.97	<0.01	2.39	<0.02	26.4	3.8	11	0.50
J835687		3.36	0.016		0.02	6.16	<0.2	60	1.01	0.02	4.22	0.02	33.0	4.2	17	0.31
J835688		3.40	<0.005		0.01	5.91	<0.2	80	0.99	0.02	4.05	<0.02	27.1	1.5	9	0.41
J835689		3.39	0.005		0.05	7.16	0.2	200	0.99	0.01	2.58	0.02	47.4	9.1	7	0.46
J835690		0.11	0.411		1.95	7.71	92.0	550	1.20	0.44	0.58	0.80	27.5	16.0	34	5.89
J835691		3.41	0.046		0.22	6.91	0.4	140	0.94	0.06	2.98	0.02	32.7	6.9	6	0.39
J835692		3.26	<0.005		0.05	7.13	0.6	200	0.86	0.01	3.33	0.02	43.4	11.9	14	0.30
J835693		3.36	<0.005		0.06	7.66	0.2	170	0.69	0.03	5.14	0.02	41.3	10.6	12	0.21
J835694		3.58	<0.005		0.08	7.38	<0.2	90	0.81	0.02	4.13	0.02	51.4	13.4	10	0.25
J835695		3.54	<0.005		0.06	7.38	<0.2	190	0.92	0.03	3.73	0.03	42.9	13.8	10	0.35
J835696		3.42	<0.005		0.04	6.23	0.3	210	0.79	<0.01	2.49	0.03	25.4	7.4	11	0.39
J835697		3.49	0.005		0.04	7.44	<0.2	210	0.75	<0.01	3.35	0.03	32.3	9.4	9	0.29
J835698		3.70	0.008		0.06	7.23	<0.2	180	0.80	<0.01	3.30	0.03	46.2	10.4	10	0.48
J835699		3.47	0.014		0.04	6.86	<0.2	150	0.82	<0.01	4.01	0.03	34.6	10.1	9	0.55
J835700		0.07	0.993		4.73	6.30	19.8	430	0.79	1.90	2.45	2.02	20.1	14.9	60	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835663		4.4	0.77	16.45	0.11	3.0	<0.005	1.25	10.7	1.5	0.08	113	0.22	3.93	1.5	1.2
J835663 CRD		3.8	0.78	15.85	0.11	2.5	<0.005	1.23	12.5	1.5	0.08	113	0.21	3.86	1.4	1.1
J835664		19.8	2.24	20.1	0.17	3.5	0.010	1.64	21.1	9.9	0.47	360	0.16	3.02	4.9	6.1
J835665		2.5	2.06	19.20	0.17	4.5	0.018	1.96	16.6	8.8	0.43	334	0.12	3.01	3.9	8.9
J835666		35.1	3.17	21.1	0.21	2.3	0.043	1.57	14.3	16.1	0.96	593	0.20	2.43	7.0	20.5
J835667		16.4	2.72	21.1	0.20	2.5	0.034	1.75	12.6	13.9	0.83	562	0.17	2.79	6.9	19.3
J835668		5.4	2.80	22.5	0.20	2.8	0.043	1.95	11.5	15.2	0.91	474	0.11	2.58	7.6	25.5
J835669		2.5	1.29	19.50	0.14	2.7	0.009	1.44	11.5	4.0	0.18	188	0.42	3.64	8.5	4.3
J835670		9.5	2.44	20.9	0.20	2.4	0.016	2.56	32.0	11.7	0.56	349	0.19	2.18	4.9	7.1
J835671		2.2	1.73	17.75	0.15	3.0	0.008	1.97	13.7	4.0	0.22	269	0.14	2.83	3.7	3.2
J835672		8.9	2.06	19.25	0.19	2.7	0.012	1.99	34.8	8.5	0.43	314	0.56	3.05	4.8	5.1
J835673		30.2	1.98	17.85	0.17	1.9	0.009	2.22	33.0	9.6	0.46	318	0.29	2.41	4.0	5.2
J835674		23.4	2.26	18.70	0.16	2.4	0.012	2.28	15.6	10.6	0.49	374	0.33	2.39	4.4	4.8
J835675		>10000	5.57	15.85	0.25	1.3	0.111	2.80	26.0	18.5	1.16	635	117.5	1.65	6.7	35.7
J835676		12.1	1.98	21.8	<0.05	3.2	0.029	1.61	27.0	7.5	0.31	338	0.91	3.44	12.3	5.9
J835677		13.3	1.27	19.25	0.16	3.8	0.020	1.04	25.7	3.3	0.12	196	4.85	3.94	13.2	0.9
J835678		3.6	1.06	19.85	0.15	3.8	0.017	1.30	25.0	1.8	0.10	135	1.37	3.46	13.9	0.9
J835679		2.3	1.14	19.35	0.15	3.8	0.020	1.25	26.3	1.7	0.10	205	1.16	3.64	12.7	0.7
J835680		3.0	1.16	19.25	0.15	3.5	0.019	1.10	27.2	2.5	0.09	265	0.23	3.83	12.0	0.8
J835681		3.3	1.83	18.75	0.17	4.7	0.012	1.90	31.3	5.3	0.25	310	1.02	2.58	7.2	2.0
J835682		7.5	1.65	18.75	0.18	3.8	0.011	1.90	29.4	7.6	0.32	289	0.14	2.56	6.1	3.5
J835683		46.7	2.67	18.50	0.20	2.2	0.019	1.54	39.7	15.3	0.66	431	0.17	2.72	5.1	7.9
J835683 CRD		50.5	2.79	20.0	0.24	2.8	0.021	1.54	46.9	16.6	0.68	448	0.09	2.80	5.6	8.7
J835684		40.7	2.65	19.80	0.20	2.6	0.021	1.77	18.7	16.8	0.65	442	0.13	2.83	5.1	6.8
J835685		17.4	2.40	18.65	0.21	2.4	0.021	1.68	21.2	14.1	0.54	358	0.16	2.80	5.5	7.0
J835686		1.5	1.23	16.00	0.15	2.7	0.010	1.20	11.5	11.8	0.34	112	0.17	2.55	2.8	4.3
J835687		1.5	2.14	19.65	0.18	2.3	0.026	0.71	13.6	19.3	0.42	148	0.24	1.96	6.3	6.6
J835688		1.0	1.46	20.8	0.20	2.0	0.025	0.87	10.8	11.3	0.12	125	0.16	2.13	3.4	2.5
J835689		10.9	3.07	22.0	0.21	3.8	0.037	1.05	18.9	23.3	0.59	319	0.20	2.91	9.9	4.6
J835690		4410	4.85	15.80	0.18	0.6	0.046	5.46	13.3	10.6	0.76	502	253	1.05	4.7	19.8
J835691		11.9	2.07	19.70	0.18	3.3	0.024	0.90	12.9	17.3	0.38	266	0.59	3.61	9.0	4.6
J835692		15.0	3.48	22.6	0.21	3.0	0.030	0.67	17.1	30.5	0.80	344	0.34	2.59	10.3	9.0
J835693		2.9	3.41	23.3	0.21	3.4	0.046	0.57	15.5	27.7	0.84	281	0.33	1.97	11.3	6.4
J835694		7.7	3.96	23.0	0.21	3.4	0.045	0.62	19.0	32.5	0.87	359	0.29	2.16	11.4	6.9
J835695		12.9	4.10	23.0	0.21	3.0	0.053	0.92	15.4	31.0	0.87	422	0.17	2.30	11.1	6.9
J835696		6.9	2.46	17.20	0.18	2.1	0.028	0.98	9.6	17.9	0.46	312	0.38	2.33	6.8	4.1
J835697		8.9	3.96	18.05	0.15	2.6	0.035	0.93	11.7	21.9	0.78	441	0.14	2.66	8.4	5.1
J835698		19.2	3.28	21.3	0.22	2.9	0.035	1.23	18.1	25.6	0.70	349	0.38	2.30	9.0	5.3
J835699		3.2	2.92	20.3	0.20	2.8	0.031	1.50	12.8	28.5	0.75	233	0.22	1.83	8.8	7.0
J835700		>10000	4.63	13.90	0.19	0.9	0.126	0.85	9.3	15.2	1.17	665	238	2.18	4.1	31.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835663		60	7.1	32.3	<0.002	0.01	0.10	0.8	1	0.4	216	0.17	<0.05	4.7	0.026	0.14
J835663 CRD		60	7.4	31.8	<0.002	0.01	0.09	0.8	1	0.3	214	0.16	<0.05	5.0	0.026	0.13
J835664		450	17.5	45.2	<0.002	0.03	0.15	3.9	1	1.1	285	0.38	<0.05	6.2	0.177	0.21
J835665		270	11.5	42.3	<0.002	<0.01	0.14	5.4	1	1.0	256	0.44	<0.05	5.6	0.127	0.20
J835666		600	14.7	43.3	<0.002	0.03	0.18	12.2	2	1.7	299	0.70	<0.05	3.7	0.235	0.21
J835667		430	8.2	41.2	<0.002	0.03	0.16	10.1	1	1.6	252	0.72	<0.05	4.0	0.190	0.25
J835668		350	7.6	50.4	<0.002	0.01	0.16	12.5	2	1.9	214	0.77	<0.05	4.8	0.182	0.28
J835669		130	8.2	37.5	<0.002	0.03	0.09	3.0	1	1.2	169.0	0.86	<0.05	5.2	0.056	0.18
J835670		500	10.7	68.7	<0.002	0.05	0.17	5.1	1	1.0	185.5	0.46	<0.05	6.8	0.192	0.33
J835671		240	4.0	47.3	<0.002	0.03	0.10	2.5	1	0.7	194.0	0.18	<0.05	4.8	0.100	0.23
J835672		390	6.0	55.3	<0.002	0.05	0.13	3.3	1	0.8	176.5	0.26	<0.05	8.0	0.144	0.25
J835673		420	5.0	56.2	<0.002	0.05	0.12	2.4	1	0.8	191.5	0.30	<0.05	5.5	0.162	0.28
J835674		460	4.9	58.4	<0.002	0.03	0.10	3.4	1	0.9	186.0	0.37	<0.05	3.1	0.192	0.30
J835675		900	61.3	85.7	0.147	2.34	7.95	16.1	8	3.1	255	0.29	1.31	4.4	0.310	0.74
J835676		280	6.8	51.2	<0.002	0.11	0.10	3.9	1	2.4	130.5	1.33	0.10	8.0	0.099	0.24
J835677		110	5.1	32.1	<0.002	0.20	0.10	2.5	1	2.7	108.5	1.18	0.15	8.2	0.046	0.15
J835678		110	6.9	34.8	<0.002	0.02	0.08	2.4	1	2.7	152.0	1.06	<0.05	8.3	0.049	0.16
J835679		100	5.0	41.2	<0.002	0.06	0.06	2.2	1	2.6	101.5	0.94	0.05	8.5	0.042	0.18
J835680		100	10.2	37.0	<0.002	0.02	0.06	2.1	1	2.4	128.0	0.96	<0.05	8.0	0.039	0.17
J835681		290	4.9	55.3	<0.002	0.05	0.08	2.9	1	1.4	110.5	0.55	0.06	11.3	0.113	0.27
J835682		320	5.8	55.3	<0.002	0.02	0.09	2.8	1	1.2	141.0	0.43	<0.05	9.3	0.140	0.26
J835683		700	7.0	44.1	<0.002	0.08	0.11	5.9	1	1.1	278	0.37	<0.05	8.0	0.219	0.23
J835683 CRD		750	8.1	47.2	<0.002	0.08	0.12	6.9	1	1.2	291	0.42	<0.05	9.1	0.227	0.24
J835684		630	5.8	45.8	<0.002	0.11	0.10	6.1	1	1.3	226	0.55	0.09	4.0	0.230	0.24
J835685		450	6.1	44.0	<0.002	0.08	0.16	5.6	1	1.1	189.5	0.49	0.06	6.6	0.185	0.22
J835686		220	3.7	26.1	<0.002	<0.01	0.10	2.3	1	0.6	228	0.32	<0.05	4.1	0.101	0.13
J835687		580	5.6	13.0	<0.002	<0.01	0.22	4.7	1	1.2	367	0.82	<0.05	3.7	0.175	0.08
J835688		490	6.0	18.0	<0.002	<0.01	0.18	2.6	1	1.1	348	0.23	<0.05	2.9	0.103	0.10
J835689		840	4.9	30.8	<0.002	0.04	0.15	6.7	2	1.5	193.0	0.56	<0.05	3.9	0.266	0.16
J835690		1140	33.4	99.1	0.531	2.52	6.67	9.8	8	2.7	261	0.30	0.97	2.1	0.247	1.12
J835691		680	7.7	21.9	<0.002	0.05	0.15	4.2	1	1.1	194.5	0.57	0.16	3.3	0.211	0.12
J835692		780	6.0	17.0	<0.002	0.02	0.13	8.4	2	1.4	273	0.58	<0.05	4.9	0.305	0.09
J835693		1090	4.4	10.2	<0.002	0.01	0.12	9.3	2	1.6	344	0.70	<0.05	3.1	0.376	0.07
J835694		1140	5.5	14.8	<0.002	0.01	0.16	9.3	2	1.5	308	0.77	<0.05	2.6	0.383	0.08
J835695		1180	5.3	19.8	<0.002	0.02	0.15	9.1	2	1.8	263	0.75	<0.05	2.2	0.386	0.12
J835696		520	4.3	26.4	<0.002	0.01	0.10	4.8	1	1.2	185.0	0.54	<0.05	2.7	0.188	0.13
J835697		1080	4.5	19.6	<0.002	0.02	0.10	7.1	1	1.2	247	0.53	<0.05	2.1	0.355	0.10
J835698		960	4.9	30.3	<0.002	0.02	0.13	6.9	2	1.2	228	0.51	<0.05	2.9	0.327	0.15
J835699		1070	3.8	31.4	<0.002	<0.01	0.15	7.9	1	1.2	203	0.62	<0.05	2.0	0.313	0.18
J835700		570	37.4	23.7	1.450	1.59	26.9	14.1	6	1.2	280	0.29	0.69	1.9	0.320	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835663		1.3	6	0.5	3.9	11	71.6									
J835663 CRD		1.2	6	0.4	3.8	11	63.6									
J835664		1.0	34	0.4	7.6	58	113.5		0.28	1.0	69.70	14.85	3.06	2.77	0.85	4.01
J835665		1.6	27	0.5	11.2	53	131.0									
J835666		1.3	67	1.4	20.5	81	74.1									
J835667		1.5	58	0.9	16.6	64	75.2									
J835668		1.4	61	0.6	24.1	53	86.7									
J835669		1.6	12	0.5	9.0	15	68.7									
J835670		0.9	45	2.1	7.4	58	82.2									
J835671		0.6	17	1.4	4.3	37	95.9									
J835672		0.9	27	2.9	4.9	58	81.2									
J835673		1.4	30	2.1	3.9	54	54.2									
J835674		0.5	35	1.1	4.6	65	87.2									
J835675		1.3	149	12.3	15.2	166	37.2	2.17								
J835676		1.9	20	1.6	11.8	58	85.0									
J835677		1.7	7	1.3	9.9	22	83.0									
J835678		1.3	5	0.5	12.7	8	84.7									
J835679		1.4	4	0.8	9.9	22	85.6									
J835680		1.4	2	0.6	9.7	36	82.8									
J835681		1.1	16	1.3	8.9	47	143.5									
J835682		0.8	19	1.2	6.7	45	125.5									
J835683		0.9	47	1.3	7.6	70	71.7									
J835683 CRD		1.3	49	1.0	8.7	73	90.3									
J835684		0.8	52	2.2	8.0	70	98.3		0.27	1.0	63.73	15.56	3.82	3.77	1.17	3.87
J835685		3.3	41	0.9	7.6	52	71.0									
J835686		0.9	18	0.6	4.5	7	84.6									
J835687		0.9	42	0.4	8.6	8	73.7									
J835688		0.7	26	0.3	5.5	3	61.0									
J835689		0.9	40	1.9	14.1	49	137.5									
J835690		1.0	153	12.2	12.0	149	17.2									
J835691		0.9	25	3.4	9.3	29	112.0									
J835692		1.0	57	0.4	12.5	42	115.0									
J835693		0.9	62	0.4	19.6	10	127.5									
J835694		1.1	69	0.5	18.5	38	124.5									
J835695		0.8	72	0.9	17.0	53	111.0									
J835696		1.0	36	0.7	8.7	33	67.4									
J835697		0.5	62	0.9	12.8	63	99.9									
J835698		0.7	54	1.3	11.0	49	111.5									
J835699		0.8	60	1.8	12.1	20	97.1									
J835700		0.8	103	6.4	14.3	147	24.5	1.280								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835663										
J835663 CRD										
J835664		1.93	<0.01	0.28	0.04	0.093	0.04	0.06	2.25	99.93
J835665										
J835666										
J835667										
J835668										
J835669										
J835670										
J835671										
J835672										
J835673										
J835674										
J835675										
J835676										
J835677										
J835678										
J835679										
J835680										
J835681										
J835682										
J835683										
J835683 CRD										
J835684		2.09	<0.01	0.39	0.05	0.133	0.04	0.04	3.69	98.35
J835685										
J835686										
J835687										
J835688										
J835689										
J835690										
J835691										
J835692										
J835693										
J835694										
J835695										
J835696										
J835697										
J835698										
J835699										
J835700										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835701		3.27	0.013		0.04	7.08	<0.2	120	0.81	0.02	4.03	0.03	38.0	9.4	9	0.62
J835702		3.25	0.124		0.39	5.94	<0.2	360	0.79	0.01	1.73	<0.02	8.49	1.6	7	0.50
J835703		3.60	<0.005		0.05	7.55	<0.2	390	1.01	<0.01	3.43	0.03	60.3	10.2	14	0.85
J835703 CRD		<0.02	<0.005		0.03	7.00	<0.2	380	1.02	<0.01	3.22	0.03	56.2	10.4	13	0.84
J835704		3.40	0.030	0.024	0.56	6.16	<0.2	420	0.83	<0.01	1.93	0.02	33.4	3.1	7	0.57
J835705		3.29	0.089		0.16	6.54	0.2	490	0.87	0.07	1.45	0.02	20.1	2.5	6	0.57
J835706		3.13	0.022		0.05	6.63	0.2	520	0.86	0.02	1.14	0.02	17.65	1.6	7	0.53
J835707		3.10	<0.005		0.08	6.76	<0.2	630	0.95	0.11	1.62	0.03	42.6	2.8	9	0.75
J835708		3.21	0.080		0.12	6.65	0.2	450	1.12	0.13	1.96	0.04	36.1	5.6	7	0.76
J835709		3.21	0.059		0.06	7.17	<0.2	280	1.01	<0.01	2.97	0.06	46.4	9.7	9	0.66
J835710		3.33	0.094		0.42	6.97	<0.2	270	1.11	0.04	3.63	0.05	46.3	9.0	12	0.69
J835711		3.40	0.137		0.34	6.99	0.3	390	1.06	0.12	3.42	0.05	39.4	8.3	13	0.75
J835712		3.53	0.020		0.12	6.58	<0.2	330	1.16	0.02	2.00	0.02	38.8	3.5	8	0.64
J835713		3.27	0.012		0.06	6.63	0.2	290	1.25	0.01	1.76	0.02	40.8	3.2	9	0.69
J835714		3.27	0.027		0.11	6.58	<0.2	340	1.22	0.02	2.02	0.02	41.8	4.6	8	0.75
J835715		0.12	2.35		8.30	6.63	48.1	580	0.93	3.51	1.60	0.93	54.8	16.7	55	3.18
J835716		2.92	0.073		0.16	7.14	<0.2	340	1.12	0.08	2.54	0.04	49.7	6.8	8	0.81
J835717		2.27	0.177		0.32	6.78	<0.2	390	1.30	0.07	2.37	0.04	49.3	7.7	8	0.96
J835718		2.99	0.048		0.13	7.08	0.3	220	1.34	0.11	1.08	0.02	32.6	2.6	7	0.48
J835719		3.18	0.063		0.09	6.21	<0.2	110	1.38	0.04	0.82	0.02	31.0	1.0	9	0.20
J835720		2.91	0.167		0.19	6.26	0.4	310	1.00	0.07	1.53	0.04	57.1	4.2	10	0.89
J835721		2.12	0.166		0.18	6.23	<0.2	470	0.82	0.10	1.75	0.03	57.9	3.9	9	0.85
J835722		3.83	0.156		0.10	6.35	0.2	520	0.85	0.04	1.24	0.02	54.3	3.7	14	0.93
J835723		3.67	0.405		0.31	6.01	0.3	380	0.94	0.43	0.70	0.02	35.4	4.6	17	0.94
J835723 CRD		<0.02	0.459		0.43	6.05	0.2	390	0.88	0.39	0.71	<0.02	35.9	4.7	17	0.96
J835724		2.28	0.352	0.565	0.10	5.96	<0.2	400	0.82	0.04	3.74	0.03	29.9	2.4	11	1.01
J835725		3.43	4.82		0.74	6.23	<0.2	440	0.71	0.22	5.04	0.03	41.1	2.2	14	1.17
J835726		3.38	0.257		0.17	6.87	<0.2	340	0.87	0.08	2.44	0.05	45.9	7.7	13	1.00
J835727		3.13	0.569		0.03	6.24	<0.2	400	0.87	0.04	1.54	0.03	36.7	2.1	9	0.86
J835728		3.47	2.58		0.71	6.42	<0.2	470	0.92	0.27	1.22	0.04	25.9	2.4	8	0.73
J835729		3.28	0.114		0.11	6.26	<0.2	420	0.70	0.18	0.80	0.02	19.05	1.2	9	0.57
J835730		0.12	0.424		2.28	7.40	109.0	550	1.15	0.53	0.55	0.93	36.1	17.2	34	7.54
J835731		3.38	0.110		0.15	6.48	<0.2	430	0.77	0.09	1.29	0.03	21.4	1.7	9	0.76
J835732		3.19	0.190		0.06	6.14	<0.2	390	0.66	0.06	1.11	0.03	27.9	1.6	8	0.68
J835733		3.39	0.781		0.13	6.38	<0.2	370	0.69	0.10	0.98	0.02	33.1	1.7	8	0.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835701		5.5	2.78	20.4	0.18	2.6	0.030	1.76	14.2	28.3	0.75	215	0.80	1.65	8.0	6.3
J835702		4.4	0.85	14.90	0.11	2.2	0.007	1.60	3.6	3.8	0.13	101	0.36	2.39	1.4	1.7
J835703		25.5	3.12	21.1	0.21	2.5	0.029	2.11	26.3	23.0	0.74	380	0.30	2.09	5.4	9.2
J835703 CRD		25.3	3.01	21.2	0.20	2.2	0.030	2.04	22.6	23.0	0.71	359	0.23	2.07	5.6	9.2
J835704		8.1	1.54	16.30	0.15	2.9	0.009	1.37	13.6	6.7	0.22	191	0.41	3.14	2.6	1.9
J835705		3.6	0.99	16.00	0.12	2.2	0.006	1.67	8.7	2.5	0.12	136	11.25	3.29	1.7	1.3
J835706		11.5	1.02	15.90	0.11	2.7	<0.005	1.52	7.8	1.8	0.10	119	2.54	3.39	1.7	1.3
J835707		6.9	1.36	18.20	0.15	2.9	0.009	1.89	18.5	4.6	0.19	185	0.57	2.93	3.4	2.3
J835708		12.0	1.99	19.60	0.16	3.2	0.020	2.06	14.7	9.8	0.30	266	0.49	2.29	8.0	2.2
J835709		17.7	3.37	22.3	0.23	3.0	0.031	1.51	18.3	22.9	0.64	443	0.28	2.72	11.8	4.7
J835710		18.5	3.00	23.9	0.23	2.3	0.034	1.72	18.2	21.8	0.58	293	0.31	2.17	11.9	6.8
J835711		16.7	2.80	21.3	0.20	2.5	0.027	1.86	16.1	17.0	0.49	336	1.03	2.51	8.7	5.4
J835712		4.8	1.80	17.80	0.16	2.5	0.010	1.54	16.4	8.8	0.23	208	0.92	2.87	3.7	2.2
J835713		4.9	1.43	18.65	0.15	3.2	0.009	1.60	17.3	7.0	0.21	215	1.01	3.00	3.9	2.5
J835714		9.4	1.85	18.95	0.15	3.0	0.014	1.80	17.5	9.5	0.31	288	63.1	2.65	5.3	2.7
J835715		>10000	5.42	15.00	0.23	1.0	0.106	2.74	24.3	17.1	1.13	618	123.5	1.62	6.6	32.4
J835716		19.7	2.54	20.7	0.18	2.5	0.033	1.93	21.1	16.1	0.52	420	1.09	2.92	11.2	3.2
J835717		25.1	2.45	22.0	0.22	2.6	0.043	2.04	19.8	15.3	0.46	422	0.83	2.40	13.1	3.1
J835718		3.9	1.41	20.8	0.14	2.1	0.015	1.21	14.7	7.0	0.20	191	1.91	4.14	11.3	1.5
J835719		4.8	0.70	17.60	0.12	2.4	0.006	0.53	13.9	2.0	0.05	143	2.27	4.71	8.6	0.7
J835720		15.3	1.67	18.75	0.13	3.1	0.020	1.76	30.0	7.9	0.29	291	2.07	2.72	7.8	4.5
J835721		8.2	1.57	16.90	0.16	3.7	0.012	1.70	30.8	7.1	0.27	246	1.62	2.79	3.8	3.5
J835722		4.7	1.62	18.35	0.18	4.1	0.013	1.97	29.1	5.9	0.27	168	2.47	2.45	3.5	3.9
J835723		12.8	1.54	17.40	0.15	2.2	0.013	2.21	19.4	3.8	0.38	135	28.0	1.50	2.9	11.1
J835723 CRD		7.9	1.60	18.35	0.16	2.3	0.016	2.28	19.6	4.0	0.39	142	28.9	1.56	2.9	11.1
J835724		2.6	1.32	14.95	0.19	1.6	0.016	3.19	14.9	2.0	0.23	162	2.06	0.26	3.8	5.6
J835725		6.4	1.62	18.90	0.21	2.6	0.021	4.03	20.8	2.4	0.21	197	0.61	0.34	7.1	3.8
J835726		51.6	2.58	18.55	0.19	1.6	0.024	2.41	24.2	8.8	0.65	407	0.21	2.06	5.4	9.6
J835727		7.6	1.39	17.95	0.16	1.9	0.014	1.96	18.5	3.0	0.20	209	0.58	2.49	4.0	2.9
J835728		10.6	1.35	16.50	0.15	2.0	0.008	1.80	12.5	2.8	0.15	154	2.33	2.58	3.4	2.0
J835729		5.4	0.90	15.30	0.15	2.3	0.006	1.63	9.3	1.3	0.09	92	11.30	2.89	1.5	1.7
J835730		4530	4.74	16.90	0.20	0.8	0.056	5.44	19.6	12.2	0.76	488	258	1.05	5.7	24.1
J835731		8.7	1.06	16.10	0.14	2.4	0.008	1.76	10.8	1.9	0.14	159	5.67	2.91	2.8	1.9
J835732		3.1	1.00	15.30	0.15	2.7	0.009	1.59	13.8	1.7	0.12	148	1.63	3.00	3.3	1.8
J835733		7.1	1.14	16.95	0.15	3.0	0.013	1.75	17.6	2.2	0.15	177	12.45	2.93	5.2	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835701		980	4.0	34.0	<0.002	<0.01	0.24	7.1	1	1.1	190.5	0.49	<0.05	2.5	0.295	0.19
J835702		100	3.1	35.0	<0.002	0.05	0.07	1.3	1	0.5	122.0	0.11	0.27	1.5	0.041	0.17
J835703		800	5.4	47.0	<0.002	0.03	0.14	8.6	1	1.3	192.0	0.52	<0.05	5.6	0.220	0.24
J835703 CRD		780	4.7	41.9	<0.002	0.03	0.15	8.2	1	1.3	187.0	0.55	<0.05	5.2	0.217	0.24
J835704		270	3.2	31.6	<0.002	0.03	0.07	1.9	1	0.6	163.0	0.13	<0.05	5.3	0.082	0.15
J835705		90	5.1	38.6	<0.002	0.16	0.07	1.2	1	0.4	105.0	0.17	0.12	4.8	0.042	0.17
J835706		100	2.8	37.0	<0.002	0.05	0.06	1.1	1	0.4	122.0	0.14	<0.05	3.9	0.042	0.15
J835707		220	7.8	46.2	<0.002	0.03	0.08	1.9	1	0.7	153.5	0.21	<0.05	7.5	0.086	0.20
J835708		400	6.6	49.5	<0.002	0.08	0.09	2.9	2	1.2	128.5	0.91	0.06	6.0	0.171	0.22
J835709		910	6.5	35.5	<0.002	0.03	0.10	6.6	2	1.7	216	1.03	<0.05	4.8	0.324	0.18
J835710		900	6.9	34.8	<0.002	0.10	0.12	7.4	2	2.1	212	1.25	0.27	5.6	0.275	0.19
J835711		760	8.6	40.2	<0.002	0.32	0.11	5.5	1	1.5	169.0	0.60	0.24	5.4	0.223	0.19
J835712		300	5.5	35.6	<0.002	0.04	0.08	2.3	1	0.7	183.5	0.33	0.06	5.9	0.104	0.17
J835713		240	5.9	40.3	<0.002	0.04	0.07	2.4	1	0.7	191.0	0.30	<0.05	7.3	0.107	0.19
J835714		360	4.9	46.6	0.005	0.05	0.09	3.8	1	1.0	164.5	0.44	0.08	7.0	0.136	0.22
J835715		860	59.6	81.1	0.142	2.29	7.77	15.3	8	2.8	253	0.28	1.08	4.3	0.304	0.70
J835716		740	9.4	46.7	<0.002	0.11	0.15	10.7	1	1.7	162.0	1.29	0.11	4.8	0.217	0.23
J835717		670	9.8	56.8	<0.002	0.16	0.14	12.7	2	2.1	161.5	1.77	0.20	5.2	0.209	0.26
J835718		270	3.6	33.7	<0.002	0.11	0.08	3.5	1	2.1	115.5	1.12	0.12	5.7	0.074	0.14
J835719		90	3.6	14.7	<0.002	0.09	0.05	1.7	1	1.3	118.5	0.99	0.08	6.7	0.016	0.05
J835720		360	6.8	57.6	<0.002	0.10	0.13	2.9	1	1.4	138.0	0.72	0.12	8.7	0.126	0.22
J835721		270	6.8	54.6	<0.002	0.10	0.09	2.0	1	0.7	154.5	0.22	0.10	9.5	0.108	0.20
J835722		270	3.9	63.7	<0.002	0.11	0.09	1.9	1	0.6	114.5	0.17	0.09	8.7	0.103	0.20
J835723		440	4.8	71.8	<0.002	0.19	0.12	3.0	1	0.8	54.2	0.24	0.19	5.6	0.074	0.24
J835723 CRD		410	4.2	60.2	<0.002	0.18	0.12	3.2	1	0.9	57.8	0.26	0.28	5.5	0.072	0.23
J835724		360	5.9	66.6	<0.002	0.10	0.13	4.6	1	0.7	125.5	0.31	<0.05	3.7	0.122	0.29
J835725		630	11.9	74.3	<0.002	0.15	0.19	3.9	1	1.0	182.0	0.57	0.15	5.4	0.200	0.39
J835726		590	5.8	69.4	<0.002	0.12	0.11	5.5	1	1.0	164.0	0.47	0.09	5.3	0.182	0.25
J835727		220	5.1	64.7	<0.002	0.06	0.08	2.2	1	0.7	123.0	0.27	<0.05	5.5	0.080	0.23
J835728		150	9.3	56.6	<0.002	0.34	0.07	1.7	1	0.6	98.5	0.36	0.29	5.2	0.061	0.19
J835729		40	9.9	49.2	<0.002	0.07	0.07	0.8	1	0.3	89.3	0.18	0.05	5.3	0.029	0.17
J835730		1110	43.8	123.0	0.626	2.44	7.73	12.1	9	3.1	250	0.37	0.98	2.6	0.260	1.34
J835731		150	6.4	54.5	<0.002	0.09	0.08	1.5	1	0.5	111.0	0.23	0.11	4.5	0.060	0.20
J835732		110	5.8	49.2	<0.002	0.11	0.06	1.4	1	0.6	105.0	0.28	0.05	6.3	0.048	0.17
J835733		200	5.7	57.1	<0.002	0.13	0.07	1.8	1	1.1	94.5	0.42	0.09	7.1	0.055	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835701		0.7	57	0.7	9.4	17	98.6									
J835702		0.7	14	0.7	2.6	6	48.0									
J835703		0.9	60	1.0	9.7	47	83.0									
J835703 CRD		0.7	59	1.0	9.1	47	77.2									
J835704		1.0	14	2.0	4.5	23	82.6		0.63	2.3	69.90	13.48	2.23	2.70	0.43	4.41
J835705		1.0	13	1.8	2.9	14	54.3									
J835706		1.3	10	1.1	3.0	16	66.9									
J835707		0.7	13	1.7	5.1	32	95.9									
J835708		1.3	28	2.0	12.6	43	92.1									
J835709		1.0	50	5.3	15.9	71	114.0									
J835710		1.0	51	2.2	15.9	31	76.4									
J835711		0.9	43	4.1	9.0	37	88.8									
J835712		1.2	21	1.4	6.0	28	76.4									
J835713		1.3	16	1.8	6.1	34	105.0									
J835714		1.1	24	2.1	8.0	38	101.5									
J835715		1.2	139	12.0	13.6	159	30.3	2.14								
J835716		0.7	36	5.8	10.5	59	95.6									
J835717		1.3	39	5.9	13.8	63	94.9									
J835718		1.5	15	2.3	5.3	28	48.7									
J835719		2.1	4	0.8	6.0	5	44.7									
J835720		1.1	19	2.2	6.0	46	103.5									
J835721		0.9	18	2.3	4.9	39	133.0									
J835722		1.0	23	2.3	5.1	38	148.5									
J835723		1.0	36	2.3	4.1	24	72.8									
J835723 CRD		1.0	36	2.2	4.2	24	79.5									
J835724		0.7	27	1.3	4.3	13	53.8		1.23	4.5	67.61	13.04	1.90	5.30	0.54	0.38
J835725		0.7	33	1.6	4.7	15	93.7									
J835726		0.8	45	1.8	4.3	67	57.2									
J835727		0.8	19	1.9	3.7	27	70.1									
J835728		0.8	19	2.1	3.5	26	70.0									
J835729		1.6	13	1.6	2.8	18	57.0									
J835730		1.2	161	13.3	15.8	158	26.5									
J835731		1.5	17	2.4	3.3	23	79.3									
J835732		1.0	13	1.7	4.1	20	80.4									
J835733		1.1	14	2.0	5.9	25	93.4									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835701										
J835702										
J835703										
J835703 CRD										
J835704		1.67	<0.01	0.16	0.02	0.061	0.03	0.04	2.96	98.09
J835705										
J835706										
J835707										
J835708										
J835709										
J835710										
J835711										
J835712										
J835713										
J835714										
J835715										
J835716										
J835717										
J835718										
J835719										
J835720										
J835721										
J835722										
J835723										
J835723 CRD										
J835724		3.92	<0.01	0.19	0.02	0.080	0.03	0.04	5.95	99.00
J835725										
J835726										
J835727										
J835728										
J835729										
J835730										
J835731										
J835732										
J835733										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 14-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178471

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.