ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 29-DEC-2010
This copy reported on 27-MAY-2011
Account: OSIHRG

CERTIFICATE TB10180656

Project: HAMMOND REEF

P.O. No.:

This report is for 151 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835976		2.75	<0.005		0.09	8.28	1.1	270	1.09	0.02	3.43	0.05	63.2	12.9	12	0.34
J835977		2.88	<0.005		0.03	7.68	<0.2	440	0.97	0.01	2.35	0.02	42.0	7.7	11	0.44
J835978		2.77	<0.005		0.04	7.35	<0.2	330	1.00	0.01	3.61	0.02	45.5	9.2	10	0.39
J835979		2.73	0.015		0.05	6.93	<0.2	270	0.95	<0.01	3.31	0.03	30.5	6.2	9	0.56
J835980		3.50	<0.005		0.02	6.65	<0.2	290	0.93	<0.01	1.53	<0.02	7.44	0.6	6	0.46
J835981		3.28	<0.005		0.01	6.19	<0.2	200	0.99	0.01	2.64	<0.02	17.15	0.7	8	0.33
J835982		2.94	0.005		0.02	6.42	<0.2	290	0.90	<0.01	2.06	0.02	22.1	0.8	7	0.51
J835983		3.15	<0.005		0.02	7.46	<0.2	270	0.87	0.01	2.86	0.03	37.3	9.5	12	0.49
J835984		3.19	<0.005		0.03	7.47	<0.2	220	0.93	0.01	3.15	0.03	45.7	9.6	13	0.53
J835985		3.04	<0.005		0.02	6.90	<0.2	220	0.98	0.01	3.00	0.02	39.5	5.5	17	0.43
J835986		2.99	<0.005		0.42	6.21	<0.2	300	0.77	0.01	2.83	0.03	18.50	2.1	7	0.64
J835987		3.11	<0.005		0.03	7.12	<0.2	220	1.02	0.02	3.91	0.03	32.4	4.9	11	0.73
J835988		3.03	<0.005		0.05	6.53	<0.2	110	1.04	<0.01	2.71	0.02	17.10	2.2	6	0.38
J835989		2.98	0.005		0.04	7.06	<0.2	170	0.92	0.01	3.34	0.03	32.9	7.6	12	0.46
J835990		0.07	0.399		2.34	7.77	115.0	600	1.31	0.54	0.55	1.09	33.3	19.1	37	7.49
J835991		3.03	<0.005		0.05	7.06	<0.2	250	0.91	<0.01	2.49	0.03	33.0	6.5	10	0.46
J835992		3.13	<0.005		0.03	6.98	<0.2	370	0.81	<0.01	1.82	0.02	44.5	4.6	8	0.46
J835993		3.02	<0.005		0.02	6.92	<0.2	360	0.90	0.01	2.54	0.03	36.4	5.8	10	0.54
J835994		3.13	<0.005		<0.01	6.71	0.5	690	0.82	<0.01	2.31	0.02	30.0	4.3	12	0.65
J835995		2.82	<0.005		0.12	7.46	<0.2	470	0.95	<0.01	3.71	0.05	26.7	10.3	16	0.96
J835995 CRD		<0.02	<0.005		<0.01	6.99	<0.2	470	0.92	<0.01	3.59	0.04	23.9	9.3	15	0.86
J835996		2.64	0.005	<0.005	<0.01	6.38	<0.2	350	0.89	<0.01	3.65	0.05	27.5	6.9	12	0.76
J835997		2.24	0.005		0.03	6.97	<0.2	350	0.82	<0.01	3.16	0.05	29.8	11.5	15	0.69
J835998		2.69	0.009		0.31	7.22	<0.2	60	0.27	0.14	6.95	0.09	10.75	40.8	82	0.14
J835999		3.76	<0.005		0.01	7.22	0.2	220	0.82	0.02	2.98	0.03	29.6	9.6	14	0.46
J838550		4.02	<0.005		0.04	6.58	<0.2	200	0.81	0.03	3.83	0.05	24.7	9.7	14	0.42
J838551		4.19	<0.005		0.01	7.12	0.3	220	0.90	0.05	2.77	0.03	26.1	10.6	14	0.46
J838552		3.29	<0.005		0.05	7.09	<0.2	210	0.90	0.04	3.44	0.05	27.9	11.6	17	0.49
J838553		3.21	<0.005		<0.01	7.35	<0.2	300	0.85	0.03	3.09	0.03	28.5	6.9	13	0.75
J838554		3.17	<0.005		0.03	7.17	0.2	280	0.79	0.05	3.03	0.03	29.1	5.2	8	0.75
J838555		2.96	<0.005		0.01	7.03	0.2	230	0.82	0.15	2.73	0.03	27.8	4.9	9	0.67
J838556		3.03	<0.005		<0.01	6.99	<0.2	170	0.82	0.06	3.16	0.03	26.5	5.0	10	0.38
J838557		3.02	<0.005		<0.01	7.20	<0.2	180	0.79	0.03	2.77	0.02	28.3	5.4	8	0.40
J838558		3.37	<0.005		<0.01	7.29	0.2	220	0.82	0.03	2.77	0.02	30.3	5.5	9	0.43
J838559		3.15	<0.005		<0.01	6.11	<0.2	170	0.76	0.08	3.82	0.02	22.5	5.6	10	0.49
J838560		0.07	0.935		4.72	6.52	20.3	470	0.69	1.66	2.43	2.18	21.3	13.9	57	0.80
J838561		3.83	<0.005		0.02	8.07	<0.2	190	0.39	0.14	8.99	0.08	11.50	25.5	188	0.53
J838562		4.30	<0.005		<0.01	7.77	<0.2	240	0.93	0.08	3.74	0.03	51.4	18.4	10	0.56
J838563		3.77	<0.005		0.05	7.87	<0.2	180	0.70	0.31	6.42	0.05	42.6	26.6	78	0.33
J838564		3.46	<0.005		0.07	8.12	<0.2	180	0.73	1.47	5.84	0.06	53.4	23.1	38	0.40

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835976		15.9	3.79	22.5	0.23	2.7	0.047	0.92	29.4	16.2	0.92	451	0.27	2.93	13.3	11.5
J835977		16.1	2.56	19.00	0.20	2.4	0.020	1.17	22.0	10.3	0.58	299	0.20	3.06	6.1	7.6
J835978		36.8	3.00	19.40	0.21	2.2	0.025	0.86	22.6	14.7	0.67	435	0.19	3.11	6.0	8.3
J835979		22.0	2.43	18.80	0.19	2.4	0.022	1.26	15.4	12.1	0.47	311	0.17	2.76	7.8	5.4
J835980		2.0	0.65	15.25	0.11	2.0	<0.005	1.31	3.5	3.0	0.06	71	0.13	3.05	3.5	0.9
J835981		1.3	0.88	13.70	0.12	2.8	0.009	1.17	8.3	3.0	0.07	92	1.86	2.24	6.2	1.1
J835982		3.9	0.97	15.85	0.14	3.0	0.009	1.49	11.1	3.4	0.08	140	0.24	2.54	4.2	1.6
J835983		10.1	2.80	18.55	0.19	3.4	0.024	1.10	18.8	17.3	0.68	309	0.15	2.57	6.1	11.9
J835984		5.2	2.93	18.80	0.21	3.4	0.019	1.09	24.1	21.2	0.69	245	0.16	2.36	6.7	9.9
J835985		2.2	1.90	17.15	0.18	2.6	0.017	1.05	21.3	15.0	0.48	174	1.47	2.55	5.6	13.9
J835986		3.1	1.32	16.70	0.14	2.5	0.015	1.79	9.3	7.4	0.24	133	0.80	1.64	4.4	3.5
J835987		2.0	2.03	19.45	0.19	3.3	0.026	1.70	16.5	16.6	0.43	159	1.42	1.73	8.1	8.2
J835988		1.4	1.13	14.90	0.14	2.0	0.010	0.75	8.2	17.2	0.18	115	0.30	2.22	3.3	3.4
J835989		9.0	2.59	18.75	0.20	3.1	0.024	0.90	15.6	22.3	0.57	308	0.26	2.35	5.5	11.2
J835990		4920	4.92	17.85	0.21	0.8	0.061	2.92	17.8	12.2	0.78	512	283	1.07	5.3	25.1
J835991		14.6	2.49	19.50	0.20	3.5	0.023	0.92	16.2	14.3	0.43	346	0.36	2.83	6.1	5.6
J835992		8.7	2.06	17.90	0.18	4.1	0.018	1.02	21.4	10.5	0.32	255	0.24	3.01	5.8	3.0
J835993		5.3	2.14	18.95	0.20	3.9	0.024	1.19	17.6	12.7	0.40	289	0.18	2.78	6.7	3.7
J835994		3.3	1.96	17.15	0.07	3.2	0.014	1.61	13.3	9.1	0.31	220	0.23	2.60	3.9	5.5
J835995		4.5	3.31	21.1	0.10	2.8	0.031	2.13	12.3	21.2	0.89	384	0.21	1.51	7.1	16.0
J835995 CRD		4.6	3.09	19.85	0.09	2.8	0.030	2.05	10.4	19.9	0.81	366	0.17	1.66	6.4	13.9
J835996		8.6	2.33	17.45	0.09	3.2	0.026	1.61	13.0	14.1	0.62	368	0.22	2.04	4.7	10.4
J835997		17.7	3.24	18.75	0.08	3.1	0.030	1.58	12.2	23.3	0.91	429	0.21	2.34	5.4	15.5
J835998		106.0	8.53	16.15	0.08	1.1	0.059	0.27	5.4	68.0	3.31	1240	0.46	0.53	2.3	65.6
J835999		8.5	2.88	19.75	0.08	3.5	0.025	0.92	12.9	24.2	0.79	323	0.17	2.90	5.0	13.4
J838550		9.3	2.84	18.25	0.08	3.7	0.031	0.85	10.5	24.7	0.74	474	0.26	2.71	4.9	14.2
J838551		13.8	2.98	19.50	0.07	3.4	0.034	0.90	11.9	26.7	0.82	399	0.31	2.74	5.1	15.4
J838552		9.9	3.19	20.5	0.08	3.4	0.035	0.94	12.6	28.4	0.91	419	0.15	2.66	6.5	17.5
J838553		2.4	2.13	19.70	0.07	3.6	0.021	1.73	13.9	18.6	0.57	218	0.32	2.41	4.1	10.7
J838554		1.1	1.72	18.75	0.07	3.8	0.016	1.74	15.1	13.6	0.42	170	0.33	2.39	3.2	6.8
J838555		0.7	1.58	19.25	0.07	3.8	0.015	1.55	14.5	18.4	0.42	138	0.43	2.23	3.5	6.7
J838556		2.1	1.61	18.15	0.07	3.7	0.014	0.87	14.0	24.5	0.40	155	1.51	2.88	3.5	7.0
J838557		2.6	1.66	18.70	0.07	3.7	0.013	0.90	15.1	24.8	0.42	141	0.29	2.94	4.2	6.6
J838558		0.6	1.73	18.80	0.08	3.7	0.013	0.99	16.6	24.4	0.42	151	0.25	2.77	5.3	6.7
J838559		3.9	1.71	17.75	0.09	3.4	0.022	1.08	11.2	21.3	0.46	269	0.43	2.52	5.5	10.5
J838560		>10000	4.60	13.25	0.09	1.0	0.136	0.84	10.3	14.4	1.17	653	233	2.17	4.0	31.9
J838561		4.6	7.11	23.1	0.07	0.7	0.065	1.18	5.7	66.9	3.06	759	0.70	0.34	4.3	101.0
J838562		1.5	4.33	18.60	0.09	3.1	0.028	1.37	23.4	64.7	1.67	400	0.43	0.91	6.8	26.3
J838563		2.1	5.72	19.85	0.09	1.9	0.044	1.01	20.4	71.2	2.58	741	6.93	1.22	3.4	64.6
J838564		30.6	4.63	20.9	0.11	2.1	0.036	1.13	24.4	55.9	1.80	667	3.13	2.19	3.1	33.7

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835976		900	8.7	27.8	<0.002	0.02	0.12	12.0	1	2.3	351	1.95	<0.05	6.0	0.313	0.13
J835977		450	10.0	44.0	<0.002	<0.01	0.08	5.7	1	1.1	252	0.67	<0.05	5.7	0.192	0.16
J835978		650	18.9	26.7	<0.002	0.02	0.09	6.9	1	1.3	311	0.63	<0.05	4.5	0.232	0.12
J835979		510	6.6	37.2	<0.002	0.02	0.08	4.8	1	1.3	214	0.84	<0.05	2.9	0.187	0.17
J835980		30	5.3	36.3	<0.002	<0.01	<0.05	0.8	1	0.4	137.5	0.73	<0.05	3.3	0.020	0.14
J835981		100	5.5	28.8	<0.002	<0.01	0.05	2.0	1	0.7	202	0.87	<0.05	3.3	0.038	0.12
J835982		60	7.0	41.8	<0.002	0.01	0.05	1.5	1	0.7	153.5	0.32	<0.05	6.3	0.041	0.16
J835983		410	5.6	33.7	<0.002	<0.01	0.07	6.9	1	1.1	228	0.61	<0.05	4.6	0.231	0.16
J835984		510	5.5	31.0	<0.002	<0.01	0.08	7.1	1	1.2	240	0.78	<0.05	5.0	0.213	0.15
J835985		340	8.5	29.9	<0.002	<0.01	0.08	4.5	1	1.0	211	0.45	<0.05	5.6	0.115	0.13
J835986		130	5.8	42.5	<0.002	0.01	0.06	2.3	1	0.8	132.5	0.61	<0.05	3.4	0.073	0.23
J835987		370	5.6	46.1	<0.002	<0.01	0.12	6.2	1	1.4	203	1.17	<0.05	5.0	0.178	0.22
J835988		100	5.1	22.2	<0.002	<0.01	0.08	2.1	1	0.6	277	0.38	<0.05	2.9	0.055	0.10
J835989		420	5.0	26.1	<0.002	<0.01	0.13	5.9	1	1.2	253	0.41	<0.05	3.9	0.170	0.13
J835990		1190	43.2	73.0	0.643	2.48	7.51	11.9	9	2.9	260	0.34	0.98	2.7	0.259	1.46
J835991		530	4.7	33.0	<0.002	<0.01	0.10	4.6	1	1.1	217	0.58	<0.05	2.7	0.183	0.15
J835992		410	3.7	36.8	<0.002	<0.01	0.11	4.1	1	1.0	181.0	0.42	<0.05	6.8	0.131	0.15
J835993		450	3.9	38.2	<0.002	<0.01	0.09	4.7	1	1.1	191.0	0.58	<0.05	4.0	0.153	0.17
J835994		240	4.7	45.2	<0.002	<0.01	0.10	3.7	1	0.7	144.0	0.24	<0.05	5.1	0.112	0.20
J835995		430	5.0	54.1	<0.002	<0.01	0.13	9.0	1	1.4	126.5	0.77	<0.05	3.1	0.234	0.30
J835995 CRD		430	4.6	42.9	<0.002	<0.01	0.11	7.8	1	1.3	128.0	0.65	<0.05	3.0	0.219	0.27
J835996		360	5.2	51.0	<0.002	0.01	0.11	6.4	1	1.1	158.0	0.35	<0.05	3.8	0.175	0.22
J835997		460	3.8	40.1	<0.002	<0.01	0.13	8.1	1	1.0	132.5	0.41	<0.05	3.0	0.229	0.23
J835998		310	2.9	9.1	0.002	<0.01	0.21	32.1	1	0.4	117.5	0.21	<0.05	0.6	0.384	0.04
J835999		480	4.0	26.8	<0.002	<0.01	0.15	7.6	1	1.0	222	0.49	<0.05	2.6	0.196	0.16
J838550		400	4.4	21.2	<0.002	<0.01	0.18	7.0	1	1.1	224	0.50	<0.05	2.8	0.196	0.15
J838551		440	4.6	27.1	<0.002	<0.01	0.19	8.0	1	1.2	229	0.53	<0.05	2.7	0.196	0.15
J838552		480	4.5	26.6	<0.002	<0.01	0.20	9.2	1	1.3	228	0.63	<0.05	3.2	0.230	0.17
J838553		410	4.5	52.5	<0.002	<0.01	0.13	5.1	1	0.9	190.5	0.41	<0.05	4.3	0.165	0.26
J838554		380	5.0	42.0	<0.002	<0.01	0.11	3.0	1	0.7	186.5	0.48	<0.05	5.0	0.141	0.25
J838555		360	4.3	46.0	<0.002	<0.01	0.11	3.0	1	0.7	204	0.55	<0.05	4.9	0.145	0.23
J838556		360	4.6	23.5	0.003	<0.01	0.12	2.8	1	0.7	268	0.44	<0.05	4.7	0.135	0.13
J838557		370	4.3	26.8	<0.002	<0.01	0.11	2.9	1	0.7	265	0.39	<0.05	4.9	0.121	0.14
J838558		370	4.2	33.1	<0.002	<0.01	0.14	3.1	1	0.8	252	0.39	<0.05	5.6	0.136	0.16
J838559		330	3.5	25.4	<0.002	<0.01	0.13	3.8	1	1.0	214	0.38	<0.05	3.8	0.142	0.17
J838560		590	38.1	25.7	1.330	1.60	25.6	14.1	6	1.0	281	0.29	0.54	2.1	0.319	0.21
J838561		230	3.9	41.5	0.002	<0.01	0.35	38.1	1	1.3	251	0.23	<0.05	0.9	0.341	0.17
J838562		600	3.7	25.4	<0.002	<0.01	0.16	5.5	1	1.2	276	0.51	<0.05	7.6	0.206	0.20
J838563		430	3.8	11.0	<0.002	<0.01	0.22	15.2	1	1.0	254	0.29	<0.05	3.8	0.258	0.15
J838564		660	4.2	15.5	<0.002	<0.01	0.16	13.0	1	0.7	256	0.24	<0.05	4.8	0.308	0.16

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835976		1.5	70	0.3	30.3	42	104.5									
J835977		1.4	43	0.3	10.3	29	84.1									
J835978		1.1	57	0.4	10.3	44	76.4									
J835979		1.2	36	1.4	9.9	33	93.9									
J835980		1.3	3	0.1	5.1	3	43.1									
J835981		2.3	8	0.1	11.1	2	65.7									
J835982		2.0	9	0.3	7.3	3	78.9									
J835983		1.5	51	0.1	10.9	33	139.0									
J835984		1.9	47	0.3	12.4	18	138.0									
J835985		2.7	28	0.3	8.3	11	86.0									
J835986		1.4	22	0.4	5.4	6	80.5									
J835987		2.5	39	0.7	9.6	10	119.5									
J835988		1.3	14	0.1	4.4	4	59.8									
J835989		0.7	41	0.2	7.8	34	123.0									
J835990		1.3	167	12.4	15.9	159	24.8									
J835991		1.7	32	0.1	8.9	63	141.0									
J835992		1.4	20	0.1	8.9	45	151.0									
J835993		1.0	29	0.1	8.4	46	153.0									
J835994		0.6	21	0.9	5.4	22	102.0									
J835995		1.0	60	1.9	7.8	39	101.0									
J835995 CRD		0.9	57	1.6	6.7	39	99.0									
J835996		0.8	45	2.0	8.5	28	113.5		1.12	4.1	64.51	13.18	3.30	5.14	1.16	2.84
J835997		0.7	63	2.1	6.3	37	116.0									
J835998		0.2	247	0.6	9.9	107	34.7									
J835999		0.7	57	0.3	7.9	27	130.0									
J838550		1.1	56	0.8	7.3	39	140.0									
J838551		0.8	60	0.5	8.0	43	125.0									
J838552		1.0	69	0.3	10.7	39	134.0									
J838553		0.6	35	0.9	5.1	24	142.5									
J838554		0.8	23	0.9	5.7	18	152.5									
J838555		1.0	22	0.3	5.8	12	152.5									
J838556		1.1	20	0.1	5.8	11	153.5									
J838557		0.8	21	0.2	5.3	13	151.5									
J838558		0.6	21	0.2	5.4	14	151.5									
J838559		0.5	28	0.3	6.0	11	140.5									
J838560		0.8	102	5.6	14.9	147	27.4	1.305								
J838561		0.6	203	0.6	4.6	56	19.3									
J838562		0.6	49	0.4	4.7	33	106.5									
J838563		0.4	122	1.1	5.0	52	56.3									
J838564		0.4	125	0.9	5.3	50	69.1									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835976										
J835977										
J835978										
J835979										
J835980										
J835981										
J835982										
J835983										
J835984										
J835985										
J835986										
J835987										
J835988										
J835989										
J835990										
J835991										
J835992										
J835993										
J835994										
J835995										
J835995 CRD										
J835996		2.04	<0.01	0.39	0.04	0.080	0.03	0.03	5.69	98.43
J835997										
J835998										
J835999										
J838550										
J838551										
J838552										
J838553										
J838554										
J838555										
J838556										
J838557										
J838558										
J838559										
J838560										
J838561										
J838562										
J838563										
J838564										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838565		2.83	0.022		0.06	7.41	<0.2	470	1.05	0.09	2.66	0.03	43.6	6.5	10	0.92
J838565 CRD		<0.02	0.018		0.10	7.29	<0.2	480	1.07	0.10	2.63	0.04	38.4	6.4	12	0.94
J838566		3.26	<0.005	<0.005	<0.01	7.06	<0.2	380	1.26	<0.01	2.35	0.04	66.2	7.3	11	0.92
J838567		3.03	<0.005		<0.01	7.36	<0.2	500	1.14	<0.01	2.64	0.03	62.8	9.8	12	0.86
J838568		3.36	<0.005		0.02	6.87	<0.2	520	1.07	<0.01	2.62	0.04	49.0	7.4	10	0.94
J838569		3.17	<0.005		0.04	7.11	<0.2	410	0.92	<0.01	3.01	0.05	28.8	14.6	25	0.83
J838570		3.06	<0.005		0.03	7.00	<0.2	470	0.94	<0.01	1.62	0.04	49.0	4.5	11	0.60
J838571		3.02	0.006		0.01	6.82	<0.2	370	0.78	<0.01	1.13	0.02	30.5	1.5	5	0.46
J838572		2.93	<0.005		0.04	7.06	<0.2	750	1.16	<0.01	2.42	0.03	69.2	8.6	13	1.35
J838573		2.95	<0.005		<0.01	6.90	<0.2	590	1.12	<0.01	1.85	0.03	30.2	3.2	8	0.81
J838574		3.06	<0.005		0.01	6.58	0.2	520	0.78	<0.01	1.19	0.02	19.85	1.1	9	0.47
J838575		0.12	2.44		8.25	6.69	52.7	620	0.90	3.17	1.62	1.06	54.5	16.4	53	3.39
J838576		3.35	<0.005		<0.01	6.73	0.2	540	0.95	<0.01	1.57	<0.02	35.1	1.8	7	0.48
J838577		3.34	<0.005		<0.01	7.48	<0.2	280	0.92	<0.01	2.32	0.04	35.6	5.8	9	0.54
J838578		3.55	0.012		0.05	7.24	0.8	320	0.61	0.03	2.68	0.06	47.1	7.5	9	0.58
J838579		3.28	0.006		0.03	6.43	0.3	380	0.89	0.01	1.89	0.05	22.6	3.0	7	0.71
J838580		3.28	0.005		0.03	6.68	0.5	340	0.95	0.02	1.53	0.02	27.0	2.6	8	0.68
J838581		3.40	<0.005		<0.01	6.57	0.4	440	0.82	0.02	1.35	0.02	26.7	1.9	7	0.57
J838582		3.25	<0.005		0.19	7.64	0.4	410	0.86	0.01	2.24	0.03	85.5	7.5	7	0.88
J838583		3.23	<0.005		0.02	6.33	0.5	390	0.71	0.01	2.44	0.04	42.0	7.5	5	0.76
J838584		3.38	<0.005		0.05	7.40	0.4	380	0.92	0.02	3.01	0.05	34.3	9.3	6	0.93
J838585		3.16	0.007		0.04	7.73	<0.2	410	0.80	0.02	3.57	0.06	30.1	11.8	5	1.08
J838585 CRD		<0.02	0.006		0.06	8.05	1.0	420	0.85	0.03	3.74	0.05	31.6	12.3	5	1.12
J838586		2.79	<0.005	<0.005	0.02	8.06	<0.2	500	0.99	0.02	3.39	0.05	33.8	12.2	7	1.20
J838587		3.40	<0.005		0.02	6.45	0.7	330	1.35	0.02	0.82	0.02	31.3	0.7	9	0.39
J838588		3.48	<0.005		4.76	6.26	0.8	300	1.12	0.02	0.78	<0.02	35.1	0.8	7	0.37
J838589		3.03	<0.005		0.01	6.23	0.8	340	1.07	0.02	0.66	0.02	35.7	0.7	7	0.43
J838590		0.12	0.437		2.16	7.75	109.5	610	1.22	0.53	0.54	0.97	34.6	18.8	32	7.52
J838591		3.12	<0.005		0.02	6.55	0.6	390	1.11	0.02	0.72	0.03	35.6	0.7	8	0.52
J838592		3.16	<0.005		0.01	6.29	0.8	350	1.09	0.02	0.77	0.02	32.6	0.8	11	0.45
J838593		3.03	<0.005		<0.01	6.79	0.9	370	1.18	0.02	0.74	0.03	34.0	0.7	7	0.49
J838594		3.38	<0.005		<0.01	6.60	1.0	380	1.32	0.01	0.80	0.02	33.7	0.8	7	0.52
J838595		3.40	<0.005		0.01	6.13	0.8	400	1.38	0.06	0.84	0.02	28.1	0.9	7	0.54
J838596		2.94	<0.005		0.01	6.37	0.4	450	1.49	0.03	0.69	<0.02	37.0	0.7	8	0.67
J838597		3.26	<0.005		0.02	6.43	0.5	520	1.57	0.02	0.69	<0.02	33.4	0.7	7	0.61
J838598		3.07	<0.005		0.02	6.48	0.3	450	1.55	0.03	0.80	<0.02	34.7	0.7	8	0.57
J838599		3.06	<0.005		0.05	6.63	0.9	520	1.63	0.10	0.75	0.03	41.8	0.9	7	0.71
J838600		0.07	0.931		5.55	6.02	21.2	450	0.72	1.70	2.21	2.17	21.3	14.1	56	0.81
J838601		3.05	0.026		0.13	6.52	0.7	390	1.23	0.04	2.07	0.03	33.3	8.8	52	0.61
J838602		3.18	<0.005		0.05	6.65	0.9	450	1.27	0.02	0.76	<0.02	40.0	1.0	8	0.72

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838565		29.1	2.08	19.85	0.10	2.7	0.021	2.14	20.6	11.8	0.51	316	4.04	2.31	4.3	8.2
J838565 CRD		35.4	1.99	20.0	0.09	3.0	0.021	2.27	17.8	11.5	0.49	307	3.63	2.27	4.2	8.5
J838566		18.2	2.51	20.6	0.11	2.8	0.025	1.86	31.9	14.1	0.59	385	0.28	2.40	6.9	6.7
J838567		43.0	2.95	20.1	0.13	2.4	0.030	1.74	27.7	17.0	0.75	448	0.26	2.72	6.3	9.2
J838568		14.9	2.41	18.10	0.12	2.8	0.024	1.88	22.6	12.5	0.59	393	0.19	2.40	5.7	7.8
J838569		26.8	3.95	18.85	0.12	2.8	0.040	1.57	13.1	23.0	1.06	606	0.25	2.38	6.7	22.8
J838570		11.6	1.63	17.45	0.08	2.4	0.013	1.41	24.5	6.7	0.35	244	0.19	3.16	4.4	5.8
J838571		6.5	0.95	15.75	0.06	2.6	0.006	1.16	14.9	1.6	0.10	122	0.31	4.18	2.0	1.6
J838572		38.9	2.61	18.80	0.13	1.9	0.025	2.50	30.4	10.1	0.64	445	0.19	2.05	5.6	8.8
J838573		20.8	1.67	18.25	0.09	2.2	0.017	1.69	13.7	4.3	0.24	301	0.31	3.09	6.7	3.3
J838574		1.9	0.81	14.95	0.05	1.7	0.005	1.27	8.9	1.0	0.09	110	0.22	3.61	1.7	0.9
J838575		>10000	5.75	14.45	0.12	1.1	0.118	2.67	24.3	16.1	1.20	627	109.0	1.64	6.5	33.6
J838576		4.1	1.34	16.90	0.07	2.8	0.010	1.20	16.0	2.9	0.12	165	0.33	3.23	2.2	1.2
J838577		13.7	2.37	20.2	0.11	2.6	0.023	1.31	16.4	9.5	0.39	298	0.26	2.89	5.8	2.5
J838578		21.6	2.65	19.65	0.12	2.8	0.029	1.52	21.7	11.0	0.51	350	0.18	2.52	7.1	3.6
J838579		6.5	1.50	17.55	0.10	3.0	0.011	1.74	10.9	4.5	0.19	223	0.30	2.84	3.4	1.7
J838580		6.4	1.38	18.85	0.13	3.1	0.017	1.57	12.8	3.9	0.19	225	0.27	3.49	9.3	1.9
J838581		4.2	1.21	16.90	0.11	3.4	0.012	1.48	13.3	2.9	0.13	181	0.23	3.57	7.2	1.3
J838582		17.7	2.68	20.3	0.22	3.4	0.023	2.22	41.0	10.9	0.46	345	0.14	2.35	7.4	2.6
J838583		9.6	2.62	17.30	0.21	2.6	0.032	2.06	19.6	10.4	0.45	347	0.16	1.61	7.4	2.9
J838584		11.3	3.26	20.7	0.18	3.3	0.036	2.15	15.8	13.2	0.57	455	0.22	2.40	9.6	3.9
J838585		13.7	3.97	20.8	0.19	2.9	0.044	2.69	12.1	16.6	0.73	553	0.22	1.72	9.2	4.4
J838585 CRD		12.5	4.14	21.4	0.19	3.1	0.045	2.71	13.2	17.1	0.75	577	0.25	1.73	9.7	4.5
J838586		17.6	3.92	21.1	0.21	3.4	0.052	2.88	14.3	16.5	0.71	582	0.20	1.60	9.4	5.0
J838587		4.3	0.80	18.10	0.13	2.1	0.017	0.97	15.5	1.4	0.05	254	0.15	4.13	10.7	1.1
J838588		3.0	0.83	17.00	0.13	2.5	0.017	0.94	17.6	1.3	0.06	274	0.60	4.07	10.7	1.0
J838589		3.7	0.86	16.65	0.13	2.4	0.018	1.06	18.0	1.3	0.06	240	0.18	3.87	9.4	1.0
J838590		4470	4.70	17.50	0.28	0.8	0.063	5.47	19.2	13.2	0.74	489	267	1.10	5.4	23.5
J838591		5.2	0.97	18.10	0.13	2.2	0.023	1.16	18.2	1.3	0.06	182	0.41	4.00	11.1	1.0
J838592		5.9	0.87	17.20	0.13	2.1	0.022	1.08	16.9	1.5	0.07	187	0.22	3.81	11.9	3.1
J838593		3.0	0.93	19.45	0.12	2.3	0.030	1.23	17.1	1.3	0.06	197	0.21	4.08	13.3	1.0
J838594		1.6	0.87	19.00	0.13	2.2	0.022	1.22	16.8	1.4	0.07	174	0.21	3.92	11.5	1.3
J838595		2.7	0.96	16.90	0.10	2.3	0.015	1.10	13.4	1.5	0.07	246	0.41	3.97	10.4	1.1
J838596		2.6	1.01	18.35	0.12	2.5	0.024	1.27	18.8	1.6	0.07	260	4.18	3.78	11.7	1.1
J838597		2.7	0.93	18.00	0.13	2.3	0.018	1.39	16.8	1.4	0.07	196	0.73	3.54	10.7	1.5
J838598		4.8	0.93	17.75	0.12	2.2	0.023	1.32	17.7	1.4	0.06	245	0.89	3.68	10.2	1.0
J838599		8.9	1.14	18.95	0.15	3.0	0.027	1.32	21.2	1.9	0.08	240	0.35	3.67	14.1	1.1
J838600		>10000	4.22	12.75	0.21	1.0	0.130	0.80	10.9	15.4	1.07	610	218	2.02	3.8	30.9
J838601		18.6	2.18	18.10	0.15	2.6	0.023	1.10	16.0	9.7	0.60	513	0.49	3.27	10.5	28.5
J838602		5.5	1.09	19.25	0.14	2.7	0.023	1.37	20.4	1.7	0.09	202	0.23	3.81	12.4	1.6

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J838565		420	4.4	53.3	<0.002	0.03	0.10	5.0	1	1.0	159.0	0.32	<0.05	6.0	0.138	0.30
J838565 CRD		410	4.2	54.4	<0.002	0.03	0.09	4.7	1	1.0	152.0	0.32	<0.05	5.2	0.136	0.31
J838566		520	5.1	49.2	<0.002	0.03	0.11	6.2	1	1.4	162.0	0.55	<0.05	8.7	0.172	0.28
J838567		690	5.9	43.4	<0.002	0.03	0.13	7.6	1	1.1	214	0.69	<0.05	6.3	0.210	0.28
J838568		520	4.5	49.7	<0.002	0.02	0.09	5.7	1	1.0	163.5	0.44	<0.05	6.8	0.180	0.28
J838569		470	4.0	45.7	<0.002	<0.01	0.10	11.5	1	1.6	176.5	0.60	<0.05	3.5	0.310	0.24
J838570		250	8.2	48.8	<0.002	<0.01	0.07	3.5	1	0.8	225	0.41	<0.05	6.8	0.116	0.18
J838571		90	6.4	38.3	<0.002	0.04	<0.05	1.1	1	0.4	149.0	0.29	<0.05	8.0	0.038	0.13
J838572		620	11.2	65.9	<0.002	0.08	0.10	5.6	1	1.0	175.0	0.50	<0.05	7.4	0.224	0.34
J838573		240	6.4	45.3	<0.002	0.02	0.06	3.3	1	1.2	198.0	0.69	<0.05	5.5	0.099	0.22
J838574		70	7.7	37.7	<0.002	0.01	<0.05	1.0	1	0.3	172.0	0.14	<0.05	5.7	0.038	0.14
J838575		910	62.5	75.3	0.124	2.48	7.19	15.4	7	2.6	250	0.28	0.91	4.7	0.302	0.74
J838576		140	8.4	38.2	<0.002	0.01	0.11	1.4	1	0.5	237	0.16	<0.05	6.7	0.060	0.14
J838577		510	5.4	41.4	<0.002	0.02	0.11	3.7	1	0.9	250	0.39	<0.05	2.9	0.214	0.19
J838578		690	7.7	44.6	<0.002	0.04	0.15	4.3	2	1.1	235	0.46	<0.05	3.4	0.286	0.24
J838579		240	5.1	46.7	<0.002	0.04	0.07	1.8	1	0.6	159.0	0.26	<0.05	3.7	0.095	0.24
J838580		200	6.2	44.9	<0.002	0.04	0.09	2.7	1	1.3	134.0	0.84	<0.05	5.5	0.084	0.22
J838581		140	6.8	42.7	<0.002	0.03	0.07	2.0	1	0.9	117.0	0.63	<0.05	5.7	0.062	0.19
J838582		640	4.9	63.9	<0.002	0.02	0.09	5.3	2	0.9	163.0	0.46	<0.05	7.9	0.238	0.32
J838583		660	3.0	57.5	<0.002	0.01	0.09	5.6	2	1.2	98.8	0.56	<0.05	4.2	0.236	0.28
J838584		830	3.8	56.8	<0.002	0.02	0.09	7.0	2	1.4	154.0	0.78	<0.05	4.5	0.290	0.31
J838585		1070	4.3	64.6	<0.002	0.04	0.14	8.0	2	1.4	147.0	0.74	<0.05	2.3	0.348	0.36
J838585 CRD		1110	4.3	67.1	<0.002	0.06	0.14	8.4	2	1.4	152.0	0.78	<0.05	2.5	0.361	0.38
J838586		1040	4.3	74.8	<0.002	0.03	0.18	8.5	2	1.3	147.5	0.68	<0.05	2.9	0.331	0.40
J838587		80	5.0	31.1	<0.002	0.02	0.05	1.6	1	1.5	135.5	1.31	<0.05	7.2	0.018	0.13
J838588		80	4.5	30.2	<0.002	0.04	<0.05	1.8	1	1.6	127.5	1.39	<0.05	7.7	0.019	0.12
J838589		80	4.3	34.2	<0.002	0.02	<0.05	1.5	1	1.7	119.5	1.04	<0.05	8.3	0.020	0.14
J838590		1100	40.5	160.5	0.655	2.50	7.71	11.2	9	3.0	266	0.34	0.97	2.6	0.251	1.36
J838591		70	4.1	38.8	<0.002	0.02	0.05	1.7	1	2.2	125.5	1.02	<0.05	8.0	0.023	0.15
J838592		70	4.6	36.1	<0.002	0.02	0.06	2.0	2	2.1	129.0	1.21	<0.05	7.1	0.024	0.13
J838593		70	3.7	44.6	<0.002	0.05	<0.05	2.5	1	2.8	124.5	1.41	<0.05	7.5	0.025	0.17
J838594		90	3.9	42.6	<0.002	0.01	<0.05	2.0	1	2.1	141.5	1.17	<0.05	7.1	0.023	0.17
J838595		90	6.3	35.8	<0.002	0.02	0.06	1.6	1	1.7	126.0	1.11	<0.05	6.4	0.025	0.16
J838596		80	4.5	46.2	<0.002	0.02	<0.05	2.0	1	2.3	119.5	0.95	<0.05	8.0	0.026	0.19
J838597		80	5.5	45.6	<0.002	0.01	0.05	1.9	1	1.8	111.5	0.95	<0.05	7.6	0.026	0.20
J838598		80	4.3	42.5	<0.002	0.01	<0.05	1.7	1	1.8	106.0	1.04	<0.05	7.5	0.022	0.17
J838599		90	4.7	50.0	<0.002	0.02	0.05	2.3	1	2.4	120.5	1.47	<0.05	9.0	0.031	0.20
J838600		520	37.3	23.4	1.290	1.46	25.4	13.1	6	1.0	276	0.25	0.60	1.9	0.304	0.20
J838601		110	4.5	34.7	0.002	0.06	0.08	5.2	1	1.9	155.5	0.84	0.08	7.2	0.099	0.16
J838602		90	4.1	49.9	<0.002	0.02	0.05	2.1	2	2.3	132.0	1.03	<0.05	8.7	0.030	0.21

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J838565		0.7	38	1.2	5.4	29	81.5									
J838565 CRD		0.6	37	1.3	5.1	29	85.9									
J838566		1.1	38	1.3	7.3	51	83.6		0.66	2.4	66.05	14.63	3.58	3.31	1.11	3.36
J838567		0.7	58	0.6	7.8	54	81.8									
J838568		0.8	37	1.2	7.0	44	97.0									
J838569		0.9	80	0.8	10.5	75	98.3									
J838570		1.5	23	0.3	6.1	27	63.5									
J838571		2.8	9	0.6	6.0	13	57.2									
J838572		0.8	49	1.2	8.3	61	66.1									
J838573		0.9	18	0.8	9.4	35	64.6									
J838574		0.8	6	0.7	3.4	14	43.2									
J838575		1.1	145	11.2	14.4	170	32.7	2.06								
J838576		0.8	7	0.3	4.4	23	81.4									
J838577		0.8	30	0.4	6.7	56	88.2									
J838578		0.9	38	0.6	8.2	80	130.0									
J838579		0.8	15	0.8	4.5	34	102.5									
J838580		1.4	14	0.6	9.1	31	95.0									
J838581		1.5	8	0.7	8.3	24	96.5									
J838582		0.9	36	0.5	9.7	71	149.5									
J838583		0.9	42	0.8	12.6	60	112.5									
J838584		0.9	51	1.1	15.4	76	140.5									
J838585		0.9	64	1.2	14.8	91	131.5									
J838585 CRD		1.0	64	1.3	15.7	92	137.5									
J838586		0.9	62	0.7	14.1	94	151.0		0.92	3.4	60.31	15.37	5.40	4.62	1.31	2.08
J838587		1.6	2	0.4	9.3	18	51.7									
J838588		1.8	3	0.5	9.4	16	62.9									
J838589		1.5	4	0.6	9.7	19	60.7									
J838590		1.2	158	13.9	15.8	151	26.3									
J838591		1.3	3	0.8	8.1	18	58.3									
J838592		1.4	4	0.7	9.7	15	53.0									
J838593		1.8	3	0.7	8.0	16	56.5									
J838594		1.7	5	0.6	7.7	15	55.5									
J838595		1.4	4	0.6	7.5	19	55.8									
J838596		1.7	3	0.6	8.8	21	62.1									
J838597		2.3	3	0.5	8.4	20	60.9									
J838598		2.4	3	0.5	7.4	19	57.7									
J838599		1.9	2	0.5	8.8	23	71.2									
J838600		0.8	92	4.9	15.6	131	30.9	1.135								
J838601		1.1	29	1.7	8.7	59	66.3									
J838602		1.2	4	0.7	8.5	21	66.9									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J838565 J838565 CRD J838566 J838567 J838568		2.31	<0.01	0.34	0.05	0.112	0.03	0.04	4.02	98.94
J838569 J838570 J838571 J838572 J838573										
J838574 J838575 J838576 J838577 J838578										
J838579 J838580 J838581 J838582 J838583										
J838584 J838585 J838585 CRD J838586 J838587		3.30	<0.01	0.67	0.07	0.210	0.02	0.05	5.41	98.82
J838588 J838589 J838590 J838591 J838592										
J838593 J838594 J838595 J838596 J838597										
J838598 J838599 J838600 J838601 J838602										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838603		3.17	0.008		<0.01	6.63	0.5	490	1.35	0.03	0.78	0.02	38.2	1.0	7	0.66
J838604		3.12	0.010		0.05	6.37	0.7	480	1.17	0.02	0.73	<0.02	34.2	0.7	8	0.69
J838605		3.11	0.007		0.02	6.79	0.6	510	1.30	0.04	0.91	0.03	36.8	1.6	8	0.71
J838605 CRD		<0.02	0.008		0.14	6.62	0.2	500	1.21	0.04	0.87	0.03	36.2	1.6	9	0.71
J838606		3.16	0.038	0.048	0.06	6.39	0.3	410	1.15	0.04	0.74	<0.02	37.5	1.2	9	0.56
J838607		3.08	0.015		0.03	6.60	0.5	460	1.20	0.03	0.78	0.02	36.8	1.1	8	0.67
J838608		3.66	<0.005		0.03	6.61	0.6	570	1.32	0.02	0.85	<0.02	32.7	1.0	8	0.64
J838609		3.28	<0.005		0.01	7.10	1.1	520	1.58	0.02	1.06	0.02	40.1	1.2	8	0.58
J838610		3.17	<0.005		0.01	6.16	1.3	330	1.13	0.01	0.79	<0.02	33.2	1.0	8	0.34
J838611		2.30	<0.005		<0.01	6.42	2.6	170	1.15	0.01	1.15	0.03	25.4	1.4	8	0.14
J838612		4.81	<0.005		0.18	7.61	5.5	10	0.28	0.08	7.83	0.10	8.32	50.2	79	<0.05
J838613		3.32	<0.005		0.14	7.90	2.7	20	0.25	0.02	7.55	0.08	8.72	53.5	89	<0.05
J838614		3.54	<0.005		0.12	7.82	2.0	20	0.24	0.02	7.70	0.15	8.72	55.1	85	<0.05
J838615		0.11	2.33		7.79	6.87	51.3	670	0.80	3.31	1.63	0.96	55.4	16.4	55	2.91
J838616		4.49	0.047		0.17	7.06	8.3	90	0.32	0.07	7.44	0.05	8.56	46.2	83	0.18
J838617		2.29	<0.005		0.02	6.63	1.3	330	1.21	0.01	0.85	<0.02	39.2	1.4	4	0.48
J838618		2.35	0.020		0.01	6.79	1.5	420	1.30	0.01	0.86	<0.02	35.6	1.7	6	0.53
J838619		4.11	<0.005		<0.01	7.89	3.6	420	0.94	0.01	2.46	0.02	35.7	5.4	8	0.67
J838620		3.34	<0.005		<0.01	7.67	4.1	340	0.87	0.01	2.39	<0.02	37.7	5.6	10	0.52
J838621		3.09	<0.005		<0.01	7.56	2.4	420	0.85	0.01	2.39	0.02	37.9	6.0	10	0.71
J838622		2.63	<0.005		0.02	7.63	1.4	320	0.71	0.01	3.33	0.02	26.0	17.9	37	0.59
J838623		2.86	<0.005		0.04	7.82	<0.2	300	0.78	0.01	2.49	0.02	29.7	5.7	9	0.61
J838624		3.80	<0.005		0.01	7.34	<0.2	510	0.91	0.03	2.67	0.02	34.1	5.7	7	0.82
J838625		3.66	<0.005		<0.01	6.98	0.3	430	1.41	0.03	1.26	0.02	41.8	1.6	6	0.60
J838625 CRD		<0.02	<0.005		0.02	7.08	0.2	430	1.35	0.03	1.26	0.02	41.1	1.6	7	0.59
J838626		3.03	0.021	0.023	0.11	7.12	0.7	480	1.15	0.02	1.27	0.04	46.7	3.1	7	0.64
J838627		2.85	<0.005		0.10	6.81	0.4	430	0.95	0.05	3.51	0.05	64.9	18.7	109	0.56
J838628		3.28	0.112		0.25	6.62	0.2	380	1.00	0.05	2.56	0.04	46.6	12.1	64	0.53
J838629		3.26	0.035		0.02	6.89	0.2	340	1.07	0.05	0.79	0.02	34.5	1.7	6	0.51
J838630		0.07	0.365		2.05	7.72	113.5	610	1.23	0.52	0.56	0.98	33.3	18.5	32	6.68
J838631		3.40	0.015		0.01	6.72	0.2	790	1.03	0.04	1.75	<0.02	50.3	5.7	32	0.55
J838632		3.25	0.019		0.05	6.43	0.3	300	0.97	0.05	2.06	0.03	47.9	11.7	74	0.41
J838633		2.93	0.005		0.10	6.68	<0.2	410	1.15	0.11	1.23	0.03	46.9	2.2	6	0.58
J838634		3.24	0.039		0.04	7.29	0.4	690	0.90	0.06	3.13	0.04	70.4	12.1	63	0.78
J838635		3.50	0.017		0.04	7.33	0.7	510	0.92	0.02	2.81	0.03	89.3	16.9	100	0.60
J838636		2.96	0.008		0.04	7.30	<0.2	370	0.99	0.04	3.74	0.05	69.3	16.8	93	0.62
J838637		3.70	0.021		0.02	7.16	0.3	490	1.08	0.03	1.89	0.02	34.0	5.0	7	0.86
J838638		3.48	<0.005		0.01	7.36	0.3	480	1.19	0.01	2.46	0.03	40.2	6.9	16	0.86
J838639		3.44	0.007		0.03	7.26	1.6	40	0.75	0.05	5.05	0.06	112.5	40.5	238	0.07
J838640		2.19	0.018		0.14	7.54	0.4	460	1.08	0.11	2.91	0.03	39.7	11.9	10	0.78

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838603		4.3	0.92	18.20	0.14	2.9	0.019	1.35	19.0	1.5	0.08	177	1.39	3.85	12.0	1.0
J838604		2.5	1.04	17.95	0.13	2.4	0.027	1.28	17.1	1.5	0.08	199	3.57	3.83	11.8	1.1
J838605		2.6	1.09	19.05	0.13	2.7	0.026	1.47	18.2	1.6	0.09	206	1.30	3.97	13.2	1.4
J838605 CRD		2.5	1.15	18.15	0.15	2.5	0.029	1.41	18.4	1.5	0.09	208	1.11	3.78	12.2	1.5
J838606		2.8	0.93	17.10	0.14	2.8	0.016	1.22	18.4	1.6	0.08	175	3.27	4.10	10.0	1.2
J838607		2.5	1.03	17.85	0.13	2.6	0.023	1.21	18.8	2.0	0.08	186	0.56	4.01	11.7	1.6
J838608		6.1	0.90	18.10	0.14	2.5	0.022	1.61	16.1	2.5	0.08	168	0.39	3.77	11.4	1.4
J838609		7.3	1.07	19.55	0.15	3.1	0.019	1.34	19.8	2.5	0.09	189	0.32	4.22	13.7	1.3
J838610		13.6	0.75	16.30	0.13	3.1	0.014	0.85	17.2	1.8	0.07	121	0.19	4.18	9.6	1.2
J838611		15.7	0.80	13.95	0.10	2.4	0.008	0.42	13.1	2.6	0.09	175	0.17	5.03	7.9	1.6
J838612		135.0	10.05	17.65	0.17	1.2	0.072	0.04	3.2	22.9	3.67	1800	0.30	0.90	2.8	75.4
J838613		139.0	10.40	17.85	0.21	1.4	0.074	0.06	3.4	16.8	3.92	1750	0.24	1.00	2.8	79.2
J838614		149.0	10.80	18.00	0.20	1.4	0.075	0.06	3.4	16.4	3.86	1790	0.29	0.92	2.8	80.0
J838615		>10000	5.78	13.55	0.18	1.1	0.106	2.67	26.8	15.8	1.19	633	118.5	1.62	6.7	33.7
J838616		113.0	9.24	18.30	0.19	1.1	0.064	0.37	3.7	31.0	3.49	1690	0.77	0.96	2.8	75.5
J838617		15.9	0.94	17.60	0.11	2.5	0.018	1.01	19.9	1.3	0.09	144	0.24	4.02	11.3	0.9
J838618		7.5	1.10	17.90	0.13	2.6	0.016	1.20	18.2	1.6	0.10	159	0.47	3.85	12.2	1.1
J838619		2.9	2.06	19.60	0.14	3.9	0.018	1.80	20.2	8.4	0.47	323	0.13	2.87	8.4	6.6
J838620		4.5	2.06	19.30	0.16	4.1	0.018	1.41	21.7	10.8	0.48	325	0.13	2.96	7.6	7.3
J838621		5.0	2.04	18.70	0.16	4.0	0.015	1.78	21.6	8.7	0.47	294	0.14	2.71	6.9	7.6
J838622		29.4	4.20	18.25	0.17	3.2	0.027	1.49	14.0	22.9	1.31	548	0.44	2.23	5.3	27.6
J838623		3.5	2.06	18.35	0.16	3.8	0.015	1.67	16.8	10.6	0.47	170	0.23	2.64	5.3	6.8
J838624		4.9	1.68	17.90	0.15	3.8	0.012	2.37	19.2	8.1	0.39	176	0.17	2.11	6.1	5.8
J838625		8.8	1.11	19.25	0.13	3.0	0.016	1.43	21.8	2.3	0.14	174	0.31	3.63	12.4	1.9
J838625 CRD		6.0	1.10	19.25	0.14	2.9	0.015	1.44	21.4	2.2	0.14	172	0.30	3.66	12.5	1.8
J838626		7.4	1.32	18.90	0.15	3.3	0.022	1.63	22.2	3.8	0.25	194	0.30	3.28	11.5	2.9
J838627		22.4	3.44	17.20	0.18	3.1	0.029	1.51	31.8	25.6	2.10	522	0.36	2.04	5.7	79.5
J838628		14.1	2.58	16.35	0.17	2.3	0.022	1.23	22.4	15.9	1.25	401	2.80	2.55	6.9	51.1
J838629		8.5	1.04	18.10	0.13	1.9	0.019	1.09	17.8	1.8	0.11	131	2.81	4.10	8.3	2.6
J838630		4460	4.81	16.70	0.21	0.8	0.052	4.33	18.5	12.1	0.77	492	258	1.08	5.4	24.0
J838631		15.3	1.75	18.10	0.15	2.5	0.027	1.22	25.3	11.4	0.70	295	1.30	3.24	9.8	34.5
J838632		10.3	2.17	16.70	0.16	2.9	0.024	0.89	23.2	19.7	1.32	380	0.94	3.25	7.9	65.2
J838633		15.6	1.03	17.20	0.14	3.4	0.016	1.30	23.9	5.9	0.25	176	0.31	3.68	6.6	4.0
J838634		16.3	3.10	17.40	0.17	4.5	0.023	1.79	36.2	19.6	1.26	478	0.42	2.38	6.8	58.4
J838635		24.0	3.67	17.40	0.20	4.6	0.029	1.31	45.4	26.8	1.91	522	0.25	2.66	7.7	66.9
J838636		14.8	3.36	17.40	0.19	3.4	0.028	1.25	34.8	28.3	1.86	571	0.33	2.54	6.1	70.2
J838637		7.9	1.94	17.45	0.13	3.2	0.014	1.89	17.3	5.0	0.33	268	0.62	2.88	5.7	3.9
J838638		26.0	2.51	19.00	0.16	4.1	0.021	1.78	20.1	10.0	0.62	363	0.31	2.96	8.4	13.9
J838639		31.1	6.39	16.75	0.25	3.5	0.050	0.06	53.9	49.7	5.09	985	0.25	1.69	5.1	162.5
J838640		52.5	3.54	19.85	0.16	2.4	0.032	1.65	18.1	14.3	0.94	415	0.85	3.03	8.8	8.6

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J838603		80	3.7	46.9	<0.002	0.04	<0.05	2.0	2	2.0	129.0	0.91	<0.05	8.4	0.030	0.19
J838604		80	3.3	46.7	<0.002	0.02	<0.05	2.1	1	2.4	111.0	0.82	<0.05	7.6	0.028	0.19
J838605		90	3.9	52.7	<0.002	0.08	<0.05	2.3	2	2.3	109.5	1.08	<0.05	8.2	0.033	0.23
J838605 CRD		80	3.9	49.8	<0.002	0.08	<0.05	2.2	2	2.3	103.5	1.00	<0.05	8.2	0.031	0.21
J838606		90	3.9	41.2	<0.002	0.13	<0.05	1.8	1	1.7	112.5	0.76	<0.05	8.4	0.028	0.18
J838607		90	4.9	44.9	<0.002	0.04	<0.05	1.9	2	2.0	127.5	0.85	<0.05	8.7	0.030	0.18
J838608		80	6.3	53.7	<0.002	0.01	<0.05	1.9	2	2.4	113.5	0.82	<0.05	8.1	0.031	0.22
J838609		90	8.1	48.1	0.002	0.02	0.05	2.2	2	2.3	124.5	1.04	<0.05	9.0	0.033	0.18
J838610		70	5.4	28.7	<0.002	0.04	<0.05	1.7	1	1.6	89.8	0.84	<0.05	8.9	0.027	0.12
J838611		80	8.0	11.4	<0.002	0.02	0.05	1.5	2	1.0	91.8	0.84	<0.05	6.9	0.023	0.04
J838612		340	32.3	0.8	0.002	0.12	0.22	42.0	2	0.6	220	0.16	<0.05	0.3	0.632	<0.02
J838613		360	3.7	1.2	0.002	0.18	0.22	44.3	2	0.5	218	0.16	<0.05	0.3	0.663	<0.02
J838614		350	3.2	1.1	0.003	0.14	0.21	46.0	2	0.6	216	0.16	<0.05	0.3	0.711	<0.02
J838615		880	62.0	76.8	0.135	2.40	6.70	15.7	6	2.5	262	0.25	0.86	4.6	0.320	0.80
J838616		310	5.2	12.5	<0.002	0.09	0.10	37.2	1	0.6	141.0	0.18	0.12	0.4	0.572	0.04
J838617		90	3.3	34.9	<0.002	0.04	<0.05	2.1	1	1.8	81.4	1.18	<0.05	8.3	0.028	0.15
J838618		90	4.3	41.4	<0.002	0.05	<0.05	2.4	1	1.9	89.5	1.00	<0.05	8.1	0.032	0.18
J838619		380	5.7	60.2	<0.002	<0.01	0.10	4.1	1	1.3	201	0.49	<0.05	6.6	0.180	0.32
J838620		390	7.8	46.5	<0.002	<0.01	0.13	4.0	1	1.2	243	0.41	<0.05	7.1	0.186	0.27
J838621		390	7.5	56.0	<0.002	<0.01	0.12	3.7	1	1.0	229	0.44	<0.05	6.3	0.188	0.32
J838622		370	5.6	37.6	<0.002	0.01	0.11	13.2	1	0.8	214	0.37	<0.05	4.8	0.295	0.24
J838623		350	6.3	49.0	<0.002	<0.01	0.10	3.0	1	1.2	242	0.46	<0.05	5.8	0.179	0.29
J838624		330	4.1	58.9	<0.002	<0.01	0.06	3.0	1	1.1	149.0	0.58	<0.05	6.1	0.146	0.32
J838625		120	3.9	42.1	<0.002	0.01	0.05	2.3	1	1.9	145.0	1.07	<0.05	8.6	0.047	0.20
J838625 CRD		130	4.3	41.5	<0.002	0.01	0.05	2.3	1	1.9	142.0	1.10	<0.05	8.1	0.047	0.19
J838626		260	3.9	47.9	<0.002	<0.01	0.07	3.3	1	1.9	120.0	1.07	<0.05	8.9	0.077	0.22
J838627		810	5.0	31.4	<0.002	<0.01	0.16	10.5	1	1.0	146.0	0.44	<0.05	5.3	0.195	0.20
J838628		610	4.5	34.7	<0.002	0.04	0.12	7.6	1	1.0	181.0	0.68	0.09	5.5	0.139	0.18
J838629		80	3.7	34.0	<0.002	0.05	0.06	2.4	1	1.6	133.5	0.80	0.06	7.0	0.028	0.16
J838630		1100	41.7	110.0	0.611	2.50	6.89	11.7	8	2.8	264	0.33	0.98	2.6	0.258	1.47
J838631		270	4.0	34.1	<0.002	0.04	0.12	4.6	1	2.0	181.0	0.87	<0.05	7.3	0.074	0.18
J838632		420	4.6	22.1	<0.002	0.02	0.13	6.7	1	1.4	202	0.61	<0.05	7.3	0.099	0.12
J838633		160	3.7	38.9	<0.002	0.01	0.11	2.3	1	1.3	182.5	0.77	<0.05	9.8	0.052	0.17
J838634		590	4.1	47.2	<0.002	0.05	0.20	7.1	1	1.1	203	0.37	<0.05	10.1	0.188	0.28
J838635		830	4.6	38.3	<0.002	0.02	0.24	10.3	1	1.1	210	0.35	<0.05	10.4	0.237	0.21
J838636		770	4.4	36.1	<0.002	0.02	0.21	10.1	1	0.9	234	0.32	<0.05	7.4	0.253	0.19
J838637		270	3.3	55.6	<0.002	0.05	0.09	3.1	1	0.9	168.5	0.38	<0.05	6.0	0.129	0.29
J838638		440	3.5	49.9	<0.002	0.02	0.11	4.7	1	1.3	191.0	0.35	<0.05	6.2	0.195	0.29
J838639		1810	5.9	0.6	<0.002	<0.01	0.61	24.0	1	1.0	427	0.28	<0.05	6.0	0.505	<0.02
J838640		1090	5.5	44.1	<0.002	0.06	0.15	8.5	1	1.5	241	0.65	<0.05	3.9	0.361	0.28

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J838603		1.4	4	0.8	9.8	18	69.1									
J838604		1.1	2	0.5	9.8	18	60.4									
J838605		2.1	5	0.7	11.7	18	66.8									
J838605 CRD		2.1	4	0.6	11.2	17	61.4									
J838606		1.7	5	0.7	10.1	16	68.8		0.23	0.9	74.50	13.58	1.25	1.08	0.15	5.33
J838607		1.6	3	0.5	11.9	18	66.0									
J838608		1.4	2	0.5	11.7	18	65.3									
J838609		1.4	3	0.4	13.4	16	78.0									
J838610		1.3	3	0.4	11.5	10	76.2									
J838611		1.2	4	0.2	9.1	11	57.5									
J838612		0.1	306	0.4	20.0	156	41.8									
J838613		0.1	305	0.2	21.2	111	47.4									
J838614		0.1	355	0.2	21.3	113	49.4									
J838615		1.2	152	10.7	13.6	164	35.7	2.21								
J838616		0.5	281	1.0	20.9	120	38.7									
J838617		1.2	4	0.5	10.8	9	60.5									
J838618		1.2	6	0.6	10.2	11	61.8									
J838619		0.9	23	0.3	6.7	45	175.0									
J838620		0.7	23	0.2	6.4	52	182.5									
J838621		0.8	24	0.4	5.8	49	177.0									
J838622		1.0	95	0.3	8.2	55	140.5									
J838623		1.1	23	0.6	5.5	16	169.5									
J838624		1.0	20	1.0	6.3	16	158.0									
J838625		0.9	7	0.7	8.0	14	82.1									
J838625 CRD		0.9	7	0.7	7.8	13	81.6									
J838626		0.7	14	0.9	8.3	18	93.0		0.36	1.3	71.71	14.07	1.81	1.73	0.45	4.55
J838627		0.7	72	1.2	10.9	72	128.0									
J838628		1.0	54	1.4	7.2	48	74.3									
J838629		0.7	14	0.7	5.1	10	49.2									
J838630		1.1	160	12.6	13.4	151	24.3									
J838631		1.0	24	1.0	7.3	32	70.2									
J838632		1.0	39	0.7	7.5	54	83.7									
J838633		0.9	11	0.7	5.8	16	101.5									
J838634		1.5	42	1.5	8.2	67	190.5									
J838635		1.3	66	1.1	9.9	81	191.5									
J838636		0.9	66	1.6	10.7	76	135.0									
J838637		1.2	21	1.1	7.0	30	116.0									
J838638		1.1	32	1.2	8.2	40	159.0									
J838639		1.5	169	1.1	20.5	124	142.5									
J838640		1.0	69	2.7	10.9	58	82.3									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J838603										
J838604										
J838605										
J838605 CRD										
J838606		1.37	<0.01	0.05	0.01	0.022	0.03	0.03	1.21	98.61
J838607										
J838608										
J838609										
J838610										
J838611										
J838612										
J838613										
J838614										
J838615										
J838616										
J838617										
J838618										
J838619										
J838620										
J838621										
J838622										
J838623										
J838624										
J838625										
J838625 CRD										
J838626		1.91	<0.01	0.13	0.02	0.057	0.03	0.04	2.34	98.85
J838627										
J838628										
J838629										
J838630										
J838631										
J838632										
J838633										
J838634										
J838635										
J838636										
J838637										
J838638										
J838639										
J838640										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838641		3.33	<0.005		0.01	7.79	<0.2	390	0.88	0.03	3.42	0.03	41.8	12.7	7	0.73
J838642		3.07	0.342		0.32	7.51	<0.2	520	1.06	0.08	2.65	0.04	47.9	9.6	9	1.02
J838643		3.18	0.008		<0.01	6.90	0.3	350	0.96	0.01	2.05	0.02	74.8	4.8	7	0.83
J838644		2.96	<0.005		0.04	7.11	0.8	300	0.99	0.01	2.20	0.04	49.2	5.2	7	0.77
J838645		1.09	<0.005		<0.01	0.22	<5	10	0.05	0.01	19.80	<0.02	4.10	1.1	1	0.11
J838646		3.07	0.013		0.05	7.12	<0.2	300	0.86	0.02	3.20	0.04	34.1	6.9	4	0.89
J838646 CRD		<0.02	0.007		0.08	7.25	<0.2	280	0.85	0.03	3.04	0.04	33.5	6.9	4	0.91
J838647		3.36	0.294	0.328	0.22	8.85	<0.2	300	0.90	0.04	3.68	0.06	40.8	15.1	3	0.91
J838648		3.32	0.061		0.09	8.44	<0.2	230	0.73	0.04	4.03	0.05	38.6	15.6	5	0.52
J838649		3.13	0.009		0.09	8.10	<0.2	230	0.76	0.05	3.76	0.06	43.0	15.5	7	0.56
J838650		3.02	0.095		0.14	7.33	<0.2	290	0.94	0.03	2.27	0.04	44.5	6.4	16	0.82
J838651		3.54	0.062		0.09	7.27	<0.2	280	0.90	0.03	2.35	0.04	41.7	6.2	9	0.77
J838652		3.18	<0.005		0.04	7.99	<0.2	210	0.83	0.03	2.94	0.07	43.9	11.5	7	0.50
J838653		3.22	<0.005		0.06	6.89	<0.2	220	0.88	0.01	1.89	0.03	34.4	5.8	7	0.49
J838654		3.06	0.036		0.11	7.60	<0.2	360	0.89	0.02	3.33	0.06	35.6	11.7	5	0.84
J838655		3.17	0.006		0.07	8.17	<0.2	240	0.74	0.03	3.99	0.03	37.2	14.6	5	0.42
J838656		3.27	<0.005		0.06	8.20	0.5	260	0.81	0.03	3.38	0.04	33.9	13.3	6	0.42
J838657		3.23	<0.005		0.03	6.53	<0.2	480	0.77	0.04	1.28	<0.02	20.4	0.9	4	0.37
J838658		2.91	<0.005		0.13	6.27	<0.2	580	0.69	0.03	1.15	0.02	20.9	1.0	5	0.46
J838659		3.16	0.041		0.07	6.88	<0.2	520	0.80	0.02	2.05	0.02	30.3	3.7	7	0.62
J838660		0.08	0.917		4.87	6.83	21.7	480	0.71	1.64	2.47	2.21	19.35	14.3	59	0.75
J838661		3.07	0.016		0.05	7.04	<0.2	250	0.90	0.01	2.15	0.03	40.2	4.9	8	0.54
J838662		3.09	<0.005		0.09	6.76	<0.2	410	0.78	0.01	1.95	0.03	25.1	3.3	6	0.47
J838663		3.36	<0.005		0.03	7.01	0.4	220	0.94	0.01	2.83	0.02	27.8	5.0	7	0.57
J838664		3.25	<0.005		0.10	5.24	<0.2	310	0.67	0.04	4.29	0.02	21.9	0.9	6	0.58
J838665		3.02	0.005		0.04	6.12	<0.2	340	0.89	0.03	3.82	0.02	29.8	2.2	6	0.58
J838665 CRD		<0.02	0.006		0.06	6.74	<0.2	360	0.84	0.03	4.02	0.02	39.6	2.2	5	0.65
J838666		3.11	<0.005	<0.005	0.04	6.93	<0.2	230	0.88	0.01	3.23	<0.02	35.3	6.1	9	0.63
J838667		3.17	<0.005		0.05	6.90	<0.2	280	0.95	0.01	3.24	0.03	37.1	4.5	9	0.66
J838668		3.09	0.016		0.03	7.16	<0.2	130	0.91	0.01	2.43	0.02	47.6	5.9	9	0.36
J838669		3.04	0.206		0.06	7.02	<0.2	140	1.11	0.01	2.56	0.03	44.9	4.6	5	0.58

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838641		13.2	3.84	20.1	0.17	2.7	0.039	1.72	18.4	13.7	0.83	405	0.22	2.26	9.2	6.9
J838642		5.8	2.88	19.95	0.17	4.1	0.025	2.55	23.9	10.4	0.63	390	0.73	2.05	8.3	7.3
J838643		4.0	1.95	16.90	0.18	4.7	0.014	2.00	38.1	6.9	0.37	251	0.31	2.30	6.0	3.9
J838644		8.2	1.95	17.25	0.17	4.3	0.013	1.91	24.8	7.5	0.37	281	0.47	2.52	6.5	3.8
J838645		1.3	0.14	0.59	0.29	0.1	<0.005	0.14	2.6	5.2	12.90	55	0.11	0.06	0.5	0.9
J838646		11.8	2.41	18.85	0.14	2.6	0.026	2.39	15.4	9.9	0.59	281	0.46	1.82	7.1	3.7
J838646 CRD		10.4	2.29	19.90	0.10	2.5	0.022	2.39	14.0	9.0	0.55	276	0.48	1.86	7.3	4.4
J838647		22.7	4.33	23.8	0.14	2.2	0.047	2.01	18.6	18.5	0.93	505	0.72	2.33	10.2	6.3
J838648		27.4	4.69	23.2	0.11	2.0	0.042	1.41	15.1	19.5	1.04	589	0.22	2.48	10.7	8.4
J838649		27.6	4.34	23.3	0.13	2.0	0.042	1.31	17.1	18.1	0.97	600	0.18	2.69	10.4	9.4
J838650		12.0	2.24	21.1	0.12	3.3	0.020	1.84	20.0	9.9	0.46	370	0.48	2.78	9.0	5.4
J838651		13.1	2.29	20.7	0.12	2.9	0.020	1.80	19.0	10.5	0.47	387	0.54	2.78	8.8	5.3
J838652		28.5	3.36	22.7	0.13	2.9	0.033	1.25	19.3	15.9	0.74	498	0.30	2.92	10.3	7.8
J838653		15.0	2.01	18.80	0.12	3.2	0.017	1.19	15.3	8.5	0.42	307	0.16	2.89	8.3	4.1
J838654		27.9	3.29	22.3	0.15	2.4	0.031	2.18	14.1	15.3	0.72	415	0.26	2.11	10.7	7.2
J838655		24.3	4.10	24.0	0.16	2.0	0.040	1.22	15.3	18.7	0.95	513	0.19	2.48	12.9	9.3
J838656		29.5	3.81	23.9	0.15	2.0	0.038	1.15	13.3	16.5	0.86	506	0.16	2.74	11.6	8.0
J838657		3.6	0.60	15.35	0.08	3.4	0.005	1.20	9.7	1.8	0.07	97	0.17	3.79	1.6	0.9
J838658		3.8	0.69	14.45	0.08	2.5	<0.005	1.36	10.3	1.2	0.07	91	0.29	3.26	1.9	0.9
J838659		5.1	1.43	18.45	0.11	2.9	0.013	1.79	13.5	6.5	0.26	169	0.32	2.75	5.5	3.2
J838660		>10000	4.67	14.20	0.13	1.0	0.127	0.87	9.1	13.9	1.17	669	238	2.24	4.2	33.9
J838661		5.8	1.76	19.45	0.10	3.1	0.015	1.64	17.9	10.5	0.35	197	0.36	2.49	5.9	4.1
J838662		5.9	1.29	17.80	0.13	2.8	0.008	1.41	10.8	7.1	0.23	172	0.33	3.10	4.2	2.3
J838663		6.9	1.51	19.90	0.10	3.1	0.017	1.80	11.5	12.9	0.39	177	0.33	2.05	6.3	5.2
J838664		2.7	1.29	19.40	0.15	2.9	0.028	2.47	9.2	4.2	0.09	143	0.16	0.56	6.3	1.5
J838665		3.1	1.39	20.8	0.13	2.5	0.026	2.07	12.5	8.5	0.19	155	0.11	1.24	6.6	3.9
J838665 CRD		3.4	1.44	20.8	0.14	2.8	0.026	2.14	17.3	8.7	0.21	159	0.15	1.25	6.7	4.0
J838666		1.9	1.75	20.5	0.16	2.9	0.029	1.95	14.8	18.8	0.60	180	0.11	1.90	9.8	7.7
J838667		3.5	1.72	20.9	0.14	3.4	0.028	2.05	15.6	12.6	0.38	214	0.26	1.85	8.5	4.3
J838668		8.8	1.71	19.60	0.14	3.6	0.019	1.06	21.9	18.4	0.49	179	0.20	2.87	6.4	5.6
J838669		2.4	1.43	19.10	0.12	2.7	0.017	1.57	20.4	12.7	0.40	142	0.10	2.45	6.1	3.9

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J838641		1130	4.6	43.7	<0.002	0.01	0.14	9.0	1	1.2	260	0.57	<0.05	3.3	0.360	0.27
J838642		560	4.1	67.9	<0.002	0.11	0.09	5.7	1	1.2	116.0	0.44	0.26	5.5	0.230	0.36
J838643		390	3.4	57.9	<0.002	<0.01	0.07	3.7	1	0.9	123.0	0.23	<0.05	10.4	0.164	0.31
J838644		360	3.9	53.1	<0.002	<0.01	0.06	3.6	1	1.1	124.0	0.36	<0.05	9.3	0.164	0.28
J838645		10	1.2	3.4	<0.002	0.03	<0.05	0.5	1	<0.2	64.9	<0.05	<0.05	0.5	0.011	0.02
J838646		710	3.6	55.1	<0.002	0.02	0.08	5.8	1	1.0	130.0	0.44	<0.05	4.6	0.250	0.32
J838646 CRD		690	3.5	56.0	<0.002	0.02	0.10	5.7	2	1.2	126.0	0.42	<0.05	4.6	0.237	0.28
J838647		1380	5.2	57.4	<0.002	0.10	0.13	12.2	3	1.4	177.0	0.72	0.06	2.4	0.411	0.27
J838648		1530	6.2	40.0	<0.002	0.03	0.14	11.2	2	1.3	247	0.69	<0.05	1.5	0.470	0.18
J838649		1500	6.6	37.5	<0.002	0.04	0.15	9.9	2	1.4	244	0.70	<0.05	2.6	0.428	0.21
J838650		520	3.7	54.4	<0.002	0.08	0.08	4.7	2	1.4	139.0	0.61	0.06	6.3	0.208	0.29
J838651		560	4.9	54.1	<0.002	0.05	0.08	4.9	2	1.4	136.5	0.62	<0.05	6.4	0.217	0.29
J838652		1100	6.4	39.9	<0.002	0.02	0.14	7.8	2	1.6	227	0.65	<0.05	4.6	0.336	0.20
J838653		500	4.7	36.3	<0.002	0.01	0.11	4.5	2	1.3	188.5	0.50	<0.05	6.0	0.200	0.17
J838654		1120	4.7	55.3	<0.002	0.09	0.10	8.5	2	1.4	124.5	0.94	<0.05	3.8	0.361	0.28
J838655		1300	6.9	36.1	<0.002	0.02	0.12	10.4	2	1.9	253	1.11	<0.05	2.9	0.428	0.17
J838656		1200	8.3	33.6	<0.002	0.02	0.13	9.3	2	1.8	257	1.00	<0.05	2.7	0.390	0.17
J838657		70	5.8	27.1	<0.002	<0.01	0.05	1.0	1	0.5	134.5	0.14	<0.05	4.8	0.033	0.13
J838658		60	3.2	30.7	<0.002	<0.01	<0.05	1.1	1	0.5	112.5	0.19	<0.05	5.7	0.039	0.14
J838659		280	3.6	39.2	<0.002	0.01	0.06	2.7	1	1.0	148.0	0.26	<0.05	5.6	0.130	0.20
J838660		580	36.4	21.6	1.435	1.64	27.4	14.6	6	1.1	296	0.26	0.53	1.8	0.322	0.20
J838661		370	4.1	35.8	<0.002	<0.01	0.08	3.6	1	1.1	173.5	0.22	<0.05	6.0	0.155	0.19
J838662		230	3.7	32.6	<0.002	<0.01	0.07	2.4	1	0.8	158.0	0.23	<0.05	5.3	0.093	0.17
J838663		430	3.4	36.5	<0.002	<0.01	0.08	3.7	1	1.3	158.0	0.24	<0.05	5.8	0.151	0.21
J838664		390	5.7	43.2	<0.002	<0.01	0.11	2.6	2	1.2	259	0.28	<0.05	3.4	0.152	0.26
J838665		490	4.6	38.3	<0.002	0.01	0.12	3.6	1	1.5	238	0.37	<0.05	4.1	0.164	0.21
J838665 CRD		510	5.2	46.0	<0.002	0.01	0.12	4.1	2	1.6	249	0.38	<0.05	5.4	0.171	0.23
J838666		600	2.9	42.3	<0.002	<0.01	0.10	5.1	2	1.9	140.5	0.68	<0.05	3.1	0.213	0.21
J838667		570	3.5	46.1	<0.002	<0.01	0.09	4.8	2	1.7	141.5	0.46	<0.05	4.0	0.209	0.24
J838668		470	4.0	23.5	<0.002	<0.01	0.10	4.1	2	1.2	229	0.26	<0.05	6.0	0.165	0.13
J838669		450	4.0	36.0	<0.002	<0.01	0.09	3.2	2	1.1	200	0.34	<0.05	6.1	0.148	0.17

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J838641		0.8	75	0.9	13.0	56	108.0									
J838642		0.9	42	4.1	9.7	64	169.0									
J838643		0.9	20	1.1	8.2	40	202									
J838644		1.0	22	1.2	8.9	37	174.0									
J838645		0.2	2	0.1	1.7	<2	3.6									
J838646		0.9	47	1.6	8.6	30	99.0									
J838646 CRD		0.9	43	1.7	8.6	28	93.5									
J838647		1.0	82	4.1	14.9	77	80.8		0.72	2.7	58.24	16.58	6.10	5.13	1.71	3.14
J838648		0.9	98	1.7	15.6	93	69.2									
J838649		1.2	96	1.6	13.6	105	69.9									
J838650		0.9	30	1.5	7.8	61	134.0									
J838651		1.0	34	1.6	8.0	63	109.5									
J838652		1.1	65	1.1	12.2	88	98.6									
J838653		1.6	26	0.5	8.9	49	117.0									
J838654		1.5	70	1.4	13.0	60	81.4									
J838655		1.4	93	0.6	18.8	76	68.3									
J838656		1.4	76	0.2	14.7	86	69.0									
J838657		0.8	6	0.5	4.2	11	110.5									
J838658		0.8	5	0.7	3.6	11	75.6									
J838659		0.8	14	0.7	5.2	23	108.0									
J838660		0.7	101	5.1	14.2	141	28.8	1.315								
J838661		0.5	22	0.6	6.1	30	129.0									
J838662		0.7	15	0.8	4.5	20	92.7									
J838663		0.7	26	0.5	5.7	18	130.0									
J838664		0.6	21	0.4	4.2	3	108.5									
J838665		0.4	27	0.4	5.4	6	100.5									
J838665 CRD		0.5	27	0.5	6.5	6	104.5									
J838666		0.4	36	0.7	7.5	18	114.0		0.93	3.4	65.75	14.54	2.53	4.64	1.17	2.62
J838667		0.6	32	0.7	7.0	24	149.5									
J838668		0.7	24	0.2	7.4	23	154.0									
J838669		0.5	20	0.5	6.9	13	102.5									

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J838641										
J838642										
J838643										
J838644										
J838645										
J838646										
J838646 CRD										
J838647		2.44	<0.01	0.85	0.06	0.283	0.02	0.03	4.65	99.23
J838648										
J838649										
J838650										
J838651										
J838652										
J838653										
J838654										
J838655										
J838656										
J838657										
J838658										
J838659										
J838660										
J838661										
J838662										
J838663										
J838664										
J838665										
J838665 CRD										
J838666		2.36	<0.01	0.41	0.02	0.128	0.03	0.02	5.11	99.33
J838667										
J838668										
J838669										

Comments: *CORRECTED COPY FOR Au-AA24 ON SAMPLES J835986 TO J835994 & J838586 TO J838594.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 29-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180656

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.