ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE TB10184043

Project: HAMMOND REEF

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J846096		4.57	<0.005		0.03	6.81	0.7	640	1.07	0.06	2.76	0.04	63.3	13.8	67	1.03
J846097		2.77	0.045		0.02	7.10	0.5	930	1.05	0.05	1.95	0.02	44.8	7.2	16	1.05
J846098		3.35	<0.005		<0.01	7.37	0.7	750	1.03	0.01	2.41	0.04	31.6	7.6	16	0.95
J846099		3.33	<0.005		<0.01	7.46	0.7	640	1.00	0.02	3.21	0.05	40.7	16.2	21	0.93
J846100		0.07	1.015		4.20	6.70	20.7	480	0.70	1.86	2.53	2.02	21.0	14.5	62	0.79
J846101		3.26	<0.005		<0.01	6.99	0.6	1020	0.99	0.01	1.41	0.02	47.7	3.5	11	0.82
J846102		3.36	<0.005		<0.01	6.50	0.5	500	0.96	0.02	2.93	0.03	47.6	11.8	132	0.51
J846103		3.26	<0.005		<0.01	6.83	0.2	520	1.08	0.02	2.71	0.04	59.1	11.3	106	0.80
J846104		3.46	0.038		0.01	7.10	0.4	640	1.03	0.01	1.98	0.02	45.5	5.5	13	1.16
J846105		2.91	<0.005		<0.01	6.66	0.6	450	0.99	0.01	1.73	0.03	36.9	4.9	10	0.80
J846106		3.12	<0.005		0.03	7.25	0.5	480	1.03	0.02	2.55	0.04	49.4	8.1	18	0.71
J846107		3.56	0.006		0.07	6.93	0.5	460	0.87	0.04	2.68	0.05	43.9	11.6	18	0.68
J846108		3.35	0.009		0.01	6.98	0.8	660	0.91	0.02	3.17	0.05	31.9	13.0	18	0.89
J846109		3.75	<0.005		0.05	8.18	2.0	230	0.93	0.05	4.59	0.07	50.7	19.4	23	0.34
J846110		3.87	<0.005		0.01	7.57	2.5	320	0.87	0.07	3.31	0.10	42.5	17.1	14	0.50
J846111		3.51	<0.005		<0.01	7.07	0.8	430	0.85	0.03	3.02	0.05	40.1	13.7	12	0.60
J846112		3.42	<0.005		<0.01	6.54	0.9	520	0.96	0.02	1.93	0.02	23.9	8.2	8	0.64
J846113		3.43	<0.005		<0.01	7.42	0.5	370	0.99	0.04	3.40	0.04	38.2	16.6	23	0.76
J846114		3.26	<0.005		<0.01	6.69	0.8	340	0.81	0.01	2.58	0.03	31.1	9.1	8	0.80
J846115		0.12	2.48		7.20	6.52	49.1	620	0.86	3.29	1.61	0.90	53.6	16.7	56	3.01
J846116		3.31	<0.005		<0.01	6.32	0.4	340	0.78	0.01	2.57	0.03	22.9	9.2	7	0.81
J846116 CRD		<0.02	<0.005		<0.01	6.63	0.3	350	0.79	0.01	2.75	0.03	25.1	9.7	8	0.90
J846117		3.50	<0.005	<0.005	<0.01	6.90	0.4	390	0.78	0.03	2.82	0.04	25.2	12.6	11	0.85
J846118		3.30	<0.005		0.01	6.85	0.4	470	0.85	0.02	2.78	0.04	25.2	12.3	14	0.90
J846119		3.52	0.105		0.03	6.51	1.1	590	0.94	0.05	3.02	0.03	36.2	10.1	15	1.05
J846120		3.18	0.019		<0.01	6.78	0.7	490	0.94	0.03	3.02	0.04	55.7	14.2	57	1.06
J846121		2.99	0.156		0.08	6.41	0.7	560	0.97	0.13	3.50	0.06	68.6	15.3	122	1.12
J846122		3.41	0.209		0.04	6.39	0.3	580	0.87	0.08	1.85	0.03	90.6	3.7	7	0.91
J846123		3.51	0.332		0.02	6.25	<0.2	530	0.77	0.09	1.66	0.02	60.8	3.5	7	0.78
J846124		3.70	0.020		<0.01	6.75	0.4	410	0.91	0.01	2.98	0.03	33.5	9.9	36	0.84
J846125		3.24	<0.005		0.09	6.79	<0.2	570	0.73	0.04	4.33	0.05	45.7	18.8	161	0.85
J846126		3.68	0.020		0.07	6.99	<0.2	380	0.73	0.04	4.47	0.05	38.4	19.3	82	0.87
J846127		3.21	<0.005		0.12	7.25	<0.2	340	0.81	0.03	3.79	0.05	35.8	16.1	36	0.78
J846128		3.34	<0.005		0.04	6.81	<0.2	510	0.80	0.02	2.60	0.03	63.6	6.8	14	0.84
J846129		3.32	0.024		0.05	6.93	<0.2	620	0.82	0.04	2.20	0.03	86.1	5.7	9	0.91
J846130		0.07	0.473		2.14	7.70	95.1	590	1.18	0.51	0.52	1.09	33.6	17.5	35	6.82
J846131		3.32	0.041		0.06	7.19	<0.2	650	0.89	0.07	2.24	0.03	74.6	6.5	8	1.01
J846132		3.45	0.017		0.06	7.03	<0.2	700	0.86	0.05	2.26	0.03	79.0	5.2	11	0.87
J846133		3.94	0.017		0.06	7.38	<0.2	500	0.76	0.04	1.86	0.04	46.3	5.4	14	0.80
J846134		2.71	<0.005		0.06	6.83	<0.2	420	0.76	0.02	3.75	0.06	21.6	13.8	29	0.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J846096		50.3	3.30	19.00	0.13	3.0	0.030	1.73	30.3	24.2	1.41	502	0.19	2.04	4.9	44.3
J846097		25.4	2.48	19.15	0.10	2.7	0.024	2.03	21.9	10.8	0.57	354	0.34	2.19	3.9	9.7
J846098		21.5	2.53	18.95	0.10	2.0	0.022	2.02	14.6	11.3	0.60	449	0.14	2.42	5.8	11.7
J846099		20.2	4.49	19.30	0.14	2.9	0.039	1.61	18.7	24.7	1.25	662	0.30	2.29	9.4	24.1
J846100		>10000	4.92	13.65	0.12	1.0	0.133	0.87	10.4	15.0	1.19	693	249	2.13	3.9	31.2
J846101		12.3	1.62	16.95	0.10	2.9	0.014	1.59	23.1	5.6	0.32	224	0.31	3.09	4.9	3.6
J846102		17.1	2.38	18.00	0.10	3.1	0.017	0.94	21.9	20.5	1.29	511	0.29	3.21	7.9	59.4
J846103		6.4	2.71	18.45	0.11	3.3	0.022	1.37	27.8	22.4	1.25	464	0.20	2.63	7.2	51.0
J846104		1.8	2.26	19.00	0.10	3.3	0.017	2.13	21.4	8.1	0.40	319	0.16	2.53	6.8	5.8
J846105		5.9	1.87	19.25	0.09	3.0	0.017	1.57	17.3	8.3	0.35	284	0.10	2.75	6.7	4.9
J846106		42.5	2.65	20.0	0.10	3.1	0.022	1.51	23.6	12.0	0.60	408	0.18	2.73	5.1	9.3
J846107		28.9	3.29	19.70	0.11	3.3	0.030	1.42	20.2	17.9	0.87	511	0.29	2.58	6.5	14.5
J846108		15.0	3.69	19.50	0.12	2.9	0.034	1.87	13.4	20.2	0.93	608	0.30	2.30	8.3	18.4
J846109		26.4	5.33	21.7	0.15	3.1	0.049	0.60	21.7	27.4	1.47	854	0.28	2.84	12.9	27.8
J846110		42.0	4.41	21.7	0.14	2.5	0.039	0.90	19.3	24.7	1.23	694	0.22	2.88	9.0	23.3
J846111		28.7	3.53	19.60	0.10	2.3	0.030	1.22	18.3	22.0	1.09	607	0.14	2.84	6.7	24.4
J846112		28.8	2.38	18.95	0.09	1.9	0.016	1.45	10.7	12.0	0.62	373	0.10	2.78	7.1	11.3
J846113		12.1	4.27	21.4	0.14	2.9	0.044	1.44	16.7	24.5	1.22	696	0.20	2.72	11.1	24.1
J846114		27.8	2.71	18.80	0.10	2.3	0.020	1.60	13.9	13.0	0.61	435	0.12	2.81	4.5	8.3
J846115		>10000	5.59	14.30	0.16	1.1	0.105	2.55	25.5	17.0	1.15	627	111.0	1.53	6.2	32.4
J846116		11.4	2.44	17.45	0.09	1.9	0.016	1.59	10.4	14.1	0.66	405	0.24	2.49	4.8	8.3
J846116 CRD		6.6	2.63	18.20	0.09	2.2	0.019	1.71	11.6	14.7	0.69	437	0.16	2.60	5.2	8.9
J846117		47.8	3.21	18.75	0.10	1.7	0.030	1.83	11.7	16.3	0.91	499	0.12	2.30	4.7	15.5
J846118		33.9	3.36	19.55	0.11	2.0	0.032	1.80	11.0	16.7	0.96	525	0.14	2.22	5.6	20.7
J846119		32.9	2.71	18.85	0.11	3.1	0.022	1.92	17.1	14.4	0.82	438	0.43	2.27	5.7	13.6
J846120		22.7	3.74	21.3	0.14	3.6	0.043	2.01	25.1	21.2	1.09	451	0.23	1.89	10.0	30.3
J846121		20.8	3.24	20.1	0.14	4.3	0.032	2.24	33.1	22.4	1.29	556	1.16	1.11	7.1	56.8
J846122		25.8	2.04	18.95	0.14	5.8	0.025	1.81	44.8	5.8	0.29	288	0.18	2.28	9.2	2.2
J846123		9.3	1.87	16.95	0.11	4.5	0.020	1.65	30.8	5.3	0.26	262	0.13	2.43	7.1	2.2
J846124		15.9	2.81	18.60	0.10	2.0	0.027	1.83	15.8	13.9	0.84	484	0.21	2.17	5.8	27.3
J846125		50.5	3.92	18.15	0.15	2.6	0.032	1.90	20.1	20.2	1.84	762	0.20	1.54	6.2	75.0
J846126		25.5	4.36	18.30	0.13	2.3	0.039	1.96	16.5	22.6	1.41	689	0.10	1.37	5.0	48.6
J846127		24.6	4.23	19.30	0.14	2.3	0.038	1.66	15.8	22.2	1.22	639	0.09	2.01	7.8	22.6
J846128		7.2	2.52	17.70	0.14	3.6	0.021	1.87	30.7	10.5	0.56	390	0.11	2.12	6.0	8.8
J846129		5.5	2.17	18.45	0.16	4.5	0.019	1.96	43.3	8.9	0.44	304	0.12	2.16	5.9	4.9
J846130		4730	4.62	17.40	0.20	0.7	0.057	4.58	17.4	12.0	0.74	487	269	0.99	5.0	23.4
J846131		9.2	2.28	18.60	0.16	4.3	0.022	2.16	37.7	8.1	0.44	330	0.34	2.06	6.2	5.8
J846132		4.3	2.21	18.65	0.15	4.5	0.026	2.14	40.1	8.6	0.47	347	0.14	2.01	6.1	6.4
J846133		13.4	2.01	17.75	0.15	3.1	0.024	1.74	22.6	8.4	0.44	319	0.18	2.70	6.1	7.8
J846134		24.3	3.74	17.85	0.14	2.1	0.036	1.72	8.8	18.8	1.06	681	0.16	2.01	5.8	26.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J846096		700	6.4	52.5	<0.002	0.07	0.17	7.9	1	1.1	251	0.42	<0.05	6.5	0.222	0.27
J846097		470	4.4	64.8	<0.002	0.04	0.13	5.6	1	1.0	194.0	0.31	<0.05	5.0	0.140	0.33
J846098		450	4.7	62.4	<0.002	0.01	0.12	6.0	1	1.2	205	0.64	<0.05	3.6	0.171	0.30
J846099		810	4.0	56.0	<0.002	0.04	0.15	12.2	1	1.4	221	0.72	<0.05	3.2	0.434	0.28
J846100		580	38.1	24.3	1.460	1.62	24.8	13.9	5	1.0	291	0.28	0.58	2.0	0.334	0.22
J846101		280	3.9	55.5	<0.002	0.06	0.11	2.9	1	0.9	172.0	0.30	<0.05	10.4	0.106	0.25
J846102		480	7.2	30.3	<0.002	0.09	0.08	6.1	1	1.0	203	0.62	<0.05	7.1	0.139	0.15
J846103		560	6.6	46.7	<0.002	0.04	0.08	6.0	1	1.1	214	0.46	<0.05	7.2	0.190	0.23
J846104		410	3.5	64.1	<0.002	0.07	0.08	3.6	1	1.2	140.5	0.39	<0.05	7.3	0.164	0.32
J846105		320	3.8	55.7	<0.002	0.02	0.09	3.2	1	1.1	200	0.40	<0.05	6.4	0.145	0.27
J846106		470	5.4	46.9	<0.002	0.03	0.14	5.5	1	0.9	336	0.31	<0.05	5.3	0.205	0.26
J846107		640	5.2	48.7	<0.002	0.04	0.11	7.8	1	1.2	260	0.51	<0.05	4.6	0.307	0.24
J846108		650	3.1	55.9	<0.002	0.02	0.09	9.2	1	1.4	136.0	0.62	<0.05	3.2	0.362	0.31
J846109		1140	8.2	19.6	<0.002	0.03	0.30	14.4	1	1.7	435	0.88	<0.05	3.3	0.623	0.11
J846110		890	6.9	28.7	<0.002	0.05	0.22	11.7	1	1.3	350	0.77	<0.05	3.4	0.421	0.16
J846111		640	3.8	37.4	<0.002	0.03	0.10	9.0	1	1.2	195.0	0.58	<0.05	4.9	0.270	0.19
J846112		400	3.4	43.3	<0.002	0.05	0.08	5.1	1	0.9	166.0	0.58	<0.05	3.6	0.184	0.23
J846113		840	4.1	44.3	<0.002	0.01	0.15	12.5	1	1.7	200	0.92	<0.05	3.3	0.415	0.24
J846114		580	2.7	49.1	<0.002	0.05	0.10	5.8	1	0.7	169.5	0.44	<0.05	2.9	0.214	0.25
J846115		860	55.6	76.3	0.134	2.33	6.76	15.0	7	2.4	244	0.26	0.87	4.3	0.304	0.73
J846116		590	2.4	49.7	<0.002	0.02	0.10	4.7	1	0.7	156.5	0.38	<0.05	1.7	0.254	0.27
J846116 CRD		630	2.6	52.5	<0.002	0.03	0.09	5.1	1	0.8	166.0	0.42	<0.05	1.9	0.278	0.28
J846117		680	3.2	54.3	<0.002	0.09	0.10	7.3	1	1.0	187.0	0.40	<0.05	1.7	0.267	0.28
J846118		660	4.2	54.3	<0.002	0.03	0.11	10.1	1	1.3	183.5	0.51	<0.05	2.7	0.252	0.29
J846119		570	3.3	57.8	<0.002	0.09	0.16	6.8	1	1.0	180.5	0.44	<0.05	5.0	0.220	0.30
J846120		810	3.9	59.3	<0.002	0.06	0.17	11.7	1	1.5	163.5	0.77	<0.05	6.1	0.271	0.32
J846121		660	4.9	61.3	<0.002	0.28	0.15	9.5	1	1.1	150.0	0.48	0.08	6.9	0.190	0.35
J846122		330	4.4	62.7	<0.002	0.17	0.10	4.3	1	1.1	182.0	0.51	<0.05	12.0	0.116	0.28
J846123		270	4.3	54.5	<0.002	0.21	0.09	3.6	1	1.1	168.5	0.41	<0.05	9.0	0.101	0.25
J846124		470	3.5	53.1	<0.002	0.02	0.11	7.3	1	1.2	186.5	0.54	<0.05	3.3	0.172	0.28
J846125		740	5.0	48.3	<0.002	0.04	0.19	12.8	1	1.0	212	0.52	<0.05	2.5	0.228	0.29
J846126		640	3.1	51.5	<0.002	0.09	0.18	14.6	1	1.1	163.0	0.41	<0.05	1.6	0.243	0.31
J846127		590	4.1	44.6	<0.002	0.05	0.16	13.2	1	1.3	209	0.93	<0.05	1.8	0.240	0.27
J846128		420	4.8	54.1	<0.002	0.03	0.11	5.2	1	1.0	199.0	0.33	<0.05	9.5	0.180	0.30
J846129		420	5.1	58.4	<0.002	0.08	0.11	4.1	1	1.0	174.0	0.29	<0.05	12.3	0.155	0.30
J846130		1120	39.8	94.6	0.586	2.63	7.66	12.0	8	3.0	263	0.32	0.97	2.5	0.249	1.41
J846131		490	5.0	62.6	<0.002	0.15	0.12	4.3	1	1.0	164.0	0.30	<0.05	10.4	0.167	0.33
J846132		460	7.1	59.5	<0.002	0.14	0.11	5.0	1	1.2	143.0	0.30	<0.05	11.1	0.168	0.31
J846133		400	5.4	51.0	<0.002	0.11	0.11	5.5	1	1.1	134.5	0.47	<0.05	6.9	0.134	0.26
J846134		570	4.3	42.1	<0.002	0.03	0.11	13.1	1	0.9	166.0	0.47	<0.05	1.4	0.217	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J846096		1.0	63	0.7	10.3	63	112.5									
J846097		1.7	40	0.5	6.7	44	102.0									
J846098		1.2	36	0.2	9.5	50	69.2									
J846099		0.8	93	0.5	15.5	84	119.0									
J846100		0.8	106	6.2	15.4	146	30.8	1.275								
J846101		0.7	17	0.6	6.4	21	106.5									
J846102		1.3	34	0.5	9.9	58	101.0									
J846103		0.6	37	0.5	8.7	69	122.0									
J846104		0.6	24	0.8	7.1	47	126.0									
J846105		0.6	21	0.5	6.2	43	113.5									
J846106		0.6	42	2.7	7.5	56	117.5									
J846107		0.8	63	0.7	9.5	79	119.0									
J846108		0.7	75	1.2	11.8	82	113.5									
J846109		0.8	115	0.8	19.0	91	130.5									
J846110		0.9	89	0.4	13.0	96	92.9									
J846111		0.9	69	0.5	10.4	68	78.6									
J846112		1.2	38	0.2	6.6	41	57.0									
J846113		1.1	93	0.7	17.7	88	115.0									
J846114		0.5	49	0.6	6.8	46	82.5									
J846115		1.1	148	11.3	14.5	162	36.6	2.16								
J846116		0.5	40	0.7	6.8	45	76.9									
J846116 CRD		0.6	43	0.8	7.5	48	88.9									
J846117		0.6	65	0.6	8.5	56	60.8		0.74	2.7	62.60	15.10	4.48	3.99	1.61	3.28
J846118		0.6	59	0.5	10.1	65	73.9									
J846119		0.7	46	1.8	6.4	40	122.5									
J846120		1.1	65	1.9	8.1	61	145.0									
J846121		2.7	61	5.0	8.9	48	160.5									
J846122		1.5	11	1.4	8.0	24	211									
J846123		1.2	11	1.1	5.9	25	159.5									
J846124		0.7	45	1.6	5.6	54	68.9									
J846125		0.5	87	1.8	8.5	86	99.1									
J846126		0.3	103	2.2	7.2	83	93.3									
J846127		0.8	97	1.7	6.0	98	86.9									
J846128		0.8	34	1.2	6.1	53	152.0									
J846129		1.0	25	1.5	6.9	44	184.5									
J846130		1.2	156	12.1	14.2	152	22.4									
J846131		1.0	27	2.0	6.6	40	178.0									
J846132		1.1	31	1.8	6.5	39	187.0									
J846133		1.1	30	1.4	5.7	35	109.5									
J846134		1.2	85	1.0	6.8	74	80.6									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846096										
J846097										
J846098										
J846099										
J846100										
J846101										
J846102										
J846103										
J846104										
J846105										
J846106										
J846107										
J846108										
J846109										
J846110										
J846111										
J846112										
J846113										
J846114										
J846115										
J846116										
J846116 CRD										
J846117		2.16	<0.01	0.46	0.06	0.143	0.03	0.04	4.44	98.39
J846118										
J846119										
J846120										
J846121										
J846122										
J846123										
J846124										
J846125										
J846126										
J846127										
J846128										
J846129										
J846130										
J846131										
J846132										
J846133										
J846134										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J846135		3.69	0.006		0.10	7.22	<0.2	330	0.80	0.03	4.13	0.07	31.1	17.3	38	0.76
J846135 CRD		<0.02	0.007		0.10	7.08	<0.2	320	0.78	0.04	4.00	0.07	34.2	16.4	36	0.76
J846136		3.25	0.010	0.009	0.10	7.25	<0.2	330	0.75	0.05	4.76	0.06	31.4	19.6	131	0.82
J846137		3.38	<0.005		0.05	6.92	<0.2	530	0.92	0.02	3.06	0.04	23.9	11.2	31	1.00
J846138		3.30	<0.005		0.02	7.05	<0.2	520	0.76	0.01	1.10	0.02	27.5	1.5	7	0.56
J846139		3.33	<0.005		0.07	7.36	<0.2	370	1.21	0.03	2.64	0.04	41.6	9.2	22	0.61
J846140		3.27	<0.005		0.04	6.69	<0.2	410	1.13	0.01	1.57	0.02	41.6	3.0	8	0.73
J846141		3.38	0.013		0.09	7.78	<0.2	310	0.88	0.05	3.44	0.04	49.7	10.9	16	0.82
J846142		3.46	0.035		0.09	7.45	<0.2	280	0.84	0.04	3.18	0.04	62.4	9.6	8	0.63
J846143		3.41	0.057		0.07	7.16	<0.2	390	0.85	0.03	2.88	0.03	32.2	9.1	6	0.92
J846144		3.45	0.011		0.06	7.34	<0.2	390	0.95	0.04	3.09	0.03	36.6	11.7	39	0.90
J846145		1.00	<0.005		0.01	0.15	<5	10	0.05	0.01	21.5	<0.02	3.12	0.9	2	0.10
J846146		3.37	0.006		0.10	7.86	<0.2	270	0.70	0.08	3.34	0.04	45.3	11.4	7	0.56
J846147		3.56	<0.005		0.11	7.74	<0.2	210	0.67	0.04	3.68	0.03	52.3	11.5	12	0.41
J846148		3.56	<0.005		0.10	8.32	<0.2	240	0.76	0.04	4.28	0.06	34.2	18.2	32	0.41
J846149		3.47	0.005		0.08	7.42	<0.2	510	0.75	0.04	4.26	0.04	32.5	14.8	23	0.76
J846150		3.47	<0.005		0.09	8.32	<0.2	290	0.69	0.08	4.32	0.05	31.3	18.3	18	0.51
J846151		3.16	<0.005		0.11	8.14	<0.2	290	0.75	0.08	4.06	0.04	30.8	18.1	25	0.53
J846152		3.45	<0.005		0.22	8.23	0.2	360	0.73	0.06	4.33	0.06	33.0	22.3	16	0.61
J846153		3.35	<0.005		0.09	8.06	<0.2	330	0.98	0.06	3.56	0.04	32.9	15.5	21	0.50
J846154		3.50	0.009		0.08	7.68	<0.2	420	0.85	0.03	3.66	0.03	35.0	17.0	26	0.69
J846155		3.29	<0.005		0.11	7.45	<0.2	370	0.81	0.02	2.64	0.07	44.2	11.4	18	0.49
J846155 CRD		<0.02	<0.005		0.09	7.80	0.5	380	0.87	0.02	2.77	0.05	46.5	11.7	19	0.51
J846156		3.43	<0.005	<0.005	0.13	8.29	0.4	280	0.89	0.06	4.12	0.06	62.3	15.8	12	0.34
J846157		3.26	<0.005		0.08	7.53	1.1	370	0.93	0.03	2.68	0.05	31.4	10.8	18	0.43
J846158		3.43	<0.005		0.12	8.57	3.9	330	0.84	0.11	3.93	0.08	40.9	19.5	31	0.40
J846159		3.49	<0.005		0.12	7.96	3.0	260	1.00	0.06	3.50	0.04	43.4	15.7	24	0.46
J846160		0.07	1.030		4.50	6.69	17.1	470	0.81	1.89	2.37	2.30	22.0	14.3	63	0.77
J846161		3.19	<0.005		0.11	7.23	2.5	220	1.38	0.03	3.27	0.08	26.6	11.7	17	0.36
J846162		3.32	<0.005		0.19	8.36	4.3	130	0.89	0.05	4.41	0.18	71.9	18.0	19	0.22
J846163		3.30	<0.005		0.14	8.02	1.6	270	1.13	0.04	3.60	0.12	59.0	15.0	21	0.28
J846164		3.29	<0.005		0.15	8.01	1.5	300	1.24	0.13	3.55	0.09	53.3	15.1	20	0.52
J846165		3.35	0.010		0.09	6.82	<0.2	560	0.91	0.04	2.94	0.03	70.4	9.1	14	0.75
J846166		3.60	<0.005		0.03	7.03	<0.2	680	0.87	0.01	1.58	0.02	66.9	3.1	7	0.61
J846167		3.55	0.018		0.20	7.42	0.2	260	0.98	0.05	3.97	0.07	57.8	16.0	23	0.42
J846168		3.29	<0.005		0.13	7.55	0.2	330	1.13	0.05	3.48	0.05	52.4	13.8	21	0.50
J846169		3.18	<0.005		0.19	8.01	<0.2	360	1.09	0.02	3.58	0.06	39.3	16.2	23	0.51
J846170		3.61	0.007		0.14	7.76	1.8	340	1.16	0.03	3.63	0.06	58.4	14.2	19	0.50
J846171		3.67	<0.005		0.11	7.79	0.5	380	1.10	0.05	3.41	0.06	42.4	14.4	17	0.54
J846172		3.72	<0.005		0.03	7.26	<0.2	530	1.01	<0.01	1.90	0.04	47.9	5.1	12	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J846135		40.9	4.58	18.95	0.15	2.7	0.041	1.59	12.6	24.1	1.38	765	0.10	1.90	6.2	25.1
J846135 CRD		35.6	4.36	18.25	0.17	2.4	0.038	1.55	14.4	23.7	1.34	735	0.09	1.80	5.8	24.5
J846136		44.6	4.46	18.00	0.16	2.6	0.040	1.71	13.5	23.2	1.54	793	0.13	1.68	4.6	64.2
J846137		13.6	3.05	18.35	0.13	2.0	0.030	2.24	9.9	14.9	0.87	569	0.09	1.82	5.6	20.1
J846138		5.7	0.94	16.85	0.11	2.3	0.007	1.39	13.4	1.4	0.10	155	0.17	3.50	3.2	1.7
J846139		27.1	2.68	18.85	0.16	3.0	0.025	1.27	20.2	11.4	0.65	477	0.19	2.70	7.2	13.0
J846140		26.2	1.25	16.80	0.14	3.3	0.012	1.48	21.4	3.6	0.21	220	0.24	2.92	5.9	3.1
J846141		20.8	3.92	19.95	0.17	3.9	0.047	1.57	20.2	16.4	0.76	539	0.10	2.30	9.3	9.5
J846142		12.7	3.68	20.5	0.18	4.8	0.047	1.24	26.6	13.8	0.58	489	0.15	2.41	9.2	3.4
J846143		18.5	3.16	19.50	0.16	3.9	0.045	1.79	12.3	12.7	0.53	445	0.14	2.38	9.4	2.6
J846144		11.1	3.75	20.2	0.18	3.5	0.040	1.73	15.6	19.0	0.93	565	0.09	2.31	8.2	22.9
J846145		1.2	0.09	0.43	0.20	0.1	<0.005	0.11	2.3	5.1	13.25	50	0.11	0.01	0.4	0.6
J846146		25.7	4.11	22.6	0.17	4.5	0.055	1.09	17.5	13.5	0.68	512	0.14	2.55	10.8	2.8
J846147		24.9	4.09	21.5	0.18	5.0	0.059	0.90	21.3	13.7	0.76	543	0.11	2.47	10.5	6.3
J846148		32.1	4.97	19.45	0.14	2.4	0.041	0.86	14.6	20.8	1.39	767	0.15	2.42	5.8	29.5
J846149		19.4	3.98	17.75	0.15	2.2	0.033	1.86	13.9	19.0	1.19	667	0.17	1.98	5.3	23.8
J846150		39.4	4.90	19.20	0.16	2.5	0.043	1.09	12.8	21.5	1.44	775	0.23	2.65	5.9	23.9
J846151		33.7	4.73	19.20	0.15	2.6	0.043	1.10	13.1	21.5	1.43	739	0.29	2.58	5.6	24.7
J846152		151.0	5.14	19.15	0.17	2.1	0.042	1.31	13.8	22.2	1.47	828	0.23	2.41	5.9	23.0
J846153		17.9	4.12	19.50	0.15	2.4	0.034	1.05	14.1	17.5	1.18	647	0.14	2.54	6.2	24.0
J846154		27.8	3.83	17.80	0.16	2.2	0.034	1.48	15.3	16.5	1.15	635	0.16	2.17	5.4	24.0
J846155		22.6	3.72	19.35	0.17	2.9	0.035	1.10	19.5	13.3	0.83	548	0.17	2.65	9.6	12.9
J846155 CRD		23.8	3.60	19.75	0.17	2.8	0.039	1.12	20.8	13.7	0.85	538	0.18	2.69	9.8	12.6
J846156		35.0	4.98	20.2	0.21	3.2	0.059	0.81	25.3	17.3	1.17	792	0.15	2.37	13.8	14.8
J846157		29.7	3.24	17.90	0.16	2.4	0.035	1.02	14.7	14.7	0.84	504	0.11	2.88	5.6	16.5
J846158		36.6	4.97	19.60	0.16	2.2	0.044	1.00	18.6	17.3	1.50	808	0.14	2.60	6.2	30.3
J846159		29.6	4.21	18.70	0.17	2.7	0.043	0.94	19.3	18.6	1.21	656	0.14	2.86	9.7	22.9
J846160		>10000	4.56	13.15	0.17	0.9	0.140	0.83	10.5	15.6	1.17	668	253	2.12	4.1	32.0
J846161		35.1	3.33	18.85	0.15	2.1	0.034	0.94	10.4	12.4	0.81	511	0.31	3.11	7.0	15.5
J846162		49.9	5.84	22.3	0.23	3.0	0.063	0.71	26.4	16.4	1.28	867	0.15	2.34	17.8	13.1
J846163		31.4	4.69	20.9	0.17	2.6	0.048	0.85	22.8	12.7	0.96	660	0.19	2.51	15.3	11.4
J846164		33.9	4.67	20.8	0.19	2.3	0.054	1.25	18.7	15.0	1.01	646	0.13	2.36	15.4	12.0
J846165		16.1	3.30	18.55	0.20	4.5	0.036	1.81	29.0	11.9	0.55	510	0.14	2.39	12.0	7.3
J846166		5.0	1.63	17.45	0.16	4.7	0.016	1.66	31.7	6.2	0.21	253	0.11	2.76	8.7	2.2
J846167		33.6	5.32	20.4	0.20	2.8	0.063	1.06	20.2	16.5	1.13	810	0.19	2.12	17.0	13.7
J846168		32.0	4.27	20.3	0.19	2.3	0.054	1.22	18.7	15.3	0.91	661	0.15	2.38	19.9	11.4
J846169		36.1	5.16	21.9	0.21	2.2	0.069	1.19	13.0	17.2	1.12	831	0.19	2.22	21.6	13.2
J846170		33.3	3.94	19.85	0.18	2.0	0.048	1.22	23.4	15.1	0.92	620	0.25	2.31	11.9	14.2
J846171		19.2	4.34	19.25	0.18	3.0	0.044	1.21	17.7	18.1	1.10	732	0.18	2.42	12.9	18.5
J846172		6.3	1.85	17.55	0.16	2.7	0.018	1.21	22.6	7.3	0.33	291	0.15	2.96	6.7	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J846135		640	4.5	39.4	<0.002	0.04	0.13	15.0	1	1.2	174.0	0.50	<0.05	1.6	0.276	0.25
J846135 CRD		610	4.3	42.1	<0.002	0.04	0.12	14.9	1	1.1	170.0	0.47	<0.05	1.6	0.262	0.23
J846136		550	3.9	44.1	<0.002	0.06	0.11	15.1	1	1.0	171.5	0.43	<0.05	1.6	0.232	0.24
J846137		450	4.0	52.8	<0.002	0.01	0.10	9.5	1	1.1	116.0	0.53	<0.05	2.3	0.196	0.31
J846138		90	5.1	38.7	<0.002	0.01	0.06	1.7	1	0.5	124.5	0.21	<0.05	4.6	0.043	0.17
J846139		390	9.0	35.1	<0.002	0.02	0.14	8.4	1	1.0	245	0.64	<0.05	5.8	0.203	0.19
J846140		210	6.2	43.7	<0.002	0.05	0.06	2.8	1	0.6	165.0	0.60	<0.05	7.4	0.086	0.21
J846141		760	5.3	41.6	<0.002	0.06	0.11	10.9	2	1.1	228	0.54	<0.05	2.7	0.321	0.22
J846142		730	8.1	33.5	<0.002	0.04	0.17	8.1	2	1.1	284	0.60	<0.05	3.3	0.308	0.19
J846143		670	4.4	47.9	<0.002	0.08	0.09	7.4	2	1.3	172.5	0.67	<0.05	2.2	0.301	0.28
J846144		530	3.8	47.0	<0.002	0.05	0.11	12.0	1	1.4	150.5	0.66	<0.05	3.3	0.270	0.27
J846145		10	1.4	2.7	<0.002	0.04	<0.05	0.4	1	<0.2	63.5	<0.05	<0.05	0.3	0.007	0.02
J846146		870	6.4	32.4	<0.002	0.08	0.16	8.8	2	1.3	289	0.59	<0.05	2.3	0.349	0.18
J846147		790	5.7	25.6	<0.002	0.05	0.20	10.8	2	1.2	315	0.64	<0.05	2.8	0.333	0.15
J846148		470	7.2	21.6	<0.002	0.03	0.20	15.0	1	1.1	342	0.49	<0.05	3.1	0.410	0.15
J846149		430	4.2	47.2	<0.002	0.05	0.11	11.5	1	1.0	156.5	0.41	<0.05	3.8	0.333	0.29
J846150		560	6.4	28.6	<0.002	0.03	0.18	15.1	1	1.0	317	0.44	<0.05	2.8	0.462	0.19
J846151		520	9.2	29.7	<0.002	0.02	0.16	15.1	1	1.0	307	0.43	<0.05	2.8	0.446	0.19
J846152		460	7.8	35.8	<0.002	0.20	0.19	15.5	1	1.2	306	0.52	<0.05	3.0	0.505	0.23
J846153		370	13.7	30.0	<0.002	0.02	0.22	12.6	2	1.2	343	0.64	<0.05	4.3	0.335	0.19
J846154		390	8.1	41.9	<0.002	0.07	0.15	12.3	2	1.1	237	0.46	<0.05	3.7	0.337	0.24
J846155		720	9.1	34.4	<0.002	0.04	0.24	9.1	1	1.4	237	0.56	<0.05	3.6	0.334	0.21
J846155 CRD		740	4.3	35.0	<0.002	0.04	0.23	9.1	1	1.4	243	0.59	<0.05	4.2	0.336	0.21
J846156		1060	5.9	21.3	<0.002	0.05	0.24	15.2	2	1.7	369	0.81	<0.05	3.9	0.512	0.14
J846157		400	8.6	29.6	<0.002	0.07	0.13	10.7	1	1.3	189.5	0.42	<0.05	3.3	0.264	0.17
J846158		520	6.6	24.3	<0.002	0.03	0.21	15.2	1	1.3	305	0.52	<0.05	3.9	0.428	0.19
J846159		770	5.7	27.6	<0.002	0.02	0.19	12.5	2	1.3	219	0.72	<0.05	3.4	0.450	0.17
J846160		590	39.7	22.8	1.430	1.66	24.9	15.1	5	1.0	300	0.29	0.54	2.1	0.329	0.22
J846161		520	8.7	23.0	<0.002	0.03	0.16	8.7	1	1.0	194.5	0.50	<0.05	2.2	0.301	0.15
J846162		2140	7.2	17.3	<0.002	0.06	0.22	13.4	2	1.4	332	0.96	<0.05	2.7	0.649	0.12
J846163		1580	6.5	19.5	<0.002	0.05	0.20	10.5	2	1.2	296	0.90	<0.05	3.0	0.516	0.14
J846164		1710	9.4	32.0	<0.002	0.06	0.16	10.1	2	1.3	301	1.01	<0.05	2.2	0.520	0.21
J846165		890	5.5	44.4	<0.002	0.09	0.08	7.2	1	1.1	104.0	0.72	<0.05	7.5	0.291	0.28
J846166		250	7.5	48.2	<0.002	0.01	0.07	3.7	1	1.0	156.5	0.52	<0.05	9.5	0.120	0.25
J846167		1840	7.3	28.7	<0.002	0.04	0.15	12.1	2	1.5	302	1.34	<0.05	2.9	0.576	0.19
J846168		1450	6.4	34.1	<0.002	0.06	0.11	10.2	2	1.5	216	1.58	<0.05	4.4	0.480	0.21
J846169		1910	5.5	33.4	<0.002	0.06	0.14	16.6	2	1.9	247	1.34	<0.05	2.9	0.572	0.21
J846170		990	8.0	34.5	<0.002	0.03	0.15	9.9	2	1.3	268	0.76	<0.05	3.5	0.388	0.20
J846171		970	8.2	32.6	<0.002	0.02	0.13	11.2	2	1.7	245	0.92	<0.05	3.4	0.480	0.22
J846172		300	5.3	35.8	<0.002	0.01	0.13	3.6	1	1.0	228	0.42	<0.05	6.5	0.141	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J846135		0.6	107	1.4	9.7	83	101.0									
J846135 CRD		0.6	103	1.4	9.8	81	89.3									
J846136		0.5	102	1.0	7.5	89	97.5		1.38	5.1	56.52	14.02	6.49	6.77	2.64	2.33
J846137		1.1	68	0.7	6.4	70	72.2									
J846138		1.1	5	0.6	4.0	13	65.2									
J846139		2.8	53	0.2	12.2	56	106.0									
J846140		2.3	17	0.8	6.7	19	117.5									
J846141		0.8	55	2.0	21.8	82	163.5									
J846142		1.6	37	1.4	19.8	72	203									
J846143		1.1	35	4.0	16.3	57	160.5									
J846144		0.9	65	3.8	16.3	77	132.0									
J846145		0.1	2	0.1	1.7	<2	2.3									
J846146		1.0	41	1.7	22.8	65	195.0									
J846147		1.0	49	0.8	25.7	64	208									
J846148		1.2	119	0.4	13.3	93	91.7									
J846149		0.7	93	3.8	11.2	71	84.0									
J846150		0.8	126	0.8	13.3	90	94.4									
J846151		0.8	126	0.8	12.9	88	104.0									
J846152		1.2	143	1.2	11.9	94	78.4									
J846153		1.8	104	0.5	11.7	74	83.4									
J846154		1.7	98	1.8	11.1	70	83.2									
J846155		0.6	64	0.6	11.5	76	112.0									
J846155 CRD		0.7	65	0.6	11.7	77	108.5									
J846156		0.9	97	0.6	22.2	102	130.5		0.20	0.7	59.64	16.24	7.34	5.98	2.08	3.42
J846157		0.7	69	0.8	9.7	68	85.7									
J846158		0.8	122	0.5	13.2	93	83.8									
J846159		0.7	92	1.4	14.9	89	100.5									
J846160		0.8	103	5.4	15.5	145	27.5	1.300								
J846161		0.5	69	0.4	11.2	72	73.5									
J846162		0.9	105	0.4	26.4	139	110.0									
J846163		1.2	80	0.2	19.2	113	88.1									
J846164		1.2	85	0.6	19.8	103	77.4									
J846165		1.1	41	3.2	14.6	73	158.0									
J846166		1.3	8	0.4	10.2	46	163.0									
J846167		0.9	90	0.8	25.0	135	93.6									
J846168		1.5	75	0.9	28.2	91	74.8									
J846169		1.1	95	0.7	32.8	123	70.3									
J846170		0.9	76	0.7	18.5	87	69.7									
J846171		0.9	82	0.7	16.2	96	108.5									
J846172		0.6	22	0.3	5.6	40	92.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846135										
J846135 CRD										
J846136		2.04	0.02	0.58	0.10	0.119	0.03	0.03	7.49	99.18
J846137										
J846138										
J846139										
J846140										
J846141										
J846142										
J846143										
J846144										
J846145										
J846146										
J846147										
J846148										
J846149										
J846150										
J846151										
J846152										
J846153										
J846154										
J846155										
J846155 CRD										
J846156		0.98	<0.01	0.87	0.10	0.221	0.04	0.02	2.63	99.56
J846157										
J846158										
J846159										
J846160										
J846161										
J846162										
J846163										
J846164										
J846165										
J846166										
J846167										
J846168										
J846169										
J846170										
J846171										
J846172										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J846173		3.57	<0.005		0.13	7.98	<0.2	360	0.96	0.03	3.40	0.04	34.2	16.4	22	0.40
J846174		3.87	<0.005		0.11	6.93	<0.2	480	1.15	0.06	3.35	0.04	69.7	13.2	13	0.69
J846175		0.11	2.44		8.09	6.88	42.3	660	0.92	3.51	1.58	1.10	57.1	15.9	59	3.19
J846176		3.70	<0.005		0.13	7.39	<0.2	390	1.10	0.08	3.72	0.04	55.0	15.1	17	0.66
J846176 CRD		<0.02	<0.005		0.14	7.20	<0.2	380	1.05	0.08	3.61	0.04	65.7	15.7	17	0.65
J846177		3.30	<0.005	<0.005	0.20	8.25	<0.2	310	1.06	0.11	4.70	0.05	87.2	21.8	27	0.55
J846178		3.66	<0.005		0.12	7.47	<0.2	400	1.09	0.03	3.17	0.05	55.4	12.4	23	0.55
J846179		3.34	<0.005		0.04	7.28	<0.2	520	1.07	0.02	1.79	0.03	40.7	5.4	11	0.51
J846180		3.71	<0.005		0.02	7.51	<0.2	570	1.10	0.01	1.54	0.02	54.8	4.2	10	0.63
J846181		3.42	<0.005		0.12	6.99	<0.2	420	1.39	0.14	3.72	0.10	245	13.4	6	0.48
J846182		3.34	<0.005		0.07	7.66	<0.2	620	1.11	0.08	3.37	0.05	100.5	12.4	14	0.47
J846183		3.24	<0.005		0.10	7.61	0.7	390	1.06	0.03	3.19	0.06	41.8	15.1	33	0.28
J846184		3.49	<0.005		0.07	7.24	<0.2	690	1.03	0.01	2.23	0.05	84.7	7.0	15	0.33
J846185		3.74	<0.005		0.32	6.84	<0.2	560	1.22	0.03	3.17	0.10	168.5	14.0	11	0.51
J846186		3.54	<0.005		0.05	6.62	<0.2	650	0.96	0.01	2.74	0.05	32.4	6.6	11	0.66
J846187		3.65	<0.005		0.05	7.29	<0.2	650	1.02	0.02	2.23	0.05	28.9	5.8	12	0.58
J846188		3.71	<0.005		0.10	7.95	2.4	470	0.98	0.03	3.12	0.05	34.5	11.9	16	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J846173		63.8	4.17	18.30	0.17	2.6	0.037	1.01	15.2	15.5	1.11	688	0.21	2.53	8.0	20.1
J846174		32.3	3.24	18.55	0.17	2.9	0.038	1.73	27.5	15.2	0.83	555	0.23	2.18	10.3	13.8
J846175		>10000	5.69	13.80	0.20	1.1	0.115	2.73	26.8	17.3	1.19	644	116.0	1.57	6.7	32.5
J846176		40.3	4.32	20.1	0.18	2.4	0.053	1.61	20.6	16.4	0.91	641	0.26	2.42	13.6	11.4
J846176 CRD		36.4	4.10	19.85	0.19	2.3	0.052	1.58	24.8	16.1	0.90	614	0.15	2.35	13.0	11.0
J846177		52.5	6.16	22.3	0.23	3.0	0.073	1.35	31.9	23.8	1.44	937	0.17	2.37	19.3	18.2
J846178		39.6	3.94	19.80	0.19	2.0	0.045	1.43	20.7	15.2	0.82	585	0.13	2.43	12.2	12.0
J846179		8.6	2.18	17.95	0.15	2.6	0.020	1.40	18.6	8.0	0.32	342	0.18	3.14	7.4	4.1
J846180		12.1	1.59	18.55	0.14	2.8	0.018	1.59	26.1	8.5	0.29	258	0.12	3.17	7.6	3.1
J846181		46.9	3.60	18.95	0.31	2.9	0.039	1.08	102.5	17.1	1.20	741	0.14	2.78	6.2	6.4
J846182		29.3	3.03	18.70	0.20	2.7	0.032	1.77	42.7	14.1	0.83	606	0.12	2.66	8.1	10.8
J846183		22.7	3.93	18.75	0.18	3.0	0.034	1.00	18.3	14.1	1.09	657	0.17	2.74	9.7	23.5
J846184		16.0	2.51	18.75	0.17	4.4	0.024	1.40	40.0	9.5	0.44	403	0.13	2.77	9.3	6.4
J846185		171.0	3.74	19.10	0.28	3.5	0.048	1.32	67.1	14.6	1.13	787	0.21	2.64	7.3	11.7
J846186		14.2	2.18	17.15	0.14	2.2	0.021	1.63	14.1	11.6	0.43	422	0.11	2.50	6.4	6.9
J846187		11.4	2.12	17.70	0.13	2.1	0.019	1.59	14.1	11.0	0.41	359	0.21	2.78	6.0	7.1
J846188		33.2	3.29	18.05	0.14	2.4	0.028	1.27	16.7	15.9	0.88	537	0.14	2.71	5.5	16.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J846173		550	7.3	26.6	<0.002	0.08	0.17	11.3	1	1.4	310	0.68	<0.05	3.7	0.399	0.19
J846174		1450	4.0	46.3	<0.002	0.30	0.11	8.1	2	2.0	173.5	0.78	<0.05	5.8	0.313	0.28
J846175		900	66.2	80.0	0.131	2.42	7.09	16.1	6	2.6	263	0.28	0.90	5.1	0.322	0.82
J846176		1460	3.4	40.2	<0.002	0.09	0.08	9.9	2	1.1	197.0	0.61	<0.05	2.3	0.442	0.24
J846176 CRD		1420	3.5	40.4	<0.002	0.09	0.07	9.6	2	1.2	190.5	0.58	<0.05	2.5	0.434	0.24
J846177		2280	4.3	35.5	<0.002	0.11	0.11	15.6	2	1.5	240	0.90	<0.05	3.0	0.654	0.20
J846178		1170	4.7	35.9	<0.002	0.06	0.08	9.1	2	1.3	208	0.68	<0.05	3.9	0.367	0.21
J846179		360	6.5	37.7	<0.002	0.01	0.07	3.8	1	1.3	192.0	0.50	<0.05	5.8	0.147	0.21
J846180		320	4.0	49.2	<0.002	0.04	0.08	3.6	1	1.2	184.0	0.66	<0.05	8.7	0.136	0.25
J846181		2420	10.6	30.4	<0.002	0.31	0.12	8.3	1	1.4	677	0.47	<0.05	18.0	0.249	0.18
J846182		1160	7.8	38.5	<0.002	0.10	0.13	7.5	2	1.6	401	0.76	<0.05	8.6	0.263	0.24
J846183		640	6.2	22.5	<0.002	0.03	0.18	10.8	2	1.5	293	0.73	<0.05	3.5	0.357	0.16
J846184		470	7.7	31.1	<0.002	0.02	0.17	5.6	1	1.3	272	0.45	<0.05	10.2	0.191	0.19
J846185		2190	10.9	31.7	<0.002	0.24	0.22	9.1	1	2.2	351	0.50	<0.05	10.3	0.234	0.22
J846186		330	3.9	44.6	<0.002	0.05	0.09	4.9	1	1.1	166.0	0.46	<0.05	3.6	0.171	0.27
J846187		250	5.5	43.8	<0.002	0.02	0.09	4.5	1	1.2	202	0.43	<0.05	4.3	0.165	0.26
J846188		370	12.6	35.9	<0.002	0.02	0.15	9.1	1	1.0	283	0.53	<0.05	4.7	0.304	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J846173		1.2	96	0.1	12.1	85	88.8									
J846174		0.9	66	1.1	13.4	62	102.5									
J846175		1.3	150	11.4	14.8	176	33.2	2.19								
J846176		0.8	73	0.6	20.1	93	92.4									
J846176 CRD		0.4	72	0.6	20.4	90	86.6									
J846177		1.5	114	1.4	32.8	148	120.0		0.89	3.3	52.85	16.12	9.40	6.81	2.45	3.28
J846178		0.7	65	0.6	18.9	99	72.5									
J846179		0.8	21	0.2	8.8	46	79.0									
J846180		1.1	18	0.4	9.9	32	87.8									
J846181		1.7	90	0.5	18.5	103	112.5									
J846182		1.3	61	0.6	13.1	70	90.0									
J846183		0.8	77	0.1	13.5	81	106.5									
J846184		1.2	25	0.2	10.5	71	157.5									
J846185		1.4	76	0.4	16.6	94	125.0									
J846186		0.5	33	2.6	7.5	51	74.9									
J846187		0.4	32	0.4	5.3	54	70.0									
J846188		0.9	74	0.3	9.4	72	86.6									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 18-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10184043

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J846173										
J846174										
J846175										
J846176										
J846176 CRD										
J846177		1.61	0.01	1.14	0.12	0.456	0.03	0.03	5.50	99.81
J846178										
J846179										
J846180										
J846181										
J846182										
J846183										
J846184										
J846185										
J846186										
J846187										
J846188										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 18-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184043

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.