ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE TB10189373

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848000		0.07	0.941		4.79	6.53	19.8	480	0.72	1.92	2.50	2.15	22.1	14.3	60	0.76
J848001		3.21	0.021		0.01	7.07	0.2	360	0.90	0.01	2.00	0.05	61.5	5.1	8	0.67
J848002		3.37	0.009		0.02	7.27	0.3	410	0.94	0.01	2.40	0.06	36.9	7.9	9	0.67
J848003		3.53	<0.005		0.03	7.27	0.2	330	0.93	0.01	2.44	0.06	46.1	9.9	9	0.70
J848004		2.82	<0.005		0.01	6.83	<0.2	330	0.82	<0.01	2.35	0.06	51.0	6.2	8	0.65
J848005		2.83	0.043		0.02	6.83	0.4	410	0.89	0.02	2.04	0.05	45.6	6.1	10	0.75
J848006		2.17	<0.005		0.03	6.85	0.4	360	0.87	0.01	1.97	0.06	29.0	6.4	13	0.64
J848007		3.82	0.009		0.07	6.46	0.6	280	0.86	0.05	2.65	0.07	31.9	12.4	147	0.44
J848008		3.62	0.007		0.06	6.29	0.8	270	0.71	0.01	6.00	0.13	93.7	36.9	496	0.42
J848009		4.04	0.018		0.06	6.79	0.3	320	0.81	0.04	3.12	0.08	61.6	14.5	150	0.51
J848010		3.34	0.009		0.02	7.01	0.4	390	0.89	0.03	2.47	0.05	59.2	8.2	36	0.82
J848011		3.64	0.141		0.04	6.96	0.2	430	0.90	0.02	2.13	0.05	50.4	4.5	7	1.01
J848012		3.55	0.451		0.16	6.51	0.7	400	0.93	0.05	1.98	0.04	62.5	4.5	7	0.94
J848013		4.05	0.947		>100	6.85	0.4	510	1.15	0.06	1.88	0.05	33.9	10.7	6	1.23
J848014		3.11	0.588		0.41	6.95	0.2	540	1.19	0.05	1.71	0.05	34.0	4.9	7	1.23
J848015		0.12	2.26		8.21	6.85	47.4	650	0.95	3.22	1.62	0.96	53.4	16.8	56	3.00
J848016		2.38	0.040		0.86	7.05	<0.2	450	0.86	<0.01	2.35	0.05	28.1	5.6	8	1.09
J848017		3.73	0.010		0.05	6.51	0.2	330	0.91	0.01	2.14	0.04	33.2	4.1	8	0.84
J848018		3.17	0.052		0.19	7.07	0.4	310	1.04	0.04	1.90	0.04	41.5	5.0	7	0.71
J848019		3.00	0.064		0.04	6.69	0.5	420	0.90	0.03	2.34	0.05	39.1	7.7	7	0.93
J848019 CRD		<0.02	0.112		0.12	6.53	<0.2	430	0.89	0.04	2.34	0.05	37.3	7.9	8	0.93
J848020		3.45	0.005	<0.005	0.01	6.91	0.3	550	0.88	0.01	1.95	0.04	36.2	4.8	8	0.87
J848021		4.31	<0.005		0.02	6.83	0.3	470	0.88	0.01	2.37	0.04	44.5	6.2	8	0.89
J848022		2.28	<0.005		0.09	7.55	0.3	300	0.93	0.07	3.43	0.06	35.3	17.4	21	0.64
J848023		3.29	<0.005		0.05	7.38	0.4	320	1.00	0.02	3.31	0.06	33.5	15.7	21	0.52
J848024		3.46	<0.005		0.05	7.38	0.2	310	0.93	0.12	3.94	0.07	32.7	18.5	24	0.51
J848025		2.37	<0.005		0.10	7.75	0.4	270	0.91	0.26	4.16	0.09	38.1	21.3	29	0.51
J848026		4.56	<0.005		0.14	7.01	0.3	410	0.96	0.07	2.16	0.04	48.3	7.1	20	0.67
J848027		3.36	<0.005		0.02	6.84	0.4	680	0.92	0.02	1.95	0.03	41.7	8.1	19	0.66
J848028		3.42	<0.005		0.07	6.76	0.6	360	0.99	0.03	3.66	0.04	39.7	17.7	44	0.56
J848029		3.28	<0.005		0.02	7.37	0.3	610	1.01	0.01	1.86	0.03	38.8	7.9	9	0.74
J848030		0.07	0.411		2.18	7.46	104.5	590	1.35	0.49	0.55	0.95	31.5	19.0	33	6.67
J848031		3.19	0.005		0.02	7.40	0.5	460	1.07	0.02	2.09	0.02	54.9	6.8	10	0.53
J848032		3.74	0.010		0.14	8.09	1.6	90	1.03	0.06	4.44	0.07	44.4	24.7	88	0.14
J848033		3.00	0.008		0.80	7.28	2.4	100	0.97	0.06	4.28	0.06	74.7	27.4	254	0.19
J848034		3.91	0.005		0.06	6.64	3.1	20	1.00	0.02	6.73	0.08	98.9	43.6	443	0.12
J848035		2.24	<0.005		0.03	6.37	2.1	80	1.34	0.02	6.45	0.07	93.1	46.2	545	0.18
J848036		2.69	<0.005		0.07	6.52	2.4	20	1.04	0.02	6.22	0.08	103.0	46.5	550	0.13
J848037		2.28	<0.005		0.11	7.21	3.4	290	1.41	0.04	4.04	0.05	68.5	12.9	111	0.29
J848038		3.67	0.017		0.10	7.00	3.1	160	1.19	0.07	3.38	0.04	47.1	12.5	17	0.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848000		>10000	4.72	13.50	0.19	1.1	0.136	0.86	10.7	15.4	1.20	689	236	2.21	3.8	36.2
J848001		11.6	2.27	18.95	0.17	3.7	0.016	1.57	28.1	9.2	0.41	316	0.48	2.65	5.4	3.8
J848002		14.2	2.83	18.05	0.17	3.9	0.025	1.35	16.1	11.3	0.53	435	0.20	2.80	6.6	7.4
J848003		23.8	3.46	19.50	0.19	5.1	0.031	1.29	20.6	14.9	0.68	473	0.14	2.70	8.5	8.9
J848004		12.4	2.54	16.90	0.16	4.0	0.020	1.37	22.5	8.8	0.43	387	0.12	2.64	5.0	5.0
J848005		29.5	2.09	18.50	0.16	3.1	0.021	1.68	20.9	8.6	0.43	327	0.09	2.43	5.4	7.3
J848006		40.1	1.89	17.10	0.16	1.7	0.023	1.36	14.2	9.5	0.57	302	0.23	2.89	6.0	11.7
J848007		25.0	2.14	16.40	0.18	2.7	0.018	1.01	15.0	13.4	1.48	501	0.77	3.12	7.3	77.7
J848008		3.1	5.49	14.25	0.24	3.1	0.037	0.74	43.8	45.9	5.20	1270	0.32	1.14	3.8	280
J848009		26.4	2.86	17.05	0.19	3.5	0.026	1.16	28.3	21.1	1.75	526	0.46	2.56	5.2	79.0
J848010		22.5	2.15	18.20	0.16	5.4	0.027	1.57	29.3	12.4	0.80	342	0.19	2.69	6.7	24.5
J848011		8.5	1.98	18.50	0.17	4.7	0.017	1.96	25.0	6.3	0.37	291	0.68	2.27	5.2	4.4
J848012		11.3	2.05	18.40	0.10	4.1	0.015	1.86	30.5	4.4	0.27	271	5.66	2.15	3.8	3.0
J848013		970	2.53	20.2	0.10	3.1	0.019	2.41	16.3	5.8	0.37	339	1.21	1.72	6.2	67.9
J848014		14.4	1.90	20.2	0.09	2.8	0.018	2.53	16.2	5.1	0.36	265	1.22	1.65	5.7	4.5
J848015		>10000	5.73	14.15	0.15	1.4	0.108	2.72	24.5	17.8	1.18	626	112.5	1.64	6.7	34.6
J848016		9.2	2.20	18.65	0.14	3.2	0.021	2.24	13.3	6.3	0.38	361	0.33	2.26	5.3	4.2
J848017		7.5	1.58	17.95	0.09	3.3	0.013	1.70	15.8	4.9	0.26	282	0.18	2.42	5.1	4.4
J848018		19.7	1.97	20.7	0.10	2.6	0.022	1.49	19.2	6.0	0.29	315	0.22	2.91	9.9	3.6
J848019		6.8	2.46	18.85	0.10	3.2	0.025	1.98	17.5	9.4	0.46	364	0.20	1.74	6.8	5.3
J848019 CRD		7.4	2.55	18.75	0.11	3.2	0.025	2.02	16.9	9.4	0.46	371	0.24	1.72	6.8	5.7
J848020		4.0	1.80	18.10	0.10	2.9	0.014	1.80	17.7	6.3	0.32	286	0.23	2.46	5.4	4.2
J848021		9.1	2.13	19.25	0.10	3.2	0.016	1.81	20.9	8.8	0.42	350	0.12	2.42	6.5	6.1
J848022		53.5	4.33	19.20	0.12	2.6	0.039	1.01	15.2	22.1	1.22	657	0.16	2.58	8.6	27.6
J848023		22.4	3.92	19.10	0.10	2.7	0.033	0.89	14.2	19.2	1.12	665	0.25	2.61	9.9	24.0
J848024		19.4	4.48	19.95	0.11	2.6	0.040	0.91	13.5	24.4	1.30	757	0.24	2.66	8.9	30.0
J848025		32.3	4.93	21.2	0.12	2.7	0.044	0.76	15.8	22.9	1.47	785	0.18	2.23	9.9	34.4
J848026		85.2	2.20	19.45	0.09	2.2	0.024	1.24	22.3	8.4	0.49	336	0.15	2.79	6.4	13.5
J848027		8.6	2.16	17.90	0.09	2.2	0.019	1.39	19.4	9.6	0.57	348	0.16	2.95	8.3	15.0
J848028		27.3	3.83	18.95	0.10	1.4	0.038	1.14	14.9	21.8	1.40	664	0.13	2.36	8.3	44.6
J848029		19.9	2.18	19.95	0.11	2.9	0.020	1.63	18.4	9.5	0.53	320	0.12	3.12	7.4	8.9
J848030		4380	4.78	16.95	0.15	0.7	0.052	4.87	16.1	12.6	0.76	487	254	1.04	5.1	24.1
J848031		15.9	2.13	19.55	0.11	3.6	0.019	1.15	27.1	8.7	0.53	316	0.71	3.59	7.3	7.5
J848032		40.2	5.35	19.90	0.12	2.0	0.044	0.20	19.5	24.0	2.13	727	2.10	3.37	8.7	59.0
J848033		11.8	4.58	17.45	0.13	2.2	0.033	0.23	34.0	22.8	3.19	757	0.25	2.36	7.1	147.5
J848034		2.9	5.80	15.20	0.15	2.0	0.037	0.01	42.6	32.4	6.23	1120	0.12	0.73	6.9	274
J848035		2.3	5.60	14.90	0.14	2.1	0.036	0.17	40.1	28.0	6.41	1020	0.10	0.63	6.8	339
J848036		1.8	5.81	14.75	0.14	2.0	0.034	0.01	44.6	37.1	6.68	1060	0.13	0.65	7.2	342
J848037		31.7	3.00	22.9	0.09	3.8	0.035	0.57	32.3	14.0	1.48	421	0.23	3.22	8.0	56.6
J848038		29.7	3.29	19.00	0.09	2.5	0.028	0.30	21.5	9.5	0.99	393	0.72	3.33	7.4	18.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848000		600	39.4	24.2	1.380	1.61	25.8	13.9	6	1.1	285	0.28	0.68	1.8	0.326	0.20
J848001		440	6.2	49.5	<0.002	0.01	0.20	3.2	1	0.9	180.0	0.33	<0.05	8.2	0.161	0.22
J848002		540	6.0	45.7	<0.002	0.01	0.22	6.4	1	1.1	216	0.65	<0.05	3.4	0.186	0.20
J848003		720	6.4	43.9	0.002	0.02	0.22	8.0	1	1.4	218	0.77	<0.05	4.3	0.237	0.19
J848004		500	4.9	41.1	<0.002	0.01	0.19	4.5	1	0.9	205	0.34	<0.05	4.9	0.167	0.20
J848005		440	5.4	52.5	<0.002	0.08	0.17	4.1	1	1.0	176.5	0.48	<0.05	4.6	0.147	0.25
J848006		410	6.6	45.7	<0.002	0.03	0.20	4.9	1	1.0	200	0.62	<0.05	2.9	0.163	0.21
J848007		510	11.9	29.2	<0.002	0.06	0.15	7.1	1	0.6	207	0.83	<0.05	5.0	0.128	0.15
J848008		1410	5.6	23.3	<0.002	0.01	0.23	18.1	1	0.5	244	0.22	<0.05	3.2	0.202	0.09
J848009		750	6.9	34.8	<0.002	0.04	0.17	7.5	1	0.8	223	0.25	<0.05	5.8	0.195	0.15
J848010		430	6.3	49.6	<0.002	0.03	0.15	5.0	1	1.0	214	0.32	<0.05	8.9	0.164	0.23
J848011		370	5.0	63.6	<0.002	0.06	0.13	3.4	1	0.8	171.5	0.24	<0.05	5.9	0.150	0.28
J848012		330	4.4	55.1	<0.002	0.14	0.15	2.7	1	0.7	153.0	0.17	0.05	7.8	0.128	0.26
J848013		500	4.4	69.7	0.036	0.17	0.17	3.9	1	1.0	127.5	0.38	0.14	4.7	0.172	0.74
J848014		460	3.9	71.2	<0.002	0.12	0.15	3.4	1	1.0	108.5	0.34	0.15	5.3	0.157	0.33
J848015		890	58.9	77.6	0.126	2.34	7.17	16.4	6	2.5	257	0.25	0.85	4.6	0.316	0.76
J848016		550	4.9	69.9	<0.002	0.06	0.16	3.5	1	1.1	159.0	0.37	<0.05	4.0	0.200	0.26
J848017		250	5.2	48.4	<0.002	0.03	0.11	2.4	1	0.8	173.5	0.33	<0.05	5.2	0.113	0.24
J848018		390	5.8	42.3	<0.002	0.09	0.11	4.7	1	1.0	146.0	0.94	<0.05	6.4	0.120	0.21
J848019		590	4.2	53.0	<0.002	0.08	0.15	5.1	1	1.0	125.0	0.38	<0.05	5.3	0.187	0.28
J848019 CRD		580	4.1	53.1	<0.002	0.11	0.14	4.9	1	1.0	124.5	0.38	<0.05	5.0	0.187	0.28
J848020		340	4.1	52.2	<0.002	0.02	0.10	3.1	1	0.9	143.0	0.30	<0.05	6.2	0.139	0.26
J848021		410	4.5	51.4	<0.002	0.01	0.12	3.9	1	1.0	159.0	0.35	<0.05	6.8	0.176	0.28
J848022		630	6.9	29.5	<0.002	0.01	0.12	13.4	1	1.6	220	0.73	<0.05	3.2	0.398	0.17
J848023		580	8.1	24.2	<0.002	0.01	0.17	11.7	1	1.4	234	0.80	<0.05	3.5	0.374	0.15
J848024		660	7.0	22.4	<0.002	0.01	0.21	13.5	1	1.5	267	0.73	<0.05	2.7	0.435	0.16
J848025		760	11.6	21.4	<0.002	0.03	0.21	15.8	1	1.7	315	0.68	<0.05	2.9	0.484	0.14
J848026		410	7.5	39.0	<0.002	0.01	0.20	4.6	1	1.1	287	0.38	<0.05	6.6	0.188	0.21
J848027		450	4.6	41.0	<0.002	0.03	0.12	5.3	1	1.1	162.5	0.87	<0.05	5.9	0.183	0.21
J848028		750	7.2	25.8	<0.002	0.02	0.21	12.3	1	1.5	306	0.91	<0.05	1.7	0.301	0.17
J848029		490	3.8	48.3	<0.002	0.03	0.14	5.0	1	1.1	166.0	0.57	<0.05	5.5	0.201	0.24
J848030		1120	38.8	108.5	0.618	2.50	7.32	11.8	8	2.8	254	0.32	0.90	2.5	0.243	1.36
J848031		380	4.4	35.2	0.002	0.03	0.20	4.4	1	1.1	258	0.41	<0.05	8.1	0.183	0.19
J848032		780	7.9	4.9	<0.002	0.01	0.88	18.1	1	1.5	793	0.59	<0.05	2.8	0.501	0.03
J848033		960	7.8	8.1	<0.002	0.01	1.25	14.8	1	1.0	773	0.38	<0.05	4.8	0.341	0.04
J848034		1530	6.1	0.3	<0.002	0.06	1.27	22.0	1	0.7	842	0.31	<0.05	3.7	0.387	<0.02
J848035		1340	4.9	4.8	<0.002	0.11	1.27	20.4	1	0.7	685	0.31	<0.05	3.4	0.338	0.02
J848036		1500	7.4	0.1	<0.002	0.06	1.07	21.2	1	0.7	704	0.32	<0.05	3.7	0.359	<0.02
J848037		600	23.3	16.2	<0.002	0.02	1.64	7.8	1	1.4	1220	0.59	<0.05	8.9	0.204	0.09
J848038		480	18.3	8.4	<0.002	0.03	1.94	9.5	1	1.2	1220	0.56	<0.05	5.6	0.299	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001
J848000		0.8	105	5.3	15.8	154	30.5		1.320
J848001		0.6	27	1.2	7.4	54	120.0		
J848002		1.0	41	0.9	8.5	66	128.5		
J848003		1.0	51	1.0	9.9	86	173.5		
J848004		0.7	33	1.7	6.8	52	131.5		
J848005		0.7	28	1.7	5.4	40	100.0		
J848006		0.8	28	1.1	4.6	38	47.5		
J848007		1.8	39	0.9	9.6	49	61.0		
J848008		0.9	108	1.1	11.6	146	113.5		
J848009		0.5	50	1.0	6.2	79	124.0		
J848010		0.8	27	0.9	6.7	50	192.5		
J848011		0.7	18	1.5	5.4	32	158.5		
J848012		0.8	16	1.8	5.1	28	147.5		
J848013		1.1	27	3260	4.8	38	118.0	252	
J848014		0.8	26	4.8	4.6	37	106.0		
J848015		1.4	150	10.7	14.4	166	46.9		2.15
J848016		1.3	31	11.4	4.8	50	114.5		
J848017		0.9	18	1.3	4.5	34	107.5		
J848018		1.5	22	3.5	8.7	39	72.7		
J848019		1.5	34	3.4	6.1	60	128.0		
J848019 CRD		0.6	34	4.2	5.9	60	130.0		
J848020		0.6	20	1.5	4.6	43	119.5		
J848021		0.5	28	1.3	5.7	55	125.5		
J848022		1.0	95	1.1	13.5	114	96.3		
J848023		1.1	88	0.5	12.9	80	95.1		
J848024		0.8	106	1.1	13.1	98	98.1		
J848025		0.8	113	0.2	14.7	94	105.5		
J848026		0.6	31	0.7	7.1	46	80.7		
J848027		0.9	34	1.3	7.9	44	81.7		
J848028		0.6	84	1.9	14.2	81	41.5		
J848029		0.9	33	2.3	7.1	36	114.5		
J848030		1.2	157	12.0	13.5	146	20.4		
J848031		0.8	27	1.6	9.6	32	136.0		
J848032		1.0	140	2.4	14.2	91	78.6		
J848033		0.9	99	1.9	11.5	96	84.0		
J848034		0.9	139	1.2	13.1	124	80.1		
J848035		1.0	122	1.3	12.0	92	76.0		
J848036		0.9	128	1.3	13.1	105	83.7		
J848037		1.3	58	1.4	11.8	28	154.5		
J848038		1.0	74	1.4	11.7	24	89.0		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848039		3.36	<0.005		0.05	7.09	3.0	80	0.97	0.04	6.18	0.08	89.3	36.4	376	0.11
J848039 CRD		<0.02	<0.005		0.04	6.96	2.7	80	0.95	0.03	6.11	0.09	89.7	36.4	374	0.11
J848040		2.43	<0.005	<0.005	0.10	7.18	1.5	60	0.96	0.05	5.00	0.06	85.7	35.6	376	0.09
J848041		2.97	<0.005		0.04	6.96	0.3	380	0.96	0.01	1.98	0.05	44.4	6.7	41	0.48
J848042		2.07	0.014		0.01	6.80	0.3	540	0.98	0.01	1.66	0.02	49.5	5.7	12	0.66
J848043		2.41	0.006		0.01	7.11	0.2	540	0.88	0.01	2.11	0.03	33.5	6.0	12	0.65
J848044		3.26	0.016		0.22	7.15	0.5	680	1.01	0.02	2.04	0.09	44.0	6.8	10	0.79
J848045		1.04	<0.005		<0.01	0.15	<5	10	0.06	0.01	20.0	<0.02	2.97	0.8	2	0.11
J848046		3.64	<0.005		0.02	6.91	0.5	410	0.84	0.03	2.19	0.05	48.1	10.1	19	0.69
J848047		3.31	<0.005		0.09	7.31	0.5	260	0.81	0.04	3.40	0.08	36.4	15.8	23	0.47
J848048		3.43	<0.005		0.05	7.36	0.6	370	0.86	0.05	3.87	0.06	40.1	19.4	22	0.69
J848049		3.33	<0.005		0.08	7.36	0.6	240	0.80	0.06	4.03	0.07	34.8	20.9	20	0.50
J848050		3.34	<0.005		0.23	7.11	0.3	340	0.85	0.04	3.62	0.06	34.4	17.0	18	0.65
J848051		2.84	<0.005		0.16	7.20	0.3	330	0.91	0.04	3.91	0.06	35.5	18.3	18	0.67
J848052		3.14	<0.005		0.05	6.95	0.4	310	0.84	0.03	3.45	0.06	48.4	15.3	17	0.58
J848053		3.32	<0.005		0.02	6.63	0.3	390	0.94	0.01	2.37	0.05	45.4	5.3	8	0.75
J848054		3.11	<0.005		0.03	7.48	0.4	340	0.94	0.02	2.44	0.04	53.6	8.2	13	0.70
J848055		2.97	0.016		0.04	6.88	<0.2	340	0.85	0.02	2.85	0.04	38.5	9.4	13	0.64
J848056		3.22	<0.005		0.02	6.80	<0.2	260	0.75	0.04	3.67	0.04	34.8	10.1	11	0.68
J848057		2.93	0.118		0.04	6.74	0.6	270	0.90	0.02	2.31	0.03	52.5	7.4	12	0.76
J848058		3.02	<0.005		0.05	6.81	0.2	240	0.89	0.06	3.42	0.05	34.8	17.1	51	0.45
J848059		3.29	<0.005		0.15	7.25	0.6	160	0.71	0.03	4.22	0.04	36.2	23.4	109	0.26
J848059 CRD		<0.02	<0.005		0.04	7.52	0.4	160	0.74	0.03	4.24	0.05	37.8	23.2	109	0.26
J848060		0.08	0.951		4.68	6.28	20.2	440	0.70	1.75	2.39	2.10	21.3	15.0	60	0.76
J848061		3.27	0.226	0.262	0.30	7.17	0.3	290	1.02	0.22	4.14	0.14	27.5	17.6	47	0.89
J848062		3.18	0.196		0.12	7.01	0.5	310	0.81	0.11	3.88	0.04	37.5	16.5	18	0.62
J848063		3.10	<0.005		<0.01	6.72	0.2	510	0.75	0.04	1.95	0.03	39.8	4.4	10	0.61
J848064		2.74	0.043		0.03	6.94	0.2	400	0.84	0.01	2.23	0.03	48.2	5.7	9	0.77
J848065		3.15	0.142		0.02	6.92	0.3	380	0.89	0.01	2.26	0.02	59.6	6.7	9	0.93
J848066		3.07	0.354		0.26	7.56	<0.2	340	0.89	0.03	3.20	0.03	40.0	12.7	16	0.92
J848067		3.11	0.053		0.05	7.23	0.3	370	0.87	0.03	3.13	0.05	47.9	12.7	8	0.95
J848068		3.05	0.018		0.06	6.97	<0.2	330	0.86	0.03	3.02	0.04	37.7	14.4	13	0.69
J848069		3.27	<0.005		0.03	7.44	0.6	240	0.78	0.04	3.71	0.04	42.2	15.7	10	0.49
J848070		2.91	0.034		0.09	7.58	0.5	260	0.81	0.10	3.97	0.05	56.6	15.7	10	0.77
J848071		3.29	<0.005		0.10	7.24	0.6	230	0.70	0.25	4.05	0.05	52.1	15.6	8	0.77
J848072		3.24	0.040		0.06	7.44	0.3	280	0.78	0.17	4.15	0.06	56.1	17.0	8	0.88
J848073		3.75	0.023		0.10	7.06	0.5	310	0.75	0.04	3.07	0.05	49.8	13.2	10	0.85
J848074		3.86	<0.005		0.03	7.45	0.7	140	0.74	0.14	4.36	0.05	58.8	16.1	9	0.46
J848075		0.12	2.24		7.84	6.68	46.2	590	0.88	3.36	1.60	0.99	53.9	17.1	57	3.11
J848076		3.73	0.022		0.06	7.14	0.5	140	0.72	0.04	4.00	0.04	57.0	16.0	10	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848039		17.8	5.50	16.70	0.13	2.3	0.037	0.04	39.0	28.7	4.72	944	0.19	1.57	7.6	213
J848039 CRD		18.5	5.40	16.40	0.13	2.4	0.034	0.04	38.8	29.1	4.68	928	0.23	1.55	7.5	209
J848040		44.1	5.22	16.30	0.13	2.6	0.038	0.07	38.6	39.2	4.66	871	0.33	1.89	7.8	213
J848041		21.1	2.02	19.00	0.09	3.1	0.018	0.97	21.3	9.4	0.68	302	0.58	3.62	6.9	20.8
J848042		1.8	1.94	18.60	0.09	3.4	0.017	1.44	24.4	7.4	0.41	261	0.24	3.02	6.5	7.6
J848043		9.3	2.18	19.10	0.09	3.2	0.017	1.59	15.8	8.5	0.49	312	0.12	2.83	6.7	7.6
J848044		15.9	2.24	19.45	0.11	3.6	0.023	1.91	22.4	9.2	0.51	311	0.20	2.53	7.4	8.0
J848045		0.6	0.14	0.39	<0.05	0.1	<0.005	0.12	2.1	5.2	13.05	53	0.12	0.02	0.4	1.4
J848046		18.5	2.90	18.55	0.09	3.4	0.032	1.39	23.8	12.2	0.76	424	0.12	2.96	6.8	16.9
J848047		30.6	4.09	18.30	0.11	2.6	0.038	0.83	17.0	15.8	1.16	642	0.15	2.54	7.3	23.4
J848048		14.9	4.58	19.75	0.12	2.7	0.043	1.31	19.2	23.1	1.38	724	0.18	2.40	7.7	28.3
J848049		29.7	4.91	19.65	0.11	2.4	0.046	0.86	15.5	22.7	1.45	750	0.21	2.45	8.7	28.4
J848050		103.5	4.21	19.75	0.11	3.2	0.035	1.13	15.4	20.3	1.12	667	0.12	2.56	7.8	20.8
J848051		97.7	4.38	20.0	0.11	3.4	0.043	1.12	16.1	22.2	1.22	726	0.10	2.56	8.0	22.4
J848052		13.9	4.08	20.6	0.12	3.8	0.039	1.17	22.2	20.3	1.05	620	0.13	2.65	9.1	20.5
J848053		7.0	1.88	19.25	0.09	3.9	0.020	1.70	22.5	7.3	0.37	341	0.12	2.69	6.7	5.2
J848054		16.9	2.65	20.2	0.11	4.0	0.026	1.34	26.8	10.8	0.56	375	0.12	2.72	6.4	9.7
J848055		14.9	2.91	19.50	0.10	3.5	0.028	1.39	19.0	12.9	0.61	394	3.25	2.69	7.2	10.2
J848056		12.2	3.03	20.2	0.10	2.9	0.033	1.66	16.4	15.4	0.68	386	0.24	2.12	6.4	10.8
J848057		10.7	2.15	19.75	0.11	3.7	0.026	1.67	26.1	10.5	0.50	283	0.17	2.66	12.0	7.7
J848058		31.0	3.99	19.45	0.10	2.5	0.041	0.91	16.0	21.9	1.27	586	0.30	2.64	6.7	35.5
J848059		24.0	4.69	19.00	0.12	2.8	0.047	0.52	17.0	29.7	2.10	772	0.14	2.25	6.5	67.9
J848059 CRD		25.6	4.87	18.85	0.12	2.6	0.047	0.53	18.7	29.2	2.12	774	0.11	2.25	6.5	67.8
J848060		>10000	4.53	13.65	0.12	1.0	0.142	0.84	10.7	15.3	1.15	660	229	2.16	3.9	31.7
J848061		37.4	4.15	20.1	0.09	2.2	0.050	1.54	13.2	25.2	1.46	729	336	2.26	7.6	37.0
J848062		36.4	4.20	20.8	0.09	2.7	0.046	1.11	17.4	17.7	1.14	650	1.23	2.31	7.5	20.0
J848063		2.3	1.85	17.55	0.08	3.2	0.020	1.24	20.6	5.9	0.31	230	0.97	3.03	5.8	5.0
J848064		5.6	2.01	19.00	0.10	4.2	0.018	1.55	24.8	8.4	0.39	283	0.37	2.74	6.9	6.2
J848065		3.4	2.21	19.10	0.10	4.6	0.020	1.89	31.8	9.1	0.43	308	0.24	2.64	7.4	6.9
J848066		24.6	3.63	20.8	0.11	3.4	0.032	1.58	19.4	16.8	0.83	491	0.31	2.54	7.9	12.3
J848067		38.1	3.88	21.2	0.11	3.5	0.045	1.72	20.7	14.3	0.73	473	0.81	2.17	9.9	6.4
J848068		49.2	3.57	19.70	0.10	3.1	0.034	1.25	16.7	16.2	0.93	529	0.28	2.71	6.9	15.4
J848069		37.2	4.48	21.0	0.11	3.0	0.046	0.85	17.9	15.9	1.00	617	0.23	2.65	9.9	10.6
J848070		38.8	4.79	22.8	0.12	3.7	0.058	1.30	22.6	17.2	0.98	597	0.18	2.48	12.4	9.2
J848071		28.4	4.73	23.4	0.12	3.4	0.067	1.34	20.8	17.5	0.92	633	0.27	2.41	15.9	7.6
J848072		21.6	4.90	22.6	0.14	3.5	0.059	1.61	23.2	17.9	0.97	621	0.23	2.20	12.5	8.0
J848073		31.6	4.21	21.8	0.12	3.3	0.045	1.49	20.6	13.5	0.77	469	0.26	2.39	10.2	6.9
J848074		21.8	5.19	23.1	0.12	3.5	0.066	0.81	23.2	17.1	1.02	631	2.75	2.52	11.2	7.5
J848075		>10000	5.70	14.25	0.16	1.1	0.115	2.71	25.9	17.5	1.19	639	109.0	1.63	6.4	31.7
J848076		38.1	4.97	22.1	0.12	3.7	0.062	0.83	21.3	17.1	1.00	656	5.37	2.49	10.4	8.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848039		1330	74.8	1.6	<0.002	0.01	1.41	19.6	1	0.9	1000	0.41	<0.05	3.8	0.389	<0.02
J848039 CRD		1330	71.1	1.5	<0.002	0.01	1.41	19.5	1	0.9	983	0.41	<0.05	3.7	0.383	<0.02
J848040		1180	49.1	2.5	<0.002	0.07	0.77	19.0	1	0.9	501	0.46	<0.05	3.6	0.385	<0.02
J848041		430	8.8	30.5	<0.002	0.04	0.15	4.0	1	1.1	228	0.40	<0.05	7.1	0.178	0.15
J848042		330	3.9	44.1	<0.002	0.02	0.13	3.7	1	1.0	160.5	0.33	<0.05	8.5	0.162	0.21
J848043		480	2.7	44.7	<0.002	0.01	0.13	4.6	1	1.0	142.5	0.31	<0.05	5.1	0.205	0.22
J848044		460	7.7	54.6	<0.002	0.04	0.20	4.6	1	1.2	118.0	0.41	<0.05	8.5	0.197	0.27
J848045		10	1.1	2.7	<0.002	0.04	<0.05	0.3	1	<0.2	62.4	<0.05	<0.05	0.3	0.007	0.02
J848046		500	4.6	44.7	<0.002	0.01	0.15	7.1	1	1.5	181.0	0.52	<0.05	7.0	0.230	0.22
J848047		550	9.8	27.2	<0.002	0.01	0.28	11.7	1	1.3	306	0.65	<0.05	3.4	0.363	0.14
J848048		580	6.6	46.4	<0.002	0.01	0.20	14.2	1	1.4	227	0.54	<0.05	3.7	0.415	0.22
J848049		600	10.0	24.0	<0.002	0.02	0.27	14.7	1	1.5	290	0.66	<0.05	2.8	0.461	0.14
J848050		610	9.2	31.3	<0.002	0.09	0.21	11.8	1	1.2	274	0.69	<0.05	3.3	0.371	0.19
J848051		620	9.0	34.1	<0.002	0.08	0.21	12.7	1	1.3	267	0.73	<0.05	3.3	0.378	0.19
J848052		620	8.3	27.9	<0.002	0.01	0.20	10.2	1	1.5	246	0.56	<0.05	5.4	0.375	0.19
J848053		310	5.3	49.4	<0.002	0.01	0.10	3.3	1	1.1	172.0	0.53	<0.05	7.3	0.162	0.24
J848054		360	8.1	44.5	<0.002	0.01	0.16	5.5	1	1.1	283	0.35	<0.05	8.5	0.219	0.22
J848055		360	5.6	38.1	<0.002	0.02	0.13	6.8	1	1.3	222	0.57	<0.05	5.7	0.237	0.21
J848056		340	4.5	41.2	<0.002	0.01	0.11	7.1	1	1.3	199.5	0.49	<0.05	5.0	0.235	0.24
J848057		370	4.2	46.8	<0.002	0.05	0.10	5.4	1	1.3	147.0	0.98	<0.05	8.4	0.167	0.23
J848058		350	7.2	23.9	<0.002	0.02	0.14	12.1	1	1.6	259	0.56	<0.05	4.5	0.291	0.13
J848059		420	7.3	14.0	<0.002	0.01	0.16	17.9	1	1.3	317	0.59	<0.05	4.1	0.322	0.08
J848059 CRD		420	7.4	17.4	<0.002	0.01	0.16	18.0	1	1.3	314	0.60	<0.05	4.3	0.327	0.08
J848060		560	39.4	22.9	1.355	1.55	23.8	14.3	5	1.0	276	0.26	0.64	2.0	0.321	0.19
J848061		370	5.9	46.6	0.005	0.12	0.15	15.0	1	1.9	143.5	0.67	0.20	3.7	0.304	0.24
J848062		390	8.9	34.5	<0.002	0.06	0.17	12.6	1	1.6	280	0.57	0.07	4.5	0.339	0.19
J848063		240	8.1	36.5	<0.002	0.01	0.13	3.3	1	1.0	240	0.38	<0.05	7.0	0.121	0.16
J848064		310	5.7	47.7	<0.002	0.02	0.10	3.6	1	1.0	187.0	0.37	<0.05	8.4	0.149	0.24
J848065		350	4.1	56.2	<0.002	0.06	0.09	3.9	1	1.0	129.5	0.40	<0.05	10.1	0.166	0.27
J848066		420	5.4	45.8	<0.002	0.07	0.10	8.4	1	1.3	205	0.51	0.08	5.5	0.288	0.24
J848067		920	5.2	47.5	<0.002	0.06	0.13	8.0	1	1.3	202	0.55	<0.05	4.1	0.333	0.26
J848068		400	6.3	32.5	<0.002	0.03	0.12	9.4	1	1.3	221	0.47	<0.05	4.5	0.292	0.18
J848069		730	8.6	24.8	<0.002	0.03	0.17	10.4	1	1.5	309	0.61	<0.05	3.7	0.376	0.14
J848070		1190	5.7	35.8	<0.002	0.07	0.14	10.6	1	1.5	239	0.63	<0.05	2.5	0.410	0.19
J848071		1230	4.0	40.6	<0.002	0.04	0.10	10.7	1	2.2	180.5	0.71	<0.05	2.1	0.415	0.21
J848072		1270	3.7	47.2	<0.002	0.08	0.10	10.9	1	1.3	151.0	0.62	<0.05	2.4	0.414	0.24
J848073		1070	4.3	38.1	<0.002	0.07	0.11	8.2	1	1.1	201	0.50	<0.05	3.0	0.341	0.23
J848074		1410	5.0	23.5	<0.002	0.05	0.15	12.1	1	1.4	250	0.56	<0.05	1.8	0.385	0.12
J848075		870	61.8	79.5	0.126	2.32	6.63	15.6	6	2.5	250	0.25	0.96	4.4	0.311	0.73
J848076		1390	5.2	20.3	<0.002	0.04	0.23	11.1	1	1.3	271	0.54	<0.05	1.8	0.380	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001
J848039		1.0	129	1.2	13.9	92	93.5		
J848039 CRD		0.9	127	1.1	13.7	91	90.2		
J848040		1.0	117	1.6	14.4	109	98.3		
J848041		0.8	27	0.8	6.4	40	123.5		
J848042		0.9	21	1.1	7.0	32	134.5		
J848043		0.6	28	1.4	6.3	36	127.0		
J848044		0.9	30	1.6	7.7	38	141.0		
J848045		0.1	<1	0.1	1.6	<2	2.8		
J848046		1.1	47	0.6	11.1	55	129.0		
J848047		1.0	87	0.3	14.1	69	94.9		
J848048		0.9	107	0.8	15.1	93	102.5		
J848049		0.6	114	1.0	15.0	84	92.1		
J848050		0.8	90	1.0	15.0	73	123.0		
J848051		0.8	95	1.5	16.0	79	126.0		
J848052		0.7	79	1.0	12.3	78	146.5		
J848053		1.1	22	1.3	9.7	35	146.5		
J848054		0.7	40	0.3	9.5	53	156.5		
J848055		0.9	50	0.6	10.0	53	125.0		
J848056		0.9	65	0.5	9.7	48	110.0		
J848057		1.6	31	0.9	12.4	28	135.5		
J848058		0.8	83	0.3	11.4	61	91.4		
J848059		1.0	106	0.4	17.3	80	95.3		
J848059 CRD		1.1	106	0.4	18.1	80	86.5		
J848060		0.8	102	4.9	15.5	143	28.6		1.255
J848061		1.6	99	4.6	14.5	74	68.8		
J848062		1.1	101	0.4	15.0	67	95.1		
J848063		1.0	20	0.3	6.5	26	123.5		
J848064		0.9	21	0.3	7.1	38	158.0		
J848065		0.9	22	1.6	8.2	40	184.0		
J848066		1.1	62	1.1	11.0	73	125.5		
J848067		0.9	56	2.0	17.2	64	142.0		
J848068		0.7	95	0.6	9.5	72	110.5		
J848069		0.7	104	0.2	15.9	71	116.5		
J848070		0.7	75	2.3	22.6	66	152.0		
J848071		0.7	75	1.0	24.0	69	142.0		
J848072		0.6	73	1.9	24.7	69	148.0		
J848073		0.4	61	0.6	17.5	59	135.0		
J848074		0.5	79	1.3	28.0	72	143.5		
J848075		1.2	150	10.2	14.7	170	34.6		2.15
J848076		0.5	80	1.0	24.6	71	160.5		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J848077		3.38	0.005		0.03	7.21	0.6	290	0.74	0.03	3.75	0.04	53.7	13.4	8	1.03
J848078		3.63	1.025		0.63	7.86	0.6	410	0.95	0.18	4.88	0.07	64.0	19.0	8	1.19
J848079		3.50	0.059		0.09	7.74	0.3	210	0.71	0.03	3.71	0.05	58.2	15.4	9	0.89
J848079 CRD		<0.02	0.057		0.15	7.20	0.4	200	0.71	0.03	3.60	0.04	55.5	15.4	8	0.88
J848080		3.50	<0.005	<0.005	0.03	7.40	<0.2	170	0.70	0.09	4.07	0.04	60.9	18.9	7	0.71
J848081		3.34	<0.005		0.05	7.45	0.5	340	0.84	0.05	4.18	0.06	35.1	20.6	23	0.85
J848082		3.64	0.149		0.06	7.29	<0.2	370	0.88	0.21	3.34	0.05	37.2	12.4	17	1.00
J848083		3.19	0.194		<0.01	6.88	<0.2	360	0.93	0.08	2.10	0.03	54.3	6.3	6	1.01
J848084		3.55	0.008		<0.01	7.02	<0.2	350	1.02	0.12	2.87	0.04	64.3	9.9	13	0.94
J848085		3.40	<0.005		<0.01	7.70	<0.2	390	1.07	0.04	3.17	0.07	36.0	15.2	18	0.95
J848086		3.52	<0.005		<0.01	7.29	<0.2	310	0.90	0.10	2.97	0.05	31.2	12.3	14	0.80
J848087		3.57	<0.005		<0.01	7.09	<0.2	400	0.86	0.04	2.97	0.05	36.0	10.3	6	0.91
J848088		3.60	<0.005		<0.01	6.64	<0.2	500	0.90	0.02	1.63	0.03	38.2	3.8	6	0.84
J848089		3.50	<0.005		<0.01	7.14	<0.2	460	0.91	0.01	2.26	0.05	45.8	7.0	8	0.84
J848090		0.07	0.402		2.27	7.65	111.5	580	1.29	0.54	0.57	0.81	36.5	17.9	35	7.25
J848091		3.27	<0.005		<0.01	6.44	<0.2	310	0.93	0.01	2.56	0.06	33.2	9.2	27	0.70
J848092		3.58	<0.005		<0.01	7.03	<0.2	380	0.90	0.03	2.30	0.04	42.7	8.4	22	0.83
J848093		3.41	<0.005		<0.01	6.98	<0.2	240	0.83	0.04	3.42	0.07	45.4	19.8	183	0.70
J848094		3.54	0.027		<0.01	6.30	<0.2	280	0.81	0.03	2.83	0.06	33.8	14.1	102	0.67
J848095		3.48	0.049		<0.01	7.33	<0.2	310	0.86	0.02	2.51	0.06	38.8	11.5	34	0.80
J848096		3.57	0.005		<0.01	6.75	<0.2	410	0.95	0.02	1.83	0.03	32.0	5.4	7	0.95
J848097		3.34	<0.005		<0.01	6.52	<0.2	370	0.79	0.01	2.21	0.04	35.0	6.4	8	0.88
J848098		3.40	0.021		<0.01	6.91	<0.2	360	1.03	0.10	2.12	0.04	35.3	6.0	8	0.98
J848099		3.61	0.028		<0.01	7.22	<0.2	360	0.99	0.14	2.41	0.05	42.8	9.7	23	0.92
J848099 CRD		<0.02	0.028		<0.01	7.25	<0.2	360	0.97	0.15	2.45	0.04	45.9	9.6	24	0.93
J848100		0.07	1.030		5.59	6.33	22.6	470	0.65	1.95	2.43	2.20	24.0	14.9	60	0.82
J848101		3.37	0.044	0.050	0.03	6.89	0.2	470	0.90	0.02	2.12	0.04	44.9	6.5	12	0.91
J848102		3.35	<0.005		0.02	7.36	0.4	240	1.24	0.01	2.36	0.05	36.7	10.1	24	0.52
J848103		2.82	0.103		<0.01	6.60	0.4	330	0.93	0.01	2.40	0.04	36.4	9.0	15	0.79
J848104		2.34	0.029		0.35	6.79	<0.2	390	1.02	0.02	2.57	0.07	40.2	8.7	10	1.10
J848105		4.25	0.368		0.08	6.58	<0.2	420	0.89	0.04	2.20	0.04	43.3	7.3	5	0.96
J848106		4.27	0.119		0.01	6.24	<0.2	320	0.98	0.03	2.97	0.05	35.6	5.9	9	0.99
J848107		3.67	0.068		<0.01	6.40	<0.2	320	1.00	0.03	2.55	0.05	32.5	9.9	6	0.94
J848108		3.30	0.102		<0.01	6.91	<0.2	370	0.92	0.05	3.77	0.10	33.5	15.6	12	1.03
J848109		3.35	0.058		0.02	7.12	<0.2	290	0.96	0.04	3.59	0.11	45.5	16.5	40	0.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J848077		23.7	4.28	20.8	0.11	3.5	0.047	1.90	22.0	15.9	0.81	558	1.55	2.10	9.4	7.1
J848078		28.1	5.37	23.7	0.15	3.5	0.062	2.38	27.2	20.3	1.07	739	17.50	1.33	10.7	9.5
J848079		44.8	4.89	22.1	0.11	3.5	0.057	1.55	24.5	18.6	0.94	595	0.98	2.61	9.2	8.1
J848079 CRD		45.6	4.54	21.7	0.10	3.5	0.054	1.47	22.1	18.8	0.88	578	1.06	2.49	9.1	8.1
J848080		26.5	4.85	25.1	0.13	4.6	0.063	1.11	24.4	24.1	0.99	626	0.42	2.70	10.9	9.2
J848081		37.5	4.27	21.2	0.12	2.5	0.039	1.45	15.5	24.7	1.33	678	0.12	2.30	5.4	29.0
J848082		23.9	3.26	21.5	0.25	3.2	0.034	1.72	20.6	17.5	0.87	540	0.20	2.35	6.5	15.1
J848083		2.1	2.02	20.7	0.20	4.2	0.019	1.84	30.9	7.2	0.35	312	0.15	2.54	6.9	3.5
J848084		17.0	3.32	22.3	0.24	4.4	0.047	1.63	31.0	14.3	0.65	520	0.14	2.31	11.6	8.1
J848085		48.3	3.73	23.5	0.23	3.3	0.039	1.67	19.2	21.5	1.01	589	0.14	2.52	7.6	18.2
J848086		21.4	3.20	21.4	0.20	2.9	0.033	1.42	14.2	18.3	0.87	514	1.16	2.76	5.5	14.5
J848087		37.5	2.96	20.3	0.19	3.0	0.030	1.62	20.0	15.8	0.74	491	0.12	2.49	6.4	9.3
J848088		8.2	1.50	20.2	0.21	3.4	0.016	1.76	21.1	5.5	0.27	246	0.23	2.50	7.2	2.3
J848089		28.8	2.49	22.8	0.20	3.1	0.028	1.87	25.1	11.3	0.52	409	0.14	2.40	8.4	5.2
J848090		4390	4.80	18.60	0.24	0.8	0.067	5.19	19.7	12.3	0.77	489	269	1.09	5.7	22.6
J848091		19.3	2.18	19.55	0.12	2.2	0.022	1.46	14.7	12.6	0.71	416	0.48	2.39	5.1	23.6
J848092		34.5	2.30	20.7	0.20	3.4	0.026	1.60	23.6	12.4	0.62	371	0.30	2.53	7.1	14.9
J848093		25.5	4.02	20.9	0.21	2.1	0.042	1.16	23.7	25.6	1.89	633	0.19	2.13	7.2	94.1
J848094		22.9	2.95	19.10	0.19	2.8	0.027	1.22	14.6	14.7	1.25	487	0.27	2.27	5.5	56.6
J848095		20.7	3.21	21.4	0.18	2.2	0.033	1.44	20.7	17.6	1.13	470	0.15	2.77	7.7	24.4
J848096		19.6	1.91	21.4	0.17	2.9	0.018	1.97	15.3	8.0	0.39	284	0.14	2.27	4.6	3.5
J848097		19.9	2.10	19.75	0.20	3.1	0.022	1.69	19.4	9.9	0.44	343	0.10	2.27	5.2	4.2
J848098		16.9	2.02	21.4	0.20	3.4	0.020	1.63	19.5	9.2	0.41	322	0.14	2.62	6.9	3.1
J848099		4.1	2.90	24.7	0.22	3.0	0.040	1.43	22.3	15.1	0.71	443	0.13	2.79	8.4	17.2
J848099 CRD		4.5	2.95	24.1	0.20	3.0	0.046	1.43	23.3	15.4	0.73	444	0.13	2.84	8.4	17.8
J848100		>10000	4.64	15.05	0.19	1.1	0.159	0.86	12.0	15.2	1.18	657	240	2.20	4.3	31.2
J848101		7.0	2.11	19.60	0.05	3.1	0.020	1.50	22.1	10.2	0.48	348	0.17	2.74	6.6	9.0
J848102		26.7	2.42	23.5	0.12	1.7	0.030	0.80	17.5	15.2	0.76	408	0.10	2.98	12.0	20.2
J848103		21.7	2.53	21.4	0.13	2.3	0.033	1.26	17.2	12.6	0.65	438	0.11	2.70	6.9	13.6
J848104		44.9	2.51	20.7	0.21	3.1	0.036	1.70	20.5	12.2	0.62	451	0.56	2.49	5.9	12.6
J848105		16.8	2.20	20.4	0.21	3.5	0.024	1.86	23.2	9.0	0.44	341	0.27	2.14	7.8	4.7
J848106		13.5	1.87	20.1	0.20	3.4	0.024	1.81	18.1	8.7	0.40	378	0.24	2.13	6.1	5.4
J848107		18.7	2.69	20.4	0.19	3.3	0.033	1.66	17.1	12.5	0.65	428	0.17	2.25	9.3	9.9
J848108		35.1	4.00	20.7	0.19	3.0	0.043	1.94	17.1	21.0	1.08	654	0.30	1.62	8.6	18.1
J848109		30.9	4.06	20.5	0.23	1.6	0.045	1.41	22.4	22.9	1.37	674	0.28	2.16	7.2	35.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J848077		1120	2.8	49.9	<0.002	0.06	0.10	9.0	1	1.1	152.5	0.51	<0.05	2.5	0.339	0.28
J848078		1360	4.5	65.4	<0.002	0.38	0.15	11.6	1	1.4	143.5	0.54	0.36	2.2	0.371	0.33
J848079		1240	3.2	42.8	<0.002	0.08	0.10	10.4	1	1.2	177.0	0.46	<0.05	2.5	0.351	0.22
J848079 CRD		1180	3.1	38.4	<0.002	0.08	0.12	10.1	1	1.1	171.5	0.44	<0.05	2.3	0.331	0.21
J848080		1310	5.0	37.7	<0.002	0.04	0.14	12.1	2	1.3	207	0.60	<0.05	2.1	0.350	0.19
J848081		390	4.5	48.2	<0.002	0.03	0.12	14.3	1	0.9	185.0	0.50	<0.05	3.4	0.339	0.23
J848082		440	4.4	54.7	<0.002	0.06	0.16	9.8	1	1.2	165.0	0.52	<0.05	5.2	0.256	0.25
J848083		420	4.1	46.0	<0.002	0.10	0.13	4.0	1	1.1	141.5	0.54	<0.05	7.7	0.156	0.26
J848084		760	4.8	53.6	<0.002	0.02	0.16	9.6	1	1.9	170.5	0.82	<0.05	4.8	0.266	0.25
J848085		430	4.8	53.1	<0.002	0.04	0.21	12.3	1	1.5	184.5	0.66	<0.05	5.3	0.280	0.27
J848086		360	4.4	42.2	<0.002	0.02	0.17	10.4	1	1.5	204	0.52	<0.05	3.3	0.240	0.22
J848087		450	4.2	49.3	<0.002	0.02	0.17	8.6	1	1.4	182.0	0.54	<0.05	4.0	0.233	0.25
J848088		270	3.9	50.7	<0.002	0.01	0.10	3.6	1	1.1	138.0	0.51	<0.05	6.9	0.107	0.24
J848089		460	3.9	46.1	<0.002	0.01	0.11	5.5	1	1.6	145.5	0.56	<0.05	6.1	0.182	0.29
J848090		1130	38.8	140.0	0.698	2.53	8.11	13.2	9	3.3	252	0.42	0.94	2.5	0.260	1.37
J848091		390	4.6	53.3	<0.002	<0.01	0.13	5.9	1	1.1	177.0	0.45	<0.05	3.6	0.155	0.21
J848092		440	4.7	55.0	<0.002	0.03	0.17	6.3	1	1.4	178.0	0.48	<0.05	6.3	0.177	0.25
J848093		640	5.2	40.8	<0.002	0.02	0.18	14.7	1	1.5	195.5	0.74	<0.05	4.2	0.244	0.18
J848094		510	4.7	37.7	<0.002	0.02	0.16	10.3	1	1.1	191.0	0.55	<0.05	3.1	0.193	0.19
J848095		620	4.4	40.5	<0.002	0.03	0.15	8.6	1	1.4	191.5	0.70	<0.05	5.2	0.215	0.23
J848096		350	3.6	49.0	<0.002	0.02	0.11	3.8	1	0.9	141.5	0.33	<0.05	4.0	0.134	0.29
J848097		400	3.8	42.8	<0.002	0.02	0.12	5.1	1	1.0	150.0	0.42	<0.05	4.8	0.155	0.27
J848098		480	3.9	46.2	<0.002	0.02	0.11	4.5	1	1.1	180.5	0.46	<0.05	4.3	0.154	0.26
J848099		570	5.1	51.4	<0.002	0.03	0.11	7.5	1	2.1	195.0	0.52	<0.05	4.9	0.218	0.26
J848099 CRD		580	4.9	48.6	<0.002	0.03	0.11	7.4	1	2.1	199.5	0.53	<0.05	4.6	0.219	0.25
J848100		580	39.1	26.4	1.510	1.65	27.8	16.6	6	1.2	278	0.34	0.58	2.1	0.324	0.21
J848101		410	5.4	47.0	<0.002	0.02	0.13	4.7	1	1.0	184.5	0.37	<0.05	7.1	0.170	0.24
J848102		590	9.4	33.4	<0.002	<0.01	0.17	8.1	2	1.5	300	1.30	<0.05	6.1	0.206	0.13
J848103		560	5.7	49.5	<0.002	0.03	0.14	8.7	1	1.3	215	0.42	<0.05	3.6	0.202	0.21
J848104		480	6.8	42.8	<0.002	0.05	0.15	7.9	1	1.3	173.5	0.48	<0.05	4.7	0.198	0.28
J848105		490	4.9	46.6	<0.002	0.12	0.14	5.4	1	1.2	144.0	0.57	0.06	5.3	0.194	0.27
J848106		420	3.4	43.8	<0.002	0.05	0.12	5.1	1	1.0	158.5	0.44	<0.05	4.0	0.149	0.26
J848107		500	4.0	48.0	<0.002	0.04	0.18	8.4	1	1.5	170.5	0.89	<0.05	3.4	0.259	0.25
J848108		720	5.1	49.7	<0.002	0.07	0.26	12.5	1	1.3	166.0	0.69	<0.05	2.7	0.366	0.28
J848109		820	4.8	47.8	<0.002	0.03	0.24	14.8	1	1.3	200	0.63	<0.05	1.8	0.325	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001
J848077		0.5	64	5.7	17.1	60	142.0		
J848078		0.7	77	7.7	21.9	72	143.0		
J848079		0.5	75	2.3	22.1	68	150.5		
J848079 CRD		0.4	72	2.1	21.4	67	150.0		
J848080		0.5	77	4.7	26.6	74	161.0		
J848081		0.9	108	2.0	13.6	78	72.6		
J848082		1.0	66	4.6	9.6	65	117.0		
J848083		0.9	24	2.6	9.6	37	161.0		
J848084		0.8	47	2.2	14.3	68	172.0		
J848085		0.9	77	2.2	10.3	81	105.0		
J848086		0.8	69	1.1	8.7	70	93.0		
J848087		0.6	60	1.6	7.8	68	111.0		
J848088		1.0	16	1.8	7.8	30	109.0		
J848089		0.5	35	1.9	7.4	55	103.5		
J848090		1.1	157	13.7	16.8	149	27.3		
J848091		1.0	39	1.1	5.8	52	52.4		
J848092		0.8	33	2.1	8.2	47	113.0		
J848093		0.7	74	2.0	11.6	105	73.0		
J848094		1.0	59	1.6	10.0	68	70.8		
J848095		0.6	52	1.6	8.2	87	75.9		
J848096		0.6	28	1.4	5.8	41	98.7		
J848097		0.5	33	1.7	6.7	50	110.0		
J848098		0.8	30	0.7	6.9	45	113.0		
J848099		0.6	44	1.2	11.4	72	103.5		
J848099 CRD		0.6	45	1.3	11.3	74	105.5		
J848100		0.8	103	6.0	17.7	146	34.5		1.315
J848101		0.7	27	1.6	7.3	51	137.5		
J848102		0.9	41	0.3	12.5	60	45.9		
J848103		0.4	41	1.4	9.5	58	71.2		
J848104		0.6	46	1.3	8.3	52	104.5		
J848105		0.5	31	2.5	7.6	40	131.5		
J848106		0.7	29	1.2	11.7	31	124.0		
J848107		0.8	53	1.1	8.1	49	113.0		
J848108		0.6	87	3.3	7.5	82	116.5		
J848109		0.5	82	1.4	10.5	95	63.4		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 2-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189373

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.