ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE TB10184965

Project: HAMMOND REEF

P.O. No.:

This report is for 142 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198617		2.94	<0.005		0.05	6.83	0.2	470	0.89	0.03	2.09	0.03	37.0	6.4	16	0.94
I198618		2.98	<0.005		0.08	6.74	0.4	470	0.93	0.01	2.52	0.02	35.5	6.3	10	0.89
I198619		2.95	<0.005		0.03	7.03	0.8	570	0.84	0.01	1.82	0.03	49.5	5.8	6	0.68
I198620		3.10	<0.005		0.03	6.71	0.5	460	0.90	0.01	1.60	0.02	31.0	4.2	7	0.58
I198621		2.86	<0.005		0.03	6.88	0.3	430	0.80	0.01	1.59	<0.02	25.9	4.3	7	0.59
I198622		2.97	<0.005		0.05	6.41	0.3	550	0.71	0.01	1.69	0.02	25.0	3.4	6	0.74
I198623		2.81	<0.005		0.06	6.86	<0.2	600	0.88	0.01	1.78	0.02	37.2	5.5	8	0.98
I198624		2.97	<0.005		0.03	6.64	0.5	600	1.00	0.01	1.86	<0.02	59.9	5.2	5	1.09
I198625		2.80	<0.005		0.07	6.07	<0.2	420	0.87	0.07	1.51	<0.02	29.5	2.4	5	0.61
I198626		2.71	0.008		0.03	5.99	0.4	370	0.95	0.01	0.93	<0.02	36.5	2.1	7	0.53
I198627		2.88	0.045		0.03	6.06	0.4	320	0.81	0.02	0.92	<0.02	44.1	2.2	11	0.47
I198628		2.90	0.008		0.04	6.35	0.7	390	0.87	0.02	0.78	<0.02	46.7	2.4	8	0.54
I198629		2.95	0.009		0.05	6.04	1.0	400	0.86	0.03	0.83	<0.02	38.7	2.5	13	0.55
I198630		0.07	0.422		2.11	7.37	103.5	590	1.19	0.51	0.55	0.87	30.4	17.6	32	7.12
I198631		2.90	0.016		0.05	6.22	0.9	390	0.78	0.04	0.89	<0.02	34.2	1.7	9	0.52
I198632		3.06	<0.005		0.05	6.83	<0.2	480	0.97	0.01	1.65	0.02	38.0	4.5	5	0.85
I198633		2.91	0.012		0.04	6.91	0.8	480	0.94	0.01	1.99	0.02	47.5	5.2	6	0.88
I198634		2.98	0.010		<0.01	6.80	0.4	430	1.07	0.01	1.74	0.02	84.5	5.1	7	0.94
I198635		3.09	<0.005		0.03	6.62	0.3	420	0.95	0.01	1.62	0.02	65.1	5.5	9	0.89
I198636		3.02	0.005		<0.01	6.98	0.6	400	1.04	0.01	1.53	0.03	51.3	7.2	9	0.90
I198636 CRD		<0.02	<0.005		0.02	7.06	1.1	410	0.95	0.01	1.54	0.02	54.3	7.4	10	0.93
I198637		3.12	0.041	0.101	0.02	6.84	1.0	410	1.20	0.02	2.31	0.02	45.6	6.2	8	1.02
I198638		2.97	0.041		0.04	6.79	1.0	480	1.16	0.02	2.27	0.02	47.4	5.5	6	0.96
I198639		2.96	<0.005		0.03	6.90	<0.2	530	0.95	0.03	2.05	0.02	49.5	5.5	5	0.86
I198640		3.19	<0.005		0.06	6.69	<0.2	570	0.86	0.01	1.69	0.02	50.8	5.2	7	0.89
I198641		3.03	0.014		0.03	6.58	<0.2	570	0.81	0.02	2.02	0.02	45.2	5.1	7	1.02
I198642		3.16	<0.005		0.02	6.74	0.2	470	0.76	0.02	1.61	<0.02	46.6	5.5	7	0.80
I198643		2.74	<0.005		0.01	6.75	<0.2	540	0.77	0.02	2.03	<0.02	47.7	6.6	22	0.98
I198644		2.52	<0.005		0.03	5.97	<0.2	340	0.73	0.04	2.11	0.02	19.70	5.0	10	0.77
I198645		1.07	<0.005		0.01	0.15	<5	10	<0.05	0.01	20.1	<0.02	2.88	0.7	<1	0.10
I198646		3.65	<0.005		0.20	6.66	<0.2	240	0.29	0.17	7.35	0.07	5.53	39.9	158	0.76
I198647		3.39	<0.005		0.10	5.63	<0.2	260	0.52	0.07	6.37	0.06	24.2	15.8	73	0.71
I198648		3.34	<0.005		0.07	6.37	<0.2	310	0.37	0.05	7.52	0.06	11.95	30.7	129	0.90
I198649		3.26	<0.005		0.07	6.62	<0.2	190	0.16	0.06	5.47	0.04	5.93	38.5	181	0.31
I198650		3.59	<0.005		0.14	7.12	<0.2	100	0.17	0.08	6.79	0.05	5.76	44.9	171	0.17
I198651		3.57	<0.005		0.13	7.01	<0.2	80	0.15	0.07	6.55	0.05	5.83	42.4	168	0.18
I198652		3.26	<0.005		0.10	7.66	<0.2	240	0.29	0.04	6.41	0.04	6.15	35.3	188	0.71
I198653		3.62	<0.005		0.06	7.68	<0.2	440	0.38	0.02	5.55	0.05	4.73	31.6	207	0.95
I198654		3.42	<0.005		0.05	7.10	<0.2	350	0.29	0.02	6.33	0.06	5.28	33.5	177	0.84
I198655		3.90	0.007		0.18	4.86	0.5	310	0.36	2.13	4.87	0.04	5.84	19.9	110	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198617		21.0	2.02	18.80	0.09	2.9	0.022	2.15	19.1	13.5	0.54	416	0.14	2.58	4.9	10.3
I198618		31.0	2.12	18.60	0.11	3.3	0.021	2.09	19.6	14.1	0.52	498	0.12	2.61	5.8	8.1
I198619		17.0	2.03	18.70	0.11	4.3	0.018	1.57	27.9	12.0	0.43	338	0.10	3.21	6.4	4.9
I198620		13.9	1.66	18.70	0.10	3.3	0.016	1.32	18.7	9.2	0.32	294	0.18	3.46	5.1	4.2
I198621		8.2	1.60	18.75	0.09	3.3	0.017	1.38	14.2	10.4	0.34	286	0.10	3.41	4.6	4.2
I198622		14.1	1.37	17.70	0.11	3.0	0.015	1.83	13.0	6.6	0.25	260	2.24	2.89	3.8	3.5
I198623		27.5	1.83	20.3	0.14	2.3	0.019	2.18	19.1	11.6	0.44	335	0.18	2.58	6.7	8.1
I198624		5.1	1.97	20.4	0.17	5.3	0.018	2.32	30.2	10.5	0.40	390	0.12	2.28	9.7	4.8
I198625		11.7	1.06	16.55	0.20	3.0	0.012	1.48	13.2	4.9	0.19	261	0.13	3.12	5.5	2.3
I198626		7.9	1.11	15.90	0.17	2.3	0.010	1.20	17.9	4.8	0.18	196	0.20	3.36	4.3	2.5
I198627		6.7	0.94	15.50	0.17	2.1	0.010	1.07	21.7	5.1	0.19	184	0.16	3.43	4.4	2.4
I198628		4.9	1.21	16.60	0.14	2.6	0.011	1.26	23.2	5.0	0.21	191	0.20	3.54	5.1	3.0
I198629		3.3	1.03	15.90	0.16	1.9	0.010	1.24	19.1	5.2	0.20	168	1.09	3.27	3.9	2.7
I198630		4510	4.79	17.00	0.21	0.7	0.061	5.52	17.4	11.7	0.76	494	266	1.05	5.1	23.6
I198631		13.5	1.11	15.25	0.13	2.2	0.007	1.23	17.5	3.6	0.16	177	0.40	3.46	3.7	2.4
I198632		12.8	1.56	19.90	0.16	3.1	0.013	1.82	21.7	8.0	0.31	286	0.14	3.03	6.4	3.6
I198633		11.4	1.85	20.5	0.18	4.0	0.017	2.04	26.7	9.3	0.37	368	0.48	2.92	8.8	4.3
I198634		3.4	1.84	22.4	0.18	4.5	0.022	2.19	41.8	11.5	0.47	384	0.10	2.56	10.4	5.0
I198635		24.7	1.99	20.1	0.19	4.3	0.020	2.12	31.2	12.0	0.48	373	0.12	2.26	10.0	5.3
I198636		4.9	2.33	21.4	0.17	4.2	0.023	2.33	28.2	14.9	0.68	405	0.08	2.37	10.5	7.7
I198636 CRD		4.3	2.43	22.1	0.19	3.9	0.021	2.34	27.2	15.2	0.69	416	0.12	2.38	11.1	8.3
I198637		7.6	1.96	21.7	0.21	4.2	0.019	2.31	24.7	11.4	0.49	403	0.08	2.43	7.7	5.5
I198638		13.7	1.91	20.3	0.19	4.1	0.019	2.22	25.9	9.6	0.39	359	0.13	2.51	9.5	4.7
I198639		8.3	1.87	20.3	0.19	4.1	0.018	2.01	26.8	9.5	0.40	341	0.11	2.81	10.0	4.4
I198640		20.6	1.86	19.40	0.19	4.1	0.016	2.10	28.4	8.9	0.39	305	0.10	2.60	9.1	4.7
I198641		9.5	1.78	18.45	0.18	4.1	0.015	2.39	24.5	8.3	0.40	319	0.14	2.29	7.3	4.3
I198642		7.9	1.88	17.45	0.19	3.8	0.016	1.91	26.1	10.1	0.48	323	0.15	2.71	7.0	5.9
I198643		11.0	2.25	19.90	0.18	4.0	0.026	2.34	26.2	11.7	0.56	409	0.28	2.34	8.6	10.6
I198644		21.0	1.32	15.05	0.20	2.5	0.015	1.69	9.5	6.8	0.37	303	0.25	2.40	6.4	7.6
I198645		0.3	0.08	0.49	0.37	0.1	<0.005	0.10	2.1	4.3	13.05	48	0.11	0.02	0.4	1.2
I198646		91.3	7.18	12.00	0.18	0.5	0.039	1.47	2.2	64.9	3.93	1390	0.26	<0.01	1.5	114.0
I198647		67.6	3.28	11.65	0.19	1.2	0.026	1.64	11.5	28.0	1.60	922	1.37	0.91	2.4	46.6
I198648		34.4	5.33	13.70	0.20	0.6	0.032	1.73	5.9	53.0	3.33	1280	3.81	0.13	3.0	65.8
I198649		54.8	6.12	9.90	0.15	0.4	0.031	0.72	2.6	66.1	3.99	1160	0.82	1.11	1.6	86.9
I198650		128.0	7.64	12.55	0.16	0.5	0.043	0.26	2.1	66.2	4.36	1350	0.49	0.92	1.6	125.5
I198651		112.5	7.50	12.40	0.15	0.5	0.046	0.24	2.1	65.6	4.32	1320	0.52	0.94	1.6	121.5
I198652		77.8	6.44	12.45	0.08	0.4	0.032	1.49	2.9	59.0	3.98	1350	0.36	0.91	1.6	90.4
I198653		12.5	5.42	10.75	0.08	0.4	0.024	2.67	2.2	51.5	3.45	1120	0.18	0.22	1.5	63.1
I198654		28.7	5.37	9.02	0.08	0.4	0.027	2.43	2.5	54.7	3.76	1120	0.19	0.01	1.4	64.2
I198655		18.8	3.55	10.75	0.07	0.3	0.015	1.69	3.2	29.5	2.18	875	5.08	0.01	1.5	36.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198617		530	12.3	69.9	<0.002	0.02	0.16	3.8	1	0.7	183.0	0.55	<0.05	7.8	0.153	0.35
I198618		500	7.5	67.6	<0.002	0.03	0.13	4.9	1	0.7	190.0	0.64	<0.05	6.1	0.154	0.34
I198619		440	9.4	60.2	<0.002	<0.01	0.13	3.9	1	0.7	212	0.65	<0.05	8.2	0.196	0.28
I198620		320	7.7	64.0	<0.002	<0.01	0.14	2.7	<1	0.7	246	0.43	<0.05	5.1	0.145	0.23
I198621		320	6.0	66.7	<0.002	<0.01	0.09	2.8	<1	0.7	189.0	0.37	<0.05	4.0	0.144	0.23
I198622		270	8.1	65.3	<0.002	<0.01	0.10	2.6	1	0.6	188.5	0.28	<0.05	3.9	0.116	0.30
I198623		400	9.2	79.0	<0.002	0.01	0.14	3.7	1	0.7	182.5	0.48	<0.05	7.4	0.151	0.32
I198624		450	8.0	89.3	<0.002	0.01	0.13	4.4	1	0.8	175.0	0.58	<0.05	9.7	0.166	0.38
I198625		200	21.7	60.0	<0.002	0.03	0.11	2.1	1	0.5	174.5	0.46	<0.05	13.4	0.073	0.23
I198626		110	11.6	60.2	<0.002	0.02	0.08	2.3	<1	0.5	147.5	0.35	<0.05	10.8	0.064	0.19
I198627		90	13.4	52.4	<0.002	0.01	0.09	2.7	1	0.5	116.0	0.37	<0.05	11.5	0.062	0.15
I198628		140	12.4	62.4	<0.002	0.02	0.10	2.9	<1	0.5	111.5	0.37	<0.05	12.2	0.067	0.18
I198629		130	14.9	63.4	<0.002	0.02	0.09	2.8	1	0.5	120.5	0.33	<0.05	10.9	0.059	0.19
I198630		1130	43.1	120.5	0.677	2.52	7.28	10.9	8	2.8	256	0.32	1.01	2.8	0.249	1.41
I198631		100	13.5	56.9	<0.002	0.02	0.08	1.4	<1	0.4	138.5	0.42	<0.05	11.6	0.060	0.18
I198632		280	7.6	67.5	<0.002	0.04	0.11	2.2	1	0.7	187.5	0.52	<0.05	7.9	0.117	0.28
I198633		380	9.2	73.6	<0.002	0.03	0.11	4.0	1	0.8	197.5	0.62	<0.05	9.4	0.152	0.33
I198634		470	6.9	77.3	<0.002	0.01	0.15	6.3	1	1.1	129.5	0.67	<0.05	15.6	0.181	0.31
I198635		410	6.4	74.4	<0.002	0.03	0.13	5.0	1	0.9	126.5	0.73	<0.05	13.1	0.169	0.30
I198636		570	5.1	75.7	<0.002	0.03	0.13	4.7	1	1.0	121.0	0.80	<0.05	9.8	0.207	0.33
I198636 CRD		560	5.1	79.5	<0.002	0.03	0.15	4.8	1	1.1	122.5	0.78	<0.05	10.0	0.209	0.32
I198637		410	6.2	82.4	<0.002	0.02	0.13	3.1	1	0.9	166.5	0.88	<0.05	8.2	0.169	0.33
I198638		400	6.7	79.6	<0.002	0.03	0.12	2.6	1	0.8	170.0	0.65	<0.05	7.7	0.160	0.34
I198639		420	9.1	71.5	<0.002	0.02	0.12	2.6	<1	0.8	189.5	0.57	<0.05	8.6	0.159	0.31
I198640		400	6.3	73.5	<0.002	0.03	0.14	2.6	<1	0.8	163.5	0.74	<0.05	9.2	0.164	0.31
I198641		400	5.5	79.8	<0.002	0.03	0.13	2.4	<1	0.7	153.0	0.80	<0.05	8.8	0.162	0.35
I198642		400	5.4	62.5	<0.002	0.02	0.12	2.4	1	0.8	130.5	0.62	<0.05	9.3	0.135	0.28
I198643		420	4.5	70.9	<0.002	0.02	0.15	6.4	<1	1.0	124.5	0.48	<0.05	7.9	0.173	0.34
I198644		230	5.3	65.3	<0.002	0.03	0.12	3.9	<1	0.5	135.5	0.67	<0.05	4.1	0.105	0.25
I198645		10	1.2	3.5	<0.002	0.04	<0.05	<0.1	1	<0.2	62.4	<0.05	<0.05	0.3	0.007	0.02
I198646		190	5.4	62.8	<0.002	0.04	0.11	31.4	1	0.3	124.0	0.09	0.05	0.2	0.323	0.22
I198647		150	6.7	69.6	<0.002	0.02	0.14	13.2	1	0.4	128.5	0.35	<0.05	3.3	0.146	0.22
I198648		120	2.5	62.3	<0.002	0.06	0.22	27.2	<1	0.5	141.0	0.20	<0.05	1.3	0.166	0.24
I198649		140	1.9	18.9	<0.002	0.04	0.10	30.6	1	0.3	96.4	0.10	<0.05	0.4	0.186	0.11
I198650		190	2.5	9.1	<0.002	0.11	0.13	32.2	1	0.3	131.5	0.10	<0.05	0.2	0.366	0.04
I198651		200	2.4	9.5	<0.002	0.09	0.14	32.3	1	0.3	126.5	0.10	0.05	0.2	0.361	0.04
I198652		160	2.1	52.8	<0.002	0.03	0.15	35.3	1	0.2	108.5	0.11	<0.05	0.4	0.227	0.22
I198653		120	1.5	63.9	<0.002	0.02	0.11	33.3	1	0.2	82.1	0.10	<0.05	0.5	0.100	0.40
I198654		120	1.4	55.6	<0.002	0.02	0.12	31.5	1	0.2	106.0	0.09	<0.05	0.4	0.095	0.35
I198655		30	10.2	62.4	<0.002	0.03	0.16	20.6	1	0.5	138.5	0.12	0.97	0.4	0.066	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198617		1.9	34	0.4	6.8	60	109.5									
I198618		1.8	33	0.4	7.4	55	138.5									
I198619		1.9	26	0.1	6.1	57	185.5									
I198620		1.3	19	0.1	5.1	45	143.5									
I198621		0.8	19	0.1	4.2	44	135.0									
I198622		0.8	15	0.4	3.8	36	123.5									
I198623		1.8	26	0.8	5.9	57	93.9									
I198624		1.9	25	0.7	7.7	53	226									
I198625		8.8	12	1.1	6.0	22	89.7									
I198626		3.2	11	2.9	4.3	17	64.0									
I198627		4.9	10	1.5	4.5	16	64.6									
I198628		3.9	11	1.6	5.4	19	74.7									
I198629		3.0	11	3.9	4.9	18	57.8									
I198630		1.3	157	12.4	14.8	148	24.2									
I198631		3.9	11	3.4	4.5	16	60.6									
I198632		2.8	19	1.5	6.2	35	129.0									
I198633		2.4	22	2.2	7.5	43	169.5									
I198634		2.5	27	1.0	8.8	37	193.5									
I198635		2.2	24	0.9	7.8	39	169.5									
I198636		2.1	32	1.6	7.9	52	169.5									
I198636 CRD		3.1	32	1.6	8.3	50	172.0									
I198637		2.4	25	1.0	7.7	38	181.0		0.68	2.5	66.25	14.92	2.68	3.17	0.89	3.37
I198638		1.5	24	1.3	6.1	39	180.0									
I198639		1.8	25	1.1	6.4	49	179.0									
I198640		2.0	25	1.7	7.0	40	175.5									
I198641		2.1	26	1.0	7.2	37	174.5									
I198642		2.0	25	0.6	6.8	39	160.0									
I198643		1.2	36	1.2	7.0	45	171.5									
I198644		2.5	24	1.8	6.4	17	83.6									
I198645		0.1	<1	<0.1	1.7	<2	2.6									
I198646		0.1	196	0.7	11.6	101	10.9									
I198647		1.8	80	0.9	12.1	45	32.0									
I198648		0.8	99	3.1	8.6	94	20.9									
I198649		0.1	148	0.3	8.2	73	13.0									
I198650		<0.1	217	0.3	12.6	82	14.2									
I198651		<0.1	211	0.3	12.4	79	16.5									
I198652		0.2	156	0.4	9.6	101	13.7									
I198653		0.1	114	9.3	7.1	77	15.3									
I198654		0.1	113	4.5	6.6	65	14.8									
I198655		0.3	70	2.1	4.3	68	11.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198617										
I198618										
I198619										
I198620										
I198621										
I198622										
I198623										
I198624										
I198625										
I198626										
I198627										
I198628										
I198629										
I198630										
I198631										
I198632										
I198633										
I198634										
I198635										
I198636										
I198636 CRD										
I198637		2.67	<0.01	0.28	0.05	0.083	0.03	0.03	3.93	98.35
I198638										
I198639										
I198640										
I198641										
I198642										
I198643										
I198644										
I198645										
I198646										
I198647										
I198648										
I198649										
I198650										
I198651										
I198652										
I198653										
I198654										
I198655										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198656		2.46	<0.005		0.03	6.15	<0.2	290	0.66	0.03	0.80	<0.02	22.7	2.0	12	0.53
I198656 CRD		<0.02	<0.005		0.03	6.02	<0.2	290	0.67	0.03	0.76	<0.02	23.5	2.2	6	0.52
I198657		3.01	<0.005	<0.005	0.03	6.07	<0.2	280	0.57	0.02	0.72	<0.02	24.4	1.7	6	0.44
I198658		3.55	0.015		0.04	5.88	1.5	280	0.65	0.01	1.09	<0.02	23.1	1.4	5	0.47
I198659		3.30	0.047		0.04	6.26	1.4	240	0.59	0.01	0.87	<0.02	20.4	2.3	9	0.45
I198660		0.07	0.993		4.75	6.16	20.9	470	0.69	1.70	2.38	1.85	20.7	13.9	56	0.76
I198661		3.05	0.264		0.05	5.91	0.4	270	0.63	0.01	0.61	<0.02	27.4	2.1	6	0.47
I198662		2.89	0.028		0.05	6.09	0.7	290	0.66	0.02	0.79	<0.02	29.2	1.8	8	0.57
I198663		2.98	0.137		0.05	6.20	1.1	250	0.83	0.01	0.92	<0.02	24.8	1.5	7	0.51
I198664		3.04	0.226		0.22	6.55	2.0	320	1.04	0.04	1.13	<0.02	18.55	2.3	9	0.78
I198665		3.20	0.115		0.06	6.55	2.2	370	0.97	0.02	1.29	<0.02	28.0	2.2	8	0.93
I198666		3.09	<0.005		0.06	6.44	<0.2	280	0.65	0.05	1.08	0.02	15.90	1.2	6	0.57
I198667		3.39	0.005		0.03	6.15	0.3	270	0.69	0.02	0.77	<0.02	22.8	1.1	7	0.57
I198668		3.19	<0.005		0.03	6.19	<0.2	210	0.60	0.01	0.47	<0.02	24.5	0.9	6	0.41
I198669		3.15	0.009		0.03	6.09	0.4	190	0.61	0.03	0.63	<0.02	6.60	1.0	5	0.37
I198670		3.06	<0.005		0.08	5.53	0.3	150	0.54	0.08	0.95	<0.02	4.60	0.9	9	0.38
I198671		3.34	<0.005		0.03	7.14	<0.2	520	1.28	0.02	2.64	0.03	28.8	9.5	16	2.01
I198672		3.43	<0.005		0.04	7.09	<0.2	620	1.33	0.07	4.17	0.05	30.6	12.9	20	1.97
I198673		3.05	<0.005		0.10	7.21	0.2	1360	1.04	0.13	4.30	0.06	135.0	18.0	58	0.43
I198674		2.92	<0.005		0.11	7.15	0.5	1630	1.45	0.08	3.24	0.05	136.0	17.7	62	0.67
I198675		0.12	2.29		8.59	6.50	48.1	650	0.82	3.32	1.61	0.89	53.6	15.5	56	3.38
I198676		3.01	<0.005		0.10	7.34	1.0	1550	1.35	0.11	3.04	0.05	119.0	17.0	60	0.53
I198676 CRD		<0.02	<0.005		0.11	6.95	<0.2	1590	1.25	0.09	3.17	0.05	130.0	17.7	60	0.59
I198677		3.24	<0.005	<0.005	0.15	7.06	0.3	1600	1.19	0.12	3.74	0.05	130.0	16.0	56	0.78
I198678		3.27	<0.005		0.22	6.74	<0.2	420	0.87	0.15	4.07	0.03	25.5	13.9	16	1.62
I198679		3.28	<0.005		0.11	7.66	<0.2	510	0.87	0.07	4.00	0.03	35.9	15.9	20	1.84
I198680		3.09	<0.005		0.11	6.32	<0.2	350	0.68	0.04	2.92	0.02	26.1	9.5	11	1.16
I198681		2.85	<0.005		0.03	5.93	<0.2	190	0.51	0.01	0.49	<0.02	9.50	1.0	4	0.44
I198682		2.96	0.018		0.01	5.57	<0.2	180	0.45	<0.01	1.05	<0.02	8.65	0.8	6	0.34
I198683		2.90	<0.005		0.04	6.11	0.2	230	0.61	0.01	0.33	<0.02	16.65	0.9	4	0.43
I198684		2.98	<0.005		0.05	6.09	<0.2	200	0.46	0.01	0.42	<0.02	18.40	0.8	8	0.35
I198685		3.01	<0.005		0.02	6.08	<0.2	290	0.50	0.01	1.05	<0.02	15.85	1.3	4	0.65
I198686		3.06	<0.005		0.04	6.61	1.3	380	0.72	0.02	1.38	0.02	18.45	2.0	7	0.78
I198687		3.01	<0.005		0.03	6.12	0.8	260	0.46	0.01	0.71	<0.02	19.10	0.9	11	0.46
I198688		2.84	<0.005		0.63	6.06	0.7	350	0.46	0.02	0.59	<0.02	18.70	0.8	9	0.65
I198689		3.43	<0.005		0.03	5.96	0.9	230	0.62	0.02	0.86	<0.02	8.39	0.7	9	0.39
I198690		0.07	0.414		2.32	7.34	96.5	560	1.25	0.53	0.53	1.07	32.0	17.9	33	7.02
I198691		3.24	<0.005		0.05	6.09	0.7	250	0.69	0.04	0.94	<0.02	18.60	1.7	9	0.56
I198692		3.67	<0.005		0.03	6.20	0.7	160	0.63	0.01	1.03	<0.02	14.20	0.9	9	0.37
I198693		3.71	<0.005		0.11	7.04	0.4	380	0.89	0.07	3.95	0.05	26.9	14.9	24	1.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198656		11.5	0.89	15.15	0.06	1.9	0.008	1.42	10.8	2.2	0.15	137	3.77	3.17	2.1	2.6
I198656 CRD		10.3	0.74	15.35	0.07	2.0	0.008	1.42	10.9	2.0	0.13	123	4.73	3.25	2.2	2.0
I198657		8.0	0.71	15.15	0.06	2.4	0.006	1.59	11.0	1.2	0.08	125	0.24	3.51	2.5	1.1
I198658		3.8	0.77	14.85	0.09	2.0	0.010	1.41	10.4	1.5	0.10	168	2.61	3.07	2.5	1.2
I198659		11.7	0.97	15.30	0.09	2.1	0.009	1.41	9.2	1.4	0.09	146	4.52	3.39	2.9	1.7
I198660		>10000	4.57	13.30	0.10	0.9	0.126	0.84	10.4	14.3	1.16	647	237	2.11	3.8	32.0
I198661		8.8	0.69	14.80	0.08	2.4	0.009	1.55	12.3	1.4	0.09	103	4.86	3.13	2.7	1.2
I198662		4.4	0.89	15.15	0.10	2.3	0.009	1.74	13.6	1.9	0.10	142	1.36	3.07	3.2	1.5
I198663		9.8	1.03	15.45	0.09	2.5	0.008	1.32	11.9	1.5	0.10	167	1.72	3.50	3.0	2.3
I198664		32.5	1.04	18.55	0.08	1.3	0.011	1.87	8.9	2.8	0.16	184	11.20	3.14	4.2	2.7
I198665		16.0	1.18	18.35	0.09	1.8	0.012	2.37	13.3	3.2	0.18	236	1.14	2.81	4.4	3.3
I198666		8.2	0.79	15.65	0.09	2.2	<0.005	1.66	7.5	2.0	0.10	184	0.35	3.27	2.0	1.4
I198667		3.0	0.88	15.40	0.09	2.1	0.006	1.50	11.2	1.8	0.11	158	0.30	3.23	2.2	1.7
I198668		2.0	0.63	15.05	0.09	2.7	0.005	1.20	11.6	1.2	0.08	98	0.25	3.54	2.3	1.1
I198669		2.4	0.76	17.55	0.09	2.7	<0.005	1.09	3.2	1.2	0.07	114	0.19	3.85	1.2	1.3
I198670		4.3	0.69	15.60	0.08	2.3	0.005	0.94	2.3	1.4	0.07	154	0.19	3.31	1.5	1.4
I198671		28.9	2.73	23.1	0.09	1.5	0.030	4.21	12.6	14.0	0.81	554	0.13	0.95	8.0	15.1
I198672		12.9	3.32	21.4	0.14	2.0	0.038	3.91	13.8	24.0	1.12	686	0.53	1.07	5.8	22.2
I198673		24.9	4.09	19.05	0.18	4.2	0.035	0.56	62.0	38.2	2.02	669	0.19	3.68	4.1	49.3
I198674		29.8	3.93	20.8	0.17	4.4	0.039	0.75	60.2	40.1	2.03	557	0.24	3.82	4.0	49.2
I198675		>10000	5.72	14.00	0.15	1.1	0.116	2.75	27.4	16.0	1.18	627	113.0	1.59	6.2	33.5
I198676		33.8	3.69	18.65	0.13	4.2	0.039	0.65	51.7	37.3	1.96	555	0.25	3.98	4.0	46.2
I198676 CRD		42.8	3.86	19.75	0.16	4.1	0.041	0.64	55.7	38.8	1.97	548	0.31	3.82	3.8	47.5
I198677		32.3	3.77	19.25	0.19	4.1	0.039	1.22	58.6	32.9	1.82	638	0.39	3.29	4.1	45.3
I198678		21.9	3.13	19.45	0.10	1.6	0.032	3.50	10.6	13.1	0.92	656	0.62	1.25	3.6	17.5
I198679		34.5	3.99	21.9	0.12	2.0	0.037	4.44	16.5	11.3	1.26	829	0.15	0.42	5.3	23.8
I198680		35.0	2.24	18.65	0.11	2.1	0.020	2.92	10.6	7.1	0.59	531	0.36	1.40	4.7	12.7
I198681		3.3	0.74	15.60	0.08	2.2	0.007	1.36	4.5	2.0	0.11	98	0.20	3.17	2.5	2.0
I198682		0.7	0.58	12.95	0.07	2.4	0.006	1.14	3.6	1.7	0.08	133	0.12	3.08	4.5	1.3
I198683		0.5	0.73	16.85	0.07	3.2	0.008	1.63	7.1	1.6	0.10	75	0.20	2.72	6.0	1.3
I198684		1.7	0.54	15.85	0.10	3.4	0.006	1.29	8.9	1.8	0.08	76	0.40	3.35	4.2	1.2
I198685		5.8	0.88	15.35	0.12	1.1	0.009	1.74	8.8	3.2	0.15	176	0.17	2.53	2.7	2.2
I198686		12.0	0.95	15.90	0.08	2.7	0.012	2.12	10.0	3.5	0.17	217	0.60	2.61	3.6	3.1
I198687		4.3	0.69	13.00	0.07	2.9	<0.005	1.61	9.7	1.3	0.07	127	0.21	3.43	1.6	1.3
I198688		3.8	0.49	13.25	0.06	3.1	<0.005	2.64	9.5	1.0	0.05	93	1.07	2.89	1.7	1.0
I198689		5.5	0.62	14.15	<0.05	2.8	<0.005	1.81	4.0	1.3	0.05	127	0.21	3.33	1.6	1.3
I198690		4330	4.62	16.35	0.15	0.8	0.056	4.71	18.4	11.7	0.73	470	259	1.05	5.0	22.1
I198691		5.7	0.83	16.05	0.05	2.8	0.011	1.65	8.8	2.2	0.11	140	0.86	2.83	2.7	1.2
I198692		5.3	0.72	13.85	0.05	3.0	0.005	0.95	7.0	1.5	0.07	153	0.26	3.89	1.6	1.2
I198693		16.8	3.82	19.65	0.16	2.1	0.038	3.55	10.9	21.8	1.17	668	0.17	1.16	4.0	22.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198656		50	9.4	57.3	<0.002	0.03	0.07	2.2	1	0.4	121.0	0.20	<0.05	8.5	0.042	0.19
I198656 CRD		50	9.3	57.6	0.002	0.03	0.07	2.1	1	0.4	126.0	0.16	<0.05	9.1	0.042	0.20
I198657		30	14.1	58.8	<0.002	0.04	0.05	1.9	1	0.3	113.5	0.21	<0.05	10.1	0.037	0.19
I198658		50	15.1	56.8	<0.002	0.05	0.07	2.0	<1	0.4	115.0	0.17	<0.05	9.3	0.044	0.19
I198659		40	8.0	53.8	0.002	0.08	0.07	2.3	1	0.4	98.2	0.21	<0.05	9.0	0.046	0.19
I198660		570	40.4	26.8	1.455	1.59	23.5	13.9	5	1.0	283	0.28	0.51	2.1	0.330	0.21
I198661		40	8.4	59.5	<0.002	0.02	0.08	2.1	1	0.4	94.0	0.22	<0.05	11.5	0.042	0.20
I198662		40	13.2	63.1	<0.002	0.05	0.07	2.1	1	0.4	118.5	0.33	<0.05	11.8	0.047	0.21
I198663		80	11.1	52.4	<0.002	0.09	0.07	1.9	1	0.4	123.0	0.46	<0.05	8.7	0.039	0.18
I198664		100	15.3	64.3	<0.002	0.09	0.09	2.9	1	0.7	167.5	0.44	<0.05	5.6	0.069	0.28
I198665		130	15.0	78.7	<0.002	0.07	0.13	3.2	<1	0.7	161.5	0.43	<0.05	8.0	0.072	0.33
I198666		30	17.5	63.0	<0.002	0.02	0.13	1.6	<1	0.3	144.0	0.21	<0.05	7.0	0.036	0.21
I198667		60	10.3	60.3	<0.002	0.02	0.07	1.7	<1	0.4	109.0	0.21	<0.05	9.0	0.038	0.20
I198668		70	6.6	47.4	<0.002	0.02	0.06	1.5	1	0.3	80.3	0.22	<0.05	11.1	0.036	0.16
I198669		10	13.8	44.0	<0.002	0.04	0.06	1.0	<1	0.2	119.0	0.11	<0.05	4.5	0.024	0.15
I198670		40	18.9	38.5	<0.002	0.04	0.06	1.0	<1	0.2	132.5	0.24	<0.05	2.8	0.022	0.13
I198671		710	6.1	129.0	<0.002	0.08	0.23	7.9	1	1.0	167.0	0.81	<0.05	3.8	0.204	0.67
I198672		970	10.1	116.5	<0.002	0.16	0.29	10.3	1	1.2	247	0.59	<0.05	2.8	0.233	0.66
I198673		2330	6.5	23.5	<0.002	0.28	0.20	9.9	1	0.8	574	0.25	<0.05	5.5	0.283	0.10
I198674		2430	45.7	29.9	<0.002	0.10	0.25	11.1	1	0.9	1090	0.24	<0.05	5.4	0.296	0.13
I198675		900	65.1	79.2	0.146	2.32	6.92	15.3	7	2.5	259	0.28	0.89	4.9	0.318	0.80
I198676		2420	15.1	23.2	<0.002	0.13	0.22	10.4	1	0.9	1670	0.25	<0.05	4.8	0.294	0.10
I198676 CRD		2420	15.8	24.8	<0.002	0.12	0.22	10.8	1	0.9	1660	0.24	<0.05	4.9	0.273	0.11
I198677		2320	10.0	52.0	<0.002	0.27	0.27	10.0	1	0.9	1740	0.25	<0.05	5.6	0.302	0.21
I198678		790	7.5	94.0	<0.002	0.21	0.25	7.3	1	0.7	183.5	0.36	<0.05	2.3	0.211	0.56
I198679		1100	6.2	106.5	<0.002	0.11	0.24	10.8	1	1.0	152.5	0.77	<0.05	2.6	0.325	0.65
I198680		430	7.9	84.0	<0.002	0.08	0.15	5.7	1	0.7	119.0	0.56	<0.05	7.3	0.143	0.42
I198681		30	4.0	52.5	<0.002	0.01	0.05	1.4	<1	0.3	71.3	0.27	<0.05	4.7	0.020	0.17
I198682		30	7.1	39.2	<0.002	<0.01	0.05	2.1	<1	0.3	75.9	0.65	<0.05	8.1	0.024	0.14
I198683		30	10.1	57.1	<0.002	<0.01	0.06	3.5	1	0.4	55.8	0.72	<0.05	13.0	0.026	0.21
I198684		50	8.6	47.8	<0.002	<0.01	0.07	2.0	1	0.4	79.6	0.27	<0.05	10.7	0.037	0.17
I198685		70	3.0	58.9	<0.002	0.01	0.10	2.0	1	0.5	84.4	0.17	<0.05	2.1	0.047	0.23
I198686		130	5.6	64.1	<0.002	0.01	0.15	2.3	<1	0.6	93.7	0.26	<0.05	3.7	0.066	0.29
I198687		20	12.4	41.6	<0.002	0.01	0.08	0.9	<1	0.3	93.9	0.23	<0.05	12.2	0.020	0.19
I198688		20	11.9	62.7	<0.002	<0.01	0.08	0.8	<1	0.3	99.9	0.22	<0.05	12.3	0.024	0.29
I198689		20	14.8	45.2	<0.002	0.02	0.07	1.0	<1	0.2	149.5	0.13	<0.05	6.8	0.023	0.21
I198690		1100	38.4	96.9	0.654	2.45	7.47	10.9	8	2.9	250	0.33	1.00	2.5	0.237	1.40
I198691		70	15.8	53.7	0.002	0.05	0.11	1.7	1	0.5	116.0	0.19	<0.05	9.6	0.050	0.24
I198692		30	6.0	35.2	<0.002	0.02	0.09	0.9	<1	0.3	165.0	0.15	<0.05	8.6	0.026	0.13
I198693		1020	11.9	86.9	<0.002	0.10	0.34	9.3	1	0.9	297	0.52	<0.05	2.0	0.252	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198656		2.4	9	1.3	2.9	9	42.8									
I198656 CRD		2.3	8	1.1	3.0	9	45.8									
I198657		3.1	6	3.8	3.2	8	51.8		0.22	0.8	75.02	13.10	0.94	1.02	0.15	4.93
I198658		3.0	8	0.6	5.2	9	46.9									
I198659		3.4	8	0.9	5.4	9	48.3									
I198660		0.8	103	5.4	15.1	138	26.4	1.260								
I198661		2.7	7	0.7	3.9	9	51.6									
I198662		2.3	6	0.8	3.4	10	54.2									
I198663		5.8	8	0.5	4.9	10	58.0									
I198664		2.9	11	0.8	3.3	16	38.8									
I198665		2.5	12	1.0	4.2	18	46.0									
I198666		2.1	6	0.4	2.4	12	49.5									
I198667		2.2	7	0.6	3.0	13	47.1									
I198668		3.1	5	0.9	3.9	8	53.9									
I198669		3.9	5	0.4	2.2	7	48.6									
I198670		3.5	5	0.5	2.7	7	38.6									
I198671		2.9	58	1.2	6.7	62	45.9									
I198672		1.4	77	1.1	9.5	69	66.5									
I198673		0.9	84	0.6	16.6	101	158.5									
I198674		0.9	94	0.3	13.1	89	166.0									
I198675		1.2	151	11.6	14.9	165	35.9	2.09								
I198676		0.7	91	0.2	13.1	93	152.5									
I198676 CRD		0.8	91	0.2	12.5	89	156.5									
I198677		1.0	87	0.3	12.7	85	155.5		1.22	4.5	56.38	14.27	5.42	5.36	3.09	4.67
I198678		0.8	68	0.4	5.6	61	53.8									
I198679		1.1	95	0.7	6.4	65	70.0									
I198680		2.5	43	0.7	5.5	37	49.4									
I198681		3.9	5	0.4	2.5	8	39.4									
I198682		5.5	5	0.4	3.4	6	38.8									
I198683		11.1	5	0.4	5.8	8	45.1									
I198684		8.0	3	0.6	3.9	6	57.1									
I198685		1.2	8	1.0	3.6	10	39.4									
I198686		2.0	10	0.6	3.1	19	71.1									
I198687		4.7	4	0.1	2.6	7	48.5									
I198688		4.7	3	8.7	2.3	5	49.9									
I198689		2.6	3	0.1	2.0	6	48.5									
I198690		1.2	149	12.4	14.5	143	22.9									
I198691		4.6	11	0.3	3.5	12	53.2									
I198692		3.6	4	0.1	2.1	7	55.0									
I198693		1.6	90	0.6	6.8	78	71.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198656 I198656 CRD I198657 I198658 I198659		1.87	<0.01	0.05	0.01	0.011	0.03	0.02	1.23	98.38
I198660 I198661 I198662 I198663 I198664										
I198665 I198666 I198667 I198668 I198669										
I198670 I198671 I198672 I198673 I198674										
I198675 I198676 I198676 CRD I198677 I198678		1.48	0.01	0.85	0.08	0.476	0.16	0.18	5.96	98.39
I198679 I198680 I198681 I198682 I198683										
I198684 I198685 I198686 I198687 I198688										
I198689 I198690 I198691 I198692 I198693										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198694		3.62	<0.005		0.05	7.34	0.6	350	1.05	0.05	2.95	0.04	25.4	12.3	19	1.71
I198695		3.01	<0.005		0.01	6.38	0.3	180	0.75	0.01	1.66	0.02	19.25	1.9	11	0.60
I198696		2.59	<0.005		0.16	7.35	0.3	330	1.10	0.05	3.31	0.04	26.8	14.5	20	1.64
I198696 CRD		<0.02	<0.005		0.05	7.73	0.5	350	1.20	0.05	3.44	0.04	24.7	14.4	22	1.75
I198697		2.55	<0.005	<0.005	0.08	7.39	0.2	220	1.17	0.07	3.25	0.04	25.6	12.9	19	1.13
I198698		3.08	<0.005		0.13	7.93	0.7	210	1.86	0.09	3.85	0.06	31.6	18.2	27	0.68
I198699		2.78	<0.005		0.18	8.08	0.9	210	1.74	0.09	3.85	0.05	36.0	16.9	26	0.71
I198700		0.07	0.924		4.76	6.26	19.0	460	0.72	1.89	2.35	2.16	20.6	14.3	58	0.78
I198701		3.30	<0.005		0.15	8.18	<0.2	200	1.41	0.07	4.44	0.06	39.1	18.1	23	0.62
I198702		3.50	<0.005		0.13	8.34	0.9	190	1.69	0.08	4.45	0.06	35.4	17.5	26	0.52
I198703		3.29	<0.005		0.12	7.61	1.0	250	1.50	0.08	3.80	0.06	28.9	18.1	26	0.64
I198704		3.23	<0.005		0.16	7.81	0.8	260	1.24	0.09	4.67	0.14	33.7	17.9	23	0.65
I198705		3.48	<0.005		0.18	7.85	0.7	240	1.04	0.07	4.32	0.07	36.8	17.8	25	0.49
I198706		3.31	<0.005		0.10	8.54	1.0	230	0.80	0.07	4.25	0.06	38.1	17.1	23	0.48
I198707		3.91	<0.005		0.21	7.67	1.2	290	0.91	0.07	4.28	0.08	31.3	18.0	25	0.76
I198708		4.10	<0.005		0.18	7.68	0.3	440	1.14	0.07	3.78	0.06	27.7	17.5	25	1.15
I198709		2.41	0.009		0.20	7.56	2.8	90	0.93	0.02	6.82	0.07	89.3	23.5	69	0.30
I198710		2.77	<0.005		0.14	7.93	0.4	430	1.39	0.06	3.38	0.06	28.2	15.7	23	1.27
I198711		3.38	<0.005		0.07	7.12	0.6	340	1.16	0.03	2.91	0.05	23.2	11.2	17	1.09
I198712		3.33	<0.005		0.11	7.34	0.4	260	1.33	0.02	2.90	0.06	28.2	13.2	19	0.79
I198713		3.52	<0.005		0.16	7.41	0.4	410	1.14	0.03	3.68	0.05	28.7	13.9	20	1.14
I198714		3.36	<0.005		0.07	6.94	0.2	500	1.07	0.01	2.01	0.04	32.4	4.3	8	0.93
I198715		0.12	2.29		8.15	6.51	43.8	620	0.83	3.33	1.56	0.98	52.4	15.5	55	3.13
I198716		3.28	<0.005		0.10	7.86	0.5	520	3.14	<0.01	2.41	0.02	32.9	11.3	13	0.97
I198716 CRD		<0.02	<0.005		0.12	7.12	0.6	460	1.22	0.02	2.26	0.02	32.4	8.1	13	1.03
I198717		3.31	<0.005	<0.005	0.06	6.79	0.3	450	1.03	0.01	1.68	0.02	33.0	3.8	7	0.82
I198718		3.41	<0.005		0.10	6.71	0.5	440	0.80	0.01	1.31	0.02	26.5	3.3	7	0.69
I198719		3.31	<0.005		0.04	6.91	0.3	630	1.06	0.01	1.96	0.02	36.0	5.3	9	1.13
I198720		3.28	<0.005		0.07	6.91	0.4	600	0.85	0.04	2.53	0.03	31.2	7.6	12	1.15
I198721		3.47	<0.005		0.03	6.46	<0.2	530	0.79	0.02	1.94	0.02	47.7	4.6	7	0.99
I198722		3.25	<0.005		0.10	6.32	<0.2	510	0.78	0.02	1.88	0.02	54.1	5.0	9	0.94
I198723		3.55	<0.005		0.03	6.21	<0.2	540	0.82	0.01	1.76	0.02	50.9	4.3	6	0.95
I198724		3.39	<0.005		0.01	6.22	<0.2	520	0.76	0.02	1.56	0.02	20.7	2.3	4	0.75
I198725		3.55	<0.005		0.01	6.43	<0.2	540	0.71	0.01	1.52	0.02	28.2	2.2	5	0.75
I198726		3.37	<0.005		0.02	6.53	<0.2	530	0.69	0.01	1.08	<0.02	30.9	2.1	3	0.65
I198727		3.53	<0.005		0.03	6.16	<0.2	490	0.64	0.03	1.62	0.02	27.3	5.1	8	0.83
I198728		2.85	<0.005		0.14	7.33	<0.2	570	0.76	0.07	5.62	0.07	19.10	26.1	97	1.33
I198729		2.56	0.013		0.09	4.01	<0.2	340	0.41	0.03	5.37	0.07	8.31	26.4	202	0.72
I198730		0.07	0.416		2.09	7.17	99.6	580	1.02	0.58	0.53	0.89	29.4	15.5	32	6.94
I198731		3.86	<0.005		0.06	6.28	<0.2	350	0.63	0.01	0.64	0.02	27.2	1.7	4	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198694		15.2	3.25	21.0	0.14	2.4	0.033	3.58	11.1	18.2	1.01	597	0.23	1.30	6.7	18.1
I198695		4.7	0.88	14.60	0.09	3.2	0.008	1.47	10.0	3.5	0.18	262	0.14	3.20	2.7	2.2
I198696		8.9	3.60	20.1	0.15	2.0	0.035	3.31	10.9	25.2	1.17	631	0.15	1.36	5.1	20.6
I198696 CRD		9.8	3.68	20.9	0.17	2.1	0.035	3.47	9.9	25.7	1.23	651	0.18	1.45	5.3	21.1
I198697		20.9	3.23	19.65	0.17	2.1	0.033	2.04	10.3	23.4	1.02	544	0.20	2.82	7.2	19.1
I198698		31.1	4.36	23.5	0.18	2.6	0.039	1.35	11.7	34.4	1.46	636	0.20	3.02	17.2	25.8
I198699		46.8	4.07	22.2	0.18	2.3	0.036	1.33	13.9	34.7	1.41	589	0.24	3.22	14.3	24.5
I198700		>10000	4.49	12.45	0.13	1.0	0.132	0.85	11.0	14.4	1.14	635	240	2.13	3.9	30.9
I198701		32.6	4.29	25.1	0.10	2.4	0.043	1.16	15.4	28.9	1.46	662	0.16	2.86	16.5	25.7
I198702		33.5	4.36	23.3	0.19	2.6	0.046	0.90	13.1	30.5	1.44	688	0.53	3.06	18.9	25.5
I198703		43.6	4.23	22.1	0.17	2.7	0.039	1.19	10.6	33.6	1.49	641	0.24	3.11	11.8	26.0
I198704		46.9	4.11	21.3	0.17	2.3	0.042	1.30	12.7	33.0	1.45	667	0.53	2.85	8.7	24.5
I198705		33.0	4.26	20.6	0.17	2.2	0.037	0.96	14.7	25.9	1.46	601	0.18	2.91	5.4	24.7
I198706		27.3	4.18	21.1	0.18	2.2	0.033	0.87	16.5	26.1	1.42	561	0.19	3.21	4.1	23.9
I198707		33.9	4.24	21.5	0.18	2.5	0.042	1.35	11.2	30.7	1.44	614	0.22	3.06	5.7	25.6
I198708		42.3	4.11	21.5	0.17	2.9	0.041	1.94	9.1	30.9	1.44	585	0.19	2.71	11.6	24.6
I198709		30.0	4.23	17.95	0.20	3.9	0.040	0.38	40.9	49.5	2.71	841	0.07	2.79	7.7	73.5
I198710		20.7	3.84	21.9	0.16	2.8	0.040	2.26	9.7	27.0	1.29	691	0.16	2.59	15.8	22.4
I198711		13.5	2.95	19.50	0.16	2.4	0.030	1.80	8.5	19.6	0.89	615	0.14	2.96	12.0	15.9
I198712		17.5	3.22	20.9	0.16	2.4	0.033	1.41	11.0	21.1	1.00	618	0.14	2.92	13.8	18.3
I198713		56.6	3.64	19.85	0.17	2.2	0.038	2.18	10.8	26.0	1.11	841	0.20	2.46	11.2	19.9
I198714		17.9	1.47	17.60	0.14	2.7	0.018	1.90	16.6	8.6	0.35	379	0.32	2.92	6.9	5.4
I198715		>10000	5.53	12.90	0.15	1.1	0.107	2.69	26.6	15.2	1.15	607	109.0	1.60	6.1	30.2
I198716		45.7	2.38	25.9	0.15	2.5	0.029	2.16	15.0	50.3	0.69	647	0.15	2.62	10.1	14.5
I198716 CRD		35.3	2.32	18.90	0.13	2.3	0.024	2.01	15.4	15.3	0.65	596	0.17	2.54	10.1	11.4
I198717		9.8	1.35	16.50	0.12	3.2	0.013	1.61	16.3	6.8	0.29	324	0.16	3.14	4.3	4.3
I198718		10.8	1.40	15.85	0.12	2.8	0.012	1.38	14.2	5.3	0.23	307	0.53	3.49	4.3	3.4
I198719		6.4	1.83	18.55	0.14	4.2	0.020	2.36	18.3	9.9	0.39	418	0.17	2.48	7.0	5.9
I198720		27.8	2.56	19.20	0.11	2.7	0.027	2.43	16.8	15.4	0.61	558	0.24	2.20	6.8	10.3
I198721		9.2	1.76	18.80	0.12	3.8	0.019	2.03	25.8	9.8	0.41	455	0.10	2.55	7.1	5.0
I198722		7.5	1.88	18.20	0.12	3.8	0.018	1.94	28.6	10.2	0.40	441	0.12	2.60	6.5	5.0
I198723		3.0	1.56	18.00	0.11	4.1	0.017	1.96	28.1	8.0	0.35	395	0.09	2.59	6.3	4.2
I198724		2.0	1.21	17.05	0.09	3.0	0.012	1.61	11.1	4.2	0.21	296	0.16	3.15	4.9	2.8
I198725		2.4	1.12	17.40	0.10	2.6	0.011	1.70	14.8	4.3	0.20	252	0.11	3.21	4.1	2.8
I198726		1.9	1.28	16.35	0.09	2.3	0.009	1.45	16.1	4.1	0.19	204	0.18	3.25	3.3	2.1
I198727		11.3	1.58	15.00	0.10	2.1	0.013	1.87	13.9	6.1	0.45	321	0.11	2.40	4.0	8.0
I198728		74.2	5.36	16.05	0.13	1.3	0.048	3.12	7.3	20.6	2.59	1180	0.23	0.63	7.5	66.4
I198729		62.8	4.92	9.10	0.09	0.8	0.031	1.58	3.6	19.7	2.81	1130	0.32	0.09	1.7	109.0
I198730		4490	4.69	16.30	0.14	0.7	0.056	5.48	16.4	10.7	0.75	478	260	1.00	4.9	20.4
I198731		6.9	1.00	13.55	0.07	2.5	0.010	1.31	13.2	2.4	0.18	126	0.56	3.34	2.0	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198694		830	10.3	88.3	<0.002	0.07	0.31	8.9	1	1.1	244	0.99	<0.05	3.4	0.234	0.58
I198695		70	4.2	47.1	<0.002	0.02	0.10	1.5	1	0.4	190.5	0.27	<0.05	5.9	0.048	0.22
I198696		910	10.3	91.8	<0.002	0.07	0.30	8.7	1	0.9	230	0.71	<0.05	2.7	0.232	0.56
I198696 CRD		950	10.4	98.2	<0.002	0.06	0.31	9.1	1	0.9	239	0.74	<0.05	2.5	0.244	0.60
I198697		800	7.0	64.4	<0.002	0.07	0.14	8.8	1	0.9	303	1.13	<0.05	3.7	0.291	0.39
I198698		1130	9.4	37.6	<0.002	0.12	0.27	11.0	1	1.3	545	1.78	<0.05	3.2	0.395	0.30
I198699		1110	11.3	44.7	<0.002	0.16	0.25	11.0	1	1.0	479	1.61	<0.05	3.7	0.373	0.29
I198700		560	39.4	25.5	1.460	1.54	24.7	13.5	6	1.0	276	0.29	0.56	2.0	0.319	0.22
I198701		1110	10.3	46.6	<0.002	0.16	0.32	11.9	1	1.2	549	2.06	<0.05	4.1	0.402	0.26
I198702		1120	11.2	32.6	<0.002	0.13	0.34	12.0	2	1.4	625	2.54	<0.05	3.6	0.399	0.21
I198703		1160	9.3	35.5	<0.002	0.14	0.31	10.8	1	1.1	496	1.06	<0.05	2.9	0.384	0.29
I198704		1110	11.3	47.6	<0.002	0.16	0.34	11.4	1	1.2	543	1.06	<0.05	3.1	0.372	0.29
I198705		1140	8.7	35.9	<0.002	0.14	0.42	10.5	1	1.0	647	0.92	<0.05	3.3	0.391	0.22
I198706		1080	8.7	35.5	<0.002	0.11	0.38	9.7	1	0.8	713	0.81	<0.05	3.4	0.393	0.21
I198707		1080	9.6	41.0	<0.002	0.13	0.34	10.9	1	0.9	556	0.76	<0.05	3.1	0.386	0.30
I198708		1130	8.5	65.1	<0.002	0.11	0.31	11.6	1	1.1	429	1.31	<0.05	3.0	0.370	0.43
I198709		1290	6.3	16.6	<0.002	0.90	1.15	13.7	1	1.0	1260	0.64	<0.05	3.3	0.407	0.06
I198710		1010	7.3	79.1	<0.002	0.12	0.22	10.8	1	1.8	372	1.89	<0.05	3.5	0.355	0.47
I198711		720	10.3	64.8	<0.002	0.07	0.22	7.4	1	1.4	308	1.28	<0.05	3.9	0.258	0.40
I198712		810	11.2	48.9	<0.002	0.08	0.26	8.4	1	1.5	436	1.38	<0.05	4.1	0.298	0.31
I198713		950	9.3	66.3	<0.002	0.09	0.17	9.0	1	1.3	254	1.06	<0.05	3.3	0.339	0.44
I198714		310	9.3	67.7	<0.002	0.01	0.15	3.9	1	0.8	194.5	0.63	<0.05	5.7	0.142	0.35
I198715		860	59.4	76.0	0.124	2.23	6.85	14.2	6	2.5	250	0.26	1.25	4.3	0.298	0.77
I198716		580	12.2	80.8	<0.002	0.05	0.20	10.5	1	1.2	250	0.90	<0.05	5.0	0.217	0.39
I198716 CRD		560	11.2	74.0	<0.002	0.04	0.18	6.3	1	1.2	232	0.89	<0.05	4.9	0.194	0.38
I198717		260	10.6	59.9	<0.002	0.01	0.13	3.3	1	0.6	253	0.40	<0.05	6.2	0.112	0.29
I198718		190	16.8	52.2	<0.002	0.01	0.12	2.7	1	0.6	226	0.42	<0.05	6.5	0.096	0.24
I198719		380	14.0	77.8	<0.002	0.01	0.16	4.6	1	0.8	217	0.70	<0.05	6.1	0.154	0.39
I198720		610	27.6	74.5	<0.002	0.02	0.23	6.4	1	0.9	183.5	0.76	<0.05	5.4	0.207	0.39
I198721		460	15.2	68.8	<0.002	0.01	0.16	4.3	1	0.8	212	0.62	<0.05	8.8	0.171	0.32
I198722		480	10.7	65.1	<0.002	0.01	0.17	4.4	1	0.9	171.5	0.52	<0.05	8.7	0.175	0.33
I198723		370	11.6	67.6	<0.002	<0.01	0.11	4.0	1	0.7	225	0.50	<0.05	11.2	0.149	0.32
I198724		230	12.7	55.3	<0.002	<0.01	0.09	2.9	<1	0.6	225	0.50	<0.05	5.7	0.092	0.26
I198725		200	10.4	54.2	<0.002	<0.01	0.07	2.7	<1	0.5	234	0.37	<0.05	6.8	0.083	0.26
I198726		140	12.3	64.7	<0.002	0.01	0.08	2.3	<1	0.5	193.0	0.34	<0.05	10.6	0.071	0.22
I198727		280	7.7	58.1	<0.002	0.04	0.13	4.6	1	0.5	150.0	0.52	<0.05	9.5	0.107	0.28
I198728		470	9.4	80.5	<0.002	0.07	0.19	23.0	1	1.1	295	1.08	<0.05	3.3	0.268	0.45
I198729		220	6.0	55.4	<0.002	0.09	0.17	18.0	1	0.3	286	0.09	<0.05	0.8	0.218	0.22
I198730		1120	42.1	113.0	0.634	2.47	6.67	10.2	8	2.7	253	0.34	0.92	2.6	0.249	1.40
I198731		100	7.5	56.6	<0.002	0.02	0.10	2.0	<1	0.4	123.0	0.15	<0.05	14.2	0.046	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198694		3.6	70	0.3	7.2	69	76.4									
I198695		2.3	10	0.1	2.8	12	66.1									
I198696		3.2	81	0.8	8.0	79	69.4									
I198696 CRD		3.4	83	0.3	8.2	82	67.3									
I198697		3.0	76	0.3	10.9	64	66.6		0.80	3.0	59.92	16.03	4.72	4.69	1.83	3.84
I198698		2.4	105	0.2	18.0	84	82.7									
I198699		2.3	97	0.3	17.0	78	77.7									
I198700		0.8	102	5.6	14.8	143	26.4	1.260								
I198701		2.5	102	0.2	19.1	81	75.7									
I198702		2.9	103	0.2	25.0	83	83.9									
I198703		2.6	103	0.3	14.1	85	88.3									
I198704		2.1	100	0.6	14.7	83	79.3									
I198705		1.5	103	0.4	11.9	80	75.6									
I198706		1.6	100	0.3	11.3	77	71.8									
I198707		1.7	101	0.8	12.3	79	84.8									
I198708		2.0	99	1.2	15.9	77	95.7									
I198709		1.0	100	3.2	17.1	73	131.5									
I198710		2.9	91	0.6	22.1	76	87.4									
I198711		3.1	64	0.2	17.1	63	75.6									
I198712		1.9	73	0.2	16.9	70	72.6									
I198713		1.8	80	0.2	13.6	94	71.0									
I198714		2.1	23	0.2	7.0	39	96.1									
I198715		1.2	145	10.9	13.6	157	31.2	2.11								
I198716		2.4	48	0.4	10.0	71	72.6									
I198716 CRD		2.3	43	0.2	9.4	62	72.2									
I198717		2.3	20	0.4	6.0	36	97.0		0.38	1.4	71.45	14.38	1.95	2.41	0.56	4.46
I198718		2.6	16	0.3	5.4	33	83.5									
I198719		2.6	28	0.2	6.6	53	143.5									
I198720		1.6	45	0.3	6.3	74	86.3									
I198721		1.3	23	0.2	6.8	54	131.0									
I198722		1.1	26	0.7	6.0	54	132.0									
I198723		1.7	22	0.1	5.5	47	124.0									
I198724		1.7	12	0.1	4.3	28	87.4									
I198725		2.3	13	0.1	3.7	28	72.3									
I198726		2.5	12	0.2	3.6	25	56.3									
I198727		1.8	30	1.4	3.6	28	49.7									
I198728		1.5	143	0.8	9.3	82	36.9									
I198729		0.3	115	1.6	5.5	62	23.3									
I198730		1.2	156	11.9	13.6	149	19.8									
I198731		3.1	16	0.8	2.8	12	52.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198694										
I198695										
I198696										
I198696 CRD										
I198697		2.42	<0.01	0.51	0.07	0.172	0.04	0.02	4.72	98.98
I198698										
I198699										
I198700										
I198701										
I198702										
I198703										
I198704										
I198705										
I198706										
I198707										
I198708										
I198709										
I198710										
I198711										
I198712										
I198713										
I198714										
I198715										
I198716										
I198716 CRD										
I198717		1.90	<0.01	0.20	0.04	0.061	0.04	0.04	2.33	99.82
I198718										
I198719										
I198720										
I198721										
I198722										
I198723										
I198724										
I198725										
I198726										
I198727										
I198728										
I198729										
I198730										
I198731										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198732		3.76	<0.005		0.03	6.22	<0.2	430	0.67	0.01	0.58	<0.02	32.4	1.2	5	0.63
I198733		3.51	<0.005		0.02	6.39	<0.2	550	0.94	0.01	1.53	0.02	21.2	2.1	7	0.86
I198734		3.44	0.015		0.02	6.56	<0.2	640	0.92	0.01	1.43	<0.02	20.1	1.4	5	0.68
I198735		3.45	<0.005		0.05	6.47	<0.2	730	0.92	0.05	1.45	0.02	23.5	1.7	5	0.78
I198736		3.38	<0.005		0.13	6.70	0.4	840	0.76	0.09	1.28	0.02	29.6	2.6	6	0.88
I198736 CRD		<0.02	<0.005		0.07	6.59	0.7	810	0.87	0.08	1.24	0.02	31.6	3.2	7	0.86
I198737		3.77	<0.005	<0.005	0.03	6.76	0.7	710	0.85	0.02	1.90	0.02	36.9	5.5	13	0.90
I198738		3.24	<0.005		0.03	6.08	<0.2	450	0.61	0.02	0.96	<0.02	28.3	2.2	9	0.58
I198739		2.79	<0.005		0.19	6.99	0.4	490	0.41	0.09	6.95	0.08	5.32	38.2	136	1.45
I198740		3.54	<0.005		0.05	6.53	0.7	550	0.72	0.03	1.47	0.03	20.7	3.7	13	0.82
I198741		3.66	<0.005		0.02	6.48	0.5	530	0.97	0.01	1.43	0.02	22.0	2.8	10	0.88
I198742		2.90	<0.005		0.02	6.33	<0.2	480	0.78	0.01	0.86	<0.02	12.25	1.1	7	0.66
I198743		3.39	<0.005		0.02	6.24	<0.2	480	0.63	0.01	0.83	0.02	17.15	1.0	7	0.64
I198744		3.21	<0.005		0.02	6.26	<0.2	470	0.60	0.02	0.78	0.02	27.5	1.1	5	0.75
I198745		1.01	<0.005		0.01	0.15	<5	10	<0.05	0.01	20.6	<0.02	2.55	0.7	<1	0.11
I198746		3.30	<0.005		0.04	6.24	<0.2	430	0.72	0.02	0.68	0.02	25.5	1.2	6	0.72
I198747		3.38	<0.005		0.02	6.20	<0.2	430	0.76	0.03	0.73	<0.02	25.1	1.2	6	0.63
I198748		3.31	<0.005		0.04	5.71	<0.2	350	0.55	0.02	0.57	<0.02	13.80	0.7	5	0.57
I198749		3.34	<0.005		0.02	6.05	<0.2	460	0.72	0.01	0.71	<0.02	29.3	1.1	5	0.69
I198750		3.27	<0.005		0.06	6.15	<0.2	420	0.83	0.01	0.77	<0.02	25.2	1.2	7	0.66
I198751		3.03	<0.005		0.03	5.77	<0.2	440	0.81	0.02	1.13	<0.02	23.0	1.4	5	0.74
I198752		3.27	<0.005		0.04	6.51	<0.2	460	1.00	0.01	0.63	<0.02	25.1	1.2	5	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198732		4.3	0.79	14.45	0.10	2.6	0.008	1.51	17.3	1.6	0.13	116	0.14	3.35	2.0	1.7
I198733		9.4	1.21	17.25	0.09	2.4	0.011	1.91	11.0	3.1	0.17	263	0.18	2.98	3.8	2.2
I198734		2.9	0.83	17.75	0.08	2.4	0.008	1.75	10.8	1.9	0.12	211	0.11	3.50	2.8	1.6
I198735		2.0	0.91	18.35	0.10	2.0	0.008	1.98	12.8	2.1	0.13	229	0.19	3.20	3.3	2.0
I198736		10.8	1.24	19.70	0.11	2.7	0.014	2.18	17.5	3.3	0.21	254	0.10	2.70	4.3	2.7
I198736 CRD		11.0	1.29	18.95	0.13	2.8	0.016	2.13	18.9	3.2	0.21	254	0.12	2.66	4.5	2.9
I198737		8.0	1.99	18.20	0.12	2.3	0.017	2.09	20.6	4.8	0.43	490	0.10	2.59	6.1	6.5
I198738		7.5	1.02	14.40	0.11	2.2	0.006	1.29	14.8	2.2	0.16	175	0.27	3.36	2.2	3.7
I198739		106.5	7.53	13.80	0.13	0.4	0.049	3.30	2.2	17.8	3.54	1520	9.35	0.06	1.2	87.4
I198740		4.9	1.35	17.40	0.10	2.3	0.013	1.95	11.0	2.3	0.29	340	0.15	2.91	3.4	6.3
I198741		2.5	1.22	18.40	0.10	2.7	0.013	1.93	11.2	3.7	0.21	334	0.12	2.95	5.0	2.9
I198742		1.5	0.87	17.30	0.10	2.5	0.009	2.44	6.3	1.9	0.08	177	0.16	2.95	2.4	1.3
I198743		2.4	0.66	17.20	0.10	2.1	0.006	3.28	8.1	1.7	0.06	174	0.17	2.81	2.5	1.0
I198744		2.6	0.91	16.00	0.12	2.0	0.010	2.79	13.2	2.1	0.09	201	0.18	2.69	3.6	1.3
I198745		0.4	0.09	0.44	0.27	0.1	<0.005	0.11	2.0	4.0	13.50	49	0.11	0.02	0.4	1.1
I198746		4.3	0.97	15.80	0.20	2.5	0.008	1.87	12.4	1.7	0.12	185	0.15	2.89	4.0	1.3
I198747		1.8	0.78	17.45	0.16	3.3	0.010	2.28	12.0	1.6	0.11	147	0.15	2.97	3.5	1.1
I198748		0.7	0.55	17.15	0.16	3.7	0.005	2.64	6.5	1.5	0.05	106	0.19	2.99	1.4	0.9
I198749		3.9	0.69	17.45	0.15	2.2	0.009	3.25	13.7	2.3	0.09	171	0.11	2.60	5.1	1.2
I198750		3.1	0.87	17.65	0.12	2.4	0.009	2.26	12.3	1.9	0.11	182	0.34	2.80	5.3	1.7
I198751		1.0	0.78	17.60	0.14	1.9	0.012	2.43	10.7	2.3	0.11	232	0.38	2.52	5.6	1.3
I198752		1.6	0.83	19.40	0.13	2.3	0.008	2.58	12.2	1.5	0.09	134	0.23	2.86	4.2	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I198732		80	9.0	52.8	<0.002	0.02	0.09	1.6	<1	0.4	123.5	0.14	<0.05	15.1	0.049	0.23
I198733		160	8.2	63.1	<0.002	0.01	0.09	2.1	<1	0.6	235	0.33	<0.05	5.1	0.070	0.30
I198734		130	12.8	57.5	<0.002	0.01	0.07	1.9	<1	0.4	238	0.22	<0.05	6.3	0.057	0.25
I198735		150	23.9	68.7	<0.002	0.01	0.10	1.9	<1	0.4	199.5	0.35	<0.05	5.0	0.062	0.28
I198736		280	36.5	77.0	<0.002	0.04	0.14	2.8	<1	0.7	140.5	0.33	<0.05	6.1	0.094	0.32
I198736 CRD		280	30.7	76.7	<0.002	0.05	0.13	2.8	1	0.7	140.0	0.36	<0.05	5.9	0.096	0.29
I198737		450	15.4	71.9	<0.002	0.04	0.11	4.3	1	0.7	194.0	0.47	<0.05	7.0	0.154	0.30
I198738		70	10.8	60.0	<0.002	0.02	0.07	1.7	<1	0.3	136.5	0.17	<0.05	6.8	0.041	0.18
I198739		220	8.4	106.5	0.004	0.18	0.25	31.5	1	0.4	286	0.07	<0.05	0.2	0.273	0.44
I198740		140	11.2	66.8	<0.002	0.03	0.13	3.3	<1	0.6	145.0	0.24	<0.05	4.8	0.072	0.29
I198741		250	11.9	74.2	<0.002	<0.01	0.11	3.0	<1	0.6	178.5	0.41	<0.05	4.9	0.093	0.29
I198742		60	13.7	79.6	<0.002	<0.01	0.07	1.6	<1	0.3	146.5	0.19	<0.05	6.4	0.038	0.31
I198743		50	22.3	92.7	<0.002	0.01	0.05	1.7	1	0.3	124.0	0.16	<0.05	11.1	0.038	0.36
I198744		90	21.0	86.1	<0.002	0.02	0.07	2.3	1	0.5	107.0	0.29	<0.05	14.4	0.047	0.33
I198745		10	1.3	3.5	<0.002	0.04	<0.05	0.2	<1	<0.2	64.3	<0.05	<0.05	0.3	0.007	0.02
I198746		70	14.8	64.2	<0.002	0.02	0.10	2.4	<1	0.5	88.0	0.22	<0.05	13.9	0.050	0.26
I198747		50	15.5	73.4	<0.002	0.04	0.08	1.9	<1	0.5	116.5	0.23	<0.05	12.7	0.037	0.29
I198748		20	22.1	77.6	<0.002	<0.01	0.06	0.9	1	0.3	110.0	0.13	<0.05	6.7	0.019	0.27
I198749		50	19.4	90.1	<0.002	<0.01	0.06	2.7	1	0.5	121.5	0.34	<0.05	13.0	0.047	0.37
I198750		60	9.4	77.7	<0.002	0.01	0.08	2.2	<1	0.5	115.5	0.31	<0.05	10.8	0.043	0.26
I198751		60	13.9	80.5	<0.002	0.02	0.08	2.4	1	0.6	124.0	0.34	<0.05	8.7	0.047	0.30
I198752		80	9.8	87.1	<0.002	0.01	0.07	2.1	1	0.6	115.5	0.27	<0.05	9.8	0.035	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
I198732		2.9	11	0.4	3.4	11	53.4									
I198733		1.7	13	0.2	3.3	24	56.1									
I198734		2.2	10	0.3	2.9	19	66.5									
I198735		1.4	10	0.3	3.2	21	55.6									
I198736		2.1	19	0.7	4.5	24	77.4									
I198736 CRD		2.1	19	0.6	5.0	23	82.3									
I198737		2.1	27	0.4	7.0	50	59.1		0.77	2.8	67.56	14.04	2.78	2.64	0.80	3.77
I198738		1.8	12	0.2	2.9	14	51.0									
I198739		0.1	210	0.4	5.0	96	10.4									
I198740		1.9	21	0.3	3.7	31	53.9									
I198741		2.0	14	0.2	4.8	33	82.3									
I198742		3.6	7	0.3	3.2	13	53.7									
I198743		2.9	5	0.1	3.2	19	46.7									
I198744		2.7	6	0.2	4.1	20	44.0									
I198745		0.1	<1	<0.1	1.7	<2	2.7									
I198746		3.9	7	0.3	4.4	21	50.2									
I198747		4.3	8	0.2	4.0	14	58.5									
I198748		7.2	4	0.1	4.3	6	53.2									
I198749		2.5	6	0.2	4.8	13	49.9									
I198750		6.4	7	0.3	5.3	13	49.1									
I198751		3.2	7	0.2	4.7	14	41.6									
I198752		4.8	7	0.5	5.4	12	44.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
I198732										
I198733										
I198734										
I198735										
I198736										
I198736 CRD										
I198737		2.49	<0.01	0.31	0.06	0.094	0.03	0.07	3.89	98.53
I198738										
I198739										
I198740										
I198741										
I198742										
I198743										
I198744										
I198745										
I198746										
I198747										
I198748										
I198749										
I198750										
I198751										
I198752										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184965

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.