ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE TB10180657

Project: HAMMOND REEF

P.O. No.:

This report is for 151 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838670		2.96	<0.005		<0.01	6.47	0.3	320	0.94	0.02	2.48	0.02	34.3	3.2	10	0.52
J838671		3.06	<0.005		<0.01	6.11	0.5	510	0.72	0.02	2.27	<0.02	34.8	1.1	6	0.43
J838672		3.06	<0.005		0.04	6.47	0.4	360	0.98	0.02	1.25	<0.02	38.5	0.9	9	0.39
J838673		3.06	0.019		0.04	6.70	0.2	490	0.84	0.03	1.40	0.02	17.90	0.9	6	0.50
J838674		3.28	<0.005		0.02	6.40	0.3	390	0.87	0.02	1.93	0.02	30.9	1.3	6	0.52
J838675		0.12	2.41		9.01	6.50	51.5	640	0.79	3.61	1.62	0.98	51.3	17.1	56	2.99
J838676		3.92	0.074		0.08	6.95	<0.2	490	0.97	0.04	2.03	0.02	61.4	7.0	9	0.78
J838677		2.60	<0.005		0.04	7.32	0.7	520	0.94	0.02	2.32	0.04	82.8	8.1	12	0.45
J838678		2.47	<0.005		0.03	7.04	0.8	300	0.94	0.02	2.87	0.02	85.8	7.5	11	0.37
J838679		3.08	<0.005		0.02	7.28	0.5	310	0.97	0.03	2.94	<0.02	81.1	6.0	12	0.71
J838680		2.95	0.005		0.05	7.43	0.5	420	1.00	0.01	2.03	0.02	74.2	6.9	9	0.62
J838681		3.29	0.014		0.05	7.31	0.5	440	1.16	0.01	2.12	0.02	65.1	6.8	10	0.72
J838682		3.43	0.056		0.12	6.99	0.3	460	1.04	0.07	2.49	0.04	69.3	7.8	10	0.87
J838683		3.59	0.054		0.10	7.69	0.7	370	1.05	0.05	3.34	0.05	46.0	13.0	12	0.79
J838684		2.61	0.158		0.07	7.10	0.3	570	0.93	0.02	1.76	0.02	20.1	2.0	5	0.64
J838685		2.79	0.007		0.02	6.48	0.6	220	0.98	0.02	2.07	0.02	12.55	1.7	6	0.58
J838686		2.51	0.005		0.06	7.06	0.3	270	0.97	0.02	2.46	0.03	44.6	5.5	8	0.78
J838687		3.27	<0.005		0.07	7.92	0.6	330	0.99	0.03	3.42	0.05	108.5	15.0	7	0.90
J838688		2.96	0.010		0.03	6.51	0.4	430	0.85	0.02	1.54	0.03	34.5	3.4	5	0.59
J838689		3.20	0.262		0.07	6.57	0.3	500	0.92	0.05	1.07	0.02	52.5	2.8	6	0.58
J838689 CRD		<0.02	0.215		0.15	6.86	0.5	540	0.97	0.05	1.11	0.03	53.6	2.7	6	0.60
J838690		0.07	0.417		2.38	7.48	106.5	590	1.20	0.54	0.56	0.98	30.9	18.5	32	6.73
J838691		3.14	0.207	0.244	0.29	6.94	0.5	480	0.99	0.27	1.68	0.04	50.0	6.1	9	0.76
J838692		3.19	0.427		0.23	7.05	0.4	380	1.00	0.04	2.17	0.06	55.5	8.0	10	0.85
J838693		3.24	1.725		0.75	6.44	0.7	400	0.97	0.21	2.93	0.11	39.5	12.9	9	0.90
J838694		3.22	0.544		0.81	7.24	0.5	370	1.05	0.05	2.03	0.08	52.9	7.9	13	0.77
J838695		3.02	0.022		0.10	6.89	0.5	360	0.97	0.02	3.03	0.10	90.7	13.2	11	0.81
J838696		3.22	0.095		0.10	7.19	0.6	320	0.93	0.06	3.15	0.11	39.6	11.8	8	0.84
J838697		3.31	0.291		0.13	6.90	0.5	320	0.87	0.05	3.69	0.12	34.3	16.9	6	0.87
J838698		2.93	1.375		0.55	6.74	0.5	420	0.93	0.30	1.15	0.04	51.5	4.2	9	0.88
J838699		3.29	0.460		0.23	6.74	0.5	330	0.93	0.09	3.33	0.09	42.3	13.1	9	0.92
J838700		0.07	0.965		5.19	6.48	21.0	470	0.70	1.89	2.50	2.17	19.75	15.5	59	0.75
J838701		3.31	0.469		0.14	6.81	0.4	450	1.04	0.11	1.89	0.07	42.5	5.9	10	0.98
J838702		3.13	0.130		0.15	6.83	0.2	420	1.06	0.03	2.28	0.04	48.6	7.0	10	0.93
J838703		3.23	0.153		0.11	7.12	<0.2	410	1.03	0.04	2.11	0.05	46.1	5.6	10	0.82
J838704		3.27	0.130		0.11	6.91	0.2	480	1.02	0.05	1.91	0.06	39.3	5.2	11	0.78
J838705		3.12	0.106		0.04	6.87	0.4	440	1.06	0.03	2.32	0.10	28.6	8.0	19	0.86
J838706		3.29	0.029		0.06	6.63	0.6	440	1.02	0.03	1.68	0.06	54.1	5.3	9	0.78
J838707		3.10	0.078		0.09	6.98	<0.2	520	1.06	0.02	1.88	0.06	52.8	5.8	9	0.85
J838708		3.25	0.177		0.14	7.06	0.2	510	0.97	0.04	1.94	0.05	55.2	6.0	9	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838670		3.2	1.25	18.35	<0.05	3.1	0.014	1.41	16.2	7.3	0.22	138	0.30	2.69	5.2	4.7
J838671		2.3	1.02	16.25	<0.05	3.9	0.011	1.43	17.8	1.5	0.08	113	0.36	2.39	1.9	1.4
J838672		6.9	0.87	17.15	0.09	2.9	0.013	1.14	18.8	2.0	0.08	97	8.73	3.76	8.3	0.9
J838673		3.0	0.77	15.60	0.08	2.3	0.005	1.62	8.7	1.2	0.08	79	0.42	3.29	1.8	0.9
J838674		2.2	0.87	15.00	0.08	2.5	0.007	1.57	14.7	2.5	0.10	99	0.28	2.92	2.1	1.2
J838675		>10000	5.72	13.45	0.19	1.0	0.103	2.75	24.1	17.6	1.20	640	112.5	1.67	6.6	35.1
J838676		29.7	2.31	18.40	0.12	2.5	0.018	2.02	32.7	14.6	0.51	274	1.03	2.45	5.5	5.4
J838677		41.4	2.60	18.30	0.13	1.7	0.019	1.14	44.1	14.6	0.59	320	0.18	3.04	5.4	6.3
J838678		7.3	2.37	18.20	0.14	2.0	0.020	0.97	45.7	14.9	0.66	257	0.13	2.79	5.1	7.4
J838679		4.9	2.21	18.90	0.13	2.4	0.022	1.86	42.1	15.2	0.59	255	0.20	2.55	6.2	7.0
J838680		22.7	2.33	18.50	0.12	2.1	0.018	1.48	40.2	14.3	0.54	283	0.13	3.30	6.7	5.6
J838681		21.3	2.27	17.80	0.13	2.5	0.017	1.57	34.8	12.3	0.49	358	0.20	3.05	5.8	5.2
J838682		31.8	2.43	18.00	0.13	1.8	0.020	2.04	36.6	15.6	0.58	404	0.30	2.45	5.3	6.3
J838683		12.4	3.59	20.6	0.14	2.8	0.047	1.82	21.8	25.9	0.88	522	0.46	2.69	9.4	10.9
J838684		8.4	1.04	16.50	0.09	1.8	0.009	1.84	9.5	3.5	0.15	130	0.15	2.84	2.3	1.3
J838685		7.9	0.84	16.15	0.08	2.0	0.008	1.75	6.3	3.0	0.12	132	0.23	2.74	2.1	1.1
J838686		9.7	2.26	19.80	0.12	2.3	0.019	1.91	21.8	12.2	0.38	317	0.16	2.85	5.2	3.3
J838687		21.4	4.19	21.9	0.18	1.4	0.044	1.86	53.5	29.1	0.92	496	0.18	2.68	6.8	8.6
J838688		13.8	1.41	15.75	0.10	1.8	0.011	1.37	17.1	6.8	0.25	212	0.48	3.36	3.1	2.9
J838689		6.7	1.15	16.25	0.11	1.9	0.011	1.78	25.5	3.4	0.18	142	3.94	2.72	2.3	2.9
J838689 CRD		8.6	1.12	16.60	0.11	1.9	0.011	1.86	25.8	3.6	0.18	139	3.95	2.83	2.3	2.7
J838690		4430	4.82	16.50	0.18	0.7	0.058	5.11	16.8	13.6	0.78	499	264	1.07	4.9	23.4
J838691		24.4	1.81	18.05	0.11	1.8	0.017	2.29	25.3	4.9	0.37	284	6.22	2.29	3.3	5.9
J838692		26.0	2.39	18.20	0.13	2.0	0.023	2.24	26.1	3.4	0.49	361	1.89	2.71	4.8	6.1
J838693		56.4	3.47	17.85	0.13	1.7	0.031	2.62	18.3	4.2	0.77	567	4.21	1.35	6.7	8.1
J838694		10.0	2.50	19.55	0.14	2.2	0.024	2.56	25.1	4.4	0.55	378	0.23	2.01	7.5	7.5
J838695		29.6	3.78	20.6	0.17	2.2	0.039	2.42	43.0	11.3	0.88	611	0.15	2.07	7.4	9.1
J838696		27.7	3.89	20.1	0.13	2.2	0.038	2.33	16.9	14.4	0.74	491	0.63	2.06	7.6	6.8
J838697		42.0	4.40	20.3	0.14	1.6	0.041	2.52	14.1	13.4	0.98	554	2.26	1.82	7.1	8.5
J838698		22.7	1.96	17.20	0.12	3.6	0.020	2.29	26.2	3.3	0.39	279	7.70	2.00	6.5	3.9
J838699		27.9	3.79	17.80	0.14	1.6	0.033	2.58	19.7	8.2	0.88	511	3.52	1.62	5.7	7.8
J838700		>10000	4.72	12.85	0.14	0.9	0.130	0.89	9.8	16.6	1.20	686	245	2.23	4.0	34.0
J838701		39.9	2.35	18.50	0.10	4.1	0.029	2.58	20.5	2.7	0.47	393	2.51	1.88	6.2	5.6
J838702		9.8	2.42	18.85	0.12	4.2	0.029	2.11	23.5	8.5	0.44	376	0.21	2.41	6.8	5.9
J838703		9.4	2.15	17.90	0.11	3.8	0.023	2.10	22.6	9.0	0.44	342	0.12	2.33	6.2	6.0
J838704		7.6	1.76	17.30	0.10	2.9	0.023	2.22	20.1	4.1	0.40	306	0.18	2.37	5.9	6.0
J838705		3.1	2.27	18.50	0.11	2.7	0.044	2.25	12.3	6.9	0.63	475	0.10	2.21	6.6	14.0
J838706		14.0	1.81	17.55	0.11	3.8	0.018	1.95	26.2	7.2	0.38	282	0.17	2.38	5.3	5.7
J838707		10.9	1.95	17.35	0.12	3.7	0.018	2.20	26.1	6.5	0.45	334	0.10	2.34	5.6	6.0
J838708		16.6	1.80	16.85	0.11	2.8	0.022	1.96	26.1	4.8	0.42	361	0.14	2.72	5.2	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J838670		260	7.2	35.2	<0.002	<0.01	0.09	2.5	1	1.0	221	0.41	<0.05	6.4	0.106	0.18
J838671		80	6.9	36.9	<0.002	<0.01	0.07	1.2	1	0.6	187.5	0.13	<0.05	8.1	0.046	0.16
J838672		80	5.9	27.3	0.002	0.02	0.08	1.5	1	1.5	158.5	0.90	<0.05	6.8	0.029	0.13
J838673		20	6.4	36.2	<0.002	0.01	0.09	0.8	1	0.6	139.5	0.22	<0.05	5.6	0.027	0.17
J838674		80	5.4	31.5	<0.002	<0.01	0.08	1.1	1	0.6	212	0.19	<0.05	7.7	0.043	0.16
J838675		880	62.4	74.6	0.127	2.39	6.92	15.9	6	2.5	256	0.25	0.85	4.7	0.317	0.82
J838676		440	6.1	53.2	<0.002	0.08	0.09	4.4	1	1.2	144.0	0.44	<0.05	6.7	0.187	0.27
J838677		500	18.6	31.1	<0.002	0.05	0.18	5.0	1	1.1	442	0.55	<0.05	7.4	0.218	0.16
J838678		520	9.8	27.7	<0.002	<0.01	0.16	5.3	1	1.2	432	0.45	<0.05	7.7	0.230	0.16
J838679		530	9.3	44.7	<0.002	0.02	0.11	5.3	1	1.3	265	0.52	<0.05	8.3	0.222	0.24
J838680		390	9.5	41.3	<0.002	0.03	0.12	5.4	1	1.2	261	0.55	<0.05	9.0	0.189	0.21
J838681		380	8.3	46.7	<0.002	0.07	0.11	4.8	1	1.3	287	0.65	<0.05	7.8	0.174	0.24
J838682		520	34.1	57.5	<0.002	0.06	0.10	5.4	1	1.2	181.5	0.45	<0.05	6.3	0.185	0.29
J838683		800	10.2	49.9	<0.002	0.02	0.10	12.2	1	1.7	215	1.13	<0.05	5.7	0.292	0.28
J838684		70	5.3	45.9	<0.002	0.01	0.06	1.8	1	0.8	160.0	0.22	<0.05	6.3	0.045	0.24
J838685		60	5.5	41.2	<0.002	0.01	0.06	1.1	1	0.7	205	0.18	<0.05	3.1	0.034	0.23
J838686		500	4.8	50.2	<0.002	0.03	0.09	4.1	1	1.2	185.0	0.22	<0.05	4.4	0.144	0.28
J838687		1210	9.1	51.3	<0.002	<0.01	0.20	11.6	1	1.3	232	0.61	<0.05	9.5	0.298	0.30
J838688		190	5.6	35.7	<0.002	0.02	0.07	3.0	1	0.9	178.5	0.34	<0.05	6.7	0.084	0.18
J838689		180	6.8	47.5	<0.002	0.06	0.08	2.4	1	1.0	119.0	0.22	<0.05	13.3	0.053	0.22
J838689 CRD		180	7.9	49.1	<0.002	0.06	0.08	2.5	1	1.0	125.0	0.23	<0.05	14.5	0.056	0.24
J838690		1110	42.1	91.2	0.602	2.50	7.23	11.8	8	3.0	258	0.31	0.92	2.6	0.245	1.47
J838691		310	8.3	58.2	0.002	0.17	0.11	4.2	1	1.5	102.0	0.36	0.10	9.2	0.107	0.29
J838692		580	7.4	52.7	<0.002	0.21	0.11	5.8	1	0.8	164.0	0.45	0.06	9.7	0.159	0.29
J838693		930	10.0	64.0	<0.002	0.35	0.13	8.3	1	1.3	125.5	0.51	0.23	4.6	0.245	0.32
J838694		430	17.3	60.2	<0.002	0.10	0.12	5.9	1	1.2	130.5	0.53	0.06	8.7	0.176	0.30
J838695		900	9.8	49.3	<0.002	0.06	0.15	10.5	1	1.3	178.5	0.63	<0.05	10.1	0.281	0.32
J838696		1190	11.1	52.9	<0.002	0.07	0.17	9.0	1	1.3	157.5	0.58	<0.05	3.8	0.309	0.30
J838697		1500	7.1	54.0	<0.002	0.13	0.17	11.5	1	1.1	160.0	0.53	<0.05	2.3	0.349	0.33
J838698		430	13.7	58.9	<0.002	0.26	0.10	3.8	1	1.5	91.6	0.48	0.26	6.6	0.102	0.26
J838699		1160	7.2	58.9	<0.002	0.14	0.16	9.4	1	0.9	152.5	0.48	0.06	3.6	0.297	0.32
J838700		570	39.3	21.1	1.405	1.64	24.8	14.8	5	1.0	293	0.32	0.56	1.9	0.338	0.23
J838701		510	5.5	62.1	0.008	0.17	0.15	4.5	1	1.4	117.5	0.44	0.08	5.3	0.143	0.31
J838702		460	5.9	55.5	<0.002	0.07	0.11	5.0	1	1.5	168.5	0.51	0.06	5.8	0.155	0.28
J838703		420	6.8	53.9	<0.002	0.05	0.09	5.2	1	1.1	165.5	0.47	<0.05	6.4	0.143	0.27
J838704		330	7.0	55.2	<0.002	0.05	0.08	5.7	1	1.1	146.5	0.46	<0.05	6.8	0.109	0.27
J838705		290	7.2	56.8	<0.002	0.02	0.11	10.2	1	1.6	145.0	0.57	<0.05	5.3	0.126	0.30
J838706		380	6.0	51.9	<0.002	0.05	0.10	3.5	1	1.0	145.0	0.36	<0.05	8.5	0.126	0.26
J838707		420	6.7	55.9	<0.002	0.04	0.09	4.5	1	1.0	161.0	0.45	<0.05	9.0	0.149	0.27
J838708		350	8.0	52.2	<0.002	0.07	0.09	5.8	1	0.9	160.0	0.36	<0.05	9.8	0.119	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838670		1.2	16	0.7	6.3	14	115.0	
J838671		1.0	5	0.3	4.6	8	135.5	
J838672		1.3	4	0.6	8.4	9	76.0	
J838673		1.5	7	0.7	3.4	7	60.1	
J838674		1.1	7	0.3	4.1	5	75.8	
J838675		1.2	151	10.4	13.5	171	33.4	2.17
J838676		0.9	36	1.4	6.3	36	92.9	
J838677		1.6	44	0.3	6.2	38	63.1	
J838678		0.8	46	0.2	7.0	27	72.1	
J838679		0.8	37	0.8	7.3	26	94.4	
J838680		1.9	36	1.5	7.9	39	68.2	
J838681		1.7	36	1.0	7.3	46	87.5	
J838682		1.0	43	1.8	6.2	51	68.2	
J838683		1.9	67	1.5	18.6	78	113.0	
J838684		1.0	12	0.6	4.0	8	48.3	
J838685		0.7	9	0.2	2.7	4	54.7	
J838686		0.5	28	1.4	4.4	48	97.8	
J838687		1.0	87	0.9	8.8	89	49.5	
J838688		1.1	20	1.2	3.5	29	52.9	
J838689		1.5	18	0.6	4.2	18	52.6	
J838689 CRD		1.5	18	0.7	4.5	18	52.8	
J838690		1.1	156	11.6	13.7	145	23.6	
J838691		1.4	35	1.9	4.4	30	61.2	
J838692		1.1	41	5.3	5.4	43	63.8	
J838693		1.0	60	7.8	6.5	57	65.0	
J838694		1.4	39	3.5	5.4	52	77.9	
J838695		1.2	73	3.2	7.8	91	88.8	
J838696		1.5	76	8.1	8.0	97	77.4	
J838697		0.9	104	6.4	6.9	97	53.7	
J838698		1.1	28	3.8	6.8	33	137.5	
J838699		0.7	82	6.4	5.8	72	55.3	
J838700		0.8	104	11.7	14.4	143	27.9	1.285
J838701		0.9	36	4.6	6.7	43	171.0	
J838702		1.0	29	1.7	7.1	61	185.0	
J838703		1.2	29	2.4	6.6	50	152.5	
J838704		1.1	27	3.2	6.0	27	101.0	
J838705		1.2	43	4.1	6.8	47	90.2	
J838706		0.9	27	3.6	5.8	44	128.0	
J838707		0.8	35	2.7	4.9	46	125.5	
J838708		2.4	28	4.6	5.3	37	96.3	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838709		3.38	0.022		0.08	6.78	0.4	460	1.01	0.03	1.98	0.05	32.2	5.8	10	0.83
J838709 CRD		<0.02	0.031		0.10	6.78	0.2	460	0.93	0.02	1.97	0.04	30.7	5.7	11	0.80
J838710		2.94	0.123	0.139	0.17	6.63	0.3	510	1.00	0.01	1.93	0.05	33.0	5.4	7	0.87
J838711		3.15	0.065		0.10	6.75	0.2	450	1.14	0.04	2.76	0.09	35.8	10.9	16	0.88
J838712		3.18	0.056		0.08	6.93	0.4	360	0.96	0.05	2.47	0.06	54.7	10.1	15	0.81
J838713		3.05	0.062		0.14	6.95	0.2	500	1.10	0.07	2.24	0.08	41.6	8.4	14	1.00
J838714		3.24	0.584		0.42	7.42	0.5	550	1.13	0.13	2.28	0.09	55.1	9.9	13	1.06
J838715		0.12	2.47		9.10	6.94	44.7	660	0.88	3.28	1.65	1.00	55.5	17.1	59	3.09
J838716		3.22	0.205		0.18	6.55	0.2	390	0.90	0.11	1.93	0.07	40.9	9.7	45	0.76
J838717		3.36	0.022		0.05	7.44	0.5	430	1.12	0.03	2.11	0.07	37.3	9.5	40	0.87
J838718		3.44	0.122		0.09	6.63	0.4	350	1.02	0.03	1.88	0.06	79.3	7.0	8	0.87
J838719		3.10	1.625		0.58	6.37	0.4	400	0.98	0.13	1.77	0.05	97.5	7.1	5	0.90
J838720		3.06	0.070		0.09	6.71	<0.2	390	1.03	0.04	1.68	0.06	52.5	6.1	9	0.89
J838721		3.08	0.051		0.07	7.07	<0.2	420	1.18	0.03	2.01	0.07	41.1	7.9	12	1.06
J838722		3.12	0.278		0.19	6.92	<0.2	410	1.23	0.04	2.75	0.09	62.9	11.8	18	1.11
J838723		3.35	0.263		0.11	6.82	0.3	390	1.07	0.04	2.19	0.05	49.1	7.2	7	1.04
J838724		3.12	0.168		0.09	6.70	0.2	340	0.94	0.03	2.32	0.05	42.1	8.3	31	0.84
J838725		3.10	0.084		0.06	6.83	0.4	410	0.91	0.02	1.37	0.03	43.2	4.2	8	0.77
J838726		3.11	0.023		0.03	6.49	0.2	430	0.78	0.02	0.89	0.02	29.8	1.0	5	0.56
J838727		3.24	0.481		0.17	7.15	0.3	420	1.08	0.07	2.34	0.06	37.5	9.9	4	1.02
J838728		3.21	0.064		0.08	6.66	0.3	460	0.98	0.03	2.13	0.04	44.4	6.1	5	0.91
J838729		3.24	0.384		0.13	6.77	0.3	530	0.97	0.04	1.39	0.02	38.0	4.1	5	0.88
J838729 CRD		<0.02	0.473		0.12	6.69	0.4	540	1.00	0.05	1.41	0.03	41.8	4.0	7	0.86
J838730		0.07	0.426		2.25	7.43	96.7	560	1.23	0.48	0.53	0.98	31.2	17.8	32	6.36
J838731		2.98	0.121	0.180	0.06	6.77	0.5	380	0.83	0.03	0.82	0.03	34.0	1.6	6	0.71
J838732		3.03	0.075		0.04	6.92	0.3	340	0.91	0.02	1.74	0.03	29.9	6.2	6	0.86
J838733		3.07	0.062		0.08	6.54	0.2	390	1.01	0.03	2.73	0.04	39.7	8.5	8	1.02
J838734		3.06	0.006		0.03	6.24	0.3	300	0.74	0.04	0.75	0.02	22.9	1.2	6	0.49
J838735		3.41	0.139		0.05	6.88	1.0	420	0.98	0.04	1.60	0.03	43.4	4.6	7	0.85
J838736		3.12	0.007		0.01	6.58	<0.2	390	0.87	0.01	1.36	0.02	10.85	1.4	6	0.56
J838737		3.21	0.079		0.05	7.11	0.4	440	1.01	0.03	3.22	0.05	52.8	13.5	6	1.26
J838738		3.21	0.120		0.05	6.35	<0.2	440	0.90	0.03	1.26	0.02	26.8	2.4	4	0.67
J838739		2.18	0.535		0.07	6.77	0.9	500	0.84	0.19	1.84	0.02	96.5	5.4	8	0.89
J838740		4.19	0.349		0.21	6.44	0.2	530	0.84	0.09	1.90	0.02	66.3	5.0	5	0.96
J838741		3.19	0.341		0.11	6.73	0.8	520	0.91	0.10	2.06	0.02	57.1	6.2	7	1.01
J838742		3.23	0.036		0.04	6.46	0.5	440	0.93	0.03	1.84	<0.02	23.9	3.1	7	0.85
J838743		3.42	0.253		0.17	6.27	0.4	490	0.94	0.07	2.68	0.03	28.6	10.1	66	0.92
J838744		3.36	0.026		0.06	6.45	0.4	430	0.83	0.02	1.57	0.04	19.85	5.9	64	0.74
J838745		1.06	0.005		0.17	0.33	<5	20	0.06	0.02	19.90	<0.02	3.37	1.3	3	0.14
J838746		3.24	0.062		0.07	6.11	0.5	320	0.66	0.05	1.24	0.02	17.80	3.7	8	0.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838709		18.2	1.66	17.40	0.10	2.2	0.021	1.97	15.1	4.8	0.39	340	0.09	2.66	4.8	6.8
J838709 CRD		15.9	1.68	17.10	0.09	2.3	0.019	1.96	14.2	4.4	0.38	340	0.12	2.65	4.8	6.3
J838710		4.5	1.68	17.80	0.10	2.5	0.019	2.21	15.5	5.5	0.35	298	0.12	2.25	4.9	4.7
J838711		39.7	2.75	17.95	0.13	1.9	0.030	2.07	16.0	12.8	0.75	564	0.16	2.14	5.5	12.5
J838712		29.2	2.69	17.40	0.12	1.8	0.033	1.78	25.2	17.8	0.73	507	0.13	2.43	5.9	11.5
J838713		12.3	2.43	19.10	0.11	2.1	0.023	2.48	19.1	8.7	0.65	488	1.83	2.00	5.5	9.9
J838714		10.7	2.61	20.6	0.13	2.6	0.028	2.67	25.6	8.4	0.65	497	1.54	1.80	8.1	10.1
J838715		>10000	5.86	13.65	0.17	1.1	0.107	2.77	25.5	17.4	1.23	641	112.5	1.70	6.6	35.2
J838716		24.0	2.10	16.65	0.10	2.8	0.018	1.81	18.4	12.0	0.79	382	3.58	2.41	3.7	32.7
J838717		21.7	2.20	19.50	0.10	2.4	0.022	1.96	17.2	17.1	0.81	385	0.17	2.84	5.9	29.8
J838718		20.3	2.42	18.65	0.13	3.6	0.019	1.93	35.8	13.3	0.43	347	0.25	2.27	5.4	5.5
J838719		20.1	2.25	18.50	0.14	4.9	0.017	2.11	44.2	6.8	0.32	310	1.81	1.84	3.9	2.9
J838720		21.3	1.96	18.20	0.11	3.2	0.021	2.09	24.3	10.0	0.43	335	0.36	2.26	5.4	5.9
J838721		17.1	2.27	20.2	0.10	2.3	0.025	2.34	19.6	12.1	0.57	412	0.27	2.02	6.7	9.5
J838722		18.5	3.10	20.5	0.12	2.6	0.038	2.28	27.8	15.0	0.85	646	0.25	2.25	7.2	14.7
J838723		12.5	2.17	19.50	0.10	2.6	0.020	2.17	22.5	8.1	0.49	435	0.20	2.51	7.4	6.0
J838724		17.0	2.39	18.60	0.11	2.6	0.020	1.85	19.4	15.4	0.70	427	0.27	2.39	6.8	24.6
J838725		15.2	1.61	16.85	0.10	1.8	0.016	1.96	20.5	8.2	0.35	230	0.35	2.43	3.9	5.0
J838726		5.5	0.77	14.95	0.08	2.2	<0.005	1.53	13.6	1.1	0.07	96	0.32	3.08	1.5	0.8
J838727		25.3	2.89	19.70	0.11	3.8	0.034	2.28	15.3	14.1	0.55	445	0.41	2.03	8.3	3.9
J838728		14.5	2.15	17.25	0.11	3.8	0.033	2.04	19.1	9.3	0.37	361	0.26	2.35	5.7	4.0
J838729		5.2	1.56	17.50	0.10	3.6	0.014	2.17	17.4	3.0	0.25	221	0.26	2.31	3.9	2.7
J838729 CRD		4.7	1.57	17.10	0.10	3.4	0.015	2.13	19.1	3.2	0.24	223	0.32	2.31	3.8	2.9
J838730		4140	4.57	15.85	0.16	0.7	0.052	4.57	16.4	12.7	0.74	478	251	1.06	4.9	22.6
J838731		14.5	1.02	16.45	0.09	2.6	0.008	1.79	15.9	1.7	0.13	104	0.50	2.86	2.5	1.3
J838732		19.4	2.13	17.85	0.11	3.2	0.022	1.98	12.8	8.1	0.36	263	0.18	2.48	4.8	3.6
J838733		24.7	2.82	18.70	0.13	2.7	0.034	2.23	15.4	8.4	0.49	394	0.12	2.14	5.8	5.3
J838734		1.9	0.86	14.05	0.09	2.1	0.006	1.36	10.3	1.3	0.08	89	0.26	3.22	1.7	1.7
J838735		7.5	1.99	17.35	0.11	4.1	0.014	1.95	19.3	4.1	0.30	260	0.19	2.60	4.7	3.2
J838736		0.9	1.01	15.05	0.09	3.6	0.005	1.45	4.9	1.9	0.09	119	0.17	3.27	2.1	1.3
J838737		18.0	4.23	21.0	0.16	4.3	0.048	2.64	20.3	17.0	0.73	529	0.09	1.76	8.7	6.7
J838738		4.3	1.12	15.30	0.09	2.3	0.008	1.79	11.9	2.1	0.16	146	0.33	2.62	2.5	2.3
J838739		17.3	2.55	18.45	0.22	4.9	0.022	2.35	50.8	4.5	0.36	294	0.14	1.72	5.8	4.4
J838740		29.2	2.06	16.65	0.19	3.7	0.018	2.30	31.8	1.9	0.36	297	0.13	2.07	3.6	4.1
J838741		19.9	2.35	17.80	0.19	3.3	0.021	2.49	28.9	1.9	0.45	354	0.15	2.02	3.9	4.9
J838742		5.2	1.41	17.10	0.14	3.2	0.011	2.11	12.2	1.4	0.21	201	0.16	2.43	3.3	2.7
J838743		32.3	2.41	16.95	0.20	2.6	0.020	2.28	14.7	6.0	1.05	411	0.56	2.07	4.1	47.3
J838744		4.2	1.67	15.05	0.16	2.9	0.012	1.85	10.5	4.8	0.72	240	0.29	2.49	1.9	37.3
J838745		1.1	0.21	0.70	0.29	0.2	0.009	0.18	2.6	4.3	12.85	67	0.11	0.07	0.5	2.2
J838746		15.5	1.44	12.95	0.15	1.8	0.012	1.42	9.5	1.5	0.37	238	1.36	2.95	2.8	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J838709		330	7.3	51.2	<0.002	0.04	0.08	4.6	1	1.0	171.0	0.32	<0.05	5.3	0.121	0.26
J838709 CRD		330	7.2	50.1	<0.002	0.04	0.08	4.4	1	1.0	167.0	0.30	<0.05	5.1	0.120	0.25
J838710		370	5.1	57.3	<0.002	0.04	0.08	3.9	1	0.9	154.0	0.38	<0.05	4.8	0.133	0.29
J838711		540	7.4	50.4	<0.002	0.07	0.12	8.8	1	1.0	190.0	0.49	<0.05	3.9	0.206	0.27
J838712		570	7.8	46.4	<0.002	0.08	0.10	9.2	1	1.2	193.0	0.56	<0.05	6.7	0.194	0.24
J838713		440	6.1	61.7	<0.002	0.10	0.10	6.5	1	1.0	141.0	0.52	0.06	5.3	0.166	0.33
J838714		430	7.4	72.0	<0.002	0.24	0.11	7.7	1	1.3	128.0	1.33	0.07	8.1	0.162	0.34
J838715		900	62.0	75.9	0.129	2.43	7.34	15.8	6	2.6	263	0.25	0.89	4.8	0.317	0.80
J838716		340	5.8	48.3	<0.002	0.17	0.09	5.1	1	0.7	141.5	0.24	0.07	5.0	0.111	0.23
J838717		360	6.9	50.6	<0.002	0.08	0.09	6.7	1	0.9	189.0	0.47	<0.05	4.6	0.150	0.26
J838718		430	5.4	52.9	<0.002	0.12	0.09	4.7	1	1.0	147.0	0.32	<0.05	9.5	0.144	0.26
J838719		370	5.7	58.6	<0.002	0.45	0.08	3.3	1	0.9	116.0	0.21	0.17	12.7	0.118	0.26
J838720		390	6.3	56.3	<0.002	0.06	0.10	5.0	1	1.0	137.0	0.47	<0.05	7.6	0.140	0.27
J838721		410	5.8	66.9	<0.002	0.06	0.14	6.4	1	1.2	144.0	0.61	<0.05	5.7	0.161	0.31
J838722		580	8.2	58.0	<0.002	0.12	0.14	10.1	1	1.4	179.5	0.81	0.06	6.8	0.235	0.31
J838723		500	5.1	57.5	<0.002	0.12	0.10	5.0	1	1.3	171.0	0.53	0.05	7.6	0.171	0.31
J838724		550	5.6	48.8	<0.002	0.08	0.09	5.2	1	1.2	166.5	0.45	<0.05	5.6	0.161	0.25
J838725		290	5.0	51.2	<0.002	0.05	0.08	3.9	1	0.8	110.5	0.37	<0.05	8.7	0.097	0.25
J838726		50	5.8	39.1	<0.002	0.01	0.05	1.0	<1	0.3	123.5	0.21	<0.05	9.9	0.027	0.18
J838727		760	7.3	63.4	<0.002	0.17	0.13	7.6	1	1.3	136.5	0.85	0.07	4.3	0.246	0.31
J838728		530	6.1	55.2	<0.002	0.06	0.10	6.5	1	1.0	144.0	0.32	<0.05	5.6	0.148	0.28
J838729		320	4.3	57.8	<0.002	0.10	0.08	2.9	1	0.7	107.0	0.21	0.05	6.1	0.095	0.28
J838729 CRD		320	4.2	56.7	<0.002	0.10	0.09	2.8	1	0.7	107.5	0.20	0.05	6.6	0.092	0.28
J838730		1060	40.6	92.1	0.602	2.43	7.03	11.3	8	2.7	246	0.31	0.88	2.5	0.237	1.39
J838731		80	6.3	47.9	<0.002	0.09	0.08	2.0	1	0.5	90.9	0.22	<0.05	10.2	0.046	0.22
J838732		450	5.0	53.4	<0.002	0.08	0.09	4.6	1	0.8	125.5	0.35	<0.05	4.1	0.140	0.26
J838733		690	6.3	54.5	<0.002	0.09	0.12	6.6	1	1.0	158.0	0.35	<0.05	5.7	0.191	0.31
J838734		30	5.2	35.8	<0.002	0.01	0.05	1.0	1	0.3	108.0	0.20	<0.05	7.4	0.032	0.16
J838735		380	5.3	51.9	<0.002	0.21	0.09	3.8	1	0.7	134.5	0.36	<0.05	7.4	0.118	0.25
J838736		60	5.3	36.0	<0.002	0.01	0.06	1.0	1	0.3	159.0	0.23	<0.05	2.7	0.043	0.16
J838737		1110	4.7	68.5	<0.002	0.10	0.13	10.2	1	1.4	145.5	0.59	<0.05	2.7	0.273	0.36
J838738		120	4.4	45.1	<0.002	0.07	0.08	1.6	1	0.4	120.0	0.21	<0.05	6.3	0.057	0.21
J838739		500	5.8	60.8	0.006	0.25	0.12	4.7	1	0.9	105.5	0.16	<0.05	12.2	0.123	0.28
J838740		420	5.4	57.8	0.005	0.12	0.12	4.2	1	0.7	126.5	0.21	0.08	10.3	0.133	0.30
J838741		490	4.9	63.5	0.006	0.22	0.11	4.6	1	0.9	130.0	0.25	0.12	8.4	0.151	0.32
J838742		200	5.7	56.5	0.005	0.06	0.10	1.7	1	0.7	158.0	0.26	<0.05	4.4	0.100	0.27
J838743		430	5.7	55.4	0.006	0.11	0.13	6.0	1	0.8	174.5	0.38	0.12	4.1	0.158	0.30
J838744		190	4.6	50.4	0.005	0.03	0.10	3.5	<1	0.5	127.5	0.16	0.05	4.0	0.064	0.24
J838745		20	1.5	4.6	0.005	0.04	<0.05	0.9	1	<0.2	66.8	<0.05	<0.05	0.4	0.018	0.03
J838746		260	4.7	37.2	0.006	0.09	0.10	3.3	<1	0.7	105.5	0.26	0.06	4.8	0.076	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838709		0.6	28	3.1	4.3	37	75.6	
J838709 CRD		0.5	28	3.0	4.3	36	81.2	
J838710		0.6	29	2.4	4.4	38	89.8	
J838711		0.7	53	5.3	4.2	63	67.6	
J838712		0.5	54	4.8	5.1	69	64.3	
J838713		0.6	48	4.7	4.2	47	70.0	
J838714		2.6	47	4.2	7.1	45	85.3	
J838715		1.1	154	10.9	13.8	167	34.1	2.14
J838716		0.8	35	3.3	4.5	41	87.4	
J838717		0.9	40	2.9	4.8	55	70.7	
J838718		1.3	29	3.6	6.0	58	128.0	
J838719		1.0	25	4.6	7.3	36	171.5	
J838720		1.1	31	4.3	5.9	47	110.0	
J838721		1.1	38	4.0	5.0	52	77.1	
J838722		1.2	63	4.5	6.4	71	90.8	
J838723		0.7	33	3.2	5.3	46	94.1	
J838724		0.8	34	2.5	5.4	60	97.9	
J838725		0.9	25	3.1	4.3	35	55.6	
J838726		1.7	7	1.4	3.8	10	46.8	
J838727		1.3	43	4.9	8.1	71	153.0	
J838728		0.9	30	3.2	10.0	50	136.5	
J838729		0.9	23	2.4	5.3	27	120.5	
J838729 CRD		0.9	23	2.4	5.4	27	112.5	
J838730		1.0	151	11.6	13.1	142	22.5	
J838731		2.2	12	2.1	4.2	18	65.4	
J838732		1.1	29	3.6	5.1	48	97.6	
J838733		1.1	41	4.8	5.9	60	99.7	
J838734		2.1	7	1.4	2.7	14	47.9	
J838735		1.6	23	3.2	6.1	43	126.0	
J838736		1.3	8	1.4	2.5	19	81.2	
J838737		0.8	62	4.3	9.7	98	163.0	
J838738		1.1	15	1.7	2.7	20	63.7	
J838739		1.0	24	2.6	6.0	64	171.5	
J838740		0.9	27	2.4	4.6	39	127.0	
J838741		0.8	34	3.0	4.4	45	124.5	
J838742		2.3	20	1.9	3.2	31	108.0	
J838743		0.9	46	3.4	4.4	64	89.7	
J838744		1.0	29	1.4	3.1	52	91.9	
J838745		0.2	4	0.1	1.9	3	4.8	
J838746		1.0	24	2.1	3.2	29	48.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838747		3.22	0.171		0.18	6.52	0.4	480	0.99	0.06	2.18	0.05	26.0	8.3	14	1.05
J838748		3.45	0.319		0.53	6.72	0.8	520	1.32	0.21	2.34	0.07	36.1	12.3	20	1.36
J838749		3.27	0.302		1.42	6.32	0.6	410	0.92	0.02	2.83	0.07	34.2	9.0	61	0.88
J838749 CRD		<0.02	0.346		1.51	5.99	0.5	390	0.87	0.02	2.72	0.07	28.7	9.0	63	0.90
J838750		3.36	0.092	0.086	0.18	6.25	0.6	480	1.00	0.03	2.52	0.05	27.1	9.2	6	1.03
J838751		3.28	0.093		0.19	6.97	1.0	490	1.06	0.03	2.61	0.06	27.8	9.3	4	1.12
J838752		3.22	0.335		0.88	6.49	0.5	300	0.79	0.12	1.41	0.03	50.1	6.1	28	0.64
J838753		3.48	0.922		1.94	5.13	1.5	240	0.60	0.17	4.54	0.12	35.5	23.3	239	0.49
J838754		2.96	0.066		0.15	2.16	0.2	110	0.28	0.03	0.47	<0.02	18.10	2.5	20	0.26
J838755		3.00	0.027		0.17	4.69	1.0	240	0.55	<0.01	0.72	<0.02	44.3	2.8	11	0.55
J838756		3.25	0.017		0.09	5.18	0.6	220	0.51	<0.01	0.47	<0.02	33.8	1.6	8	0.38
J838757		3.15	0.010		0.05	3.93	0.4	140	0.36	<0.01	0.41	<0.02	30.0	1.8	12	0.27
J838758		3.13	0.238		0.61	4.40	0.5	120	0.36	0.05	0.81	<0.02	34.4	4.3	11	0.25
J838759		3.08	0.230		0.72	4.02	1.0	130	0.44	0.05	0.64	0.02	28.2	3.3	11	0.26
J838760		0.07	0.918		4.03	6.06	21.2	450	0.64	1.65	2.32	1.78	18.25	13.8	58	0.72
J838761		3.39	0.051		0.20	2.68	0.3	110	0.31	<0.01	0.72	0.02	23.5	2.6	25	0.27
J838762		4.27	0.287		1.18	3.01	1.5	60	0.34	0.38	6.73	0.16	17.00	43.9	614	0.18
J838763		4.44	0.528		0.57	6.62	0.9	450	1.08	0.09	2.22	0.05	49.2	9.4	26	1.11
J838764		4.40	0.444		0.58	6.24	0.5	410	0.94	0.15	3.28	0.07	36.3	13.8	24	1.19
J838765		3.29	0.015		0.15	6.63	0.4	300	0.91	0.01	2.83	0.04	45.9	10.1	12	0.91
J838766		3.27	0.014		0.06	6.59	0.2	260	1.00	0.01	2.82	0.05	29.8	11.6	31	0.76
J838767		3.33	0.077		0.10	6.64	<0.2	260	0.93	0.05	2.18	0.03	31.3	7.0	6	0.75
J838768		3.27	0.047		0.07	6.21	0.4	210	1.11	0.02	3.13	0.06	56.3	11.5	42	0.66
J838769		3.27	0.080		0.09	6.75	0.6	220	0.96	0.03	2.91	0.03	81.4	9.6	42	0.69
J838769 CRD		<0.02	0.109		0.43	6.93	0.5	220	1.00	0.02	2.94	0.04	84.0	9.6	44	0.70
J838770		3.12	0.017	0.015	0.02	6.52	<0.2	270	0.94	0.05	2.50	0.04	32.3	8.7	5	0.79
J838771		3.24	0.011		0.01	6.56	0.2	270	0.86	<0.01	1.69	<0.02	29.2	3.6	6	0.65
J838772		3.12	0.080		0.05	6.80	0.5	280	0.81	0.02	2.69	0.03	34.2	9.1	6	0.78
J838773		3.17	0.022		0.02	6.99	0.3	270	0.90	0.13	2.28	0.04	33.9	7.1	7	0.81
J838774		3.20	0.100		0.17	6.26	<0.2	260	0.84	0.05	1.71	0.02	32.5	5.1	6	0.70
J838775		0.11	2.30		7.59	6.55	53.0	650	0.82	3.32	1.62	0.93	53.3	15.1	60	3.16
J838776		4.29	0.007		<0.01	6.85	<0.2	280	1.01	<0.01	1.96	<0.02	40.1	5.0	9	0.90
J838777		4.26	0.027		0.03	6.85	0.5	290	0.90	0.02	1.97	0.02	32.3	4.8	8	0.83
J838778		4.07	0.076		0.25	6.09	1.0	170	0.49	0.06	6.44	0.11	11.95	54.7	490	0.45
J838779		3.79	0.433		0.13	6.57	0.4	340	0.95	0.07	2.45	0.03	50.2	7.7	14	1.04
J838780		3.62	0.086		0.05	6.91	<0.2	350	1.07	0.06	3.20	0.06	55.7	12.0	19	1.40
J838781		3.29	0.094		0.12	6.53	0.4	360	1.03	0.04	2.13	0.04	44.9	4.7	12	1.01
J838782		3.39	0.081		0.16	7.30	0.4	420	1.15	0.13	1.33	0.04	61.6	6.3	10	1.14
J838783		3.28	0.157		0.47	7.57	1.2	590	1.23	0.09	1.48	0.03	63.2	10.0	8	1.26
J838784		3.23	0.007		0.01	7.44	0.4	520	1.02	0.01	0.59	<0.02	37.8	3.5	6	0.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J838747		22.2	2.25	17.35	0.19	2.4	0.023	2.30	13.0	2.1	0.58	398	0.23	2.22	4.2	11.3
J838748		10.3	2.71	21.5	0.22	3.1	0.037	2.63	18.7	6.7	0.72	517	0.29	2.10	5.4	18.7
J838749		8.6	2.57	15.65	0.20	2.0	0.029	2.09	19.8	2.6	0.99	625	0.09	2.26	4.4	36.1
J838749 CRD		8.5	2.50	15.85	0.19	2.2	0.030	2.03	15.9	2.3	0.95	606	0.10	2.17	4.1	37.0
J838750		32.0	2.55	18.05	0.17	3.0	0.023	2.46	13.6	2.6	0.67	438	0.09	2.44	4.6	13.7
J838751		33.8	2.65	19.20	0.19	2.9	0.024	2.50	13.9	2.5	0.71	450	0.15	2.50	4.8	15.1
J838752		32.8	1.93	15.75	0.19	3.7	0.018	1.51	26.5	1.8	0.48	298	0.23	2.95	3.5	20.7
J838753		21.7	3.23	12.15	0.18	2.8	0.024	1.05	19.9	2.3	1.88	817	0.47	2.35	3.4	134.0
J838754		9.0	1.01	5.34	0.13	1.1	0.007	0.55	10.2	0.7	0.16	136	0.12	0.90	1.6	5.4
J838755		43.5	1.49	11.80	0.19	2.7	0.013	1.18	24.1	1.4	0.25	187	0.14	1.95	3.0	6.7
J838756		77.9	1.04	10.95	0.15	2.8	0.008	0.83	19.6	1.0	0.15	109	0.11	2.94	2.2	3.8
J838757		51.0	0.92	8.02	0.14	2.3	0.007	0.58	17.8	0.7	0.13	108	0.13	2.27	2.0	4.9
J838758		12.8	1.21	8.36	0.17	1.9	0.008	0.56	18.9	0.7	0.26	176	0.17	2.66	3.0	8.6
J838759		80.7	1.16	7.75	0.18	1.7	0.009	0.55	15.2	0.8	0.21	150	0.22	2.37	2.8	7.7
J838760		>10000	4.41	12.20	0.20	1.0	0.125	0.82	9.8	12.6	1.11	630	233	2.00	3.8	31.9
J838761		44.5	1.07	6.13	0.05	1.1	0.005	0.52	11.6	0.9	0.23	157	0.21	1.36	1.9	7.5
J838762		67.4	6.35	9.90	0.17	1.4	0.038	0.33	7.9	41.2	4.75	1160	0.79	0.17	2.8	405
J838763		33.4	2.92	19.55	0.19	2.8	0.028	2.39	23.3	4.9	0.90	471	0.19	2.02	4.6	22.5
J838764		47.2	3.65	17.85	0.21	2.9	0.032	2.48	17.8	3.6	1.04	667	0.15	1.86	4.4	22.6
J838765		39.1	3.28	18.15	0.19	3.1	0.031	1.85	22.1	18.0	0.75	522	0.12	2.00	5.1	11.6
J838766		13.7	3.25	17.50	0.17	2.0	0.034	1.58	14.8	26.0	0.92	729	0.13	2.38	4.2	23.5
J838767		35.5	3.93	17.65	0.19	1.7	0.027	1.53	16.5	12.4	0.44	409	0.16	2.49	3.5	9.1
J838768		23.6	3.23	17.65	0.19	2.5	0.057	1.37	25.4	26.6	1.11	913	0.19	2.67	7.3	41.6
J838769		75.6	4.18	20.4	0.25	2.6	0.102	1.45	42.4	34.7	0.92	648	0.09	2.37	5.2	34.3
J838769 CRD		75.0	4.28	19.70	0.23	2.7	0.095	1.45	42.4	33.9	0.94	666	0.09	2.39	5.0	35.4
J838770		28.9	3.23	18.75	0.19	3.2	0.037	1.59	15.0	23.4	0.60	482	0.13	2.37	8.3	6.5
J838771		5.6	1.85	16.65	0.20	2.5	0.013	1.40	14.5	8.9	0.25	297	0.15	2.86	3.9	3.3
J838772		16.4	3.29	17.70	0.20	3.4	0.039	1.46	15.3	25.2	0.61	503	0.12	2.46	7.6	5.7
J838773		19.0	2.83	18.30	0.17	3.3	0.031	1.54	15.5	22.1	0.50	465	0.16	2.72	7.8	5.4
J838774		34.1	1.92	16.70	0.15	2.1	0.018	1.44	16.4	12.3	0.34	297	0.16	2.52	5.5	4.3
J838775		>10000	5.76	14.30	0.21	1.1	0.107	2.75	25.6	14.4	1.18	636	108.0	1.60	6.4	34.6
J838776		12.3	2.08	20.1	0.08	2.1	0.018	1.75	17.9	17.5	0.39	310	0.11	2.74	6.4	2.5
J838777		17.7	1.93	17.90	0.15	2.3	0.020	1.76	16.1	11.6	0.36	244	0.27	2.63	6.2	3.1
J838778		141.0	7.94	16.15	0.17	1.0	0.055	0.94	5.1	76.2	4.73	1360	0.51	0.91	2.0	241
J838779		26.0	2.60	18.85	0.16	3.5	0.025	2.24	22.8	3.0	0.62	329	0.19	2.26	6.7	9.6
J838780		35.8	4.37	20.2	0.20	3.7	0.047	2.79	23.3	3.1	0.84	596	0.11	1.51	9.1	11.4
J838781		29.2	1.79	18.75	0.17	2.9	0.021	2.23	21.3	2.3	0.41	230	0.13	2.39	4.5	8.8
J838782		8.8	1.91	22.2	0.19	3.5	0.025	2.35	31.2	3.1	0.50	229	4.17	2.74	4.2	21.2
J838783		3.1	2.51	25.5	0.19	4.9	0.024	2.96	34.7	2.6	0.60	283	1.61	2.06	6.1	32.9
J838784		3.1	1.49	20.5	0.15	3.1	0.013	2.37	20.5	2.0	0.32	151	0.62	2.81	4.1	24.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J838747		440	4.9	56.2	0.005	0.17	0.15	6.1	1	1.0	143.0	0.40	0.13	4.5	0.150	0.29
J838748		450	6.8	74.3	0.007	0.27	0.16	8.8	1	1.7	152.5	0.47	0.41	6.5	0.165	0.36
J838749		270	5.8	56.3	0.007	0.07	0.11	9.4	1	1.3	162.5	0.45	1.07	5.0	0.126	0.26
J838749 CRD		260	5.6	51.9	0.004	0.07	0.11	9.4	1	1.3	157.0	0.41	1.24	4.3	0.117	0.25
J838750		390	4.9	53.4	0.005	0.11	0.13	7.9	1	1.0	145.5	0.40	0.11	4.6	0.176	0.33
J838751		380	5.8	63.7	0.005	0.10	0.15	8.5	1	1.1	151.5	0.40	0.14	5.0	0.184	0.34
J838752		310	6.7	44.6	0.005	0.28	0.09	4.1	1	0.9	155.0	0.20	1.79	8.4	0.095	0.19
J838753		170	7.0	32.6	0.004	0.71	0.10	9.0	1	0.8	250	0.21	10.10	5.0	0.145	0.12
J838754		130	1.7	17.7	0.005	0.13	0.05	1.7	1	0.5	37.3	0.08	0.15	2.7	0.044	0.07
J838755		270	3.5	38.1	0.006	0.09	0.09	3.3	1	0.9	86.7	0.13	0.12	6.5	0.078	0.16
J838756		200	4.1	26.7	0.005	0.08	0.06	2.3	1	0.6	112.5	0.11	<0.05	5.4	0.057	0.11
J838757		180	2.9	18.7	0.003	0.07	0.06	1.9	<1	0.5	81.4	0.11	<0.05	4.7	0.047	0.08
J838758		230	3.3	17.9	0.005	0.38	0.06	2.5	1	0.6	85.4	0.15	0.45	5.2	0.064	0.07
J838759		240	3.7	16.8	0.005	0.31	0.08	2.3	1	0.6	80.2	0.16	0.51	4.3	0.064	0.07
J838760		540	38.7	22.0	1.260	1.56	22.0	14.1	6	1.0	270	0.28	0.54	1.9	0.313	0.20
J838761		180	2.0	16.6	<0.002	0.12	0.06	1.9	1	0.5	62.6	0.12	0.12	3.1	0.050	0.05
J838762		70	14.4	10.0	0.004	0.21	0.16	17.2	1	0.6	336	0.14	13.40	1.0	0.231	0.04
J838763		660	5.1	61.9	0.006	0.31	0.11	7.2	1	1.3	149.5	0.24	0.46	5.6	0.168	0.30
J838764		590	5.7	59.1	0.005	0.40	0.14	11.8	1	1.2	156.5	0.34	0.43	3.1	0.230	0.32
J838765		580	5.3	50.5	0.004	0.08	0.11	9.1	1	1.0	164.5	0.34	0.09	5.4	0.193	0.25
J838766		510	7.7	43.2	0.004	0.04	0.10	10.5	1	1.3	182.5	0.34	0.05	3.9	0.160	0.21
J838767		500	5.3	45.4	0.005	0.14	0.08	6.3	1	1.2	175.5	0.22	0.07	4.1	0.112	0.20
J838768		1130	9.4	30.5	0.003	0.06	0.11	15.3	1	2.2	182.5	0.69	0.05	5.7	0.165	0.18
J838769		1000	10.9	39.3	0.005	0.07	0.09	31.8	1	2.7	207	0.33	<0.05	11.2	0.133	0.19
J838769 CRD		1010	10.8	38.7	0.003	0.09	0.09	32.1	1	2.7	209	0.34	0.05	12.0	0.134	0.19
J838770		830	6.4	45.5	0.004	0.06	0.11	7.6	1	1.7	166.5	0.55	0.05	3.2	0.206	0.23
J838771		310	5.9	41.3	0.004	0.01	0.07	3.2	1	0.8	170.5	0.18	<0.05	5.2	0.096	0.19
J838772		850	7.0	45.7	0.004	0.08	0.13	8.0	1	1.3	157.0	0.46	0.06	3.5	0.220	0.21
J838773		740	7.4	49.4	0.004	0.03	0.16	6.2	1	1.4	164.0	0.48	<0.05	4.5	0.211	0.22
J838774		490	5.0	44.6	0.004	0.06	0.09	4.3	1	1.1	140.0	0.36	0.08	5.0	0.141	0.18
J838775		900	61.4	77.8	0.116	2.47	6.34	15.2	7	2.5	259	0.26	1.01	4.3	0.319	0.77
J838776		540	6.2	51.9	<0.002	0.04	0.08	4.2	1	1.4	157.0	0.41	<0.05	4.9	0.154	0.21
J838777		490	5.6	51.7	0.003	0.04	0.10	4.1	1	1.3	148.5	0.39	<0.05	5.4	0.136	0.22
J838778		360	4.3	31.2	0.003	0.17	0.30	26.9	1	0.6	186.5	0.11	0.14	0.2	0.487	0.10
J838779		700	5.1	58.9	0.003	0.13	0.10	5.9	1	1.4	149.0	0.42	0.12	7.3	0.175	0.25
J838780		1330	5.0	77.6	0.003	0.13	0.14	10.1	1	1.7	132.0	0.55	0.06	1.9	0.261	0.33
J838781		540	6.7	59.1	0.003	0.14	0.08	4.3	1	1.2	161.0	0.27	0.12	7.7	0.111	0.25
J838782		520	5.9	70.7	0.002	0.22	0.10	4.5	1	1.2	128.5	0.36	0.17	9.3	0.106	0.28
J838783		260	6.3	87.5	<0.002	0.41	0.11	5.4	1	1.2	112.5	0.49	0.38	8.9	0.162	0.34
J838784		90	6.4	69.2	<0.002	0.04	0.08	2.8	<1	0.9	92.1	0.40	<0.05	7.5	0.081	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838747		1.2	46	4.7	3.3	51	76.0	
J838748		1.2	56	5.4	4.6	59	104.0	
J838749		1.7	48	6.0	4.5	57	62.0	
J838749 CRD		1.2	47	5.7	4.4	55	71.6	
J838750		1.0	55	7.8	4.1	57	112.5	
J838751		1.2	55	8.1	4.4	58	108.5	
J838752		1.2	25	3.9	5.1	37	127.0	
J838753		0.9	28	2.9	6.2	73	99.0	
J838754		0.4	9	1.1	1.8	14	39.2	
J838755		0.6	19	2.5	3.8	25	101.5	
J838756		1.2	13	2.9	3.3	16	96.9	
J838757		0.8	10	2.9	3.0	13	84.6	
J838758		0.3	11	3.1	3.1	15	69.4	
J838759		0.5	11	3.5	3.0	15	62.8	
J838760		0.8	100	10.5	13.4	136	27.5	1.275
J838761		0.4	12	2.6	2.4	13	43.6	
J838762		0.4	77	3.4	5.7	180	50.0	
J838763		0.7	58	5.9	4.8	50	95.3	
J838764		1.0	76	9.1	5.4	63	108.5	
J838765		0.7	58	3.7	5.5	85	120.5	
J838766		0.8	59	3.6	4.4	92	62.9	
J838767		0.5	58	4.2	4.5	50	55.9	
J838768		1.9	59	3.4	9.2	82	78.6	
J838769		1.2	51	2.5	9.7	91	91.2	
J838769 CRD		1.7	52	2.7	10.1	93	90.9	
J838770		0.8	48	3.7	7.3	72	126.5	
J838771		0.5	23	2.0	3.9	33	88.3	
J838772		0.7	47	3.9	7.6	73	129.5	
J838773		0.9	39	3.2	6.7	81	126.5	
J838774		1.0	25	5.0	4.3	52	75.1	
J838775		1.2	151	11.0	13.3	171	34.8	2.15
J838776		0.8	27	2.3	5.1	49	87.7	
J838777		1.0	24	1.9	5.0	31	81.0	
J838778		0.1	225	2.6	4.9	97	36.1	
J838779		0.8	40	2.9	6.6	34	129.0	
J838780		0.6	62	6.1	8.3	61	158.5	
J838781		0.8	35	3.3	5.1	31	88.2	
J838782		1.0	41	2.8	5.7	39	106.0	
J838783		1.0	52	2.9	5.3	55	176.0	
J838784		1.0	26	1.2	2.9	33	111.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J838785		2.42	0.045		0.24	2.84	<5	220	0.52	0.14	12.85	0.31	15.45	56.0	915	0.70
J838786		4.24	0.018		0.08	6.43	0.2	470	1.05	0.03	2.76	0.07	31.4	10.2	51	1.18
J838787		2.37	0.057		0.04	6.78	<0.2	440	0.95	0.02	1.78	0.05	58.1	5.9	15	1.12
J838788		2.51	0.035		0.16	6.73	0.8	340	0.79	0.01	0.80	0.02	49.3	4.8	10	0.80
J838789		2.34	0.463		2.48	2.88	<5	70	0.32	0.03	11.55	0.28	15.05	54.9	921	0.26
J838789 CRD		<0.02	0.395		1.71	2.84	<5	70	0.28	0.03	11.05	0.27	16.00	56.0	935	0.26
J838790		0.07	0.425		2.05	7.45	110.5	590	1.13	0.50	0.56	0.96	30.9	17.0	33	6.95
J838791		2.84	0.547	0.567	0.43	7.64	0.4	640	1.17	0.15	1.18	0.03	62.9	8.1	11	1.44
J838792		2.96	0.160		0.13	6.94	<0.2	440	0.86	0.03	1.11	0.02	44.6	3.6	8	0.82
J838793		3.36	0.042		0.07	7.08	0.5	670	1.23	0.03	3.27	0.08	29.5	11.6	4	1.54
J838794		3.34	0.144		0.14	6.23	0.3	390	0.75	0.02	1.53	0.03	14.95	4.0	6	0.70
J838795		3.30	0.028		0.03	7.72	0.3	550	1.00	0.06	1.33	0.03	16.55	2.3	3	0.72
J838796		3.29	0.068		0.03	8.51	0.2	660	1.18	0.04	2.06	0.05	54.0	4.5	5	1.21
J838797		3.36	0.035		0.02	7.25	0.3	520	0.85	0.01	1.23	0.03	33.5	2.7	4	0.99
J838798		3.35	0.299		0.26	6.81	0.3	470	0.97	0.09	3.34	0.09	15.15	11.6	16	1.04
J838799		3.49	0.410		0.50	7.18	<0.2	560	1.12	0.15	5.32	0.12	28.7	20.4	9	1.46
J838800		0.07	0.960		4.19	6.27	21.7	470	0.62	1.76	2.40	1.90	19.25	13.2	57	0.73
J838801		3.46	0.453		0.16	7.16	0.3	490	1.00	0.05	4.10	0.09	30.9	12.8	11	1.26
J838802		3.49	0.126		0.19	6.22	0.4	390	0.83	0.03	2.07	0.05	37.7	7.5	6	0.96
J838803		3.14	0.317		0.09	6.39	<0.2	400	0.81	0.03	1.93	0.04	34.2	5.9	4	1.00
J838804		3.43	0.730		0.66	7.09	0.9	550	1.00	0.18	7.47	0.21	38.5	27.7	23	1.45
J838805		3.26	0.878		0.55	6.95	0.4	650	1.20	0.10	3.59	0.10	29.2	12.5	21	1.56
J838806		3.29	0.416		0.31	6.33	0.5	520	0.97	0.09	2.78	0.07	35.5	9.3	15	1.23
J838807		3.30	0.093		0.04	6.85	<0.2	350	0.85	0.01	1.15	0.02	17.25	2.5	5	0.74
J838808		3.32	0.060		0.12	6.77	1.0	390	0.86	0.03	1.49	0.04	42.6	4.9	6	0.99
J838809		3.18	0.021		0.01	6.43	0.7	370	0.83	<0.01	1.48	0.05	43.0	4.7	6	0.92
J838809 CRD		<0.02	0.018		0.01	6.69	0.6	380	0.78	<0.01	1.58	0.05	41.9	4.6	6	0.90
J838810		3.18	0.177	0.171	0.14	6.73	0.6	400	0.87	0.03	1.73	0.05	25.1	5.7	8	1.00
J838811		3.57	0.830		0.33	6.97	0.7	440	0.96	0.12	2.28	0.07	45.3	8.9	11	1.11
J838812		3.35	1.460		0.31	6.84	0.3	320	0.92	0.03	1.28	0.03	49.6	4.7	6	0.75
J838813		3.32	1.785		0.42	6.95	0.2	460	0.83	0.09	1.45	0.03	61.0	7.3	10	0.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J838785		14.0	7.58	10.15	0.19	1.6	0.042	1.34	7.0	10.6	5.96	1640	2.54	0.03	4.5	576
J838786		10.2	2.74	20.4	0.17	2.7	0.045	2.57	15.0	2.9	0.97	628	0.20	2.18	5.7	39.6
J838787		9.1	2.24	19.05	0.19	4.4	0.021	2.25	29.3	2.4	0.64	394	0.21	2.76	6.3	20.0
J838788		5.9	1.45	17.35	0.17	3.9	0.012	1.63	26.5	1.9	0.35	201	0.35	3.34	4.3	21.7
J838789		53.7	7.74	9.05	0.19	1.7	0.043	0.50	6.3	23.2	6.65	1750	0.83	0.44	2.8	672
J838789 CRD		53.6	7.66	8.81	0.16	1.7	0.041	0.50	6.8	24.5	6.54	1720	0.83	0.43	3.1	663
J838790		4430	4.81	16.90	0.21	0.8	0.057	5.27	17.0	10.8	0.76	497	260	1.03	5.1	24.5
J838791		16.3	2.36	24.7	0.17	4.9	0.024	3.23	32.1	3.0	0.51	300	4.67	1.69	6.7	21.6
J838792		28.7	1.51	18.80	0.15	3.3	0.014	2.09	23.8	2.0	0.29	209	2.02	2.81	4.2	7.3
J838793		12.1	3.44	24.7	0.19	3.2	0.033	3.56	14.1	3.6	0.91	611	0.38	1.41	6.6	17.8
J838794		10.0	1.44	14.70	0.14	3.6	0.011	1.71	7.9	1.6	0.30	226	0.45	2.52	2.4	5.6
J838795		8.6	1.04	19.50	0.14	3.4	0.008	2.00	8.5	1.7	0.16	140	0.52	3.95	1.8	2.8
J838796		3.2	1.85	27.6	0.19	4.4	0.021	2.95	27.3	2.7	0.42	334	0.57	3.64	5.3	6.9
J838797		5.3	1.55	18.65	0.16	3.4	0.012	2.28	18.5	1.9	0.30	205	0.22	2.70	3.4	4.9
J838798		5.0	2.95	20.5	0.17	2.1	0.025	2.42	7.3	2.5	0.88	615	0.72	2.90	4.0	24.0
J838799		15.5	4.77	21.7	0.20	1.2	0.033	3.14	14.5	3.1	1.37	926	1.27	1.79	4.4	24.2
J838800		>10000	4.58	13.05	0.19	1.0	0.125	0.85	9.8	12.8	1.15	650	243	2.07	3.8	34.7
J838801		14.3	3.70	21.3	0.09	2.3	0.029	2.76	13.6	2.9	1.00	655	0.36	2.35	4.4	16.6
J838802		19.1	2.22	17.50	0.17	2.6	0.027	2.18	18.2	2.1	0.50	398	0.31	2.09	4.5	9.9
J838803		15.1	2.07	17.30	0.17	2.4	0.019	2.16	16.5	2.0	0.45	321	0.25	2.29	3.7	6.0
J838804		24.0	6.53	19.55	0.22	1.0	0.049	3.18	16.3	4.8	2.21	1240	0.90	0.74	5.4	42.2
J838805		6.5	3.74	24.9	0.20	2.2	0.040	3.49	13.4	4.8	0.97	695	0.39	1.37	6.2	24.4
J838806		3.4	2.83	21.2	0.21	3.0	0.030	2.80	17.0	2.9	0.69	526	0.37	1.58	6.1	15.9
J838807		3.9	1.12	17.40	0.15	2.4	0.009	1.82	9.0	1.5	0.21	139	0.37	2.85	2.7	4.7
J838808		8.7	1.63	17.15	0.16	2.4	0.013	2.08	21.6	2.0	0.31	218	0.20	2.51	3.6	4.6
J838809		16.2	1.59	17.85	0.17	2.8	0.013	2.03	22.0	1.8	0.34	234	0.35	2.40	3.9	4.5
J838809 CRD		9.8	1.67	17.60	0.16	2.9	0.013	2.07	21.5	1.8	0.35	249	0.34	2.50	3.8	4.5
J838810		21.9	1.82	19.20	0.16	2.3	0.016	2.24	11.9	2.0	0.35	281	0.44	2.40	5.4	5.2
J838811		58.2	2.42	21.0	0.19	3.3	0.021	2.48	21.3	2.7	0.50	417	1.00	2.33	7.5	7.4
J838812		13.5	1.49	20.7	0.19	5.2	0.022	1.77	25.3	2.2	0.23	230	0.47	2.97	10.8	3.7
J838813		19.4	1.91	18.75	0.18	5.0	0.016	2.28	31.2	2.1	0.35	247	0.75	2.39	3.5	6.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J838785		10	9.5	43.4	<0.002	0.17	0.14	16.0	1	0.7	712	0.24	6.40	0.8	0.324	0.17
J838786		160	5.2	60.1	<0.002	0.09	0.10	11.1	1	1.7	165.0	0.49	0.06	4.9	0.161	0.31
J838787		100	5.3	62.3	0.002	0.08	0.11	5.1	1	1.1	141.0	0.45	0.08	9.4	0.153	0.26
J838788		140	4.0	53.8	<0.002	0.14	0.08	3.0	1	0.8	110.5	0.32	0.07	8.0	0.091	0.19
J838789		70	7.7	16.2	<0.002	0.13	0.15	18.8	1	0.4	617	0.15	4.94	0.7	0.275	0.07
J838789 CRD		80	7.9	16.2	0.002	0.12	0.15	19.1	1	0.4	606	0.17	3.62	0.8	0.287	0.07
J838790		1130	44.6	120.5	0.574	2.51	6.92	11.1	9	2.8	255	0.32	1.02	2.5	0.251	1.36
J838791		360	4.9	92.1	<0.002	0.30	0.13	4.9	1	1.7	87.4	0.60	0.35	10.7	0.137	0.38
J838792		300	4.8	58.9	0.002	0.11	0.09	3.0	1	0.9	98.0	0.33	0.10	9.2	0.097	0.24
J838793		350	4.7	82.7	<0.002	0.14	0.17	10.3	1	1.3	135.0	0.56	0.08	3.4	0.270	0.42
J838794		140	6.0	48.9	<0.002	0.16	0.07	2.9	1	0.5	127.0	0.23	0.09	3.2	0.081	0.19
J838795		150	7.2	53.9	<0.002	0.13	0.06	1.8	<1	0.5	162.0	0.17	<0.05	4.5	0.046	0.22
J838796		570	8.9	74.9	<0.002	0.07	0.11	4.5	1	1.2	161.5	0.46	0.05	11.2	0.141	0.36
J838797		230	5.5	64.1	0.002	0.04	0.09	2.7	1	0.7	123.0	0.24	<0.05	8.2	0.089	0.28
J838798		320	6.5	54.9	<0.002	0.25	0.12	7.9	1	1.1	196.0	0.30	0.21	3.5	0.175	0.29
J838799		1340	5.8	85.1	<0.002	0.76	0.17	12.3	1	0.9	221	0.27	0.36	2.9	0.311	0.35
J838800		570	39.0	23.6	1.270	1.64	21.6	13.8	5	1.0	280	0.26	0.57	1.9	0.324	0.20
J838801		840	7.1	68.7	<0.002	0.34	0.14	9.3	1	1.2	201	0.31	0.09	4.4	0.237	0.30
J838802		400	4.7	54.6	0.002	0.18	0.12	5.9	1	1.2	134.0	0.28	0.06	5.3	0.140	0.26
J838803		590	4.5	55.6	<0.002	0.19	0.11	4.8	1	0.9	138.5	0.20	0.06	5.4	0.150	0.26
J838804		2140	6.9	93.1	<0.002	0.94	0.20	20.2	1	1.1	274	0.35	0.47	1.4	0.398	0.37
J838805		700	4.7	82.7	<0.002	0.35	0.17	11.2	1	1.6	150.5	0.37	0.38	3.0	0.270	0.42
J838806		380	5.1	67.3	<0.002	0.21	0.14	7.7	1	1.4	140.0	0.46	0.19	5.9	0.204	0.34
J838807		140	5.5	53.0	<0.002	0.06	0.07	1.8	<1	0.5	154.0	0.31	<0.05	3.8	0.068	0.23
J838808		290	4.9	60.0	0.002	0.10	0.13	2.4	1	0.8	153.5	0.33	0.09	7.2	0.109	0.26
J838809		320	4.9	60.7	0.002	0.05	0.11	2.5	1	0.8	137.5	0.26	<0.05	7.5	0.110	0.25
J838809 CRD		310	4.8	60.2	0.003	0.04	0.12	2.6	1	0.7	142.0	0.25	<0.05	7.5	0.111	0.26
J838810		470	4.7	61.0	<0.002	0.15	0.10	3.4	1	1.2	144.0	0.48	0.09	3.0	0.140	0.26
J838811		670	5.9	66.1	<0.002	0.31	0.14	4.6	1	1.4	155.5	0.53	0.21	6.0	0.214	0.29
J838812		260	6.5	54.3	<0.002	0.16	0.07	3.3	1	2.2	126.0	1.00	0.14	8.4	0.078	0.21
J838813		330	5.7	66.0	<0.002	0.27	0.10	2.9	1	0.9	124.5	0.23	0.18	11.1	0.110	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838785		0.9	71	5.5	10.9	179	59.4	
J838786		1.0	61	4.0	5.2	62	85.9	
J838787		0.8	37	4.2	5.1	51	168.5	
J838788		0.9	24	3.2	3.9	30	147.0	
J838789		0.5	84	3.5	8.2	245	58.5	
J838789 CRD		0.5	84	3.6	8.0	243	58.6	
J838790		1.1	159	12.5	13.6	147	25.3	
J838791		1.2	43	4.1	6.1	50	179.5	
J838792		1.5	29	3.6	5.2	34	123.0	
J838793		1.0	79	7.9	4.9	78	124.0	
J838794		1.5	27	2.4	2.7	31	91.7	
J838795		1.2	21	1.5	2.6	26	86.6	
J838796		1.1	47	3.7	5.8	51	146.0	
J838797		1.6	27	2.0	4.2	37	113.5	
J838798		1.1	59	3.5	3.8	57	64.8	
J838799		0.8	88	5.9	6.4	81	38.2	
J838800		0.8	103	5.7	13.8	143	28.9	1.280
J838801		0.9	68	6.2	5.1	65	84.6	
J838802		0.5	38	3.4	4.1	42	85.1	
J838803		0.6	39	4.3	4.1	40	81.2	
J838804		0.9	126	10.6	9.4	96	23.9	
J838805		0.8	75	7.3	5.5	74	85.4	
J838806		1.2	52	3.9	4.7	55	111.5	
J838807		1.0	22	1.4	2.5	25	63.0	
J838808		0.7	26	2.3	3.8	32	91.0	
J838809		0.9	26	1.8	4.1	33	103.0	
J838809 CRD		0.7	26	1.7	3.9	33	107.0	
J838810		1.3	32	2.7	4.2	38	80.0	
J838811		1.0	43	4.3	5.5	46	119.5	
J838812		2.1	23	1.8	6.2	30	143.5	
J838813		1.2	31	2.6	4.6	34	172.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180657

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.