ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE TB10186712

Project: HAMMOND REEF

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831474		2.48	<0.005		0.06	7.38	<0.2	170	0.73	0.07	3.93	0.08	36.1	19.9	64	0.46
J831475		0.07	2.32		7.97	6.75	53.5	680	0.99	3.40	1.66	1.11	56.2	17.0	62	3.60
J831476		4.24	<0.005		0.05	7.36	<0.2	390	0.84	0.06	3.73	0.08	29.4	16.0	60	0.61
J831477		3.54	<0.005		0.04	6.73	<0.2	130	0.98	<0.01	2.44	0.04	87.9	6.6	24	0.23
J831478		3.51	<0.005		0.03	7.81	1.3	200	1.07	0.10	3.70	0.09	34.5	18.0	74	0.53
J831479		3.52	<0.005		0.06	7.75	0.8	250	0.89	0.02	3.88	0.07	35.1	19.3	63	0.54
J831480		3.32	<0.005		0.07	7.98	0.4	200	0.70	0.13	4.05	0.07	36.6	23.0	84	0.51
J831481		3.64	<0.005		0.02	7.17	<0.2	1170	0.74	0.08	2.13	0.04	32.9	6.7	14	0.38
J831482		3.63	<0.005		0.01	7.17	<0.2	330	0.99	<0.01	1.97	0.03	42.6	8.5	12	0.36
J831483		3.50	<0.005		0.01	7.26	<0.2	290	0.81	<0.01	2.56	0.04	38.7	8.1	13	0.36
J831484		3.37	<0.005		<0.01	7.10	<0.2	380	0.92	<0.01	2.27	0.02	61.4	6.7	14	0.44
J831485		3.62	<0.005		0.07	7.77	1.7	220	0.74	0.15	4.28	0.08	44.7	22.1	77	0.45
J831486		3.42	<0.005		0.04	8.22	2.4	140	0.77	0.07	5.17	0.05	64.3	17.0	49	0.42
J831487		2.42	<0.005		0.11	6.47	2.6	160	0.98	0.02	3.28	0.05	38.8	16.1	28	0.52
J831488		4.34	0.250		0.31	7.30	0.7	480	1.07	<0.01	2.65	0.03	58.9	11.9	20	1.27
J831489		2.62	<0.005		0.04	7.27	<0.2	270	1.07	0.02	3.47	0.07	49.5	17.4	23	1.04
J831490		0.07	0.446		2.12	7.53	105.0	610	1.35	0.48	0.54	1.07	32.5	18.0	35	7.26
J831491		3.34	0.005		0.22	7.02	<0.2	250	1.12	0.05	3.37	0.12	45.2	16.4	20	0.86
J831492		4.11	0.008		0.11	7.15	1.2	310	1.00	0.02	2.26	0.11	65.6	5.6	16	0.74
J831493		3.75	<0.005		<0.01	7.20	1.3	380	1.03	0.01	2.59	0.05	47.0	8.6	16	1.17
J831493 CRD		<0.02	<0.005		<0.01	7.40	1.1	370	0.91	0.01	2.57	0.06	50.1	8.4	13	1.16
J831494		3.44	0.006	<0.005	<0.01	7.26	0.2	280	0.91	0.01	2.26	0.03	50.2	6.8	17	0.43
J831495		3.44	<0.005		<0.01	7.33	0.4	300	0.85	0.04	2.41	0.04	44.9	6.7	12	0.53
J831496		3.53	0.017		0.09	6.82	0.4	280	1.21	0.02	2.39	0.05	33.8	7.6	16	0.87
J831497		3.30	<0.005		<0.01	7.21	0.5	260	1.21	0.02	2.70	0.04	36.0	9.5	27	0.84
J831498		3.40	<0.005		0.04	7.14	0.2	240	1.33	0.01	3.01	0.07	30.9	12.7	40	0.84
J831499		3.29	0.058		0.10	6.53	<0.2	220	1.06	0.03	1.35	0.04	22.0	3.3	9	0.85
J831500		0.07	0.954		5.11	6.45	20.2	470	0.84	2.02	2.46	2.40	21.4	14.7	64	0.89
J831501		3.98	0.014		<0.01	6.63	<0.2	110	1.17	0.02	0.75	<0.02	12.40	1.4	8	0.31
J831502		2.90	<0.005		<0.01	6.81	0.3	210	1.13	0.02	2.83	0.06	42.7	9.3	21	0.71
J831503		3.41	<0.005		0.04	7.48	1.9	280	1.07	0.01	2.59	0.06	28.1	7.9	11	0.81
J831504		3.39	0.092		<0.01	7.41	0.6	330	1.10	0.02	2.29	0.06	41.4	6.9	12	1.09
J831505		3.29	<0.005		0.02	7.38	1.6	260	0.89	0.02	3.04	0.06	36.5	12.1	42	0.75
J831506		3.37	0.015		<0.01	7.43	1.6	270	1.00	0.01	3.01	0.07	28.6	10.5	26	0.78
J831507		3.49	<0.005		0.01	7.69	2.9	210	1.01	0.04	3.31	0.07	30.6	12.8	43	0.46
J831508		3.23	<0.005		<0.01	7.11	1.2	180	1.05	0.01	1.62	0.08	13.90	4.6	8	0.58
J831509		3.01	<0.005		0.04	7.57	0.9	260	0.86	0.01	3.10	0.07	30.4	11.7	24	0.47
J831510		3.19	<0.005		0.12	7.62	2.2	140	0.66	0.02	4.20	0.09	23.4	17.7	51	0.49
J831511		3.05	<0.005		0.06	6.96	1.1	160	0.76	0.02	3.80	0.09	37.1	18.7	55	0.57
J831512		3.18	<0.005		0.04	7.50	0.4	160	0.87	0.32	3.21	0.11	34.9	14.7	57	0.40

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831474		27.5	4.28	20.1	0.18	1.4	0.035	0.80	14.7	14.3	1.76	732	0.20	2.53	6.1	62.9
J831475		>10000	5.69	15.60	0.20	1.2	0.118	2.72	26.6	18.4	1.18	641	113.0	1.64	6.7	45.4
J831476		23.6	3.69	19.40	0.16	1.4	0.029	1.19	12.1	17.6	1.44	665	0.31	2.66	5.3	53.2
J831477		18.3	2.43	20.2	0.18	5.2	0.022	0.54	42.4	9.1	0.48	397	0.24	3.16	7.9	13.2
J831478		15.5	4.06	20.2	0.18	1.6	0.037	0.87	16.2	17.0	1.63	787	0.23	2.61	6.8	56.8
J831479		38.4	4.15	19.85	0.17	2.1	0.029	0.99	16.1	15.5	1.63	736	0.23	2.72	6.2	56.0
J831480		42.2	4.85	20.2	0.19	1.0	0.032	0.95	16.0	20.6	2.00	808	0.18	2.59	5.7	77.6
J831481		8.8	2.19	18.15	0.15	3.4	0.019	1.99	17.2	9.8	0.43	353	0.21	2.79	4.6	8.9
J831482		14.4	1.83	18.15	0.13	4.3	0.010	0.86	23.2	9.6	0.30	259	0.17	3.24	3.8	4.3
J831483		19.7	2.78	20.4	0.15	4.7	0.025	0.83	19.9	12.8	0.52	413	0.22	2.96	6.9	5.3
J831484		7.6	2.52	19.65	0.17	5.0	0.016	0.89	33.2	11.8	0.48	370	0.14	2.83	6.7	6.0
J831485		38.5	4.56	20.5	0.19	1.2	0.030	0.85	20.1	20.8	1.87	745	0.60	2.50	5.2	66.5
J831486		30.9	4.53	23.3	0.21	1.9	0.050	0.64	31.0	28.5	1.50	759	0.18	2.84	7.7	44.7
J831487		40.0	3.71	20.6	0.18	2.3	0.044	0.79	16.8	25.2	1.26	646	0.16	2.38	9.2	36.0
J831488		65.8	2.93	20.7	0.18	4.0	0.022	1.99	28.1	25.5	0.76	463	3.28	2.55	6.4	18.5
J831489		39.8	4.92	21.8	0.20	4.2	0.048	1.12	21.6	28.7	1.20	813	0.19	2.43	11.1	18.9
J831490		4550	4.67	18.10	0.21	0.8	0.063	4.58	17.5	12.8	0.73	491	270	1.01	5.0	24.0
J831491		155.5	4.60	20.6	0.19	4.3	0.046	0.99	19.7	24.7	0.98	714	0.46	2.50	10.1	15.6
J831492		124.5	2.18	20.3	0.15	4.6	0.024	1.01	30.5	15.6	0.37	302	0.18	2.93	6.3	5.6
J831493		15.5	2.68	21.4	0.14	4.3	0.025	1.51	21.3	25.2	0.55	418	0.18	2.87	7.6	8.8
J831493 CRD		15.0	2.57	20.5	0.16	4.1	0.024	1.46	23.1	24.2	0.55	399	0.13	2.74	7.0	7.3
J831494		3.4	1.81	20.5	0.16	3.3	0.016	0.79	25.0	13.4	0.42	272	0.11	3.01	6.0	9.4
J831495		13.8	2.37	20.6	0.15	2.8	0.018	0.88	20.2	14.8	0.43	337	0.12	2.93	6.9	3.9
J831496		50.3	2.42	20.2	0.13	3.0	0.022	1.43	16.5	22.3	0.51	412	0.20	2.88	11.7	10.4
J831497		9.3	2.59	20.4	0.14	3.5	0.023	1.09	18.3	23.7	0.75	423	0.17	2.85	6.4	21.0
J831498		37.4	3.15	20.5	0.13	2.2	0.035	1.08	15.5	26.5	1.03	584	0.13	2.64	8.4	33.8
J831499		16.7	1.29	19.70	0.12	3.5	0.014	1.52	11.3	14.1	0.19	249	1.15	3.07	7.4	3.3
J831500		>10000	4.65	14.40	0.14	1.1	0.152	0.87	10.8	18.5	1.18	667	252	2.22	4.2	33.4
J831501		5.5	0.86	18.60	<0.05	2.9	0.007	1.19	5.6	4.7	0.08	165	0.20	3.71	8.3	2.0
J831502		7.9	2.74	20.0	0.11	3.1	0.034	1.08	18.5	19.6	0.75	519	0.22	2.54	8.4	18.2
J831503		19.0	2.77	22.7	0.14	3.5	0.033	1.46	13.6	16.5	0.46	483	0.28	2.88	11.7	3.9
J831504		9.6	2.39	22.0	0.13	3.7	0.026	1.54	18.6	20.9	0.46	354	0.28	2.76	8.2	4.9
J831505		19.6	3.10	20.1	0.14	2.0	0.031	1.25	18.2	17.0	1.02	535	0.18	2.87	6.0	32.1
J831506		6.1	3.05	20.6	0.12	2.5	0.026	1.29	14.2	18.1	0.80	500	0.16	2.78	9.2	18.5
J831507		15.2	3.29	20.1	0.13	1.5	0.027	0.92	15.5	15.1	1.08	549	0.23	2.90	7.0	32.7
J831508		14.0	1.58	20.5	0.10	3.5	0.016	3.17	6.2	7.1	0.24	322	0.21	2.79	6.5	2.5
J831509		23.3	3.37	20.8	0.13	2.8	0.029	0.96	14.6	13.2	0.88	552	0.20	2.92	7.8	20.7
J831510		63.5	4.26	19.10	0.13	1.7	0.040	0.88	10.4	14.3	1.59	744	0.22	2.88	7.0	46.0
J831511		47.2	4.22	19.40	0.13	1.8	0.040	0.96	17.3	13.6	1.51	699	0.20	2.62	6.2	49.4
J831512		22.9	3.62	21.4	0.13	1.5	0.035	0.96	16.9	14.4	1.32	658	0.24	2.61	7.4	44.1

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831474		970	4.6	21.5	<0.002	0.02	0.07	13.7	1	1.2	306	0.45	<0.05	1.3	0.333	0.13
J831475		920	79.1	85.4	0.125	2.45	7.29	16.5	7	2.6	267	0.30	0.98	5.0	0.329	0.75
J831476		680	5.0	36.1	<0.002	0.02	0.10	10.9	1	1.1	277	0.41	<0.05	1.6	0.285	0.19
J831477		430	5.7	17.0	<0.002	0.01	0.29	5.3	1	1.4	295	0.78	<0.05	12.4	0.167	0.08
J831478		760	5.9	32.9	<0.002	0.01	0.08	13.0	1	1.4	286	0.88	<0.05	2.0	0.303	0.15
J831479		780	5.6	30.5	<0.002	0.03	0.09	13.1	1	1.0	286	0.62	<0.05	2.7	0.342	0.17
J831480		920	6.7	28.8	<0.002	0.03	0.10	15.5	1	1.0	290	0.49	<0.05	1.7	0.366	0.16
J831481		290	5.6	43.8	<0.002	<0.01	0.10	4.4	1	0.9	219	0.40	<0.05	4.9	0.162	0.21
J831482		240	6.6	26.5	<0.002	0.02	0.07	2.6	1	1.0	244	0.28	<0.05	7.4	0.123	0.13
J831483		670	5.1	30.0	<0.002	0.01	0.11	5.6	1	1.1	259	0.54	<0.05	4.7	0.274	0.14
J831484		550	5.6	33.5	<0.002	0.01	0.06	4.5	1	0.9	251	0.42	<0.05	8.4	0.217	0.15
J831485		1070	10.2	31.1	<0.002	0.02	0.10	15.3	1	0.9	329	0.35	<0.05	1.1	0.352	0.15
J831486		1470	6.7	30.3	<0.002	0.01	0.18	16.3	1	1.6	372	0.87	<0.05	3.1	0.367	0.12
J831487		1340	7.7	36.2	<0.002	0.02	0.10	14.4	1	1.8	228	1.20	<0.05	2.0	0.300	0.15
J831488		540	3.6	63.6	<0.002	0.22	0.08	6.4	1	1.1	103.0	0.63	0.07	5.7	0.194	0.31
J831489		1040	3.5	50.8	<0.002	0.06	0.07	14.5	2	2.0	179.5	0.82	<0.05	2.7	0.426	0.24
J831490		1100	39.7	112.0	0.589	2.49	7.30	11.8	8	2.8	260	0.34	0.97	2.6	0.253	1.34
J831491		940	4.5	40.5	<0.002	0.14	0.09	12.3	2	1.7	186.0	0.83	<0.05	2.8	0.376	0.19
J831492		350	5.7	34.4	<0.002	0.03	0.10	4.3	1	1.0	227	0.35	<0.05	10.0	0.162	0.18
J831493		500	6.0	52.1	<0.002	0.02	0.09	6.1	1	1.2	219	0.49	<0.05	6.3	0.218	0.28
J831493 CRD		500	5.5	54.0	<0.002	0.02	0.08	6.3	1	1.2	221	0.46	<0.05	7.1	0.216	0.28
J831494		250	7.0	29.6	<0.002	<0.01	<0.05	4.0	1	0.8	229	0.25	<0.05	7.8	0.143	0.13
J831495		550	4.8	35.3	<0.002	0.01	0.09	4.0	1	1.0	241	0.39	<0.05	4.5	0.212	0.15
J831496		550	6.1	45.8	<0.002	0.03	0.10	5.3	1	1.1	181.5	1.33	<0.05	5.0	0.189	0.24
J831497		650	5.8	36.2	<0.002	0.01	0.07	5.9	1	1.1	225	0.57	<0.05	4.9	0.209	0.20
J831498		710	5.2	36.8	<0.002	0.01	0.11	9.5	1	1.5	255	0.78	<0.05	3.8	0.235	0.20
J831499		170	10.4	53.7	<0.002	0.08	0.07	3.3	1	1.1	66.6	0.66	<0.05	11.0	0.083	0.24
J831500		580	37.6	27.7	1.370	1.62	26.0	17.1	6	1.1	292	0.28	0.59	2.1	0.324	0.22
J831501		60	9.2	40.0	<0.002	0.03	0.05	2.5	2	0.7	55.5	1.01	<0.05	12.4	0.020	0.16
J831502		770	8.1	37.6	<0.002	<0.01	0.13	7.6	1	1.6	225	0.98	<0.05	5.6	0.208	0.20
J831503		720	6.6	48.8	<0.002	0.01	0.12	6.0	2	1.7	221	1.43	<0.05	4.2	0.283	0.27
J831504		530	4.5	60.4	<0.002	0.03	0.12	5.7	1	1.3	185.5	0.52	<0.05	6.0	0.207	0.28
J831505		580	5.2	37.8	<0.002	0.02	0.11	8.7	1	1.1	239	0.43	<0.05	3.4	0.232	0.23
J831506		730	4.1	41.5	<0.002	0.03	0.10	7.6	1	1.5	220	0.87	<0.05	2.7	0.269	0.23
J831507		860	5.4	36.0	<0.002	0.01	0.10	9.1	1	1.0	253	0.75	<0.05	2.1	0.254	0.15
J831508		360	13.4	72.9	<0.002	0.01	0.08	3.7	1	0.8	137.0	0.75	<0.05	6.3	0.135	0.33
J831509		820	5.9	32.8	<0.002	0.02	0.14	8.5	1	1.3	252	0.58	<0.05	3.0	0.294	0.16
J831510		670	5.9	25.1	<0.002	0.05	0.16	14.4	1	1.4	300	0.69	<0.05	0.9	0.329	0.15
J831511		770	4.3	24.5	<0.002	0.05	0.17	14.3	1	1.2	266	0.42	<0.05	1.6	0.343	0.17
J831512		610	7.5	31.5	<0.002	0.02	0.08	11.8	2	1.6	266	0.64	<0.05	2.7	0.255	0.13

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831474		0.8	88	0.4	13.5	81	39.7									
J831475		1.6	161	10.4	15.6	192	37.6	2.22								
J831476		0.6	74	0.4	10.4	76	37.5									
J831477		1.3	26	0.2	12.3	38	188.0									
J831478		0.9	84	0.3	13.6	86	36.5									
J831479		0.8	90	0.2	11.7	77	62.3									
J831480		0.6	101	0.3	12.5	96	27.9									
J831481		0.9	32	0.1	5.9	36	98.9									
J831482		0.9	18	0.1	4.5	38	143.0									
J831483		1.2	38	0.2	9.4	56	177.5									
J831484		0.9	28	0.1	7.6	58	193.0									
J831485		0.6	99	0.3	12.5	82	31.9									
J831486		1.6	102	0.7	17.9	90	61.2									
J831487		2.1	88	0.3	17.7	81	61.5									
J831488		1.4	43	3.2	11.8	56	131.0									
J831489		0.7	92	0.4	23.4	94	167.5									
J831490		1.2	159	11.3	15.3	159	24.8									
J831491		0.7	79	0.4	20.1	98	164.0									
J831492		1.0	19	0.3	8.3	49	182.0									
J831493		0.7	34	0.4	8.8	61	173.5									
J831493 CRD		0.7	34	0.4	9.3	57	168.0									
J831494		2.4	19	0.1	5.4	53	125.5		<0.05	0.2	70.75	14.80	2.57	3.19	0.78	4.18
J831495		0.6	29	0.2	5.4	60	108.0									
J831496		1.7	30	0.5	9.5	56	110.5									
J831497		1.0	38	0.3	9.4	60	123.5									
J831498		0.8	51	0.2	9.7	76	75.9									
J831499		4.3	13	0.7	25.1	25	92.7									
J831500		0.8	104	5.2	16.3	149	33.7	1.340								
J831501		5.8	4	0.3	40.8	4	49.4									
J831502		1.6	42	0.3	10.9	75	107.5									
J831503		1.7	38	0.5	19.8	68	130.0									
J831504		1.1	32	0.5	10.1	62	137.5									
J831505		0.7	53	0.2	9.0	68	68.0									
J831506		0.7	49	0.5	10.7	80	95.2									
J831507		0.9	57	0.1	12.6	70	52.0									
J831508		3.2	19	0.2	31.3	49	87.1									
J831509		1.1	54	0.1	11.4	71	106.5									
J831510		2.4	84	0.3	15.6	79	58.0									
J831511		0.5	89	0.3	13.1	79	62.4									
J831512		1.5	65	0.5	18.8	83	38.5									

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831474										
J831475										
J831476										
J831477										
J831478										
J831479										
J831480										
J831481										
J831482										
J831483										
J831484										
J831485										
J831486										
J831487										
J831488										
J831489										
J831490										
J831491										
J831492										
J831493										
J831493 CRD										
J831494		0.97	<0.01	0.23	0.03	0.057	0.04	0.02	0.93	98.55
J831495										
J831496										
J831497										
J831498										
J831499										
J831500										
J831501										
J831502										
J831503										
J831504										
J831505										
J831506										
J831507										
J831508										
J831509										
J831510										
J831511										
J831512										

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831513		3.21	<0.005		<0.01	7.64	<0.2	190	1.27	0.11	3.29	0.08	27.1	13.2	39	0.55
J831513 CRD		<0.02	<0.005		<0.01	7.60	<0.2	190	1.14	0.11	3.36	0.08	27.8	12.8	39	0.52
J831514		3.46	0.200	0.147	0.09	7.28	<0.2	170	0.77	0.11	4.00	0.09	42.0	19.1	65	0.55
J831515		0.07	2.30		9.06	6.78	45.5	630	0.88	3.80	1.68	1.12	56.3	16.8	60	3.81
J831516		3.09	0.009		0.08	7.44	<0.2	260	0.78	0.03	3.60	0.04	44.0	14.0	47	0.71
J831517		3.27	0.018		0.03	7.68	<0.2	220	0.81	0.17	3.67	0.09	43.8	14.9	42	0.66
J831518		2.83	<0.005		0.02	7.44	0.5	190	0.74	0.06	4.01	0.06	57.6	19.0	137	0.58
J831519		2.87	0.416		0.09	7.30	<0.2	340	0.87	0.05	3.92	0.05	52.2	14.1	9	1.11
J831520		3.08	<0.005		<0.01	7.54	<0.2	270	0.93	0.02	3.36	0.05	53.0	12.2	15	0.82
J831521		4.90	<0.005		0.07	7.63	0.2	160	0.86	0.05	3.88	0.08	37.3	19.6	62	0.42
J831522		3.56	0.024		0.15	7.37	0.2	240	0.88	0.02	3.51	0.06	48.7	14.3	43	0.66
J831523		3.41	<0.005		0.01	7.42	0.5	180	0.94	0.01	2.68	0.05	38.5	8.5	18	0.40
J831524		3.41	<0.005		0.03	7.89	1.8	160	0.88	0.03	3.39	0.06	8.80	11.3	18	0.36
J831525		2.82	0.089		0.05	7.36	1.4	320	0.77	0.01	2.94	0.06	41.7	10.7	15	0.98
J831526		3.21	0.092		0.02	6.67	1.6	400	0.73	0.03	2.42	0.07	51.5	8.8	14	1.05
J831527		3.52	1.255		0.32	5.93	0.6	420	0.74	0.07	2.48	0.05	49.8	8.1	42	0.96
J831528		4.47	0.068		0.05	7.04	2.1	400	0.83	0.03	3.08	0.07	47.7	12.5	18	1.05
J831529		2.51	<0.005		0.05	7.28	<0.2	300	0.98	0.11	3.19	0.07	32.1	15.6	20	0.56
J831530		0.07	0.436		2.23	7.44	114.5	630	1.14	0.54	0.53	1.05	31.1	18.7	34	7.42
J831531		2.44	<0.005		0.05	6.94	0.3	310	0.76	0.08	2.86	0.06	58.6	10.0	18	0.47
J831532		3.03	<0.005		0.03	7.24	0.4	290	1.03	0.07	2.88	0.09	50.1	12.0	18	0.53
J831533		3.18	0.234		0.08	7.64	2.2	340	0.95	0.06	3.38	0.07	44.1	14.1	11	0.81
J831533 CRD		<0.02	0.084		0.05	6.96	1.4	300	1.10	0.05	3.04	0.08	44.1	12.8	9	0.71
J831534		3.01	<0.005	<0.005	<0.01	7.10	1.2	250	0.92	0.01	2.41	0.03	29.4	7.5	16	0.52
J831535		2.90	0.026		0.03	5.94	0.2	270	0.81	0.01	1.66	0.02	24.0	4.5	10	0.77
J831536		3.24	0.098		0.05	7.38	<0.2	310	0.93	0.02	2.21	0.03	29.8	7.2	13	0.73
J831537		3.26	0.019		<0.01	6.84	<0.2	360	0.97	0.01	1.94	0.02	22.4	4.6	7	0.85
J831538		3.10	<0.005		0.02	7.43	0.2	340	0.89	0.02	2.88	0.05	38.7	11.6	7	0.81
J831539		3.23	0.008		0.01	6.93	<0.2	350	0.94	0.01	2.63	0.05	31.4	10.3	8	0.84
J831540		3.03	0.239		0.01	6.72	<0.2	350	0.91	0.03	2.17	0.03	24.5	6.5	7	1.04
J831541		3.31	0.102		0.07	6.51	<0.2	370	0.93	0.03	2.71	0.05	22.6	9.4	14	1.11
J831542		3.69	0.007		0.02	6.78	<0.2	310	0.96	0.05	3.40	0.09	26.1	15.0	34	0.95
J831543		2.43	0.048		<0.01	6.47	<0.2	330	0.90	0.04	2.37	0.05	41.9	8.3	13	0.72
J831544		1.79	0.007		0.10	6.42	<0.2	120	0.75	0.19	7.12	0.09	114.0	39.2	427	0.26
J831545		1.04	<0.005		<0.01	0.17	<5	20	0.06	0.01	20.8	<0.02	3.28	1.2	4	0.11
J831546		2.75	0.403		0.53	5.24	<0.2	160	0.61	0.16	6.54	0.09	89.1	33.2	421	0.20
J831547		2.79	0.172		0.13	7.16	<0.2	430	1.14	0.03	3.45	0.06	31.9	16.9	23	1.29
J831548		3.45	0.790		0.12	6.75	<0.2	400	1.00	0.04	4.20	0.09	35.9	17.0	25	1.11
J831549		3.16	0.191		0.11	7.15	<0.2	420	1.03	0.07	4.54	0.10	42.6	18.2	35	1.03
J831550		3.17	0.336		0.16	6.89	<0.2	200	0.83	0.03	4.49	0.07	33.0	33.1	398	0.60

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831513		12.5	3.34	20.9	0.13	1.6	0.045	0.85	13.6	19.0	1.13	590	0.26	2.79	8.3	34.8
J831513 CRD		12.8	3.53	20.7	0.12	1.7	0.042	0.85	13.8	17.3	1.13	611	0.23	2.80	8.6	32.7
J831514		35.3	4.51	18.05	0.15	1.3	0.052	0.89	20.1	18.5	1.83	814	0.22	2.30	7.3	57.3
J831515		>10000	5.82	15.10	0.21	1.2	0.129	2.79	25.1	18.3	1.21	642	115.0	1.69	7.0	34.5
J831516		35.0	3.73	18.65	0.10	1.8	0.032	1.36	20.6	21.4	1.36	626	0.27	2.38	5.8	43.6
J831517		29.9	4.09	21.1	0.13	2.5	0.048	0.99	21.1	16.6	1.23	598	0.97	2.55	8.0	34.3
J831518		24.2	4.59	21.3	0.18	4.2	0.055	0.79	24.2	23.2	1.79	659	0.36	2.39	11.3	68.0
J831519		17.8	4.48	21.6	0.17	4.5	0.059	1.85	21.1	18.0	0.85	584	0.58	1.76	11.8	6.7
J831520		11.4	4.17	22.9	0.16	4.5	0.052	1.17	20.8	18.2	0.83	545	0.33	2.66	13.7	11.4
J831521		47.8	4.61	20.5	0.15	1.6	0.045	0.76	17.4	17.8	1.73	742	0.26	2.52	8.2	61.5
J831522		56.2	3.55	20.1	0.14	2.9	0.033	1.14	20.8	16.9	1.23	577	0.31	2.83	6.3	40.9
J831523		24.8	2.71	19.25	0.11	2.7	0.022	0.69	19.9	11.1	0.67	412	0.17	3.18	5.4	14.2
J831524		18.5	3.18	19.30	0.10	1.5	0.027	0.69	3.7	10.5	0.78	444	0.20	3.28	3.3	13.1
J831525		35.2	3.30	20.4	0.14	3.1	0.025	1.52	21.1	15.4	0.75	467	0.21	2.40	7.3	11.2
J831526		26.6	2.81	19.25	0.09	3.6	0.023	1.63	24.8	9.1	0.59	408	0.16	2.44	8.8	10.4
J831527		5.7	2.72	17.95	0.11	3.2	0.022	1.93	24.8	8.7	0.57	424	3.12	1.71	7.3	24.2
J831528		24.1	3.45	19.00	0.12	3.8	0.032	1.73	25.7	11.5	0.89	559	0.26	2.39	8.7	17.8
J831529		51.3	4.01	19.80	0.12	3.2	0.041	0.79	17.0	11.6	1.10	674	0.22	2.77	10.8	22.3
J831530		4480	4.80	17.50	0.17	0.8	0.066	4.29	18.9	8.6	0.77	492	258	1.05	4.9	24.5
J831531		21.3	2.98	19.20	0.13	4.4	0.026	0.94	27.6	6.4	0.72	459	0.57	2.86	7.8	14.2
J831532		18.4	3.66	21.7	0.14	3.9	0.040	0.86	25.6	9.2	0.87	595	0.22	2.98	10.9	17.1
J831533		39.1	4.01	21.3	0.14	3.7	0.040	1.17	22.6	11.4	1.00	654	0.48	3.01	11.3	16.0
J831533 CRD		37.3	3.54	20.9	0.09	3.5	0.034	1.05	22.6	15.8	0.89	576	0.35	2.68	10.1	14.1
J831534		11.4	2.26	20.0	0.07	1.9	0.018	0.90	17.1	12.4	0.55	353	0.15	3.00	4.7	10.4
J831535		6.3	1.50	15.80	0.07	2.0	0.008	1.14	13.7	5.6	0.30	215	0.16	2.63	4.2	4.1
J831536		5.1	2.50	20.3	0.10	3.7	0.016	1.13	15.8	10.0	0.48	332	2.13	3.00	7.3	5.8
J831537		5.2	1.71	19.35	0.09	1.9	0.009	1.62	11.0	6.3	0.30	241	0.22	2.88	5.2	3.3
J831538		26.1	3.32	21.4	0.13	3.9	0.031	1.26	20.2	15.3	0.78	504	0.21	2.90	9.5	9.4
J831539		30.1	3.08	21.8	0.13	3.6	0.030	1.52	15.9	15.7	0.69	467	0.13	2.87	8.5	8.5
J831540		14.6	2.13	20.6	0.12	3.3	0.017	1.84	12.9	8.7	0.40	308	0.18	2.56	5.9	4.7
J831541		20.9	2.67	21.1	0.12	2.9	0.028	1.91	11.4	12.9	0.61	432	0.17	2.43	6.7	12.2
J831542		42.0	3.88	21.4	0.14	2.6	0.047	1.41	12.8	19.8	1.09	639	15.20	2.49	7.9	26.2
J831543		34.3	2.30	19.40	0.14	3.2	0.022	1.30	21.5	11.3	0.57	325	0.30	2.99	5.2	7.7
J831544		20.3	5.52	16.50	0.24	3.6	0.038	0.28	55.7	68.7	5.11	1060	0.43	0.92	3.7	233
J831545		0.7	0.11	0.51	0.14	0.1	<0.005	0.11	2.5	4.4	13.15	54	0.15	0.04	0.5	2.8
J831546		12.4	5.13	13.50	0.21	2.6	0.032	0.24	43.4	58.3	4.87	1030	17.25	0.27	3.0	233
J831547		21.6	4.19	20.9	0.13	3.2	0.042	1.89	16.5	20.5	1.40	622	0.41	2.19	10.1	27.9
J831548		48.1	4.01	20.0	0.16	2.6	0.037	2.08	17.9	19.4	1.29	718	0.27	1.65	8.8	29.6
J831549		38.1	4.42	21.9	0.17	2.5	0.043	2.12	20.2	22.7	1.62	828	1.54	1.58	9.9	38.3
J831550		56.8	5.44	18.00	0.14	2.7	0.046	0.72	18.5	22.2	3.56	828	0.35	1.91	9.1	197.5

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831513		500	5.1	33.9	<0.002	0.02	0.11	12.9	1	1.6	273	0.91	<0.05	2.9	0.229	0.15
J831513 CRD		520	5.2	33.2	<0.002	0.02	0.12	12.2	1	1.6	272	0.93	<0.05	3.0	0.238	0.15
J831514		790	4.7	33.1	<0.002	0.02	0.17	16.4	1	1.7	277	0.67	<0.05	1.5	0.318	0.15
J831515		910	61.6	83.6	0.127	2.41	7.62	18.3	7	2.8	261	0.28	1.03	4.7	0.316	0.75
J831516		580	4.1	52.7	<0.002	0.04	0.12	9.7	1	1.1	206	0.66	<0.05	3.0	0.263	0.23
J831517		780	4.9	37.0	<0.002	0.03	0.24	11.9	2	1.7	353	0.51	<0.05	2.4	0.319	0.17
J831518		1150	4.5	32.1	<0.002	0.07	0.28	12.6	2	1.3	327	0.65	<0.05	2.7	0.374	0.14
J831519		1140	2.7	56.3	<0.002	0.37	0.12	11.3	2	1.4	156.5	0.72	0.06	2.3	0.341	0.26
J831520		1010	3.8	35.8	<0.002	0.02	0.11	11.1	2	1.3	272	1.01	<0.05	3.0	0.342	0.21
J831521		730	5.7	24.1	<0.002	0.03	0.11	15.9	1	1.4	284	0.65	<0.05	2.1	0.315	0.12
J831522		710	5.5	35.9	<0.002	0.08	0.18	10.6	1	1.1	245	0.44	0.05	4.4	0.258	0.17
J831523		420	4.6	23.7	<0.002	0.02	0.15	6.1	1	0.9	259	0.30	<0.05	4.9	0.196	0.10
J831524		340	5.5	20.0	<0.002	0.02	0.14	8.7	1	0.6	280	0.22	<0.05	0.4	0.260	0.09
J831525		600	4.7	47.7	<0.002	0.04	0.12	7.8	1	1.0	199.0	0.38	<0.05	5.8	0.280	0.25
J831526		490	5.9	54.9	0.003	0.05	0.10	4.7	1	1.2	157.5	0.36	<0.05	7.5	0.247	0.30
J831527		430	3.2	62.1	0.003	0.14	0.09	4.8	1	1.1	62.1	0.37	0.09	7.0	0.198	0.30
J831528		520	4.7	55.3	0.003	0.05	0.07	8.3	2	1.4	120.5	0.60	<0.05	6.1	0.309	0.29
J831529		530	7.1	31.5	0.003	0.04	0.10	10.7	2	1.7	222	0.82	<0.05	3.5	0.367	0.17
J831530		1120	38.5	117.0	0.606	2.55	8.19	10.9	9	3.0	249	0.29	0.94	2.6	0.234	1.42
J831531		520	6.1	36.1	0.004	0.01	0.10	6.3	1	1.2	215	0.42	<0.05	7.8	0.264	0.17
J831532		560	6.6	34.5	0.003	0.02	0.11	7.6	1	2.1	238	0.69	<0.05	6.6	0.323	0.17
J831533		760	7.6	46.3	0.003	0.08	0.17	9.5	2	1.8	265	0.83	<0.05	5.1	0.430	0.23
J831533 CRD		680	6.8	40.0	0.003	0.07	0.15	10.4	1	1.6	233	0.75	<0.05	5.5	0.371	0.20
J831534		360	6.6	36.3	0.003	0.01	0.17	4.9	1	0.9	279	0.37	<0.05	3.7	0.188	0.16
J831535		200	3.6	40.0	0.002	0.03	0.07	2.2	1	0.6	167.5	0.24	<0.05	4.1	0.113	0.20
J831536		600	5.7	38.5	0.003	0.08	0.12	3.6	1	1.0	236	0.35	<0.05	5.0	0.227	0.19
J831537		390	3.7	51.4	0.003	0.02	0.09	2.3	1	0.5	157.5	0.26	<0.05	3.1	0.153	0.26
J831538		750	5.0	39.9	0.003	0.01	0.12	7.3	1	1.4	211	0.65	<0.05	4.9	0.325	0.23
J831539		650	3.7	44.9	0.003	0.01	0.11	6.8	1	1.3	173.5	0.50	<0.05	4.3	0.285	0.26
J831540		510	3.6	58.1	0.003	0.07	0.11	3.1	1	0.9	167.0	0.40	<0.05	3.8	0.168	0.30
J831541		510	3.7	54.0	0.002	0.04	0.15	5.1	1	1.2	154.5	0.38	<0.05	3.1	0.226	0.31
J831542		520	5.6	40.6	0.002	0.01	0.16	10.3	1	1.8	202	0.57	<0.05	2.4	0.277	0.27
J831543		450	5.3	44.8	0.003	0.16	0.12	4.3	1	1.0	206	0.24	<0.05	5.9	0.160	0.23
J831544		1290	261	12.6	0.003	0.31	0.21	17.7	1	0.5	243	0.17	<0.05	5.2	0.174	0.05
J831545		10	6.0	3.6	0.003	0.03	<0.05	0.4	1	<0.2	67.4	<0.05	<0.05	0.3	0.009	<0.02
J831546		1180	5.3	10.3	0.003	0.16	0.18	16.2	1	0.5	186.5	0.14	0.19	3.2	0.155	0.04
J831547		710	5.8	54.2	0.002	0.07	0.28	11.9	1	1.7	166.5	0.87	<0.05	3.1	0.360	0.35
J831548		780	4.7	57.5	0.002	0.15	0.21	11.5	1	1.4	189.5	0.69	0.05	2.6	0.327	0.31
J831549		1000	6.1	54.2	0.003	0.07	0.22	13.2	1	1.8	190.5	0.72	<0.05	3.3	0.325	0.33
J831550		620	4.9	34.3	0.003	0.06	0.24	18.5	1	1.7	178.5	0.74	<0.05	3.0	0.419	0.12

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831513		1.7	64	0.2	13.2	74	47.2									
J831513 CRD		1.8	65	0.2	13.0	77	49.8									
J831514		0.8	91	0.5	15.8	86	35.1		0.29	1.1	61.62	13.85	6.35	5.50	3.01	3.07
J831515		1.1	152	11.6	15.8	172	39.0	2.25								
J831516		1.4	66	1.1	12.0	63	46.6									
J831517		0.8	70	0.6	15.3	78	94.6									
J831518		0.6	71	0.6	20.7	92	170.0									
J831519		0.6	63	4.4	22.4	74	180.5									
J831520		1.2	61	0.6	23.7	70	173.0									
J831521		1.2	90	0.3	14.8	96	36.9									
J831522		0.9	64	0.5	11.5	72	77.4									
J831523		0.5	41	0.2	7.2	58	91.9									
J831524		0.4	64	0.3	7.8	49	56.3									
J831525		0.5	51	0.5	8.0	68	128.0									
J831526		0.6	39	0.6	6.3	68	134.0									
J831527		0.7	36	1.3	7.2	51	123.5									
J831528		1.3	66	1.1	11.7	66	135.0									
J831529		1.2	80	0.1	13.6	81	111.0									
J831530		1.2	155	11.3	15.6	148	24.3									
J831531		0.9	49	0.1	10.1	59	163.5									
J831532		1.3	63	0.3	14.0	82	132.0									
J831533		1.0	81	0.7	13.8	83	138.5									
J831533 CRD		1.1	70	0.7	13.6	73	128.5									
J831534		0.5	34	0.2	5.6	51	61.3		0.11	0.4	69.76	15.00	3.11	3.33	0.97	4.06
J831535		0.5	20	0.4	3.7	29	62.1									
J831536		0.8	32	0.7	7.1	57	132.0									
J831537		0.6	22	0.7	4.6	33	68.8									
J831538		0.9	61	0.6	12.1	76	155.0									
J831539		0.9	53	1.4	10.1	69	138.5									
J831540		1.0	31	1.1	6.7	41	112.0									
J831541		0.7	46	2.7	6.3	58	111.5									
J831542		0.9	78	0.4	9.8	83	95.4									
J831543		1.0	27	2.1	6.1	36	107.0									
J831544		3.9	103	5.0	17.1	167	133.5									
J831545		0.1	2	0.1	1.8	<2	3.1									
J831546		1.4	99	3.2	13.1	154	97.1									
J831547		1.0	93	2.0	9.0	72	120.0									
J831548		1.0	85	2.4	8.1	72	88.4									
J831549		1.3	93	2.3	9.8	88	75.9									
J831550		1.2	130	1.6	9.8	83	95.9									

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831513 J831513 CRD J831514 J831515 J831516		1.06	0.01	0.52	0.11	0.170	0.04	0.01	2.82	98.14
J831517 J831518 J831519 J831520 J831521										
J831522 J831523 J831524 J831525 J831526										
J831527 J831528 J831529 J831530 J831531										
J831532 J831533 J831533 CRD J831534 J831535		1.09	<0.01	0.28	0.04	0.075	0.04	0.02	1.45	99.22
J831536 J831537 J831538 J831539 J831540										
J831541 J831542 J831543 J831544 J831545										
J831546 J831547 J831548 J831549 J831550										

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831551		3.44	0.105		0.11	7.06	<0.2	180	0.84	0.03	4.22	0.07	33.9	33.6	394	0.60
J831552		3.11	0.008		0.18	4.84	<0.2	20	0.34	0.06	6.09	0.11	11.65	62.3	902	<0.05
J831553		4.20	0.005		0.01	6.48	<0.2	370	0.89	0.01	1.94	0.03	21.7	6.4	16	0.85
J831553 CRD		<0.02	<0.005		<0.01	6.96	0.3	380	1.00	0.01	1.97	0.03	25.6	6.8	20	0.87
J831554		3.78	<0.005	<0.005	0.01	7.20	0.2	180	0.85	0.02	3.99	0.06	52.7	19.1	60	0.44
J831555		3.39	<0.005		0.01	6.99	0.3	280	0.96	0.01	2.24	0.03	24.4	7.0	8	0.55
J831556		2.80	<0.005		0.01	7.12	0.3	290	0.92	0.02	3.03	0.05	33.6	11.3	12	0.66
J831557		3.43	<0.005		0.04	6.21	<0.2	320	0.85	0.01	2.60	0.04	25.1	6.6	11	0.66
J831558		3.19	<0.005		0.01	7.02	0.2	330	0.88	0.01	2.51	0.04	32.8	12.2	16	0.70
J831559		2.31	<0.005		<0.01	6.56	0.2	310	0.96	0.01	1.98	0.04	23.3	9.8	12	0.76
J831560		0.07	1.005		6.04	5.89	21.5	450	0.76	1.83	2.28	2.19	22.5	15.1	60	0.79
J831561		4.66	<0.005		0.04	6.85	<0.2	330	0.80	0.01	2.33	0.04	47.1	6.1	8	0.88
J831562		3.44	0.013		0.04	6.54	0.2	380	0.69	0.02	2.10	0.06	80.2	6.0	6	0.81
J831563		3.40	0.012		0.04	6.64	0.7	270	0.78	0.02	2.63	0.04	35.2	11.2	9	0.60
J831564		3.18	0.027		0.05	6.76	0.7	370	0.82	0.03	2.21	0.04	29.8	7.7	8	0.77
J831565		3.12	0.019		0.18	6.56	<0.2	270	0.75	0.03	4.01	0.06	27.8	14.6	52	0.60
J831566		3.24	0.013		0.04	6.73	<0.2	390	0.84	0.02	2.39	0.05	34.2	6.9	7	0.87
J831567		3.13	0.070		0.29	6.48	0.5	420	0.84	0.03	2.28	0.06	34.9	8.3	15	0.83
J831568		2.91	0.023		0.03	6.52	0.4	320	0.77	0.01	1.78	0.04	49.7	5.4	7	0.79
J831569		2.96	0.038		0.09	6.57	3.3	300	0.76	0.02	2.82	0.08	34.4	9.5	26	0.72
J831570		3.49	<0.005		0.08	7.70	0.3	240	0.80	0.02	4.09	0.12	29.7	19.8	56	0.73
J831571		2.77	<0.005		0.12	7.59	0.4	340	0.95	0.02	3.30	0.09	39.9	14.4	18	0.84
J831572		3.20	<0.005		0.03	6.63	0.2	320	0.81	0.01	2.25	0.06	59.8	7.3	11	0.79
J831573		2.97	0.017		0.09	7.24	0.8	270	0.80	0.03	3.91	0.13	40.2	18.0	62	0.82
J831573 CRD		<0.02	0.008		0.11	7.12	0.7	270	0.81	0.03	3.90	0.12	39.7	18.1	62	0.78
J831574		2.36	0.103	0.105	0.10	6.41	0.5	390	0.99	0.02	2.78	0.10	27.9	8.5	31	1.00
J831575		0.07	2.39		9.08	6.54	52.5	630	0.88	3.46	1.58	1.03	58.4	16.2	58	3.26
J831576		2.04	0.065		0.10	7.34	0.2	370	0.81	0.02	2.58	0.08	26.4	7.5	7	0.99
J831577		4.26	0.019		0.05	6.83	<0.2	380	0.84	0.02	2.47	0.07	28.7	7.2	6	0.87
J831578		4.02	0.683		0.24	6.42	0.4	390	0.92	0.05	2.37	0.08	51.5	5.9	8	1.05

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831551		54.8	5.44	18.95	0.15	2.8	0.048	0.73	19.2	23.4	3.63	792	0.35	1.97	8.7	197.5
J831552		99.3	7.20	13.05	0.13	1.6	0.045	0.03	5.2	6.4	8.31	1270	0.28	0.16	1.8	548
J831553		19.3	2.22	20.5	0.09	3.5	0.025	1.38	10.2	9.2	0.49	334	0.16	3.06	9.0	8.5
J831553 CRD		17.6	2.32	21.4	0.11	3.7	0.025	1.41	12.3	10.4	0.55	343	0.16	3.14	9.2	10.6
J831554		7.6	4.34	20.3	0.17	1.8	0.051	0.71	25.2	28.2	1.80	814	0.55	2.29	7.9	51.5
J831555		16.7	2.55	20.7	0.11	3.8	0.016	0.94	12.8	12.7	0.46	335	0.14	2.96	6.8	3.8
J831556		11.0	3.21	20.1	0.15	3.9	0.036	1.04	17.7	17.3	0.79	542	0.19	3.14	8.0	13.1
J831557		10.6	2.07	17.75	0.12	2.6	0.019	1.13	13.7	9.9	0.48	456	0.13	2.89	6.6	8.5
J831558		19.4	3.31	20.4	0.14	3.0	0.035	1.19	18.0	20.0	0.91	550	0.12	2.89	8.7	16.2
J831559		4.4	2.69	21.1	0.09	2.6	0.030	1.24	11.5	17.5	0.66	411	0.32	3.04	8.3	11.5
J831560		>10000	4.40	14.35	0.17	1.0	0.136	0.81	10.8	11.9	1.09	644	228	1.98	4.1	33.3
J831561		16.1	2.28	19.80	0.16	3.1	0.016	1.67	21.3	7.1	0.39	338	0.31	2.47	4.6	4.3
J831562		14.1	2.27	19.05	0.19	3.7	0.018	1.82	36.9	7.4	0.39	322	0.17	1.99	5.4	3.2
J831563		7.8	3.38	18.85	0.17	3.1	0.021	1.27	15.9	13.7	0.84	452	0.53	2.34	7.0	15.6
J831564		22.6	2.46	20.4	0.18	3.8	0.018	1.75	13.5	7.2	0.46	347	0.15	2.28	7.7	4.8
J831565		58.8	3.59	18.35	0.17	2.4	0.027	1.36	12.2	15.8	1.16	576	0.15	2.06	5.8	54.7
J831566		17.8	2.55	19.80	0.16	3.6	0.015	1.89	15.8	7.4	0.51	353	0.14	1.98	6.4	4.6
J831567		15.4	2.55	19.35	0.16	2.9	0.021	2.00	16.0	6.4	0.56	400	0.17	1.78	5.4	10.3
J831568		9.9	2.08	18.50	0.18	3.3	0.014	1.59	23.7	4.9	0.36	282	0.12	2.36	4.6	4.5
J831569		11.0	2.79	19.15	0.18	1.9	0.023	1.55	16.0	6.7	0.74	533	0.14	2.30	6.0	22.5
J831570		33.0	4.53	20.9	0.17	1.2	0.040	1.39	12.2	17.0	1.65	865	0.16	2.53	5.1	53.2
J831571		35.4	3.96	21.0	0.20	3.4	0.035	1.66	18.3	14.1	0.96	577	0.18	2.26	8.4	20.2
J831572		9.6	2.33	19.20	0.17	4.7	0.016	1.55	28.9	6.8	0.45	328	0.11	2.36	6.3	5.6
J831573		37.0	4.18	18.80	0.19	1.1	0.037	1.65	18.1	12.4	1.54	811	0.11	2.18	5.9	54.5
J831573 CRD		38.4	4.13	18.60	0.17	1.1	0.035	1.66	17.2	12.5	1.56	819	0.10	2.21	6.0	54.6
J831574		19.4	2.52	20.9	0.17	2.9	0.025	2.28	12.3	3.8	0.69	572	0.14	1.94	7.0	21.1
J831575		>10000	5.65	14.85	0.17	1.2	0.110	2.65	26.2	12.1	1.13	636	104.0	1.52	6.6	32.8
J831576		43.0	2.65	21.3	0.16	3.6	0.029	1.90	12.0	6.4	0.48	397	0.20	2.30	7.7	4.1
J831577		23.9	2.62	20.4	0.17	3.5	0.029	1.92	13.1	6.3	0.45	362	0.13	2.01	8.5	3.9
J831578		11.6	2.17	18.85	0.19	3.9	0.019	2.03	24.6	2.7	0.36	368	0.14	1.87	6.5	4.4

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831551		610	4.4	36.6	0.003	0.05	0.23	18.9	1	1.7	176.0	0.78	<0.05	3.3	0.391	0.13
J831552		310	2.7	1.5	0.003	0.05	0.14	26.5	1	0.3	157.5	0.12	<0.05	0.6	0.227	<0.02
J831553		590	4.5	41.5	0.002	0.01	0.11	4.8	1	1.2	175.5	0.63	<0.05	3.3	0.205	0.24
J831553 CRD		620	5.0	49.3	0.002	0.01	0.12	5.4	1	1.2	180.0	0.62	<0.05	3.7	0.215	0.23
J831554		1050	7.6	28.5	0.003	<0.01	0.17	13.6	1	1.9	311	0.62	<0.05	3.0	0.310	0.12
J831555		660	6.5	38.5	0.003	0.01	0.17	4.6	1	0.9	258	0.48	<0.05	3.5	0.247	0.17
J831556		590	6.6	41.8	0.003	<0.01	0.17	7.8	1	1.6	224	0.57	<0.05	4.2	0.322	0.18
J831557		330	4.4	38.1	0.003	0.01	0.11	5.7	1	0.9	167.0	0.35	<0.05	4.2	0.191	0.19
J831558		530	5.5	41.3	0.003	0.01	0.11	9.1	1	1.6	148.0	0.60	<0.05	3.7	0.310	0.21
J831559		480	5.1	38.6	0.002	0.01	0.13	6.8	1	1.6	159.5	0.62	<0.05	2.6	0.249	0.22
J831560		550	39.8	21.9	1.320	1.54	23.8	15.0	5	1.0	270	0.28	0.94	2.0	0.311	0.23
J831561		490	4.7	44.4	<0.002	0.01	0.14	3.9	1	0.6	183.5	0.25	<0.05	3.4	0.178	0.30
J831562		550	6.4	52.4	<0.002	0.04	0.13	3.6	1	0.7	148.0	0.35	<0.05	5.0	0.194	0.31
J831563		530	5.0	34.1	<0.002	0.03	0.14	6.9	1	0.9	178.5	0.40	<0.05	3.7	0.262	0.21
J831564		680	5.6	47.7	<0.002	0.04	0.14	4.5	1	0.8	172.5	0.53	<0.05	3.8	0.229	0.30
J831565		450	5.5	32.8	<0.002	0.03	0.16	10.5	1	1.2	177.0	0.51	<0.05	1.8	0.195	0.22
J831566		670	4.2	51.3	<0.002	0.02	0.15	3.5	1	0.9	137.5	0.33	<0.05	4.1	0.210	0.31
J831567		470	4.7	49.0	<0.002	0.07	0.13	5.0	1	1.0	130.5	0.41	<0.05	5.2	0.169	0.32
J831568		390	5.3	44.8	<0.002	0.03	0.11	3.8	1	0.7	169.5	0.23	<0.05	5.8	0.179	0.27
J831569		420	5.7	38.4	<0.002	0.04	0.16	6.4	1	1.1	190.5	0.42	<0.05	3.6	0.185	0.24
J831570		940	5.2	38.0	<0.002	0.01	0.25	14.1	1	1.0	235	0.55	<0.05	1.0	0.297	0.24
J831571		630	6.5	42.0	<0.002	0.03	0.26	11.1	1	1.4	190.0	0.66	<0.05	4.3	0.322	0.28
J831572		470	5.8	43.2	<0.002	0.02	0.13	4.6	1	0.8	182.0	0.32	<0.05	9.3	0.171	0.27
J831573		800	6.3	49.4	<0.002	0.06	0.22	14.9	1	0.9	215	0.62	<0.05	2.2	0.272	0.27
J831573 CRD		800	6.4	46.0	<0.002	0.05	0.21	14.9	1	1.0	212	0.66	<0.05	2.1	0.270	0.26
J831574		360	6.0	47.9	<0.002	0.05	0.15	6.9	1	1.0	161.5	0.64	<0.05	3.8	0.164	0.34
J831575		880	65.3	78.2	0.119	2.31	6.92	15.8	6	2.4	255	0.25	0.95	4.8	0.307	0.83
J831576		730	7.3	51.9	<0.002	0.04	0.18	7.2	1	1.2	191.0	0.50	<0.05	3.8	0.234	0.29
J831577		650	6.6	48.8	<0.002	0.04	0.17	6.2	1	1.3	167.0	0.69	<0.05	3.9	0.227	0.30
J831578		420	6.3	55.4	<0.002	0.21	0.16	4.2	1	0.9	156.0	0.40	0.09	7.7	0.161	0.30

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J831551		1.2	128	1.8	9.8	83	99.3									
J831552		0.2	188	0.3	6.6	85	55.2									
J831553		1.3	31	1.6	9.6	39	126.0									
J831553 CRD		1.5	32	1.6	10.5	41	135.0									
J831554		1.0	89	0.3	20.5	118	53.5		0.71	2.6	59.00	14.99	6.60	5.94	3.18	3.23
J831555		1.0	33	0.2	8.3	64	140.0									
J831556		1.8	64	1.4	13.2	77	126.0									
J831557		1.2	36	1.2	8.9	40	79.9									
J831558		1.0	62	2.1	11.7	73	93.4									
J831559		1.0	51	1.0	9.8	58	88.7									
J831560		0.8	101	6.9	15.4	138	28.6	1.270								
J831561		0.4	27	1.1	4.5	46	119.5									
J831562		0.6	27	1.8	5.0	43	143.0									
J831563		0.7	47	3.2	5.3	76	104.5									
J831564		0.7	33	4.0	5.4	46	141.0									
J831565		0.8	54	3.9	5.3	84	71.1									
J831566		0.7	34	4.0	5.9	45	135.0									
J831567		0.9	35	3.0	4.7	48	97.3									
J831568		0.6	25	2.2	4.7	41	113.0									
J831569		0.6	41	2.2	4.6	55	60.6									
J831570		0.5	92	1.4	5.4	115	39.6									
J831571		1.0	76	3.5	7.0	93	123.5									
J831572		0.9	28	1.6	6.5	49	174.0									
J831573		1.0	77	3.9	7.2	97	37.2									
J831573 CRD		0.6	78	4.0	7.0	100	36.7									
J831574		1.1	43	3.2	4.4	43	93.4		1.28	4.7	63.28	14.70	3.48	3.88	1.34	2.86
J831575		1.3	152	11.3	14.7	165	34.8	2.17								
J831576		1.0	36	2.7	7.6	67	139.5									
J831577		1.0	34	2.9	8.8	65	139.0									
J831578		1.2	25	2.5	6.7	36	141.0									

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J831551										
J831552										
J831553										
J831553 CRD										
J831554		0.91	0.01	0.56	0.11	0.218	0.04	0.01	4.86	99.66
J831555										
J831556										
J831557										
J831558										
J831559										
J831560										
J831561										
J831562										
J831563										
J831564										
J831565										
J831566										
J831567										
J831568										
J831569										
J831570										
J831571										
J831572										
J831573										
J831573 CRD										
J831574		2.81	<0.01	0.33	0.07	0.080	0.03	0.04	5.88	98.78
J831575										
J831576										
J831577										
J831578										

Comments: Additional Au-AA24 check results for samples J831533 and J831533 CRD are 0.190 ppm and 0.066 ppm respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10186712

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.