ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE TB10189372

Project: HAMMOND REEF

P.O. No.:

This report is for 113 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831892		3.57	<0.005		0.02	6.99	0.6	320	0.86	0.01	2.29	0.04	94.2	4.3	9	0.60
J831893		3.21	<0.005		0.03	7.23	0.6	360	0.97	0.01	1.93	0.07	108.5	4.4	9	0.74
J831894		3.22	0.010		0.01	7.36	0.6	560	1.06	0.01	0.79	0.03	31.9	1.9	5	0.80
J831895		3.60	0.005		0.04	6.80	0.9	500	0.92	0.01	1.94	0.04	76.4	3.9	7	0.67
J831896		3.62	0.006		0.01	7.32	0.6	500	1.01	0.01	2.07	0.04	76.2	3.6	8	0.69
J831897		3.15	0.005		0.03	7.44	1.1	410	0.98	0.01	2.17	0.02	95.4	4.1	9	0.77
J831898		3.11	<0.005		0.02	7.96	2.7	380	1.00	0.01	2.29	0.04	55.6	8.1	12	0.58
J831899		3.33	<0.005		0.15	7.70	0.7	670	0.96	0.02	2.33	0.05	46.0	8.0	12	0.44
J831900		0.08	1.020		4.43	6.83	21.8	490	0.72	1.74	2.63	2.02	21.4	14.6	61	0.85
J831901		3.98	0.006		0.04	6.94	1.4	360	0.88	0.02	2.24	0.05	33.2	8.7	30	0.48
J831902		3.02	<0.005		0.02	7.41	1.8	340	1.14	0.01	2.42	0.04	56.9	4.9	7	0.63
J831903		4.12	0.007		0.07	7.94	2.3	370	0.93	0.02	2.65	0.05	41.0	10.5	5	0.97
J831904		3.64	<0.005		0.11	7.95	2.1	320	0.92	0.01	3.17	0.06	36.2	12.3	8	0.53
J831905		3.56	<0.005		0.04	7.46	2.4	280	0.90	0.02	2.51	0.04	40.6	9.0	8	0.53
J831906		3.56	<0.005		0.05	7.64	2.2	380	0.94	0.01	2.51	0.04	33.5	11.0	4	1.02
J831907		3.14	<0.005		<0.01	7.91	2.2	290	1.13	0.01	2.59	0.03	31.1	9.3	6	1.10
J831908		3.08	<0.005		0.05	7.49	1.9	490	0.88	0.01	2.87	0.04	43.4	9.7	5	1.47
J831909		2.58	0.072		0.05	7.05	0.7	640	0.98	0.03	1.93	0.13	55.2	4.5	6	1.17
J831910		3.33	0.121		0.03	7.31	0.6	340	0.91	0.01	2.23	0.05	60.3	6.4	9	0.98
J831911		3.24	0.006		0.05	7.01	2.2	290	0.79	0.02	2.36	0.06	51.1	8.0	23	0.57
J831911 CRD		<0.02	0.010		0.05	6.98	2.1	270	0.85	0.01	2.32	0.07	55.7	7.7	21	0.58
J831912		3.26	<0.005	<0.005	0.15	7.71	2.7	230	0.86	0.17	3.99	0.10	39.6	17.4	31	0.48
J831913		3.28	<0.005		0.08	6.99	0.8	260	0.82	0.03	2.96	0.05	28.4	9.8	24	0.49
J831914		3.52	0.006		0.16	6.32	2.7	140	0.79	0.05	2.88	0.06	43.4	9.7	18	0.39
J831915		0.12	2.33		8.08	6.47	52.4	620	0.76	3.18	1.60	0.99	55.4	15.2	56	3.15
J831916		2.98	0.008		0.09	7.22	2.9	150	0.51	0.12	3.33	0.06	14.80	14.6	22	0.51
J831917		3.39	<0.005		0.10	7.30	1.3	200	0.72	0.13	3.16	0.07	23.4	11.5	41	0.34
J831918		3.60	<0.005		0.17	6.85	0.6	250	0.81	0.02	2.63	0.06	32.0	9.4	31	0.28
J831919		3.93	<0.005		0.14	7.29	3.0	300	0.84	0.03	3.63	0.08	40.7	16.6	47	0.47
J831920		3.47	<0.005		0.08	7.08	3.4	180	1.08	0.02	3.05	0.06	28.5	10.6	36	0.38
J831921		3.07	0.005		0.09	6.45	1.0	110	1.00	0.02	1.25	0.02	16.00	2.2	7	0.42
J831922		3.13	<0.005		0.10	7.73	4.3	240	0.84	0.05	3.72	0.06	51.9	12.6	36	0.50
J831923		3.08	<0.005		0.12	7.32	1.7	250	0.89	0.02	3.08	0.05	46.0	11.9	37	0.49
J831924		3.16	<0.005		0.10	6.95	1.7	250	0.91	0.04	2.33	0.04	49.3	6.1	18	0.37
J831925		3.45	<0.005		0.06	7.06	3.0	330	1.00	0.02	2.70	0.04	44.7	7.9	18	0.44
J831926		2.99	<0.005		0.11	6.85	4.6	230	0.91	0.01	2.69	0.04	25.4	9.3	30	0.38
J831927		2.80	0.006		0.15	7.42	5.3	210	0.98	0.06	3.26	0.08	32.6	12.3	31	0.42
J831928		3.30	0.006		0.08	7.58	4.9	210	0.65	0.03	3.37	0.05	26.7	10.0	8	0.38
J831929		3.24	<0.005		0.14	7.79	2.4	320	0.81	0.02	2.94	0.05	32.3	8.9	9	0.38
J831930		0.07	0.430		2.11	7.32	103.5	550	1.04	0.46	0.55	1.00	30.9	16.0	31	6.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831892		5.4	2.54	20.2	0.14	6.5	0.016	1.07	46.1	11.0	0.33	377	0.16	2.94	5.2	3.5
J831893		9.3	2.50	21.1	0.17	6.5	0.020	1.23	53.7	11.7	0.34	381	0.13	3.05	5.9	3.2
J831894		2.1	1.14	21.5	0.09	3.8	0.015	1.72	16.2	7.7	0.20	167	0.16	3.22	9.1	1.8
J831895		25.3	1.92	20.2	0.15	4.9	0.019	1.53	36.4	9.0	0.30	317	0.12	2.85	6.1	2.5
J831896		6.4	1.91	20.2	0.13	5.6	0.017	1.52	36.8	9.4	0.29	318	0.11	3.12	6.0	2.5
J831897		12.3	2.13	21.7	0.16	6.0	0.020	1.38	47.6	11.2	0.35	308	0.12	3.12	5.5	2.8
J831898		9.1	2.67	22.2	0.14	4.2	0.019	1.27	27.7	13.5	0.62	429	0.10	3.18	7.3	6.6
J831899		53.7	2.57	20.6	0.14	2.7	0.022	1.39	20.2	13.2	0.63	430	0.17	3.12	6.0	11.0
J831900		>10000	4.73	14.40	0.11	1.1	0.139	0.89	9.4	14.5	1.26	699	251	2.35	3.4	31.8
J831901		10.5	2.28	21.3	0.17	2.3	0.021	1.57	15.8	9.7	0.71	403	0.14	2.96	5.9	24.5
J831902		5.6	1.85	20.3	0.12	3.2	0.022	1.16	28.2	10.8	0.38	331	0.24	3.38	6.3	5.1
J831903		21.0	3.03	20.6	0.14	3.3	0.028	1.48	20.2	18.5	0.82	518	0.12	2.98	6.4	9.9
J831904		39.6	3.27	22.1	0.13	3.6	0.036	1.08	17.5	15.7	0.91	579	0.16	3.12	7.1	11.3
J831905		18.6	2.57	19.95	0.11	3.0	0.025	1.01	19.7	13.8	0.64	448	0.11	3.19	5.9	8.0
J831906		16.0	3.07	20.4	0.12	3.6	0.032	1.50	16.1	20.0	0.85	512	0.09	2.80	7.2	10.7
J831907		21.1	2.58	23.4	0.13	3.6	0.032	1.57	14.9	18.0	0.71	553	0.16	3.50	28.3	9.8
J831908		19.7	2.76	19.65	0.13	2.9	0.026	2.26	20.9	21.0	0.72	561	0.10	2.27	5.6	10.2
J831909		9.6	1.81	21.5	0.12	3.2	0.015	2.61	27.0	15.0	0.38	298	2.39	1.68	4.5	4.3
J831910		7.8	2.58	20.6	0.14	2.8	0.017	1.46	28.9	15.1	0.46	376	0.81	2.95	5.4	4.6
J831911		9.3	2.66	19.10	0.10	2.0	0.021	1.02	25.1	14.6	0.66	420	0.13	2.86	5.5	16.4
J831911 CRD		4.5	2.69	19.65	0.13	2.0	0.021	0.99	27.8	14.6	0.62	413	0.11	2.87	5.7	13.3
J831912		35.1	4.24	21.3	0.16	2.5	0.044	0.88	18.7	16.3	1.40	764	0.16	2.79	7.9	34.5
J831913		20.1	2.76	18.65	0.13	1.9	0.029	0.97	12.2	12.9	0.86	518	0.14	2.82	6.4	21.9
J831914		56.9	2.43	18.80	0.15	2.9	0.024	0.75	20.5	12.5	0.65	392	0.25	2.92	4.1	12.6
J831915		>10000	5.47	14.30	0.14	1.0	0.108	2.67	27.6	16.4	1.20	626	117.0	1.68	5.7	31.7
J831916		20.8	3.70	22.5	0.17	2.1	0.040	0.89	6.1	16.2	1.04	580	0.12	2.70	7.2	19.0
J831917		14.1	3.14	21.1	0.11	1.8	0.036	0.87	10.0	14.0	0.99	525	0.14	2.94	5.2	25.5
J831918		60.7	2.33	19.45	0.11	1.9	0.021	0.81	15.1	10.8	0.75	417	0.13	2.95	5.1	22.7
J831919		43.7	3.97	20.9	0.13	1.6	0.043	1.06	17.6	15.9	1.42	743	0.16	2.84	8.1	38.3
J831920		19.4	2.65	18.85	0.11	1.2	0.025	0.85	12.1	13.1	0.92	503	0.17	2.96	5.5	26.2
J831921		24.3	0.97	17.35	0.07	3.0	0.012	2.76	7.2	5.1	0.16	197	0.13	2.81	5.7	3.1
J831922		22.4	3.40	20.4	0.13	3.4	0.050	0.97	25.5	15.4	1.12	644	0.10	2.85	7.0	26.6
J831923		34.0	3.02	20.3	0.13	2.3	0.028	1.31	22.3	13.7	1.06	564	0.13	2.95	6.6	28.2
J831924		28.2	1.98	18.55	0.12	3.3	0.018	0.83	26.3	10.1	0.49	335	0.10	3.16	4.4	10.5
J831925		10.2	2.30	19.45	0.11	3.7	0.027	1.13	23.9	11.5	0.63	428	0.15	2.90	6.1	11.1
J831926		24.3	2.65	19.90	0.12	2.0	0.030	0.96	11.0	13.3	0.83	489	0.09	2.89	6.2	21.9
J831927		45.7	3.08	21.3	0.14	1.9	0.035	0.99	15.3	12.2	1.01	557	0.15	2.97	6.8	27.2
J831928		24.9	3.06	20.9	0.13	2.7	0.040	0.98	11.1	11.8	0.62	464	0.26	2.84	7.4	5.0
J831929		31.2	3.05	21.4	0.13	3.1	0.035	1.08	15.5	11.8	0.63	481	0.19	3.00	11.4	5.1
J831930		4270	4.42	16.35	0.13	0.7	0.054	5.10	17.7	10.9	0.74	482	267	1.07	4.1	21.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831892		410	6.4	38.8	<0.002	0.02	0.11	3.3	1	1.1	219	0.48	<0.05	13.2	0.175	0.18
J831893		400	8.7	46.1	<0.002	0.03	0.11	3.2	1	1.5	194.5	0.51	<0.05	16.3	0.167	0.22
J831894		160	4.2	62.4	<0.002	<0.01	0.06	3.1	1	1.4	79.9	1.89	<0.05	6.6	0.067	0.28
J831895		320	6.5	48.9	<0.002	0.01	0.10	3.0	1	1.3	190.5	0.49	<0.05	11.5	0.139	0.24
J831896		320	8.0	48.4	<0.002	0.01	0.10	2.8	1	1.3	201	0.55	<0.05	12.3	0.128	0.23
J831897		380	5.5	55.6	<0.002	0.01	0.12	3.2	1	1.1	228	0.54	<0.05	14.8	0.147	0.25
J831898		430	6.9	43.3	<0.002	<0.01	0.09	4.8	1	1.4	226	0.47	<0.05	9.0	0.224	0.20
J831899		760	9.0	33.8	<0.002	0.02	0.06	5.3	1	1.3	213	0.55	<0.05	4.9	0.239	0.16
J831900		600	40.1	23.3	1.525	1.70	24.6	14.3	6	1.1	299	0.30	0.62	1.9	0.340	0.21
J831901		390	10.5	38.7	<0.002	<0.01	0.09	7.7	1	1.0	194.0	0.65	<0.05	6.7	0.167	0.23
J831902		330	6.6	39.6	<0.002	<0.01	0.10	3.4	1	1.2	186.0	0.70	<0.05	10.1	0.142	0.17
J831903		410	6.0	61.1	<0.002	0.01	0.09	8.8	1	1.4	179.5	0.76	<0.05	4.9	0.286	0.28
J831904		420	5.8	33.9	<0.002	0.02	0.10	10.8	1	1.6	212	0.88	<0.05	4.2	0.300	0.18
J831905		340	6.3	32.4	<0.002	0.01	0.10	6.5	1	1.3	204	0.66	<0.05	5.8	0.231	0.16
J831906		390	5.2	57.0	<0.002	0.01	0.09	8.8	1	1.5	181.0	0.90	<0.05	4.0	0.287	0.27
J831907		340	6.5	59.5	<0.002	0.01	0.07	8.5	1	1.9	109.5	4.07	<0.05	4.5	0.231	0.27
J831908		370	2.7	78.9	<0.002	0.01	0.07	7.7	1	1.3	102.5	0.65	<0.05	4.7	0.251	0.37
J831909		320	4.9	81.2	<0.002	0.05	0.08	2.7	1	0.9	49.4	0.43	<0.05	7.4	0.128	0.37
J831910		520	3.8	54.9	<0.002	0.05	0.10	3.6	1	1.1	180.5	0.35	<0.05	5.2	0.195	0.25
J831911		520	6.1	33.9	<0.002	0.01	0.14	5.2	1	1.1	219	0.35	<0.05	4.5	0.196	0.17
J831911 CRD		550	5.6	34.8	<0.002	<0.01	0.11	4.8	1	1.1	217	0.35	<0.05	4.6	0.202	0.16
J831912		690	9.8	26.8	<0.002	0.01	0.08	14.1	1	1.5	233	0.88	<0.05	3.2	0.375	0.16
J831913		410	5.3	30.9	<0.002	0.03	0.09	8.2	1	1.3	201	0.88	<0.05	3.1	0.236	0.17
J831914		340	11.1	20.2	<0.002	0.03	0.11	6.6	1	0.9	200	0.41	<0.05	13.0	0.229	0.13
J831915		880	63.1	80.6	0.131	2.47	7.07	15.5	7	2.5	246	0.27	0.92	4.3	0.304	0.72
J831916		470	9.4	36.7	<0.002	0.02	0.14	15.1	1	1.2	203	0.72	<0.05	1.5	0.332	0.18
J831917		400	4.7	23.5	<0.002	0.01	0.11	9.1	1	1.3	234	0.49	<0.05	2.1	0.248	0.14
J831918		440	5.2	21.0	<0.002	0.02	0.05	6.4	1	1.0	216	0.54	<0.05	2.9	0.188	0.12
J831919		750	5.2	30.6	<0.002	0.03	0.08	12.9	1	1.7	231	0.94	<0.05	2.0	0.336	0.18
J831920		530	7.0	28.2	<0.002	0.01	0.11	8.3	1	1.1	232	0.63	<0.05	1.6	0.233	0.15
J831921		120	14.9	67.0	<0.002	0.08	<0.05	3.0	1	0.7	86.3	0.90	<0.05	9.1	0.053	0.32
J831922		510	7.9	32.8	<0.002	0.01	0.21	13.4	2	1.7	249	1.11	<0.05	6.3	0.251	0.19
J831923		670	6.9	42.8	<0.002	0.02	0.12	9.4	1	1.0	236	0.69	<0.05	3.4	0.256	0.23
J831924		380	6.2	27.3	<0.002	0.03	0.09	4.2	1	0.9	246	0.38	<0.05	7.5	0.154	0.15
J831925		400	5.6	34.2	<0.002	0.01	0.08	6.4	1	1.1	211	0.65	<0.05	6.7	0.188	0.20
J831926		460	5.0	31.3	<0.002	0.01	0.14	7.9	1	1.4	196.0	0.60	<0.05	2.5	0.227	0.18
J831927		760	4.7	34.6	<0.002	0.01	0.26	8.8	1	1.4	220	0.58	<0.05	2.0	0.278	0.20
J831928		960	4.3	33.7	<0.002	0.01	0.13	6.5	1	1.3	240	0.64	<0.05	1.8	0.357	0.17
J831929		950	4.6	34.4	<0.002	0.01	0.13	7.9	2	1.6	231	1.44	<0.05	3.3	0.338	0.18
J831930		1080	36.2	92.7	0.609	2.41	6.70	10.9	8	2.7	242	0.30	0.89	2.2	0.238	1.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J831892		1.4	11	0.3	10.6	59	254	
J831893		1.7	12	0.3	13.2	81	239	
J831894		2.1	6	0.6	10.9	33	107.5	
J831895		1.1	15	0.2	9.3	48	184.5	
J831896		1.2	19	0.2	8.6	43	201	
J831897		1.4	17	0.2	10.3	38	231	
J831898		1.1	38	0.1	7.2	76	158.0	
J831899		1.2	40	0.1	7.8	72	99.8	
J831900		0.8	112	4.9	15.5	152	32.3	1.275
J831901		2.5	36	0.2	13.3	54	59.1	
J831902		2.5	21	0.5	16.4	43	104.5	
J831903		1.5	66	0.7	9.4	72	126.5	
J831904		1.5	74	0.3	12.4	69	137.5	
J831905		1.3	48	0.2	8.9	62	110.0	
J831906		1.5	68	0.6	11.0	71	138.5	
J831907		2.9	57	1.0	15.7	53	113.0	
J831908		1.2	60	1.2	10.4	60	113.0	
J831909		0.9	27	1.4	7.0	70	106.0	
J831910		0.5	30	0.7	6.4	58	94.5	
J831911		0.4	34	0.4	6.9	69	69.8	
J831911 CRD		0.4	34	0.5	6.8	74	70.8	
J831912		1.4	95	0.2	18.4	81	94.8	
J831913		2.0	51	0.3	12.0	55	66.5	
J831914		3.6	50	0.7	11.1	47	82.6	
J831915		1.2	148	10.9	16.0	170	34.1	2.17
J831916		2.2	82	0.7	12.9	72	72.7	
J831917		0.7	58	0.8	9.6	74	62.4	
J831918		0.9	44	0.1	7.5	55	57.5	
J831919		1.0	83	0.7	13.5	88	54.9	
J831920		1.0	51	0.3	9.5	59	36.5	
J831921		4.9	11	0.2	33.2	19	71.8	
J831922		1.9	68	0.2	29.3	71	137.0	
J831923		0.9	59	0.3	12.6	65	79.7	
J831924		1.1	30	0.2	5.9	50	122.0	
J831925		1.4	40	0.2	10.6	58	146.0	
J831926		2.2	50	0.3	8.4	67	63.7	
J831927		1.1	60	0.2	9.8	80	67.1	
J831928		1.4	51	0.2	8.6	72	118.5	
J831929		1.3	48	0.2	24.2	80	129.5	
J831930		1.1	151	10.4	13.1	141	19.1	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831931		3.32	<0.005		0.11	7.72	4.8	260	0.86	0.03	3.08	0.06	50.1	12.2	37	0.42
J831931 CRD		<0.02	<0.005		0.11	7.49	4.6	250	0.87	0.04	3.02	0.07	44.9	11.2	35	0.41
J831932		2.98	<0.005	<0.005	0.09	6.91	2.3	250	0.95	0.02	2.06	0.04	46.5	7.3	22	0.59
J831933		3.20	0.014		0.20	6.80	2.1	210	0.92	0.02	2.13	0.04	44.7	6.1	17	0.34
J831934		3.14	0.007		0.26	7.07	4.7	200	0.68	0.08	3.19	0.09	51.2	13.8	40	0.40
J831935		3.15	<0.005		0.08	7.03	2.2	280	0.95	0.01	2.81	0.06	30.9	10.0	36	0.35
J831936		3.17	0.120		0.21	7.49	2.4	200	0.71	0.06	4.33	0.08	63.1	18.6	66	0.43
J831937		3.06	0.021		0.13	7.50	3.1	230	0.82	0.03	3.65	0.06	71.2	14.9	53	0.51
J831938		2.74	<0.005		0.11	7.10	3.2	210	0.73	0.07	2.93	0.05	62.3	9.9	28	0.38
J831939		3.16	<0.005		0.14	7.20	1.3	230	0.79	0.01	2.74	0.05	36.4	8.6	19	0.32
J831940		3.57	0.005		0.07	7.16	2.4	220	0.86	0.11	2.55	0.04	43.7	7.2	21	0.38
J831941		3.23	<0.005		0.10	7.62	4.2	190	0.87	0.01	3.35	0.05	35.8	13.5	33	0.35
J831942		3.59	<0.005		0.14	7.43	4.2	180	0.80	0.04	3.37	0.07	44.8	14.0	50	0.44
J831943		3.25	0.157		0.15	7.32	6.9	230	0.67	0.14	4.17	0.05	59.3	9.3	37	0.64
J831944		2.88	0.005		0.05	7.29	4.9	300	0.64	0.01	2.52	0.05	43.8	6.0	9	0.60
J831945		1.07	<0.005		0.15	0.15	5	10	<0.05	0.01	20.2	<0.02	2.44	0.7	<1	0.10
J831946		4.08	0.007		0.03	6.91	3.7	270	0.60	0.02	2.40	0.05	35.2	5.5	10	0.46
J831947		3.52	0.008		0.02	6.49	1.1	430	0.75	0.01	2.24	0.03	24.5	5.5	12	0.72
J831948		3.11	<0.005		0.20	4.98	0.7	10	0.28	0.03	7.62	0.06	8.15	61.1	1060	<0.05
J831949		2.35	<0.005		0.17	4.77	1.5	<10	0.37	0.02	7.56	0.06	7.51	69.2	1300	<0.05
J831950		3.00	0.044		0.29	4.99	2.3	20	0.20	0.04	7.39	0.06	17.55	53.7	805	0.08
J831951		3.31	0.028		0.13	6.13	2.0	60	0.30	0.03	5.26	0.05	24.6	50.0	798	0.20
J831951 CRD		<0.02	0.045		0.11	6.11	2.1	80	0.27	0.03	5.31	0.05	26.1	47.8	759	0.21
J831952		3.08	0.096	0.083	0.89	6.46	<5	<10	0.22	0.07	10.35	0.08	8.17	59.5	1410	0.06
J831953		3.06	0.620		3.37	7.38	0.6	160	0.43	0.06	6.47	0.05	30.3	45.8	796	0.53
J831954		2.28	0.096		0.17	6.14	0.3	350	0.70	0.01	1.13	<0.02	28.2	2.7	15	0.69
J831955		2.37	0.246		0.03	6.89	0.2	370	0.76	0.01	1.17	0.02	37.7	4.2	13	0.72
J831956		2.83	0.010		0.18	5.15	1.0	10	0.27	0.04	7.69	0.06	11.45	70.4	1020	<0.05
J831957		3.49	<0.005		0.13	4.84	0.8	<10	0.31	0.02	7.77	0.06	6.76	71.5	1280	<0.05
J831958		2.71	<0.005		0.14	5.03	1.4	10	0.27	0.02	7.72	0.05	7.93	64.3	1140	<0.05
J831959		2.46	0.006		0.01	5.24	0.5	210	0.64	0.01	1.46	<0.02	15.70	3.5	23	0.32
J831960		0.07	0.983		4.75	6.26	18.6	480	0.71	1.89	2.43	1.75	21.2	14.4	63	0.76
J831961		3.18	0.142		0.11	7.24	0.3	340	0.79	0.02	2.67	0.03	54.9	11.8	43	0.88
J831962		3.14	<0.005		0.02	6.39	0.8	200	0.87	0.02	1.63	0.02	38.5	4.4	10	0.48
J831963		3.23	0.014		0.02	7.16	0.8	270	0.67	0.02	2.11	0.04	40.9	5.4	7	0.66
J831964		3.70	<0.005		<0.01	7.33	0.7	300	0.64	<0.01	2.73	0.03	49.5	7.7	9	0.59
J831965		2.58	1.000		0.42	7.14	0.9	350	0.78	0.11	2.32	0.02	40.7	8.5	10	1.10
J831966		3.31	0.295		0.12	6.97	0.4	310	0.74	0.04	2.02	0.03	40.7	5.2	7	0.93
J831967		3.51	0.025		0.01	7.70	1.0	210	0.79	0.02	3.78	0.03	69.3	14.2	8	0.67
J831968		3.27	0.009		0.03	7.27	0.8	130	0.63	0.02	3.99	0.03	68.2	15.7	8	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831931		30.4	3.36	20.6	0.14	2.4	0.033	1.07	25.1	15.0	1.09	579	0.24	3.00	7.0	27.0
J831931 CRD		26.5	3.16	20.6	0.14	2.4	0.032	1.05	22.1	14.4	1.01	545	3.58	3.00	6.9	25.6
J831932		27.3	2.16	19.30	0.12	2.4	0.022	1.11	22.4	14.9	0.63	360	0.10	2.86	6.6	15.0
J831933		62.9	1.85	18.60	0.12	2.7	0.020	0.80	23.0	9.1	0.47	308	0.14	3.14	5.6	13.1
J831934		76.4	3.51	18.55	0.13	1.7	0.032	0.85	25.1	16.4	1.25	605	0.11	2.62	6.3	34.4
J831935		17.1	2.44	18.80	0.11	2.2	0.022	1.00	14.4	10.8	0.93	465	0.13	3.01	5.7	28.8
J831936		67.6	4.24	17.35	0.12	1.1	0.034	0.88	30.7	15.7	1.84	785	0.24	2.60	7.6	51.5
J831937		27.5	3.68	18.10	0.14	1.5	0.038	0.98	34.8	16.0	1.47	674	0.13	2.68	7.6	41.5
J831938		14.3	2.89	19.25	0.13	3.1	0.033	0.78	31.1	14.1	0.84	508	0.09	3.00	6.7	19.1
J831939		36.3	2.71	18.75	0.12	2.0	0.027	0.78	18.4	10.7	0.77	456	0.10	2.92	6.4	18.5
J831940		7.0	2.47	20.0	0.14	2.1	0.025	0.78	22.7	10.9	0.60	380	0.09	2.96	5.6	10.8
J831941		20.8	3.45	19.35	0.13	2.3	0.039	0.76	17.5	13.2	1.02	622	0.09	2.84	6.7	21.3
J831942		17.8	3.72	19.50	0.13	1.0	0.043	0.81	21.5	14.6	1.44	739	0.17	2.57	8.0	41.2
J831943		12.4	3.38	26.3	0.15	2.1	0.041	1.02	29.7	13.0	0.73	535	0.37	2.44	7.3	24.2
J831944		6.6	2.22	19.15	0.11	2.4	0.020	1.16	22.6	8.8	0.39	289	0.25	2.91	4.8	3.1
J831945		0.8	0.09	0.40	0.12	0.1	0.007	0.11	1.9	4.5	13.15	48	0.12	0.01	0.4	0.6
J831946		6.7	2.23	18.05	0.17	2.7	0.021	1.04	16.7	8.8	0.42	280	0.12	2.77	5.4	2.7
J831947		14.9	2.11	18.95	0.15	2.5	0.019	1.50	11.2	8.5	0.50	307	0.17	2.93	5.7	3.3
J831948		120.5	7.38	12.35	0.19	1.5	0.043	0.02	3.2	14.1	8.15	1380	0.31	0.07	2.6	561
J831949		94.9	7.74	11.35	0.16	1.3	0.041	0.01	2.9	10.5	9.45	1380	0.24	<0.01	2.1	681
J831950		104.5	6.47	12.95	0.17	2.0	0.036	0.08	8.3	20.1	6.15	1180	0.25	0.32	3.2	423
J831951		79.3	6.54	15.75	0.19	3.0	0.033	0.27	12.3	29.1	5.70	1100	0.33	0.89	4.6	406
J831951 CRD		68.9	6.35	15.35	0.18	3.1	0.032	0.29	13.1	29.7	5.47	1080	0.26	0.93	4.6	382
J831952		78.5	8.58	19.20	0.20	1.9	0.039	<0.01	3.0	43.7	7.05	1900	0.39	<0.01	3.0	716
J831953		49.9	7.39	21.0	0.17	2.8	0.044	0.84	14.7	46.1	5.03	1400	2.44	0.86	5.2	413
J831954		18.8	0.84	15.15	0.11	2.8	0.011	1.47	13.4	2.0	0.19	108	0.18	2.92	1.9	7.5
J831955		13.0	1.34	16.95	0.13	5.0	0.015	1.43	18.0	5.8	0.48	198	0.60	3.38	3.9	8.1
J831956		119.0	7.72	13.05	0.18	1.5	0.045	0.01	4.3	14.7	8.26	1360	0.27	0.01	2.6	565
J831957		113.0	8.02	12.45	0.20	1.4	0.047	0.01	2.4	16.5	9.58	1420	0.27	0.02	2.4	688
J831958		124.0	7.97	13.45	0.20	1.5	0.044	0.01	3.1	17.1	8.26	1460	0.27	0.01	2.5	581
J831959		4.3	1.28	11.65	0.11	2.2	0.010	0.64	7.8	4.3	0.29	186	0.15	2.53	3.0	7.4
J831960		>10000	4.63	12.65	0.20	1.0	0.130	0.83	10.0	16.4	1.16	661	237	2.16	3.7	32.3
J831961		20.0	3.37	19.35	0.08	2.2	0.027	1.43	27.3	16.5	1.02	555	0.15	2.56	7.8	29.1
J831962		39.3	1.38	17.40	0.13	2.2	0.009	0.96	17.7	6.3	0.28	220	0.15	2.98	5.3	5.1
J831963		21.4	2.10	19.25	0.15	4.0	0.020	1.39	19.3	7.0	0.35	317	0.15	2.87	7.2	2.8
J831964		20.7	2.91	19.75	0.17	4.3	0.025	1.22	22.6	10.9	0.52	339	0.13	2.42	7.0	4.0
J831965		19.0	2.88	20.5	0.16	3.7	0.028	2.05	18.0	12.1	0.53	368	11.15	2.24	8.3	6.1
J831966		10.5	1.97	18.35	0.17	3.9	0.017	1.84	20.0	7.9	0.35	291	5.89	2.39	7.4	4.2
J831967		21.3	4.57	22.7	0.21	5.4	0.054	1.20	28.7	19.5	0.87	606	0.21	2.37	11.2	7.7
J831968		24.2	4.83	21.5	0.21	4.4	0.058	0.81	27.6	21.9	0.94	656	0.19	2.33	11.1	7.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831931		730	6.4	34.9	<0.002	0.02	0.15	9.3	1	1.3	236	0.63	<0.05	4.9	0.276	0.19
J831931 CRD		680	6.2	31.7	<0.002	0.02	0.14	8.6	1	1.3	232	0.63	<0.05	4.1	0.264	0.18
J831932		440	4.5	41.2	<0.002	0.01	0.09	5.5	1	1.0	185.0	0.61	<0.05	5.2	0.170	0.21
J831933		360	6.9	24.5	<0.002	0.02	0.12	4.5	1	1.0	203	0.61	<0.05	5.3	0.133	0.13
J831934		830	7.8	27.5	<0.002	0.06	0.15	10.2	1	1.3	237	0.62	<0.05	3.3	0.291	0.15
J831935		510	5.1	25.3	<0.002	0.02	0.13	8.3	1	0.9	238	0.67	<0.05	2.5	0.190	0.14
J831936		1060	6.0	27.3	<0.002	0.05	0.18	14.7	1	1.2	307	0.86	<0.05	3.4	0.332	0.14
J831937		800	5.9	33.4	<0.002	0.03	0.18	12.3	1	1.5	264	0.75	<0.05	3.3	0.289	0.18
J831938		520	4.2	22.6	<0.002	0.01	0.19	8.8	1	1.5	232	0.50	<0.05	5.6	0.237	0.13
J831939		560	4.5	20.4	<0.002	0.01	0.14	6.6	1	1.1	240	0.48	<0.05	3.5	0.231	0.11
J831940		430	5.1	23.5	<0.002	0.01	0.15	5.9	1	1.0	217	0.34	<0.05	4.9	0.191	0.13
J831941		560	4.0	23.5	<0.002	0.01	0.15	10.8	1	1.5	230	0.65	<0.05	2.5	0.271	0.12
J831942		830	4.4	26.3	<0.002	0.01	0.18	11.5	1	1.6	240	0.67	<0.05	3.0	0.306	0.14
J831943		650	7.0	35.8	<0.002	0.07	0.13	10.0	1	1.6	299	0.58	<0.05	7.0	0.278	0.17
J831944		520	4.8	35.5	<0.002	0.01	0.16	4.7	1	0.8	241	0.32	<0.05	2.9	0.210	0.21
J831945		10	1.1	2.3	0.003	0.04	0.06	0.4	1	<0.2	62.1	<0.05	<0.05	0.3	0.008	0.02
J831946		500	7.2	35.1	0.004	0.01	0.21	3.9	1	0.7	239	0.29	<0.05	2.7	0.196	0.19
J831947		500	3.7	52.7	0.004	0.01	0.12	2.9	1	0.9	164.0	0.34	<0.05	2.8	0.184	0.29
J831948		300	3.0	0.4	0.004	0.06	0.12	26.2	1	0.5	71.7	0.17	<0.05	0.4	0.521	<0.02
J831949		270	1.1	<0.1	0.002	0.16	0.12	25.5	1	0.4	70.2	0.14	<0.05	0.3	0.492	<0.02
J831950		280	4.2	3.3	0.004	0.21	0.10	22.3	1	0.5	113.0	0.20	0.11	2.1	0.428	0.02
J831951		340	3.2	12.5	0.004	0.14	0.11	20.7	1	0.7	92.8	0.26	<0.05	3.7	0.451	0.05
J831951 CRD		330	3.8	13.1	0.004	0.12	0.11	20.1	1	0.7	95.3	0.27	<0.05	4.2	0.424	0.06
J831952		370	4.3	<0.1	0.003	0.06	0.15	30.9	1	0.8	169.5	0.20	0.43	0.4	0.632	<0.02
J831953		380	2.6	31.3	0.003	0.10	0.15	22.0	1	1.2	124.5	0.33	0.11	3.4	0.511	0.12
J831954		210	4.4	51.0	0.004	0.08	0.08	1.5	1	0.4	102.5	0.18	<0.05	7.7	0.057	0.20
J831955		200	3.1	54.4	0.003	0.02	0.10	1.9	1	0.7	128.5	0.35	<0.05	7.8	0.102	0.23
J831956		320	3.4	<0.1	0.003	0.25	0.15	28.9	1	0.5	92.0	0.16	<0.05	0.4	0.564	<0.02
J831957		290	1.5	<0.1	0.003	0.10	0.18	27.8	1	0.5	78.4	0.14	<0.05	0.3	0.495	<0.02
J831958		310	1.9	<0.1	0.004	0.21	0.17	28.9	1	0.5	81.3	0.17	<0.05	0.3	0.535	<0.02
J831959		230	2.6	27.2	0.003	0.03	0.10	1.6	1	0.4	170.0	0.20	<0.05	2.5	0.093	0.12
J831960		570	37.9	20.5	1.285	1.58	25.9	13.9	6	1.1	284	0.27	0.64	2.0	0.318	0.22
J831961		630	4.3	52.8	<0.002	0.04	0.16	7.0	1	1.4	176.0	0.65	0.05	4.1	0.251	0.27
J831962		180	8.8	32.3	0.003	0.05	0.11	2.1	1	0.6	171.0	0.33	<0.05	10.1	0.109	0.14
J831963		460	11.2	45.9	0.004	0.03	0.13	4.6	1	0.7	185.0	0.55	<0.05	6.3	0.188	0.20
J831964		690	5.2	38.9	0.003	0.01	0.20	5.4	1	0.8	263	0.43	<0.05	3.9	0.270	0.18
J831965		780	5.5	64.2	0.002	0.29	0.09	5.9	1	0.9	95.6	0.51	0.23	3.2	0.279	0.30
J831966		420	5.5	60.4	0.003	0.08	0.08	4.2	1	1.0	99.9	0.54	0.08	6.6	0.168	0.26
J831967		1190	4.8	38.5	0.003	0.04	0.13	10.7	1	1.4	232	0.56	<0.05	5.0	0.358	0.19
J831968		1330	4.9	29.1	<0.002	0.04	0.17	12.0	1	1.3	253	0.62	<0.05	2.5	0.380	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J831931		1.1	62	0.3	11.4	91	84.4	
J831931 CRD		1.2	60	0.3	10.6	84	85.4	
J831932		1.1	34	0.4	8.9	57	72.7	
J831933		1.4	26	0.2	9.0	50	87.6	
J831934		1.0	74	0.3	11.6	93	58.9	
J831935		2.0	48	0.4	11.0	55	51.7	
J831936		0.8	94	0.5	17.5	76	32.0	
J831937		0.9	76	0.7	20.9	72	48.5	
J831938		1.0	52	0.5	13.1	68	137.0	
J831939		0.9	41	0.2	8.6	70	74.6	
J831940		0.9	38	0.4	7.7	64	78.4	
J831941		1.0	71	0.5	14.4	80	89.9	
J831942		1.2	66	0.4	15.7	101	26.3	
J831943		1.2	54	0.6	14.7	64	70.3	
J831944		0.5	27	0.2	4.4	65	98.3	
J831945		0.1	<1	0.1	1.7	<2	2.5	
J831946		0.4	26	0.2	4.3	63	98.5	
J831947		0.4	25	0.5	4.9	38	85.4	
J831948		0.1	207	0.5	10.7	134	48.0	
J831949		0.1	205	0.4	9.8	119	44.2	
J831950		0.4	163	0.6	11.0	124	74.1	
J831951		0.8	152	0.9	12.5	135	112.0	
J831951 CRD		0.8	146	0.8	12.0	133	114.0	
J831952		0.4	218	2.0	13.7	219	64.3	
J831953		0.8	156	1.9	17.6	175	100.0	
J831954		3.4	13	0.6	5.7	11	57.6	
J831955		1.8	18	0.6	7.8	22	120.0	
J831956		0.1	220	0.4	11.5	125	49.3	
J831957		0.1	210	0.4	10.8	96	46.7	
J831958		0.1	218	0.5	11.5	138	49.6	
J831959		0.7	16	0.2	4.1	17	54.7	
J831960		0.8	101	5.1	15.0	140	26.7	1.300
J831961		0.9	55	0.6	10.6	83	74.3	
J831962		1.1	15	0.3	8.3	33	54.9	
J831963		1.6	25	0.3	17.3	51	134.0	
J831964		0.5	37	0.2	8.8	72	166.0	
J831965		0.7	41	1.6	11.6	63	142.5	
J831966		1.3	24	1.0	9.5	42	134.5	
J831967		0.7	66	0.6	24.9	78	208	
J831968		0.7	76	0.8	28.8	83	177.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J831969		3.52	0.005		0.56	7.53	0.6	230	0.54	0.02	3.49	0.04	45.8	13.4	7	0.47
J831970		3.59	0.010		0.05	7.17	0.2	310	0.64	<0.01	2.83	0.03	54.7	10.4	5	0.68
J831971		3.79	0.134		0.09	7.27	0.6	290	0.79	0.02	3.53	0.04	65.6	12.4	9	0.82
J831971 CRD		<0.02	0.128		0.07	7.29	0.5	300	0.71	0.03	3.52	0.05	59.4	12.7	5	0.82
J831972		3.54	<0.005	<0.005	<0.01	6.91	0.6	280	0.87	0.01	2.11	0.03	50.5	5.6	4	0.76
J831973		3.35	0.014		0.09	7.02	0.6	240	1.02	0.01	2.34	0.05	28.5	9.6	29	0.91
J831974		3.58	0.043		0.14	6.17	0.8	240	0.76	0.01	3.18	0.05	33.4	10.7	32	0.73
J831975		0.12	2.32		7.60	6.19	41.9	590	0.83	3.36	1.55	0.84	50.6	15.0	57	2.84
J831976		3.13	0.052		0.10	7.43	<0.2	210	0.67	0.02	4.01	0.09	25.9	18.3	66	0.84
J831977		3.27	<0.005		0.08	6.85	0.7	220	1.22	0.01	3.27	0.07	17.65	13.0	30	0.96
J831978		2.88	0.007		0.07	7.28	<0.2	270	1.02	0.01	2.99	0.06	18.50	13.8	26	1.07
J831979		2.24	<0.005		0.04	7.72	0.7	250	1.17	0.13	2.96	0.07	21.1	11.7	25	0.85
J831980		3.62	<0.005		0.28	6.84	0.2	300	1.05	0.03	2.28	0.05	26.9	4.4	8	0.89
J831981		4.31	0.011		0.13	7.79	0.8	280	0.96	0.07	4.08	0.13	34.9	15.5	43	0.89
J831982		3.38	0.184		0.21	7.52	0.3	510	1.11	0.10	1.93	0.07	32.1	9.8	10	1.10
J831983		3.28	0.264		0.29	7.56	0.7	500	1.09	0.10	2.43	0.09	20.3	11.6	24	1.16
J831984		3.30	0.107		0.12	7.07	0.5	360	0.83	0.08	4.22	0.15	23.6	15.4	33	0.92
J831985		3.54	0.146		0.10	7.02	0.7	480	0.93	0.08	2.39	0.09	47.7	13.1	11	0.97
J831986		3.28	0.080		0.12	7.15	0.6	490	0.87	0.05	1.22	0.05	40.2	8.2	7	0.85
J831987		3.49	0.006		0.08	6.59	0.6	250	0.73	0.02	3.78	0.12	65.2	17.7	217	0.49
J831988		3.52	0.006		0.02	6.58	0.6	240	0.83	0.03	1.50	0.05	20.6	3.6	8	0.59
J831989		3.40	0.025		0.06	7.31	0.5	310	0.87	0.04	3.12	0.08	48.5	11.5	10	0.76
J831990		0.07	0.375		2.07	8.04	97.2	590	1.04	0.54	0.59	1.00	31.9	16.9	31	6.63
J831991		3.48	0.164		0.12	7.54	0.4	360	0.86	0.08	3.42	0.11	32.3	14.2	14	0.77
J831991 CRD		<0.02	0.201		0.17	7.61	0.9	380	0.92	0.09	3.50	0.11	36.4	14.9	14	0.81
J831992		3.17	0.568	0.711	0.54	7.00	0.3	330	0.83	0.41	2.15	0.05	44.7	6.1	7	0.61
J831993		3.39	<0.005		0.07	7.28	0.3	340	0.86	0.02	2.27	0.05	31.5	6.7	9	0.56
J831994		3.23	0.034		0.29	6.81	0.4	350	0.89	0.03	2.37	0.08	39.0	5.3	11	0.70
J831995		3.42	0.016		0.06	7.47	0.4	310	0.95	0.02	2.38	0.07	37.3	9.5	10	0.71
J831996		3.34	0.027		0.05	6.75	0.3	300	0.88	0.01	1.96	0.05	33.6	6.4	17	0.60
J831997		3.34	0.005		0.03	7.09	0.4	360	0.82	0.01	2.20	0.05	53.3	5.8	8	0.66
J831998		3.20	<0.005		0.03	6.42	0.5	300	0.84	<0.01	1.81	0.05	81.5	3.9	9	0.56
J831999		3.28	<0.005		0.02	6.62	0.4	300	0.77	<0.01	1.88	0.05	42.7	3.5	5	0.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J831969		505	4.25	17.65	0.16	4.1	0.038	1.06	19.3	16.3	0.81	583	0.75	2.39	9.0	8.4
J831970		38.4	3.71	17.75	0.17	4.6	0.034	1.42	23.0	15.9	0.73	487	0.17	2.34	8.8	4.8
J831971		43.0	3.90	21.6	0.21	4.6	0.046	1.46	28.5	18.6	0.73	541	0.16	2.32	10.4	6.1
J831971 CRD		48.7	3.89	21.7	0.20	4.6	0.048	1.49	25.6	18.6	0.72	540	0.15	2.31	10.3	5.6
J831972		10.3	1.95	18.25	0.17	4.4	0.014	1.46	22.4	8.1	0.34	273	0.10	2.53	5.5	2.5
J831973		42.1	2.41	19.50	0.15	2.6	0.025	1.73	11.7	13.7	0.76	409	0.17	2.59	6.5	24.7
J831974		24.1	2.68	15.35	0.15	1.0	0.019	1.36	14.9	16.0	0.88	511	0.22	1.94	4.5	28.2
J831975		>10000	5.34	12.95	0.23	1.2	0.101	2.48	23.3	17.2	1.10	591	108.0	1.52	5.7	31.2
J831976		17.6	4.07	17.85	0.07	1.4	0.032	1.37	11.7	29.3	1.80	760	0.25	2.48	4.9	58.2
J831977		49.7	2.74	22.0	0.16	2.3	0.022	1.49	7.9	19.0	1.00	526	0.16	2.66	6.1	31.9
J831978		61.6	3.23	20.4	0.15	2.2	0.030	1.67	8.0	19.2	1.04	538	0.12	2.50	5.3	28.2
J831979		15.0	3.36	21.3	0.13	2.3	0.037	1.43	9.0	17.3	1.00	595	0.11	2.86	9.9	23.9
J831980		242	1.38	17.85	0.13	3.0	0.016	1.80	12.2	4.6	0.30	346	0.47	2.72	4.3	6.9
J831981		72.9	3.73	20.1	0.18	2.1	0.038	1.70	15.4	19.8	1.26	741	0.12	2.34	7.3	44.5
J831982		58.6	2.27	19.35	0.17	2.7	0.023	2.62	15.4	7.9	0.55	353	0.11	1.60	4.2	11.6
J831983		47.3	2.66	20.3	0.15	2.0	0.030	2.70	9.0	10.6	0.80	451	0.17	1.64	5.7	25.1
J831984		52.3	3.71	17.55	0.17	1.5	0.033	1.98	10.1	16.0	1.14	756	0.18	1.42	4.8	30.5
J831985		46.2	2.92	19.55	0.17	4.3	0.031	2.30	21.7	9.5	0.60	463	0.22	1.49	8.8	10.2
J831986		48.1	1.92	18.10	0.14	3.4	0.019	2.14	18.9	5.2	0.37	235	0.11	2.06	5.1	5.5
J831987		37.3	3.15	14.65	0.20	3.0	0.026	1.07	29.8	20.7	2.14	811	0.36	2.23	4.7	115.0
J831988		11.7	1.38	17.15	0.13	3.5	0.018	1.33	9.1	3.5	0.21	306	0.12	3.05	4.8	3.6
J831989		29.8	3.75	18.70	0.18	4.4	0.036	1.52	20.7	15.5	0.79	655	0.08	2.40	7.6	10.9
J831990		4430	4.87	16.60	0.22	0.9	0.059	4.21	17.5	10.6	0.78	512	258	1.06	4.9	23.8
J831991		25.3	3.86	19.25	0.16	3.8	0.035	1.74	14.7	16.8	0.91	691	0.39	2.16	7.1	15.0
J831991 CRD		31.3	3.98	20.8	0.20	4.1	0.040	1.81	16.2	17.7	0.93	711	0.21	2.19	7.8	15.8
J831992		85.4	2.39	15.70	0.16	3.7	0.021	1.47	21.2	6.6	0.41	414	0.15	2.61	4.2	4.8
J831993		30.9	2.77	17.10	0.14	3.2	0.021	1.34	14.0	8.7	0.49	458	0.17	3.06	5.3	5.9
J831994		87.8	1.72	17.55	0.17	3.6	0.020	1.58	18.2	6.0	0.30	397	0.28	2.58	3.8	4.7
J831995		16.4	2.80	19.35	0.18	3.8	0.027	1.58	16.7	12.3	0.59	452	0.12	2.69	6.0	10.3
J831996		36.6	2.13	17.50	0.16	4.4	0.020	1.38	15.0	9.6	0.48	328	0.17	2.64	4.9	15.5
J831997		21.6	2.24	19.10	0.17	4.5	0.018	1.55	24.0	9.2	0.39	345	0.12	2.71	5.4	4.3
J831998		13.3	1.56	17.75	0.19	8.6	0.015	1.37	39.7	6.2	0.27	263	0.11	2.77	4.8	3.5
J831999		34.2	1.55	16.90	0.15	3.6	0.013	1.39	19.1	5.4	0.25	257	0.17	2.82	4.8	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J831969		1060	5.3	32.1	<0.002	0.13	0.13	7.0	1	1.0	248	0.48	<0.05	2.1	0.345	0.14
J831970		960	4.0	43.6	0.002	0.04	0.11	6.9	1	1.0	180.5	0.45	<0.05	3.6	0.329	0.20
J831971		1020	4.0	53.3	0.002	0.06	0.13	9.2	1	1.5	173.5	0.55	<0.05	2.7	0.334	0.22
J831971 CRD		1030	4.4	52.8	<0.002	0.07	0.13	9.2	1	1.5	174.5	0.57	<0.05	2.7	0.331	0.23
J831972		390	5.9	50.1	0.002	0.01	0.10	3.0	1	0.8	208	0.31	<0.05	5.5	0.163	0.21
J831973		460	6.1	54.1	<0.002	0.02	0.14	8.6	1	1.2	140.5	0.73	<0.05	2.7	0.154	0.23
J831974		480	4.3	46.8	<0.002	0.01	0.12	7.9	1	0.9	181.0	0.38	<0.05	1.8	0.155	0.18
J831975		830	56.4	72.7	0.125	2.12	7.19	14.1	7	2.5	239	0.25	0.92	4.1	0.298	0.69
J831976		780	4.7	37.6	<0.002	0.02	0.18	11.5	1	1.1	182.0	0.56	<0.05	1.2	0.269	0.20
J831977		490	5.6	51.5	0.003	0.01	0.14	10.4	1	0.9	202	0.84	<0.05	1.9	0.199	0.23
J831978		600	4.1	59.1	0.003	<0.01	0.16	9.8	1	1.0	189.0	0.58	<0.05	1.5	0.247	0.25
J831979		600	6.6	46.3	0.002	<0.01	0.14	9.5	1	1.7	211	1.51	<0.05	2.9	0.244	0.23
J831980		170	4.8	53.9	0.003	0.05	0.21	2.6	1	0.6	183.5	0.35	<0.05	3.8	0.095	0.25
J831981		720	8.2	54.2	<0.002	0.09	0.21	11.2	1	1.3	214	0.60	<0.05	3.8	0.271	0.24
J831982		420	4.9	73.6	0.002	0.21	0.15	5.2	1	0.9	114.0	0.30	0.06	3.7	0.201	0.34
J831983		570	5.9	72.4	0.003	0.20	0.17	6.4	1	1.1	133.0	0.76	0.13	1.4	0.218	0.35
J831984		590	5.8	58.0	0.002	0.25	0.20	10.7	1	1.0	170.5	0.40	0.07	0.8	0.257	0.24
J831985		580	5.1	65.6	0.002	0.32	0.18	7.5	1	1.5	115.5	0.66	<0.05	4.5	0.243	0.29
J831986		330	4.2	58.8	<0.002	0.22	0.12	3.8	1	1.0	90.1	0.40	<0.05	5.0	0.126	0.28
J831987		740	6.2	32.5	0.002	0.08	0.15	9.1	1	0.7	174.5	0.32	<0.05	5.0	0.176	0.14
J831988		200	6.6	44.1	0.002	0.08	0.10	2.9	1	0.8	141.0	0.45	<0.05	6.1	0.077	0.18
J831989		800	4.7	50.2	<0.002	0.05	0.18	9.4	1	1.5	172.5	0.57	<0.05	3.9	0.259	0.23
J831990		1160	39.1	108.5	0.602	2.54	7.29	10.9	8	2.8	262	0.33	1.01	2.3	0.255	1.28
J831991		600	6.4	54.7	0.002	0.22	0.21	10.7	1	1.3	164.5	0.63	<0.05	2.4	0.265	0.24
J831991 CRD		640	6.5	53.5	<0.002	0.22	0.20	11.6	1	1.4	166.5	0.67	<0.05	2.9	0.274	0.25
J831992		430	11.9	41.5	<0.002	0.09	0.12	4.3	1	0.8	162.0	0.33	<0.05	4.5	0.145	0.18
J831993		530	4.5	38.6	<0.002	0.03	0.14	4.6	1	1.0	194.0	0.36	<0.05	3.5	0.181	0.16
J831994		280	5.6	51.4	<0.002	0.07	0.11	3.1	1	0.8	173.5	0.24	<0.05	4.8	0.114	0.23
J831995		470	5.4	51.1	<0.002	0.07	0.18	6.8	1	1.1	165.0	0.71	<0.05	4.5	0.208	0.22
J831996		440	5.5	43.4	0.002	0.02	0.12	4.3	1	0.9	170.0	0.81	<0.05	4.5	0.142	0.20
J831997		490	5.4	47.8	<0.002	0.01	0.16	3.4	1	1.1	181.5	0.41	<0.05	6.0	0.165	0.23
J831998		150	8.7	42.0	<0.002	0.02	0.14	2.8	1	0.7	177.5	0.36	<0.05	16.5	0.121	0.19
J831999		290	5.5	42.6	<0.002	0.01	0.11	2.4	1	0.6	186.0	0.69	<0.05	5.7	0.107	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J831969		0.5	59	0.2	17.2	91	163.0	
J831970		0.5	53	0.4	15.7	98	179.0	
J831971		0.5	55	0.9	20.2	94	172.0	
J831971 CRD		0.5	55	1.0	19.8	94	170.0	
J831972		1.4	18	0.1	7.6	46	145.5	
J831973		1.4	41	0.7	9.1	63	42.7	
J831974		0.5	42	0.9	6.8	57	28.4	
J831975		1.1	136	11.7	13.8	157	35.1	2.18
J831976		0.7	85	1.8	5.4	88	24.9	
J831977		1.9	57	0.3	6.5	50	60.8	
J831978		0.6	66	0.7	8.1	64	81.8	
J831979		1.3	59	0.4	9.0	82	76.2	
J831980		0.8	18	0.4	4.3	22	79.1	
J831981		1.6	74	2.5	8.1	85	60.0	
J831982		0.5	46	4.7	3.8	43	100.5	
J831983		0.7	56	3.8	3.8	56	66.0	
J831984		0.6	68	5.3	4.7	81	52.3	
J831985		1.0	48	5.0	7.1	52	152.5	
J831986		0.8	27	3.6	4.9	29	105.5	
J831987		0.6	58	1.6	7.9	81	101.0	
J831988		2.0	18	0.5	8.0	19	74.2	
J831989		0.8	61	2.8	9.8	71	158.5	
J831990		1.1	154	11.9	14.6	144	25.1	
J831991		1.0	69	2.7	8.0	80	134.5	
J831991 CRD		1.0	70	2.9	9.1	82	146.0	
J831992		0.7	30	0.5	6.7	42	119.5	
J831993		0.9	39	0.4	6.6	56	97.5	
J831994		0.7	23	0.9	5.2	31	107.5	
J831995		0.8	48	2.4	6.4	65	123.5	
J831996		1.0	28	1.2	5.5	52	118.0	
J831997		0.7	28	1.2	6.1	51	149.0	
J831998		1.3	13	1.2	7.6	34	226	
J831999		1.5	20	0.7	5.1	32	105.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189372

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.