ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE TB10176555

Project: HAMMOND REEF

P.O. No.:

This report is for 173 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 26-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840000		0.07	0.941		4.66	6.95	21.8	510	0.69	1.79	2.62	1.77	21.5	15.2	65	0.76
J840001		3.15	0.214		0.06	7.02	<0.2	400	0.90	0.06	2.27	0.04	34.0	6.8	12	1.05
J840002		3.30	1.385		0.47	7.44	<0.2	420	1.03	0.13	3.01	0.04	52.8	9.3	10	1.26
J840003		3.32	1.965		0.75	7.95	<0.2	420	0.99	0.10	3.06	0.04	67.4	11.7	7	1.24
J840004		2.36	0.287		0.06	7.63	0.4	550	0.97	0.02	3.52	0.04	57.6	9.3	8	1.26
J840005		4.22	1.690		0.65	6.74	1.7	490	0.98	0.17	2.21	0.04	42.7	8.1	12	1.33
J840006		3.25	0.235		0.06	7.33	0.2	580	0.92	0.02	1.87	0.03	52.9	4.1	8	1.20
J840007		3.22	0.477		0.11	7.42	0.2	570	1.00	0.02	2.07	0.03	43.1	5.2	14	1.30
J840008		3.19	0.534		0.72	6.98	0.3	430	0.98	0.13	2.27	0.04	42.9	6.8	12	1.29
J840009		3.30	1.195		1.09	7.50	0.4	470	1.09	0.33	2.24	0.04	50.9	7.1	14	1.43
J840010		3.42	0.724		0.15	7.36	0.3	430	1.01	0.08	2.20	0.04	53.7	7.7	14	1.46
J840011		3.33	1.485		0.54	7.40	0.2	410	1.09	0.15	2.51	0.04	50.0	7.4	12	1.42
J840012		3.32	1.800		0.58	7.14	<0.2	430	0.98	0.16	2.64	0.04	38.9	6.8	14	1.41
J840013		3.32	0.677		0.52	7.19	0.3	480	1.00	0.17	2.35	0.04	50.2	7.0	12	1.34
J840014		3.22	0.921		0.41	7.34	0.2	440	1.00	0.08	2.54	0.03	56.3	7.7	11	1.33
J840015		0.12	2.32		8.67	7.30	55.0	710	0.87	3.46	1.80	0.94	59.7	18.3	59	3.35
J840016		3.29	0.309		0.23	7.59	<0.2	470	1.04	0.03	2.68	0.04	60.6	6.9	12	1.39
J840017		3.40	1.150		0.27	7.56	<0.2	490	1.05	0.07	2.72	0.05	54.7	7.5	12	1.46
J840018		3.29	1.275		0.27	7.54	<0.2	500	1.11	0.12	3.12	0.10	54.4	9.6	13	1.40
J840019		3.31	0.523		0.09	7.55	0.2	460	0.93	0.07	2.81	<0.02	55.6	8.4	15	1.26
J840019 CRD		<0.02	0.544		0.11	7.50	0.2	450	0.91	0.06	2.78	<0.02	57.1	8.2	14	1.25
J840020		3.33	0.105	0.109	0.04	7.30	0.2	430	0.88	0.02	2.72	0.04	48.0	7.0	10	1.15
J840021		3.32	0.110		0.06	7.46	1.1	380	0.92	0.04	2.03	0.04	40.3	5.8	10	1.04
J840022		3.40	1.440		0.56	7.15	<0.2	410	0.88	0.07	2.42	0.04	40.8	5.8	11	1.17
J840023		3.38	1.805		0.39	7.54	0.2	430	0.85	0.10	2.86	0.06	38.9	7.1	11	1.14
J840024		3.44	0.487		0.13	7.60	0.2	400	0.87	0.03	2.57	0.05	45.5	7.6	13	1.12
J840025		3.36	0.094		0.06	7.36	<0.2	390	0.83	0.02	2.71	0.05	36.9	6.2	17	0.97
J840026		3.27	0.655		0.20	6.95	0.3	380	0.94	0.05	1.93	0.04	30.5	4.4	8	0.98
J840027		3.19	0.284		0.18	7.46	0.3	470	0.99	0.03	2.11	0.08	36.8	6.4	11	1.10
J840028		3.16	0.653		0.27	6.85	0.2	400	0.80	0.07	2.37	0.09	54.8	7.4	14	0.99
J840029		3.38	0.166		0.05	7.29	0.2	440	0.91	0.01	2.63	0.09	57.9	6.6	10	1.20
J840030		0.12	0.452		2.26	8.10	109.5	610	1.25	0.50	0.57	0.64	34.0	19.2	33	7.10
J840031		3.19	0.248		0.12	7.77	<0.2	550	1.03	0.02	2.73	0.09	56.7	7.3	13	1.23
J840032		3.01	0.322		0.13	7.11	<0.2	530	1.03	0.04	2.67	0.07	65.1	6.6	10	1.37
J840033		3.14	0.352		0.16	7.38	0.3	520	0.87	0.02	2.52	0.06	48.8	7.5	13	1.13
J840034		2.21	<0.005		0.04	7.69	0.6	210	0.49	0.04	4.87	0.14	28.6	41.6	163	0.56
J840035		3.98	1.215		0.47	7.09	0.3	490	1.18	0.13	2.76	0.06	45.8	10.3	28	1.20
J840036		3.65	0.178		0.06	7.05	<0.2	560	1.07	0.03	1.62	0.03	35.9	3.1	6	1.10
J840037		3.28	0.640		0.19	6.95	0.2	460	1.08	0.06	3.34	0.06	38.5	10.4	29	1.37
J840038		3.38	0.061		0.01	7.49	<0.2	480	1.04	0.02	2.54	0.03	50.9	6.8	9	1.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840000		>10000	4.99	13.30	0.13	1.0	0.131	0.92	11.7	14.1	1.26	715	265	2.38	3.9	33.9
J840001		14.0	2.62	18.30	0.13	3.1	0.029	2.01	18.2	10.2	0.46	405	1.86	2.57	5.9	4.3
J840002		16.9	3.28	20.4	0.16	4.1	0.037	2.34	26.8	13.4	0.60	524	2.91	2.15	7.6	5.2
J840003		18.9	4.24	21.6	0.19	5.7	0.050	2.30	32.3	16.0	0.73	522	0.62	2.11	11.4	6.1
J840004		26.3	3.51	21.9	0.17	5.0	0.049	2.52	28.6	10.5	0.61	507	0.19	2.04	8.7	5.2
J840005		18.6	2.35	21.6	0.08	3.2	0.027	2.57	20.3	3.7	0.43	342	2.78	1.90	7.4	6.4
J840006		20.1	1.93	17.85	0.15	3.0	0.014	2.73	27.6	3.1	0.35	274	0.87	2.11	5.3	2.9
J840007		20.5	2.14	18.95	0.16	2.7	0.023	2.69	22.6	2.7	0.42	323	0.46	2.23	4.8	7.7
J840008		5.1	2.43	19.40	0.14	4.0	0.018	2.58	22.0	4.7	0.49	377	0.37	2.43	6.9	6.4
J840009		7.1	2.54	21.0	0.15	4.3	0.045	2.86	26.6	3.0	0.48	353	4.86	2.22	8.0	7.4
J840010		16.5	2.85	19.70	0.15	4.1	0.027	2.85	28.4	4.2	0.59	367	0.23	1.98	6.4	8.7
J840011		15.9	2.55	20.2	0.15	4.4	0.023	2.78	26.0	2.6	0.48	353	0.77	2.59	6.5	6.6
J840012		23.8	2.45	19.05	0.15	3.1	0.022	2.82	20.9	2.7	0.46	350	2.85	1.96	5.4	4.3
J840013		14.0	2.71	20.1	0.15	4.1	0.025	3.00	27.1	4.1	0.53	353	9.12	1.47	6.4	4.9
J840014		6.5	2.75	20.3	0.16	5.8	0.020	2.98	30.5	6.5	0.83	449	0.65	1.95	5.2	6.7
J840015		>10000	6.26	15.20	0.22	1.2	0.117	2.97	31.2	17.0	1.29	691	115.0	1.82	7.2	36.4
J840016		8.0	2.68	20.8	0.15	5.8	0.018	2.99	32.9	5.6	0.64	374	0.48	2.02	5.3	6.8
J840017		11.2	2.63	20.9	0.16	5.9	0.021	3.10	30.0	5.2	0.56	316	0.58	1.79	5.4	6.8
J840018		31.4	3.08	20.7	0.18	5.4	0.028	3.11	29.3	5.7	0.75	463	0.61	1.87	6.0	8.3
J840019		43.6	2.87	19.85	0.15	5.4	0.025	2.82	30.4	9.1	0.62	342	43.1	2.04	5.6	9.4
J840019 CRD		43.4	2.89	19.60	0.16	5.5	0.024	2.75	31.5	9.0	0.62	343	40.4	1.99	5.7	8.4
J840020		13.2	2.66	19.20	0.15	4.4	0.027	2.25	26.1	8.8	0.55	368	2.61	2.05	5.4	5.5
J840021		27.3	1.97	20.1	0.15	3.1	0.023	2.29	21.9	5.1	0.34	318	0.34	2.65	10.1	3.0
J840022		18.8	2.33	18.15	0.14	3.3	0.021	2.40	22.2	6.1	0.41	326	0.20	2.28	5.4	3.6
J840023		26.0	2.60	18.95	0.15	3.2	0.026	2.48	21.6	7.6	0.47	426	0.33	2.34	5.2	4.2
J840024		37.0	2.78	19.50	0.15	3.3	0.035	2.37	24.9	11.1	0.50	361	0.27	2.46	5.3	4.2
J840025		12.4	2.44	18.20	0.14	2.8	0.032	2.26	20.1	9.5	0.43	322	0.18	2.54	4.9	6.4
J840026		7.5	1.64	18.60	0.12	2.7	0.011	2.28	16.6	3.7	0.27	234	2.52	2.68	5.4	3.1
J840027		6.5	2.23	19.80	0.14	3.6	0.019	2.68	20.3	5.5	0.41	297	1.69	2.35	5.9	5.5
J840028		194.0	2.19	16.55	0.14	3.8	0.023	2.31	31.6	6.9	0.42	299	1.49	1.98	4.4	7.6
J840029		4.3	2.43	18.85	0.15	5.6	0.021	2.60	33.0	8.6	0.49	325	0.16	2.03	5.2	6.0
J840030		4800	4.97	17.70	0.24	0.8	0.061	5.87	20.2	12.3	0.79	515	274	1.17	5.6	23.8
J840031		12.8	2.61	20.5	0.15	5.6	0.015	2.95	32.6	8.5	0.61	386	0.37	1.73	6.0	6.5
J840032		7.2	2.50	22.6	0.07	4.6	0.020	2.78	32.2	8.9	0.49	321	0.20	1.74	6.3	7.0
J840033		5.8	2.43	17.55	0.15	5.0	0.018	2.67	27.3	9.9	0.53	277	0.21	2.07	4.7	7.2
J840034		58.3	8.13	19.10	0.18	2.6	0.058	1.06	16.3	51.3	3.70	1120	0.41	1.91	2.4	143.0
J840035		17.9	2.79	19.50	0.09	4.6	0.024	2.26	24.4	15.2	0.81	400	0.51	2.04	5.0	19.3
J840036		7.1	1.53	19.10	0.09	2.9	0.016	2.10	17.5	4.4	0.25	221	0.40	2.54	5.6	2.7
J840037		18.8	3.25	19.10	0.10	3.3	0.028	2.40	18.1	11.4	0.87	559	0.71	1.96	5.0	20.6
J840038		53.0	2.50	19.85	0.11	4.4	0.020	2.37	26.0	12.0	0.49	287	0.30	2.27	4.9	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840000		610	39.7	27.1	1.445	1.78	26.4	14.2	6	1.1	317	0.29	0.62	1.9	0.347	0.20
J840001		550	7.1	54.5	0.006	0.22	0.28	5.6	1	1.2	180.5	0.54	0.09	3.4	0.207	0.23
J840002		770	7.5	64.6	<0.002	0.32	0.19	7.4	1	1.4	172.5	0.43	0.28	4.4	0.259	0.26
J840003		1000	6.2	68.5	<0.002	0.24	0.20	8.3	1	1.8	182.0	0.78	0.32	3.6	0.312	0.25
J840004		810	5.3	70.3	<0.002	0.17	0.17	7.5	1	1.9	179.0	0.56	0.08	4.4	0.262	0.26
J840005		570	7.6	79.7	<0.002	0.35	0.20	6.3	1	1.3	137.5	0.58	0.39	4.0	0.206	0.26
J840006		380	6.9	68.7	<0.002	0.09	0.14	3.2	1	0.9	138.0	0.37	0.08	7.7	0.146	0.27
J840007		320	6.4	72.4	<0.002	0.19	0.14	4.2	1	1.0	149.0	0.32	0.10	6.4	0.139	0.27
J840008		480	9.0	59.9	<0.002	0.17	0.14	3.8	1	0.9	158.0	0.47	0.50	5.6	0.195	0.25
J840009		430	10.8	72.1	<0.002	0.35	0.16	5.4	1	1.2	146.0	0.59	0.76	7.8	0.189	0.29
J840010		480	5.0	70.9	<0.002	0.27	0.18	6.0	1	0.9	144.0	0.29	0.16	7.9	0.232	0.29
J840011		540	6.8	68.0	<0.002	0.43	0.16	4.9	1	0.9	173.5	0.62	0.32	6.5	0.214	0.28
J840012		590	6.6	70.2	<0.002	0.38	0.17	4.6	1	0.9	154.5	0.30	0.42	3.6	0.214	0.27
J840013		550	10.7	76.9	<0.002	0.35	0.17	4.5	1	1.0	109.5	0.39	0.42	5.8	0.212	0.30
J840014		560	7.9	67.9	<0.002	0.15	0.20	4.8	1	0.7	118.0	0.33	0.14	7.4	0.241	0.30
J840015		960	67.0	87.3	0.140	2.72	8.28	16.2	8	3.0	287	0.31	1.05	4.5	0.352	0.73
J840016		530	6.6	75.4	<0.002	0.13	0.19	4.5	1	0.7	143.5	0.38	0.09	8.1	0.234	0.31
J840017		540	12.2	78.9	<0.002	0.19	0.18	4.8	1	0.7	146.0	0.28	0.17	7.8	0.242	0.33
J840018		600	12.5	71.1	<0.002	0.30	0.20	5.7	1	1.0	145.0	0.28	0.20	7.3	0.268	0.32
J840019		580	9.4	64.0	0.002	0.10	0.16	5.1	1	0.9	155.5	0.37	0.10	7.0	0.247	0.31
J840019 CRD		590	9.4	65.5	<0.002	0.10	0.17	5.2	1	0.9	153.0	0.40	0.09	7.4	0.248	0.29
J840020		590	5.9	61.8	<0.002	0.07	0.16	5.0	1	1.1	156.5	0.29	0.05	5.3	0.207	0.27
J840021		430	8.6	69.4	<0.002	0.14	0.16	6.0	1	1.2	150.5	0.78	0.06	5.1	0.156	0.24
J840022		530	7.3	61.8	<0.002	0.28	0.15	4.8	1	0.9	167.0	0.40	0.19	4.3	0.205	0.26
J840023		530	8.8	60.5	<0.002	0.23	0.15	5.7	1	1.0	192.5	0.36	0.21	4.3	0.206	0.26
J840024		620	6.9	61.8	<0.002	0.15	0.16	8.2	1	1.1	197.5	0.28	0.07	3.9	0.226	0.26
J840025		590	6.5	62.2	<0.002	0.08	0.13	7.0	1	1.2	186.0	0.30	0.05	2.9	0.194	0.24
J840026		340	10.2	66.7	<0.002	0.17	0.15	2.8	1	0.8	141.0	0.64	0.13	4.8	0.141	0.24
J840027		410	8.3	66.7	<0.002	0.19	0.15	4.6	1	1.1	143.0	0.50	0.14	6.0	0.167	0.28
J840028		370	11.4	59.1	<0.002	0.18	0.13	4.0	1	0.8	154.0	0.29	0.10	7.0	0.173	0.25
J840029		490	7.6	69.0	<0.002	0.07	0.15	4.4	1	0.9	165.0	0.30	0.05	8.0	0.207	0.29
J840030		1160	42.6	161.5	0.672	2.71	8.06	11.6	9	3.3	282	0.39	1.08	2.5	0.273	1.30
J840031		480	7.3	76.7	<0.002	0.07	0.17	3.5	1	0.9	122.5	0.33	<0.05	8.0	0.207	0.31
J840032		530	6.4	84.1	<0.002	0.08	0.20	4.1	1	0.9	146.0	0.29	0.07	8.2	0.204	0.31
J840033		490	5.9	61.8	<0.002	0.09	0.15	3.8	1	0.7	163.0	0.27	0.06	6.8	0.217	0.26
J840034		340	6.7	36.3	<0.002	0.11	0.30	19.1	1	0.7	212	0.17	<0.05	2.8	0.482	0.11
J840035		450	8.9	56.5	<0.002	0.14	0.20	5.2	2	0.9	139.0	0.27	0.15	6.5	0.219	0.29
J840036		270	4.5	61.5	<0.002	0.04	0.13	3.1	2	1.1	155.0	0.53	<0.05	6.4	0.103	0.25
J840037		700	5.5	50.7	<0.002	0.17	0.19	7.3	1	1.1	180.5	0.33	0.10	5.1	0.231	0.31
J840038		540	4.4	65.3	<0.002	0.11	0.16	4.2	2	0.9	165.5	0.23	<0.05	6.7	0.199	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840000		0.8	111	5.4	15.2	159	31.2	1.295								
J840001		0.4	36	4.7	5.5	60	123.0									
J840002		0.6	45	5.7	6.6	76	162.0									
J840003		0.9	55	3.4	9.8	94	219									
J840004		0.9	51	3.4	8.1	73	194.0									
J840005		0.7	34	6.7	6.2	43	136.5									
J840006		0.6	27	4.4	5.0	45	111.0									
J840007		0.5	32	4.5	4.7	45	93.8									
J840008		1.1	31	4.6	4.5	67	151.0									
J840009		0.8	37	5.7	5.4	58	159.0									
J840010		0.6	43	9.2	5.0	73	157.5									
J840011		1.6	38	9.2	5.2	56	169.0									
J840012		0.7	37	9.1	4.5	54	125.0									
J840013		0.8	37	6.1	5.4	62	160.5									
J840014		1.0	36	5.9	5.2	77	234									
J840015		1.2	166	13.2	15.4	190	42.1	2.24								
J840016		1.0	36	5.6	5.2	68	233									
J840017		0.8	39	7.8	4.4	65	244									
J840018		0.8	44	10.3	5.2	70	221									
J840019		0.6	41	7.7	4.7	86	224									
J840019 CRD		0.7	40	7.8	4.8	84	227									
J840020		0.6	35	7.2	4.6	64	175.0		1.01	3.7	64.36	14.77	3.62	3.64	0.98	2.68
J840021		1.6	27	3.8	6.3	43	108.0									
J840022		0.8	33	5.8	4.6	50	132.0									
J840023		0.9	34	4.2	4.8	56	127.0									
J840024		0.8	40	3.8	4.5	71	136.5									
J840025		0.3	35	3.3	4.0	59	119.0									
J840026		1.1	24	3.0	4.6	32	92.3									
J840027		0.9	31	3.8	4.6	51	136.5									
J840028		0.6	27	2.8	3.6	55	144.5									
J840029		0.7	31	3.9	4.6	65	224									
J840030		1.1	166	14.4	14.8	157	28.5									
J840031		0.7	34	4.5	4.9	63	224									
J840032		0.6	34	4.7	5.1	54	222									
J840033		0.5	34	3.3	4.0	50	210									
J840034		0.5	168	1.9	6.5	176	92.6									
J840035		0.6	45	3.3	4.5	58	188.0									
J840036		1.0	19	2.7	4.9	26	97.5									
J840037		0.8	54	4.0	4.9	67	120.5									
J840038		0.5	31	2.8	4.8	51	173.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840000										
J840001										
J840002										
J840003										
J840004										
J840005										
J840006										
J840007										
J840008										
J840009										
J840010										
J840011										
J840012										
J840013										
J840014										
J840015										
J840016										
J840017										
J840018										
J840019										
J840019 CRD										
J840020		2.92	<0.01	0.38	0.04	0.120	0.03	0.03	4.97	98.54
J840021										
J840022										
J840023										
J840024										
J840025										
J840026										
J840027										
J840028										
J840029										
J840030										
J840031										
J840032										
J840033										
J840034										
J840035										
J840036										
J840037										
J840038										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840039		3.24	0.153		0.15	6.99	<0.2	360	0.80	0.05	2.95	0.06	43.5	19.1	84	0.98
J840039 CRD		<0.02	0.162		0.19	7.16	<0.2	360	0.81	0.05	3.04	0.07	45.0	19.1	85	0.99
J840040		3.27	1.080	1.210	0.37	7.50	<0.2	520	1.12	0.08	2.65	0.05	39.6	7.4	15	1.34
J840041		3.34	0.596		0.19	6.85	<0.2	370	1.05	0.05	3.03	0.05	45.1	8.8	20	1.15
J840042		3.19	0.319		0.10	6.80	<0.2	340	1.04	0.03	2.23	0.04	27.8	3.9	8	1.00
J840043		3.25	0.076		0.08	7.26	<0.2	360	1.05	0.03	3.04	0.06	24.6	14.5	29	1.17
J840044		3.20	0.038		0.01	6.83	<0.2	320	1.01	0.02	1.79	0.03	37.3	3.6	7	0.85
J840045		1.12	<0.005		<0.01	0.18	6	10	<0.05	0.01	22.2	<0.02	3.01	1.1	2	0.12
J840046		3.43	0.380		0.14	6.45	<0.2	330	0.99	0.04	2.27	0.03	22.0	4.9	9	0.84
J840047		3.26	0.542		0.37	6.80	<0.2	490	1.10	0.04	1.56	0.03	28.8	3.9	7	0.99
J840048		3.48	0.533		0.14	7.37	<0.2	450	1.06	0.06	1.98	0.03	25.2	5.8	7	1.10
J840049		3.33	0.154		0.04	6.81	<0.2	300	1.03	0.02	1.78	0.02	29.7	3.5	5	0.85
J840050		3.36	0.663		0.18	6.69	<0.2	290	1.05	0.06	2.11	0.03	28.0	4.6	8	0.94
J840051		3.28	0.613		0.15	6.40	<0.2	280	0.98	0.06	2.11	0.02	30.3	4.2	6	0.88
J840052		2.30	0.086		<0.01	6.84	<0.2	260	1.30	0.01	1.66	0.03	35.6	2.5	5	0.68
J840053		3.04	0.043		<0.01	6.61	<0.2	310	1.19	0.01	1.54	0.03	35.8	3.3	7	0.87
J840054		3.72	0.084		0.02	7.19	<0.2	400	1.03	0.02	2.46	0.03	42.6	8.4	10	1.03
J840055		4.58	0.292		0.08	7.17	0.2	430	1.10	0.04	3.11	0.05	41.5	11.4	18	1.21
J840056		3.42	0.159		0.04	7.67	<0.2	530	1.09	0.03	3.01	0.05	39.0	9.7	13	1.34
J840057		3.41	0.085		0.04	7.33	<0.2	460	0.90	0.02	2.95	0.05	46.9	8.4	10	1.08
J840058		3.37	0.085		0.01	7.67	<0.2	480	0.96	0.03	2.58	0.03	55.1	7.2	9	1.17
J840059		3.36	0.095		0.01	7.31	<0.2	460	0.96	0.02	2.49	0.03	50.3	7.8	8	1.19
J840059 CRD		<0.02	0.079		0.01	7.20	<0.2	460	0.96	0.01	2.47	0.04	49.1	6.9	8	1.19
J840060		0.12	1.005		4.69	6.57	20.9	480	0.70	1.75	2.39	2.03	21.1	14.4	58	0.79
J840061		3.50	0.105	0.103	0.04	7.11	<0.2	390	1.08	0.02	2.27	0.05	44.0	7.3	8	1.10
J840062		3.29	0.132		0.09	7.20	<0.2	390	0.95	0.02	1.83	0.03	44.8	9.6	27	1.08
J840063		3.66	0.009		0.08	4.99	<0.2	40	0.33	0.04	7.45	0.11	13.00	57.4	942	0.11
J840064		3.39	0.174		0.20	7.27	<0.2	420	0.84	0.02	2.33	0.03	52.4	9.7	13	1.11
J840065		3.38	0.023		0.09	7.05	0.3	290	0.69	0.03	3.72	0.03	53.1	25.1	335	0.86
J840066		3.31	0.085		0.15	6.67	<0.2	390	0.83	0.04	3.24	0.03	51.1	22.0	266	0.89
J840067		3.95	0.875		0.93	7.08	<0.2	420	0.86	0.09	4.23	0.05	47.5	26.9	325	1.15
J840068		2.72	0.065		0.05	6.96	<0.2	450	0.94	0.02	2.21	0.02	44.5	7.1	10	1.13
J840069		3.35	0.247		0.13	7.03	<0.2	470	0.95	0.06	2.71	0.04	50.4	6.1	10	1.38
J840070		3.31	0.136		0.02	7.30	<0.2	470	0.94	0.04	2.80	0.03	56.1	7.0	9	1.34
J840071		3.20	0.353		0.17	7.30	<0.2	480	0.94	0.05	2.62	0.03	56.0	7.0	9	1.39
J840072		3.29	0.264		0.06	6.89	<0.2	400	1.01	0.06	2.66	0.03	45.6	6.6	11	1.12
J840073		3.13	0.220		0.08	6.61	0.4	240	0.77	0.05	1.08	0.02	22.7	2.0	8	0.62
J840074		3.21	0.026		0.02	7.37	0.3	440	0.91	0.03	2.65	0.04	48.7	8.2	17	1.14
J840075		0.11	2.53		8.63	7.15	49.6	700	0.87	3.44	1.68	1.09	58.4	15.7	60	3.59
J840076		3.37	0.630		0.24	6.96	0.2	480	1.02	0.14	2.53	0.03	63.4	7.8	13	1.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840039		30.2	4.39	17.85	0.11	3.8	0.037	1.77	22.9	24.5	1.69	617	0.40	2.09	3.8	56.7
J840039 CRD		32.2	4.54	18.30	0.11	4.0	0.040	1.79	23.7	25.1	1.74	637	0.43	2.15	3.4	57.6
J840040		10.7	2.79	20.1	0.10	3.8	0.034	2.69	19.3	7.4	0.55	383	0.63	1.80	6.1	10.0
J840041		28.4	3.12	17.70	0.11	2.9	0.030	2.06	21.4	10.1	0.76	478	0.22	2.00	4.7	14.9
J840042		5.9	1.76	18.25	0.07	4.0	0.010	1.92	14.4	4.6	0.26	206	0.67	2.46	2.9	4.5
J840043		30.9	3.46	18.05	0.09	2.5	0.023	2.30	10.9	12.2	1.07	527	0.22	1.92	4.1	29.9
J840044		14.5	1.52	17.30	0.09	3.7	0.012	1.79	19.9	4.9	0.23	200	3.58	2.47	4.6	3.1
J840045		1.3	0.11	0.35	<0.05	0.1	<0.005	0.12	2.2	4.3	12.95	52	0.12	0.05	0.3	<0.2
J840046		15.1	1.75	17.05	0.07	3.2	0.014	1.77	10.7	3.7	0.32	295	0.19	2.63	3.7	3.4
J840047		17.4	1.56	16.75	0.08	4.3	0.010	2.03	14.9	1.9	0.29	224	0.41	2.29	3.1	2.6
J840048		20.2	2.35	19.15	0.09	4.1	0.020	2.20	12.0	5.5	0.38	287	0.39	2.41	3.9	3.4
J840049		3.4	1.49	17.75	0.09	5.1	0.009	1.79	15.3	2.7	0.21	192	0.17	2.82	2.8	2.1
J840050		7.0	1.61	17.80	0.08	3.6	0.013	1.98	13.9	3.0	0.24	204	0.78	2.55	3.6	3.4
J840051		6.6	1.52	16.95	0.09	3.5	0.011	1.88	15.1	2.8	0.23	198	0.73	2.50	3.7	3.4
J840052		2.4	1.00	19.75	0.09	4.0	0.015	1.56	18.1	1.6	0.20	159	0.52	3.07	13.5	2.1
J840053		4.0	1.26	19.30	0.11	4.0	0.018	1.90	18.8	2.6	0.19	139	0.22	2.35	9.3	2.3
J840054		6.6	2.46	19.25	0.11	3.6	0.027	2.14	20.3	8.7	0.50	289	0.17	2.36	5.5	7.1
J840055		27.6	3.28	19.45	0.11	3.1	0.034	2.46	19.6	8.9	0.76	450	0.31	1.97	6.0	13.4
J840056		15.2	3.13	19.85	0.12	3.7	0.032	2.87	19.3	6.3	0.65	417	0.20	1.51	6.4	8.6
J840057		14.7	2.73	18.05	0.11	4.4	0.027	2.38	23.9	8.1	0.54	348	0.14	2.03	4.8	7.2
J840058		9.0	2.50	19.75	0.11	5.6	0.020	2.45	29.8	7.6	0.49	300	0.14	1.95	5.6	6.3
J840059		7.7	2.43	18.20	0.12	5.3	0.021	2.42	26.7	7.5	0.46	293	0.21	1.86	5.0	5.7
J840059 CRD		6.4	2.40	18.25	0.12	5.3	0.020	2.42	25.9	7.7	0.46	289	0.22	1.87	4.9	5.9
J840060		>10000	4.72	12.20	0.11	1.0	0.136	0.83	10.5	14.0	1.16	668	250	2.22	3.8	30.8
J840061		20.7	2.47	18.65	0.11	4.2	0.022	2.10	21.4	8.8	0.50	346	0.19	2.30	6.1	7.5
J840062		44.1	2.66	18.40	0.11	4.0	0.032	1.97	22.3	10.0	0.82	395	0.19	2.73	6.4	14.0
J840063		45.1	7.15	11.00	0.12	1.3	0.041	0.16	5.8	61.5	7.57	1280	0.67	0.33	1.6	557
J840064		21.7	2.94	18.30	0.12	4.0	0.034	1.88	25.6	15.4	0.65	273	0.89	2.52	5.0	9.1
J840065		37.3	4.10	16.35	0.13	3.0	0.033	1.48	28.2	29.7	2.63	595	6.15	1.93	4.2	165.5
J840066		14.4	3.77	15.55	0.12	3.5	0.028	1.79	26.0	24.3	2.21	580	1.27	1.77	4.3	142.0
J840067		22.5	4.68	16.60	0.12	3.3	0.031	2.11	24.8	25.8	2.60	685	0.94	1.23	4.6	171.5
J840068		10.7	2.32	17.60	0.10	4.8	0.023	2.22	22.9	9.4	0.52	227	0.27	2.18	4.9	7.3
J840069		9.4	2.45	19.25	0.10	5.1	0.021	2.35	26.4	9.4	0.47	280	0.64	1.90	4.4	7.4
J840070		4.5	2.63	20.0	0.11	5.2	0.021	2.38	29.3	9.9	0.51	310	0.90	1.96	4.5	7.0
J840071		5.2	2.63	20.2	0.12	5.4	0.024	2.52	29.5	8.9	0.51	307	0.70	1.81	4.9	7.0
J840072		14.4	2.50	19.60	0.12	4.0	0.027	2.10	22.8	9.7	0.46	317	0.46	2.04	5.9	6.9
J840073		6.4	0.95	18.05	0.09	2.0	0.009	1.32	10.8	1.3	0.10	130	1.24	3.21	4.5	2.3
J840074		3.6	2.96	20.9	0.11	3.8	0.032	2.02	22.9	14.5	0.59	348	1.85	2.32	7.4	9.1
J840075		>10000	5.99	14.80	0.17	1.2	0.119	2.80	27.7	17.4	1.23	672	122.5	1.72	6.6	33.3
J840076		13.5	2.66	19.60	0.23	3.2	0.023	2.20	34.6	9.4	0.50	341	2.12	1.89	7.4	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840039		410	4.3	43.9	<0.002	0.10	0.23	9.7	2	0.9	158.5	0.21	0.10	5.7	0.302	0.21
J840039 CRD		430	4.5	42.7	<0.002	0.10	0.21	9.7	1	0.9	162.5	0.20	0.10	6.0	0.275	0.22
J840040		490	5.0	66.2	<0.002	0.28	0.16	7.0	2	1.4	153.5	0.35	0.22	6.6	0.194	0.33
J840041		810	5.9	56.1	<0.002	0.16	0.16	7.5	2	1.3	176.0	0.37	0.11	4.9	0.189	0.26
J840042		260	5.0	54.9	<0.002	0.11	0.11	1.3	2	0.6	186.5	0.21	0.08	5.0	0.104	0.23
J840043		580	5.7	54.6	<0.002	0.09	0.16	9.9	2	1.0	158.5	0.42	0.06	3.0	0.184	0.28
J840044		250	6.0	52.3	<0.002	0.03	0.09	2.6	2	0.8	161.0	0.57	<0.05	7.2	0.096	0.22
J840045		10	1.0	2.9	<0.002	0.04	<0.05	0.3	2	<0.2	64.4	<0.05	<0.05	0.2	0.008	0.02
J840046		270	4.6	45.3	<0.002	0.11	0.10	2.8	2	0.8	172.0	0.30	0.09	3.7	0.109	0.22
J840047		220	4.0	59.1	<0.002	0.16	0.10	2.5	2	0.7	126.0	0.32	0.09	5.2	0.087	0.22
J840048		500	4.3	56.9	<0.002	0.17	0.13	3.6	2	0.9	148.5	0.30	0.12	3.8	0.144	0.26
J840049		160	4.5	46.9	<0.002	0.08	0.09	1.8	2	0.7	176.5	0.18	0.05	4.9	0.083	0.21
J840050		230	5.4	49.5	<0.002	0.15	0.10	1.9	1	0.8	177.5	0.25	0.14	4.8	0.102	0.23
J840051		210	5.3	46.7	<0.002	0.15	0.10	1.8	2	0.8	172.0	0.26	0.12	5.0	0.102	0.21
J840052		150	7.0	43.2	<0.002	0.03	0.08	2.2	2	2.0	177.0	1.88	<0.05	7.0	0.058	0.18
J840053		230	5.5	53.3	<0.002	0.02	0.10	2.0	2	1.9	132.0	1.10	<0.05	7.0	0.081	0.22
J840054		500	6.1	51.8	<0.002	0.03	0.14	4.9	2	1.3	178.0	0.49	<0.05	6.5	0.188	0.28
J840055		650	6.1	52.6	<0.002	0.08	0.16	7.3	2	1.4	172.5	0.48	<0.05	4.8	0.243	0.30
J840056		640	5.7	66.8	<0.002	0.07	0.16	6.6	2	1.4	138.5	0.36	<0.05	5.5	0.239	0.36
J840057		560	6.2	55.4	<0.002	0.04	0.14	5.3	2	1.1	148.5	0.28	<0.05	7.0	0.196	0.30
J840058		530	6.2	64.8	<0.002	0.03	0.13	4.6	2	1.1	131.0	0.43	<0.05	9.2	0.210	0.33
J840059		490	5.1	60.3	<0.002	0.04	0.14	4.0	2	1.2	132.5	0.34	<0.05	8.3	0.203	0.31
J840059 CRD		490	5.8	59.4	<0.002	0.04	0.14	4.0	2	0.9	132.5	0.33	<0.05	8.0	0.196	0.30
J840060		590	37.2	22.3	1.505	1.69	26.9	13.5	7	1.1	297	0.29	0.61	2.1	0.326	0.22
J840061		460	6.1	53.1	<0.002	0.05	0.16	5.7	2	1.1	156.5	0.58	<0.05	7.1	0.214	0.26
J840062		560	5.2	50.6	<0.002	0.10	0.18	7.7	2	1.3	140.0	0.68	<0.05	7.3	0.203	0.25
J840063		280	5.2	4.6	<0.002	0.06	0.24	22.3	1	0.4	282	0.10	0.05	1.0	0.281	0.02
J840064		620	4.2	50.6	<0.002	0.07	0.15	7.6	2	1.2	181.5	0.22	0.11	7.0	0.219	0.24
J840065		500	5.8	41.6	<0.002	0.05	0.21	12.5	2	1.0	198.0	0.23	0.07	6.7	0.262	0.18
J840066		490	5.5	37.7	<0.002	0.08	0.20	9.4	2	1.0	175.5	0.23	0.10	6.8	0.217	0.23
J840067		540	4.0	59.0	<0.002	0.33	0.22	12.4	2	1.0	163.5	0.21	0.60	5.1	0.274	0.26
J840068		480	5.5	54.7	<0.002	0.06	0.15	4.2	2	0.9	156.0	0.34	<0.05	7.0	0.200	0.29
J840069		520	6.9	64.2	<0.002	0.09	0.20	4.0	2	0.8	152.5	0.23	0.06	6.6	0.203	0.29
J840070		550	6.2	61.9	<0.002	0.10	0.18	4.1	2	0.8	155.5	0.24	<0.05	7.9	0.220	0.30
J840071		560	6.1	64.0	<0.002	0.12	0.17	4.2	2	0.9	149.0	0.25	0.05	7.7	0.225	0.31
J840072		490	6.7	54.7	<0.002	0.16	0.16	4.8	2	1.1	146.5	0.40	0.06	5.8	0.186	0.25
J840073		110	7.3	37.0	<0.002	0.17	0.08	1.9	2	0.5	118.0	0.55	<0.05	6.2	0.041	0.16
J840074		590	5.4	53.1	<0.002	0.04	0.20	5.5	2	1.3	181.5	0.50	<0.05	5.4	0.204	0.27
J840075		970	69.1	78.1	0.141	2.56	8.56	14.7	8	3.1	274	0.29	1.02	4.7	0.324	0.76
J840076		480	4.8	66.9	<0.002	0.39	0.12	5.5	1	1.1	144.5	0.85	0.19	5.5	0.185	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840039		0.6	78	2.2	5.5	92	150.5									
J840039 CRD		0.7	78	2.0	5.6	94	151.5									
J840040		0.8	37	3.9	5.0	53	138.0		0.99	3.6	64.46	14.79	3.76	3.59	1.01	2.38
J840041		0.7	46	3.2	5.3	77	101.0									
J840042		1.1	20	1.7	3.5	31	117.5									
J840043		0.8	63	2.1	4.4	89	76.1									
J840044		1.1	16	1.3	5.0	37	112.5									
J840045		0.1	2	0.1	1.6	<2	2.6									
J840046		0.7	22	2.8	3.8	37	103.5									
J840047		1.7	19	2.4	5.0	25	113.0									
J840048		0.9	30	2.7	4.7	53	140.0									
J840049		0.8	16	1.7	3.6	24	159.0									
J840050		1.1	18	1.8	3.7	24	116.0									
J840051		0.7	17	1.9	3.5	23	112.5									
J840052		1.7	10	0.9	6.6	10	106.5									
J840053		1.3	15	1.1	5.2	19	115.0									
J840054		0.8	36	2.4	5.2	59	135.5									
J840055		0.6	55	4.1	4.5	76	115.5									
J840056		0.6	45	4.2	4.7	62	155.5									
J840057		0.6	36	3.3	4.6	60	189.5									
J840058		1.0	32	3.7	5.1	53	232									
J840059		0.9	32	3.6	4.4	50	216									
J840059 CRD		1.2	32	3.6	4.4	51	215									
J840060		0.9	104	7.0	14.5	152	28.9	1.300								
J840061		1.2	38	3.5	5.8	53	145.5		0.85	3.1	65.91	14.28	3.36	3.14	0.92	3.06
J840062		1.5	45	2.8	6.0	38	140.0									
J840063		0.1	174	1.7	4.5	151	48.1									
J840064		0.5	40	1.5	4.2	46	162.0									
J840065		0.5	84	2.0	4.8	85	121.0									
J840066		0.5	73	2.5	4.5	80	139.5									
J840067		0.4	86	4.1	5.6	128	133.0									
J840068		0.7	33	2.2	4.0	58	204									
J840069		0.5	32	3.9	4.3	59	222									
J840070		0.6	33	5.1	4.5	63	226									
J840071		0.6	34	5.3	4.7	54	232									
J840072		0.6	31	4.2	5.1	49	164.0									
J840073		1.9	10	1.1	6.2	8	52.0									
J840074		0.6	38	1.4	5.0	67	153.0									
J840075		1.3	156	12.1	15.3	186	38.5	2.20								
J840076		0.6	34	2.9	5.8	48	133.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840039										
J840039 CRD										
J840040		3.20	<0.01	0.34	0.04	0.103	0.03	0.05	4.74	98.49
J840041										
J840042										
J840043										
J840044										
J840045										
J840046										
J840047										
J840048										
J840049										
J840050										
J840051										
J840052										
J840053										
J840054										
J840055										
J840056										
J840057										
J840058										
J840059										
J840059 CRD										
J840060										
J840061		2.49	<0.01	0.36	0.04	0.095	0.03	0.03	4.38	98.09
J840062										
J840063										
J840064										
J840065										
J840066										
J840067										
J840068										
J840069										
J840070										
J840071										
J840072										
J840073										
J840074										
J840075										
J840076										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840077		3.40	0.754		0.42	6.68	<0.2	510	1.02	0.22	2.55	0.03	38.9	6.2	11	1.21
J840078		3.21	0.118		0.04	7.28	<0.2	490	0.90	0.03	2.69	0.04	46.8	7.7	13	1.13
J840079		3.23	0.274		0.10	7.14	<0.2	500	0.95	0.06	2.91	0.04	54.3	7.2	12	1.21
J840079 CRD		<0.02	0.279		0.09	7.46	<0.2	510	1.02	0.06	2.97	0.04	62.0	7.9	11	1.25
J840080		3.38	0.411	0.396	0.08	7.13	<0.2	480	1.00	0.07	2.93	0.04	68.4	8.3	11	1.18
J840081		3.31	0.073		0.04	7.23	<0.2	490	0.91	0.03	2.31	0.04	55.2	5.9	10	1.08
J840082		3.17	0.295		0.49	7.33	<0.2	440	1.00	0.13	2.30	0.03	59.0	6.2	8	1.19
J840083		3.20	0.099		0.07	7.03	<0.2	450	0.94	0.05	3.38	0.05	40.6	7.2	12	1.23
J840084		3.34	0.366		0.21	7.46	<0.2	490	1.05	0.10	3.31	0.04	67.4	7.7	12	1.30
J840085		3.29	1.015		0.59	7.87	<0.2	470	1.22	0.16	2.66	0.05	52.9	8.1	12	1.30
J840086		3.18	0.124		0.06	7.00	<0.2	450	0.96	0.04	2.65	0.04	46.6	7.8	11	1.13
J840087		3.23	0.159		0.09	7.11	<0.2	470	0.96	0.03	2.92	0.05	57.2	8.0	13	1.18
J840088		3.13	0.026		0.01	7.40	<0.2	510	0.89	0.02	2.75	0.05	57.2	7.9	12	1.15
J840089		3.17	0.131		0.05	6.80	<0.2	540	0.87	0.04	2.54	0.08	63.7	6.6	10	1.08
J840090		0.07	0.438		2.27	8.34	112.5	630	1.26	0.52	0.59	1.06	33.7	17.9	34	7.58
J840091		3.22	1.035		0.22	7.17	<0.2	470	0.88	0.06	2.44	0.04	79.4	6.3	8	1.08
J840092		3.28	0.155		0.04	6.99	<0.2	490	0.92	0.02	1.99	0.03	59.3	4.4	7	1.01
J840093		3.12	0.143		0.02	7.07	<0.2	500	0.92	0.02	2.51	0.04	106.0	6.3	9	1.15
J840094		3.19	0.099		0.08	7.23	<0.2	460	0.90	0.04	2.52	0.04	98.4	6.3	9	1.11
J840095		3.23	0.316		0.13	7.10	0.2	530	1.17	0.04	2.56	0.04	42.9	6.2	8	1.48
J840096		3.21	0.105		0.03	6.83	<0.2	440	0.96	0.02	2.48	0.04	56.0	6.3	7	1.17
J840097		3.11	1.550		0.28	6.37	<0.2	490	1.03	0.07	2.14	0.04	88.4	5.3	8	1.25
J840098		3.09	0.148		0.02	6.96	<0.2	490	0.98	0.03	2.32	0.04	94.1	5.6	8	1.13
J840099		3.22	0.055		<0.01	6.82	<0.2	530	0.89	0.02	2.49	0.04	84.8	5.1	10	1.09
J840099 CRD		<0.02	0.038		0.02	6.81	<0.2	540	0.95	0.03	2.50	0.05	82.0	5.1	9	1.14
J840100		0.07	0.989		4.40	6.23	18.9	480	0.66	1.66	2.40	2.10	19.95	13.5	62	0.76
J840101		3.36	0.443	0.387	0.15	6.99	<0.2	500	1.02	0.04	2.61	0.06	94.4	6.3	11	1.16
J840102		3.37	0.156		0.11	6.93	<0.2	450	0.85	0.02	2.64	0.04	57.8	6.3	11	0.97
J840103		3.27	0.140		0.25	6.96	0.7	410	0.96	0.03	2.08	0.03	60.6	6.5	9	0.98
J840104		3.29	0.226		0.13	6.90	0.7	420	0.92	0.07	2.42	0.03	48.2	7.2	9	1.11
J840105		3.33	0.044		0.05	6.65	0.5	370	0.87	0.03	2.34	0.04	45.8	7.3	10	0.83
J840106		3.28	0.015		0.02	7.09	0.3	450	0.88	0.02	2.78	0.03	52.3	8.9	10	0.92
J840107		3.31	0.200		0.07	6.84	0.4	500	0.92	0.04	2.81	0.04	47.1	9.4	11	0.99
J840108		4.33	0.190		0.24	7.11	0.4	410	0.96	0.11	2.16	<0.02	51.0	11.6	25	0.97
J840109		3.22	0.053		0.07	6.88	0.6	410	0.83	0.04	2.24	0.02	49.0	8.9	12	0.88
J840110		3.57	0.645		0.15	7.00	1.2	330	0.75	0.84	2.67	0.03	46.5	9.9	14	0.46
J840111		2.05	<0.005		0.05	7.09	1.0	370	0.75	0.02	2.44	0.02	79.2	8.6	12	0.44
J840112		3.34	0.005		0.04	7.26	1.4	340	0.80	0.01	2.34	0.02	77.1	10.7	13	0.42
J840113		3.47	<0.005		0.05	7.34	1.3	310	0.74	0.01	2.68	0.02	47.4	9.7	26	0.31
J840114		4.34	<0.005		0.04	7.33	0.9	310	0.77	0.03	2.77	0.03	52.0	9.7	14	0.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840077		10.4	2.23	19.20	0.11	2.9	0.026	2.32	18.9	5.8	0.41	330	15.05	1.71	6.0	6.0
J840078		8.1	2.79	20.1	0.11	3.6	0.026	2.22	22.9	12.4	0.54	382	0.53	1.94	6.7	7.9
J840079		11.3	2.82	19.85	0.12	3.6	0.028	2.29	26.2	10.3	0.55	425	0.28	1.84	6.4	7.4
J840079 CRD		13.4	2.90	20.7	0.13	3.9	0.026	2.35	30.1	11.2	0.57	434	0.28	1.87	6.8	7.9
J840080		12.4	2.78	19.55	0.13	3.6	0.028	2.17	32.5	11.6	0.56	406	0.99	1.96	6.5	7.4
J840081		8.2	2.23	19.55	0.11	4.4	0.019	2.02	28.4	9.8	0.42	297	0.19	2.35	5.8	5.9
J840082		5.5	2.35	20.2	0.13	5.1	0.019	2.22	30.7	9.1	0.46	280	0.20	2.21	6.8	6.2
J840083		8.6	2.62	19.50	0.10	3.7	0.028	2.49	19.2	8.9	0.56	336	0.35	1.71	5.6	7.3
J840084		5.7	2.76	20.9	0.13	3.6	0.035	2.57	33.4	9.5	0.55	348	2.00	1.64	5.5	7.3
J840085		6.5	2.78	22.1	0.12	3.9	0.040	2.47	25.2	9.7	0.57	367	3.05	2.26	6.4	7.3
J840086		8.7	2.78	20.1	0.12	3.6	0.034	2.10	22.5	14.1	0.56	369	0.24	1.98	5.5	7.6
J840087		7.8	2.92	20.2	0.13	3.6	0.034	2.15	27.6	13.2	0.58	427	0.35	1.99	5.9	8.5
J840088		4.2	2.84	20.7	0.13	3.9	0.032	2.29	27.7	12.2	0.57	411	0.24	1.92	6.5	8.1
J840089		4.3	2.58	18.95	0.13	4.1	0.023	2.35	31.7	7.0	0.51	421	0.90	1.56	5.7	6.6
J840090		4840	5.10	18.30	0.18	0.8	0.061	4.84	18.1	11.8	0.77	519	284	1.09	5.3	23.7
J840091		7.3	2.45	19.45	0.13	5.7	0.021	2.18	40.3	10.1	0.42	335	1.39	2.14	6.3	5.6
J840092		3.3	1.98	19.05	0.11	4.7	0.016	2.04	31.0	7.4	0.31	261	0.24	2.13	5.9	4.4
J840093		12.8	2.80	19.65	0.16	6.6	0.022	2.14	54.7	13.4	0.48	312	0.27	1.75	7.4	6.1
J840094		4.2	2.67	19.25	0.16	6.2	0.020	2.06	50.8	12.7	0.44	295	0.16	2.15	6.7	5.4
J840095		2.0	2.22	19.75	0.12	4.4	0.025	2.76	21.9	4.4	0.45	333	0.51	1.40	5.2	7.2
J840096		4.2	2.36	18.40	0.14	4.7	0.023	2.18	28.7	10.2	0.43	306	0.76	1.85	6.0	5.8
J840097		16.4	2.29	17.90	0.15	5.8	0.018	2.33	45.8	6.4	0.38	295	0.58	1.39	6.5	4.7
J840098		6.0	2.43	18.65	0.14	6.3	0.020	2.23	48.6	9.1	0.40	290	0.41	1.80	7.5	5.0
J840099		8.1	2.44	18.15	0.12	6.0	0.020	2.33	43.9	8.7	0.40	302	0.15	1.68	6.7	4.7
J840099 CRD		9.3	2.46	18.75	0.13	6.0	0.022	2.33	42.2	8.5	0.40	303	0.15	1.68	6.9	4.7
J840100		>10000	4.69	12.65	0.11	1.0	0.131	0.79	9.8	14.5	1.15	662	248	2.13	3.7	32.2
J840101		38.3	2.54	19.90	0.27	5.8	0.020	2.36	53.4	8.0	0.45	348	0.15	1.73	6.5	5.1
J840102		7.7	2.52	18.40	0.12	3.9	0.017	1.95	28.3	10.5	0.46	350	0.60	2.19	6.3	6.6
J840103		4.9	2.33	19.90	0.12	4.1	0.020	2.10	29.0	10.5	0.45	312	1.46	2.12	7.3	6.4
J840104		4.5	2.27	19.05	0.11	3.6	0.019	2.35	22.7	8.1	0.45	328	9.06	1.81	5.9	6.6
J840105		9.0	2.42	18.80	0.11	3.4	0.024	1.84	21.4	14.1	0.48	319	1.10	2.11	8.0	6.9
J840106		8.8	2.92	19.45	0.14	3.5	0.029	2.11	24.3	16.6	0.59	392	1.24	1.77	6.7	8.3
J840107		9.3	2.83	18.80	0.13	3.1	0.026	2.24	21.5	16.1	0.59	384	5.62	1.59	6.8	7.8
J840108		33.3	3.02	20.1	0.14	3.6	0.029	2.08	23.3	22.2	1.11	421	4.11	2.01	6.4	22.9
J840109		6.1	2.82	19.40	0.14	3.3	0.028	1.84	22.1	17.8	0.73	388	2.31	1.98	6.3	8.0
J840110		11.8	2.95	19.50	0.13	3.3	0.028	1.00	21.6	18.4	0.60	388	0.74	2.56	7.6	8.2
J840111		10.2	2.77	19.85	0.15	3.1	0.028	1.06	36.7	17.6	0.54	368	0.14	2.89	7.2	7.8
J840112		6.9	2.81	20.9	0.15	3.1	0.022	0.94	34.9	20.6	0.57	369	0.22	2.84	8.2	8.0
J840113		8.0	3.08	20.7	0.13	3.3	0.029	0.78	21.0	20.1	0.61	391	0.16	2.80	7.9	8.8
J840114		11.0	3.06	20.4	0.14	3.4	0.030	0.94	23.5	20.9	0.63	399	0.69	2.71	8.0	9.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840077		430	5.3	60.3	<0.002	0.32	0.15	4.3	2	1.2	135.0	0.38	0.36	5.1	0.165	0.29
J840078		540	5.7	57.8	<0.002	0.05	0.16	5.4	2	1.2	154.5	0.36	<0.05	5.4	0.212	0.28
J840079		570	5.8	57.1	<0.002	0.09	0.16	4.9	2	1.2	153.5	0.32	0.07	6.6	0.217	0.30
J840079 CRD		590	6.1	63.8	<0.002	0.10	0.18	5.3	2	1.3	159.0	0.35	0.08	7.3	0.226	0.30
J840080		590	7.5	54.8	<0.002	0.12	0.17	5.4	2	1.2	163.5	0.37	0.08	8.0	0.224	0.26
J840081		470	6.7	58.7	<0.002	0.06	0.14	4.2	2	0.9	157.5	0.32	0.05	7.4	0.185	0.26
J840082		500	6.8	61.9	<0.002	0.15	0.17	4.2	2	1.0	160.5	0.41	0.34	7.6	0.203	0.26
J840083		560	5.8	56.3	<0.002	0.09	0.16	5.5	2	1.2	168.0	0.31	0.05	5.1	0.212	0.30
J840084		630	5.7	67.2	<0.002	0.21	0.17	6.4	2	1.4	169.5	0.26	0.16	8.2	0.212	0.32
J840085		610	6.1	66.0	<0.002	0.23	0.17	5.9	2	1.7	170.5	0.28	0.38	6.7	0.211	0.28
J840086		590	6.1	53.0	<0.002	0.06	0.18	5.4	2	1.3	154.0	0.24	0.05	5.5	0.219	0.26
J840087		620	6.3	54.9	<0.002	0.06	0.16	5.6	2	1.3	163.0	0.25	0.05	6.7	0.215	0.27
J840088		590	6.0	59.1	<0.002	0.03	0.16	5.5	2	1.2	154.5	0.30	<0.05	7.2	0.215	0.29
J840089		460	6.1	59.7	<0.002	0.09	0.13	4.0	2	1.0	125.5	0.24	<0.05	9.3	0.172	0.28
J840090		1210	41.7	109.5	0.660	2.70	8.86	11.1	10	3.5	279	0.36	1.05	2.5	0.265	1.34
J840091		490	9.0	57.6	<0.002	0.19	0.16	2.6	2	0.9	171.0	0.29	0.08	12.3	0.193	0.27
J840092		340	6.6	56.0	<0.002	0.08	0.14	2.7	2	0.9	138.5	0.44	<0.05	9.8	0.138	0.25
J840093		540	7.8	58.1	<0.002	0.05	0.16	4.2	2	1.0	152.0	0.35	<0.05	16.2	0.212	0.29
J840094		540	7.9	56.5	<0.002	0.10	0.14	4.0	2	1.0	180.0	0.29	0.08	14.1	0.194	0.28
J840095		380	5.8	73.6	<0.002	0.09	0.15	4.2	2	1.1	110.0	0.38	0.08	6.2	0.170	0.34
J840096		440	6.6	59.6	<0.002	0.06	0.14	4.2	2	1.1	149.0	0.36	<0.05	7.6	0.178	0.27
J840097		450	6.4	64.3	<0.002	0.21	0.15	3.7	2	0.9	127.0	0.31	0.15	12.8	0.172	0.27
J840098		500	6.7	60.7	<0.002	0.08	0.15	4.0	2	1.1	143.5	0.46	<0.05	13.6	0.192	0.27
J840099		480	6.2	59.6	<0.002	0.03	0.15	3.5	2	1.0	143.0	0.35	<0.05	12.8	0.183	0.30
J840099 CRD		490	6.6	59.6	<0.002	0.03	0.15	3.5	2	1.0	144.0	0.35	<0.05	12.2	0.182	0.29
J840100		590	38.7	20.8	1.380	1.62	26.5	12.8	6	1.1	279	0.28	0.54	1.8	0.322	0.20
J840101		490	6.1	72.7	<0.002	0.18	0.13	3.8	1	0.9	153.0	0.33	0.09	12.8	0.191	0.30
J840102		510	6.0	51.8	<0.002	0.08	0.15	3.3	2	1.0	173.0	0.35	<0.05	7.6	0.189	0.25
J840103		440	6.2	55.5	<0.002	0.06	0.14	3.0	1	1.1	157.0	0.41	<0.05	9.0	0.181	0.28
J840104		410	5.5	58.1	<0.002	0.13	0.14	3.2	1	0.9	136.5	0.27	0.07	7.0	0.175	0.29
J840105		480	5.9	45.2	<0.002	0.03	0.14	4.8	1	1.3	159.0	0.78	<0.05	6.7	0.196	0.24
J840106		620	5.2	50.4	<0.002	0.02	0.14	5.7	1	1.2	166.0	0.29	<0.05	6.3	0.229	0.29
J840107		590	5.5	52.3	<0.002	0.06	0.14	5.4	1	1.2	160.5	0.28	0.05	5.4	0.232	0.29
J840108		750	3.4	46.2	<0.002	0.10	0.15	6.9	1	1.2	141.0	0.31	0.09	6.0	0.229	0.26
J840109		580	4.1	45.0	<0.002	0.02	0.12	5.5	1	1.2	132.0	0.29	<0.05	5.7	0.218	0.27
J840110		600	9.0	28.2	<0.002	0.05	0.13	5.5	2	1.2	207	0.35	0.46	5.5	0.259	0.16
J840111		560	5.4	30.0	<0.002	<0.01	0.11	5.1	1	1.1	195.0	0.34	<0.05	9.5	0.239	0.18
J840112		570	10.5	26.7	<0.002	0.01	0.12	4.7	1	1.2	211	0.35	<0.05	8.9	0.247	0.16
J840113		640	7.5	19.5	<0.002	<0.01	0.14	5.8	1	1.3	234	0.33	<0.05	5.1	0.268	0.13
J840114		640	14.1	26.5	<0.002	<0.01	0.10	5.9	2	1.3	212	0.35	<0.05	6.0	0.278	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840077		0.4	30	3.0	4.4	33	115.0									
J840078		0.4	36	2.9	4.9	65	144.5									
J840079		0.5	37	4.0	4.9	61	142.0									
J840079 CRD		0.5	38	4.1	5.5	62	152.0									
J840080		0.5	37	4.7	5.3	69	144.5		1.03	3.8	65.00	14.81	3.85	4.09	1.05	2.77
J840081		0.5	27	3.0	4.7	55	184.0									
J840082		0.6	30	3.2	4.9	54	216									
J840083		0.4	35	3.6	4.4	53	156.5									
J840084		0.5	39	3.5	5.4	50	149.5									
J840085		0.7	39	3.0	5.5	51	153.0									
J840086		0.4	36	3.2	4.4	67	145.0									
J840087		0.4	39	3.6	4.8	71	145.0									
J840088		0.5	37	3.3	5.0	72	153.5									
J840089		0.7	28	3.6	4.9	50	161.5									
J840090		1.2	162	13.7	15.6	154	26.0									
J840091		0.8	25	3.5	6.2	62	225									
J840092		1.1	19	2.7	5.7	48	177.0									
J840093		1.1	25	3.8	7.7	80	255									
J840094		0.9	24	2.3	7.0	82	246									
J840095		0.7	28	3.4	5.4	44	176.0									
J840096		1.0	26	3.1	6.4	76	192.0									
J840097		1.0	23	3.7	6.8	54	233									
J840098		1.2	24	3.8	7.5	69	247									
J840099		1.0	23	2.8	6.6	65	233									
J840099 CRD		1.0	23	2.9	6.7	66	238									
J840100		0.8	103	5.2	14.8	152	28.5	1.300								
J840101		1.2	28	3.5	7.3	57	238		0.96	3.5	66.48	14.16	3.52	3.69	0.85	2.43
J840102		0.5	30	2.2	5.1	64	161.5									
J840103		0.8	29	2.9	4.9	59	160.0									
J840104		0.5	28	2.6	4.0	47	144.5									
J840105		0.9	32	1.6	4.9	64	132.0									
J840106		0.3	39	2.3	4.4	70	143.5									
J840107		0.3	39	3.0	4.3	64	129.5									
J840108		0.5	51	2.1	5.3	76	141.5									
J840109		0.3	39	2.0	5.7	69	133.5									
J840110		0.3	39	0.4	8.6	72	129.5									
J840111		0.4	36	0.5	8.5	67	128.0									
J840112		0.4	37	0.4	7.1	72	128.0									
J840113		0.3	41	0.1	8.7	74	138.5									
J840114		0.4	41	0.2	9.1	76	139.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840077										
J840078										
J840079										
J840079 CRD										
J840080		2.70	<0.01	0.40	0.05	0.123	0.03	0.05	5.09	100.00
J840081										
J840082										
J840083										
J840084										
J840085										
J840086										
J840087										
J840088										
J840089										
J840090										
J840091										
J840092										
J840093										
J840094										
J840095										
J840096										
J840097										
J840098										
J840099										
J840099 CRD										
J840100										
J840101		2.85	<0.01	0.35	0.04	0.102	0.03	0.05	4.61	99.16
J840102										
J840103										
J840104										
J840105										
J840106										
J840107										
J840108										
J840109										
J840110										
J840111										
J840112										
J840113										
J840114										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840115		0.12	2.42		8.74	6.28	54.3	610	0.97	3.45	1.55	1.03	64.1	16.9	52	3.18
J840116		2.28	0.025		0.08	7.34	0.4	530	0.99	0.09	2.98	0.03	50.9	9.2	14	0.96
J840117		3.37	0.068		0.03	7.13	0.2	410	0.92	0.07	2.85	0.04	60.4	8.9	14	0.77
J840118		3.22	0.017		0.02	6.70	<0.2	360	0.76	0.06	3.09	0.03	71.8	8.2	14	0.63
J840119		2.97	0.064		0.06	7.01	0.3	480	0.86	0.02	2.24	0.02	49.0	8.1	14	0.74
J840119 CRD		<0.02	0.030		0.05	6.91	0.5	480	0.88	0.02	2.20	0.02	50.5	7.9	14	0.73
J840120		3.29	0.043	0.021	0.11	7.08	0.5	380	0.84	0.05	2.36	0.02	51.9	9.4	11	0.74
J840121		3.62	0.052		0.04	7.14	0.4	370	0.83	0.01	2.33	0.03	47.0	9.2	15	0.78
J840122		3.32	0.050		0.03	6.92	<0.2	370	0.80	0.02	2.78	0.03	47.9	7.4	12	0.77
J840123		3.18	0.021		0.04	6.68	0.8	300	0.77	0.02	2.93	0.05	28.0	20.5	231	0.54
J840124		3.27	0.090		0.05	6.99	0.8	400	0.93	0.06	2.96	0.05	56.0	12.8	80	0.75
J840125		3.24	0.009		0.10	7.44	0.8	180	0.69	0.06	5.68	0.09	81.3	31.6	211	0.42
J840126		3.50	0.069		0.15	7.67	0.6	260	0.82	0.08	4.81	0.10	123.0	21.7	20	0.68
J840127		3.42	0.161		0.10	6.54	0.2	260	0.77	0.06	3.84	0.06	21.2	14.9	8	0.76
J840128		3.24	0.015		0.05	6.97	0.2	330	0.81	0.02	3.60	0.07	28.8	17.1	10	0.84
J840129		3.36	0.106		0.10	6.54	0.3	440	1.00	0.04	3.22	0.07	48.4	8.8	11	0.90
J840130		0.12	0.450		2.26	7.67	101.5	570	1.21	0.51	0.55	1.01	31.4	18.7	30	6.88
J840131		3.16	0.224		0.14	6.38	0.8	350	0.98	0.04	2.74	0.03	32.9	9.5	37	0.90
J840132		3.21	0.282		0.13	6.98	0.3	310	0.87	0.03	3.35	0.07	36.8	10.8	30	0.82
J840133		3.20	0.362		0.23	7.45	0.5	390	1.10	0.06	2.65	0.03	44.1	9.6	8	1.01
J840134		3.21	0.031		0.04	8.30	0.2	490	1.22	0.03	2.18	0.03	61.0	8.6	7	1.05
J840135		3.17	0.063		0.06	7.13	0.3	280	1.01	0.03	1.95	0.03	29.4	6.7	8	0.71
J840136		4.43	0.010		0.03	7.06	0.5	290	0.90	0.02	2.85	0.04	38.2	10.8	33	0.69
J840137		3.09	0.026		0.06	7.03	<0.2	270	0.80	0.06	3.67	0.06	18.35	20.6	18	0.77
J840138		3.47	0.336		0.06	6.88	<0.2	320	0.84	0.10	1.72	0.03	53.0	4.4	8	0.76
J840139		2.23	0.167		0.04	7.04	<0.2	510	0.96	0.04	2.15	0.04	65.8	5.3	7	0.85
J840139 CRD		<0.02	0.169		0.04	6.94	<0.2	510	0.95	0.03	2.19	0.04	65.5	5.3	8	0.87
J840140		3.19	<0.005	<0.005	0.02	6.58	<0.2	820	0.73	0.04	1.18	0.02	6.09	1.4	4	0.48
J840141		3.35	0.093		0.06	7.26	0.7	700	0.91	0.05	1.83	0.03	21.7	5.7	13	0.80
J840142		3.26	0.179		0.06	6.15	<0.2	440	0.90	0.04	2.82	0.08	28.5	8.2	34	0.80
J840143		3.41	0.098		0.42	6.73	<0.2	520	0.91	0.02	2.89	0.08	39.4	8.5	29	0.96
J840144		3.17	0.027		0.09	6.77	<0.2	440	0.87	0.02	2.31	0.04	34.4	7.4	12	0.88
J840145		0.94	<0.005		<0.01	0.21	<5	20	<0.05	0.01	21.6	<0.02	2.71	1.0	1	0.13
J840146		3.30	<0.005		0.04	6.38	<0.2	420	0.80	0.03	2.22	0.04	31.1	5.9	12	0.80
J840147		3.36	0.018		0.03	6.85	<0.2	480	0.88	0.02	2.47	0.05	44.0	8.5	12	0.90
J840148		3.27	0.029		<0.01	7.45	<0.2	490	1.03	0.02	2.61	0.03	63.2	8.1	12	1.11
J840149		3.22	0.182		0.07	7.08	<0.2	500	0.91	0.02	2.46	0.03	49.9	7.6	13	1.03
J840150		3.07	0.150		0.05	6.65	<0.2	470	0.97	0.02	2.68	0.03	54.1	7.8	13	1.07
J840151		3.47	0.183		0.09	6.85	<0.2	420	0.92	0.02	2.69	0.03	62.5	7.5	13	1.06
J840152		3.14	0.030		0.01	6.79	<0.2	390	0.92	0.01	3.23	0.05	45.1	10.4	30	1.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840115		>10000	5.46	14.70	0.08	1.1	0.113	2.66	27.9	16.7	1.15	606	112.0	1.59	6.5	34.1
J840116		20.4	2.91	21.2	<0.05	4.3	0.031	2.10	21.9	19.6	0.61	397	7.72	2.01	6.6	8.6
J840117		10.1	2.83	20.5	<0.05	3.9	0.033	1.61	27.2	19.6	0.60	388	0.35	2.44	5.5	9.0
J840118		7.6	2.72	18.60	0.06	3.7	0.031	1.38	33.1	19.0	0.58	417	34.7	2.32	4.6	8.1
J840119		10.5	2.63	20.4	0.06	4.1	0.028	1.56	21.6	17.7	0.55	334	4.27	2.67	5.4	7.6
J840119 CRD		8.1	2.64	20.1	0.07	4.1	0.028	1.57	22.0	17.4	0.54	331	3.84	2.69	5.2	7.5
J840120		47.1	2.85	20.0	0.13	3.4	0.028	1.51	23.5	19.7	0.58	361	3.10	2.45	5.8	8.2
J840121		12.7	2.82	19.90	0.14	3.2	0.025	1.56	21.8	18.8	0.57	391	0.23	2.42	5.6	8.2
J840122		6.8	2.43	19.10	0.13	3.3	0.025	1.66	21.2	14.9	0.51	411	0.14	2.48	5.8	7.0
J840123		33.6	3.32	18.95	0.13	2.6	0.023	1.32	12.5	29.9	1.67	637	0.28	2.33	4.8	115.5
J840124		22.7	3.04	18.90	0.14	3.2	0.021	1.82	25.2	27.3	1.18	501	3.96	1.97	4.8	42.9
J840125		20.7	5.60	18.15	0.18	2.5	0.039	0.69	33.2	62.2	3.14	1040	0.23	1.74	7.5	136.5
J840126		78.6	5.21	20.7	0.22	3.0	0.050	1.27	44.8	39.2	1.57	951	0.87	2.06	8.0	33.0
J840127		53.1	3.42	18.25	0.11	2.2	0.033	1.51	8.5	24.9	0.92	637	0.11	2.30	5.9	18.6
J840128		13.9	4.12	19.10	0.13	2.2	0.034	1.78	12.0	29.1	1.13	653	0.08	2.06	6.4	21.8
J840129		14.5	2.84	18.65	0.13	3.4	0.022	2.18	21.4	12.2	0.64	509	0.27	1.88	6.0	10.7
J840130		4800	4.90	17.00	0.20	0.6	0.056	5.37	16.3	11.0	0.75	512	284	0.99	5.3	22.4
J840131		6.7	2.49	18.45	0.13	3.9	0.041	2.12	14.7	11.7	0.88	580	0.45	1.83	5.2	18.9
J840132		28.2	2.83	19.05	0.12	3.7	0.036	1.76	16.4	20.1	0.78	473	0.20	2.32	5.4	17.5
J840133		31.6	2.54	21.3	0.14	3.9	0.030	2.27	20.8	15.0	0.62	418	0.52	2.19	7.1	9.3
J840134		1.8	2.48	21.8	0.16	3.9	0.034	2.67	29.6	13.9	0.76	423	0.24	2.24	8.3	9.3
J840135		12.5	1.98	20.1	0.11	3.1	0.029	1.72	14.1	12.0	0.43	348	0.18	2.83	9.0	6.6
J840136		5.1	2.93	18.80	0.13	2.8	0.040	1.59	17.4	22.8	0.82	576	0.14	2.33	6.3	20.3
J840137		18.4	4.61	18.55	0.11	1.7	0.035	1.48	7.5	34.7	1.36	782	0.16	2.32	4.5	28.2
J840138		13.0	1.77	21.0	0.11	4.5	0.022	1.67	25.9	6.4	0.27	374	1.19	2.76	10.1	4.7
J840139		13.9	2.00	19.30	0.12	4.0	0.015	1.99	32.7	7.1	0.33	347	0.20	2.29	4.5	4.3
J840139 CRD		14.7	2.04	19.45	0.13	4.2	0.015	2.02	32.0	7.5	0.33	355	0.16	2.31	4.7	4.1
J840140		14.4	0.77	14.60	0.07	1.2	0.005	1.45	3.1	1.3	0.07	127	0.15	3.06	2.6	0.9
J840141		15.8	1.78	17.95	0.10	2.3	0.012	2.22	10.4	1.8	0.40	313	0.23	2.24	3.4	9.2
J840142		7.3	2.57	17.70	0.11	1.7	0.022	2.11	12.6	2.2	0.79	553	0.23	1.85	6.5	25.0
J840143		35.6	2.77	18.65	0.12	3.4	0.020	2.41	18.1	3.2	0.76	532	0.19	1.79	5.2	18.8
J840144		13.2	2.35	18.40	0.10	3.5	0.019	2.18	15.9	5.4	0.52	370	0.12	2.24	4.6	10.3
J840145		1.7	0.13	0.45	<0.05	0.1	<0.005	0.13	2.0	4.6	13.00	55	0.12	0.05	0.3	1.9
J840146		22.5	2.01	16.85	0.09	2.6	0.016	2.08	14.8	4.1	0.47	335	0.14	2.13	4.4	8.7
J840147		33.4	2.57	19.65	0.11	3.2	0.025	2.09	20.8	7.9	0.55	395	0.18	2.18	6.0	10.3
J840148		5.0	2.75	21.2	0.13	4.3	0.030	2.34	30.2	8.7	0.51	395	0.28	2.25	6.6	8.6
J840149		6.9	2.63	19.95	0.13	4.1	0.025	2.16	24.0	8.0	0.49	368	0.14	2.23	6.4	7.9
J840150		16.7	2.71	19.45	0.12	4.0	0.032	2.29	25.5	7.7	0.47	384	0.11	2.11	6.1	8.9
J840151		19.3	2.73	19.25	0.13	3.9	0.031	2.22	30.7	7.7	0.49	379	0.11	2.10	6.0	8.9
J840152		19.8	2.88	19.20	0.12	4.2	0.043	2.48	21.3	4.1	0.82	540	0.19	2.18	5.3	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840115		840	56.9	87.3	0.134	2.35	7.91	14.9	8	2.8	248	0.26	1.00	5.1	0.292	0.71
J840116		670	5.1	64.3	<0.002	0.08	0.17	5.7	1	1.3	134.5	0.33	0.05	6.0	0.225	0.28
J840117		600	5.9	55.8	<0.002	0.03	0.17	5.7	1	1.3	162.0	0.28	<0.05	6.6	0.187	0.23
J840118		560	4.0	49.5	<0.002	0.01	0.14	5.2	1	1.1	159.5	0.23	<0.05	8.1	0.158	0.19
J840119		550	4.6	52.0	<0.002	0.01	0.14	5.2	1	1.2	163.0	0.30	<0.05	5.9	0.170	0.23
J840119 CRD		550	4.8	48.5	<0.002	0.01	0.13	5.1	1	1.1	162.5	0.29	<0.05	6.0	0.168	0.22
J840120		610	4.6	43.2	<0.002	0.03	0.12	5.8	2	1.1	174.5	0.31	<0.05	5.8	0.184	0.23
J840121		570	5.8	43.2	<0.002	<0.01	0.12	5.4	1	1.1	187.5	0.28	<0.05	5.5	0.172	0.25
J840122		520	5.4	42.1	<0.002	0.04	0.11	5.4	1	1.2	165.5	0.29	<0.05	6.5	0.171	0.25
J840123		390	5.3	29.3	<0.002	0.08	0.13	9.6	1	0.9	155.5	0.45	<0.05	6.2	0.171	0.18
J840124		630	5.5	41.9	<0.002	0.06	0.14	5.5	1	0.9	173.5	0.34	0.05	6.5	0.206	0.25
J840125		1840	8.4	20.8	<0.002	0.06	0.25	17.4	1	1.1	290	0.53	<0.05	3.1	0.390	0.10
J840126		3520	7.4	36.2	<0.002	0.10	0.28	14.4	1	1.8	271	0.66	<0.05	4.2	0.402	0.17
J840127		390	8.8	31.5	<0.002	0.09	0.17	9.8	1	1.4	206	0.45	<0.05	2.2	0.237	0.21
J840128		540	7.6	33.5	<0.002	0.02	0.20	11.1	1	1.2	187.5	0.51	<0.05	2.7	0.288	0.25
J840129		520	5.0	43.4	<0.002	0.08	0.15	4.8	1	1.3	140.5	0.41	0.05	6.2	0.191	0.29
J840130		1130	40.7	142.5	0.638	2.65	7.46	11.4	9	3.1	262	0.32	0.96	2.5	0.255	1.40
J840131		350	4.2	45.2	<0.002	0.07	0.15	8.3	1	1.6	119.0	0.45	0.08	5.0	0.156	0.27
J840132		440	8.1	41.7	<0.002	0.03	0.15	8.9	1	1.4	207	0.47	0.06	4.6	0.183	0.24
J840133		490	7.9	57.9	<0.002	0.07	0.15	7.4	1	1.5	171.0	0.50	0.10	5.7	0.208	0.31
J840134		600	5.5	67.6	<0.002	0.06	0.16	8.1	1	1.7	107.5	0.64	<0.05	7.3	0.240	0.37
J840135		330	7.9	45.5	<0.002	0.06	0.11	8.2	1	1.7	150.0	0.82	<0.05	6.2	0.140	0.24
J840136		380	7.0	41.5	<0.002	<0.01	0.16	9.3	1	1.6	188.0	0.44	<0.05	5.8	0.176	0.22
J840137		390	8.8	27.2	<0.002	0.04	0.26	12.4	1	1.0	227	0.45	<0.05	1.9	0.273	0.23
J840138		290	7.6	48.9	<0.002	0.12	0.14	4.1	2	1.6	147.0	0.75	0.06	9.6	0.101	0.21
J840139		370	5.4	53.9	<0.002	0.10	0.13	2.7	2	1.0	153.0	0.32	<0.05	9.2	0.140	0.24
J840139 CRD		380	5.3	54.5	<0.002	0.10	0.13	2.8	2	1.1	155.0	0.33	<0.05	8.7	0.140	0.25
J840140		40	7.0	37.9	<0.002	0.01	0.07	0.8	2	0.4	144.0	0.33	<0.05	1.4	0.035	0.15
J840141		220	7.8	55.9	<0.002	0.10	0.14	2.7	2	0.8	128.5	0.31	<0.05	3.5	0.089	0.25
J840142		510	5.7	47.3	<0.002	0.07	0.14	6.6	2	1.1	135.0	0.71	<0.05	3.4	0.153	0.23
J840143		600	5.3	54.7	<0.002	0.07	0.15	5.6	2	1.1	140.0	0.39	0.07	4.3	0.188	0.29
J840144		390	6.1	48.6	<0.002	0.03	0.15	4.3	1	1.0	145.0	0.32	<0.05	4.6	0.167	0.26
J840145		10	1.2	3.0	<0.002	0.04	<0.05	0.4	3	<0.2	62.4	<0.05	<0.05	0.3	0.010	0.02
J840146		370	6.5	46.2	<0.002	0.02	0.12	3.5	1	0.8	153.0	0.39	<0.05	3.8	0.148	0.25
J840147		520	6.7	49.5	<0.002	0.05	0.17	4.8	2	1.2	156.5	0.43	<0.05	5.3	0.198	0.27
J840148		610	5.6	61.1	<0.002	0.07	0.18	4.2	2	1.3	158.5	0.38	<0.05	7.0	0.209	0.31
J840149		550	5.4	55.7	<0.002	0.06	0.18	4.6	2	1.2	146.0	0.32	<0.05	5.9	0.198	0.29
J840150		580	5.5	51.6	<0.002	0.11	0.17	7.6	1	1.4	147.5	0.31	<0.05	6.0	0.192	0.28
J840151		590	5.5	52.2	<0.002	0.10	0.17	7.7	2	1.3	147.0	0.31	0.05	7.0	0.194	0.27
J840152		450	5.8	50.9	<0.002	0.01	0.19	9.4	1	1.6	168.5	0.55	<0.05	5.3	0.189	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840115		1.3	141	11.1	14.9	154	33.9	2.21								
J840116		0.5	40	2.8	7.9	68	173.0									
J840117		0.5	39	1.1	8.3	73	158.5									
J840118		0.6	36	0.7	8.5	66	151.5									
J840119		0.4	35	0.6	7.3	65	161.0									
J840119 CRD		0.4	35	0.6	7.3	66	162.5									
J840120		0.4	38	0.5	6.9	71	140.0		0.63	2.3	66.05	15.08	4.02	3.40	1.06	3.64
J840121		0.5	37	0.4	6.2	72	134.5									
J840122		0.6	32	0.9	5.9	55	133.0									
J840123		1.3	67	0.8	6.3	98	75.3									
J840124		0.6	55	2.4	4.2	68	123.0									
J840125		1.0	126	1.9	8.6	136	99.8									
J840126		1.4	109	1.6	10.3	114	112.0									
J840127		0.7	69	1.7	4.5	71	76.5									
J840128		0.5	93	2.9	4.2	93	79.7									
J840129		0.8	42	8.5	4.5	61	132.5									
J840130		1.1	160	12.5	13.0	156	21.4									
J840131		1.1	43	3.2	5.7	60	151.5									
J840132		1.0	48	1.9	6.2	86	156.5									
J840133		0.8	40	2.9	5.6	61	164.5									
J840134		1.0	44	14.5	6.8	55	161.5									
J840135		1.3	28	1.8	6.5	48	106.5									
J840136		0.8	54	1.3	5.3	75	112.5									
J840137		0.8	116	1.3	4.2	100	61.0									
J840138		1.5	16	1.4	7.0	32	150.0									
J840139		0.8	22	1.9	4.9	43	146.0									
J840139 CRD		0.8	23	1.9	5.0	45	152.5									
J840140		0.6	6	0.5	1.4	13	31.2		0.39	1.4	74.18	13.67	1.03	1.65	0.15	4.39
J840141		1.1	26	1.4	3.2	30	68.4									
J840142		1.0	42	3.7	4.6	45	38.6									
J840143		0.8	44	3.8	4.5	50	122.5									
J840144		0.7	41	2.2	3.8	56	121.5									
J840145		0.1	2	0.1	1.6	<2	3.3									
J840146		0.9	33	1.6	2.9	40	95.6									
J840147		0.6	38	2.4	4.2	59	119.5									
J840148		0.8	33	3.3	5.5	62	170.0									
J840149		0.6	32	3.1	4.7	60	160.0									
J840150		0.5	33	3.9	4.8	63	164.5									
J840151		0.6	32	4.0	4.9	63	157.5									
J840152		2.1	56	3.0	6.5	53	163.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840115										
J840116										
J840117										
J840118										
J840119										
J840119 CRD										
J840120		1.88	<0.01	0.41	0.04	0.130	0.03	0.04	3.82	99.60
J840121										
J840122										
J840123										
J840124										
J840125										
J840126										
J840127										
J840128										
J840129										
J840130										
J840131										
J840132										
J840133										
J840134										
J840135										
J840136										
J840137										
J840138										
J840139										
J840139 CRD										
J840140		1.82	<0.01	0.05	0.01	0.014	0.03	0.08	2.12	99.19
J840141										
J840142										
J840143										
J840144										
J840145										
J840146										
J840147										
J840148										
J840149										
J840150										
J840151										
J840152										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840153		3.23	0.057		0.07	6.69	<0.2	450	0.90	0.03	2.55	0.05	36.1	9.5	16	1.03
J840154		3.21	0.278		0.04	6.92	0.2	470	0.88	0.06	2.91	0.05	49.7	13.8	36	1.13
J840155		3.47	0.009		0.02	7.12	0.2	480	0.86	0.02	4.12	0.07	63.0	24.1	232	0.97
J840156		3.14	<0.005		0.03	6.61	<0.2	580	1.14	0.02	1.85	0.04	33.0	5.0	12	0.97
J840157		3.16	<0.005		0.04	6.93	<0.2	480	0.99	0.04	1.29	0.03	20.3	2.0	9	0.55
J840158		3.82	<0.005		0.01	6.76	<0.2	490	1.00	0.03	1.57	0.03	25.3	2.0	6	0.60
J840159		2.65	<0.005		0.03	6.83	<0.2	270	0.92	0.03	0.95	<0.02	12.60	0.9	7	0.33
J840159 CRD		<0.02	<0.005		0.04	6.70	<0.2	260	0.96	0.03	0.96	<0.02	12.45	0.9	9	0.33
J840160		0.07	0.983		4.92	6.54	21.3	490	0.63	1.83	2.42	2.07	20.3	14.3	59	0.78
J840161		3.24	<0.005	<0.005	0.05	5.22	0.3	180	0.81	0.04	1.06	<0.02	2.87	1.4	12	0.20
J840162		3.29	<0.005		0.15	6.02	0.7	180	0.87	0.04	0.65	0.03	5.64	1.0	8	0.26
J840163		3.39	0.028		0.06	6.62	<0.2	380	0.97	0.03	1.47	0.02	20.6	2.6	7	0.66
J840164		3.38	<0.005		0.13	6.99	<0.2	370	0.77	0.20	3.12	0.06	23.3	16.6	27	1.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J840153		8.0	2.64	19.70	0.11	3.8	0.032	2.40	16.5	4.7	0.59	436	0.16	2.02	6.1	12.1
J840154		27.1	3.44	19.15	0.13	3.7	0.036	2.38	22.1	8.0	1.07	531	0.14	1.98	6.9	27.7
J840155		18.4	4.19	18.55	0.15	2.8	0.030	1.80	30.3	27.5	2.87	787	0.19	1.95	4.9	129.5
J840156		18.6	2.06	18.70	0.11	4.1	0.017	1.92	16.1	2.0	0.40	428	0.16	2.70	6.5	8.1
J840157		7.9	1.08	17.15	0.08	4.4	0.010	1.30	10.4	1.3	0.13	196	0.21	3.84	3.5	2.9
J840158		7.7	1.18	16.35	0.09	3.5	0.010	1.50	12.5	1.6	0.15	254	0.14	3.44	5.0	2.1
J840159		10.1	0.72	18.50	0.07	2.4	0.005	1.01	5.9	1.0	0.05	156	0.12	4.18	11.4	1.0
J840159 CRD		12.1	0.71	18.85	0.07	2.3	0.005	0.99	5.9	0.9	0.05	153	0.14	4.06	11.5	1.4
J840160		>10000	4.75	13.30	0.13	1.0	0.136	0.82	10.1	14.2	1.18	675	248	2.22	3.8	32.8
J840161		9.3	0.53	16.90	0.15	1.0	<0.005	0.65	1.4	0.7	0.02	185	0.35	4.17	4.8	0.9
J840162		17.2	0.54	17.40	0.07	3.8	0.005	0.78	2.3	0.9	0.03	121	0.81	3.78	61.8	0.7
J840163		9.2	1.09	18.00	0.07	4.1	0.015	1.57	10.6	2.7	0.17	231	4.85	3.02	8.0	3.0
J840164		27.9	4.05	19.70	0.12	2.6	0.037	2.27	10.4	19.5	1.16	688	0.20	1.86	4.9	27.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840153		520	6.8	51.7	<0.002	0.07	0.17	7.7	2	1.4	145.0	0.52	<0.05	5.0	0.180	0.32
J840154		920	4.3	57.0	<0.002	0.41	0.27	8.2	2	1.6	156.0	0.56	<0.05	4.1	0.251	0.32
J840155		900	4.5	54.3	<0.002	0.06	0.26	12.5	1	1.1	271	0.47	<0.05	3.6	0.163	0.26
J840156		250	6.0	55.9	<0.002	0.04	0.16	4.3	2	1.5	201	0.62	<0.05	5.4	0.123	0.29
J840157		130	7.0	39.0	<0.002	0.05	0.09	1.6	2	0.8	200	0.42	<0.05	4.4	0.055	0.18
J840158		180	9.1	39.3	<0.002	0.02	0.08	1.8	2	1.1	214	0.55	<0.05	4.4	0.063	0.18
J840159		40	15.3	27.6	<0.002	0.03	0.07	1.9	2	0.6	187.5	1.25	<0.05	5.9	0.023	0.12
J840159 CRD		40	14.7	27.3	<0.002	0.02	0.08	1.9	2	0.8	183.0	1.38	<0.05	6.3	0.023	0.12
J840160		590	39.5	21.5	1.385	1.72	27.3	13.2	6	1.1	293	0.28	0.57	1.9	0.325	0.20
J840161		10	15.0	16.2	<0.002	0.05	0.05	1.3	1	0.3	190.5	0.65	<0.05	2.2	0.011	0.08
J840162		10	32.1	21.4	<0.002	0.04	0.16	3.0	3	0.6	155.5	5.75	<0.05	11.0	0.021	0.09
J840163		120	9.4	44.6	<0.002	0.01	0.11	3.0	2	1.4	206	1.10	<0.05	4.4	0.057	0.21
J840164		440	16.9	43.9	<0.002	0.03	0.23	11.7	2	1.5	173.0	0.45	<0.05	2.2	0.217	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840153		1.1	41	2.0	5.2	51	147.5									
J840154		1.1	64	3.4	6.2	58	138.0									
J840155		1.4	82	1.0	7.7	99	101.5									
J840156		1.1	27	0.4	5.3	33	124.5									
J840157		1.6	9	0.2	4.1	20	113.0									
J840158		1.2	10	0.2	4.7	28	100.5									
J840159		4.0	3	0.3	9.2	12	47.6									
J840159 CRD		4.4	3	0.2	9.2	13	48.4									
J840160		0.8	105	5.6	14.8	146	29.8	1.320								
J840161		1.0	2	0.3	5.0	7	16.0		0.32	1.2	76.53	13.08	0.79	1.57	0.06	5.96
J840162		17.1	2	0.3	27.1	8	47.8									
J840163		2.7	9	0.2	7.9	25	106.5									
J840164		0.9	90	0.2	5.8	101	97.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840153										
J840154										
J840155										
J840156										
J840157										
J840158										
J840159										
J840159 CRD										
J840160										
J840161		0.77	<0.01	<0.01	0.02	0.008	0.04	<0.01	1.35	100.20
J840162										
J840163										
J840164										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 8-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10176555

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.