ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE TB10184044

Project: HAMMOND REEF

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840345		1.04	<0.005		<0.01	0.15	<5	10	<0.05	0.01	22.0	<0.02	2.77	1.2	<1	0.10
J840346		3.09	0.133		0.13	7.56	0.4	330	0.85	0.02	4.28	0.08	15.90	15.6	21	1.16
J840347		3.88	0.099		0.13	7.12	0.5	410	0.89	0.02	3.13	0.10	49.9	10.7	14	1.09
J840348		2.47	<0.005		0.06	6.93	1.0	270	0.43	0.04	5.22	0.14	25.4	41.1	152	0.32
J840349		3.16	0.046		0.04	7.09	<0.2	610	1.01	0.02	1.39	0.04	50.6	3.6	5	0.89
J840350		3.15	0.048		0.04	6.93	<0.2	520	0.90	0.01	1.62	0.05	36.8	2.6	5	0.71
J840351		3.12	0.043		0.04	6.68	0.5	510	0.85	0.01	1.24	0.03	33.3	2.4	4	0.72
J840352		3.12	0.008		0.01	6.97	<0.2	590	0.97	0.01	1.39	0.04	34.1	1.7	6	0.72
J840353		3.02	0.070		0.05	6.81	1.3	360	0.87	0.04	1.12	0.04	3.72	0.8	4	0.55
J840354		3.49	0.195		0.03	7.61	0.6	450	1.02	0.02	2.55	0.08	33.3	7.8	43	0.87
J840355		3.03	0.152		0.11	7.69	0.5	440	1.07	0.04	3.16	0.10	53.7	10.6	43	1.00
J840356		3.04	0.058		0.09	6.78	0.2	400	1.05	0.02	1.76	0.06	42.2	4.7	12	0.77
J840357		3.11	0.135		0.11	6.94	0.5	450	0.97	0.04	2.36	0.05	70.6	6.9	9	0.94
J840358		3.11	0.510		0.18	6.97	0.3	450	0.95	0.05	2.45	0.04	71.4	7.7	9	0.95
J840359		3.45	0.543		0.25	7.06	0.5	340	0.82	0.07	3.23	0.07	54.5	18.0	56	0.77
J840360		0.12	0.956		4.64	6.62	17.7	480	0.68	1.84	2.51	2.15	21.2	15.6	58	0.78
J840361		3.03	0.032		0.05	6.47	0.5	380	0.99	0.03	3.21	0.07	39.9	10.3	16	0.78
J840362		3.49	0.012		0.05	6.89	<0.2	280	0.96	0.01	2.09	0.04	19.50	6.4	7	0.65
J840363		3.14	0.142		0.11	6.93	0.4	370	0.90	0.08	2.79	0.86	42.8	7.9	5	0.95
J840364		3.20	0.012		0.02	6.92	0.3	330	0.77	0.01	2.77	0.04	38.3	5.8	5	0.83
J840364 CRD		<0.02	0.012		0.06	6.70	0.4	330	0.80	0.01	2.73	0.05	40.2	5.8	8	0.81
J840365		3.44	0.015	0.015	0.04	6.92	0.2	350	0.76	0.02	2.75	0.05	44.3	7.2	7	0.79
J840366		3.44	0.011		0.04	6.27	<0.2	320	0.67	0.01	3.39	0.06	34.0	7.6	7	0.68
J840367		3.85	0.018		0.04	6.70	<0.2	350	0.81	0.02	3.19	0.05	47.4	8.7	14	0.79
J840368		3.24	0.037		0.05	6.73	<0.2	410	0.83	0.04	3.25	0.05	53.1	8.5	14	0.90
J840369		3.71	0.017		0.04	6.83	0.2	340	0.83	0.01	2.80	0.04	43.1	7.9	8	0.97
J840370		3.51	0.027		0.04	7.12	<0.2	330	0.85	0.01	3.07	0.04	53.7	8.5	9	0.88
J840371		3.42	0.103		0.07	7.06	0.2	380	0.91	0.04	2.98	0.03	66.2	9.6	8	0.93
J840372		3.29	0.289		0.05	6.99	<0.2	300	0.90	0.02	3.11	0.04	61.3	9.3	9	0.87
J840373		3.62	0.335		0.15	7.14	0.4	410	0.92	0.08	2.89	0.03	58.1	9.1	9	0.92
J840374		3.49	0.074		0.07	7.07	0.2	390	0.91	0.02	2.58	0.04	66.7	8.4	8	0.94
J840375		0.11	2.39		8.07	6.75	42.9	660	0.89	3.29	1.64	1.00	57.7	16.4	55	3.15
J840376		3.16	0.050		0.04	6.73	0.3	350	0.85	0.02	2.43	0.03	69.7	6.7	10	0.95
J840377		3.35	0.106		0.08	7.29	<0.2	380	1.04	0.02	2.27	0.03	70.4	6.3	8	0.93
J840378		3.26	0.044		0.04	7.10	0.5	400	0.84	0.02	2.84	0.05	81.9	7.1	7	1.00
J840379		3.40	0.090		0.07	7.41	0.3	450	0.91	0.07	2.25	0.05	69.5	7.0	14	1.08
J840380		2.42	0.020		0.02	7.26	0.3	420	0.92	0.02	1.92	0.04	58.8	6.6	11	0.96
J840381		3.27	0.005		0.13	4.67	0.9	10	0.35	0.05	6.62	0.14	8.73	61.7	1010	0.05
J840382		3.35	0.010		0.04	7.09	0.3	280	0.89	0.02	3.59	0.08	32.8	14.5	62	0.89
J840383		4.28	0.012		0.04	6.98	0.2	280	0.95	0.02	2.97	0.08	24.2	12.2	34	0.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840345		1.4	0.09	0.61	0.26	<0.1	<0.005	0.12	2.0	4.4	13.55	51	0.13	<0.01	0.4	<0.2
J840346		58.4	4.01	18.95	0.05	1.2	0.047	2.22	6.3	12.2	1.23	743	1.26	2.08	4.9	26.0
J840347		24.1	3.04	20.0	0.12	3.1	0.037	2.00	23.4	14.0	0.76	411	0.18	2.28	7.0	11.3
J840348		57.8	8.19	18.60	0.09	1.9	0.058	0.58	12.2	41.3	3.53	1320	0.35	1.91	2.6	139.5
J840349		8.6	1.49	18.70	0.09	2.4	0.015	1.82	23.3	5.1	0.24	173	0.13	2.64	6.7	2.1
J840350		6.1	1.44	18.35	0.09	2.0	0.013	1.66	17.0	3.2	0.16	236	0.21	2.81	7.2	2.0
J840351		6.8	1.24	17.65	0.07	2.3	0.011	1.69	15.4	3.2	0.16	178	0.16	2.67	6.6	1.3
J840352		4.1	1.27	17.25	0.06	1.8	0.011	1.76	15.8	2.3	0.13	207	0.46	3.01	4.4	1.7
J840353		3.9	0.64	16.60	<0.05	0.8	0.006	1.50	1.7	0.6	0.06	125	0.16	3.26	3.3	1.0
J840354		4.4	2.20	18.60	0.09	2.7	0.034	1.95	15.7	8.5	0.66	455	0.12	2.70	5.4	18.5
J840355		6.3	2.75	20.9	0.14	3.6	0.049	1.96	26.1	11.8	0.88	593	0.11	2.56	6.8	24.6
J840356		14.0	2.02	19.35	0.12	3.5	0.023	1.77	20.3	6.4	0.32	307	0.56	2.56	8.7	5.8
J840357		4.2	2.59	18.95	0.15	5.1	0.021	2.02	35.7	11.5	0.48	319	0.10	2.14	6.4	4.9
J840358		3.3	2.79	18.95	0.15	5.3	0.021	1.94	37.0	11.2	0.49	342	0.13	2.32	6.8	4.9
J840359		31.4	4.02	18.85	0.16	3.8	0.032	1.51	28.1	20.0	1.37	603	0.19	2.24	5.5	43.3
J840360		>10000	4.76	13.35	0.10	0.9	0.125	0.89	10.3	13.9	1.21	688	255	2.21	4.1	31.2
J840361		45.6	3.46	20.0	0.14	3.2	0.030	1.87	18.9	14.2	0.80	548	0.16	2.29	7.0	14.5
J840362		14.7	1.84	16.90	0.09	2.4	0.015	1.51	9.0	7.0	0.42	281	0.45	2.76	6.3	7.9
J840363		42.0	2.46	20.1	0.15	2.1	0.029	2.23	19.9	9.9	0.44	294	0.27	1.85	5.9	3.8
J840364		16.2	1.99	18.05	0.11	2.1	0.016	1.96	17.9	8.3	0.36	263	0.19	2.15	4.6	3.0
J840364 CRD		15.6	2.11	18.20	0.12	2.1	0.015	1.95	19.0	8.6	0.36	279	0.23	2.14	4.6	4.6
J840365		18.3	2.67	19.35	0.13	1.7	0.022	1.95	21.0	12.3	0.49	320	0.17	2.00	6.0	3.3
J840366		5.4	2.61	17.55	0.11	1.6	0.020	1.95	15.7	13.1	0.55	317	0.17	1.51	4.7	4.6
J840367		4.2	2.59	18.80	0.13	2.7	0.024	2.07	22.6	13.2	0.58	293	0.23	1.61	5.5	6.5
J840368		11.7	2.85	18.20	0.13	3.0	0.027	2.04	25.2	13.3	0.57	368	0.37	1.72	5.7	8.5
J840369		7.6	2.62	20.1	0.12	2.6	0.029	1.92	19.8	12.8	0.51	306	0.12	2.22	5.3	5.2
J840370		4.2	2.91	19.45	0.14	3.2	0.028	1.94	24.7	14.5	0.60	338	0.10	2.23	5.4	7.8
J840371		5.5	2.98	19.45	0.15	3.5	0.030	1.83	30.9	15.4	0.62	335	0.29	2.27	6.0	8.3
J840372		4.2	2.96	18.60	0.15	3.4	0.031	1.73	28.9	15.3	0.63	340	0.12	2.25	5.9	8.1
J840373		8.2	2.76	18.70	0.12	3.0	0.029	2.07	28.1	13.2	0.54	352	0.13	1.83	5.7	7.0
J840374		5.3	2.69	18.10	0.16	3.2	0.022	1.76	32.6	13.7	0.56	332	0.10	2.23	5.5	7.2
J840375		>10000	5.79	13.45	0.14	1.0	0.104	2.75	26.4	15.5	1.20	643	113.0	1.60	6.5	30.9
J840376		4.5	2.54	19.75	0.16	5.0	0.017	1.76	34.0	13.0	0.51	297	0.12	2.46	5.3	6.9
J840377		9.8	2.19	19.00	0.11	4.1	0.020	1.84	34.3	10.1	0.42	280	0.45	2.55	7.0	5.9
J840378		8.1	2.58	18.45	0.15	4.5	0.014	1.91	39.9	10.9	0.48	330	0.46	2.27	5.1	6.3
J840379		6.4	2.71	18.95	0.10	4.7	0.029	2.00	32.1	12.0	0.53	317	0.24	2.28	6.5	7.8
J840380		11.5	2.50	18.80	0.09	4.5	0.028	1.85	27.3	11.3	0.54	277	0.12	2.53	6.7	7.0
J840381		66.8	7.08	11.70	0.16	1.1	0.043	0.02	3.1	47.8	7.68	1340	0.39	<0.01	1.7	543
J840382		13.3	3.27	18.90	0.11	3.5	0.065	1.47	13.2	22.8	1.28	623	0.17	2.99	6.0	34.8
J840383		22.8	2.91	18.20	0.10	3.4	0.038	1.52	9.9	18.1	0.95	548	0.19	2.77	5.7	25.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840345		10	1.1	2.8	<0.002	0.03	<0.05	0.4	1	<0.2	67.0	<0.05	<0.05	0.3	0.007	<0.02
J840346		430	5.8	55.2	<0.002	0.07	0.20	13.0	2	1.2	204	0.39	<0.05	0.6	0.306	0.29
J840347		620	7.7	51.5	<0.002	0.06	0.18	7.5	2	1.4	188.0	0.35	<0.05	5.6	0.257	0.26
J840348		310	9.9	18.7	<0.002	0.12	0.31	21.6	2	0.7	201	0.21	<0.05	2.1	0.525	0.07
J840349		240	4.6	52.3	<0.002	0.04	0.08	3.6	1	0.8	138.0	0.51	<0.05	8.2	0.087	0.24
J840350		160	4.8	52.0	<0.002	0.07	0.07	2.6	1	1.1	128.0	0.74	<0.05	5.9	0.061	0.21
J840351		160	4.5	46.8	<0.002	0.06	0.07	2.5	1	1.0	115.5	0.66	<0.05	5.6	0.060	0.21
J840352		150	5.2	47.5	<0.002	0.01	0.06	2.0	1	0.7	146.5	0.35	<0.05	5.7	0.058	0.23
J840353		20	19.3	44.3	<0.002	0.04	0.05	1.1	1	0.5	133.0	0.45	<0.05	2.0	0.023	0.18
J840354		270	6.5	56.7	<0.002	0.03	0.08	9.6	2	1.2	163.0	0.55	<0.05	4.6	0.118	0.25
J840355		400	8.1	52.7	<0.002	0.02	0.11	13.1	2	1.8	179.0	0.50	<0.05	7.0	0.150	0.29
J840356		270	5.7	48.8	<0.002	0.09	0.09	4.8	1	1.5	136.0	0.80	<0.05	6.4	0.104	0.22
J840357		510	6.7	51.3	<0.002	0.08	0.11	5.4	1	1.0	154.0	0.33	<0.05	9.6	0.195	0.26
J840358		540	6.7	50.5	<0.002	0.13	0.12	5.4	1	1.0	164.0	0.49	0.06	9.8	0.213	0.25
J840359		440	8.7	45.8	<0.002	0.13	0.19	10.0	2	0.9	167.5	0.40	0.07	6.8	0.276	0.20
J840360		600	40.9	23.8	1.475	1.69	24.2	15.5	6	1.0	297	0.30	0.52	2.0	0.335	0.22
J840361		560	6.4	38.1	<0.002	0.05	0.18	6.8	1	1.3	162.5	0.59	<0.05	4.3	0.266	0.27
J840362		270	7.0	45.3	<0.002	0.02	0.12	5.7	2	0.9	167.5	0.69	<0.05	5.2	0.151	0.19
J840363		610	12.6	55.1	<0.002	0.09	0.12	4.2	1	0.9	155.5	0.35	<0.05	2.4	0.203	0.28
J840364		540	5.1	54.5	<0.002	0.02	0.10	3.3	1	0.6	184.0	0.23	<0.05	2.6	0.165	0.25
J840364 CRD		530	5.4	47.1	<0.002	0.02	0.10	3.2	1	0.6	183.5	0.24	<0.05	2.8	0.168	0.24
J840365		660	5.0	54.0	<0.002	0.04	0.12	4.7	2	0.7	153.0	0.33	<0.05	2.1	0.210	0.24
J840366		610	4.1	47.9	<0.002	0.02	0.09	3.9	1	0.6	145.0	0.22	<0.05	1.6	0.178	0.24
J840367		600	4.8	51.1	<0.002	0.04	0.11	6.6	2	0.9	162.5	0.31	<0.05	3.8	0.192	0.26
J840368		600	5.0	55.5	<0.002	0.04	0.13	5.8	2	0.9	155.0	0.28	<0.05	5.5	0.207	0.26
J840369		610	4.5	47.4	<0.002	0.02	0.13	5.7	1	0.9	184.0	0.28	<0.05	3.8	0.188	0.25
J840370		630	5.6	50.9	<0.002	0.01	0.12	6.2	1	0.9	192.0	0.30	<0.05	5.7	0.194	0.25
J840371		610	6.4	51.1	<0.002	0.06	0.15	6.3	2	1.0	187.5	0.32	<0.05	7.2	0.220	0.24
J840372		620	6.6	47.9	<0.002	0.03	0.14	6.1	2	1.0	185.5	0.26	<0.05	6.5	0.217	0.22
J840373		570	5.6	54.0	<0.002	0.11	0.12	5.9	2	1.0	149.0	0.30	0.06	6.7	0.199	0.28
J840374		550	5.3	56.1	<0.002	0.02	0.12	5.2	2	0.9	165.0	0.28	<0.05	7.6	0.203	0.25
J840375		910	61.0	76.2	0.126	2.38	6.57	16.3	7	2.4	257	0.26	0.80	4.4	0.315	0.70
J840376		480	6.2	48.5	<0.002	0.02	0.12	2.6	1	0.8	171.5	0.23	<0.05	9.2	0.206	0.27
J840377		420	5.9	48.0	<0.002	0.03	0.11	4.4	1	0.9	168.5	0.44	<0.05	8.5	0.157	0.26
J840378		520	6.1	50.7	<0.002	0.04	0.12	3.0	2	0.7	176.0	0.20	<0.05	9.9	0.191	0.26
J840379		670	6.7	67.6	<0.002	0.03	0.20	5.1	1	1.0	159.5	0.24	<0.05	6.7	0.240	0.29
J840380		590	5.2	63.3	<0.002	0.03	0.16	4.4	1	1.0	135.0	0.31	<0.05	6.9	0.229	0.27
J840381		280	7.3	0.8	<0.002	0.02	0.28	26.7	1	0.3	202	0.10	0.08	0.3	0.351	<0.02
J840382		570	7.5	36.4	<0.002	0.01	0.18	13.1	1	2.1	192.0	0.47	<0.05	3.6	0.237	0.22
J840383		350	9.2	40.7	<0.002	0.03	0.16	10.9	1	1.3	173.0	0.57	<0.05	5.2	0.206	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840345		0.1	3	0.1	1.5	<2	2.2									
J840346		0.4	86	5.3	4.5	70	44.1									
J840347		0.4	50	7.2	5.3	67	116.0									
J840348		0.5	166	2.6	7.0	181	56.0									
J840349		0.9	15	2.4	5.3	26	69.9									
J840350		1.0	11	1.7	4.4	23	53.4									
J840351		1.3	11	1.7	4.3	24	59.1									
J840352		0.5	8	1.2	3.8	23	58.4									
J840353		1.1	6	0.7	3.9	10	19.0									
J840354		0.9	36	1.3	5.0	58	92.6									
J840355		0.9	47	2.6	6.7	71	126.5									
J840356		1.2	19	1.9	5.3	37	110.0									
J840357		0.8	32	2.7	5.5	65	205									
J840358		0.7	33	2.5	6.0	63	220									
J840359		0.7	69	2.0	5.9	89	144.0									
J840360		0.8	107	11.4	14.1	148	25.9	1.300								
J840361		0.8	56	5.6	5.5	64	113.5									
J840362		2.0	32	1.9	7.7	32	60.5									
J840363		0.3	33	2.7	3.1	268	80.0									
J840364		0.3	27	1.9	2.7	39	78.8									
J840364 CRD		0.2	27	2.0	2.8	39	80.8									
J840365		0.3	35	2.2	2.7	50	67.7		0.81	3.0	66.85	14.18	3.74	3.76	0.92	2.85
J840366		0.2	34	1.5	2.4	50	65.0									
J840367		0.4	38	1.6	4.0	50	104.5									
J840368		0.3	37	3.5	4.1	62	118.0									
J840369		0.3	37	1.3	3.8	57	102.0									
J840370		0.3	39	1.6	4.4	64	127.0									
J840371		0.4	41	2.4	5.1	62	133.5									
J840372		0.4	40	2.6	5.2	62	135.5									
J840373		0.4	37	2.7	4.6	58	118.5									
J840374		0.4	35	1.3	5.1	63	128.5									
J840375		1.2	150	11.1	13.3	172	30.0	2.20								
J840376		0.6	27	1.2	6.6	61	196.0									
J840377		0.8	24	0.9	6.0	52	152.5									
J840378		0.6	27	1.7	6.2	59	177.5									
J840379		0.5	34	2.5	7.1	63	195.0									
J840380		0.7	33	3.8	6.3	42	185.5									
J840381		0.1	191	1.0	4.8	119	44.9									
J840382		0.7	73	2.2	7.7	77	139.5									
J840383		2.4	66	1.8	7.9	84	121.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840345										
J840346										
J840347										
J840348										
J840349										
J840350										
J840351										
J840352										
J840353										
J840354										
J840355										
J840356										
J840357										
J840358										
J840359										
J840360										
J840361										
J840362										
J840363										
J840364										
J840364 CRD										
J840365		2.30	<0.01	0.39	0.04	0.135	0.03	0.03	4.44	99.66
J840366										
J840367										
J840368										
J840369										
J840370										
J840371										
J840372										
J840373										
J840374										
J840375										
J840376										
J840377										
J840378										
J840379										
J840380										
J840381										
J840382										
J840383										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840384		4.42	0.033		0.05	6.50	0.8	230	0.83	0.07	1.76	0.05	21.8	11.0	137	0.58
J840384 CRD		<0.02	0.040		0.07	6.25	0.6	230	0.74	0.05	1.68	0.04	18.65	10.3	125	0.55
J840385		3.39	0.026	0.025	0.14	4.36	1.2	10	0.32	0.06	6.86	0.14	8.13	63.5	1020	<0.05
J840386		3.10	0.103		0.10	6.90	0.3	370	0.85	0.02	2.06	0.05	38.4	6.7	15	0.92
J840387		2.13	0.537		0.15	7.15	0.2	410	1.02	0.04	2.91	0.06	33.7	9.0	17	1.17
J840388		3.15	0.058		0.02	6.84	<0.2	370	0.86	0.02	2.64	0.05	42.1	6.5	16	0.96
J840389		3.36	1.225		0.32	6.94	<0.2	460	1.06	0.11	2.34	0.05	53.3	6.9	12	1.30
J840390		0.12	0.432		2.21	7.58	112.0	590	1.32	0.50	0.52	1.06	33.0	17.4	33	7.05
J840391		3.17	0.067		0.04	7.29	0.3	440	0.98	0.02	2.67	0.05	59.5	7.1	13	1.31
J840392		3.27	0.895		0.29	6.96	<0.2	370	0.95	0.10	2.90	0.05	55.4	7.6	12	1.13
J840393		3.32	2.13		0.94	6.84	0.3	430	1.06	0.25	2.74	0.04	63.8	7.6	13	1.26
J840394		3.41	0.700		0.25	7.03	0.2	450	0.99	0.14	2.45	0.03	36.5	6.7	8	1.14
J840395		3.28	0.211		0.07	6.64	0.3	340	0.92	0.04	2.54	0.04	86.6	5.5	7	0.89
J840396		3.22	0.047		0.03	6.29	<0.2	330	0.78	0.03	2.69	0.04	72.5	5.9	7	0.83
J840397		3.07	0.023		0.06	6.97	0.3	390	0.93	0.02	3.14	0.04	69.2	7.1	13	0.94
J840398		3.36	0.122		0.05	7.12	0.2	340	0.93	0.02	2.60	0.04	55.3	8.9	15	0.92
J840399		3.50	0.645		0.22	7.08	<0.2	400	1.06	0.07	2.25	0.04	30.5	6.3	10	1.10
J840400		0.11	0.957		4.78	6.77	21.0	480	0.74	1.77	2.39	2.14	22.7	13.9	59	0.80
J840401		3.36	0.343		0.19	7.27	0.2	360	1.00	0.13	3.18	0.06	29.6	12.0	18	1.10
J840402		3.45	0.173		0.22	7.25	<0.2	360	1.04	0.07	2.67	0.05	46.2	10.4	16	1.06
J840403		3.34	0.442		0.43	6.23	<0.2	320	0.98	0.06	2.62	0.04	32.4	5.4	11	0.90
J840404		3.45	0.076		0.03	6.55	<0.2	240	0.94	0.02	2.64	0.04	29.2	5.8	13	0.90
J840404 CRD		<0.02	0.095		0.05	6.21	<0.2	230	0.93	0.02	2.52	0.04	27.7	5.6	12	0.88
J840405		3.43	0.770	0.786	0.28	7.02	0.2	350	1.07	0.06	3.42	0.06	29.9	13.7	27	1.20
J840406		3.34	0.265		0.16	6.89	0.2	380	0.89	0.03	1.60	0.05	20.4	5.2	13	0.93
J840407		3.21	0.168		0.07	7.01	0.2	470	0.99	0.02	1.65	0.04	27.7	4.3	8	0.98
J840408		3.45	0.019		0.02	6.78	<0.2	470	0.92	0.01	1.96	0.05	66.4	5.0	9	0.90
J840409		3.14	0.007		0.03	6.93	0.2	410	0.88	0.01	2.39	0.05	43.2	7.8	10	0.80
J840410		3.50	0.006		0.03	7.41	0.2	410	0.99	0.01	2.61	0.06	54.6	9.7	15	0.88
J840411		3.72	0.308		0.16	6.98	<0.2	460	1.08	0.03	2.09	0.05	44.7	5.0	8	0.95
J840412		3.28	0.198		0.08	6.47	<0.2	410	0.98	0.03	2.02	0.04	34.0	4.5	9	0.96
J840413		3.32	0.774		0.28	7.08	<0.2	360	1.04	0.09	2.52	0.06	53.2	11.0	18	1.06
J840414		3.23	0.178		0.12	7.30	<0.2	380	1.05	0.04	2.79	0.06	63.8	9.6	16	1.10
J840415		0.12	2.30		7.64	6.70	48.3	560	0.84	3.46	1.59	0.98	54.1	16.7	52	3.35
J840416		3.46	0.086		0.06	7.44	<0.2	450	1.07	0.03	2.87	0.06	52.6	10.1	16	1.02
J840417		3.49	0.143		0.14	7.30	0.3	460	1.05	0.03	2.32	0.04	23.2	6.7	6	1.13
J840418		3.46	0.063		0.04	7.25	0.2	440	1.04	0.02	2.39	0.04	33.2	7.9	11	0.99
J840419		3.37	0.021		0.04	7.29	<0.2	490	1.04	0.03	2.01	0.04	32.4	5.4	7	1.02
J840420		3.47	0.009		0.02	6.81	0.2	480	0.95	0.01	1.67	0.02	27.8	3.7	6	0.91
J840421		3.07	0.024		0.05	7.83	<0.2	350	0.97	0.02	3.38	0.07	39.9	12.4	8	0.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840384		24.6	2.13	16.25	0.06	2.4	0.024	1.23	9.8	10.7	1.18	392	0.31	3.00	6.4	65.6
J840384 CRD		23.4	1.95	15.75	0.05	2.2	0.021	1.22	8.4	9.7	1.10	368	0.17	2.97	5.8	59.3
J840385		107.0	6.69	10.70	0.15	0.9	0.043	0.01	2.9	46.5	7.67	1200	0.30	<0.01	1.5	560
J840386		16.6	1.98	16.60	0.08	3.4	0.027	1.81	17.9	6.1	0.55	320	0.14	2.66	5.9	8.6
J840387		6.1	2.61	18.55	0.06	3.7	0.037	2.29	14.6	9.2	0.62	432	0.17	2.33	5.9	13.7
J840388		7.5	2.04	18.35	0.06	3.9	0.032	1.95	19.4	6.8	0.38	276	0.12	2.37	5.4	6.9
J840389		6.2	2.68	18.20	0.09	3.4	0.028	2.57	24.9	4.6	0.54	410	0.50	1.44	6.0	7.2
J840390		4710	4.66	16.75	0.19	0.8	0.061	4.31	16.3	11.8	0.74	488	269	1.03	5.2	22.9
J840391		11.8	2.78	18.85	0.10	3.6	0.030	2.47	27.6	7.3	0.57	427	0.89	1.81	6.5	8.0
J840392		10.6	2.71	17.60	0.11	3.8	0.032	2.05	25.8	9.1	0.53	371	1.28	2.12	6.2	7.6
J840393		5.9	2.67	18.10	0.09	3.3	0.031	2.30	29.3	7.8	0.51	387	0.79	1.88	6.2	7.6
J840394		12.5	2.45	17.70	0.07	4.8	0.020	2.06	16.7	9.1	0.45	277	4.28	2.15	5.8	4.0
J840395		3.1	1.89	16.25	0.07	4.4	0.018	1.85	42.0	7.9	0.35	240	0.20	2.21	6.0	3.2
J840396		6.1	1.91	16.15	0.07	4.3	0.020	1.76	34.1	8.2	0.33	257	0.24	2.22	5.9	3.4
J840397		8.2	2.48	18.90	0.07	4.7	0.024	2.04	31.8	11.7	0.50	331	0.37	2.01	6.3	6.2
J840398		23.7	2.78	18.20	0.08	4.1	0.030	1.81	25.4	14.0	0.62	332	0.17	2.27	6.9	10.4
J840399		11.0	2.27	18.60	0.07	3.6	0.021	2.00	13.7	9.6	0.45	317	0.17	2.29	6.6	4.2
J840400		>10000	4.59	12.95	0.14	1.0	0.145	0.88	10.6	14.9	1.17	669	251	2.22	4.0	33.0
J840401		36.3	3.32	18.10	0.09	3.1	0.034	1.90	13.0	16.3	0.85	578	1.14	2.19	5.7	15.5
J840402		32.0	2.96	17.60	0.09	3.7	0.029	1.81	21.5	13.9	0.79	489	0.18	2.32	5.0	14.8
J840403		14.5	1.72	16.05	0.06	3.1	0.022	2.11	14.7	4.3	0.36	262	0.19	1.71	4.1	7.5
J840404		2.0	2.02	17.05	0.05	3.2	0.022	1.94	13.2	6.2	0.43	216	0.24	2.05	4.4	7.7
J840404 CRD		1.5	1.80	16.80	<0.05	3.4	0.021	1.92	12.4	6.1	0.40	194	0.19	2.04	4.5	7.2
J840405		7.7	3.61	17.75	0.11	2.2	0.033	2.54	12.3	9.7	1.15	531	0.23	1.55	6.4	26.3
J840406		9.7	2.04	17.15	0.05	2.8	0.023	2.04	9.1	4.7	0.46	348	0.17	2.38	6.2	8.5
J840407		3.8	1.99	18.70	0.05	3.8	0.023	2.41	12.9	5.2	0.35	301	0.20	1.85	7.5	3.2
J840408		1.6	2.14	17.25	0.08	5.0	0.020	2.08	32.5	8.1	0.41	314	0.15	2.00	6.0	4.6
J840409		9.2	2.41	15.85	0.09	3.3	0.022	1.61	20.0	12.4	0.58	396	0.12	2.60	5.6	10.7
J840410		26.6	2.75	17.80	0.08	2.8	0.029	1.77	25.6	13.8	0.72	444	0.11	2.47	6.3	14.4
J840411		11.7	1.96	17.90	0.05	3.2	0.022	2.07	20.7	6.8	0.37	318	0.25	2.19	6.1	4.3
J840412		8.8	1.66	16.90	0.05	2.7	0.024	1.98	15.5	5.6	0.37	320	0.22	2.33	5.4	5.0
J840413		44.3	2.90	18.95	0.16	3.1	0.030	1.96	26.3	13.5	0.82	470	0.38	2.36	5.2	14.5
J840414		37.2	2.84	18.95	0.17	3.5	0.030	2.06	32.0	13.8	0.73	458	0.32	2.27	6.4	12.7
J840415		>10000	5.60	13.35	0.18	1.1	0.108	2.80	25.1	16.4	1.17	621	104.5	1.70	6.5	33.0
J840416		31.3	2.88	21.7	0.21	3.3	0.032	1.95	26.9	14.7	0.70	460	0.19	2.26	6.0	14.3
J840417		26.8	2.17	19.90	0.11	2.9	0.026	2.15	10.9	9.6	0.42	345	0.20	2.46	7.2	4.1
J840418		26.9	2.50	20.4	0.13	3.5	0.019	2.07	16.6	11.8	0.50	383	0.13	2.27	6.2	8.2
J840419		6.8	1.95	19.60	0.11	2.7	0.018	2.06	16.0	8.3	0.37	323	0.13	2.55	6.8	3.8
J840420		5.7	1.62	17.35	0.11	2.6	0.013	1.76	13.9	5.3	0.25	264	0.16	2.76	4.5	2.4
J840421		32.9	3.25	19.50	0.15	3.2	0.034	1.74	20.0	19.1	0.83	546	0.18	2.64	6.7	14.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840384		160	12.7	41.0	<0.002	0.05	0.14	6.8	1	1.0	133.5	0.66	<0.05	5.4	0.144	0.17
J840384 CRD		160	10.9	36.0	<0.002	0.05	0.14	6.2	1	0.9	129.0	0.59	<0.05	4.4	0.132	0.16
J840385		250	4.9	0.5	<0.002	0.10	0.23	25.5	1	0.3	213	0.09	0.09	0.3	0.314	<0.02
J840386		400	6.6	58.4	<0.002	0.07	0.13	5.3	1	1.1	143.5	0.47	0.06	5.7	0.174	0.24
J840387		460	8.7	59.2	<0.002	0.06	0.15	7.2	1	1.2	183.5	0.53	0.09	4.5	0.221	0.30
J840388		450	6.6	58.4	<0.002	0.03	0.13	5.8	1	1.3	197.5	0.32	<0.05	5.7	0.195	0.25
J840389		510	5.6	82.2	<0.002	0.25	0.14	5.2	1	1.1	108.0	0.35	0.20	6.6	0.193	0.32
J840390		1140	42.2	108.5	0.612	2.56	7.02	11.3	8	2.9	257	0.33	1.18	2.4	0.255	1.34
J840391		580	4.9	75.0	<0.002	0.05	0.16	6.6	1	1.1	146.0	0.30	<0.05	7.5	0.222	0.32
J840392		560	6.6	65.0	<0.002	0.17	0.15	5.8	1	1.1	168.5	0.30	0.19	6.9	0.206	0.27
J840393		560	10.9	70.5	<0.002	0.36	0.14	5.2	1	1.1	153.0	0.30	0.37	7.9	0.212	0.29
J840394		620	8.0	66.5	<0.002	0.20	0.14	4.1	1	1.0	167.0	0.31	0.18	4.4	0.217	0.26
J840395		490	9.2	60.4	<0.002	0.07	0.12	2.5	1	0.9	188.5	0.34	<0.05	11.8	0.178	0.24
J840396		510	7.9	50.6	<0.002	0.05	0.12	2.5	<1	1.0	182.0	0.32	<0.05	11.1	0.183	0.23
J840397		780	8.1	58.2	<0.002	0.05	0.14	4.1	<1	1.1	182.0	0.31	<0.05	9.0	0.210	0.27
J840398		470	6.8	56.2	<0.002	0.04	0.15	5.5	1	1.1	182.0	0.39	0.05	7.6	0.227	0.23
J840399		660	6.6	66.4	<0.002	0.18	0.14	3.2	1	1.1	160.0	0.36	0.11	4.2	0.199	0.26
J840400		600	40.7	27.7	1.360	1.70	23.7	14.6	5	1.0	300	0.28	0.75	2.0	0.340	0.21
J840401		490	7.4	58.5	0.005	0.15	0.19	9.1	1	1.2	181.0	0.43	0.14	3.3	0.266	0.25
J840402		390	7.0	62.4	<0.002	0.12	0.16	8.5	1	1.1	177.5	0.35	0.10	6.2	0.219	0.24
J840403		210	7.2	62.9	<0.002	0.12	0.10	3.8	1	1.0	146.0	0.33	0.15	5.0	0.121	0.26
J840404		210	6.1	57.8	<0.002	0.05	0.09	4.5	1	1.0	177.0	0.44	<0.05	5.2	0.116	0.22
J840404 CRD		200	5.8	54.7	<0.002	0.05	0.09	4.2	<1	1.0	172.5	0.45	<0.05	4.9	0.110	0.22
J840405		550	6.0	61.4	<0.002	0.15	0.18	10.9	1	1.3	138.5	0.59	0.18	2.7	0.264	0.29
J840406		300	5.0	67.9	<0.002	0.08	0.10	5.1	1	1.2	91.8	0.64	0.08	3.8	0.137	0.25
J840407		480	4.3	78.1	<0.002	0.06	0.10	3.8	1	1.3	98.4	0.64	0.05	3.3	0.169	0.30
J840408		440	6.0	65.1	<0.002	0.03	0.10	3.2	1	1.0	132.0	0.34	<0.05	10.2	0.172	0.27
J840409		340	6.3	49.4	<0.002	0.01	0.14	6.3	1	1.0	178.0	0.52	<0.05	6.1	0.188	0.21
J840410		510	6.5	58.2	<0.002	0.03	0.19	7.5	1	1.2	182.0	0.50	<0.05	6.3	0.225	0.24
J840411		450	5.7	68.6	<0.002	0.07	0.10	3.2	1	1.1	151.0	0.38	0.08	6.8	0.144	0.26
J840412		300	4.8	64.2	<0.002	0.10	0.10	4.0	1	1.1	144.0	0.43	0.07	5.3	0.127	0.25
J840413		540	6.1	53.4	<0.002	0.23	0.16	9.7	1	1.1	165.0	0.38	0.18	6.7	0.197	0.24
J840414		620	6.2	55.2	<0.002	0.13	0.15	9.7	1	1.3	173.0	0.46	0.06	8.4	0.219	0.25
J840415		900	61.8	76.1	0.126	2.47	6.99	15.9	6	2.4	263	0.26	0.92	4.8	0.315	0.78
J840416		620	7.4	56.4	<0.002	0.08	0.16	8.1	1	1.3	186.0	0.38	<0.05	7.0	0.234	0.26
J840417		650	5.5	59.3	<0.002	0.08	0.14	4.6	1	1.3	161.5	0.62	<0.05	2.6	0.211	0.28
J840418		540	7.0	55.7	<0.002	0.07	0.13	4.9	1	1.1	153.5	0.46	<0.05	6.2	0.188	0.28
J840419		520	5.4	56.5	<0.002	0.03	0.10	3.6	1	1.1	148.5	0.51	<0.05	5.5	0.145	0.27
J840420		300	4.2	51.7	<0.002	0.02	0.08	2.7	1	0.8	158.0	0.28	<0.05	4.8	0.103	0.24
J840421		440	7.6	60.0	<0.002	0.03	0.19	10.7	2	1.3	226	0.59	<0.05	4.4	0.272	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840384		2.0	42	2.9	7.3	56	71.4									
J840384 CRD		1.8	40	2.6	6.3	54	65.6									
J840385		0.1	180	1.4	4.9	171	36.2		4.24	15.5	37.16	7.85	10.35	10.32	12.54	<0.01
J840386		1.0	33	6.8	5.6	38	132.5									
J840387		0.8	45	4.8	5.6	69	152.0									
J840388		0.6	34	2.4	4.8	50	160.5									
J840389		0.5	36	3.2	5.0	48	144.0									
J840390		1.1	155	12.0	15.3	151	28.0									
J840391		0.4	38	2.6	5.4	65	156.0									
J840392		0.4	36	4.3	5.3	73	159.0									
J840393		0.4	36	4.0	5.0	58	139.0									
J840394		0.6	30	3.4	5.1	51	206									
J840395		0.9	22	2.2	6.7	36	186.5									
J840396		0.9	23	2.3	6.2	34	190.0									
J840397		0.9	35	2.1	6.7	49	203									
J840398		0.7	45	1.6	5.5	59	158.5									
J840399		0.5	32	3.0	5.1	46	150.5									
J840400		0.8	102	6.1	16.4	145	33.5	1.330								
J840401		0.8	68	3.1	5.5	74	125.5									
J840402		0.9	58	3.7	6.0	65	147.0									
J840403		0.9	32	2.0	5.0	21	105.0									
J840404		1.1	36	0.9	6.0	28	101.0									
J840404 CRD		1.0	35	0.9	5.8	27	104.5									
J840405		1.0	74	2.6	5.7	58	77.5		1.73	6.3	58.59	15.01	5.51	5.10	2.16	2.18
J840406		1.2	33	1.9	4.6	35	102.5									
J840407		0.5	26	2.3	5.1	38	157.0									
J840408		0.9	25	1.5	5.8	51	210									
J840409		0.8	45	1.4	5.2	62	130.5									
J840410		0.9	55	2.0	5.5	75	110.0									
J840411		0.6	24	2.0	5.1	45	122.5									
J840412		0.8	25	2.0	5.0	38	96.3									
J840413		0.9	47	3.1	5.0	69	105.0									
J840414		0.8	48	3.8	5.6	69	122.5									
J840415		1.3	147	10.6	13.5	159	32.3	2.25								
J840416		0.7	49	4.9	5.5	76	146.0									
J840417		0.6	31	6.5	5.7	48	104.0									
J840418		2.1	36	3.6	6.2	62	99.3									
J840419		0.8	25	3.4	5.2	47	88.1									
J840420		0.5	18	1.9	4.0	30	87.0									
J840421		1.2	66	6.4	6.4	85	111.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840384 J840384 CRD J840385 J840386 J840387		0.01	0.16	0.83	0.17	0.056	0.02	<0.01	19.15	98.62
J840388 J840389 J840390 J840391 J840392										
J840393 J840394 J840395 J840396 J840397										
J840398 J840399 J840400 J840401 J840402										
J840403 J840404 J840404 CRD J840405 J840406		3.15	<0.01	0.55	0.07	0.120	0.03	0.04	7.77	100.30
J840407 J840408 J840409 J840410 J840411										
J840412 J840413 J840414 J840415 J840416										
J840417 J840418 J840419 J840420 J840421										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840422		3.44	0.073		0.10	7.26	<0.2	470	1.13	0.02	2.17	0.04	53.6	5.3	10	1.06
J840423		3.51	0.422		0.30	7.52	1.3	490	1.39	0.05	3.35	0.08	55.4	12.8	18	1.33
J840424		3.70	1.300		0.54	7.71	1.2	420	1.02	0.14	5.88	0.07	174.5	21.0	23	1.08
J840424 CRD		<0.02	1.345		0.60	7.66	0.8	420	0.95	0.15	6.10	0.10	181.5	22.0	24	1.12
J840425		3.42	1.445	1.415	0.65	7.82	<0.2	690	1.47	0.12	3.59	0.05	40.4	11.7	14	1.48
J840426		3.35	0.152		0.18	7.73	<0.2	570	1.17	0.03	3.01	0.04	40.1	11.2	17	1.16
J840427		3.29	0.073		0.07	7.54	0.3	290	0.73	0.04	4.20	0.07	40.6	26.3	73	0.62
J840428		3.47	0.009		0.03	6.85	<0.2	510	1.03	0.01	1.91	0.03	68.7	3.7	7	1.01
J840429		3.58	0.761		0.26	7.08	<0.2	530	0.96	0.04	2.41	0.04	80.2	6.9	11	1.16
J840430		0.12	0.488		2.29	7.57	104.0	580	1.20	0.66	0.54	1.13	32.5	18.7	32	7.28
J840431		3.45	0.031		0.06	7.10	0.6	620	1.08	0.04	2.55	0.03	64.8	9.3	13	1.10
J840432		3.34	0.039		0.04	7.55	0.3	580	1.11	0.03	2.51	0.03	61.9	10.2	15	1.16
J840433		3.13	0.212		0.12	7.55	0.2	480	1.00	0.04	2.69	0.05	62.2	10.4	26	1.15
J840434		3.58	0.215		0.13	6.97	0.3	360	0.76	0.05	4.14	0.10	46.8	29.4	234	0.79
J840435		3.42	0.219		0.11	7.36	<0.2	570	1.14	0.04	2.77	0.04	55.5	11.9	65	1.30
J840436		3.33	0.102		0.07	6.58	<0.2	520	1.05	0.03	1.85	0.04	30.8	6.2	13	1.08
J840437		3.66	0.506		0.25	7.68	0.2	620	1.31	0.07	3.70	0.09	34.3	14.6	4	1.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J840422		15.4	1.99	19.30	0.14	3.1	0.018	2.12	27.1	8.4	0.40	333	0.20	2.47	5.0	6.7
J840423		38.9	2.88	24.1	0.18	3.5	0.035	2.21	26.4	18.0	0.71	528	0.88	2.41	7.5	17.7
J840424		136.0	5.47	21.1	0.33	3.3	0.071	1.96	68.5	23.1	1.49	1020	0.68	1.57	13.2	28.1
J840424 CRD		135.0	5.58	21.6	0.31	3.3	0.075	1.97	70.0	23.2	1.52	1060	0.71	1.49	13.5	28.4
J840425		13.0	3.02	24.7	0.15	3.3	0.036	3.00	19.5	12.3	0.66	553	1.26	1.70	6.1	12.5
J840426		21.1	3.08	22.2	0.15	2.8	0.025	2.40	20.0	15.7	0.78	484	0.26	1.99	8.3	15.5
J840427		50.6	5.35	19.30	0.16	3.0	0.046	1.18	20.9	33.5	2.03	792	0.30	2.27	5.3	71.4
J840428		4.1	1.81	18.65	0.13	4.9	0.017	2.09	35.1	6.7	0.33	270	0.24	2.43	6.5	3.9
J840429		7.0	2.62	19.20	0.19	5.0	0.025	2.33	40.5	10.1	0.50	339	0.21	1.88	7.0	7.2
J840430		4550	4.73	17.15	0.21	0.8	0.058	4.11	17.4	12.0	0.75	486	257	1.08	5.1	23.7
J840431		15.2	2.74	20.7	0.17	4.0	0.034	2.87	31.7	12.1	0.62	384	0.75	1.04	6.4	9.4
J840432		57.6	2.88	21.0	0.17	4.2	0.032	2.63	30.3	12.8	0.62	353	7.23	1.53	7.1	9.8
J840433		20.1	2.89	20.6	0.17	4.6	0.036	2.22	31.2	14.6	0.64	319	3.97	2.18	7.3	14.0
J840434		37.9	5.33	17.70	0.17	3.3	0.042	1.61	24.6	24.1	2.57	856	0.38	1.70	4.4	139.0
J840435		9.0	2.99	20.6	0.15	3.8	0.031	2.69	26.5	9.4	0.92	455	0.31	1.71	6.4	32.8
J840436		40.6	2.08	17.00	0.12	2.6	0.019	2.27	15.8	4.0	0.48	341	0.81	1.77	4.9	7.3
J840437		27.9	3.63	22.5	0.18	3.5	0.036	3.20	16.4	9.1	0.98	646	0.20	1.44	7.3	15.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840422		360	6.6	57.8	<0.002	0.04	0.13	4.5	1	0.9	163.5	0.34	<0.05	8.5	0.151	0.28
J840423		580	12.2	64.7	<0.002	0.14	0.21	9.5	2	1.4	194.5	0.58	0.13	6.5	0.241	0.34
J840424		4470	8.9	61.8	<0.002	0.77	0.38	14.5	2	2.8	219	1.03	0.16	5.5	0.671	0.25
J840424 CRD		4570	9.0	66.1	<0.002	0.84	0.39	15.0	2	2.9	221	1.01	0.23	5.4	0.695	0.25
J840425		560	5.6	74.5	<0.002	0.30	0.16	7.6	2	1.4	159.5	0.44	0.28	5.7	0.229	0.39
J840426		560	4.4	64.7	<0.002	0.10	0.17	8.1	2	1.1	150.0	0.72	<0.05	5.3	0.218	0.32
J840427		380	7.4	41.0	<0.002	0.11	0.23	14.7	1	1.1	197.5	0.48	<0.05	4.8	0.380	0.16
J840428		350	4.6	59.3	<0.002	0.02	0.10	3.6	1	1.0	137.0	0.43	<0.05	12.1	0.139	0.29
J840429		540	4.4	67.5	<0.002	0.14	0.13	5.0	1	1.1	133.5	0.32	0.11	12.0	0.196	0.31
J840430		1130	42.4	102.0	0.600	2.52	7.23	12.1	8	2.9	263	0.31	1.08	2.7	0.255	1.45
J840431		610	3.8	71.6	<0.002	0.08	0.14	6.4	1	1.2	91.7	0.30	<0.05	8.0	0.227	0.36
J840432		620	3.8	73.7	<0.002	0.10	0.14	6.8	2	1.3	127.5	0.34	<0.05	6.9	0.235	0.35
J840433		660	6.5	66.8	<0.002	0.07	0.15	7.0	2	1.3	149.0	0.27	0.05	7.2	0.242	0.31
J840434		470	6.4	54.7	<0.002	0.09	0.21	14.5	1	1.0	178.0	0.20	0.05	5.2	0.369	0.21
J840435		590	5.2	66.8	<0.002	0.09	0.14	7.9	1	1.2	124.5	0.30	0.05	7.4	0.216	0.35
J840436		260	4.1	65.8	<0.002	0.06	0.11	5.4	1	0.9	88.9	0.37	<0.05	5.0	0.141	0.31
J840437		440	6.4	71.5	<0.002	0.13	0.22	12.4	1	1.4	126.5	0.54	0.13	3.8	0.325	0.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840422		1.0	28	4.1	4.8	41	97.7									
J840423		0.9	52	8.7	5.5	66	120.0									
J840424		2.0	95	15.9	14.3	112	119.5									
J840424 CRD		2.0	97	16.7	14.7	113	122.5									
J840425		1.0	56	7.8	4.9	59	101.0		1.14	4.2	59.28	16.65	4.28	5.15	1.26	2.25
J840426		1.1	54	4.5	5.4	62	90.2									
J840427		1.0	109	3.0	6.8	102	95.1									
J840428		1.1	18	2.0	5.8	32	174.0									
J840429		0.9	31	2.6	6.2	48	184.0									
J840430		1.2	156	12.0	13.8	149	22.3									
J840431		0.6	39	4.6	6.1	50	151.0									
J840432		0.6	39	3.9	5.9	54	154.5									
J840433		0.6	41	3.4	6.3	67	168.5									
J840434		0.5	104	3.1	6.4	132	111.5									
J840435		0.5	44	3.7	5.2	61	138.0									
J840436		0.8	35	3.2	4.3	33	86.7									
J840437		1.1	77	10.8	5.3	67	127.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
J840422										
J840423										
J840424										
J840424 CRD										
J840425		3.55	<0.01	0.48	0.07	0.122	0.03	0.08	5.87	99.07
J840426										
J840427										
J840428										
J840429										
J840430										
J840431										
J840432										
J840433										
J840434										
J840435										
J840436										
J840437										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 19-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184044

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.