ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178822

Project: HAMMOND REEF

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J830655		3.43	1.500			0.17	7.34	0.3	210	1.00	0.09	4.10	0.06	51.5	20.4	18
J830656		3.36	0.689			0.19	7.19	<0.2	300	1.05	0.08	3.47	0.05	62.2	13.7	12
J830657		2.92	0.411			0.15	6.57	<0.2	350	1.00	0.05	1.91	0.02	51.5	4.8	10
J830658		3.49	0.772			0.17	6.52	<0.2	370	1.06	0.09	1.90	0.02	52.4	5.9	9
J830659		3.05	0.527			0.07	6.62	<0.2	370	0.98	0.10	2.13	0.02	58.9	5.2	10
J830660		0.07	0.881			4.43	6.16	19.1	450	0.72	1.69	2.31	2.02	18.50	14.2	63
J830661		3.47	0.800			0.28	7.06	0.2	330	1.02	0.44	3.42	0.05	42.3	14.4	13
J830662		3.40	0.738			0.20	7.33	<0.2	370	1.03	0.11	3.50	0.05	42.8	15.6	12
J830663		3.27	1.970			0.38	7.02	0.2	320	0.99	0.16	2.94	0.04	46.7	15.7	12
J830664		3.54	0.660			0.18	6.45	0.3	410	1.00	0.04	2.71	0.04	39.9	12.3	70
J830665		2.62	0.346			0.07	7.04	<0.2	370	1.04	0.01	6.26	0.12	14.60	24.4	66
J830666		2.25	1.090			0.16	7.09	0.7	440	0.98	0.05	4.41	0.07	24.5	21.1	14
J830667		2.40	5.99	5.64		1.83	3.82	5.1	60	0.46	0.33	9.63	0.16	19.55	67.0	742
J830668		3.39	1.295			0.34	2.90	24.8	<10	0.20	0.18	9.73	0.11	19.10	65.6	788
J830669		3.54	1.790			0.84	3.18	48	40	0.27	0.11	11.60	0.20	16.40	68.3	773
J830670		2.48	2.06			1.48	3.13	201	130	0.44	0.50	12.40	0.22	19.95	55.5	618
J830671		2.15	0.134			0.19	6.83	2.5	380	0.84	0.25	0.79	0.02	36.5	2.5	26
J830672		2.20	0.026			0.02	7.06	<0.2	340	0.78	0.02	0.95	0.03	13.70	2.1	10
J830673		3.11	0.642			0.08	7.16	0.3	410	0.93	0.08	2.22	0.08	18.10	8.0	11
J830674		3.33	0.871			0.35	7.74	1.9	550	1.10	0.47	2.43	0.12	54.4	8.1	12
J830674 CRD		<0.02	0.948			0.29	7.31	1.8	530	1.16	0.42	2.31	0.12	50.7	7.9	12
J830675		0.11	2.45			8.23	6.91	53.2	660	0.82	3.30	1.70	0.95	59.5	15.2	57
J830676		3.83	0.428		0.453	0.22	7.23	1.1	450	1.04	0.42	1.36	0.38	55.2	5.2	10
J830677		3.36	1.250			0.17	8.00	<0.2	450	1.01	0.21	1.67	0.10	65.0	6.4	15
J830678		3.48	0.516			0.17	6.72	<0.2	430	0.89	0.14	3.03	0.17	38.6	11.0	21
J830679		3.53	0.576			0.14	7.85	<0.2	430	1.05	0.07	3.36	0.10	53.6	11.1	17
J830680		3.49	0.210			0.06	7.01	<0.2	300	0.83	0.05	2.96	0.10	20.7	9.8	14
J830681		3.42	0.373			0.08	7.61	<0.2	300	0.93	0.03	3.24	0.10	28.7	13.4	7
J830682		3.24	0.314			0.04	6.85	<0.2	310	0.94	0.03	2.19	0.09	32.9	3.1	8
J830683		3.47	0.051			0.06	7.16	<0.2	240	0.76	0.02	3.76	0.18	27.4	14.2	21
J830684		2.89	0.012			0.01	6.76	<0.2	210	0.79	0.01	3.06	0.19	40.2	6.1	9
J830685		3.24	0.882			0.15	6.84	<0.2	370	0.94	0.08	2.74	0.14	42.6	3.2	6
J830686		3.34	0.277			0.05	7.00	<0.2	390	0.90	0.04	2.36	0.11	50.7	4.6	10
J830687		3.27	0.757			0.14	6.87	0.5	360	0.89	0.05	2.11	0.09	73.2	4.7	11
J830688		3.67	0.314			0.03	6.57	<0.2	230	0.91	0.02	1.84	0.06	39.0	2.8	11
J830689		3.38	0.584			0.07	7.09	<0.2	240	0.90	0.05	2.26	0.07	36.5	5.7	11
J830690		0.13	0.419			2.21	7.86	110.0	600	1.14	0.48	0.58	0.86	34.1	16.6	34
J830691		3.42	0.188			0.04	6.63	<0.2	210	0.89	0.01	2.59	0.09	21.5	7.0	16
J830692		3.48	0.148			0.08	7.40	<0.2	290	0.87	0.03	3.12	0.11	25.8	13.0	54
J830693		3.33	0.291			0.08	7.83	<0.2	310	0.96	0.03	2.91	0.11	53.1	8.8	13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J830655		0.71	33.9	5.62	23.0	0.19	2.5	0.050	1.00	20.3	31.8	1.24	810	0.36	2.20	10.0
J830656		0.94	12.4	4.22	22.9	0.18	3.4	0.040	1.58	26.5	23.0	0.87	596	0.95	2.23	8.4
J830657		0.90	3.7	1.94	19.50	0.18	4.1	0.014	1.67	24.6	7.9	0.32	228	1.38	2.50	5.1
J830658		0.96	5.5	2.02	20.3	0.16	4.6	0.019	1.83	24.2	9.1	0.36	227	4.66	2.37	5.3
J830659		0.95	1.8	2.02	20.0	0.18	4.7	0.024	1.81	28.7	7.8	0.33	263	3.92	2.37	5.7
J830660		0.73	>10000	4.58	13.30	0.20	1.1	0.124	0.83	9.5	14.6	1.11	653	241	2.09	3.6
J830661		0.96	54.8	4.32	20.1	0.20	3.5	0.038	1.83	19.5	21.3	0.91	572	49.2	1.86	6.6
J830662		0.95	36.4	4.78	21.4	0.21	3.6	0.043	1.89	19.1	23.9	1.04	637	3.77	1.82	7.0
J830663		0.88	54.5	4.66	20.6	0.21	3.5	0.042	1.81	21.4	22.5	1.13	579	6.35	1.88	7.1
J830664		0.87	6.4	3.09	17.70	0.21	2.6	0.029	1.90	19.7	12.0	1.19	541	0.50	2.14	5.5
J830665		0.99	5.9	4.67	15.80	0.16	0.6	0.037	2.24	6.4	11.1	2.74	1170	0.25	1.59	3.1
J830666		0.94	98.3	5.04	19.50	0.17	1.0	0.042	2.23	11.4	22.3	1.64	737	0.72	1.05	4.4
J830667		0.20	110.5	8.80	13.55	0.18	2.0	0.053	0.46	8.1	39.8	6.24	1580	4.75	0.07	5.6
J830668		<0.05	77.3	8.09	10.15	0.18	1.7	0.046	0.01	8.0	29.0	7.14	1620	2.94	0.01	2.7
J830669		0.13	39.0	7.91	10.60	0.20	1.7	0.043	0.32	6.7	19.4	7.40	1450	2.05	0.04	2.9
J830670		0.44	33.1	6.46	11.20	0.19	1.7	0.036	1.19	9.0	6.5	5.30	1480	19.00	0.10	3.7
J830671		0.66	1.6	1.01	18.25	0.11	2.6	0.010	2.21	16.2	1.5	0.31	99	49.5	2.24	5.7
J830672		0.61	0.9	1.12	18.35	0.10	2.8	0.010	2.03	7.3	1.5	0.22	120	2.15	2.89	2.9
J830673		0.77	1.2	3.02	21.3	0.14	1.8	0.029	2.42	8.9	6.6	0.72	402	2.32	1.98	4.7
J830674		1.02	1.8	2.98	24.6	0.16	4.9	0.024	3.34	26.8	2.8	0.68	417	36.6	1.68	6.1
J830674 CRD		1.00	3.4	2.82	23.8	0.16	4.7	0.023	3.21	24.9	2.7	0.65	394	34.5	1.58	5.5
J830675		2.85	>10000	6.01	14.90	0.22	1.2	0.106	2.89	28.9	17.6	1.23	647	127.5	1.74	6.3
J830676		0.94	3.3	1.91	21.7	0.13	4.0	0.016	2.49	28.4	2.1	0.38	243	52.2	1.73	5.2
J830677		0.93	6.1	2.46	22.0	0.16	5.6	0.022	2.79	34.9	2.1	0.46	297	18.50	2.67	5.7
J830678		0.98	12.5	3.17	18.45	0.16	3.1	0.025	2.83	17.3	2.9	0.98	521	4.67	1.57	6.7
J830679		1.11	26.8	3.73	21.6	0.20	3.9	0.034	2.52	26.4	13.2	0.88	554	1.89	2.07	7.6
J830680		0.73	5.8	2.88	18.95	0.17	2.0	0.026	1.84	10.1	13.4	0.89	558	0.72	2.69	4.4
J830681		0.77	23.3	3.61	20.3	0.18	2.4	0.028	1.74	12.6	23.5	1.04	524	0.35	2.76	3.6
J830682		0.60	6.0	1.43	17.50	0.13	3.7	0.011	1.60	15.3	6.2	0.22	184	0.24	3.23	3.5
J830683		0.56	9.7	4.20	18.20	0.18	2.5	0.031	1.39	11.6	30.0	1.23	565	0.18	2.54	5.0
J830684		0.76	2.0	2.00	16.20	0.16	2.8	0.018	1.92	18.7	8.2	0.51	187	0.69	2.19	4.5
J830685		0.86	2.2	1.74	21.3	0.16	3.0	0.022	2.46	21.6	5.1	0.24	159	3.64	1.97	5.5
J830686		0.83	6.5	2.03	18.50	0.16	3.6	0.016	2.00	27.2	7.0	0.38	287	0.25	2.55	4.5
J830687		0.70	5.3	2.39	19.35	0.18	4.5	0.017	1.72	39.1	9.7	0.37	305	3.76	2.70	4.6
J830688		0.53	4.9	1.51	17.90	0.15	2.6	0.012	1.23	21.6	8.9	0.24	229	0.27	3.22	4.6
J830689		0.64	10.1	2.15	17.35	0.18	2.1	0.018	1.46	16.7	13.7	0.45	318	1.31	3.01	3.5
J830690		6.11	4630	4.96	17.60	0.23	0.8	0.058	5.75	17.1	11.8	0.78	501	269	1.11	5.2
J830691		0.61	35.0	2.02	18.50	0.17	2.2	0.016	1.37	9.7	15.2	0.57	424	0.77	3.19	3.0
J830692		0.80	21.3	3.61	22.0	0.19	2.0	0.029	1.91	11.1	25.1	1.19	616	0.27	2.82	5.0
J830693		0.76	39.3	3.15	21.7	0.18	2.9	0.027	1.80	27.8	21.8	0.72	472	0.16	2.83	7.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J830655		15.6	1090	5.3	43.3	<0.002	0.33	0.13	16.6	2	1.4	177.5	0.59	0.11	1.6	0.373
J830656		9.3	820	5.2	56.4	<0.002	0.31	0.13	11.0	1	1.4	149.0	0.45	0.11	6.1	0.276
J830657		4.5	300	4.2	62.1	<0.002	0.11	0.09	3.4	1	0.8	154.0	0.25	0.09	6.9	0.116
J830658		4.9	350	3.9	55.1	<0.002	0.13	0.10	3.8	1	0.8	145.0	0.23	0.14	6.7	0.130
J830659		4.9	400	4.2	64.8	<0.002	0.25	0.11	3.9	1	0.9	149.5	0.26	0.10	8.1	0.131
J830660		33.0	540	35.1	24.3	1.385	1.57	22.7	14.2	5	1.0	281	0.25	0.58	1.6	0.324
J830661		11.6	760	5.3	57.4	0.002	0.30	0.21	11.0	1	1.1	158.5	0.46	0.42	3.0	0.274
J830662		12.4	860	4.0	62.4	<0.002	0.23	0.19	12.5	1	1.4	150.5	0.49	0.17	3.3	0.302
J830663		10.6	910	3.6	55.5	<0.002	0.50	0.19	11.8	1	1.2	127.5	0.50	0.22	3.1	0.292
J830664		30.3	350	3.2	51.8	<0.002	0.16	0.13	9.6	1	1.0	135.0	0.45	0.08	3.8	0.177
J830665		83.1	210	4.0	64.8	<0.002	0.03	0.11	21.9	1	1.0	221	0.26	0.07	0.6	0.162
J830666		36.5	1150	4.4	62.1	<0.002	0.31	0.14	16.0	1	1.1	159.5	0.42	0.12	1.4	0.309
J830667		476	80	6.5	14.4	<0.002	1.05	0.23	26.9	1	0.7	355	0.31	2.38	0.7	0.600
J830668		609	30	5.7	0.4	<0.002	0.32	0.09	21.8	1	0.3	315	0.14	2.13	0.5	0.264
J830669		654	30	6.0	8.7	<0.002	0.30	0.14	19.6	1	0.3	463	0.15	1.60	0.5	0.309
J830670		430	40	11.6	33.9	0.003	0.65	0.29	18.5	1	0.4	309	0.18	4.28	0.7	0.314
J830671		23.8	40	6.5	54.4	<0.002	0.09	0.08	2.2	1	0.7	73.7	0.72	0.24	9.2	0.048
J830672		6.5	220	3.4	50.4	<0.002	0.03	0.07	1.4	1	0.7	89.2	0.24	<0.05	2.6	0.063
J830673		23.2	400	4.2	53.6	<0.002	0.21	0.10	6.9	1	1.1	105.0	0.26	0.06	2.3	0.138
J830674		17.4	600	7.4	63.1	<0.002	0.25	0.15	4.7	1	0.9	93.4	0.29	0.25	5.3	0.223
J830674 CRD		16.4	570	7.5	60.5	<0.002	0.26	0.14	4.6	1	0.9	89.9	0.25	0.23	4.9	0.207
J830675		32.6	930	61.0	80.6	0.135	2.42	7.41	15.1	7	2.7	267	0.25	0.88	4.1	0.328
J830676		7.5	400	12.1	73.6	<0.002	0.20	0.13	3.8	1	1.0	74.5	0.36	0.22	9.6	0.119
J830677		7.2	540	6.1	66.0	<0.002	0.42	0.13	3.8	1	1.2	93.3	0.35	0.15	8.3	0.152
J830678		18.9	510	4.1	69.8	<0.002	0.27	0.21	8.4	1	1.1	113.0	0.52	0.16	3.7	0.298
J830679		13.6	570	5.4	62.7	<0.002	0.17	0.20	8.7	1	1.4	175.5	0.60	0.09	5.2	0.279
J830680		22.6	330	5.3	39.2	<0.002	0.10	0.13	7.1	1	1.0	205	0.38	<0.05	2.7	0.158
J830681		15.6	500	5.8	40.8	<0.002	0.09	0.18	10.3	1	1.0	197.5	0.29	<0.05	2.9	0.230
J830682		2.8	260	7.8	36.7	<0.002	0.09	0.09	1.8	1	0.7	204	0.22	<0.05	4.2	0.097
J830683		22.5	440	7.7	28.7	<0.002	0.02	0.24	11.2	1	1.0	221	0.47	<0.05	2.2	0.289
J830684		7.1	380	7.0	42.4	<0.002	0.01	0.14	4.0	1	0.8	174.5	0.28	<0.05	5.1	0.159
J830685		3.5	350	8.9	56.2	<0.002	0.29	0.12	2.5	1	1.2	164.0	0.41	0.08	5.8	0.127
J830686		4.8	420	7.7	51.5	<0.002	0.10	0.11	3.2	1	0.9	156.0	0.23	<0.05	5.9	0.143
J830687		3.8	380	7.2	45.3	<0.002	0.17	0.13	3.2	1	0.9	163.5	0.23	0.06	10.3	0.142
J830688		2.1	150	7.3	35.2	<0.002	0.08	0.10	2.0	1	0.8	202	0.35	<0.05	5.8	0.087
J830689		7.9	300	7.4	38.6	<0.002	0.10	0.11	4.0	1	0.9	185.0	0.23	<0.05	5.5	0.131
J830690		21.8	1140	35.1	117.5	0.610	2.60	7.31	11.0	9	2.9	270	0.31	0.89	2.2	0.265
J830691		13.8	300	6.9	32.6	<0.002	0.04	0.13	4.7	1	0.7	218	0.18	<0.05	3.6	0.115
J830692		40.7	460	100.0	33.8	<0.002	0.07	0.16	9.3	1	1.1	201	0.36	<0.05	2.0	0.232
J830693		8.6	780	820	47.7	<0.002	0.07	0.17	5.9	1	1.1	232	0.37	<0.05	3.2	0.257

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J830655		0.17	0.4	110	5.9	20.8	99	117.5								
J830656		0.21	0.7	71	7.1	12.1	84	144.0								
J830657		0.24	0.7	18	1.7	6.7	29	161.0								
J830658		0.24	0.6	22	1.9	6.3	31	177.5								
J830659		0.23	0.8	24	2.9	6.6	27	179.5								
J830660		0.20	0.8	106	4.9	14.7	142	31.6	1.265							
J830661		0.25	0.6	87	4.6	8.2	77	143.5								
J830662		0.26	0.8	97	4.5	8.5	84	147.0								
J830663		0.24	0.7	89	6.2	9.0	82	141.0								
J830664		0.22	0.6	48	4.5	5.7	50	99.0								
J830665		0.27	0.5	87	3.2	5.8	66	14.3								
J830666		0.26	0.6	110	5.5	5.3	95	36.3								
J830667		0.06	0.5	187	12.8	8.7	174	71.7								
J830668		<0.02	0.5	115	8.0	7.1	181	59.2								
J830669		0.03	0.4	108	6.6	6.6	154	60.5								
J830670		0.13	0.8	88	11.0	8.1	102	58.3								
J830671		0.21	1.6	22	1.2	4.8	14	50.3								
J830672		0.20	1.0	18	1.5	2.3	20	75.6								
J830673		0.24	0.7	54	3.4	3.0	81	45.8								
J830674		0.33	0.6	53	5.3	3.9	56	205								
J830674 CRD		0.31	0.6	50	4.9	3.7	54	196.5								
J830675		0.68	1.3	154	11.3	13.0	178	35.2	2.16							
J830676		0.29	1.2	29	3.3	6.0	52	145.0		0.64	2.3	69.11	14.87	2.74	1.89	0.76
J830677		0.29	1.3	30	4.2	6.5	41	217								
J830678		0.28	1.0	66	6.5	5.8	51	118.5								
J830679		0.27	1.3	65	4.1	5.7	81	153.5								
J830680		0.22	2.0	53	1.6	3.0	58	57.4								
J830681		0.20	0.7	87	2.3	3.3	74	71.2								
J830682		0.17	0.6	15	1.7	3.1	24	94.4								
J830683		0.15	0.9	96	1.8	4.5	70	101.0								
J830684		0.20	0.6	31	2.4	3.3	29	110.5								
J830685		0.26	0.7	28	1.8	3.2	23	123.0								
J830686		0.21	0.4	26	2.9	3.6	48	159.0								
J830687		0.20	0.8	20	1.6	4.9	46	188.0								
J830688		0.15	0.7	10	0.7	3.2	29	92.5								
J830689		0.16	0.5	29	1.5	3.7	52	74.0								
J830690		1.20	1.1	158	12.6	12.9	148	24.0								
J830691		0.16	0.4	39	1.3	2.9	44	63.2								
J830692		0.22	0.4	64	2.2	3.1	81	64.8								
J830693		0.22	0.5	48	2.9	4.3	90	112.0								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830655											
J830656											
J830657											
J830658											
J830659											
J830660											
J830661											
J830662											
J830663											
J830664											
J830665											
J830666											
J830667											
J830668											
J830669											
J830670											
J830671											
J830672											
J830673											
J830674											
J830674 CRD											
J830675											
J830676		2.55	3.13	<0.01	0.23	0.03	0.091	0.02	0.04	3.60	99.06
J830677											
J830678											
J830679											
J830680											
J830681											
J830682											
J830683											
J830684											
J830685											
J830686											
J830687											
J830688											
J830689											
J830690											
J830691											
J830692											
J830693											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J830694		3.15	0.624			0.09	7.06	<0.2	400	0.91	0.06	2.72	0.13	59.2	6.1	10
J830694 CRD		<0.02	0.691			0.12	6.53	<0.2	380	0.87	0.06	2.51	0.15	64.1	6.6	11
J830695		3.34	0.343		0.339	0.13	6.94	<0.2	330	1.02	0.07	1.83	0.10	169.0	7.3	13
J830696		3.38	0.603			0.09	6.14	<0.2	260	0.96	0.05	2.14	0.09	70.5	5.4	8
J830697		3.34	0.154			0.17	7.13	<0.2	300	1.02	0.03	2.54	0.14	31.2	8.7	12
J830698		3.62	0.023			0.04	6.55	<0.2	250	0.83	0.01	2.67	0.17	40.2	8.4	11
J830699		3.22	0.203			0.19	6.79	<0.2	330	1.09	0.05	1.89	0.16	109.0	5.1	7
J830700		0.07	0.962			4.48	5.92	17.1	450	0.75	1.57	2.28	1.96	20.1	14.1	58
J830701		3.49	0.317			0.11	7.06	0.5	400	0.84	0.05	3.48	0.24	39.7	14.7	25
J830702		3.97	0.178			0.12	6.56	<0.2	340	0.90	0.08	2.74	0.18	48.0	11.5	20
J830703		3.64	0.529			0.16	7.03	0.2	380	1.02	0.02	1.68	0.10	58.0	4.8	11
J830704		3.32	3.04			0.22	6.42	<0.2	370	1.10	0.08	1.45	0.10	61.2	5.4	13
J830705		3.36	2.59			0.11	6.10	<0.2	360	0.91	0.03	1.40	0.09	42.0	4.7	12
J830706		3.98	1.185			0.28	6.18	<0.2	340	0.97	0.05	1.70	0.12	64.3	5.0	8
J830707		3.12	0.629			0.15	6.85	<0.2	380	1.09	0.04	2.02	0.14	76.0	6.0	8
J830708		3.11	1.530			0.26	6.56	<0.2	360	1.17	0.05	1.52	0.08	51.8	4.4	8
J830709		3.05	3.10			0.57	5.98	<0.2	280	0.88	0.09	0.81	0.06	32.6	4.2	8
J830710		3.40	2.53			0.29	6.23	<0.2	240	0.88	0.07	1.48	0.11	47.7	3.4	6
J830711		3.08	1.575			0.22	6.43	<0.2	250	1.04	0.04	2.12	0.12	46.4	8.0	18
J830712		2.12	0.252			0.19	6.59	<0.2	190	1.07	0.05	1.39	0.09	13.85	4.1	8
J830713		3.47	0.516			0.16	6.00	<0.2	240	0.94	0.05	1.34	0.07	43.8	5.2	11
J830714		3.64	0.617			0.19	7.17	<0.2	340	1.04	0.06	5.60	0.22	17.50	26.1	20
J830714 CRD		<0.02	0.636			0.19	7.28	<0.2	340	1.05	0.06	5.81	0.21	19.00	26.4	21
J830715		0.12	2.39			8.31	6.59	47.3	640	0.99	3.17	1.66	0.99	56.7	17.0	59
J830716		3.44	0.838		1.425	0.10	6.89	<0.2	360	1.02	0.05	2.05	0.08	59.5	4.8	8
J830717		3.69	0.829			0.16	6.49	<0.2	350	1.09	0.07	2.46	0.11	62.4	6.1	8
J830718		3.40	0.734			0.08	6.73	<0.2	330	1.12	0.06	3.26	0.11	49.4	8.7	13
J830719		3.67	1.880			0.27	6.23	<0.2	270	1.03	0.07	2.46	0.07	55.5	6.6	9
J830720		3.58	0.041			0.12	5.89	<0.2	200	1.04	0.01	2.70	0.06	48.7	5.5	9
J830721		3.53	1.095			0.50	6.47	<0.2	250	0.99	0.14	2.71	0.06	57.1	10.4	11
J830722		3.47	0.610			0.11	6.36	<0.2	280	0.97	0.04	2.76	0.07	51.5	8.6	14
J830723		3.52	0.413			0.13	5.76	<0.2	320	0.98	0.04	2.19	0.06	53.3	6.0	9
J830724		3.49	0.335			0.43	6.85	<0.2	300	0.90	0.03	3.36	0.08	37.9	13.4	11
J830725		3.82	1.660			0.36	6.50	<0.2	380	1.00	0.09	2.22	0.08	71.7	7.2	10
J830726		3.61	0.170			0.10	6.75	<0.2	380	1.00	0.05	3.31	0.11	56.3	12.3	13
J830727		3.53	0.135			0.12	7.27	<0.2	310	0.94	0.04	4.15	0.17	33.7	19.8	21
J830728		3.59	1.150			0.15	6.87	0.5	340	0.93	0.10	2.80	0.12	47.6	11.1	18
J830729		3.39	0.106			0.04	7.18	<0.2	340	0.70	0.03	2.48	0.13	79.5	8.9	15
J830730		0.10	0.433			2.36	7.75	113.5	580	1.33	0.53	0.59	0.93	35.2	18.7	34
J830731		3.58	0.015			0.02	7.34	<0.2	290	0.69	0.01	3.54	0.26	41.5	15.7	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J830694		0.82	6.3	2.50	19.75	0.20	5.1	0.018	1.98	30.8	12.2	0.45	321	0.25	2.48	4.8
J830694 CRD		0.93	7.8	2.24	19.60	0.13	4.5	0.018	1.75	32.9	12.1	0.42	292	0.26	2.17	4.7
J830695		0.89	12.7	2.45	21.0	0.23	3.3	0.027	1.59	87.5	14.7	0.51	314	5.74	2.46	6.1
J830696		0.73	32.6	2.22	18.10	0.12	3.8	0.021	1.37	34.9	12.6	0.39	348	0.63	2.55	5.1
J830697		0.87	13.6	2.69	22.3	0.12	3.0	0.020	1.64	14.1	17.8	0.57	369	0.27	2.73	7.7
J830698		0.77	14.1	2.81	19.85	0.11	2.9	0.024	1.54	18.2	18.0	0.53	339	0.14	2.36	5.6
J830699		0.93	3.5	1.77	20.5	0.18	4.6	0.016	1.89	48.7	8.0	0.36	274	0.94	2.36	4.3
J830700		0.73	>10000	4.37	12.75	0.15	0.9	0.116	0.79	9.6	13.6	1.09	626	230	2.05	4.0
J830701		1.12	33.7	3.87	20.6	<0.05	2.9	0.029	2.19	20.0	15.9	1.11	630	0.27	1.99	4.0
J830702		0.90	15.2	3.06	19.00	0.13	3.1	0.026	1.71	22.9	15.3	0.79	434	4.94	2.23	5.0
J830703		0.95	4.9	1.95	20.2	0.13	3.8	0.016	1.86	29.3	6.4	0.33	246	0.52	2.48	5.6
J830704		0.90	7.0	1.86	18.80	0.14	3.5	0.016	1.69	30.3	4.0	0.28	222	0.39	2.30	5.4
J830705		0.84	8.3	1.89	17.90	0.12	3.0	0.016	1.73	20.0	3.7	0.32	259	0.55	2.13	5.3
J830706		0.90	22.9	1.97	18.15	0.15	3.7	0.018	1.72	31.4	5.0	0.35	278	0.49	2.18	4.9
J830707		1.00	17.0	2.32	21.1	0.18	3.9	0.016	2.02	36.0	9.0	0.41	282	0.26	2.23	5.7
J830708		1.02	9.4	1.76	20.6	0.13	4.5	0.013	1.98	25.5	4.0	0.32	229	1.36	2.32	5.3
J830709		0.80	6.1	1.35	17.05	0.11	2.6	0.007	1.48	16.6	2.7	0.17	123	0.96	2.50	3.4
J830710		0.74	14.1	1.58	17.10	0.12	3.6	0.008	1.52	22.5	5.2	0.24	158	0.49	2.55	3.4
J830711		0.88	12.3	2.43	18.60	0.15	2.3	0.023	1.71	21.6	9.4	0.64	338	0.36	2.35	5.6
J830712		0.69	23.7	1.28	18.55	0.10	1.6	0.012	1.32	6.5	4.9	0.22	168	1.53	3.44	4.7
J830713		0.78	23.2	1.64	16.15	0.13	2.1	0.012	1.46	21.1	3.6	0.32	178	0.34	2.66	3.8
J830714		1.29	11.2	5.70	18.15	0.16	0.7	0.051	2.40	7.4	17.1	2.30	957	1.28	1.16	3.8
J830714 CRD		1.30	11.0	5.92	18.40	0.17	0.8	0.049	2.43	8.2	18.0	2.39	988	0.49	1.15	4.0
J830715		3.27	>10000	5.69	14.65	0.22	1.2	0.107	2.66	26.1	16.9	1.16	626	115.5	1.61	6.9
J830716		0.99	7.6	1.78	19.30	<0.05	3.2	0.017	1.95	31.1	4.8	0.32	197	0.41	2.56	6.1
J830717		1.03	8.2	2.03	20.5	0.15	4.1	0.023	1.98	31.3	7.9	0.38	215	14.60	2.12	7.8
J830718		0.98	5.0	3.01	24.4	0.14	2.8	0.037	2.12	23.6	15.1	0.60	234	7.01	1.70	7.4
J830719		0.91	9.1	2.08	18.75	0.15	3.4	0.015	1.80	26.3	9.6	0.39	188	1.29	2.14	5.9
J830720		0.83	2.8	1.69	17.35	0.13	3.6	0.017	1.69	22.7	9.6	0.33	172	5.79	2.31	5.4
J830721		0.88	3.6	2.58	20.0	0.16	3.0	0.018	1.79	27.5	18.8	0.54	188	6.14	2.06	6.1
J830722		0.84	3.5	2.53	20.2	0.15	2.9	0.020	1.72	23.6	17.2	0.51	229	0.86	2.10	4.8
J830723		0.85	5.8	1.93	18.35	0.14	4.1	0.017	1.78	26.0	11.5	0.33	257	0.23	2.25	5.6
J830724		0.84	58.3	3.41	18.95	0.14	3.1	0.031	1.59	18.3	27.9	0.83	498	0.58	2.27	4.3
J830725		0.99	30.0	2.37	18.60	0.16	4.8	0.021	2.01	36.5	13.4	0.42	305	3.22	1.89	7.2
J830726		1.13	18.1	3.25	19.85	0.15	4.5	0.030	2.14	27.8	22.8	0.75	476	0.27	1.88	6.4
J830727		0.91	14.9	4.63	20.1	0.15	2.6	0.037	1.70	15.3	38.8	1.39	697	2.16	2.22	4.7
J830728		0.90	12.6	3.10	20.2	0.09	3.6	0.028	1.76	22.4	22.0	0.80	430	10.05	2.12	5.9
J830729		0.96	20.4	3.07	21.9	0.18	3.8	0.020	1.84	37.2	19.9	0.61	325	0.76	2.52	5.7
J830730		7.96	4840	4.99	18.75	0.23	0.9	0.061	5.79	20.4	13.5	0.81	515	265	1.10	5.4
J830731		0.83	5.3	4.40	20.5	0.18	2.5	0.044	1.48	21.4	39.4	1.25	589	0.34	2.53	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J830694		4.4	530	221	49.1	<0.002	0.16	0.14	3.6	1	0.9	165.0	0.21	0.07	6.0	0.205
J830694 CRD		4.2	490	8.5	55.3	<0.002	0.15	0.15	3.9	1	0.8	156.5	0.20	0.06	7.5	0.177
J830695		8.4	460	8.3	53.4	<0.002	0.08	0.12	6.0	1	1.2	147.5	0.37	0.07	8.3	0.153
J830696		4.5	330	8.4	42.9	<0.002	0.16	0.12	3.8	1	0.8	169.0	0.25	0.05	12.4	0.134
J830697		5.3	740	8.2	48.7	<0.002	0.08	0.14	5.1	1	0.7	192.5	0.22	<0.05	4.8	0.214
J830698		4.6	680	7.7	42.3	<0.002	0.03	0.15	5.8	1	0.8	189.0	0.26	<0.05	2.6	0.220
J830699		5.2	390	12.9	60.3	<0.002	0.05	0.16	3.4	1	0.7	169.0	0.27	0.06	21.8	0.127
J830700		29.6	550	37.9	21.8	1.365	1.52	23.9	14.3	6	1.0	273	0.26	0.51	2.3	0.308
J830701		26.5	380	9.3	50.7	<0.002	0.12	0.20	10.3	1	0.9	176.0	0.23	0.06	5.8	0.268
J830702		17.8	390	10.8	48.6	<0.002	0.06	0.16	8.4	1	0.9	172.0	0.26	0.07	5.7	0.197
J830703		5.4	320	7.1	58.7	<0.002	0.10	0.11	3.5	1	1.0	137.5	0.29	<0.05	9.0	0.125
J830704		4.1	350	9.4	57.2	<0.002	0.34	0.11	3.4	1	0.9	127.0	0.30	0.12	8.8	0.122
J830705		4.2	400	5.7	54.9	<0.002	0.16	0.10	3.4	1	0.8	102.5	0.42	0.06	5.3	0.125
J830706		3.4	440	6.9	54.9	<0.002	0.20	0.11	3.4	1	0.8	129.5	0.22	0.08	9.4	0.127
J830707		4.1	500	7.2	62.4	<0.002	0.15	0.11	4.0	1	0.8	157.5	0.21	0.09	7.5	0.157
J830708		3.9	340	5.8	61.9	<0.002	0.22	0.11	3.0	1	0.7	124.0	0.31	0.11	7.7	0.131
J830709		3.0	200	8.1	49.0	<0.002	0.28	0.09	2.0	1	0.5	93.3	0.23	0.12	5.3	0.073
J830710		2.6	300	7.0	45.3	<0.002	0.29	0.09	1.6	1	0.5	119.5	0.23	0.09	6.0	0.090
J830711		11.5	420	7.6	49.3	<0.002	0.20	0.11	5.6	1	0.9	147.0	0.40	0.05	4.6	0.156
J830712		3.2	240	10.2	39.0	<0.002	0.14	0.09	3.4	1	0.5	158.5	0.52	0.07	2.8	0.095
J830713		5.7	330	6.6	45.0	<0.002	0.19	0.10	2.8	1	0.6	121.0	0.26	0.11	5.5	0.114
J830714		64.5	530	6.0	67.0	<0.002	0.19	0.17	21.3	1	1.2	193.5	0.25	0.08	1.3	0.263
J830714 CRD		66.4	560	6.0	68.3	<0.002	0.20	0.18	21.9	1	1.2	194.5	0.27	0.10	1.3	0.281
J830715		32.3	890	67.2	86.2	0.134	2.29	6.97	16.5	7	2.6	257	0.27	0.86	4.8	0.313
J830716		5.1	330	8.3	54.9	<0.002	0.19	0.11	3.5	1	1.1	153.5	0.67	0.06	11.7	0.122
J830717		5.4	360	8.5	60.9	<0.002	0.20	0.12	4.4	1	1.4	145.0	0.58	0.08	9.5	0.139
J830718		14.8	450	8.5	57.1	<0.002	0.24	0.12	7.9	1	2.3	161.5	0.52	<0.05	6.8	0.157
J830719		3.8	470	7.4	52.3	<0.002	0.25	0.13	3.9	1	0.8	149.5	0.30	0.16	5.9	0.167
J830720		5.0	330	7.4	44.3	<0.002	0.03	0.11	3.3	1	0.8	184.0	0.36	<0.05	6.4	0.124
J830721		8.3	490	10.1	50.1	<0.002	0.24	0.15	4.9	1	0.9	171.0	0.36	0.16	6.5	0.193
J830722		9.7	460	7.4	48.9	<0.002	0.20	0.12	5.2	1	0.9	175.5	0.24	0.05	5.8	0.164
J830723		3.8	400	7.5	49.9	<0.002	0.19	0.11	3.7	1	0.8	148.0	0.25	0.07	8.0	0.143
J830724		14.6	410	7.9	44.3	<0.002	0.09	0.17	10.0	1	0.9	184.5	0.25	0.07	3.8	0.240
J830725		4.9	450	7.6	59.0	<0.002	0.20	0.14	4.6	1	1.0	144.5	0.40	0.17	10.0	0.174
J830726		12.0	490	8.9	56.0	<0.002	0.19	0.16	8.5	1	1.1	166.5	0.34	<0.05	7.0	0.233
J830727		27.5	450	8.6	43.2	<0.002	0.01	0.20	15.1	1	1.0	185.5	0.30	0.05	2.9	0.299
J830728		15.2	530	6.8	49.7	<0.002	0.06	0.16	8.0	1	0.9	160.5	0.34	0.12	5.0	0.211
J830729		7.1	730	6.2	54.0	<0.002	0.05	0.15	5.6	1	0.7	186.5	0.27	<0.05	6.9	0.237
J830730		25.1	1150	41.9	135.0	0.634	2.57	8.02	12.6	9	3.2	262	0.36	1.09	2.6	0.276
J830731		27.3	450	9.1	40.0	<0.002	0.02	0.18	13.9	1	1.2	204	0.32	<0.05	3.4	0.265

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01
J830694		0.22	0.6	31	3.4	3.8	65	222								
J830694 CRD		0.22	0.4	28	3.0	4.2	63	198.0								
J830695		0.21	0.6	34	1.7	8.1	68	129.5		0.64	2.3	68.00	14.92	3.63	2.69	1.00
J830696		0.18	0.8	25	1.1	5.7	52	135.0								
J830697		0.21	0.4	34	2.9	4.3	85	105.0								
J830698		0.19	0.3	41	2.2	3.7	95	119.5								
J830699		0.24	0.6	25	1.5	6.8	46	131.0								
J830700		0.19	0.7	98	5.0	13.8	138	28.0	1.305							
J830701		0.30	0.7	84	3.2	4.7	91	115.0								
J830702		0.22	0.4	58	1.7	4.4	86	125.0								
J830703		0.23	0.6	21	2.5	4.9	45	143.0								
J830704		0.22	0.7	21	2.8	5.6	37	123.5								
J830705		0.20	0.9	24	2.2	5.1	41	111.5								
J830706		0.20	0.5	22	2.1	5.0	45	130.0								
J830707		0.24	0.5	25	3.1	5.7	66	143.5								
J830708		0.23	1.0	24	2.8	4.5	37	147.0								
J830709		0.17	0.5	14	2.0	2.7	23	91.1								
J830710		0.17	0.6	14	2.0	3.8	37	121.0								
J830711		0.21	0.7	37	2.4	4.9	60	90.0								
J830712		0.15	1.0	18	1.5	4.2	30	42.5								
J830713		0.17	0.5	24	2.8	3.9	25	80.9								
J830714		0.28	0.4	117	3.7	5.0	121	20.0								
J830714 CRD		0.28	0.4	121	4.0	5.1	125	22.5								
J830715		0.71	1.2	150	11.3	14.3	170	38.2	2.19							
J830716		0.25	1.2	22	2.1	6.8	27	118.0		0.79	2.9	68.44	14.19	2.46	2.82	0.59
J830717		0.24	0.6	26	3.0	6.1	37	163.5								
J830718		0.24	0.7	47	1.9	5.8	53	102.5								
J830719		0.19	0.4	30	3.1	4.5	28	130.5								
J830720		0.18	0.6	22	2.2	4.7	19	136.5								
J830721		0.21	0.5	36	4.0	4.4	31	117.0								
J830722		0.21	0.5	35	3.0	4.3	38	112.0								
J830723		0.20	0.4	23	2.3	4.4	35	168.0								
J830724		0.19	0.4	71	2.2	4.0	72	123.5								
J830725		0.23	0.6	28	4.2	6.1	38	199.0								
J830726		0.24	0.5	57	3.7	5.0	59	189.0								
J830727		0.21	0.5	111	3.2	4.1	97	108.5								
J830728		0.24	0.7	55	2.6	4.9	70	145.5								
J830729		0.23	0.5	46	1.6	5.2	77	155.0								
J830730		1.43	1.2	171	13.4	15.6	163	26.0								
J830731		0.19	0.6	102	1.5	4.7	133	94.2								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830694											
J830694 CRD											
J830695		3.56	2.05	<0.01	0.33	0.04	0.103	0.03	0.03	3.55	99.93
J830696											
J830697											
J830698											
J830699											
J830700											
J830701											
J830702											
J830703											
J830704											
J830705											
J830706											
J830707											
J830708											
J830709											
J830710											
J830711											
J830712											
J830713											
J830714											
J830714 CRD											
J830715											
J830716		3.49	2.32	<0.01	0.21	0.02	0.071	0.03	0.03	3.60	98.27
J830717											
J830718											
J830719											
J830720											
J830721											
J830722											
J830723											
J830724											
J830725											
J830726											
J830727											
J830728											
J830729											
J830730											
J830731											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J830732		3.61	0.245			0.11	7.12	0.4	300	0.83	0.06	3.39	0.23	40.5	13.9	21
J830733		3.56	0.134			0.06	6.98	<0.2	340	0.80	0.04	2.99	0.16	64.5	9.0	13
J830734		3.49	0.034			0.01	7.02	<0.2	340	0.67	0.02	2.72	0.09	59.9	8.8	13
J830734 CRD		<0.02	0.027			0.01	7.11	0.2	340	0.70	0.02	2.71	0.09	55.7	8.6	15
J830735		3.53	0.516		0.699	0.21	6.76	0.2	310	0.86	0.06	3.24	0.11	43.4	12.4	10
J830736		3.18	0.193			0.09	7.19	<0.2	290	0.77	0.07	4.00	0.16	36.2	16.1	25
J830737		3.42	6.18	6.27		1.32	7.18	0.7	270	0.69	0.19	5.17	0.22	36.1	25.0	21
J830738		3.60	0.206			0.09	6.95	<0.2	320	0.76	0.04	3.35	0.07	32.0	10.6	17
J830739		3.45	0.280			0.10	7.36	0.9	390	0.82	0.05	4.15	0.08	39.2	18.4	23
J830740		3.27	0.366			0.27	6.55	2.0	360	0.78	0.19	5.17	0.18	28.5	31.7	23
J830741		3.21	0.761			0.21	6.78	0.7	430	0.87	0.11	3.92	0.11	31.7	19.9	17
J830742		3.51	0.185			0.13	6.89	<0.2	450	0.89	0.11	5.03	0.10	79.6	25.4	107
J830743		3.03	0.023			0.06	6.36	<0.2	450	0.97	0.02	3.31	0.06	42.3	13.4	12
J830744		2.27	0.183			0.11	6.40	0.2	330	0.94	0.09	1.59	0.03	85.9	7.9	17
J830745		0.99	0.008			<0.01	0.14	<5	10	<0.05	0.01	19.85	<0.02	3.03	1.3	2
J830746		2.54	0.070			0.12	5.44	0.6	410	0.80	0.12	6.74	0.10	183.5	36.2	317
J830747		4.58	0.321			0.13	6.50	<0.2	390	1.18	0.13	1.64	0.03	69.5	8.2	19
J830748		2.11	0.018			0.07	4.94	0.4	430	0.68	0.04	7.14	0.13	284	42.8	343

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J830732		0.96	18.1	4.03	19.50	0.18	3.0	0.037	1.75	20.7	35.2	1.08	544	0.43	2.18	4.6
J830733		0.98	13.2	3.04	19.40	0.18	3.4	0.028	1.79	32.4	22.7	0.70	408	0.58	2.44	5.2
J830734		0.98	2.3	3.02	20.4	0.18	3.3	0.028	1.83	31.5	21.9	0.64	351	0.14	2.33	5.4
J830734 CRD		0.97	2.3	2.98	20.0	0.18	3.3	0.032	1.85	29.4	20.4	0.63	346	0.14	2.36	5.5
J830735		1.15	22.6	3.59	19.85	0.17	3.1	0.030	2.11	21.7	20.7	1.00	552	0.59	2.00	6.0
J830736		1.19	41.6	4.30	19.25	0.18	2.4	0.036	2.10	18.2	23.0	1.33	707	0.20	2.05	4.2
J830737		1.23	50.2	7.34	19.60	0.19	2.5	0.060	2.02	18.6	32.7	1.71	986	1.08	1.38	4.6
J830738		1.40	21.9	3.53	19.85	0.14	3.0	0.033	2.55	15.2	12.8	0.86	500	0.93	1.82	5.5
J830739		1.55	42.3	5.52	19.85	0.18	3.1	0.048	2.97	21.4	11.7	1.52	808	0.36	1.23	4.5
J830740		1.32	62.7	7.88	20.0	0.16	2.2	0.081	2.63	13.2	13.4	1.92	1180	0.94	0.73	4.2
J830741		1.43	31.3	4.60	20.4	0.14	2.8	0.041	2.70	15.2	2.7	1.23	729	1.58	1.41	5.4
J830742		1.49	14.4	4.51	19.00	0.18	2.5	0.042	2.81	37.7	11.0	2.28	736	0.22	0.85	4.9
J830743		1.42	16.1	3.61	19.95	0.14	3.1	0.035	2.77	19.9	2.2	1.03	572	0.19	1.64	4.2
J830744		0.98	9.2	2.24	20.7	0.18	4.2	0.015	1.89	43.1	1.4	0.46	252	1.23	2.69	6.2
J830745		0.13	0.9	0.09	0.53	0.14	0.1	<0.005	0.11	2.2	4.6	12.50	47	0.15	0.03	0.5
J830746		0.42	47.8	4.78	16.50	0.26	3.3	0.047	0.64	82.7	52.6	5.00	972	0.16	1.55	3.4
J830747		0.97	31.0	2.48	19.65	0.13	3.6	0.024	1.81	34.6	3.2	0.73	306	0.81	3.07	6.1
J830748		0.23	31.5	5.25	15.90	0.37	3.6	0.054	0.23	102.0	60.7	6.42	815	0.06	1.21	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J830732		22.4	500	8.6	46.0	<0.002	0.05	0.17	11.0	1	1.0	164.5	0.29	<0.05	3.3	0.276
J830733		11.7	540	10.6	52.3	<0.002	0.04	0.17	6.8	1	0.9	193.5	0.28	<0.05	6.9	0.227
J830734		9.8	610	5.8	55.6	<0.002	0.03	0.15	7.2	1	0.9	180.0	0.23	<0.05	5.5	0.215
J830734 CRD		9.4	600	5.8	57.0	<0.002	0.03	0.14	7.0	1	0.9	183.0	0.22	<0.05	5.1	0.213
J830735		15.1	590	5.8	52.3	<0.002	0.16	0.20	9.7	1	1.1	152.5	0.37	0.12	3.6	0.285
J830736		26.3	460	6.1	57.8	<0.002	0.10	0.22	13.1	1	1.0	183.0	0.30	0.05	3.0	0.304
J830737		23.6	710	6.7	68.2	0.002	0.77	0.37	24.1	1	0.9	196.5	0.26	0.33	2.6	0.653
J830738		13.6	600	4.9	69.5	<0.002	0.11	0.19	9.2	1	1.0	165.5	0.33	0.05	2.3	0.272
J830739		26.5	550	4.9	69.6	<0.002	0.15	0.28	18.5	1	1.0	153.0	0.28	0.05	3.2	0.436
J830740		25.4	700	9.9	83.1	0.002	0.44	0.55	33.4	2	1.0	182.0	0.27	0.09	1.7	0.707
J830741		20.8	330	6.5	78.8	<0.002	0.46	0.34	16.7	2	1.1	165.5	0.36	0.12	3.0	0.384
J830742		88.2	960	6.9	89.5	<0.002	0.28	0.33	16.4	1	1.1	252	0.34	0.06	4.5	0.319
J830743		18.5	380	5.5	60.1	<0.002	0.09	0.24	11.3	1	1.0	162.0	0.33	<0.05	4.5	0.242
J830744		7.9	500	4.8	54.9	<0.002	0.38	0.19	3.3	1	0.7	143.0	0.22	0.10	7.8	0.163
J830745		<0.2	10	1.2	2.8	<0.002	0.04	<0.05	0.5	1	<0.2	62.9	<0.05	<0.05	0.3	0.006
J830746		247	2550	8.8	21.5	<0.002	0.32	0.30	17.8	1	0.7	315	0.19	<0.05	6.2	0.212
J830747		13.9	600	5.4	53.1	<0.002	0.58	0.22	5.3	1	1.0	131.5	0.33	0.08	6.0	0.171
J830748		269	5270	10.5	8.6	<0.002	0.07	0.32	16.9	2	0.5	1620	0.19	<0.05	7.9	0.206

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 13-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01
J830732		0.22	0.5	87	6.1	4.2	108	114.5								
J830733		0.23	0.4	50	1.8	4.7	79	131.5								
J830734		0.22	0.3	42	1.7	4.7	80	138.5								
J830734 CRD		0.23	0.3	42	1.6	4.8	80	140.0								
J830735		0.23	0.6	76	4.1	4.8	80	125.0		1.30	4.8	60.48	14.54	5.11	4.48	1.76
J830736		0.24	0.6	102	3.4	4.4	98	96.1								
J830737		0.24	0.6	196	7.9	7.3	173	98.5								
J830738		0.29	0.6	68	3.7	4.3	80	120.0								
J830739		0.34	0.6	145	6.3	6.2	102	121.0								
J830740		0.32	0.5	228	9.7	8.4	127	92.4								
J830741		0.36	0.7	103	10.3	6.1	56	103.5								
J830742		0.35	1.0	99	7.3	8.5	97	100.5								
J830743		0.37	0.7	83	4.4	4.3	50	124.0								
J830744		0.24	0.7	27	3.4	4.9	27	151.0								
J830745		0.02	0.1	<1	0.2	1.6	<2	2.7								
J830746		0.09	1.4	103	2.2	17.1	98	134.0								
J830747		0.24	0.6	37	3.6	5.4	30	144.5								
J830748		0.03	1.7	106	1.6	22.4	169	151.0								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830732											
J830733											
J830734											
J830734 CRD											
J830735		2.80	2.48	<0.01	0.55	0.07	0.127	0.03	0.03	6.17	98.63
J830736											
J830737											
J830738											
J830739											
J830740											
J830741											
J830742											
J830743											
J830744											
J830745											
J830746											
J830747											
J830748											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 13-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178822

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.