ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE TB10184045

Project: HAMMOND REEF

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840438		3.27	0.277		0.17	7.26	<0.2	500	1.18	0.04	2.94	0.06	38.6	9.7	9	1.16
J840439		3.33	0.268		0.11	6.95	<0.2	430	1.05	0.04	1.69	0.04	33.7	4.7	9	0.84
J840440		3.47	0.230		0.15	7.53	<0.2	410	1.17	0.03	2.58	0.05	25.6	8.5	15	1.05
J840441		3.39	0.372		0.22	6.79	<0.2	400	1.05	0.04	3.09	0.05	29.9	10.9	18	0.98
J840442		3.51	0.159		0.10	6.83	<0.2	470	1.18	0.06	3.27	0.06	47.6	10.6	13	1.19
J840443		3.66	0.133		0.08	6.84	<0.2	370	1.13	0.06	3.56	0.07	47.6	12.8	33	1.14
J840444		3.54	0.208		0.12	6.93	<0.2	460	1.20	0.06	3.42	0.07	42.3	11.7	31	1.20
J840445		1.06	<0.005		0.03	0.16	<5	10	<0.05	0.01	21.1	<0.02	2.60	0.8	3	0.09
J840446		3.23	0.433		0.16	7.43	<0.2	500	1.08	0.07	2.57	0.03	61.4	7.6	13	1.22
J840447		3.64	0.016		0.03	7.31	<0.2	400	0.93	0.03	2.78	0.04	37.6	11.2	18	0.91
J840448		3.64	0.150		0.09	7.57	<0.2	390	1.03	0.06	3.38	0.07	36.1	11.6	19	1.01
J840449		3.26	0.399		0.09	6.98	<0.2	380	1.17	0.04	2.62	0.06	46.9	7.8	12	1.04
J840450		3.32	0.013		0.01	7.20	<0.2	460	1.10	0.01	2.80	0.05	40.9	7.9	13	0.90
J840451		3.66	0.012		<0.01	7.52	<0.2	450	1.08	0.02	3.29	0.06	35.8	7.4	10	0.87
J840452		3.45	1.820		0.49	7.12	<0.2	390	1.14	0.12	2.78	0.05	37.3	10.2	18	0.96
J840453		3.43	0.306		0.14	7.41	<0.2	390	1.21	0.06	2.93	0.05	55.8	8.8	24	1.07
J840454		3.27	0.294		0.16	7.37	<0.2	340	1.05	0.11	2.94	0.05	28.9	11.0	27	0.93
J840455		3.63	0.038		0.05	7.64	<0.2	320	0.96	0.07	3.38	0.05	30.0	13.5	36	0.84
J840456		3.36	0.015		0.03	7.56	<0.2	320	0.89	0.06	4.18	0.06	42.1	16.7	31	0.83
J840457		3.20	0.018		0.05	6.87	<0.2	330	1.11	0.03	2.14	0.04	39.5	5.8	14	0.84
J840457 CRD		<0.02	0.010		0.07	7.19	<0.2	340	1.16	0.04	2.22	0.03	41.0	6.9	15	0.90
J840458		2.38	0.013	0.008	<0.01	6.98	<0.2	200	1.24	0.03	1.74	0.03	25.4	3.8	11	0.65
J840459		2.55	0.198		0.17	7.52	<0.2	410	1.24	0.08	3.63	0.06	31.8	16.1	26	1.21
J840460		0.12	0.920		4.71	7.06	25.2	520	0.82	2.04	2.71	2.16	22.7	14.7	64	0.84
J840461		4.10	0.173		0.10	6.88	<0.2	550	1.18	0.06	3.68	0.07	29.1	11.1	40	1.06
J840462		4.37	0.069		0.04	7.23	<0.2	430	1.22	0.04	3.87	0.09	28.8	14.6	37	1.06
J840463		1.61	0.016		0.21	6.90	<0.2	380	1.00	0.02	3.13	0.05	28.7	12.3	29	0.85
J840464		1.19	0.050		0.06	7.20	<0.2	420	1.11	0.02	2.11	0.04	59.8	6.0	16	0.86
J840465		3.42	0.016		0.06	6.68	<0.2	440	1.08	0.03	3.05	0.09	28.6	12.3	47	0.80
J840466		3.38	0.043		0.03	7.00	<0.2	440	1.12	0.02	2.76	0.07	39.1	9.9	39	0.84
J840467		3.59	0.055		0.05	6.93	<0.2	380	1.01	0.02	3.52	0.09	31.3	15.7	68	0.94
J840468		3.36	0.114		0.15	6.87	<0.2	380	1.11	0.02	3.06	0.06	33.4	11.6	49	0.94
J840469		3.48	0.045		0.03	7.57	<0.2	410	1.04	0.01	2.32	0.04	51.3	7.8	19	0.83
J840470		3.44	0.009		0.01	6.99	<0.2	420	1.14	0.02	2.34	0.06	50.2	7.7	16	0.80
J840471		3.38	0.054		0.03	6.93	<0.2	520	1.13	0.03	2.92	0.09	43.8	10.0	38	0.86
J840472		3.23	<0.005		<0.01	7.07	<0.2	400	1.04	0.01	2.39	0.03	37.2	8.7	10	0.79
J840473		4.51	0.023		0.01	7.00	<0.2	510	1.21	0.03	3.83	0.07	33.9	13.6	30	1.13
J840474		2.90	0.016		0.14	6.53	<0.2	470	0.95	0.09	2.13	0.06	38.4	8.1	10	1.07
J840475		0.11	2.56		8.14	6.52	54.1	590	0.80	3.35	1.55	0.95	51.2	17.0	54	3.34
J840476		4.65	<0.005		0.02	6.61	<0.2	510	0.97	0.02	2.27	0.04	45.2	12.9	131	0.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840438		33.6	2.88	17.80	0.15	3.0	0.029	2.45	18.6	8.3	0.75	528	0.18	1.70	5.6	11.8
J840439		21.7	1.61	17.00	0.13	3.0	0.015	1.82	16.4	5.8	0.30	264	0.23	2.48	5.0	5.0
J840440		21.2	2.79	19.10	0.15	3.0	0.027	2.09	11.7	11.5	0.70	471	0.23	2.23	7.3	12.2
J840441		37.7	3.14	17.40	0.16	2.5	0.031	1.95	13.4	14.4	0.89	542	0.30	2.03	5.9	19.1
J840442		19.2	2.95	18.90	0.24	3.8	0.025	2.41	23.6	10.0	0.73	512	10.75	1.88	6.0	15.1
J840443		16.4	3.47	18.70	0.26	1.9	0.035	2.11	20.3	12.9	1.10	688	0.22	1.96	6.7	30.0
J840444		13.4	3.50	19.60	0.23	1.8	0.040	2.52	17.9	12.4	1.05	686	0.19	1.62	6.4	28.4
J840445		1.5	0.09	0.47	0.26	0.1	<0.005	0.12	1.9	5.0	13.30	53	0.14	0.04	0.3	<0.2
J840446		5.6	2.92	20.8	0.16	5.5	0.033	2.39	28.6	14.0	0.64	386	0.16	1.93	6.5	8.2
J840447		23.1	3.29	19.70	0.16	3.8	0.032	1.71	17.4	23.5	0.86	472	0.13	2.58	6.0	16.5
J840448		28.2	3.57	20.7	0.17	2.7	0.040	1.96	16.2	25.0	0.91	592	0.40	2.47	6.4	16.6
J840449		13.1	2.53	19.00	0.16	3.0	0.024	1.92	22.4	15.4	0.62	429	0.21	2.42	5.3	11.0
J840450		12.6	2.86	21.2	0.18	3.7	0.027	2.04	18.9	18.3	0.62	450	0.24	2.34	6.7	9.9
J840451		13.8	2.85	20.4	0.17	3.2	0.026	2.11	16.9	18.0	0.66	517	0.18	2.29	5.7	9.4
J840452		21.6	3.01	19.70	0.17	2.9	0.036	2.02	17.4	18.3	0.69	515	2.17	2.25	6.3	13.9
J840453		7.1	3.05	20.1	0.18	2.4	0.032	2.12	25.8	20.9	0.83	556	0.51	2.25	5.4	18.7
J840454		33.6	3.34	19.95	0.18	1.9	0.033	1.78	12.0	27.0	0.94	574	0.37	2.44	6.2	24.6
J840455		14.2	4.00	20.1	0.19	1.7	0.050	1.55	12.4	34.3	1.18	674	0.37	2.41	4.4	30.8
J840456		38.8	4.33	19.35	0.17	2.2	0.052	1.60	19.8	39.1	1.33	784	0.42	2.64	4.8	30.5
J840457		12.1	2.12	18.85	0.14	3.8	0.019	1.84	19.5	14.3	0.45	361	0.15	2.59	5.6	9.2
J840457 CRD		16.3	2.38	20.2	0.19	3.5	0.023	1.88	20.2	16.0	0.51	393	0.15	2.66	5.7	11.3
J840458		13.1	1.32	21.5	0.11	2.8	0.021	1.37	11.8	7.1	0.23	283	0.13	3.67	8.3	6.0
J840459		31.7	3.98	20.0	0.19	2.7	0.040	2.50	13.9	16.1	1.26	723	0.48	2.01	4.9	27.5
J840460		>10000	5.05	14.05	0.18	1.0	0.162	0.92	10.8	18.5	1.29	751	266	2.40	4.2	36.0
J840461		33.0	3.16	19.15	0.17	2.1	0.030	2.59	12.0	6.2	1.04	701	0.49	1.96	4.8	31.9
J840462		38.0	4.07	20.1	0.17	2.2	0.041	2.45	12.4	12.3	1.28	928	0.44	2.03	10.3	30.6
J840463		25.1	3.61	18.65	0.16	3.3	0.037	2.09	12.6	17.4	0.95	635	3.20	2.23	4.8	22.6
J840464		8.6	2.21	19.20	0.19	3.9	0.025	2.21	29.5	7.7	0.46	380	0.16	2.22	5.3	10.5
J840465		24.0	3.07	18.50	0.17	2.2	0.033	2.30	12.5	8.7	1.01	683	0.74	1.95	5.5	39.3
J840466		12.6	2.72	18.30	0.19	2.2	0.027	2.40	18.2	7.1	0.91	574	0.20	2.03	4.4	29.1
J840467		32.0	3.96	18.30	0.17	1.6	0.037	2.30	13.9	15.8	1.66	810	0.13	1.79	4.9	59.3
J840468		12.4	3.13	18.95	0.17	3.3	0.037	2.31	15.5	12.4	1.20	671	0.23	2.09	5.6	36.9
J840469		5.1	2.47	19.55	0.18	4.1	0.025	2.16	24.9	13.1	0.61	335	2.62	2.49	5.1	12.0
J840470		12.8	2.56	19.35	0.18	3.7	0.025	2.18	23.8	10.1	0.54	378	0.37	2.15	6.5	10.6
J840471		13.0	2.91	19.55	0.18	2.9	0.027	2.52	20.0	6.7	0.81	546	0.20	1.88	7.0	27.4
J840472		20.5	2.69	18.80	0.17	4.1	0.026	2.10	17.4	9.6	0.62	406	0.18	2.48	5.5	11.1
J840473		24.3	3.88	19.35	0.19	2.8	0.039	2.85	15.4	7.4	1.24	788	0.17	1.63	5.4	33.5
J840474		14.1	2.26	18.40	0.06	3.0	0.021	2.26	19.7	4.6	0.53	368	0.18	2.11	5.8	10.7
J840475		>10000	5.58	14.40	0.11	1.0	0.113	2.67	26.1	17.9	1.18	629	103.5	1.63	6.7	35.9
J840476		25.0	2.61	16.55	0.08	2.0	0.023	1.41	22.8	18.5	1.59	447	0.32	3.06	4.5	67.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840438		390	6.0	63.4	<0.002	0.08	0.16	8.0	1	1.1	134.5	0.55	0.07	4.9	0.229	0.34
J840439		200	6.5	52.2	<0.002	0.09	0.10	3.6	1	0.9	131.0	0.48	0.05	7.1	0.101	0.24
J840440		580	6.2	56.8	<0.002	0.07	0.13	6.6	1	1.3	165.5	0.61	0.05	3.2	0.221	0.29
J840441		470	6.9	46.7	<0.002	0.05	0.17	8.8	1	1.2	157.5	0.48	0.06	2.6	0.228	0.27
J840442		400	7.2	58.3	<0.002	0.11	0.18	7.0	2	1.0	145.0	0.46	0.06	5.9	0.219	0.33
J840443		1440	7.3	58.4	<0.002	0.07	0.19	9.6	2	1.3	178.0	0.39	0.05	2.7	0.271	0.28
J840444		740	6.4	60.5	<0.002	0.06	0.19	11.2	2	1.4	143.0	0.50	0.05	2.4	0.257	0.34
J840445		10	1.2	2.5	<0.002	0.03	<0.05	0.5	2	<0.2	61.4	<0.05	<0.05	0.3	0.008	<0.02
J840446		620	5.6	66.1	<0.002	0.13	0.16	6.7	1	1.2	130.0	0.30	0.08	6.2	0.234	0.34
J840447		500	7.3	48.3	<0.002	0.02	0.18	9.1	1	1.1	199.0	0.46	<0.05	4.5	0.225	0.25
J840448		550	8.3	50.5	<0.002	0.05	0.19	11.7	1	1.4	202	0.45	0.05	4.4	0.246	0.28
J840449		380	6.9	55.4	<0.002	0.09	0.15	7.9	1	1.0	165.5	0.39	0.06	6.4	0.182	0.27
J840450		430	5.8	56.0	<0.002	0.02	0.14	6.9	1	1.2	166.0	0.48	<0.05	5.2	0.202	0.29
J840451		400	5.7	59.6	<0.002	0.02	0.12	7.0	1	1.1	172.0	0.42	<0.05	4.2	0.192	0.28
J840452		330	7.6	53.7	<0.002	0.23	0.13	9.1	1	1.4	158.5	0.49	0.25	6.2	0.186	0.25
J840453		640	6.1	59.5	<0.002	0.12	0.14	8.9	1	1.1	157.0	0.34	0.06	6.4	0.214	0.26
J840454		540	6.6	51.8	<0.002	0.08	0.13	11.3	1	1.3	179.0	0.51	0.06	2.2	0.215	0.24
J840455		660	6.6	48.2	<0.002	0.01	0.15	15.3	1	1.3	209	0.40	<0.05	2.2	0.217	0.22
J840456		470	8.4	37.8	<0.002	0.02	0.20	16.7	1	1.2	210	0.43	<0.05	4.1	0.281	0.22
J840457		280	6.2	51.8	<0.002	0.02	0.11	6.1	1	1.0	141.5	0.47	<0.05	7.4	0.147	0.25
J840457 CRD		270	7.2	54.3	<0.002	0.04	0.11	7.0	1	1.0	145.0	0.47	0.05	7.7	0.158	0.26
J840458		140	6.3	40.2	<0.002	0.07	0.07	4.5	1	1.1	159.0	0.85	<0.05	9.1	0.078	0.19
J840459		370	7.1	61.1	<0.002	0.13	0.20	14.0	1	1.0	146.0	0.45	0.06	4.8	0.274	0.32
J840460		590	40.8	24.7	1.445	1.76	25.7	17.3	6	1.1	320	0.29	0.60	2.2	0.337	0.24
J840461		570	5.3	54.2	<0.002	0.11	0.16	9.5	1	1.1	157.5	0.40	0.05	2.7	0.184	0.31
J840462		380	5.7	57.8	<0.002	0.07	0.18	15.1	1	1.6	162.5	1.01	<0.05	3.9	0.276	0.33
J840463		360	5.2	42.7	<0.002	0.02	0.16	10.3	1	1.2	166.0	0.38	<0.05	4.0	0.236	0.27
J840464		330	5.7	59.6	<0.002	0.02	0.11	5.6	1	1.1	135.0	0.36	<0.05	12.3	0.138	0.29
J840465		420	4.7	50.3	<0.002	0.05	0.14	9.6	1	1.3	143.0	0.45	<0.05	3.7	0.188	0.29
J840466		370	4.7	56.0	<0.002	0.04	0.12	8.3	1	1.2	141.5	0.43	<0.05	5.8	0.162	0.29
J840467		670	4.1	52.3	<0.002	0.03	0.16	13.2	1	1.3	160.0	0.45	<0.05	3.2	0.223	0.28
J840468		540	4.3	50.1	<0.002	0.05	0.15	10.8	1	1.3	155.5	0.41	<0.05	4.1	0.195	0.30
J840469		440	4.7	56.5	<0.002	0.02	0.14	7.3	1	1.0	161.5	0.29	<0.05	6.9	0.180	0.27
J840470		440	5.6	55.8	<0.002	0.04	0.12	6.9	1	1.1	150.5	0.38	<0.05	7.4	0.172	0.28
J840471		540	5.3	56.6	<0.002	0.07	0.13	7.9	1	1.2	150.5	0.56	<0.05	6.4	0.200	0.33
J840472		370	4.5	49.8	<0.002	0.01	0.14	7.1	1	1.0	166.5	0.37	<0.05	5.3	0.194	0.27
J840473		540	4.3	59.5	<0.002	0.05	0.18	11.6	1	1.2	165.0	0.50	<0.05	3.5	0.253	0.39
J840474		380	5.9	60.2	<0.002	0.04	0.19	4.6	1	1.2	140.5	0.37	0.08	5.5	0.162	0.32
J840475		860	65.2	85.9	0.108	2.35	6.58	15.4	8	2.5	245	0.25	0.98	4.7	0.308	0.78
J840476		540	4.5	45.5	<0.002	0.03	0.19	7.3	1	0.9	223	0.30	<0.05	4.9	0.121	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840438		0.7	60	4.3	5.1	58	111.0									
J840439		3.2	24	1.8	5.5	37	91.4									
J840440		0.7	43	3.1	5.5	71	107.5									
J840441		0.6	65	2.9	4.9	76	84.4									
J840442		1.0	50	4.4	5.4	56	122.5									
J840443		0.6	59	4.7	10.5	72	49.4									
J840444		0.7	63	4.9	6.4	70	51.8									
J840445		0.1	2	0.1	1.6	<2	1.8									
J840446		0.8	38	4.7	7.9	60	194.5									
J840447		0.8	61	1.7	6.3	71	125.5									
J840448		0.6	66	3.7	5.8	72	85.9									
J840449		0.8	45	2.2	5.5	52	95.0									
J840450		0.7	44	2.0	6.2	64	121.5									
J840451		0.7	46	1.7	6.0	63	106.5									
J840452		0.8	51	2.5	5.7	66	95.8									
J840453		0.6	51	3.0	6.2	65	79.6									
J840454		0.8	56	2.6	6.2	74	50.7									
J840455		0.8	71	1.3	8.3	90	53.0									
J840456		0.9	105	1.9	6.8	104	64.9									
J840457		1.2	31	1.1	6.3	46	124.0									
J840457 CRD		1.4	37	1.2	6.5	50	116.0									
J840458		3.0	18	1.2	9.4	25	66.9		0.52	1.9	71.00	14.66	1.85	2.46	0.44	5.07
J840459		1.3	92	5.2	6.4	74	79.7									
J840460		0.8	112	5.5	16.8	153	27.5	1.295								
J840461		0.8	53	7.1	4.6	48	51.8									
J840462		1.5	89	7.1	6.8	75	58.4									
J840463		0.9	77	4.2	5.4	91	103.5									
J840464		1.2	31	2.7	6.1	47	120.0									
J840465		0.8	55	3.4	4.7	65	61.7									
J840466		1.0	49	2.8	4.9	50	65.0									
J840467		0.8	82	2.7	5.1	97	42.9									
J840468		0.9	56	4.1	6.2	70	109.0									
J840469		0.9	35	2.5	6.7	67	145.0									
J840470		0.6	31	3.4	5.4	57	127.5									
J840471		0.8	45	4.8	5.1	51	91.6									
J840472		0.7	45	2.5	5.4	60	137.0									
J840473		0.9	78	4.2	5.5	65	94.6									
J840474		0.8	33	2.4	4.8	39	118.0									
J840475		1.4	147	9.9	16.1	169	34.9	2.20								
J840476		0.6	48	1.4	5.2	53	70.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840438										
J840439										
J840440										
J840441										
J840442										
J840443										
J840444										
J840445										
J840446										
J840447										
J840448										
J840449										
J840450										
J840451										
J840452										
J840453										
J840454										
J840455										
J840456										
J840457										
J840457 CRD										
J840458		1.61	<0.01	0.14	0.03	0.040	0.03	0.02	2.69	100.05
J840459										
J840460										
J840461										
J840462										
J840463										
J840464										
J840465										
J840466										
J840467										
J840468										
J840469										
J840470										
J840471										
J840472										
J840473										
J840474										
J840475										
J840476										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840477		2.44	<0.005		0.02	7.38	<0.2	510	0.98	0.06	3.38	0.05	46.4	23.4	144	0.90
J840477 CRD		<0.02	<0.005		0.05	7.12	<0.2	500	1.04	0.05	3.28	0.05	43.8	22.4	144	0.86
J840478		3.71	<0.005	<0.005	0.01	7.23	<0.2	350	1.18	0.03	3.31	0.05	38.6	11.9	19	0.79
J840479		3.51	0.005		0.03	6.86	<0.2	300	1.04	0.04	4.01	0.07	77.6	19.1	134	0.59
J840480		3.47	<0.005		0.06	7.45	0.4	260	0.84	0.06	4.66	0.07	40.5	22.6	26	0.62
J840481		3.80	<0.005		0.07	6.98	<0.2	320	1.20	0.04	2.82	0.05	47.3	12.5	30	0.68
J840482		2.45	<0.005		0.03	6.53	<0.2	470	1.04	0.03	3.15	0.03	33.2	7.5	17	0.84
J840483		4.16	<0.005		0.01	7.30	0.5	440	1.28	0.04	2.07	0.04	52.0	6.2	16	0.79
J840484		3.17	<0.005		0.01	7.54	0.5	430	1.24	0.02	2.30	0.05	55.8	6.5	14	0.71
J840485		3.25	<0.005		0.01	7.44	2.6	370	1.17	0.02	2.33	0.05	52.6	6.4	16	0.68
J840486		3.55	<0.005		0.07	7.55	7.7	480	1.32	0.04	2.34	0.12	45.7	6.7	18	0.85
J840487		3.63	<0.005		0.06	7.07	20.7	350	1.87	0.04	1.61	0.08	22.6	3.2	15	0.86
J840488		3.27	<0.005		0.03	7.54	6.8	890	1.16	0.03	2.19	0.09	50.5	6.2	17	0.64
J840489		3.48	<0.005		0.02	7.65	5.5	470	1.21	0.02	2.50	0.05	52.0	6.6	16	0.60
J840490		0.11	0.371		2.51	8.35	112.5	650	1.57	0.64	0.63	1.09	36.7	20.7	36	7.83
J840491		3.16	<0.005		0.04	7.23	8.1	460	1.13	0.02	2.56	0.07	45.1	7.5	14	0.80
J840492		3.31	<0.005		<0.01	7.04	6.9	360	0.94	0.03	2.94	0.07	42.2	6.9	14	0.67
J840493		3.54	<0.005		0.01	7.28	5.2	370	1.06	0.03	2.44	0.06	36.0	5.6	13	0.53
J840494		3.26	<0.005		0.10	6.95	0.9	220	1.58	0.03	1.22	0.04	7.05	1.6	13	0.31
J840495		3.43	<0.005		0.06	7.02	2.8	350	1.19	0.02	1.77	0.10	28.8	3.9	13	0.65
J840496		3.44	0.005		0.01	7.27	4.6	450	1.08	0.03	2.42	0.06	50.6	6.5	16	0.51
J840497		3.39	<0.005		0.01	7.23	8.6	440	1.11	0.02	2.42	0.05	48.8	9.4	19	0.52
J840497 CRD		<0.02	<0.005		<0.01	7.40	4.4	440	1.11	0.02	2.47	0.05	46.0	6.8	16	0.52
J840498		3.37	<0.005	<0.005	0.01	7.41	4.7	450	1.13	0.07	2.48	0.05	54.0	7.4	15	0.55
J840499		3.13	<0.005		<0.01	7.07	1.8	430	1.11	0.05	2.17	0.04	46.3	5.4	17	0.49
J840500		0.12	1.015		4.99	6.55	20.3	490	0.77	2.08	2.59	2.25	22.2	15.6	60	0.81
J840501		3.13	<0.005		0.01	7.36	3.7	410	1.25	0.08	2.27	0.06	43.7	6.4	14	0.49
J840502		3.20	<0.005		0.01	6.47	0.4	400	1.20	0.01	1.18	0.05	17.95	2.3	10	0.46
J840503		3.11	<0.005		0.01	6.56	<0.2	420	1.27	0.01	1.04	0.04	16.65	1.8	11	0.52
J840504		3.14	<0.005		0.01	6.58	<0.2	430	1.02	0.01	1.00	0.02	16.30	1.6	11	0.49
J840505		3.21	<0.005		<0.01	6.48	<0.2	430	1.24	0.01	1.37	0.05	16.50	1.2	12	0.43
J840506		3.16	<0.005		<0.01	6.88	0.2	490	1.16	0.02	1.54	0.05	19.50	2.7	13	0.51
J840507		3.27	<0.005		0.01	7.38	2.4	440	1.11	0.04	2.47	0.05	42.7	7.7	17	0.64
J840508		3.21	<0.005		0.06	7.42	4.3	410	1.00	0.06	2.73	0.06	43.7	11.4	36	0.43
J840509		3.35	<0.005		0.03	7.16	0.9	230	1.11	0.01	3.10	0.05	41.8	8.1	26	0.47
J840510		3.09	<0.005		0.14	7.34	<0.2	240	1.18	0.03	3.59	0.08	47.2	14.8	46	0.41
J840511		3.32	<0.005		0.17	7.41	6.5	310	0.83	0.05	3.61	0.08	39.0	16.1	37	0.52
J840512		3.34	<0.005		0.13	7.42	1.9	430	0.84	0.02	3.00	0.07	27.5	11.8	23	0.54
J840513		3.29	<0.005		0.11	7.22	3.7	370	1.01	0.03	2.36	0.06	25.0	8.8	19	0.55
J840514		3.24	<0.005		0.03	7.09	3.4	620	0.92	0.02	1.52	0.03	15.95	3.0	18	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840477		25.6	4.27	20.0	0.15	2.8	0.036	1.93	20.3	32.0	2.23	646	5.99	2.09	3.4	82.9
J840477 CRD		24.7	4.05	20.1	0.16	2.7	0.036	1.87	19.0	31.4	2.14	625	2.24	2.11	3.4	81.0
J840478		25.3	3.40	21.0	0.14	3.8	0.036	1.76	17.0	21.4	0.91	514	0.27	2.46	4.7	13.8
J840479		26.3	3.48	19.35	0.16	3.2	0.028	1.24	33.5	33.2	2.06	645	0.18	2.42	4.3	77.4
J840480		51.6	5.95	21.8	0.15	2.6	0.048	1.32	17.7	42.8	1.58	979	0.30	1.98	5.2	25.5
J840481		11.9	3.26	20.6	0.13	1.5	0.036	1.36	17.7	26.5	0.99	554	0.12	2.76	4.6	25.0
J840482		3.7	2.22	20.1	0.11	2.3	0.028	1.77	13.9	14.5	0.56	513	0.15	2.52	4.3	11.1
J840483		9.6	2.30	20.8	0.12	4.4	0.029	1.63	23.9	11.8	0.44	352	0.15	2.97	6.7	4.8
J840484		8.4	2.48	22.6	0.13	4.4	0.023	1.45	25.7	12.3	0.46	383	0.17	3.02	9.1	4.8
J840485		8.0	2.33	21.8	0.11	4.2	0.028	1.47	24.2	12.5	0.44	375	0.16	2.87	8.8	4.4
J840486		12.8	2.54	22.0	0.13	4.5	0.024	1.94	21.1	13.7	0.48	426	0.30	2.93	9.1	7.1
J840487		16.6	1.47	23.8	0.12	4.5	0.019	3.31	9.4	7.8	0.23	319	0.16	2.89	18.2	2.8
J840488		6.9	2.43	22.2	0.12	4.2	0.026	1.84	23.0	14.7	0.46	400	0.11	2.96	9.3	5.3
J840489		6.9	2.56	22.1	0.14	4.2	0.027	1.88	24.2	14.8	0.47	429	0.14	2.96	9.4	5.1
J840490		4870	5.35	20.5	0.20	0.9	0.069	5.66	18.7	14.8	0.85	539	285	1.13	5.7	25.4
J840491		11.9	2.32	22.1	0.11	4.1	0.027	1.94	20.5	16.0	0.44	410	0.65	2.70	9.1	4.6
J840492		3.7	2.35	25.7	0.10	3.7	0.024	1.62	18.9	13.8	0.36	396	0.15	2.82	9.0	3.9
J840493		5.2	2.02	24.8	0.11	3.5	0.021	1.82	16.7	12.4	0.29	340	0.15	3.14	8.8	3.0
J840494		18.8	0.95	22.6	0.08	3.8	0.009	1.96	3.5	4.1	0.06	153	0.23	3.72	5.7	0.8
J840495		14.6	1.48	20.6	0.10	3.1	0.016	1.89	14.3	12.5	0.27	253	0.19	3.17	7.7	3.6
J840496		6.0	2.35	22.0	0.13	3.7	0.025	1.77	23.1	14.9	0.43	394	0.11	2.71	9.6	5.1
J840497		8.8	2.38	21.4	0.12	3.9	0.026	1.67	22.5	15.3	0.43	410	0.12	2.69	10.2	5.2
J840497 CRD		7.8	2.43	22.1	0.11	3.8	0.023	1.69	21.2	16.0	0.44	416	0.13	2.76	10.2	5.0
J840498		5.6	2.44	22.7	0.11	3.9	0.034	1.74	24.8	16.2	0.44	467	0.15	2.79	11.2	4.8
J840499		9.1	2.21	22.1	0.11	3.5	0.026	1.70	21.6	14.1	0.39	459	0.24	2.71	11.8	4.5
J840500		>10000	4.87	14.90	0.14	1.1	0.143	0.91	10.3	16.9	1.23	678	247	2.17	4.1	32.9
J840501		9.1	2.20	23.1	0.13	3.7	0.029	1.69	20.2	14.1	0.39	457	0.46	3.12	13.0	4.9
J840502		8.3	1.15	19.10	0.09	3.5	0.013	2.44	8.2	5.4	0.12	233	0.21	2.90	7.3	1.5
J840503		9.3	1.25	20.6	0.09	4.1	0.020	2.65	7.3	5.2	0.12	303	0.26	2.95	16.2	0.9
J840504		7.6	0.98	17.05	0.10	2.3	0.015	2.37	7.6	6.4	0.11	187	0.20	3.13	10.4	1.2
J840505		5.1	0.87	19.55	0.09	2.2	0.015	2.11	7.4	4.0	0.07	214	0.19	3.18	11.2	0.7
J840506		5.4	1.28	18.70	0.10	2.6	0.013	2.75	8.9	6.2	0.14	234	0.36	2.78	6.2	1.9
J840507		7.2	2.53	21.3	0.12	4.6	0.028	1.62	20.5	15.8	0.49	418	0.10	2.77	8.3	5.9
J840508		21.2	3.17	21.2	0.13	2.5	0.031	1.56	17.9	19.6	0.87	590	0.20	2.64	7.9	24.2
J840509		11.7	2.58	20.3	0.11	2.3	0.022	0.97	17.9	17.7	0.67	482	0.19	2.93	7.6	15.6
J840510		37.4	3.68	20.3	0.13	1.3	0.034	0.91	18.3	16.3	1.23	706	0.21	2.66	8.2	35.2
J840511		50.8	4.02	19.25	0.12	2.2	0.039	1.11	17.5	20.7	1.20	712	0.17	2.81	7.8	30.4
J840512		32.9	3.59	20.1	0.13	3.0	0.033	1.93	13.2	16.4	0.91	611	0.15	2.74	9.0	16.8
J840513		28.9	2.63	19.75	0.13	2.6	0.026	1.91	12.1	16.6	0.62	495	0.15	2.88	9.7	12.6
J840514		8.4	1.41	18.00	0.11	2.4	0.013	2.74	7.6	8.2	0.19	242	0.18	2.91	5.5	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840477		740	4.2	44.3	0.002	0.05	0.21	13.7	1	1.0	186.0	0.29	<0.05	3.4	0.164	0.29
J840477 CRD		710	4.4	43.8	<0.002	0.05	0.23	13.2	1	1.0	178.0	0.30	<0.05	3.2	0.166	0.28
J840478		490	4.7	48.0	<0.002	0.01	0.21	10.0	1	1.3	199.0	0.45	<0.05	3.5	0.167	0.27
J840479		1090	5.0	35.6	<0.002	0.01	0.21	11.6	<1	0.9	232	0.46	<0.05	5.1	0.160	0.19
J840480		600	4.0	36.8	<0.002	0.07	0.37	19.4	1	1.1	194.0	0.45	<0.05	2.9	0.393	0.21
J840481		650	3.6	38.9	<0.002	<0.01	0.18	10.3	1	1.2	212	0.48	<0.05	2.6	0.137	0.25
J840482		390	3.8	50.2	<0.002	<0.01	0.15	6.0	1	1.1	152.0	0.54	<0.05	2.6	0.104	0.32
J840483		400	7.6	55.7	<0.002	<0.01	0.13	5.1	1	1.5	170.5	0.82	<0.05	6.4	0.146	0.29
J840484		420	10.4	52.8	<0.002	<0.01	0.23	5.2	1	1.6	186.5	1.22	<0.05	7.2	0.195	0.28
J840485		410	9.3	54.4	<0.002	<0.01	0.27	5.0	1	1.5	175.5	1.17	<0.05	6.9	0.187	0.28
J840486		440	14.1	62.6	<0.002	0.01	0.14	5.1	1	1.7	130.0	1.28	<0.05	6.9	0.202	0.36
J840487		190	35.9	78.7	<0.002	0.03	0.13	5.5	1	1.2	99.2	3.74	<0.05	6.2	0.090	0.44
J840488		420	19.6	54.7	<0.002	0.02	0.23	5.0	1	1.6	176.5	1.19	<0.05	6.5	0.199	0.30
J840489		440	9.9	56.4	<0.002	<0.01	0.24	5.0	1	1.6	173.0	1.23	<0.05	7.1	0.197	0.31
J840490		1220	43.1	117.0	0.677	2.77	8.65	13.5	10	3.3	289	0.37	1.19	2.8	0.277	1.55
J840491		420	10.2	62.7	<0.002	0.01	0.26	4.7	1	1.6	179.0	1.09	<0.05	6.1	0.190	0.37
J840492		400	13.0	51.1	<0.002	<0.01	0.34	4.3	1	1.6	210	0.95	<0.05	5.4	0.188	0.31
J840493		310	10.8	47.4	<0.002	0.01	0.29	3.8	2	1.5	192.5	1.02	<0.05	5.8	0.143	0.29
J840494		60	21.3	39.0	<0.002	0.05	0.15	1.6	2	1.0	97.6	0.90	<0.05	10.6	0.025	0.22
J840495		230	15.5	59.3	<0.002	0.02	0.14	3.4	1	1.1	111.5	0.90	<0.05	5.8	0.110	0.33
J840496		390	8.6	50.9	<0.002	<0.01	0.24	4.8	1	1.5	188.5	0.85	<0.05	6.0	0.188	0.28
J840497		400	7.9	50.3	<0.002	<0.01	0.24	5.1	1	1.6	184.0	0.73	<0.05	6.4	0.188	0.28
J840497 CRD		410	7.7	51.6	<0.002	<0.01	0.23	5.1	1	1.6	190.0	0.74	<0.05	5.9	0.190	0.29
J840498		410	8.5	51.5	<0.002	<0.01	0.20	6.3	1	1.9	189.0	0.79	<0.05	6.7	0.196	0.30
J840499		370	8.7	49.8	<0.002	0.01	0.18	5.5	1	1.8	172.0	0.80	<0.05	6.1	0.170	0.28
J840500		590	40.8	21.8	1.430	1.64	26.2	15.6	6	1.1	299	0.28	0.62	2.1	0.334	0.22
J840501		390	10.5	51.2	0.003	<0.01	0.20	5.0	1	2.0	174.5	0.97	<0.05	6.0	0.159	0.27
J840502		130	11.2	60.4	<0.002	0.01	0.10	2.2	1	1.1	107.0	0.91	<0.05	3.5	0.053	0.29
J840503		110	11.9	62.5	<0.002	0.03	0.07	3.4	1	2.0	100.5	2.58	<0.05	4.0	0.059	0.33
J840504		100	7.1	59.7	<0.002	0.03	0.08	2.5	1	1.2	83.0	1.63	<0.05	2.5	0.046	0.31
J840505		140	9.6	49.1	<0.002	0.01	0.08	2.1	1	1.3	128.0	1.34	<0.05	2.1	0.041	0.25
J840506		180	11.0	64.4	<0.002	0.01	0.08	2.5	1	1.1	126.5	0.84	<0.05	2.7	0.066	0.32
J840507		430	7.8	54.2	<0.002	<0.01	0.24	5.2	2	1.6	187.0	0.83	<0.05	5.5	0.202	0.31
J840508		560	9.8	41.5	<0.002	0.01	0.19	8.7	1	1.5	226	0.87	<0.05	3.8	0.231	0.23
J840509		430	6.1	33.4	<0.002	0.01	0.22	6.1	1	1.4	263	0.75	<0.05	3.4	0.195	0.20
J840510		680	5.3	28.1	<0.002	0.01	0.17	11.6	2	1.4	290	0.80	<0.05	1.7	0.295	0.18
J840511		550	9.2	33.5	<0.002	0.02	0.22	11.4	1	1.5	227	0.68	<0.05	2.9	0.299	0.23
J840512		340	8.0	48.9	<0.002	0.02	0.21	10.1	1	1.6	171.5	0.76	<0.05	4.0	0.260	0.31
J840513		280	12.9	50.6	<0.002	0.02	0.17	7.4	1	1.6	152.0	1.15	<0.05	3.3	0.187	0.30
J840514		120	12.5	60.5	<0.002	<0.01	0.14	2.9	1	1.0	120.5	0.57	<0.05	3.5	0.068	0.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840477		0.6	100	0.8	5.8	96	92.6									
J840477 CRD		0.6	94	0.9	5.5	90	87.7									
J840478		0.8	69	0.2	5.8	62	124.0		1.01	3.7	61.62	14.47	4.57	4.38	1.53	3.41
J840479		1.2	71	0.4	8.0	71	99.4									
J840480		0.7	167	0.2	8.3	96	84.5									
J840481		0.8	60	0.1	8.5	63	37.2									
J840482		1.1	35	0.1	8.6	45	65.9									
J840483		2.3	26	0.1	11.8	61	143.0									
J840484		1.9	28	0.1	14.8	65	144.5									
J840485		2.0	27	0.2	14.7	63	140.5									
J840486		2.4	28	0.3	14.7	79	149.0									
J840487		6.0	13	0.2	25.9	46	85.7									
J840488		2.0	28	0.2	14.4	77	142.5									
J840489		1.5	28	0.2	14.7	69	139.0									
J840490		1.3	168	14.4	16.1	164	23.3									
J840491		1.1	27	0.2	12.4	62	139.5									
J840492		1.0	28	0.2	11.1	55	127.0									
J840493		2.5	21	0.1	17.1	49	105.5									
J840494		11.5	3	0.1	48.9	21	62.8									
J840495		3.1	15	0.2	14.8	56	88.1									
J840496		0.9	27	0.1	11.2	63	128.5									
J840497		0.7	27	0.1	10.4	61	134.5									
J840497 CRD		0.7	26	0.1	10.1	61	132.5									
J840498		0.7	28	0.1	10.3	63	137.0		0.06	0.2	69.19	15.03	3.24	3.22	0.77	3.82
J840499		1.0	24	0.1	8.3	66	125.0									
J840500		0.8	107	6.2	15.5	151	27.0	1.270								
J840501		1.2	25	0.1	9.3	64	123.5									
J840502		3.7	7	0.1	18.3	32	70.9									
J840503		4.6	6	0.1	12.2	45	78.5									
J840504		2.0	6	0.2	7.4	19	48.7									
J840505		1.9	4	0.1	8.7	25	50.2									
J840506		1.3	10	0.1	6.9	28	63.1									
J840507		1.4	30	0.2	11.0	67	159.0									
J840508		1.6	45	0.1	15.8	77	72.8									
J840509		0.9	36	0.1	9.9	60	67.9									
J840510		1.0	68	0.1	16.7	72	35.1									
J840511		0.9	80	0.1	15.2	75	80.2									
J840512		1.3	70	3.4	11.0	66	99.6									
J840513		1.7	48	2.4	10.9	55	85.1									
J840514		1.6	14	0.4	5.9	24	65.9									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840477 J840477 CRD J840478 J840479 J840480		2.00	<0.01	0.45	0.06	0.099	0.03	0.03	5.44	98.09
J840481 J840482 J840483 J840484 J840485										
J840486 J840487 J840488 J840489 J840490										
J840491 J840492 J840493 J840494 J840495										
J840496 J840497 J840497 CRD J840498 J840499		1.96	<0.01	0.30	0.06	0.086	0.03	0.04	1.22	98.97
J840500 J840501 J840502 J840503 J840504										
J840505 J840506 J840507 J840508 J840509										
J840510 J840511 J840512 J840513 J840514										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method	WEI-21	Au-AA24	Au-AA24d	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
J840515		0.12	2.56		7.97	7.03	46.2	700	0.88	3.51	1.76	1.10	56.6	16.9	61	3.14
J840516		3.35	<0.005		0.03	6.77	3.2	440	0.98	0.02	1.87	0.06	37.6	5.0	12	0.89
J840517		3.41	<0.005		0.05	6.85	1.4	590	0.95	0.01	1.90	0.04	29.9	3.9	12	0.76
J840517 CRD		<0.02	<0.005		0.04	6.74	1.3	580	0.89	0.01	1.89	0.03	29.4	3.8	11	0.75
J840518		3.19	<0.005	<0.005	0.06	7.14	7.8	510	0.95	0.02	2.91	0.03	33.6	10.7	21	0.99
J840519		3.06	<0.005		0.03	7.01	5.6	620	0.98	0.02	1.97	0.04	36.6	4.3	15	0.56
J840520		3.37	<0.005		0.05	6.80	3.8	340	0.98	0.01	2.38	0.04	49.2	6.0	20	0.62
J840521		3.46	<0.005		0.10	7.53	5.4	240	0.91	0.03	3.73	0.06	52.1	15.0	51	0.58
J840522		3.30	<0.005		0.14	7.57	10.9	330	0.91	0.04	4.03	0.05	28.9	17.5	28	0.74
J840523		3.60	<0.005		0.09	7.47	7.8	260	0.82	0.02	3.73	0.05	48.4	12.0	14	0.60
J840524		3.52	<0.005		0.08	7.58	<0.2	290	0.91	0.03	3.47	0.05	57.8	10.3	14	0.38
J840525		3.75	0.006		0.09	7.41	<0.2	380	0.82	0.01	3.05	0.04	44.5	8.6	14	0.41
J840526		3.47	<0.005		0.05	7.16	2.0	390	0.96	0.03	2.32	0.05	34.7	5.2	15	0.45
J840527		3.60	<0.005		0.05	6.75	1.3	440	1.04	0.03	1.80	0.04	29.9	4.0	11	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 22-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840515		>10000	6.22	14.55	0.16	1.2	0.118	2.90	27.0	18.1	1.29	692	110.5	1.76	7.5	34.2
J840516		5.1	2.07	20.5	0.12	3.3	0.021	1.83	17.3	15.9	0.36	396	0.11	2.79	7.1	6.5
J840517		14.4	1.84	17.70	0.11	3.0	0.017	2.29	14.4	14.2	0.31	314	0.18	3.09	7.1	5.4
J840517 CRD		6.9	1.73	17.20	0.10	3.0	0.016	2.28	14.2	13.7	0.30	300	0.15	3.05	6.9	4.9
J840518		7.8	2.96	18.30	0.14	2.9	0.027	1.96	16.6	25.3	0.73	509	0.14	2.52	6.8	16.2
J840519		5.0	1.99	18.20	0.11	3.3	0.018	2.19	17.8	12.4	0.30	311	0.12	2.85	6.8	4.6
J840520		10.6	2.61	18.50	0.14	3.4	0.020	1.10	24.6	16.7	0.46	400	0.17	2.93	8.4	9.0
J840521		28.1	4.17	19.10	0.16	1.8	0.035	1.00	22.5	21.0	1.35	728	0.20	2.78	8.5	36.7
J840522		45.4	4.54	18.90	0.14	2.8	0.037	1.47	13.7	25.1	1.30	736	0.17	2.48	7.3	24.6
J840523		7.9	4.18	21.7	0.15	4.2	0.047	1.07	21.3	24.1	0.76	597	0.14	2.67	10.5	8.5
J840524		6.1	4.06	22.0	0.16	4.0	0.046	1.01	25.6	19.6	0.64	535	0.22	2.79	11.7	5.6
J840525		6.8	3.50	19.65	0.13	3.8	0.037	1.32	19.7	17.4	0.54	486	0.12	2.72	10.2	4.5
J840526		6.0	2.41	20.5	0.12	3.5	0.025	1.17	16.8	14.3	0.34	360	0.16	3.33	8.7	3.1
J840527		11.1	1.87	19.50	0.12	2.9	0.017	1.42	14.9	11.4	0.26	321	0.12	3.25	9.3	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840515		950	65.4	76.3	0.126	2.50	7.36	16.2	7	2.8	265	0.31	1.02	5.1	0.342	0.80
J840516		270	9.8	67.5	<0.002	0.01	0.11	4.4	1	1.6	140.0	0.47	<0.05	5.1	0.145	0.31
J840517		240	9.1	57.4	<0.002	0.02	0.15	3.6	1	1.1	135.0	0.58	<0.05	5.2	0.113	0.34
J840517 CRD		240	9.0	55.9	<0.002	0.01	0.13	3.4	1	1.1	132.0	0.55	<0.05	5.3	0.111	0.35
J840518		350	6.5	58.2	<0.002	0.04	0.15	7.3	1	1.5	186.5	0.59	<0.05	4.1	0.215	0.37
J840519		290	8.8	51.8	<0.002	0.01	0.15	3.3	1	1.1	177.5	0.45	<0.05	5.1	0.130	0.32
J840520		440	6.3	37.9	<0.002	0.01	0.17	4.6	1	1.2	183.0	0.86	<0.05	6.5	0.180	0.23
J840521		760	6.8	31.3	<0.002	0.01	0.25	11.7	1	1.4	270	0.67	<0.05	2.7	0.312	0.21
J840522		480	7.6	39.5	<0.002	0.02	0.24	13.3	2	1.1	176.5	0.72	<0.05	3.2	0.341	0.27
J840523		820	4.2	29.5	<0.002	0.01	0.27	8.5	1	1.5	207	0.61	<0.05	3.6	0.334	0.22
J840524		920	4.3	24.8	<0.002	0.01	0.23	7.4	2	1.5	215	0.65	<0.05	4.0	0.337	0.19
J840525		780	5.7	29.7	<0.002	0.01	0.18	6.0	1	1.4	187.0	0.65	<0.05	3.8	0.290	0.20
J840526		490	4.9	33.1	<0.002	<0.01	0.22	3.8	1	1.4	195.0	0.73	<0.05	2.7	0.182	0.20
J840527		310	7.3	35.0	<0.002	0.03	0.12	2.9	1	1.4	174.5	0.83	<0.05	2.9	0.127	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840515		1.4	166	13.6	15.1	195	41.1	2.20								
J840516		1.1	23	0.2	6.7	64	120.5									
J840517		0.9	19	1.1	6.6	35	109.5									
J840517 CRD		1.0	18	0.2	6.4	35	109.0									
J840518		1.0	51	0.2	8.7	60	116.0		0.38	1.4	65.45	14.73	3.98	3.88	1.27	3.39
J840519		0.8	16	0.1	5.5	49	132.5									
J840520		1.2	28	0.2	9.6	57	123.5									
J840521		0.7	74	0.1	17.6	77	64.9									
J840522		1.1	103	0.1	12.6	74	102.5									
J840523		0.7	62	0.2	14.6	87	180.5									
J840524		0.6	54	0.1	15.8	79	173.0									
J840525		0.9	45	0.1	12.8	70	159.5									
J840526		0.6	24	0.1	7.1	58	129.0									
J840527		0.8	15	0.1	6.2	56	93.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840515										
J840516										
J840517										
J840517 CRD										
J840518		2.26	<0.01	0.35	0.06	0.075	0.03	0.04	2.79	98.31
J840519										
J840520										
J840521										
J840522										
J840523										
J840524										
J840525										
J840526										
J840527										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 22-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10184045

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.