ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-JAN-2011
This copy reported on 2-MAY-2011
Account: OSIHRG

CERTIFICATE TB10180655

Project: HAMMOND REEF

P.O. No.:

This report is for 151 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842356		3.02	0.168		0.20	7.30	0.4	330	0.87	0.04	2.49	0.12	62.8	10.6	4	0.80
J842357		2.74	0.024		0.13	6.82	0.2	370	0.98	0.03	3.17	0.23	33.4	10.0	4	0.99
J842358		3.33	0.023		0.10	7.42	0.3	430	0.93	0.05	1.69	0.14	27.8	4.1	8	0.84
J842359		3.77	<0.005		0.07	6.57	<0.2	280	0.83	0.02	1.86	0.09	44.2	4.1	6	0.67
J842360		0.07	0.934		5.05	6.68	21.3	480	0.75	1.72	2.52	2.03	19.15	14.2	59	0.75
J842361		3.31	0.037		0.15	7.08	<0.2	260	0.88	0.05	2.61	0.09	17.30	10.9	31	0.71
J842362		3.42	<0.005		0.06	6.30	1.1	240	1.04	0.01	2.23	0.03	67.0	4.3	7	0.50
J842363		3.23	<0.005		0.07	6.75	<0.2	260	0.88	0.04	2.95	0.08	14.55	10.6	43	0.65
J842364		3.15	0.008		0.09	6.73	0.4	320	0.92	0.02	2.93	0.09	15.45	11.1	32	0.72
J842365		3.46	0.017		1.41	7.12	<0.2	320	0.93	0.04	4.40	0.11	20.6	18.1	39	0.94
J842366		3.37	0.284		0.40	6.99	<0.2	250	0.75	0.09	2.60	0.07	21.3	13.0	57	0.59
J842367		3.35	0.012		0.07	6.93	<0.2	150	0.71	0.02	3.60	0.10	44.8	26.3	231	0.33
J842368		2.99	<0.005		0.10	6.82	0.6	350	0.96	0.02	2.02	0.05	51.2	5.6	8	0.70
J842369		3.34	<0.005		0.06	6.45	0.4	360	0.88	0.01	2.27	0.05	45.9	6.6	8	0.69
J842370		3.37	0.005		<0.01	6.69	0.3	350	0.77	0.02	2.78	0.06	53.0	6.6	6	0.76
J842371		2.83	0.013		0.03	6.45	0.2	290	0.70	0.02	2.24	0.05	33.9	8.0	12	0.63
J842372		3.82	0.005		<0.01	6.52	<0.2	230	0.69	0.02	3.28	0.08	20.9	21.2	173	0.53
J842373		3.32	<0.005		<0.01	7.30	0.5	310	1.01	0.02	2.48	0.06	38.8	9.5	11	0.76
J842374		3.36	0.005		<0.01	6.74	0.2	300	0.81	0.01	2.77	0.07	31.1	12.8	26	0.67
J842375		0.12	2.46		7.89	6.47	50.4	610	0.85	3.30	1.63	1.00	56.2	15.6	54	3.03
J842376		3.39	0.030		0.02	7.00	0.2	310	0.80	0.02	3.44	0.07	20.5	14.2	30	0.72
J842376 CRD		<0.02	0.024		0.01	7.01	<0.2	310	0.79	0.03	3.47	0.07	20.8	14.1	28	0.72
J842377		3.31	0.090	0.096	0.05	7.03	<0.2	370	0.92	0.02	2.57	0.05	34.9	8.1	14	0.88
J842378		3.52	0.029		<0.01	6.85	0.4	470	0.84	0.02	2.72	0.05	55.6	6.3	8	0.97
J842379		3.80	0.192		0.07	7.13	0.2	490	0.85	0.06	2.41	0.05	68.2	7.4	8	1.04
J842380		3.94	0.153		0.01	7.07	0.2	450	0.84	0.04	3.12	0.08	68.9	9.6	6	1.02
J842381		2.37	0.192		0.07	7.49	0.4	360	0.91	0.06	2.44	0.05	24.6	5.7	3	0.83
J842382		2.37	<0.005		0.02	6.79	0.5	250	0.87	0.01	1.73	0.04	35.6	2.6	4	0.65
J842383		3.02	0.264		0.08	6.48	0.3	340	0.90	0.03	1.62	0.04	36.1	2.9	5	0.64
J842384		2.98	0.132		0.07	6.52	0.6	470	0.92	0.03	1.59	0.03	48.9	2.8	6	0.71
J842385		2.88	0.047		0.04	6.19	0.4	410	0.91	0.03	1.13	0.03	22.6	2.8	8	0.65
J842386		3.12	0.030		0.02	6.50	0.3	460	0.96	0.03	1.60	0.05	27.4	2.3	7	0.69
J842387		3.80	0.164		0.05	6.64	0.5	530	1.08	0.05	1.50	0.05	27.7	3.2	6	0.75
J842388		2.42	0.038		0.07	7.22	0.3	310	0.81	0.06	3.62	0.09	13.60	15.2	28	0.76
J842389		3.18	0.256		0.18	7.04	0.7	310	1.05	0.18	2.79	0.09	36.3	13.2	24	0.72
J842390		0.07	0.411		2.23	7.57	106.5	570	1.23	0.50	0.54	0.98	32.8	16.9	33	6.72
J842391		3.22	0.014		0.05	7.07	0.6	350	0.95	0.02	3.34	0.11	24.5	12.8	24	0.84
J842392		3.47	0.180		0.12	7.41	0.3	330	0.99	0.02	4.25	0.11	31.0	16.9	27	0.89
J842393		3.21	0.129		0.08	7.65	0.6	190	0.83	0.03	4.04	0.08	32.2	19.6	37	0.67
J842394		3.85	0.026		0.02	7.06	0.4	170	0.91	0.01	3.57	0.06	39.4	10.6	18	0.81

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842356		38.7	3.83	25.5	0.33	2.0	0.032	1.76	28.3	21.7	0.79	493	0.14	2.85	11.4	7.9
J842357		35.1	3.20	21.5	0.26	1.5	0.032	2.20	13.7	16.5	0.71	598	0.77	2.23	6.2	7.0
J842358		3.7	1.53	19.90	0.21	2.6	0.015	2.00	13.8	6.2	0.30	244	0.60	2.79	4.3	5.1
J842359		40.2	1.87	19.70	0.24	2.8	0.017	1.51	21.7	8.5	0.30	285	0.13	2.69	2.8	4.6
J842360		>10000	4.74	13.90	0.22	1.0	0.119	0.87	9.4	15.5	1.18	672	247	2.15	3.7	33.6
J842361		42.1	3.93	20.2	0.24	1.0	0.044	1.47	7.6	24.5	0.94	629	0.67	2.13	4.5	26.0
J842362		2.6	1.69	19.55	0.31	4.4	0.017	1.39	29.1	14.9	0.31	214	0.25	2.54	7.1	3.8
J842363		18.8	3.20	19.40	0.21	1.6	0.038	1.45	6.0	24.0	0.96	594	0.13	2.55	4.6	27.7
J842364		21.5	2.82	19.70	0.20	1.8	0.033	1.75	7.0	16.4	0.96	588	0.19	2.34	6.1	32.7
J842365		60.4	4.66	19.10	0.21	1.2	0.054	2.07	7.2	28.0	1.68	1040	0.26	1.63	3.9	47.3
J842366		40.7	3.69	21.4	0.25	1.2	0.037	1.25	9.2	29.6	1.15	537	0.12	2.56	11.6	33.8
J842367		5.0	4.54	19.75	0.24	4.3	0.029	0.68	23.5	57.0	2.11	665	0.10	2.41	4.0	106.5
J842368		39.9	2.04	22.0	0.24	4.0	0.019	1.63	24.3	12.0	0.39	332	0.16	2.85	4.1	4.7
J842369		3.6	2.22	19.05	0.24	3.9	0.017	1.56	22.8	14.2	0.47	331	4.77	2.51	4.1	6.3
J842370		4.5	2.31	18.90	0.08	4.0	0.020	1.60	28.4	12.5	0.47	393	0.19	2.81	4.6	6.5
J842371		87.7	2.63	17.65	0.10	2.4	0.030	1.30	16.5	18.5	0.74	419	0.16	2.61	5.9	13.8
J842372		36.9	4.37	19.75	0.10	1.5	0.033	1.14	9.6	43.6	1.72	649	0.14	2.07	8.3	85.4
J842373		18.4	3.05	21.4	0.10	2.8	0.030	1.56	19.8	19.0	0.71	470	0.15	2.76	11.4	15.8
J842374		16.3	3.46	19.15	0.10	1.9	0.035	1.32	14.7	25.3	1.00	568	0.36	2.77	4.9	30.3
J842375		>10000	5.75	13.75	0.16	1.0	0.115	2.66	28.0	16.1	1.18	648	108.0	1.65	6.4	34.6
J842376		30.6	3.78	18.95	0.09	0.9	0.043	1.33	8.9	28.7	1.18	720	0.25	2.65	4.4	37.3
J842376 CRD		21.2	3.77	18.60	0.10	1.1	0.043	1.32	9.1	28.9	1.17	724	0.20	2.63	4.3	36.8
J842377		20.7	2.44	19.10	0.09	2.7	0.027	1.73	17.9	14.8	0.61	438	0.14	2.88	5.0	18.1
J842378		11.8	2.56	17.50	0.07	4.9	0.025	2.13	29.7	14.8	0.53	343	0.14	2.20	4.8	6.3
J842379		15.0	2.41	19.35	0.10	5.3	0.021	2.09	37.8	12.0	0.51	299	0.18	2.55	5.4	7.2
J842380		37.8	3.15	22.1	0.13	4.4	0.028	1.95	35.6	18.1	0.69	482	0.13	2.56	13.3	10.6
J842381		20.2	2.09	22.3	0.08	1.2	0.022	1.77	11.3	10.4	0.42	422	0.37	3.53	10.0	5.5
J842382		3.0	1.17	18.75	0.10	4.0	0.010	1.37	17.4	5.8	0.20	238	0.28	3.22	4.0	2.0
J842383		6.1	1.32	17.95	0.12	3.8	0.011	1.36	17.7	5.7	0.20	225	0.25	3.15	5.1	2.1
J842384		3.9	1.21	18.10	0.13	4.1	0.012	1.44	25.0	4.4	0.16	205	1.38	3.27	6.5	1.9
J842385		4.0	1.17	16.30	0.11	3.2	0.011	1.28	11.6	4.5	0.17	154	1.15	2.91	3.9	1.9
J842386		6.8	1.04	17.10	0.12	3.2	0.012	1.42	14.3	3.4	0.14	200	0.16	3.28	4.1	1.9
J842387		18.2	1.29	18.95	0.12	2.9	0.012	1.57	14.1	5.8	0.21	229	1.49	2.89	6.3	2.4
J842388		35.4	4.05	20.9	0.16	1.6	0.047	1.50	4.8	34.7	1.11	734	0.42	2.45	4.0	21.6
J842389		43.9	3.71	22.7	0.18	3.2	0.050	1.45	16.3	31.1	0.96	643	0.33	2.33	11.3	21.5
J842390		4380	4.64	17.55	0.18	0.8	0.056	4.61	17.2	12.6	0.74	472	259	1.08	4.6	21.5
J842391		27.1	3.55	22.4	0.16	3.1	0.044	1.79	10.0	28.8	0.96	693	0.32	1.98	8.9	21.8
J842392		24.5	4.26	22.1	0.18	3.7	0.046	1.94	12.6	37.8	1.22	753	0.22	1.77	6.3	27.6
J842393		32.6	4.64	20.9	0.17	3.5	0.043	1.37	14.3	44.9	1.45	683	0.20	2.43	4.9	34.7
J842394		3.9	2.86	20.1	0.18	2.8	0.027	1.84	17.9	26.2	0.82	344	0.41	1.89	5.2	18.4

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J842356		220	6.5	38.4	<0.002	0.18	0.13	7.4	1	1.8	216	0.45	0.06	14.2	0.275	0.20
J842357		680	5.9	43.6	<0.002	0.09	0.11	9.7	1	1.5	173.0	0.53	<0.05	3.5	0.214	0.25
J842358		270	8.0	54.0	<0.002	0.06	0.07	3.2	1	0.8	162.0	0.32	<0.05	5.1	0.105	0.22
J842359		200	10.7	42.4	<0.002	0.02	0.08	4.4	1	0.7	175.5	0.20	<0.05	5.8	0.092	0.19
J842360		590	88.1	21.3	1.475	1.64	23.7	16.1	6	1.0	299	0.30	0.47	1.9	0.336	0.19
J842361		430	7.4	44.1	0.003	0.05	0.14	20.8	1	1.2	189.5	0.72	<0.05	1.5	0.168	0.21
J842362		360	5.9	33.3	<0.002	0.01	0.10	3.8	1	0.9	186.0	0.41	<0.05	9.0	0.144	0.16
J842363		380	7.3	35.4	<0.002	0.03	0.10	15.5	1	1.3	207	0.54	<0.05	2.0	0.162	0.19
J842364		290	6.0	45.2	<0.002	0.02	0.27	10.7	1	1.3	189.0	0.44	<0.05	1.9	0.135	0.22
J842365		640	6.3	48.5	<0.002	0.06	0.11	19.9	1	1.6	165.0	0.32	<0.05	0.9	0.201	0.26
J842366		250	6.6	34.2	<0.002	0.06	0.14	11.4	1	1.5	183.5	0.63	0.10	7.0	0.212	0.17
J842367		460	6.3	20.7	<0.002	0.09	0.18	14.8	1	0.8	204	0.25	<0.05	5.8	0.251	0.09
J842368		390	7.2	41.0	<0.002	0.03	0.10	3.5	1	0.9	198.5	0.25	<0.05	9.3	0.125	0.23
J842369		480	6.1	41.2	<0.002	0.02	0.09	4.7	1	0.9	181.5	0.30	<0.05	6.7	0.145	0.21
J842370		480	7.4	49.5	<0.002	0.02	0.13	4.5	1	1.0	215	0.28	<0.05	7.4	0.156	0.25
J842371		400	5.6	43.6	<0.002	0.03	0.11	6.4	1	1.3	174.5	0.30	<0.05	6.1	0.152	0.20
J842372		430	5.5	31.1	<0.002	0.05	0.16	12.5	1	1.1	178.0	0.41	<0.05	2.5	0.261	0.17
J842373		640	6.4	56.6	<0.002	0.04	0.11	8.1	1	1.9	174.0	0.96	<0.05	5.6	0.194	0.25
J842374		520	5.7	41.7	<0.002	0.02	0.12	10.3	1	1.3	183.5	0.32	<0.05	4.1	0.194	0.20
J842375		890	60.8	77.9	0.132	2.48	7.46	15.7	7	2.7	257	0.25	0.92	4.6	0.309	0.76
J842376		530	5.8	46.0	<0.002	0.03	0.13	13.5	1	1.3	186.0	0.33	<0.05	1.4	0.201	0.22
J842376 CRD		540	6.1	45.7	<0.002	0.03	0.12	13.3	1	1.3	187.5	0.33	<0.05	1.6	0.193	0.21
J842377		420	6.6	59.1	<0.002	0.09	0.09	6.8	1	1.0	188.0	0.39	0.06	5.9	0.148	0.27
J842378		570	6.1	61.0	<0.002	0.03	0.13	4.6	1	0.9	171.5	0.31	<0.05	7.6	0.208	0.30
J842379		590	6.8	69.3	<0.002	0.07	0.12	4.9	1	0.8	169.0	0.24	0.07	9.5	0.203	0.30
J842380		610	8.9	64.2	<0.002	0.05	0.13	7.3	1	1.2	193.0	0.59	0.06	11.6	0.228	0.30
J842381		240	7.8	52.3	<0.002	0.14	0.08	4.3	1	1.0	226	0.43	0.08	8.1	0.130	0.26
J842382		220	6.0	38.4	<0.002	0.01	0.08	2.4	1	0.7	197.5	0.13	<0.05	5.5	0.065	0.18
J842383		210	5.8	38.0	<0.002	0.11	0.07	2.4	1	0.6	170.5	0.19	0.07	7.4	0.076	0.18
J842384		220	6.3	41.1	<0.002	0.09	0.07	2.0	1	0.8	162.5	0.25	0.05	10.3	0.073	0.18
J842385		170	6.0	38.7	<0.002	0.12	0.06	2.0	1	0.7	133.5	0.20	<0.05	4.2	0.063	0.15
J842386		180	7.3	40.3	<0.002	0.08	0.06	2.0	1	0.6	164.5	0.20	<0.05	4.5	0.061	0.18
J842387		160	6.4	48.8	<0.002	0.11	0.06	2.7	1	0.8	137.0	0.56	<0.05	5.4	0.087	0.20
J842388		550	4.5	33.8	<0.002	0.02	0.12	11.9	1	1.5	168.5	0.32	<0.05	0.5	0.221	0.21
J842389		700	6.5	39.4	<0.002	0.04	0.12	9.8	1	2.5	163.0	0.92	0.06	5.5	0.211	0.20
J842390		1070	36.8	111.5	0.623	2.45	6.82	11.2	8	2.9	250	0.32	1.07	2.5	0.242	1.33
J842391		470	6.0	46.2	<0.002	0.01	0.12	10.1	1	2.1	151.5	1.11	<0.05	3.8	0.226	0.24
J842392		460	5.5	44.6	<0.002	0.05	0.16	12.7	1	1.5	199.0	0.64	<0.05	3.2	0.289	0.25
J842393		520	5.5	31.0	<0.002	0.03	0.17	14.2	1	1.2	192.5	0.45	<0.05	3.0	0.289	0.18
J842394		430	5.4	41.7	<0.002	0.01	0.11	7.9	1	1.2	188.5	0.43	<0.05	4.6	0.183	0.21

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J842356		0.4	54	2.4	4.1	123	67.8									
J842357		0.5	61	2.1	4.6	112	44.7									
J842358		0.8	19	1.3	3.4	47	111.5									
J842359		0.4	25	0.4	3.1	48	103.5									
J842360		0.7	104	5.8	14.1	146	27.7	1.295								
J842361		0.6	48	0.8	5.5	106	24.0									
J842362		0.8	18	0.8	9.9	25	158.0									
J842363		0.6	53	1.8	4.4	93	43.2									
J842364		0.6	47	1.7	3.5	59	40.5									
J842365		0.4	94	2.1	5.4	106	32.8									
J842366		0.6	62	2.3	4.1	88	31.5									
J842367		0.8	100	0.5	5.5	95	166.0									
J842368		0.6	25	0.7	4.9	44	149.0									
J842369		0.6	27	1.8	5.0	67	178.0									
J842370		0.5	28	2.5	7.0	68	184.5									
J842371		0.7	41	1.4	4.6	51	83.9									
J842372		0.4	94	2.2	4.4	99	45.6									
J842373		1.2	51	1.4	8.6	89	102.0									
J842374		0.5	64	2.6	7.0	103	68.1									
J842375		1.1	150	10.6	14.6	171	34.1	2.16								
J842376		0.5	68	2.6	9.1	105	28.3									
J842376 CRD		0.4	66	2.6	8.8	104	32.3									
J842377		0.7	42	2.0	7.7	63	103.0		0.72	2.6	65.45	15.24	3.41	3.56	1.15	3.83
J842378		0.6	36	2.9	6.0	66	228									
J842379		0.6	37	5.0	5.8	62	237									
J842380		0.8	48	5.7	7.4	94	193.5									
J842381		0.4	29	2.3	3.7	53	32.7									
J842382		0.4	13	1.2	3.0	28	135.0									
J842383		0.5	13	1.8	3.3	30	124.0									
J842384		0.8	14	1.9	3.5	27	142.5									
J842385		1.1	13	1.2	2.7	27	112.0									
J842386		0.5	10	1.5	2.9	21	112.0									
J842387		2.2	16	1.3	3.6	26	93.5									
J842388		0.3	88	1.9	5.3	121	73.3									
J842389		1.1	60	3.7	7.8	100	111.5									
J842390		1.1	156	12.3	13.2	148	21.3									
J842391		1.7	69	4.7	6.3	82	113.0									
J842392		1.1	96	5.3	5.9	87	139.0									
J842393		0.7	104	3.8	6.0	83	137.0									
J842394		1.1	54	2.1	5.3	32	100.5									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842356										
J842357										
J842358										
J842359										
J842360										
J842361										
J842362										
J842363										
J842364										
J842365										
J842366										
J842367										
J842368										
J842369										
J842370										
J842371										
J842372										
J842373										
J842374										
J842375										
J842376										
J842376 CRD										
J842377		2.08	<0.01	0.34	0.05	0.088	0.03	0.03	4.10	99.36
J842378										
J842379										
J842380										
J842381										
J842382										
J842383										
J842384										
J842385										
J842386										
J842387										
J842388										
J842389										
J842390										
J842391										
J842392										
J842393										
J842394										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842395		3.91	<0.005		0.04	7.60	0.5	150	0.75	0.02	3.57	0.04	26.9	13.0	19	0.81
J842395 CRD		<0.02	0.011		0.03	7.46	0.4	150	0.75	0.03	3.49	0.05	21.9	12.3	19	0.78
J842396		3.51	<0.005	<0.005	0.02	7.29	0.8	260	1.01	0.01	2.73	0.05	17.20	6.1	7	0.79
J842397		3.64	0.009		0.03	6.99	0.4	440	0.82	0.02	2.66	0.05	29.3	4.8	7	0.81
J842398		3.24	<0.005		0.06	6.64	0.2	440	0.68	0.01	2.74	0.05	25.5	5.4	7	0.67
J842399		3.80	0.008		0.16	7.65	0.5	280	0.84	0.04	3.31	0.08	33.9	14.9	14	0.59
J842400		0.07	0.894		4.48	6.45	21.8	460	0.73	1.74	2.40	2.30	20.8	14.1	62	0.73
J842401		3.69	<0.005		0.13	7.71	0.4	280	0.81	0.05	3.68	0.09	19.10	14.8	15	0.62
J842402		3.70	0.006		0.14	6.94	0.2	350	0.82	0.03	3.16	0.10	42.1	10.2	11	0.76
J842403		3.45	0.061		0.13	6.64	0.9	340	0.94	0.09	1.52	0.06	44.7	4.4	5	0.57
J842404		3.52	<0.005		0.05	7.16	0.5	310	0.97	0.03	2.85	0.07	33.6	12.2	19	0.73
J842405		3.33	0.078		0.11	7.31	0.3	340	0.94	0.03	2.38	0.06	51.9	9.3	11	0.70
J842406		3.44	0.027		0.01	7.22	<0.2	360	0.85	0.01	2.35	0.05	26.1	4.9	6	0.66
J842407		3.38	0.205		0.11	7.17	0.9	260	0.83	0.02	3.03	0.05	46.2	14.8	62	0.54
J842408		3.46	<0.005		0.07	7.29	0.5	180	0.93	0.04	3.81	0.08	48.7	18.4	22	0.51
J842409		3.33	<0.005		0.06	7.15	0.4	180	0.81	0.04	3.41	0.06	46.9	15.9	21	0.49
J842410		3.60	<0.005		0.02	6.84	0.7	280	0.91	0.02	2.38	0.03	55.1	6.9	12	0.54
J842411		3.47	<0.005		0.02	7.03	0.3	230	0.93	0.01	2.02	0.03	65.0	7.1	9	0.56
J842412		3.69	0.006		<0.01	6.43	0.5	320	0.95	0.01	2.24	0.02	54.1	3.6	7	0.62
J842413		3.28	<0.005		0.02	6.86	0.5	240	0.94	0.02	2.65	0.03	40.5	9.7	11	0.69
J842414		3.12	0.023		0.04	7.01	0.6	250	1.16	0.02	2.92	0.05	26.2	12.7	11	0.67
J842415		0.11	2.27		7.81	6.49	51.4	620	0.89	3.13	1.57	0.99	51.0	15.4	57	2.91
J842416		3.23	<0.005		0.07	7.37	0.3	260	1.13	0.02	3.03	0.08	40.9	12.5	16	0.70
J842416 CRD		<0.02	0.005		0.06	6.76	0.9	250	1.15	0.03	2.94	0.07	37.3	12.2	16	0.74
J842417		3.18	<0.005	<0.005	0.18	7.10	0.5	240	1.25	0.03	2.71	0.06	28.6	13.3	17	0.73
J842418		3.22	0.006		0.07	6.39	0.4	240	0.98	0.03	2.88	0.07	21.8	12.6	15	0.78
J842419		3.08	<0.005		0.09	6.85	0.4	290	0.97	0.04	2.52	0.08	40.3	12.3	23	0.78
J842420		3.43	0.010		0.13	6.51	0.6	310	0.94	0.02	2.32	0.05	62.9	8.5	13	0.75
J842421		3.10	0.015		0.06	6.75	0.4	390	0.86	0.02	2.77	0.04	39.4	9.0	14	0.98
J842422		3.14	<0.005		0.04	6.54	0.5	350	0.89	0.02	2.75	0.05	40.1	10.6	16	0.95
J842423		3.31	0.007		0.03	6.66	0.5	360	0.82	0.01	2.61	0.05	44.7	9.1	16	1.00
J842424		3.30	0.006		0.06	6.71	0.3	330	0.85	0.02	3.46	0.06	27.1	13.8	23	0.96
J842425		2.73	0.026		0.04	6.70	<0.2	400	0.97	0.01	3.15	0.06	52.2	10.8	12	1.44
J842426		3.89	0.596		0.16	6.52	0.4	370	0.91	0.06	2.27	0.05	106.0	6.8	9	1.09
J842427		3.28	0.017		0.04	6.54	0.4	300	0.86	0.02	2.74	0.05	35.0	5.9	6	1.06
J842428		3.39	0.043		0.03	6.66	0.5	330	0.86	0.02	2.76	0.05	33.7	6.9	7	1.22
J842429		3.30	0.014		0.02	6.64	<0.2	330	0.82	0.01	2.74	0.04	33.3	6.7	7	1.17
J842430		0.07	0.426		2.22	7.45	88.4	560	1.30	0.48	0.54	0.93	33.4	16.7	34	6.90
J842431		3.22	0.456		0.15	6.48	0.4	390	0.91	0.09	2.86	0.06	58.3	9.9	10	1.35
J842432		3.34	0.217		0.13	7.47	0.7	480	0.96	0.04	2.72	0.04	124.5	11.7	12	1.56

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842395		10.2	3.92	20.8	0.18	1.4	0.028	1.85	10.6	40.4	1.12	280	0.18	1.64	4.4	29.7
J842395 CRD		7.5	3.80	20.0	0.18	1.4	0.026	1.78	8.5	38.9	1.09	271	0.14	1.58	4.4	28.2
J842396		9.2	1.95	20.8	0.16	2.8	0.023	2.00	7.5	19.3	0.47	170	0.40	2.25	4.6	5.4
J842397		1.7	1.73	18.80	0.15	3.6	0.017	2.05	15.1	14.4	0.39	190	0.21	2.33	3.2	6.3
J842398		3.6	1.83	18.25	0.15	3.5	0.017	1.77	13.2	15.8	0.41	239	0.23	2.50	2.6	6.7
J842399		152.5	3.31	22.1	0.20	1.5	0.028	1.32	14.3	32.5	0.95	456	0.11	3.20	3.2	19.8
J842400		>10000	4.57	13.40	0.15	1.0	0.132	0.85	9.6	16.0	1.15	644	244	2.16	3.7	30.3
J842401		65.9	3.64	22.3	0.16	1.4	0.036	1.46	7.4	36.3	1.10	553	0.42	3.15	5.0	21.7
J842402		128.5	2.86	21.0	0.18	2.3	0.031	1.77	18.3	24.7	0.73	485	0.19	2.59	4.1	12.8
J842403		41.5	1.19	18.90	0.14	3.3	0.013	1.52	21.4	5.4	0.18	220	0.13	3.03	5.2	2.2
J842404		19.7	3.87	21.6	0.19	3.5	0.043	1.46	11.8	26.3	0.80	531	0.09	2.43	6.8	11.7
J842405		45.9	3.10	21.1	0.20	2.8	0.028	1.55	22.1	21.9	0.66	395	0.15	2.71	5.7	10.2
J842406		1.8	1.84	18.40	0.15	3.4	0.015	1.70	13.5	13.2	0.40	252	0.16	3.05	3.5	5.8
J842407		37.1	3.95	20.6	0.20	3.4	0.032	1.27	21.0	32.4	1.03	468	0.19	2.44	6.0	29.1
J842408		32.8	5.25	20.8	0.21	2.8	0.047	1.01	20.5	38.6	1.20	712	0.13	2.42	7.1	14.6
J842409		7.6	4.50	20.8	0.18	3.5	0.044	1.03	20.6	32.3	0.99	575	0.20	2.61	4.8	13.0
J842410		11.7	2.44	18.85	0.17	3.3	0.021	1.22	25.7	17.8	0.52	336	0.11	2.97	3.9	7.2
J842411		3.8	2.53	19.85	0.19	3.6	0.022	1.31	30.0	20.1	0.57	217	0.76	2.78	6.9	7.2
J842412		<0.2	1.38	18.50	0.18	3.2	0.022	1.61	24.6	10.9	0.31	164	1.75	2.38	9.3	4.6
J842413		3.3	2.80	20.2	0.19	2.6	0.030	1.48	18.1	22.4	0.63	307	6.65	2.45	4.9	8.7
J842414		30.2	3.53	20.7	0.18	3.4	0.038	1.38	10.6	27.0	0.81	540	0.25	2.86	5.9	11.6
J842415		>10000	5.59	14.30	0.18	1.0	0.104	2.72	23.0	17.2	1.15	608	110.5	1.63	5.9	30.2
J842416		31.2	3.59	19.90	0.18	3.4	0.034	1.33	17.8	27.5	0.92	610	0.16	2.86	6.1	15.4
J842416 CRD		28.4	3.45	19.50	0.13	3.4	0.035	1.31	16.5	25.4	0.88	595	0.09	2.81	5.7	16.5
J842417		34.3	3.51	19.75	0.16	3.5	0.033	1.28	12.4	27.5	0.98	613	0.09	2.76	7.8	18.0
J842418		24.1	3.15	18.40	0.15	2.5	0.029	1.43	9.3	25.8	0.90	534	0.17	2.52	4.7	17.9
J842419		67.9	3.15	19.00	0.17	3.4	0.027	1.35	19.9	25.0	0.88	521	0.17	2.74	4.7	19.1
J842420		21.2	2.60	19.40	0.18	3.7	0.017	1.45	30.9	18.2	0.59	400	0.20	2.93	4.5	10.0
J842421		14.4	2.95	19.85	0.18	3.5	0.031	1.85	18.5	19.1	0.69	462	0.33	2.42	4.9	12.2
J842422		8.1	3.28	19.05	0.17	3.5	0.032	1.85	18.9	20.4	0.79	449	0.87	2.30	4.1	15.2
J842423		17.6	3.08	18.45	0.17	3.1	0.029	1.85	22.0	19.5	0.72	400	0.43	2.09	3.5	12.3
J842424		24.7	3.73	18.80	0.16	2.9	0.037	1.77	11.7	25.6	1.05	612	0.10	2.36	4.2	22.9
J842425		18.2	3.34	18.90	0.17	3.9	0.033	2.64	25.5	9.7	0.80	516	0.15	1.88	3.4	13.6
J842426		8.9	2.57	19.20	0.22	4.5	0.026	2.03	52.7	6.2	0.48	373	0.36	2.66	7.4	5.1
J842427		11.9	2.46	18.40	0.17	2.5	0.025	2.06	17.0	9.6	0.47	361	0.62	2.36	4.6	2.8
J842428		14.0	2.67	18.30	0.16	2.8	0.033	2.39	16.5	7.0	0.46	354	0.39	2.18	4.1	2.9
J842429		11.2	2.61	18.35	0.16	2.9	0.027	2.32	16.2	10.3	0.48	324	0.16	2.09	4.2	3.1
J842430		4380	4.66	17.30	0.19	0.8	0.055	4.06	18.2	11.7	0.74	469	259	1.07	4.6	21.2
J842431		37.0	3.01	19.15	0.17	3.8	0.024	2.57	29.0	3.1	0.62	433	0.62	2.01	4.4	9.0
J842432		14.5	4.02	23.0	0.25	6.0	0.033	2.84	63.3	7.1	0.80	436	0.15	2.16	7.0	8.6

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J842395		740	4.5	37.4	<0.002	0.01	0.12	10.6	1	1.3	180.0	0.40	<0.05	2.0	0.188	0.20
J842395 CRD		700	4.2	37.1	<0.002	0.01	0.12	10.3	1	1.2	176.5	0.40	<0.05	1.5	0.182	0.19
J842396		460	5.9	43.6	<0.002	<0.01	0.12	4.5	1	1.1	211	0.36	<0.05	1.7	0.183	0.23
J842397		360	6.6	47.6	<0.002	0.04	0.08	2.9	1	0.9	174.5	0.26	<0.05	4.6	0.157	0.25
J842398		370	5.6	39.6	<0.002	<0.01	0.07	2.7	1	0.9	203	0.17	<0.05	3.9	0.150	0.23
J842399		860	7.9	29.2	<0.002	0.12	0.12	8.3	1	1.0	259	0.28	<0.05	2.7	0.194	0.19
J842400		550	37.9	23.2	1.430	1.59	23.2	14.3	6	1.0	281	0.27	0.56	2.0	0.311	0.20
J842401		800	6.1	32.4	0.002	0.05	0.14	10.5	1	1.3	196.5	0.42	<0.05	1.6	0.245	0.22
J842402		670	5.8	39.2	<0.002	0.03	0.11	6.1	1	1.2	171.5	0.28	<0.05	4.8	0.195	0.26
J842403		180	9.9	42.5	<0.002	0.18	0.07	2.3	1	0.9	145.0	0.48	<0.05	11.2	0.062	0.20
J842404		820	5.6	36.7	<0.002	0.02	0.11	9.2	1	1.5	175.5	0.52	<0.05	1.7	0.199	0.19
J842405		660	6.7	41.6	<0.002	0.05	0.12	6.7	1	1.1	191.5	0.40	<0.05	5.3	0.173	0.22
J842406		340	5.7	42.0	<0.002	<0.01	0.09	2.4	1	0.7	215	0.30	<0.05	4.2	0.149	0.23
J842407		710	5.5	32.2	<0.002	0.05	0.12	9.6	1	1.1	183.0	0.42	<0.05	4.2	0.236	0.17
J842408		1120	5.8	29.7	<0.002	0.02	0.15	14.3	1	1.4	191.0	0.54	<0.05	2.9	0.277	0.14
J842409		970	5.5	25.1	<0.002	0.02	0.12	11.7	1	1.3	205	0.32	<0.05	3.7	0.189	0.14
J842410		480	5.4	31.7	<0.002	0.01	0.09	4.5	1	0.9	212	0.23	<0.05	7.0	0.102	0.16
J842411		670	5.7	33.3	<0.002	<0.01	0.09	5.2	1	1.3	192.5	0.42	<0.05	9.1	0.133	0.16
J842412		250	4.9	40.9	<0.002	<0.01	0.08	3.1	1	1.5	195.0	0.70	<0.05	6.8	0.095	0.19
J842413		590	5.1	35.1	<0.002	0.01	0.12	6.7	1	0.9	190.0	0.32	<0.05	3.7	0.178	0.19
J842414		550	5.8	27.8	<0.002	0.03	0.13	9.4	1	1.3	215	0.81	<0.05	2.3	0.222	0.19
J842415		860	58.1	75.7	0.125	2.43	6.44	14.8	6	2.5	245	0.25	0.93	4.0	0.296	0.70
J842416		550	7.2	32.8	<0.002	0.02	0.16	9.4	1	1.2	201	0.93	<0.05	4.2	0.210	0.19
J842416 CRD		520	6.9	30.3	<0.002	0.02	0.16	8.5	1	1.1	196.0	0.98	<0.05	3.7	0.198	0.19
J842417		490	6.3	39.3	<0.002	0.03	0.19	10.1	1	1.3	182.5	1.35	0.05	3.0	0.288	0.19
J842418		370	5.8	34.3	<0.002	0.03	0.14	8.7	1	1.0	184.0	0.63	<0.05	3.2	0.218	0.19
J842419		500	6.7	37.2	<0.002	0.06	0.14	7.8	1	0.9	197.5	0.44	<0.05	4.8	0.222	0.19
J842420		580	5.8	36.8	<0.002	0.04	0.11	3.4	1	0.7	228	0.26	<0.05	7.3	0.167	0.19
J842421		570	4.7	49.2	<0.002	0.04	0.12	6.8	1	1.0	233	0.29	<0.05	3.9	0.204	0.24
J842422		520	4.9	40.7	<0.002	0.04	0.12	7.6	1	1.0	201	0.28	<0.05	3.9	0.200	0.24
J842423		560	4.6	48.8	<0.002	0.02	0.11	7.4	1	0.9	177.5	0.22	<0.05	4.4	0.178	0.24
J842424		480	7.2	40.8	<0.002	0.04	0.14	10.0	1	1.0	206	0.39	<0.05	2.5	0.230	0.22
J842425		450	5.0	64.6	<0.002	0.04	0.11	8.0	1	1.0	165.0	0.29	<0.05	5.3	0.185	0.31
J842426		510	5.7	55.3	<0.002	0.23	0.10	4.8	1	1.3	177.5	0.71	0.06	14.1	0.170	0.24
J842427		660	4.2	55.2	<0.002	0.04	0.10	4.7	1	0.9	183.0	0.31	<0.05	2.4	0.181	0.24
J842428		700	4.0	62.2	<0.002	0.06	0.09	4.9	1	1.0	170.5	0.29	<0.05	2.0	0.181	0.26
J842429		670	4.1	58.7	<0.002	0.04	0.10	4.3	1	0.8	167.0	0.28	<0.05	2.4	0.186	0.27
J842430		1090	38.5	118.0	0.604	2.45	6.53	10.7	8	2.8	246	0.34	0.89	2.6	0.242	1.27
J842431		550	4.9	65.1	<0.002	0.22	0.11	4.5	1	1.0	157.0	0.28	0.08	6.8	0.190	0.30
J842432		1060	7.2	75.3	<0.002	0.11	0.14	6.1	1	1.5	165.0	0.36	0.05	16.6	0.259	0.33

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J842395		0.4	70	1.2	5.8	30	46.4									
J842395 CRD		0.4	68	1.2	5.5	29	46.9									
J842396		0.5	35	1.2	4.3	20	111.0		0.80	2.9	65.10	15.60	2.79	3.85	0.94	3.04
J842397		0.6	24	1.0	2.8	25	158.0									
J842398		0.3	25	1.3	2.3	38	154.0									
J842399		0.4	72	1.3	4.5	84	50.4									
J842400		0.8	102	6.1	13.9	145	26.7	1.305								
J842401		0.4	81	1.3	5.1	95	45.4									
J842402		0.3	59	0.8	5.4	83	84.3									
J842403		1.8	11	0.7	8.1	21	93.1									
J842404		0.5	65	0.8	8.0	95	138.0									
J842405		0.6	52	2.0	7.1	59	103.0									
J842406		0.5	23	0.8	3.9	33	147.0									
J842407		0.6	70	1.7	7.0	68	143.5									
J842408		0.5	105	0.5	10.0	81	118.0									
J842409		0.5	84	0.2	8.5	65	155.5									
J842410		0.5	31	0.1	5.8	32	130.0									
J842411		0.7	33	0.3	8.6	26	119.0									
J842412		0.8	16	0.7	6.1	11	99.3									
J842413		0.5	45	0.7	4.6	41	99.3									
J842414		0.8	75	1.4	5.1	77	127.5									
J842415		1.0	147	11.2	12.6	174	33.3	2.18								
J842416		1.2	75	0.6	5.5	88	132.5									
J842416 CRD		1.0	72	0.6	5.5	80	129.0									
J842417		1.5	77	1.8	6.8	75	125.5		0.81	3.0	62.05	15.29	5.27	4.06	1.86	3.90
J842418		0.7	74	1.0	4.6	64	86.0									
J842419		0.8	65	0.9	4.7	73	113.5									
J842420		0.5	40	2.4	4.4	63	135.0									
J842421		0.4	49	1.7	4.3	62	146.5									
J842422		0.4	59	1.4	4.1	77	141.0									
J842423		0.4	51	1.0	4.0	70	132.0									
J842424		0.6	82	2.7	4.1	89	109.5									
J842425		0.5	61	1.9	4.6	58	151.5									
J842426		0.5	33	2.3	5.9	47	168.5									
J842427		0.2	35	2.4	3.5	65	108.5									
J842428		0.2	40	2.5	3.5	62	123.0									
J842429		0.3	36	2.1	3.4	83	128.5									
J842430		1.2	154	11.6	14.2	146	22.1									
J842431		0.4	46	2.1	4.6	52	154.0									
J842432		0.6	54	2.6	8.4	100	243									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842395										
J842395 CRD										
J842396		2.41	<0.01	0.33	0.02	0.103	0.03	0.02	4.58	98.81
J842397										
J842398										
J842399										
J842400										
J842401										
J842402										
J842403										
J842404										
J842405										
J842406										
J842407										
J842408										
J842409										
J842410										
J842411										
J842412										
J842413										
J842414										
J842415										
J842416										
J842416 CRD										
J842417		1.59	<0.01	0.56	0.08	0.107	0.03	0.02	4.78	99.60
J842418										
J842419										
J842420										
J842421										
J842422										
J842423										
J842424										
J842425										
J842426										
J842427										
J842428										
J842429										
J842430										
J842431										
J842432										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842433		3.28	0.349		0.15	7.46	0.5	420	1.10	0.03	2.44	0.05	75.5	8.4	8	1.58
J842434		3.33	0.352		0.17	6.72	0.2	310	0.90	0.06	3.01	0.05	52.0	8.0	6	1.20
J842435		3.18	0.762		0.76	7.40	0.6	410	0.95	0.21	2.44	0.04	35.1	14.9	7	1.50
J842435 CRD		<0.02	0.725		0.46	7.55	0.8	410	1.04	0.20	2.46	0.05	40.8	15.4	6	1.56
J842436		3.48	0.239	0.244	0.15	7.08	0.5	400	0.97	0.08	2.78	0.05	34.5	9.6	6	1.54
J842437		3.20	0.861		0.29	6.46	0.5	370	0.87	0.15	3.09	0.06	31.7	10.3	7	1.36
J842438		2.66	0.887		0.26	6.46	0.5	390	0.89	0.10	2.53	0.05	42.4	9.3	7	1.29
J842439		2.68	0.065		0.06	6.57	0.2	390	0.99	0.04	1.67	0.04	37.2	4.7	7	1.21
J842440		3.92	0.221		0.08	6.83	0.5	440	1.01	0.02	3.51	0.09	28.6	12.9	19	1.73
J842441		3.81	0.506		0.10	6.86	0.4	420	0.99	0.03	2.68	0.08	49.5	9.2	12	1.46
J842442		3.18	0.869		0.21	6.48	0.5	380	0.96	0.08	2.51	0.07	61.8	7.3	9	1.26
J842443		2.84	2.23		0.30	6.85	1.0	360	0.87	0.08	2.22	0.06	56.4	7.5	8	1.13
J842444		3.11	1.705		0.58	6.56	0.8	370	0.97	0.04	2.81	0.07	46.5	10.9	34	1.10
J842445		1.01	<0.005		<0.01	0.14	<5	10	<0.05	0.01	19.95	<0.02	2.56	0.9	1	0.10
J842446		2.83	0.490		0.10	6.72	0.4	380	0.93	0.02	2.44	0.05	42.8	5.9	11	1.22
J842447		2.76	0.857		0.16	6.37	0.4	310	0.83	0.03	2.67	0.06	27.1	8.9	9	1.14
J842448		3.45	0.717		0.10	6.50	0.4	330	0.95	0.02	3.15	0.06	43.9	10.6	17	1.41
J842449		2.94	0.086		0.11	6.75	0.3	360	1.14	0.01	3.29	0.05	41.1	5.9	14	1.48
J842450		3.12	0.021		0.05	7.01	0.3	420	0.96	0.03	2.29	0.06	30.5	6.7	10	1.15
J842451		2.95	0.058		0.04	6.57	0.7	1570	0.88	0.04	2.14	0.07	29.2	8.1	9	1.22
J842452		3.34	0.034		0.16	6.30	<0.2	430	0.87	0.04	1.95	0.07	47.3	6.7	24	1.10
J842453		3.75	0.067		1.44	5.86	0.4	400	0.85	0.05	2.39	0.07	32.0	8.2	26	1.02
J842454		3.60	0.099		0.04	5.93	0.9	340	0.76	0.04	3.32	0.11	25.2	12.8	52	0.96
J842455		3.64	0.021		0.01	5.48	1.5	260	0.61	0.04	5.57	0.20	18.50	22.5	334	0.88
J842455 CRD		<0.02	0.007		0.01	5.67	0.8	270	0.63	0.04	5.60	0.20	18.80	23.0	316	0.88
J842456		3.40	0.268	0.305	<0.01	5.92	0.8	340	0.74	0.04	1.79	0.06	42.3	8.0	10	0.94
J842457		3.79	0.174		0.13	6.75	0.4	380	0.82	0.11	3.36	0.12	40.4	14.3	18	1.01
J842458		3.56	0.088		0.07	6.72	0.5	310	0.73	0.05	2.83	0.09	40.1	10.1	15	0.84
J842459		3.69	0.005		0.02	6.82	<0.2	320	0.68	0.01	1.10	0.04	39.1	3.4	9	0.71
J842460		0.07	0.945		4.39	6.56	20.5	480	0.65	1.78	2.48	2.69	21.7	13.8	61	0.71
J842461		3.38	0.013		0.04	7.27	<0.2	480	0.97	0.06	1.58	0.05	49.6	7.3	16	1.19
J842462		3.33	0.182		<0.01	6.39	0.3	430	0.89	0.03	3.33	0.07	39.8	9.7	18	1.12
J842463		3.29	0.124		0.04	5.97	1.5	370	0.79	0.06	2.67	0.07	40.5	9.1	72	0.96
J842464		3.32	0.124		0.01	6.87	0.7	350	0.87	0.04	1.46	0.04	59.4	5.1	8	1.02
J842465		3.29	0.006		<0.01	6.81	0.4	400	0.92	0.01	1.63	0.03	45.9	4.9	7	1.14
J842466		3.26	0.025		<0.01	6.69	0.6	390	0.88	0.02	1.51	0.04	50.8	5.8	8	1.08
J842467		3.46	0.186		1.08	5.87	1.3	260	0.63	0.10	1.81	0.09	42.2	6.5	59	0.62
J842468		3.28	0.531		0.03	6.76	0.7	350	0.81	0.11	1.45	0.05	50.6	6.1	7	0.85
J842469		3.42	0.586		0.04	6.46	0.5	430	0.83	0.23	1.74	0.04	46.5	7.2	8	0.97
J842470		3.31	0.153		<0.01	6.69	0.5	400	0.96	0.07	2.17	0.07	41.6	7.9	12	1.05

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J842433		73.0	2.82	21.4	0.22	4.5	0.027	2.77	39.4	2.4	0.56	395	0.17	2.29	5.6	6.7
J842434		18.2	2.44	18.25	0.20	2.8	0.023	2.14	25.5	1.7	0.47	405	0.22	2.72	5.1	3.3
J842435		24.0	3.05	20.8	0.17	3.1	0.030	2.85	17.5	2.0	0.55	376	2.57	2.18	3.9	4.5
J842435 CRD		23.4	3.08	22.3	0.18	3.1	0.032	2.85	20.3	2.1	0.56	377	2.64	2.15	4.3	4.8
J842436		14.8	2.84	20.8	0.17	3.0	0.029	2.77	16.8	1.7	0.56	385	0.44	2.02	4.4	3.6
J842437		30.1	2.81	19.00	0.16	2.9	0.031	2.57	15.0	1.6	0.50	416	2.21	2.11	4.7	3.5
J842438		14.4	2.44	18.55	0.17	3.2	0.026	2.45	20.6	1.5	0.44	375	1.11	2.15	6.0	3.4
J842439		4.4	1.78	18.80	0.16	2.0	0.020	2.32	18.4	1.5	0.33	251	0.26	2.24	5.5	3.1
J842440		23.8	3.66	18.55	0.18	2.7	0.034	3.17	12.7	2.4	1.06	623	0.12	1.19	6.0	18.1
J842441		19.0	2.83	19.45	0.19	3.7	0.026	2.79	24.8	2.0	0.69	430	0.20	1.72	4.9	10.6
J842442		17.6	2.60	18.35	0.19	3.9	0.024	2.41	30.4	2.6	0.50	358	0.90	1.89	5.1	5.9
J842443		20.0	2.55	18.70	0.19	3.6	0.025	2.23	29.3	1.9	0.44	353	0.15	2.44	5.9	4.4
J842444		12.7	2.86	18.90	0.19	3.0	0.027	2.22	21.3	2.0	0.64	447	0.28	2.42	6.1	16.6
J842445		0.4	0.08	0.53	0.41	0.1	<0.005	0.11	1.9	4.2	12.60	48	0.12	0.03	0.4	0.3
J842446		25.7	2.39	19.75	0.18	3.0	0.026	2.44	21.2	1.5	0.51	333	4.47	2.42	5.6	5.5
J842447		36.5	2.52	16.85	0.15	2.1	0.020	2.24	12.8	1.4	0.64	341	0.16	2.17	3.4	10.5
J842448		10.3	3.05	18.75	0.18	3.0	0.028	2.71	20.7	1.8	0.75	354	0.12	1.73	4.1	13.6
J842449		13.3	2.37	21.2	0.19	3.1	0.026	3.19	19.4	2.0	0.50	249	0.62	1.51	3.8	10.1
J842450		19.9	2.52	19.25	0.16	2.2	0.028	2.73	15.6	1.8	0.54	392	0.24	1.99	5.4	5.5
J842451		26.8	2.47	20.0	0.14	2.1	0.035	2.61	14.0	1.8	0.52	376	0.39	1.85	6.7	6.6
J842452		12.2	2.26	19.05	0.14	3.2	0.021	2.49	22.5	1.7	0.49	317	0.82	1.89	5.0	10.2
J842453		1.6	2.47	17.25	0.13	3.0	0.022	2.46	15.3	1.7	0.65	353	7.56	1.55	4.4	17.6
J842454		5.9	2.97	16.10	0.14	1.6	0.026	2.20	12.2	1.8	1.00	528	0.29	1.73	5.2	29.4
J842455		2.1	3.51	13.65	0.12	1.3	0.025	1.81	9.2	1.8	2.07	620	0.40	1.66	3.9	157.0
J842455 CRD		2.3	3.54	14.20	0.11	1.3	0.024	1.83	9.2	1.8	2.08	628	0.36	1.78	4.3	154.0
J842456		6.7	2.15	17.15	0.12	2.6	0.025	2.05	20.0	1.5	0.48	304	0.15	2.28	5.4	16.1
J842457		8.0	3.31	18.25	0.13	3.6	0.032	2.43	19.0	1.9	0.86	505	15.30	2.21	6.4	23.4
J842458		3.0	2.81	15.65	0.11	2.8	0.029	1.92	18.9	1.9	0.74	449	0.39	2.74	6.5	19.6
J842459		3.4	1.34	15.20	0.09	2.8	0.014	1.64	20.6	1.3	0.27	167	0.29	3.17	3.8	6.2
J842460		>10000	4.69	13.00	0.11	1.0	0.125	0.87	10.7	14.3	1.19	665	232	2.25	4.0	31.3
J842461		4.2	2.09	21.6	0.18	4.2	0.026	2.82	25.7	1.8	0.46	265	0.32	2.08	5.5	21.9
J842462		28.4	3.30	20.2	0.15	2.8	0.034	2.65	17.2	2.1	0.84	531	0.36	2.02	7.1	17.5
J842463		12.2	2.61	17.60	0.14	2.9	0.027	2.17	19.3	2.1	0.76	404	0.39	2.24	4.9	39.5
J842464		25.0	1.91	18.80	0.14	3.6	0.019	2.12	30.2	3.4	0.40	253	0.32	2.60	5.2	5.3
J842465		34.9	2.05	19.80	0.14	3.1	0.019	2.44	23.2	2.4	0.45	267	0.16	2.27	5.4	5.7
J842466		57.7	1.94	18.35	0.15	3.2	0.017	2.27	26.1	1.9	0.46	253	0.18	2.34	4.9	7.2
J842467		9.9	1.89	13.40	0.14	3.4	0.014	1.34	22.0	1.4	0.56	302	0.87	3.32	5.3	32.9
J842468		10.5	2.04	16.50	0.15	3.6	0.020	1.82	27.0	2.0	0.38	284	1.52	2.94	5.2	6.1
J842469		19.0	2.23	17.20	0.14	3.6	0.023	2.07	22.5	2.3	0.40	306	28.9	2.68	5.8	6.4
J842470		34.0	2.49	18.50	0.15	3.1	0.028	2.13	19.9	3.3	0.51	395	3.80	2.89	6.9	9.0

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J842433		750	5.3	79.6	<0.002	0.15	0.12	4.8	1	1.1	150.5	0.33	0.05	9.0	0.210	0.30
J842434		740	5.3	57.8	<0.002	0.24	0.11	4.0	1	0.9	187.0	0.33	0.10	6.2	0.179	0.23
J842435		810	5.7	76.6	<0.002	0.64	0.12	5.1	1	1.0	134.5	0.27	0.29	1.8	0.191	0.32
J842435 CRD		820	5.3	82.6	<0.002	0.64	0.12	5.6	1	1.1	138.0	0.30	0.30	2.1	0.200	0.33
J842436		780	4.2	76.8	<0.002	0.31	0.12	5.2	1	1.0	136.0	0.28	0.10	1.7	0.209	0.32
J842437		720	6.3	65.6	<0.002	0.36	0.12	4.7	1	1.1	143.0	0.35	0.17	1.9	0.215	0.29
J842438		600	5.2	65.9	<0.002	0.37	0.11	4.2	1	1.2	132.5	0.54	0.12	4.7	0.191	0.28
J842439		450	4.5	69.2	<0.002	0.09	0.09	3.3	1	1.2	125.5	0.48	0.05	5.4	0.138	0.29
J842440		590	3.5	81.8	<0.002	0.12	0.15	10.2	1	1.1	134.0	0.59	<0.05	2.9	0.298	0.34
J842441		470	4.8	74.8	<0.002	0.14	0.11	6.8	1	1.0	129.0	0.46	0.07	6.3	0.197	0.32
J842442		550	4.2	64.8	<0.002	0.27	0.12	4.8	1	0.9	132.0	0.36	0.12	7.2	0.171	0.27
J842443		490	7.7	60.1	<0.002	0.45	0.11	4.5	1	1.1	137.0	0.35	0.11	8.8	0.164	0.24
J842444		590	22.8	57.5	<0.002	0.34	0.13	6.1	1	1.0	146.0	0.45	0.14	4.7	0.188	0.24
J842445		10	0.9	2.6	<0.002	0.04	<0.05	0.3	1	<0.2	61.3	<0.05	<0.05	0.3	0.007	<0.02
J842446		550	5.6	60.7	<0.002	0.13	0.12	4.7	1	1.0	138.5	0.35	<0.05	4.3	0.187	0.26
J842447		380	3.4	56.6	<0.002	0.16	0.11	5.5	1	0.8	136.5	0.24	0.09	3.1	0.146	0.23
J842448		540	3.9	65.1	<0.002	0.14	0.12	7.1	1	0.9	145.0	0.31	0.07	3.8	0.177	0.27
J842449		590	4.2	72.2	<0.002	0.02	0.11	6.4	1	1.0	139.5	0.29	<0.05	4.4	0.143	0.33
J842450		660	2.9	66.7	<0.002	0.09	0.11	4.8	1	1.2	110.0	0.32	<0.05	2.5	0.209	0.29
J842451		620	3.5	70.0	<0.002	0.12	0.16	5.6	1	1.3	112.5	0.32	<0.05	2.4	0.223	0.34
J842452		490	3.8	63.5	<0.002	0.07	0.12	4.3	1	0.8	104.0	0.26	<0.05	5.2	0.166	0.32
J842453		300	5.9	57.4	<0.002	0.07	0.12	6.4	1	0.8	104.0	0.25	<0.05	3.9	0.155	0.30
J842454		300	5.4	58.0	<0.002	0.11	0.11	11.0	1	1.0	133.0	0.30	<0.05	3.0	0.169	0.27
J842455		190	7.2	55.5	<0.002	0.06	0.11	11.4	1	0.8	230	0.31	0.62	2.6	0.198	0.23
J842455 CRD		200	7.7	56.8	<0.002	0.06	0.11	11.6	1	0.8	233	0.35	0.48	2.5	0.196	0.24
J842456		490	4.0	52.8	<0.002	0.15	0.11	4.8	1	1.0	101.5	0.26	0.05	5.0	0.166	0.27
J842457		510	4.3	57.6	<0.002	0.22	0.15	9.3	1	1.1	141.0	0.35	0.16	4.1	0.239	0.30
J842458		500	3.7	48.5	<0.002	0.16	0.13	7.3	1	1.0	134.5	0.37	0.07	3.7	0.209	0.23
J842459		360	3.2	46.5	<0.002	0.01	0.08	3.1	1	0.8	103.5	0.31	<0.05	5.8	0.081	0.20
J842460		590	38.2	25.6	1.330	1.64	24.5	13.4	5	1.1	289	0.27	0.58	2.0	0.323	0.20
J842461		370	4.8	66.2	<0.002	0.07	0.16	4.6	1	1.2	98.2	0.44	0.05	6.8	0.142	0.30
J842462		710	3.5	57.7	<0.002	0.12	0.12	9.6	1	1.3	136.5	0.36	0.05	3.4	0.259	0.34
J842463		370	3.9	50.7	<0.002	0.12	0.11	5.6	1	1.3	132.5	0.27	0.10	5.4	0.163	0.28
J842464		410	3.8	64.5	<0.002	0.09	0.11	3.7	1	1.1	110.0	0.29	0.05	9.1	0.133	0.28
J842465		620	3.1	71.4	<0.002	0.02	0.11	3.2	1	1.2	116.5	0.33	<0.05	5.5	0.159	0.32
J842466		120	3.7	66.6	<0.002	0.06	0.12	4.5	1	0.9	130.0	0.25	<0.05	6.2	0.154	0.29
J842467		110	8.5	36.2	<0.002	0.20	0.09	3.7	1	0.7	133.0	0.35	0.08	5.5	0.124	0.18
J842468		410	4.7	55.8	<0.002	0.33	0.09	3.9	1	1.1	117.0	0.34	0.07	7.0	0.112	0.24
J842469		440	5.4	59.1	<0.002	0.35	0.11	4.4	1	1.1	124.5	0.32	0.12	5.7	0.147	0.28
J842470		430	4.1	54.9	<0.002	0.16	0.12	6.1	1	1.5	145.0	0.53	<0.05	5.3	0.166	0.28

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J842433		0.4	41	2.9	6.0	53	191.0									
J842434		0.3	33	2.8	5.1	40	115.0									
J842435		0.3	46	3.1	3.6	50	135.5									
J842435 CRD		0.3	46	3.3	4.0	50	142.5									
J842436		0.3	45	3.4	3.7	53	134.5		1.24	4.5	62.44	15.01	4.15	4.00	1.13	2.86
J842437		0.3	43	3.9	3.7	52	124.0									
J842438		0.5	36	3.5	4.5	46	122.0									
J842439		0.6	30	1.9	4.2	38	71.8									
J842440		0.9	80	3.5	5.4	74	108.0									
J842441		0.7	52	3.3	5.2	57	143.5									
J842442		0.6	40	3.6	5.1	54	146.0									
J842443		0.8	34	3.3	4.8	47	141.5									
J842444		0.6	42	6.9	5.2	55	108.5									
J842445		0.1	2	0.1	1.5	<2	2.1									
J842446		0.4	42	5.2	4.0	46	115.0									
J842447		0.5	45	4.0	3.3	40	68.5									
J842448		0.6	58	4.6	4.8	48	117.0									
J842449		0.5	50	2.8	4.3	37	123.5									
J842450		0.4	45	5.1	3.8	47	92.5									
J842451		0.4	43	6.2	3.8	44	89.5									
J842452		0.5	36	2.9	4.4	40	126.0									
J842453		0.5	45	3.1	3.8	40	105.0									
J842454		0.5	62	3.0	4.1	45	58.0									
J842455		0.9	47	3.6	5.7	86	46.0									
J842455 CRD		0.7	46	3.7	5.8	87	45.5									
J842456		0.4	37	3.8	4.3	37	92.6		1.00	3.7	67.54	14.34	3.35	2.74	1.01	3.47
J842457		0.7	52	6.6	6.0	54	147.0									
J842458		0.5	41	5.9	5.3	47	122.5									
J842459		0.5	23	1.6	3.7	24	112.5									
J842460		0.8	105	5.7	14.8	148	29.3	1.250								
J842461		0.7	42	2.2	4.4	39	149.0									
J842462		0.5	65	4.0	5.0	56	111.5									
J842463		0.5	44	3.2	4.1	48	112.5									
J842464		1.0	32	2.5	5.9	34	127.0									
J842465		0.5	35	2.5	4.9	39	123.0									
J842466		0.5	37	2.7	3.6	36	115.0									
J842467		0.6	23	3.4	3.5	36	126.5									
J842468		1.0	26	2.8	5.3	39	134.5									
J842469		0.5	29	4.0	4.5	42	134.0									
J842470		0.8	38	4.9	4.7	53	112.0									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842433										
J842434										
J842435										
J842435 CRD										
J842436		3.45	<0.01	0.53	0.05	0.177	0.03	0.04	5.44	99.31
J842437										
J842438										
J842439										
J842440										
J842441										
J842442										
J842443										
J842444										
J842445										
J842446										
J842447										
J842448										
J842449										
J842450										
J842451										
J842452										
J842453										
J842454										
J842455										
J842455 CRD										
J842456		2.79	<0.01	0.37	0.04	0.121	0.02	0.04	4.36	100.20
J842457										
J842458										
J842459										
J842460										
J842461										
J842462										
J842463										
J842464										
J842465										
J842466										
J842467										
J842468										
J842469										
J842470										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J842471		3.57	0.986		0.03	6.51	0.2	370	0.84	0.15	2.98	0.10	49.6	11.1	18	0.90
J842472		3.43	0.006		<0.01	6.00	6.9	380	0.87	0.05	6.93	0.18	37.8	24.8	253	0.77
J842473		3.77	<0.005		<0.01	7.77	31.1	50	1.71	0.19	5.35	1.23	90.7	17.1	75	0.18
J842474		3.45	<0.005		<0.01	7.68	33.0	20	1.93	0.18	4.52	0.03	95.5	18.6	68	<0.05
J842475		0.11	2.35		7.20	6.37	48.3	610	0.83	3.11	1.58	0.92	50.9	16.7	56	3.14
J842476		3.27	0.005		<0.01	7.55	43.3	30	1.48	0.14	4.97	0.06	87.1	19.1	77	0.05
J842476 CRD		<0.02	0.005		<0.01	7.70	41.1	30	1.51	0.14	5.03	0.06	89.2	18.4	79	<0.05
J842477		3.68	<0.005	<0.005	<0.01	6.35	3.4	380	0.99	0.02	4.28	0.04	33.0	10.8	51	0.68
J842478		3.47	<0.005		<0.01	6.60	6.9	400	0.92	0.02	2.23	0.03	29.9	7.5	9	0.55
J842479		3.23	<0.005		<0.01	6.27	7.3	370	0.79	0.02	1.85	0.06	41.3	6.0	8	0.48
J842480		3.88	<0.005		<0.01	6.57	14.5	320	0.86	0.02	2.63	0.03	33.2	9.7	12	0.46
J842481		3.67	<0.005		<0.01	7.17	14.0	270	0.88	0.07	3.06	0.04	32.4	12.9	15	0.45
J842482		3.72	<0.005		0.12	6.50	6.8	260	0.94	0.01	2.28	0.07	57.6	6.6	11	0.35
J842483		3.56	<0.005		<0.01	7.23	12.8	280	0.95	0.01	3.30	0.06	81.4	13.3	14	0.35
J842484		3.61	<0.005		<0.01	7.91	13.7	290	0.96	0.07	4.06	0.07	132.0	17.1	16	0.33
J842485		3.61	<0.005		0.06	7.15	6.3	380	0.86	0.08	2.43	0.07	52.4	6.4	12	0.44
J842486		3.47	<0.005		0.27	7.17	5.0	420	0.89	0.04	1.97	0.18	55.2	4.6	8	0.55
J842487		3.89	<0.005		0.13	7.09	6.5	230	0.83	0.06	2.82	0.08	48.6	7.4	11	0.39
J842488		3.42	<0.005		0.03	7.38	4.9	410	0.96	0.01	2.07	0.03	41.1	5.0	9	0.37
J842489		3.01	<0.005		0.05	7.25	8.9	590	1.01	<0.01	2.11	0.04	56.7	7.2	12	0.42
J842490		0.07	0.440		2.22	7.70	113.5	600	1.20	0.51	0.56	1.11	32.3	18.4	36	7.25
J842491		3.13	<0.005		0.04	6.90	3.6	330	0.94	0.01	1.82	0.04	51.5	4.0	12	0.41
J842492		3.00	<0.005		0.02	7.05	7.8	520	0.91	<0.01	2.14	0.04	49.7	6.6	9	0.49
J842493		3.14	<0.005		0.05	7.14	4.4	1030	0.82	<0.01	2.26	0.04	32.4	3.9	8	0.59
J842494		3.64	<0.005		0.01	7.35	4.1	350	1.01	<0.01	2.10	0.04	44.8	4.6	9	0.42
J842495		3.51	<0.005		0.02	7.00	<0.2	440	0.83	<0.01	1.99	0.03	35.7	2.6	10	0.24
J842495 CRD		<0.02	<0.005		0.01	6.78	<0.2	450	0.85	<0.01	1.94	0.03	32.9	2.5	17	0.24
J842496		3.35	<0.005	<0.005	0.04	7.15	<0.2	300	0.90	<0.01	2.12	0.02	37.3	2.9	7	0.21
J842497		3.64	<0.005		0.04	6.99	<0.2	290	0.87	<0.01	2.22	0.02	52.7	6.0	12	0.45
J842498		3.11	<0.005		0.20	7.39	14.0	350	1.25	0.02	3.33	0.03	22.9	11.8	10	0.70
J842499		3.72	<0.005		0.07	7.79	0.6	370	0.96	0.04	3.06	0.06	75.4	9.9	12	0.44

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J842471		20.0	3.18	17.55	0.16	3.5	0.038	1.84	21.8	6.8	0.65	477	0.75	3.01	8.4	13.6
J842472		2.7	4.29	16.25	0.14	2.2	0.030	1.69	19.5	21.1	2.34	737	1.24	1.20	5.0	186.5
J842473		16.1	3.70	21.4	0.17	5.0	0.037	0.26	43.3	24.4	1.80	593	0.22	3.74	8.5	83.6
J842474		20.1	3.33	21.5	0.18	5.4	0.034	0.01	45.0	16.7	1.73	579	0.15	4.34	9.7	79.7
J842475		>10000	5.62	13.75	0.19	0.9	0.103	2.61	23.6	15.4	1.17	616	107.5	1.60	6.5	34.4
J842476		19.7	3.96	21.5	0.17	4.8	0.033	0.06	41.6	24.6	1.89	630	0.28	3.45	8.8	87.7
J842476 CRD		13.9	3.99	21.1	0.16	4.8	0.033	0.06	42.8	25.1	1.92	634	0.21	3.52	8.8	86.2
J842477		3.3	2.97	18.30	0.13	3.1	0.024	1.61	15.2	19.5	0.82	522	0.35	2.02	7.0	34.2
J842478		22.2	2.28	17.30	0.12	2.8	0.019	1.29	13.5	12.2	0.47	366	0.13	2.92	6.3	9.1
J842479		5.4	1.90	17.00	0.12	2.9	0.015	1.14	19.8	9.9	0.38	305	0.10	3.04	6.0	6.3
J842480		11.6	2.70	18.00	0.14	3.0	0.024	1.03	16.0	15.8	0.67	448	0.10	2.87	6.8	12.3
J842481		14.1	3.26	18.25	0.14	3.2	0.025	0.92	15.2	17.4	0.89	510	0.14	2.62	6.4	16.7
J842482		12.8	2.28	17.80	0.14	3.0	0.020	0.77	29.7	9.9	0.46	345	0.14	2.75	7.1	7.6
J842483		15.0	3.97	20.5	0.19	2.7	0.043	0.70	35.0	13.5	0.73	548	0.21	2.54	13.1	9.0
J842484		23.5	5.15	22.8	0.23	3.2	0.055	0.63	58.7	17.3	0.99	702	0.80	2.38	16.8	11.6
J842485		10.5	2.59	19.65	0.18	2.6	0.030	1.04	26.0	10.4	0.49	420	1.00	2.81	8.4	6.7
J842486		15.8	1.99	18.35	0.18	2.9	0.018	1.32	28.7	8.1	0.33	310	0.14	3.02	7.0	3.6
J842487		55.7	3.32	18.20	0.22	2.7	0.031	0.87	23.6	12.0	0.65	549	0.14	2.63	7.9	6.4
J842488		11.8	2.04	19.55	0.19	2.5	0.017	1.24	20.5	7.2	0.35	347	0.12	3.14	7.4	3.5
J842489		4.8	2.25	19.90	0.18	2.8	0.019	1.40	27.7	8.3	0.37	379	0.12	2.94	8.6	5.7
J842490		4770	4.93	17.25	0.19	0.7	0.061	3.27	17.6	11.0	0.78	514	279	1.04	5.1	23.8
J842491		10.3	1.97	19.95	0.18	2.9	0.018	1.73	25.3	6.8	0.31	362	0.68	2.75	14.4	4.9
J842492		3.3	2.24	20.0	0.18	3.2	0.023	1.36	24.0	8.5	0.36	386	0.18	2.81	9.4	4.0
J842493		20.8	1.87	18.75	0.16	2.2	0.016	1.98	16.0	7.5	0.28	315	0.17	2.62	5.9	3.2
J842494		4.4	2.17	19.60	0.18	3.1	0.017	1.14	23.0	8.4	0.33	328	0.15	3.18	7.6	3.6
J842495		5.0	1.67	17.95	0.17	3.2	0.010	1.19	19.0	5.5	0.22	240	0.15	2.98	5.5	2.2
J842495 CRD		4.7	1.59	17.55	0.15	3.2	0.011	1.20	17.1	5.6	0.22	230	0.16	2.90	5.6	2.2
J842496		4.1	1.62	18.90	0.14	5.3	0.011	0.94	19.4	4.9	0.23	235	0.32	3.11	5.6	1.4
J842497		10.5	2.18	18.60	0.18	4.0	0.012	0.92	28.8	8.5	0.43	316	1.03	2.84	6.2	5.5
J842498		47.1	2.71	20.8	0.21	1.7	0.025	1.46	10.4	15.1	0.59	489	1.28	2.93	7.6	14.3
J842499		16.9	3.89	21.5	0.23	3.6	0.042	1.06	33.5	14.6	0.71	497	59.8	2.72	12.0	7.7

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J842471		750	6.7	43.0	<0.002	0.52	0.13	7.9	1	1.6	188.0	0.45	0.11	4.9	0.231	0.25
J842472		50	6.8	52.1	<0.002	0.05	0.17	12.1	1	1.0	354	0.28	0.12	4.1	0.263	0.20
J842473		1420	8.2	7.1	<0.002	0.30	0.30	12.6	1	1.8	572	0.51	<0.05	8.8	0.352	0.04
J842474		1520	4.7	0.1	<0.002	0.28	0.35	10.5	1	1.8	607	0.59	<0.05	9.1	0.379	<0.02
J842475		860	60.3	76.6	0.117	2.38	6.61	15.5	6	2.7	252	0.25	0.95	4.2	0.297	0.79
J842476		1400	5.9	1.0	<0.002	0.36	0.40	12.9	1	1.8	667	0.53	<0.05	8.4	0.383	<0.02
J842476 CRD		1430	5.9	1.1	<0.002	0.35	0.39	12.8	1	1.8	678	0.54	<0.05	8.5	0.385	<0.02
J842477		300	2.8	40.5	<0.002	0.03	0.08	6.8	1	1.2	169.5	0.54	<0.05	3.8	0.223	0.23
J842478		290	3.1	37.6	<0.002	0.01	0.07	5.7	1	1.0	173.0	0.62	<0.05	3.9	0.190	0.19
J842479		290	8.0	35.4	<0.002	0.01	0.08	4.2	1	0.9	155.0	0.40	<0.05	6.0	0.160	0.19
J842480		350	6.2	30.1	<0.002	0.01	0.20	7.4	1	1.2	174.5	0.63	<0.05	3.5	0.253	0.18
J842481		400	7.2	28.6	<0.002	0.01	0.30	9.2	1	1.3	223	0.71	<0.05	3.1	0.304	0.18
J842482		240	6.6	24.5	<0.002	0.04	0.27	4.5	1	1.0	218	0.60	<0.05	7.9	0.181	0.13
J842483		990	4.0	20.2	<0.002	0.03	0.27	9.1	1	1.2	286	0.62	<0.05	4.0	0.367	0.13
J842484		1390	4.8	18.7	<0.002	0.04	0.32	12.7	2	1.6	334	0.68	<0.05	5.9	0.489	0.12
J842485		460	13.1	35.9	<0.002	0.02	0.22	5.6	1	1.1	249	0.56	<0.05	4.7	0.217	0.15
J842486		330	11.6	46.7	<0.002	0.02	0.25	3.5	1	1.0	188.5	0.42	<0.05	7.7	0.162	0.20
J842487		820	8.8	34.1	<0.002	0.05	0.22	8.6	1	1.3	262	0.57	<0.05	4.4	0.346	0.14
J842488		410	6.4	42.6	<0.002	0.01	0.18	4.2	1	1.0	207	0.56	<0.05	4.8	0.184	0.18
J842489		430	7.1	45.0	<0.002	0.01	0.19	3.6	1	1.2	201	0.52	<0.05	7.7	0.178	0.20
J842490		1160	40.5	73.0	0.598	2.44	7.19	11.4	8	2.8	257	0.32	0.97	2.6	0.256	1.36
J842491		380	9.3	40.2	<0.002	0.03	0.17	4.2	1	1.2	169.5	1.27	<0.05	8.0	0.155	0.21
J842492		470	6.2	46.2	<0.002	0.01	0.24	4.0	1	1.2	202	0.65	<0.05	5.6	0.192	0.19
J842493		360	7.8	46.0	<0.002	0.01	0.35	3.8	1	0.8	206	0.42	<0.05	4.1	0.164	0.26
J842494		360	5.1	39.6	<0.002	0.02	0.15	3.4	1	0.9	217	0.45	<0.05	6.2	0.166	0.16
J842495		210	6.7	30.9	<0.002	0.01	0.12	2.5	1	0.7	203	0.38	<0.05	5.4	0.117	0.13
J842495 CRD		200	6.8	31.2	<0.002	0.01	0.11	2.5	1	0.7	197.0	0.37	<0.05	5.0	0.115	0.13
J842496		270	7.0	24.3	<0.002	0.01	0.05	2.6	1	0.7	208	0.39	<0.05	6.6	0.117	0.10
J842497		370	6.5	37.2	<0.002	0.01	<0.05	3.8	1	0.7	242	0.42	<0.05	7.7	0.194	0.15
J842498		380	5.1	48.8	<0.002	0.01	0.05	7.0	1	1.0	167.5	1.34	<0.05	2.9	0.225	0.24
J842499		970	8.7	36.8	<0.002	0.03	0.11	7.7	1	1.1	275	0.62	<0.05	4.6	0.362	0.15

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J842471		0.9	43	7.9	6.1	66	131.5									
J842472		0.8	73	6.8	6.9	95	88.1									
J842473		1.9	88	1.6	11.5	214	167.0									
J842474		1.7	77	0.9	11.1	88	177.0									
J842475		1.1	147	10.9	13.5	166	31.8	2.12								
J842476		1.8	91	1.6	11.4	130	160.0									
J842476 CRD		1.9	92	1.6	11.4	130	157.0									
J842477		1.0	44	7.3	10.4	98	108.5		1.30	4.8	61.00	14.23	4.53	6.38	1.63	2.99
J842478		1.0	38	0.3	8.0	61	95.4									
J842479		0.7	26	0.3	5.9	47	104.5									
J842480		0.7	53	0.3	9.5	61	109.0									
J842481		1.3	70	0.2	10.4	64	115.0									
J842482		1.5	30	0.3	8.8	56	109.0									
J842483		0.4	54	0.3	19.6	88	119.5									
J842484		0.4	75	0.2	28.2	111	151.5									
J842485		0.7	31	0.2	11.8	69	108.0									
J842486		0.9	21	0.2	6.8	85	114.0									
J842487		1.0	44	0.2	11.2	80	95.5									
J842488		0.8	26	0.1	8.1	65	90.9									
J842489		0.8	22	0.2	9.1	68	115.0									
J842490		1.2	168	11.8	15.4	164	23.2									
J842491		1.6	20	0.2	12.7	60	107.0									
J842492		0.9	29	0.2	8.5	63	132.0									
J842493		1.0	23	0.2	6.8	47	74.3									
J842494		0.8	22	0.2	6.5	60	107.5									
J842495		1.0	15	0.2	5.9	45	104.5									
J842495 CRD		1.5	15	0.1	5.4	44	103.5									
J842496		1.3	15	0.1	6.1	45	159.0		0.06	0.2	73.65	14.31	2.18	2.86	0.43	4.44
J842497		0.9	29	<0.1	5.2	61	146.0									
J842498		1.0	64	0.7	6.4	69	43.8									
J842499		0.6	54	0.1	17.7	117	168.0									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J842471										
J842472										
J842473										
J842474										
J842475										
J842476										
J842476 CRD										
J842477		2.14	0.01	0.39	0.07	0.073	0.03	0.04	6.34	99.85
J842478										
J842479										
J842480										
J842481										
J842482										
J842483										
J842484										
J842485										
J842486										
J842487										
J842488										
J842489										
J842490										
J842491										
J842492										
J842493										
J842494										
J842495										
J842495 CRD										
J842496		1.12	<0.01	0.19	0.03	0.055	0.04	0.02	0.66	99.99
J842497										
J842498										
J842499										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J842486 TO J842494.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180655

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.