ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178820

Project: HAMMOND REEF

P.O. No.:

This report is for 116 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830439		3.07	<0.005		<0.01	7.04	1.3	390	0.82	0.01	2.14	0.03	43.9	6.7	11	0.47
J830440		3.26	<0.005		<0.01	7.19	<0.2	420	0.79	0.01	2.30	0.03	49.5	6.3	12	0.43
J830441		3.28	<0.005		0.03	7.11	<0.2	490	0.92	0.01	2.27	0.03	46.0	6.4	12	0.35
J830442		3.38	<0.005		<0.01	7.07	1.2	570	0.81	0.01	2.05	0.03	40.3	5.8	11	0.40
J830443		3.40	0.039		0.25	6.49	2.0	530	0.87	0.04	2.13	0.03	53.4	8.1	18	0.73
J830444		3.10	<0.005		0.14	7.36	8.8	160	0.43	0.01	3.83	0.05	38.2	33.8	68	0.15
J830445		0.97	<0.005		<0.01	0.14	<5	10	0.07	0.01	20.2	<0.02	2.75	1.2	3	0.09
J830446		3.10	<0.005		<0.01	6.84	1.3	340	0.86	0.01	2.50	0.02	55.9	10.1	15	0.39
J830447		3.67	<0.005		0.02	6.79	2.0	360	0.85	0.01	2.48	0.03	58.7	8.2	14	0.39
J830448		3.27	0.029		0.23	6.55	1.2	390	0.82	0.16	1.98	0.58	50.8	8.2	13	0.66
J830449		3.17	0.017		<0.01	6.47	<0.2	380	0.91	0.01	2.52	0.04	52.0	8.5	11	0.99
J830450		3.30	0.010		0.02	6.52	0.5	420	0.93	0.02	2.23	0.13	49.6	8.7	11	0.88
J830451		3.49	0.005		<0.01	6.96	0.6	450	0.99	0.01	2.38	0.14	55.4	8.6	11	0.98
J830452		3.02	<0.005		<0.01	7.09	3.1	360	0.95	0.01	2.45	0.03	63.1	10.1	15	0.51
J830453		3.13	<0.005		0.14	7.13	1.3	210	0.96	0.01	3.10	0.05	43.7	13.4	41	0.33
J830454		3.19	<0.005		0.01	7.39	2.1	210	1.11	0.08	3.27	0.06	40.4	16.2	44	0.33
J830455		3.18	0.006		0.01	7.46	5.0	160	1.13	0.05	4.11	0.09	30.2	20.2	57	0.26
J830456		3.31	<0.005		<0.01	7.20	2.8	200	0.97	0.02	2.92	0.02	33.0	11.1	27	0.26
J830457		3.15	<0.005		<0.01	6.73	<0.2	200	0.98	0.02	2.31	0.03	60.4	6.8	17	0.34
J830458		3.02	<0.005		0.04	6.75	1.0	220	0.96	0.01	2.13	0.03	58.8	7.4	19	0.36
J830458 CRD		<0.02	<0.005		0.04	6.50	0.5	210	0.91	0.01	2.08	0.03	57.8	6.9	17	0.34
J830459		3.42	<0.005	<0.005	0.06	6.62	2.1	250	1.12	0.02	2.18	0.02	54.2	7.5	17	0.33
J830460		0.07	0.908		4.64	6.17	21.6	460	0.79	1.94	2.39	2.02	21.5	15.2	60	0.76
J830461		3.54	<0.005		0.06	6.62	1.9	740	1.01	0.03	2.29	0.03	54.9	9.1	26	0.45
J830462		3.27	<0.005		0.02	6.77	3.6	310	1.14	0.04	2.75	0.04	55.6	12.6	25	0.42
J830463		3.33	<0.005		0.01	6.23	0.9	530	1.00	0.02	2.45	0.02	41.1	5.4	16	0.80
J830464		3.15	<0.005		<0.01	5.59	<0.2	360	0.92	0.02	3.21	<0.02	27.2	3.4	13	0.67
J830465		3.09	<0.005		<0.01	6.35	<0.2	330	1.04	0.03	2.98	0.02	38.3	9.9	25	0.97
J830466		3.21	<0.005		0.01	6.53	<0.2	370	0.96	0.03	2.84	0.03	52.3	9.3	25	0.88
J830467		2.88	<0.005		0.02	6.75	5.0	320	1.13	0.03	2.31	0.05	62.2	9.7	22	0.57
J830468		2.92	0.646		0.19	6.34	<0.2	400	0.95	0.19	2.07	0.06	43.8	6.9	11	0.82
J830469		2.78	<0.005		0.04	5.82	<0.2	590	1.07	0.02	1.53	0.02	26.7	2.7	10	0.69
J830470		3.16	<0.005		<0.01	6.57	0.6	390	1.14	0.01	1.95	0.02	41.1	5.4	9	0.71
J830471		3.00	0.317		<0.01	6.59	<0.2	320	1.68	0.05	0.95	0.07	35.0	3.3	7	0.69
J830472		3.16	0.261		<0.01	6.00	<0.2	250	1.67	0.03	0.61	0.09	45.9	1.8	9	0.76
J830473		3.21	0.228		0.07	5.93	<0.2	230	1.44	0.05	0.58	0.09	39.4	1.5	7	0.61
J830474		3.23	0.114		<0.01	6.12	1.7	260	1.61	0.04	0.70	0.12	44.5	1.4	6	0.73
J830475		0.12	2.35		9.26	6.36	56.5	630	1.06	3.71	1.59	1.02	60.7	19.0	57	3.43
J830476		3.08	0.134		0.11	6.08	2.1	350	1.35	0.19	1.34	0.07	41.8	4.4	9	0.80
J830477		3.18	<0.005		0.14	7.08	2.2	290	1.04	0.02	3.39	0.06	42.4	14.8	7	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830439		2.0	2.15	16.25	0.16	3.9	0.018	1.20	22.0	9.2	0.43	253	0.14	2.70	5.3	4.5
J830440		2.3	2.27	17.45	0.18	4.1	0.020	1.22	27.5	9.4	0.45	304	0.13	2.64	6.3	4.7
J830441		4.0	2.16	17.30	0.15	4.0	0.018	1.37	23.6	8.1	0.42	331	0.15	2.70	6.5	5.0
J830442		3.8	2.04	16.70	0.15	3.7	0.018	1.39	20.2	8.0	0.38	331	0.17	2.80	6.4	4.4
J830443		8.2	2.26	20.9	0.10	4.2	0.021	1.64	24.6	11.3	0.44	307	2.01	2.43	7.1	5.6
J830444		72.3	6.65	19.25	0.09	2.2	0.041	0.41	18.7	19.4	2.27	979	0.23	1.50	4.5	43.8
J830445		1.3	0.09	0.57	0.39	0.1	<0.005	0.10	1.9	5.4	12.30	48	0.12	0.03	0.4	<0.2
J830446		7.6	2.51	20.3	0.10	4.7	0.020	0.86	26.0	11.4	0.49	329	0.14	2.80	7.2	6.5
J830447		10.3	2.48	20.1	0.13	5.0	0.022	0.98	26.7	11.8	0.51	268	0.13	2.62	7.3	6.0
J830448		6.9	2.24	19.15	0.11	4.5	0.022	1.55	23.7	11.4	0.44	313	0.14	2.31	6.6	5.5
J830449		10.2	2.32	21.3	0.13	5.1	0.019	2.04	23.8	15.2	0.46	322	0.18	2.38	7.9	5.8
J830450		5.3	2.35	20.8	0.13	5.0	0.019	2.06	22.8	13.9	0.47	295	0.23	2.02	7.6	5.9
J830451		9.0	2.41	21.8	0.15	5.2	0.021	2.23	26.0	15.0	0.50	313	0.23	2.11	7.9	6.1
J830452		9.9	2.65	22.7	0.13	4.8	0.020	1.14	27.8	13.2	0.55	362	0.23	2.93	8.9	6.2
J830453		45.8	3.02	21.3	0.13	1.9	0.029	0.81	17.4	12.9	0.98	545	0.19	2.96	6.8	26.1
J830454		3.3	3.08	23.6	0.14	2.8	0.046	0.84	16.3	14.9	1.06	560	0.17	2.92	8.1	27.4
J830455		6.3	3.88	24.0	0.12	2.8	0.067	0.72	11.5	15.1	1.46	665	0.17	2.92	8.0	39.1
J830456		4.0	2.54	21.8	0.13	2.4	0.031	0.77	14.4	11.4	0.76	416	0.15	3.09	6.1	16.5
J830457		3.3	2.35	20.7	0.14	3.0	0.014	0.83	26.2	9.6	0.43	340	0.16	2.98	5.9	6.3
J830458		27.4	2.47	20.8	0.13	3.1	0.016	0.90	25.2	10.9	0.50	370	0.16	3.08	6.8	7.4
J830458 CRD		25.5	2.53	20.5	0.16	3.1	0.016	0.89	25.1	10.3	0.48	374	0.17	3.03	6.7	7.1
J830459		9.8	2.32	20.7	0.13	3.4	0.016	0.81	24.4	10.5	0.48	364	0.14	2.95	6.7	6.9
J830460		>10000	4.54	13.90	0.11	0.9	0.127	0.82	9.9	16.3	1.14	645	240	2.16	4.0	29.0
J830461		34.9	2.48	19.50	0.11	2.6	0.022	1.56	24.5	12.9	0.59	393	0.36	2.73	5.8	9.3
J830462		19.1	3.14	20.8	0.13	3.3	0.034	0.87	23.4	16.0	0.84	510	0.23	2.78	10.2	14.4
J830463		7.7	1.57	18.00	0.13	2.5	0.019	1.90	17.6	13.0	0.38	205	0.12	2.39	4.7	6.0
J830464		1.2	1.44	19.85	0.12	2.3	0.018	1.68	10.1	8.4	0.21	136	0.14	2.08	5.5	5.7
J830465		2.4	2.52	19.60	0.15	2.9	0.032	2.09	15.6	20.6	0.79	257	0.25	1.79	10.3	16.5
J830466		4.6	2.55	21.9	0.13	2.9	0.036	2.00	22.0	18.1	0.72	312	0.13	2.11	8.6	14.5
J830467		37.8	2.77	21.4	0.15	3.5	0.037	1.17	26.5	15.8	0.61	474	0.13	2.82	7.9	9.6
J830468		6.0	2.28	20.7	0.13	2.7	0.016	1.88	18.7	12.5	0.43	355	6.88	2.32	7.0	4.3
J830469		3.3	1.10	16.55	0.08	3.2	0.006	1.79	12.5	5.9	0.16	156	0.63	2.84	3.1	2.6
J830470		1.1	1.44	19.80	0.12	3.7	0.009	1.72	17.7	8.4	0.27	189	0.15	2.70	5.0	2.9
J830471		6.6	1.25	25.0	0.08	2.7	0.026	1.61	16.0	6.1	0.15	288	0.73	3.21	19.7	1.4
J830472		4.3	1.01	25.1	0.09	3.3	0.028	1.56	20.3	5.4	0.08	218	0.64	3.26	21.3	0.8
J830473		3.5	1.03	23.7	0.08	3.0	0.024	1.40	17.6	5.2	0.08	226	14.60	3.38	17.9	0.7
J830474		3.4	1.16	25.5	0.11	3.1	0.032	1.55	20.0	6.8	0.10	264	6.89	3.09	21.8	0.6
J830475		>10000	5.69	16.35	0.18	1.1	0.111	2.78	25.1	21.0	1.16	624	121.0	1.66	7.3	32.9
J830476		11.7	1.65	22.7	0.12	2.5	0.021	1.88	18.0	10.5	0.26	371	1.75	2.58	14.6	3.2
J830477		41.1	3.44	21.5	0.16	2.9	0.033	1.14	17.5	20.2	0.93	591	0.24	2.68	8.8	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830439		460	5.2	44.7	<0.002	<0.01	0.13	3.4	<1	1.0	199.0	0.35	<0.05	7.4	0.201	0.23
J830440		470	6.4	38.9	<0.002	<0.01	0.10	3.9	<1	1.1	203	0.42	<0.05	7.9	0.206	0.21
J830441		470	6.2	38.7	<0.002	<0.01	0.11	3.9	<1	1.2	203	0.48	<0.05	7.1	0.193	0.21
J830442		410	6.9	41.0	<0.002	<0.01	0.11	3.5	<1	1.2	208	0.39	<0.05	7.0	0.171	0.21
J830443		470	4.3	64.6	<0.002	0.08	0.15	4.4	1	1.2	151.0	0.34	0.05	7.2	0.216	0.28
J830444		350	3.4	13.1	<0.002	0.07	0.16	27.0	1	1.0	195.5	0.27	<0.05	5.5	0.417	0.07
J830445		10	0.9	2.7	<0.002	0.03	<0.05	0.4	1	<0.2	63.4	<0.05	<0.05	0.3	0.007	<0.02
J830446		500	5.6	31.3	<0.002	<0.01	0.14	4.6	1	1.3	239	0.33	<0.05	7.1	0.226	0.16
J830447		530	6.8	35.7	<0.002	<0.01	0.15	5.6	1	1.1	234	0.36	<0.05	7.9	0.231	0.18
J830448		450	23.8	58.8	<0.002	<0.01	0.09	6.0	1	1.1	141.0	0.31	0.07	7.6	0.203	0.26
J830449		490	5.0	60.2	<0.002	0.04	0.07	7.1	1	1.1	122.5	0.35	<0.05	6.7	0.221	0.33
J830450		480	7.8	63.4	<0.002	0.03	0.09	7.5	1	1.2	114.0	0.35	<0.05	7.1	0.215	0.32
J830451		510	10.3	70.4	<0.002	0.03	0.09	7.9	1	1.1	116.0	0.37	<0.05	7.9	0.225	0.35
J830452		570	6.9	44.1	<0.002	0.01	0.18	4.3	1	1.3	241	0.45	<0.05	8.1	0.236	0.22
J830453		600	6.6	25.4	<0.002	0.01	0.13	8.4	1	1.4	261	0.38	<0.05	3.5	0.233	0.15
J830454		350	7.9	26.6	<0.002	<0.01	0.15	14.6	1	1.8	244	0.66	<0.05	4.9	0.218	0.15
J830455		380	7.6	17.3	<0.002	<0.01	0.24	21.7	1	1.9	242	0.99	<0.05	4.0	0.250	0.14
J830456		350	5.8	23.0	<0.002	<0.01	0.16	8.8	1	1.2	232	0.49	<0.05	3.7	0.188	0.12
J830457		450	7.7	28.6	<0.002	0.01	0.10	3.5	1	1.0	220	0.34	<0.05	6.2	0.177	0.14
J830458		480	5.6	34.5	<0.002	0.01	0.15	3.7	1	1.1	204	0.41	<0.05	6.6	0.202	0.16
J830458 CRD		480	5.2	35.0	<0.002	0.01	0.15	3.5	1	1.1	202	0.42	<0.05	6.6	0.199	0.15
J830459		350	7.1	29.4	<0.002	0.01	0.14	4.0	1	1.1	235	0.38	<0.05	7.4	0.192	0.13
J830460		560	38.8	25.0	1.460	1.61	24.3	15.0	6	1.0	281	0.26	0.54	2.2	0.313	0.20
J830461		550	9.5	43.3	<0.002	0.03	0.16	5.9	1	1.2	289	0.52	<0.05	5.2	0.211	0.21
J830462		670	7.7	29.6	<0.002	0.02	0.14	9.2	1	1.7	317	0.95	<0.05	5.2	0.309	0.15
J830463		350	4.8	63.2	<0.002	0.01	0.10	4.9	1	0.9	164.5	0.29	<0.05	5.1	0.135	0.27
J830464		830	3.9	47.4	<0.002	0.02	0.09	2.2	1	1.2	226	0.45	<0.05	2.7	0.142	0.23
J830465		620	4.1	61.4	<0.002	0.01	0.09	9.5	1	1.9	158.0	0.85	<0.05	3.7	0.312	0.31
J830466		620	4.2	57.9	<0.002	0.02	0.11	11.2	1	1.7	163.5	0.40	<0.05	5.4	0.240	0.29
J830467		610	6.8	41.8	<0.002	0.03	0.19	10.7	1	1.6	229	0.57	<0.05	6.4	0.224	0.20
J830468		460	10.7	64.0	<0.002	0.09	0.09	3.9	1	1.2	131.0	0.33	0.12	4.7	0.175	0.28
J830469		150	6.2	58.1	<0.002	0.02	0.08	1.3	1	0.6	131.0	0.23	<0.05	4.3	0.062	0.25
J830470		240	4.7	56.9	<0.002	<0.01	0.07	2.4	1	0.9	151.0	0.33	<0.05	7.1	0.107	0.24
J830471		180	7.5	66.9	<0.002	0.07	0.05	3.2	1	3.3	85.3	1.95	<0.05	5.2	0.057	0.23
J830472		110	5.8	63.2	<0.002	0.13	<0.05	2.5	1	3.3	69.8	1.94	<0.05	7.0	0.035	0.25
J830473		110	5.3	62.5	<0.002	0.14	<0.05	2.7	1	3.0	60.5	1.43	0.10	5.5	0.030	0.21
J830474		110	8.2	66.3	<0.002	0.12	0.06	3.0	1	3.4	62.4	1.58	<0.05	6.5	0.039	0.25
J830475		890	65.7	81.6	0.140	2.48	7.64	17.4	8	2.9	258	0.27	0.99	4.3	0.306	0.74
J830476		290	21.4	69.2	<0.002	0.06	0.06	3.6	1	2.2	73.1	1.24	0.09	5.7	0.100	0.30
J830477		500	7.0	41.5	<0.002	0.01	0.11	10.5	1	1.5	200	0.70	<0.05	3.6	0.321	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830439		0.5	26	0.3	6.4	55	183.5									
J830440		0.6	27	0.1	6.6	60	188.5									
J830441		0.6	26	0.1	6.2	60	181.0									
J830442		0.6	22	0.1	6.2	52	172.0									
J830443		0.4	31	1.0	6.3	49	165.5									
J830444		0.3	182	0.5	13.6	86	80.9									
J830445		0.1	1	0.1	1.5	<2	2.0									
J830446		0.5	31	0.1	6.4	56	186.0									
J830447		0.7	32	0.2	6.8	42	194.0									
J830448		0.6	29	0.7	6.5	77	175.0									
J830449		0.7	31	1.4	6.5	60	198.5									
J830450		0.9	31	1.2	6.6	56	193.5									
J830451		1.0	32	1.4	7.1	61	203									
J830452		0.9	35	0.2	7.2	68	186.0									
J830453		0.4	51	0.1	9.7	67	52.4									
J830454		1.1	68	0.3	18.6	77	80.8									
J830455		2.0	104	0.3	27.1	75	67.9									
J830456		0.9	51	0.1	11.7	52	71.1									
J830457		0.6	29	0.1	6.0	60	98.9									
J830458		0.7	30	0.1	6.7	57	109.5									
J830458 CRD		0.6	29	0.2	6.7	54	112.0									
J830459		0.7	34	0.3	7.5	57	107.0		0.09	0.3	69.46	14.68	3.41	3.18	0.90	4.16
J830460		0.8	100	5.4	14.4	144	23.1	1.285								
J830461		0.8	44	0.3	8.6	55	93.5									
J830462		1.2	57	0.2	12.6	63	114.5									
J830463		0.6	26	0.8	6.1	18	75.4									
J830464		1.0	25	0.3	8.0	6	62.6									
J830465		1.0	49	0.5	11.8	24	93.2									
J830466		0.5	48	0.8	11.4	37	99.3									
J830467		0.9	44	0.2	12.4	68	120.0									
J830468		0.4	27	1.1	6.5	59	96.0									
J830469		0.7	13	0.9	4.2	18	73.7									
J830470		0.9	16	0.3	6.6	20	103.5									
J830471		2.3	7	0.9	8.8	26	51.8									
J830472		2.4	2	0.9	9.8	36	61.3									
J830473		2.1	3	0.7	10.2	39	49.6									
J830474		1.9	2	0.7	12.7	52	55.8									
J830475		1.1	149	12.3	14.4	170	31.1	2.18								
J830476		1.2	16	0.8	8.2	49	62.0									
J830477		0.8	77	0.2	12.1	74	103.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830439										
J830440										
J830441										
J830442										
J830443										
J830444										
J830445										
J830446										
J830447										
J830448										
J830449										
J830450										
J830451										
J830452										
J830453										
J830454										
J830455										
J830456										
J830457										
J830458										
J830458 CRD										
J830459		1.00	<0.01	0.31	0.04	0.078	0.03	0.02	1.26	98.53
J830460										
J830461										
J830462										
J830463										
J830464										
J830465										
J830466										
J830467										
J830468										
J830469										
J830470										
J830471										
J830472										
J830473										
J830474										
J830475										
J830476										
J830477										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830478		2.98	<0.005		0.02	6.47	0.6	990	0.75	0.09	1.62	0.02	36.3	3.8	9	0.36
J830478 CRD		<0.02	<0.005		<0.01	6.37	0.8	970	0.82	0.01	1.58	0.02	35.7	3.8	10	0.35
J830479		3.27	<0.005	<0.005	<0.01	6.14	0.4	1640	0.74	0.01	1.19	0.02	29.0	2.2	10	0.41
J830480		3.37	<0.005		<0.01	6.41	1.3	1260	0.83	0.01	1.60	0.02	36.5	3.3	10	0.35
J830481		3.11	<0.005		<0.01	6.62	0.7	530	0.94	0.02	2.33	0.04	49.7	7.5	41	0.22
J830482		2.99	<0.005		0.02	7.10	1.2	120	0.92	0.04	4.31	0.07	38.3	12.8	86	0.15
J830483		3.12	<0.005		0.11	7.45	12.6	40	0.56	0.03	5.65	0.13	28.7	43.8	169	0.08
J830484		3.20	<0.005		0.01	6.87	2.9	90	1.10	0.01	3.15	0.03	66.8	8.3	49	0.15
J830485		2.79	<0.005		0.01	6.23	1.8	130	1.01	0.24	3.68	0.03	23.3	4.9	22	0.26
J830486		3.12	<0.005		<0.01	7.16	2.5	200	1.06	0.03	2.67	0.03	58.9	8.2	15	0.33
J830487		3.30	<0.005		0.04	7.04	11.1	180	0.87	0.03	3.62	0.05	41.0	21.6	18	0.32
J830488		3.41	0.469		0.16	6.93	2.9	270	1.11	0.04	2.92	0.05	47.8	12.4	18	0.44
J830489		3.31	<0.005		<0.01	6.86	2.6	690	0.86	0.01	1.80	0.05	42.4	7.3	11	0.89
J830490		0.12	0.402		2.09	7.00	109.5	560	1.17	0.49	0.52	1.00	32.8	17.7	33	7.04
J830491		3.26	<0.005		0.01	7.48	3.8	400	0.94	0.02	2.18	0.04	43.5	10.6	13	0.93
J830492		3.00	<0.005		<0.01	7.01	1.1	300	1.23	0.01	2.56	0.05	44.8	8.2	21	0.32
J830493		3.33	<0.005		0.01	7.25	<0.2	220	1.05	0.05	2.59	0.03	42.3	9.5	17	0.39
J830494		3.05	<0.005		<0.01	6.15	0.2	300	1.01	0.02	2.02	0.02	42.8	7.4	16	0.38
J830495		3.38	<0.005		0.05	7.03	<0.2	300	0.99	0.02	2.75	0.06	64.3	11.7	24	0.62
J830496		2.97	0.270		0.46	6.59	<0.2	420	0.97	0.07	2.39	0.05	54.3	9.8	26	1.43
J830497		3.00	<0.005		<0.01	6.48	0.2	310	0.85	0.01	2.08	0.03	41.7	6.4	16	0.75
J830498		3.11	<0.005		<0.01	7.12	2.1	290	1.00	0.06	2.31	0.05	52.0	8.1	16	0.55
J830498 CRD		<0.02	<0.005		<0.01	7.54	1.8	320	1.08	0.06	2.42	0.05	55.2	8.2	16	0.60
J830499		3.50	<0.005	<0.005	0.05	7.21	0.7	530	0.91	0.09	2.90	0.04	29.4	11.0	14	0.40
J830500		0.07	0.983		5.07	6.58	24.2	490	0.80	1.94	2.54	2.34	23.5	15.9	66	0.87
J830501		3.45	<0.005		0.01	6.67	2.4	950	0.92	0.02	1.80	0.03	23.2	4.6	17	0.42
J830502		3.55	<0.005		0.03	7.78	2.3	230	1.14	0.15	3.59	0.07	22.0	12.8	17	0.41
J830503		3.34	<0.005		0.02	6.78	2.8	410	1.09	0.04	2.51	0.03	36.8	7.1	13	0.33
J830504		3.46	<0.005		0.01	6.71	<0.2	680	0.98	0.01	2.24	0.04	37.6	8.4	16	0.53
J830505		3.61	<0.005		0.02	6.76	0.5	560	0.95	0.01	2.35	0.03	35.6	8.2	16	0.33
J830506		3.50	<0.005		0.11	7.39	0.9	270	1.16	0.03	3.31	0.06	45.6	14.4	32	0.38
J830507		3.45	<0.005		0.01	6.57	2.1	230	1.06	0.02	2.69	<0.02	40.4	7.7	19	0.27
J830508		3.29	<0.005		0.01	6.65	2.1	220	0.97	0.01	2.56	0.02	42.2	7.0	17	0.40
J830509		3.59	0.016		0.01	6.89	2.1	200	0.89	0.01	3.15	0.03	40.3	11.4	9	0.49
J830510		3.53	0.029		0.06	7.11	4.1	250	0.90	0.09	3.58	0.06	35.1	14.8	7	0.65
J830511		3.56	<0.005		0.03	7.16	4.3	200	0.92	0.05	3.35	0.04	36.3	13.2	7	0.52
J830512		3.52	<0.005		0.01	7.06	2.7	150	0.96	0.03	2.94	0.02	31.3	11.5	5	0.53
J830513		3.70	<0.005		0.03	7.17	1.0	100	0.81	0.03	3.78	0.03	34.3	14.6	8	0.38
J830514		3.19	0.095		0.04	6.84	0.9	240	0.91	0.04	3.25	0.02	37.5	9.0	7	0.69
J830515		0.11	2.34		8.73	6.66	52.2	640	0.81	3.47	1.63	0.95	56.4	16.0	56	3.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830478		3.8	1.44	17.90	0.15	2.8	0.011	2.13	17.1	6.6	0.26	232	0.19	2.70	4.3	4.3
J830478 CRD		2.6	1.31	17.25	0.19	2.8	0.010	2.10	16.7	6.6	0.26	219	0.17	2.63	4.3	3.6
J830479		2.5	0.95	16.05	0.17	3.2	0.007	3.06	14.3	4.3	0.16	158	0.18	2.31	3.9	1.9
J830480		1.8	1.29	18.30	0.19	2.8	0.011	2.46	17.9	5.4	0.23	216	0.18	2.68	5.5	3.7
J830481		3.3	2.04	18.15	0.21	3.1	0.022	1.20	23.9	7.2	0.62	337	0.17	2.84	6.0	17.0
J830482		5.7	3.14	21.0	0.23	3.5	0.045	0.48	16.4	16.0	1.25	579	0.15	2.73	7.6	38.6
J830483		61.6	7.74	20.8	0.22	2.7	0.066	0.14	13.6	19.6	3.50	1080	0.36	1.51	4.1	135.0
J830484		2.6	2.16	19.80	0.24	3.6	0.033	0.44	32.6	10.5	0.85	301	0.12	2.95	7.3	22.3
J830485		1.3	1.71	21.5	0.19	3.0	0.031	0.63	10.8	8.2	0.33	200	0.15	2.53	6.4	8.6
J830486		5.0	2.39	21.2	0.20	4.4	0.025	0.76	27.8	10.3	0.56	345	0.15	3.05	8.0	10.0
J830487		24.0	3.90	21.7	0.13	3.2	0.038	0.68	18.9	12.5	1.05	620	0.19	2.85	8.8	22.9
J830488		22.6	3.94	22.7	0.13	4.0	0.052	0.81	21.4	13.1	0.81	625	0.34	2.78	11.6	11.6
J830489		4.8	2.20	20.3	0.12	3.3	0.022	1.68	21.1	10.7	0.46	323	0.24	2.66	6.6	4.5
J830490		4110	4.59	17.70	0.18	0.8	0.056	5.14	17.9	10.6	0.73	474	246	0.99	5.1	22.7
J830491		14.4	2.80	22.3	0.14	3.1	0.032	1.75	21.5	12.7	0.61	436	0.70	2.85	8.5	9.7
J830492		4.8	2.33	22.2	0.13	2.8	0.031	1.01	20.8	7.8	0.51	449	0.21	3.15	7.3	10.2
J830493		9.8	2.64	22.1	0.15	2.6	0.030	0.96	19.9	9.1	0.58	480	0.16	3.17	7.5	10.1
J830494		3.8	2.35	19.05	0.13	2.9	0.024	0.90	20.5	8.1	0.46	391	0.14	2.62	6.6	7.3
J830495		31.7	3.51	21.9	0.17	3.3	0.034	1.12	29.9	13.2	0.77	596	0.17	2.90	8.5	12.5
J830496		44.5	2.76	20.5	0.15	2.9	0.026	2.19	25.8	18.5	0.64	451	0.82	2.19	6.6	11.2
J830497		4.4	2.27	18.80	0.13	2.6	0.018	1.29	21.3	9.9	0.40	357	0.37	2.65	6.2	6.4
J830498		6.9	2.69	21.5	0.16	3.0	0.020	1.15	25.1	10.1	0.57	448	0.12	3.06	7.6	9.5
J830498 CRD		6.1	2.93	22.9	0.15	3.4	0.024	1.27	27.2	10.8	0.58	477	0.17	3.31	8.2	9.7
J830499		22.2	3.11	21.9	0.13	2.4	0.030	1.46	13.2	10.7	0.80	511	0.18	2.87	7.6	14.2
J830500		>10000	4.91	14.95	0.16	1.0	0.144	0.90	11.8	15.2	1.23	705	249	2.30	4.3	35.9
J830501		14.9	1.72	19.55	0.10	2.5	0.018	2.45	11.3	5.6	0.32	291	0.61	2.76	4.7	7.7
J830502		26.6	3.50	24.8	0.14	2.5	0.045	1.07	9.1	11.8	0.92	642	0.24	3.40	9.0	17.9
J830503		18.0	2.34	21.5	0.12	2.7	0.020	1.18	16.9	7.8	0.47	384	0.22	3.22	5.4	8.9
J830504		8.5	2.58	20.0	0.13	3.0	0.026	1.72	18.1	8.7	0.57	451	0.17	2.81	6.5	13.1
J830505		20.8	2.44	21.0	0.13	3.0	0.022	1.57	16.9	8.4	0.59	387	0.14	2.77	6.9	11.1
J830506		76.3	3.57	21.8	0.16	2.1	0.030	0.98	21.3	11.5	1.18	680	0.17	2.88	7.4	28.6
J830507		4.1	2.36	20.4	0.13	3.6	0.020	0.67	19.3	7.8	0.53	285	0.12	2.79	6.5	11.6
J830508		10.9	2.38	20.0	0.14	2.5	0.023	0.78	19.7	8.6	0.57	304	0.20	2.88	7.1	11.2
J830509		12.0	3.18	21.7	0.14	3.2	0.032	0.93	19.2	12.9	0.77	405	0.18	2.47	7.6	11.1
J830510		24.8	3.59	21.4	0.14	3.0	0.030	1.15	15.7	17.3	0.97	520	0.47	2.61	7.2	15.5
J830511		17.0	3.39	21.0	0.13	3.1	0.029	0.89	17.0	17.0	0.89	473	0.17	2.73	7.7	12.5
J830512		5.7	2.93	20.2	0.13	3.1	0.029	1.10	15.3	19.3	0.92	310	0.17	2.50	7.9	13.9
J830513		13.5	3.69	20.9	0.16	2.5	0.031	0.85	16.3	27.2	1.18	380	0.18	2.08	7.6	18.4
J830514		12.9	2.49	18.25	0.13	2.9	0.029	1.46	19.3	20.8	0.78	263	2.57	1.95	7.6	12.4
J830515		>10000	5.72	15.25	0.22	1.1	0.113	2.67	28.0	17.3	1.17	621	120.0	1.65	6.7	34.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830478		190	8.6	41.0	<0.002	<0.01	0.18	2.2	1	0.8	181.5	0.28	<0.05	6.8	0.100	0.21
J830478 CRD		190	7.5	40.6	<0.002	<0.01	0.13	2.2	1	0.8	175.0	0.27	<0.05	6.4	0.101	0.20
J830479		140	7.8	59.8	<0.002	<0.01	0.12	1.4	1	0.8	147.0	0.32	<0.05	5.5	0.063	0.29
J830480		200	6.7	47.0	<0.002	<0.01	0.25	2.0	1	1.0	167.0	0.46	<0.05	6.3	0.087	0.25
J830481		290	6.3	24.2	<0.002	<0.01	0.24	4.8	1	1.2	184.5	0.45	<0.05	7.6	0.144	0.12
J830482		440	6.4	11.0	<0.002	<0.01	0.22	13.1	1	1.9	210	0.70	<0.05	4.1	0.201	0.06
J830483		360	5.0	3.5	<0.002	0.09	0.26	20.2	1	1.3	286	0.35	<0.05	2.9	0.619	0.02
J830484		460	4.8	8.5	<0.002	<0.01	0.21	7.2	1	1.6	226	0.54	<0.05	10.4	0.193	0.05
J830485		250	4.9	12.6	<0.002	<0.01	0.17	4.0	1	1.7	245	0.62	<0.05	3.5	0.142	0.09
J830486		490	5.0	23.9	<0.002	0.01	0.12	4.9	1	1.6	209	0.38	<0.05	9.0	0.203	0.13
J830487		520	5.8	16.6	<0.002	0.01	0.14	12.2	1	1.8	206	0.65	<0.05	4.2	0.309	0.13
J830488		730	6.7	25.8	<0.002	0.02	0.12	10.5	1	2.4	198.5	0.98	<0.05	4.7	0.313	0.16
J830489		410	3.9	61.5	<0.002	0.03	0.09	3.8	1	1.3	144.0	0.30	<0.05	8.2	0.182	0.30
J830490		1050	38.0	111.0	0.595	2.29	6.93	11.4	9	2.7	239	0.31	0.91	2.6	0.236	1.37
J830491		440	4.8	61.1	<0.002	0.03	0.10	8.8	1	1.9	144.0	0.50	<0.05	7.6	0.220	0.30
J830492		400	6.7	27.7	<0.002	0.01	0.11	8.2	1	1.7	217	0.41	<0.05	6.5	0.157	0.16
J830493		420	6.3	30.1	<0.002	0.01	0.06	7.8	1	1.8	206	0.45	<0.05	6.1	0.202	0.18
J830494		420	5.3	27.5	<0.002	0.01	0.05	5.8	1	1.4	174.0	0.43	<0.05	6.5	0.170	0.15
J830495		740	6.1	37.6	<0.002	0.04	0.11	8.2	1	1.7	277	0.60	<0.05	7.1	0.290	0.24
J830496		620	6.3	74.0	<0.002	0.20	0.09	6.6	1	1.3	86.8	0.49	0.16	6.7	0.228	0.36
J830497		360	3.8	50.0	<0.002	0.03	0.09	3.9	1	1.2	156.5	0.32	<0.05	6.7	0.147	0.24
J830498		420	5.6	42.5	<0.002	0.02	0.10	5.7	1	1.4	200	0.39	<0.05	7.9	0.202	0.20
J830498 CRD		450	5.8	44.7	<0.002	0.01	0.11	5.9	1	1.5	214	0.43	<0.05	8.6	0.213	0.24
J830499		420	6.5	33.3	<0.002	0.01	0.13	9.2	1	1.3	216	0.50	<0.05	3.6	0.254	0.21
J830500		590	41.3	25.0	1.490	1.67	26.6	16.1	6	1.1	295	0.29	0.59	2.3	0.342	0.23
J830501		170	7.6	56.9	0.002	0.01	0.15	4.2	1	1.0	185.0	0.27	<0.05	4.3	0.099	0.29
J830502		520	6.3	28.4	<0.002	0.02	0.13	10.7	1	2.0	268	0.79	<0.05	2.3	0.311	0.19
J830503		460	6.9	29.3	<0.002	0.01	0.12	5.2	1	1.2	214	0.35	<0.05	6.0	0.174	0.16
J830504		340	7.6	44.7	<0.002	0.02	0.07	6.5	1	1.5	197.5	0.45	<0.05	6.2	0.192	0.24
J830505		490	7.2	37.6	<0.002	0.01	0.06	5.9	1	1.2	246	0.43	<0.05	4.9	0.192	0.23
J830506		780	6.6	32.1	<0.002	0.04	0.07	10.5	1	1.4	300	0.69	<0.05	3.9	0.273	0.18
J830507		400	5.6	20.4	<0.002	<0.01	0.09	4.9	1	1.1	255	0.36	<0.05	5.9	0.185	0.12
J830508		420	5.4	25.2	<0.002	<0.01	0.13	6.0	1	1.2	241	0.40	<0.05	5.5	0.191	0.15
J830509		480	5.0	26.8	<0.002	0.01	0.12	8.0	1	1.3	238	0.50	<0.05	4.6	0.283	0.18
J830510		470	4.8	32.0	<0.002	0.03	0.10	10.7	1	1.2	185.5	0.54	<0.05	3.4	0.326	0.20
J830511		460	5.1	24.0	<0.002	0.01	0.16	9.8	1	1.3	219	0.57	<0.05	4.3	0.294	0.15
J830512		420	4.0	27.5	<0.002	<0.01	0.10	9.5	1	1.5	211	0.57	<0.05	4.0	0.295	0.18
J830513		450	5.1	19.2	<0.002	0.01	0.12	11.8	1	1.4	232	0.62	<0.05	3.3	0.330	0.13
J830514		400	4.6	46.7	<0.002	0.02	0.10	8.7	1	1.3	154.0	0.80	<0.05	5.0	0.255	0.21
J830515		880	60.1	82.7	0.144	2.31	6.69	16.8	7	2.6	255	0.28	0.87	4.7	0.319	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830478		0.8	16	0.1	4.3	36	82.1									
J830478 CRD		0.7	16	0.1	4.1	36	81.0									
J830479		0.8	8	0.1	4.5	23	87.3		0.08	0.3	73.81	14.29	1.43	1.84	0.36	3.50
J830480		0.8	12	0.1	5.5	24	87.3									
J830481		0.8	29	0.1	8.2	35	110.0									
J830482		2.2	59	0.4	22.9	59	127.0									
J830483		1.3	163	0.7	20.2	105	86.1									
J830484		1.4	39	0.1	18.0	25	126.0									
J830485		1.2	31	0.3	8.4	11	97.5									
J830486		0.7	32	0.3	8.9	47	142.5									
J830487		0.9	79	0.1	16.0	61	116.5									
J830488		1.1	63	0.5	21.7	72	159.0									
J830489		0.6	28	0.8	6.7	43	135.0									
J830490		1.2	149	11.0	15.1	134	24.4									
J830491		0.9	41	1.2	11.7	48	120.5									
J830492		1.2	32	0.2	13.1	50	103.0									
J830493		0.7	39	0.1	11.0	63	99.8									
J830494		0.8	31	0.1	9.9	51	102.5									
J830495		0.7	58	0.3	14.6	73	136.0									
J830496		0.8	47	3.2	10.6	58	112.5									
J830497		0.6	25	0.4	7.6	48	105.5									
J830498		0.7	35	0.3	9.6	58	119.5									
J830498 CRD		0.7	37	0.3	9.9	58	130.5									
J830499		0.7	62	0.1	10.4	52	87.3		0.06	0.2	66.50	15.88	4.29	4.07	1.41	3.91
J830500		0.9	109	6.3	17.7	148	30.8	1.275								
J830501		0.8	22	0.2	7.3	31	78.3									
J830502		0.7	73	0.1	17.1	69	88.4									
J830503		0.9	36	0.1	9.6	40	68.2									
J830504		0.8	43	0.2	9.3	51	109.0									
J830505		0.7	42	0.1	8.1	48	110.0									
J830506		1.0	67	0.1	11.5	73	78.9									
J830507		0.7	31	0.1	7.4	25	111.5									
J830508		0.6	33	0.2	8.9	36	84.8									
J830509		0.6	61	0.3	10.8	38	131.5									
J830510		0.7	80	0.9	11.8	53	127.0									
J830511		0.7	71	0.5	11.9	47	125.0									
J830512		0.8	66	0.4	10.9	22	119.0									
J830513		1.1	85	0.3	14.0	27	106.5									
J830514		2.6	56	1.5	11.6	28	101.5									
J830515		1.2	150	11.3	15.6	168	38.0	2.20								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830478										
J830478 CRD										
J830479		3.89	<0.01	0.09	0.02	0.036	0.03	0.20	0.77	100.25
J830480										
J830481										
J830482										
J830483										
J830484										
J830485										
J830486										
J830487										
J830488										
J830489										
J830490										
J830491										
J830492										
J830493										
J830494										
J830495										
J830496										
J830497										
J830498										
J830498 CRD										
J830499		1.75	<0.01	0.43	0.06	0.090	0.03	0.05	1.28	99.75
J830500										
J830501										
J830502										
J830503										
J830504										
J830505										
J830506										
J830507										
J830508										
J830509										
J830510										
J830511										
J830512										
J830513										
J830514										
J830515										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J830516		3.45	<0.005		<0.01	7.34	<0.2	100	1.00	0.02	2.91	0.02	52.3	4.9	16	0.39
J830517		3.32	<0.005		<0.01	7.38	0.4	110	0.90	0.01	3.01	0.02	47.7	5.9	10	0.28
J830518		3.29	<0.005		<0.01	7.24	<0.2	90	0.87	0.01	3.15	<0.02	45.9	5.8	11	0.18
J830518 CRD		<0.02	<0.005		<0.01	7.31	<0.2	90	0.83	0.01	3.17	<0.02	48.1	5.8	12	0.19
J830519		3.26	<0.005	<0.005	<0.01	7.05	<0.2	60	1.15	0.01	2.96	0.02	55.6	5.0	12	0.20
J830520		3.11	<0.005		<0.01	7.05	<0.2	60	1.10	0.02	2.90	<0.02	45.1	4.7	15	0.23
J830521		3.61	<0.005		<0.01	7.26	<0.2	50	0.99	0.02	3.33	0.02	36.2	8.9	12	0.22
J830522		3.13	<0.005		<0.01	7.65	<0.2	60	0.85	0.03	3.29	<0.02	27.4	10.0	14	0.27
J830523		3.26	<0.005		<0.01	7.23	<0.2	70	0.88	0.03	3.42	<0.02	30.5	6.5	16	0.29
J830524		3.50	0.053		0.03	6.94	<0.2	140	0.79	0.04	4.19	0.02	31.4	8.6	21	0.46
J830525		3.47	<0.005		0.06	8.00	<0.2	120	1.07	0.03	4.46	0.04	46.6	16.2	29	0.26
J830526		2.93	0.306		0.21	8.01	0.2	320	1.18	0.05	3.33	0.05	62.6	14.2	26	0.73
J830527		2.92	0.159		0.08	7.91	<0.2	290	1.21	0.03	3.05	0.04	33.1	8.3	20	0.47
J830528		3.11	0.353		0.11	7.38	<0.2	290	1.05	0.03	2.37	0.03	50.9	5.9	11	0.51
J830529		3.14	3.39		1.28	7.75	0.5	370	1.05	0.21	3.30	0.06	31.8	12.3	22	1.09
J830530		0.11	0.438		2.41	7.77	106.5	600	1.25	0.55	0.58	1.00	33.0	18.3	33	7.67
J830531		3.05	0.164		0.10	7.54	0.9	300	1.11	0.16	2.98	0.04	43.2	7.0	13	0.91
J830532		3.31	<0.005		<0.01	7.55	1.2	220	1.04	0.27	3.66	0.03	34.4	8.6	21	0.54
J830533		4.26	<0.005		0.01	7.60	3.5	220	0.99	0.06	2.79	0.02	88.5	6.9	13	0.43
J830534		4.32	<0.005		0.01	7.19	0.4	300	1.06	0.01	2.32	0.02	38.7	5.0	16	0.41
J830535		2.87	<0.005		0.10	8.02	<0.2	200	0.70	0.04	5.92	0.12	59.2	34.0	78	0.34
J830536		2.89	<0.005		0.12	7.91	1.5	220	0.68	0.26	4.83	0.10	45.2	25.5	64	0.37
J830537		3.80	0.005		0.07	7.80	4.4	250	0.83	0.03	3.50	0.05	37.4	13.0	45	0.51
J830538		2.65	0.006		0.05	7.42	2.2	360	0.99	0.02	2.32	0.04	57.6	6.3	16	0.67
J830538 CRD		<0.02	<0.005		0.08	7.12	1.4	330	0.93	0.01	2.12	0.04	80.9	5.9	15	0.62
J830539		2.98	<0.005	<0.005	0.01	7.28	2.7	400	0.84	0.01	2.38	0.04	58.7	5.9	19	0.32
J830540		3.08	<0.005		0.07	8.12	1.3	240	0.78	0.04	4.01	0.05	35.4	17.1	25	0.28
J830541		3.90	<0.005		0.06	7.86	2.8	340	0.79	0.03	3.93	0.05	31.7	18.4	33	0.32
J830542		3.50	<0.005		0.14	7.81	<0.2	400	0.80	0.04	3.40	0.03	37.9	12.4	22	0.25
J830543		3.39	<0.005		0.04	7.29	0.2	360	0.72	0.02	2.96	0.03	60.2	9.7	19	0.31
J830544		3.19	<0.005		0.03	7.17	0.6	780	0.69	0.03	2.61	0.03	52.7	8.2	14	0.37
J830545		1.00	<0.005		<0.01	0.15	<5	10	<0.05	<0.01	20.4	<0.02	2.75	0.8	2	0.10
J830546		3.46	<0.005		0.05	7.83	9.3	170	0.46	0.03	4.55	0.04	51.0	13.9	60	0.22
J830547		3.40	<0.005		0.04	7.46	4.2	330	0.69	0.02	3.09	0.04	56.2	8.2	15	0.53
J830548		3.32	<0.005		0.03	7.01	4.9	310	0.82	0.01	2.43	0.04	73.8	6.5	10	0.46
J830549		3.41	<0.005		0.03	6.90	3.0	340	0.71	0.01	2.62	0.03	80.0	6.3	10	0.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J830516		6.3	1.78	21.0	0.13	3.7	0.021	0.68	27.8	12.1	0.39	166	0.24	2.96	7.0	4.0
J830517		3.3	2.12	22.1	0.13	3.2	0.022	0.48	24.1	12.9	0.41	219	0.15	3.08	8.2	3.0
J830518		5.2	1.98	20.8	0.12	3.3	0.019	0.27	23.7	12.4	0.47	182	0.17	2.97	7.7	3.3
J830518 CRD		6.6	1.91	20.7	0.11	3.2	0.021	0.28	25.0	12.3	0.47	175	0.19	2.99	7.8	3.2
J830519		1.5	1.54	19.50	0.12	3.6	0.018	0.19	29.9	12.4	0.45	140	0.23	3.08	8.1	5.3
J830520		2.7	1.49	18.60	0.11	3.4	0.017	0.24	25.3	12.4	0.46	140	0.30	3.16	5.4	7.5
J830521		2.5	2.44	19.15	0.13	2.8	0.022	0.32	18.2	23.1	0.89	225	0.20	2.79	6.1	11.9
J830522		2.1	2.68	17.25	0.12	1.5	0.021	0.43	12.2	26.5	1.10	216	0.37	2.41	5.1	14.7
J830523		1.9	2.08	19.15	0.12	2.5	0.020	0.53	14.0	18.7	0.68	180	0.20	2.53	5.3	12.0
J830524		10.5	2.84	22.7	0.12	2.2	0.040	1.02	16.2	20.4	0.83	278	0.21	1.86	6.7	17.2
J830525		68.5	4.07	22.9	0.16	2.2	0.054	0.61	20.9	17.4	1.59	700	0.23	2.53	7.9	44.7
J830526		59.7	3.76	24.7	0.15	2.5	0.039	1.25	30.7	23.4	1.17	662	0.28	3.27	10.3	27.7
J830527		10.7	2.79	23.4	0.14	3.8	0.046	0.91	15.7	12.8	0.66	483	0.35	3.27	7.7	13.8
J830528		3.6	2.34	21.4	0.14	3.4	0.019	1.00	26.1	11.0	0.46	359	0.32	3.18	6.2	6.2
J830529		25.9	3.41	23.7	0.15	3.6	0.041	1.96	14.9	18.8	0.87	500	0.80	2.35	9.1	19.3
J830530		4500	4.95	19.10	0.22	0.8	0.062	5.52	18.9	12.3	0.78	506	276	1.12	5.4	25.1
J830531		18.9	2.10	22.3	0.14	2.5	0.025	1.70	20.8	14.5	0.59	252	1.16	2.77	6.7	11.7
J830532		1.7	2.58	21.6	0.12	1.6	0.035	1.07	16.6	12.8	0.76	292	0.33	2.67	10.4	19.8
J830533		2.6	2.28	21.6	0.15	4.2	0.020	0.82	40.8	8.6	0.44	248	0.17	3.18	6.9	6.2
J830534		8.4	2.12	19.50	0.12	4.2	0.016	0.88	20.8	7.2	0.41	275	0.15	3.10	6.6	6.0
J830535		110.0	9.01	19.35	0.21	1.1	0.065	1.15	26.1	8.2	3.56	1490	0.19	2.22	9.9	86.1
J830536		84.2	7.02	19.85	0.16	1.3	0.052	0.98	20.5	11.3	2.61	1130	0.21	2.35	8.2	65.8
J830537		35.6	3.75	19.25	0.14	1.7	0.032	1.06	17.4	11.3	1.32	669	0.15	2.73	6.5	40.0
J830538		9.5	2.27	21.1	0.13	4.3	0.016	1.28	29.3	10.0	0.49	303	0.68	2.89	6.9	7.6
J830538 CRD		10.7	2.22	20.1	0.15	4.3	0.017	1.19	36.5	9.4	0.49	298	0.34	2.78	6.9	7.0
J830539		4.6	2.23	19.75	0.13	3.5	0.014	1.08	30.1	7.1	0.47	305	0.15	2.99	6.7	8.1
J830540		43.6	4.29	21.0	0.14	2.5	0.038	0.76	18.6	13.3	1.33	648	0.17	2.83	6.1	29.4
J830541		36.9	4.54	20.1	0.14	2.6	0.042	0.96	16.0	11.6	1.40	706	0.19	2.60	6.4	32.5
J830542		17.2	3.56	21.1	0.15	2.1	0.035	0.86	20.8	11.0	0.94	489	1.11	2.58	6.7	20.8
J830543		13.5	3.15	20.1	0.16	3.8	0.030	0.92	32.3	9.9	0.73	389	0.16	2.47	6.9	12.5
J830544		12.5	2.78	19.70	0.15	3.8	0.029	1.43	26.6	8.5	0.57	352	0.14	2.48	7.0	7.6
J830545		1.3	0.09	0.39	0.10	0.1	<0.005	0.12	2.0	4.4	13.20	47	0.11	0.03	0.3	0.3
J830546		24.4	4.39	20.3	0.12	3.7	0.040	0.53	27.5	9.8	1.45	519	0.67	2.20	5.8	41.5
J830547		10.9	3.05	21.1	0.14	4.4	0.030	1.03	29.2	10.7	0.65	399	0.19	2.75	7.0	8.1
J830548		2.7	2.66	19.25	0.13	4.8	0.026	1.22	37.4	9.5	0.51	348	0.13	2.78	8.5	6.8
J830549		4.6	2.54	17.95	0.12	5.0	0.021	1.00	40.3	10.3	0.50	300	0.13	2.64	6.5	6.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J830516		400	6.0	22.6	<0.002	<0.01	0.11	4.0	1	1.2	260	0.50	<0.05	8.5	0.162	0.12
J830517		590	5.9	15.8	<0.002	<0.01	0.12	4.4	1	1.3	256	0.39	<0.05	4.6	0.226	0.08
J830518		580	5.5	7.3	<0.002	<0.01	0.10	3.7	1	1.1	262	0.32	<0.05	4.7	0.231	0.04
J830518 CRD		600	5.6	7.6	<0.002	<0.01	0.15	3.7	1	1.1	266	0.30	<0.05	4.7	0.232	0.04
J830519		470	5.1	4.2	<0.002	<0.01	0.08	4.1	1	1.1	267	0.50	<0.05	7.1	0.192	0.02
J830520		370	4.4	5.4	<0.002	<0.01	0.07	3.6	1	0.9	298	0.27	<0.05	7.2	0.144	0.03
J830521		620	5.0	7.0	<0.002	<0.01	0.14	8.1	1	1.0	304	0.41	<0.05	5.0	0.302	0.04
J830522		720	3.6	11.4	<0.002	<0.01	0.08	10.4	1	0.9	282	0.35	<0.05	1.9	0.349	0.05
J830523		490	4.2	13.5	<0.002	<0.01	0.09	6.4	1	1.0	280	0.39	<0.05	3.8	0.240	0.07
J830524		460	4.4	27.1	<0.002	<0.01	0.13	8.0	1	1.8	248	0.47	<0.05	3.9	0.242	0.14
J830525		810	7.1	14.7	<0.002	0.02	0.16	16.6	1	1.9	325	0.64	<0.05	4.8	0.325	0.09
J830526		1320	8.3	45.7	<0.002	0.10	0.12	11.4	1	2.0	216	1.19	0.09	7.5	0.309	0.22
J830527		990	6.2	31.5	<0.002	0.04	0.19	9.6	1	2.0	257	0.65	0.05	5.1	0.207	0.16
J830528		410	4.9	36.5	<0.002	0.01	0.24	4.1	1	1.2	232	0.40	<0.05	8.4	0.163	0.16
J830529		720	7.4	54.0	<0.002	0.22	0.10	11.8	1	1.7	129.5	0.73	0.44	3.5	0.306	0.30
J830530		1170	40.2	127.5	0.699	2.54	6.97	12.5	9	3.0	265	0.34	0.91	2.7	0.254	1.54
J830531		520	6.6	54.9	0.002	0.04	0.10	5.4	1	1.4	198.0	0.40	<0.05	5.9	0.173	0.26
J830532		670	4.6	32.5	<0.002	<0.01	0.09	8.8	1	1.8	264	1.00	<0.05	3.0	0.249	0.17
J830533		430	6.4	30.5	<0.002	0.01	0.10	4.3	1	1.3	234	0.41	<0.05	9.4	0.183	0.14
J830534		390	6.0	29.8	<0.002	0.01	0.09	3.3	1	1.1	211	0.61	<0.05	5.7	0.166	0.15
J830535		2330	3.2	39.9	<0.002	0.14	0.09	28.0	1	1.8	337	0.97	<0.05	1.4	0.782	0.17
J830536		1740	5.8	37.0	<0.002	0.10	0.08	20.7	1	1.6	276	0.73	<0.05	1.6	0.597	0.16
J830537		1080	5.4	40.9	<0.002	0.02	0.09	10.5	1	1.5	256	0.64	<0.05	3.0	0.283	0.22
J830538		390	5.6	57.9	<0.002	0.03	0.12	5.2	1	1.0	199.0	0.32	<0.05	9.7	0.178	0.26
J830538 CRD		360	6.1	54.3	<0.002	0.04	0.12	5.8	1	1.0	185.0	0.33	<0.05	14.2	0.176	0.24
J830539		410	5.7	38.4	<0.002	<0.01	0.13	3.4	1	0.9	202	0.31	<0.05	10.1	0.175	0.18
J830540		400	6.1	24.0	<0.002	0.03	0.17	14.2	1	1.1	260	0.62	<0.05	4.3	0.354	0.15
J830541		450	5.4	28.8	<0.002	0.02	0.13	14.9	1	1.3	240	0.58	<0.05	3.8	0.361	0.19
J830542		380	4.7	27.3	<0.002	0.01	0.08	11.4	1	1.5	223	0.40	<0.05	5.3	0.278	0.14
J830543		490	4.5	34.4	<0.002	<0.01	0.08	7.7	1	1.1	215	0.33	<0.05	7.6	0.258	0.17
J830544		580	5.0	42.3	<0.002	0.02	0.08	5.9	1	1.0	209	0.27	<0.05	6.0	0.256	0.22
J830545		20	1.0	2.8	<0.002	0.03	<0.05	0.3	1	<0.2	58.5	<0.05	<0.05	0.3	0.008	0.02
J830546		590	4.5	20.1	<0.002	0.02	0.18	9.8	1	1.1	278	0.29	<0.05	6.2	0.402	0.11
J830547		650	4.7	41.8	<0.002	0.01	0.21	6.2	1	1.1	204	0.30	<0.05	5.9	0.275	0.22
J830548		530	5.3	47.2	<0.002	0.01	0.13	5.7	1	1.0	184.0	0.46	<0.05	9.6	0.224	0.21
J830549		490	5.8	38.8	<0.002	0.01	0.13	4.3	1	0.8	215	0.19	<0.05	12.1	0.215	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J830516		1.4	23	0.2	9.7	11	136.5									
J830517		0.6	27	0.1	7.8	27	115.5									
J830518		0.6	28	0.1	6.7	17	120.5									
J830518 CRD		0.7	28	0.1	6.7	17	116.5									
J830519		0.9	25	0.1	7.5	11	124.5		0.07	0.3	70.23	14.82	2.18	4.12	0.81	4.22
J830520		0.6	22	0.2	5.9	7	123.5									
J830521		0.7	50	0.2	10.0	15	97.3									
J830522		0.4	54	0.3	10.1	12	49.0									
J830523		0.7	38	0.3	7.3	8	69.2									
J830524		0.7	60	0.7	10.2	20	76.0									
J830525		0.7	84	0.4	17.8	66	68.5									
J830526		1.0	72	1.5	14.6	87	85.3									
J830527		1.3	47	0.5	19.1	62	134.0									
J830528		0.9	28	0.4	9.1	44	120.0									
J830529		1.3	60	4.0	17.0	61	145.0									
J830530		1.2	163	12.9	15.8	158	25.3									
J830531		0.6	34	0.9	7.3	22	86.8									
J830532		0.7	46	0.2	10.2	18	57.0									
J830533		1.0	23	0.2	9.7	28	134.5									
J830534		0.9	19	0.1	6.0	42	143.5									
J830535		0.7	206	0.1	24.0	139	22.8									
J830536		0.7	155	0.3	18.5	122	23.7									
J830537		0.7	70	0.4	12.9	74	45.9									
J830538		1.0	28	0.5	8.5	54	169.5									
J830538 CRD		1.1	28	0.5	10.3	52	168.5									
J830539		0.7	24	0.1	7.4	49	131.5		0.06	0.2	69.25	15.04	3.09	3.34	0.84	4.12
J830540		1.1	105	0.2	13.1	64	84.9									
J830541		1.0	105	0.1	14.5	69	85.3									
J830542		0.7	72	0.1	12.6	52	70.9									
J830543		0.8	50	0.1	10.8	56	147.5									
J830544		0.5	37	0.1	8.8	62	159.0									
J830545		0.1	1	<0.1	1.5	<2	2.4									
J830546		0.6	78	0.2	11.3	60	128.5									
J830547		0.5	41	0.2	9.9	68	178.5									
J830548		0.8	29	0.3	10.5	58	204									
J830549		0.8	26	0.1	7.5	57	215									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J830516										
J830517										
J830518										
J830518 CRD										
J830519		0.23	<0.01	0.30	0.01	0.100	0.04	<0.01	1.64	98.70
J830520										
J830521										
J830522										
J830523										
J830524										
J830525										
J830526										
J830527										
J830528										
J830529										
J830530										
J830531										
J830532										
J830533										
J830534										
J830535										
J830536										
J830537										
J830538										
J830538 CRD										
J830539		1.29	<0.01	0.30	0.04	0.090	0.03	0.03	1.18	98.64
J830540										
J830541										
J830542										
J830543										
J830544										
J830545										
J830546										
J830547										
J830548										
J830549										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178820

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.