ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE TB10189651

Project: HAMMOND REEF

P.O. No.:

This report is for 148 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840808		3.22	0.620		0.16	6.88	<0.2	410	0.90	0.09	2.33	0.04	44.5	6.2	22	1.04
J840809		3.43	0.041		0.02	7.37	0.4	380	0.98	0.02	2.46	0.04	43.1	6.4	15	1.08
J840810		3.37	0.054		0.02	7.37	<0.2	410	1.03	0.02	2.58	0.05	41.7	6.3	10	1.12
J840811		4.32	2.35		1.06	6.86	0.3	420	1.02	0.13	2.78	0.07	55.2	7.3	16	1.13
J840812		3.79	0.542		0.30	6.67	0.2	360	0.90	0.05	2.40	0.05	44.0	6.4	13	1.02
J840813		2.54	0.234		0.08	7.42	0.6	340	0.85	0.02	2.96	0.04	41.3	8.3	9	1.08
J840814		1.84	0.109		0.04	7.23	<0.2	360	0.88	0.03	2.67	0.04	34.3	7.1	7	1.06
J840815		0.12	2.34		7.92	6.68	57.6	590	0.95	3.70	1.65	0.85	55.9	15.6	54	3.34
J840816		3.04	0.086		0.02	6.45	1.0	300	0.95	0.10	2.60	0.05	47.8	7.1	11	0.98
J840817		3.22	0.016		0.01	6.81	0.4	290	0.98	0.02	2.62	0.05	30.0	9.1	15	0.97
J840818		3.18	0.037		<0.01	6.46	0.5	250	1.11	0.01	1.51	0.03	28.7	5.0	27	0.76
J840819		3.18	0.047		0.01	6.49	0.3	250	1.25	0.01	2.46	0.06	30.7	9.2	46	0.97
J840820		3.29	0.089		0.01	6.58	0.4	170	1.13	0.01	1.19	0.03	14.50	3.7	20	0.71
J840821		4.47	0.079		<0.01	6.86	<0.2	360	1.46	0.01	2.50	0.05	57.2	9.1	15	1.33
J840822		3.99	0.176		0.03	6.54	0.5	400	1.29	0.02	2.13	0.04	42.1	10.4	33	1.30
J840823		3.83	0.005		0.07	4.22	0.3	70	0.31	0.01	6.65	0.11	8.45	63.4	1080	<0.05
J840824		4.06	0.058		0.04	7.12	<0.2	430	0.83	0.02	2.58	0.04	61.0	10.4	24	1.43
J840825		3.18	0.149		0.08	6.60	<0.2	430	0.84	0.04	2.54	0.04	58.6	9.8	20	1.39
J840826		3.40	0.387		0.22	6.60	<0.2	440	0.85	0.08	2.84	0.05	57.8	8.6	14	1.29
J840827		3.28	0.647		0.31	7.15	<0.2	500	1.01	0.15	2.68	0.04	50.8	9.7	16	1.55
J840827 CRD		<0.02	0.612		0.20	7.08	<0.2	490	0.91	0.13	2.67	0.03	51.6	9.1	16	1.48
J840828		3.25	0.204	0.289	0.08	6.86	<0.2	460	0.78	0.08	2.63	0.04	45.0	7.3	15	1.10
J840829		3.06	0.085		0.01	6.66	<0.2	450	0.65	0.02	2.59	0.05	48.0	6.0	28	0.92
J840830		0.07	0.423		2.35	7.70	109.5	600	1.03	0.55	0.56	0.91	35.9	17.5	35	7.35
J840831		3.30	0.808		0.41	7.71	<0.2	490	1.11	0.08	3.88	0.07	71.1	11.8	75	1.41
J840832		3.28	0.045		0.01	6.40	0.3	290	0.82	0.02	1.93	0.05	44.2	6.0	35	0.90
J840833		3.26	0.023		0.03	6.83	<0.2	320	0.77	0.02	3.22	0.07	56.2	10.1	59	0.97
J840834		3.05	0.134		0.05	6.84	<0.2	370	0.91	0.04	2.41	0.04	66.6	7.4	11	1.24
J840835		3.13	1.140		0.44	6.78	<0.2	430	0.94	0.09	2.86	0.04	92.9	9.2	16	1.47
J840836		3.00	0.506		0.24	6.41	<0.2	250	0.75	0.06	1.60	0.03	20.7	5.7	10	0.81
J840837		3.26	0.150		0.07	6.95	<0.2	390	0.78	0.04	2.78	0.05	40.4	7.7	10	1.21
J840838		3.56	0.235		0.06	7.04	<0.2	520	0.93	0.04	2.08	0.05	70.3	5.4	11	1.25
J840839		3.23	0.412		0.09	6.73	<0.2	400	0.68	0.07	2.60	0.05	77.0	5.2	12	1.12
J840840		3.11	0.074		0.03	6.82	<0.2	380	0.67	0.03	2.94	0.05	44.8	7.6	10	1.02
J840841		3.04	0.195		0.09	6.99	<0.2	390	0.93	0.04	3.18	0.06	38.1	11.5	7	1.29
J840842		3.39	0.594		0.31	6.45	<0.2	460	0.91	0.14	1.60	0.02	39.1	5.1	11	1.11
J840843		3.65	0.246		0.50	6.65	0.9	360	0.96	0.09	2.89	0.03	55.4	11.6	33	0.94
J840844		3.64	0.061		0.08	7.20	<0.2	390	1.04	0.02	2.96	0.03	38.4	13.0	19	1.12
J840845		1.06	<0.005		<0.01	0.14	<5	10	0.05	0.01	20.8	<0.02	3.23	1.0	2	0.10
J840846		2.93	0.078		0.06	6.53	<0.2	240	0.81	0.02	0.82	0.02	31.3	1.6	7	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840808		6.1	2.24	17.40	0.13	2.8	0.025	2.18	21.3	4.2	0.48	411	4.45	2.29	6.3	10.9
J840809		5.3	2.57	18.65	0.14	4.2	0.029	2.20	20.9	7.7	0.54	425	0.27	2.72	6.2	10.8
J840810		4.8	2.25	18.15	0.15	4.2	0.029	2.37	20.6	3.8	0.51	398	0.21	2.33	5.6	8.0
J840811		16.6	2.85	17.95	0.16	3.8	0.037	2.40	26.3	2.7	0.60	504	4.30	2.06	6.4	11.1
J840812		12.2	2.41	16.30	0.15	2.5	0.025	2.07	21.6	4.6	0.51	384	0.50	1.96	5.1	8.8
J840813		59.5	2.93	19.15	0.14	2.6	0.033	2.12	19.9	13.9	0.49	392	0.33	2.47	6.6	5.1
J840814		17.6	2.69	18.80	0.14	2.4	0.021	2.24	16.6	11.5	0.50	376	0.42	2.33	5.1	4.9
J840815		>10000	5.69	13.00	0.20	1.0	0.110	2.73	26.8	18.8	1.20	643	108.0	1.69	6.4	34.1
J840816		22.1	2.38	19.25	0.13	2.4	0.026	2.02	24.5	9.7	0.44	325	0.20	1.99	4.9	5.9
J840817		20.3	2.72	19.60	0.13	2.6	0.033	1.93	14.5	16.1	0.62	394	0.15	2.34	4.2	10.4
J840818		7.4	1.81	19.10	0.13	1.7	0.028	1.64	14.2	9.6	0.37	288	0.18	2.73	5.1	12.5
J840819		13.7	2.45	20.4	0.14	3.0	0.045	1.99	14.0	9.0	0.72	489	0.19	2.41	6.2	22.4
J840820		8.9	1.31	18.55	0.11	1.8	0.018	1.48	6.8	2.5	0.26	229	0.41	3.25	5.0	9.2
J840821		9.4	2.66	21.6	0.15	3.2	0.035	2.44	28.1	7.9	0.62	434	0.27	1.97	8.9	10.2
J840822		21.5	2.78	20.9	0.15	3.4	0.032	2.33	20.0	9.0	0.73	407	0.21	2.00	7.8	17.3
J840823		92.4	6.65	12.25	0.15	0.9	0.042	0.01	3.2	74.5	7.64	1130	0.39	0.01	1.6	503
J840824		18.8	3.10	21.0	0.14	3.5	0.034	2.32	31.8	8.0	0.76	396	1.22	2.18	7.3	15.1
J840825		15.8	2.79	20.4	0.14	3.4	0.032	2.42	27.7	6.7	0.63	381	2.66	1.93	6.9	13.3
J840826		8.6	2.76	19.65	0.14	3.2	0.028	2.50	30.2	5.4	0.59	397	2.17	1.59	6.8	9.2
J840827		10.4	3.02	21.4	0.12	3.7	0.033	2.91	25.4	5.8	0.65	391	16.10	1.60	6.8	11.3
J840827 CRD		10.5	3.04	20.1	0.12	3.6	0.032	2.88	25.9	5.5	0.65	396	13.90	1.59	6.6	10.5
J840828		9.4	2.77	16.60	0.11	2.9	0.025	2.59	23.0	5.2	0.61	351	1.84	1.66	5.9	8.7
J840829		5.1	2.49	15.35	0.11	3.0	0.023	2.46	24.9	2.6	0.62	418	0.18	1.80	5.1	13.1
J840830		4500	4.86	16.95	0.16	0.7	0.056	5.37	20.8	10.7	0.77	497	272	1.05	5.3	25.3
J840831		9.9	3.30	22.5	0.15	4.9	0.040	3.20	32.9	3.8	0.94	643	0.57	2.22	7.6	29.9
J840832		6.5	1.80	18.60	0.09	2.8	0.026	1.83	22.4	5.5	0.50	383	3.60	2.62	8.0	16.4
J840833		34.1	3.06	18.05	0.14	2.8	0.040	2.03	28.3	14.6	0.89	528	0.17	2.21	7.0	25.4
J840834		4.8	2.44	19.75	0.14	4.7	0.015	2.29	33.4	10.9	0.50	302	0.27	2.16	6.9	9.1
J840835		24.6	2.81	19.75	0.16	4.7	0.029	2.66	45.2	7.1	0.65	442	0.98	1.54	6.7	11.5
J840836		26.0	1.80	16.45	0.08	2.6	0.015	1.67	10.2	4.6	0.39	292	2.17	2.72	3.8	7.9
J840837		22.3	2.66	18.10	0.12	3.7	0.024	2.50	21.1	8.5	0.61	384	0.15	1.93	5.3	8.2
J840838		3.0	2.48	19.35	0.13	4.7	0.014	2.88	36.3	6.2	0.50	304	1.39	1.41	5.4	7.5
J840839		4.1	2.37	16.50	0.12	4.4	0.017	2.46	38.5	7.0	0.46	317	3.15	1.82	5.5	6.2
J840840		17.9	2.75	16.15	0.11	3.1	0.028	2.36	22.6	7.4	0.70	441	0.26	2.02	4.8	12.2
J840841		28.9	3.12	19.20	0.14	2.8	0.029	2.42	19.5	12.2	0.85	495	0.68	1.79	5.9	12.6
J840842		11.4	1.68	18.80	0.10	2.1	0.014	2.36	21.6	4.3	0.35	257	4.67	1.87	7.8	5.4
J840843		19.9	2.67	18.10	0.15	4.1	0.026	1.92	29.3	17.7	1.02	483	2.54	2.20	6.0	34.4
J840844		11.6	3.45	20.8	0.14	3.0	0.038	2.26	18.7	23.0	1.48	766	0.23	2.26	8.4	21.8
J840845		0.8	0.08	0.38	0.11	0.1	<0.005	0.10	2.5	4.7	13.05	49	0.14	0.04	0.4	1.9
J840846		3.8	0.76	20.6	0.13	2.8	0.015	1.47	15.7	1.4	0.09	114	0.72	3.34	10.0	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840808		400	7.3	56.1	<0.002	0.17	0.11	4.8	1	1.4	142.0	0.51	0.11	6.9	0.140	0.27
J840809		450	6.2	51.5	<0.002	0.03	0.14	5.9	1	1.4	167.0	0.35	<0.05	6.3	0.180	0.29
J840810		420	5.9	59.7	<0.002	0.05	0.13	5.6	1	1.3	150.0	0.31	<0.05	6.4	0.174	0.31
J840811		580	6.9	56.3	<0.002	0.25	0.15	6.9	1	1.5	134.0	0.44	0.59	7.2	0.194	0.32
J840812		460	5.1	58.0	<0.002	0.14	0.13	5.3	1	1.1	131.5	0.31	0.16	4.7	0.172	0.26
J840813		730	7.8	53.2	<0.002	0.09	0.16	5.9	1	1.3	187.0	0.63	<0.05	2.9	0.216	0.29
J840814		670	5.4	52.3	<0.002	0.06	0.15	4.9	1	1.0	153.5	0.43	<0.05	2.5	0.223	0.29
J840815		910	63.5	79.2	0.113	2.45	6.48	15.7	6	2.4	253	0.25	0.93	4.6	0.309	0.76
J840816		520	7.5	64.2	<0.002	0.06	0.19	4.8	1	0.9	172.0	0.34	<0.05	4.0	0.188	0.27
J840817		430	6.2	59.5	<0.002	0.03	0.17	7.6	1	1.0	189.0	0.31	<0.05	2.4	0.191	0.25
J840818		220	5.9	56.0	<0.002	0.04	0.11	6.1	1	1.1	141.5	0.46	<0.05	5.0	0.091	0.20
J840819		360	6.5	56.0	<0.002	0.06	0.14	11.0	1	1.7	156.5	0.59	<0.05	5.0	0.137	0.25
J840820		150	7.2	48.3	<0.002	0.10	0.09	4.9	1	0.9	127.5	0.79	<0.05	4.6	0.047	0.17
J840821		630	5.4	75.6	<0.002	0.07	0.17	7.1	1	1.5	144.0	0.79	<0.05	6.9	0.211	0.30
J840822		600	4.5	70.6	<0.002	0.08	0.19	6.3	1	1.4	133.5	0.48	0.06	4.8	0.211	0.29
J840823		250	4.4	0.5	<0.002	0.05	0.30	26.4	1	0.3	295	0.11	0.05	0.3	0.300	<0.02
J840824		640	5.2	67.6	<0.002	0.06	0.19	7.1	1	1.2	160.0	0.46	<0.05	6.1	0.241	0.32
J840825		630	5.5	63.4	<0.002	0.07	0.18	6.4	1	1.2	142.5	0.39	0.05	6.0	0.224	0.33
J840826		580	6.4	69.9	<0.002	0.11	0.16	6.1	1	1.2	138.0	0.34	0.08	6.3	0.213	0.34
J840827		680	8.9	75.6	<0.002	0.12	0.16	6.8	1	1.3	122.0	0.28	0.15	5.7	0.236	0.39
J840827 CRD		690	8.4	70.4	<0.002	0.12	0.17	6.4	1	1.2	117.5	0.28	0.12	5.6	0.235	0.38
J840828		630	6.9	56.8	<0.002	0.06	0.13	5.2	1	1.1	119.5	0.24	0.05	4.8	0.220	0.28
J840829		400	6.7	61.0	<0.002	0.02	0.12	5.0	1	1.0	116.5	0.27	<0.05	6.6	0.162	0.26
J840830		1140	42.1	116.0	0.686	2.56	7.04	12.1	8	2.8	267	0.34	0.84	2.9	0.250	1.51
J840831		530	16.9	62.8	<0.002	0.13	0.17	9.3	1	1.7	178.5	0.58	0.12	9.3	0.211	0.39
J840832		240	7.0	61.7	<0.002	0.06	0.11	7.0	1	1.3	131.0	0.82	<0.05	7.8	0.094	0.24
J840833		500	7.3	54.1	<0.002	0.05	0.14	9.9	1	1.4	172.5	0.49	<0.05	6.9	0.192	0.25
J840834		440	8.7	63.7	<0.002	0.12	0.15	4.4	1	0.9	158.0	0.33	<0.05	9.9	0.177	0.31
J840835		590	5.9	70.6	<0.002	0.29	0.17	7.2	1	1.0	141.0	0.43	0.17	11.5	0.208	0.36
J840836		220	6.9	56.3	<0.002	0.14	0.11	4.9	1	0.7	119.5	0.38	0.09	3.4	0.109	0.21
J840837		560	6.6	61.4	<0.002	0.08	0.16	5.9	1	1.1	153.5	0.30	<0.05	4.9	0.206	0.32
J840838		480	5.1	75.3	<0.002	0.08	0.14	4.2	1	0.8	105.0	0.22	0.06	9.6	0.183	0.35
J840839		460	5.3	61.5	<0.002	0.11	0.12	4.3	1	0.8	144.0	0.14	0.08	9.8	0.173	0.27
J840840		540	4.2	59.6	<0.002	0.07	0.13	6.9	1	1.0	159.5	0.25	<0.05	5.6	0.197	0.27
J840841		490	4.6	61.6	<0.002	0.08	0.19	9.5	1	1.0	149.5	0.47	0.05	3.3	0.248	0.32
J840842		330	3.7	67.7	<0.002	0.15	0.13	4.0	1	1.0	100.0	0.69	0.20	6.2	0.123	0.32
J840843		670	4.2	59.3	<0.002	0.09	0.22	9.1	1	1.3	134.0	0.45	0.28	6.2	0.213	0.24
J840844		550	4.1	60.1	<0.002	0.05	0.20	11.9	1	1.5	114.0	0.79	<0.05	3.8	0.253	0.32
J840845		10	1.1	3.0	<0.002	0.03	<0.05	0.4	1	<0.2	67.6	<0.05	<0.05	0.3	0.006	<0.02
J840846		90	4.9	58.3	<0.002	0.05	0.08	2.8	1	1.7	108.0	1.39	<0.05	7.9	0.017	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840808		1.1	30	2.5	4.9	42	95.3									
J840809		0.8	35	2.8	5.3	65	156.0									
J840810		0.7	31	2.7	4.9	49	151.5									
J840811		0.7	37	4.4	5.8	53	130.5									
J840812		0.5	32	3.5	4.8	55	92.1									
J840813		0.6	39	2.4	4.9	91	100.5									
J840814		0.6	40	3.4	3.1	72	91.9									
J840815		1.2	152	10.2	14.0	167	29.9	2.24								
J840816		0.4	32	2.2	4.2	58	95.5									
J840817		0.5	48	2.5	3.9	83	97.9									
J840818		0.8	25	1.4	5.1	49	61.2									
J840819		1.4	45	3.0	7.0	63	92.6									
J840820		1.7	17	1.3	5.8	22	46.9									
J840821		0.5	41	5.7	5.9	64	139.0									
J840822		0.7	44	5.2	5.4	45	144.5									
J840823		0.1	188	1.5	4.6	115	33.8									
J840824		0.5	47	3.6	5.6	55	154.5									
J840825		0.5	44	4.1	5.1	68	152.0									
J840826		0.5	41	4.7	5.4	63	142.0									
J840827		0.6	47	6.6	5.8	76	166.5									
J840827 CRD		1.0	46	6.4	5.5	75	160.0									
J840828		0.5	42	5.4	4.6	74	135.5		1.23	4.5	62.50	14.67	4.17	3.86	1.18	2.30
J840829		0.7	38	4.6	5.0	52	134.0									
J840830		1.3	166	12.6	15.2	151	24.8									
J840831		1.3	54	5.1	7.6	74	208									
J840832		1.2	30	1.8	7.0	45	93.6									
J840833		0.9	54	2.8	6.3	97	113.5									
J840834		0.6	31	3.5	5.9	69	196.5									
J840835		0.9	42	4.6	6.9	58	198.0									
J840836		1.0	32	2.4	4.4	40	77.9									
J840837		0.6	42	2.4	4.6	77	167.5									
J840838		0.8	32	2.6	5.5	63	221									
J840839		0.7	26	1.9	5.9	65	218									
J840840		0.6	46	1.9	4.3	68	127.5									
J840841		0.7	68	4.6	4.9	80	116.5									
J840842		3.1	25	2.6	4.4	30	80.4									
J840843		1.3	60	4.1	9.0	72	148.0									
J840844		1.1	77	6.5	7.0	87	120.5									
J840845		0.1	2	0.1	1.8	<2	3.0									
J840846		2.4	8	0.5	10.5	8	58.2									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840808										
J840809										
J840810										
J840811										
J840812										
J840813										
J840814										
J840815										
J840816										
J840817										
J840818										
J840819										
J840820										
J840821										
J840822										
J840823										
J840824										
J840825										
J840826										
J840827										
J840827 CRD										
J840828		3.15	<0.01	0.43	0.05	0.138	0.02	0.04	5.92	98.42
J840829										
J840830										
J840831										
J840832										
J840833										
J840834										
J840835										
J840836										
J840837										
J840838										
J840839										
J840840										
J840841										
J840842										
J840843										
J840844										
J840845										
J840846										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840847		4.35	1.455		0.53	7.00	0.7	230	0.85	0.12	0.86	<0.02	21.0	4.1	6	0.63
J840847 CRD		<0.02	1.305		0.68	6.94	0.7	240	0.93	0.13	0.79	<0.02	21.7	3.8	6	0.63
J840848		3.20	0.049	0.042	0.04	6.90	<0.2	340	0.84	0.04	1.38	0.02	30.5	3.2	6	0.85
J840849		3.13	0.108		<0.01	6.89	<0.2	250	0.92	0.02	0.97	0.03	24.0	1.5	7	0.59
J840850		3.10	0.251		0.04	6.78	0.6	200	0.89	0.05	0.97	0.03	16.60	1.9	6	0.53
J840851		3.27	0.363		0.09	6.66	0.5	190	0.86	0.05	0.96	0.03	12.75	1.8	7	0.49
J840852		3.00	0.313		0.06	7.37	0.4	340	0.97	0.04	2.65	0.03	29.7	11.1	21	0.97
J840853		3.52	0.150		0.03	7.41	0.2	390	0.98	0.03	2.48	0.03	65.9	6.8	10	0.99
J840854		4.19	0.085		0.08	7.02	0.2	390	1.01	0.04	2.24	0.02	67.7	5.7	10	1.02
J840855		3.17	0.119		0.01	6.89	<0.2	350	0.90	0.02	2.06	0.03	47.8	6.4	9	0.96
J840856		2.91	0.066		0.08	6.98	0.5	350	0.95	0.01	1.83	0.02	40.1	4.5	7	0.87
J840857		2.90	0.068		<0.01	6.53	0.3	260	0.87	0.02	1.86	0.02	27.5	2.5	5	0.63
J840858		3.33	0.354		0.12	7.45	0.5	360	0.97	0.07	3.07	0.03	46.4	10.5	7	1.09
J840859		3.31	0.266		0.03	7.02	0.2	310	0.90	0.04	2.37	0.03	49.9	7.6	9	0.98
J840860		0.07	0.941		4.52	6.52	19.8	460	0.73	1.77	2.44	2.02	21.1	15.4	64	0.79
J840861		3.00	0.664		0.17	7.24	0.3	310	0.88	0.08	3.22	0.04	72.6	12.6	10	1.00
J840862		2.92	0.998		0.35	7.24	0.4	300	0.85	0.15	3.36	0.04	56.0	13.0	7	1.01
J840863		2.99	0.100		0.05	7.94	0.6	320	0.93	0.02	3.63	0.04	72.2	13.6	7	1.04
J840864		3.12	0.076		0.01	7.50	0.2	390	0.94	0.02	3.18	0.03	57.5	11.2	8	0.99
J840865		3.02	3.35		1.18	8.12	<0.2	440	0.99	0.21	3.65	0.04	71.2	14.1	8	1.18
J840866		3.02	2.72		0.71	7.56	0.3	460	1.06	0.16	3.67	0.06	54.3	14.4	7	1.24
J840867		2.94	1.675		0.39	7.42	<0.2	430	1.10	0.05	3.03	0.04	49.4	11.4	13	1.18
J840867 CRD		<0.02	1.890		0.79	7.22	0.3	420	1.09	0.05	3.05	0.05	48.1	11.0	12	1.18
J840868		3.01	0.150	0.136	0.10	6.92	<0.2	410	1.03	0.03	2.67	0.05	37.0	9.3	7	1.13
J840869		3.16	1.160		0.33	6.57	0.5	380	0.92	0.04	2.78	0.04	38.3	8.9	9	1.05
J840870		2.91	0.529		0.18	6.71	0.5	420	0.91	0.04	3.70	0.06	44.1	13.3	15	1.08
J840871		3.21	0.178		0.16	7.07	0.4	500	1.02	0.03	2.87	0.05	43.3	9.3	11	1.16
J840872		2.78	0.223		0.06	7.26	0.4	480	0.95	0.02	1.83	0.02	83.9	5.6	9	1.00
J840873		2.91	0.151		0.02	7.00	0.2	540	0.92	0.01	2.02	0.03	76.3	4.5	9	0.94
J840874		2.83	0.049		0.02	7.10	0.5	400	0.82	0.01	2.31	0.03	81.7	5.6	10	0.89
J840875		0.12	2.47		8.15	7.04	50.4	670	0.81	3.42	1.69	0.94	62.3	16.0	63	3.13
J840876		3.09	0.014		0.03	6.76	0.6	420	0.93	<0.01	1.88	0.02	80.7	5.2	11	0.82
J840877		2.84	0.049		0.01	6.46	0.5	390	0.77	<0.01	1.98	0.03	94.1	4.6	9	0.77
J840878		2.92	<0.005		<0.01	6.61	0.6	400	0.85	<0.01	2.21	0.03	78.2	4.4	9	0.77
J840879		3.09	<0.005		0.01	6.70	0.5	360	0.78	0.01	2.94	0.05	38.6	11.8	22	0.80
J840880		3.05	<0.005		0.02	6.97	0.8	340	0.80	0.01	3.70	0.06	24.2	18.2	30	0.76
J840881		3.00	<0.005		0.02	6.51	0.5	350	0.78	0.01	3.23	0.05	25.8	13.9	21	0.80
J840882		3.00	0.079		0.07	6.70	0.9	400	0.80	0.02	3.33	0.07	24.6	11.0	16	0.82
J840883		2.99	<0.005		0.01	7.38	0.5	350	0.85	<0.01	2.61	0.06	26.2	7.4	13	0.81
J840884		2.89	0.023		0.08	6.62	0.6	280	0.74	0.05	3.20	0.06	35.8	13.9	23	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840847		19.9	0.87	22.5	0.09	2.7	0.008	1.40	9.5	1.1	0.09	117	19.40	3.80	6.8	2.5
J840847 CRD		21.6	0.88	22.3	0.09	2.6	0.011	1.44	9.5	1.2	0.07	120	19.85	3.84	7.3	2.3
J840848		14.4	1.32	20.8	0.10	2.9	0.015	1.83	16.0	6.5	0.26	227	8.25	3.00	6.7	4.7
J840849		8.1	0.79	20.6	0.08	2.3	0.011	1.33	11.4	1.9	0.10	163	1.80	3.92	14.8	1.7
J840850		3.2	0.74	23.3	0.07	2.3	0.014	1.24	7.7	1.2	0.07	147	3.70	3.99	15.7	1.1
J840851		3.8	0.75	22.0	0.06	2.0	0.011	1.14	6.0	1.1	0.06	149	6.10	3.92	14.8	1.2
J840852		49.7	3.03	20.8	0.11	1.9	0.035	2.10	13.4	22.7	1.08	585	0.65	2.24	7.2	19.1
J840853		5.1	2.42	20.9	0.13	4.7	0.024	2.06	33.8	17.4	0.51	359	0.44	2.40	7.3	6.3
J840854		2.1	2.14	20.5	0.11	5.1	0.017	2.06	33.6	14.7	0.42	308	4.64	2.38	5.8	6.2
J840855		2.6	2.06	19.75	0.10	4.5	0.016	1.93	25.6	14.7	0.40	282	0.21	2.44	5.9	5.9
J840856		2.5	1.76	19.25	0.10	4.4	0.015	1.86	21.7	9.1	0.33	273	0.19	2.72	9.0	4.4
J840857		5.7	1.19	19.15	0.08	2.5	0.016	1.50	12.9	5.0	0.19	193	0.23	2.93	6.2	1.8
J840858		10.0	3.64	22.8	0.12	3.9	0.043	2.23	20.6	21.2	0.68	511	0.28	1.87	10.1	6.8
J840859		6.6	2.61	19.30	0.11	3.9	0.024	1.90	24.7	14.6	0.48	417	4.65	2.06	7.0	5.0
J840860		>10000	4.65	13.75	0.12	1.0	0.127	0.86	10.5	18.4	1.17	663	245	2.18	4.0	35.7
J840861		18.1	3.80	21.5	0.13	5.0	0.045	1.89	33.3	26.1	0.67	489	1.90	1.98	8.0	6.5
J840862		16.7	4.14	21.5	0.13	4.7	0.049	1.88	24.3	28.2	0.72	515	26.4	1.94	8.0	6.6
J840863		7.3	4.49	23.4	0.15	5.1	0.055	1.94	32.4	32.4	0.81	553	0.39	2.08	8.6	7.2
J840864		13.9	3.65	21.7	0.13	4.4	0.040	2.04	26.0	26.0	0.69	461	0.34	1.98	8.7	6.2
J840865		22.0	4.53	21.9	0.17	5.1	0.053	2.48	31.3	22.4	0.82	531	29.9	1.39	8.8	6.9
J840866		16.9	4.50	22.7	0.17	5.0	0.057	2.59	22.7	18.7	0.79	584	2.58	1.34	8.9	7.1
J840867		21.1	3.46	20.2	0.15	3.3	0.038	2.47	22.3	14.9	0.73	483	0.39	1.68	7.4	13.2
J840867 CRD		23.6	3.39	20.1	0.14	3.5	0.039	2.43	21.1	15.1	0.72	478	0.36	1.68	7.3	12.6
J840868		22.9	2.63	18.90	0.13	3.3	0.025	2.32	17.7	10.3	0.64	444	0.18	2.06	6.5	11.2
J840869		31.8	2.66	16.80	0.09	2.8	0.024	2.19	18.2	9.6	0.73	483	0.15	1.84	5.7	11.1
J840870		50.3	3.57	17.15	0.10	2.0	0.027	2.38	19.5	9.8	1.08	719	0.17	1.77	5.8	22.6
J840871		26.5	3.00	19.65	0.11	3.3	0.025	2.57	19.8	7.8	0.79	546	0.24	2.02	6.8	14.3
J840872		9.7	2.42	19.20	0.12	5.3	0.017	2.17	41.9	7.7	0.43	330	0.51	2.51	7.1	4.6
J840873		7.7	1.94	18.10	0.11	5.0	0.011	2.00	39.6	8.1	0.35	299	0.41	2.67	6.7	4.4
J840874		4.1	2.39	18.65	0.11	5.6	0.013	1.89	43.0	11.6	0.41	340	0.16	2.70	7.2	5.3
J840875		>10000	6.08	14.15	0.16	1.1	0.106	2.92	29.5	16.9	1.27	663	119.0	1.77	7.4	33.5
J840876		4.3	2.13	18.75	0.17	5.4	0.018	1.81	43.8	13.5	0.36	269	0.10	2.44	6.8	5.5
J840877		7.2	2.16	16.45	0.11	5.4	0.011	1.75	49.4	10.0	0.38	334	0.18	2.39	6.2	4.0
J840878		7.1	2.01	17.85	0.11	5.3	0.010	1.82	40.2	9.4	0.37	360	0.13	2.55	6.2	3.9
J840879		14.5	3.27	18.20	0.11	3.3	0.025	1.87	18.5	13.7	0.86	590	0.12	2.52	6.3	18.1
J840880		15.5	4.45	17.55	0.12	2.0	0.033	1.86	10.7	21.6	1.30	688	0.38	2.20	4.6	29.2
J840881		33.6	3.82	17.35	0.11	3.0	0.029	1.88	11.9	16.4	1.02	601	0.10	2.34	4.8	20.3
J840882		16.4	3.22	19.35	0.10	2.9	0.025	2.12	10.7	8.5	0.79	579	0.15	2.95	6.7	15.5
J840883		18.8	2.47	20.2	0.09	2.6	0.025	1.98	11.8	10.3	0.55	388	0.10	3.10	6.6	10.0
J840884		90.6	3.66	18.75	0.11	2.2	0.030	1.89	14.3	15.1	1.06	591	0.15	2.33	5.7	20.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840847		80	33.6	53.7	<0.002	0.30	0.08	3.9	1	1.1	128.5	0.69	0.21	4.8	0.011	0.18
J840847 CRD		80	26.8	53.9	<0.002	0.29	0.08	3.2	1	1.0	127.0	0.71	0.21	5.0	0.011	0.20
J840848		220	6.0	54.2	<0.002	0.02	0.09	3.6	1	1.2	120.0	0.56	<0.05	5.8	0.076	0.26
J840849		110	7.3	50.9	<0.002	0.05	0.08	2.8	1	1.4	111.0	2.04	<0.05	5.2	0.023	0.19
J840850		90	6.2	37.0	<0.002	0.18	0.07	3.2	1	1.4	121.5	2.27	0.06	4.1	0.013	0.16
J840851		90	8.4	33.4	<0.002	0.18	0.07	3.1	1	1.2	118.0	2.34	0.06	3.4	0.010	0.14
J840852		660	3.9	52.6	<0.002	0.10	0.16	10.3	1	1.7	150.0	0.60	0.06	3.0	0.220	0.26
J840853		480	4.5	59.2	<0.002	0.06	0.14	5.1	1	1.1	145.5	0.36	<0.05	9.1	0.181	0.26
J840854		420	4.8	56.9	<0.002	0.07	0.12	3.4	1	1.0	150.0	0.30	<0.05	10.1	0.159	0.25
J840855		400	6.1	54.3	<0.002	0.04	0.12	3.8	1	1.0	146.5	0.35	<0.05	7.6	0.165	0.25
J840856		320	5.2	53.7	<0.002	0.03	0.11	3.9	1	1.0	131.0	0.81	<0.05	8.5	0.130	0.23
J840857		190	4.5	42.0	<0.002	0.09	0.07	2.5	1	1.1	151.0	0.65	<0.05	3.8	0.058	0.18
J840858		860	4.5	60.1	<0.002	0.16	0.15	8.6	1	1.7	129.5	0.69	0.09	3.0	0.232	0.29
J840859		560	4.3	56.7	0.003	0.13	0.13	5.6	1	1.1	136.0	0.39	0.05	5.7	0.191	0.23
J840860		590	38.9	22.3	1.365	1.60	23.2	15.6	5	1.0	288	0.27	0.55	2.1	0.331	0.21
J840861		930	5.8	54.0	0.003	0.24	0.20	8.3	1	1.2	172.0	0.40	0.12	5.1	0.245	0.24
J840862		1020	5.2	52.2	<0.002	0.36	0.17	9.3	1	1.3	167.0	0.41	0.19	2.6	0.242	0.23
J840863		1140	5.2	56.9	<0.002	0.06	0.18	10.7	1	1.4	191.0	0.47	<0.05	3.3	0.267	0.24
J840864		920	4.5	54.0	<0.002	0.07	0.17	8.3	1	1.3	155.5	0.44	<0.05	4.1	0.264	0.25
J840865		1110	5.4	71.2	<0.002	0.39	0.18	10.4	2	1.5	156.0	0.43	0.50	2.9	0.275	0.33
J840866		1120	5.2	61.5	<0.002	0.63	0.18	10.0	1	1.4	151.0	0.44	0.33	2.3	0.269	0.34
J840867		790	4.9	62.5	<0.002	0.19	0.18	8.4	1	1.2	147.0	0.51	0.16	4.5	0.248	0.33
J840867 CRD		780	4.9	56.6	<0.002	0.18	0.18	8.1	1	1.3	146.5	0.51	0.15	4.2	0.245	0.31
J840868		410	4.7	53.4	<0.002	0.09	0.17	7.1	1	1.2	133.0	0.48	0.06	4.7	0.214	0.31
J840869		440	5.2	55.5	<0.002	0.13	0.17	6.5	1	1.2	129.0	0.41	0.14	3.9	0.220	0.26
J840870		1150	4.8	52.6	<0.002	0.21	0.18	8.1	1	1.4	151.5	0.45	0.11	3.4	0.250	0.29
J840871		620	4.7	58.7	<0.002	0.12	0.18	6.8	1	1.4	137.5	0.46	0.07	4.9	0.239	0.33
J840872		490	4.9	64.3	0.002	0.09	0.13	4.1	1	1.5	135.0	0.39	<0.05	12.0	0.161	0.29
J840873		380	6.0	59.4	<0.002	0.04	0.13	3.4	1	1.2	168.0	0.37	<0.05	12.5	0.145	0.26
J840874		460	7.2	55.6	<0.002	0.04	0.14	3.7	1	1.2	192.0	0.30	<0.05	13.4	0.169	0.24
J840875		940	61.5	86.8	0.143	2.60	7.42	15.2	6	2.7	269	0.27	1.00	5.0	0.327	0.79
J840876		390	7.2	60.5	<0.002	0.02	0.20	3.8	1	1.1	179.5	0.29	<0.05	11.7	0.166	0.21
J840877		420	6.4	49.5	<0.002	0.03	0.14	3.5	1	1.1	165.5	0.31	<0.05	14.6	0.159	0.22
J840878		370	6.6	50.8	<0.002	0.01	0.12	3.3	1	1.1	169.5	0.37	<0.05	12.6	0.146	0.25
J840879		380	9.5	46.9	<0.002	0.02	0.18	8.0	1	1.3	190.5	0.41	<0.05	5.6	0.237	0.26
J840880		410	6.6	43.2	<0.002	0.02	0.23	12.1	1	1.1	195.0	0.41	<0.05	2.4	0.308	0.25
J840881		420	8.5	41.2	<0.002	0.04	0.19	9.1	1	1.2	186.0	0.45	<0.05	3.3	0.272	0.27
J840882		590	7.6	45.6	<0.002	0.09	0.17	6.8	1	1.6	170.0	0.48	<0.05	3.0	0.216	0.29
J840883		650	6.6	55.5	<0.002	0.03	0.13	5.7	1	1.5	193.5	0.43	<0.05	3.0	0.171	0.26
J840884		860	7.1	45.1	<0.002	0.14	0.20	8.8	1	1.5	188.5	0.33	<0.05	2.3	0.291	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840847		1.8	9	0.4	7.3	5	42.5									
J840847 CRD		1.7	9	0.4	6.6	6	39.2									
J840848		1.0	17	1.3	5.6	29	98.6		0.52	1.9	70.37	15.27	1.96	2.09	0.51	4.27
J840849		3.0	7	0.7	7.6	11	51.5									
J840850		3.0	5	0.5	7.7	7	34.2									
J840851		5.4	4	0.4	6.6	6	28.0									
J840852		0.6	53	3.0	5.6	84	71.6									
J840853		0.8	26	3.5	6.2	66	186.5									
J840854		0.9	24	3.3	6.0	59	202									
J840855		0.8	25	3.0	5.0	60	189.0									
J840856		3.0	20	2.6	5.9	41	154.0									
J840857		1.0	15	0.9	5.6	16	67.6									
J840858		0.9	48	5.1	8.6	74	150.5									
J840859		0.6	34	3.7	5.9	52	152.0									
J840860		0.9	103	5.3	15.3	147	29.6	1.310								
J840861		0.5	50	4.0	7.9	78	203									
J840862		0.5	55	4.4	8.2	77	191.0									
J840863		0.6	63	2.3	8.9	88	203									
J840864		0.6	49	9.4	7.3	78	179.0									
J840865		0.6	60	16.7	9.1	82	227									
J840866		0.6	61	12.1	8.2	72	219									
J840867		0.7	54	5.9	6.6	61	147.0									
J840867 CRD		0.7	53	6.3	6.3	61	148.5									
J840868		0.8	50	4.8	5.3	50	133.5		1.11	4.1	63.88	14.56	3.82	3.83	1.23	2.78
J840869		0.8	51	5.2	4.5	54	110.5									
J840870		0.7	64	4.8	4.9	66	71.7									
J840871		0.7	59	6.3	4.7	58	131.0									
J840872		1.0	26	3.5	6.7	53	212									
J840873		0.8	20	3.1	5.8	51	202									
J840874		1.0	22	3.6	6.4	66	235									
J840875		1.3	161	11.7	14.7	182	36.3	2.19								
J840876		0.7	21	3.8	5.9	62	207									
J840877		1.0	21	4.0	6.4	56	223									
J840878		0.8	21	3.4	5.8	51	205									
J840879		0.6	66	8.7	4.5	74	129.0									
J840880		0.6	105	9.1	4.9	109	81.3									
J840881		0.8	80	6.0	4.5	93	122.0									
J840882		0.9	55	8.7	4.4	62	103.0									
J840883		0.5	40	3.9	4.4	62	89.6									
J840884		0.4	71	2.8	4.4	83	86.7									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840847 J840847 CRD J840848 J840849 J840850		2.23	<0.01	0.15	0.03	0.057	0.02	0.03	2.85	99.83
J840851 J840852 J840853 J840854 J840855										
J840856 J840857 J840858 J840859 J840860										
J840861 J840862 J840863 J840864 J840865										
J840866 J840867 J840867 CRD J840868 J840869		2.74	0.01	0.38	0.06	0.093	0.02	0.04	5.29	98.73
J840870 J840871 J840872 J840873 J840874										
J840875 J840876 J840877 J840878 J840879										
J840880 J840881 J840882 J840883 J840884										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840885		2.96	0.008		0.03	8.17	0.5	570	1.12	0.04	3.74	0.14	14.15	9.0	13	1.00
J840886		3.07	<0.005		0.01	8.28	<0.2	640	1.17	0.03	3.10	0.13	32.4	8.5	4	1.06
J840887		2.91	<0.005		0.07	6.87	0.4	300	0.70	0.02	4.87	0.08	41.9	25.2	306	0.66
J840887 CRD		<0.02	<0.005		0.08	7.16	0.2	310	0.72	0.02	4.98	0.09	43.0	25.9	312	0.68
J840888		3.03	<0.005	0.011	0.03	7.32	0.2	350	0.87	0.02	2.15	0.03	34.6	9.0	16	0.73
J840889		3.12	0.005		0.03	7.47	<0.2	340	0.86	0.03	3.91	0.08	41.8	15.2	27	0.78
J840890		0.07	0.423		2.11	7.98	107.5	640	1.18	0.53	0.59	0.99	32.8	18.1	33	6.71
J840891		2.98	0.827		0.40	6.86	0.2	430	0.92	0.09	2.86	0.07	40.8	9.4	15	0.94
J840892		2.64	0.251		0.09	7.13	<0.2	430	0.93	0.03	3.45	0.10	36.5	7.4	21	0.84
J840893		2.98	0.011		<0.01	7.12	<0.2	380	0.91	0.02	2.18	0.05	51.0	7.6	13	0.83
J840894		3.24	0.062		0.01	7.50	<0.2	480	1.00	0.03	1.46	0.03	52.6	3.8	6	0.84
J840895		2.91	0.156		0.04	7.08	<0.2	300	0.92	0.03	1.18	0.02	23.5	2.4	5	0.70
J840896		3.28	0.174		0.11	7.17	<0.2	440	1.05	0.04	3.80	0.09	35.5	13.9	23	1.09
J840897		3.05	0.147		0.08	7.26	<0.2	420	1.10	0.03	3.85	0.09	35.5	14.1	26	1.24
J840898		3.01	0.174		0.12	7.18	<0.2	560	1.13	0.06	2.73	0.07	30.5	10.1	13	1.16
J840899		3.02	0.095		0.06	8.13	0.3	530	1.06	0.03	2.36	0.06	30.6	8.2	7	0.96
J840900		0.07	0.969		4.79	6.96	21.8	530	0.75	1.90	2.63	2.18	22.2	15.4	62	0.80
J840901		2.68	0.014		<0.01	7.56	<0.2	460	1.04	0.01	1.31	0.04	24.0	3.8	11	0.86
J840902		3.13	0.507		0.33	7.37	0.3	560	1.14	0.06	3.43	0.10	44.4	14.6	17	1.12
J840903		3.19	0.026		0.02	6.85	<0.2	460	0.99	0.02	2.04	0.06	27.4	7.1	10	0.82
J840904		3.03	0.090		0.04	7.40	<0.2	420	0.86	0.02	1.32	0.03	22.2	2.0	6	0.56
J840905		3.08	0.020		0.02	7.33	<0.2	460	0.98	0.01	1.60	0.03	19.70	3.9	11	0.78
J840906		3.22	0.146		0.08	7.11	0.2	460	1.07	0.04	3.83	0.08	29.1	14.9	29	1.03
J840907		3.07	0.314		0.21	7.29	<0.2	390	1.14	0.04	3.89	0.08	31.3	15.3	25	1.06
J840907 CRD		<0.02	0.289		0.13	7.36	0.2	380	1.13	0.04	3.90	0.08	29.8	16.1	25	1.11
J840908		3.29	0.319	0.300	0.13	7.47	0.3	440	1.20	0.06	2.73	0.06	26.2	10.9	19	1.02
J840909		2.93	0.598		0.09	6.88	0.4	380	1.17	0.04	2.57	0.06	24.4	9.6	18	0.89
J840910		3.05	0.059		0.02	6.53	<0.2	330	1.02	0.02	2.27	0.06	16.55	8.7	10	0.74
J840911		3.20	0.231		0.13	7.96	1.1	330	1.12	0.05	4.14	0.09	52.9	21.5	16	0.97
J840912		3.20	0.124		0.09	7.44	0.8	290	1.01	0.06	4.93	0.10	39.6	23.3	20	0.84
J840913		3.58	0.071		0.17	6.71	1.1	200	0.77	0.08	2.87	0.08	28.4	12.6	17	0.55
J840914		2.49	0.214		0.30	7.09	0.6	340	1.02	0.05	3.28	0.07	25.0	17.4	14	0.91
J840915		0.12	2.35		7.99	7.01	53.9	710	0.86	3.45	1.71	1.01	54.8	16.9	59	3.13
J840916		2.76	0.011		0.01	6.31	0.6	320	0.97	0.04	3.16	0.06	23.0	14.0	14	0.86
J840917		2.68	0.081		0.15	7.78	0.7	380	1.00	0.07	4.55	0.10	139.0	25.2	15	0.86
J840918		4.19	0.286		0.10	7.07	<0.2	500	1.03	0.06	2.77	0.07	53.5	9.0	12	0.96
J840919		3.43	0.776		0.23	7.51	1.1	510	1.06	0.16	2.97	0.06	35.1	11.2	12	1.19
J840920		3.35	0.249		0.05	6.77	0.7	400	0.93	0.06	1.99	0.04	47.0	2.9	6	0.89
J840921		3.01	0.102		0.01	6.69	0.4	500	1.01	0.06	2.35	0.02	48.6	3.8	8	1.03
J840922		2.68	0.017		0.14	6.97	0.5	480	1.35	0.06	4.11	0.04	52.3	11.7	44	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840885		13.4	3.41	24.2	0.13	3.4	0.029	2.99	5.7	4.0	0.88	671	0.14	2.75	5.1	18.1
J840886		17.6	3.23	25.4	0.16	3.4	0.030	3.08	14.9	6.1	0.81	584	0.15	2.65	7.1	12.8
J840887		45.8	4.35	17.05	0.17	1.8	0.032	1.62	20.3	22.7	2.65	789	0.19	1.77	4.9	159.0
J840887 CRD		44.2	4.44	17.45	0.15	2.1	0.032	1.68	20.7	23.1	2.72	804	0.18	1.84	4.7	163.5
J840888		28.0	2.62	18.95	0.13	3.1	0.023	1.64	16.7	11.0	0.70	396	0.10	2.96	5.0	13.5
J840889		53.1	3.77	17.85	0.19	1.8	0.035	1.86	16.9	13.1	1.53	806	0.27	2.61	6.0	43.6
J840890		4580	4.99	17.15	0.19	0.8	0.059	4.58	18.1	11.2	0.79	512	262	1.10	5.3	22.5
J840891		26.3	2.86	18.70	0.17	2.8	0.026	2.24	18.2	4.8	0.85	567	2.18	2.24	5.1	12.6
J840892		6.7	3.03	18.60	0.16	2.8	0.024	2.15	16.2	4.0	0.83	644	1.97	2.72	5.9	15.8
J840893		11.3	2.65	19.30	0.15	3.6	0.022	1.88	24.1	7.0	0.54	446	0.15	2.62	7.0	9.3
J840894		10.8	1.86	20.2	0.14	2.9	0.019	2.10	26.4	3.3	0.30	296	0.17	2.69	5.6	3.1
J840895		6.3	1.11	19.00	0.11	3.1	0.013	1.64	11.8	1.1	0.15	181	0.30	3.16	9.4	2.2
J840896		19.6	3.71	18.20	0.17	2.7	0.032	2.53	17.3	4.0	1.14	715	0.27	1.76	8.0	23.0
J840897		47.6	3.84	19.25	0.17	2.8	0.036	2.62	16.7	3.4	1.15	749	0.19	1.90	8.8	20.9
J840898		30.8	3.08	21.7	0.16	2.6	0.028	2.89	13.7	2.9	0.73	530	0.37	1.71	7.2	12.7
J840899		22.4	2.69	21.0	0.17	2.5	0.023	2.49	13.8	2.9	0.64	499	0.20	2.80	7.3	9.3
J840900		>10000	4.95	13.95	0.16	1.1	0.132	0.89	11.3	15.0	1.25	706	253	2.30	4.2	34.1
J840901		19.6	1.62	19.75	0.11	3.0	0.018	2.27	11.4	1.5	0.36	253	1.25	2.45	10.6	7.9
J840902		28.4	3.59	20.8	0.17	2.5	0.032	2.97	20.1	2.3	0.94	594	0.24	1.61	7.0	19.9
J840903		18.4	2.23	17.90	0.14	2.3	0.026	2.19	12.9	2.3	0.60	399	0.24	2.29	5.9	13.3
J840904		6.8	1.14	17.40	0.12	1.8	0.015	1.45	11.3	1.8	0.14	156	0.20	3.84	5.5	2.2
J840905		7.7	1.73	18.45	0.13	2.8	0.016	1.91	9.7	2.3	0.38	276	0.11	2.80	6.0	7.3
J840906		29.9	3.80	19.00	0.17	2.5	0.033	2.50	13.0	5.4	1.19	727	0.14	2.01	7.0	29.0
J840907		35.8	3.83	18.80	0.17	1.9	0.034	2.40	13.9	6.8	1.29	732	0.13	2.05	8.0	31.0
J840907 CRD		37.7	3.88	19.15	0.16	2.0	0.034	2.43	13.1	6.8	1.29	738	0.16	2.07	7.8	31.5
J840908		30.7	2.74	19.90	0.17	2.8	0.026	2.25	12.2	2.9	0.80	552	0.13	2.59	8.3	18.7
J840909		12.6	2.83	21.9	0.15	3.0	0.036	2.17	10.7	3.6	0.71	661	0.24	2.62	19.8	15.2
J840910		30.9	2.23	16.75	0.13	3.5	0.019	1.85	7.1	3.2	0.67	425	0.14	2.31	5.5	14.2
J840911		73.7	5.03	19.10	0.21	1.2	0.043	2.32	23.2	16.0	1.57	818	0.63	2.00	5.7	23.9
J840912		54.9	5.07	16.70	0.17	1.0	0.040	2.12	16.0	15.7	1.96	947	0.15	1.88	4.8	46.5
J840913		22.6	2.72	17.25	0.16	1.3	0.032	1.38	11.2	7.9	1.02	614	0.18	3.23	10.7	29.2
J840914		68.6	3.24	18.80	0.15	1.5	0.031	2.26	10.7	4.8	1.05	616	0.18	2.34	6.0	19.5
J840915		>10000	6.07	14.25	0.19	1.1	0.107	2.84	26.3	16.2	1.26	665	117.5	1.72	6.7	34.3
J840916		70.6	3.35	18.40	0.09	1.5	0.033	2.12	9.7	7.3	0.98	639	0.22	2.29	5.8	19.8
J840917		93.1	6.18	20.7	0.26	2.9	0.057	2.17	67.4	18.7	1.62	997	0.52	1.70	5.9	16.4
J840918		39.1	2.82	20.0	0.17	2.8	0.030	2.50	22.1	3.0	0.62	481	0.26	1.99	6.7	11.3
J840919		12.5	3.14	21.0	0.09	2.7	0.030	2.80	14.8	4.1	0.72	515	0.40	1.88	5.0	15.0
J840920		5.1	1.60	18.70	0.08	4.9	0.015	2.01	23.0	2.1	0.23	243	0.40	2.59	3.4	3.0
J840921		6.0	1.84	19.25	0.08	4.1	0.017	2.24	24.9	3.3	0.36	269	0.77	2.17	4.1	7.5
J840922		21.1	2.54	18.40	0.11	4.6	0.026	1.42	23.5	19.7	1.08	421	0.25	3.03	5.2	56.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840885		500	6.7	51.3	<0.002	0.05	0.16	6.7	1	1.1	183.0	0.32	<0.05	1.4	0.167	0.41
J840886		580	6.0	53.5	<0.002	0.05	0.14	4.3	1	1.3	151.5	0.53	<0.05	3.7	0.179	0.43
J840887		560	5.5	46.9	<0.002	0.06	0.18	13.8	1	1.1	237	0.26	<0.05	3.5	0.233	0.22
J840887 CRD		580	5.3	48.6	<0.002	0.06	0.18	14.0	1	1.1	243	0.25	<0.05	3.2	0.223	0.23
J840888		420	6.7	41.0	<0.002	0.05	0.15	6.6	1	1.3	180.5	0.46	<0.05	4.6	0.161	0.23
J840889		980	4.9	44.7	<0.002	0.07	0.16	12.3	1	1.3	199.5	0.52	<0.05	2.3	0.211	0.25
J840890		1150	40.2	113.5	0.605	2.58	7.23	11.4	8	2.9	273	0.32	0.99	2.5	0.261	1.46
J840891		510	4.8	47.6	0.004	0.23	0.16	6.9	1	1.3	149.5	0.31	0.19	4.2	0.169	0.30
J840892		480	4.5	43.1	<0.002	0.06	0.13	6.7	1	1.1	158.0	0.42	0.06	3.7	0.174	0.27
J840893		490	5.1	46.6	<0.002	0.02	0.14	5.3	1	1.2	156.0	0.38	<0.05	6.0	0.191	0.26
J840894		350	5.2	56.8	<0.002	0.06	0.10	3.5	1	1.2	125.5	0.41	<0.05	7.2	0.108	0.27
J840895		110	6.5	44.2	<0.002	0.12	0.09	2.7	1	1.4	124.0	1.26	0.06	6.7	0.051	0.21
J840896		560	4.8	61.3	<0.002	0.12	0.19	10.7	1	1.3	161.0	0.79	0.06	3.7	0.261	0.32
J840897		700	5.1	61.1	<0.002	0.11	0.22	11.5	1	1.9	175.0	0.83	0.07	3.1	0.298	0.35
J840898		640	5.5	58.8	<0.002	0.16	0.16	6.8	1	1.6	135.0	0.51	0.08	3.2	0.213	0.38
J840899		590	9.2	56.8	<0.002	0.15	0.14	6.4	1	1.6	137.5	0.71	0.06	5.7	0.168	0.31
J840900		590	41.0	22.2	1.415	1.73	26.0	15.3	6	1.0	315	0.27	0.62	2.2	0.352	0.24
J840901		220	5.2	59.0	0.006	0.03	0.13	4.4	1	1.5	111.5	1.33	<0.05	3.9	0.073	0.29
J840902		660	5.9	59.2	<0.002	0.25	0.17	9.3	1	1.8	159.5	0.50	0.11	4.7	0.225	0.39
J840903		330	4.4	49.9	<0.002	0.05	0.12	5.6	1	1.5	133.0	0.54	<0.05	3.9	0.139	0.28
J840904		150	5.7	38.9	<0.002	0.12	0.07	2.2	1	1.1	138.5	0.56	<0.05	3.9	0.051	0.19
J840905		250	3.9	52.4	<0.002	0.02	0.09	3.5	1	1.1	135.0	0.42	<0.05	4.3	0.113	0.26
J840906		470	6.3	52.2	<0.002	0.06	0.16	11.4	1	1.4	179.0	0.49	<0.05	2.6	0.262	0.32
J840907		630	5.7	54.8	<0.002	0.08	0.17	11.7	1	1.5	189.5	0.85	0.07	2.7	0.247	0.32
J840907 CRD		630	5.7	56.1	<0.002	0.09	0.18	12.0	1	1.6	192.5	0.84	0.07	2.4	0.236	0.32
J840908		300	6.5	52.7	<0.002	0.09	0.15	7.7	1	1.3	162.5	1.03	0.08	4.4	0.194	0.30
J840909		270	6.3	44.0	<0.002	0.16	0.14	7.8	1	2.6	144.0	2.27	0.07	4.1	0.180	0.30
J840910		390	4.7	43.8	<0.002	0.06	0.11	6.0	1	1.0	154.5	0.60	<0.05	2.1	0.128	0.25
J840911		1410	5.6	56.5	<0.002	0.21	0.19	15.7	1	1.5	215	0.52	<0.05	1.8	0.322	0.30
J840912		1160	5.6	49.9	<0.002	0.17	0.16	16.9	1	1.2	256	0.51	<0.05	0.7	0.270	0.28
J840913		410	7.1	30.3	<0.002	0.12	0.13	10.0	1	1.7	203	1.10	<0.05	4.4	0.145	0.19
J840914		750	5.3	47.6	<0.002	0.24	0.18	9.6	1	1.2	206	0.56	0.07	1.3	0.221	0.29
J840915		930	64.6	74.9	0.126	2.59	7.00	15.8	7	2.5	275	0.25	1.04	4.5	0.336	0.82
J840916		800	5.0	47.6	<0.002	0.20	0.19	8.7	1	1.2	220	0.82	<0.05	0.9	0.239	0.26
J840917		1620	5.6	59.4	<0.002	0.37	0.42	19.8	1	1.5	243	0.36	0.05	8.7	0.557	0.29
J840918		1320	4.2	54.4	<0.002	0.30	0.18	4.9	1	1.5	173.5	0.46	0.07	4.5	0.226	0.33
J840919		540	4.2	68.0	<0.002	0.35	0.19	7.4	1	1.0	165.5	0.53	0.15	4.2	0.191	0.33
J840920		240	4.8	58.3	<0.002	0.12	0.12	2.4	1	0.8	196.5	0.28	0.05	8.0	0.079	0.23
J840921		360	4.9	65.2	<0.002	0.08	0.12	3.0	1	0.9	235	0.28	<0.05	7.1	0.104	0.28
J840922		950	5.8	36.2	<0.002	0.37	0.23	7.2	1	1.1	687	0.36	<0.05	5.9	0.188	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840885		0.7	51	5.3	3.4	51	80.2									
J840886		0.6	39	6.9	4.3	53	128.5									
J840887		0.6	81	4.3	6.4	98	67.1									
J840887 CRD		0.6	84	4.1	6.5	100	76.3									
J840888		1.1	42	2.9	5.5	52	102.0		0.97	3.6	66.37	14.20	3.54	2.88	1.21	3.90
J840889		0.6	66	3.2	6.2	82	49.8									
J840890		1.2	164	12.5	13.9	153	24.5									
J840891		0.7	40	5.4	5.4	46	102.5									
J840892		0.8	42	5.6	4.9	51	102.0									
J840893		0.7	34	3.9	5.6	70	135.0									
J840894		0.8	23	2.5	4.8	40	101.5									
J840895		2.6	11	1.3	6.3	15	81.2									
J840896		1.6	73	4.3	5.6	73	103.0									
J840897		1.4	78	4.8	6.1	61	106.0									
J840898		0.7	55	3.5	4.2	54	94.9									
J840899		2.2	41	2.9	5.6	53	64.4									
J840900		0.9	112	5.5	14.9	143	33.5	1.290								
J840901		1.3	25	1.6	4.0	28	68.6									
J840902		0.8	62	4.8	4.8	55	89.9									
J840903		0.9	44	2.1	3.7	38	71.9									
J840904		0.8	15	0.5	3.6	18	59.8									
J840905		0.9	28	1.0	3.9	28	89.9									
J840906		0.8	81	3.4	4.8	73	94.5									
J840907		1.0	77	3.9	5.5	81	57.4									
J840907 CRD		1.4	77	3.7	5.5	80	60.9									
J840908		1.7	52	3.6	5.7	48	89.3		1.46	5.4	62.81	14.56	3.73	3.67	1.41	3.46
J840909		2.1	49	3.0	5.8	53	89.5									
J840910		1.0	40	1.9	3.7	37	96.8									
J840911		0.8	104	3.7	6.1	121	38.7									
J840912		1.3	107	3.6	6.0	118	23.6									
J840913		2.0	50	1.8	5.5	57	24.1									
J840914		0.6	64	4.4	4.4	47	53.7									
J840915		1.3	161	11.0	13.6	175	34.8	2.17								
J840916		0.5	73	5.9	4.5	58	54.1									
J840917		1.1	157	9.2	8.2	137	120.0									
J840918		0.8	50	3.8	4.9	37	99.4									
J840919		1.2	54	4.4	4.6	48	81.6									
J840920		1.1	17	1.5	4.3	24	126.0									
J840921		0.7	22	1.6	4.5	29	131.0									
J840922		1.2	51	1.2	6.3	79	134.5									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840885										
J840886										
J840887										
J840887 CRD										
J840888		1.92	<0.01	0.29	0.05	0.091	0.02	0.02	4.44	98.93
J840889										
J840890										
J840891										
J840892										
J840893										
J840894										
J840895										
J840896										
J840897										
J840898										
J840899										
J840900										
J840901										
J840902										
J840903										
J840904										
J840905										
J840906										
J840907										
J840907 CRD										
J840908		2.65	<0.01	0.36	0.07	0.069	0.02	0.03	6.13	98.97
J840909										
J840910										
J840911										
J840912										
J840913										
J840914										
J840915										
J840916										
J840917										
J840918										
J840919										
J840920										
J840921										
J840922										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840923		2.81	0.169		0.08	6.38	<0.2	590	1.14	0.09	3.34	0.04	60.9	6.7	10	1.07
J840924		4.51	<0.005		0.05	7.75	0.8	160	1.83	0.16	5.81	0.04	89.3	16.9	71	0.33
J840925		4.06	0.007		<0.01	6.91	<0.2	660	1.40	0.06	3.73	0.02	68.0	9.7	29	0.97
J840926		3.29	0.009		<0.01	6.65	0.3	380	0.81	0.03	2.41	0.03	49.1	5.7	10	0.70
J840927		3.50	0.006		<0.01	7.25	0.4	400	0.94	0.02	2.70	0.05	41.7	4.7	12	0.83
J840927 CRD		<0.02	0.010		<0.01	7.34	0.6	410	0.88	0.02	2.68	0.04	43.1	4.4	11	0.82
J840928		3.73	0.017	0.008	0.02	7.39	0.3	410	0.86	0.03	3.38	0.08	50.8	12.1	16	0.94
J840929		3.55	0.007		0.01	7.48	0.7	390	0.86	0.01	2.84	0.07	47.1	9.8	16	0.84
J840930		0.07	0.438		2.36	7.91	111.0	610	1.24	0.53	0.59	0.98	33.5	18.0	33	7.21
J840931		3.08	0.012		0.02	7.59	0.3	350	0.75	0.02	3.53	0.07	55.1	10.9	13	0.79
J840932		3.17	0.010		<0.01	6.93	<0.2	370	0.77	0.02	2.89	0.06	68.0	9.3	8	0.82
J840933		3.26	0.022		0.02	7.10	0.5	480	0.90	0.02	2.58	0.06	72.5	6.8	8	0.84
J840934		3.37	0.008		0.02	7.03	<0.2	440	0.85	0.06	3.57	0.06	78.4	11.8	11	0.79
J840935		3.08	<0.005		0.02	6.26	0.7	500	0.99	0.07	3.14	0.08	45.0	9.5	71	0.78
J840936		3.48	<0.005		0.02	7.08	0.2	480	1.00	0.05	2.33	0.03	32.8	4.5	6	0.75
J840937		3.64	<0.005		0.04	7.04	1.4	430	1.08	0.05	2.28	0.04	44.1	6.8	12	0.71
J840938		3.58	<0.005		0.03	7.30	0.9	450	1.07	0.04	2.18	0.03	50.9	6.6	11	0.80
J840939		3.18	<0.005		0.05	7.15	0.9	420	1.02	0.05	2.42	0.03	37.3	8.2	14	0.68
J840940		3.42	<0.005		0.04	7.46	1.8	300	0.85	0.25	3.59	0.05	36.0	17.2	26	0.64
J840941		3.65	<0.005		0.08	7.55	1.1	670	0.89	0.07	3.47	0.03	31.0	13.1	19	1.01
J840942		3.54	<0.005		0.03	7.00	4.1	680	1.20	0.09	3.15	0.02	46.3	7.6	28	0.85
J840943		2.87	<0.005		<0.01	7.16	2.9	620	0.93	0.01	1.81	0.04	30.6	3.5	7	0.81
J840944		3.16	<0.005		0.01	6.91	3.0	580	0.83	0.01	1.96	0.08	37.3	3.5	8	0.86
J840945		1.05	<0.005		<0.01	0.17	<5	10	<0.05	0.01	20.9	<0.02	2.98	0.8	2	0.11
J840946		3.25	<0.005		0.54	7.48	27.7	420	0.77	0.05	3.88	0.03	28.1	20.6	25	0.88
J840947		3.63	<0.005		0.08	7.75	17.2	320	0.76	0.07	3.79	0.05	34.6	16.8	22	0.68
J840947 CRD		<0.02	<0.005		0.07	7.58	17.0	320	0.80	0.07	3.68	0.05	35.9	17.3	24	0.68
J840948		3.06	<0.005	<0.005	0.04	7.09	1.3	610	0.96	0.03	1.96	0.06	32.6	2.8	8	0.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840923		34.5	2.29	17.25	0.11	2.9	0.019	2.20	31.8	13.4	0.54	392	0.19	1.72	4.7	9.2
J840924		32.2	3.59	19.60	0.13	5.5	0.035	0.60	43.4	30.6	1.85	580	0.13	3.25	7.9	90.7
J840925		28.6	2.66	18.05	0.10	4.8	0.029	2.33	35.6	14.1	0.87	416	0.14	2.01	6.5	26.9
J840926		25.4	2.11	17.45	0.08	3.3	0.016	1.76	24.2	9.8	0.40	302	0.12	2.63	5.0	6.1
J840927		9.5	2.12	20.2	0.10	3.7	0.018	2.02	20.7	9.7	0.40	372	0.19	2.72	6.2	7.7
J840927 CRD		7.0	2.06	19.75	0.08	3.4	0.016	2.01	21.4	9.3	0.40	366	0.20	2.71	5.9	7.4
J840928		23.2	4.03	19.85	0.11	3.0	0.043	2.20	22.9	14.6	0.91	684	0.11	1.94	7.1	17.0
J840929		8.9	3.01	19.15	0.10	3.6	0.025	2.03	23.0	9.0	0.69	492	0.12	2.61	5.4	15.1
J840930		4580	5.05	17.00	0.16	0.7	0.056	5.60	17.4	11.8	0.79	525	278	1.03	5.0	25.2
J840931		14.9	3.92	20.8	0.11	4.1	0.044	1.95	24.7	17.3	0.69	504	0.38	2.34	7.7	6.6
J840932		11.7	3.45	20.3	0.13	4.4	0.039	1.94	32.8	17.2	0.63	447	0.14	2.33	8.3	6.2
J840933		13.1	2.82	19.45	0.12	4.9	0.025	2.21	37.6	8.9	0.59	483	0.16	2.20	7.2	8.1
J840934		26.4	4.06	19.75	0.14	3.7	0.045	2.09	37.7	21.1	0.86	568	0.26	1.85	10.2	11.5
J840935		5.3	2.60	18.45	0.10	3.2	0.022	2.16	22.8	10.1	0.80	490	0.48	2.06	6.0	51.6
J840936		9.1	1.90	20.3	0.08	3.2	0.019	1.93	16.1	9.4	0.34	301	0.48	2.62	5.3	2.7
J840937		16.7	2.43	20.6	0.11	4.2	0.028	1.69	19.3	13.3	0.48	353	0.41	2.71	6.7	5.9
J840938		17.7	2.50	20.8	0.13	4.3	0.027	1.79	22.7	13.3	0.48	356	0.07	2.65	5.4	5.7
J840939		16.2	2.46	17.75	0.09	2.7	0.019	1.52	17.6	13.7	0.60	412	0.79	2.86	5.6	11.5
J840940		13.9	4.47	19.35	0.12	2.7	0.032	1.19	16.5	28.5	1.32	666	0.60	2.62	6.4	30.3
J840941		40.9	3.83	18.85	0.11	2.3	0.029	2.19	14.6	23.2	1.10	622	0.28	1.83	5.7	23.1
J840942		13.6	2.13	18.40	0.10	4.3	0.021	1.99	21.3	13.5	0.68	403	0.23	2.53	7.9	29.3
J840943		3.2	1.71	17.85	0.08	3.3	0.016	1.81	15.2	6.5	0.28	283	0.37	2.94	7.2	4.2
J840944		3.2	1.69	17.55	0.10	3.4	0.016	1.86	18.6	7.8	0.31	294	0.53	2.69	7.3	4.5
J840945		0.8	0.09	0.39	0.07	0.1	<0.005	0.12	2.1	4.8	12.75	49	0.11	0.01	0.4	1.2
J840946		43.3	4.32	18.30	0.10	2.8	0.034	1.57	12.5	27.7	1.31	742	0.18	2.44	6.3	28.8
J840947		23.9	4.54	19.25	0.11	2.8	0.040	1.15	15.5	24.9	1.40	737	0.16	2.55	7.0	25.5
J840947 CRD		25.6	4.39	19.00	0.11	2.7	0.037	1.13	16.1	25.2	1.35	713	0.15	2.51	6.9	25.8
J840948		16.2	1.45	17.70	0.09	2.7	0.013	1.62	15.2	6.2	0.23	228	0.50	3.14	6.1	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840923		430	5.9	70.4	<0.002	0.11	0.19	5.4	1	0.8	313	0.29	<0.05	6.8	0.163	0.27
J840924		1480	9.6	17.8	<0.002	0.59	0.48	13.5	2	1.5	1085	0.51	<0.05	9.2	0.348	0.08
J840925		670	5.8	67.0	<0.002	0.20	0.25	7.9	1	1.2	668	0.41	<0.05	9.7	0.221	0.29
J840926		330	5.1	49.7	<0.002	0.08	0.13	3.7	1	0.8	252	0.27	<0.05	7.9	0.141	0.21
J840927		310	5.3	56.2	<0.002	0.02	0.14	4.9	1	0.9	258	0.45	<0.05	7.1	0.134	0.25
J840927 CRD		300	5.4	54.5	<0.002	0.02	0.14	4.8	1	0.9	256	0.43	<0.05	7.5	0.129	0.24
J840928		640	4.0	56.4	<0.002	0.03	0.21	10.5	1	1.4	213	0.43	<0.05	4.0	0.268	0.27
J840929		400	4.5	53.9	<0.002	0.02	0.19	7.7	1	0.9	208	0.36	<0.05	6.4	0.203	0.24
J840930		1160	40.1	151.5	0.601	2.59	6.77	12.0	8	2.8	272	0.33	0.81	2.7	0.249	1.34
J840931		940	4.1	50.7	<0.002	0.03	0.19	8.8	1	1.3	233	0.46	<0.05	3.5	0.241	0.26
J840932		840	4.5	56.8	<0.002	0.04	0.17	8.0	1	1.2	204	0.44	<0.05	5.3	0.242	0.25
J840933		490	4.1	61.1	<0.002	0.03	0.17	6.2	1	1.1	161.5	0.38	<0.05	9.2	0.230	0.28
J840934		940	4.6	59.4	<0.002	0.13	0.19	9.8	1	1.4	183.5	0.54	<0.05	4.6	0.312	0.26
J840935		360	4.1	61.9	<0.002	0.09	0.15	6.0	1	0.9	167.5	0.49	<0.05	4.4	0.198	0.27
J840936		380	4.8	54.4	<0.002	0.03	0.09	3.7	1	0.9	206	0.45	<0.05	3.0	0.143	0.26
J840937		510	4.2	49.8	<0.002	0.03	0.09	5.3	1	1.4	195.0	0.71	<0.05	4.0	0.133	0.23
J840938		510	3.2	56.9	<0.002	0.04	0.09	5.5	1	1.3	177.5	0.36	<0.05	4.4	0.127	0.26
J840939		270	4.2	47.0	<0.002	0.02	0.10	6.8	1	0.9	185.0	0.51	<0.05	6.4	0.174	0.22
J840940		500	4.0	39.4	<0.002	0.52	0.19	13.8	1	1.2	246	0.52	<0.05	3.5	0.322	0.20
J840941		340	2.9	70.5	<0.002	0.06	0.12	12.3	1	1.1	137.5	0.52	<0.05	3.8	0.279	0.33
J840942		650	11.3	61.9	<0.002	0.13	0.17	5.3	1	1.3	211	0.60	<0.05	6.0	0.202	0.29
J840943		280	5.6	57.5	<0.002	0.03	0.08	3.0	1	1.0	129.0	0.67	<0.05	4.9	0.129	0.25
J840944		290	5.4	59.0	<0.002	0.01	0.08	3.1	1	1.0	121.5	0.65	<0.05	6.0	0.140	0.27
J840945		10	1.2	2.7	<0.002	0.04	<0.05	0.3	1	<0.2	64.8	<0.05	<0.05	0.3	0.007	0.02
J840946		480	5.7	44.4	<0.002	0.01	0.10	14.1	1	1.3	124.0	0.60	<0.05	2.7	0.356	0.26
J840947		490	7.6	38.0	<0.002	0.01	0.29	14.7	1	1.3	204	0.68	<0.05	3.4	0.382	0.19
J840947 CRD		480	7.2	35.9	<0.002	0.01	0.27	14.6	1	1.2	202	0.71	<0.05	3.4	0.372	0.19
J840948		210	8.1	37.4	<0.002	0.01	0.28	3.0	1	0.7	187.5	0.51	<0.05	5.4	0.100	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840923		0.6	29	2.4	5.9	45	98.6									
J840924		1.7	91	0.8	10.7	65	170.5									
J840925		1.4	46	1.7	7.7	55	170.0									
J840926		1.1	22	1.9	5.4	50	114.0									
J840927		1.3	24	1.8	6.0	47	122.5									
J840927 CRD		1.2	24	1.6	5.8	47	117.0									
J840928		0.7	68	3.1	5.8	80	116.5		1.34	4.9	60.41	14.69	5.60	4.81	1.70	2.74
J840929		0.9	51	2.7	4.8	56	128.0									
J840930		1.1	161	11.8	14.1	149	22.6									
J840931		0.7	53	3.8	6.7	87	153.5									
J840932		0.6	47	3.0	7.1	79	165.5									
J840933		0.8	38	4.0	6.4	47	192.0									
J840934		0.8	55	6.6	8.0	83	141.0									
J840935		0.8	38	3.3	5.4	44	115.0									
J840936		0.6	24	0.7	4.5	36	116.5									
J840937		0.7	34	0.4	6.4	47	148.0									
J840938		0.6	34	0.3	7.5	53	149.5									
J840939		1.2	46	0.4	8.2	44	84.3									
J840940		0.7	97	4.3	11.0	78	97.9									
J840941		1.0	89	0.6	10.6	82	84.1									
J840942		1.0	34	0.4	6.7	49	140.0									
J840943		2.3	16	0.3	6.2	40	116.0									
J840944		0.6	18	0.4	6.1	54	127.0									
J840945		0.1	2	0.1	1.6	<2	2.5									
J840946		0.8	103	1.1	12.5	94	98.0									
J840947		0.9	109	1.0	13.2	88	100.5									
J840947 CRD		0.9	106	1.0	12.8	86	98.4									
J840948		1.1	15	0.2	5.6	33	90.1		0.09	0.3	71.46	14.41	1.96	2.77	0.43	4.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840923										
J840924										
J840925										
J840926										
J840927										
J840927 CRD										
J840928		2.67	<0.01	0.56	0.09	0.142	0.03	0.04	6.57	100.05
J840929										
J840930										
J840931										
J840932										
J840933										
J840934										
J840935										
J840936										
J840937										
J840938										
J840939										
J840940										
J840941										
J840942										
J840943										
J840944										
J840945										
J840946										
J840947										
J840947 CRD										
J840948		1.93	<0.01	0.17	0.03	0.050	0.03	0.06	0.97	98.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 4-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189651

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.