ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE TB10180658

Project: HAMMOND REEF

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J838814		3.23	0.158			0.06	6.97	0.2	510	1.11	0.02	2.62	0.06	36.1	8.5	6
J838815		0.12	2.32			7.90	6.65	49.7	640	0.79	3.63	1.62	0.95	52.6	17.1	60
J838816		3.39	0.653			0.12	8.06	0.5	590	1.19	0.06	2.10	0.04	62.5	6.3	11
J838817		3.36	0.112			0.16	6.65	1.1	510	0.93	0.08	2.23	0.11	47.7	8.0	8
J838818		3.41	0.289			0.10	6.67	0.5	470	0.86	0.10	2.80	0.14	62.7	12.7	13
J838819		3.40	0.198			0.09	6.65	1.4	390	0.81	<0.01	3.05	0.08	45.3	12.9	43
J838820		3.23	0.162			0.05	6.39	0.5	410	0.79	0.01	1.95	0.06	119.0	4.5	9
J838821		3.19	0.473			0.22	6.52	0.4	410	0.79	0.16	1.87	0.05	102.5	6.8	6
J838822		3.24	0.265			0.12	7.07	0.7	450	0.76	0.04	2.01	0.04	82.7	7.2	9
J838823		3.36	0.718			0.16	6.76	0.5	490	0.98	0.06	3.10	0.05	35.0	10.4	12
J838824		3.32	0.755			0.51	7.26	1.1	600	1.29	0.36	2.23	0.05	46.4	12.9	10
J838825		3.92	0.245			0.08	6.59	0.7	410	0.94	<0.01	1.74	0.21	28.9	6.7	10
J838826		3.86	0.192			0.08	6.78	0.4	540	0.99	0.01	2.09	0.04	40.6	7.8	16
J838827		3.77	0.005			<0.01	7.13	0.8	360	0.84	<0.01	1.22	0.03	29.5	3.8	29
J838828		4.13	0.007			0.05	6.39	2.2	380	0.95	<0.01	2.45	0.04	21.6	14.1	186
J838829		4.01	<0.005			0.01	6.75	0.8	530	0.95	<0.01	2.10	0.04	39.0	8.5	46
J838830		0.11	0.423			2.14	7.64	109.5	590	1.09	0.56	0.56	0.93	30.5	19.3	33
J838831		3.24	0.035			0.09	6.36	0.4	410	0.80	0.05	1.06	0.03	30.7	3.6	9
J838832		3.32	0.471			0.22	6.39	0.2	560	0.77	0.01	1.75	0.03	15.30	5.3	14
J838833		3.35	0.357			0.05	7.19	<0.2	550	1.00	0.01	1.67	0.05	55.0	6.7	12
J838833 CRD		<0.02	0.370			0.11	7.01	0.8	550	0.97	0.02	1.63	0.04	49.6	6.7	9
J838834		3.20	0.527		0.466	0.14	6.86	0.7	370	0.75	<0.01	0.76	0.02	25.3	3.8	13
J838835		3.38	0.161			0.42	6.44	0.9	310	0.67	0.01	4.19	0.07	8.83	21.7	350
J838836		3.50	0.792			0.46	6.48	0.5	460	1.03	0.05	2.34	0.06	44.6	11.7	20
J838837		3.07	0.584			0.22	6.62	0.9	340	0.76	0.07	0.81	0.02	33.3	6.7	7
J838838		4.05	0.323			<0.01	6.32	1.3	190	0.59	<0.01	0.47	0.02	5.42	2.1	12
J838839		3.82	1.115			0.79	6.85	<0.2	460	0.87	0.16	5.15	0.15	45.0	20.2	261
J838840		2.85	0.124			0.03	6.53	0.3	510	0.89	0.04	2.62	0.15	32.8	8.0	17
J838841		2.51	0.306			0.15	6.95	<0.2	490	0.88	0.08	3.45	0.09	55.5	11.7	8
J838842		3.42	0.206			0.09	7.50	0.4	470	0.92	0.05	3.55	0.08	57.3	12.6	7
J838843		3.38	0.875			0.24	6.63	0.8	420	0.80	0.10	2.51	0.07	36.8	9.5	8
J838844		3.25	0.513			0.21	6.94	0.4	470	1.00	0.08	2.92	0.07	33.4	10.2	7
J838845		1.05	<0.005			0.01	0.23	6	10	0.06	0.01	20.3	<0.02	3.84	1.5	3
J838846		3.45	0.558			0.10	6.97	<0.2	450	0.90	0.07	3.16	0.07	55.4	11.6	8
J838847		3.47	0.024			0.03	6.53	0.5	450	0.85	0.05	3.55	0.12	32.8	11.9	31
J838848		3.31	0.070			0.01	7.03	0.7	540	0.92	0.02	1.79	0.05	63.7	5.6	9
J838849		3.15	0.008			<0.01	7.10	0.8	490	0.79	0.02	1.57	0.05	49.0	4.1	10
J838850		3.31	0.009			0.04	7.01	0.2	630	0.91	0.02	1.51	0.05	41.5	4.4	9
J838851		3.32	0.016			0.02	6.85	1.0	630	0.95	0.03	1.58	0.05	38.2	4.9	10
J838852		3.48	0.028			0.03	6.96	<0.2	590	0.89	0.02	1.31	0.04	50.8	3.9	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J838814		1.51	12.4	2.55	22.2	0.18	3.9	0.028	2.96	17.7	9.5	0.51	367	0.67	1.76	6.8
J838815		3.15	>10000	5.73	13.60	0.21	1.1	0.109	2.71	25.7	16.5	1.18	628	110.5	1.57	6.3
J838816		1.60	5.0	2.41	26.7	0.11	3.9	0.026	3.31	31.1	9.4	0.43	261	1.67	1.92	6.3
J838817		1.17	21.8	2.48	20.4	0.19	3.7	0.027	2.67	23.8	6.0	0.48	340	2.87	1.77	5.4
J838818		1.11	70.7	3.40	19.00	0.22	3.5	0.034	2.60	29.4	5.7	0.66	502	0.89	1.45	7.3
J838819		1.17	69.8	3.20	18.05	0.22	2.9	0.028	2.43	20.8	10.1	0.92	540	0.26	1.71	5.1
J838820		1.02	19.5	2.41	18.20	0.24	4.4	0.014	2.25	60.6	4.5	0.31	246	0.36	1.96	3.7
J838821		1.07	25.8	2.41	19.15	0.22	4.1	0.015	2.17	51.1	7.2	0.37	273	13.35	1.99	4.9
J838822		1.10	18.0	2.58	18.35	0.21	3.6	0.015	2.44	43.0	10.9	0.43	260	2.18	1.84	5.2
J838823		1.17	26.0	2.98	20.1	0.20	4.0	0.033	2.72	15.5	9.0	0.46	424	2.55	1.75	8.7
J838824		1.41	11.2	3.11	26.4	0.21	4.1	0.042	3.19	20.0	3.4	0.53	459	45.3	1.69	11.1
J838825		0.97	16.5	2.07	19.15	0.16	2.5	0.026	2.35	14.3	2.1	0.44	354	1.90	2.27	7.2
J838826		1.17	14.8	2.48	20.7	0.18	3.5	0.025	2.88	18.6	2.4	0.54	379	0.43	1.73	6.0
J838827		0.57	3.2	1.51	17.30	0.13	2.8	0.021	1.76	15.3	1.2	0.34	299	0.28	3.14	8.4
J838828		0.69	6.7	1.99	19.10	0.16	2.8	0.023	1.79	10.1	5.8	1.13	334	0.47	2.62	5.6
J838829		1.02	19.1	2.39	18.10	0.18	3.9	0.022	2.68	18.2	3.3	0.66	377	0.25	1.91	5.5
J838830		6.87	4410	4.81	17.10	0.23	0.8	0.056	4.69	17.2	10.8	0.76	493	262	1.04	4.9
J838831		0.73	6.1	1.44	15.65	0.14	3.6	0.013	1.91	16.4	1.7	0.30	202	0.82	2.15	3.7
J838832		0.81	4.2	1.77	16.20	0.14	2.3	0.016	2.02	7.4	1.6	0.37	296	0.81	2.51	3.7
J838833		1.09	12.2	2.01	21.3	0.18	3.8	0.015	2.68	27.7	1.9	0.39	283	0.31	2.09	6.0
J838833 CRD		0.98	13.6	2.04	20.9	0.18	3.6	0.014	2.70	25.0	1.8	0.39	289	0.33	2.10	6.0
J838834		0.71	4.6	1.24	17.95	0.14	2.2	0.012	1.81	13.6	1.3	0.23	153	0.59	2.95	3.9
J838835		0.69	23.3	2.90	15.95	0.17	1.9	0.018	1.76	4.2	8.8	2.18	474	0.77	2.08	2.6
J838836		1.01	7.7	2.72	19.95	0.22	2.3	0.028	2.35	20.4	2.4	0.68	496	0.82	2.04	6.9
J838837		0.74	3.7	1.65	17.75	0.19	3.2	0.014	1.71	17.2	1.4	0.27	185	1.75	2.83	4.1
J838838		0.33	4.8	0.75	15.80	0.13	2.6	0.006	0.97	2.6	0.9	0.06	54	1.17	3.80	34.5
J838839		1.03	10.6	4.07	18.10	0.21	3.9	0.033	2.46	21.9	2.6	1.79	699	19.55	1.66	6.9
J838840		1.04	9.8	2.79	20.4	0.12	2.9	0.020	2.58	15.6	3.4	0.73	456	0.36	1.65	5.0
J838841		1.61	24.4	3.86	21.2	0.17	4.8	0.054	3.10	23.4	3.3	0.73	529	0.29	1.24	8.7
J838842		1.77	37.8	4.15	21.9	0.18	5.5	0.061	3.33	23.4	3.3	0.79	590	2.54	1.28	9.8
J838843		1.19	26.8	3.03	18.50	0.15	4.4	0.038	2.54	15.1	2.4	0.55	403	1.92	1.59	8.3
J838844		1.39	13.5	3.34	22.4	0.16	4.5	0.047	2.89	13.0	3.4	0.64	509	0.46	1.87	9.9
J838845		0.15	1.4	0.14	0.84	0.28	0.1	0.006	0.15	2.5	5.4	12.85	58	0.12	0.06	0.6
J838846		1.61	25.7	3.72	21.9	0.15	4.7	0.051	2.98	23.3	4.2	0.73	516	0.14	1.39	9.2
J838847		1.12	8.2	3.29	18.90	0.13	1.5	0.036	2.52	13.0	2.7	0.99	611	0.23	1.89	6.1
J838848		0.95	15.4	1.99	19.80	0.16	4.6	0.019	2.52	31.9	2.2	0.42	276	0.87	2.07	5.8
J838849		0.68	3.3	1.68	16.55	0.14	3.6	0.011	1.96	25.2	1.9	0.38	262	0.82	2.82	4.9
J838850		0.84	2.3	1.81	18.40	0.12	3.5	0.012	2.44	21.4	2.2	0.40	251	0.14	1.98	3.6
J838851		0.80	2.2	1.88	17.55	0.13	3.5	0.012	2.38	19.5	2.1	0.42	263	0.15	1.84	3.4
J838852		0.79	11.4	1.65	17.10	0.12	3.8	0.011	2.17	25.9	2.1	0.33	211	0.17	2.53	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J838814		10.0	400	4.6	80.1	<0.002	0.06	0.16	7.0	1	1.5	132.5	0.58	0.05	5.4	0.208
J838815		33.6	880	60.5	80.5	0.123	2.35	7.01	15.4	7	2.8	257	0.27	0.94	4.3	0.313
J838816		5.9	520	5.8	98.2	<0.002	0.16	0.15	4.8	1	1.3	131.5	0.40	0.07	8.9	0.211
J838817		6.3	570	4.7	71.3	<0.002	0.10	0.15	5.2	1	1.1	122.0	0.25	0.08	6.1	0.213
J838818		7.7	910	20.3	73.2	<0.002	0.42	0.17	7.7	1	1.3	122.5	0.44	0.07	4.0	0.267
J838819		27.2	460	4.5	65.1	<0.002	0.12	0.14	9.0	1	1.2	156.0	0.34	<0.05	3.8	0.197
J838820		3.0	400	4.8	66.1	<0.002	0.13	0.10	1.6	1	0.8	136.0	0.19	<0.05	11.6	0.141
J838821		3.7	480	5.1	66.2	<0.002	0.26	0.14	2.5	1	1.0	125.0	0.30	0.19	11.3	0.163
J838822		5.5	520	4.6	67.9	<0.002	0.32	0.13	3.9	1	0.9	117.0	0.31	0.10	10.2	0.174
J838823		8.9	660	4.1	68.3	<0.002	0.29	0.15	6.6	1	1.5	134.5	0.72	0.10	3.5	0.207
J838824		10.9	680	6.5	86.8	<0.002	0.55	0.16	7.5	1	2.1	110.0	0.94	0.42	4.2	0.215
J838825		10.1	320	4.7	66.3	<0.002	0.17	0.09	5.1	1	1.5	121.0	0.73	0.05	3.2	0.126
J838826		13.4	560	3.9	78.3	<0.002	0.16	0.13	5.5	1	1.1	121.0	0.44	0.07	4.5	0.184
J838827		9.9	300	4.0	49.8	<0.002	0.03	0.07	3.5	1	2.0	106.5	1.26	<0.05	5.5	0.081
J838828		88.4	150	7.0	51.3	<0.002	0.01	0.11	6.3	1	1.6	169.0	0.68	<0.05	4.4	0.102
J838829		24.1	450	5.1	66.6	<0.002	0.05	0.13	5.9	1	1.1	128.5	0.31	<0.05	5.0	0.172
J838830		23.8	1130	40.1	104.0	0.592	2.53	7.46	12.3	9	3.4	262	0.32	0.94	2.4	0.250
J838831		7.2	370	9.0	56.2	<0.002	0.06	0.10	3.5	1	0.8	94.7	0.27	0.05	4.3	0.102
J838832		11.6	290	3.7	53.4	<0.002	0.17	0.09	3.9	1	0.8	120.0	0.39	0.10	2.1	0.109
J838833		9.3	400	5.1	76.9	<0.002	0.19	0.12	3.2	1	1.0	116.5	0.42	0.06	8.7	0.153
J838833 CRD		8.2	390	5.0	72.8	<0.002	0.20	0.11	3.0	1	0.9	113.5	0.41	0.05	8.3	0.152
J838834		8.7	180	4.5	54.0	<0.002	0.10	0.09	2.4	1	0.8	99.5	0.35	0.07	4.5	0.075
J838835		157.0	40	5.7	54.2	<0.002	0.19	0.14	9.3	1	0.6	248	0.38	0.58	4.4	0.136
J838836		29.1	810	4.7	63.3	<0.002	0.45	0.16	7.1	1	1.5	123.5	0.60	0.31	5.5	0.177
J838837		10.0	260	5.0	57.9	<0.002	0.40	0.08	3.4	1	1.1	90.0	0.44	0.22	7.8	0.081
J838838		2.7	20	15.5	29.9	<0.002	0.22	0.06	2.5	1	0.6	94.7	4.38	0.06	8.1	0.015
J838839		82.1	510	6.4	71.3	<0.002	0.51	0.16	11.1	1	1.0	217	0.50	0.58	5.9	0.247
J838840		20.8	340	4.2	68.1	<0.002	0.12	0.19	3.6	1	0.8	120.5	0.34	<0.05	4.8	0.140
J838841		6.8	1000	4.7	90.7	<0.002	0.29	0.25	9.1	1	1.3	142.5	0.44	0.12	2.5	0.267
J838842		6.9	1140	4.7	97.8	<0.002	0.19	0.27	10.2	2	1.5	140.5	0.54	0.08	2.8	0.302
J838843		5.6	730	4.2	74.6	<0.002	0.35	0.21	6.7	1	1.2	112.5	0.82	0.10	2.7	0.207
J838844		5.9	890	4.4	71.3	<0.002	0.34	0.22	7.5	1	1.5	126.5	1.15	0.17	1.8	0.233
J838845		1.1	20	1.3	4.8	<0.002	0.03	0.07	0.6	1	<0.2	69.9	<0.05	<0.05	0.4	0.013
J838846		6.9	950	4.7	84.7	<0.002	0.21	0.23	8.8	1	1.5	132.0	0.53	0.08	4.1	0.262
J838847		28.1	860	5.4	62.2	<0.002	0.15	0.24	9.5	1	1.4	162.0	0.47	<0.05	2.6	0.246
J838848		6.7	450	4.9	71.1	<0.002	0.06	0.18	3.9	1	1.0	111.5	0.33	<0.05	9.6	0.160
J838849		6.4	340	4.4	53.7	<0.002	0.02	0.14	1.9	1	0.8	114.0	0.28	<0.05	7.6	0.129
J838850		8.6	300	4.1	66.3	<0.002	0.08	0.14	1.6	1	0.7	86.9	0.22	<0.05	6.5	0.102
J838851		8.7	280	4.1	62.8	<0.002	0.11	0.12	1.5	1	0.7	83.9	0.21	<0.05	6.7	0.100
J838852		4.4	400	4.3	61.3	<0.002	0.08	0.13	1.5	1	0.6	91.5	0.20	<0.05	8.1	0.094

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838814		0.38	0.8	51	4.4	5.4	57	158.0	
J838815		0.72	1.2	149	10.8	13.1	164	34.1	2.19
J838816		0.37	0.7	48	4.6	4.8	52	172.0	
J838817		0.32	0.9	44	5.1	3.9	57	165.5	
J838818		0.31	0.6	51	6.7	6.2	60	143.5	
J838819		0.30	0.6	52	2.7	5.6	70	108.0	
J838820		0.27	1.0	19	2.4	5.9	39	163.5	
J838821		0.27	0.7	28	3.4	6.8	47	160.0	
J838822		0.28	0.8	34	3.2	6.2	56	141.0	
J838823		0.33	1.1	43	5.7	7.5	60	147.0	
J838824		0.39	1.3	50	5.1	7.4	59	150.0	
J838825		0.28	1.2	31	2.1	4.7	121	77.7	
J838826		0.35	0.8	44	3.4	5.3	53	137.5	
J838827		0.18	1.8	19	1.5	5.6	30	81.9	
J838828		0.22	1.7	40	2.1	4.9	46	66.6	
J838829		0.34	0.6	35	3.8	5.4	48	153.5	
J838830		1.33	1.1	157	12.6	13.2	149	24.2	
J838831		0.23	0.8	25	2.9	4.4	30	105.0	
J838832		0.22	0.7	30	2.8	3.0	36	59.4	
J838833		0.32	1.2	33	3.6	5.5	43	124.5	
J838833 CRD		0.31	1.0	33	3.4	5.2	44	121.5	
J838834		0.21	0.7	21	1.8	3.3	27	77.6	
J838835		0.21	1.9	55	2.5	6.0	60	45.1	
J838836		0.29	1.2	42	3.6	6.3	47	85.3	
J838837		0.21	1.6	25	2.3	5.2	26	102.5	
J838838		0.12	8.6	10	0.7	9.1	12	44.3	
J838839		0.30	1.7	60	5.9	8.7	72	151.0	
J838840		0.33	0.9	39	4.1	5.4	49	107.0	
J838841		0.42	0.7	53	5.6	10.0	65	205	
J838842		0.45	0.9	62	5.9	10.5	69	225	
J838843		0.35	1.1	44	6.3	7.9	51	169.0	
J838844		0.37	2.1	53	8.4	7.2	62	186.0	
J838845		0.03	0.2	4	0.1	2.0	2	5.8	
J838846		0.42	0.8	53	5.3	10.0	69	196.5	
J838847		0.34	1.0	58	6.9	6.4	62	51.5	
J838848		0.33	1.2	33	3.6	7.1	37	172.0	
J838849		0.24	1.3	23	1.4	5.5	28	135.5	
J838850		0.31	1.0	32	1.4	5.0	31	127.0	
J838851		0.30	1.0	32	1.3	4.8	31	125.5	
J838852		0.28	1.1	23	1.2	5.5	30	130.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J838853		3.20	0.067			0.03	6.45	1.1	480	0.79	0.02	1.72	0.06	31.4	5.5	15
J838853 CRD		<0.02	0.060			0.03	6.42	0.2	480	0.87	0.02	1.73	0.06	33.3	5.5	16
J838854		3.18	0.031		0.021	0.01	6.97	<0.2	580	0.88	0.01	0.98	0.04	29.4	3.6	8
J838855		3.26	<0.005			0.02	6.54	<0.2	460	0.90	0.01	2.48	0.12	33.3	6.5	22
J838856		3.19	0.009			0.01	6.90	0.5	480	0.89	0.01	1.36	0.05	57.0	5.0	10
J838857		3.27	0.021			0.01	6.61	0.2	460	0.92	0.01	1.49	0.05	46.5	4.9	11
J838858		3.09	0.006			<0.01	6.87	0.4	380	0.78	0.01	1.27	0.05	32.5	3.5	13
J838859		3.27	0.012			0.05	6.00	0.3	430	0.90	0.02	2.26	0.09	23.2	5.7	20
J838860		0.07	0.951			4.65	6.43	19.7	480	0.81	1.91	2.44	2.08	22.6	14.3	61
J838861		3.30	0.043			0.05	5.90	0.8	410	0.81	0.03	2.17	0.09	29.5	6.7	22
J838862		3.21	0.008			0.03	6.84	<0.2	500	0.93	0.02	1.27	0.06	42.6	4.0	11
J838863		3.14	0.043			0.05	6.58	<0.2	510	1.23	0.03	2.88	0.10	31.4	10.8	22
J838864		4.26	0.024			0.03	6.46	<0.2	500	1.23	0.02	2.06	0.07	37.1	7.3	20
J838865		3.33	0.139			0.36	3.83	<0.2	190	0.46	0.05	7.40	0.22	35.1	52.4	667
J838866		3.36	0.084			0.24	5.11	<0.2	250	0.72	0.06	6.09	0.16	35.6	38.2	491
J838867		3.19	0.131			0.13	5.32	1.6	310	0.83	0.03	5.76	0.14	42.5	48.9	598
J838868		2.44	0.013			0.01	7.41	<0.2	560	1.20	0.01	1.47	0.04	58.4	6.0	12
J838869		2.79	<0.005			<0.01	6.74	<0.2	520	1.14	0.02	2.07	0.05	46.2	6.0	10
J838870		3.36	<0.005			0.01	6.75	<0.2	680	1.20	0.01	2.42	0.06	49.5	6.2	10
J838871		3.49	<0.005			0.01	6.92	<0.2	540	1.13	0.01	2.13	0.05	47.8	5.5	8
J838872		3.33	<0.005			0.02	7.05	<0.2	560	1.24	0.01	2.15	0.05	49.7	6.1	14
J838873		3.32	0.008			0.01	7.08	<0.2	580	1.18	0.02	2.23	0.07	56.5	5.9	9
J838873 CRD		<0.02	0.006			<0.01	7.25	<0.2	590	1.24	0.01	2.28	0.06	61.0	5.9	9
J838874		3.26	0.005		<0.005	<0.01	6.83	<0.2	550	0.97	0.01	2.29	0.04	53.0	4.9	5
J838875		0.12	2.14			8.27	6.68	52.8	660	0.75	3.45	1.65	1.01	57.9	16.8	52
J838876		3.24	0.129			0.03	6.83	0.3	460	0.86	0.05	1.95	0.03	51.8	5.3	7
J838877		3.53	<0.005			<0.01	6.94	<0.2	530	0.95	0.01	1.81	0.05	46.1	5.6	19
J838878		2.45	<0.005			0.56	6.08	<0.2	340	0.66	0.01	7.87	0.17	24.1	47.3	312
J838879		3.81	0.439			0.01	6.88	0.2	480	0.87	0.03	3.13	0.06	82.1	11.1	14
J838880		3.57	1.005			0.22	7.18	0.2	460	0.83	0.05	3.46	0.06	94.4	12.9	16
J838881		3.34	0.205			0.08	6.88	0.2	450	0.79	0.03	2.27	0.04	55.7	7.4	5
J838882		3.29	0.274			0.03	6.96	0.5	410	0.80	0.04	1.97	0.03	46.2	7.3	5
J838883		3.02	0.305			0.08	7.72	0.7	450	0.95	0.02	4.38	0.06	72.3	18.2	40
J838884		3.30	<0.005			0.01	7.34	<0.2	340	0.82	0.02	3.97	0.07	55.1	17.3	23
J838885		3.30	0.382			0.21	6.97	0.2	480	1.02	0.16	3.73	0.06	229	12.3	5
J838886		3.26	0.059			<0.01	6.82	<0.2	480	0.94	0.07	2.29	0.04	87.4	4.6	2
J838887		3.18	0.083			<0.01	7.23	0.6	660	0.93	0.04	1.83	0.02	77.9	5.1	2
J838888		2.91	0.161			<0.01	6.79	0.4	530	0.84	0.03	2.00	0.04	61.7	3.5	5
J838889		3.04	<0.005			<0.01	7.47	<0.2	480	0.86	0.02	3.06	0.04	53.1	10.9	13
J838890		0.07	0.409			2.18	7.59	106.0	610	1.09	0.53	0.58	0.96	34.5	18.5	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J838853		0.79	11.7	1.94	15.85	0.14	2.4	0.018	1.96	14.0	1.6	0.45	325	0.22	2.66	4.9
J838853 CRD		0.80	12.9	1.90	15.70	0.14	2.5	0.017	1.96	14.8	1.7	0.45	321	0.22	2.72	5.1
J838854		0.79	4.3	1.40	15.65	0.11	3.0	0.011	1.96	14.7	1.8	0.26	161	0.19	2.71	3.4
J838855		0.84	8.7	2.34	16.35	0.17	2.7	0.024	2.11	14.3	2.4	0.62	432	0.15	2.57	6.7
J838856		0.79	2.9	1.62	15.60	0.17	3.1	0.012	1.95	28.8	1.5	0.37	220	0.21	2.92	4.3
J838857		0.78	12.6	1.59	14.90	0.14	2.6	0.014	1.95	22.0	1.9	0.40	242	0.10	2.59	4.5
J838858		0.69	4.5	1.54	14.50	0.14	2.6	0.015	1.69	16.3	1.7	0.36	237	0.17	2.93	5.3
J838859		0.74	3.8	2.13	13.85	0.15	1.3	0.022	1.86	9.9	2.2	0.60	420	0.15	2.12	5.2
J838860		0.81	>10000	4.67	12.30	0.16	1.0	0.138	0.88	10.8	15.8	1.20	666	246	2.25	4.2
J838861		0.74	7.0	2.17	13.35	0.16	1.9	0.020	1.75	12.5	1.7	0.60	434	1.23	2.33	5.6
J838862		0.87	12.4	1.69	14.80	0.13	2.6	0.015	1.99	20.8	1.7	0.42	245	0.33	2.63	3.8
J838863		1.32	15.9	3.09	16.45	0.19	2.6	0.036	2.64	15.2	2.6	0.92	567	0.14	1.78	5.8
J838864		1.14	8.5	2.37	16.80	0.18	2.9	0.025	2.38	17.4	2.2	0.69	420	0.23	2.12	5.0
J838865		0.27	75.8	7.40	11.90	0.19	2.0	0.051	0.36	15.3	46.1	5.78	1220	1.07	0.46	4.1
J838866		0.74	32.6	5.15	14.00	0.12	2.4	0.033	1.30	17.7	18.7	4.08	824	1.09	1.21	3.2
J838867		0.74	39.1	6.44	14.20	0.15	3.3	0.042	1.30	20.8	42.2	5.34	897	1.01	0.25	4.7
J838868		1.31	18.6	2.21	16.55	0.14	4.4	0.022	2.49	32.5	2.9	0.58	300	0.18	2.29	5.6
J838869		1.18	2.1	2.19	16.40	0.16	4.4	0.022	2.48	23.2	1.7	0.48	303	0.27	2.30	6.4
J838870		1.22	16.0	2.15	16.30	0.17	4.4	0.017	2.50	25.0	1.9	0.44	278	0.39	2.09	6.0
J838871		1.17	7.1	2.06	16.35	0.16	4.3	0.020	2.52	24.2	1.7	0.42	267	0.38	2.15	5.9
J838872		1.20	15.5	2.18	17.05	0.18	4.3	0.021	2.69	25.2	1.7	0.47	303	0.25	2.05	6.5
J838873		1.17	5.8	2.31	19.55	0.16	4.7	0.024	2.66	27.8	1.8	0.45	314	0.26	1.97	6.4
J838873 CRD		1.21	4.4	2.26	19.55	0.19	4.7	0.021	2.71	30.2	1.8	0.46	310	0.24	2.00	6.7
J838874		1.17	9.7	2.17	20.7	0.09	4.5	0.021	2.43	24.0	1.7	0.40	318	0.37	2.33	6.8
J838875		3.32	>10000	5.83	15.00	0.19	1.0	0.113	2.69	24.7	16.8	1.19	655	112.5	1.68	7.1
J838876		0.93	14.1	2.08	18.60	0.09	3.8	0.017	1.91	22.9	1.6	0.38	341	1.16	2.99	6.5
J838877		1.04	5.9	2.01	19.70	0.09	3.5	0.018	2.17	20.7	1.6	0.47	341	0.33	2.62	5.9
J838878		1.06	50.5	6.30	14.85	0.17	1.1	0.039	1.98	9.8	30.4	4.08	1210	0.25	0.76	3.1
J838879		1.39	33.7	3.76	21.0	0.14	3.7	0.043	2.50	31.8	4.3	0.76	582	0.69	1.94	10.0
J838880		1.40	16.5	4.31	21.7	0.18	3.7	0.049	2.50	37.2	6.2	0.83	649	0.20	1.85	11.4
J838881		1.28	27.3	2.79	20.0	0.11	3.7	0.020	2.39	23.1	4.1	0.45	316	0.13	2.02	6.5
J838882		1.04	18.0	2.51	21.5	0.11	4.3	0.025	2.30	19.4	4.1	0.40	366	0.13	2.30	8.0
J838883		1.43	31.3	4.74	22.4	0.16	2.9	0.046	2.78	29.4	16.2	1.25	774	0.20	1.46	9.4
J838884		1.06	28.7	4.91	22.5	0.16	2.9	0.051	2.01	18.8	27.7	1.13	680	0.54	2.08	7.4
J838885		1.21	124.0	3.17	21.1	0.21	3.7	0.039	2.23	94.5	10.9	0.77	660	0.20	2.33	5.8
J838886		0.85	42.1	2.00	19.90	0.12	2.1	0.019	1.72	35.8	5.8	0.37	339	0.13	2.84	16.3
J838887		1.15	10.3	2.27	21.3	0.12	4.9	0.019	2.11	36.2	8.2	0.36	282	0.20	2.52	7.0
J838888		0.83	47.8	1.59	17.95	0.09	3.5	0.015	1.70	27.4	4.9	0.23	259	0.16	2.97	5.2
J838889		0.87	12.0	3.45	20.4	0.13	3.1	0.029	1.78	22.3	20.8	0.84	505	0.14	2.40	6.4
J838890		7.09	4580	4.92	18.15	0.17	0.7	0.060	5.47	16.4	11.8	0.77	514	272	1.10	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J838853		10.6	390	4.6	47.9	<0.002	0.10	0.14	3.7	1	0.9	118.5	0.29	<0.05	5.0	0.138
J838853 CRD		11.2	400	5.6	48.4	<0.002	0.09	0.15	3.8	1	0.9	119.0	0.29	<0.05	5.3	0.144
J838854		5.5	210	3.7	58.0	<0.002	0.06	0.13	1.8	1	0.6	92.0	0.21	<0.05	5.1	0.085
J838855		15.0	630	5.0	47.1	<0.002	0.03	0.16	6.2	1	1.1	128.5	0.48	<0.05	4.5	0.187
J838856		8.6	320	5.1	55.0	<0.002	0.05	0.13	2.9	1	0.8	106.5	0.27	<0.05	10.1	0.110
J838857		11.2	390	5.0	52.2	<0.002	0.04	0.12	3.0	1	0.8	108.5	0.34	<0.05	9.8	0.114
J838858		10.6	320	5.6	47.6	<0.002	0.03	0.12	3.5	1	0.9	99.9	0.56	<0.05	7.9	0.108
J838859		19.4	380	4.4	46.6	<0.002	0.05	0.12	5.2	1	1.1	109.5	0.47	<0.05	3.0	0.139
J838860		32.3	580	42.5	23.7	1.495	1.63	26.4	15.5	5	1.1	283	0.26	0.64	2.1	0.329
J838861		19.6	550	4.3	41.0	0.005	0.09	0.23	5.6	1	1.1	108.0	0.56	<0.05	3.4	0.168
J838862		11.5	260	3.8	56.6	<0.002	0.05	0.12	3.3	1	0.8	93.7	0.25	<0.05	7.3	0.106
J838863		25.4	290	4.1	65.0	<0.002	0.09	0.18	11.3	1	1.4	121.0	0.44	0.05	4.0	0.225
J838864		21.5	390	3.7	59.4	<0.002	0.05	0.16	6.1	1	1.1	105.0	0.37	<0.05	5.4	0.160
J838865		435	280	7.0	13.2	<0.002	0.09	0.30	24.6	1	0.5	491	0.21	0.10	1.2	0.364
J838866		340	240	5.5	42.3	<0.002	0.10	0.23	13.7	1	0.7	408	0.18	0.19	4.1	0.202
J838867		468	260	4.9	42.3	<0.002	0.15	0.34	17.1	1	0.8	433	0.28	0.07	4.5	0.340
J838868		8.6	580	3.2	75.9	<0.002	0.03	0.18	3.8	1	1.0	103.0	0.28	<0.05	9.9	0.162
J838869		7.2	450	4.0	62.9	<0.002	0.02	0.15	3.9	1	1.0	110.5	0.33	<0.05	8.0	0.175
J838870		6.1	400	5.0	64.2	<0.002	0.02	0.16	3.3	1	0.9	124.5	0.28	<0.05	8.4	0.172
J838871		5.7	410	4.5	64.8	<0.002	0.01	0.14	3.4	1	0.9	113.5	0.33	<0.05	8.3	0.161
J838872		9.9	450	5.0	68.1	<0.002	0.01	0.15	4.2	1	1.1	110.5	0.37	<0.05	8.7	0.178
J838873		7.0	430	4.9	71.8	<0.002	0.02	0.15	4.0	1	1.1	114.0	0.35	<0.05	10.0	0.174
J838873 CRD		7.1	450	4.7	73.9	<0.002	0.02	0.16	4.1	1	1.1	116.5	0.35	<0.05	10.6	0.178
J838874		5.2	460	4.8	68.6	<0.002	0.02	0.16	3.7	<1	1.2	124.0	0.45	<0.05	8.6	0.173
J838875		34.3	900	59.9	84.9	0.136	2.55	7.48	15.8	7	2.8	262	0.27	0.86	4.3	0.319
J838876		5.5	470	4.0	58.5	<0.002	0.10	0.12	3.9	1	1.2	122.5	0.49	0.05	7.4	0.161
J838877		21.4	270	3.5	67.2	<0.002	0.01	0.13	4.7	1	1.1	114.0	0.36	<0.05	7.0	0.143
J838878		262	360	5.1	62.8	<0.002	0.01	0.18	24.0	1	0.7	370	0.22	0.25	0.9	0.271
J838879		10.2	1010	4.1	77.3	<0.002	0.14	0.17	8.6	1	1.5	182.0	0.49	<0.05	4.6	0.268
J838880		11.8	1300	4.2	81.6	<0.002	0.34	0.18	9.8	1	1.5	179.0	0.54	0.06	4.2	0.286
J838881		3.9	630	4.0	72.2	<0.002	0.18	0.15	4.7	1	0.8	156.0	0.40	<0.05	4.1	0.211
J838882		3.1	530	4.6	70.9	<0.002	0.16	0.15	5.7	1	1.0	128.0	0.63	<0.05	6.0	0.176
J838883		33.2	1150	4.0	85.5	<0.002	0.09	0.21	12.0	1	1.3	197.5	0.62	0.06	4.9	0.338
J838884		19.2	1670	4.4	55.5	<0.002	0.03	0.14	12.7	1	1.1	231	0.40	<0.05	2.3	0.265
J838885		6.2	1440	6.7	64.3	<0.002	0.36	0.18	6.9	1	1.6	288	0.48	0.06	16.6	0.189
J838886		2.9	680	6.7	58.6	<0.002	0.14	0.12	3.4	1	1.0	271	1.43	<0.05	7.5	0.088
J838887		4.1	430	5.0	69.8	<0.002	0.12	0.12	4.1	1	1.2	166.0	0.51	<0.05	9.2	0.117
J838888		2.2	320	5.2	60.4	<0.002	0.13	0.09	2.8	1	1.0	223	0.33	<0.05	7.5	0.093
J838889		13.7	700	4.7	60.1	<0.002	0.03	0.17	8.2	1	1.0	235	0.50	<0.05	3.7	0.239
J838890		23.6	1150	40.1	109.5	0.633	2.64	7.16	11.5	8	3.3	266	0.34	0.85	2.4	0.258

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838853		0.26	0.9	28	2.6	4.2	33	83.6	
J838853 CRD		0.27	1.0	28	2.8	4.3	34	87.6	
J838854		0.27	0.9	21	2.0	4.0	25	103.5	
J838855		0.29	1.0	37	6.3	5.8	42	97.0	
J838856		0.27	0.9	25	3.2	5.4	29	113.5	
J838857		0.25	1.0	25	2.7	5.4	29	93.5	
J838858		0.23	2.6	22	4.5	6.9	25	73.8	
J838859		0.23	0.7	31	4.3	5.3	35	40.8	
J838860		0.22	0.9	105	5.5	16.2	144	32.4	1.260
J838861		0.22	1.1	33	5.0	5.7	35	56.9	
J838862		0.25	0.8	26	2.7	4.6	32	92.2	
J838863		0.36	0.9	64	7.3	5.2	55	104.5	
J838864		0.32	0.8	46	3.1	5.0	40	105.0	
J838865		0.06	0.6	109	5.4	8.8	214	78.3	
J838866		0.17	0.7	56	4.5	7.4	126	92.5	
J838867		0.17	0.9	88	7.2	8.2	200	123.5	
J838868		0.35	0.9	33	4.0	4.8	31	197.0	
J838869		0.35	0.8	29	4.7	3.9	42	195.5	
J838870		0.35	0.8	26	4.7	3.8	43	201	
J838871		0.33	0.8	24	4.8	3.8	42	186.5	
J838872		0.37	0.8	28	5.1	4.3	43	191.0	
J838873		0.36	1.0	28	5.4	4.5	44	202	
J838873 CRD		0.36	1.0	28	5.5	4.6	46	206	
J838874		0.32	0.9	26	4.9	4.5	43	190.0	
J838875		0.76	1.1	151	11.7	14.5	172	36.1	2.16
J838876		0.24	1.0	24	5.2	4.5	41	151.5	
J838877		0.27	0.8	29	4.1	4.2	36	142.5	
J838878		0.24	0.7	112	5.0	7.4	224	41.1	
J838879		0.33	0.6	51	2.9	9.5	74	174.0	
J838880		0.34	0.6	60	3.2	11.0	95	177.0	
J838881		0.31	0.6	35	2.1	5.6	53	155.5	
J838882		0.30	2.0	28	1.8	7.6	41	158.0	
J838883		0.36	0.9	82	3.1	8.5	98	122.0	
J838884		0.27	0.7	94	0.6	7.9	127	123.0	
J838885		0.29	4.0	63	2.0	10.4	62	158.5	
J838886		0.23	3.9	31	1.2	12.8	35	73.0	
J838887		0.29	1.7	20	1.8	7.3	47	184.0	
J838888		0.23	1.1	14	1.1	5.7	24	127.5	
J838889		0.25	0.8	61	0.7	6.9	76	136.0	
J838890		1.37	1.1	160	13.0	14.8	158	24.8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J838891		3.14	<0.005			<0.01	7.02	0.2	450	0.80	0.01	2.80	0.03	57.2	11.2	28
J838892		3.24	0.386			0.42	7.36	<0.2	450	0.93	0.04	3.86	0.04	40.0	15.5	52
J838893		3.32	0.020			0.14	6.16	0.7	270	0.45	0.04	5.73	0.06	49.1	36.4	468
J838893 CRD		<0.02	0.069			0.12	6.27	0.8	270	0.47	0.04	5.81	0.06	52.8	37.3	470
J838894		3.05	0.068		0.106	<0.01	6.76	<0.2	760	0.88	0.02	1.87	0.02	106.0	3.9	6
J838895		2.96	<0.005			<0.01	7.50	0.4	660	0.90	0.03	3.00	0.04	107.5	12.6	18
J838896		3.12	0.026			0.06	8.26	0.7	430	1.10	0.09	6.55	0.07	499	19.0	1
J838897		3.11	0.021			0.01	7.49	0.8	870	1.14	0.04	4.64	0.04	323	10.5	3
J838898		3.13	0.013			0.21	6.89	0.3	970	1.01	0.01	1.62	0.02	38.0	2.7	6
J838899		2.88	<0.005			<0.01	6.92	<0.2	950	1.17	0.02	2.38	0.03	40.4	4.8	3
J838900		0.07	0.934			4.42	5.97	18.6	470	0.63	1.75	2.37	1.93	20.2	13.6	58
J838901		3.14	0.006			0.03	6.99	0.5	640	1.23	0.06	3.34	0.04	189.5	11.8	4
J838902		3.10	0.105			0.04	7.78	<0.2	640	1.43	0.03	2.84	0.04	160.0	8.9	5
J838903		2.96	<0.005			<0.01	7.06	0.3	410	0.91	0.04	2.90	0.04	43.4	9.4	15
J838904		3.08	<0.005			0.18	7.26	<0.2	370	0.76	0.12	3.52	0.05	44.7	15.8	39
J838905		3.17	0.006			0.05	7.07	<0.2	500	0.76	0.10	3.54	0.05	36.4	16.8	65
J838906		3.08	0.072			0.07	7.00	0.3	530	0.77	0.14	3.23	0.04	44.0	9.5	17
J838907		3.06	0.040			0.01	7.10	<0.2	590	0.75	0.09	2.11	0.03	71.0	5.4	8
J838908		3.01	0.213			0.03	6.94	<0.2	400	0.85	0.06	2.74	0.03	30.0	8.3	29
J838909		3.03	<0.005			0.08	6.67	1.3	400	0.92	0.06	2.78	0.05	52.8	8.8	11
J838910		3.36	0.114			0.13	6.32	0.5	390	0.78	0.04	2.95	0.04	60.3	10.4	15
J838911		3.24	0.098			0.10	6.38	0.6	450	0.82	0.02	1.88	0.03	71.4	5.3	6
J838912		3.08	<0.005			0.05	6.45	0.6	440	0.76	0.03	3.10	0.03	28.0	10.8	18
J838913		2.93	<0.005			0.09	6.95	0.5	340	0.70	0.06	3.71	0.04	38.5	14.6	26
J838913 CRD		<0.02	<0.005			0.08	6.53	0.5	330	0.73	0.06	3.50	0.04	34.8	14.7	26
J838914		2.47	<0.005		<0.005	0.08	6.65	0.6	340	0.72	0.07	3.92	0.05	31.4	15.2	15
J838915		0.11	2.35			8.05	6.11	42.2	590	0.79	2.92	1.52	0.88	56.2	14.1	51
J838916		3.36	0.009			0.02	6.84	<0.2	330	0.72	0.04	3.57	0.04	46.7	16.9	37
J838917		3.63	0.149			0.08	6.28	0.7	380	0.85	0.02	2.51	0.03	49.0	7.1	20
J838918		2.86	0.019			0.05	6.31	0.5	400	0.79	0.02	1.06	0.02	20.8	2.6	5
J838919		2.94	<0.005			0.03	6.27	0.5	390	0.74	0.03	0.90	<0.02	25.2	1.0	5
J838920		2.91	0.007			0.06	6.15	0.8	430	0.77	0.04	1.58	0.02	26.4	4.8	33
J838921		2.91	0.009			0.04	5.96	0.7	410	0.68	0.02	2.32	0.02	17.90	6.9	45
J838922		3.12	0.090			0.15	5.98	0.8	300	0.82	0.04	2.99	0.03	41.7	12.6	131
J838923		3.09	0.012			0.09	6.23	0.5	260	0.64	0.02	3.32	0.03	20.0	15.3	90
J838924		2.82	<0.005			0.08	6.52	0.5	340	0.85	0.04	2.83	0.03	16.60	9.8	51
J838925		2.99	0.007			0.06	6.65	0.8	320	1.01	0.05	2.36	0.03	35.5	7.6	15
J838926		3.08	<0.005			0.07	6.69	0.7	320	0.85	0.02	2.41	0.03	23.9	7.3	9
J838927		3.13	<0.005			0.17	6.84	1.1	390	0.92	0.03	3.20	0.04	54.6	15.2	45
J838928		3.10	0.017			0.06	6.68	1.0	460	0.97	0.01	2.61	0.03	55.8	8.9	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J838891		0.81	3.2	3.11	20.9	0.11	3.4	0.037	1.62	24.8	19.9	0.81	461	0.23	2.53	4.1
J838892		1.03	7.9	3.99	23.0	0.13	3.3	0.065	1.93	15.8	29.0	1.24	606	0.11	1.91	5.8
J838893		0.40	46.4	5.00	16.55	0.16	2.9	0.033	0.74	22.6	27.4	3.59	942	0.26	1.46	4.2
J838893 CRD		0.41	48.5	5.04	16.80	0.15	3.0	0.035	0.76	24.3	27.9	3.58	951	0.24	1.50	4.4
J838894		0.92	26.0	2.20	18.95	0.11	5.6	0.023	1.75	47.1	6.0	0.29	289	0.10	2.79	7.4
J838895		0.91	77.3	3.87	21.8	0.16	3.7	0.046	1.66	46.0	19.2	0.80	627	0.17	2.58	10.3
J838896		0.59	141.0	5.52	23.7	0.45	3.7	0.075	0.99	214	38.7	1.82	1270	0.17	2.75	10.1
J838897		0.88	83.3	2.98	21.1	0.29	2.6	0.034	1.58	136.5	17.7	0.86	563	0.09	2.87	4.7
J838898		0.96	7.2	1.52	18.85	0.08	2.4	0.009	1.80	17.0	3.4	0.22	231	0.09	3.19	4.0
J838899		0.86	27.7	1.88	18.65	0.09	2.2	0.011	1.83	16.9	6.1	0.32	347	0.22	2.97	3.9
J838900		0.74	>10000	4.55	13.05	0.13	0.9	0.125	0.83	9.0	14.0	1.16	662	234	2.19	3.7
J838901		0.92	54.5	3.37	20.5	0.18	3.1	0.032	1.63	74.9	21.1	0.95	649	0.28	2.80	4.8
J838902		0.84	23.1	2.83	22.1	0.16	3.0	0.031	1.69	66.2	16.9	0.77	561	0.12	3.32	7.4
J838903		0.64	29.7	2.68	18.60	0.11	2.5	0.024	1.30	19.0	14.9	0.68	501	0.12	2.99	5.0
J838904		0.62	36.1	3.90	18.65	0.13	2.8	0.033	1.21	20.4	26.9	1.33	651	0.13	2.73	5.4
J838905		0.73	28.9	3.89	18.35	0.13	2.8	0.033	1.36	15.6	29.2	1.45	647	0.16	2.34	5.4
J838906		0.88	68.1	2.74	18.05	0.10	2.8	0.026	1.76	20.0	14.6	0.72	501	0.20	2.44	5.7
J838907		0.88	9.6	2.09	18.10	0.08	3.8	0.021	1.74	31.6	9.3	0.48	331	0.23	2.84	5.9
J838908		0.66	24.3	2.35	15.15	0.08	2.3	0.019	1.27	12.8	13.8	0.71	424	0.19	3.28	3.3
J838909		0.72	62.3	2.34	18.20	0.06	2.5	0.027	1.51	25.0	13.9	0.63	447	0.12	2.70	4.4
J838910		0.86	40.3	2.75	17.90	0.09	3.6	0.028	1.69	28.8	16.9	0.75	480	0.15	2.16	5.2
J838911		0.90	16.1	1.94	17.15	0.11	4.5	0.016	1.77	36.1	10.4	0.47	312	0.09	2.63	5.0
J838912		0.84	25.5	2.73	16.20	0.09	2.7	0.024	1.58	11.8	18.6	0.88	504	0.14	2.31	3.8
J838913		0.68	34.0	3.70	18.20	0.09	2.6	0.035	1.34	19.4	25.5	1.29	656	0.12	2.52	6.0
J838913 CRD		0.67	34.0	3.59	18.00	0.08	2.6	0.036	1.29	16.0	25.5	1.24	632	0.10	2.48	5.7
J838914		0.84	31.4	3.60	18.20	0.09	2.5	0.037	1.56	14.1	24.9	1.20	654	0.18	2.40	4.6
J838915		2.97	>10000	5.15	13.45	0.09	1.0	0.106	2.46	27.8	17.7	1.13	588	111.5	1.57	5.5
J838916		0.82	17.1	4.50	19.35	0.11	2.7	0.032	1.51	21.5	27.5	1.45	704	3.33	1.90	4.6
J838917		1.02	14.0	2.08	17.90	0.07	3.0	0.029	1.82	23.4	13.1	0.58	390	0.13	2.26	5.7
J838918		0.82	22.2	0.87	15.30	<0.05	2.8	0.006	1.54	9.5	2.1	0.13	126	0.24	3.10	3.5
J838919		0.72	9.6	0.60	15.00	<0.05	2.9	0.005	1.45	13.5	0.9	0.08	91	0.36	3.32	2.0
J838920		0.88	8.2	1.54	16.15	0.08	2.5	0.012	1.65	13.6	9.3	0.41	249	0.19	2.49	3.2
J838921		0.73	20.9	1.70	14.35	0.08	1.8	0.014	1.35	8.3	13.1	0.76	353	0.19	2.73	2.6
J838922		0.74	15.6	2.91	17.05	0.11	2.6	0.023	1.32	20.3	26.4	1.53	553	0.16	2.30	7.2
J838923		0.68	17.1	3.17	15.70	0.08	1.8	0.027	1.18	8.8	26.3	1.56	621	0.11	2.45	4.5
J838924		0.77	18.5	2.41	17.90	0.08	1.8	0.023	1.37	7.4	20.3	0.91	479	0.11	2.92	4.8
J838925		0.72	18.3	2.19	18.10	0.11	2.5	0.020	1.16	17.1	14.4	0.66	355	0.11	2.91	4.4
J838926		0.64	19.4	2.20	18.10	0.11	1.6	0.022	1.15	9.4	11.0	0.52	333	0.12	2.80	5.3
J838927		0.79	69.2	3.37	21.9	0.14	2.8	0.051	1.33	24.8	22.2	1.17	580	0.11	2.46	8.5
J838928		0.99	4.9	2.30	19.20	0.12	3.5	0.037	1.86	27.2	13.9	0.67	435	0.10	2.48	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J838891		20.2	490	4.8	53.6	<0.002	0.01	0.16	10.5	<1	1.2	233	0.27	<0.05	5.3	0.156
J838892		35.1	490	4.9	61.4	<0.002	0.05	0.17	18.4	1	1.6	208	0.47	<0.05	4.1	0.201
J838893		259	340	3.9	25.5	<0.002	0.10	0.16	16.7	1	0.7	210	0.23	0.08	4.9	0.235
J838893 CRD		258	350	3.8	26.2	<0.002	0.11	0.18	17.3	1	0.8	216	0.24	0.07	5.0	0.243
J838894		3.1	360	4.8	62.7	<0.002	0.10	0.10	4.6	1	1.2	173.5	0.28	<0.05	12.6	0.116
J838895		13.5	850	5.7	59.3	<0.002	0.16	0.13	10.4	1	2.1	237	0.82	<0.05	9.2	0.271
J838896		12.1	4040	12.5	35.8	<0.002	0.85	0.19	11.7	1	3.4	940	1.23	<0.05	30.3	0.322
J838897		6.4	1750	9.6	52.7	<0.002	1.69	0.16	6.4	1	1.4	926	0.44	<0.05	27.5	0.185
J838898		2.3	210	3.3	60.6	<0.002	0.05	0.09	2.7	<1	0.7	219	0.20	<0.05	4.6	0.092
J838899		3.2	320	4.9	58.0	<0.002	0.09	0.11	2.7	1	0.8	322	0.54	<0.05	5.4	0.107
J838900		31.7	570	37.1	24.4	1.335	1.63	23.9	13.3	5	1.0	279	0.26	0.50	1.8	0.324
J838901		8.6	1630	7.8	52.9	<0.002	0.17	0.22	8.1	1	1.6	480	0.55	<0.05	12.1	0.213
J838902		6.2	1380	6.8	55.9	<0.002	0.11	0.18	7.3	1	1.8	443	0.73	<0.05	13.6	0.189
J838903		11.7	460	5.6	47.1	<0.002	0.06	0.14	6.3	1	1.0	389	0.56	<0.05	6.3	0.191
J838904		33.7	540	5.0	43.5	<0.002	0.06	0.19	11.7	1	1.1	305	0.49	<0.05	4.3	0.273
J838905		47.2	510	4.9	51.2	<0.002	0.04	0.22	12.2	1	1.2	253	0.47	<0.05	3.4	0.248
J838906		14.3	360	4.9	65.1	<0.002	0.08	0.22	6.7	1	1.1	234	0.54	<0.05	4.6	0.188
J838907		5.7	380	4.6	64.6	<0.002	0.04	0.20	3.3	1	1.0	222	0.40	<0.05	7.3	0.152
J838908		19.9	290	4.3	45.0	<0.002	0.10	0.17	5.6	1	0.9	238	0.28	<0.05	3.2	0.152
J838909		10.1	580	5.1	45.1	<0.002	0.10	0.18	6.3	1	1.3	277	0.48	<0.05	5.6	0.155
J838910		13.7	460	3.5	49.8	<0.002	0.08	0.13	8.3	1	1.1	192.5	0.46	<0.05	5.7	0.215
J838911		4.7	390	3.0	58.9	<0.002	0.07	0.10	4.0	1	0.8	140.5	0.31	<0.05	7.9	0.157
J838912		18.1	320	2.9	48.0	<0.002	0.03	0.10	10.2	1	0.8	147.0	0.43	<0.05	3.0	0.206
J838913		26.2	450	3.4	41.0	<0.002	0.02	0.09	13.9	1	1.2	172.0	0.65	<0.05	3.6	0.310
J838913 CRD		26.3	440	3.3	35.7	<0.002	0.02	0.09	13.5	1	1.2	164.0	0.62	<0.05	3.2	0.298
J838914		18.1	440	3.1	41.3	<0.002	0.04	0.12	13.1	1	1.1	177.0	0.49	<0.05	2.8	0.265
J838915		27.5	830	56.1	81.3	0.121	2.29	6.46	15.9	6	2.4	231	0.26	0.90	4.4	0.293
J838916		28.4	450	3.7	41.4	<0.002	0.04	0.15	17.0	1	1.0	166.5	0.34	<0.05	4.7	0.237
J838917		11.3	370	3.5	55.2	<0.002	0.05	0.12	7.8	1	1.2	158.0	0.66	<0.05	6.2	0.151
J838918		2.8	80	3.4	50.5	<0.002	0.05	0.09	2.7	1	0.5	115.5	0.28	<0.05	7.1	0.052
J838919		1.4	40	4.3	44.5	<0.002	0.01	0.08	1.4	1	0.3	116.5	0.25	<0.05	8.5	0.029
J838920		16.4	160	3.2	52.2	<0.002	0.02	0.09	3.9	1	0.6	114.0	0.36	<0.05	5.2	0.084
J838921		18.6	130	2.3	40.4	<0.002	0.05	0.09	6.4	1	0.6	125.5	0.24	<0.05	2.7	0.091
J838922		50.8	480	11.2	40.9	<0.002	0.08	0.10	10.0	1	1.4	114.5	0.67	<0.05	4.1	0.175
J838923		38.7	370	4.4	37.8	<0.002	0.03	0.08	13.6	1	1.0	142.0	0.56	<0.05	2.1	0.198
J838924		24.2	290	7.9	38.7	<0.002	0.02	0.13	9.2	1	0.9	190.5	0.69	<0.05	2.8	0.166
J838925		13.4	300	8.5	39.0	<0.002	0.02	0.26	7.5	1	0.9	261	0.45	<0.05	7.1	0.174
J838926		6.0	520	8.2	38.2	<0.002	0.01	0.20	5.4	1	0.9	266	0.51	<0.05	2.7	0.205
J838927		29.0	600	11.2	41.5	<0.002	0.05	0.26	14.5	1	1.8	317	0.87	<0.05	6.5	0.297
J838928		14.7	360	3.8	63.4	<0.002	0.03	0.09	8.2	1	1.5	133.5	0.62	<0.05	8.1	0.198

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838891		0.23	0.8	61	0.2	7.4	79	140.0	
J838892		0.27	1.1	94	1.4	12.8	87	130.5	
J838893		0.10	0.8	106	1.8	7.2	133	119.0	
J838893 CRD		0.10	0.8	108	1.8	7.5	132	120.5	
J838894		0.24	1.4	11	1.0	10.1	42	223	
J838895		0.22	1.4	59	0.8	25.3	90	146.0	
J838896		0.14	3.2	133	0.8	43.6	144	191.0	
J838897		0.20	2.3	67	0.7	22.9	73	110.5	
J838898		0.24	0.6	15	0.9	4.8	24	99.2	
J838899		0.23	0.8	23	0.5	7.3	32	83.0	
J838900		0.19	0.7	104	5.1	14.4	143	27.3	1.260
J838901		0.24	2.2	74	0.7	13.9	82	136.0	
J838902		0.24	1.9	46	1.0	13.6	67	119.5	
J838903		0.20	1.0	53	0.3	8.6	54	94.7	
J838904		0.18	0.9	89	0.2	13.0	72	117.5	
J838905		0.21	0.9	85	0.4	10.3	76	116.5	
J838906		0.25	1.1	52	0.7	6.6	50	113.0	
J838907		0.26	1.0	29	0.9	6.9	32	163.0	
J838908		0.18	0.8	47	0.9	5.1	41	80.0	
J838909		0.21	0.9	41	0.3	6.8	49	103.5	
J838910		0.24	0.8	51	0.9	8.0	58	157.0	
J838911		0.24	1.0	22	1.2	6.3	32	195.0	
J838912		0.21	0.9	68	0.4	8.1	55	92.7	
J838913		0.18	0.9	93	0.2	12.5	76	111.5	
J838913 CRD		0.18	0.8	91	0.2	10.8	74	108.5	
J838914		0.21	0.7	93	0.6	10.8	67	108.0	
J838915		0.63	1.3	141	9.7	12.0	157	33.6	2.18
J838916		0.19	0.8	114	1.2	12.6	77	108.0	
J838917		0.23	2.1	41	1.9	12.1	44	110.5	
J838918		0.19	2.1	10	0.6	5.1	9	75.8	
J838919		0.18	2.2	5	0.4	4.2	6	71.6	
J838920		0.22	1.2	22	0.5	5.4	29	73.6	
J838921		0.17	0.8	31	0.5	4.0	40	54.0	
J838922		0.16	1.5	55	0.8	8.9	77	86.3	
J838923		0.15	1.6	69	1.7	9.2	82	58.3	
J838924		0.19	1.7	48	0.7	6.6	57	64.8	
J838925		0.17	1.1	46	0.8	8.0	42	87.4	
J838926		0.17	1.1	41	0.4	7.1	40	59.9	
J838927		0.21	1.8	85	0.7	20.2	82	107.5	
J838928		0.27	1.3	42	1.3	14.3	58	144.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J838929		2.84	0.012			0.06	6.67	0.5	520	0.88	0.01	2.79	0.03	66.3	7.5	16
J838930		0.07	0.461			2.27	7.14	93.3	550	1.18	0.46	0.53	0.94	34.5	16.6	32
J838931		2.95	0.089			0.05	6.32	0.9	520	0.85	0.01	2.03	0.02	56.5	4.4	6
J838932		2.86	0.127			0.08	6.58	0.6	470	0.88	0.03	1.61	<0.02	37.9	4.0	5
J838933		3.07	0.006			0.05	6.28	0.4	420	0.76	0.02	1.84	0.02	55.3	4.4	6
J838933 CRD		<0.02	<0.005			0.04	6.37	0.7	420	0.80	0.02	1.85	0.02	51.3	4.2	5
J838934		3.20	0.005		0.005	0.08	7.19	0.6	440	0.77	0.01	2.99	0.03	56.1	8.3	8
J838935		3.00	<0.005			0.07	6.51	0.7	410	0.79	0.01	2.30	0.02	47.8	7.3	6
J838936		3.00	0.007			0.05	6.44	0.9	430	0.87	0.01	2.55	0.03	20.5	7.7	21
J838937		3.06	0.077			0.10	6.31	0.9	330	0.89	0.02	3.01	0.03	26.3	11.1	25
J838938		2.93	0.033			0.07	6.73	0.8	290	0.90	0.01	2.84	0.02	21.1	8.9	22
J838939		2.93	<0.005			0.08	6.74	1.1	370	0.91	0.02	2.54	0.03	35.7	10.9	25
J838940		2.99	<0.005			0.13	6.59	1.3	270	0.96	0.02	3.19	0.03	45.8	9.4	22
J838941		3.03	<0.005			0.08	6.80	0.8	320	1.07	0.04	2.84	0.05	68.3	9.8	24
J838942		2.89	<0.005			0.22	7.20	1.1	240	1.20	0.04	3.84	0.10	135.5	14.2	24
J838943		3.29	<0.005			0.11	8.44	2.5	180	1.10	0.04	4.93	0.10	80.6	18.7	18
J838944		3.07	0.077			0.13	7.82	3.4	160	0.63	0.03	5.19	0.08	50.0	29.5	20
J838945		1.05	<0.005			<0.01	0.13	<5	10	<0.05	0.01	20.7	<0.02	2.16	1.1	<1
J838946		2.99	0.008			0.06	7.95	0.7	300	0.66	0.01	4.75	0.05	76.3	21.1	19
J838947		2.93	0.041			0.06	8.43	0.7	370	0.81	0.02	4.71	0.05	84.6	17.6	19
J838948		2.97	6.81	6.88		0.94	7.88	1.2	380	0.86	0.36	5.45	0.08	62.8	19.3	16
J838949		2.94	0.005			0.15	8.35	0.3	370	0.87	0.60	3.91	0.07	59.0	11.9	14
J838950		2.97	0.007			0.10	6.98	1.0	160	0.53	0.03	5.17	0.05	55.2	24.0	17
J838951		3.85	<0.005			0.10	7.30	1.4	160	0.48	0.03	5.52	0.05	60.9	29.2	22
J838952		3.01	<0.005			0.04	8.74	2.3	140	0.75	0.11	5.45	0.08	98.3	21.6	20
J838953		2.99	<0.005			0.06	8.79	1.1	210	0.79	0.02	5.34	0.07	87.8	21.0	22
J838953 CRD		<0.02	<0.005			0.06	8.31	1.2	200	0.78	0.02	5.06	0.07	84.3	19.8	21
J838954		2.83	<0.005		<0.005	0.04	8.41	0.9	470	0.75	0.02	5.74	0.03	79.4	17.3	16
J838955		3.03	<0.005			0.09	8.85	1.5	140	0.68	0.02	5.53	0.07	87.2	22.7	26
J838956		3.02	<0.005			0.06	8.55	0.9	150	0.74	0.02	5.01	0.06	74.0	20.3	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J838929		1.05	4.6	2.52	19.25	0.13	4.0	0.049	2.06	32.9	13.5	0.59	459	0.09	2.16	6.6
J838930		6.74	4250	4.39	17.05	0.12	0.7	0.056	4.92	19.5	12.8	0.74	467	248	1.07	4.4
J838931		1.04	9.8	1.87	17.80	0.10	3.4	0.019	2.02	28.1	8.4	0.36	290	0.37	2.12	5.8
J838932		0.90	7.9	1.48	18.35	0.08	3.4	0.016	1.94	20.0	6.3	0.27	219	0.13	2.67	6.2
J838933		0.81	5.0	1.75	17.00	0.11	3.2	0.015	1.75	28.1	7.8	0.33	264	0.10	2.51	5.5
J838933 CRD		0.83	3.5	1.71	17.10	0.11	3.3	0.017	1.76	26.2	7.9	0.34	260	0.09	2.52	5.6
J838934		0.80	15.4	2.89	19.45	0.16	3.5	0.030	1.67	28.0	13.5	0.63	408	0.12	2.33	7.6
J838935		0.70	19.7	2.37	18.25	0.14	2.9	0.025	1.50	23.6	10.9	0.50	342	0.16	2.38	7.4
J838936		0.91	21.7	2.24	17.55	0.11	2.6	0.023	1.88	8.3	12.2	0.59	394	0.12	2.31	5.2
J838937		0.90	14.1	3.03	17.85	0.12	2.4	0.038	1.67	10.7	17.8	0.86	531	0.12	2.21	6.4
J838938		0.50	25.2	2.50	16.35	0.11	2.0	0.022	1.10	8.5	12.7	0.68	414	0.11	3.16	4.3
J838939		0.56	26.6	3.15	18.20	0.12	2.6	0.031	1.15	17.4	16.4	0.88	496	0.10	2.66	6.4
J838940		0.33	16.7	2.96	18.90	0.14	2.2	0.034	0.74	20.6	13.6	0.74	461	0.14	2.87	6.3
J838941		0.37	21.3	3.08	20.1	0.15	2.1	0.036	0.85	30.9	13.3	0.78	481	0.13	2.68	7.1
J838942		0.28	80.6	4.59	23.0	0.19	2.6	0.061	0.67	57.4	16.3	1.05	658	0.25	2.75	12.9
J838943		0.27	60.4	5.87	27.2	0.18	3.8	0.075	0.55	30.4	14.9	1.22	881	0.11	2.70	20.1
J838944		0.28	48.5	7.60	21.8	0.14	3.3	0.079	0.53	19.7	24.2	1.71	1180	0.27	2.11	10.0
J838945		0.09	1.0	0.11	0.47	0.32	0.1	<0.005	0.09	1.6	4.3	13.10	52	0.10	0.03	0.3
J838946		0.68	35.0	6.56	23.7	0.16	4.4	0.078	1.46	28.7	22.9	1.47	950	0.40	2.14	15.7
J838947		0.84	33.6	5.86	24.3	0.17	5.0	0.069	1.72	32.4	20.6	1.30	830	0.26	2.42	17.3
J838948		1.00	26.4	5.88	23.9	0.13	3.6	0.072	1.81	25.1	18.3	1.25	946	0.97	2.16	15.4
J838949		0.80	62.8	4.59	25.9	0.16	2.7	0.069	1.55	23.1	16.1	0.95	711	0.17	3.08	18.7
J838950		0.28	46.8	7.57	20.1	0.11	2.6	0.075	0.63	28.3	25.1	1.64	1260	0.39	1.96	5.1
J838951		0.29	50.6	7.90	21.0	0.11	3.0	0.080	0.64	30.9	26.1	1.76	1320	0.38	2.05	5.5
J838952		0.25	35.6	6.52	26.5	0.19	2.9	0.083	0.48	37.9	17.0	1.44	937	0.31	2.67	20.7
J838953		0.38	30.8	6.60	25.9	0.18	3.5	0.081	0.83	32.0	18.8	1.49	950	0.21	2.53	19.6
J838953 CRD		0.37	29.8	6.30	24.7	0.18	3.5	0.078	0.79	32.0	17.9	1.43	909	0.25	2.43	19.2
J838954		0.94	25.4	5.68	24.2	0.17	2.5	0.069	2.25	30.4	20.9	1.32	896	0.43	1.88	15.8
J838955		0.20	36.5	7.01	26.7	0.20	1.7	0.083	0.48	31.6	17.5	1.62	1110	0.29	2.38	20.7
J838956		0.20	35.5	6.09	24.5	0.15	2.2	0.067	0.49	29.8	16.6	1.46	898	0.27	2.52	15.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J838929		10.1	410	3.7	64.9	<0.002	0.02	0.09	8.0	1	1.7	143.0	0.44	<0.05	8.9	0.204
J838930		20.1	1070	36.7	91.9	0.615	2.45	7.14	12.2	8	2.9	239	0.34	0.99	2.5	0.238
J838931		4.5	330	3.2	64.2	<0.002	0.02	0.09	3.9	1	1.1	111.0	0.43	<0.05	7.7	0.149
J838932		3.2	250	3.2	60.2	<0.002	0.04	0.08	3.6	1	1.2	88.1	0.66	<0.05	5.5	0.115
J838933		3.8	310	3.9	53.4	<0.002	0.01	0.07	3.7	1	1.0	114.5	0.39	<0.05	7.1	0.142
J838933 CRD		3.8	320	3.7	55.0	<0.002	0.01	0.07	3.8	1	1.0	114.5	0.40	<0.05	6.9	0.143
J838934		5.8	740	5.5	55.9	<0.002	0.02	0.12	7.1	1	1.2	210	0.48	<0.05	5.8	0.278
J838935		4.2	580	4.1	45.5	<0.002	0.02	0.10	7.0	1	0.9	180.0	0.62	<0.05	5.8	0.228
J838936		12.3	260	2.7	53.1	<0.002	0.02	0.07	7.9	1	0.9	93.2	0.57	<0.05	3.1	0.167
J838937		18.1	370	2.6	47.0	<0.002	0.03	0.07	9.9	1	1.8	95.4	0.66	<0.05	2.5	0.255
J838938		12.4	330	3.4	31.1	<0.002	0.03	0.10	8.1	1	0.8	159.0	0.47	<0.05	2.3	0.188
J838939		15.6	490	3.3	36.9	<0.002	0.02	0.11	10.5	1	1.2	217	0.56	<0.05	2.8	0.254
J838940		12.8	580	4.7	20.3	<0.002	0.01	0.17	8.8	1	1.2	328	0.56	<0.05	2.8	0.241
J838941		14.9	1120	5.0	24.3	<0.002	0.02	0.15	8.8	1	1.7	346	0.70	<0.05	3.7	0.288
J838942		17.7	2620	5.8	19.9	<0.002	0.14	0.19	11.4	2	2.3	461	1.18	<0.05	4.2	0.486
J838943		14.0	2000	6.7	17.8	<0.002	0.08	0.32	15.0	2	2.2	515	1.55	<0.05	1.9	0.623
J838944		14.9	1390	3.3	17.0	0.002	0.12	0.18	29.7	2	1.3	289	0.66	<0.05	1.6	0.885
J838945		1.1	10	1.0	2.2	<0.002	0.03	<0.05	0.3	1	<0.2	63.3	<0.05	<0.05	0.2	0.008
J838946		15.1	2050	2.2	43.5	<0.002	0.04	0.08	17.5	2	1.4	133.0	0.84	<0.05	1.8	0.674
J838947		14.1	2140	2.3	50.5	<0.002	0.04	0.08	14.3	2	1.4	152.5	0.93	<0.05	2.3	0.618
J838948		12.3	1360	6.8	56.5	0.002	1.04	0.09	15.7	2	1.5	168.0	0.83	0.52	1.9	0.638
J838949		9.6	1480	8.0	49.6	<0.002	0.06	0.06	13.0	2	2.1	168.5	1.00	<0.05	1.9	0.504
J838950		14.1	810	2.2	18.8	0.002	0.12	0.08	31.2	2	1.2	145.0	0.41	<0.05	2.8	0.871
J838951		16.2	840	2.2	18.8	0.002	0.12	0.08	32.6	2	1.2	151.0	0.45	<0.05	3.1	0.892
J838952		16.3	2390	4.5	14.5	<0.002	0.05	0.22	16.2	2	1.5	444	1.02	<0.05	1.5	0.730
J838953		16.3	2390	3.3	23.2	<0.002	0.05	0.19	16.2	2	1.5	351	1.01	<0.05	1.3	0.722
J838953 CRD		15.8	2270	3.4	22.5	<0.002	0.04	0.18	15.5	2	1.4	330	0.98	<0.05	1.3	0.684
J838954		13.5	2240	1.4	66.4	<0.002	0.06	0.09	14.2	2	1.3	118.5	0.81	<0.05	1.3	0.603
J838955		18.3	2620	4.0	12.9	<0.002	0.05	0.22	17.7	2	1.5	414	1.05	<0.05	1.0	0.773
J838956		19.7	1750	3.9	12.6	<0.002	0.04	0.22	16.7	2	1.4	364	0.92	<0.05	1.4	0.597

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
J838929		0.29	1.3	36	1.0	15.2	67	179.5	
J838930		1.23	1.2	151	11.4	14.5	141	20.4	
J838931		0.27	1.0	24	1.0	6.2	42	143.0	
J838932		0.23	1.4	18	0.8	6.8	30	124.5	
J838933		0.22	0.8	21	0.6	6.4	43	140.5	
J838933 CRD		0.22	1.1	21	0.7	6.4	43	145.0	
J838934		0.23	1.1	42	0.7	14.3	72	160.5	
J838935		0.21	1.6	36	0.5	10.9	50	120.0	
J838936		0.22	1.8	47	1.5	7.6	52	92.1	
J838937		0.21	1.0	65	2.2	9.0	64	94.7	
J838938		0.13	1.5	57	0.5	9.8	47	67.5	
J838939		0.16	0.7	63	0.5	10.5	64	110.5	
J838940		0.10	0.7	57	0.2	10.7	60	90.6	
J838941		0.11	0.8	56	0.2	11.3	64	85.7	
J838942		0.09	1.1	77	0.3	24.0	92	110.0	
J838943		0.07	0.4	97	0.4	32.8	115	171.0	
J838944		0.07	0.4	210	1.1	32.2	143	134.5	
J838945		<0.02	0.1	2	<0.1	1.4	<2	2.0	
J838946		0.19	1.1	135	2.7	33.9	128	180.0	
J838947		0.21	1.7	101	4.3	33.0	111	220	
J838948		0.23	1.1	109	7.0	28.2	82	140.0	
J838949		0.21	1.2	86	1.1	25.2	73	104.0	
J838950		0.08	0.4	238	1.1	27.2	126	92.7	
J838951		0.08	0.5	246	1.1	28.7	135	103.0	
J838952		0.06	0.3	116	0.5	37.1	128	130.5	
J838953		0.10	0.3	117	0.6	35.6	133	159.5	
J838953 CRD		0.10	0.3	111	0.6	35.0	126	163.0	
J838954		0.28	0.4	106	2.8	30.6	119	107.0	
J838955		0.05	0.2	125	0.4	37.7	143	60.3	
J838956		0.06	0.3	112	0.3	30.0	129	82.6	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 30-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180658

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.