ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE TB10194580

Project: HAMMOND REEF

P.O. No.:

This report is for 159 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198849		2.33	0.011		0.04	7.72	<0.2	110	0.38	0.01	6.59	0.06	10.70	38.8	188	0.45
I198850		2.27	<0.005		0.03	7.75	<0.2	30	0.15	0.03	7.05	0.07	4.07	46.9	219	0.14
I198851		2.34	0.008		0.04	7.91	<0.2	30	0.16	0.03	7.00	0.06	4.28	46.7	217	0.14
I198852		2.98	0.009		0.10	7.76	<0.2	30	0.18	0.01	6.74	0.07	3.84	46.0	233	0.20
I198853		3.26	<0.005		0.17	7.78	<0.2	60	0.15	0.01	7.55	0.08	3.70	43.7	348	0.58
I198854		3.49	<0.005		0.15	7.77	<0.2	60	0.11	0.01	7.36	0.09	6.41	45.1	222	0.55
I198855		3.14	0.007		0.21	7.66	<0.2	60	0.12	0.01	7.15	0.08	4.36	45.6	214	0.39
I198856		2.54	<0.005		0.05	7.49	<0.2	70	0.16	0.02	7.72	0.08	3.93	44.7	206	0.35
I198857		2.68	0.033		0.06	7.60	0.2	240	0.37	0.03	8.97	0.11	6.58	41.3	180	1.01
I198858		3.36	0.027		0.03	7.44	0.5	470	1.05	0.02	1.91	0.03	34.6	5.4	21	1.29
I198859		4.46	0.076		0.05	6.49	0.3	370	0.85	0.03	2.28	0.02	24.6	5.8	21	0.94
I198860		0.12	0.960		4.67	6.80	22.7	490	0.73	1.77	2.59	2.30	21.7	14.6	63	0.87
I198861		3.17	0.029		0.05	7.55	0.4	370	1.07	0.10	2.06	0.03	25.0	6.4	18	0.94
I198862		3.32	0.071		0.05	7.77	0.5	410	1.05	0.03	1.73	0.02	46.4	6.0	16	1.24
I198863		3.25	0.043		0.03	6.96	0.5	370	1.17	0.04	1.99	0.02	25.5	4.1	14	0.93
I198864		3.20	0.063		0.02	6.83	0.3	360	0.97	0.06	0.70	<0.02	26.3	1.3	11	0.72
I198865		3.37	0.188		0.05	7.40	0.2	460	1.08	0.03	2.15	0.03	27.6	6.4	15	1.02
I198866		3.20	0.007		0.03	6.86	<0.2	370	1.07	0.02	2.55	0.03	32.9	8.2	17	0.96
I198867		3.17	0.010		0.01	7.99	<0.2	410	1.24	0.03	2.55	0.03	49.6	7.2	12	1.02
I198868		3.31	0.035		0.03	7.49	0.2	350	1.19	0.03	1.45	<0.02	47.5	4.1	10	0.99
I198868 CRD		<0.02	0.032		0.02	7.21	<0.2	340	1.21	0.03	1.36	<0.02	45.8	4.0	9	0.97
I198869		3.58	0.010	0.007	0.01	7.15	0.3	360	1.15	0.03	2.18	0.02	33.5	4.9	11	0.77
I198870		3.15	0.126		0.03	6.84	0.6	310	1.05	0.06	1.28	<0.02	27.6	2.2	9	0.67
I198871		3.54	0.034		0.15	6.69	0.2	350	1.15	0.04	1.64	0.02	20.8	2.2	8	0.76
I198872		3.30	0.010		0.02	7.64	<0.2	500	1.03	0.04	3.13	0.02	53.9	10.4	16	0.95
I198873		3.23	<0.005		0.02	7.86	<0.2	460	1.06	0.02	3.06	0.02	43.7	11.2	16	0.96
I198874		3.30	<0.005		0.02	7.11	0.3	430	1.14	0.02	2.68	0.03	36.3	10.1	13	0.83
I198875		0.12	2.58		8.01	7.00	43.4	620	0.84	3.46	1.69	0.98	53.7	16.2	54	3.20
I198876		3.21	<0.005		0.02	6.89	<0.2	250	1.44	0.07	1.18	<0.02	46.1	1.9	10	0.67
I198877		3.24	0.010		<0.01	6.95	<0.2	240	1.24	0.04	0.94	<0.02	18.00	1.0	6	0.68
I198878		3.17	0.006		0.01	7.15	<0.2	380	1.15	0.03	2.59	0.03	44.6	8.8	11	0.95
I198879		3.30	0.052		0.04	6.79	<0.2	440	1.14	0.06	2.01	0.04	48.1	7.0	10	0.92
I198880		3.27	0.051		0.05	7.70	0.6	520	1.05	0.05	2.88	0.03	49.7	8.2	11	0.94
I198881		4.05	0.094		0.03	7.18	0.4	500	1.15	0.04	1.24	0.03	29.0	1.9	5	0.85
I198882		3.25	0.012		0.04	7.28	<0.2	510	1.14	0.08	1.40	0.04	22.9	1.7	8	0.87
I198883		3.14	<0.005		0.01	7.70	0.3	480	1.14	0.06	1.07	0.02	21.6	1.2	7	0.88
I198884		3.16	0.026		0.02	7.03	0.4	380	0.96	0.05	2.32	0.02	24.0	2.8	6	0.77
I198885		3.61	0.038		0.03	7.37	0.3	380	1.07	0.02	2.98	0.03	55.1	5.9	7	0.79
I198886		3.48	0.005		0.06	7.28	0.8	440	1.15	0.02	3.23	0.03	34.0	3.3	5	0.89
I198887		3.42	<0.005		0.03	7.82	0.8	320	1.46	0.10	1.72	0.02	40.6	4.2	6	0.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198849		37.7	6.66	14.20	0.16	0.9	0.047	0.81	4.8	66.9	4.17	1180	0.18	1.14	2.4	121.5
I198850		134.5	7.38	13.80	0.20	0.6	0.050	0.18	1.5	75.9	4.72	1280	0.14	1.48	0.9	140.5
I198851		151.0	7.52	13.75	0.18	0.6	0.046	0.17	1.6	76.3	4.82	1280	0.15	1.51	0.8	142.0
I198852		102.5	7.41	13.80	0.19	0.5	0.052	0.21	1.4	78.6	4.77	1250	0.28	1.41	1.0	143.5
I198853		51.9	6.53	12.60	0.17	0.5	0.040	0.74	1.4	70.5	4.88	1260	0.35	0.94	0.8	152.5
I198854		84.5	7.03	13.45	0.19	0.6	0.051	0.70	2.9	69.6	4.82	1320	0.06	0.87	0.8	143.0
I198855		113.0	7.12	13.65	0.19	0.6	0.050	0.45	1.6	73.1	4.65	1320	0.14	1.14	0.8	138.5
I198856		135.0	7.03	13.30	0.18	0.6	0.050	0.50	1.4	74.9	4.55	1280	0.15	0.91	0.8	135.5
I198857		111.5	6.35	14.65	0.18	1.0	0.046	1.98	2.9	42.4	3.85	1400	0.18	0.38	1.5	123.5
I198858		14.8	2.00	19.95	0.09	3.0	0.017	3.00	17.5	4.7	0.50	333	0.22	1.10	5.4	9.2
I198859		118.0	1.82	17.85	0.08	1.8	0.021	2.28	11.2	5.1	0.43	386	0.29	1.56	7.9	6.5
I198860		>10000	4.72	14.20	0.16	1.0	0.143	0.86	10.6	14.8	1.20	706	253	2.28	4.1	32.6
I198861		47.4	1.60	20.7	0.09	3.1	0.023	2.27	12.8	3.0	0.40	461	0.99	2.48	12.6	5.8
I198862		21.9	1.93	21.3	0.11	3.6	0.019	2.58	24.0	4.7	0.47	378	0.24	2.18	7.1	6.2
I198863		17.1	1.43	19.65	0.08	2.5	0.015	2.20	12.2	4.8	0.31	405	0.20	2.15	8.6	5.2
I198864		23.3	0.79	18.15	0.07	2.2	0.008	1.84	12.2	3.1	0.10	95	0.17	2.63	6.3	1.5
I198865		16.7	1.98	19.65	0.10	2.1	0.025	2.26	13.5	5.4	0.51	426	0.15	2.31	4.8	8.1
I198866		17.4	2.24	20.8	0.10	2.6	0.033	2.12	15.4	6.3	0.56	581	0.14	2.41	9.6	9.0
I198867		14.7	2.14	23.1	0.12	3.0	0.020	2.27	24.9	8.3	0.54	483	0.14	2.68	12.6	6.7
I198868		5.8	1.68	21.5	0.11	3.6	0.021	1.80	25.9	12.7	0.31	197	0.24	2.90	13.7	3.9
I198868 CRD		5.8	1.62	21.3	0.10	3.5	0.020	1.78	24.2	12.9	0.31	185	0.24	2.80	13.3	3.8
I198869		36.4	1.54	21.5	0.10	2.9	0.014	1.67	16.5	9.4	0.32	327	0.24	2.91	14.1	4.9
I198870		34.9	0.95	20.4	0.07	3.5	0.016	1.44	14.1	5.8	0.14	165	0.18	3.16	18.1	3.1
I198871		38.1	0.96	21.3	0.08	3.1	0.013	1.62	9.9	5.9	0.14	225	0.13	2.84	17.4	2.1
I198872		15.8	2.88	21.5	0.14	2.2	0.039	1.86	25.1	19.7	0.77	519	0.10	2.60	6.5	10.3
I198873		26.2	2.99	21.8	0.13	2.5	0.038	1.87	20.5	22.7	0.85	482	0.28	2.59	8.6	12.2
I198874		51.6	2.56	20.9	0.11	2.9	0.020	1.72	17.8	17.3	0.55	397	0.18	2.44	7.9	8.7
I198875		>10000	5.93	15.20	0.15	1.3	0.109	2.85	24.9	15.5	1.23	650	117.5	1.73	6.9	32.4
I198876		20.3	1.02	21.0	0.05	3.7	0.009	1.34	22.1	5.1	0.16	270	1.77	3.50	23.8	1.8
I198877		29.0	0.71	20.9	<0.05	4.0	0.011	1.32	7.9	3.3	0.11	177	0.32	3.65	29.7	1.9
I198878		14.2	2.45	21.4	0.19	2.6	0.026	1.83	18.7	12.6	0.87	517	0.09	3.35	11.9	8.3
I198879		23.2	1.97	19.90	0.17	2.6	0.025	1.94	21.4	7.5	0.49	369	0.18	2.41	9.8	5.9
I198880		16.0	2.71	20.6	0.16	2.8	0.024	2.25	23.5	13.3	0.64	527	0.86	2.03	8.6	8.7
I198881		13.0	1.06	18.15	0.14	2.7	0.016	1.92	14.8	4.7	0.16	184	0.36	2.60	6.1	2.6
I198882		7.1	1.05	19.00	0.14	3.0	0.035	1.89	11.5	5.2	0.15	232	0.13	2.65	8.0	2.1
I198883		5.8	0.90	19.35	0.13	2.5	0.020	1.78	11.3	3.6	0.11	179	0.22	3.18	6.6	1.9
I198884		19.9	1.34	17.30	0.14	2.9	0.021	1.66	12.0	9.1	0.26	349	0.21	2.70	7.8	3.8
I198885		5.9	2.05	18.65	0.16	2.1	0.021	1.70	27.6	17.9	0.51	430	0.36	2.50	6.7	6.1
I198886		3.2	1.59	21.9	0.16	2.6	0.020	1.98	16.8	13.5	0.31	441	0.13	2.48	7.5	3.3
I198887		5.6	1.53	23.4	0.15	3.2	0.018	1.62	19.7	14.3	0.35	313	0.19	3.25	17.7	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198849		220	3.2	32.6	<0.002	0.01	0.23	31.9	1	0.4	172.0	0.38	0.07	0.7	0.231	0.11
I198850		170	2.8	7.2	0.002	0.01	0.27	35.4	1	0.3	144.5	0.05	<0.05	<0.2	0.234	0.03
I198851		170	2.9	6.6	<0.002	0.01	0.26	34.6	1	0.3	145.5	0.05	<0.05	<0.2	0.223	0.03
I198852		170	2.8	8.4	0.002	0.01	0.45	34.6	1	0.3	127.0	0.07	<0.05	<0.2	0.280	0.03
I198853		130	2.1	31.8	<0.002	<0.01	0.47	32.1	1	0.3	138.5	<0.05	<0.05	0.2	0.187	0.12
I198854		150	2.2	29.1	<0.002	<0.01	0.50	33.4	1	0.3	131.0	0.05	<0.05	0.3	0.217	0.12
I198855		170	2.3	18.4	0.002	<0.01	0.38	33.7	1	0.3	138.5	0.06	<0.05	<0.2	0.226	0.08
I198856		160	2.8	20.5	<0.002	0.07	0.23	33.2	1	0.3	179.5	0.05	<0.05	<0.2	0.207	0.07
I198857		160	3.8	66.9	<0.002	0.09	0.30	30.5	1	0.4	234	0.11	<0.05	0.5	0.245	0.29
I198858		350	3.6	95.1	<0.002	0.05	0.30	3.4	1	1.1	89.1	0.62	<0.05	5.0	0.150	0.43
I198859		320	2.9	70.6	<0.002	0.06	0.23	4.3	1	1.2	86.4	0.97	<0.05	3.8	0.159	0.33
I198860		600	41.2	26.0	1.505	1.70	28.5	13.7	6	1.1	303	0.29	0.63	2.0	0.330	0.22
I198861		290	5.1	74.5	0.003	0.09	0.26	5.3	1	1.8	143.0	2.04	<0.05	4.2	0.146	0.33
I198862		480	3.7	88.5	<0.002	0.07	0.25	3.7	1	1.1	110.0	1.24	<0.05	6.3	0.158	0.38
I198863		270	4.0	68.9	<0.002	0.08	0.18	3.7	1	1.2	110.0	1.72	<0.05	5.4	0.105	0.30
I198864		50	3.3	59.3	<0.002	0.10	0.12	1.8	1	0.9	86.3	1.35	<0.05	7.7	0.026	0.25
I198865		450	3.4	73.0	<0.002	0.06	0.20	7.0	1	0.9	147.0	0.68	<0.05	3.9	0.151	0.33
I198866		490	5.4	64.3	<0.002	0.05	0.26	7.0	1	1.4	188.0	2.33	<0.05	5.0	0.177	0.35
I198867		610	5.5	79.0	<0.002	0.05	0.29	4.9	1	1.4	181.0	2.01	<0.05	7.4	0.192	0.38
I198868		330	4.5	71.1	<0.002	0.03	0.20	3.4	1	2.5	162.5	2.02	<0.05	8.9	0.112	0.30
I198868 CRD		320	4.3	70.1	<0.002	0.03	0.20	3.4	1	2.4	155.5	1.98	<0.05	8.8	0.109	0.29
I198869		360	6.1	60.2	<0.002	0.04	0.23	4.2	1	1.2	172.5	2.93	<0.05	7.0	0.120	0.27
I198870		120	5.4	55.9	<0.002	0.06	0.16	3.7	1	1.7	163.5	3.60	<0.05	10.4	0.057	0.23
I198871		150	5.2	60.6	<0.002	0.04	0.15	3.9	1	1.4	152.5	4.12	<0.05	7.9	0.054	0.27
I198872		770	5.8	64.5	<0.002	0.04	0.31	9.1	1	1.1	225	0.88	<0.05	5.2	0.237	0.33
I198873		850	6.9	68.9	<0.002	0.02	0.33	7.9	1	1.2	238	1.38	<0.05	3.8	0.251	0.33
I198874		570	5.6	59.4	<0.002	0.08	0.22	3.8	1	1.6	200	1.59	<0.05	3.5	0.167	0.31
I198875		940	66.0	77.0	0.131	2.36	7.70	16.2	8	2.4	270	0.25	0.93	4.8	0.329	0.80
I198876		120	5.7	46.0	<0.002	0.01	0.13	4.4	1	1.9	174.0	4.87	<0.05	11.1	0.061	0.24
I198877		60	5.3	45.9	<0.002	0.01	0.11	5.8	1	1.8	168.0	6.75	<0.05	8.5	0.028	0.24
I198878		690	5.3	48.5	<0.002	0.03	0.25	6.9	1	1.8	214	2.28	<0.05	5.5	0.174	0.31
I198879		430	5.7	67.0	<0.002	0.10	0.22	5.3	1	1.5	173.0	1.53	<0.05	7.6	0.149	0.33
I198880		700	7.0	68.3	<0.002	0.06	0.25	6.0	1	1.3	181.5	1.09	<0.05	4.9	0.242	0.35
I198881		210	4.5	66.9	<0.002	0.04	0.16	2.6	1	1.4	121.0	0.97	<0.05	6.7	0.067	0.31
I198882		140	5.2	65.1	<0.002	0.01	0.15	2.4	1	1.6	129.0	1.26	<0.05	6.3	0.060	0.32
I198883		100	5.3	66.0	<0.002	0.01	0.11	2.1	1	1.4	144.5	0.92	<0.05	6.6	0.041	0.31
I198884		210	5.7	65.3	<0.002	0.01	0.17	3.5	1	1.3	137.5	1.21	<0.05	7.0	0.096	0.28
I198885		510	5.4	67.9	<0.002	<0.01	0.23	4.0	1	1.2	213	1.22	<0.05	7.5	0.164	0.30
I198886		300	5.3	60.3	<0.002	<0.01	0.20	3.3	1	1.3	185.0	1.16	<0.05	5.8	0.114	0.34
I198887		310	5.9	60.8	<0.002	<0.01	0.21	4.7	1	1.5	201	3.79	<0.05	7.6	0.113	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
I198849		0.2	200	1.8	4.5	73	29.6	
I198850		<0.1	220	0.6	4.2	71	19.3	
I198851		<0.1	225	0.7	3.9	72	17.6	
I198852		<0.1	225	0.8	6.5	74	16.3	
I198853		<0.1	189	1.0	5.0	65	13.9	
I198854		<0.1	214	0.3	5.6	71	15.4	
I198855		<0.1	218	0.2	6.0	74	19.3	
I198856		0.1	214	1.1	3.7	78	18.4	
I198857		0.3	194	2.6	5.1	96	30.7	
I198858		3.2	36	3.0	5.0	33	91.5	
I198859		2.0	29	3.9	6.1	33	56.4	
I198860		0.8	105	5.8	15.7	147	28.1	1.305
I198861		3.9	31	3.2	7.0	27	95.8	
I198862		2.6	33	3.2	6.5	39	127.5	
I198863		3.7	23	2.2	8.7	26	60.8	
I198864		3.7	5	0.7	7.7	10	45.4	
I198865		1.4	35	2.8	5.4	38	65.4	
I198866		3.1	41	2.0	7.9	51	76.7	
I198867		3.4	40	2.1	9.2	46	91.2	
I198868		4.1	16	1.9	11.0	33	112.5	
I198868 CRD		3.9	16	1.8	10.7	32	108.5	
I198869		4.9	26	1.5	9.8	33	69.1	
I198870		8.8	10	1.3	15.4	15	80.4	
I198871		5.5	11	1.7	11.1	13	64.9	
I198872		1.3	59	1.6	7.2	69	79.9	
I198873		2.0	63	0.9	8.6	69	84.5	
I198874		1.8	48	0.9	6.4	58	95.4	
I198875		1.3	154	10.8	16.3	176	50.5	2.17
I198876		6.7	9	0.5	13.7	16	74.5	
I198877		7.6	7	0.3	13.4	9	62.9	
I198878		2.8	44	2.8	8.0	51	88.4	
I198879		3.2	32	3.5	8.2	39	86.3	
I198880		1.8	47	7.3	7.4	67	110.5	
I198881		2.7	12	1.3	6.4	14	96.4	
I198882		3.4	8	1.5	7.6	17	95.9	
I198883		3.2	5	0.8	5.9	6	77.5	
I198884		3.9	18	1.6	11.0	16	84.8	
I198885		2.6	34	1.7	7.6	34	77.0	
I198886		3.4	23	1.8	9.3	19	86.1	
I198887		6.9	23	0.5	11.2	21	82.2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198888		2.46	<0.005		0.03	8.01	0.9	240	1.24	0.03	2.19	0.03	80.9	7.7	7	0.67
I198888 CRD		<0.02	<0.005		0.03	7.59	0.7	240	1.18	0.03	2.09	0.02	74.6	7.4	9	0.66
I198889		4.26	<0.005	<0.005	0.03	8.32	0.9	360	1.34	0.03	3.35	0.03	78.4	11.8	15	0.98
I198890		0.12	0.407		2.10	8.42	114.0	630	1.25	0.56	0.62	1.07	34.6	18.9	37	6.97
I198891		3.33	0.008		0.08	8.52	1.0	240	1.33	0.17	3.91	0.03	42.8	14.0	15	0.93
I198892		3.60	<0.005		0.13	8.59	1.3	140	1.20	0.11	3.25	0.03	69.7	20.3	21	0.81
I198893		3.37	<0.005		0.04	8.95	1.2	120	1.06	0.07	3.99	0.02	47.8	17.3	19	0.93
I198894		3.10	<0.005		0.02	9.80	0.9	190	1.28	0.04	4.15	0.02	28.9	13.1	14	1.28
I198895		3.46	<0.005		0.03	8.70	0.8	130	1.01	0.03	4.16	0.03	38.9	18.2	17	0.88
I198896		2.55	<0.005		0.04	8.67	1.1	210	0.99	0.06	3.69	0.02	48.3	17.0	18	0.77
I198897		2.95	<0.005		0.05	7.88	1.0	200	0.90	0.05	4.80	0.02	53.5	12.1	12	0.66
I198898		3.27	<0.005		0.02	8.67	0.9	290	0.98	0.02	4.16	0.02	21.5	19.9	75	1.06
I198899		2.86	<0.005		0.02	8.35	1.0	410	1.20	0.03	3.35	0.02	24.1	7.0	8	0.93
I198900		0.12	0.957		4.41	6.74	20.7	490	0.76	1.90	2.56	2.14	22.2	14.7	65	0.76
I198901		3.20	<0.005		0.01	7.11	<0.2	340	1.18	0.02	1.70	0.02	21.5	7.6	7	0.89
I198902		3.15	<0.005		0.02	8.10	0.6	390	1.08	0.03	2.45	0.02	24.7	6.7	4	0.96
I198903		3.00	<0.005		0.02	8.16	1.0	310	0.98	0.01	2.04	<0.02	28.4	7.3	3	0.86
I198904		3.39	0.006		0.01	7.79	0.3	360	0.91	0.01	2.46	<0.02	23.5	7.0	4	0.77
I198905		3.33	<0.005		0.02	8.60	1.0	350	1.15	0.02	2.12	0.02	32.2	9.3	6	1.03
I198906		3.61	<0.005		0.01	9.42	0.6	300	1.35	0.01	1.91	0.02	26.3	9.2	<1	1.12
I198907		3.58	<0.005		0.01	10.20	0.8	520	1.90	0.01	2.27	0.03	30.6	11.4	<1	1.64
I198908		2.91	0.008		0.07	3.18	1.7	30	0.48	0.03	9.45	0.11	18.70	67.2	1030	0.08
I198908 CRD		<0.02	0.011		0.08	3.16	1.5	30	0.52	0.03	9.74	0.11	18.60	66.2	1040	0.07
I198909		3.07	0.008	0.007	0.07	2.84	<0.2	80	0.56	0.03	9.51	0.13	19.55	76.0	1260	0.08
I198910		3.77	<0.005		0.07	2.74	0.8	70	0.47	0.03	9.41	0.14	17.15	79.1	1110	0.06
I198911		3.61	0.385		0.19	2.96	4.3	10	0.43	0.12	8.29	0.10	21.6	71.7	1020	0.06
I198912		4.49	0.234		0.18	3.04	0.3	20	0.52	0.06	8.83	0.13	21.3	64.4	1120	0.08
I198913		3.39	0.005		0.03	7.07	<0.2	510	0.83	0.01	3.38	0.02	42.7	14.1	21	0.99
I198914		3.58	0.029		0.05	7.59	<0.2	440	0.88	0.03	3.06	0.02	58.7	10.2	13	1.33
I198915		0.12	2.42		8.42	6.60	49.4	670	0.84	3.49	1.66	1.10	50.9	17.3	56	3.15
I198916		3.01	0.005		0.02	7.21	0.4	400	0.84	0.01	2.40	0.02	59.2	7.7	15	0.99
I198917		2.89	0.008		0.14	6.53	0.6	40	0.44	0.24	5.02	0.04	23.2	42.2	29	0.17
I198918		2.21	0.025		0.02	6.92	<0.2	350	0.82	0.02	2.40	<0.02	30.5	5.9	9	1.29
I198919		3.09	0.024		0.03	6.95	<0.2	370	0.96	0.02	2.99	0.05	58.8	10.2	13	1.18
I198920		3.07	0.005		0.03	7.19	<0.2	360	1.07	0.02	2.16	0.04	43.7	10.2	15	1.07
I198921		4.29	0.075		0.11	7.14	<0.2	390	1.10	0.04	2.45	0.05	62.3	10.0	16	1.27
I198922		2.51	0.061		0.04	7.36	<0.2	460	0.87	0.04	4.10	0.06	28.6	17.6	35	1.50
I198923		3.42	<0.005		0.03	7.22	<0.2	340	0.70	0.01	3.84	0.04	35.3	16.4	31	1.17
I198924		3.48	<0.005		0.07	6.98	<0.2	390	0.64	0.01	3.55	0.04	28.9	13.9	25	1.15
I198925		3.69	0.105		0.10	7.38	<0.2	460	0.82	0.06	4.18	0.05	26.6	16.4	30	1.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198888		2.1	2.51	22.7	0.18	5.1	0.033	1.33	38.8	24.7	0.57	374	0.14	3.28	14.2	4.7
I198888 CRD		2.6	2.39	22.3	0.19	5.1	0.031	1.28	35.0	22.8	0.54	359	0.12	3.17	14.0	4.5
I198889		3.6	3.13	23.4	0.19	3.0	0.028	1.94	36.5	38.6	0.95	532	0.13	2.67	8.8	11.0
I198890		5160	5.20	18.85	0.19	0.8	0.059	4.81	18.7	12.4	0.82	553	287	1.12	5.2	23.6
I198891		11.5	3.57	22.2	0.18	1.8	0.037	1.51	18.8	47.7	1.19	640	1.19	2.73	5.9	13.5
I198892		16.3	4.88	24.9	0.18	1.9	0.047	1.08	30.6	58.2	1.76	645	0.39	3.22	9.0	19.2
I198893		4.3	4.63	25.8	0.18	1.8	0.045	1.13	20.0	53.7	1.49	669	0.69	3.48	6.2	17.8
I198894		1.6	4.21	30.5	0.16	2.5	0.036	1.94	11.5	47.0	1.15	609	0.17	3.23	4.3	11.4
I198895		2.0	4.55	22.4	0.16	2.5	0.041	1.21	16.0	57.7	1.71	712	0.12	3.09	4.2	15.2
I198896		3.8	4.66	23.6	0.17	2.3	0.035	1.43	19.8	54.0	1.55	649	0.15	3.01	4.2	15.5
I198897		3.1	3.61	19.25	0.17	3.2	0.034	1.25	25.0	39.5	1.09	691	0.25	2.66	7.3	10.4
I198898		2.2	4.13	21.1	0.13	2.5	0.034	1.80	10.7	49.7	1.51	647	0.11	2.38	4.1	34.1
I198899		2.1	2.30	21.2	0.14	2.9	0.022	1.94	12.3	18.8	0.59	451	0.13	2.86	6.9	4.9
I198900		>10000	4.89	14.05	0.14	1.0	0.130	0.90	10.9	15.0	1.21	715	262	2.28	3.7	32.4
I198901		1.8	2.13	18.30	0.13	2.6	0.018	1.64	10.2	17.6	0.60	261	0.12	2.98	3.5	5.4
I198902		7.3	2.24	21.2	0.12	3.1	0.021	1.82	13.2	14.8	0.56	358	0.23	3.04	2.9	4.4
I198903		2.0	2.28	17.95	0.13	2.9	0.019	1.72	15.0	13.9	0.59	310	0.15	3.18	3.4	4.7
I198904		1.5	2.21	17.80	0.13	3.2	0.014	1.68	12.4	12.6	0.56	346	0.16	3.06	2.9	4.2
I198905		2.1	2.66	21.4	0.14	3.7	0.020	1.96	16.1	31.4	1.81	425	0.23	3.35	2.7	7.2
I198906		1.2	2.71	25.8	0.15	3.7	0.023	2.55	13.0	34.3	2.94	665	0.05	3.65	2.9	4.6
I198907		8.2	2.44	29.3	0.16	3.9	0.022	3.70	14.9	22.2	2.24	594	0.17	3.50	3.6	33.5
I198908		101.0	6.89	10.60	0.16	1.5	0.048	0.08	7.6	17.9	7.65	2280	0.67	0.08	3.3	916
I198908 CRD		98.1	7.00	10.30	0.16	1.5	0.047	0.06	7.4	18.5	7.82	2310	0.62	0.06	3.4	931
I198909		159.0	7.25	10.30	0.24	1.5	0.053	0.01	8.0	13.6	7.97	1980	0.42	<0.01	2.8	955
I198910		165.0	7.78	9.71	0.23	1.2	0.051	<0.01	6.8	11.2	7.90	1720	0.44	<0.01	2.7	821
I198911		189.0	7.16	10.25	0.21	1.5	0.050	<0.01	9.2	18.6	7.33	1720	0.69	<0.01	3.2	758
I198912		67.2	7.52	10.45	0.22	1.5	0.050	<0.01	8.7	21.9	7.64	2110	0.50	<0.01	3.0	790
I198913		4.8	3.23	20.1	0.17	2.8	0.029	2.06	19.7	21.5	0.96	384	0.15	1.76	4.6	25.2
I198914		27.8	2.88	21.6	0.18	3.3	0.024	2.90	28.6	13.9	0.81	442	0.23	1.31	5.4	12.3
I198915		>10000	5.70	14.90	0.20	1.1	0.118	2.72	22.7	16.0	1.22	653	121.5	1.64	6.8	34.6
I198916		7.3	2.51	18.95	0.12	4.5	0.016	2.42	32.7	10.2	0.65	383	0.15	1.94	3.6	8.0
I198917		23.2	10.50	20.2	0.27	1.8	0.087	0.23	9.3	75.9	3.16	1060	0.49	0.45	4.7	24.6
I198918		8.9	2.11	19.40	0.14	3.3	0.018	2.55	14.1	10.1	0.57	352	0.27	1.52	2.6	12.4
I198919		51.2	3.20	20.9	0.17	2.1	0.033	2.90	28.1	10.6	1.23	728	0.60	1.21	3.7	15.4
I198920		34.3	3.09	20.7	0.17	1.9	0.035	2.67	20.8	10.4	1.19	649	0.31	1.76	4.2	12.8
I198921		39.3	2.86	20.7	0.18	2.1	0.032	2.93	31.1	6.5	1.13	629	0.28	1.24	4.3	15.1
I198922		42.3	3.91	20.5	0.17	2.3	0.038	3.42	11.7	7.0	1.39	762	0.17	0.99	4.0	26.8
I198923		32.4	3.76	20.1	0.17	2.3	0.036	2.53	15.6	15.6	1.34	650	0.10	1.58	3.7	23.6
I198924		24.7	3.26	19.20	0.16	2.7	0.029	2.51	12.6	12.0	1.04	603	0.17	1.73	3.7	19.6
I198925		37.0	3.62	20.0	0.17	2.3	0.034	3.43	11.5	6.7	1.32	825	0.21	0.94	4.3	25.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198888		680	4.5	58.3	<0.002	<0.01	0.30	5.6	1	2.1	192.5	1.38	<0.05	7.6	0.238	0.23
I198888 CRD		650	4.4	55.9	<0.002	<0.01	0.29	5.3	1	2.0	184.5	1.36	<0.05	7.2	0.227	0.23
I198889		900	6.2	57.3	<0.002	<0.01	0.43	6.8	1	1.2	264	1.12	<0.05	7.3	0.286	0.33
I198890		1220	42.1	115.0	0.631	2.86	7.58	11.8	9	3.0	281	0.35	0.91	2.6	0.274	1.49
I198891		910	4.2	57.0	0.003	<0.01	0.41	9.0	1	1.2	287	0.81	<0.05	3.7	0.263	0.28
I198892		1320	4.5	33.3	<0.002	<0.01	0.58	12.1	1	1.5	299	1.77	<0.05	10.5	0.305	0.20
I198893		1170	3.7	39.6	0.002	<0.01	0.51	13.3	1	1.2	292	1.36	<0.05	3.8	0.248	0.22
I198894		1010	4.4	63.5	<0.002	<0.01	0.45	9.8	1	0.9	414	0.64	<0.05	2.4	0.237	0.37
I198895		1140	3.2	40.4	<0.002	<0.01	0.49	11.4	1	1.5	274	0.54	<0.05	3.0	0.274	0.23
I198896		1250	3.4	39.5	<0.002	<0.01	0.43	11.1	1	1.1	270	0.73	<0.05	3.4	0.284	0.26
I198897		890	3.5	52.8	<0.002	<0.01	0.36	7.0	1	1.1	238	1.56	<0.05	4.5	0.261	0.24
I198898		420	2.9	63.9	<0.002	<0.01	0.40	22.5	1	0.7	206	0.38	<0.05	2.3	0.211	0.33
I198899		380	3.3	67.9	<0.002	<0.01	0.38	4.2	1	0.9	211	0.89	<0.05	3.0	0.177	0.33
I198900		600	40.3	25.6	1.480	1.76	24.7	14.4	6	1.0	300	0.27	0.54	2.0	0.343	0.23
I198901		390	3.3	57.2	<0.002	<0.01	0.25	4.3	1	0.6	174.0	0.45	<0.05	2.9	0.132	0.28
I198902		410	3.1	64.4	<0.002	<0.01	0.23	4.5	1	0.7	201	0.45	<0.05	2.7	0.149	0.31
I198903		430	3.0	64.7	<0.002	<0.01	0.23	5.2	1	0.5	182.5	0.39	<0.05	3.2	0.182	0.30
I198904		420	2.7	59.0	<0.002	<0.01	0.24	3.4	1	0.5	202	0.23	<0.05	2.8	0.179	0.27
I198905		460	3.7	60.9	<0.002	<0.01	0.28	3.2	1	0.6	166.0	0.25	<0.05	4.5	0.145	0.32
I198906		430	2.5	76.2	<0.002	<0.01	0.22	3.7	1	0.7	126.0	0.32	<0.05	3.5	0.140	0.41
I198907		260	2.9	116.0	<0.002	<0.01	0.31	4.5	1	0.8	189.5	0.31	<0.05	3.9	0.159	0.55
I198908		300	4.1	3.0	<0.002	0.04	0.32	20.8	1	0.4	609	0.20	<0.05	0.6	0.351	<0.02
I198908 CRD		300	4.3	2.5	<0.002	0.04	0.31	20.3	1	0.4	617	0.21	<0.05	0.6	0.362	<0.02
I198909		320	4.2	0.3	<0.002	0.02	0.31	22.7	1	0.4	523	0.18	<0.05	0.7	0.290	<0.02
I198910		330	3.9	0.2	<0.002	0.12	0.30	22.4	1	0.4	520	0.17	<0.05	0.6	0.305	<0.02
I198911		230	3.5	0.2	<0.002	0.24	0.28	20.3	1	0.4	422	0.20	0.14	0.8	0.311	<0.02
I198912		270	3.2	0.1	<0.002	0.09	0.28	21.3	1	0.5	413	0.19	0.09	0.9	0.296	<0.02
I198913		760	2.9	54.0	<0.002	0.01	0.27	5.0	1	1.0	142.5	0.43	<0.05	4.9	0.222	0.28
I198914		680	3.2	84.0	<0.002	0.05	0.32	5.3	1	0.9	106.0	0.51	<0.05	5.7	0.242	0.40
I198915		920	64.1	75.3	0.147	2.43	7.60	15.1	7	2.9	258	0.28	0.92	4.6	0.321	0.74
I198916		590	3.1	65.5	<0.002	0.02	0.26	3.6	1	0.5	124.5	0.31	<0.05	7.2	0.231	0.34
I198917		990	3.8	7.7	0.003	0.04	0.73	41.2	2	1.1	104.5	0.30	<0.05	0.8	1.155	0.03
I198918		250	2.2	75.6	<0.002	0.03	0.21	2.7	1	0.5	76.5	0.14	<0.05	4.0	0.159	0.33
I198919		540	3.0	68.1	<0.002	0.04	0.20	7.0	1	1.0	124.5	0.30	<0.05	4.6	0.209	0.36
I198920		610	3.2	69.5	<0.002	0.02	0.20	8.0	1	1.1	137.5	0.29	<0.05	3.5	0.227	0.35
I198921		490	3.6	86.8	<0.002	0.05	0.23	8.7	1	0.9	130.0	0.37	<0.05	5.4	0.213	0.39
I198922		660	3.3	74.1	<0.002	0.13	0.30	10.3	1	0.9	157.5	0.25	<0.05	2.3	0.293	0.45
I198923		650	3.4	51.2	<0.002	0.03	0.25	9.9	1	0.9	163.0	0.23	<0.05	2.7	0.276	0.33
I198924		600	3.8	53.4	<0.002	0.03	0.26	8.2	1	1.0	173.0	0.19	<0.05	3.0	0.256	0.32
I198925		550	3.6	72.6	<0.002	0.14	0.31	10.2	1	1.0	139.0	0.25	<0.05	2.4	0.300	0.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
I198888		3.0	36	0.7	10.7	46	203	
I198888 CRD		2.9	34	0.7	10.2	44	197.5	
I198889		1.7	66	0.5	6.9	58	119.5	
I198890		1.2	175	12.9	14.8	164	26.0	
I198891		1.4	84	0.3	8.0	63	63.2	
I198892		2.5	116	0.1	12.0	91	58.8	
I198893		2.8	112	0.1	12.9	76	56.1	
I198894		1.4	96	0.1	6.9	57	97.3	
I198895		0.9	99	0.1	8.1	86	100.0	
I198896		1.5	102	0.2	8.9	88	97.4	
I198897		3.0	68	1.1	13.3	59	129.5	
I198898		1.7	92	0.7	8.0	76	109.0	
I198899		2.5	35	0.6	5.9	30	123.0	
I198900		0.8	113	5.4	14.7	162	29.6	1.255
I198901		2.8	32	0.4	3.8	36	108.0	
I198902		2.6	35	0.1	4.1	36	134.5	
I198903		1.0	36	0.9	3.2	31	125.0	
I198904		0.5	32	0.8	2.6	31	135.0	
I198905		1.9	35	0.3	4.3	53	155.0	
I198906		2.8	36	1.1	4.4	76	152.0	
I198907		1.4	41	2.1	4.8	53	154.5	
I198908		1.0	169	1.4	10.6	85	59.0	
I198908 CRD		1.0	171	1.4	10.6	85	59.2	
I198909		0.6	171	1.0	12.0	89	56.1	
I198910		0.4	172	1.3	10.6	72	49.2	
I198911		1.2	162	6.7	11.2	84	60.1	
I198912		1.1	165	2.9	11.8	94	56.0	
I198913		1.2	56	0.8	7.5	55	123.0	
I198914		1.8	58	2.5	6.9	44	132.5	
I198915		1.2	157	12.0	14.4	179	37.4	2.22
I198916		0.9	48	3.9	5.2	46	196.5	
I198917		0.4	358	2.9	16.3	168	71.8	
I198918		0.7	56	3.3	4.5	29	115.5	
I198919		0.8	67	6.4	6.3	56	80.8	
I198920		0.7	64	4.3	5.4	62	75.8	
I198921		1.0	65	5.9	6.4	52	83.7	
I198922		0.5	96	3.4	5.1	62	109.5	
I198923		0.6	88	1.0	5.1	84	103.0	
I198924		0.6	71	1.3	4.9	63	121.5	
I198925		0.7	95	4.4	5.8	51	101.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198926		3.33	0.005		0.03	7.17	<0.2	380	0.78	0.02	4.07	0.06	34.7	15.8	32	1.17
I198927		3.52	<0.005		0.05	7.47	<0.2	290	0.59	0.06	4.70	0.05	34.1	23.1	30	0.82
I198928		3.68	<0.005		0.05	7.72	<0.2	290	0.58	0.02	3.97	0.05	37.5	17.0	32	0.97
I198928 CRD		<0.02	<0.005		0.04	7.56	<0.2	300	0.66	0.02	4.14	0.04	31.3	18.8	34	0.97
I198929		3.42	<0.005	<0.005	0.05	7.38	<0.2	260	0.77	0.02	3.20	0.03	44.9	16.1	28	1.08
I198930		0.12	0.396		2.32	7.49	107.5	600	1.20	0.56	0.56	1.01	32.2	18.5	33	6.91
I198931		3.39	<0.005		0.04	7.81	<0.2	260	0.77	0.02	2.77	0.02	64.0	12.6	12	0.91
I198932		3.23	<0.005		0.04	7.15	<0.2	270	0.75	0.02	3.35	0.04	28.7	18.4	33	1.05
I198933		3.44	0.028		0.04	7.07	<0.2	420	0.74	0.02	4.00	0.04	26.6	16.7	31	1.45
I198934		3.45	<0.005		0.04	7.11	<0.2	470	0.83	0.03	3.95	0.05	31.3	14.2	26	1.45
I198935		3.47	<0.005		0.05	6.70	<0.2	430	0.76	0.02	3.76	0.04	27.0	14.2	32	1.38
I198936		3.22	<0.005		0.04	7.54	<0.2	490	0.80	0.02	3.78	0.04	36.3	17.2	34	1.37
I198937		3.72	0.060		0.08	6.69	<0.2	490	0.84	0.04	4.28	0.06	36.8	15.8	26	1.34
I198938		3.38	0.068		0.14	6.33	0.3	490	0.94	0.07	3.35	0.05	37.5	12.5	20	1.38
I198939		3.41	<0.005		0.14	7.40	<0.2	570	1.28	0.02	1.99	0.04	37.4	8.1	13	1.42
I198940		3.64	<0.005		0.07	7.34	<0.2	650	1.26	0.01	2.16	0.03	76.1	9.1	13	1.48
I198941		3.28	0.038		0.11	7.35	<0.2	630	1.24	0.02	2.22	0.04	26.7	8.9	13	1.50
I198942		3.63	<0.005		0.05	7.46	<0.2	700	1.20	0.01	1.97	0.04	30.7	8.3	11	1.47
I198943		3.75	<0.005		0.02	6.74	<0.2	550	0.88	0.01	1.16	0.02	12.15	3.5	3	0.85
I198944		3.58	0.016		0.04	6.82	1.1	560	0.79	0.04	0.85	0.03	8.46	2.7	7	0.80
I198945		1.02	<0.005		<0.01	0.16	<5	10	0.07	0.01	22.3	<0.02	2.60	0.8	<1	0.11
I198946		3.55	<0.005		0.03	6.75	0.7	540	1.03	0.01	1.54	<0.02	18.00	3.7	2	0.94
I198947		3.53	<0.005		0.03	7.06	0.3	560	1.03	0.01	0.86	<0.02	11.25	2.7	3	0.87
I198948		3.72	0.009		0.04	6.99	0.3	470	1.15	0.01	1.96	<0.02	34.9	7.4	15	1.07
I198948 CRD		<0.02	<0.005		0.03	7.04	0.3	480	1.12	0.01	1.97	<0.02	33.5	7.4	9	1.07
I198949		3.57	0.013	0.008	0.05	7.01	0.4	480	1.31	0.02	2.21	0.02	38.3	9.0	10	1.16
I198950		3.69	<0.005		0.05	7.24	<0.2	500	1.35	0.02	2.31	0.02	29.3	8.6	9	1.24
I198951		3.13	0.012		0.10	7.21	0.3	520	1.29	0.02	2.43	0.02	25.7	9.4	9	1.25
I198952		3.55	0.009		0.15	6.66	0.4	490	1.46	0.02	2.08	0.02	53.4	11.5	9	1.37
I198953		3.66	0.032		0.07	6.69	0.3	470	1.49	0.02	1.84	0.03	51.0	9.8	10	1.30
I198954		2.94	0.013		0.05	6.76	<0.2	470	1.30	0.01	1.88	0.03	36.3	7.2	8	1.21
I198955		3.17	0.012		0.06	6.99	0.3	530	1.54	0.02	2.47	0.04	60.4	11.0	11	1.39
I198956		2.98	0.008		0.07	6.99	0.3	560	1.70	0.01	2.06	0.03	82.2	8.8	11	1.44
I198957		3.73	0.453		0.21	7.14	0.5	590	1.26	0.03	4.79	0.07	125.0	24.5	40	1.41
I198958		3.99	<0.005		0.14	7.14	0.4	550	1.51	0.02	2.26	0.03	69.1	10.0	10	1.46
I198959		3.92	<0.005		0.03	7.19	<0.2	470	1.17	0.02	1.30	0.02	27.2	4.6	4	1.12
I198960		0.12	1.000		5.01	6.17	20.1	480	0.97	1.85	2.41	2.12	21.2	15.1	54	0.77
I198961		3.50	0.074		0.08	7.38	0.3	610	0.97	0.01	1.48	<0.02	24.8	6.3	10	1.28
I198962		3.36	<0.005		0.04	7.71	<0.2	610	1.28	<0.01	1.25	<0.02	31.9	5.2	4	1.26
I198963		3.20	<0.005		0.05	7.45	<0.2	530	1.21	<0.01	1.42	<0.02	27.8	5.0	4	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198926		28.9	3.80	19.40	0.18	2.3	0.032	2.54	15.5	15.6	1.18	792	0.17	1.59	4.2	23.4
I198927		43.9	5.66	19.45	0.19	2.1	0.051	1.65	15.7	30.8	1.56	774	1.01	1.61	4.1	23.6
I198928		34.0	3.98	19.40	0.18	2.1	0.035	2.03	17.3	23.1	1.34	550	0.12	2.02	3.7	25.0
I198928 CRD		36.0	4.15	20.5	0.19	2.1	0.038	2.06	13.6	24.2	1.37	573	0.10	2.10	3.7	27.3
I198929		18.4	3.77	19.60	0.20	1.9	0.034	2.28	20.3	16.1	1.44	777	0.16	1.90	3.6	22.3
I198930		4630	4.70	17.90	0.22	0.8	0.061	3.98	16.9	11.3	0.77	503	267	1.07	5.5	23.9
I198931		15.2	3.32	21.1	0.18	3.2	0.027	2.14	29.7	11.8	1.34	726	1.50	3.37	4.3	12.5
I198932		41.2	4.09	20.2	0.17	2.5	0.034	2.29	12.3	15.9	1.52	736	0.18	2.43	3.3	25.6
I198933		28.3	3.81	19.40	0.17	2.1	0.036	3.20	11.3	9.7	1.35	780	0.17	1.06	4.0	24.8
I198934		40.7	3.46	18.70	0.17	2.3	0.029	3.13	14.1	7.1	1.12	718	0.12	1.14	4.2	21.0
I198935		28.8	3.50	19.55	0.16	2.0	0.033	3.07	11.5	8.2	1.10	642	0.13	1.16	6.7	22.6
I198936		21.2	4.42	19.60	0.18	1.5	0.043	3.30	16.4	10.0	1.65	786	0.28	1.01	3.1	26.5
I198937		51.2	3.71	18.00	0.17	1.3	0.034	3.26	16.7	4.7	1.27	715	0.53	0.78	3.5	23.3
I198938		7.1	2.50	17.85	0.15	2.3	0.021	3.07	18.8	3.3	0.79	485	1.33	0.65	3.3	22.6
I198939		13.9	2.27	21.0	0.15	3.9	0.023	3.27	19.5	2.7	0.66	381	0.25	1.47	6.0	10.3
I198940		46.7	2.44	21.9	0.20	4.4	0.029	3.66	37.2	3.5	0.77	395	0.10	1.14	4.5	12.3
I198941		35.0	2.52	20.9	0.17	4.1	0.026	3.52	13.4	2.4	0.86	375	0.18	1.05	4.5	14.4
I198942		20.2	2.39	21.0	0.16	4.0	0.021	3.41	16.3	2.8	0.74	361	0.21	1.19	3.8	15.2
I198943		7.5	1.35	17.65	0.12	3.0	0.009	1.97	6.6	2.2	0.32	228	0.21	2.62	2.1	2.8
I198944		9.8	1.24	15.85	<0.05	2.9	0.007	1.77	4.7	2.0	0.25	182	0.20	3.23	1.5	4.2
I198945		1.4	0.08	0.53	0.29	0.1	<0.005	0.11	2.0	5.6	13.15	44	0.12	0.04	0.3	1.2
I198946		5.5	1.77	18.45	0.11	3.6	0.012	2.14	9.8	3.2	0.40	310	0.18	2.62	2.5	2.1
I198947		9.7	1.40	17.55	0.09	2.6	0.009	2.05	6.2	2.4	0.29	207	0.19	2.74	1.8	2.9
I198948		11.2	2.59	20.3	0.12	3.0	0.018	2.44	16.0	6.8	0.70	526	0.13	2.53	4.7	8.5
I198948 CRD		13.3	2.59	20.9	0.11	2.9	0.019	2.45	15.5	6.6	0.70	529	0.15	2.54	4.7	8.3
I198949		18.5	2.68	22.0	0.12	2.8	0.021	2.71	17.3	7.7	0.87	577	0.18	2.20	5.9	11.0
I198950		16.9	2.53	21.2	0.11	2.5	0.025	2.70	13.8	5.1	0.81	603	0.14	2.17	6.2	10.7
I198951		19.0	2.64	22.8	0.12	2.5	0.027	2.85	11.9	5.0	0.85	651	0.12	2.16	6.9	12.0
I198952		18.4	2.65	25.1	0.13	2.5	0.028	2.71	23.8	5.3	0.78	558	0.20	2.03	9.7	12.9
I198953		10.5	2.35	21.9	0.14	3.1	0.024	2.76	23.5	3.9	0.74	438	0.33	1.86	8.1	12.7
I198954		10.1	2.27	20.8	0.10	2.2	0.018	2.69	17.3	3.2	0.74	417	0.19	2.02	5.6	15.2
I198955		17.3	2.91	23.5	0.14	2.8	0.024	3.20	27.7	4.7	0.90	583	0.15	1.82	6.3	14.4
I198956		29.1	2.53	22.7	0.16	2.1	0.014	3.02	39.9	3.5	0.80	472	0.19	1.64	6.6	13.6
I198957		44.2	5.51	20.0	0.25	5.4	0.056	2.88	53.6	17.3	2.01	977	1.23	0.84	12.2	46.8
I198958		35.7	2.68	22.9	0.17	2.5	0.018	3.05	32.2	4.0	0.79	494	0.14	1.99	6.4	13.4
I198959		4.8	1.86	19.10	0.10	3.6	0.010	2.38	16.0	2.6	0.50	270	0.14	2.32	3.1	8.1
I198960		>10000	4.52	14.05	0.13	1.1	0.125	0.82	10.6	16.0	1.15	675	246	2.24	4.0	33.7
I198961		48.6	2.01	20.2	0.10	3.5	0.016	3.00	14.3	2.6	0.65	266	1.07	2.02	2.9	17.4
I198962		6.5	1.83	21.2	0.09	4.0	0.013	2.93	20.0	3.0	0.54	233	0.20	2.14	2.8	11.4
I198963		8.6	1.77	20.0	0.09	3.9	0.012	2.44	17.3	2.5	0.44	246	0.14	2.69	2.3	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I198926		680	3.4	53.3	<0.002	0.07	0.35	9.5	1	0.9	171.5	0.40	<0.05	3.0	0.300	0.34
I198927		790	3.6	45.4	0.002	0.14	0.42	18.3	1	0.9	172.5	0.26	<0.05	2.5	0.535	0.21
I198928		700	4.1	52.1	<0.002	0.02	0.26	11.2	1	0.9	189.5	0.26	<0.05	3.0	0.289	0.26
I198928 CRD		720	4.2	40.8	<0.002	0.02	0.26	10.9	1	0.9	194.0	0.25	<0.05	2.6	0.274	0.29
I198929		640	3.6	55.7	<0.002	0.05	0.24	9.0	1	0.8	159.0	0.26	<0.05	4.2	0.258	0.29
I198930		1160	39.4	106.0	0.674	2.53	7.62	10.6	9	3.3	258	0.36	1.02	2.7	0.264	1.33
I198931		870	3.5	45.7	0.003	0.02	0.20	5.5	1	1.0	160.5	0.33	<0.05	6.3	0.211	0.27
I198932		730	2.9	40.3	<0.002	0.06	0.26	9.8	1	0.9	145.0	0.21	<0.05	2.2	0.263	0.31
I198933		730	3.3	63.4	<0.002	0.06	0.33	10.3	1	0.9	145.5	0.40	<0.05	2.1	0.290	0.42
I198934		670	3.1	71.5	<0.002	0.10	0.33	8.6	1	0.8	152.0	0.50	<0.05	2.8	0.281	0.40
I198935		630	3.1	59.9	<0.002	0.03	0.32	9.1	1	1.3	146.0	0.86	<0.05	2.1	0.272	0.41
I198936		760	3.3	74.2	<0.002	0.09	0.37	11.0	1	0.9	173.0	0.20	<0.05	2.7	0.269	0.41
I198937		700	7.3	68.6	<0.002	0.14	0.34	9.6	1	0.8	172.5	0.26	<0.05	2.8	0.288	0.42
I198938		270	5.1	73.1	<0.002	0.07	0.29	6.3	1	0.7	114.5	0.32	<0.05	3.6	0.211	0.39
I198939		620	4.9	89.1	<0.002	0.02	0.29	5.0	1	1.1	121.0	0.86	<0.05	5.3	0.230	0.43
I198940		730	4.9	87.9	<0.002	0.02	0.31	5.7	1	0.9	118.0	0.39	<0.05	12.0	0.267	0.46
I198941		410	4.7	89.9	<0.002	0.03	0.39	5.5	1	0.8	118.5	0.46	<0.05	3.2	0.275	0.45
I198942		410	5.9	91.8	<0.002	0.02	0.30	5.3	1	0.7	106.0	0.38	<0.05	4.1	0.244	0.43
I198943		320	3.2	60.4	<0.002	0.01	0.15	1.9	1	0.4	139.0	0.19	<0.05	1.4	0.101	0.25
I198944		330	5.9	49.3	<0.002	0.02	0.19	1.6	1	0.3	122.5	0.13	<0.05	1.1	0.076	0.24
I198945		<10	1.3	2.7	<0.002	0.04	<0.05	0.4	1	<0.2	62.2	<0.05	<0.05	0.2	0.007	<0.02
I198946		360	3.2	58.6	<0.002	0.01	0.15	2.9	1	0.5	136.5	0.19	<0.05	1.6	0.136	0.29
I198947		340	2.7	58.1	<0.002	0.01	0.14	2.1	1	0.4	103.0	0.19	<0.05	1.3	0.087	0.27
I198948		740	4.4	57.9	<0.002	0.01	0.21	4.6	1	0.9	154.0	0.34	<0.05	4.3	0.225	0.33
I198948 CRD		720	4.4	58.7	<0.002	0.01	0.20	4.7	1	0.9	158.0	0.32	<0.05	4.1	0.220	0.32
I198949		840	5.2	66.1	<0.002	0.04	0.21	5.2	1	1.0	168.5	0.46	<0.05	4.7	0.231	0.37
I198950		660	3.7	73.3	<0.002	0.05	0.21	7.2	1	1.1	140.5	0.38	<0.05	3.0	0.194	0.39
I198951		700	3.9	72.3	<0.002	0.05	0.23	8.0	1	1.2	147.5	0.44	<0.05	2.6	0.207	0.42
I198952		610	4.7	79.8	<0.002	0.09	0.27	6.9	1	1.5	142.0	1.28	<0.05	5.5	0.229	0.43
I198953		320	5.1	84.2	<0.002	0.09	0.22	6.9	1	1.4	118.5	1.80	<0.05	5.1	0.194	0.44
I198954		260	5.1	73.5	<0.002	0.03	0.24	4.7	1	0.9	120.5	0.68	<0.05	4.0	0.185	0.40
I198955		700	5.3	79.0	<0.002	0.06	0.27	9.1	1	1.1	156.0	0.49	<0.05	6.7	0.248	0.49
I198956		470	4.7	86.0	<0.002	0.03	0.27	3.5	1	0.8	138.0	0.54	<0.05	6.2	0.216	0.47
I198957		2420	5.9	95.2	<0.002	0.25	0.55	15.5	1	1.3	285	0.77	<0.05	4.7	0.658	0.43
I198958		600	6.6	79.3	<0.002	0.04	0.30	5.0	1	1.0	161.0	0.60	<0.05	6.9	0.243	0.48
I198959		230	9.5	75.9	<0.002	<0.01	0.23	3.1	1	0.6	107.0	0.50	<0.05	3.6	0.138	0.35
I198960		560	38.1	25.5	1.490	1.62	25.8	14.7	6	1.1	284	0.30	0.57	2.0	0.333	0.22
I198961		160	3.8	87.8	<0.002	0.04	0.24	3.9	1	0.6	121.5	0.23	<0.05	3.1	0.189	0.44
I198962		250	3.5	98.7	<0.002	0.01	0.22	3.4	1	0.6	113.0	0.21	<0.05	4.3	0.168	0.42
I198963		550	5.0	77.0	<0.002	0.01	0.20	2.9	1	0.5	160.5	0.15	<0.05	4.0	0.163	0.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
I198926		0.5	87	2.0	4.7	60	108.0	
I198927		0.4	159	1.2	7.8	100	93.3	
I198928		0.6	92	0.2	5.4	80	100.5	
I198928 CRD		0.5	96	0.2	4.8	84	97.5	
I198929		0.6	83	0.4	4.7	67	82.5	
I198930		1.2	165	13.8	15.0	155	25.9	
I198931		1.0	65	3.4	6.0	52	108.0	
I198932		0.7	94	0.8	4.5	80	118.0	
I198933		1.0	91	1.4	5.2	62	103.0	
I198934		0.8	81	1.8	4.9	54	99.6	
I198935		0.9	90	1.6	4.9	64	81.7	
I198936		0.4	101	2.3	5.1	106	66.3	
I198937		0.7	94	5.3	6.1	69	54.5	
I198938		0.9	75	4.8	5.1	42	102.5	
I198939		1.3	48	4.6	5.2	45	184.5	
I198940		1.1	61	5.8	6.7	48	217	
I198941		0.8	74	8.1	4.7	45	202	
I198942		1.0	65	5.8	4.2	46	194.5	
I198943		0.9	19	1.2	2.7	26	102.0	
I198944		1.0	18	0.9	2.2	27	80.1	
I198945		0.1	1	0.1	1.6	<2	1.3	
I198946		0.8	22	1.4	2.4	34	111.0	
I198947		0.9	21	1.1	2.1	19	79.4	
I198948		0.7	42	1.8	4.2	57	91.8	
I198948 CRD		0.7	42	1.8	4.3	57	91.4	
I198949		1.1	59	4.5	5.7	54	91.3	
I198950		0.9	55	3.7	5.7	45	84.5	
I198951		1.3	60	4.0	5.7	49	84.6	
I198952		1.8	57	5.0	7.5	47	82.8	
I198953		1.9	61	5.0	7.8	33	93.5	
I198954		1.5	59	3.8	5.1	34	76.0	
I198955		1.0	67	3.0	6.5	60	99.1	
I198956		1.2	64	3.3	6.1	37	75.6	
I198957		1.4	139	10.3	18.5	105	224	
I198958		1.0	59	3.5	6.3	47	94.0	
I198959		4.7	32	2.9	4.3	27	142.5	
I198960		0.9	106	5.9	15.0	143	29.4	1.280
I198961		0.7	62	4.3	3.0	35	130.0	
I198962		0.8	43	4.2	2.8	28	169.5	
I198963		0.7	27	3.2	2.6	29	161.5	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I198964		3.35	<0.005		0.05	6.71	0.2	490	1.00	0.01	1.62	0.03	23.9	5.1	4	0.90
I198965		3.42	<0.005		0.05	7.11	<0.2	520	1.09	0.01	1.62	0.02	26.2	4.8	4	0.91
I198966		3.29	<0.005		0.20	7.02	0.4	530	1.44	0.01	2.33	0.02	122.5	10.3	10	1.23
I198967		3.69	<0.005		0.12	7.30	<0.2	490	1.51	0.02	2.12	0.03	44.6	9.5	10	1.20
I198968		3.52	0.033		0.11	7.02	<0.2	420	1.21	0.02	1.36	0.02	30.1	5.1	9	1.02
I198968 CRD		<0.02	0.026		0.04	6.81	<0.2	410	1.16	0.02	1.34	0.02	28.2	4.9	8	0.97
I198969		2.46	0.362	0.397	0.18	7.32	1.2	500	0.91	0.02	8.82	0.15	8.50	39.1	159	1.51
I198970		4.13	0.037		0.10	7.46	<0.2	540	1.33	0.01	1.58	0.03	28.2	7.8	16	1.30
I198971		3.38	0.011		0.04	6.55	<0.2	400	0.98	0.01	0.80	0.02	26.4	4.5	11	0.87
I198972		2.55	<0.005		0.03	6.40	0.5	450	1.03	0.01	0.43	0.02	66.4	2.8	4	0.90
I198973		2.88	0.009		0.06	7.36	0.4	530	1.14	0.07	0.80	0.02	12.75	6.2	2	1.23
I198974		2.04	<0.005		0.06	7.27	<0.2	440	0.77	0.04	5.25	0.09	14.50	34.6	74	1.61
I198975		0.12	2.40		9.40	6.54	50.8	650	1.04	3.44	1.62	1.11	58.9	18.3	52	3.46
I198976		2.61	<0.005		0.07	7.05	<0.2	350	0.44	0.11	5.97	0.09	7.45	37.8	93	1.35
I198977		3.54	<0.005		0.10	7.52	<0.2	240	0.30	0.13	6.10	0.07	7.81	41.5	88	0.98
I198978		3.63	<0.005		0.16	7.20	<0.2	240	0.22	0.71	6.41	0.08	9.34	40.5	93	0.63
I198979		3.41	<0.005		0.15	7.09	<0.2	120	0.31	0.26	6.93	0.09	8.21	37.6	85	0.62
I198980		3.25	<0.005		0.17	7.06	<0.2	100	0.18	0.20	6.82	0.09	8.90	38.5	100	0.53
I198981		3.06	<0.005		0.13	7.25	<0.2	130	0.23	0.14	5.94	0.09	8.72	41.6	94	0.56
I198982		3.17	<0.005		0.07	6.93	<0.2	160	0.21	0.05	5.68	0.08	7.75	39.5	105	0.86
I198983		3.14	<0.005		0.06	6.84	<0.2	190	0.17	0.03	5.80	0.07	8.34	36.5	88	0.89
I198984		3.38	<0.005		0.05	7.10	<0.2	240	0.24	0.03	5.26	0.07	9.24	37.3	91	1.43
I198985		3.00	<0.005		0.05	6.64	<0.2	370	0.64	0.02	6.41	0.11	9.06	33.4	86	1.62
I198986		3.07	0.030		0.18	6.30	0.4	370	0.70	0.03	2.61	0.06	15.15	12.2	34	1.13
I198987		3.14	0.025		0.13	6.83	1.6	410	0.79	0.01	0.29	0.02	28.8	2.5	6	0.95
I198988		3.27	0.021		0.08	6.74	0.5	400	0.71	0.02	0.45	<0.02	20.6	3.1	9	0.84
I198988 CRD		<0.02	0.054		0.11	6.70	0.9	390	0.73	0.01	0.45	0.02	20.4	3.2	7	0.83
I198989		2.98	0.025	0.013	0.10	6.88	0.3	470	0.71	0.03	1.12	0.03	35.7	4.1	12	0.99
I198990		0.12	0.395		2.17	7.46	111.0	600	1.23	0.54	0.55	1.12	38.5	17.8	31	7.73
I198991		2.97	0.006		0.06	6.56	0.4	440	0.76	0.01	0.56	0.02	34.0	2.9	7	0.87
I198992		3.35	<0.005		0.13	6.48	1.4	450	1.06	0.01	2.18	0.04	37.7	9.1	15	1.20
I198993		3.03	<0.005		0.07	6.62	0.5	420	0.99	0.01	1.53	0.02	92.6	5.6	8	1.13
I198994		2.66	0.146		0.20	6.81	1.5	520	1.14	0.02	2.03	0.05	65.8	9.6	22	1.46
I198995		3.90	0.189		0.27	3.84	4.0	210	0.62	0.03	8.11	0.17	27.3	55.6	661	0.82
I198996		3.37	0.025		0.10	3.41	0.8	150	0.47	0.02	5.82	0.11	24.7	62.5	748	0.67
I198997		3.28	0.047		0.11	3.60	<0.2	170	0.49	0.02	6.06	0.13	26.0	68.3	833	0.80
I198998		3.29	0.047		0.09	3.13	0.5	140	0.45	0.02	5.77	0.12	24.2	68.8	881	0.69
I198999		3.19	0.375		0.17	2.79	1.1	110	0.45	0.03	7.17	0.16	20.7	67.0	916	0.57
I199000		0.12	0.955		4.31	6.34	21.3	480	0.72	1.89	2.46	2.23	25.1	13.6	59	0.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I198964		6.3	1.64	19.80	0.10	4.0	0.012	1.98	14.1	2.1	0.34	244	0.11	2.95	2.7	4.1
I198965		8.9	1.61	20.2	0.11	3.9	0.012	2.23	15.3	2.0	0.33	243	0.16	2.81	2.9	3.8
I198966		37.0	2.76	22.6	0.23	3.7	0.028	2.80	57.9	4.9	0.71	585	0.16	2.01	5.6	9.5
I198967		19.1	2.72	21.8	0.13	3.5	0.013	2.77	21.8	6.6	0.77	495	0.21	2.13	5.6	10.4
I198968		12.8	1.80	19.85	0.11	3.9	0.015	2.39	18.1	3.2	0.58	305	0.81	2.52	2.5	11.7
I198968 CRD		12.1	1.77	19.10	0.09	3.5	0.016	2.37	16.9	3.0	0.57	305	0.72	2.55	2.4	11.1
I198969		188.5	6.33	16.75	0.16	1.3	0.054	3.52	4.1	17.5	3.60	1490	0.98	0.07	2.2	110.5
I198970		11.5	1.76	21.7	0.10	4.4	0.016	2.98	17.1	5.0	0.65	325	0.91	2.22	2.9	20.4
I198971		26.2	1.38	18.25	0.10	2.7	0.011	1.87	14.5	3.2	0.40	236	0.20	2.91	4.6	7.7
I198972		10.1	1.07	16.75	0.12	3.3	0.008	1.81	33.6	2.7	0.24	151	0.24	2.82	3.9	3.9
I198973		20.8	1.59	21.6	0.09	3.3	0.011	2.57	6.9	3.5	0.44	235	0.83	2.58	4.2	8.9
I198974		18.2	4.96	12.30	0.15	0.9	0.028	3.32	7.8	21.8	2.94	1120	0.93	0.30	3.0	39.0
I198975		>10000	5.62	15.75	0.21	1.2	0.117	2.69	26.7	19.5	1.17	648	111.0	1.67	6.9	36.4
I198976		38.5	5.92	9.03	0.11	0.5	0.027	2.66	3.7	39.7	3.86	1410	2.80	0.44	1.3	46.9
I198977		46.8	6.48	10.00	0.13	0.6	0.027	1.66	4.2	75.9	4.08	1230	0.37	1.03	1.3	50.8
I198978		38.8	6.25	9.79	0.12	0.6	0.028	0.90	4.7	84.4	3.93	1210	0.33	1.48	1.0	53.3
I198979		47.9	5.87	10.30	0.11	0.5	0.029	0.92	4.0	80.5	3.67	1300	0.60	1.51	1.1	49.3
I198980		69.1	6.02	9.39	0.11	0.5	0.027	0.71	4.4	85.5	3.82	1250	0.74	1.54	0.8	51.5
I198981		51.5	6.27	10.65	0.10	0.6	0.029	0.98	4.0	92.0	4.00	1120	0.20	1.45	1.3	55.6
I198982		35.4	5.92	9.32	0.11	0.5	0.027	1.52	3.6	72.2	4.19	1280	0.92	1.14	1.2	56.2
I198983		50.7	5.76	9.07	0.10	0.5	0.027	1.47	4.2	69.1	3.76	1060	0.59	1.07	1.2	49.4
I198984		31.9	6.04	9.78	0.12	0.6	0.027	2.51	4.6	46.5	3.79	1100	0.11	0.50	1.4	51.0
I198985		63.9	5.59	10.45	0.12	0.5	0.028	3.18	4.5	22.3	3.46	1160	3.63	0.06	1.3	49.9
I198986		21.5	2.38	15.00	0.05	2.9	0.014	2.49	7.0	3.3	1.08	437	1.35	1.76	1.7	22.3
I198987		27.8	1.02	16.25	<0.05	4.3	0.007	2.26	13.0	2.2	0.18	182	8.17	2.38	1.5	6.1
I198988		28.1	1.12	16.05	<0.05	3.7	0.007	2.00	10.5	2.2	0.23	142	0.96	2.77	1.4	6.5
I198988 CRD		27.1	1.13	16.40	<0.05	3.9	0.008	2.01	10.5	2.2	0.23	143	0.47	2.76	1.5	7.4
I198989		34.0	1.68	18.10	<0.05	4.0	0.015	2.21	17.7	2.6	0.42	360	0.23	2.59	4.2	5.6
I198990		4530	4.80	17.65	0.16	0.9	0.061	4.70	19.8	11.8	0.76	488	269	1.06	5.5	23.3
I198991		13.5	1.20	16.15	<0.05	2.6	0.010	2.07	16.7	2.3	0.30	169	0.41	2.58	2.4	5.5
I198992		46.9	2.50	21.8	0.08	3.3	0.032	2.94	16.4	3.8	0.73	613	0.23	1.99	6.7	14.2
I198993		9.1	2.04	19.35	0.09	4.9	0.018	2.60	46.9	3.3	0.58	375	0.36	1.99	4.5	10.1
I198994		44.4	2.49	21.6	0.09	4.0	0.025	3.24	31.7	5.8	0.94	395	1.79	1.56	5.8	29.4
I198995		153.0	8.32	13.25	0.20	1.6	0.062	1.41	10.4	28.7	5.16	1400	1.52	0.12	5.0	334
I198996		142.5	8.48	11.50	0.21	1.3	0.054	1.06	9.3	31.4	6.02	1340	0.43	0.06	3.6	463
I198997		163.0	9.19	12.60	0.22	1.2	0.061	1.17	9.8	33.0	6.75	1470	0.45	0.08	3.8	535
I198998		158.5	8.59	11.05	0.20	1.4	0.053	0.93	9.0	30.0	6.84	1340	0.38	0.11	3.4	558
I198999		186.5	8.20	9.95	0.21	1.5	0.045	0.84	7.8	29.7	6.61	1380	0.59	0.01	3.2	562
I199000		>10000	4.61	13.60	0.08	1.1	0.139	0.83	11.8	15.6	1.17	655	236	2.16	3.9	31.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
I198964		370	8.5	63.1	<0.002	0.02	0.21	2.9	1	0.5	183.5	0.24	<0.05	3.6	0.142	0.31
I198965		330	9.1	68.7	<0.002	0.01	0.19	2.9	1	0.5	214	0.20	<0.05	3.7	0.147	0.31
I198966		780	8.7	75.5	<0.002	0.05	0.23	8.3	1	1.1	185.5	0.35	<0.05	12.4	0.212	0.41
I198967		700	5.2	78.9	<0.002	0.05	0.25	3.2	1	0.9	168.0	0.51	<0.05	4.0	0.233	0.39
I198968		260	4.0	77.9	<0.002	0.06	0.22	3.9	1	0.6	114.0	0.20	<0.05	3.8	0.163	0.34
I198968 CRD		250	3.9	74.3	<0.002	0.06	0.21	3.8	1	0.5	114.0	0.18	<0.05	3.8	0.163	0.33
I198969		80	6.5	109.0	<0.002	0.33	0.46	34.1	1	0.5	362	0.14	<0.05	0.3	0.455	0.46
I198970		240	2.6	98.5	<0.002	0.06	0.24	4.6	1	0.6	93.3	0.27	<0.05	4.1	0.169	0.43
I198971		180	2.7	66.3	<0.002	0.04	0.14	3.2	1	0.7	86.0	0.75	<0.05	3.1	0.091	0.27
I198972		190	3.3	65.0	<0.002	0.03	0.17	2.2	1	0.4	63.8	0.50	<0.05	7.1	0.073	0.27
I198973		200	3.2	89.8	<0.002	0.10	0.20	3.4	1	0.6	80.8	0.48	<0.05	2.0	0.114	0.38
I198974		110	2.7	116.5	<0.002	0.08	0.18	33.5	1	0.6	164.0	0.43	<0.05	2.4	0.097	0.47
I198975		880	59.5	84.6	0.147	2.36	7.78	16.1	7	2.8	258	0.29	0.99	4.5	0.315	0.76
I198976		110	2.0	80.2	<0.002	0.01	0.14	36.7	1	0.3	156.5	0.10	<0.05	0.6	0.095	0.39
I198977		110	2.7	58.5	<0.002	0.01	0.12	42.9	1	0.2	156.0	0.11	<0.05	0.7	0.095	0.25
I198978		110	3.2	41.0	<0.002	0.01	0.10	45.9	1	0.2	167.0	0.07	<0.05	0.8	0.075	0.14
I198979		130	4.1	37.1	<0.002	<0.01	0.11	42.0	1	0.3	197.5	0.11	<0.05	0.7	0.060	0.15
I198980		100	3.9	31.5	<0.002	0.01	0.11	43.0	1	0.2	188.5	0.06	<0.05	0.7	0.059	0.11
I198981		100	4.1	28.5	<0.002	<0.01	0.14	42.4	1	0.2	157.5	0.10	<0.05	0.8	0.082	0.15
I198982		100	2.1	46.1	<0.002	0.01	0.12	40.5	1	0.2	151.5	0.08	<0.05	0.6	0.085	0.22
I198983		90	2.2	57.6	<0.002	0.03	0.11	40.3	1	0.2	148.5	0.12	<0.05	0.8	0.078	0.21
I198984		100	2.3	89.0	<0.002	0.01	0.12	41.9	1	0.2	149.5	0.16	<0.05	0.9	0.086	0.37
I198985		50	3.2	113.0	<0.002	0.03	0.15	41.1	1	0.3	269	0.10	<0.05	0.7	0.092	0.44
I198986		70	5.0	73.4	<0.002	0.10	0.16	11.3	1	0.3	136.0	0.14	<0.05	2.6	0.071	0.34
I198987		90	9.0	70.4	0.003	0.05	0.13	1.6	1	0.4	47.8	0.11	<0.05	6.3	0.059	0.29
I198988		220	7.0	65.6	<0.002	0.07	0.13	1.4	1	0.3	62.1	0.09	<0.05	3.2	0.070	0.27
I198988 CRD		210	6.0	67.0	<0.002	0.07	0.13	1.5	1	0.3	62.9	0.10	<0.05	3.2	0.073	0.28
I198989		300	8.2	77.9	<0.002	0.06	0.16	3.0	1	0.6	108.0	0.31	<0.05	6.4	0.119	0.32
I198990		1100	42.7	121.5	0.672	2.49	7.81	11.1	9	3.0	260	0.35	1.02	2.9	0.256	1.47
I198991		200	4.5	71.7	<0.002	0.04	0.16	1.9	1	0.4	70.5	0.19	<0.05	4.4	0.083	0.30
I198992		590	9.1	75.8	<0.002	0.08	0.17	6.1	1	1.0	143.5	0.47	<0.05	4.9	0.183	0.46
I198993		440	5.6	83.4	<0.002	0.03	0.18	3.5	1	0.7	109.5	0.29	<0.05	11.0	0.167	0.40
I198994		300	3.8	87.6	<0.002	0.16	0.27	5.4	1	0.9	116.0	0.52	<0.05	9.1	0.209	0.48
I198995		260	6.7	59.5	<0.002	0.28	0.38	34.9	1	0.7	464	0.29	0.05	0.9	0.568	0.20
I198996		280	5.6	41.9	<0.002	0.10	0.31	25.1	1	0.6	364	0.21	<0.05	0.7	0.379	0.15
I198997		340	6.2	49.6	<0.002	0.15	0.37	26.0	1	0.7	436	0.23	<0.05	0.8	0.410	0.16
I198998		240	5.3	39.2	0.002	0.11	0.35	26.4	1	0.6	498	0.20	<0.05	0.7	0.365	0.13
I198999		150	6.4	33.7	<0.002	0.27	0.35	23.7	1	0.5	467	0.19	0.05	0.6	0.364	0.12
I199000		560	39.3	26.4	1.420	1.60	26.2	13.7	6	1.1	291	0.28	0.61	2.2	0.329	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
I198964		0.9	21	1.7	2.3	36	159.5	
I198965		0.7	22	1.9	2.6	30	153.0	
I198966		1.1	52	5.6	7.3	62	138.5	
I198967		1.9	52	5.4	5.6	52	141.0	
I198968		1.0	48	4.0	3.1	19	153.5	
I198968 CRD		0.9	48	3.9	2.9	19	147.0	
I198969		0.7	238	8.0	10.7	110	43.2	
I198970		0.8	55	4.1	3.5	31	170.5	
I198971		1.5	32	2.5	3.6	19	85.0	
I198972		2.4	20	1.7	4.3	17	99.0	
I198973		3.4	37	2.2	3.6	23	101.5	
I198974		3.4	106	1.9	5.7	65	30.1	
I198975		1.3	152	13.0	15.5	171	38.0	2.18
I198976		0.2	137	1.0	5.4	67	17.8	
I198977		0.2	145	0.9	5.0	68	20.1	
I198978		0.2	134	0.4	3.7	62	20.9	
I198979		0.2	133	0.2	3.3	59	17.7	
I198980		0.2	129	0.3	3.3	59	17.1	
I198981		0.9	141	0.9	4.1	65	20.2	
I198982		0.2	130	1.0	5.0	57	16.2	
I198983		0.3	128	0.7	5.3	59	18.3	
I198984		0.2	133	0.8	6.1	64	18.6	
I198985		0.2	123	1.8	5.3	71	19.2	
I198986		2.6	55	1.6	3.4	27	69.2	
I198987		12.0	23	1.4	5.7	15	81.8	
I198988		1.7	24	1.3	2.7	17	86.8	
I198988 CRD		1.3	24	1.3	2.7	17	91.6	
I198989		1.3	25	1.6	5.1	31	126.5	
I198990		1.3	161	13.1	15.5	146	26.4	
I198991		1.0	25	1.4	2.5	22	76.1	
I198992		1.0	54	1.5	5.2	42	110.5	
I198993		0.8	41	2.7	5.8	36	188.0	
I198994		1.1	72	5.2	5.7	39	147.0	
I198995		0.6	228	9.3	9.2	99	58.2	
I198996		0.3	186	5.0	8.3	93	49.9	
I198997		0.2	202	3.5	8.8	102	47.6	
I198998		0.3	171	2.9	8.8	104	54.1	
I198999		0.5	145	4.9	8.8	101	53.0	
I199000		0.9	106	6.1	15.9	142	30.1	1.315

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 9-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10194580

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.