ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE TB10181683

Project: HAMMOND REEF

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833606		2.98	<0.005		0.07	6.94	5.0	410	0.98	0.01	2.14	0.02	45.8	6.0	17	0.50
J833607		3.05	<0.005		0.11	7.44	3.7	330	0.73	0.02	2.90	0.03	50.4	10.3	17	0.37
J833608		3.16	<0.005		0.09	7.07	4.7	300	1.01	0.01	2.18	0.04	51.2	7.9	15	0.43
J833609		3.24	<0.005		0.06	6.74	3.1	300	0.98	<0.01	2.25	0.02	45.1	7.1	11	0.70
J833610		3.26	0.006		0.10	6.79	0.4	320	1.09	0.02	1.67	0.02	39.3	5.6	11	0.74
J833611		3.14	0.007		0.10	7.78	0.3	240	1.18	0.02	1.47	0.02	38.0	3.4	13	0.61
J833612		3.05	0.010		0.08	6.66	<0.2	320	1.31	0.02	1.70	0.02	40.2	5.5	12	0.90
J833613		2.74	0.012		0.10	6.53	<0.2	300	1.36	0.02	1.35	0.03	43.9	3.1	13	0.73
J833614		3.29	<0.005		0.08	6.58	<0.2	270	1.42	0.03	1.31	0.03	54.0	2.9	13	0.60
J833615		0.12	2.42		8.26	6.41	49.0	590	0.89	3.34	1.57	1.01	53.3	17.5	57	3.07
J833616		3.65	<0.005		0.07	6.64	<0.2	330	1.29	0.01	2.00	0.04	49.0	6.4	14	0.81
J833617		3.39	<0.005		0.06	6.50	<0.2	290	1.07	0.01	1.78	0.03	32.6	5.1	10	0.67
J833618		3.77	<0.005		0.07	6.89	<0.2	240	1.15	0.01	1.93	0.02	41.5	6.1	12	0.57
J833619		3.50	<0.005		<0.01	6.71	1.0	270	0.98	0.01	2.29	0.04	42.6	7.5	19	0.62
J833620		3.60	0.025		<0.01	6.86	0.5	290	0.99	0.01	2.20	0.04	37.2	6.6	14	0.81
J833621		3.40	<0.005		<0.01	7.10	0.8	180	0.75	0.02	3.30	0.05	33.6	12.4	10	0.55
J833622		3.09	0.018		0.02	6.82	0.6	320	0.97	0.02	2.33	0.05	42.5	8.6	14	0.75
J833623		3.26	0.023		<0.01	6.82	0.6	250	1.05	0.01	2.11	0.03	40.4	7.5	12	0.74
J833624		3.38	0.018		0.01	6.25	0.4	260	1.50	0.02	1.69	0.04	54.0	4.3	10	0.68
J833625		3.38	0.007		<0.01	6.62	0.3	320	1.01	0.02	2.35	0.04	38.5	7.3	11	0.76
J833625 CRD		<0.02	0.011		<0.01	6.54	0.4	310	1.03	0.02	2.22	0.03	46.4	6.8	10	0.77
J833626		3.42	0.016	0.018	<0.01	6.93	0.6	300	0.90	0.01	2.66	0.05	51.5	8.7	9	0.75
J833627		3.08	0.048		<0.01	6.83	0.6	360	0.93	0.02	2.57	0.05	42.3	7.0	9	0.81
J833628		2.15	0.036		<0.01	7.61	0.4	360	0.81	0.03	3.10	0.05	55.8	11.7	9	0.84
J833629		2.97	0.066		<0.01	7.06	0.3	330	0.86	0.03	3.01	0.05	44.7	10.8	9	1.12
J833630		0.12	0.396		2.20	7.44	106.5	600	1.17	0.51	0.53	0.78	31.2	16.7	30	6.92
J833631		2.45	0.023		0.01	6.51	0.7	310	0.77	0.03	3.07	0.04	39.6	9.1	9	1.08
J833632		1.72	0.080		0.18	6.45	0.8	340	0.79	0.06	2.38	0.08	42.5	7.8	11	1.16
J833633		2.99	0.339		0.76	6.16	1.0	280	0.82	0.18	1.09	0.05	35.6	6.4	14	1.21
J833634		2.93	0.558		0.28	6.55	0.7	400	0.97	0.20	0.95	0.03	37.5	5.4	13	1.21
J833635		3.21	0.062		0.09	6.64	1.3	360	0.87	0.03	0.85	0.03	36.6	4.5	11	0.97
J833636		3.12	0.080		0.06	5.94	0.4	350	0.76	0.03	0.51	<0.02	10.30	2.1	9	0.61
J833637		3.69	0.123		0.09	6.79	0.7	440	0.94	0.05	0.92	<0.02	26.0	2.7	9	1.07
J833638		2.93	0.175		0.16	6.61	1.0	420	0.88	0.06	1.00	0.02	43.6	2.9	10	1.02
J833639		3.24	0.093		0.12	6.42	0.6	410	0.83	0.13	0.89	<0.02	21.3	2.5	10	0.74
J833640		3.00	0.062		0.07	6.67	0.7	430	0.83	0.03	0.75	0.02	6.10	2.4	9	0.67
J833641		4.00	0.418		0.34	6.37	0.5	470	0.97	0.12	1.83	0.05	23.2	7.0	17	0.98
J833642		2.69	0.020		1.01	5.21	1.0	150	0.44	0.03	7.16	0.11	9.89	52.7	789	0.50
J833643		3.64	0.090		0.38	6.68	0.3	490	0.91	0.07	0.91	0.02	32.6	4.1	17	0.93
J833644		3.45	0.065		0.09	6.92	0.5	460	0.98	0.03	0.72	0.03	32.9	3.0	15	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833606		3.3	2.03	17.80	0.14	3.3	0.016	1.23	22.3	10.8	0.36	288	0.18	2.94	6.3	5.4
J833607		10.9	3.27	20.3	0.17	4.3	0.036	1.02	23.1	17.8	0.63	451	0.12	2.73	8.6	7.0
J833608		3.3	2.58	19.95	0.16	4.1	0.033	1.02	24.8	19.3	0.48	384	0.19	2.96	8.4	6.2
J833609		4.4	2.42	18.75	0.16	3.3	0.028	1.61	21.2	16.6	0.46	368	0.37	2.51	8.5	5.1
J833610		2.2	2.10	19.95	0.13	3.8	0.032	1.72	19.3	10.4	0.32	346	0.18	2.90	14.0	3.8
J833611		3.2	1.58	18.90	0.12	3.3	0.025	1.46	19.0	6.7	0.24	288	0.17	3.33	13.9	2.6
J833612		3.3	2.02	19.60	0.15	4.7	0.023	1.97	19.1	8.9	0.32	365	0.22	2.66	9.5	4.4
J833613		2.0	1.44	19.20	0.13	3.8	0.026	1.63	22.1	5.4	0.19	353	0.42	3.11	13.0	2.6
J833614		4.4	1.54	19.40	0.14	4.1	0.022	1.34	27.4	6.3	0.19	340	0.27	3.45	13.9	2.5
J833615		>10000	5.60	13.35	0.20	1.0	0.110	2.69	25.6	16.1	1.15	608	114.0	1.60	6.8	32.2
J833616		8.9	2.17	18.70	0.14	4.5	0.026	1.89	24.1	13.5	0.39	389	0.20	2.45	7.9	4.8
J833617		5.7	2.06	18.10	0.13	2.9	0.018	1.63	15.8	13.1	0.34	335	0.23	2.65	8.0	2.7
J833618		7.3	2.21	19.40	0.15	2.7	0.023	1.30	19.7	17.0	0.41	361	0.15	2.94	10.5	3.7
J833619		24.2	2.50	19.70	0.10	2.9	0.026	1.30	19.4	22.5	0.56	452	0.28	2.92	7.4	7.5
J833620		17.2	2.45	20.7	0.11	3.4	0.026	1.72	16.6	21.0	0.51	418	0.17	2.50	8.3	5.1
J833621		32.4	4.14	22.6	0.14	4.1	0.053	1.04	11.9	33.1	0.81	589	0.35	2.70	11.9	6.3
J833622		25.4	2.79	21.4	0.13	3.6	0.030	1.68	18.8	24.8	0.64	458	0.42	2.78	8.0	7.5
J833623		3.6	2.86	21.9	0.13	3.9	0.033	1.53	17.2	21.4	0.54	453	0.20	2.84	7.8	6.1
J833624		7.1	1.82	22.9	0.12	3.1	0.018	1.55	24.0	10.0	0.28	320	0.40	2.92	17.7	2.6
J833625		25.9	2.66	21.0	0.13	2.7	0.024	1.86	16.9	18.4	0.54	479	0.18	2.56	14.5	5.8
J833625 CRD		24.5	2.38	20.5	0.14	2.8	0.022	1.77	21.2	17.6	0.51	436	0.14	2.38	10.9	5.1
J833626		20.1	3.08	22.0	0.17	3.6	0.033	1.82	22.5	21.7	0.62	474	0.14	2.56	9.5	4.6
J833627		7.6	2.51	20.8	0.14	3.3	0.029	2.02	18.6	15.8	0.48	404	0.16	2.38	8.8	4.2
J833628		13.6	4.22	23.2	0.18	4.0	0.052	2.13	23.0	25.5	0.81	480	0.15	2.15	10.8	6.5
J833629		19.8	3.60	22.6	0.17	3.7	0.047	2.70	17.9	15.9	0.84	452	0.43	1.40	10.3	7.1
J833630		4790	4.66	18.25	0.15	0.9	0.058	5.55	16.3	11.8	0.75	497	271	1.06	5.5	22.9
J833631		23.4	3.18	20.0	0.15	3.4	0.039	2.51	16.5	6.4	1.07	587	1.29	1.48	8.4	6.4
J833632		27.6	2.82	18.45	0.14	3.1	0.032	2.04	18.2	3.9	0.73	504	1.49	2.28	7.4	12.2
J833633		12.9	2.00	15.90	0.10	2.2	0.020	1.56	17.3	3.8	0.41	298	3.29	2.71	5.2	13.3
J833634		18.5	1.89	18.65	0.11	2.8	0.018	2.12	18.2	2.5	0.47	269	1.54	2.56	5.0	10.2
J833635		9.4	1.60	17.30	0.09	2.0	0.014	1.72	19.0	3.2	0.40	262	0.33	3.18	3.9	6.3
J833636		6.3	0.82	15.30	0.05	2.8	0.007	1.41	5.0	0.9	0.12	83	0.20	3.29	2.2	2.3
J833637		12.8	1.44	18.60	0.09	2.7	0.013	2.01	12.9	1.8	0.22	179	0.32	2.99	4.7	2.9
J833638		7.6	1.35	17.70	0.10	3.4	0.014	2.05	22.1	1.8	0.26	184	0.29	2.56	5.0	3.2
J833639		3.9	1.29	16.80	0.07	3.0	0.010	1.81	11.0	1.5	0.19	149	0.50	2.67	3.0	3.2
J833640		6.0	0.97	17.00	0.05	2.1	0.008	1.74	2.7	1.2	0.17	110	0.19	3.08	2.2	2.3
J833641		20.3	2.37	20.8	0.12	2.4	0.023	2.44	9.9	1.9	0.51	368	0.88	2.29	6.6	9.0
J833642		47.0	6.36	14.70	0.12	1.6	0.036	0.94	4.1	54.1	6.12	1280	0.74	0.65	2.2	456
J833643		8.0	1.63	18.90	0.07	2.9	0.015	2.27	16.6	2.3	0.34	217	0.30	2.39	4.5	8.0
J833644		9.2	1.38	19.20	0.09	3.4	0.015	2.14	15.7	2.3	0.31	205	0.22	2.92	4.0	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833606		330	7.8	35.4	<0.002	0.01	0.17	3.2	1	0.8	202	0.24	<0.05	6.4	0.157	0.22
J833607		770	4.9	30.7	<0.002	0.01	0.14	6.4	2	1.4	219	0.33	<0.05	4.1	0.297	0.19
J833608		450	7.0	29.6	<0.002	<0.01	0.13	4.6	1	1.3	205	0.42	<0.05	6.5	0.200	0.19
J833609		490	5.9	48.4	0.002	<0.01	0.09	5.6	1	1.1	143.5	0.47	<0.05	6.1	0.202	0.29
J833610		320	6.8	50.4	<0.002	0.02	0.07	4.0	1	2.3	109.5	1.17	<0.05	6.2	0.141	0.28
J833611		230	6.3	45.1	<0.002	0.01	0.06	3.1	1	1.9	114.0	1.07	<0.05	6.9	0.090	0.24
J833612		340	5.4	62.4	<0.002	0.02	0.09	4.0	1	1.2	121.0	0.89	<0.05	9.5	0.132	0.34
J833613		210	5.2	53.6	<0.002	0.01	0.07	3.1	1	2.1	99.3	1.14	<0.05	6.7	0.072	0.28
J833614		190	7.0	43.8	<0.002	0.01	0.07	2.9	1	2.0	123.5	1.18	<0.05	8.1	0.068	0.22
J833615		870	62.8	74.1	0.141	2.38	7.45	14.2	7	2.5	247	0.27	0.90	4.7	0.315	0.78
J833616		420	4.4	58.0	<0.002	<0.01	0.11	4.7	1	1.3	126.0	0.61	<0.05	6.6	0.163	0.33
J833617		400	4.9	49.3	<0.002	0.01	0.08	3.7	1	1.1	140.5	0.46	<0.05	5.8	0.163	0.28
J833618		470	6.2	41.0	<0.002	<0.01	0.11	4.6	1	1.5	202	0.83	<0.05	7.0	0.184	0.22
J833619		510	5.4	40.9	<0.002	0.01	0.16	6.4	1	1.2	220	0.81	<0.05	5.7	0.221	0.23
J833620		560	4.3	54.3	<0.002	0.02	0.14	6.6	1	1.2	150.0	0.59	<0.05	5.3	0.207	0.30
J833621		1120	6.3	28.4	<0.002	0.01	0.15	10.1	1	1.5	212	0.69	<0.05	1.8	0.388	0.18
J833622		660	5.3	47.5	<0.002	0.02	0.12	6.5	1	1.3	164.5	0.70	<0.05	5.4	0.244	0.28
J833623		610	4.5	45.7	<0.002	<0.01	0.12	6.3	1	1.4	164.0	0.58	<0.05	5.0	0.221	0.27
J833624		350	5.5	47.5	<0.002	0.04	0.11	4.0	1	1.3	135.5	2.20	<0.05	7.8	0.113	0.24
J833625		630	5.1	48.2	<0.002	0.02	0.15	6.6	1	1.2	163.5	1.63	<0.05	4.8	0.194	0.30
J833625 CRD		570	5.0	53.5	<0.002	0.02	0.14	6.6	1	1.2	156.0	1.38	<0.05	5.7	0.185	0.28
J833626		830	4.6	52.5	<0.002	0.02	0.15	6.5	1	1.3	160.0	0.64	<0.05	5.3	0.237	0.27
J833627		620	4.1	56.7	<0.002	0.03	0.14	5.3	1	1.2	144.5	0.57	<0.05	5.0	0.202	0.29
J833628		1160	4.0	64.2	<0.002	0.06	0.18	9.9	1	1.4	145.0	0.68	<0.05	2.7	0.324	0.29
J833629		1080	3.3	64.9	<0.002	0.05	0.18	8.8	1	1.4	108.5	0.65	<0.05	2.2	0.307	0.36
J833630		1170	40.8	153.5	0.600	2.57	7.38	11.5	8	3.0	264	0.36	0.85	2.5	0.266	1.47
J833631		840	3.2	59.0	<0.002	0.07	0.19	7.4	1	1.3	98.4	0.50	<0.05	2.6	0.265	0.32
J833632		810	6.2	46.7	<0.002	0.04	0.18	6.5	1	1.3	112.0	0.41	0.10	4.9	0.221	0.26
J833633		490	6.4	41.1	<0.002	0.01	0.16	4.2	1	1.1	100.0	0.53	0.27	5.5	0.120	0.18
J833634		510	4.3	61.4	<0.002	0.18	0.16	4.1	1	1.1	113.0	0.37	0.29	4.9	0.132	0.25
J833635		270	3.6	48.1	<0.002	0.02	0.11	2.7	1	0.8	122.5	0.34	<0.05	6.0	0.087	0.21
J833636		170	2.8	41.4	<0.002	0.05	0.08	1.3	1	0.6	109.5	0.22	<0.05	2.3	0.037	0.17
J833637		240	3.6	54.9	<0.002	0.12	0.12	2.6	1	1.0	128.5	0.39	0.06	5.4	0.082	0.23
J833638		280	4.0	55.9	<0.002	0.05	0.11	2.9	1	1.0	109.0	0.44	0.11	7.6	0.085	0.25
J833639		220	3.9	49.3	<0.002	0.15	0.10	2.0	1	0.7	102.5	0.33	0.14	4.3	0.057	0.21
J833640		200	4.5	44.7	<0.002	0.06	0.09	1.6	1	0.4	123.0	0.24	0.06	1.2	0.072	0.20
J833641		700	4.2	58.4	<0.002	0.35	0.18	4.5	1	0.9	117.5	0.53	0.19	2.4	0.229	0.31
J833642		150	5.8	31.1	0.002	0.03	0.19	24.6	1	0.5	458	0.15	0.50	0.9	0.285	0.12
J833643		460	4.3	66.3	<0.002	0.14	0.13	3.0	1	0.9	105.0	0.30	0.27	5.4	0.105	0.27
J833644		350	8.0	57.4	<0.002	0.10	0.13	3.0	1	0.9	98.0	0.34	0.06	5.5	0.090	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833606		0.9	23	0.5	5.9	53	121.5									
J833607		0.4	45	0.4	10.8	78	179.0									
J833608		0.9	31	0.2	10.0	63	159.5									
J833609		0.8	30	0.7	8.5	64	123.5									
J833610		1.2	21	0.9	9.7	56	119.5									
J833611		1.1	13	1.0	9.0	44	94.2									
J833612		1.4	23	1.7	10.7	50	143.5									
J833613		1.0	11	1.0	9.1	45	99.8									
J833614		1.3	10	0.6	10.1	43	106.5									
J833615		1.2	148	11.2	13.8	167	34.4	2.20								
J833616		1.3	27	1.9	10.4	59	154.5									
J833617		1.0	23	1.5	6.7	52	107.5									
J833618		1.4	27	1.8	8.5	60	100.0									
J833619		1.0	41	2.1	9.0	68	109.5									
J833620		0.9	34	3.2	8.7	67	127.5									
J833621		0.8	62	2.2	20.8	81	169.0									
J833622		0.8	47	3.2	9.2	76	131.0									
J833623		0.6	41	0.7	9.7	74	141.5									
J833624		0.8	21	1.4	7.2	43	100.5									
J833625		0.5	40	2.1	5.6	72	106.5									
J833625 CRD		0.5	36	2.0	6.0	66	108.0									
J833626		0.8	41	2.6	7.6	76	139.5		0.83	3.1	63.65	14.60	4.49	3.91	1.10	3.42
J833627		0.6	33	1.9	6.2	69	125.0									
J833628		0.8	60	4.0	8.4	127	159.0									
J833629		0.7	56	2.9	7.2	87	147.5									
J833630		1.2	157	13.2	14.3	154	24.6									
J833631		0.8	46	3.1	6.8	45	133.5									
J833632		0.6	47	4.1	6.6	43	126.0									
J833633		0.6	29	4.1	5.0	32	80.6									
J833634		0.7	35	4.4	5.7	33	99.7									
J833635		0.8	25	2.4	4.1	30	58.9									
J833636		0.8	15	1.5	3.2	15	69.3									
J833637		0.7	21	2.9	5.0	25	90.1									
J833638		1.0	23	2.8	5.9	26	116.5									
J833639		1.1	20	1.9	4.8	20	81.8									
J833640		1.1	20	2.3	2.7	20	50.4									
J833641		0.8	44	5.9	4.1	42	93.6									
J833642		0.5	152	3.4	7.0	177	56.2									
J833643		1.0	28	2.4	4.3	29	100.5									
J833644		1.6	29	2.3	5.2	32	105.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833606										
J833607										
J833608										
J833609										
J833610										
J833611										
J833612										
J833613										
J833614										
J833615										
J833616										
J833617										
J833618										
J833619										
J833620										
J833621										
J833622										
J833623										
J833624										
J833625										
J833625 CRD										
J833626		2.16	<0.01	0.47	0.06	0.168	0.03	0.02	4.62	98.70
J833627										
J833628										
J833629										
J833630										
J833631										
J833632										
J833633										
J833634										
J833635										
J833636										
J833637										
J833638										
J833639										
J833640										
J833641										
J833642										
J833643										
J833644										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833645		1.03	<0.005		<0.01	0.14	<5	10	<0.05	<0.01	20.0	<0.02	2.52	1.1	2	0.09
J833646		3.49	0.451		0.43	7.04	0.5	590	1.17	0.11	1.84	0.04	37.5	6.7	14	1.31
J833646 CRD		<0.02	0.434		0.39	6.63	0.4	570	1.13	0.11	1.82	0.04	34.1	6.5	13	1.23
J833647		3.35	0.179	0.172	0.37	6.56	0.2	500	1.10	0.11	1.96	0.05	25.2	6.9	12	1.35
J833648		3.47	0.380		0.75	5.80	0.4	440	1.00	0.19	1.37	0.08	36.9	5.8	11	1.08
J833649		3.41	0.135		0.16	6.49	0.4	430	0.98	0.05	1.45	0.04	16.15	3.1	12	0.82
J833650		3.44	1.790		1.81	6.56	0.9	600	1.23	0.41	2.34	0.07	143.5	12.1	13	1.31
J833651		3.06	1.855		1.47	6.50	0.5	530	1.04	0.30	2.22	0.07	132.5	9.8	11	1.13
J833652		3.60	0.739		1.50	6.73	0.5	550	1.15	0.39	1.74	0.06	99.6	9.5	11	1.25
J833653		3.44	0.765		1.84	6.47	0.2	440	0.99	0.66	1.22	0.05	45.9	8.4	8	1.01
J833654		3.49	0.896		1.21	5.75	<0.2	400	1.07	0.21	1.63	0.05	42.9	6.3	7	1.01
J833655		3.56	0.556		1.18	6.02	<0.2	360	1.23	0.15	2.35	0.08	53.1	8.0	12	1.07
J833656		3.58	0.503		1.10	5.89	<0.2	350	1.16	0.24	1.52	0.05	24.4	9.0	17	1.06
J833657		3.59	1.835		1.50	6.59	<0.2	560	1.58	0.17	2.04	0.06	75.2	12.2	15	1.54
J833658		3.58	0.198		0.32	6.24	<0.2	440	1.24	0.22	0.94	0.03	48.0	5.2	8	1.03
J833659		3.54	0.068		0.12	6.41	<0.2	400	1.21	0.08	1.51	0.05	42.6	4.4	8	1.17
J833660		0.12	0.975		4.27	6.04	20.3	440	0.66	1.69	2.34	2.12	20.7	14.2	58	0.71
J833661		3.47	0.184		0.30	6.78	1.1	480	2.48	0.16	1.52	0.05	46.0	6.2	11	1.02
J833662		3.53	0.190		0.04	6.69	0.4	450	0.99	0.03	2.02	0.07	39.1	4.3	8	1.14
J833663		3.61	0.120		0.01	6.13	0.6	410	0.92	0.02	1.24	0.04	49.6	2.4	7	0.86
J833664		3.47	0.057		0.09	6.88	0.7	510	1.06	0.04	2.66	0.10	170.0	11.1	15	1.33
J833665		3.55	0.326		0.37	6.83	<0.2	530	1.13	0.18	2.52	0.08	115.0	10.1	11	1.30
J833665 CRD		<0.02	0.338		0.37	6.98	<0.2	530	1.09	0.17	2.41	0.08	131.5	9.8	11	1.25
J833666		3.45	0.024	0.055	0.03	6.48	<0.2	460	0.98	0.02	1.26	0.04	42.0	2.7	5	0.90
J833667		3.58	0.285		0.26	7.08	0.6	560	1.07	0.12	2.81	0.07	77.1	8.7	7	1.40
J833668		3.77	1.895		1.21	7.24	0.3	630	1.14	0.28	3.24	0.07	82.5	13.4	6	1.66
J833669		3.48	0.234		0.20	6.83	0.4	490	1.09	0.07	1.26	0.04	49.3	3.3	8	1.03
J833670		3.45	0.100		0.12	6.72	<0.2	490	1.10	0.05	1.40	0.04	49.9	3.2	8	1.07
J833671		3.50	0.388		0.14	6.57	0.3	460	0.93	0.06	0.92	0.02	53.0	3.3	8	0.93
J833672		3.59	0.590		0.51	6.38	0.3	440	0.93	0.10	1.10	0.04	38.0	4.5	8	0.96
J833673		3.50	0.028		0.02	6.57	0.4	520	1.20	0.02	2.33	0.06	33.9	7.1	9	1.44
J833674		3.53	1.695		0.46	6.34	0.2	340	1.07	0.08	1.60	0.03	24.1	4.1	6	0.93
J833675		0.12	2.51		8.39	6.57	54.2	630	0.93	3.28	1.60	1.12	62.7	17.9	52	3.27
J833676		3.43	1.115		0.52	7.73	0.3	510	2.36	0.05	1.39	0.04	28.7	5.3	7	1.00
J833677		3.38	0.007		0.01	6.04	0.2	420	0.84	0.01	0.67	0.03	28.2	1.5	7	0.71
J833678		3.49	0.042		0.06	6.07	<0.2	550	0.93	0.01	0.51	0.02	32.3	1.6	6	0.78
J833679		3.45	0.048		0.06	5.77	<0.2	400	0.79	0.02	0.77	0.03	22.6	2.0	8	0.68
J833680		3.58	0.018		0.03	6.14	0.5	430	0.89	0.02	0.88	0.03	31.5	2.7	5	0.86
J833681		3.55	0.032		0.09	6.29	0.4	400	1.04	0.04	2.18	0.07	26.4	6.5	11	1.09
J833682		3.60	0.037		0.04	5.58	0.5	310	0.95	0.03	1.51	0.04	31.8	5.9	7	0.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833645		0.5	0.08	0.60	0.32	0.1	<0.005	0.11	1.9	4.5	13.00	49	0.13	0.04	0.4	<0.2
J833646		11.7	2.30	23.3	0.14	3.8	0.026	3.16	17.7	2.8	0.51	388	2.13	1.56	7.4	6.1
J833646 CRD		13.1	2.42	22.4	0.15	3.7	0.025	3.02	15.9	2.7	0.52	396	1.88	1.50	7.1	5.9
J833647		57.0	2.36	21.9	0.14	3.1	0.026	2.90	10.9	3.0	0.46	425	3.63	1.91	8.4	3.7
J833648		17.7	2.30	18.80	0.15	3.1	0.023	2.23	16.6	2.8	0.50	379	0.33	1.82	5.7	4.1
J833649		10.4	1.32	17.90	0.10	3.1	0.013	1.94	7.7	2.1	0.23	258	0.16	2.83	5.6	2.9
J833650		36.0	3.13	22.5	0.28	3.4	0.036	2.82	63.9	4.0	0.63	592	0.36	2.00	8.3	8.1
J833651		23.1	2.68	19.90	0.24	3.0	0.028	2.44	59.6	3.4	0.59	549	0.34	2.23	6.6	6.7
J833652		29.6	2.70	21.7	0.21	3.9	0.031	2.57	45.7	3.8	0.51	435	0.68	2.11	8.2	6.6
J833653		7.3	2.17	19.75	0.17	3.4	0.019	2.08	25.0	3.1	0.28	220	0.64	2.34	6.5	6.2
J833654		13.6	2.16	19.30	0.20	2.9	0.024	1.85	20.8	3.3	0.36	350	0.51	2.36	6.8	5.1
J833655		55.3	2.25	19.75	0.23	2.1	0.028	1.92	25.2	4.4	0.45	439	0.23	2.72	7.2	8.5
J833656		33.8	2.33	18.55	0.21	2.3	0.018	1.87	11.9	4.5	0.45	375	0.35	2.46	5.8	10.1
J833657		36.1	3.02	23.1	0.30	2.9	0.030	2.85	35.7	6.4	0.64	494	0.65	1.74	6.4	12.1
J833658		7.9	1.77	19.85	0.22	2.6	0.016	2.09	27.5	3.7	0.26	195	0.92	2.23	4.5	4.4
J833659		15.5	1.80	20.6	0.23	2.7	0.021	2.09	21.7	3.6	0.32	299	0.25	2.54	7.9	4.0
J833660		>10000	4.47	12.30	0.09	1.0	0.125	0.83	10.0	12.8	1.13	646	236	2.14	3.6	29.9
J833661		14.5	2.13	23.8	0.14	3.0	0.019	2.17	23.2	10.4	0.35	327	0.46	2.24	6.6	4.7
J833662		7.7	2.09	18.80	0.07	3.7	0.018	2.40	18.8	3.3	0.38	364	0.23	2.13	6.5	3.0
J833663		7.7	1.54	16.85	0.08	4.1	0.013	1.71	24.8	2.7	0.21	221	0.22	2.82	4.9	2.1
J833664		88.1	3.38	18.65	0.16	4.7	0.041	2.41	79.2	7.8	0.77	691	0.24	2.10	6.0	10.4
J833665		54.3	2.87	19.70	0.14	3.4	0.030	2.49	49.5	5.2	0.64	571	0.38	2.24	5.8	7.0
J833665 CRD		53.7	2.84	19.45	0.14	3.0	0.029	2.43	59.1	5.1	0.62	539	0.45	2.28	6.0	6.8
J833666		8.4	1.42	18.55	0.07	2.8	0.014	1.96	20.1	3.0	0.21	236	0.25	2.93	7.1	1.5
J833667		71.2	3.22	21.1	0.13	4.1	0.038	2.73	35.7	3.8	0.56	477	0.17	1.79	9.9	4.4
J833668		56.2	3.96	22.7	0.16	4.9	0.044	3.18	35.8	4.5	0.69	540	0.12	1.34	9.3	5.8
J833669		13.0	1.69	19.25	0.08	3.8	0.015	2.15	25.0	3.5	0.25	248	0.33	2.83	7.9	2.4
J833670		5.3	1.60	19.30	0.10	3.9	0.018	2.18	26.0	3.9	0.26	279	0.23	2.74	8.2	2.2
J833671		3.2	1.59	17.90	0.08	3.4	0.014	1.91	27.3	3.7	0.23	223	1.27	2.78	5.7	2.6
J833672		4.6	1.59	16.85	0.08	3.3	0.012	1.88	19.2	3.7	0.26	228	0.27	2.62	4.7	3.0
J833673		10.7	2.72	20.0	0.11	3.9	0.025	2.75	15.3	5.3	0.58	558	0.14	1.86	8.9	7.7
J833674		9.8	1.41	17.70	0.08	4.2	0.010	1.93	11.5	3.3	0.19	207	0.34	2.78	4.6	1.6
J833675		>10000	5.68	14.75	0.15	1.2	0.110	2.72	29.2	16.6	1.17	633	119.5	1.66	6.7	34.5
J833676		6.6	1.72	23.1	0.12	3.5	0.015	1.98	14.1	12.0	0.32	301	0.68	3.23	4.2	4.3
J833677		2.1	1.11	15.25	0.08	3.3	0.008	1.47	13.7	2.3	0.12	130	0.38	3.10	3.0	1.6
J833678		1.6	1.02	15.40	0.09	3.2	0.008	1.63	15.7	3.5	0.12	82	0.24	2.71	2.2	0.8
J833679		2.4	1.19	13.65	0.09	2.9	0.007	1.30	11.3	3.3	0.13	142	0.22	2.94	2.8	1.5
J833680		2.9	1.31	15.80	0.10	3.3	0.010	1.59	15.4	4.0	0.19	164	0.22	2.85	3.8	1.6
J833681		9.2	2.36	17.80	0.13	2.4	0.016	1.89	12.5	6.2	0.59	511	0.29	2.49	6.2	6.6
J833682		8.6	1.79	14.45	0.10	2.2	0.018	1.63	16.4	5.3	0.42	346	0.18	2.23	6.2	6.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833645		<10	1.0	2.8	<0.002	0.04	<0.05	0.3	1	<0.2	66.0	<0.05	<0.05	0.2	0.006	0.02
J833646		690	7.2	84.8	<0.002	0.20	0.17	5.9	1	1.1	104.0	0.60	0.23	4.5	0.213	0.39
J833646 CRD		680	7.4	77.1	<0.002	0.20	0.17	5.4	1	1.1	97.7	0.57	0.19	4.2	0.204	0.38
J833647		770	7.7	73.5	<0.002	0.20	0.16	6.6	1	1.3	123.0	0.71	0.20	3.8	0.214	0.38
J833648		630	4.5	61.2	<0.002	0.35	0.14	4.1	1	1.1	90.1	0.36	0.41	3.2	0.153	0.28
J833649		220	5.8	50.9	<0.002	0.14	0.11	2.5	1	1.0	154.5	0.39	0.10	2.9	0.098	0.23
J833650		2190	11.9	69.6	<0.002	1.02	0.20	7.5	1	1.5	147.0	0.74	0.97	12.6	0.261	0.34
J833651		1880	10.2	61.5	<0.002	0.84	0.18	6.6	1	1.1	145.0	0.61	0.78	11.2	0.229	0.30
J833652		1290	12.3	70.9	<0.002	0.71	0.16	5.7	1	1.6	133.5	0.55	0.84	9.8	0.198	0.32
J833653		450	18.0	61.1	<0.002	0.77	0.14	3.6	1	1.1	120.0	0.49	1.30	8.0	0.103	0.26
J833654		760	8.1	52.9	<0.002	0.41	0.13	4.0	<1	1.3	142.0	0.51	0.77	5.2	0.120	0.25
J833655		830	12.3	51.3	<0.002	0.55	0.15	6.1	<1	1.2	174.5	0.63	0.75	5.5	0.178	0.25
J833656		340	8.9	58.1	<0.002	0.56	0.14	6.0	<1	1.0	115.0	0.56	0.67	4.5	0.158	0.24
J833657		1210	6.8	70.1	<0.002	0.74	0.18	7.4	1	1.3	129.5	0.51	0.87	7.2	0.221	0.35
J833658		430	8.3	63.8	<0.002	0.27	0.11	3.0	<1	0.9	111.5	0.37	0.22	5.7	0.090	0.26
J833659		450	5.3	61.3	<0.002	0.10	0.12	3.9	1	1.2	144.0	0.40	0.12	6.1	0.143	0.27
J833660		560	36.6	22.8	1.400	1.57	24.7	14.0	5	1.0	276	0.27	0.59	1.9	0.311	0.20
J833661		850	7.0	66.3	<0.002	0.16	0.24	5.8	1	1.1	135.5	0.46	0.25	5.5	0.142	0.28
J833662		610	4.5	73.7	<0.002	0.04	0.13	3.8	1	1.1	141.5	0.37	<0.05	4.2	0.157	0.26
J833663		270	5.3	55.8	<0.002	0.02	0.11	2.8	1	1.0	161.0	0.33	<0.05	6.5	0.089	0.20
J833664		1680	9.9	79.4	<0.002	0.22	0.17	8.7	1	1.7	193.5	0.39	0.06	12.0	0.220	0.28
J833665		1320	9.1	76.9	<0.002	0.38	0.16	7.3	1	1.5	185.5	0.40	0.25	8.9	0.195	0.29
J833665 CRD		1310	8.9	81.7	<0.002	0.40	0.15	7.1	1	1.4	183.0	0.41	0.23	10.0	0.195	0.28
J833666		320	5.0	63.2	<0.002	0.03	0.10	3.1	1	1.1	154.5	0.59	<0.05	6.5	0.092	0.22
J833667		900	5.6	90.3	<0.002	0.26	0.18	7.8	1	1.3	144.5	0.46	0.16	4.6	0.250	0.31
J833668		1300	6.6	102.0	<0.002	0.71	0.19	9.0	1	1.3	139.5	0.41	0.75	4.0	0.262	0.34
J833669		320	6.3	70.3	<0.002	0.10	0.12	3.3	1	1.3	146.5	0.64	0.14	8.1	0.108	0.24
J833670		270	6.7	72.5	<0.002	0.05	0.11	4.0	1	1.5	156.5	0.82	0.09	8.3	0.110	0.24
J833671		300	5.9	64.0	<0.002	0.10	0.11	3.0	1	1.1	132.0	0.52	0.09	8.3	0.084	0.22
J833672		270	5.6	62.1	<0.002	0.14	0.10	3.3	1	0.9	123.5	0.38	0.23	5.5	0.088	0.22
J833673		360	5.6	78.2	<0.002	0.06	0.13	7.0	1	1.4	128.5	1.13	<0.05	4.2	0.193	0.32
J833674		210	6.2	59.4	<0.002	0.15	0.08	1.8	1	0.7	170.5	0.41	0.26	3.6	0.087	0.22
J833675		900	58.3	89.2	0.144	2.41	7.77	17.2	7	2.9	259	0.26	1.04	4.5	0.309	0.71
J833676		360	6.8	70.2	<0.002	0.18	0.15	4.6	1	0.8	145.5	0.41	0.28	4.0	0.108	0.25
J833677		160	5.7	47.7	<0.002	0.02	0.09	1.7	1	0.6	119.0	0.23	<0.05	4.7	0.051	0.17
J833678		120	4.0	52.9	<0.002	0.03	0.07	1.6	1	0.6	96.1	0.19	<0.05	5.2	0.039	0.20
J833679		160	5.4	41.9	<0.002	0.06	0.08	1.9	1	0.6	117.5	0.17	<0.05	3.6	0.054	0.14
J833680		250	3.9	52.0	<0.002	0.08	0.08	2.5	1	0.8	123.5	0.20	<0.05	5.0	0.075	0.18
J833681		370	5.7	65.3	<0.002	0.09	0.14	6.8	1	0.9	144.0	0.55	0.06	2.7	0.184	0.22
J833682		290	5.2	55.8	<0.002	0.12	0.10	5.2	1	1.1	117.0	0.62	<0.05	4.6	0.123	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833645		0.1	1	<0.1	1.6	<2	2.4									
J833646		1.5	42	4.2	6.1	53	145.5									
J833646 CRD		1.3	40	4.1	5.6	51	144.5									
J833647		1.1	41	4.6	6.5	56	119.0		1.05	3.9	65.64	14.70	3.61	3.01	0.90	2.61
J833648		1.2	37	4.1	5.7	40	111.5									
J833649		0.9	20	1.9	4.0	29	90.5									
J833650		2.3	59	6.4	9.4	57	126.0									
J833651		1.9	51	5.4	8.1	50	110.5									
J833652		2.1	49	5.7	8.1	47	136.0									
J833653		1.4	29	2.6	6.1	37	136.5									
J833654		1.1	30	3.4	6.4	34	106.0									
J833655		2.2	43	9.8	6.8	42	77.1									
J833656		1.6	43	5.6	6.7	42	74.1									
J833657		1.5	64	5.3	8.2	60	104.0									
J833658		1.0	29	2.1	5.4	35	88.6									
J833659		0.9	26	3.7	5.8	38	109.5									
J833660		0.7	101	6.9	14.5	145	28.3	1.270								
J833661		0.9	36	2.9	6.5	43	95.8									
J833662		1.0	29	3.3	6.3	49	146.5									
J833663		1.0	19	2.3	6.6	31	142.5									
J833664		3.9	59	3.8	12.5	82	182.5									
J833665		1.5	56	3.5	9.5	59	121.0									
J833665 CRD		1.5	54	3.6	10.0	56	103.5									
J833666		1.2	21	2.8	6.1	34	93.4		0.50	1.8	72.19	14.00	2.00	1.73	0.40	4.01
J833667		0.8	44	9.8	9.7	59	177.5									
J833668		0.7	56	9.2	10.2	65	212									
J833669		1.2	23	3.3	6.1	34	137.0									
J833670		1.5	20	2.5	6.3	38	149.0									
J833671		1.0	22	2.3	5.4	30	122.0									
J833672		0.9	27	2.6	5.1	31	110.5									
J833673		2.3	47	3.2	6.7	59	129.5									
J833674		1.3	17	2.0	4.4	28	123.5									
J833675		1.1	147	11.4	15.5	169	38.0	2.13								
J833676		1.4	29	2.3	4.9	37	104.0									
J833677		1.0	14	1.6	3.7	21	92.8									
J833678		1.1	17	1.6	3.5	24	82.8									
J833679		0.7	15	1.7	3.1	22	88.1									
J833680		0.7	19	1.9	4.1	25	105.0									
J833681		1.4	47	7.1	4.9	47	90.4									
J833682		1.4	34	4.0	5.4	35	78.3									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833645 J833646 J833646 CRD J833647 J833648		3.52	<0.01	0.42	0.05	0.165	0.03	0.05	4.48	99.18
J833649 J833650 J833651 J833652 J833653										
J833654 J833655 J833656 J833657 J833658										
J833659 J833660 J833661 J833662 J833663										
J833664 J833665 J833665 CRD J833666 J833667		2.36	<0.01	0.17	0.03	0.068	0.03	0.04	2.55	99.58
J833668 J833669 J833670 J833671 J833672										
J833673 J833674 J833675 J833676 J833677										
J833678 J833679 J833680 J833681 J833682										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J833683		3.62	0.555		1.11	6.56	0.2	450	1.27	0.17	2.22	0.08	34.3	9.9	4	1.41
J833684		3.51	0.380		0.52	7.28	0.2	530	1.43	0.20	3.58	0.10	38.4	11.4	4	1.66
J833685		3.49	0.282		0.67	7.29	0.3	520	1.38	0.22	3.53	0.11	29.0	13.3	5	1.79
J833685 CRD		<0.02	0.314		0.68	7.15	<0.2	510	1.40	0.21	3.49	0.10	26.4	13.2	5	1.77
J833686		2.99	0.266	0.229	0.60	5.70	<0.2	180	0.88	0.27	0.97	0.03	11.25	2.9	5	0.43
J833687		4.10	0.296		0.14	6.61	0.5	450	1.20	0.13	1.59	0.04	52.9	4.8	11	1.14
J833688		3.49	0.041		0.06	6.42	0.5	400	1.23	0.03	1.86	0.03	59.4	5.5	11	1.04
J833689		3.67	0.025		0.04	6.36	<0.2	400	1.01	0.05	1.79	0.03	54.9	4.1	10	0.89
J833690		0.12	0.403		2.16	7.16	104.5	570	1.22	0.52	0.52	1.10	34.0	19.1	33	7.17
J833691		3.56	0.062		0.12	6.46	<0.2	420	1.11	0.09	1.17	0.03	31.7	3.0	9	0.90
J833692		3.47	0.169		0.23	6.43	0.7	400	1.18	0.09	1.81	0.05	68.4	5.5	10	1.02
J833693		3.53	0.329		2.79	6.41	<0.2	400	1.13	0.23	2.15	0.04	78.7	7.2	10	1.38
J833694		3.67	0.096		0.23	7.09	0.2	370	0.88	0.14	3.29	0.04	70.3	12.3	8	1.49
J833695		3.51	0.202		0.21	7.08	0.7	430	1.01	0.11	2.73	0.05	50.7	10.5	9	1.52
J833696		3.56	1.235		0.96	7.19	0.5	550	1.15	0.36	3.34	0.06	71.5	14.1	11	1.80
J833697		3.64	0.638		0.74	6.29	<0.2	490	1.08	0.27	1.99	0.05	44.5	7.5	12	1.42
J833698		3.61	0.382		0.39	6.55	0.7	540	1.06	0.19	2.38	0.06	55.7	8.5	11	1.29
J833699		3.44	0.032		0.04	6.26	<0.2	330	1.15	0.04	1.35	0.04	26.8	2.8	10	0.94
J833700		0.12	0.952		4.37	6.65	20.6	490	0.79	1.97	2.51	2.27	23.2	15.7	62	0.84
J833701		3.48	0.125		0.14	6.71	<0.2	420	1.07	0.05	1.59	0.03	38.7	3.5	14	1.01
J833702		3.50	<0.005		0.04	6.22	0.3	290	0.97	0.02	1.67	0.04	25.4	2.5	10	0.74
J833703		3.15	0.113		0.24	6.40	0.2	370	0.95	0.06	1.53	0.03	15.00	2.2	9	0.76
J833704		3.41	0.237		0.17	6.75	<0.2	410	1.07	0.10	1.63	0.04	33.1	2.6	10	0.95
J833705		3.51	0.786		1.46	6.13	0.6	390	1.09	0.32	2.39	0.07	40.8	7.7	17	1.15
J833705 CRD		<0.02	0.795		1.46	6.27	0.5	410	1.13	0.32	2.46	0.07	38.4	8.3	21	1.21
J833706		3.38	0.453	0.449	0.34	6.40	0.2	330	1.09	0.14	1.83	0.05	42.1	4.3	13	0.94
J833707		3.56	0.207		0.21	6.50	0.3	310	1.06	0.09	1.45	0.03	50.2	3.2	12	0.79
J833708		3.58	0.376		0.61	6.15	0.8	390	1.23	0.22	2.69	0.06	30.4	9.8	9	1.14
J833709		3.47	0.606		0.93	6.38	0.7	330	1.08	0.27	2.04	0.05	37.5	7.0	11	0.98
J833710		3.51	0.171		0.49	5.66	0.6	280	0.97	0.12	2.00	0.05	26.3	5.1	10	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J833683		30.4	2.61	18.95	0.12	3.1	0.024	2.52	16.5	7.3	0.67	498	0.35	2.13	7.1	11.9
J833684		23.2	3.34	23.0	0.14	3.4	0.033	2.98	18.3	7.4	0.99	753	0.57	2.04	8.4	16.0
J833685		27.3	3.43	22.0	0.15	3.1	0.035	3.14	13.3	8.6	1.01	750	0.45	1.90	7.0	18.1
J833685 CRD		24.8	3.30	21.7	0.14	3.1	0.034	3.13	11.7	8.4	1.00	733	0.35	1.90	6.7	18.0
J833686		25.2	0.86	15.55	0.07	2.6	0.007	0.99	5.2	2.0	0.07	107	1.27	3.88	3.7	1.7
J833687		7.7	2.18	20.1	0.16	3.5	0.015	1.89	23.7	9.0	0.26	274	0.66	2.73	5.8	4.7
J833688		10.4	2.34	20.3	0.17	4.3	0.019	1.78	25.1	11.2	0.30	333	0.16	2.78	6.0	3.6
J833689		6.1	2.25	18.20	0.17	3.8	0.016	1.69	24.2	10.8	0.28	327	0.33	2.93	5.5	3.0
J833690		4290	4.55	18.55	0.20	0.8	0.058	4.04	17.2	12.4	0.74	462	252	1.05	5.3	23.8
J833691		5.5	1.22	18.25	0.13	2.7	0.009	1.59	14.6	6.6	0.18	178	2.52	3.04	4.2	2.0
J833692		10.8	2.35	21.1	0.20	5.1	0.019	1.72	30.4	15.8	0.34	325	0.88	2.84	7.9	3.7
J833693		16.0	2.91	21.4	0.19	5.5	0.032	2.11	33.9	16.9	0.41	326	2.62	2.23	7.2	3.7
J833694		23.1	4.02	21.8	0.19	5.5	0.047	2.23	29.0	31.0	0.72	482	0.40	1.91	6.8	5.8
J833695		22.6	3.46	22.6	0.17	4.1	0.031	2.54	21.3	22.4	0.63	410	1.17	1.84	6.5	5.4
J833696		18.6	4.28	23.8	0.22	4.5	0.049	2.94	30.8	16.1	0.79	553	3.34	1.53	8.0	7.2
J833697		18.7	2.55	19.45	0.15	3.9	0.026	2.47	20.0	5.5	0.42	342	0.43	1.97	6.2	4.3
J833698		12.6	3.00	20.7	0.18	4.0	0.027	2.64	24.6	6.2	0.52	469	1.38	1.86	7.7	4.5
J833699		8.5	1.21	20.2	0.15	3.4	0.013	1.73	12.6	5.2	0.19	208	0.37	3.00	6.0	2.5
J833700		>10000	4.74	13.90	0.17	1.1	0.139	0.87	10.9	16.9	1.22	672	246	2.25	4.1	34.0
J833701		14.2	1.89	17.80	0.12	3.3	0.014	2.18	18.6	4.1	0.29	295	0.62	2.45	4.8	2.9
J833702		8.4	1.25	16.95	0.15	3.5	0.010	1.46	11.8	5.3	0.19	246	0.28	3.06	4.2	2.5
J833703		2.8	1.23	16.90	0.14	2.3	0.010	1.68	7.1	3.2	0.16	203	0.63	3.02	3.1	2.4
J833704		2.9	1.44	19.30	0.15	2.9	0.014	1.88	15.5	3.9	0.25	246	1.01	3.24	3.8	2.5
J833705		18.6	2.44	18.00	0.17	3.5	0.022	1.99	19.5	6.3	0.55	518	1.87	2.70	5.6	11.4
J833705 CRD		18.7	2.40	20.0	0.16	3.7	0.024	2.05	18.1	6.5	0.57	524	2.27	2.79	5.5	11.7
J833706		26.0	1.74	17.20	0.16	3.4	0.020	1.69	18.9	6.7	0.29	295	0.39	3.09	5.0	3.4
J833707		21.6	1.92	16.45	0.15	3.9	0.013	1.53	23.1	5.3	0.23	261	0.27	3.34	3.9	2.9
J833708		47.0	2.53	19.40	0.17	3.2	0.023	2.19	13.7	8.4	0.57	504	0.19	2.89	6.8	8.6
J833709		26.8	2.09	18.35	0.16	3.1	0.018	1.82	17.3	5.0	0.40	376	0.26	2.83	5.4	7.4
J833710		18.9	1.65	17.20	0.16	2.7	0.021	1.51	12.1	5.1	0.32	363	0.35	2.86	5.9	5.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J833683		360	8.3	79.1	<0.002	0.19	0.15	8.6	1	1.3	137.5	0.76	0.64	4.4	0.196	0.30
J833684		430	8.1	90.3	<0.002	0.29	0.18	11.5	1	1.4	166.5	0.65	0.37	4.3	0.257	0.34
J833685		390	9.6	89.7	<0.002	0.17	0.18	11.5	1	1.4	158.5	0.60	0.46	3.0	0.244	0.36
J833685 CRD		390	9.5	87.7	<0.002	0.16	0.17	11.5	1	1.3	156.0	0.58	0.48	2.9	0.239	0.37
J833686		50	11.0	30.6	<0.002	0.33	0.05	1.8	1	0.8	132.5	0.59	0.36	4.8	0.021	0.11
J833687		420	7.4	64.1	<0.002	0.15	0.14	3.4	1	1.0	160.0	0.27	0.09	4.8	0.129	0.25
J833688		520	6.5	56.3	<0.002	0.09	0.09	3.9	1	1.0	175.0	0.24	<0.05	4.2	0.140	0.23
J833689		490	6.4	48.3	<0.002	0.05	0.09	3.2	1	0.9	166.0	0.22	<0.05	4.2	0.139	0.22
J833690		1070	42.4	114.0	0.632	2.40	7.64	11.2	8	3.4	243	0.33	0.99	2.8	0.244	1.42
J833691		220	6.8	55.1	<0.002	0.10	0.08	2.2	1	0.7	134.5	0.33	0.08	4.4	0.074	0.22
J833692		450	6.7	58.8	<0.002	0.22	0.11	4.4	1	1.0	158.0	0.41	0.18	5.3	0.148	0.23
J833693		670	7.9	66.3	0.002	0.31	0.13	5.0	1	1.1	147.5	0.44	0.37	3.9	0.213	0.28
J833694		960	7.7	63.5	<0.002	0.15	0.14	8.2	1	1.1	184.0	0.31	0.15	3.3	0.256	0.29
J833695		810	6.3	73.3	<0.002	0.14	0.13	5.2	1	1.0	159.5	0.39	0.14	3.0	0.247	0.33
J833696		1060	9.9	88.7	<0.002	0.66	0.18	8.9	1	1.3	161.0	0.38	0.70	3.4	0.300	0.37
J833697		570	7.7	78.8	<0.002	0.36	0.13	5.2	1	1.1	130.5	0.32	0.47	4.2	0.194	0.30
J833698		650	7.5	76.4	<0.002	0.34	0.16	5.8	1	1.2	135.0	0.47	0.32	4.8	0.238	0.31
J833699		210	6.5	57.9	<0.002	0.03	0.09	2.8	1	1.0	158.5	0.45	<0.05	5.0	0.092	0.24
J833700		590	41.3	27.8	1.465	1.66	27.4	15.1	6	1.1	298	0.28	0.63	2.3	0.336	0.23
J833701		300	6.7	61.5	0.002	0.07	0.13	2.9	1	1.0	146.0	0.36	0.09	6.8	0.127	0.25
J833702		180	7.2	47.3	<0.002	0.01	0.09	2.3	1	0.7	167.5	0.35	<0.05	5.3	0.085	0.18
J833703		110	5.9	51.6	<0.002	0.06	0.09	1.8	1	0.6	168.5	0.22	0.15	2.9	0.066	0.21
J833704		270	6.6	59.3	<0.002	0.11	0.09	2.8	1	0.9	156.5	0.23	0.13	5.1	0.097	0.23
J833705		250	12.8	61.8	<0.002	0.30	0.14	6.4	1	1.2	163.5	0.52	0.99	5.9	0.159	0.23
J833705 CRD		260	13.0	63.2	<0.002	0.30	0.12	6.6	1	1.2	168.0	0.50	0.98	5.6	0.168	0.26
J833706		340	8.0	54.4	<0.002	0.18	0.09	3.8	1	1.0	173.0	0.33	0.23	6.2	0.115	0.20
J833707		310	7.2	47.8	<0.002	0.10	0.08	2.6	1	0.8	170.5	0.28	0.13	6.5	0.099	0.17
J833708		370	11.9	62.1	<0.002	0.30	0.13	6.8	1	1.1	175.5	0.67	0.40	3.9	0.225	0.25
J833709		310	10.1	55.8	<0.002	0.39	0.11	4.8	1	1.0	157.5	0.43	0.63	9.0	0.150	0.22
J833710		250	7.7	52.3	<0.002	0.20	0.10	4.5	1	1.2	156.0	0.61	0.25	3.8	0.128	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J833683		1.7	56	5.3	6.6	50	112.0									
J833684		1.6	72	10.2	7.1	69	129.0									
J833685		1.2	75	9.0	6.0	73	121.0									
J833685 CRD		1.3	76	8.6	5.8	72	119.0									
J833686		2.1	9	0.8	6.7	12	58.1		0.33	1.2	74.67	13.79	1.30	1.47	0.13	5.90
J833687		0.8	21	2.5	7.0	48	110.0									
J833688		0.7	24	2.9	8.7	54	133.0									
J833689		0.7	23	2.8	7.5	50	117.0									
J833690		1.2	152	13.3	14.8	144	26.3									
J833691		0.9	17	1.9	4.7	26	81.5									
J833692		0.8	28	3.6	9.4	57	171.5									
J833693		0.6	40	14.6	9.0	55	200									
J833694		0.5	55	3.5	8.0	71	221									
J833695		0.5	48	2.7	6.4	68	167.0									
J833696		0.7	65	7.9	8.5	77	189.5									
J833697		0.7	38	4.6	5.9	42	151.5									
J833698		0.8	44	6.2	7.9	56	159.0									
J833699		1.1	17	2.3	5.1	29	109.0									
J833700		0.9	103	5.8	15.6	146	31.9	1.260								
J833701		0.9	29	2.2	4.8	36	116.5									
J833702		1.9	16	2.4	4.6	27	105.0									
J833703		1.1	17	1.5	3.5	21	67.2									
J833704		0.7	30	3.0	4.5	30	90.9									
J833705		1.4	45	8.0	5.9	46	112.0									
J833705 CRD		1.6	46	7.9	5.8	48	119.5									
J833706		1.0	26	5.4	5.9	35	120.0		0.69	2.5	69.09	13.77	2.44	2.59	0.56	4.33
J833707		1.4	22	4.3	6.9	32	106.5									
J833708		1.8	54	11.0	6.2	51	114.5									
J833709		1.6	35	8.1	6.0	33	113.5									
J833710		1.1	32	7.1	4.9	37	91.2									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J833683										
J833684										
J833685										
J833685 CRD										
J833686		1.21	<0.01	0.05	0.01	0.018	0.03	0.02	1.37	99.97
J833687										
J833688										
J833689										
J833690										
J833691										
J833692										
J833693										
J833694										
J833695										
J833696										
J833697										
J833698										
J833699										
J833700										
J833701										
J833702										
J833703										
J833704										
J833705										
J833705 CRD										
J833706		2.06	<0.01	0.29	0.03	0.073	0.03	0.03	3.02	98.31
J833707										
J833708										
J833709										
J833710										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10181683

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.