ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE TB10178470

Project: HAMMOND REEF

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 29-NOV-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835514		3.71	<0.005		0.05	7.09	<0.2	490	1.00	0.10	2.66	0.05	72.3	10.7	18	0.41
J835515		0.12	2.42		7.79	6.62	54.4	640	0.76	3.55	1.58	1.04	56.8	16.3	56	3.35
J835516		3.76	<0.005		0.03	7.06	0.6	590	1.17	0.01	2.37	0.04	45.7	8.8	15	0.31
J835517		3.72	<0.005		0.10	7.19	0.4	460	1.11	0.03	2.43	0.02	44.3	9.0	13	0.30
J835518		3.55	<0.005		0.05	6.96	<0.2	420	1.05	0.01	1.88	0.02	40.2	5.7	7	0.27
J835519		3.73	<0.005		0.08	7.10	0.7	240	0.96	0.01	1.97	0.03	42.5	6.6	10	0.32
J835520		3.59	0.009		0.13	7.41	1.7	500	1.13	0.21	1.94	0.05	44.5	10.8	17	0.88
J835521		3.36	<0.005		0.03	6.89	0.3	470	0.93	0.03	2.23	0.02	38.1	9.5	18	0.87
J835522		3.51	<0.005		0.01	6.50	0.4	380	0.99	0.02	2.27	0.03	27.2	6.0	7	0.66
J835523		3.30	<0.005		0.02	6.56	0.2	610	0.86	0.02	2.30	<0.02	29.2	5.1	5	0.51
J835524		3.84	<0.005		0.03	7.34	0.3	670	0.97	<0.01	2.26	0.02	65.6	6.3	7	0.49
J835525		3.44	<0.005		0.01	6.75	0.9	790	0.80	<0.01	1.27	0.02	49.9	3.3	5	0.50
J835526		3.83	0.007		0.01	5.46	<0.2	190	0.76	0.02	2.85	<0.02	30.9	2.3	10	0.26
J835527		3.51	<0.005		0.01	5.60	0.9	130	0.83	0.01	2.02	<0.02	38.2	4.5	8	0.17
J835528		4.78	0.014		0.04	6.18	4.4	200	0.88	0.01	2.50	<0.02	33.9	7.8	29	0.18
J835529		4.80	<0.005		0.07	7.06	4.1	150	0.53	0.02	4.94	<0.02	43.4	19.0	42	0.08
J835530		0.12	0.415		2.03	6.99	109.0	560	1.17	0.51	0.51	0.98	33.4	17.5	31	6.96
J835531		4.67	<0.005		0.13	7.38	<0.2	10	0.24	0.01	7.60	0.09	9.18	49.9	88	<0.05
J835532		4.49	<0.005		0.14	7.55	3.5	10	0.27	0.01	7.69	0.07	10.45	52.5	89	<0.05
J835533		2.35	<0.005		0.03	6.83	<0.2	280	0.81	0.01	1.91	0.04	50.4	6.2	9	0.11
J835533 CRD		<0.02	<0.005		0.03	6.80	0.4	270	0.89	<0.01	1.84	0.05	51.3	5.9	9	0.11
J835534		3.48	<0.005	<0.005	0.14	7.23	1.8	10	0.25	0.01	7.61	0.06	10.20	47.1	93	<0.05
J835535		3.35	0.005		0.03	6.43	2.4	580	0.83	0.01	1.69	<0.02	41.2	4.2	5	0.38
J835536		3.07	<0.005		0.03	6.72	<0.2	880	0.81	0.01	1.68	<0.02	38.3	3.2	5	0.65
J835537		3.13	<0.005		0.02	6.09	<0.2	530	0.84	0.02	1.82	0.02	31.5	3.5	4	0.76
J835538		3.08	0.072		0.08	6.36	<0.2	380	0.93	0.02	2.24	0.03	70.6	6.6	6	0.76
J835539		3.29	0.025		0.06	6.82	<0.2	380	1.09	0.02	2.35	0.02	79.9	7.8	6	0.74
J835540		3.45	0.094		0.13	7.11	<0.2	390	1.03	0.06	3.29	0.04	100.5	12.7	12	0.74
J835541		3.23	0.109		0.11	7.55	<0.2	410	1.05	0.03	3.48	0.05	77.6	9.9	10	0.74
J835542		3.35	0.169		0.42	6.90	<0.2	420	0.89	0.09	3.00	0.04	51.6	11.7	8	0.73
J835543		3.36	0.078		0.17	6.69	<0.2	410	0.89	0.04	3.01	0.04	54.9	8.6	10	0.78
J835544		3.14	0.054		0.16	6.84	<0.2	430	1.05	0.04	2.57	0.03	56.7	8.1	6	0.81
J835545		1.03	<0.005		<0.01	0.13	<5	10	<0.05	0.01	19.30	<0.02	2.85	1.6	<1	0.09
J835546		3.13	0.036		0.10	6.98	<0.2	430	0.83	0.02	3.22	0.09	41.0	13.2	18	0.80
J835547		3.19	0.017		0.05	6.91	<0.2	450	0.75	0.03	2.22	0.04	51.1	5.9	4	0.76
J835548		3.32	0.006		0.01	6.61	<0.2	540	0.52	0.01	2.56	0.03	32.0	5.6	9	0.83
J835549		3.29	0.014		0.01	6.93	<0.2	500	0.51	0.01	2.35	0.03	32.4	6.0	10	0.79
J835550		3.12	0.055		0.05	6.50	<0.2	600	0.74	0.02	2.33	0.02	32.3	5.1	9	1.25
J835551		3.03	0.097		0.09	6.47	<0.2	600	0.73	0.03	2.28	0.02	31.6	5.0	10	1.20
J835552		3.17	0.018		0.05	6.63	1.0	550	0.59	0.02	2.32	0.03	34.9	5.3	11	0.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835514		32.4	3.02	19.60	0.12	3.0	0.026	1.30	33.8	10.3	0.76	480	0.22	2.74	6.4	12.1
J835515		>10000	5.66	14.30	0.11	1.2	0.119	2.71	27.0	16.8	1.15	616	108.5	1.61	6.9	34.7
J835516		15.5	2.42	21.4	0.10	2.6	0.024	1.42	20.7	8.6	0.55	373	0.17	2.79	7.0	7.9
J835517		19.7	2.59	20.9	0.10	2.7	0.021	1.55	21.1	9.1	0.60	333	0.42	2.73	7.5	9.6
J835518		6.1	1.85	17.40	<0.05	3.2	0.016	1.21	24.1	7.9	0.41	201	0.26	2.93	5.1	4.7
J835519		7.7	2.33	18.40	0.07	3.3	0.023	0.81	20.6	8.6	0.47	304	0.19	2.99	7.0	5.2
J835520		5.8	2.91	20.2	0.10	3.8	0.045	1.74	21.3	12.2	0.81	358	0.22	2.57	8.1	14.8
J835521		1.9	2.64	18.30	<0.05	3.7	0.023	1.81	18.5	10.1	0.67	232	0.14	2.38	7.0	13.3
J835522		1.7	1.80	16.90	0.06	3.0	0.017	1.58	13.6	7.9	0.41	156	0.09	2.45	5.5	5.3
J835523		3.8	1.81	16.70	0.06	3.2	0.012	1.39	15.2	7.3	0.33	163	0.16	2.86	4.6	2.8
J835524		8.1	2.14	18.35	0.09	4.2	0.013	1.22	33.8	8.3	0.45	205	0.54	2.78	5.0	5.0
J835525		2.3	1.38	16.35	0.08	3.9	0.011	1.36	24.8	5.3	0.22	143	0.18	2.97	5.1	2.0
J835526		1.2	1.39	16.10	<0.05	1.9	0.019	0.78	15.4	4.8	0.15	134	5.59	1.84	4.0	1.8
J835527		0.8	1.49	13.35	0.05	2.3	0.011	0.51	21.6	8.5	0.34	116	1.85	2.18	3.8	4.2
J835528		6.7	2.02	16.15	0.08	2.2	0.017	0.53	15.9	10.1	0.56	233	1.44	2.88	5.1	8.8
J835529		37.2	4.62	19.90	0.10	1.5	0.038	0.26	24.2	16.1	1.43	582	0.24	2.27	4.7	30.1
J835530		4270	4.51	16.90	0.14	0.7	0.058	5.22	17.6	11.7	0.71	467	247	1.02	5.5	24.0
J835531		178.0	9.78	16.50	0.18	1.3	0.075	0.07	3.6	11.7	3.72	1600	0.53	0.58	2.6	75.3
J835532		147.0	10.25	17.60	0.21	1.5	0.076	0.03	4.2	12.9	3.89	1700	0.31	0.68	2.9	79.1
J835533		15.8	2.15	18.20	0.08	3.3	0.015	0.35	25.7	6.6	0.43	259	0.14	3.99	4.6	5.1
J835533 CRD		15.3	2.14	18.15	0.10	3.4	0.016	0.35	26.2	6.8	0.41	254	0.15	4.05	4.6	6.0
J835534		144.0	9.41	16.25	0.20	1.3	0.067	0.03	4.4	14.3	3.68	1560	0.22	0.60	2.6	76.5
J835535		2.9	1.80	17.55	0.05	3.4	0.016	1.02	20.1	7.6	0.31	226	0.16	3.42	7.5	4.0
J835536		3.7	1.42	17.45	0.09	2.8	0.013	1.64	18.2	4.7	0.23	177	0.19	2.82	4.7	2.6
J835537		1.7	1.78	17.15	0.07	3.0	0.011	1.76	14.9	5.6	0.25	214	0.18	2.44	3.1	1.6
J835538		15.2	2.29	18.15	0.13	2.5	0.017	1.68	36.0	11.7	0.51	305	0.12	2.33	3.8	4.9
J835539		30.7	2.39	18.60	0.12	1.8	0.027	1.62	43.9	13.9	0.58	375	0.14	2.49	4.6	6.3
J835540		89.6	3.56	21.0	0.18	2.1	0.070	1.67	51.1	21.6	1.00	582	0.20	2.20	7.0	13.9
J835541		59.5	3.08	21.5	0.16	2.1	0.062	1.94	37.3	18.2	0.76	533	0.16	2.53	6.8	10.1
J835542		65.8	3.37	19.35	0.14	2.5	0.023	1.82	27.0	16.1	0.65	393	0.21	2.02	4.9	7.4
J835543		31.4	2.64	19.15	0.11	1.9	0.028	1.84	27.7	13.0	0.57	392	0.13	2.12	5.0	6.7
J835544		33.7	2.44	19.20	0.09	2.7	0.021	1.91	28.4	11.9	0.56	334	0.11	2.25	4.1	6.0
J835545		1.1	0.08	0.51	0.29	0.1	<0.005	0.12	2.1	4.7	12.40	47	0.15	0.03	0.5	1.0
J835546		20.5	3.75	19.40	0.07	2.8	0.045	1.86	20.3	20.6	1.00	452	0.14	1.75	5.9	19.2
J835547		32.3	2.18	17.70	0.05	2.6	0.015	1.81	25.8	10.2	0.46	223	0.60	2.29	3.1	2.8
J835548		4.4	1.89	16.95	0.13	3.9	0.017	1.89	16.8	9.6	0.44	209	0.24	2.30	3.2	7.6
J835549		4.5	1.99	17.10	0.15	3.9	0.014	1.76	17.7	9.2	0.46	207	0.22	2.58	3.6	8.3
J835550		2.7	1.83	18.40	0.17	3.8	0.015	2.53	17.2	6.0	0.42	194	0.92	1.89	3.6	7.7
J835551		2.9	1.97	17.50	0.18	3.9	0.014	2.47	16.8	6.2	0.43	207	1.26	1.91	3.6	7.7
J835552		4.6	1.94	16.25	0.14	4.2	0.014	1.71	19.2	6.9	0.44	212	0.74	2.59	3.8	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835514		730	7.0	34.8	<0.002	0.04	0.08	6.6	2	1.0	350	0.50	<0.05	7.6	0.271	0.20
J835515		870	64.2	76.8	0.132	2.35	7.18	14.9	8	2.6	250	0.22	1.07	5.1	0.319	0.82
J835516		490	8.5	39.2	<0.002	0.02	0.05	6.5	1	1.1	276	0.63	<0.05	4.8	0.207	0.20
J835517		510	8.0	42.5	<0.002	0.01	0.06	7.1	1	1.2	278	0.81	<0.05	5.0	0.217	0.21
J835518		290	7.3	29.5	<0.002	<0.01	0.08	3.8	1	0.9	242	0.41	<0.05	7.5	0.143	0.16
J835519		400	7.6	28.0	<0.002	<0.01	0.07	4.9	2	1.2	253	0.56	<0.05	6.4	0.181	0.14
J835520		410	11.8	56.3	<0.002	0.01	0.08	11.3	2	1.6	183.5	0.80	0.05	8.8	0.208	0.31
J835521		250	6.4	56.4	<0.002	<0.01	0.06	8.6	1	1.1	177.0	0.60	<0.05	6.5	0.166	0.31
J835522		330	7.0	44.6	<0.002	<0.01	0.06	3.5	1	0.8	224	0.37	<0.05	5.0	0.153	0.25
J835523		280	8.7	36.2	<0.002	0.01	0.07	2.9	1	0.7	257	0.36	<0.05	5.2	0.150	0.21
J835524		430	10.5	37.8	<0.002	<0.01	0.07	2.8	1	0.8	291	0.42	<0.05	12.3	0.185	0.19
J835525		190	7.1	37.1	<0.002	<0.01	<0.05	2.3	1	0.7	163.5	0.25	<0.05	10.4	0.090	0.18
J835526		240	4.2	16.7	<0.002	0.01	0.06	2.7	1	0.7	226	0.15	<0.05	4.9	0.117	0.11
J835527		210	2.9	12.2	<0.002	<0.01	<0.05	2.5	1	0.4	205	0.14	<0.05	6.2	0.113	0.07
J835528		410	3.3	13.3	<0.002	<0.01	<0.05	6.0	1	0.6	195.5	0.34	<0.05	4.9	0.184	0.07
J835529		410	3.1	6.9	<0.002	<0.01	0.08	16.0	2	0.9	229	0.28	<0.05	4.4	0.329	0.03
J835530		1060	39.0	144.5	0.614	2.33	7.28	10.4	9	2.9	241	0.28	1.03	2.7	0.248	1.40
J835531		320	2.3	0.4	0.003	0.13	0.18	37.7	3	0.5	212	0.11	<0.05	0.3	0.608	<0.02
J835532		350	2.0	0.2	0.002	0.06	0.19	39.0	3	0.6	189.5	0.12	<0.05	0.3	0.643	<0.02
J835533		350	2.1	9.3	<0.002	0.01	0.06	4.1	1	0.8	194.5	0.10	<0.05	6.8	0.175	0.05
J835533 CRD		320	1.9	9.4	<0.002	0.01	0.06	3.8	1	0.8	192.5	0.10	<0.05	6.9	0.166	0.05
J835534		310	3.3	0.3	0.002	0.09	0.19	37.2	3	0.6	226	0.10	<0.05	0.3	0.589	<0.02
J835535		270	10.0	28.7	<0.002	<0.01	0.06	3.0	1	0.8	169.5	0.23	<0.05	6.5	0.124	0.14
J835536		220	5.6	45.3	<0.002	<0.01	0.05	2.8	1	0.6	153.0	0.11	<0.05	5.8	0.104	0.22
J835537		260	3.9	48.0	<0.002	0.01	0.05	2.5	1	0.6	164.0	0.07	<0.05	4.1	0.121	0.27
J835538		490	4.2	48.0	<0.002	0.05	0.07	3.7	1	0.7	184.0	0.16	0.07	7.1	0.156	0.29
J835539		490	4.8	47.7	<0.002	0.07	0.11	5.7	1	0.9	227	0.24	0.06	8.3	0.176	0.26
J835540		960	6.9	45.2	<0.002	0.12	0.14	17.0	2	1.9	228	0.51	0.08	11.2	0.207	0.27
J835541		820	7.2	45.0	<0.002	0.09	0.13	14.8	2	1.7	249	0.54	<0.05	10.2	0.209	0.33
J835542		640	4.9	49.0	<0.002	0.36	0.11	5.8	1	0.9	203	0.29	0.25	5.6	0.182	0.29
J835543		500	4.8	47.0	<0.002	0.10	0.11	5.7	1	0.9	207	0.42	0.09	5.1	0.181	0.29
J835544		570	4.6	49.8	<0.002	0.09	0.13	4.8	1	0.8	194.5	0.14	0.12	6.1	0.182	0.32
J835545		20	1.1	2.3	<0.002	0.04	<0.05	0.5	1	<0.2	63.2	<0.05	<0.05	0.3	0.008	0.02
J835546		460	4.9	45.3	<0.002	0.01	0.17	11.1	2	1.5	169.0	0.46	<0.05	4.2	0.275	0.30
J835547		510	3.9	52.6	<0.002	0.04	0.11	3.9	1	0.5	166.0	0.11	<0.05	4.7	0.164	0.31
J835548		370	3.6	62.5	<0.002	0.01	0.09	3.5	1	0.5	176.5	0.19	<0.05	4.8	0.155	0.34
J835549		360	4.3	51.6	<0.002	0.02	0.08	3.3	1	0.6	214	0.18	<0.05	5.1	0.161	0.33
J835550		340	3.0	69.0	<0.002	0.03	0.07	3.2	1	0.6	109.5	0.17	0.11	4.7	0.153	0.39
J835551		340	3.2	66.3	<0.002	0.04	0.07	3.0	1	0.6	106.0	0.17	0.21	4.8	0.151	0.39
J835552		380	6.1	57.1	<0.002	0.02	0.06	3.0	1	0.6	197.5	0.22	<0.05	5.1	0.182	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835514		0.8	54	0.1	10.5	65	108.5									
J835515		1.3	146	11.3	14.7	169	37.3	2.20								
J835516		0.7	40	0.1	9.2	51	91.3									
J835517		0.9	42	0.1	11.6	35	91.1									
J835518		1.1	25	0.2	8.7	22	95.9									
J835519		0.8	30	0.3	9.8	29	110.0									
J835520		1.2	52	0.8	21.8	45	123.5									
J835521		1.4	41	0.5	17.3	23	121.0									
J835522		1.7	24	0.3	7.3	14	103.5									
J835523		1.0	21	0.2	5.3	14	112.0									
J835524		1.0	30	0.2	6.3	24	150.0									
J835525		1.0	10	0.4	6.8	8	118.5									
J835526		0.6	23	0.3	4.2	3	67.0									
J835527		0.6	17	0.1	3.9	6	78.8									
J835528		0.5	34	0.5	7.6	16	77.5									
J835529		0.7	122	0.4	11.8	39	52.4									
J835530		1.2	151	12.6	14.1	142	24.1									
J835531		0.1	298	0.2	19.3	103	40.5									
J835532		0.1	311	0.2	20.7	112	44.3									
J835533		1.1	29	0.1	5.9	25	109.5									
J835533 CRD		0.9	24	0.1	5.9	23	110.5									
J835534		0.1	290	0.3	19.4	99	38.2		0.35	1.3	47.71	13.79	14.11	11.00	6.15	0.76
J835535		0.8	17	0.3	5.4	36	109.0									
J835536		0.8	14	1.3	4.4	30	93.2									
J835537		0.6	18	1.3	3.8	35	89.2									
J835538		0.6	37	2.1	4.5	52	86.6									
J835539		0.6	41	1.8	5.6	56	64.6									
J835540		0.7	60	2.7	8.8	92	75.2									
J835541		0.7	53	3.8	7.2	71	72.4									
J835542		0.5	51	4.1	4.3	69	92.2									
J835543		0.5	46	4.0	5.0	61	71.5									
J835544		0.5	41	2.8	4.0	56	101.0									
J835545		0.1	1	0.1	1.5	<2	2.1									
J835546		0.9	77	3.7	5.7	96	98.2									
J835547		0.5	31	1.1	3.6	47	105.5									
J835548		0.5	25	0.9	2.9	46	155.5									
J835549		0.6	24	0.6	2.7	50	164.5									
J835550		0.6	31	2.4	3.7	41	156.5									
J835551		0.6	30	2.2	3.5	42	157.5									
J835552		0.9	26	0.7	3.8	46	169.0									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835514										
J835515										
J835516										
J835517										
J835518										
J835519										
J835520										
J835521										
J835522										
J835523										
J835524										
J835525										
J835526										
J835527										
J835528										
J835529										
J835530										
J835531										
J835532										
J835533										
J835533 CRD										
J835534		0.04	0.02	1.00	0.22	0.072	0.03	<0.01	3.98	98.88
J835535										
J835536										
J835537										
J835538										
J835539										
J835540										
J835541										
J835542										
J835543										
J835544										
J835545										
J835546										
J835547										
J835548										
J835549										
J835550										
J835551										
J835552										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835553		3.38	<0.005		0.01	6.79	1.6	390	0.50	<0.01	2.54	0.04	34.0	5.4	11	0.40
J835553 CRD		<0.02	<0.005		<0.01	6.76	1.9	390	0.50	<0.01	2.54	0.04	31.3	4.9	10	0.37
J835554		3.48	<0.005	<0.005	0.01	6.75	2.1	500	0.63	<0.01	2.44	0.05	35.5	5.5	10	0.76
J835555		3.11	0.005		0.01	6.92	2.1	400	0.59	0.01	2.59	0.06	31.3	5.4	10	0.60
J835556		3.38	0.009		0.05	7.87	2.6	380	0.68	0.02	2.75	0.04	34.0	6.1	12	0.59
J835557		3.21	<0.005		0.05	8.20	1.7	300	0.81	0.01	2.85	0.04	52.5	9.0	14	0.47
J835558		3.29	0.008		0.08	7.83	0.2	310	0.84	0.01	3.05	0.04	54.7	8.1	9	0.58
J835559		3.19	<0.005		0.01	7.49	<0.2	320	1.00	0.01	2.51	0.02	54.8	8.0	10	0.59
J835560		0.06	0.983		5.11	7.00	23.8	500	0.65	1.84	2.72	2.21	21.9	16.0	65	0.85
J835561		3.19	<0.005		0.02	7.44	0.2	230	0.89	0.01	2.64	0.02	49.7	6.5	8	0.49
J835562		3.23	0.024		0.04	7.71	1.1	320	0.96	0.03	3.13	0.02	30.2	9.0	5	0.85
J835563		3.26	<0.005		0.02	7.61	3.2	340	0.75	0.03	3.36	0.02	33.0	8.8	6	0.50
J835564		3.25	<0.005		0.01	8.05	1.5	200	0.71	0.03	3.98	0.02	35.3	11.4	9	0.36
J835565		3.56	<0.005		0.02	8.52	1.7	190	0.68	0.01	4.23	0.02	44.6	14.9	4	0.34
J835566		3.37	<0.005		0.07	8.76	0.7	220	0.88	0.02	4.16	0.07	45.6	15.7	5	0.34
J835567		3.54	<0.005		0.05	8.87	0.8	210	0.94	0.01	4.23	0.05	46.8	16.2	5	0.32
J835568		3.35	<0.005		0.04	8.42	0.4	220	0.78	0.01	4.06	0.03	43.2	15.5	5	0.46
J835569		3.22	0.005		0.06	8.51	<0.2	290	0.88	0.02	3.68	0.04	42.7	12.4	7	0.38
J835570		3.15	<0.005		0.05	8.38	0.3	230	0.90	0.01	3.89	0.04	43.7	14.2	5	0.29
J835571		3.41	<0.005		0.06	9.16	0.2	240	0.94	0.01	4.45	0.03	50.3	16.9	4	0.34
J835572		3.24	<0.005		0.07	8.59	6.8	200	0.81	0.01	4.40	0.03	42.9	18.3	4	0.25
J835573		3.51	<0.005		0.07	8.90	<0.2	190	0.91	0.01	4.34	0.04	44.7	16.8	3	0.23
J835573 CRD		<0.02	<0.005		0.11	8.58	<0.2	180	0.90	0.01	4.23	0.03	43.7	16.3	4	0.24
J835574		3.32	<0.005	<0.005	0.06	8.98	2.8	190	0.91	0.01	4.37	0.03	49.4	17.6	4	0.25
J835575		0.12	2.42		9.16	7.33	60.0	690	0.84	3.40	1.81	1.12	57.4	18.4	57	3.55
J835576		3.16	0.006		0.06	7.78	2.9	450	0.78	0.01	2.82	0.04	64.6	7.9	8	0.45
J835577		3.17	<0.005		0.01	6.91	3.6	620	0.76	0.01	2.35	0.02	69.6	5.9	9	0.63
J835578		3.07	0.005		0.11	6.71	1.3	540	0.88	0.02	2.20	0.03	60.2	4.0	7	0.69
J835579		3.27	0.034		0.83	6.71	2.0	500	0.90	0.03	2.69	0.02	56.5	6.4	8	0.64
J835580		3.00	<0.005		0.02	6.91	0.7	390	0.94	0.01	2.10	0.03	59.5	5.6	9	0.57
J835581		3.18	<0.005		0.04	7.47	1.5	370	1.05	0.01	2.01	<0.02	59.7	5.3	5	0.76
J835582		3.36	<0.005		0.01	7.07	2.6	320	1.10	0.01	2.04	<0.02	53.6	6.3	13	0.39
J835583		3.13	<0.005		<0.01	6.82	3.4	260	0.94	0.01	2.25	<0.02	46.0	7.0	10	0.36
J835584		3.35	<0.005		0.01	7.30	3.5	250	1.09	0.01	2.13	0.06	56.9	7.2	11	0.37
J835585		3.11	<0.005		0.07	7.66	1.8	210	1.06	0.03	3.43	0.03	41.3	13.3	6	0.27
J835586		3.00	<0.005		0.05	7.70	<0.2	270	1.08	0.04	3.69	0.04	34.4	15.4	5	0.29
J835587		3.31	0.005		0.05	7.34	3.5	380	0.98	0.02	2.43	<0.02	38.9	7.3	7	0.48
J835588		3.26	0.014		0.09	6.47	3.9	300	0.80	0.04	3.06	<0.02	31.6	10.9	5	0.58
J835589		3.17	<0.005		0.04	7.17	3.4	330	1.03	0.03	2.98	0.02	43.5	8.2	7	0.48
J835590		0.12	0.436		2.01	7.52	111.5	570	1.21	0.49	0.56	0.96	32.7	18.4	31	6.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835553		2.9	2.03	17.10	0.15	4.1	0.014	0.97	17.4	8.2	0.46	229	0.15	2.85	3.5	8.0
J835553 CRD		2.4	1.95	15.65	0.13	4.0	0.013	0.96	16.2	8.0	0.46	222	0.11	2.88	3.3	7.4
J835554		3.0	1.87	18.00	0.18	4.1	0.013	1.56	19.3	6.5	0.43	209	0.16	2.69	3.8	7.7
J835555		4.1	1.94	17.55	0.15	4.2	0.014	1.32	16.2	6.9	0.43	239	0.22	2.88	5.9	7.6
J835556		4.2	2.13	21.7	0.13	4.2	0.017	1.42	20.0	7.2	0.45	265	0.27	3.18	7.8	7.8
J835557		16.3	2.86	23.3	0.16	4.0	0.031	1.13	27.9	11.3	0.65	369	0.15	3.08	8.3	10.7
J835558		23.1	2.70	23.6	0.15	3.5	0.030	1.36	25.2	10.5	0.50	302	0.28	3.11	8.1	5.1
J835559		6.0	2.71	22.8	0.15	5.0	0.025	1.35	24.8	11.5	0.51	278	0.41	3.18	9.7	4.5
J835560		>10000	5.12	14.95	0.14	1.0	0.138	0.93	11.7	13.2	1.30	725	254	2.42	4.2	35.2
J835561		8.9	2.18	21.8	0.12	4.4	0.021	1.12	23.2	8.7	0.42	179	0.44	3.13	7.7	4.3
J835562		4.4	2.58	23.1	0.15	2.9	0.031	1.86	14.5	11.8	0.58	200	0.31	2.68	11.6	5.5
J835563		2.8	2.97	22.6	0.14	2.7	0.038	1.35	16.0	9.9	0.59	232	0.24	2.71	11.6	5.2
J835564		3.9	3.57	24.3	0.14	3.2	0.035	0.93	16.6	9.8	0.73	296	0.19	2.66	11.1	6.1
J835565		7.4	4.48	24.1	0.18	3.5	0.043	0.96	21.4	11.3	1.00	421	0.17	2.59	11.1	7.6
J835566		28.3	4.80	25.8	0.17	3.7	0.048	1.04	21.3	10.8	0.94	573	0.22	3.00	11.4	6.8
J835567		33.5	4.74	26.2	0.16	4.1	0.048	1.10	21.9	9.5	0.99	571	0.22	3.00	11.6	7.6
J835568		12.1	4.68	25.0	0.17	3.5	0.047	1.22	20.8	10.5	0.94	508	0.26	2.95	10.7	7.2
J835569		17.4	3.82	25.4	0.17	3.5	0.038	1.19	21.7	10.9	0.77	473	0.23	2.97	9.9	6.7
J835570		19.0	4.32	24.9	0.17	3.1	0.041	1.10	21.5	9.4	0.85	516	0.24	2.87	10.5	5.9
J835571		30.8	5.01	27.2	0.19	3.3	0.048	1.19	23.6	9.6	0.98	581	0.32	2.96	12.5	7.2
J835572		34.7	4.96	25.8	0.16	3.2	0.050	0.99	19.9	8.7	0.99	581	0.28	2.94	11.5	7.0
J835573		29.1	4.93	26.5	0.19	3.7	0.046	0.94	20.8	8.6	1.01	571	0.51	3.00	11.4	6.6
J835573 CRD		27.6	4.87	25.1	0.18	3.4	0.044	0.91	20.3	8.3	0.97	561	0.25	2.89	10.8	6.6
J835574		26.4	4.86	26.3	0.18	3.7	0.047	0.88	23.6	9.1	0.98	565	0.26	2.94	11.4	7.1
J835575		>10000	6.23	17.30	0.21	1.2	0.128	3.05	26.4	15.4	1.31	689	126.5	1.83	7.4	36.5
J835576		24.8	2.83	22.0	0.16	4.7	0.025	1.28	31.8	9.3	0.51	355	0.38	3.16	8.4	5.3
J835577		2.6	2.08	20.8	0.16	5.7	0.026	1.93	34.1	9.9	0.37	243	0.11	2.49	8.0	5.0
J835578		46.0	1.74	19.65	0.16	5.0	0.021	1.88	29.4	6.2	0.28	228	0.23	2.76	8.0	3.6
J835579		9.7	1.89	20.4	0.16	4.9	0.028	1.96	27.1	9.3	0.36	187	0.54	2.47	6.9	5.2
J835580		2.6	1.93	20.6	0.16	5.4	0.018	1.71	28.4	8.6	0.33	198	0.26	3.00	8.5	4.7
J835581		27.1	2.12	23.7	0.18	4.4	0.028	1.82	27.7	7.3	0.36	208	0.25	3.51	14.8	3.4
J835582		3.7	2.15	21.9	0.10	2.6	0.020	1.09	25.0	7.7	0.39	258	0.18	3.01	10.5	4.4
J835583		1.0	2.03	21.1	0.10	2.1	0.020	1.04	21.6	8.0	0.41	221	0.31	2.80	9.1	4.6
J835584		3.2	2.51	21.9	0.11	2.8	0.021	1.05	26.8	9.8	0.47	323	0.21	2.90	9.8	5.6
J835585		28.7	3.86	24.1	0.11	2.9	0.041	0.91	17.6	12.0	0.79	425	0.79	2.67	10.1	6.0
J835586		6.1	4.20	24.2	0.10	2.1	0.045	1.20	13.5	10.9	0.85	495	0.29	2.49	11.4	6.5
J835587		1.8	2.09	20.3	0.10	2.7	0.019	1.15	17.5	8.5	0.43	178	0.45	2.87	6.2	5.3
J835588		8.6	3.08	20.2	0.10	2.5	0.035	1.32	13.4	11.9	0.64	294	0.38	1.82	9.1	5.9
J835589		13.1	2.52	21.4	0.11	2.5	0.029	1.26	19.8	10.9	0.51	200	1.44	2.37	7.8	5.3
J835590		4200	4.69	17.90	0.10	0.7	0.057	5.32	17.1	10.8	0.74	485	255	1.01	5.1	23.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835553		370	7.4	34.0	<0.002	<0.01	0.13	3.1	1	0.6	264	0.38	<0.05	5.2	0.177	0.19
J835553 CRD		360	6.3	31.8	<0.002	<0.01	0.11	2.9	1	0.6	262	0.36	<0.05	4.7	0.175	0.19
J835554		350	8.5	56.4	<0.002	0.01	0.08	3.3	1	0.6	233	0.44	<0.05	5.4	0.172	0.31
J835555		340	14.1	45.1	<0.002	0.02	0.11	3.1	1	0.8	251	0.50	<0.05	5.3	0.176	0.27
J835556		370	8.6	43.4	<0.002	<0.01	0.16	3.2	1	1.0	259	0.55	<0.05	5.7	0.189	0.27
J835557		470	6.8	38.6	<0.002	<0.01	0.11	6.0	1	1.4	258	0.63	<0.05	6.4	0.243	0.22
J835558		560	6.9	39.5	<0.002	0.01	0.09	6.0	1	1.3	232	0.50	<0.05	4.1	0.246	0.25
J835559		610	3.8	44.4	0.004	<0.01	0.08	6.5	1	1.3	198.5	0.56	<0.05	4.0	0.251	0.27
J835560		610	39.4	28.7	1.410	1.75	27.3	15.4	6	1.1	310	0.31	0.58	2.1	0.349	0.22
J835561		440	5.3	42.0	0.002	<0.01	0.12	4.4	1	1.0	249	0.51	<0.05	5.7	0.196	0.22
J835562		790	6.5	57.5	<0.002	0.01	0.14	6.4	1	1.4	185.0	1.15	<0.05	4.7	0.281	0.35
J835563		860	4.5	41.8	<0.002	<0.01	0.10	8.0	1	1.4	239	1.31	<0.05	4.5	0.301	0.28
J835564		1150	5.4	37.8	<0.002	<0.01	0.10	7.9	1	1.5	259	0.91	<0.05	3.4	0.391	0.19
J835565		1410	5.1	38.0	<0.002	<0.01	0.11	9.8	1	1.3	266	0.90	<0.05	2.5	0.464	0.19
J835566		1420	6.7	40.2	<0.002	<0.01	0.10	9.6	1	1.7	246	1.02	<0.05	3.7	0.463	0.18
J835567		1430	5.0	39.4	<0.002	<0.01	0.07	9.8	1	1.5	248	0.94	<0.05	4.0	0.478	0.18
J835568		1390	4.3	40.7	<0.002	<0.01	0.09	9.6	1	1.5	230	0.86	<0.05	3.4	0.464	0.22
J835569		1040	5.7	43.3	<0.002	<0.01	0.05	7.3	1	1.3	240	0.80	<0.05	4.6	0.382	0.23
J835570		1240	5.5	39.7	<0.002	<0.01	0.07	9.4	1	1.4	219	0.89	<0.05	4.6	0.431	0.18
J835571		1510	5.4	42.1	<0.002	<0.01	0.06	10.6	1	1.5	238	1.08	<0.05	4.5	0.498	0.19
J835572		1470	5.2	33.2	<0.002	<0.01	0.12	10.6	1	1.5	251	1.07	<0.05	3.5	0.500	0.16
J835573		1450	4.3	29.8	<0.002	<0.01	0.07	10.8	1	1.5	233	1.00	<0.05	3.3	0.492	0.13
J835573 CRD		1390	4.0	26.4	<0.002	<0.01	0.07	10.1	1	1.5	227	0.94	<0.05	3.4	0.474	0.13
J835574		1440	6.3	29.8	<0.002	<0.01	0.09	10.8	1	1.5	252	1.03	<0.05	3.8	0.492	0.13
J835575		920	61.5	89.2	0.145	2.63	8.39	17.4	8	3.0	280	0.30	0.99	4.7	0.333	0.85
J835576		640	8.3	41.7	<0.002	<0.01	0.10	5.3	1	1.4	199.0	0.53	<0.05	9.3	0.242	0.24
J835577		390	6.8	53.0	<0.002	<0.01	0.08	4.0	1	1.6	158.0	0.36	<0.05	10.8	0.156	0.33
J835578		340	7.1	47.4	<0.002	<0.01	0.09	3.5	1	1.4	157.5	0.45	<0.05	10.3	0.134	0.30
J835579		360	5.1	48.9	<0.002	0.01	0.09	4.0	1	1.2	168.0	0.39	<0.05	9.7	0.147	0.33
J835580		330	5.5	46.2	<0.002	<0.01	0.08	3.6	1	1.1	162.0	0.53	<0.05	10.1	0.142	0.29
J835581		560	5.3	54.6	<0.002	<0.01	0.08	5.3	1	2.3	129.0	1.01	<0.05	9.1	0.199	0.29
J835582		450	7.0	42.5	<0.002	0.01	0.07	5.0	1	1.2	189.5	0.75	<0.05	7.2	0.190	0.20
J835583		490	5.3	39.2	<0.002	<0.01	0.07	4.8	1	1.0	190.0	0.53	<0.05	5.8	0.208	0.19
J835584		510	9.0	39.3	<0.002	0.01	0.09	5.2	1	1.1	187.5	0.63	<0.05	7.7	0.214	0.18
J835585		1160	8.6	28.6	<0.002	0.02	0.08	9.3	1	1.3	237	0.73	<0.05	3.7	0.384	0.16
J835586		1340	5.1	29.7	<0.002	0.01	0.05	11.1	1	1.3	215	0.87	<0.05	2.1	0.433	0.17
J835587		500	5.1	39.6	<0.002	0.01	0.05	4.9	1	0.8	204	0.28	<0.05	5.1	0.192	0.20
J835588		1050	7.6	44.4	<0.002	0.04	0.07	8.4	1	1.6	186.0	0.59	<0.05	2.8	0.335	0.24
J835589		660	4.1	37.1	0.002	0.01	0.08	5.7	1	1.1	207	0.42	<0.05	5.9	0.231	0.20
J835590		1090	39.6	152.5	0.611	2.43	7.48	12.7	8	2.7	256	0.32	1.00	2.5	0.249	1.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J835553		0.9	23	0.2	5.3	50	161.5									
J835553 CRD		0.9	22	0.2	4.8	48	156.5									
J835554		1.1	23	0.7	6.7	50	165.5		0.31	1.2	67.24	15.62	2.72	3.64	0.83	3.85
J835555		0.8	24	0.6	6.1	60	165.0									
J835556		0.7	24	0.6	6.2	50	190.0									
J835557		1.0	42	0.4	10.1	62	177.0									
J835558		0.8	38	0.6	11.3	49	151.5									
J835559		0.9	36	0.7	15.5	43	206									
J835560		0.8	111	6.2	16.2	158	33.6	1.320								
J835561		0.8	29	0.2	9.4	18	180.5									
J835562		1.0	62	0.9	15.2	23	120.0									
J835563		1.2	65	0.4	16.4	17	115.0									
J835564		1.2	78	0.2	13.5	28	140.5									
J835565		1.3	102	0.1	16.5	46	156.5									
J835566		2.1	104	0.1	15.7	94	154.0									
J835567		1.9	104	0.1	16.1	94	173.0									
J835568		1.1	103	0.6	15.7	68	147.0									
J835569		1.3	74	0.1	12.1	83	157.0									
J835570		1.5	90	0.1	14.1	90	123.0									
J835571		2.7	111	0.1	17.7	87	137.0									
J835572		1.9	111	0.2	16.9	83	132.0									
J835573		1.7	107	0.1	17.0	92	160.0									
J835573 CRD		1.5	104	0.1	16.0	88	150.5									
J835574		2.1	104	0.1	17.3	92	155.0		0.05	0.2	62.00	16.23	6.16	5.43	1.54	3.64
J835575		1.2	163	12.8	16.2	182	43.6	2.23								
J835576		1.2	39	0.2	9.5	60	205									
J835577		1.3	20	0.5	7.9	43	244									
J835578		1.2	22	2.0	6.8	22	201									
J835579		1.0	29	1.4	7.1	18	203									
J835580		1.2	19	0.4	8.8	24	220									
J835581		1.4	32	2.2	12.7	32	156.5									
J835582		1.6	24	0.2	9.9	31	91.7									
J835583		0.8	26	0.2	7.5	28	81.3									
J835584		0.9	28	0.4	9.3	52	107.0									
J835585		1.1	77	0.1	13.6	60	117.0									
J835586		1.2	90	0.1	14.8	67	75.3									
J835587		0.7	33	0.6	6.7	21	92.8									
J835588		1.2	64	1.1	14.4	31	98.9									
J835589		0.7	45	0.6	9.2	17	86.6									
J835590		1.1	150	12.5	14.2	142	21.8									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835553										
J835553 CRD										
J835554		1.90	<0.01	0.28	0.02	0.081	0.03	0.05	2.42	98.68
J835555										
J835556										
J835557										
J835558										
J835559										
J835560										
J835561										
J835562										
J835563										
J835564										
J835565										
J835566										
J835567										
J835568										
J835569										
J835570										
J835571										
J835572										
J835573										
J835573 CRD										
J835574		0.98	<0.01	0.74	0.06	0.284	0.03	0.01	1.57	98.67
J835575										
J835576										
J835577										
J835578										
J835579										
J835580										
J835581										
J835582										
J835583										
J835584										
J835585										
J835586										
J835587										
J835588										
J835589										
J835590										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J835591		3.25	<0.005		0.05	7.47	4.9	380	0.96	0.03	3.46	0.02	36.5	13.2	4	0.53
J835592		3.28	<0.005		0.06	8.01	3.0	240	0.86	0.02	3.88	0.02	49.5	15.2	4	0.33
J835593		3.29	<0.005		0.04	7.71	3.6	240	0.90	0.05	3.36	0.02	48.0	13.0	4	0.33
J835593 CRD		<0.02	<0.005		0.03	8.09	4.7	250	1.03	0.04	3.49	0.03	53.9	14.3	5	0.34
J835594		3.36	<0.005	<0.005	0.04	8.21	5.8	240	0.92	0.04	3.84	0.03	49.2	15.1	6	0.33
J835595		3.41	0.083		0.38	7.64	4.7	320	0.87	0.06	3.82	0.03	48.3	14.3	3	0.75
J835596		3.59	<0.005		0.02	7.39	3.3	380	0.94	0.01	2.67	0.06	60.3	8.6	7	0.44
J835597		4.19	<0.005		0.04	6.69	1.9	450	1.08	0.01	2.01	0.02	55.3	5.4	15	0.56
J835598		2.29	<0.005		0.26	5.63	0.6	230	1.00	0.02	0.83	<0.02	45.8	1.1	3	0.35
J835599		3.07	0.010		0.03	5.88	<0.2	330	1.04	0.02	1.00	<0.02	44.9	1.1	1	0.50
J835600		0.07	0.957		4.24	6.32	24.7	460	0.66	1.83	2.40	2.02	19.45	16.2	57	0.70
J835601		3.21	0.006		0.02	7.03	0.3	480	1.14	0.01	1.84	<0.02	44.7	6.1	12	0.83
J835602		3.31	<0.005		<0.01	6.78	0.5	440	0.93	0.01	2.13	0.03	36.5	7.1	10	0.62
J835603		3.44	0.047		0.10	6.66	2.2	450	1.05	0.10	2.21	0.08	40.9	7.2	10	0.93
J835604		3.34	0.364		0.86	6.97	1.1	510	1.10	0.46	2.41	0.05	33.7	7.5	8	1.12
J835605		3.35	0.106		0.46	7.00	<0.2	420	1.07	0.09	2.68	0.05	48.1	9.4	15	0.74
J835606		2.94	0.017		0.09	7.10	<0.2	420	1.07	0.03	2.37	0.03	54.7	7.5	11	0.50
J835607		3.36	0.033		0.08	6.94	<0.2	430	1.04	0.03	2.35	0.03	49.1	7.9	10	0.65
J835608		3.16	<0.005		0.04	7.24	<0.2	390	1.16	0.01	2.13	0.03	52.8	7.3	10	0.55
J835609		3.13	<0.005		0.05	7.20	<0.2	350	1.10	0.02	2.37	0.04	53.9	8.1	11	0.54
J835610		3.14	0.046		0.12	7.06	<0.2	360	1.10	0.05	2.34	0.07	55.7	8.0	10	0.73
J835611		3.27	0.079		0.03	6.36	0.2	320	1.00	0.03	2.12	0.03	37.8	6.3	10	0.77
J835612		2.91	0.042		0.11	6.46	0.6	310	1.07	0.03	2.03	0.03	51.8	6.9	8	0.64
J835613		3.78	0.042		0.22	6.72	2.3	20	0.38	0.05	7.30	0.10	8.44	44.2	86	0.05
J835613 CRD		<0.02	0.058		0.25	6.68	2.6	20	0.38	0.05	7.40	0.11	7.78	46.0	87	0.05
J835614		3.38	<0.005	0.005	0.17	6.72	2.6	30	0.26	0.01	6.75	0.08	7.23	44.9	91	0.08
J835615		0.12	2.27		8.93	6.28	52.2	620	0.85	3.56	1.58	1.00	52.8	16.4	55	3.17
J835616		3.18	<0.005		0.11	6.67	6.7	20	0.29	0.01	6.73	0.07	8.43	47.1	86	0.06
J835617		2.68	<0.005		0.09	6.47	6.3	10	0.27	0.17	6.33	0.08	7.20	43.6	88	0.05
J835618		4.06	<0.005		0.08	5.43	<0.2	120	0.38	0.13	6.39	0.06	31.7	21.4	21	0.26
J835619		3.21	<0.005		0.15	7.05	<0.2	230	0.45	0.33	6.99	0.04	16.60	33.6	157	0.46
J835620		3.43	<0.005		0.09	5.81	0.7	240	0.53	0.30	4.53	0.03	15.95	27.7	141	0.45
J835621		3.39	0.009		0.07	6.95	<0.2	460	0.99	0.16	3.16	0.07	56.5	11.4	16	0.55
J835622		2.88	<0.005		0.07	7.06	<0.2	410	1.11	0.08	3.19	0.04	56.2	13.5	13	0.76
J835623		3.19	<0.005		0.06	6.32	<0.2	390	1.13	0.19	2.17	0.05	54.8	5.9	7	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J835591		13.6	3.87	23.5	0.11	2.0	0.035	1.44	15.0	14.6	0.75	337	1.64	2.41	10.4	5.9
J835592		22.6	4.19	24.3	0.13	2.1	0.037	1.00	21.9	14.3	0.87	442	0.27	2.43	10.5	6.4
J835593		6.7	3.90	24.0	0.13	2.4	0.035	1.02	20.7	12.9	0.76	363	0.32	2.44	9.9	5.9
J835593 CRD		7.3	3.94	25.4	0.13	2.6	0.037	1.06	23.6	14.4	0.78	365	0.29	2.56	10.6	6.2
J835594		10.8	4.18	25.0	0.14	2.4	0.042	1.03	21.2	13.9	0.81	430	0.25	2.55	11.6	6.7
J835595		17.6	4.10	22.4	0.10	3.1	0.048	1.57	20.2	11.9	0.81	468	0.17	2.32	10.6	5.8
J835596		9.5	2.90	21.6	0.14	3.3	0.026	1.18	27.9	10.6	0.51	375	0.15	2.61	8.2	5.0
J835597		1.5	2.09	18.85	0.11	4.4	0.022	1.38	25.6	7.5	0.37	269	0.12	2.72	8.8	6.3
J835598		5.6	0.95	16.30	0.07	3.5	0.015	0.80	21.4	2.5	0.07	134	0.22	4.15	10.9	1.8
J835599		2.6	1.01	17.50	0.09	3.7	0.016	1.10	21.3	2.5	0.09	143	0.30	3.87	12.8	0.9
J835600		>10000	4.54	16.60	0.08	1.1	0.144	0.85	8.8	20.2	1.14	642	240	2.15	4.1	31.1
J835601		2.9	2.10	20.8	0.10	3.8	0.020	2.03	21.2	8.5	0.39	291	0.21	2.50	9.3	6.7
J835602		11.2	2.23	23.5	<0.05	4.8	0.031	1.64	15.3	13.7	0.45	319	0.35	2.57	8.5	4.9
J835603		20.3	2.25	19.55	<0.05	4.1	0.027	1.98	20.4	10.4	0.45	304	0.24	2.29	6.9	11.9
J835604		7.0	2.42	21.0	0.06	4.1	0.031	2.46	16.5	10.9	0.48	335	0.32	2.03	5.8	8.5
J835605		8.9	2.87	20.1	0.12	4.6	0.030	1.66	22.4	13.4	0.58	417	0.23	2.62	8.7	9.6
J835606		16.6	2.48	20.7	0.14	4.8	0.028	1.22	26.3	14.1	0.50	373	0.17	3.05	8.6	6.6
J835607		3.8	2.49	20.8	0.14	4.5	0.029	1.56	23.4	12.9	0.46	356	0.21	2.93	9.1	6.4
J835608		3.6	2.37	21.2	0.15	4.8	0.030	1.32	25.6	13.9	0.47	334	0.14	3.08	9.0	6.2
J835609		3.8	2.70	20.9	0.15	4.9	0.030	1.28	26.0	14.3	0.51	376	0.18	2.98	8.6	7.9
J835610		2.7	2.43	20.5	0.15	5.1	0.027	1.64	27.3	11.8	0.49	293	0.31	2.89	8.4	7.0
J835611		5.9	2.19	18.15	0.06	4.4	0.022	1.73	18.2	9.2	0.42	304	0.20	2.46	7.3	6.3
J835612		7.8	2.22	19.90	0.08	4.4	0.020	1.53	25.6	8.8	0.47	302	0.18	2.89	8.2	4.7
J835613		105.0	8.71	17.35	<0.05	1.0	0.062	0.07	3.3	40.0	3.42	1510	0.29	1.58	2.6	67.6
J835613 CRD		112.5	8.76	18.00	<0.05	1.1	0.065	0.07	3.1	40.0	3.41	1520	0.34	1.63	2.7	69.9
J835614		118.5	8.34	16.10	<0.05	0.9	0.062	0.10	2.6	42.4	3.52	1480	0.18	1.49	2.0	70.8
J835615		>10000	5.38	14.85	0.05	1.4	0.114	2.63	25.3	16.8	1.14	615	113.0	1.58	6.5	31.6
J835616		138.0	8.59	16.40	<0.05	0.8	0.059	0.05	3.2	49.5	3.43	1460	0.89	1.55	1.7	72.1
J835617		134.0	8.54	16.35	<0.05	0.9	0.060	0.05	2.9	60.5	3.38	1280	0.63	1.30	1.9	68.0
J835618		4.6	5.05	13.70	0.14	2.2	0.040	0.59	16.0	34.5	1.62	699	0.24	1.39	3.1	36.3
J835619		7.9	7.53	19.90	0.15	1.2	0.071	1.19	9.6	55.0	2.83	999	6.68	0.65	3.9	70.1
J835620		14.9	6.70	20.0	<0.05	0.8	0.060	1.02	8.4	54.7	2.36	649	1.21	0.19	4.6	68.4
J835621		17.6	2.40	19.55	0.15	2.2	0.036	1.71	26.0	14.2	0.62	355	0.68	2.75	8.1	10.5
J835622		22.8	3.15	19.65	0.15	1.9	0.035	1.94	25.0	18.5	0.89	427	0.38	2.18	7.7	11.4
J835623		26.1	1.90	20.5	0.13	3.0	0.028	1.68	25.2	8.8	0.39	266	3.30	2.71	14.1	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J835591		1160	5.1	38.5	0.002	0.02	0.08	8.9	1	1.4	199.0	0.76	<0.05	2.8	0.372	0.23
J835592		1300	8.6	38.6	<0.002	0.01	0.12	11.3	1	1.3	255	0.66	<0.05	3.1	0.437	0.18
J835593		1150	5.9	36.5	<0.002	0.01	0.09	9.8	1	1.3	242	0.61	<0.05	3.9	0.390	0.17
J835593 CRD		1190	6.3	37.6	<0.002	0.01	0.10	10.4	1	1.3	255	0.65	<0.05	4.5	0.406	0.18
J835594		1290	6.2	36.0	<0.002	0.01	0.10	11.1	1	1.5	257	0.77	<0.05	3.1	0.446	0.16
J835595		1240	7.5	55.0	<0.002	0.08	0.08	10.4	1	1.2	215	0.68	0.19	2.7	0.435	0.24
J835596		670	12.2	37.1	<0.002	0.01	0.09	6.8	1	1.0	231	0.48	<0.05	5.7	0.258	0.18
J835597		380	7.4	48.4	<0.002	<0.01	0.09	4.0	1	1.4	189.0	0.62	<0.05	7.6	0.160	0.21
J835598		100	4.6	19.2	<0.002	0.02	0.05	1.6	1	1.6	94.0	0.73	0.10	6.2	0.036	0.10
J835599		100	3.6	30.4	<0.002	0.02	<0.05	2.0	<1	2.0	103.0	0.77	<0.05	6.5	0.041	0.13
J835600		560	39.3	24.4	1.475	1.56	24.5	17.9	6	1.0	286	0.29	0.48	2.1	0.324	0.22
J835601		340	3.5	65.7	<0.002	0.01	<0.05	5.5	1	1.5	95.8	0.64	<0.05	6.2	0.152	0.30
J835602		430	5.3	49.8	<0.002	0.01	0.13	5.7	1	1.6	174.5	0.84	<0.05	5.2	0.187	0.26
J835603		430	8.4	56.6	<0.002	0.06	0.24	4.4	1	1.3	126.5	0.42	0.10	5.7	0.160	0.29
J835604		470	5.1	67.8	<0.002	0.08	0.12	5.5	1	1.4	115.5	0.34	0.74	3.6	0.185	0.35
J835605		490	5.9	49.5	<0.002	0.21	0.12	6.1	1	1.5	164.0	0.64	0.34	6.7	0.215	0.26
J835606		480	6.8	38.8	<0.002	0.02	0.11	5.1	1	1.5	202	0.71	0.05	6.7	0.209	0.20
J835607		490	5.0	46.2	<0.002	0.08	0.08	5.0	1	1.6	162.5	0.62	0.05	6.0	0.207	0.27
J835608		470	5.1	46.7	<0.002	0.01	0.08	5.2	2	1.5	179.5	0.71	<0.05	7.1	0.202	0.23
J835609		520	8.1	42.4	<0.002	0.02	0.11	5.2	1	1.7	200	0.70	<0.05	6.9	0.223	0.22
J835610		500	5.4	55.5	<0.002	0.06	0.08	5.1	2	1.6	154.5	0.82	0.06	7.0	0.207	0.27
J835611		440	5.7	47.7	<0.002	0.07	0.09	4.0	1	1.2	129.0	0.56	<0.05	5.0	0.174	0.26
J835612		510	6.1	42.4	<0.002	0.08	0.08	4.7	1	1.2	126.0	0.50	0.09	8.5	0.203	0.21
J835613		270	7.8	1.9	0.002	0.28	0.08	34.3	1	0.6	195.0	0.13	0.08	0.3	0.549	<0.02
J835613 CRD		270	8.0	1.8	0.002	0.29	0.08	34.4	1	0.6	198.0	0.13	0.10	0.3	0.560	<0.02
J835614		280	5.6	2.9	<0.002	0.13	0.08	34.8	1	0.5	206	0.11	<0.05	0.2	0.525	<0.02
J835615		870	61.3	74.7	0.134	2.38	7.61	14.8	7	2.6	245	0.24	1.00	4.4	0.299	0.76
J835616		270	3.3	1.3	0.002	0.12	0.09	35.5	1	0.4	169.5	0.10	<0.05	0.2	0.392	<0.02
J835617		290	4.1	1.0	<0.002	0.09	0.11	33.4	1	0.5	158.5	0.10	<0.05	0.2	0.461	<0.02
J835618		260	3.9	19.3	<0.002	<0.01	0.09	12.4	1	0.6	206	0.21	<0.05	3.3	0.137	0.08
J835619		270	3.1	35.9	<0.002	0.05	0.12	28.4	1	1.7	107.5	0.21	0.05	0.8	0.371	0.17
J835620		240	2.5	29.4	<0.002	0.02	0.10	24.8	1	1.8	72.7	0.22	<0.05	0.7	0.283	0.14
J835621		470	4.4	40.1	<0.002	0.06	0.09	6.6	1	1.6	186.5	0.70	<0.05	6.9	0.174	0.23
J835622		760	4.2	45.4	<0.002	0.05	0.09	8.4	1	1.5	179.5	1.05	<0.05	5.5	0.231	0.28
J835623		350	5.5	42.4	<0.002	0.02	0.08	4.7	1	2.5	177.0	1.27	<0.05	7.0	0.120	0.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J835591		1.0	78	1.2	15.1	35	74.9									
J835592		0.8	90	0.7	17.7	59	78.3									
J835593		0.7	74	0.3	13.4	43	90.8									
J835593 CRD		0.8	77	0.4	14.1	44	98.7									
J835594		0.7	82	0.3	16.5	58	97.1		0.09	0.3	62.79	15.94	5.68	5.14	1.36	3.47
J835595		0.5	74	1.6	16.2	63	121.0									
J835596		0.7	39	0.3	10.6	61	122.0									
J835597		1.1	21	0.3	9.9	41	156.5									
J835598		0.6	3	0.4	10.5	15	87.5									
J835599		0.6	3	0.6	10.5	17	90.3									
J835600		0.9	98	6.1	16.7	139	29.7	1.245								
J835601		1.0	23	0.7	10.4	44	135.5									
J835602		1.0	28	0.4	12.0	54	161.5									
J835603		0.8	32	2.6	8.1	55	154.0									
J835604		0.7	40	2.8	8.3	60	161.0									
J835605		0.9	35	2.3	11.2	72	171.5									
J835606		0.9	30	0.6	12.1	63	180.0									
J835607		0.8	29	0.9	11.9	58	176.0									
J835608		1.2	29	0.7	13.8	58	176.0									
J835609		1.0	32	0.5	14.7	65	184.0									
J835610		1.3	32	1.8	14.9	51	184.5									
J835611		0.9	29	1.4	8.9	55	162.5									
J835612		1.6	35	2.4	9.1	41	167.0									
J835613		0.2	276	2.1	16.2	107	33.9									
J835613 CRD		0.2	278	2.5	16.3	109	34.7									
J835614		<0.1	280	0.1	16.3	94	30.6		1.88	6.9	43.87	12.80	12.90	9.69	5.81	1.94
J835615		1.3	150	10.6	14.2	168	48.8	2.24								
J835616		0.1	277	1.0	9.6	94	28.4									
J835617		0.1	274	0.6	8.6	113	30.5									
J835618		0.5	89	0.5	11.2	74	77.5									
J835619		0.5	173	2.3	10.0	111	35.8									
J835620		0.5	147	1.6	6.8	108	25.5									
J835621		0.7	47	1.0	6.2	34	71.0									
J835622		0.7	66	0.9	7.0	55	64.7									
J835623		0.9	25	0.5	8.3	28	80.1									

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J835591										
J835592										
J835593										
J835593 CRD										
J835594		1.17	<0.01	0.70	0.05	0.256	0.03	0.02	1.98	98.59
J835595										
J835596										
J835597										
J835598										
J835599										
J835600										
J835601										
J835602										
J835603										
J835604										
J835605										
J835606										
J835607										
J835608										
J835609										
J835610										
J835611										
J835612										
J835613										
J835613 CRD										
J835614		0.11	0.02	0.90	0.20	0.062	0.03	<0.01	10.50	98.83
J835615										
J835616										
J835617										
J835618										
J835619										
J835620										
J835621										
J835622										
J835623										

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 15-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10178470

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.