ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE TB10180105

Project: HAMMOND REEF

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: ANDREW STOKES
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J824852		2.89	<0.005			0.01	7.70	0.2	220	0.99	0.04	4.47	0.03	57.2	9.5	26
J824853		3.70	<0.005			0.01	7.16	0.4	210	0.92	0.02	3.83	0.04	46.1	8.0	14
J824854		3.40	<0.005			0.02	7.26	0.4	340	0.95	0.01	2.79	0.04	30.5	6.0	8
J824855		3.02	<0.005			<0.01	7.29	0.2	370	0.90	0.02	2.42	0.03	33.1	6.6	9
J824856		2.84	0.006			0.05	7.32	0.2	250	0.72	0.03	3.58	0.03	40.0	18.0	42
J824857		2.55	0.070			0.06	6.44	0.2	320	1.02	0.01	1.74	0.03	45.5	3.5	8
J824858		3.74	0.008			0.07	7.11	0.3	350	0.97	0.01	2.22	0.03	45.5	5.9	9
J824859		3.35	0.160			0.04	7.07	<0.2	290	0.96	0.02	2.25	0.03	48.9	5.1	9
J824860		0.12	0.957			4.64	6.45	21.4	480	0.73	1.87	2.49	2.16	21.5	14.0	61
J824861		3.29	0.031			0.05	7.47	0.3	330	1.06	0.02	2.17	0.04	52.3	5.4	11
J824862		3.16	0.020			0.03	7.15	<0.2	400	1.10	0.02	1.98	0.04	40.3	5.1	10
J824863		3.07	<0.005			0.03	7.26	0.4	370	0.94	0.01	2.34	0.05	38.9	6.4	12
J824864		3.16	0.189			0.06	7.07	<0.2	460	0.93	0.02	2.20	0.05	28.0	5.3	7
J824865		3.24	0.017			0.04	7.16	0.2	330	0.87	0.04	2.99	0.06	29.8	9.1	12
J824866		3.12	0.036			0.08	7.40	<0.2	310	0.86	0.02	2.82	0.06	29.0	8.6	9
J824867		3.00	0.174			0.18	8.31	0.3	320	1.09	0.07	4.19	0.08	40.1	15.7	6
J824868		3.28	0.013			0.03	7.58	0.3	280	0.98	0.02	2.88	0.05	31.1	9.6	8
J824869		3.15	0.041			0.06	7.18	0.2	680	0.86	0.04	3.08	0.05	38.0	9.7	14
J824870		2.98	<0.005			0.04	7.20	<0.2	300	0.75	0.02	3.01	0.04	29.8	10.2	13
J824871		3.43	0.017			0.06	6.47	<0.2	390	0.90	0.02	3.07	0.05	33.2	8.9	15
J824871 CRD		<0.02	<0.005			0.03	6.39	<0.2	380	0.90	0.02	3.05	0.05	28.0	8.5	11
J824872		3.20	0.010		0.009	0.07	6.58	0.3	400	0.87	0.03	3.08	0.06	23.8	9.6	13
J824873		3.33	0.016			0.05	7.14	<0.2	490	1.21	0.03	2.98	0.07	32.9	8.0	12
J824874		3.35	<0.005			0.05	7.01	<0.2	400	0.95	0.05	2.83	0.06	31.0	9.3	14
J824875		0.12	2.28			8.13	6.59	50.6	620	0.94	3.32	1.61	0.94	52.7	15.7	50
J824876		3.27	0.107			0.10	6.95	<0.2	450	1.03	0.05	2.57	0.05	31.0	8.3	12
J824877		3.12	<0.005			0.06	6.80	<0.2	270	1.01	0.05	2.83	0.04	33.1	10.3	10
J824878		3.24	<0.005			0.06	6.88	0.2	240	1.09	0.07	3.18	0.07	35.1	9.9	9
J824879		3.16	0.010			0.03	7.00	0.6	360	1.18	0.03	3.03	0.06	29.7	10.0	8
J824880		3.19	0.072			0.09	6.90	0.6	480	1.28	0.05	3.47	0.08	32.0	12.3	7
J824881		3.40	0.015			0.04	6.72	<0.2	450	1.27	0.03	2.13	0.08	26.6	7.3	10
J824882		4.20	0.063			0.04	6.49	<0.2	300	1.02	0.06	2.24	0.06	33.2	7.5	11
J824883		3.49	0.016			0.06	6.17	<0.2	390	1.00	0.14	2.97	0.08	30.6	11.0	39
J824884		3.86	<0.005			0.05	5.70	<0.2	430	0.89	0.14	3.22	0.04	38.9	8.4	29
J824885		3.11	0.023			0.06	4.75	<0.2	300	0.60	0.08	4.91	0.10	8.96	26.6	121
J824886		3.83	0.024			0.06	4.38	0.2	350	0.74	0.20	2.04	0.06	49.5	6.5	31
J824887		2.08	0.025			0.51	7.58	1.1	450	0.71	1.29	4.59	0.18	28.8	43.3	171
J824888		3.90	0.257			0.20	6.40	<0.2	550	0.98	0.16	1.76	0.11	44.6	7.0	14
J824889		3.68	0.242			0.10	6.71	<0.2	660	1.01	0.04	1.37	0.12	55.0	4.6	14
J824890		0.12	0.402			2.26	7.33	100.5	570	1.19	0.51	0.54	1.00	32.2	18.9	41

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J824852		0.84	1.5	3.17	21.6	0.05	2.7	0.028	1.93	27.0	21.9	1.07	298	0.15	1.77	5.7
J824853		0.79	1.0	2.58	20.0	<0.05	3.6	0.030	1.88	20.9	18.2	0.84	275	0.12	2.26	5.7
J824854		0.75	4.2	2.37	20.1	<0.05	4.0	0.027	1.88	13.5	11.4	0.46	337	0.12	2.60	4.8
J824855		0.62	7.2	2.64	19.50	0.06	4.2	0.031	1.53	16.0	12.5	0.56	406	0.15	2.82	5.4
J824856		0.52	34.2	4.69	19.00	0.12	2.5	0.029	1.35	20.5	31.9	1.39	721	0.18	2.21	5.8
J824857		0.63	5.5	1.79	18.05	0.05	3.0	0.015	1.44	21.0	6.5	0.27	299	0.14	2.83	8.0
J824858		0.76	9.8	2.52	19.85	0.06	4.1	0.023	1.72	21.3	10.8	0.47	382	0.15	2.70	6.3
J824859		0.65	1.8	2.24	19.85	0.06	4.2	0.021	1.47	24.0	9.6	0.38	316	0.70	2.97	6.2
J824860		0.80	>10000	4.74	14.05	0.11	1.0	0.139	0.91	10.7	14.3	1.22	670	239	2.29	4.0
J824861		0.70	21.8	2.49	20.9	<0.05	4.3	0.023	1.61	25.6	9.6	0.39	371	0.75	3.09	7.3
J824862		0.68	8.6	2.05	19.25	0.06	3.2	0.021	1.46	18.7	8.7	0.40	358	0.41	3.38	6.8
J824863		0.64	14.5	2.28	19.45	0.06	3.0	0.020	1.47	18.4	10.5	0.51	397	0.20	3.06	5.9
J824864		0.76	8.9	2.11	19.20	0.06	3.3	0.017	1.74	13.1	7.2	0.37	346	0.27	2.81	5.1
J824865		0.74	15.2	3.05	19.55	0.08	3.6	0.030	1.62	13.5	15.8	0.74	501	0.13	2.74	5.8
J824866		0.86	28.7	3.01	20.5	0.09	3.9	0.033	1.89	12.6	14.3	0.64	430	0.51	2.42	7.4
J824867		0.95	35.8	4.77	23.4	0.14	2.7	0.053	1.96	16.5	22.9	1.04	646	1.36	2.41	9.5
J824868		0.79	18.7	3.25	20.5	0.10	2.9	0.036	1.75	14.4	15.3	0.72	471	0.22	2.63	8.6
J824869		0.79	17.7	3.12	19.15	0.09	3.4	0.030	1.78	18.1	16.5	0.79	526	0.12	2.42	5.5
J824870		0.69	21.1	3.15	18.55	0.09	3.4	0.029	1.59	13.9	17.6	0.82	502	0.07	2.54	5.3
J824871		0.92	19.5	2.95	19.05	0.08	3.3	0.026	2.15	15.2	5.7	0.66	510	0.29	2.21	5.7
J824871 CRD		0.87	15.6	2.81	18.40	0.05	3.3	0.028	2.12	12.9	5.4	0.65	495	0.23	2.19	5.4
J824872		0.97	19.6	2.95	17.85	0.08	3.6	0.025	2.40	11.1	3.8	0.73	515	0.09	1.93	4.9
J824873		1.13	10.1	2.83	21.9	0.09	3.6	0.030	2.59	15.4	1.8	0.68	490	0.09	2.52	6.2
J824874		0.94	22.4	3.08	18.50	0.09	3.4	0.027	2.19	14.6	9.3	0.75	478	0.11	2.14	4.9
J824875		3.22	>10000	5.70	14.65	0.19	1.1	0.114	2.74	25.2	16.6	1.18	619	112.5	1.66	6.4
J824876		1.06	18.1	2.68	20.7	0.11	3.7	0.025	2.38	13.5	6.1	0.53	391	0.15	2.29	6.4
J824877		0.78	15.6	3.28	20.0	0.12	3.3	0.040	1.71	15.2	18.8	0.59	431	0.15	2.47	8.1
J824878		0.78	26.4	2.99	19.60	0.16	4.4	0.033	1.78	15.8	16.8	0.52	415	0.28	2.52	6.5
J824879		1.04	17.6	3.25	22.1	0.20	3.5	0.047	2.55	11.8	8.9	0.58	453	0.18	2.04	10.6
J824880		1.24	24.9	3.68	22.7	0.18	3.6	0.053	2.94	12.5	2.8	0.71	525	0.22	1.62	9.1
J824881		1.06	18.9	2.50	21.3	0.17	3.3	0.025	2.61	12.1	3.3	0.48	336	0.43	1.85	6.4
J824882		0.84	12.3	2.27	19.10	0.18	3.3	0.030	2.14	16.2	3.3	0.47	337	0.18	2.37	7.5
J824883		0.76	3.9	3.03	17.30	0.14	2.7	0.038	2.31	14.7	4.4	0.89	416	13.10	1.32	6.6
J824884		0.73	7.0	2.78	16.10	0.15	1.6	0.030	2.29	20.5	3.6	0.69	328	6.69	0.51	2.9
J824885		0.57	1.3	5.29	12.95	0.08	0.5	0.038	1.64	4.4	21.7	2.27	815	5.04	0.08	2.1
J824886		0.62	4.6	2.13	11.70	0.11	2.7	0.018	1.87	28.8	1.9	0.59	321	0.95	0.35	3.2
J824887		0.72	46.4	7.43	20.8	0.17	1.5	0.044	2.37	14.3	41.5	3.10	895	34.6	0.35	3.2
J824888		0.69	53.6	2.03	20.8	0.17	2.9	0.021	2.39	20.1	2.4	0.46	293	1.73	1.80	9.1
J824889		0.64	24.5	1.86	20.9	0.17	3.8	0.020	2.32	27.1	2.2	0.40	264	0.38	1.94	6.8
J824890		6.55	4410	4.68	17.45	0.21	0.8	0.057	4.32	16.5	11.7	0.74	476	268	1.04	5.5

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J824852		17.2	830	6.3	47.3	<0.002	<0.01	0.12	8.4	1	1.2	283	0.79	<0.05	5.2	0.218
J824853		12.1	640	6.2	47.3	<0.002	<0.01	0.09	6.9	1	1.2	237	0.35	<0.05	4.9	0.187
J824854		6.1	440	4.6	58.0	<0.002	<0.01	0.07	5.3	1	1.1	177.5	0.34	<0.05	3.8	0.160
J824855		6.6	490	4.6	47.4	<0.002	<0.01	0.07	5.7	1	1.2	182.0	0.40	<0.05	3.5	0.190
J824856		28.1	380	3.1	38.8	<0.002	0.01	0.09	15.0	1	0.8	124.0	0.67	<0.05	4.3	0.240
J824857		2.5	290	3.8	48.5	<0.002	0.01	0.05	3.0	<1	1.0	141.5	0.60	<0.05	7.3	0.105
J824858		6.0	440	5.4	58.2	<0.002	0.01	0.05	4.7	<1	1.1	162.5	0.41	<0.05	5.0	0.183
J824859		4.0	440	6.3	51.0	<0.002	0.05	0.05	3.8	1	1.2	183.5	0.28	<0.05	6.3	0.172
J824860		33.7	600	40.8	25.6	1.350	1.70	25.0	14.4	5	1.1	298	0.27	0.75	1.9	0.336
J824861		4.1	450	6.1	54.8	0.003	0.02	0.13	4.5	1	1.2	178.0	0.39	<0.05	5.9	0.185
J824862		6.4	360	5.8	50.5	<0.002	0.03	0.05	4.6	1	1.3	160.5	0.61	<0.05	4.8	0.162
J824863		8.3	400	6.1	48.3	<0.002	<0.01	0.05	5.1	<1	1.1	193.0	0.48	<0.05	4.6	0.184
J824864		3.8	470	6.0	58.3	<0.002	0.08	<0.05	3.3	<1	1.0	164.5	0.26	<0.05	4.9	0.138
J824865		13.1	500	5.4	48.0	<0.002	<0.01	0.07	7.2	1	1.2	183.0	0.52	<0.05	3.2	0.208
J824866		7.9	770	5.6	58.3	<0.002	0.02	0.09	7.0	1	1.2	176.0	0.51	<0.05	2.4	0.257
J824867		6.9	1470	7.8	62.9	<0.002	0.11	0.13	12.6	1	1.3	204	0.73	0.10	3.2	0.400
J824868		6.5	780	7.3	58.5	<0.002	0.02	0.10	8.0	1	1.2	170.5	0.71	<0.05	3.5	0.272
J824869		14.5	450	6.5	53.9	<0.002	0.03	0.10	7.8	1	1.2	186.5	0.51	<0.05	3.6	0.222
J824870		15.2	440	5.9	47.0	<0.002	<0.01	0.14	8.1	<1	1.1	192.5	0.42	<0.05	2.7	0.233
J824871		13.0	430	5.3	56.8	<0.002	0.03	0.10	6.1	<1	1.1	180.5	0.42	<0.05	3.4	0.205
J824871 CRD		11.2	430	5.2	53.6	<0.002	0.03	0.08	5.9	<1	1.1	176.5	0.40	<0.05	3.3	0.195
J824872		13.6	410	5.5	62.8	<0.002	0.05	0.10	7.3	<1	1.0	160.0	0.43	<0.05	2.5	0.221
J824873		12.9	440	5.7	75.1	<0.002	0.05	0.11	7.0	<1	1.3	181.5	0.59	<0.05	3.3	0.214
J824874		14.3	420	6.5	65.8	<0.002	0.01	0.12	7.4	<1	1.1	170.5	0.41	<0.05	3.0	0.211
J824875		33.1	880	61.6	90.0	0.129	2.40	7.37	15.5	6	2.6	258	0.26	1.03	4.1	0.317
J824876		7.5	570	6.1	65.2	<0.002	0.07	0.14	5.6	1	1.1	158.0	0.65	<0.05	3.2	0.213
J824877		5.5	850	9.5	50.7	<0.002	0.01	0.18	7.7	1	1.4	176.5	0.94	<0.05	3.1	0.237
J824878		4.1	700	6.6	54.6	<0.002	0.02	0.15	7.3	2	1.0	189.0	0.58	<0.05	3.4	0.226
J824879		4.6	760	7.0	70.4	<0.002	0.03	0.17	8.0	1	1.8	157.5	0.91	<0.05	2.7	0.263
J824880		6.0	1090	5.3	69.6	<0.002	0.11	0.17	9.7	2	1.3	148.0	0.73	<0.05	1.8	0.302
J824881		5.0	640	4.7	68.0	<0.002	0.08	0.10	4.4	1	1.2	115.5	0.86	<0.05	2.8	0.193
J824882		5.3	540	5.1	60.4	<0.002	0.09	0.11	5.1	1	1.5	137.5	0.97	<0.05	4.2	0.182
J824883		24.0	380	4.9	54.6	0.002	0.01	0.12	9.3	1	1.9	114.0	0.70	<0.05	3.6	0.177
J824884		16.4	450	3.7	64.5	<0.002	0.05	0.08	8.2	1	1.1	97.4	0.26	<0.05	3.9	0.115
J824885		78.2	150	3.0	52.5	<0.002	0.02	0.12	25.3	1	0.8	134.0	0.11	<0.05	0.8	0.188
J824886		13.5	210	4.3	59.0	<0.002	0.05	0.09	4.9	1	0.7	69.1	0.18	<0.05	7.4	0.094
J824887		91.4	270	11.5	45.6	0.002	0.07	0.16	29.7	1	0.9	144.5	0.15	0.06	3.6	0.241
J824888		5.5	440	7.3	54.1	<0.002	0.04	0.10	4.4	1	1.2	116.5	0.48	<0.05	6.2	0.188
J824889		6.0	320	6.6	58.1	<0.002	0.03	0.07	3.6	1	1.1	82.1	0.34	<0.05	8.2	0.125
J824890		24.4	1080	42.9	103.5	0.638	2.44	7.20	11.6	8	2.8	249	0.36	0.84	2.6	0.255

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J824852		0.24	0.8	70	0.8	8.5	27	113.0								
J824853		0.23	0.6	50	1.4	8.5	30	150.5								
J824854		0.27	0.7	33	0.6	7.7	45	160.0								
J824855		0.21	0.6	35	0.4	8.7	57	171.5								
J824856		0.15	0.5	107	0.7	7.0	111	99.1								
J824857		0.20	0.9	20	0.8	6.7	33	112.0								
J824858		0.25	0.8	35	1.0	7.7	57	169.5								
J824859		0.22	0.7	27	0.7	8.0	47	170.0								
J824860		0.21	0.8	106	5.5	15.1	151	31.8	1.295							
J824861		0.24	0.7	28	0.8	10.0	58	173.5								
J824862		0.21	0.6	31	1.0	9.0	49	130.5								
J824863		0.21	0.8	37	0.8	7.8	50	122.5								
J824864		0.23	0.7	27	1.4	6.9	46	133.5								
J824865		0.24	0.8	55	0.7	6.9	76	153.0								
J824866		0.27	1.2	51	1.9	6.4	68	169.5								
J824867		0.27	1.8	91	3.3	10.8	101	118.0								
J824868		0.25	1.4	57	1.4	8.8	66	112.5								
J824869		0.24	1.3	58	1.3	6.1	67	144.0								
J824870		0.23	0.8	60	0.3	5.6	78	148.0								
J824871		0.29	0.7	47	1.2	5.3	51	139.0								
J824871 CRD		0.29	0.9	46	1.1	5.0	51	133.0								
J824872		0.33	0.8	55	0.8	4.6	52	152.0		1.58	5.8	61.78	14.64	4.31	4.38	1.40
J824873		0.36	1.0	58	1.9	5.4	55	150.0								
J824874		0.32	0.9	57	1.1	5.0	78	143.5								
J824875		0.70	1.1	150	10.3	14.0	165	38.7	2.20							
J824876		0.36	0.9	46	1.6	5.9	51	139.5								
J824877		0.27	1.1	49	0.8	8.3	83	125.0								
J824878		0.25	1.6	43	1.3	7.7	67	167.5								
J824879		0.35	1.5	51	1.6	7.0	63	132.0								
J824880		0.42	1.0	62	4.2	8.1	58	158.0								
J824881		0.37	0.7	40	3.8	5.6	45	125.5								
J824882		0.31	0.9	33	1.9	5.5	37	121.5								
J824883		0.32	1.1	59	1.4	4.5	36	99.3								
J824884		0.28	0.7	46	0.8	4.0	27	65.1								
J824885		0.20	0.3	129	1.2	3.7	105	15.3								
J824886		0.22	0.9	31	0.9	4.2	20	104.5								
J824887		0.28	0.5	169	1.2	4.4	181	53.3								
J824888		0.29	0.7	26	1.3	5.3	23	108.0								
J824889		0.27	1.1	24	1.4	6.2	20	130.5								
J824890		1.32	1.2	155	13.5	15.1	146	24.1								

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824852											
J824853											
J824854											
J824855											
J824856											
J824857											
J824858											
J824859											
J824860											
J824861											
J824862											
J824863											
J824864											
J824865											
J824866											
J824867											
J824868											
J824869											
J824870											
J824871											
J824871 CRD											
J824872		2.68	2.95	<0.01	0.45	0.07	0.091	0.03	0.04	6.75	99.57
J824873											
J824874											
J824875											
J824876											
J824877											
J824878											
J824879											
J824880											
J824881											
J824882											
J824883											
J824884											
J824885											
J824886											
J824887											
J824888											
J824889											
J824890											

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J824891		2.67	0.228			0.17	6.66	<0.2	580	1.04	0.05	1.38	0.10	51.0	6.1	13
J824891 CRD		<0.02	0.168			0.11	6.44	<0.2	570	1.00	0.06	1.31	0.09	52.5	6.3	18
J824892		2.66	0.015		0.018	0.09	6.51	<0.2	400	1.25	0.07	2.06	0.08	35.9	6.0	14
J824893		3.85	0.020			0.05	5.72	<0.2	280	0.94	0.01	2.28	0.04	33.8	4.0	12
J824894		3.87	0.042			0.12	6.44	<0.2	390	0.95	0.02	2.20	0.04	46.2	4.8	10
J824895		2.94	0.024			0.07	6.16	<0.2	450	1.02	0.02	1.83	0.04	47.9	4.8	10
J824896		4.10	0.021			0.06	6.64	<0.2	540	1.11	0.02	1.77	0.04	45.4	4.8	12
J824897		2.09	0.143			0.22	6.93	0.3	520	1.14	0.07	1.20	0.10	45.2	7.8	12
J824898		2.99	0.136			0.24	6.41	0.4	500	1.03	0.03	1.46	0.06	42.6	5.5	13
J824899		2.95	0.386			0.35	6.77	0.6	510	1.02	0.05	1.16	0.05	60.6	5.2	12
J824900		0.12	0.923			4.90	6.46	21.1	470	0.79	1.93	2.48	2.23	23.4	16.2	58
J824901		3.15	1.090			0.57	6.98	0.4	530	1.01	0.08	1.15	0.06	56.5	5.0	12
J824902		3.11	0.284			0.43	6.58	<0.2	500	0.99	0.11	1.43	0.07	50.4	7.3	12
J824903		2.47	0.112			0.23	6.14	0.6	370	1.01	0.08	2.32	0.12	36.5	11.1	9
J824904		2.34	0.204			0.41	6.63	<0.2	420	1.07	0.17	3.00	0.19	38.0	17.8	10
J824905		3.95	0.027			0.15	7.16	0.4	370	1.00	0.03	3.12	0.15	33.2	13.4	8
J824906		3.77	0.131			0.23	7.25	<0.2	320	1.04	0.08	3.50	0.12	34.8	16.5	6
J824907		2.88	0.076			0.21	7.47	<0.2	300	1.03	0.07	2.79	0.06	33.6	12.7	9
J824908		2.90	0.306			0.30	7.87	<0.2	260	1.06	0.05	3.67	0.07	36.2	18.2	7
J824909		3.11	0.061			0.11	7.06	<0.2	230	0.82	0.03	3.21	0.05	45.5	10.6	9
J824910		3.14	<0.005			0.14	7.58	0.6	200	0.91	0.11	3.92	0.05	43.2	17.3	9
J824911		3.04	0.142			0.22	7.76	0.7	210	0.80	0.09	4.03	0.04	48.7	16.8	6
J824911 CRD		<0.02	0.107			0.20	7.31	0.5	200	0.81	0.08	3.88	0.04	40.5	16.5	8
J824912		2.93	0.101		0.082	0.14	7.45	0.6	220	0.79	0.08	3.59	0.04	43.1	15.6	8
J824913		2.84	0.071			0.11	6.50	<0.2	360	0.99	0.01	1.97	0.03	48.2	6.5	11
J824914		3.19	0.088			0.47	6.56	<0.2	320	1.09	0.03	2.23	0.03	45.2	7.7	13
J824915		0.12	2.39			7.97	6.43	47.6	630	0.83	3.38	1.58	1.00	55.5	16.9	54
J824916		3.08	0.054			0.18	6.55	<0.2	330	1.12	0.02	2.02	0.03	52.0	6.7	12
J824917		3.42	0.070			0.12	7.00	0.8	500	0.92	0.02	2.62	0.02	47.5	10.7	10
J824918		3.68	0.094			0.10	6.48	<0.2	550	1.06	0.01	1.78	0.03	50.4	4.9	11
J824919		3.62	0.065			0.08	6.78	<0.2	440	1.15	0.03	1.97	0.03	47.4	6.5	13
J824920		3.26	0.044			0.07	6.49	0.2	450	0.98	0.01	1.91	0.02	46.9	5.6	12
J824921		3.57	0.048			0.10	7.14	0.7	460	1.06	0.03	1.98	0.03	46.7	5.9	13
J824922		3.37	0.008			0.11	7.70	<0.2	290	1.00	0.06	3.43	0.05	35.9	14.8	9
J824923		3.50	0.061			0.16	7.06	<0.2	380	1.12	0.05	2.36	0.03	48.6	9.6	10
J824924		3.51	0.027			0.06	7.04	<0.2	460	1.24	0.01	2.26	0.03	46.5	6.9	12
J824925		3.22	<0.005			0.06	6.70	<0.2	510	1.19	0.02	1.78	0.02	40.6	5.2	11
J824926		3.35	0.020			0.18	7.32	<0.2	500	1.17	0.02	2.40	0.05	38.1	8.8	11
J824927		3.19	0.109			0.09	7.02	<0.2	500	1.10	0.04	1.65	0.05	50.2	5.5	10
J824928		2.94	>10.0	15.95		9.98	6.32	0.5	480	0.99	5.55	1.48	0.06	46.0	13.0	11

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J824891		0.72	30.4	1.83	20.7	0.16	3.8	0.021	2.48	24.4	2.2	0.41	235	0.49	1.73	7.0
J824891 CRD		0.68	24.4	1.84	20.2	0.19	3.6	0.021	2.41	25.6	2.1	0.40	232	0.29	1.68	7.0
J824892		0.69	4.6	1.84	20.2	0.18	3.9	0.022	2.59	16.6	2.8	0.49	233	0.16	1.44	7.4
J824893		0.50	1.2	1.36	17.20	0.17	3.1	0.015	1.94	15.8	3.3	0.27	156	0.42	1.90	7.4
J824894		0.56	81.4	1.65	17.90	0.12	3.6	0.022	1.98	21.3	5.9	0.35	217	0.30	2.00	6.8
J824895		0.55	12.3	1.67	18.45	0.13	3.6	0.016	1.90	21.3	7.3	0.29	225	0.30	2.23	6.8
J824896		0.71	13.8	1.69	19.60	0.16	3.9	0.017	1.98	21.0	5.1	0.33	262	0.24	2.48	6.5
J824897		0.78	39.0	2.05	21.0	0.16	4.1	0.021	2.57	21.6	2.7	0.43	262	0.22	1.89	6.8
J824898		0.82	21.7	2.05	20.2	0.16	3.9	0.022	2.38	19.6	3.7	0.48	342	0.35	2.05	6.9
J824899		0.98	33.6	1.95	19.45	0.17	3.9	0.019	2.54	30.9	2.2	0.37	267	0.44	1.89	6.3
J824900		0.79	>10000	4.68	14.30	0.17	1.0	0.134	0.88	11.1	15.7	1.19	662	243	2.22	4.3
J824901		0.96	61.2	1.93	19.55	0.14	3.6	0.017	2.66	28.4	1.9	0.36	236	0.55	1.73	4.0
J824902		0.98	70.0	2.30	18.90	0.12	3.5	0.022	2.69	24.9	2.4	0.47	318	0.31	1.59	5.3
J824903		0.92	46.0	2.74	17.40	0.16	2.1	0.029	2.30	16.5	5.9	0.78	459	0.51	1.16	6.9
J824904		0.85	65.1	3.78	20.4	0.18	1.9	0.038	2.69	15.8	8.7	0.99	559	0.33	1.25	7.4
J824905		0.80	52.0	3.41	22.1	0.19	2.2	0.038	2.33	13.4	18.6	0.78	420	0.18	1.78	8.7
J824906		0.80	42.1	3.98	21.0	0.18	1.8	0.039	2.11	14.2	24.0	0.92	506	0.29	1.73	7.4
J824907		0.80	25.6	3.44	21.3	0.18	3.0	0.033	2.00	14.3	21.6	0.74	404	0.32	2.35	7.6
J824908		0.85	30.2	4.55	23.4	0.19	2.0	0.047	1.83	14.2	30.2	1.03	516	0.22	2.42	9.1
J824909		0.58	12.7	3.16	19.45	0.18	2.9	0.030	1.36	20.5	17.6	0.67	452	1.58	2.45	7.5
J824910		0.45	20.5	4.46	23.0	0.19	2.3	0.049	1.02	17.0	25.4	0.96	559	0.41	2.59	9.9
J824911		0.60	29.8	4.19	23.1	0.22	2.1	0.046	1.21	20.7	26.8	0.92	535	0.40	2.78	9.4
J824911 CRD		0.57	24.6	4.10	21.5	0.19	2.2	0.043	1.17	16.2	26.3	0.87	524	0.23	2.72	9.1
J824912		0.50	32.1	4.07	21.8	0.18	2.3	0.041	1.11	17.6	22.8	0.88	505	0.23	2.53	9.5
J824913		0.66	11.0	2.29	20.2	0.18	3.9	0.021	1.35	21.8	13.3	0.37	318	0.16	2.79	7.5
J824914		0.76	12.3	2.50	20.5	0.17	3.9	0.026	1.49	19.2	15.6	0.46	376	0.19	2.68	8.5
J824915		3.06	>10000	5.63	13.75	0.18	1.0	0.106	2.70	25.0	16.9	1.16	613	110.5	1.61	6.5
J824916		0.65	22.3	2.33	20.0	0.15	3.5	0.024	1.24	22.6	14.1	0.36	331	0.22	2.82	7.8
J824917		0.84	16.8	3.07	20.9	0.20	3.1	0.032	1.61	20.3	20.0	0.60	429	0.22	2.61	8.7
J824918		0.82	2.6	1.81	18.80	0.16	4.2	0.017	1.68	24.1	11.1	0.33	269	0.18	2.50	7.0
J824919		0.81	10.7	1.99	20.4	0.15	4.5	0.022	1.60	23.2	16.3	0.41	298	0.18	2.75	8.1
J824920		0.77	12.6	2.00	18.50	0.16	3.8	0.020	1.60	22.0	13.9	0.36	310	0.17	2.69	7.4
J824921		0.94	13.5	2.00	19.25	0.12	4.0	0.024	1.96	23.5	12.4	0.40	320	0.26	2.65	8.2
J824922		0.84	27.3	4.00	21.9	0.18	2.4	0.044	1.61	15.9	26.0	0.84	547	0.34	2.52	9.6
J824923		0.87	18.8	2.65	19.90	0.16	3.9	0.030	1.73	23.6	17.0	0.50	389	0.19	2.78	8.3
J824924		0.90	2.1	2.43	19.55	0.15	4.3	0.031	1.83	22.3	14.5	0.43	369	0.19	2.58	8.5
J824925		0.85	2.4	1.83	18.65	0.13	4.0	0.017	1.79	19.9	9.7	0.31	267	0.14	2.85	6.6
J824926		0.92	17.0	2.67	20.1	0.15	3.3	0.028	2.08	18.2	15.5	0.51	405	0.14	2.46	8.2
J824927		0.94	21.0	1.92	19.35	0.16	4.1	0.016	2.22	24.7	9.6	0.37	295	0.18	2.32	6.0
J824928		0.75	1120	2.32	17.55	0.15	3.6	0.022	1.83	22.9	8.2	0.34	292	0.76	2.44	5.0

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J824891		6.7	370	9.1	63.3	<0.002	0.09	0.09	4.0	1	1.2	75.8	0.55	<0.05	7.1	0.132
J824891 CRD		6.5	350	6.4	59.4	<0.002	0.09	0.07	3.8	1	1.2	70.4	0.55	<0.05	7.4	0.132
J824892		6.8	340	7.6	57.4	<0.002	<0.01	0.08	4.5	1	1.2	94.4	0.68	<0.05	5.3	0.142
J824893		3.9	260	4.6	42.6	<0.002	0.03	0.08	3.2	1	0.9	124.5	0.56	<0.05	5.2	0.113
J824894		4.2	320	5.4	44.7	<0.002	0.01	0.08	3.3	1	0.9	118.0	0.31	<0.05	7.0	0.125
J824895		3.9	300	8.7	44.3	<0.002	0.03	0.07	3.2	1	0.9	131.5	0.43	<0.05	7.9	0.132
J824896		4.7	340	5.5	52.5	<0.002	0.02	0.08	3.8	1	0.9	129.5	0.35	<0.05	7.9	0.139
J824897		8.0	380	5.5	68.7	<0.002	0.07	0.10	4.0	1	1.1	70.7	0.55	<0.05	6.8	0.147
J824898		5.9	360	3.7	58.0	<0.002	0.06	0.10	3.7	1	1.1	83.3	0.51	<0.05	5.4	0.134
J824899		5.3	380	5.0	70.2	<0.002	0.13	0.12	3.8	1	1.0	68.1	0.32	0.06	8.1	0.123
J824900		35.2	590	42.7	23.0	1.470	1.62	25.4	15.5	6	1.0	292	0.31	0.52	2.2	0.328
J824901		4.1	370	7.4	77.2	0.002	0.13	0.11	3.0	1	0.9	73.7	0.24	0.08	7.9	0.090
J824902		5.0	450	5.8	73.9	<0.002	0.17	0.13	3.7	1	0.9	75.9	0.28	0.08	6.8	0.127
J824903		8.9	870	5.2	59.8	<0.002	0.07	0.16	7.7	1	1.0	83.5	0.47	<0.05	3.7	0.242
J824904		10.8	1230	5.2	58.2	<0.002	0.20	0.15	10.0	1	1.1	98.7	0.55	<0.05	2.9	0.339
J824905		8.0	1200	5.8	54.4	<0.002	0.07	0.13	9.7	1	1.2	137.0	0.58	<0.05	2.5	0.358
J824906		8.1	1280	7.8	49.5	<0.002	0.16	0.13	10.7	1	1.0	132.5	0.58	<0.05	2.8	0.368
J824907		6.9	1030	6.2	47.5	<0.002	0.08	0.11	8.2	1	1.0	130.5	0.49	<0.05	3.6	0.309
J824908		7.6	1400	5.9	41.7	<0.002	0.09	0.13	12.4	2	1.3	154.0	0.66	0.06	2.5	0.418
J824909		5.6	810	6.8	35.1	<0.002	0.04	0.08	6.9	1	1.1	159.5	0.49	<0.05	5.8	0.288
J824910		7.6	1510	6.8	25.3	<0.002	0.03	0.11	10.9	2	1.4	229	0.74	<0.05	2.5	0.449
J824911		7.0	1420	9.6	37.1	<0.002	0.09	0.09	11.4	2	1.3	194.0	0.65	0.05	2.4	0.405
J824911 CRD		7.1	1360	8.9	28.8	<0.002	0.09	0.09	10.4	2	1.1	187.0	0.65	<0.05	2.2	0.404
J824912		6.6	1270	7.8	32.9	<0.002	0.04	0.12	10.1	2	1.1	230	0.73	<0.05	2.4	0.417
J824913		4.0	430	6.0	38.9	<0.002	0.02	0.08	4.5	1	1.0	177.0	0.47	<0.05	5.7	0.185
J824914		4.8	570	12.6	40.4	<0.002	0.04	0.08	5.3	1	1.4	171.0	0.58	<0.05	4.0	0.228
J824915		33.6	860	65.6	76.3	0.126	2.39	6.98	15.2	6	2.5	249	0.27	0.83	4.9	0.320
J824916		4.4	440	8.0	36.1	<0.002	0.03	0.09	5.1	1	1.1	199.0	0.52	<0.05	4.8	0.199
J824917		5.3	800	6.7	44.9	<0.002	0.05	0.08	7.4	1	1.1	180.0	0.60	<0.05	4.3	0.304
J824918		5.3	300	10.8	47.1	<0.002	0.01	0.08	3.4	1	1.1	159.0	0.50	<0.05	7.9	0.138
J824919		7.0	350	11.7	46.5	<0.002	0.01	0.08	4.1	1	1.3	178.0	0.69	<0.05	8.1	0.162
J824920		6.0	340	6.5	45.7	<0.002	0.02	0.07	4.0	1	1.3	151.0	0.48	<0.05	6.9	0.149
J824921		6.8	380	6.4	55.5	<0.002	0.02	0.11	4.5	1	1.3	135.0	0.64	<0.05	7.6	0.153
J824922		7.3	1220	7.6	45.9	<0.002	0.03	0.11	9.0	2	1.5	201	0.85	<0.05	2.6	0.389
J824923		5.5	590	7.9	47.9	<0.002	0.10	0.10	5.4	1	1.4	147.0	0.92	0.05	6.2	0.203
J824924		5.4	440	6.3	51.6	<0.002	0.01	0.10	4.7	1	1.4	154.5	0.78	<0.05	6.0	0.168
J824925		4.0	330	5.7	49.6	<0.002	0.04	0.08	3.2	1	0.9	164.0	0.51	<0.05	6.3	0.126
J824926		5.2	650	6.2	56.1	<0.002	0.02	0.11	6.0	1	1.3	165.5	0.49	<0.05	5.9	0.206
J824927		4.7	390	8.0	61.1	<0.002	0.07	0.09	3.6	1	1.1	115.0	0.29	<0.05	9.0	0.143
J824928		20.4	310	89.9	52.1	<0.002	0.71	0.07	3.0	1	0.8	120.0	0.31	0.88	8.8	0.105

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J824891		0.28	1.0	25	1.8	6.4	20	131.0								
J824891 CRD		0.28	0.9	24	1.7	6.1	19	128.0								
J824892		0.28	1.2	27	1.2	6.4	17	132.0		1.04	3.8	68.00	14.48	2.73	3.02	0.99
J824893		0.22	0.9	18	0.5	5.5	10	100.5								
J824894		0.22	1.1	18	0.6	5.4	20	125.0								
J824895		0.22	1.0	18	0.7	5.9	29	121.5								
J824896		0.24	1.0	21	1.8	6.7	36	135.5								
J824897		0.31	1.1	28	5.0	7.5	33	146.0								
J824898		0.29	0.8	25	2.9	6.3	36	140.5								
J824899		0.30	1.0	25	4.2	6.8	27	141.5								
J824900		0.22	0.9	103	6.0	17.0	139	30.2	1.295							
J824901		0.32	1.1	25	3.4	6.4	30	129.5								
J824902		0.33	0.9	30	4.4	6.4	35	125.5								
J824903		0.26	0.8	57	18.3	6.6	39	66.6								
J824904		0.32	0.9	84	14.8	6.6	55	59.5								
J824905		0.29	0.8	80	7.3	6.7	63	72.8								
J824906		0.26	0.9	83	9.3	7.1	71	53.0								
J824907		0.26	0.8	69	4.0	8.3	69	99.3								
J824908		0.24	0.8	95	5.9	12.7	92	54.8								
J824909		0.18	0.9	49	1.5	10.7	68	105.5								
J824910		0.15	1.2	101	0.8	16.2	100	77.2								
J824911		0.18	1.2	93	3.0	17.4	88	72.3								
J824911 CRD		0.17	1.0	91	2.5	15.0	86	73.2								
J824912		0.16	1.0	86	1.1	15.8	84	77.9		0.30	1.1	61.63	16.55	6.01	5.32	1.59
J824913		0.21	0.7	28	1.7	9.3	57	145.0								
J824914		0.23	0.5	36	3.4	9.6	72	148.5								
J824915		0.72	1.3	151	11.5	15.2	167	33.7	2.20							
J824916		0.18	0.5	30	1.0	10.8	58	135.0								
J824917		0.22	0.9	54	3.2	12.7	78	117.5								
J824918		0.23	0.9	19	1.5	8.2	49	158.0								
J824919		0.24	1.2	24	1.5	11.3	55	161.5								
J824920		0.23	0.8	22	2.7	10.1	52	140.5								
J824921		0.31	1.2	25	3.0	9.8	57	154.5								
J824922		0.27	2.2	83	1.7	13.7	97	77.9								
J824923		0.27	1.2	41	4.4	9.6	70	136.0								
J824924		0.29	1.4	29	1.1	9.0	63	157.0								
J824925		0.28	1.2	21	1.9	6.0	43	137.5								
J824926		0.31	0.9	42	2.3	7.3	69	116.5								
J824927		0.29	0.9	27	4.0	6.2	42	140.0								
J824928		0.25	0.9	23	4.5	5.2	36	121.0								

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method Analyte Units LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824891 J824891 CRD J824892 J824893 J824894		2.09	3.16	<0.01	0.25	0.03	0.078	0.03	0.04	5.10	100.00
J824895 J824896 J824897 J824898 J824899											
J824900 J824901 J824902 J824903 J824904											
J824905 J824906 J824907 J824908 J824909											
J824910 J824911 J824911 CRD J824912 J824913		3.54	1.36	<0.01	0.80	0.07	0.275	0.04	0.02	2.76	99.96
J824914 J824915 J824916 J824917 J824918											
J824919 J824920 J824921 J824922 J824923											
J824924 J824925 J824926 J824927 J824928											

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method	WEI-21	Au-AA24	Au-GRA22	Au-AA24d	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.05	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
J824929		3.67	0.019			0.19	7.80	<0.2	440	0.97	0.03	3.06	0.07	44.8	13.7	9
J824930		0.12	0.428			2.34	7.72	109.5	590	1.29	0.56	0.57	1.04	32.2	19.9	35
J824931		3.23	0.008			0.13	6.97	<0.2	400	1.05	0.03	2.45	0.07	48.9	11.1	18
J824931 CRD		<0.02	<0.005			0.12	7.18	<0.2	400	1.05	0.02	2.47	0.06	47.6	10.7	18
J824932		3.20	0.007		<0.005	0.11	7.15	<0.2	420	1.04	0.02	2.31	0.06	41.2	9.7	18
J824933		3.54	0.057			0.28	6.65	<0.2	510	0.91	0.10	1.04	0.04	17.10	3.7	9
J824934		3.37	0.010			0.06	6.53	<0.2	460	0.90	0.01	1.48	0.03	17.70	2.1	9
J824935		3.17	0.255			0.13	6.32	<0.2	600	1.01	0.05	1.39	0.03	35.1	5.8	11
J824936		3.13	0.090			0.05	6.68	<0.2	790	0.88	0.04	1.23	0.02	28.0	2.9	9
J824937		3.51	0.061			0.08	6.84	<0.2	430	1.16	0.03	2.04	0.03	50.8	6.5	11
J824938		3.50	0.060			0.10	6.53	<0.2	490	1.01	0.03	1.83	0.04	24.6	5.8	11
J824939		3.43	0.008			0.07	6.43	<0.2	450	1.02	0.04	1.87	0.04	38.6	5.4	9
J824940		3.34	0.030			0.05	6.50	<0.2	420	0.95	0.04	1.51	0.03	28.3	4.1	11
J824941		3.36	0.015			0.06	6.85	<0.2	380	1.01	0.02	2.06	0.04	55.0	7.0	12

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
J824929		1.06	24.0	3.83	22.8	0.14	3.2	0.043	1.96	19.2	23.7	0.79	495	0.21	2.69	8.3
J824930		6.84	4620	4.86	17.25	0.18	0.8	0.059	4.29	17.6	11.9	0.77	494	273	1.10	5.7
J824931		0.92	58.9	2.86	18.85	0.15	3.1	0.029	1.83	23.4	21.5	0.69	480	0.23	2.50	6.5
J824931 CRD		0.92	57.8	2.85	18.85	0.14	2.8	0.029	1.87	23.0	21.2	0.71	479	0.15	2.58	6.4
J824932		0.87	51.3	2.58	18.70	0.14	2.6	0.029	1.76	20.1	19.4	0.63	449	0.20	2.94	6.3
J824933		0.68	26.9	1.15	15.80	0.08	1.5	0.010	1.79	8.8	4.3	0.20	165	0.94	2.82	3.2
J824934		0.64	2.4	1.04	15.55	0.08	1.9	0.009	1.61	8.7	2.8	0.14	197	0.24	2.99	3.4
J824935		0.72	3.1	1.84	17.10	0.13	2.4	0.014	1.59	17.0	10.5	0.33	223	0.22	2.64	7.1
J824936		0.67	5.8	1.24	14.45	0.10	1.4	0.010	1.53	13.8	3.3	0.15	201	4.37	3.13	3.6
J824937		0.89	11.0	2.06	18.80	0.16	3.1	0.021	1.83	24.6	12.9	0.40	328	0.17	2.61	6.9
J824938		0.74	11.2	1.83	17.60	0.12	2.3	0.019	1.71	12.0	10.1	0.31	278	1.12	2.78	6.0
J824939		0.74	12.1	1.77	17.70	0.13	3.6	0.014	1.68	19.3	9.4	0.31	283	0.16	2.84	6.4
J824940		0.65	5.5	1.41	16.30	0.11	2.1	0.012	1.61	14.2	5.3	0.23	239	0.23	2.98	4.4
J824941		0.77	13.6	2.25	18.50	0.16	4.3	0.023	1.72	26.9	16.5	0.44	330	0.15	2.63	7.1

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J824929		5.9	1100	12.3	59.0	<0.002	0.03	0.16	9.0	1	1.3	203	0.94	<0.05	4.2	0.288
J824930		23.2	1130	43.5	108.0	0.680	2.54	7.52	11.1	8	3.0	263	0.37	0.95	2.7	0.264
J824931		11.4	650	9.2	47.3	<0.002	0.05	0.11	6.9	1	1.2	202	0.60	<0.05	5.6	0.221
J824931 CRD		10.6	660	8.2	49.0	<0.002	0.04	0.11	7.0	1	1.2	204	0.58	<0.05	5.6	0.220
J824932		9.7	600	14.7	44.3	<0.002	0.04	0.12	6.0	1	1.2	207	0.67	<0.05	4.9	0.205
J824933		3.7	170	10.1	47.5	<0.002	0.05	0.06	2.3	1	0.5	99.8	0.49	0.05	3.3	0.066
J824934		2.0	100	5.5	42.1	<0.002	0.01	0.06	1.6	1	0.5	167.0	0.32	<0.05	4.2	0.058
J824935		3.6	250	5.7	43.6	<0.002	0.10	0.07	3.3	1	0.9	141.0	0.47	0.06	6.4	0.138
J824936		2.4	140	5.1	43.1	<0.002	0.03	0.06	1.8	1	0.6	121.0	0.29	<0.05	5.8	0.069
J824937		5.4	410	11.2	51.7	<0.002	0.04	0.08	4.6	1	1.0	180.5	0.47	<0.05	8.6	0.158
J824938		5.3	290	7.0	45.4	<0.002	0.08	0.08	4.0	1	0.9	155.0	0.49	<0.05	4.1	0.124
J824939		3.9	280	7.6	45.4	<0.002	0.06	0.08	3.2	1	0.9	161.0	0.38	<0.05	6.5	0.133
J824940		3.4	240	6.6	45.3	<0.002	0.04	0.08	2.5	1	0.6	138.0	0.26	<0.05	5.1	0.091
J824941		5.8	460	7.9	50.6	<0.002	0.02	0.09	4.5	1	1.1	162.0	0.59	<0.05	8.1	0.167

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 16-DEC-2010
Account: OSIHRG

Project: HAMMOND REEF

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01
J824929		0.31	1.4	71	1.0	10.7	89	105.5								
J824930		1.50	1.3	162	14.4	14.5	154	25.3								
J824931		0.28	0.7	50	1.6	5.5	73	119.0								
J824931 CRD		0.29	0.7	51	1.5	5.5	73	107.5								
J824932		0.26	1.0	47	0.8	5.5	72	98.1		0.64	2.4	65.11	15.47	3.75	3.28	1.16
J824933		0.22	1.7	18	2.1	2.8	23	38.9								
J824934		0.21	1.2	9	1.0	2.9	15	54.5								
J824935		0.22	1.0	21	2.8	4.4	48	79.7								
J824936		0.20	0.6	10	2.1	3.3	22	49.2								
J824937		0.27	0.9	27	2.2	5.9	59	106.5								
J824938		0.23	0.9	24	3.9	4.6	51	69.4								
J824939		0.25	0.9	20	2.4	5.0	54	129.0								
J824940		0.25	0.5	15	1.5	3.7	29	78.0								
J824941		0.26	1.0	28	1.1	6.3	63	156.5								

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J824929											
J824930											
J824931											
J824931 CRD											
J824932		4.04	2.09	<0.01	0.39	0.06	0.129	0.03	0.04	3.86	99.41
J824933											
J824934											
J824935											
J824936											
J824937											
J824938											
J824939											
J824940											
J824941											

Comments: Additional Au-AA24 check results for sample J824902 are 0.721 ppm and 0.902 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 16-DEC-2010
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10180105

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.