ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Finalized Date: 3-JAN-2011
This copy reported on 2-MAY-2011
Account: OSIHRG

CERTIFICATE TB10189650

Project: HAMMOND REEF

P.O. No.:

This report is for 147 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 14-DEC-2010.

The following have access to data associated with this certificate:

SERGIO CATTALANI ASSAYS REPOSITORY JOHN ZBEETNOFF	ANNE CHARLAND ANDREW STOKES	CAMERON RENNIE BOB WARES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
C-GAS05	Inorganic Carbon (CO2)	
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **OSISKO HAMMOND REEF GOLD LTD.**
ATTN: CAMERON RENNIE
101 GOODWIN STREET
BOX 2020
ATIKOKAN ON P0T 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840668		3.09	0.216		0.08	7.09	<0.2	540	1.13	<0.01	2.79	0.04	50.5	8.1	12	1.40
J840669		3.20	0.312		0.16	7.18	<0.2	420	1.05	<0.01	3.53	0.02	40.4	16.0	22	1.35
J840670		3.53	0.065		0.05	7.50	<0.2	430	1.11	<0.01	3.24	0.03	49.1	12.8	19	1.29
J840671		3.72	0.096		0.09	7.48	<0.2	350	0.96	0.03	4.02	0.04	30.8	22.3	27	1.19
J840672		3.51	1.265		0.44	7.86	0.5	300	0.87	0.08	3.81	0.06	49.3	24.8	78	0.85
J840673		3.33	0.499		0.15	7.67	<0.2	470	0.96	0.04	2.21	0.03	70.1	8.4	16	1.33
J840674		3.30	0.401		0.14	7.26	<0.2	450	1.03	0.05	1.99	<0.02	64.6	6.7	10	1.44
J840675		0.11	2.36		8.07	6.48	47.2	650	0.81	3.14	1.53	0.92	51.3	16.2	55	3.07
J840676		3.35	0.116		0.04	6.90	<0.2	390	0.93	0.03	2.23	0.02	45.7	6.4	11	1.50
J840677		3.57	0.609		0.37	7.32	<0.2	350	1.14	0.11	1.55	0.04	39.3	5.4	11	0.99
J840678		2.96	0.006		0.02	7.48	<0.2	380	1.10	0.01	1.80	0.04	54.6	6.2	9	1.30
J840679		3.27	0.532		0.36	7.16	<0.2	550	1.09	0.08	2.32	0.03	84.0	8.3	16	1.71
J840680		3.12	0.083		0.17	7.16	<0.2	320	1.86	0.06	1.10	0.06	65.7	2.9	9	0.88
J840681		3.09	0.373		0.11	7.04	<0.2	260	1.69	0.08	0.64	0.05	45.9	1.3	7	0.66
J840682		3.23	0.268		0.17	7.75	<0.2	420	1.05	0.07	2.43	0.06	84.2	10.8	21	1.17
J840683		3.33	0.241		0.12	7.31	<0.2	360	1.03	0.07	2.83	0.04	65.9	11.6	16	1.20
J840684		3.26	0.081		0.06	7.31	0.3	350	1.00	0.05	2.69	0.03	41.7	12.5	21	0.90
J840685		3.19	0.017		0.04	7.52	1.6	410	1.05	0.01	2.46	0.05	49.0	8.1	14	0.72
J840686		3.21	<0.005		0.08	7.73	1.1	390	1.18	0.02	2.51	0.03	69.9	11.4	22	0.60
J840687		3.30	<0.005		0.09	7.62	0.5	350	1.19	0.01	2.59	0.04	69.9	11.4	16	0.67
J840687 CRD		<0.02	<0.005		0.07	7.25	<0.2	340	1.10	0.01	2.48	0.03	61.8	9.9	17	0.61
J840688		3.08	0.161	0.203	0.13	7.37	<0.2	320	1.07	0.02	2.69	0.04	59.6	9.3	16	0.75
J840689		3.18	0.079		0.05	7.63	2.4	390	1.00	0.01	2.47	0.03	62.5	8.2	13	0.88
J840690		0.07	0.373		2.31	8.07	115.5	630	1.27	0.53	0.57	0.94	33.2	19.3	34	7.24
J840691		3.18	<0.005		0.06	7.14	0.7	290	1.07	0.02	2.39	0.03	53.1	8.4	15	0.56
J840692		3.27	<0.005		0.06	7.57	0.4	330	1.15	0.03	2.44	0.03	27.8	7.4	14	0.58
J840693		2.90	0.011		0.04	7.22	<0.2	350	0.86	0.03	2.20	0.02	47.1	5.7	9	0.78
J840694		3.34	0.331		0.20	6.74	<0.2	490	1.15	0.04	1.88	0.02	47.2	3.9	6	0.90
J840695		3.39	0.043		0.09	7.21	<0.2	440	0.96	0.05	2.05	0.03	46.0	6.5	8	1.18
J840696		3.24	0.043		0.04	7.57	<0.2	450	0.93	0.03	2.58	0.03	57.6	9.5	11	1.22
J840697		3.05	0.181		0.08	7.36	<0.2	460	0.90	0.03	2.58	0.03	41.3	8.7	11	1.10
J840698		3.18	0.090		0.06	7.71	<0.2	430	0.86	0.02	2.70	0.04	65.0	9.9	12	1.02
J840699		2.91	0.015		0.03	7.30	0.2	550	0.77	0.01	2.27	0.02	67.4	8.8	11	0.85
J840700		0.07	1.080		4.88	6.80	21.6	500	0.76	1.84	2.46	2.09	20.8	15.7	60	0.78
J840701		3.53	0.404		0.11	6.89	<0.2	480	0.95	0.06	2.60	0.03	61.5	7.7	11	1.40
J840702		3.23	0.492		0.05	7.29	<0.2	450	1.02	0.05	2.24	0.03	84.8	6.5	11	1.30
J840703		3.11	1.780		0.38	7.04	<0.2	410	1.24	0.13	1.42	0.03	70.1	5.3	8	1.26
J840704		3.14	1.225		0.23	7.29	<0.2	610	1.09	0.07	2.06	0.03	67.6	5.7	9	1.34
J840705		3.28	0.219		0.04	7.09	<0.2	440	1.01	0.03	1.54	0.03	50.9	4.2	7	1.09
J840706		3.13	0.729		0.16	7.28	<0.2	420	0.95	0.07	2.38	0.03	65.2	7.2	9	1.24

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840668		9.3	2.61	22.5	0.14	4.3	0.027	2.22	22.3	15.9	0.58	462	0.60	2.55	8.7	10.9
J840669		39.8	3.87	20.9	0.14	3.0	0.045	2.01	17.9	25.5	1.06	673	0.22	2.23	7.0	24.6
J840670		18.2	3.43	21.5	0.16	3.8	0.035	1.97	22.2	19.4	0.91	550	0.15	2.15	8.4	18.4
J840671		38.8	4.75	22.2	0.14	2.5	0.047	1.62	12.9	29.5	1.45	793	0.45	2.33	6.5	37.3
J840672		44.2	5.07	19.40	0.13	3.2	0.049	1.27	27.4	20.7	1.89	761	0.72	2.04	5.8	68.5
J840673		7.4	2.68	18.45	0.14	4.2	0.028	2.27	38.0	11.2	0.67	420	1.55	2.34	7.0	13.2
J840674		5.2	2.21	17.35	0.12	3.4	0.019	2.35	34.6	8.8	0.43	355	0.44	2.15	7.1	6.1
J840675		>10000	5.50	12.60	0.18	1.0	0.101	2.64	25.3	16.7	1.17	627	113.5	1.52	6.2	31.7
J840676		5.3	2.27	20.6	0.07	3.8	0.020	2.36	21.4	8.9	0.47	375	0.18	2.28	6.3	7.1
J840677		16.8	1.75	19.20	0.09	3.0	0.020	1.82	20.4	6.8	0.37	287	8.82	3.04	11.6	6.9
J840678		8.2	1.99	22.6	0.13	4.6	0.021	2.03	27.9	9.4	0.39	367	10.45	2.70	11.9	6.3
J840679		35.8	2.57	21.8	0.17	3.7	0.030	2.61	43.6	14.9	0.60	488	4.66	1.94	10.1	9.6
J840680		21.4	1.34	24.8	0.13	3.9	0.032	1.56	34.2	6.5	0.18	365	0.44	3.63	18.2	3.5
J840681		20.9	1.01	22.0	0.09	3.3	0.028	1.22	23.7	4.6	0.09	263	5.61	4.19	17.2	1.0
J840682		40.3	3.21	23.0	0.16	3.6	0.044	1.79	43.6	15.2	0.80	656	1.87	2.63	13.7	14.5
J840683		20.2	3.53	19.40	0.14	3.5	0.036	1.75	33.8	17.7	0.81	657	1.67	2.40	8.5	11.8
J840684		10.5	3.14	17.95	0.11	2.7	0.031	1.39	21.7	15.2	0.95	610	1.91	2.63	8.3	19.6
J840685		21.9	2.34	19.45	0.12	3.5	0.026	1.27	24.9	10.4	0.58	444	0.18	2.93	7.2	10.2
J840686		48.9	2.87	24.3	0.15	3.4	0.029	1.01	35.5	13.7	0.75	544	0.16	3.00	10.8	15.5
J840687		66.8	3.10	22.6	0.15	4.4	0.034	1.05	35.5	14.3	0.66	550	0.13	2.96	9.7	11.0
J840687 CRD		56.0	2.99	19.60	0.14	3.7	0.031	1.00	31.5	12.6	0.62	530	0.11	2.79	8.5	9.3
J840688		51.4	2.71	19.55	0.14	3.1	0.028	1.22	30.7	12.7	0.68	487	0.12	2.82	6.3	12.6
J840689		13.9	2.59	20.1	0.13	3.4	0.021	1.47	32.3	12.7	0.60	437	0.14	2.90	7.5	8.5
J840690		5030	4.91	16.80	0.17	0.8	0.054	5.56	18.6	12.5	0.80	523	298	1.06	5.2	23.3
J840691		61.5	2.35	17.90	0.11	3.5	0.020	1.00	27.8	13.1	0.62	394	0.24	2.80	7.0	11.4
J840692		26.9	1.98	21.1	0.10	3.3	0.018	1.09	14.0	11.8	0.48	334	0.18	3.08	6.0	10.7
J840693		33.8	1.83	18.05	0.11	3.5	0.017	1.70	24.1	11.2	0.39	274	67.2	2.59	5.5	6.3
J840694		11.1	1.17	19.45	0.11	3.5	0.012	1.82	23.9	5.5	0.20	180	2.12	2.60	3.8	2.3
J840695		9.5	1.93	19.60	0.12	3.5	0.016	2.14	23.2	9.8	0.40	260	6.71	2.32	4.7	5.2
J840696		18.8	2.88	20.9	0.13	4.6	0.031	2.00	28.7	16.4	0.61	408	1.34	2.35	6.7	8.3
J840697		13.4	2.81	20.2	0.12	4.1	0.033	2.02	20.0	14.1	0.58	404	1.25	2.34	6.5	7.5
J840698		9.9	3.08	21.6	0.15	4.7	0.056	1.71	33.5	16.4	0.63	496	0.52	2.49	7.7	8.4
J840699		5.0	2.81	19.25	0.14	4.4	0.029	1.61	35.0	13.4	0.57	403	0.11	2.50	7.4	7.1
J840700		>10000	4.74	13.15	0.14	0.9	0.128	0.89	10.6	16.0	1.24	702	260	2.24	4.1	33.9
J840701		6.1	2.78	21.7	0.09	4.9	0.028	2.42	30.8	12.0	0.55	409	1.19	1.94	6.3	7.8
J840702		5.3	2.53	18.85	0.12	4.8	0.019	2.41	45.3	10.0	0.48	376	0.34	2.01	6.0	5.8
J840703		4.8	1.92	22.1	0.14	4.4	0.020	1.96	38.1	6.0	0.29	266	4.16	2.56	9.5	4.1
J840704		6.1	2.22	21.2	0.13	4.3	0.021	2.59	35.9	7.5	0.39	355	1.70	1.86	7.4	4.2
J840705		4.7	1.68	17.45	0.11	3.5	0.017	2.05	27.4	5.8	0.27	265	1.73	2.39	7.2	3.8
J840706		15.0	2.42	21.0	0.14	4.7	0.021	2.22	33.7	10.9	0.42	352	1.12	2.20	7.5	6.1

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840668		390	5.3	60.1	<0.002	0.10	0.10	7.0	1	1.4	112.0	0.57	0.07	8.0	0.218	0.33
J840669		430	5.8	54.8	<0.002	0.08	0.10	12.9	1	1.4	128.5	0.61	0.07	4.7	0.321	0.32
J840670		500	5.7	61.6	<0.002	0.08	0.14	11.5	1	1.3	194.0	0.75	<0.05	6.9	0.292	0.31
J840671		420	6.1	56.7	<0.002	0.07	0.15	17.8	1	1.3	217	0.61	<0.05	3.0	0.383	0.27
J840672		400	7.2	49.5	<0.002	0.21	0.25	12.8	1	1.3	267	0.33	0.17	6.7	0.422	0.18
J840673		430	4.9	70.0	<0.002	0.12	0.15	6.1	1	1.2	116.5	0.26	0.10	11.0	0.211	0.32
J840674		450	5.2	73.6	<0.002	0.22	0.13	4.2	1	1.0	95.4	0.34	0.10	9.0	0.180	0.30
J840675		890	56.7	74.8	0.127	2.36	6.83	14.3	6	2.4	254	0.24	0.87	4.1	0.313	0.67
J840676		500	5.1	70.0	<0.002	0.15	0.12	4.2	1	1.1	118.0	0.35	<0.05	8.2	0.201	0.38
J840677		280	8.9	55.0	<0.002	0.17	0.11	4.4	1	1.3	118.5	0.80	0.18	7.4	0.127	0.23
J840678		340	7.3	75.0	<0.002	0.01	0.12	4.2	1	1.7	155.0	0.80	<0.05	8.1	0.153	0.35
J840679		680	7.1	91.3	<0.002	0.20	0.14	6.4	1	1.8	132.5	0.72	0.22	11.2	0.232	0.39
J840680		230	15.3	57.7	<0.002	0.09	0.09	3.8	1	3.3	127.5	1.51	0.05	9.0	0.069	0.23
J840681		110	12.4	46.9	<0.002	0.14	0.07	3.6	1	2.8	106.5	1.26	0.06	8.1	0.036	0.17
J840682		850	11.1	62.8	<0.002	0.17	0.17	8.9	1	2.6	282	1.02	0.10	9.6	0.274	0.29
J840683		820	5.4	60.4	<0.002	0.13	0.11	8.9	1	1.7	195.0	0.59	0.06	6.1	0.304	0.25
J840684		520	5.4	48.0	<0.002	0.03	0.11	9.0	1	1.5	215	0.78	<0.05	5.1	0.294	0.20
J840685		510	5.6	42.1	<0.002	0.01	0.14	5.7	1	1.3	290	0.62	<0.05	6.3	0.214	0.20
J840686		740	7.4	41.6	<0.002	0.02	0.13	8.0	1	1.7	317	0.90	<0.05	8.5	0.263	0.19
J840687		700	6.5	46.2	<0.002	0.05	0.11	8.2	1	1.8	256	0.76	<0.05	8.3	0.259	0.20
J840687 CRD		640	6.1	39.8	<0.002	0.05	0.10	7.1	1	1.6	246	0.66	<0.05	7.0	0.244	0.17
J840688		480	7.5	44.3	<0.002	0.06	0.10	6.7	1	1.2	237	0.54	<0.05	8.1	0.224	0.19
J840689		490	7.0	48.7	<0.002	0.03	0.12	5.2	1	1.1	212	0.52	<0.05	8.2	0.230	0.21
J840690		1220	39.8	128.0	0.666	2.63	7.31	11.3	8	2.9	284	0.34	1.01	2.5	0.269	1.32
J840691		400	5.7	36.9	<0.002	0.01	0.14	5.7	1	1.0	234	0.62	<0.05	7.2	0.206	0.15
J840692		260	7.5	36.9	<0.002	<0.01	0.17	4.7	1	1.0	246	0.51	<0.05	4.6	0.159	0.16
J840693		260	3.3	49.2	0.002	0.02	0.10	2.9	1	0.9	145.5	0.38	<0.05	7.8	0.149	0.24
J840694		160	5.0	58.2	<0.002	0.05	0.10	1.3	1	0.7	135.0	0.24	0.07	8.3	0.093	0.27
J840695		360	4.5	61.3	<0.002	0.05	0.12	2.7	1	0.8	129.0	0.23	0.05	7.1	0.166	0.28
J840696		620	5.1	65.0	<0.002	0.05	0.15	6.4	1	1.2	159.0	0.31	<0.05	8.1	0.247	0.29
J840697		620	4.1	59.5	<0.002	0.05	0.11	6.3	1	1.2	159.0	0.36	<0.05	6.9	0.232	0.28
J840698		700	6.6	55.3	<0.002	0.06	0.17	11.9	1	1.6	199.0	0.40	<0.05	9.9	0.257	0.24
J840699		640	4.9	50.9	<0.002	0.01	0.13	7.3	1	1.1	193.0	0.38	<0.05	10.2	0.241	0.23
J840700		620	40.2	25.5	1.460	1.73	24.8	14.1	5	1.0	311	0.29	0.58	2.0	0.346	0.20
J840701		550	8.2	65.0	<0.002	0.19	0.16	6.7	1	1.0	114.0	0.27	0.09	11.3	0.199	0.36
J840702		500	4.7	69.2	<0.002	0.26	0.14	4.1	1	1.0	114.0	0.29	0.06	13.3	0.178	0.28
J840703		330	5.8	67.1	<0.002	0.48	0.13	4.0	1	1.6	114.5	0.71	0.30	11.1	0.120	0.27
J840704		420	5.8	74.4	<0.002	0.36	0.13	3.9	1	1.2	106.0	0.38	0.09	10.9	0.161	0.31
J840705		310	6.0	60.7	<0.002	0.13	0.11	3.0	1	1.1	114.0	0.58	<0.05	8.7	0.117	0.24
J840706		490	7.9	66.3	<0.002	0.28	0.14	3.4	1	1.2	143.0	0.40	0.12	9.9	0.173	0.29

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	C-GAS05	C-GAS05	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	U	V	W	Y	Zn	Zr	Cu	C	CO2	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.1	1	0.1	0.1	2	0.5	0.001	0.05	0.2	0.01	0.01	0.01	0.01	0.01	0.01
J840668		0.9	41	4.3	9.6	58	168.5									
J840669		1.0	82	2.8	15.3	79	122.5									
J840670		1.2	66	2.5	17.0	68	159.5									
J840671		0.9	118	1.6	15.2	82	92.4									
J840672		0.7	106	2.1	15.0	93	129.0									
J840673		0.5	37	1.9	9.6	70	186.0									
J840674		0.6	28	2.9	7.1	58	141.5									
J840675		1.0	150	10.3	13.4	170	34.5	2.18								
J840676		0.6	30	3.4	8.2	59	155.0									
J840677		1.3	26	1.7	10.7	43	98.2									
J840678		1.0	21	0.5	9.4	59	165.0									
J840679		1.1	41	1.8	12.2	66	154.0									
J840680		2.1	11	1.5	18.6	44	100.5									
J840681		2.0	3	0.8	16.0	35	67.8									
J840682		1.4	54	1.1	17.1	87	136.5									
J840683		0.9	64	1.8	17.0	82	142.5									
J840684		1.2	66	1.0	13.8	69	108.0									
J840685		0.9	38	0.3	9.4	66	143.5									
J840686		1.6	50	0.3	9.8	80	129.5									
J840687		1.7	50	0.4	15.7	85	171.0									
J840687 CRD		1.1	47	0.4	13.2	83	145.5									
J840688		1.3	53	0.8	10.9	67	112.5		0.32	1.2	67.30	14.92	3.92	3.90	1.20	3.89
J840689		1.3	42	1.0	9.4	64	137.5									
J840690		1.1	170	13.6	14.6	160	23.7									
J840691		1.6	41	0.4	9.6	57	138.0									
J840692		0.9	33	0.2	6.7	45	100.5									
J840693		0.9	26	0.8	7.4	41	118.0									
J840694		1.0	16	1.0	6.1	18	109.0									
J840695		0.8	25	1.8	6.7	40	140.5									
J840696		0.8	41	1.7	11.5	66	194.0									
J840697		0.7	39	1.1	10.6	60	179.0									
J840698		0.8	43	1.8	17.0	78	203									
J840699		0.8	36	0.7	10.3	76	193.0									
J840700		0.8	109	6.0	15.0	156	28.4	1.265								
J840701		0.8	33	3.2	8.4	71	224									
J840702		0.9	27	2.4	7.7	68	213									
J840703		1.4	22	2.9	9.2	40	169.5									
J840704		0.8	28	2.9	8.1	56	186.0									
J840705		0.9	17	1.9	7.1	40	137.5									
J840706		1.3	23	2.0	8.0	64	186.5									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840668										
J840669										
J840670										
J840671										
J840672										
J840673										
J840674										
J840675										
J840676										
J840677										
J840678										
J840679										
J840680										
J840681										
J840682										
J840683										
J840684										
J840685										
J840686										
J840687										
J840687 CRD										
J840688		1.43	<0.01	0.37	0.06	0.100	0.03	0.03	2.20	99.35
J840689										
J840690										
J840691										
J840692										
J840693										
J840694										
J840695										
J840696										
J840697										
J840698										
J840699										
J840700										
J840701										
J840702										
J840703										
J840704										
J840705										
J840706										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840707		3.23	0.012		0.02	6.84	0.6	410	0.84	0.01	2.25	0.03	58.7	5.2	10	0.93
J840707 CRD		<0.02	0.021		0.02	6.59	<0.2	400	0.84	0.01	2.27	0.03	57.4	5.2	9	0.92
J840708		2.97	0.259	0.340	0.03	6.64	<0.2	420	0.79	0.02	1.90	0.02	51.4	4.7	8	0.98
J840709		3.31	0.161		0.09	6.87	<0.2	410	0.96	0.02	2.08	0.03	78.0	6.1	11	1.03
J840710		3.15	0.476		0.08	6.74	0.6	420	0.95	0.03	1.87	0.03	61.9	5.2	10	0.96
J840711		3.09	0.589		0.09	6.67	<0.2	380	0.93	0.03	1.93	0.02	65.2	5.4	11	1.05
J840712		2.91	0.084		0.04	6.91	0.3	450	0.94	0.03	1.96	0.03	51.8	6.2	11	0.91
J840713		3.24	0.173		0.08	6.82	<0.2	410	1.00	0.02	2.28	0.03	53.1	5.9	10	1.01
J840714		3.37	0.245		0.15	7.13	0.4	380	0.88	0.05	1.89	0.02	72.6	5.7	11	0.65
J840715		0.12	2.42		7.95	6.52	50.5	650	0.79	3.17	1.52	0.88	52.0	15.3	57	2.99
J840716		3.41	<0.005		0.02	6.88	3.0	330	0.91	0.05	2.27	0.03	72.5	7.0	11	0.57
J840717		3.33	0.449		0.15	6.67	1.7	360	0.85	0.05	2.07	0.03	67.3	6.1	10	0.95
J840718		3.49	1.435		0.48	6.65	0.6	370	1.03	0.08	2.12	0.03	51.2	6.7	9	1.23
J840719		3.16	0.381		0.07	6.85	0.8	390	1.11	0.04	1.84	0.03	47.0	7.1	15	0.84
J840720		2.63	0.005		0.05	7.00	0.6	10	0.53	0.04	6.27	0.10	23.6	45.0	192	0.05
J840721		2.94	0.378		0.19	6.48	1.0	250	0.86	0.05	3.13	0.06	41.2	19.1	70	0.43
J840722		2.73	0.018		0.07	7.29	1.6	100	0.61	0.05	5.28	0.08	29.3	38.4	165	0.18
J840723		2.31	0.683		0.13	6.44	0.5	380	1.12	0.04	1.66	0.03	45.5	4.2	11	0.90
J840724		2.53	0.046		0.03	6.81	0.3	370	1.03	0.02	1.91	0.03	70.4	7.4	13	1.10
J840725		3.24	0.268		0.12	6.55	0.5	350	1.12	0.08	2.60	0.05	33.9	9.6	22	1.32
J840726		3.28	0.514		0.13	7.26	<0.2	360	1.06	0.07	3.86	0.07	33.9	17.4	41	1.24
J840727		3.24	0.123		0.08	6.81	<0.2	370	1.01	<0.01	1.85	0.03	32.0	4.3	14	1.20
J840727 CRD		<0.02	0.188		0.03	6.90	<0.2	370	1.00	<0.01	1.92	0.03	33.7	4.3	15	1.29
J840728		3.23	0.077	0.093	0.12	7.73	<0.2	400	0.93	0.02	4.01	0.07	29.8	17.0	41	1.61
J840729		3.01	0.772		0.56	7.29	<0.2	390	1.03	0.04	3.78	0.06	39.2	14.0	22	1.48
J840730		0.07	0.417		2.33	7.48	107.5	560	1.12	0.47	0.54	0.92	35.4	17.1	39	7.55
J840731		3.05	0.047		0.03	6.83	<0.2	360	1.02	<0.01	2.58	0.03	37.0	9.6	18	1.42
J840732		3.11	0.128		0.07	7.33	0.3	260	0.72	0.07	3.65	0.04	31.8	18.5	24	0.89
J840733		3.34	<0.005		0.03	7.91	0.7	230	0.68	<0.01	3.75	0.06	34.1	21.3	33	0.61
J840734		4.09	<0.005		0.07	7.74	<0.2	340	0.71	0.07	3.85	0.04	31.2	22.7	29	1.09
J840735		4.58	0.014		0.03	7.76	0.5	340	0.83	0.04	3.51	0.06	34.5	20.0	27	1.09
J840736		2.65	0.027		0.15	7.58	<0.2	400	1.00	0.06	3.28	0.05	29.5	21.1	31	1.53
J840737		2.84	0.575		0.25	7.10	0.5	360	1.24	0.10	1.36	0.03	46.0	3.4	8	1.11
J840738		2.12	1.255		0.31	7.36	0.4	430	1.27	0.12	2.35	0.03	61.4	9.6	11	1.83
J840739		2.99	0.371		0.05	7.22	0.2	500	1.17	0.06	1.59	0.02	50.5	6.0	10	1.45
J840740		3.37	0.361		0.05	7.09	0.3	470	0.97	0.04	1.95	0.03	56.8	4.7	8	1.30
J840741		3.25	0.602		0.23	6.93	0.3	520	1.09	0.13	1.92	0.02	65.9	6.3	7	1.47
J840742		3.31	0.699		0.14	7.03	0.2	510	1.01	0.05	1.71	0.03	47.7	4.9	6	1.25
J840743		3.14	0.129		0.01	6.99	0.7	550	0.96	0.02	1.79	0.02	35.4	3.6	8	1.24
J840744		2.21	0.176		0.05	7.19	0.3	380	0.98	0.03	2.05	0.03	51.2	5.8	7	1.20

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840707		4.6	2.03	19.20	0.13	4.3	0.017	1.87	29.2	10.0	0.36	321	0.82	2.39	5.5	5.3
J840707 CRD		1.9	2.01	18.35	0.11	4.5	0.016	1.85	27.5	10.1	0.36	318	0.74	2.36	5.2	5.0
J840708		3.5	1.70	17.90	0.11	4.5	0.013	1.90	24.9	7.9	0.30	259	0.21	2.39	4.4	4.4
J840709		2.0	2.23	21.0	0.15	4.8	0.021	1.95	38.4	12.4	0.43	329	0.12	2.27	6.9	5.7
J840710		4.4	2.16	20.1	0.13	3.9	0.018	1.83	29.9	10.9	0.40	310	0.32	2.31	8.6	4.6
J840711		3.0	2.14	18.15	0.13	4.2	0.019	1.86	32.4	10.6	0.40	320	0.19	2.31	6.1	5.7
J840712		2.8	2.19	21.5	0.13	4.5	0.021	1.60	24.7	11.0	0.42	355	3.28	2.57	8.6	6.2
J840713		3.8	2.29	19.10	0.12	4.5	0.025	1.84	24.8	11.7	0.46	399	0.27	2.34	8.4	5.8
J840714		3.9	2.18	20.0	0.13	4.7	0.018	1.32	36.4	10.3	0.40	325	2.51	2.83	7.5	6.1
J840715		>10000	5.54	13.75	0.17	1.0	0.103	2.72	23.4	18.3	1.18	631	114.5	1.58	6.1	31.7
J840716		8.6	2.64	20.1	0.08	4.3	0.025	1.21	37.4	11.7	0.46	376	0.12	2.78	8.1	5.9
J840717		4.7	2.22	19.45	0.08	4.2	0.019	1.80	35.9	8.0	0.41	331	2.20	2.58	7.2	5.1
J840718		16.4	2.37	20.1	0.09	3.5	0.017	2.06	25.7	7.8	0.41	364	1.24	2.37	7.3	3.8
J840719		7.8	2.26	20.3	0.07	2.8	0.020	1.40	24.6	8.0	0.49	374	0.19	3.37	8.5	9.7
J840720		71.5	8.81	17.50	0.14	1.4	0.066	0.03	12.1	29.0	4.06	1280	0.41	0.36	2.8	155.5
J840721		34.3	4.25	18.60	0.09	2.4	0.033	0.77	21.3	15.5	1.53	638	0.64	2.75	5.8	54.6
J840722		59.5	7.62	18.40	0.13	1.6	0.061	0.28	15.6	28.9	3.44	1120	0.56	1.27	4.0	131.0
J840723		11.0	1.49	19.05	0.07	2.9	0.014	1.57	23.5	4.3	0.29	266	0.41	3.24	6.2	5.0
J840724		2.9	2.53	20.4	0.11	4.2	0.021	1.97	36.5	9.2	0.53	382	0.25	2.65	8.2	7.1
J840725		25.6	2.58	18.60	0.09	1.9	0.027	2.22	16.5	11.7	0.73	483	5.14	2.17	5.5	21.0
J840726		82.9	4.10	19.55	0.09	1.0	0.041	2.19	16.3	21.9	1.32	812	0.35	2.05	6.3	42.2
J840727		4.3	1.61	18.80	0.09	2.6	0.012	2.28	15.0	5.0	0.37	286	0.58	2.45	4.1	7.9
J840727 CRD		4.6	1.62	20.0	0.10	2.5	0.012	2.35	15.6	5.4	0.38	292	0.58	2.51	4.2	10.1
J840728		48.7	4.41	21.1	0.11	2.1	0.039	2.58	13.2	21.9	1.37	754	0.61	1.78	5.1	36.0
J840729		33.3	3.85	20.7	0.12	2.3	0.037	2.40	18.2	18.5	1.15	712	0.43	1.76	7.0	23.8
J840730		4270	4.56	18.70	0.16	0.7	0.058	5.35	18.4	11.4	0.74	466	261	1.03	4.9	24.7
J840731		40.3	2.73	19.65	0.08	2.7	0.026	2.32	16.5	11.1	0.71	497	0.63	2.20	5.4	16.5
J840732		53.4	4.29	20.8	0.10	2.3	0.039	1.36	13.0	19.4	1.36	692	1.85	2.79	5.7	30.3
J840733		49.7	5.06	22.3	0.11	2.2	0.045	0.99	13.9	25.9	1.64	810	0.31	2.85	6.7	38.3
J840734		44.9	4.89	19.70	0.08	2.2	0.044	1.52	13.4	25.4	1.62	792	0.20	2.73	5.6	36.4
J840735		44.4	4.43	20.6	0.13	2.4	0.046	1.51	16.5	26.5	1.42	744	0.19	2.64	5.4	33.6
J840736		46.5	4.56	21.4	0.14	2.6	0.050	2.25	13.4	28.4	1.50	708	0.10	2.00	5.2	37.7
J840737		10.7	1.52	21.3	0.11	3.2	0.023	1.86	23.7	5.1	0.31	233	1.37	2.98	8.1	5.4
J840738		33.4	3.37	23.5	0.14	4.2	0.041	2.69	28.6	12.9	0.67	437	1.76	1.82	9.2	7.8
J840739		7.7	2.22	21.6	0.12	3.9	0.023	2.35	25.3	7.2	0.39	277	0.43	2.33	6.5	4.3
J840740		4.6	1.92	19.55	0.11	4.0	0.018	2.26	29.6	6.7	0.36	308	0.22	2.41	5.4	4.5
J840741		4.4	2.27	20.8	0.12	4.7	0.020	2.58	33.9	8.0	0.41	322	8.36	1.90	6.9	5.3
J840742		8.1	1.83	20.4	0.11	3.8	0.018	2.29	24.7	5.9	0.32	255	0.34	2.31	5.8	4.0
J840743		6.0	1.58	19.50	0.10	3.0	0.013	2.23	17.8	4.1	0.24	256	0.99	2.54	4.4	3.2
J840744		24.1	2.01	20.3	0.12	3.3	0.014	2.16	25.6	6.7	0.31	297	0.14	2.41	4.9	3.7

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840707		390	5.9	54.9	<0.002	0.03	0.15	3.3	1	0.9	149.5	0.33	<0.05	9.5	0.154	0.24
J840707 CRD		380	5.6	51.9	<0.002	0.04	0.11	3.3	1	0.9	147.5	0.33	<0.05	8.9	0.149	0.23
J840708		290	5.8	54.5	<0.002	0.10	0.13	3.5	1	0.8	116.5	0.27	<0.05	8.9	0.126	0.24
J840709		450	7.3	59.5	<0.002	0.06	0.14	4.3	1	1.1	132.5	0.41	<0.05	12.4	0.182	0.28
J840710		480	6.4	57.4	<0.002	0.10	0.11	3.9	1	1.2	116.0	0.63	0.05	8.2	0.163	0.24
J840711		420	5.9	58.3	<0.002	0.13	0.11	4.3	1	1.1	119.0	0.42	0.07	9.8	0.173	0.24
J840712		430	9.6	52.6	<0.002	0.04	0.13	5.4	1	1.4	192.0	0.66	<0.05	8.4	0.181	0.24
J840713		480	6.8	55.7	<0.002	0.07	0.11	5.5	1	1.5	149.5	0.79	<0.05	8.4	0.196	0.26
J840714		410	7.4	49.6	<0.002	0.07	0.19	4.5	1	1.0	194.5	0.40	<0.05	12.2	0.176	0.19
J840715		910	60.4	73.8	0.129	2.43	6.66	15.1	6	2.6	256	0.25	0.82	4.1	0.317	0.67
J840716		500	6.9	35.6	<0.002	0.02	0.45	5.4	1	1.1	203	0.47	<0.05	8.6	0.219	0.21
J840717		440	6.7	51.8	<0.002	0.10	0.26	3.6	1	1.1	154.0	0.32	<0.05	9.3	0.185	0.28
J840718		480	5.0	61.8	<0.002	0.28	0.18	4.7	1	1.1	114.5	0.48	0.20	5.4	0.195	0.32
J840719		430	4.5	41.3	<0.002	0.10	0.20	4.0	1	1.3	164.0	0.53	0.05	5.9	0.177	0.21
J840720		300	7.7	0.6	<0.002	0.06	0.40	21.7	2	0.8	388	0.21	<0.05	2.3	0.721	<0.02
J840721		370	5.0	21.5	<0.002	0.13	0.28	9.4	1	1.0	201	0.48	0.09	5.2	0.335	0.11
J840722		330	7.1	7.1	<0.002	0.12	0.35	18.4	1	0.9	335	0.31	<0.05	3.3	0.624	0.04
J840723		290	3.9	47.7	<0.002	0.13	0.19	2.9	1	0.9	127.0	0.43	0.07	6.4	0.115	0.23
J840724		500	4.5	56.9	<0.002	0.05	0.15	4.8	1	1.2	132.5	0.35	<0.05	9.2	0.217	0.32
J840725		510	5.3	58.7	<0.002	0.07	0.20	6.6	1	1.0	125.0	0.46	0.06	4.2	0.164	0.34
J840726		870	5.3	54.5	<0.002	0.14	0.23	11.6	1	1.5	161.0	0.52	0.06	2.2	0.265	0.31
J840727		200	5.0	67.0	<0.002	0.06	0.11	3.1	1	0.8	121.0	0.28	<0.05	5.6	0.112	0.25
J840727 CRD		200	5.2	70.5	<0.002	0.05	0.12	3.4	1	0.9	127.0	0.29	<0.05	6.1	0.116	0.29
J840728		410	5.8	71.3	<0.002	0.12	0.22	13.9	1	1.2	193.0	0.40	0.05	2.9	0.323	0.29
J840729		390	6.9	73.4	<0.002	0.17	0.20	12.0	1	1.4	188.0	0.56	0.16	4.6	0.302	0.27
J840730		1070	43.0	122.5	0.658	2.42	6.83	11.6	9	2.9	255	0.33	0.98	2.8	0.235	1.25
J840731		340	5.2	70.9	<0.002	0.06	0.14	7.6	1	1.2	140.0	0.45	<0.05	4.8	0.184	0.30
J840732		440	4.8	37.5	<0.002	0.11	0.44	13.6	1	1.1	216	0.48	<0.05	3.3	0.368	0.19
J840733		460	6.0	32.2	<0.002	0.02	0.46	17.0	1	1.5	235	0.55	<0.05	3.0	0.430	0.15
J840734		460	3.8	53.3	0.002	0.03	0.19	15.2	2	1.1	174.0	0.49	<0.05	2.9	0.367	0.26
J840735		430	6.0	54.8	<0.002	0.05	0.23	15.5	1	1.3	178.0	0.45	<0.05	4.0	0.317	0.26
J840736		460	4.4	72.3	<0.002	0.06	0.23	16.3	1	1.7	138.0	0.48	<0.05	2.9	0.276	0.36
J840737		250	3.9	59.8	<0.002	0.16	0.14	3.8	1	1.6	113.0	0.85	0.15	7.4	0.094	0.24
J840738		680	3.9	87.9	<0.002	0.33	0.20	9.4	1	1.6	122.0	0.64	0.18	3.9	0.254	0.34
J840739		400	3.6	76.5	<0.002	0.24	0.16	5.0	1	1.2	122.0	0.38	0.07	6.8	0.151	0.31
J840740		360	3.7	68.2	<0.002	0.14	0.13	3.7	1	1.0	133.0	0.26	<0.05	9.1	0.132	0.30
J840741		400	4.0	76.7	<0.002	0.22	0.16	4.5	1	1.3	120.0	0.40	0.17	10.2	0.158	0.35
J840742		300	3.8	70.1	<0.002	0.19	0.13	3.5	1	1.0	137.5	0.39	0.05	8.0	0.126	0.30
J840743		230	3.8	66.5	<0.002	0.07	0.10	3.2	1	0.8	143.0	0.32	<0.05	6.5	0.094	0.28
J840744		370	4.0	66.7	<0.002	0.11	0.10	3.7	1	0.9	163.5	0.36	<0.05	8.5	0.112	0.31

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840707		1.3	21	1.8	7.5	54	185.5									
J840707 CRD		1.0	20	1.7	7.1	55	183.5									
J840708		1.1	20	1.7	6.3	42	163.0		0.60	2.2	69.16	13.96	2.47	2.81	0.60	3.37
J840709		1.5	25	1.8	9.2	62	199.0									
J840710		1.1	23	1.6	9.6	52	154.5									
J840711		1.2	23	1.9	8.8	56	174.0									
J840712		1.5	24	1.0	12.4	63	189.5									
J840713		1.3	28	2.1	14.2	69	189.5									
J840714		1.2	22	1.4	8.8	58	198.5									
J840715		1.1	152	10.6	13.7	169	33.6	2.20								
J840716		0.8	31	0.7	10.8	65	174.5									
J840717		0.7	23	1.8	7.6	55	174.0									
J840718		0.7	31	2.2	7.8	55	136.5									
J840719		0.8	30	1.8	8.1	52	98.8									
J840720		0.6	190	0.6	18.4	125	39.7									
J840721		0.8	78	1.5	12.0	70	79.6									
J840722		0.7	161	0.8	16.4	114	55.5									
J840723		0.6	20	1.8	7.0	31	106.5									
J840724		0.8	31	1.4	11.0	66	176.0									
J840725		0.8	44	1.6	6.9	61	57.4									
J840726		0.8	81	2.0	6.7	105	26.4									
J840727		0.7	25	1.9	3.6	31	77.9									
J840727 CRD		0.6	26	2.0	3.7	32	74.6									
J840728		0.8	104	4.8	6.3	86	87.7		1.25	4.6	55.33	15.49	6.41	5.73	2.47	2.36
J840729		1.2	84	6.5	7.3	78	92.8									
J840730		1.2	153	11.8	14.7	140	24.0									
J840731		0.8	54	2.4	6.8	59	104.0									
J840732		0.7	110	0.8	11.3	70	92.0									
J840733		0.9	130	0.3	15.2	82	89.3									
J840734		1.1	126	0.4	12.8	82	86.9									
J840735		1.0	104	0.7	11.9	78	87.5									
J840736		1.1	109	1.4	7.2	99	97.1									
J840737		1.3	23	2.5	6.2	25	100.5									
J840738		0.8	50	6.1	9.3	71	170.0									
J840739		0.8	26	3.1	7.0	44	130.5									
J840740		0.7	20	2.5	5.7	44	152.0									
J840741		0.9	26	2.7	6.4	52	191.0									
J840742		1.1	20	2.3	5.8	38	133.0									
J840743		1.2	15	1.4	5.0	31	86.9									
J840744		1.3	19	1.0	6.7	44	106.5									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method Analyte Units LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840707 J840707 CRD J840708 J840709 J840710		2.29	<0.01	0.22	0.03	0.059	0.03	0.04	3.24	98.28
J840711 J840712 J840713 J840714 J840715										
J840716 J840717 J840718 J840719 J840720										
J840721 J840722 J840723 J840724 J840725										
J840726 J840727 J840727 CRD J840728 J840729		3.02	<0.01	0.63	0.10	0.089	0.03	0.04	6.92	98.62
J840730 J840731 J840732 J840733 J840734										
J840735 J840736 J840737 J840738 J840739										
J840740 J840741 J840742 J840743 J840744										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840745		1.06	<0.005		<0.01	0.15	5	10	<0.05	0.01	20.8	<0.02	2.76	0.8	2	0.11
J840746		3.49	0.444		0.07	7.14	0.3	510	0.94	0.03	1.43	0.02	48.4	3.5	7	1.19
J840747		2.06	0.054		0.02	6.78	0.2	530	0.87	0.02	1.43	0.02	22.2	1.7	7	1.03
J840747 CRD		<0.02	0.113		0.02	6.72	<0.2	520	0.86	0.03	1.33	<0.02	24.9	2.0	6	1.04
J840748		2.65	1.285	1.380	0.68	8.06	0.7	740	1.49	2.19	2.77	0.06	50.3	9.9	10	1.95
J840749		2.30	0.208		0.07	7.57	0.2	540	1.11	0.37	2.50	0.04	42.4	6.3	7	1.51
J840750		3.60	0.641		0.25	7.36	0.5	570	1.13	0.35	2.43	0.05	55.5	5.8	9	1.58
J840751		3.41	0.481		0.31	7.10	0.3	570	1.12	0.32	2.19	0.06	56.7	5.7	9	1.54
J840752		3.45	0.476		0.18	7.36	0.3	530	1.09	0.06	2.78	0.06	53.6	8.1	9	1.55
J840753		3.40	0.268		0.10	7.39	<0.2	530	1.04	0.05	3.12	0.06	44.1	11.1	7	1.51
J840754		3.42	0.313		0.17	7.16	1.1	530	1.03	0.08	2.19	0.07	49.7	7.8	9	1.30
J840755		3.23	0.383		0.16	6.27	0.6	390	0.90	0.06	1.83	0.04	30.8	5.9	11	1.01
J840756		3.28	0.415		0.19	5.99	0.7	400	0.99	0.04	3.31	0.08	34.0	9.8	9	1.18
J840757		3.35	0.493		0.21	6.08	0.4	400	0.98	0.04	2.60	0.04	41.3	7.7	16	1.09
J840758		3.22	0.759		0.20	6.89	0.2	410	0.99	0.05	2.37	0.03	36.2	6.9	10	1.10
J840759		3.21	0.126		0.10	6.26	0.9	370	0.97	0.03	2.63	0.04	41.0	9.8	17	1.14
J840760		0.07	0.893		5.01	6.19	18.4	460	0.70	1.81	2.36	2.12	20.2	14.2	57	0.72
J840761		3.18	0.249		0.24	6.72	<0.2	400	1.18	0.04	3.06	0.07	42.3	11.5	22	1.24
J840762		3.19	0.832		0.33	6.87	0.8	430	1.02	0.05	2.00	0.04	31.7	7.1	8	1.05
J840763		3.19	0.484		0.13	6.61	<0.2	410	0.89	0.05	2.02	0.06	36.8	6.4	10	0.97
J840764		3.58	0.271		0.08	6.63	0.3	410	0.95	0.04	2.73	0.06	26.7	9.5	16	1.04
J840765		3.14	0.376		0.17	6.72	0.2	470	1.04	0.04	2.58	0.06	45.8	8.9	10	1.26
J840766		3.06	0.663		0.25	6.72	0.5	450	1.05	0.06	2.96	0.06	28.5	12.0	21	1.28
J840767		3.84	1.120		0.48	6.38	0.2	480	1.16	0.13	2.77	0.05	34.8	12.8	13	1.35
J840767 CRD		<0.02	1.145		0.60	6.59	0.3	490	1.10	0.12	2.80	0.05	36.2	12.2	14	1.30
J840768		3.37	0.829	0.741	0.19	6.61	0.3	390	1.00	0.05	2.15	0.04	52.8	6.8	11	1.15
J840769		3.35	0.189		0.07	6.78	0.5	340	0.96	0.02	2.49	0.05	39.2	8.9	12	1.01
J840770		3.51	0.117		0.10	6.64	0.3	370	0.95	0.02	3.52	0.07	27.2	12.2	14	1.06
J840771		3.39	0.050		0.05	6.75	0.4	420	0.95	0.01	2.34	0.04	55.5	7.1	10	1.03
J840772		3.48	0.102		0.06	6.78	<0.2	420	0.95	0.02	2.95	0.08	42.9	8.4	16	1.00
J840773		3.27	0.090		0.06	7.16	<0.2	450	1.04	0.04	1.48	0.04	42.1	3.7	7	0.96
J840774		2.27	0.390		0.05	6.84	0.2	390	0.99	0.02	1.70	0.03	29.1	3.5	6	0.92
J840775		0.11	2.32		8.28	6.37	46.4	620	0.86	3.28	1.56	0.87	52.4	15.8	53	3.01
J840776		2.83	0.815		0.22	6.52	0.6	420	1.22	0.05	3.26	0.07	24.2	12.4	21	1.31
J840777		2.25	<0.005		0.02	6.77	0.4	360	0.92	0.01	3.55	0.07	24.7	17.7	26	1.04
J840778		3.05	0.348		0.15	6.38	0.6	460	1.04	0.05	2.54	0.06	25.5	8.3	13	1.13
J840779		3.36	0.111		0.05	6.88	0.3	440	1.01	0.02	3.22	0.05	27.2	11.5	12	1.10
J840780		3.47	1.185		0.36	7.19	<0.2	490	1.15	0.10	2.95	0.07	33.6	10.9	16	1.28
J840781		3.58	0.892		0.24	7.50	<0.2	470	1.14	0.11	2.37	0.05	48.6	8.7	11	1.20
J840782		3.32	0.107		0.05	7.61	<0.2	670	1.10	0.03	2.56	0.07	32.8	9.8	11	1.20

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J840745		1.0	0.08	0.39	0.05	0.1	<0.005	0.12	2.1	5.3	13.50	50	0.11	0.04	0.4	1.5
J840746		2.4	1.39	19.40	0.09	3.3	0.013	2.15	24.5	3.3	0.23	196	0.25	2.65	4.0	3.1
J840747		16.0	1.05	17.15	0.09	2.0	0.008	1.95	11.3	1.9	0.19	168	0.44	2.65	2.8	2.1
J840747 CRD		14.1	1.02	17.55	0.09	2.2	0.010	1.95	12.6	2.0	0.18	156	0.46	2.71	3.0	2.4
J840748		3.3	2.84	27.6	0.12	4.2	0.028	3.95	25.2	6.3	0.83	523	308	1.07	7.9	11.0
J840749		9.5	2.33	21.3	0.11	3.3	0.020	2.94	21.4	5.0	0.62	460	42.4	1.77	6.2	8.0
J840750		7.1	2.14	22.5	0.12	3.6	0.021	3.04	28.4	4.8	0.52	385	51.2	1.43	7.3	5.4
J840751		8.2	2.10	22.1	0.12	3.6	0.021	3.05	29.1	4.9	0.52	364	57.3	1.46	7.4	5.4
J840752		22.5	2.56	21.2	0.12	3.8	0.026	3.03	27.2	5.2	0.63	478	0.96	1.60	7.2	10.4
J840753		35.1	3.03	21.5	0.12	3.0	0.030	3.04	21.5	6.6	0.75	543	0.45	1.68	7.1	12.4
J840754		42.8	2.57	20.4	0.09	2.7	0.028	2.78	25.0	4.9	0.56	429	0.62	1.62	6.6	11.2
J840755		31.0	1.87	18.20	0.08	2.3	0.024	2.21	15.0	3.0	0.49	358	1.33	2.12	5.1	8.9
J840756		63.6	2.83	17.60	0.09	2.8	0.034	2.47	16.2	2.8	0.68	591	0.23	1.72	6.6	13.0
J840757		42.0	2.36	18.40	0.09	2.4	0.027	2.48	19.0	3.0	0.55	469	0.25	1.82	5.6	10.4
J840758		24.5	2.13	18.55	0.09	1.9	0.019	2.58	17.7	4.1	0.52	420	0.46	1.96	5.1	8.4
J840759		36.5	2.57	18.45	0.09	2.1	0.025	2.56	19.3	4.6	0.89	537	0.34	1.86	3.7	15.5
J840760		>10000	4.52	13.20	0.11	0.9	0.135	0.85	10.0	15.2	1.15	643	238	2.07	3.6	33.6
J840761		59.3	2.65	19.20	0.15	3.2	0.030	2.68	20.5	3.2	0.84	614	0.72	1.91	7.0	15.0
J840762		25.0	2.17	18.20	0.10	2.5	0.022	2.48	15.5	2.0	0.63	452	1.51	1.87	5.3	8.7
J840763		13.9	2.12	17.45	0.09	2.3	0.022	2.14	18.2	2.7	0.47	394	0.51	2.05	6.0	8.4
J840764		10.8	2.79	18.20	0.10	2.1	0.025	2.24	12.4	6.5	0.72	526	0.23	1.94	5.6	15.4
J840765		21.6	2.64	19.15	0.11	3.4	0.024	2.59	22.6	5.3	0.60	460	0.45	1.68	6.1	11.8
J840766		54.2	3.10	18.90	0.10	2.7	0.029	2.60	13.0	5.7	0.71	562	0.18	1.84	6.8	17.1
J840767		19.4	3.11	19.55	0.09	2.7	0.029	2.66	16.0	5.4	0.72	547	0.48	1.76	6.8	15.2
J840767 CRD		18.0	3.20	19.15	0.10	2.7	0.026	2.68	16.7	5.3	0.73	560	0.42	1.74	6.7	15.3
J840768		9.8	2.19	18.00	0.10	2.6	0.019	2.30	26.7	6.1	0.45	326	0.23	1.98	5.5	7.7
J840769		10.4	2.97	17.40	0.09	2.9	0.026	2.01	19.0	11.9	0.73	501	0.10	2.03	5.7	14.9
J840770		10.6	3.45	17.60	0.10	2.4	0.030	2.23	12.4	12.4	0.93	670	0.13	1.87	5.8	20.4
J840771		8.9	2.48	18.80	0.10	4.1	0.027	2.15	27.0	11.9	0.48	325	0.32	2.09	6.3	7.7
J840772		27.7	2.66	17.15	0.10	2.6	0.027	2.11	21.0	7.2	0.67	549	0.30	1.90	5.3	14.7
J840773		5.0	1.60	19.20	0.10	2.9	0.025	2.08	21.0	3.2	0.27	276	0.84	2.37	7.6	5.2
J840774		5.5	1.58	18.60	0.10	2.5	0.021	1.97	14.3	2.2	0.32	309	0.21	2.57	7.3	5.9
J840775		>10000	5.50	13.55	0.13	1.0	0.107	2.67	24.6	17.1	1.14	606	108.5	1.54	5.9	34.0
J840776		26.0	3.30	20.1	0.15	2.9	0.035	2.63	11.0	6.2	0.80	652	0.23	1.66	8.5	21.9
J840777		22.9	4.28	18.05	0.10	2.1	0.038	2.07	11.1	17.0	1.25	732	0.18	1.97	5.3	32.7
J840778		14.6	2.57	18.35	0.09	2.6	0.027	2.36	11.8	3.7	0.58	512	0.65	1.84	6.2	14.3
J840779		20.5	3.26	18.20	0.11	2.8	0.035	2.24	12.5	9.8	0.82	606	0.21	2.00	6.4	18.2
J840780		46.4	3.01	20.9	0.22	2.8	0.031	2.61	14.0	6.0	0.73	566	1.35	1.90	7.2	17.3
J840781		35.7	2.76	21.8	0.26	3.1	0.030	2.35	21.7	8.8	0.57	439	2.00	2.18	7.8	10.5
J840782		15.1	3.01	20.7	0.28	2.6	0.030	2.24	13.9	12.5	0.74	545	0.65	2.19	6.4	16.4

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J840745		10	1.0	2.6	<0.002	0.03	<0.05	0.3	1	<0.2	67.5	<0.05	<0.05	0.3	0.007	<0.02
J840746		260	3.7	66.0	<0.002	0.12	0.11	2.5	1	0.8	132.5	0.30	0.05	8.5	0.087	0.27
J840747		140	2.9	57.1	<0.002	0.05	0.10	1.7	1	0.6	108.0	0.25	<0.05	4.3	0.055	0.24
J840747 CRD		160	2.9	57.2	<0.002	0.08	0.11	1.9	1	0.6	105.5	0.25	<0.05	4.8	0.059	0.24
J840748		510	9.6	97.5	<0.002	0.50	0.24	6.9	1	1.5	80.9	0.58	1.10	7.6	0.203	0.48
J840749		370	5.1	80.6	<0.002	0.15	0.17	6.1	1	1.2	120.0	0.46	0.20	6.6	0.178	0.36
J840750		460	5.1	86.1	<0.002	0.23	0.17	5.2	1	1.3	94.6	0.46	0.25	8.5	0.166	0.37
J840751		480	5.1	84.3	<0.002	0.23	0.16	4.9	1	1.4	90.4	0.44	0.23	8.5	0.169	0.37
J840752		410	4.8	78.7	<0.002	0.10	0.17	7.1	1	1.4	120.0	0.46	0.09	8.1	0.197	0.36
J840753		440	4.7	71.3	<0.002	0.16	0.16	8.0	1	1.5	134.5	0.42	0.09	6.1	0.230	0.36
J840754		410	6.8	75.3	<0.002	0.15	0.24	6.0	1	1.3	102.5	0.38	0.08	6.7	0.184	0.32
J840755		340	6.0	58.6	<0.002	0.15	0.13	4.7	1	1.1	106.0	0.56	0.09	5.0	0.142	0.25
J840756		440	5.4	53.3	<0.002	0.14	0.19	7.8	1	1.3	141.5	0.48	0.09	3.8	0.246	0.29
J840757		580	5.8	53.3	<0.002	0.14	0.15	5.2	1	1.2	128.0	0.47	0.08	5.4	0.186	0.29
J840758		360	4.5	63.7	<0.002	0.20	0.15	4.1	1	1.2	117.0	0.34	0.10	5.9	0.151	0.29
J840759		520	4.6	53.6	<0.002	0.11	0.15	6.1	1	0.9	132.5	0.34	0.05	4.3	0.192	0.29
J840760		560	37.9	22.8	1.255	1.56	24.2	14.5	5	1.0	274	0.27	0.60	2.0	0.323	0.21
J840761		580	9.3	69.9	<0.002	0.16	0.21	6.9	1	1.3	136.0	0.92	0.06	4.5	0.236	0.27
J840762		340	5.8	65.6	<0.002	0.18	0.16	4.8	1	1.1	104.5	0.47	0.16	4.7	0.146	0.27
J840763		300	5.0	61.4	<0.002	0.14	0.14	4.8	1	1.2	111.0	0.41	0.07	5.9	0.136	0.26
J840764		420	6.2	57.7	<0.002	0.06	0.14	7.4	1	1.3	142.0	0.51	<0.05	3.6	0.174	0.27
J840765		390	5.5	65.0	<0.002	0.14	0.16	5.9	1	1.2	123.5	0.39	0.10	7.3	0.184	0.31
J840766		600	5.6	58.0	<0.002	0.23	0.17	6.9	1	1.3	157.0	0.52	0.10	3.7	0.216	0.30
J840767		510	6.5	58.9	<0.002	0.35	0.17	6.9	1	1.5	139.5	0.39	0.21	5.5	0.206	0.32
J840767 CRD		530	6.3	57.8	<0.002	0.34	0.18	6.7	1	1.4	136.5	0.40	0.22	6.0	0.212	0.31
J840768		420	4.8	63.9	<0.002	0.15	0.14	4.1	1	1.0	150.0	0.27	0.12	6.6	0.159	0.27
J840769		390	5.8	51.7	<0.002	0.04	0.17	7.6	1	1.4	151.0	0.45	<0.05	4.4	0.202	0.24
J840770		380	5.6	47.0	<0.002	0.05	0.19	9.7	1	1.1	156.0	0.51	<0.05	2.7	0.243	0.27
J840771		500	7.7	57.9	<0.002	0.04	0.16	5.6	1	1.2	152.5	0.55	<0.05	7.2	0.184	0.27
J840772		420	5.5	57.4	<0.002	0.06	0.15	7.1	1	1.1	152.5	0.44	<0.05	5.2	0.190	0.25
J840773		200	6.1	62.6	<0.002	0.06	0.10	4.4	1	1.7	117.5	0.85	<0.05	7.8	0.080	0.24
J840774		200	5.6	56.2	<0.002	0.07	0.10	4.1	1	1.3	113.0	0.89	<0.05	4.7	0.091	0.23
J840775		860	59.1	78.9	0.117	2.28	6.81	15.8	6	2.4	248	0.25	1.00	4.4	0.301	0.69
J840776		350	6.1	66.2	<0.002	0.17	0.25	8.7	1	1.8	140.5	0.76	0.13	2.6	0.235	0.29
J840777		490	6.3	45.9	<0.002	<0.01	0.25	13.0	1	1.4	152.5	0.42	<0.05	1.9	0.274	0.26
J840778		330	4.6	56.9	<0.002	0.12	0.15	6.2	1	1.3	125.5	0.53	0.06	3.6	0.172	0.29
J840779		360	5.3	53.0	<0.002	0.03	0.20	9.7	1	1.5	148.5	0.59	<0.05	2.9	0.235	0.27
J840780		350	5.3	60.4	<0.002	0.24	0.23	8.2	2	1.4	142.0	0.58	0.20	4.2	0.225	0.35
J840781		460	5.4	64.6	<0.002	0.24	0.17	6.1	2	1.5	159.0	0.49	0.17	6.8	0.184	0.30
J840782		360	5.5	62.5	<0.002	0.04	0.21	8.5	2	1.4	161.0	0.48	0.05	3.9	0.203	0.29

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840745		0.2	<1	0.1	1.7	<2	2.3									
J840746		0.8	16	2.3	5.5	25	98.5									
J840747		1.3	14	1.8	4.0	14	55.5									
J840747 CRD		1.3	13	2.0	4.2	15	62.3									
J840748		1.1	55	7.0	6.8	47	150.5		1.01	3.7	60.22	16.72	3.96	3.80	1.56	1.42
J840749		1.0	44	6.1	5.4	45	124.5									
J840750		0.9	35	4.9	6.4	45	134.0									
J840751		1.0	35	4.7	6.3	47	142.0									
J840752		1.0	45	5.6	6.1	61	147.5									
J840753		0.7	53	4.9	5.3	71	120.0									
J840754		0.5	37	4.2	5.1	70	106.0									
J840755		1.3	35	5.1	4.4	43	72.8									
J840756		1.0	53	13.9	5.1	60	110.0									
J840757		0.6	41	5.7	4.8	52	90.2									
J840758		0.6	35	4.6	4.7	44	63.1									
J840759		0.5	55	4.4	3.8	61	76.0									
J840760		0.8	104	4.9	15.0	142	27.4	1.275								
J840761		1.0	59	5.2	5.5	64	102.0									
J840762		0.9	36	3.3	5.0	41	90.9									
J840763		0.7	31	3.0	4.9	46	83.4									
J840764		0.8	53	2.7	4.7	77	73.4									
J840765		0.8	42	5.7	5.2	65	134.5									
J840766		0.7	50	6.3	4.9	70	100.0									
J840767		0.6	49	5.9	4.9	64	103.5									
J840767 CRD		0.6	50	5.9	5.1	64	98.9									
J840768		0.5	29	3.7	4.5	51	103.0		0.91	3.4	66.80	14.19	3.13	3.03	0.88	2.84
J840769		0.8	53	2.7	5.3	74	110.5									
J840770		0.7	71	5.4	4.9	74	93.8									
J840771		1.0	33	2.5	7.2	64	176.5									
J840772		0.9	47	3.1	5.5	55	97.6									
J840773		1.8	20	2.2	6.6	35	86.8									
J840774		1.1	21	2.4	6.4	33	80.4									
J840775		1.2	146	9.9	14.1	162	33.3	2.14								
J840776		0.7	61	4.8	4.8	79	88.2									
J840777		0.5	99	2.4	5.1	147	87.4									
J840778		0.8	43	3.6	4.7	50	92.0									
J840779		0.8	63	5.7	5.3	89	109.0									
J840780		0.8	56	6.5	4.7	59	102.5									
J840781		0.7	37	3.2	5.7	64	111.0									
J840782		0.6	55	2.1	5.1	81	98.4									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840745										
J840746										
J840747										
J840747 CRD										
J840748		4.68	<0.01	0.37	0.07	0.109	0.02	0.08	5.63	98.64
J840749										
J840750										
J840751										
J840752										
J840753										
J840754										
J840755										
J840756										
J840757										
J840758										
J840759										
J840760										
J840761										
J840762										
J840763										
J840764										
J840765										
J840766										
J840767										
J840767 CRD										
J840768		2.75	<0.01	0.30	0.04	0.091	0.03	0.03	4.32	98.43
J840769										
J840770										
J840771										
J840772										
J840773										
J840774										
J840775										
J840776										
J840777										
J840778										
J840779										
J840780										
J840781										
J840782										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J840783		3.38	0.083		0.05	6.71	0.3	630	0.92	0.03	1.91	0.04	43.7	6.2	11	0.92
J840784		3.49	0.302		0.20	6.31	0.3	420	0.92	0.07	2.48	0.07	35.5	8.7	14	0.98
J840785		3.44	0.230		0.14	6.50	0.2	440	1.02	0.04	2.44	0.14	38.7	8.5	16	1.01
J840786		3.44	0.050		0.03	7.66	0.5	490	0.83	0.02	1.19	0.17	49.1	3.1	9	0.77
J840787		3.51	0.020		0.01	6.60	0.3	390	0.85	0.02	1.69	0.07	48.2	7.5	8	0.60
J840787 CRD		<0.02	0.020		0.03	6.71	0.6	390	0.84	0.02	1.67	0.08	48.9	7.6	7	0.62
J840788		3.32	0.091	0.080	0.03	5.94	0.2	400	0.77	0.05	3.07	0.14	30.5	11.6	44	1.00
J840789		3.35	0.060		<0.01	6.36	<0.2	390	0.86	0.02	3.03	0.09	48.9	11.0	44	0.99
J840790		0.07	0.427		2.17	7.31	104.5	570	1.17	0.54	0.53	1.03	33.4	18.5	34	7.25
J840791		3.40	0.058		<0.01	6.47	<0.2	510	0.91	0.06	2.55	0.07	49.8	6.2	9	1.15
J840792		3.48	0.043		0.02	6.43	<0.2	450	0.92	0.04	2.65	0.06	44.4	8.3	11	1.19
J840793		3.51	0.318		0.06	6.69	<0.2	500	0.82	0.04	2.48	0.05	45.9	8.1	13	1.23
J840794		3.25	0.033		<0.01	6.41	<0.2	450	0.81	0.01	2.40	0.05	52.7	7.7	8	1.01
J840795		3.76	0.035		<0.01	6.48	<0.2	390	0.88	0.01	2.31	0.04	39.3	6.1	9	0.97
J840796		3.03	0.051		0.03	6.77	<0.2	470	0.80	0.02	1.78	0.04	46.6	4.3	6	0.91
J840797		3.30	0.137		<0.01	7.13	<0.2	470	0.95	0.02	2.30	0.04	82.0	5.5	8	1.21
J840798		3.19	0.167		0.01	6.60	<0.2	360	0.76	0.02	1.59	0.03	43.9	3.1	6	0.85
J840799		3.91	0.353		0.10	6.73	<0.2	350	0.80	0.05	2.31	0.05	31.4	5.3	8	1.02
J840800		0.07	0.938		4.67	6.45	20.8	480	0.76	1.86	2.48	2.24	22.7	15.5	65	0.81
J840801		2.61	0.150		0.03	7.11	<0.2	420	0.97	0.03	3.54	0.09	30.9	14.6	5	1.49
J840802		3.75	0.239		0.17	6.97	<0.2	380	1.01	0.03	3.59	0.07	29.4	14.0	4	1.35
J840803		2.80	0.394		0.12	6.48	<0.2	390	0.94	0.06	2.55	0.05	61.9	8.8	17	1.15
J840804		3.07	0.345		0.12	6.88	<0.2	400	0.87	0.08	2.35	0.05	62.8	8.6	14	1.07
J840805		3.08	0.203		0.03	6.53	<0.2	500	1.03	0.06	3.02	0.08	59.5	11.1	22	1.24
J840806		3.30	0.923		0.35	6.80	<0.2	520	1.04	0.07	2.45	0.07	57.2	9.3	15	1.27
J840807		3.11	0.165		0.08	6.46	<0.2	400	0.91	0.04	2.99	0.08	34.1	9.9	24	1.09
J840807 CRD		<0.02	0.195		0.11	7.09	<0.2	410	0.84	0.04	3.06	0.08	42.0	10.3	23	1.16

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
J840783		29.2	2.07	17.05	0.08	2.3	0.019	1.86	21.2	5.2	0.46	350	0.98	2.55	4.3	8.8
J840784		46.5	2.43	17.35	0.09	2.4	0.023	2.09	16.6	4.8	0.56	462	2.40	2.19	4.4	12.3
J840785		65.9	2.78	19.50	0.11	2.1	0.027	2.35	18.2	5.2	0.64	496	0.58	1.81	7.0	13.3
J840786		1.5	1.57	22.2	0.11	2.2	0.023	2.16	26.2	2.3	0.26	169	0.54	2.68	5.5	5.8
J840787		1.6	2.34	17.00	0.10	3.5	0.026	1.76	24.6	6.8	0.51	325	0.34	2.54	7.4	8.5
J840787 CRD		4.0	2.36	17.35	0.11	3.4	0.023	1.76	25.0	6.8	0.50	324	0.47	2.54	7.7	9.1
J840788		29.0	2.80	16.50	0.13	1.8	0.034	2.21	14.1	4.7	1.00	532	0.22	1.23	4.9	25.6
J840789		16.2	2.78	18.35	0.17	3.5	0.027	2.17	24.1	6.3	0.87	511	0.15	2.09	6.2	23.9
J840790		4330	4.62	17.95	0.18	0.8	0.061	5.33	17.8	12.2	0.77	470	252	1.07	5.1	23.1
J840791		7.9	2.51	19.65	0.16	4.3	0.029	2.58	23.8	3.7	0.47	396	0.64	1.57	5.8	5.7
J840792		11.4	2.83	20.1	0.16	4.3	0.032	2.52	20.8	5.8	0.54	393	0.67	1.75	6.1	7.4
J840793		10.8	2.67	19.65	0.18	4.5	0.030	2.60	21.6	5.2	0.54	391	0.41	1.80	6.2	6.8
J840794		2.8	2.55	19.65	0.17	4.1	0.026	2.17	25.3	7.7	0.52	408	0.20	2.13	6.4	7.3
J840795		2.9	2.22	19.05	0.16	3.6	0.025	2.03	19.3	5.0	0.43	368	0.17	2.31	6.6	6.3
J840796		5.8	1.82	17.85	0.17	3.2	0.018	2.04	22.4	3.2	0.30	254	0.21	2.36	4.6	3.1
J840797		6.3	2.38	20.2	0.18	5.4	0.026	2.51	37.5	3.9	0.44	346	0.46	1.94	6.5	4.5
J840798		12.7	1.53	18.60	0.16	3.3	0.016	1.89	21.4	1.9	0.23	226	1.64	2.61	4.9	2.0
J840799		27.0	1.85	18.40	0.14	2.2	0.020	2.17	13.6	2.5	0.37	299	5.65	2.39	4.4	5.8
J840800		>10000	4.71	14.70	0.18	0.9	0.142	0.88	10.6	14.8	1.25	668	249	2.26	4.1	34.1
J840801		35.5	3.72	20.9	0.16	3.1	0.036	2.93	13.2	5.8	1.02	561	0.31	1.64	6.3	17.1
J840802		46.5	3.43	20.2	0.17	2.9	0.037	2.61	12.8	4.4	0.98	611	0.19	2.16	6.4	14.9
J840803		22.9	2.70	19.95	0.19	1.6	0.031	2.34	27.9	3.0	0.62	523	1.53	2.19	7.2	12.6
J840804		23.3	2.51	20.0	0.17	2.4	0.029	2.29	28.6	3.6	0.56	483	1.98	2.18	7.0	10.0
J840805		22.9	3.23	20.7	0.17	3.5	0.032	2.65	27.8	4.1	0.90	663	2.72	1.22	7.1	13.7
J840806		24.9	2.72	22.9	0.18	4.5	0.028	2.92	26.1	3.8	0.67	467	1.46	1.75	9.9	12.5
J840807		26.2	2.96	19.20	0.19	2.2	0.039	2.32	15.3	6.2	0.80	559	0.25	1.90	5.8	18.1
J840807 CRD		27.4	3.01	20.1	0.19	2.4	0.039	2.40	19.9	6.6	0.86	560	0.25	1.95	5.3	18.7

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J840783		410	5.4	54.7	<0.002	0.08	0.12	4.5	1	0.9	149.5	0.33	<0.05	5.9	0.134	0.23
J840784		440	6.3	50.5	<0.002	0.10	0.15	5.2	1	1.0	153.5	0.35	0.08	4.1	0.166	0.27
J840785		500	7.5	54.5	<0.002	0.11	0.14	6.4	1	1.5	138.5	0.62	0.05	5.9	0.189	0.28
J840786		420	6.4	66.6	<0.002	0.08	0.11	4.8	1	1.2	109.5	0.36	<0.05	6.2	0.139	0.25
J840787		470	7.4	46.7	<0.002	0.06	0.11	4.4	1	1.3	163.5	0.44	<0.05	6.8	0.171	0.22
J840787 CRD		460	7.3	48.1	<0.002	0.06	0.11	4.4	1	1.6	164.5	0.45	<0.05	7.0	0.172	0.22
J840788		360	7.6	56.2	<0.002	0.07	0.16	8.4	1	1.3	133.5	0.28	<0.05	3.1	0.167	0.27
J840789		370	6.1	60.2	<0.002	0.03	0.17	7.6	1	1.4	169.5	0.37	<0.05	7.7	0.163	0.28
J840790		1080	42.5	114.5	0.633	2.43	7.40	11.6	9	3.0	252	0.31	0.95	2.7	0.243	1.40
J840791		500	5.8	57.5	<0.002	0.04	0.17	4.9	1	1.1	123.5	0.23	<0.05	7.3	0.189	0.33
J840792		600	5.2	56.1	<0.002	0.05	0.19	5.6	1	1.2	136.5	0.25	0.07	4.9	0.231	0.32
J840793		580	5.7	62.1	<0.002	0.13	0.18	5.2	1	1.2	124.0	0.28	0.09	5.7	0.227	0.34
J840794		460	5.5	51.6	<0.002	0.02	0.18	5.2	1	1.3	142.5	0.32	<0.05	7.7	0.193	0.29
J840795		440	6.2	50.6	<0.002	0.03	0.15	4.9	1	1.3	150.0	0.30	<0.05	6.7	0.159	0.27
J840796		360	5.1	59.0	<0.002	0.05	0.11	3.1	1	1.0	143.5	0.22	<0.05	6.3	0.120	0.26
J840797		490	6.2	70.7	<0.002	0.06	0.17	3.9	1	1.1	136.0	0.31	<0.05	12.8	0.186	0.34
J840798		280	5.7	54.7	<0.002	0.09	0.13	2.8	1	1.0	134.0	0.31	<0.05	7.8	0.096	0.22
J840799		390	5.4	58.5	<0.002	0.10	0.13	4.4	1	0.9	168.5	0.29	0.09	4.9	0.144	0.26
J840800		590	41.4	29.5	1.505	1.68	26.8	15.5	6	1.1	287	0.26	0.67	2.2	0.336	0.22
J840801		480	6.0	65.9	<0.002	0.06	0.28	10.9	1	1.3	151.5	0.48	<0.05	2.9	0.291	0.39
J840802		430	6.1	57.6	<0.002	0.07	0.26	10.2	1	1.3	171.0	0.49	0.07	3.1	0.277	0.33
J840803		550	5.6	55.6	<0.002	0.16	0.19	6.7	1	1.7	162.5	0.40	0.11	5.5	0.214	0.30
J840804		480	5.4	60.1	<0.002	0.17	0.16	6.5	1	1.6	149.0	0.44	0.11	6.5	0.195	0.30
J840805		690	6.3	67.1	<0.002	0.19	0.20	7.7	1	1.5	132.5	0.50	0.07	7.3	0.234	0.34
J840806		690	6.3	67.6	<0.002	0.18	0.20	6.2	1	1.6	135.5	0.80	0.24	8.4	0.235	0.37
J840807		580	6.7	51.8	<0.002	0.12	0.20	10.2	1	1.5	156.0	0.40	0.08	4.6	0.224	0.30
J840807 CRD		610	6.5	67.0	<0.002	0.12	0.19	11.4	1	1.4	163.5	0.35	0.08	5.6	0.201	0.30

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01
J840783		0.5	33	1.7	4.1	47	88.4									
J840784		0.5	44	2.2	3.5	52	90.6									
J840785		0.7	45	2.6	4.8	70	78.7									
J840786		0.8	34	2.7	4.4	30	87.5									
J840787		0.8	28	1.9	5.5	60	143.5									
J840787 CRD		0.6	28	2.0	5.6	60	142.0									
J840788		0.4	44	3.2	4.9	60	72.6		1.77	6.5	64.87	11.70	3.92	4.24	1.77	1.62
J840789		0.7	40	3.6	6.0	69	142.5									
J840790		1.2	153	12.4	15.9	147	26.1									
J840791		0.7	32	5.0	5.3	56	192.5									
J840792		0.5	39	5.8	5.4	72	201									
J840793		0.5	37	4.8	5.4	60	203									
J840794		0.6	35	2.6	5.7	73	179.5									
J840795		0.5	27	2.3	5.3	58	154.5									
J840796		0.4	20	2.3	4.6	40	137.0									
J840797		1.0	25	2.8	6.6	55	239									
J840798		0.9	16	2.4	5.3	30	129.0									
J840799		0.5	26	2.4	4.4	40	79.8									
J840800		0.8	108	5.6	16.8	152	32.5	1.300								
J840801		0.7	86	3.5	5.0	92	134.5									
J840802		0.8	74	5.0	5.1	71	124.5									
J840803		0.5	39	4.4	6.9	50	64.5									
J840804		0.7	35	3.6	5.8	52	95.4									
J840805		1.0	52	4.0	6.8	59	145.0									
J840806		1.3	41	3.0	6.7	51	200									
J840807		0.7	50	3.1	5.3	63	84.1									
J840807 CRD		0.8	51	2.8	6.1	64	93.4									

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.001	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
J840783										
J840784										
J840785										
J840786										
J840787										
J840787 CRD										
J840788		2.62	0.01	0.35	0.07	0.077	0.03	0.04	7.16	98.48
J840789										
J840790										
J840791										
J840792										
J840793										
J840794										
J840795										
J840796										
J840797										
J840798										
J840799										
J840800										
J840801										
J840802										
J840803										
J840804										
J840805										
J840806										
J840807										
J840807 CRD										

Comments: **CORRECTED COPY FOR Au-AA24 ON SAMPLES J840696 TO J840704.**

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **OSISKO HAMMOND REEF GOLD LTD.**
1100, DE LA GAUCHETIÈRE OUEST, BUREAU 300
C.P. 211
MONTRÉAL QC H3B 2S2

Project: HAMMOND REEF

Finalized Date: 3-JAN-2011
Account: OSIHRG

CERTIFICATE OF ANALYSIS TB10189650

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.